43
15-73

LA-5240-MS

INFORMAL REPORT

Sh. 209

MCP Code Fluorescence-Routine Revision

los alamos
scientific laboratory
of the University of California
LOS ALAMOS, NEW MEXICO 87544

UNITED STATES
ATOMIC ENERGY COMMISSION
CONTRACT W-7405-ENG. 36

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Atomic Energy Commission, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights.

In the interest of prompt distribution, this LAMS report was not edited by the Technical Information staff.

Printed in the United States of America. Available from
National Technical Information Service
U. S. Department of Commerce
5265 Port Royal Road
Springfield, Virginia 22151
Price: Printed Copy ~~\$1.00~~; Microfiche \$0.95

5-17.00

los alamos
scientific laboratory
of the University of California
LOS ALAMOS, NEW MEXICO 87544

LA-5240-MS
Informal Report
UC-32 & 34

ISSUED: May 1973

MCP Code Fluorescence-Routine Revision

by

C. J. Everett
E. D. Cashwell

NOTICE

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Atomic Energy Commission, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights.

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

MCP CODE FLUORESCENCE-ROUTINE REVISION

by

C. J. Everett and E. D. Cashwell

ABSTRACT

A new method is described for treating fluorescence, which replaces the original subroutine of the Monte Carlo photon code (MCP), and eliminates its most undesirable features. The major changes include (a) elimination of the very inaccurate $1/E^3$ law for photoelectric cross section, (b) updating of relative intensities of K-fluorescence lines, (c) elimination of fluorescence from shells other than K and L, and (d) provision for secondary L-fluorescence. Except for the latter, the previous code is unchanged, as well as the storage format. However, the change in method is reflected in the new constants, which have been completely revised, and are included here in tabulated form.

I. INTRODUCTION

The revision of the original fluorescence treatment in the MCP code,¹ described below, is designed to eliminate its most unsatisfactory features, by a method involving only a slight addition to the previous routine, but an almost total replacement of the constants in "2-section F" of the supporting library tape. The appended tables, now complete for all elements $12 \leq Z \leq 94$, are identical in format with the existing data of that section, except for some reductions in the length f for $Z \geq 70$.

These reductions are due to the elimination of fluorescence from shells other than K and L. The probability of ejection from other shells, as well as the corresponding yields and fluorescent energies, are all comparatively small, and are greatest for high Z , where the p.e. cross section is enormous at the fluorescent energies. We therefore assume local absorption for such fluorescence.

Given a photoelectric event, the purpose of the present fluorescence subroutine is therefore to determine from which of the two shells, K or L, an electron is ejected (if either), and the fluorescent photon energy emitted (if any).

In Fig. 1, we give for easy reference an overview of the data to be discussed, and upon which Table I is based.

II. EDGE ENERGIES e

The single K-edge energy E_K is taken from Table II of Ref. 2, being identical with that of Ref. 3, which was used before. The L-edge energy (for $Z \geq 11$) is regarded as the simple average

$$\bar{E}_L = (E_{L1} + E_{L2} + E_{L3})/3$$

the individual E_{L1} being those in Table II of Ref. 2. The energies $E_K, \bar{E}_L$, compared with the incident photon energy E , serve to determine the possibility of K or L ejections. The L-shell is treated as a unit with respect to primary L-fluorescence.

III. FLUORESCENT ENERGIES F

Upon ejection of an electron from a shell of energy E_S by an incident photon ($E \geq E_e$) the vacancy created is filled by an electron transition from an "outer" shell of energy $E_T < E_S$. The photon, of energy $F = E_S - E_T$, created in the transition, may or may not escape the atom. In the former case, it is referred to as (primary) S-fluorescence.

Z	e	ϕ	Y	F	f
12-19	E_K	$\phi_O = \rho_K$	$Y_O = 0$	0	2
	E_K	$\phi_K = 1 - \rho_K$	Y_K	F_K	
20-30	E_K	$\phi_O = \rho_K$	$Y_O = 0$	0	4
	E_K		$Y_K P_1$	$FK\alpha_1$	
	E_K		$Y_K P_2$	$FK\alpha_2$	
	E_K	$\phi_K = 1 - \rho_K$	$Y_K P_3$	$FK\beta'_1$	
31-36	$\bar{E}_L$	$\phi_O = \rho_L$	$Y_O = 0$	0	5
	$\bar{E}_L$	$\phi_L = 1 - \rho_L$	Y_L	F_L	
	E_K		$Y_K P_1$	$FK\alpha_1$	
	E_K		$Y_K P_2$	$FK\alpha_2$	
	E_K	$\phi_K = \frac{1}{\rho_K} - 1$	$Y_K P_3$	$FK\beta'_1$	
37-94	$\bar{E}_L$	$\phi_O = \rho_L$	$Y_O = 0$	0	6
	$\bar{E}_L$	$\phi_L = 1 - \rho_L$	Y_L	F_L	
	E_K		$Y_K P_1$	$FK\alpha_1$	
	E_K		$Y_K P_2$	$FK\alpha_2$	
	E_K	$\phi_K = \frac{1}{\rho_K} - 1$	$Y_K P_4$	$FK\beta'_2$	

Fig. 1. Overview of the data.

L-fluorescence is allowed only for $Z \geq 31$, and the single fluorescent energy F_L is taken as the $\bar{L}_{123}$ in Table V of Ref. 2. This is an average of all energy gaps from edges Mj , Nk , ... to all Lj edges, weighted by their relative intensities, as given in Tables IV and VI of Ref. 2.

The single value F_K given for $12 \leq Z \leq 19$ is the weighted average of the $K\alpha_1$, $K\alpha_2$ lines, given as $\bar{K}\alpha$ in Table V of Ref. 2.

For $20 \leq Z \leq 94$, the individual fluorescent energies $FK\alpha_1 > FK\alpha_2$ are taken from Table III of Ref. 2. These are pure lines resulting from the transitions $L3 \rightarrow K$, $L2 \rightarrow K$, respectively. For $20 \leq Z \leq 94$, the fluorescent energy $FK\beta'_1$ ($M2 \rightarrow K$, $M3 \rightarrow K$, $M4 \rightarrow K$, composite) is also allowed and is taken as the weighted average of the three energy differences, computed from Tables III, VI of Ref. 2.

For $37 \leq Z \leq 94$, the tabulated energy $FK\beta'_2$ ($N2 \rightarrow K$, $N3 \rightarrow K$) is the corresponding weighted

Fig. 2. Fluorescent "Lines".

average of these two lines, obtained in the same way.

Note the order of tabulation in Fig. 1 and the relations

$$12 \leq Z \leq 19. \quad \bar{K}\alpha = \text{Av.}(K\alpha_1, K\alpha_2)$$

$$20 \leq Z \leq 30. \quad K\alpha_1, K\alpha_2, K\beta'_1$$

$$31 \leq Z \leq 36. \quad \bar{L}_{123} \text{ Av.}, K\alpha_1, K\alpha_2, K\beta'_1$$

$$37 \leq Z \leq 94. \quad \bar{L}_{123} \text{ Av.}, K\alpha_1, K\alpha_2, K\beta'_1, K\beta'_2$$

$$F_L < FK\alpha_2 < FK\alpha_1 < FK\beta'_1 < FK\beta'_2$$

The fluorescent "lines" provided for are indicated very schematically in Fig. 2.

IV. THE YIELDS Y

The yield Y_S for a shell S is the total probability of fluorescent emission accompanying electron transition from all outer shells to a vacancy in shell S, however created (Cf. Part VII).

The data for Y_L in Ref. 4 ($Z \geq 31$) are very spotty; and the values now used, from Table VIII of Ref. 3, seem not too bad a compromise between those of Ref. 4 and those of Ref. 5, which were used previously.

The total yield Y_K is that used before, furnished by Israel and Storm as an updated version of Table VIII of Ref. 3. For this, we have no published

reference. (N_γ yields are included in Ref. 2.) We note that the update is in general accord with Table II of Ref. 4 and for $Z > 60$ is identical with Ref. 3, but is higher for $Z < 60$.

As noted in Part III, K-fluorescence was assumed to consist of the three lines $K\alpha_1$, $K\alpha_2$, $K\beta_1$ for $20 < Z < 36$ and for $Z > 36$ of the additional line $K\beta_2$. These assumptions were made before, but the relative intensities of the lines were based on Ref. 6. We now use the intensities given in Table VI of Ref. 2, which were based on the calculations of Scofield and are considered to be nearer the truth. From these data, the probabilities p_1 , p_2 , p_3 ($20 < Z < 36$) and p_1 , ..., p_4 ($Z > 36$) of the components of the yield Y_K were obtained, and thus the individual yields as indicated in Fig. 1.

V. RELATIVE PROBABILITIES ϕ OF K, L EJECTION

A. For $12 < Z < 30$

Only K-fluorescence is considered and can occur only for $E > E_K$. For such an incident E , it is assumed (cf. Ref. 2, p. 569) that the probability of a K-ejection has the constant value

$$\phi_K = (\sigma_K - \sigma'_K)/\sigma_K = 1 - \rho_K$$

where $\rho_K = \sigma'_K/\sigma_K$ is the ratio of the p.e. cross section at bottom and top of the K-edge, as indicated in Fig. 3. Here and elsewhere, σ' and σ are taken from Table I of Ref. 2. Note that ϕ_K is the entry $\sigma_K(\text{photo})/\sigma(\text{photo})$ given in Table VIII. Referring to Fig. 1, it is clear that $\phi_K Y_K$ is the probability of fluorescence F_K for $12 < Z < 19$, while, for example, $\phi_X Y_K p_1$ is the probability of $FK\alpha_1$ fluorescence if $20 < Z < 30$, assuming a p.e. event at $E > E_K$.

Fig. 3. K-edge structure.

B. For $31 < Z < 94$

Both L and K ejections are considered; and in order to follow the scheme of Ref. 5 used before, with no change in code, we require three numbers

$$\phi_K, \phi_L, \phi_0$$

which will determine the relative probabilities of K, L, and outer shell ejection for p.e. events at $E > E_K$, and such that ϕ_L, ϕ_0 also define the chances of L or outer shell ejection for $\bar{E}_L < E < E_K$.

Our basic assumption here is that the relative contribution of any edge to the total p.e. σ at that edge is $(\sigma - \sigma')/\sigma = 1 - \sigma'/\sigma$, and that this contribution remains constant up to the next edge of higher energy (if any). If we define $\rho_i = \sigma'_i/\sigma_i$, $i = 1, 2, 3$ (see Fig. 4), it is then easy to show that

$$\rho_L \equiv \rho_1 \rho_2 \rho_3 \quad \text{and} \quad 1 - \rho_L \quad (1)$$

are the probabilities of outer and L shell ejections at the L_1 edge. (The latter appears in Column 2 of Table VIII of Ref. 2, with some minor discrepancies.)

Similarly, with $\rho_K \equiv \sigma'_K/\sigma_K$, one sees that $\rho_L \sigma'_K/\sigma_K = \rho_L \rho_K$, $(1 - \rho_L) \sigma'_K/\sigma_K = (1 - \rho_L) \rho_K$, $(\sigma_K - \sigma'_K)/\sigma_K = 1 - \rho_K$ are the probabilities of outer, L, and K ejections at the K-edge. The proportional numbers

$$\phi_0 = \rho_L, \phi_L = 1 - \rho_L, \phi_K = \frac{1}{\rho_K} - 1 \quad (2)$$

also define these probabilities, when normed by their sum $1/\rho_K$, and moreover the first two are precisely

Fig. 4. L and K edge structure.

the probabilities in (1). The numbers (2) therefore satisfy our requirements and appear in the ϕ column of Fig. 1 for $Z \geq 31$.

The basic assumptions adopted above constitute a radical departure from the method of Ref. 5, used before. The latter involved essentially the same procedure, but supposed the minimal σ'_t value at an edge t given by $\sigma'_t = \sigma_{t+1} E_{t+1}^3 / E_t^3$, where $t+1$ is the next edge of lower energy. The underlying $1/E^3$ law is very inaccurate, and it seems that the present method is superior, insofar as the values of σ' , σ are correct in Table I of Ref. 2.

VI. THE FINAL TABULATED ϕ AND Y

In order to facilitate computation, the values listed as ϕ and Y in the final appended tables were derived from the entries in Fig. 1 as indicated in Fig. 5. The tabulation for $37 \leq Z \leq 94$ is the exact analogue of that for $31 \leq Z \leq 36$, and is omitted.

Two examples, for $31 \leq Z \leq 36$, should make the method clear: (1) for a p.e. event at $E \geq E_K$, a random number between $Y_4 / (\phi_O + \phi_L + \phi_K)$ and $Y_3 / (\phi_O + \phi_L + \phi_K)$ implies a $FK\alpha_2$ fluorescence; (2) for $E_L \leq E < E_K$, a random number between $Y_2 / (\phi_O + \phi_L)$ and $Y_1 / (\phi_O + \phi_L) (= 0)$ implies an F_L fluorescence.

VII. SECONDARY L-FLUORESCENCE

The fluorescence thus far discussed is primary, in the sense that it arises from the transition of an electron from an outer shell to a shell in which a vacancy has been created by ejection of an electron from that shell by the initial incident photon. Thus, we have allowed for K-fluorescence following a K-ejection, and for L-fluorescence following an L-ejection. Only such primary fluorescence was considered in the original code.

In this final section, we attempt to show roughly why secondary L-fluorescence may be of the same order of importance as primary L-fluorescence, and then describe how the present code provides for it, in a necessarily approximate fashion.

We stipulate a p.e. event on an element $Z \geq 31$, at an incident energy $E \geq E_K$. Then the probability of an L-ejection is ϕ_L / Σ , where $\Sigma = \phi_O + \phi_L + \phi_K$, and, as already stated, the overall probability of primary L-fluorescence is given by

$$P' = \frac{\phi_L}{\Sigma} \cdot Y_L \quad (3)$$

On the other hand, there is a probability ϕ_K / Σ of a K-ejection. In this event, the K-vacancy may be filled by an $L3 \rightarrow K$ or $L2 \rightarrow K$ transition, say with probabilities P_{L3K} , P_{L2K} , thus creating a vacancy in

Z	e	ϕ	Y	F
12-19	E_K	$\phi_O = \rho_K$	$\phi_O Y_O$	0
	E_K	$\phi_O + \phi_K = 1$	$\phi_O Y_O + \phi_K Y_K$	F_K
20-30	E_K	$\phi_O = \rho_K$	$\phi_O Y_O$	0
	E_K		$\phi_O Y_O + \phi_K Y_K P_1$	$FK\alpha_1$
	E_K		$\phi_O Y_O + \phi_K Y_K P_1 + \phi_K Y_K P_2$	$FK\alpha_2$
	E_K	$\phi_O + \phi_K = 1$	$\phi_O Y_O + \phi_K Y_K P_1 + \phi_K Y_K P_2 + \phi_K Y_K P_3$	$FK\beta'_1$
31-36	$\bar{E}_L$	$\phi_O = \rho_L$	$\phi_O Y_O = 0$	$= Y_1$ 0
	$\bar{E}_L$	$\phi_O + \phi_L = 1$	$\phi_O Y_O + \phi_L Y_L$	$= Y_2$ F_L
	E_K		$\phi_O Y_O + \phi_L Y_L + \phi_K Y_K P_1$	$= Y_3$ $FK\alpha_1$
	E_K		$\phi_O Y_O + \phi_L Y_L + \phi_K Y_K P_1 + \phi_K Y_K P_2$	$= Y_4$ $FK\alpha_2$
	E_K	$\phi_O + \phi_L + \phi_K = \frac{1}{\rho_K}$	$\phi_O Y_O + \phi_L Y_L + \phi_K Y_K P_1 + \phi_K Y_K P_2 + \phi_K Y_K P_3$	$= Y_5$ $FK\beta'_1$

Fig. 5. Final ϕ , Y tabulation.

the L3 or L2 subshell, and at the same time producing a photon $K\alpha_1$, or $K\alpha_2$. If we denote by Q_{L3K} , Q_{L2K} the chances of the latter photons escaping the atom (as fluorescence), then clearly, as part of the K-yield,

$$P_{L3K}Q_{L3K} + P_{L2K}Q_{L2K} = Y_K P_1 + Y_K P_2 \quad (4)$$

in our previous notation.

But, regarding the L3, L2 subshells as separate entities, we may expect (secondary) L3 or L2 fluorescence with yield probabilities Y_{L3} , Y_{L2} , due to the now existing vacancies created by $L \rightarrow K$ transition. Hence, the probability of this secondary L-fluorescence is given by

$$P'' = \frac{\phi_K}{\Sigma} \cdot (P_{L3K}Y_{L3} + P_{L2K}Y_{L2}). \quad (5)$$

Apparently none of the probabilities in parentheses are known. Making the assumption

$$Y_{L3} = Y_{L2} = Y_{L1} = Y_L/3 \quad (6)$$

(5) becomes

$$P'' = \frac{\phi_K}{\Sigma} (P_{L3K} + P_{L2K}) Y_L/3. \quad (7)$$

But from (7) and (4) we see that, for the secondary L-fluorescence,

$$P'' > \frac{\phi_K}{\Sigma} (Y_K P_1 + Y_K P_2) Y_L/3 \equiv P^* \quad (8)$$

and even P^* may exceed the primary probability P' .

For example, one finds from the appended tables (for $Z = 79$),

$$P' = \frac{.282}{4.859} = .058 < P^* = \frac{3.213-.282}{4.859} \cdot \frac{.282}{.759} \cdot \frac{1}{3} \\ \cong .075 \leq P''.$$

Thus, it would appear that secondary L-fluorescence should be included for the sake of consistency and accuracy.

Guided by the relation (8), we therefore make the following presumably inadequate provision in the revised code. In case of a p.e. event, on $Z \geq 31$ at $E \geq E_K$, which is followed by $K\alpha_1$ or $K\alpha_2$ fluores-

cence, we assume secondary L3 or L2 fluorescence emitted, each with probability $Y_L/3$, and take F_L as the fluorescent energy in either case.

We include in Fig. 6 a flow diagram for the fluorescence subroutine. The only change from the previous one is the by-pass FS for banking secondary fluorescence, and the Bank exit from (N).

REFERENCES

1. E. D. Cashwell, J. R. Neergaard, C. J. Everett, R. G. Schrandt, W. M. Taylor, G. D. Turner, "Monte Carlo Codes: MCG and MCP," Los Alamos Scientific Laboratory report LA-5157-MS (March 1973).
2. E. Storm, H. I. Israel, "Photon Cross Sections from 1 keV to 100 MeV for Elements $Z = 1$ to $Z = 100$," Nuclear Data Tables 7, 565-688 (1970).
3. E. Storm, H. I. Israel, "Photon Cross Sections from .001 to 100 MeV for Elements 1 through 100," Los Alamos Scientific Laboratory report LA-3753 (1967).
4. R. W. Fink, R. C. Jopson, H. Mark, C. D. Swift, "Atomic Fluorescence Yields," Lawrence Radiation Laboratory report UCRL-14327 (1965).
5. C. R. Marotta, "Updated Library Tape for Photran," Air Force Weapons Laboratory technical report AFWL-TR-67-11 (1967).
6. A. H. Wapstra et al, Nuclear Spectrometry Tables, Interscience Publishers Inc., N.Y. (1959).

TABLE I
MCP CODE FLUORESCENCE UPDATE

Z	e	ϕ	Y	F	f
12 Mg	.001305 .001305	0.0784 1.0	0.0 0.0258	0.0 0.001255	2
13 Al	.001560 .001560	0.0839 1.0	0.0 0.0347	0.0 0.001487	2
14 Si	.001839 .001839	0.0888 1.0	0.0 0.0465	0.0 0.001739	2
15 P	.002144 .002144	0.0927 1.0	0.0 0.0599	0.0 0.002014	2
16 S	.002472 .002472	0.0966 1.0	0.0 0.0732	0.0 0.002307	2
17 Cl	.002824 .002824	0.1000 1.0	0.0 0.0873	0.0 0.002622	2
18 Ar	.003203 .003203	0.104 1.0	0.0 0.1066	0.0 0.002957	2
19 K	.003607 .003607	0.108 1.0	0.0 0.1267	0.0 0.003312	2
20 Ca	.004037 .004037 .004037 .004037	0.110 0.644 0.915 1.0	0.0 0.0892 0.1345 0.1487	0.0 0.003691 0.003687 0.004012	4
21 Sc	.004491 .004491 .004491 .004491	0.113 0.643 0.913 1.0	0.0 0.1007 0.1520 0.1687	0.0 0.004090 0.004085 0.004459	4
22 Ti	.004966 .004966 .004966 .004966	0.116 0.642 0.910 1.0	0.0 0.1162 0.1754 0.1953	0.0 0.004510 0.004504 0.004931	4
23 V	.005465 .005465 .005465 .005465	0.117 0.642 0.910 1.0	0.0 0.1297 0.1959 0.2184	0.0 0.004952 0.004944 0.005427	4
24 Cr	.005989 .005989 .005989 .005989	0.120 0.642 0.908 1.0	0.0 0.1441 0.2175 0.2429	0.0 0.005414 0.005405 0.005947	4
25 Mn	.006539 .006539 .006539 .006539	0.122 0.642 0.907 1.0	0.0 0.1544 0.2331 0.2607	0.0 0.005899 0.005888 0.006492	4
26 Fe	.007112 .007112 .007112 .007112	0.124 0.642 0.907 1.0	0.0 0.1673 0.2529 0.2833	0.0 0.006404 0.006391 0.007059	4
27 Co	.007709 .007709 .007709 .007709	0.126 0.643 0.907 1.0	0.0 0.1810 0.2734 0.3063	0.0 0.006930 0.006915 0.007649	4

TABLE I (Cont'd)

Z	e	ϕ	Y	F	f
28 Ni	.008332 .008332 .008332 .008332	0.127 0.642 0.906 1.0	0.0 0.1942 0.2937 0.3291	0.0 0.007478 0.007461 0.008265	4
29 Cu	.008981 .008981 .008981 .008981	0.129 0.642 0.905 1.0	0.0 0.2083 0.3151 0.3537	0.0 0.008048 0.008028 0.008907	4
30 Zn	.009659 .009659 .009659 .009659	0.130 0.642 0.905 1.0	0.0 0.2217 0.3356 0.3772	0.0 0.008639 0.008616 0.009572	4
31 Ga	.001186 .001186 .010367 .010367 .010367	0.118 1.0 4.861 6.844 7.588	0.0 0.0088 1.808 2.732 3.079	0.0 0.001129 0.009252 0.009225 0.010263	5
32 Ge	.001293 .001293 .011104 .011104 .011104	0.125 1.0 4.814 6.780 7.531	0.0 0.0140 1.921 2.904 3.280	0.0 0.001221 0.009887 0.009856 0.010981	5
33 As	.001404 .001404 .011867 .011867 .011867	0.129 1.0 4.754 6.689 7.450	0.0 0.0183 2.015 3.044 3.451	0.0 0.001317 0.010544 0.010508 0.011725	5
34 Se	.001520 .001520 .012658 .012658 .012658	0.137 1.0 4.693 6.603 7.367	0.0 0.0233 2.128 3.217 3.653	0.0 0.001416 0.011224 0.011183 0.012495	5
35 Br	.001643 .001643 .013474 .013474 .013474	0.141 1.0 4.624 6.495 7.259	0.0 0.0275 2.192 3.309 3.765	0.0 0.001519 0.011923 0.011877 0.013288	5
36 Kr	.001774 .001774 .014323 .014323 .014323	0.147 1.0 4.570 6.420 7.187	0.0 0.0333 2.282 3.448 3.931	0.0 0.001631 0.012648 0.012596 0.014110	5
37 Rb	.001911 .001911 .015200 .015200 .015200 .015200	0.152 1.0 4.452 6.245 6.999 7.078	0.0 0.0373 2.312 3.494 3.991 4.043	0.0 0.001745 0.013395 0.013337 0.014958 0.015185	6
38 Sr	.002054 .002054 .016105 .016105 .016105 .016105	0.155 1.0 4.380 6.139 6.893 6.983	0.0 0.0414 2.356 3.561 4.077 4.138	0.0 0.001864 0.014165 0.014098 0.015832 0.016085	6

TABLE I (Cont'd)

Z	e	ϕ	γ	F	f
39 Y	.002202 .002202 .017038 .017038 .017038 .017038	0.161 1.0 4.327 6.058 6.814 6.908	0.0 0.0461 2.402 3.628 4.164 4.231	0.0 0.001987 0.014959 0.014883 0.016735 0.017013	6
40 Zr	.002354 .002354 .017998 .017998 .017998 .017998	0.166 1.0 4.280 5.996 6.757 6.857	0.0 0.0500 2.444 3.697 4.253 4.326	0.0 0.002113 0.015775 0.015691 0.017663 0.017969	6
41 Nb	.002511 .002511 .018986 .018986 .018986 .018986	0.171 1.0 4.217 5.901 6.662 6.766	0.0 0.0547 2.458 3.716 4.285 4.363	0.0 0.002244 0.016616 0.016522 0.018620 0.018954	6
42 Mo	.002671 .002671 .020000 .020000 .020000 .020000	0.175 1.0 4.193 5.873 6.644 6.753	0.0 0.0594 2.495 3.777 4.365 4.448	0.0 0.002378 0.017479 0.017375 0.019602 0.019965	6
43 Tc *	.002838 .002838 .021044 .021044 .021044 .021044	0.178 1.0 4.134 5.783 6.554 6.667	0.0 0.0641 2.502 3.785 4.385 4.473	0.0 0.002517 0.018367 0.018251 0.020612 0.021006	6
44 Ru	.003010 .003010 .022117 .022117 .022117 .022117	0.183 1.0 4.075 5.696 6.459 6.570	0.0 0.0678 2.510 3.797 4.403 4.491	0.0 0.002669 0.019279 0.019150 0.021649 0.022075	6
45 Rh	.003187 .003187 .023220 .023220 .023220 .023220	0.184 1.0 4.018 5.615 6.372 6.487	0.0 0.0726 2.506 3.793 4.403 4.496	0.0 0.002820 0.020216 0.020074 0.022716 0.023173	6
46 Pd	.003370 .003370 .024350 .024350 .024350 .024350	0.188 1.0 3.958 5.523 6.273 6.397	0.0 0.0771 2.500 3.782 4.396 4.498	0.0 0.002976 0.021176 0.021020 0.023809 0.024298	6
47 Ag	.003560 .003560 .025514 .025514 .025514 .025514	0.190 1.0 3.927 5.482 6.233 6.362	0.0 0.0810 2.510 3.801 4.424 4.531	0.0 0.003136 0.022163 0.021990 0.024933 0.025456	6

TABLE I (Cont'd)

Z	e	ϕ	γ	F	f
48 Cd	.003761 .003761 .026711 .026711 .026711 .026711	0.192 1.0 3.911 5.463 6.223 6.351	0.0 0.0856 2.534 3.839 4.478 4.586	0.0 0.003301 0.023174 0.022984 0.026084 0.026646	6
49 In	.003969 .003969 .027940 .027940 .027940 .027940	0.195 1.0 3.880 5.413 6.171 6.304	0.0 0.0902 2.538 3.841 4.485 4.598	0.0 0.003472 0.024210 0.024002 0.027264 0.027866	6
50 Sn	.004183 .004183 .029200 .029200 .029200 .029200	0.198 1.0 3.820 5.326 6.977 6.213	0.0 0.0946 2.529 3.829 4.477 4.594	0.0 0.003647 0.025271 0.025044 0.028472 0.029114	6
51 Sb	.004404 .004404 .030491 .030491 .030491 .030491	0.200 1.0 3.777 5.266 6.013 6.152	0.0 0.0984 2.508 3.800 4.448 4.569	0.0 0.003828 0.026359 0.026110 0.029710 0.030392	6
52 Te	.004631 .004631 .031814 .031814 .031814 .031814	0.202 1.0 3.744 5.221 5.967 6.110	0.0 0.1029 2.501 3.792 4.444 4.569	0.0 0.004014 0.027473 0.027202 0.030978 0.031701	6
53 I	.004866 .004866 .033170 .033170 .033170 .033170	0.204 1.0 3.720 5.186 5.932 6.074	0.0 0.1067 2.498 3.787 4.443 4.568	0.0 0.004206 0.028613 0.028318 0.032276 0.033041	6
54 Xe	.005110 .005110 .034561 .034561 .034561 .034561	0.205 1.0 3.679 5.129 5.872 6.017	0.0 0.1113 2.479 3.761 4.418 4.546	0.0 0.004402 0.029778 0.029488 0.033608 0.034415	6
55 Cs	.005362 .005362 .035985 .035985 .035985 .035985	0.206 1.0 3.637 5.062 5.799 5.947	0.0 0.1159 2.463 3.731 4.387 4.519	0.0 0.004603 0.030973 0.030625 0.034965 0.035820	6
56 Ba	.005619 .005619 .037441 .037441 .037441 .037441	0.208 1.0 3.602 5.013 5.748 5.900	0.0 0.1196 2.446 3.707 4.364 4.500	0.0 0.004811 0.032194 0.031818 0.036356 0.037257	6

TABLE I (Cont'd)

Z	e	ϕ	Y	F	f
57 La	.005880	0.209	0.0	0.0	6
	.005880	1.0	0.1250	0.005022	
	.038925	3.551	2.416	0.033441	
	.038925	4.937	3.661	0.033034	
	.038925	5.659	4.309	0.037775	
	.038925	5.813	4.447	0.038728	
58 Ce	.006145	0.211	0.0	0.0	6
	.006145	1.0	0.1278	0.005237	
*	.040443	3.532	2.412	0.034720	
	.040443	4.918	3.662	0.034279	
	.040443	5.642	4.315	0.039229	
	.040443	5.795	4.453	0.040233	
59 Pr	.006413	0.211	0.0	0.0	6
	.006413	1.0	0.1333	0.005450	
*	.041991	3.491	2.387	0.036027	
	.041991	4.857	3.623	0.035551	
	.041991	5.575	4.273	0.040718	
	.041991	5.726	4.410	0.041769	
60 Nd	.006686	0.213	0.0	0.0	6
	.006686	1.0	0.1362	0.005684	
	.043569	3.461	2.376	0.037361	
	.043569	4.813	3.606	0.036847	
	.043569	5.529	4.258	0.042237	
	.043569	5.679	4.394	0.043335	
61 Pm	.006967	0.215	0.0	0.0	6
	.006967	1.0	0.1413	0.005917	
*	.045184	3.452	2.377	0.038725	
	.045184	4.802	3.608	0.038171	
	.045184	5.517	4.260	0.043790	
	.045184	5.671	4.400	0.044939	
62 Sm	.007255	0.216	0.0	0.0	6
	.007255	1.0	0.1450	0.006154	
*	.046834	3.410	2.353	0.040118	
	.046834	4.742	3.573	0.039522	
	.046834	5.452	4.223	0.045376	
	.046834	5.609	4.367	0.046579	
63 Eu	.007549	0.216	0.0	0.0	6
	.007549	1.0	0.1497	0.006396	
	.048519	3.382	2.341	0.041542	
	.048519	4.701	3.554	0.040901	
	.048519	5.408	4.204	0.046995	
	.048519	5.563	4.347	0.048253	
64 Gd	.007849	0.219	0.0	0.0	6
	.007849	1.0	0.1539	0.006642	
*	.050239	3.360	2.330	0.042996	
	.050239	4.673	3.541	0.042309	
	.050239	5.375	4.188	0.048649	
	.050239	5.529	4.330	0.049959	
65 Tb	.008158	0.220	0.0	0.0	6
	.008158	1.0	0.1576	0.006896	
*	.051996	3.329	2.315	0.044482	
	.051996	4.628	3.518	0.043744	
	.051996	5.327	4.165	0.050336	
	.051996	5.479	4.306	0.051703	

TABLE I (Cont'd)

Z	e	ϕ	Y	F	f
66 Dy	.008472	0.223	0.0	0.0	6
	.008472	1.0	0.1624	0.007155	
	.053788	3.305	2.303	0.045998	
	.053788	4.595	3.501	0.045208	
	.053788	5.294	4.150	0.052058	
	.053788	5.450	4.295	0.053482	
67 Ho	.008795	0.222	0.0	0.0	6
	.008795	1.0	0.1665	0.007420	
*	.055618	3.274	2.283	0.047546	
	.055618	4.554	3.475	0.046700	
	.055618	5.245	4.118	0.053817	
	.055618	5.399	4.261	0.055297	
68 Er	.009125	0.223	0.0	0.0	6
	.009125	1.0	0.1709	0.007691	
*	.057486	3.249	2.272	0.049128	
	.057486	4.517	3.456	0.048222	
	.057486	5.206	4.100	0.055611	
	.057486	5.359	4.243	0.057151	
69 Tm	.009460	0.225	0.0	0.0	6
	.009460	1.0	0.1744	0.007966	
	.059390	3.225	2.259	0.050742	
	.059390	4.482	3.437	0.049773	
	.059390	5.169	4.081	0.057441	
	.059390	5.320	4.222	0.059039	
70 Yb	.009803	0.225	0.0	0.0	6
	.009803	1.0	0.1782	0.008250	
*	.061332	3.196	2.240	0.052389	
	.061332	4.446	3.414	0.051354	
	.061332	5.131	4.057	0.059308	
	.061332	5.281	4.198	0.060965	
71 Lu	.010156	0.227	0.0	0.0	6
	.010156	1.0	0.1832	0.008540	
*	.063316	3.159	2.215	0.054071	
	.063316	4.390	3.373	0.052967	
	.063316	5.065	4.008	0.061213	
	.063316	5.217	4.151	0.062931	
72 Hf	.010524	0.227	0.0	0.0	6
	.010524	1.0	0.1866	0.008839	
	.065345	3.131	2.194	0.055785	
	.065345	4.349	3.341	0.054606	
	.065345	5.020	3.973	0.063153	
	.065345	5.170	4.114	0.064942	
73 Ta	.010899	0.229	0.0	0.0	6
	.010899	1.0	0.1912	0.009142	
	.067416	3.110	2.183	0.057536	
	.067416	4.322	3.327	0.056280	
	.067416	4.988	3.956	0.065132	
	.067416	5.137	4.097	0.066991	
74 W	.011281	0.231	0.0	0.0	6
	.011281	1.0	0.2253	0.009454	
	.069525	3.084	2.196	0.059321	
	.069525	4.284	3.331	0.057994	
	.069525	4.947	3.958	0.067147	
	.069525	5.094	4.097	0.069078	

TABLE I (Cont'd)

Z	e	ϕ	Y	F	f
75 Re	.011673 .011673 .071676 .071676 .071676 .071676	0.232 1.0 3.060 4.248 4.909 5.055	0.0 0.2427 2.196 3.322 3.949 4.087	0.0 0.009775 0.061142 0.059719 0.069205 0.071206	6
76 Os	.012075 .012075 .073871 .073871 .073871 .073871	0.232 1.0 3.020 4.194 4.845 4.993	0.0 0.2565 2.173 3.287 3.905 4.045	0.0 0.010103 0.063000 0.061486 0.071304 0.073377	6
77 Ir	.012486 .012486 .076111 .076111 .076111 .076111	0.235 1.0 2.999 4.163 4.812 4.958	0.0 0.2670 2.166 3.272 3.889 4.028	0.0 0.010436 0.064896 0.063287 0.073442 0.075590	6
78 Pt	.012906 .012906 .078395 .078395 .078395 .078395	0.236 1.0 2.964 4.114 4.753 4.997	0.0 0.2758 2.144 3.238 3.846 3.983	0.0 0.010776 0.066831 0.065122 0.075624 0.077846	6
79 Au	.013335 .013335 .080725 .080725 .080725 .080725	0.241 1.0 2.941 4.079 4.712 4.859	0.0 0.2823 2.130 3.213 3.816 3.956	0.0 0.011125 0.068806 0.066991 0.077848 0.080146	6
80 Hg	.013778 .013778 .083102 .083102 .083102 .083102	0.240 1.0 2.908 4.035 4.660 4.809	0.0 0.2903 2.108 3.182 3.778 3.920	0.0 0.011480 0.070819 0.068893 0.080112 0.082491	6
81 Tl	.014233 .014233 .085530 .085530 .085530 .085530	0.241 1.0 2.879 3.991 4.611 4.758	0.0 0.2968 2.090 3.151 3.742 3.882	0.0 0.011815 0.072874 0.070833 0.082422 0.084883	6
82 Pb	.014699 .014699 .088004 .088004 .088004 .088004	0.242 1.0 2.854 3.957 4.570 4.715	0.0 0.3032 2.074 3.127 3.712 3.850	0.0 0.012217 0.074969 0.072804 0.084777 0.087320	6
83 Bi	.015175 .015175 .090526 .090526 .090526 .090526	0.244 1.0 2.832 3.924 4.535 4.678	0.0 0.3084 2.959 3.103 3.687 3.824	0.0 0.012598 0.077106 0.074812 0.087179 0.089805	6

TABLE I (Cont'd)

Z	e	ϕ	Y	F	f
84 Po a	.015665 .015665 .093105 .093105 .093105 .093105	0.246 1.0 2.801 3.883 4.486 4.631	0.0 0.3122 2.036 3.071 3.648 3.787	0.0 0.012987 0.079291 0.076861 0.089627 0.092350	6
85 Ac	.016163 .016163 .095730 .095730 .095730 .095730	0.248 1.0 2.778 3.852 4.448 4.592	0.0 0.3166 2.020 3.049 3.620 3.758	0.0 0.013383 0.081516 0.078945 0.092120 0.094937	6
86 Rn *	.016670 .016670 .098404 .098404 .098404 .098404	0.249 1.0 2.744 3.799 4.385 4.530	0.0 0.3207 1.992 3.003 3.564 3.703	0.0 0.013784 0.083785 0.081067 0.094661 0.097573	6
87 Fr *	.017191 .017191 .101137 .101137 .101137 .101137	0.250 1.0 2.719 3.765 4.344 4.487	0.0 0.3232 1.972 2.975 3.530 3.667	0.0 0.014196 0.086107 0.083233 0.097256 0.100264	6
88 Ra	.017722 .017722 .103922 .103922 .103922 .103922	0.250 1.0 2.699 3.735 4.312 4.454	0.0 0.3378 1.959 2.954 3.508 3.644	0.0 0.014618 0.088476 0.085438 0.099902 0.102999	6
89 Ac *	.018266 .018266 .106759 .106759 .106759 .106759	0.251 1.0 2.676 3.705 4.276 4.420	0.0 0.3288 1.938 2.926 3.474 3.612	0.0 0.015049 0.090889 0.087676 0.102599 0.105783	6
90 Th	.018820 .018820 .109651 .109651 .109651 .109651	0.252 1.0 2.651 3.676 4.241 4.383	0.0 0.3321 1.917 2.901 3.443 3.579	0.0 0.015489 0.093351 0.089958 0.105148 0.108616	6
91 Pa *	.019384 .019384 .112601 .112601 .112601 .112601	0.254 1.0 2.625 3.639 4.196 4.336	0.0 0.3335 1.894 2.867 3.402 3.536	0.0 0.015939 0.095868 0.092287 0.108155 0.111522	6
92 U	.019959 .019959 .115606 .115606 .115606 .115606	0.254 1.0 2.602 3.604 4.158 4.296	0.0 0.3350 1.875 2.838 3.370 3.503	0.0 0.016398 0.098436 0.094658 0.111015 0.114485	6

TABLE I (Cont'd)

<u>Z</u>	<u>e</u>	<u>φ</u>	<u>Y</u>	<u>F</u>	<u>f</u>
93	.020547	0.257	0.0	0.0	6
Np	.020547	1.0	0.3358	0.016867	
*	.118670	2.575	1.851	0.101057	
	.118670	3.562	2.800	0.097070	
	.118670	4.111	3.328	0.113931	
	.118670	4.247	3.459	0.117503	
94	.021147	0.256	0.0	0.0	6
Pu	.021147	1.0	0.3378	0.017348	
	.121797	2.539	1.819	0.103734	
	.121797	3.509	2.752	0.099527	
	.121797	4.046	3.269	0.116905	
	.121797	4.180	3.398	0.120583	

*Element omitted in previous version.