AUG 26 1963

MASTER

THE DOW CHEMICAL COMPANY
ROCKY FLATS DIVISION
GOLDEN, COLORADO

U. S. Atomic Energy Commission Contract AT(29-1)-1106

TWO EXPERIMENTAL SUB CRITICAL ARRAYS
OF $\text{Pu}(\text{NO}_3)_4$ SOLUTION

by

C. L. Schuske

J. G. Epp - Technical Services Manager

Facsimile Price \$	<u>1.10</u>
Microfilm Price \$	<u>.80</u>
Available from the Office of Technical Services Department of Commerce Washington 25, D. C.	

LEGAL NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights, or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

I. Shielded Array of 5 in. Diameter Tanks

1. Test Vessels: 5 in. Schedule 40 stainless steel pipe (5.563" O.D., 5.047" I.D.) spaced on 2 foot centers in an in-line array. A total of 5 vertical tanks.
2. Shielding: 4 in. thick Benelex is on the top and sides of the array with a concrete floor at the base. The side shields are ~ 6 in. from the tanks, the top shield ~ 12 in. from the tanks, and the concrete floor ~ 2 in. below the tanks. There is no intervening shielding between tanks. (Benelex has a density of 1.44 g/cc.)
3. Fuel: $\text{Pu}(\text{NO}_3)_4$ solution at 5N excess HNO_3 , 400 g Pu/liter.
4. Conclusion: An extrapolation of the inverse multiplication curve (Figure I) indicates that these 5 tanks could have been of infinite length and remained subcritical.

II. 30 in. Diameter Raschig Ring Filled Tank

1. Test Vessel: 30 in. diameter stainless steel tank. The Pyrex Raschig rings occupy ~ 25 v/o of the tank and contain ~ 6 w/o natural boron. The Pyrex rings have the following nominal specifications:
 - O.D. - 1-1/2"
 - wall - 5/32"
 - height - 1-3/4"
 - 19% B₂O₃
2. Reflector: An "L shaped" concrete wall, 8 in. thick, bounds the tank on two sides (Figure IV) the concrete floor below the tank can be assumed infinite. The test vessel is in a room containing other tanks of solution.
3. Fuel: Pu(NO₃)₄ solution at 9N excess HNO₃, 350 g Pu/liter.
4. Conclusion: Extrapolation of the inverse multiplication curve (Figure III) indicates the test vessel would not be critical at any height.

FIG 2

TANKS: 5" DIA., SCHED. 40, S.S.

BENELEX: 1.44 G/CC DENSITY

EXPERIMENTAL AIR
RASCHIG RING FILLED
FIG. 1