phil 172
12-30-66
MASTER

THERMAL DIFFUSION COLUMN SHAPE FACTORS:
PART II. SHAPE FACTORS BASED ON
THE LENNARD-JONES (6-12)
INTERMOLECULAR FORCE MODEL

AUTHORS:

E. Von Halle
R. L. Hoglund

RELEASED FOR ANNOUNCEMENT
IN NUCLEAR SCIENCE ABSTRACTS

**UNION
CARBIDE**

UNION CARBIDE CORPORATION
NUCLEAR DIVISION

Operating the

OAK RIDGE GASEOUS DIFFUSION PLANT • OAK RIDGE NATIONAL LABORATORY
OAK RIDGE Y-12 PLANT • PADUCAH GASEOUS DIFFUSION PLANT

For the Atomic Energy Commission
Under U.S. Government Contract W7405 eng 26

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

3.07
Printed in USA. Price \$4.00. Available from the Clearinghouse for Federal
Scientific and Technical Information, National Bureau of Standards,
U.S. Department of Commerce, Springfield, Virginia 22151

LEGAL NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

- A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or
 - B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.
- As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

H.C. \$ 3.00; MN 65

Date of Issue: December 27, 1966

Report Number: K-1679

Subject Category: ISOTOPE SEPARATION

THERMAL DIFFUSION COLUMN SHAPE FACTORS:
PART II. SHAPE FACTORS BASED ON
THE LENNARD-JONES (6-12)
INTERMOLECULAR FORCE MODEL

E. Von Halle
R. L. Hoglund

Operations Analysis Division

RELEASED FOR ANNOUNCEMENT

IN NUCLEAR SCIENCE ABSTRACTS

LEGAL NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

UNION CARBIDE CORPORATION
NUCLEAR DIVISION
Oak Ridge Gaseous Diffusion Plant
Oak Ridge, Tennessee

THIS PAGE
WAS INTENTIONALLY
LEFT BLANK

Report Number: K-1679

Subject Category: ISOTOPE SEPARATION

Title: THERMAL DIFFUSION COLUMN
SHAPE FACTORS: PART II.
SHAPE FACTORS BASED ON
THE LENNARD-JONES (6-12)
INTERMOLECULAR FORCE MODEL

Authors: E. Von Halle
R. L. Hoglund

ABSTRACT

The separation of a binary gaseous mixture which can be obtained in thermal diffusion columns can be calculated theoretically from the transport equation,

$$\tau = Hx(1 - x) - (K_c + K_d) \frac{dx}{dz},$$

where

- τ is the net transport of light component toward the top of the column,
- x is the mole fraction of the light component in the mixture,
- z is the axial column coordinate, and
- H , K_c , and K_d are the transport coefficients.

With the aid of the tabulation of shape factors presented in this report, the transport coefficients H , K_c , and K_d can be calculated for a gaseous mixture of isotopes which obeys the Lennard-Jones (6-12) intermolecular force model.

The shape factors presented in Table I of this report, from which the transport coefficients may be calculated for concentric-tube or hot-wire columns, are to be used with the radius of the cold wall, r_1 , and with the physical properties of the process gas evaluated at the temperature T_1 , the temperature of the cold wall. These shape factors are defined in the manner originally proposed by Jones and Furry for hot-wire thermal diffusion columns and may be compared directly with the shape factors which have been reported in the literature by other investigators. The shape

THIS PAGE
WAS INTENTIONALLY
LEFT BLANK

factors presented in Table II of this report, from which the transport coefficients may be calculated for flat-plate columns, are to be used with the plate width and spacing, using physical properties of the process gas evaluated at the arithmetic average of the hot and cold wall temperatures.

The shape factors reported are based on an assumed Lennard-Jones (6-12) intermolecular force model and are tabulated as a function of the reduced temperature $T_1^* \equiv T_1 \kappa / \epsilon$, where ϵ / κ is a characteristic reduced energy of interaction between the molecules of the gas, the ratio of the temperature of the hot wall to that of the cold wall, and, in the case of Table I, of the ratio of the radius of the outer wall to that of the inner wall. The ranges of T_1^* from 0.8 to 40.0, of the radius ratio from 1.0 to 100.0, and of the temperature ratio from 1.50 to 10.0 are included.

THIS PAGE
WAS INTENTIONALLY
LEFT BLANK

TABLE OF CONTENTS

	Page
INTRODUCTION	9
DESCRIPTION OF THE SHAPE FACTOR TABLES	11
THE INTERMOLECULAR FORCE MODEL	14
USE OF THE SHAPE FACTOR TABLES	17
TABLE I, LENNARD-JONES (6-12) MODEL SHAPE FACTORS FOR CONCENTRIC TUBE COLUMNS BASED ON COLD WALL TEMPERATURE GAS PROPERTIES	19
TABLE II, LENNARD-JONES (6-12) MODEL SHAPE FACTORS FOR FLAT PLATE COLUMNS BASED ON AVERAGE TEMPERATURE GAS PROPERTIES	272
TABLE III, INTERMOLECULAR FORCE PARAMETERS σ AND ϵ/κ FOR THE LENNARD-JONES (6-12) POTENTIAL	284
REFERENCES	285

THIS PAGE
WAS INTENTIONALLY
LEFT BLANK

INTRODUCTION

Thermal diffusion arises whenever a gaseous, liquid, or solid solution is subjected to a temperature gradient; it leads to a partial separation of the components of the solution. A thermal diffusion column is a device which makes effective use of this effect to separate the components of either gaseous or liquid solutions. The thermal diffusion column was first developed by Clusius and Dickel (1) in 1938; its salient features are shown in Figure 1. In the column a confined fluid mixture is subjected to a horizontal temperature gradient. Natural thermal convection currents are thereby established, the flow being upwards in the neighborhood of the hot wall and downwards near the cold wall. This countercurrent flow multiplies the basic separation effect and concentrates at the top of the column that component which is enriched at the hot wall and at the bottom of the column that component which is enriched at the cold wall. A comprehensive treatment of the theory of the thermal diffusion column for separating gaseous mixtures was published by Jones and Furry (2) in 1946.

The separation of a binary gaseous mixture which can be obtained in thermal diffusion columns can be calculated theoretically from the transport equation,

$$\tau = Hx(1 - x) - (K_c + K_d) \frac{dx}{dz}, \quad (1)$$

where

- τ is the net transport of light component toward the top of the column,
- x is the mole fraction of the light component in the mixture,
- z is the axial coordinate, and
- H , K_c , and K_d are the transport coefficients.

The first term, $Hx(1 - x)$, contains the contribution of the thermal diffusion effect to the net upflow of light component. The term, $K_c(dx/dz)$, represents the mixing effect due to convection and the term, $K_d(dx/dz)$, represents the remixing due to ordinary diffusion in the axial direction. With the aid of the tabulation of shape factors presented in this report, the transport coefficients H , K_c , and K_d can be calculated for gaseous mixtures of isotopes.

Figure 1

SCHEMATIC DIAGRAM OF CONCENTRIC TUBE
THERMOGRAVITATIONAL DIFFUSION COLUMN

The shape factors presented in Tables I and II are based on an assumed Lennard-Jones (6-12) intermolecular force model. A detailed description of the table and its use are given in the following sections.

Shape factors based on the inverse power repulsion model for the intermolecular forces have been published as Part I of this report (3). Part I contains the derivation of the general transport equation.

DESCRIPTION OF THE SHAPE FACTOR TABLES

Two tables of Lennard-Jones (6-12) model shape factors are presented in this report. The shape factors presented in Table I, for concentric-tube or hot-wire columns, are to be used with the radius of the cold wall and with the physical properties of the gas evaluated at temperature T_1 , the temperature of the cold wall. The transport coefficients are calculated from the values of the shape factors by means of the following equations:

$$H = \frac{2\pi}{6!} \frac{\alpha_1 \rho_1^2 g}{\mu_1} r_1^4 \cdot h(\theta, R, T_1^*) , \quad (2)$$

$$K_c = \frac{2\pi}{9!} \frac{\rho_1^3 g^2}{\mu_1 D_1} r_1^8 \cdot k_c(\theta, R, T_1^*) , \quad (3)$$

and

$$K_d = 2\pi \rho_1 D_1 r_1^2 \cdot k_d(\theta, R, T_1^*) . \quad (4)$$

where

r_1 is the radius of the cold (outer) wall,

g is the acceleration of gravity,

ρ_1 is the density of the process gas evaluated at the cold wall temperature, T_1 ,

μ_1 is the viscosity of the process gas evaluated at T_1 ,

D_1 is the coefficient of ordinary diffusion of the process gas evaluated at T_1 ,

α_1	is the thermal diffusion constant for the process gas evaluated at T_1 ,
R	is the ratio of the radius of the cold wall to that of the hot wall,
θ	is the ratio of the temperature of the hot wall to that of the cold wall,
T_1^*	is the reduced cold wall temperature, $T_1\kappa/\epsilon$, and
$h, k_c, \text{ and } k_d$	are the values of the shape factors.

It can be seen from equations 2 through 4 that the shape factors to be found in Table I are defined in the manner originally proposed by Jones and Furry (2) for the extreme cylindrical case and these values may be compared directly with the values of the shape factors which have been reported in the literature by other investigators (4).

The values of the shape factors presented in Table I are based on an assumed Lennard-Jones (6-12) intermolecular force model and are tabulated as functions of the dimensionless temperature of the cold wall, T_1^* , the ratio of the temperature of the hot wall to that of the cold wall, and of the ratio of the radius of the outer wall to that of the inner wall. The dimensionless cold wall temperature, $T_1^* = T_1\kappa/\epsilon$, is obtained by dividing the cold wall temperature by ϵ/κ , a characteristic reduced energy of collision, for the gas of interest. The Lennard-Jones (6-12) intermolecular force constants, ϵ/κ and σ (the latter being a characteristic collision diameter of the gas molecule) are tabulated for a limited number of gases in Table III of this report. More complete tables of the intermolecular force constants are available elsewhere in the literature (5,6,7). In Table I the ranges of T_1^* from 0.8 to 40.0, of the radius ratio from 1.2 to 100.0, and of the temperature ratio from 1.50 to 10.0 are included.

Shape factors for flat-plate thermal diffusion columns are presented in Table II. They are also based on an assumed Lennard-Jones (6-12) intermolecular force model and are tabulated as functions of the dimensionless cold wall temperature, T_1^* , and the ratio of the temperature of the cold wall to that of the hot wall. The flat-plate column shape factors presented in Table II are, however, defined differently from those for the concentric-tube column presented in Table I: the transport coefficients are computed from the shape factors using the physical properties of the gas evaluated at the arithmetic mean of the temperatures of hot and cold walls, $\bar{T}$. The equations for computing the transport coefficients from the values of the Table II shape factors for flat-plate thermal diffusion columns can be written as follows:

$$H = \frac{\bar{\alpha} \bar{\rho} \bar{g}}{6! \bar{\mu}} W d^3 \left(\frac{T_2 - T_1}{\bar{T}} \right)^2 \bar{h}(\theta, T_1^*) , \quad (5)$$

$$K_c = \frac{\bar{\rho} \bar{g}^2}{9! \bar{\mu} \bar{D}} W d^7 \left(\frac{T_2 - T_1}{\bar{T}} \right)^2 \bar{k}_c(\theta, T_1^*) , \quad (6)$$

and

$$K_d = \bar{\rho} \bar{D} W d \bar{k}_d(\theta, T_1^*) , \quad (7)$$

where

d	is the spacing between the hot and cold walls,
g	is the acceleration of gravity,
T_1	is the temperature of the cold wall,
T_1^*	is the reduced temperature of the cold wall, $T_1 \kappa / \epsilon$,
T_2	is the temperature of the hot wall,
$\bar{T}$	is the arithmetic average of T_1 and T_2 ,
W	is the width of the flat-plate column,
θ	is the ratio of the temperature of the hot wall to that of the cold wall,
$\bar{\alpha}$	is the thermal diffusion constant for the process gas evaluated at $\bar{T}$,
$\bar{\rho}$	is the density of the process gas evaluated at $\bar{T}$,
$\bar{D}$	is the coefficient of ordinary diffusion of the process gas evaluated at $\bar{T}$,
$\bar{\mu}$	is the viscosity of the process gas evaluated at $\bar{T}$, and
$\bar{h}$, $\bar{k}_c$, and $\bar{k}_d$	are the values of the shape factors for flat-plate thermal diffusion columns.

THE INTERMOLECULAR FORCE MODEL

It was established in Part I of this report (3) that the general forms of the transport coefficient definitions can be written as follows:

$$H \equiv - \frac{2\pi}{q} \int_{T_1}^{T_2} \frac{\alpha}{T} dT \int_{T_2}^T r^2 k \rho v dT' , \quad (8)$$

$$K_c \equiv \frac{2\pi}{q^3} \int_{T_1}^{T_2} \frac{k}{\rho D} dT \left[\int_{T_2}^T r^2 k \rho v dT' \right]^2 , \quad (9)$$

and

$$K_d \equiv \frac{2\pi}{q} \int_{T_1}^{T_2} r^2 k \rho D dT , \quad (10)$$

where

D	is the self-diffusion coefficient of the gas,
k	is the thermal conductivity of the gas,
q	is the conduction heat load per unit time per unit length of column divided by 2π ,
r	is the transverse column coordinate across the annular gas space,
v	is the local axial gas velocity in the gas space,
α	is the thermal diffusion constant,
ρ	is the process gas density, and
H, K_c , and K_d	are the transport coefficients.

Expressions for the conduction heat load of the column, q , and for the velocity profile of the process gas in the annular space, v , are developed and presented in Part I of this report (3) in terms of column geometry and operating conditions and of the temperature-dependent physical properties of the process gas. Some explicit intermolecular force model is required in order to express the physical properties of the process gas in terms of the gas temperature. For this table the Lennard-Jones (6-12) model was chosen.

Hirschfelder et al. (5) give the following expressions for the temperature-dependent coefficients for pure gases at low pressure:

1. The coefficient of viscosity [gm/(cm-sec)],

$$\mu = 2.6693 \times 10^{-5} \frac{\sqrt{MT} f_{\mu}^{(3)}}{\sigma^2 \Omega^{(2,2)}_{*}(T^*)}, \quad (11)$$

2. the coefficient of thermal conductivity [cal/(cm-sec-°K)],

$$k = 1.9891 \times 10^{-4} \frac{\sqrt{T/M} f_k^{(3)}}{\sigma^2 \Omega^{(2,2)}_{*}(T^*)} = \frac{15}{4} \frac{R}{M} \mu \times 10^7 \quad (12)$$

3. the coefficient of self-diffusion [cm²/sec],

$$D = 2.6280 \times 10^{-3} \frac{\sqrt{T^3/M} f_D^{(2)}}{p \sigma^2 \Omega^{(1,1)}_{*}(T^*)}, \quad (13)$$

and

4. the isotopic thermal diffusion constant [dimensionless],

$$\alpha = \frac{105}{118} \frac{M_2 - M_1}{M_1 + M_2} [k_T]_1^*, \quad (14)$$

where

M_1 and M_2	are the molecular weights of the light and heavy isotopic components of the process gas mixture, respectively,
M	is the average molecular weight of the process gas mixture,
p	is pressure in atmospheres,
R	is the gas constant,
T	is absolute temperature in $^{\circ}\text{K}$,
T^*	is the reduced temperature, T/ϵ ,
ϵ/κ	is the potential parameter in $^{\circ}\text{K}$,
σ	is the collision diameter in $\text{\AA}$,
$\Omega^{(1,1)}(T^*)$ and $\Omega^{(2,2)}(T^*)$	are tabulated collision integrals whose values are derived from a knowledge of the intermolecular force model, and
$[k_T]_1^*$	is a tabulated function of the thermal diffusion constant, α , which is dependent on the assumed intermolecular force model.

The transport properties, μ , k , and D , above were corrected as shown to a higher order of approximation by applying correction factors derived from the Lennard-Jones (6-12) potential and tabulated by Hirschfelder et al. (5). The collision integrals used in the computation of the shape factors presented in Tables I and II were taken from Appendix I of reference 5 and were adjusted slightly so that they would lie on a smooth curve.

The transport coefficients were computed using equations 8, 9, and 10. The shape factors were then computed from the relationships between the transport coefficients and the shape factors which were derived by Jones and Furry (2), and are given by equations 2, 3, and 4 and by equations 5, 6, and 7.

The shape factors of Tables I and II were computed using Simpson's Rule with a 40-point grid. The numerical precision of the shape factors presented in this table may be summarized as follows. The shape factor k_d , as given throughout the table is correct. For low values of the temperature and radius ratios (the "nearly plane" case) the errors in h and k_c do not exceed 1/100 of one percent. For high values of the temperature and radius ratios (the "extreme cylindrical" case) the errors in h and k_c are of the order of 1/10 of one percent or less. The accuracy of the tables is therefore much greater than that required for most applications.

Values of $h(\theta, R, T_1^*)$, $k_c(\theta, R, T_1^*)$, and $k_d(\theta, R, T_1^*)$ can be obtained from Table I, interpolating when necessary, and the values of the corresponding transport coefficients, H , K_c , and K_d , can be computed from equations 2, 3, and 4. Similarly values of $h(\theta, T_1^*)$, $k_c(\theta, T_1^*)$, and $k_d(\theta, T_1^*)$ can be obtained for flat-plate thermal diffusion columns from Table II, interpolating when necessary, and the values of the corresponding transport coefficients can be computed from equations 5, 6, and 7.

USE OF THE SHAPE FACTOR TABLES

The use of the shape factors presented in Table I can best be demonstrated by considering an illustrative example. Suppose that transport coefficients are to be obtained for a concentric-tube thermal diffusion column with geometric parameters and operating conditions as given below, which is to be used for the separation of carbon isotopes with methane as the process gas.

Radius of the cold wall, r_1	0.8636 cm
Radius of the hot wall, r_2	0.5588 cm
Temperature of the cold wall, T_1	295°K
Temperature of the hot wall, T_2	673°K
Operating pressure, p	1.00 atm

From these data, $R = (r_1/r_2) = 1.5455$, $\theta = (T_2/T_1) = 2.2814$. The potential parameter ϵ/κ for methane, obtained from Table III, is 137°K, whence $T_1^* = (T_1\kappa/\epsilon) = 2.1533$. The physical properties required in the calculation of the transport coefficients may either be computed using equations 11 through 14 or they may be obtained by experimental measurement. The following values of the physical properties of methane, evaluated at T_1 , will be used to evaluate the transport coefficients once the shape factors have been taken from Table I.

<u>Property</u>	<u>Value at $T_1 = 295^\circ\text{K}$</u>	
Density, ρ	6.626×10^{-4}	gm/cm ³
Viscosity, μ	1.110×10^{-4}	gm/(cm-sec)
Diffusivity, D	0.215	cm ² /sec
Thermal diffusion constant, α	0.00678	dimensionless

For the given values of T_1^* , R , and θ , Table I is used to obtain the following values of the shape factors:

$$h = 9.778 \times 10^{-3},$$

$$k_c = 2.029 \times 10^{-5},$$

and

$$k_d = 4.209 \times 10^{-1}.$$

Using the physical properties, evaluated at T_1 and tabulated above, along with equations 2, 3, and 4, one obtains the following values for the transport coefficients:

$$H = 1.248 \times 10^{-6} \quad \text{gm CH}_4/\text{sec},$$

$$K_c = 1.148 \times 10^{-5} \quad \text{gm CH}_4\text{-cm/sec},$$

and

$$K_d = 2.810 \times 10^{-4} \quad \text{gm CH}_4\text{-cm/sec}.$$

It should be pointed out that a simple linear interpolation between the values listed in Table I would yield satisfactory values for the shape factors h and k_d , deviating by 2% for h and 0.7% for k_d from the values listed above. The value obtained for k_c by linear interpolation would, however, be in error by approximately 17%. The use of a three-point Lagrange interpolation reduces the error in k_c to approximately 4%.

The choice between shape factors based on different intermolecular force laws is quite arbitrary and will depend on the preference of the investigator. The transport coefficients calculated above are within approximately 5% of those based on the inverse power repulsion model and given in Part I of this report (3). The shape factors in Table I are in essential agreement with those published by McInteer and Reisfeld (4). This table is presented with a closer spacing of the argument T_1^* which facilitates interpolation. Additionally, the present table contains a table of the shape factors for the case of the flat-plate thermal diffusion column.

TABLE I

LENNARD-JONES (6-12) MODEL SHAPE FACTORS
FOR CONCENTRIC-TUBE COLUMNS
BASED ON COLD WALL TEMPERATURE
GAS PROPERTIES

TABLE I

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
0.8	1.20	1.50	-1.432-04	1.154-07	1.913-01
0.8	1.20	1.75	-5.661-04	1.134-07	2.113-01
0.8	1.20	2.00	-1.084-03	9.517-08	2.312-01
0.8	1.20	2.25	-1.592-03	7.495-08	2.509-01
0.8	1.20	2.50	-2.034-03	5.757-08	2.703-01
0.8	1.20	2.75	-2.390-03	4.388-08	2.892-01
0.8	1.20	3.00	-2.662-03	3.346-08	3.079-01
0.8	1.20	3.25	-2.857-03	2.565-08	3.261-01
0.8	1.20	3.50	-2.993-03	1.980-08	3.439-01
0.8	1.20	3.75	-3.073-03	1.541-08	3.614-01
0.8	1.20	4.00	-3.117-03	1.210-08	3.785-01
0.8	1.20	4.25	-3.126-03	9.583-09	3.952-01
0.8	1.20	4.50	-3.109-03	7.653-09	4.115-01
0.8	1.20	5.00	-3.025-03	4.998-09	4.434-01
0.8	1.20	5.50	-2.898-03	3.360-09	4.740-01
0.8	1.20	6.00	-2.744-03	2.319-09	5.036-01
0.8	1.20	7.00	-2.428-03	1.180-09	5.600-01
0.8	1.20	8.00	-2.126-03	6.467-10	6.134-01
0.8	1.20	10.00	-1.629-03	2.295-10	7.129-01
0.8	1.40	1.50	-6.196-04	4.871-06	3.037-01
0.8	1.40	1.75	-2.593-03	4.877-06	3.342-01
0.8	1.40	2.00	-5.063-03	4.156-06	3.648-01
0.8	1.40	2.25	-7.535-03	3.316-06	3.951-01
0.8	1.40	2.50	-9.724-03	2.575-06	4.249-01
0.8	1.40	2.75	-1.152-02	1.981-06	4.542-01
0.8	1.40	3.00	-1.291-02	1.523-06	4.830-01
0.8	1.40	3.25	-1.394-02	1.175-06	5.112-01
0.8	1.40	3.50	-1.468-02	9.128-07	5.389-01
0.8	1.40	3.75	-1.513-02	7.144-07	5.659-01
0.8	1.40	4.00	-1.541-02	5.637-07	5.924-01
0.8	1.40	4.25	-1.552-02	4.484-07	6.184-01
0.8	1.40	4.50	-1.548-02	3.596-07	6.438-01
0.8	1.40	5.00	-1.515-02	2.365-07	6.933-01
0.8	1.40	5.50	-1.459-02	1.599-07	7.410-01
0.8	1.40	6.00	-1.388-02	1.109-07	7.870-01
0.8	1.40	7.00	-1.237-02	5.695-08	8.749-01
0.8	1.40	8.00	-1.090-02	3.141-08	9.581-01
0.8	1.40	10.00	-8.426-03	1.126-08	1.113 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
0.8	1.60	1.50	-1.216-03	3.173-05	3.745-01
0.8	1.60	1.75	-5.379-03	3.230-05	4.110-01
0.8	1.60	2.00	-1.069-02	2.790-05	4.476-01
0.8	1.60	2.25	-1.610-02	2.251-05	4.839-01
0.8	1.60	2.50	-2.096-02	1.765-05	5.198-01
0.8	1.60	2.75	-2.500-02	1.368-05	5.551-01
0.8	1.60	3.00	-2.820-02	1.059-05	5.898-01
0.8	1.60	3.25	-3.059-02	8.226-06	6.238-01
0.8	1.60	3.50	-3.236-02	6.424-06	6.571-01
0.8	1.60	3.75	-3.350-02	5.052-06	6.898-01
0.8	1.60	4.00	-3.424-02	4.004-06	7.218-01
0.8	1.60	4.25	-3.458-02	3.197-06	7.532-01
0.8	1.60	4.50	-3.460-02	2.573-06	7.840-01
0.8	1.60	5.00	-3.404-02	1.702-06	8.438-01
0.8	1.60	5.50	-3.292-02	1.157-06	9.016-01
0.8	1.60	6.00	-3.143-02	8.063-07	9.574-01
0.8	1.60	7.00	-2.820-02	4.170-07	1.064 00
0.8	1.60	8.00	-2.497-02	2.314-07	1.165 00
0.8	1.60	10.00	-1.946-02	8.369-08	1.353 00
0.8	1.80	1.50	-1.770-03	1.014-04	4.217-01
0.8	1.80	1.75	-8.276-03	1.047-04	4.616-01
0.8	1.80	2.00	-1.673-02	9.153-05	5.017-01
0.8	1.80	2.25	-2.545-02	7.458-05	5.416-01
0.8	1.80	2.50	-3.339-02	5.896-05	5.810-01
0.8	1.80	2.75	-4.008-02	4.605-05	6.198-01
0.8	1.80	3.00	-4.546-02	3.587-05	6.580-01
0.8	1.80	3.25	-4.954-02	2.801-05	6.956-01
0.8	1.80	3.50	-5.263-02	2.198-05	7.324-01
0.8	1.80	3.75	-5.465-02	1.736-05	7.685-01
0.8	1.80	4.00	-5.604-02	1.381-05	8.039-01
0.8	1.80	4.25	-5.676-02	1.106-05	8.386-01
0.8	1.80	4.50	-5.694-02	8.930-06	8.726-01
0.8	1.80	5.00	-5.628-02	5.941-06	9.388-01
0.8	1.80	5.50	-5.465-02	4.058-06	1.003 00
0.8	1.80	6.00	-5.234-02	2.838-06	1.065 00
0.8	1.80	7.00	-4.723-02	1.477-06	1.183 00
0.8	1.80	8.00	-4.203-02	8.241-07	1.295 00
0.8	1.80	10.00	-3.299-02	3.004-07	1.504 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
0.8	2.00	1.50	-2.217-03	2.251-04	4.544-01
0.8	2.00	1.75	-1.096-02	2.356-04	4.962-01
0.8	2.00	2.00	-2.250-02	2.082-04	5.384-01
0.8	2.00	2.25	-3.456-02	1.712-04	5.804-01
0.8	2.00	2.50	-4.567-02	1.364-04	6.220-01
0.8	2.00	2.75	-5.513-02	1.072-04	6.629-01
0.8	2.00	3.00	-6.283-02	8.398-05	7.033-01
0.8	2.00	3.25	-6.875-02	6.588-05	7.430-01
0.8	2.00	3.50	-7.331-02	5.192-05	7.819-01
0.8	2.00	3.75	-7.636-02	4.116-05	8.201-01
0.8	2.00	4.00	-7.853-02	3.286-05	8.576-01
0.8	2.00	4.25	-7.975-02	2.641-05	8.944-01
0.8	2.00	4.50	-8.018-02	2.138-05	9.305-01
0.8	2.00	5.00	-7.957-02	1.429-05	1.001 00
0.8	2.00	5.50	-7.755-02	9.801-06	1.069 00
0.8	2.00	6.00	-7.450-02	6.880-06	1.134 00
0.8	2.00	7.00	-6.758-02	3.602-06	1.260 00
0.8	2.00	8.00	-6.039-02	2.019-06	1.379 00
0.8	2.00	10.00	-4.769-02	7.412-07	1.601 00
0.8	2.25	1.50	-2.607-03	4.564-04	4.827-01
0.8	2.25	1.75	-1.383-02	4.848-04	5.257-01
0.8	2.25	2.00	-2.892-02	4.336-04	5.692-01
0.8	2.25	2.25	-4.490-02	3.601-04	6.126-01
0.8	2.25	2.50	-5.981-02	2.893-04	6.557-01
0.8	2.25	2.75	-7.269-02	2.291-04	6.982-01
0.8	2.25	3.00	-8.329-02	1.806-04	7.401-01
0.8	2.25	3.25	-9.156-02	1.424-04	7.813-01
0.8	2.25	3.50	-9.803-02	1.128-04	8.218-01
0.8	2.25	3.75	-1.025-01	8.982-05	8.616-01
0.8	2.25	4.00	-1.057-01	7.197-05	9.006-01
0.8	2.25	4.25	-1.077-01	5.805-05	9.390-01
0.8	2.25	4.50	-1.085-01	4.713-05	9.766-01
0.8	2.25	5.00	-1.082-01	3.168-05	1.050 00
0.8	2.25	5.50	-1.059-01	2.183-05	1.121 00
0.8	2.25	6.00	-1.021-01	1.539-05	1.189 00
0.8	2.25	7.00	-9.314-02	8.109-06	1.321 00
0.8	2.25	8.00	-8.362-02	4.568-06	1.445 00
0.8	2.25	10.00	-6.651-02	1.690-06	1.677 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
0.8	2.50	1.50	-2.831-03	7.602-04	5.020-01
0.8	2.50	1.75	-1.613-02	8.182-04	5.456-01
0.8	2.50	2.00	-3.431-02	7.399-04	5.896-01
0.8	2.50	2.25	-5.381-02	6.200-04	6.337-01
0.8	2.50	2.50	-7.222-02	5.019-04	6.775-01
0.8	2.50	2.75	-8.830-02	4.000-04	7.207-01
0.8	2.50	3.00	-1.017-01	3.171-04	7.634-01
0.8	2.50	3.25	-1.122-01	2.514-04	8.054-01
0.8	2.50	3.50	-1.206-01	1.999-04	8.468-01
0.8	2.50	3.75	-1.265-01	1.598-04	8.874-01
0.8	2.50	4.00	-1.309-01	1.285-04	9.272-01
0.8	2.50	4.25	-1.337-01	1.040-04	9.664-01
0.8	2.50	4.50	-1.351-01	8.465-05	1.005 00
0.8	2.50	5.00	-1.352-01	5.718-05	1.080 00
0.8	2.50	5.50	-1.328-01	3.957-05	1.152 00
0.8	2.50	6.00	-1.284-01	2.799-05	1.223 00
0.8	2.50	7.00	-1.178-01	1.484-05	1.357 00
0.8	2.50	8.00	-1.062-01	8.397-06	1.485 00
0.8	2.50	10.00	-8.499-02	3.129-06	1.723 00
0.8	2.75	1.50	-2.921-03	1.118-03	5.157-01
0.8	2.75	1.75	-1.792-02	1.217-03	5.593-01
0.8	2.75	2.00	-3.874-02	1.112-03	6.034-01
0.8	2.75	2.25	-6.133-02	9.394-04	6.477-01
0.8	2.75	2.50	-8.288-02	7.657-04	6.918-01
0.8	2.75	2.75	-1.019-01	6.139-04	7.353-01
0.8	2.75	3.00	-1.178-01	4.891-04	7.783-01
0.8	2.75	3.25	-1.306-01	3.895-04	8.207-01
0.8	2.75	3.50	-1.408-01	3.110-04	8.624-01
0.8	2.75	3.75	-1.481-01	2.495-04	9.034-01
0.8	2.75	4.00	-1.537-01	2.012-04	9.437-01
0.8	2.75	4.25	-1.573-01	1.633-04	9.833-01
0.8	2.75	4.50	-1.593-01	1.333-04	1.022 00
0.8	2.75	5.00	-1.601-01	9.043-05	1.098 00
0.8	2.75	5.50	-1.577-01	6.281-05	1.172 00
0.8	2.75	6.00	-1.529-01	4.457-05	1.243 00
0.8	2.75	7.00	-1.409-01	2.376-05	1.379 00
0.8	2.75	8.00	-1.275-01	1.350-05	1.508 00
0.8	2.75	10.00	-1.027-01	5.063-06	1.750 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
0.8	3.00	1.50	-2.910-03	1.510-03	5.256-01
0.8	3.00	1.75	-1.929-02	1.663-03	5.689-01
0.8	3.00	2.00	-4.233-02	1.533-03	6.130-01
0.8	3.00	2.25	-6.759-02	1.305-03	6.572-01
0.8	3.00	2.50	-9.192-02	1.070-03	7.012-01
0.8	3.00	2.75	-1.136-01	8.627-04	7.448-01
0.8	3.00	3.00	-1.319-01	6.906-04	7.879-01
0.8	3.00	3.25	-1.467-01	5.522-04	8.303-01
0.8	3.00	3.50	-1.587-01	4.425-04	8.721-01
0.8	3.00	3.75	-1.674-01	3.561-04	9.133-01
0.8	3.00	4.00	-1.741-01	2.880-04	9.537-01
0.8	3.00	4.25	-1.786-01	2.343-04	9.935-01
0.8	3.00	4.50	-1.812-01	1.917-04	1.033 00
0.8	3.00	5.00	-1.827-01	1.306-04	1.109 00
0.8	3.00	5.50	-1.806-01	9.103-05	1.183 00
0.8	3.00	6.00	-1.755-01	6.479-05	1.254 00
0.8	3.00	7.00	-1.624-01	3.470-05	1.391 00
0.8	3.00	8.00	-1.475-01	1.980-05	1.522 00
0.8	3.00	10.00	-1.194-01	7.468-06	1.765 00
0.8	3.25	1.50	-2.825-03	1.923-03	5.329-01
0.8	3.25	1.75	-2.030-02	2.139-03	5.759-01
0.8	3.25	2.00	-4.520-02	1.987-03	6.196-01
0.8	3.25	2.25	-7.277-02	1.704-03	6.636-01
0.8	3.25	2.50	-9.955-02	1.405-03	7.074-01
0.8	3.25	2.75	-1.236-01	1.139-03	7.509-01
0.8	3.25	3.00	-1.441-01	9.154-04	7.938-01
0.8	3.25	3.25	-1.608-01	7.346-04	8.362-01
0.8	3.25	3.50	-1.745-01	5.907-04	8.780-01
0.8	3.25	3.75	-1.844-01	4.767-04	9.191-01
0.8	3.25	4.00	-1.923-01	3.866-04	9.595-01
0.8	3.25	4.25	-1.976-01	3.152-04	9.993-01
0.8	3.25	4.50	-2.008-01	2.585-04	1.038 00
0.8	3.25	5.00	-2.032-01	1.768-04	1.115 00
0.8	3.25	5.50	-2.014-01	1.236-04	1.189 00
0.8	3.25	6.00	-1.962-01	8.820-05	1.260 00
0.8	3.25	7.00	-1.823-01	4.746-05	1.398 00
0.8	3.25	8.00	-1.661-01	2.717-05	1.528 00
0.8	3.25	10.00	-1.351-01	1.030-05	1.772 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
0.8	3.50	1.50	-2.686-03	2.343-03	5.383-01
0.8	3.50	1.75	-2.102-02	2.630-03	5.809-01
0.8	3.50	2.00	-4.749-02	2.463-03	6.243-01
0.8	3.50	2.25	-7.704-02	2.125-03	6.679-01
0.8	3.50	2.50	-1.060-01	1.762-03	7.114-01
0.8	3.50	2.75	-1.321-01	1.434-03	7.546-01
0.8	3.50	3.00	-1.546-01	1.158-03	7.974-01
0.8	3.50	3.25	-1.731-01	9.324-04	8.396-01
0.8	3.50	3.50	-1.883-01	7.519-04	8.812-01
0.8	3.50	3.75	-1.995-01	6.085-04	9.221-01
0.8	3.50	4.00	-2.084-01	4.947-04	9.625-01
0.8	3.50	4.25	-2.146-01	4.043-04	1.002 00
0.8	3.50	4.50	-2.185-01	3.321-04	1.041 00
0.8	3.50	5.00	-2.217-01	2.279-04	1.117 00
0.8	3.50	5.50	-2.203-01	1.598-04	1.191 00
0.8	3.50	6.00	-2.151-01	1.144-04	1.263 00
0.8	3.50	7.00	-2.006-01	6.178-05	1.400 00
0.8	3.50	8.00	-1.833-01	3.549-05	1.531 00
0.8	3.50	10.00	-1.497-01	1.353-05	1.775 00
0.8	3.75	1.50	-2.510-03	2.761-03	5.425-01
0.8	3.75	1.75	-2.153-02	3.127-03	5.846-01
0.8	3.75	2.00	-4.928-02	2.949-03	6.275-01
0.8	3.75	2.25	-8.055-02	2.559-03	6.707-01
0.8	3.75	2.50	-1.114-01	2.133-03	7.139-01
0.8	3.75	2.75	-1.394-01	1.744-03	7.568-01
0.8	3.75	3.00	-1.637-01	1.413-03	7.993-01
0.8	3.75	3.25	-1.838-01	1.141-03	8.412-01
0.8	3.75	3.50	-2.005-01	9.232-04	8.826-01
0.8	3.75	3.75	-2.128-01	7.490-04	9.233-01
0.8	3.75	4.00	-2.228-01	6.102-04	9.635-01
0.8	3.75	4.25	-2.299-01	4.997-04	1.003 00
0.8	3.75	4.50	-2.343-01	4.113-04	1.042 00
0.8	3.75	5.00	-2.385-01	2.832-04	1.118 00
0.8	3.75	5.50	-2.375-01	1.991-04	1.191 00
0.8	3.75	6.00	-2.323-01	1.428-04	1.263 00
0.8	3.75	7.00	-2.174-01	7.745-05	1.400 00
0.8	3.75	8.00	-1.992-01	4.463-05	1.530 00
0.8	3.75	10.00	-1.634-01	1.708-05	1.774 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
0.8	4.00	1.50	-2.309-03	3.172-03	5.457-01
0.8	4.00	1.75	-2.185-02	3.622-03	5.872-01
0.8	4.00	2.00	-5.068-02	3.438-03	6.297-01
0.8	4.00	2.25	-8.341-02	3.000-03	6.725-01
0.8	4.00	2.50	-1.159-01	2.513-03	7.153-01
0.8	4.00	2.75	-1.457-01	2.062-03	7.578-01
0.8	4.00	3.00	-1.716-01	1.676-03	8.000-01
0.8	4.00	3.25	-1.931-01	1.359-03	8.417-01
0.8	4.00	3.50	-2.112-01	1.102-03	8.828-01
0.8	4.00	3.75	-2.246-01	8.959-04	9.233-01
0.8	4.00	4.00	-2.356-01	7.315-04	9.632-01
0.8	4.00	4.25	-2.435-01	6.002-04	1.002 00
0.8	4.00	4.50	-2.486-01	4.949-04	1.041 00
0.8	4.00	5.00	-2.536-01	3.418-04	1.117 00
0.8	4.00	5.50	-2.532-01	2.409-04	1.190 00
0.8	4.00	6.00	-2.481-01	1.732-04	1.261 00
0.8	4.00	7.00	-2.329-01	9.425-05	1.398 00
0.8	4.00	8.00	-2.140-01	5.446-05	1.527 00
0.8	4.00	10.00	-1.762-01	2.094-05	1.770 00
0.8	5.00	1.50	-1.402-03	4.674-03	5.526-01
0.8	5.00	1.75	-2.200-02	5.487-03	5.921-01
0.8	5.00	2.00	-5.356-02	5.329-03	6.327-01
0.8	5.00	2.25	-9.038-02	4.741-03	6.738-01
0.8	5.00	2.50	-1.278-01	4.035-03	7.149-01
0.8	5.00	2.75	-1.628-01	3.357-03	7.560-01
0.8	5.00	3.00	-1.939-01	2.762-03	7.968-01
0.8	5.00	3.25	-2.203-01	2.261-03	8.371-01
0.8	5.00	3.50	-2.429-01	1.851-03	8.770-01
0.8	5.00	3.75	-2.602-01	1.517-03	9.163-01
0.8	5.00	4.00	-2.747-01	1.248-03	9.552-01
0.8	5.00	4.25	-2.855-01	1.031-03	9.934-01
0.8	5.00	4.50	-2.929-01	8.550-04	1.031 00
0.8	5.00	5.00	-3.015-01	5.966-04	1.105 00
0.8	5.00	5.50	-3.034-01	4.243-04	1.176 00
0.8	5.00	6.00	-2.992-01	3.072-04	1.246 00
0.8	5.00	7.00	-2.841-01	1.693-04	1.380 00
0.8	5.00	8.00	-2.633-01	9.878-05	1.507 00
0.8	5.00	10.00	-2.197-01	3.854-05	1.746 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
0.8	6.00	1.50	-5.004-04	5.908-03	5.549-01
0.8	6.00	1.75	-2.120-02	7.093-03	5.927-01
0.8	6.00	2.00	-5.395-02	7.017-03	6.315-01
0.8	6.00	2.25	-9.302-02	6.339-03	6.710-01
0.8	6.00	2.50	-1.335-01	5.465-03	7.107-01
0.8	6.00	2.75	-1.720-01	4.598-03	7.503-01
0.8	6.00	3.00	-2.068-01	3.819-03	7.898-01
0.8	6.00	3.25	-2.367-01	3.154-03	8.288-01
0.8	6.00	3.50	-2.628-01	2.601-03	8.675-01
0.8	6.00	3.75	-2.831-01	2.146-03	9.057-01
0.8	6.00	4.00	-3.004-01	1.776-03	9.435-01
0.8	6.00	4.25	-3.137-01	1.474-03	9.807-01
0.8	6.00	4.50	-3.232-01	1.229-03	1.017 00
0.8	6.00	5.00	-3.351-01	8.646-04	1.089 00
0.8	6.00	5.50	-3.393-01	6.193-04	1.159 00
0.8	6.00	6.00	-3.363-01	4.512-04	1.227 00
0.8	6.00	7.00	-3.222-01	2.511-04	1.358 00
0.8	6.00	8.00	-3.008-01	1.477-04	1.483 00
0.8	6.00	10.00	-2.537-01	5.829-05	1.717 00
0.8	8.00	1.50	1.018-03	7.685-03	5.552-01
0.8	8.00	1.75	-1.883-02	9.551-03	5.901-01
0.8	8.00	2.00	-5.190-02	9.722-03	6.263-01
0.8	8.00	2.25	-9.279-02	8.994-03	6.631-01
0.8	8.00	2.50	-1.364-01	7.912-03	7.004-01
0.8	8.00	2.75	-1.790-01	6.772-03	7.376-01
0.8	8.00	3.00	-2.183-01	5.709-03	7.748-01
0.8	8.00	3.25	-2.530-01	4.777-03	8.118-01
0.8	8.00	3.50	-2.840-01	3.984-03	8.485-01
0.8	8.00	3.75	-3.086-01	3.322-03	8.848-01
0.8	8.00	4.00	-3.303-01	2.773-03	9.206-01
0.8	8.00	4.25	-3.474-01	2.322-03	9.561-01
0.8	8.00	4.50	-3.603-01	1.949-03	9.911-01
0.8	8.00	5.00	-3.779-01	1.390-03	1.060 00
0.8	8.00	5.50	-3.864-01	1.006-03	1.127 00
0.8	8.00	6.00	-3.860-01	7.401-04	1.192 00
0.8	8.00	7.00	-3.751-01	4.183-04	1.317 00
0.8	8.00	8.00	-3.540-01	2.490-04	1.437 00
0.8	8.00	10.00	-3.035-01	1.001-04	1.663 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
0.8	10.00	1.50	2.160-03	8.833-03	5.538-01
0.8	10.00	1.75	-1.645-02	1.127-02	5.866-01
0.8	10.00	2.00	-4.881-02	1.172-02	6.207-01
0.8	10.00	2.25	-8.994-02	1.103-02	6.556-01
0.8	10.00	2.50	-1.347-01	9.856-03	6.910-01
0.8	10.00	2.75	-1.794-01	8.545-03	7.265-01
0.8	10.00	3.00	-2.214-01	7.286-03	7.620-01
0.8	10.00	3.25	-2.590-01	6.156-03	7.973-01
0.8	10.00	3.50	-2.931-01	5.179-03	8.324-01
0.8	10.00	3.75	-3.208-01	4.352-03	8.672-01
0.8	10.00	4.00	-3.454-01	3.658-03	9.017-01
0.8	10.00	4.25	-3.655-01	3.082-03	9.357-01
0.8	10.00	4.50	-3.808-01	2.602-03	9.694-01
0.8	10.00	5.00	-4.030-01	1.873-03	1.036 00
0.8	10.00	5.50	-4.152-01	1.368-03	1.100 00
0.8	10.00	6.00	-4.173-01	1.013-03	1.163 00
0.8	10.00	7.00	-4.098-01	5.794-04	1.284 00
0.8	10.00	8.00	-3.901-01	3.481-04	1.400 00
0.8	10.00	10.00	-3.386-01	1.418-04	1.619 00
0.8	15.00	1.50	3.957-03	1.033-02	5.498-01
0.8	15.00	1.75	-1.179-02	1.378-02	5.792-01
0.8	15.00	2.00	-4.154-02	1.487-02	6.099-01
0.8	15.00	2.25	-8.127-02	1.445-02	6.416-01
0.8	15.00	2.50	-1.262-01	1.325-02	6.738-01
0.8	15.00	2.75	-1.726-01	1.175-02	7.063-01
0.8	15.00	3.00	-2.175-01	1.022-02	7.389-01
0.8	15.00	3.25	-2.589-01	8.781-03	7.715-01
0.8	15.00	3.50	-2.975-01	7.500-03	8.039-01
0.8	15.00	3.75	-3.296-01	6.387-03	8.361-01
0.8	15.00	4.00	-3.590-01	5.435-03	8.681-01
0.8	15.00	4.25	-3.838-01	4.628-03	8.998-01
0.8	15.00	4.50	-4.034-01	3.947-03	9.311-01
0.8	15.00	5.00	-4.335-01	2.891-03	9.929-01
0.8	15.00	5.50	-4.527-01	2.142-03	1.053 00
0.8	15.00	6.00	-4.598-01	1.606-03	1.112 00
0.8	15.00	7.00	-4.601-01	9.375-04	1.226 00
0.8	15.00	8.00	-4.445-01	5.723-04	1.336 00
0.8	15.00	10.00	-3.944-01	2.389-04	1.542 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
0.8	20.00	1.50	4.959-03	1.097-02	5.466-01
0.8	20.00	1.75	-8.633-03	1.507-02	5.739-01
0.8	20.00	2.00	-3.599-02	1.667-02	6.025-01
0.8	20.00	2.25	-7.383-02	1.654-02	6.322-01
0.8	20.00	2.50	-1.178-01	1.543-02	6.624-01
0.8	20.00	2.75	-1.642-01	1.390-02	6.930-01
0.8	20.00	3.00	-2.100-01	1.224-02	7.238-01
0.8	20.00	3.25	-2.530-01	1.065-02	7.546-01
0.8	20.00	3.50	-2.938-01	9.188-03	7.853-01
0.8	20.00	3.75	-3.283-01	7.897-03	8.158-01
0.8	20.00	4.00	-3.605-01	6.774-03	8.462-01
0.8	20.00	4.25	-3.881-01	5.811-03	8.764-01
0.8	20.00	4.50	-4.104-01	4.989-03	9.062-01
0.8	20.00	5.00	-4.458-01	3.697-03	9.651-01
0.8	20.00	5.50	-4.698-01	2.766-03	1.023 00
0.8	20.00	6.00	-4.807-01	2.092-03	1.079 00
0.8	20.00	7.00	-4.872-01	1.238-03	1.189 00
0.8	20.00	8.00	-4.755-01	7.641-04	1.294 00
0.8	20.00	10.00	-4.282-01	3.241-04	1.492 00
0.8	25.00	1.50	5.579-03	1.126-02	5.442-01
0.8	25.00	1.75	-6.384-03	1.582-02	5.700-01
0.8	25.00	2.00	-3.177-02	1.782-02	5.972-01
0.8	25.00	2.25	-6.787-02	1.795-02	6.254-01
0.8	25.00	2.50	-1.107-01	1.697-02	6.542-01
0.8	25.00	2.75	-1.566-01	1.546-02	6.835-01
0.8	25.00	3.00	-2.026-01	1.375-02	7.129-01
0.8	25.00	3.25	-2.464-01	1.206-02	7.425-01
0.8	25.00	3.50	-2.884-01	1.049-02	7.720-01
0.8	25.00	3.75	-3.243-01	9.076-03	8.014-01
0.8	25.00	4.00	-3.583-01	7.834-03	8.306-01
0.8	25.00	4.25	-3.878-01	6.757-03	8.596-01
0.8	25.00	4.50	-4.120-01	5.831-03	8.884-01
0.8	25.00	5.00	-4.511-01	4.359-03	9.452-01
0.8	25.00	5.50	-4.788-01	3.285-03	1.001 00
0.8	25.00	6.00	-4.926-01	2.501-03	1.056 00
0.8	25.00	7.00	-5.041-01	1.495-03	1.162 00
0.8	25.00	8.00	-4.957-01	9.304-04	1.263 00
0.8	25.00	10.00	-4.515-01	3.995-04	1.456 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
0.8	40.00	1.50	6.490-03	1.146-02	5.396-01
0.8	40.00	1.75	-2.349-03	1.679-02	5.627-01
0.8	40.00	2.00	-2.364-02	1.960-02	5.872-01
0.8	40.00	2.25	-5.571-02	2.035-02	6.128-01
0.8	40.00	2.50	-9.533-02	1.975-02	6.390-01
0.8	40.00	2.75	-1.393-01	1.839-02	6.658-01
0.8	40.00	3.00	-1.846-01	1.668-02	6.928-01
0.8	40.00	3.25	-2.289-01	1.489-02	7.199-01
0.8	40.00	3.50	-2.724-01	1.314-02	7.472-01
0.8	40.00	3.75	-3.105-01	1.153-02	7.743-01
0.8	40.00	4.00	-3.473-01	1.007-02	8.014-01
0.8	40.00	4.25	-3.800-01	8.785-03	8.284-01
0.8	40.00	4.50	-4.075-01	7.656-03	8.552-01
0.8	40.00	5.00	-4.536-01	5.824-03	9.081-01
0.8	40.00	5.50	-4.882-01	4.456-03	9.603-01
0.8	40.00	6.00	-5.079-01	3.435-03	1.011 00
0.8	40.00	7.00	-5.300-01	2.097-03	1.111 00
0.8	40.00	8.00	-5.292-01	1.326-03	1.207 00
0.8	40.00	10.00	-4.929-01	5.836-04	1.389 00
0.8	60.00	1.50	6.927-03	1.131-02	5.361-01
0.8	60.00	1.75	3.703-04	1.713-02	5.573-01
0.8	60.00	2.00	-1.765-02	2.055-02	5.799-01
0.8	60.00	2.25	-4.621-02	2.186-02	6.035-01
0.8	60.00	2.50	-8.273-02	2.165-02	6.279-01
0.8	60.00	2.75	-1.244-01	2.053-02	6.528-01
0.8	60.00	3.00	-1.682-01	1.892-02	6.780-01
0.8	60.00	3.25	-2.121-01	1.711-02	7.034-01
0.8	60.00	3.50	-2.560-01	1.529-02	7.290-01
0.8	60.00	3.75	-2.950-01	1.356-02	7.545-01
0.8	60.00	4.00	-3.334-01	1.197-02	7.800-01
0.8	60.00	4.25	-3.682-01	1.053-02	8.054-01
0.8	60.00	4.50	-3.978-01	9.252-03	8.306-01
0.8	60.00	5.00	-4.488-01	7.138-03	8.808-01
0.8	60.00	5.50	-4.888-01	5.527-03	9.301-01
0.8	60.00	6.00	-5.131-01	4.305-03	9.787-01
0.8	60.00	7.00	-5.441-01	2.673-03	1.073 00
0.8	60.00	8.00	-5.501-01	1.713-03	1.165 00
0.8	60.00	10.00	-5.218-01	7.689-04	1.338 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
0.8	100.00	1.50	7.153-03	1.087-02	5.325-01
0.8	100.00	1.75	2.930-03	1.710-02	5.516-01
0.8	100.00	2.00	-1.148-02	2.119-02	5.722-01
0.8	100.00	2.25	-3.589-02	2.315-02	5.937-01
0.8	100.00	2.50	-6.844-02	2.348-02	6.161-01
0.8	100.00	2.75	-1.068-01	2.273-02	6.390-01
0.8	100.00	3.00	-1.483-01	2.133-02	6.623-01
0.8	100.00	3.25	-1.908-01	1.961-02	6.858-01
0.8	100.00	3.50	-2.342-01	1.778-02	7.095-01
0.8	100.00	3.75	-2.735-01	1.597-02	7.332-01
0.8	100.00	4.00	-3.131-01	1.425-02	7.570-01
0.8	100.00	4.25	-3.495-01	1.267-02	7.807-01
0.8	100.00	4.50	-3.812-01	1.124-02	8.043-01
0.8	100.00	5.00	-4.371-01	8.820-03	8.513-01
0.8	100.00	5.50	-4.827-01	6.927-03	8.976-01
0.8	100.00	6.00	-5.122-01	5.462-03	9.433-01
0.8	100.00	7.00	-5.537-01	3.460-03	1.033 00
0.8	100.00	8.00	-5.681-01	2.253-03	1.119 00
0.8	100.00	10.00	-5.507-01	1.035-03	1.284 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
0.9	1.20	1.50	-1.904-03	1.167-07	1.905-01
0.9	1.20	1.75	-4.339-03	1.156-07	2.098-01
0.9	1.20	2.00	-6.916-03	9.778-08	2.289-01
0.9	1.20	2.25	-9.224-03	7.770-08	2.478-01
0.9	1.20	2.50	-1.110-02	6.019-08	2.663-01
0.9	1.20	2.75	-1.253-02	4.622-08	2.844-01
0.9	1.20	3.00	-1.356-02	3.551-08	3.021-01
0.9	1.20	3.25	-1.425-02	2.739-08	3.194-01
0.9	1.20	3.50	-1.466-02	2.128-08	3.363-01
0.9	1.20	3.75	-1.487-02	1.666-08	3.528-01
0.9	1.20	4.00	-1.490-02	1.315-08	3.690-01
0.9	1.20	4.25	-1.480-02	1.046-08	3.848-01
0.9	1.20	4.50	-1.460-02	8.392-09	4.003-01
0.9	1.20	5.00	-1.401-02	5.524-09	4.304-01
0.9	1.20	5.50	-1.327-02	3.738-09	4.594-01
0.9	1.20	6.00	-1.248-02	2.594-09	4.874-01
0.9	1.20	7.00	-1.088-02	1.332-09	5.409-01
0.9	1.20	8.00	-9.443-03	7.343-10	5.915-01
0.9	1.20	10.00	-7.133-03	2.627-10	6.860-01
0.9	1.40	1.50	-8.811-03	4.923-06	3.024-01
0.9	1.40	1.75	-2.035-02	4.967-06	3.319-01
0.9	1.40	2.00	-3.279-02	4.267-06	3.613-01
0.9	1.40	2.25	-4.413-02	3.434-06	3.903-01
0.9	1.40	2.50	-5.351-02	2.688-06	4.188-01
0.9	1.40	2.75	-6.082-02	2.084-06	4.468-01
0.9	1.40	3.00	-6.617-02	1.613-06	4.742-01
0.9	1.40	3.25	-6.991-02	1.254-06	5.010-01
0.9	1.40	3.50	-7.224-02	9.799-07	5.272-01
0.9	1.40	3.75	-7.357-02	7.714-07	5.528-01
0.9	1.40	4.00	-7.401-02	6.119-07	5.779-01
0.9	1.40	4.25	-7.374-02	4.890-07	6.025-01
0.9	1.40	4.50	-7.298-02	3.938-07	6.266-01
0.9	1.40	5.00	-7.042-02	2.610-07	6.734-01
0.9	1.40	5.50	-6.705-02	1.777-07	7.185-01
0.9	1.40	6.00	-6.332-02	1.240-07	7.620-01
0.9	1.40	7.00	-5.559-02	6.420-08	8.453-01
0.9	1.40	8.00	-4.852-02	3.564-08	9.241-01
0.9	1.40	10.00	-3.697-02	1.288-08	1.071 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
0.9	1.60	1.50	-1.846-02	3.206-05	3.730-01
0.9	1.60	1.75	-4.317-02	3.288-05	4.083-01
0.9	1.60	2.00	-7.021-02	2.862-05	4.435-01
0.9	1.60	2.25	-9.524-02	2.329-05	4.783-01
0.9	1.60	2.50	-1.162-01	1.841-05	5.125-01
0.9	1.60	2.75	-1.329-01	1.438-05	5.462-01
0.9	1.60	3.00	-1.453-01	1.121-05	5.792-01
0.9	1.60	3.25	-1.542-01	8.765-06	6.115-01
0.9	1.60	3.50	-1.600-01	6.888-06	6.431-01
0.9	1.60	3.75	-1.635-01	5.449-06	6.741-01
0.9	1.60	4.00	-1.650-01	4.341-06	7.044-01
0.9	1.60	4.25	-1.649-01	3.483-06	7.341-01
0.9	1.60	4.50	-1.636-01	2.814-06	7.633-01
0.9	1.60	5.00	-1.586-01	1.877-06	8.199-01
0.9	1.60	5.50	-1.517-01	1.285-06	8.745-01
0.9	1.60	6.00	-1.438-01	9.003-07	9.274-01
0.9	1.60	7.00	-1.270-01	4.697-07	1.028 00
0.9	1.60	8.00	-1.114-01	2.624-07	1.124 00
0.9	1.60	10.00	-8.557-02	9.571-08	1.303 00
0.9	1.80	1.50	-2.869-02	1.024-04	4.201-01
0.9	1.80	1.75	-6.783-02	1.065-04	4.586-01
0.9	1.80	2.00	-1.112-01	9.382-05	4.972-01
0.9	1.80	2.25	-1.519-01	7.710-05	5.354-01
0.9	1.80	2.50	-1.866-01	6.144-05	5.731-01
0.9	1.80	2.75	-2.144-01	4.835-05	6.101-01
0.9	1.80	3.00	-2.355-01	3.793-05	6.465-01
0.9	1.80	3.25	-2.509-01	2.981-05	6.821-01
0.9	1.80	3.50	-2.611-01	2.354-05	7.171-01
0.9	1.80	3.75	-2.677-01	1.870-05	7.513-01
0.9	1.80	4.00	-2.710-01	1.495-05	7.848-01
0.9	1.80	4.25	-2.715-01	1.204-05	8.176-01
0.9	1.80	4.50	-2.701-01	9.759-06	8.498-01
0.9	1.80	5.00	-2.630-01	6.545-06	9.125-01
0.9	1.80	5.50	-2.524-01	4.500-06	9.730-01
0.9	1.80	6.00	-2.400-01	3.166-06	1.032 00
0.9	1.80	7.00	-2.132-01	1.663-06	1.143 00
0.9	1.80	8.00	-1.879-01	9.339-07	1.249 00
0.9	1.80	10.00	-1.453-01	3.434-07	1.448 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
0.9	2.00	1.50	-3.836-02	2.273-04	4.527-01
0.9	2.00	1.75	-9.160-02	2.396-04	4.932-01
0.9	2.00	2.00	-1.514-01	2.133-04	5.337-01
0.9	2.00	2.25	-2.081-01	1.769-04	5.740-01
0.9	2.00	2.50	-2.568-01	1.420-04	6.137-01
0.9	2.00	2.75	-2.965-01	1.125-04	6.528-01
0.9	2.00	3.00	-3.270-01	8.871-05	6.912-01
0.9	2.00	3.25	-3.496-01	7.006-05	7.289-01
0.9	2.00	3.50	-3.650-01	5.556-05	7.658-01
0.9	2.00	3.75	-3.754-01	4.430-05	8.020-01
0.9	2.00	4.00	-3.809-01	3.555-05	8.375-01
0.9	2.00	4.25	-3.825-01	2.871-05	8.723-01
0.9	2.00	4.50	-3.814-01	2.334-05	9.065-01
0.9	2.00	5.00	-3.728-01	1.573-05	9.730-01
0.9	2.00	5.50	-3.590-01	1.086-05	1.037 00
0.9	2.00	6.00	-3.424-01	7.670-06	1.099 00
0.9	2.00	7.00	-3.056-01	4.053-06	1.218 00
0.9	2.00	8.00	-2.704-01	2.287-06	1.331 00
0.9	2.00	10.00	-2.103-01	8.470-07	1.542 00
0.9	2.25	1.50	-4.900-02	4.607-04	4.809-01
0.9	2.25	1.75	-1.183-01	4.927-04	5.226-01
0.9	2.25	2.00	-1.972-01	4.439-04	5.644-01
0.9	2.25	2.25	-2.730-01	3.717-04	6.061-01
0.9	2.25	2.50	-3.390-01	3.010-04	6.472-01
0.9	2.25	2.75	-3.934-01	2.401-04	6.878-01
0.9	2.25	3.00	-4.358-01	1.906-04	7.276-01
0.9	2.25	3.25	-4.679-01	1.513-04	7.668-01
0.9	2.25	3.50	-4.902-01	1.206-04	8.052-01
0.9	2.25	3.75	-5.057-01	9.656-05	8.429-01
0.9	2.25	4.00	-5.147-01	7.778-05	8.799-01
0.9	2.25	4.25	-5.182-01	6.303-05	9.161-01
0.9	2.25	4.50	-5.179-01	5.141-05	9.518-01
0.9	2.25	5.00	-5.084-01	3.484-05	1.021 00
0.9	2.25	5.50	-4.915-01	2.417-05	1.088 00
0.9	2.25	6.00	-4.703-01	1.714-05	1.153 00
0.9	2.25	7.00	-4.221-01	9.116-06	1.277 00
0.9	2.25	8.00	-3.751-01	5.171-06	1.395 00
0.9	2.25	10.00	-2.938-01	1.931-06	1.615 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
0.9	2.50	1.50	-5.786-02	7.672-04	5.002-01
0.9	2.50	1.75	-1.411-01	8.313-04	5.424-01
0.9	2.50	2.00	-2.370-01	7.570-04	5.848-01
0.9	2.50	2.25	-3.302-01	6.395-04	6.271-01
0.9	2.50	2.50	-4.123-01	5.217-04	6.689-01
0.9	2.50	2.75	-4.808-01	4.189-04	7.102-01
0.9	2.50	3.00	-5.347-01	3.343-04	7.508-01
0.9	2.50	3.25	-5.762-01	2.668-04	7.907-01
0.9	2.50	3.50	-6.056-01	2.135-04	8.299-01
0.9	2.50	3.75	-6.265-01	1.716-04	8.684-01
0.9	2.50	4.00	-6.393-01	1.387-04	9.062-01
0.9	2.50	4.25	-6.452-01	1.128-04	9.432-01
0.9	2.50	4.50	-6.462-01	9.224-05	9.797-01
0.9	2.50	5.00	-6.369-01	6.282-05	1.051 00
0.9	2.50	5.50	-6.177-01	4.377-05	1.119 00
0.9	2.50	6.00	-5.929-01	3.115-05	1.186 00
0.9	2.50	7.00	-5.347-01	1.667-05	1.313 00
0.9	2.50	8.00	-4.771-01	9.500-06	1.434 00
0.9	2.50	10.00	-3.760-01	3.573-06	1.660 00
0.9	2.75	1.50	-6.506-02	1.128-03	5.139-01
0.9	2.75	1.75	-1.601-01	1.236-03	5.561-01
0.9	2.75	2.00	-2.708-01	1.137-03	5.987-01
0.9	2.75	2.25	-3.795-01	9.683-04	6.411-01
0.9	2.75	2.50	-4.763-01	7.953-04	6.832-01
0.9	2.75	2.75	-5.578-01	6.423-04	7.247-01
0.9	2.75	3.00	-6.227-01	5.153-04	7.657-01
0.9	2.75	3.25	-6.732-01	4.130-04	8.060-01
0.9	2.75	3.50	-7.095-01	3.318-04	8.455-01
0.9	2.75	3.75	-7.360-01	2.677-04	8.844-01
0.9	2.75	4.00	-7.529-01	2.171-04	9.226-01
0.9	2.75	4.25	-7.614-01	1.770-04	9.600-01
0.9	2.75	4.50	-7.641-01	1.451-04	9.969-01
0.9	2.75	5.00	-7.557-01	9.926-05	1.069 00
0.9	2.75	5.50	-7.352-01	6.942-05	1.138 00
0.9	2.75	6.00	-7.076-01	4.956-05	1.205 00
0.9	2.75	7.00	-6.410-01	2.667-05	1.334 00
0.9	2.75	8.00	-5.740-01	1.527-05	1.457 00
0.9	2.75	10.00	-4.549-01	5.780-06	1.686 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
0.9	3.00	1.50	-7.083-02	1.524-03	5.238-01
0.9	3.00	1.75	-1.758-01	1.689-03	5.658-01
0.9	3.00	2.00	-2.992-01	1.567-03	6.083-01
0.9	3.00	2.25	-4.217-01	1.344-03	6.506-01
0.9	3.00	2.50	-5.316-01	1.111-03	6.927-01
0.9	3.00	2.75	-6.250-01	9.020-04	7.343-01
0.9	3.00	3.00	-7.001-01	7.270-04	7.753-01
0.9	3.00	3.25	-7.592-01	5.850-04	8.157-01
0.9	3.00	3.50	-8.022-01	4.717-04	8.553-01
0.9	3.00	3.75	-8.342-01	3.818-04	8.943-01
0.9	3.00	4.00	-8.552-01	3.105-04	9.326-01
0.9	3.00	4.25	-8.665-01	2.537-04	9.703-01
0.9	3.00	4.50	-8.711-01	2.086-04	1.007 00
0.9	3.00	5.00	-8.644-01	1.433-04	1.079 00
0.9	3.00	5.50	-8.433-01	1.005-04	1.149 00
0.9	3.00	6.00	-8.136-01	7.200-05	1.217 00
0.9	3.00	7.00	-7.401-01	3.894-05	1.347 00
0.9	3.00	8.00	-6.649-01	2.238-05	1.470 00
0.9	3.00	10.00	-5.296-01	8.522-06	1.701 00
0.9	3.25	1.50	-7.541-02	1.939-03	5.312-01
0.9	3.25	1.75	-1.886-01	2.171-03	5.728-01
0.9	3.25	2.00	-3.230-01	2.030-03	6.150-01
0.9	3.25	2.25	-4.574-01	1.754-03	6.571-01
0.9	3.25	2.50	-5.791-01	1.458-03	6.990-01
0.9	3.25	2.75	-6.834-01	1.190-03	7.405-01
0.9	3.25	3.00	-7.678-01	9.629-04	7.814-01
0.9	3.25	3.25	-8.350-01	7.778-04	8.216-01
0.9	3.25	3.50	-8.845-01	6.292-04	8.613-01
0.9	3.25	3.75	-9.218-01	5.107-04	9.002-01
0.9	3.25	4.00	-9.469-01	4.164-04	9.385-01
0.9	3.25	4.25	-9.611-01	3.412-04	9.762-01
0.9	3.25	4.50	-9.679-01	2.810-04	1.013 00
0.9	3.25	5.00	-9.632-01	1.938-04	1.085 00
0.9	3.25	5.50	-9.421-01	1.364-04	1.155 00
0.9	3.25	6.00	-9.110-01	9.796-05	1.223 00
0.9	3.25	7.00	-8.318-01	5.322-05	1.353 00
0.9	3.25	8.00	-7.496-01	3.070-05	1.477 00
0.9	3.25	10.00	-5.998-01	1.175-05	1.708 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
0.9	3.50	1.50	-7.902-02	2.362-03	5.367-01
0.9	3.50	1.75	-1.991-01	2.669-03	5.779-01
0.9	3.50	2.00	-3.428-01	2.515-03	6.197-01
0.9	3.50	2.25	-4.878-01	2.186-03	6.615-01
0.9	3.50	2.50	-6.199-01	1.827-03	7.031-01
0.9	3.50	2.75	-7.340-01	1.498-03	7.443-01
0.9	3.50	3.00	-8.271-01	1.217-03	7.850-01
0.9	3.50	3.25	-9.018-01	9.864-04	8.252-01
0.9	3.50	3.50	-9.574-01	8.005-04	8.646-01
0.9	3.50	3.75	-9.998-01	6.515-04	9.035-01
0.9	3.50	4.00	-1.029 00	5.325-04	9.416-01
0.9	3.50	4.25	-1.046 00	4.372-04	9.792-01
0.9	3.50	4.50	-1.055 00	3.608-04	1.016 00
0.9	3.50	5.00	-1.053 00	2.497-04	1.088 00
0.9	3.50	5.50	-1.032 00	1.763-04	1.158 00
0.9	3.50	6.00	-1.000 00	1.269-04	1.226 00
0.9	3.50	7.00	-9.165-01	6.925-05	1.356 00
0.9	3.50	8.00	-8.283-01	4.008-05	1.479 00
0.9	3.50	10.00	-6.656-01	1.542-05	1.711 00
0.9	3.75	1.50	-8.184-02	2.783-03	5.408-01
0.9	3.75	1.75	-2.076-01	3.172-03	5.816-01
0.9	3.75	2.00	-3.593-01	3.010-03	6.229-01
0.9	3.75	2.25	-5.135-01	2.632-03	6.644-01
0.9	3.75	2.50	-6.550-01	2.211-03	7.057-01
0.9	3.75	2.75	-7.779-01	1.820-03	7.466-01
0.9	3.75	3.00	-8.790-01	1.484-03	7.871-01
0.9	3.75	3.25	-9.607-01	1.207-03	8.269-01
0.9	3.75	3.50	-1.022 00	9.821-04	8.662-01
0.9	3.75	3.75	-1.069 00	8.013-04	9.048-01
0.9	3.75	4.00	-1.102 00	6.564-04	9.428-01
0.9	3.75	4.25	-1.123 00	5.401-04	9.802-01
0.9	3.75	4.50	-1.134 00	4.466-04	1.017 00
0.9	3.75	5.00	-1.134 00	3.100-04	1.089 00
0.9	3.75	5.50	-1.115 00	2.195-04	1.158 00
0.9	3.75	6.00	-1.082 00	1.584-04	1.226 00
0.9	3.75	7.00	-9.947-01	8.677-05	1.356 00
0.9	3.75	8.00	-9.014-01	5.037-05	1.479 00
0.9	3.75	10.00	-7.272-01	1.948-05	1.710 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
0.9	4.00	1.50	-8.401-02	3.197-03	5.440-01
0.9	4.00	1.75	-2.145-01	3.673-03	5.843-01
0.9	4.00	2.00	-3.731-01	3.508-03	6.252-01
0.9	4.00	2.25	-5.352-01	3.084-03	6.663-01
0.9	4.00	2.50	-6.851-01	2.602-03	7.072-01
0.9	4.00	2.75	-8.160-01	2.151-03	7.478-01
0.9	4.00	3.00	-9.245-01	1.760-03	7.879-01
0.9	4.00	3.25	-1.013 00	1.436-03	8.275-01
0.9	4.00	3.50	-1.079 00	1.171-03	8.665-01
0.9	4.00	3.75	-1.131 00	9.580-04	9.050-01
0.9	4.00	4.00	-1.168 00	7.865-04	9.427-01
0.9	4.00	4.25	-1.191 00	6.483-04	9.799-01
0.9	4.00	4.50	-1.205 00	5.370-04	1.017 00
0.9	4.00	5.00	-1.208 00	3.739-04	1.088 00
0.9	4.00	5.50	-1.190 00	2.655-04	1.157 00
0.9	4.00	6.00	-1.157 00	1.920-04	1.225 00
0.9	4.00	7.00	-1.067 00	1.055-04	1.354 00
0.9	4.00	8.00	-9.692-01	6.145-05	1.477 00
0.9	4.00	10.00	-7.848-01	2.386-05	1.707 00
0.9	5.00	1.50	-8.838-02	4.707-03	5.510-01
0.9	5.00	1.75	-2.306-01	5.559-03	5.894-01
0.9	5.00	2.00	-4.081-01	5.432-03	6.285-01
0.9	5.00	2.25	-5.938-01	4.866-03	6.679-01
0.9	5.00	2.50	-7.691-01	4.171-03	7.073-01
0.9	5.00	2.75	-9.255-01	3.494-03	7.465-01
0.9	5.00	3.00	-1.058 00	2.894-03	7.853-01
0.9	5.00	3.25	-1.168 00	2.385-03	8.236-01
0.9	5.00	3.50	-1.253 00	1.964-03	8.615-01
0.9	5.00	3.75	-1.322 00	1.619-03	8.988-01
0.9	5.00	4.00	-1.373 00	1.339-03	9.356-01
0.9	5.00	4.25	-1.407 00	1.111-03	9.718-01
0.9	5.00	4.50	-1.429 00	9.258-04	1.007 00
0.9	5.00	5.00	-1.445 00	6.514-04	1.077 00
0.9	5.00	5.50	-1.433 00	4.666-04	1.145 00
0.9	5.00	6.00	-1.403 00	3.400-04	1.211 00
0.9	5.00	7.00	-1.306 00	1.893-04	1.337 00
0.9	5.00	8.00	-1.197 00	1.113-04	1.458 00
0.9	5.00	10.00	-9.815-01	4.388-05	1.684 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
0.9	6.00	1.50	-8.887-02	5.947-03	5.535-01
0.9	6.00	1.75	-2.362-01	7.181-03	5.901-01
0.9	6.00	2.00	-4.239-01	7.146-03	6.276-01
0.9	6.00	2.25	-6.237-01	6.499-03	6.655-01
0.9	6.00	2.50	-8.157-01	5.643-03	7.034-01
0.9	6.00	2.75	-9.899-01	4.779-03	7.413-01
0.9	6.00	3.00	-1.140 00	3.996-03	7.788-01
0.9	6.00	3.25	-1.266 00	3.321-03	8.160-01
0.9	6.00	3.50	-1.366 00	2.755-03	8.527-01
0.9	6.00	3.75	-1.448 00	2.286-03	8.889-01
0.9	6.00	4.00	-1.511 00	1.902-03	9.247-01
0.9	6.00	4.25	-1.555 00	1.586-03	9.599-01
0.9	6.00	4.50	-1.585 00	1.328-03	9.947-01
0.9	6.00	5.00	-1.614 00	9.425-04	1.063 00
0.9	6.00	5.50	-1.610 00	6.800-04	1.129 00
0.9	6.00	6.00	-1.583 00	4.986-04	1.193 00
0.9	6.00	7.00	-1.487 00	2.804-04	1.317 00
0.9	6.00	8.00	-1.372 00	1.662-04	1.435 00
0.9	6.00	10.00	-1.136 00	6.632-05	1.656 00
0.9	8.00	1.50	-8.566-02	7.729-03	5.539-01
0.9	8.00	1.75	-2.343-01	9.659-03	5.877-01
0.9	8.00	2.00	-4.298-01	9.886-03	6.226-01
0.9	8.00	2.25	-6.440-01	9.204-03	6.581-01
0.9	8.00	2.50	-8.552-01	8.152-03	6.937-01
0.9	8.00	2.75	-1.051 00	7.023-03	7.293-01
0.9	8.00	3.00	-1.224 00	5.959-03	7.647-01
0.9	8.00	3.25	-1.374 00	5.017-03	7.999-01
0.9	8.00	3.50	-1.495 00	4.209-03	8.347-01
0.9	8.00	3.75	-1.597 00	3.529-03	8.691-01
0.9	8.00	4.00	-1.678 00	2.962-03	9.031-01
0.9	8.00	4.25	-1.738 00	2.492-03	9.366-01
0.9	8.00	4.50	-1.783 00	2.102-03	9.698-01
0.9	8.00	5.00	-1.834 00	1.511-03	1.035 00
0.9	8.00	5.50	-1.845 00	1.102-03	1.098 00
0.9	8.00	6.00	-1.829 00	8.160-04	1.160 00
0.9	8.00	7.00	-1.740 00	4.661-04	1.278 00
0.9	8.00	8.00	-1.622 00	2.797-04	1.392 00
0.9	8.00	10.00	-1.365 00	1.137-04	1.605 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
0.9	10.00	1.50	-8.101-02	8.879-03	5.526-01
0.9	10.00	1.75	-2.265-01	1.138-02	5.844-01
0.9	10.00	2.00	-4.228-01	1.190-02	6.174-01
0.9	10.00	2.25	-6.423-01	1.128-02	6.509-01
0.9	10.00	2.50	-8.628-01	1.014-02	6.848-01
0.9	10.00	2.75	-1.071 00	8.847-03	7.187-01
0.9	10.00	3.00	-1.258 00	7.591-03	7.525-01
0.9	10.00	3.25	-1.423 00	6.453-03	7.861-01
0.9	10.00	3.50	-1.558 00	5.461-03	8.194-01
0.9	10.00	3.75	-1.675 00	4.614-03	8.524-01
0.9	10.00	4.00	-1.770 00	3.900-03	8.851-01
0.9	10.00	4.25	-1.842 00	3.301-03	9.173-01
0.9	10.00	4.50	-1.897 00	2.800-03	9.492-01
0.9	10.00	5.00	-1.967 00	2.033-03	1.012 00
0.9	10.00	5.50	-1.992 00	1.496-03	1.073 00
0.9	10.00	6.00	-1.987 00	1.115-03	1.132 00
0.9	10.00	7.00	-1.909 00	6.446-04	1.247 00
0.9	10.00	8.00	-1.793 00	3.905-04	1.357 00
0.9	10.00	10.00	-1.527 00	1.610-04	1.564 00
0.9	15.00	1.50	-7.043-02	1.037-02	5.487-01
0.9	15.00	1.75	-2.049-01	1.390-02	5.772-01
0.9	15.00	2.00	-3.943-01	1.508-02	6.069-01
0.9	15.00	2.25	-6.140-01	1.473-02	6.374-01
0.9	15.00	2.50	-8.420-01	1.359-02	6.683-01
0.9	15.00	2.75	-1.064 00	1.213-02	6.993-01
0.9	15.00	3.00	-1.269 00	1.061-02	7.304-01
0.9	15.00	3.25	-1.455 00	9.174-03	7.614-01
0.9	15.00	3.50	-1.612 00	7.882-03	7.922-01
0.9	15.00	3.75	-1.751 00	6.749-03	8.227-01
0.9	15.00	4.00	-1.868 00	5.774-03	8.530-01
0.9	15.00	4.25	-1.960 00	4.940-03	8.830-01
0.9	15.00	4.50	-2.035 00	4.233-03	9.127-01
0.9	15.00	5.00	-2.139 00	3.127-03	9.712-01
0.9	15.00	5.50	-2.193 00	2.334-03	1.028 00
0.9	15.00	6.00	-2.210 00	1.762-03	1.084 00
0.9	15.00	7.00	-2.159 00	1.040-03	1.192 00
0.9	15.00	8.00	-2.057 00	6.404-04	1.295 00
0.9	15.00	10.00	-1.789 00	2.705-04	1.491 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
0.9	20.00	1.50	-6.257-02	1.101-02	5.456-01
0.9	20.00	1.75	-1.872-01	1.519-02	5.721-01
0.9	20.00	2.00	-3.679-01	1.688-02	5.998-01
0.9	20.00	2.25	-5.826-01	1.684-02	6.283-01
0.9	20.00	2.50	-8.103-01	1.581-02	6.573-01
0.9	20.00	2.75	-1.036 00	1.432-02	6.865-01
0.9	20.00	3.00	-1.249 00	1.269-02	7.158-01
0.9	20.00	3.25	-1.445 00	1.110-02	7.452-01
0.9	20.00	3.50	-1.614 00	9.634-03	7.743-01
0.9	20.00	3.75	-1.766 00	8.324-03	8.033-01
0.9	20.00	4.00	-1.896 00	7.179-03	8.321-01
0.9	20.00	4.25	-2.001 00	6.188-03	8.607-01
0.9	20.00	4.50	-2.089 00	5.337-03	8.890-01
0.9	20.00	5.00	-2.217 00	3.989-03	9.447-01
0.9	20.00	5.50	-2.290 00	3.008-03	9.992-01
0.9	20.00	6.00	-2.325 00	2.291-03	1.053 00
0.9	20.00	7.00	-2.297 00	1.371-03	1.156 00
0.9	20.00	8.00	-2.210 00	8.535-04	1.255 00
0.9	20.00	10.00	-1.949 00	3.666-04	1.443 00
0.9	25.00	1.50	-5.673-02	1.130-02	5.433-01
0.9	25.00	1.75	-1.733-01	1.593-02	5.683-01
0.9	25.00	2.00	-3.461-01	1.803-02	5.946-01
0.9	25.00	2.25	-5.551-01	1.825-02	6.218-01
0.9	25.00	2.50	-7.803-01	1.736-02	6.494-01
0.9	25.00	2.75	-1.007 00	1.590-02	6.774-01
0.9	25.00	3.00	-1.223 00	1.423-02	7.054-01
0.9	25.00	3.25	-1.425 00	1.255-02	7.336-01
0.9	25.00	3.50	-1.601 00	1.098-02	7.616-01
0.9	25.00	3.75	-1.762 00	9.551-03	7.895-01
0.9	25.00	4.00	-1.901 00	8.288-03	8.172-01
0.9	25.00	4.25	-2.015 00	7.183-03	8.447-01
0.9	25.00	4.50	-2.112 00	6.227-03	8.720-01
0.9	25.00	5.00	-2.257 00	4.695-03	9.257-01
0.9	25.00	5.50	-2.346 00	3.566-03	9.784-01
0.9	25.00	6.00	-2.394 00	2.733-03	1.030 00
0.9	25.00	7.00	-2.386 00	1.653-03	1.130 00
0.9	25.00	8.00	-2.311 00	1.038-03	1.226 00
0.9	25.00	10.00	-2.060 00	4.513-04	1.409 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
0.9	40.00	1.50	-4.567-02	1.148-02	5.388-01
0.9	40.00	1.75	-1.458-01	1.689-02	5.612-01
0.9	40.00	2.00	-3.005-01	1.979-02	5.849-01
0.9	40.00	2.25	-4.946-01	2.065-02	6.096-01
0.9	40.00	2.50	-7.103-01	2.014-02	6.347-01
0.9	40.00	2.75	-9.337-01	1.886-02	6.603-01
0.9	40.00	3.00	-1.152 00	1.721-02	6.861-01
0.9	40.00	3.25	-1.361 00	1.544-02	7.119-01
0.9	40.00	3.50	-1.547 00	1.371-02	7.378-01
0.9	40.00	3.75	-1.722 00	1.209-02	7.636-01
0.9	40.00	4.00	-1.876 00	1.062-02	7.893-01
0.9	40.00	4.25	-2.007 00	9.304-03	8.148-01
0.9	40.00	4.50	-2.119 00	8.147-03	8.402-01
0.9	40.00	5.00	-2.298 00	6.251-03	8.903-01
0.9	40.00	5.50	-2.418 00	4.819-03	9.396-01
0.9	40.00	6.00	-2.494 00	3.742-03	9.880-01
0.9	40.00	7.00	-2.529 00	2.311-03	1.082 00
0.9	40.00	8.00	-2.485 00	1.475-03	1.172 00
0.9	40.00	10.00	-2.262 00	6.578-04	1.344 00
0.9	60.00	1.50	-3.772-02	1.132-02	5.354-01
0.9	60.00	1.75	-1.248-01	1.721-02	5.560-01
0.9	60.00	2.00	-2.642-01	2.073-02	5.779-01
0.9	60.00	2.25	-4.440-01	2.214-02	6.006-01
0.9	60.00	2.50	-6.487-01	2.204-02	6.240-01
0.9	60.00	2.75	-8.654-01	2.101-02	6.478-01
0.9	60.00	3.00	-1.082 00	1.947-02	6.719-01
0.9	60.00	3.25	-1.293 00	1.771-02	6.961-01
0.9	60.00	3.50	-1.484 00	1.591-02	7.203-01
0.9	60.00	3.75	-1.666 00	1.418-02	7.446-01
0.9	60.00	4.00	-1.830 00	1.258-02	7.688-01
0.9	60.00	4.25	-1.971 00	1.112-02	7.928-01
0.9	60.00	4.50	-2.096 00	9.816-03	8.168-01
0.9	60.00	5.00	-2.299 00	7.639-03	8.642-01
0.9	60.00	5.50	-2.442 00	5.961-03	9.108-01
0.9	60.00	6.00	-2.542 00	4.676-03	9.568-01
0.9	60.00	7.00	-2.613 00	2.938-03	1.046 00
0.9	60.00	8.00	-2.597 00	1.901-03	1.132 00
0.9	60.00	10.00	-2.405 00	8.650-04	1.297 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
0.9	100.00	1.50	-2.964-02	1.088-02	5.319-01
0.9	100.00	1.75	-1.026-01	1.716-02	5.505-01
0.9	100.00	2.00	-2.239-01	2.133-02	5.703-01
0.9	100.00	2.25	-3.857-01	2.341-02	5.911-01
0.9	100.00	2.50	-5.751-01	2.386-02	6.126-01
0.9	100.00	2.75	-7.807-01	2.320-02	6.345-01
0.9	100.00	3.00	-9.912-01	2.189-02	6.567-01
0.9	100.00	3.25	-1.200 00	2.023-02	6.791-01
0.9	100.00	3.50	-1.393 00	1.844-02	7.017-01
0.9	100.00	3.75	-1.581 00	1.664-02	7.242-01
0.9	100.00	4.00	-1.754 00	1.493-02	7.467-01
0.9	100.00	4.25	-1.905 00	1.334-02	7.692-01
0.9	100.00	4.50	-2.040 00	1.189-02	7.916-01
0.9	100.00	5.00	-2.270 00	9.407-03	8.360-01
0.9	100.00	5.50	-2.439 00	7.446-03	8.798-01
0.9	100.00	6.00	-2.565 00	5.913-03	9.230-01
0.9	100.00	7.00	-2.680 00	3.791-03	1.007 00
0.9	100.00	8.00	-2.701 00	2.493-03	1.089 00
0.9	100.00	10.00	-2.553 00	1.162-03	1.245 00

TABLE I (continued).

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.0	1.20	1.50	1.735-03	1.183-07	1.896-01
1.0	1.20	1.75	3.404-03	1.181-07	2.083-01
1.0	1.20	2.00	5.019-03	1.008-07	2.267-01
1.0	1.20	2.25	6.377-03	8.071-08	2.448-01
1.0	1.20	2.50	7.430-03	6.297-08	2.625-01
1.0	1.20	2.75	8.195-03	4.870-08	2.799-01
1.0	1.20	3.00	8.719-03	3.764-08	2.968-01
1.0	1.20	3.25	9.038-03	2.921-08	3.133-01
1.0	1.20	3.50	9.205-03	2.281-08	3.294-01
1.0	1.20	3.75	9.242-03	1.794-08	3.452-01
1.0	1.20	4.00	9.193-03	1.422-08	3.606-01
1.0	1.20	4.25	9.067-03	1.136-08	3.757-01
1.0	1.20	4.50	8.899-03	9.147-09	3.905-01
1.0	1.20	5.00	8.453-03	6.057-09	4.192-01
1.0	1.20	5.50	7.946-03	4.122-09	4.468-01
1.0	1.20	6.00	7.420-03	2.872-09	4.735-01
1.0	1.20	7.00	6.415-03	1.485-09	5.245-01
1.0	1.20	8.00	5.527-03	8.224-10	5.729-01
1.0	1.20	10.00	4.132-03	2.960-10	6.634-01
1.0	1.40	1.50	8.132-03	4.987-06	3.010-01
1.0	1.40	1.75	1.611-02	5.071-06	3.296-01
1.0	1.40	2.00	2.397-02	4.393-06	3.579-01
1.0	1.40	2.25	3.069-02	3.563-06	3.858-01
1.0	1.40	2.50	3.600-02	2.810-06	4.131-01
1.0	1.40	2.75	3.994-02	2.193-06	4.399-01
1.0	1.40	3.00	4.272-02	1.709-06	4.661-01
1.0	1.40	3.25	4.449-02	1.335-06	4.916-01
1.0	1.40	3.50	4.551-02	1.049-06	5.166-01
1.0	1.40	3.75	4.586-02	8.298-07	5.411-01
1.0	1.40	4.00	4.578-02	6.610-07	5.650-01
1.0	1.40	4.25	4.531-02	5.304-07	5.884-01
1.0	1.40	4.50	4.460-02	4.287-07	6.114-01
1.0	1.40	5.00	4.259-02	2.860-07	6.559-01
1.0	1.40	5.50	4.023-02	1.958-07	6.989-01
1.0	1.40	6.00	3.772-02	1.371-07	7.405-01
1.0	1.40	7.00	3.284-02	7.152-08	8.199-01
1.0	1.40	8.00	2.845-02	3.990-08	8.953-01
1.0	1.40	10.00	2.146-02	1.451-08	1.036 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.0	1.60	1.50	1.724-02	3.246-05	3.714-01
1.0	1.60	1.75	3.444-02	3.355-05	4.055-01
1.0	1.60	2.00	5.164-02	2.945-05	4.394-01
1.0	1.60	2.25	6.658-02	2.415-05	4.729-01
1.0	1.60	2.50	7.856-02	1.922-05	5.057-01
1.0	1.60	2.75	8.762-02	1.512-05	5.380-01
1.0	1.60	3.00	9.415-02	1.186-05	5.695-01
1.0	1.60	3.25	9.844-02	9.327-06	6.003-01
1.0	1.60	3.50	1.011-01	7.368-06	6.305-01
1.0	1.60	3.75	1.022-01	5.855-06	6.600-01
1.0	1.60	4.00	1.023-01	4.685-06	6.889-01
1.0	1.60	4.25	1.015-01	3.774-06	7.172-01
1.0	1.60	4.50	1.002-01	3.061-06	7.450-01
1.0	1.60	5.00	9.617-02	2.055-06	7.989-01
1.0	1.60	5.50	9.120-02	1.414-06	8.510-01
1.0	1.60	6.00	8.582-02	9.952-07	9.013-01
1.0	1.60	7.00	7.516-02	5.229-07	9.977-01
1.0	1.60	8.00	6.544-02	2.935-07	1.089 00
1.0	1.60	10.00	4.973-02	1.078-07	1.260 00
1.0	1.80	1.50	2.707-02	1.036-04	4.183-01
1.0	1.80	1.75	5.450-02	1.086-04	4.556-01
1.0	1.80	2.00	8.228-02	9.647-05	4.928-01
1.0	1.80	2.25	1.067-01	7.988-05	5.295-01
1.0	1.80	2.50	1.266-01	6.410-05	5.656-01
1.0	1.80	2.75	1.418-01	5.079-05	6.011-01
1.0	1.80	3.00	1.530-01	4.009-05	6.359-01
1.0	1.80	3.25	1.606-01	3.169-05	6.699-01
1.0	1.80	3.50	1.654-01	2.516-05	7.032-01
1.0	1.80	3.75	1.678-01	2.008-05	7.358-01
1.0	1.80	4.00	1.685-01	1.612-05	7.677-01
1.0	1.80	4.25	1.676-01	1.303-05	7.990-01
1.0	1.80	4.50	1.658-01	1.061-05	8.297-01
1.0	1.80	5.00	1.597-01	7.158-06	8.895-01
1.0	1.80	5.50	1.520-01	4.950-06	9.471-01
1.0	1.80	6.00	1.435-01	3.498-06	1.003 00
1.0	1.80	7.00	1.264-01	1.851-06	1.110 00
1.0	1.80	8.00	1.105-01	1.044-06	1.211 00
1.0	1.80	10.00	8.455-02	3.867-07	1.401 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.0	2.00	1.50	3.655-02	2.300-04	4.509-01
1.0	2.00	1.75	7.409-02	2.442-04	4.900-01
1.0	2.00	2.00	1.126-01	2.192-04	5.291-01
1.0	2.00	2.25	1.468-01	1.831-04	5.678-01
1.0	2.00	2.50	1.749-01	1.480-04	6.059-01
1.0	2.00	2.75	1.968-01	1.180-04	6.433-01
1.0	2.00	3.00	2.131-01	9.368-05	6.800-01
1.0	2.00	3.25	2.244-01	7.442-05	7.160-01
1.0	2.00	3.50	2.318-01	5.932-05	7.512-01
1.0	2.00	3.75	2.357-01	4.753-05	7.857-01
1.0	2.00	4.00	2.373-01	3.830-05	8.196-01
1.0	2.00	4.25	2.366-01	3.106-05	8.527-01
1.0	2.00	4.50	2.346-01	2.534-05	8.853-01
1.0	2.00	5.00	2.268-01	1.719-05	9.486-01
1.0	2.00	5.50	2.166-01	1.194-05	1.010 00
1.0	2.00	6.00	2.050-01	8.467-06	1.069 00
1.0	2.00	7.00	1.814-01	4.507-06	1.182 00
1.0	2.00	8.00	1.592-01	2.556-06	1.290 00
1.0	2.00	10.00	1.226-01	9.533-07	1.492 00
1.0	2.25	1.50	4.720-02	4.661-04	4.790-01
1.0	2.25	1.75	9.643-02	5.020-04	5.194-01
1.0	2.25	2.00	1.475-01	4.559-04	5.597-01
1.0	2.25	2.25	1.936-01	3.846-04	5.997-01
1.0	2.25	2.50	2.319-01	3.135-04	6.392-01
1.0	2.25	2.75	2.621-01	2.517-04	6.780-01
1.0	2.25	3.00	2.850-01	2.011-04	7.161-01
1.0	2.25	3.25	3.012-01	1.606-04	7.535-01
1.0	2.25	3.50	3.121-01	1.286-04	7.901-01
1.0	2.25	3.75	3.184-01	1.035-04	8.261-01
1.0	2.25	4.00	3.214-01	8.373-05	8.613-01
1.0	2.25	4.25	3.212-01	6.813-05	8.959-01
1.0	2.25	4.50	3.193-01	5.577-05	9.298-01
1.0	2.25	5.00	3.100-01	3.804-05	9.959-01
1.0	2.25	5.50	2.971-01	2.654-05	1.060 00
1.0	2.25	6.00	2.821-01	1.891-05	1.122 00
1.0	2.25	7.00	2.509-01	1.013-05	1.240 00
1.0	2.25	8.00	2.212-01	5.777-06	1.353 00
1.0	2.25	10.00	1.715-01	2.173-06	1.563 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.0	2.50	1.50	5.631-02	7.758-04	4.983-01
1.0	2.50	1.75	1.158-01	8.464-04	5.392-01
1.0	2.50	2.00	1.783-01	7.769-04	5.801-01
1.0	2.50	2.25	2.352-01	6.612-04	6.207-01
1.0	2.50	2.50	2.831-01	5.430-04	6.608-01
1.0	2.50	2.75	3.214-01	4.388-04	7.003-01
1.0	2.50	3.00	3.508-01	3.524-04	7.391-01
1.0	2.50	3.25	3.719-01	2.829-04	7.772-01
1.0	2.50	3.50	3.866-01	2.276-04	8.146-01
1.0	2.50	3.75	3.953-01	1.838-04	8.513-01
1.0	2.50	4.00	4.000-01	1.492-04	8.873-01
1.0	2.50	4.25	4.008-01	1.218-04	9.226-01
1.0	2.50	4.50	3.992-01	9.999-05	9.573-01
1.0	2.50	5.00	3.889-01	6.855-05	1.025 00
1.0	2.50	5.50	3.740-01	4.803-05	1.090 00
1.0	2.50	6.00	3.562-01	3.434-05	1.154 00
1.0	2.50	7.00	3.183-01	1.852-05	1.275 00
1.0	2.50	8.00	2.818-01	1.061-05	1.390 00
1.0	2.50	10.00	2.197-01	4.020-06	1.606 00
1.0	2.75	1.50	6.391-02	1.140-03	5.120-01
1.0	2.75	1.75	1.323-01	1.258-03	5.529-01
1.0	2.75	2.00	2.048-01	1.166-03	5.939-01
1.0	2.75	2.25	2.715-01	1.000-03	6.347-01
1.0	2.75	2.50	3.283-01	8.273-04	6.751-01
1.0	2.75	2.75	3.741-01	6.724-04	7.149-01
1.0	2.75	3.00	4.097-01	5.428-04	7.540-01
1.0	2.75	3.25	4.355-01	4.376-04	7.924-01
1.0	2.75	3.50	4.540-01	3.534-04	8.302-01
1.0	2.75	3.75	4.654-01	2.864-04	8.672-01
1.0	2.75	4.00	4.720-01	2.333-04	9.036-01
1.0	2.75	4.25	4.738-01	1.910-04	9.393-01
1.0	2.75	4.50	4.728-01	1.572-04	9.744-01
1.0	2.75	5.00	4.623-01	1.082-04	1.043 00
1.0	2.75	5.50	4.459-01	7.614-05	1.109 00
1.0	2.75	6.00	4.258-01	5.461-05	1.173 00
1.0	2.75	7.00	3.821-01	2.961-05	1.296 00
1.0	2.75	8.00	3.394-01	1.704-05	1.413 00
1.0	2.75	10.00	2.661-01	6.500-06	1.632 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.0	3.00	1.50	7.019-02	1.540-03	5.220-01
1.0	3.00	1.75	1.461-01	1.718-03	5.626-01
1.0	3.00	2.00	2.274-01	1.606-03	6.036-01
1.0	3.00	2.25	3.029-01	1.388-03	6.443-01
1.0	3.00	2.50	3.676-01	1.155-03	6.846-01
1.0	3.00	2.75	4.203-01	9.437-04	7.244-01
1.0	3.00	3.00	4.618-01	7.653-04	7.636-01
1.0	3.00	3.25	4.923-01	6.194-04	8.022-01
1.0	3.00	3.50	5.144-01	5.021-04	8.400-01
1.0	3.00	3.75	5.285-01	4.082-04	8.772-01
1.0	3.00	4.00	5.371-01	3.334-04	9.137-01
1.0	3.00	4.25	5.402-01	2.737-04	9.495-01
1.0	3.00	4.50	5.400-01	2.258-04	9.848-01
1.0	3.00	5.00	5.295-01	1.561-04	1.054 00
1.0	3.00	5.50	5.122-01	1.102-04	1.120 00
1.0	3.00	6.00	4.902-01	7.929-05	1.185 00
1.0	3.00	7.00	4.417-01	4.321-05	1.308 00
1.0	3.00	8.00	3.936-01	2.497-05	1.426 00
1.0	3.00	10.00	3.101-01	9.582-06	1.647 00
1.0	3.25	1.50	7.535-02	1.959-03	5.293-01
1.0	3.25	1.75	1.577-01	2.208-03	5.697-01
1.0	3.25	2.00	2.465-01	2.080-03	6.103-01
1.0	3.25	2.25	3.298-01	1.810-03	6.508-01
1.0	3.25	2.50	4.018-01	1.515-03	6.910-01
1.0	3.25	2.75	4.608-01	1.244-03	7.307-01
1.0	3.25	3.00	5.077-01	1.013-03	7.698-01
1.0	3.25	3.25	5.426-01	8.229-04	8.082-01
1.0	3.25	3.50	5.682-01	6.692-04	8.460-01
1.0	3.25	3.75	5.851-01	5.458-04	8.832-01
1.0	3.25	4.00	5.956-01	4.469-04	9.197-01
1.0	3.25	4.25	6.001-01	3.677-04	9.555-01
1.0	3.25	4.50	6.009-01	3.040-04	9.908-01
1.0	3.25	5.00	5.909-01	2.110-04	1.060 00
1.0	3.25	5.50	5.730-01	1.494-04	1.126 00
1.0	3.25	6.00	5.496-01	1.078-04	1.191 00
1.0	3.25	7.00	4.970-01	5.903-05	1.315 00
1.0	3.25	8.00	4.442-01	3.424-05	1.433 00
1.0	3.25	10.00	3.516-01	1.321-05	1.654 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.0	3.50	1.50	7.957-02	2.386-03	5.348-01
1.0	3.50	1.75	1.674-01	2.713-03	5.748-01
1.0	3.50	2.00	2.628-01	2.576-03	6.151-01
1.0	3.50	2.25	3.529-01	2.255-03	6.553-01
1.0	3.50	2.50	4.313-01	1.897-03	6.952-01
1.0	3.50	2.75	4.962-01	1.565-03	7.347-01
1.0	3.50	3.00	5.482-01	1.279-03	7.736-01
1.0	3.50	3.25	5.872-01	1.043-03	8.119-01
1.0	3.50	3.50	6.162-01	8.508-04	8.495-01
1.0	3.50	3.75	6.357-01	6.958-04	8.865-01
1.0	3.50	4.00	6.483-01	5.711-04	9.229-01
1.0	3.50	4.25	6.542-01	4.709-04	9.587-01
1.0	3.50	4.50	6.560-01	3.901-04	9.939-01
1.0	3.50	5.00	6.468-01	2.718-04	1.063 00
1.0	3.50	5.50	6.286-01	1.930-04	1.129 00
1.0	3.50	6.00	6.041-01	1.396-04	1.194 00
1.0	3.50	7.00	5.481-01	7.678-05	1.317 00
1.0	3.50	8.00	4.912-01	4.469-05	1.435 00
1.0	3.50	10.00	3.905-01	1.733-05	1.657 00
1.0	3.75	1.50	8.301-02	2.811-03	5.390-01
1.0	3.75	1.75	1.754-01	3.224-03	5.785-01
1.0	3.75	2.00	2.765-01	3.082-03	6.184-01
1.0	3.75	2.25	3.727-01	2.714-03	6.583-01
1.0	3.75	2.50	4.570-01	2.294-03	6.979-01
1.0	3.75	2.75	5.272-01	1.901-03	7.371-01
1.0	3.75	3.00	5.838-01	1.559-03	7.757-01
1.0	3.75	3.25	6.267-01	1.275-03	8.138-01
1.0	3.75	3.50	6.589-01	1.043-03	8.512-01
1.0	3.75	3.75	6.810-01	8.553-04	8.881-01
1.0	3.75	4.00	6.956-01	7.037-04	9.243-01
1.0	3.75	4.25	7.030-01	5.814-04	9.599-01
1.0	3.75	4.50	7.059-01	4.826-04	9.949-01
1.0	3.75	5.00	6.977-01	3.373-04	1.063 00
1.0	3.75	5.50	6.795-01	2.403-04	1.130 00
1.0	3.75	6.00	6.543-01	1.742-04	1.194 00
1.0	3.75	7.00	5.955-01	9.617-05	1.317 00
1.0	3.75	8.00	5.350-01	5.615-05	1.435 00
1.0	3.75	10.00	4.270-01	2.189-05	1.656 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.0	4.00	1.50	8.581-02	3.228-03	5.422-01
1.0	4.00	1.75	1.821-01	3.731-03	5.813-01
1.0	4.00	2.00	2.881-01	3.590-03	6.207-01
1.0	4.00	2.25	3.897-01	3.179-03	6.602-01
1.0	4.00	2.50	4.792-01	2.700-03	6.995-01
1.0	4.00	2.75	5.543-01	2.245-03	7.383-01
1.0	4.00	3.00	6.152-01	1.849-03	7.767-01
1.0	4.00	3.25	6.617-01	1.516-03	8.145-01
1.0	4.00	3.50	6.971-01	1.244-03	8.517-01
1.0	4.00	3.75	7.216-01	1.022-03	8.884-01
1.0	4.00	4.00	7.382-01	8.427-04	9.244-01
1.0	4.00	4.25	7.471-01	6.976-04	9.598-01
1.0	4.00	4.50	7.512-01	5.800-04	9.946-01
1.0	4.00	5.00	7.440-01	4.066-04	1.063 00
1.0	4.00	5.50	7.261-01	2.904-04	1.129 00
1.0	4.00	6.00	7.004-01	2.110-04	1.193 00
1.0	4.00	7.00	6.393-01	1.169-04	1.316 00
1.0	4.00	8.00	5.757-01	6.847-05	1.433 00
1.0	4.00	10.00	4.612-01	2.681-05	1.653 00
1.0	5.00	1.50	9.250-02	4.751-03	5.493-01
1.0	5.00	1.75	1.993-01	5.643-03	5.865-01
1.0	5.00	2.00	3.194-01	5.552-03	6.243-01
1.0	5.00	2.25	4.371-01	5.007-03	6.622-01
1.0	5.00	2.50	5.430-01	4.320-03	7.000-01
1.0	5.00	2.75	6.337-01	3.642-03	7.375-01
1.0	5.00	3.00	7.090-01	3.034-03	7.746-01
1.0	5.00	3.25	7.678-01	2.514-03	8.112-01
1.0	5.00	3.50	8.140-01	2.081-03	8.473-01
1.0	5.00	3.75	8.474-01	1.724-03	8.829-01
1.0	5.00	4.00	8.714-01	1.432-03	9.179-01
1.0	5.00	4.25	8.861-01	1.193-03	9.524-01
1.0	5.00	4.50	8.949-01	9.981-04	9.864-01
1.0	5.00	5.00	8.932-01	7.071-04	1.053 00
1.0	5.00	5.50	8.778-01	5.096-04	1.117 00
1.0	5.00	6.00	8.517-01	3.732-04	1.180 00
1.0	5.00	7.00	7.852-01	2.094-04	1.301 00
1.0	5.00	8.00	7.129-01	1.239-04	1.416 00
1.0	5.00	10.00	5.782-01	4.926-05	1.632 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.0	6.00	1.50	9.497-02	6.000-03	5.519-01
1.0	6.00	1.75	2.071-01	7.283-03	5.874-01
1.0	6.00	2.00	3.355-01	7.295-03	6.236-01
1.0	6.00	2.25	4.634-01	6.680-03	6.600-01
1.0	6.00	2.50	5.805-01	5.837-03	6.964-01
1.0	6.00	2.75	6.823-01	4.974-03	7.326-01
1.0	6.00	3.00	7.683-01	4.183-03	7.685-01
1.0	6.00	3.25	8.368-01	3.496-03	8.040-01
1.0	6.00	3.50	8.916-01	2.915-03	8.391-01
1.0	6.00	3.75	9.326-01	2.431-03	8.736-01
1.0	6.00	4.00	9.630-01	2.031-03	9.077-01
1.0	6.00	4.25	9.830-01	1.701-03	9.413-01
1.0	6.00	4.50	9.964-01	1.430-03	9.744-01
1.0	6.00	5.00	1.001 00	1.022-03	1.039 00
1.0	6.00	5.50	9.889-01	7.416-04	1.102 00
1.0	6.00	6.00	9.641-01	5.466-04	1.163 00
1.0	6.00	7.00	8.959-01	3.099-04	1.281 00
1.0	6.00	8.00	8.188-01	1.848-04	1.394 00
1.0	6.00	10.00	6.708-01	7.440-05	1.605 00
1.0	8.00	1.50	9.469-02	7.793-03	5.524-01
1.0	8.00	1.75	2.104-01	9.785-03	5.853-01
1.0	8.00	2.00	3.465-01	1.008-02	6.190-01
1.0	8.00	2.25	4.857-01	9.443-03	6.530-01
1.0	8.00	2.50	6.162-01	8.415-03	6.872-01
1.0	8.00	2.75	7.326-01	7.294-03	7.213-01
1.0	8.00	3.00	8.333-01	6.225-03	7.552-01
1.0	8.00	3.25	9.154-01	5.269-03	7.887-01
1.0	8.00	3.50	9.832-01	4.444-03	8.220-01
1.0	8.00	3.75	1.036 00	3.744-03	8.548-01
1.0	8.00	4.00	1.077 00	3.156-03	8.872-01
1.0	8.00	4.25	1.106 00	2.666-03	9.192-01
1.0	8.00	4.50	1.127 00	2.258-03	9.507-01
1.0	8.00	5.00	1.142 00	1.634-03	1.013 00
1.0	8.00	5.50	1.139 00	1.200-03	1.073 00
1.0	8.00	6.00	1.119 00	8.928-04	1.131 00
1.0	8.00	7.00	1.052 00	5.143-04	1.245 00
1.0	8.00	8.00	9.715-01	3.106-04	1.353 00
1.0	8.00	10.00	8.085-01	1.274-04	1.556 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.0	10.00	1.50	9.202-02	8.947-03	5.512-01
1.0	10.00	1.75	2.074-01	1.152-02	5.821-01
1.0	10.00	2.00	3.459-01	1.212-02	6.139-01
1.0	10.00	2.25	4.902-01	1.155-02	6.462-01
1.0	10.00	2.50	6.280-01	1.045-02	6.787-01
1.0	10.00	2.75	7.530-01	9.173-03	7.112-01
1.0	10.00	3.00	8.631-01	7.916-03	7.435-01
1.0	10.00	3.25	9.544-01	6.766-03	7.756-01
1.0	10.00	3.50	1.031 00	5.755-03	8.074-01
1.0	10.00	3.75	1.092 00	4.886-03	8.389-01
1.0	10.00	4.00	1.141 00	4.148-03	8.699-01
1.0	10.00	4.25	1.177 00	3.526-03	9.007-01
1.0	10.00	4.50	1.205 00	3.003-03	9.310-01
1.0	10.00	5.00	1.230 00	2.195-03	9.906-01
1.0	10.00	5.50	1.234 00	1.625-03	1.049 00
1.0	10.00	6.00	1.219 00	1.218-03	1.105 00
1.0	10.00	7.00	1.158 00	7.102-04	1.215 00
1.0	10.00	8.00	1.077 00	4.331-04	1.319 00
1.0	10.00	10.00	9.069-01	1.802-04	1.517 00
1.0	15.00	1.50	8.419-02	1.044-02	5.475-01
1.0	15.00	1.75	1.945-01	1.405-02	5.752-01
1.0	15.00	2.00	3.316-01	1.532-02	6.039-01
1.0	15.00	2.25	4.791-01	1.505-02	6.332-01
1.0	15.00	2.50	6.242-01	1.397-02	6.628-01
1.0	15.00	2.75	7.599-01	1.254-02	6.926-01
1.0	15.00	3.00	8.827-01	1.103-02	7.223-01
1.0	15.00	3.25	9.874-01	9.590-03	7.519-01
1.0	15.00	3.50	1.078 00	8.281-03	7.813-01
1.0	15.00	3.75	1.153 00	7.125-03	8.104-01
1.0	15.00	4.00	1.215 00	6.122-03	8.393-01
1.0	15.00	4.25	1.263 00	5.261-03	8.679-01
1.0	15.00	4.50	1.303 00	4.525-03	8.962-01
1.0	15.00	5.00	1.347 00	3.366-03	9.518-01
1.0	15.00	5.50	1.367 00	2.529-03	1.006 00
1.0	15.00	6.00	1.364 00	1.920-03	1.059 00
1.0	15.00	7.00	1.316 00	1.143-03	1.162 00
1.0	15.00	8.00	1.241 00	7.088-04	1.260 00
1.0	15.00	10.00	1.067 00	3.025-04	1.447 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.0	20.00	1.50	7.765-02	1.107-02	5.445-01
1.0	20.00	1.75	1.824-01	1.534-02	5.702-01
1.0	20.00	2.00	3.155-01	1.713-02	5.970-01
1.0	20.00	2.25	4.619-01	1.718-02	6.244-01
1.0	20.00	2.50	6.087-01	1.622-02	6.523-01
1.0	20.00	2.75	7.486-01	1.478-02	6.803-01
1.0	20.00	3.00	8.776-01	1.317-02	7.083-01
1.0	20.00	3.25	9.893-01	1.158-02	7.363-01
1.0	20.00	3.50	1.088 00	1.010-02	7.642-01
1.0	20.00	3.75	1.171 00	8.769-03	7.918-01
1.0	20.00	4.00	1.242 00	7.596-03	8.192-01
1.0	20.00	4.25	1.298 00	6.576-03	8.464-01
1.0	20.00	4.50	1.345 00	5.694-03	8.734-01
1.0	20.00	5.00	1.403 00	4.286-03	9.264-01
1.0	20.00	5.50	1.435 00	3.252-03	9.783-01
1.0	20.00	6.00	1.441 00	2.491-03	1.029 00
1.0	20.00	7.00	1.406 00	1.504-03	1.127 00
1.0	20.00	8.00	1.337 00	9.432-04	1.222 00
1.0	20.00	10.00	1.166 00	4.094-04	1.401 00
1.0	25.00	1.50	7.251-02	1.136-02	5.422-01
1.0	25.00	1.75	1.724-01	1.608-02	5.665-01
1.0	25.00	2.00	3.015-01	1.827-02	5.920-01
1.0	25.00	2.25	4.456-01	1.860-02	6.181-01
1.0	25.00	2.50	5.923-01	1.779-02	6.447-01
1.0	25.00	2.75	7.339-01	1.639-02	6.714-01
1.0	25.00	3.00	8.663-01	1.475-02	6.983-01
1.0	25.00	3.25	9.823-01	1.308-02	7.251-01
1.0	25.00	3.50	1.086 00	1.149-02	7.519-01
1.0	25.00	3.75	1.175 00	1.005-02	7.785-01
1.0	25.00	4.00	1.251 00	8.755-03	8.049-01
1.0	25.00	4.25	1.313 00	7.621-03	8.311-01
1.0	25.00	4.50	1.365 00	6.632-03	8.571-01
1.0	25.00	5.00	1.434 00	5.036-03	9.082-01
1.0	25.00	5.50	1.475 00	3.850-03	9.584-01
1.0	25.00	6.00	1.488 00	2.968-03	1.008 00
1.0	25.00	7.00	1.464 00	1.811-03	1.103 00
1.0	25.00	8.00	1.402 00	1.146-03	1.195 00
1.0	25.00	10.00	1.235 00	5.035-04	1.368 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.0	40.00	1.50	6.221-02	1.154-02	5.378-01
1.0	40.00	1.75	1.515-01	1.702-02	5.596-01
1.0	40.00	2.00	2.706-01	2.003-02	5.826-01
1.0	40.00	2.25	4.077-01	2.100-02	6.063-01
1.0	40.00	2.50	5.510-01	2.059-02	6.305-01
1.0	40.00	2.75	6.932-01	1.939-02	6.550-01
1.0	40.00	3.00	8.294-01	1.778-02	6.796-01
1.0	40.00	3.25	9.514-01	1.604-02	7.043-01
1.0	40.00	3.50	1.063 00	1.431-02	7.290-01
1.0	40.00	3.75	1.162 00	1.268-02	7.536-01
1.0	40.00	4.00	1.248 00	1.118-02	7.781-01
1.0	40.00	4.25	1.320 00	9.841-03	8.024-01
1.0	40.00	4.50	1.383 00	8.650-03	8.266-01
1.0	40.00	5.00	1.471 00	6.685-03	8.743-01
1.0	40.00	5.50	1.531 00	5.188-03	9.212-01
1.0	40.00	6.00	1.560 00	4.051-03	9.672-01
1.0	40.00	7.00	1.560 00	2.526-03	1.057 00
1.0	40.00	8.00	1.515 00	1.625-03	1.143 00
1.0	40.00	10.00	1.362 00	7.325-04	1.307 00
1.0	60.00	1.50	5.434-02	1.137-02	5.345-01
1.0	60.00	1.75	1.347-01	1.732-02	5.545-01
1.0	60.00	2.00	2.448-01	2.095-02	5.757-01
1.0	60.00	2.25	3.744-01	2.247-02	5.976-01
1.0	60.00	2.50	5.128-01	2.249-02	6.201-01
1.0	60.00	2.75	6.529-01	2.154-02	6.429-01
1.0	60.00	3.00	7.897-01	2.006-02	6.659-01
1.0	60.00	3.25	9.143-01	1.834-02	6.891-01
1.0	60.00	3.50	1.031 00	1.656-02	7.122-01
1.0	60.00	3.75	1.135 00	1.483-02	7.354-01
1.0	60.00	4.00	1.228 00	1.321-02	7.584-01
1.0	60.00	4.25	1.308 00	1.173-02	7.813-01
1.0	60.00	4.50	1.378 00	1.040-02	8.041-01
1.0	60.00	5.00	1.480 00	8.149-03	8.492-01
1.0	60.00	5.50	1.556 00	6.401-03	8.936-01
1.0	60.00	6.00	1.598 00	5.051-03	9.373-01
1.0	60.00	7.00	1.620 00	3.204-03	1.022 00
1.0	60.00	8.00	1.590 00	2.089-03	1.105 00
1.0	60.00	10.00	1.453 00	9.617-04	1.261 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.0	100.00	1.50	4.591-02	1.092-02	5.310-01
1.0	100.00	1.75	1.161-01	1.725-02	5.491-01
1.0	100.00	2.00	2.151-01	2.152-02	5.684-01
1.0	100.00	2.25	3.347-01	2.371-02	5.884-01
1.0	100.00	2.50	4.655-01	2.428-02	6.091-01
1.0	100.00	2.75	6.010-01	2.374-02	6.301-01
1.0	100.00	3.00	7.362-01	2.250-02	6.513-01
1.0	100.00	3.25	8.615-01	2.090-02	6.728-01
1.0	100.00	3.50	9.811-01	1.914-02	6.943-01
1.0	100.00	3.75	1.090 00	1.736-02	7.158-01
1.0	100.00	4.00	1.189 00	1.564-02	7.372-01
1.0	100.00	4.25	1.277 00	1.403-02	7.586-01
1.0	100.00	4.50	1.354 00	1.255-02	7.799-01
1.0	100.00	5.00	1.473 00	1.001-02	8.222-01
1.0	100.00	5.50	1.565 00	7.972-03	8.639-01
1.0	100.00	6.00	1.623 00	6.370-03	9.050-01
1.0	100.00	7.00	1.671 00	4.124-03	9.852-01
1.0	100.00	8.00	1.661 00	2.733-03	1.063 00
1.0	100.00	10.00	1.549 00	1.289-03	1.211 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.1	1.20	1.50	9.914-04	1.198-07	1.889-01
1.1	1.20	1.75	1.812-03	1.206-07	2.069-01
1.1	1.20	2.00	2.555-03	1.036-07	2.248-01
1.1	1.20	2.25	3.155-03	8.359-08	2.422-01
1.1	1.20	2.50	3.604-03	6.565-08	2.593-01
1.1	1.20	2.75	3.918-03	5.107-08	2.760-01
1.1	1.20	3.00	4.121-03	3.970-08	2.922-01
1.1	1.20	3.25	4.233-03	3.096-08	3.081-01
1.1	1.20	3.50	4.277-03	2.428-08	3.235-01
1.1	1.20	3.75	4.269-03	1.918-08	3.387-01
1.1	1.20	4.00	4.220-03	1.526-08	3.535-01
1.1	1.20	4.25	4.142-03	1.223-08	3.679-01
1.1	1.20	4.50	4.048-03	9.873-09	3.821-01
1.1	1.20	5.00	3.817-03	6.572-09	4.096-01
1.1	1.20	5.50	3.569-03	4.490-09	4.361-01
1.1	1.20	6.00	3.317-03	3.140-09	4.618-01
1.1	1.20	7.00	2.844-03	1.632-09	5.109-01
1.1	1.20	8.00	2.437-03	9.073-10	5.574-01
1.1	1.20	10.00	1.806-03	3.283-10	6.445-01
1.1	1.40	1.50	4.671-03	5.049-06	2.999-01
1.1	1.40	1.75	8.615-03	5.174-06	3.276-01
1.1	1.40	2.00	1.225-02	4.515-06	3.549-01
1.1	1.40	2.25	1.524-02	3.687-06	3.818-01
1.1	1.40	2.50	1.752-02	2.927-06	4.082-01
1.1	1.40	2.75	1.915-02	2.298-06	4.339-01
1.1	1.40	3.00	2.024-02	1.800-06	4.590-01
1.1	1.40	3.25	2.089-02	1.414-06	4.836-01
1.1	1.40	3.50	2.119-02	1.116-06	5.076-01
1.1	1.40	3.75	2.123-02	8.859-07	5.310-01
1.1	1.40	4.00	2.106-02	7.083-07	5.540-01
1.1	1.40	4.25	2.074-02	5.703-07	5.764-01
1.1	1.40	4.50	2.033-02	4.623-07	5.984-01
1.1	1.40	5.00	1.927-02	3.100-07	6.412-01
1.1	1.40	5.50	1.810-02	2.131-07	6.824-01
1.1	1.40	6.00	1.689-02	1.498-07	7.224-01
1.1	1.40	7.00	1.458-02	7.855-08	7.988-01
1.1	1.40	8.00	1.256-02	4.400-08	8.713-01
1.1	1.40	10.00	9.391-03	1.610-08	1.007 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.1	1.60	1.50	9.949-03	3.285-05	3.701-01
1.1	1.60	1.75	1.849-02	3.421-05	4.032-01
1.1	1.60	2.00	2.649-02	3.024-05	4.359-01
1.1	1.60	2.25	3.316-02	2.497-05	4.682-01
1.1	1.60	2.50	3.833-02	2.000-05	4.998-01
1.1	1.60	2.75	4.212-02	1.583-05	5.308-01
1.1	1.60	3.00	4.471-02	1.249-05	5.611-01
1.1	1.60	3.25	4.632-02	9.865-06	5.907-01
1.1	1.60	3.50	4.715-02	7.828-06	6.196-01
1.1	1.60	3.75	4.741-02	6.245-06	6.480-01
1.1	1.60	4.00	4.717-02	5.015-06	6.757-01
1.1	1.60	4.25	4.657-02	4.054-06	7.028-01
1.1	1.60	4.50	4.576-02	3.298-06	7.295-01
1.1	1.60	5.00	4.358-02	2.226-06	7.812-01
1.1	1.60	5.50	4.110-02	1.538-06	8.311-01
1.1	1.60	6.00	3.848-02	1.087-06	8.795-01
1.1	1.60	7.00	3.341-02	5.741-07	9.721-01
1.1	1.60	8.00	2.893-02	3.236-07	1.060 00
1.1	1.60	10.00	2.179-02	1.195-07	1.225 00
1.1	1.80	1.50	1.570-02	1.048-04	4.169-01
1.1	1.80	1.75	2.938-02	1.107-04	4.531-01
1.1	1.80	2.00	4.235-02	9.902-05	4.890-01
1.1	1.80	2.25	5.331-02	8.254-05	5.244-01
1.1	1.80	2.50	6.193-02	6.666-05	5.592-01
1.1	1.80	2.75	6.834-02	5.312-05	5.933-01
1.1	1.80	3.00	7.283-02	4.216-05	6.267-01
1.1	1.80	3.25	7.572-02	3.349-05	6.593-01
1.1	1.80	3.50	7.732-02	2.670-05	6.913-01
1.1	1.80	3.75	7.796-02	2.140-05	7.225-01
1.1	1.80	4.00	7.778-02	1.725-05	7.532-01
1.1	1.80	4.25	7.698-02	1.399-05	7.832-01
1.1	1.80	4.50	7.582-02	1.142-05	8.126-01
1.1	1.80	5.00	7.249-02	7.748-06	8.699-01
1.1	1.80	5.50	6.860-02	5.381-06	9.252-01
1.1	1.80	6.00	6.444-02	3.817-06	9.788-01
1.1	1.80	7.00	5.625-02	2.031-06	1.081 00
1.1	1.80	8.00	4.891-02	1.151-06	1.179 00
1.1	1.80	10.00	3.708-02	4.287-07	1.361 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.1	2.00	1.50	2.128-02	2.326-04	4.494-01
1.1	2.00	1.75	4.007-02	2.488-04	4.874-01
1.1	2.00	2.00	5.811-02	2.249-04	5.251-01
1.1	2.00	2.25	7.351-02	1.891-04	5.624-01
1.1	2.00	2.50	8.578-02	1.538-04	5.991-01
1.1	2.00	2.75	9.503-02	1.234-04	6.351-01
1.1	2.00	3.00	1.016-01	9.846-05	6.704-01
1.1	2.00	3.25	1.060-01	7.859-05	7.049-01
1.1	2.00	3.50	1.085-01	6.293-05	7.387-01
1.1	2.00	3.75	1.097-01	5.062-05	7.718-01
1.1	2.00	4.00	1.097-01	4.094-05	8.042-01
1.1	2.00	4.25	1.088-01	3.331-05	8.360-01
1.1	2.00	4.50	1.074-01	2.727-05	8.673-01
1.1	2.00	5.00	1.031-01	1.860-05	9.280-01
1.1	2.00	5.50	9.786-02	1.297-05	9.867-01
1.1	2.00	6.00	9.218-02	9.234-06	1.044 00
1.1	2.00	7.00	8.083-02	4.943-06	1.153 00
1.1	2.00	8.00	7.055-02	2.816-06	1.256 00
1.1	2.00	10.00	5.382-02	1.057-06	1.450 00
1.1	2.25	1.50	2.761-02	4.711-04	4.776-01
1.1	2.25	1.75	5.236-02	5.111-04	5.167-01
1.1	2.25	2.00	7.642-02	4.674-04	5.556-01
1.1	2.25	2.25	9.722-02	3.968-04	5.942-01
1.1	2.25	2.50	1.140-01	3.255-04	6.322-01
1.1	2.25	2.75	1.269-01	2.629-04	6.696-01
1.1	2.25	3.00	1.362-01	2.111-04	7.062-01
1.1	2.25	3.25	1.425-01	1.695-04	7.420-01
1.1	2.25	3.50	1.464-01	1.363-04	7.772-01
1.1	2.25	3.75	1.485-01	1.101-04	8.117-01
1.1	2.25	4.00	1.489-01	8.943-05	8.454-01
1.1	2.25	4.25	1.480-01	7.302-05	8.786-01
1.1	2.25	4.50	1.464-01	5.996-05	9.111-01
1.1	2.25	5.00	1.411-01	4.112-05	9.745-01
1.1	2.25	5.50	1.344-01	2.882-05	1.036 00
1.1	2.25	6.00	1.270-01	2.060-05	1.095 00
1.1	2.25	7.00	1.120-01	1.111-05	1.209 00
1.1	2.25	8.00	9.813-02	6.362-06	1.317 00
1.1	2.25	10.00	7.536-02	2.408-06	1.520 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.1	2.50	1.50	3.307-02	7.839-04	4.969-01
1.1	2.50	1.75	6.311-02	8.614-04	5.365-01
1.1	2.50	2.00	9.265-02	7.960-04	5.760-01
1.1	2.50	2.25	1.185-01	6.818-04	6.151-01
1.1	2.50	2.50	1.395-01	5.635-04	6.538-01
1.1	2.50	2.75	1.559-01	4.580-04	6.918-01
1.1	2.50	3.00	1.679-01	3.698-04	7.290-01
1.1	2.50	3.25	1.763-01	2.983-04	7.656-01
1.1	2.50	3.50	1.816-01	2.410-04	8.015-01
1.1	2.50	3.75	1.847-01	1.955-04	8.367-01
1.1	2.50	4.00	1.856-01	1.593-04	8.712-01
1.1	2.50	4.25	1.849-01	1.305-04	9.051-01
1.1	2.50	4.50	1.833-01	1.074-04	9.383-01
1.1	2.50	5.00	1.773-01	7.405-05	1.003 00
1.1	2.50	5.50	1.694-01	5.213-05	1.066 00
1.1	2.50	6.00	1.606-01	3.740-05	1.127 00
1.1	2.50	7.00	1.422-01	2.029-05	1.243 00
1.1	2.50	8.00	1.251-01	1.168-05	1.354 00
1.1	2.50	10.00	9.665-02	4.453-06	1.562 00
1.1	2.75	1.50	3.769-02	1.151-03	5.106-01
1.1	2.75	1.75	7.232-02	1.280-03	5.502-01
1.1	2.75	2.00	1.067-01	1.194-03	5.898-01
1.1	2.75	2.25	1.371-01	1.031-03	6.292-01
1.1	2.75	2.50	1.621-01	8.579-04	6.681-01
1.1	2.75	2.75	1.818-01	7.013-04	7.063-01
1.1	2.75	3.00	1.965-01	5.692-04	7.439-01
1.1	2.75	3.25	2.068-01	4.611-04	7.808-01
1.1	2.75	3.50	2.136-01	3.740-04	8.170-01
1.1	2.75	3.75	2.177-01	3.044-04	8.525-01
1.1	2.75	4.00	2.193-01	2.488-04	8.874-01
1.1	2.75	4.25	2.189-01	2.044-04	9.216-01
1.1	2.75	4.50	2.175-01	1.688-04	9.553-01
1.1	2.75	5.00	2.110-01	1.169-04	1.021 00
1.1	2.75	5.50	2.022-01	8.258-05	1.084 00
1.1	2.75	6.00	1.921-01	5.946-05	1.146 00
1.1	2.75	7.00	1.709-01	3.243-05	1.264 00
1.1	2.75	8.00	1.509-01	1.875-05	1.376 00
1.1	2.75	10.00	1.172-01	7.200-06	1.587 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.1	3.00	1.50	4.155-02	1.555-03	5.205-01
1.1	3.00	1.75	8.013-02	1.747-03	5.600-01
1.1	3.00	2.00	1.188-01	1.644-03	5.995-01
1.1	3.00	2.25	1.533-01	1.430-03	6.388-01
1.1	3.00	2.50	1.819-01	1.197-03	6.776-01
1.1	3.00	2.75	2.046-01	9.837-04	7.159-01
1.1	3.00	3.00	2.218-01	8.020-04	7.536-01
1.1	3.00	3.25	2.341-01	6.523-04	7.905-01
1.1	3.00	3.50	2.424-01	5.310-04	8.268-01
1.1	3.00	3.75	2.476-01	4.336-04	8.625-01
1.1	3.00	4.00	2.498-01	3.554-04	8.975-01
1.1	3.00	4.25	2.499-01	2.927-04	9.319-01
1.1	3.00	4.50	2.486-01	2.423-04	9.657-01
1.1	3.00	5.00	2.420-01	1.685-04	1.032 00
1.1	3.00	5.50	2.325-01	1.195-04	1.095 00
1.1	3.00	6.00	2.214-01	8.629-05	1.157 00
1.1	3.00	7.00	1.977-01	4.731-05	1.276 00
1.1	3.00	8.00	1.751-01	2.747-05	1.389 00
1.1	3.00	10.00	1.366-01	1.061-05	1.601 00
1.1	3.25	1.50	4.475-02	1.978-03	5.279-01
1.1	3.25	1.75	8.672-02	2.244-03	5.670-01
1.1	3.25	2.00	1.292-01	2.129-03	6.063-01
1.1	3.25	2.25	1.673-01	1.864-03	6.454-01
1.1	3.25	2.50	1.992-01	1.569-03	6.841-01
1.1	3.25	2.75	2.248-01	1.296-03	7.222-01
1.1	3.25	3.00	2.443-01	1.061-03	7.598-01
1.1	3.25	3.25	2.584-01	8.661-04	7.967-01
1.1	3.25	3.50	2.682-01	7.074-04	8.330-01
1.1	3.25	3.75	2.744-01	5.793-04	8.686-01
1.1	3.25	4.00	2.774-01	4.762-04	9.036-01
1.1	3.25	4.25	2.780-01	3.931-04	9.380-01
1.1	3.25	4.50	2.770-01	3.260-04	9.718-01
1.1	3.25	5.00	2.703-01	2.276-04	1.038 00
1.1	3.25	5.50	2.604-01	1.619-04	1.102 00
1.1	3.25	6.00	2.485-01	1.173-04	1.164 00
1.1	3.25	7.00	2.226-01	6.461-05	1.283 00
1.1	3.25	8.00	1.977-01	3.765-05	1.396 00
1.1	3.25	10.00	1.550-01	1.463-05	1.609 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.1	3.50	1.50	4.741-02	2.408-03	5.335-01
1.1	3.50	1.75	9.226-02	2.757-03	5.722-01
1.1	3.50	2.00	1.380-01	2.635-03	6.111-01
1.1	3.50	2.25	1.793-01	2.321-03	6.499-01
1.1	3.50	2.50	2.143-01	1.964-03	6.884-01
1.1	3.50	2.75	2.424-01	1.629-03	7.263-01
1.1	3.50	3.00	2.641-01	1.339-03	7.637-01
1.1	3.50	3.25	2.800-01	1.097-03	8.004-01
1.1	3.50	3.50	2.911-01	8.989-04	8.365-01
1.1	3.50	3.75	2.985-01	7.381-04	8.721-01
1.1	3.50	4.00	3.023-01	6.082-04	9.069-01
1.1	3.50	4.25	3.033-01	5.032-04	9.412-01
1.1	3.50	4.50	3.027-01	4.182-04	9.750-01
1.1	3.50	5.00	2.961-01	2.930-04	1.041 00
1.1	3.50	5.50	2.859-01	2.091-04	1.104 00
1.1	3.50	6.00	2.734-01	1.518-04	1.166 00
1.1	3.50	7.00	2.457-01	8.401-05	1.285 00
1.1	3.50	8.00	2.189-01	4.913-05	1.399 00
1.1	3.50	10.00	1.723-01	1.919-05	1.611 00
1.1	3.75	1.50	4.961-02	2.836-03	5.377-01
1.1	3.75	1.75	9.693-02	3.275-03	5.760-01
1.1	3.75	2.00	1.455-01	3.151-03	6.145-01
1.1	3.75	2.25	1.897-01	2.792-03	6.530-01
1.1	3.75	2.50	2.274-01	2.374-03	6.911-01
1.1	3.75	2.75	2.579-01	1.978-03	7.288-01
1.1	3.75	3.00	2.816-01	1.632-03	7.659-01
1.1	3.75	3.25	2.993-01	1.341-03	8.025-01
1.1	3.75	3.50	3.117-01	1.102-03	8.384-01
1.1	3.75	3.75	3.201-01	9.069-04	8.737-01
1.1	3.75	4.00	3.247-01	7.490-04	9.084-01
1.1	3.75	4.25	3.263-01	6.210-04	9.426-01
1.1	3.75	4.50	3.260-01	5.171-04	9.762-01
1.1	3.75	5.00	3.197-01	3.634-04	1.042 00
1.1	3.75	5.50	3.093-01	2.601-04	1.105 00
1.1	3.75	6.00	2.963-01	1.894-04	1.167 00
1.1	3.75	7.00	2.672-01	1.052-04	1.286 00
1.1	3.75	8.00	2.385-01	6.171-05	1.399 00
1.1	3.75	10.00	1.885-01	2.422-05	1.611 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.1	4.00	1.50	5.143-02	3.256-03	5.410-01
1.1	4.00	1.75	1.009-01	3.789-03	5.788-01
1.1	4.00	2.00	1.519-01	3.670-03	6.169-01
1.1	4.00	2.25	1.988-01	3.269-03	6.550-01
1.1	4.00	2.50	2.388-01	2.793-03	6.928-01
1.1	4.00	2.75	2.716-01	2.336-03	7.302-01
1.1	4.00	3.00	2.972-01	1.933-03	7.670-01
1.1	4.00	3.25	3.164-01	1.594-03	8.033-01
1.1	4.00	3.50	3.301-01	1.313-03	8.390-01
1.1	4.00	3.75	3.396-01	1.083-03	8.741-01
1.1	4.00	4.00	3.449-01	8.965-04	9.087-01
1.1	4.00	4.25	3.471-01	7.447-04	9.426-01
1.1	4.00	4.50	3.472-01	6.212-04	9.760-01
1.1	4.00	5.00	3.413-01	4.379-04	1.041 00
1.1	4.00	5.50	3.308-01	3.143-04	1.105 00
1.1	4.00	6.00	3.174-01	2.293-04	1.166 00
1.1	4.00	7.00	2.870-01	1.279-04	1.284 00
1.1	4.00	8.00	2.568-01	7.524-05	1.397 00
1.1	4.00	10.00	2.037-01	2.967-05	1.608 00
1.1	5.00	1.50	5.601-02	4.789-03	5.482-01
1.1	5.00	1.75	1.113-01	5.724-03	5.842-01
1.1	5.00	2.00	1.697-01	5.668-03	6.207-01
1.1	5.00	2.25	2.243-01	5.143-03	6.572-01
1.1	5.00	2.50	2.721-01	4.463-03	6.936-01
1.1	5.00	2.75	3.120-01	3.783-03	7.297-01
1.1	5.00	3.00	3.439-01	3.168-03	7.653-01
1.1	5.00	3.25	3.686-01	2.638-03	8.005-01
1.1	5.00	3.50	3.869-01	2.193-03	8.351-01
1.1	5.00	3.75	4.003-01	1.824-03	8.693-01
1.1	5.00	4.00	4.086-01	1.521-03	9.028-01
1.1	5.00	4.25	4.130-01	1.272-03	9.359-01
1.1	5.00	4.50	4.150-01	1.067-03	9.685-01
1.1	5.00	5.00	4.110-01	7.605-04	1.032 00
1.1	5.00	5.50	4.010-01	5.507-04	1.094 00
1.1	5.00	6.00	3.870-01	4.050-04	1.154 00
1.1	5.00	7.00	3.534-01	2.288-04	1.270 00
1.1	5.00	8.00	3.187-01	1.360-04	1.380 00
1.1	5.00	10.00	2.559-01	5.448-05	1.588 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.1	6.00	1.50	5.799-02	6.043-03	5.508-01
1.1	6.00	1.75	1.164-01	7.382-03	5.852-01
1.1	6.00	2.00	1.793-01	7.441-03	6.202-01
1.1	6.00	2.25	2.391-01	6.853-03	6.553-01
1.1	6.00	2.50	2.922-01	6.022-03	6.904-01
1.1	6.00	2.75	3.373-01	5.160-03	7.252-01
1.1	6.00	3.00	3.741-01	4.362-03	7.597-01
1.1	6.00	3.25	4.031-01	3.663-03	7.938-01
1.1	6.00	3.50	4.251-01	3.068-03	8.274-01
1.1	6.00	3.75	4.418-01	2.569-03	8.605-01
1.1	6.00	4.00	4.528-01	2.154-03	8.932-01
1.1	6.00	4.25	4.593-01	1.811-03	9.253-01
1.1	6.00	4.50	4.632-01	1.527-03	9.570-01
1.1	6.00	5.00	4.615-01	1.098-03	1.019 00
1.1	6.00	5.50	4.528-01	8.007-04	1.079 00
1.1	6.00	6.00	4.390-01	5.925-04	1.138 00
1.1	6.00	7.00	4.040-01	3.382-04	1.251 00
1.1	6.00	8.00	3.667-01	2.028-04	1.359 00
1.1	6.00	10.00	2.973-01	8.223-05	1.563 00
1.1	8.00	1.50	5.861-02	7.842-03	5.515-01
1.1	8.00	1.75	1.196-01	9.904-03	5.834-01
1.1	8.00	2.00	1.869-01	1.026-02	6.159-01
1.1	8.00	2.25	2.527-01	9.671-03	6.488-01
1.1	8.00	2.50	3.125-01	8.667-03	6.817-01
1.1	8.00	2.75	3.646-01	7.552-03	7.145-01
1.1	8.00	3.00	4.081-01	6.478-03	7.470-01
1.1	8.00	3.25	4.433-01	5.510-03	7.792-01
1.1	8.00	3.50	4.711-01	4.667-03	8.110-01
1.1	8.00	3.75	4.930-01	3.948-03	8.425-01
1.1	8.00	4.00	5.084-01	3.341-03	8.736-01
1.1	8.00	4.25	5.187-01	2.832-03	9.042-01
1.1	8.00	4.50	5.258-01	2.407-03	9.344-01
1.1	8.00	5.00	5.290-01	1.753-03	9.937-01
1.1	8.00	5.50	5.232-01	1.293-03	1.051 00
1.1	8.00	6.00	5.110-01	9.662-04	1.108 00
1.1	8.00	7.00	4.760-01	5.605-04	1.216 00
1.1	8.00	8.00	4.363-01	3.403-04	1.320 00
1.1	8.00	10.00	3.592-01	1.407-04	1.516 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.1	10.00	1.50	5.758-02	8.997-03	5.504-01
1.1	10.00	1.75	1.189-01	1.165-02	5.803-01
1.1	10.00	2.00	1.879-01	1.232-02	6.111-01
1.1	10.00	2.25	2.566-01	1.182-02	6.422-01
1.1	10.00	2.50	3.203-01	1.075-02	6.735-01
1.1	10.00	2.75	3.767-01	9.484-03	7.047-01
1.1	10.00	3.00	4.245-01	8.225-03	7.358-01
1.1	10.00	3.25	4.642-01	7.064-03	7.666-01
1.1	10.00	3.50	4.960-01	6.035-03	7.971-01
1.1	10.00	3.75	5.218-01	5.145-03	8.273-01
1.1	10.00	4.00	5.406-01	4.385-03	8.570-01
1.1	10.00	4.25	5.540-01	3.740-03	8.865-01
1.1	10.00	4.50	5.639-01	3.196-03	9.156-01
1.1	10.00	5.00	5.713-01	2.351-03	9.726-01
1.1	10.00	5.50	5.686-01	1.749-03	1.028 00
1.1	10.00	6.00	5.585-01	1.317-03	1.083 00
1.1	10.00	7.00	5.250-01	7.732-04	1.187 00
1.1	10.00	8.00	4.848-01	4.741-04	1.288 00
1.1	10.00	10.00	4.036-01	1.989-04	1.477 00
1.1	15.00	1.50	5.373-02	1.049-02	5.468-01
1.1	15.00	1.75	1.132-01	1.419-02	5.737-01
1.1	15.00	2.00	1.826-01	1.555-02	6.014-01
1.1	15.00	2.25	2.538-01	1.537-02	6.297-01
1.1	15.00	2.50	3.217-01	1.434-02	6.582-01
1.1	15.00	2.75	3.837-01	1.293-02	6.868-01
1.1	15.00	3.00	4.378-01	1.143-02	7.154-01
1.1	15.00	3.25	4.839-01	9.986-03	7.438-01
1.1	15.00	3.50	5.223-01	8.660-03	7.719-01
1.1	15.00	3.75	5.545-01	7.482-03	7.999-01
1.1	15.00	4.00	5.792-01	6.454-03	8.276-01
1.1	15.00	4.25	5.979-01	5.565-03	8.549-01
1.1	15.00	4.50	6.130-01	4.803-03	8.820-01
1.1	15.00	5.00	6.289-01	3.595-03	9.353-01
1.1	15.00	5.50	6.328-01	2.715-03	9.873-01
1.1	15.00	6.00	6.275-01	2.071-03	1.038 00
1.1	15.00	7.00	5.993-01	1.242-03	1.137 00
1.1	15.00	8.00	5.606-01	7.744-04	1.231 00
1.1	15.00	10.00	4.761-01	3.333-04	1.410 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.1	20.00	1.50	5.025-02	1.112-02	5.439-01
1.1	20.00	1.75	1.074-01	1.547-02	5.689-01
1.1	20.00	2.00	1.754-01	1.737-02	5.948-01
1.1	20.00	2.25	2.467-01	1.751-02	6.212-01
1.1	20.00	2.50	3.161-01	1.662-02	6.480-01
1.1	20.00	2.75	3.805-01	1.521-02	6.749-01
1.1	20.00	3.00	4.377-01	1.362-02	7.019-01
1.1	20.00	3.25	4.875-01	1.204-02	7.287-01
1.1	20.00	3.50	5.296-01	1.054-02	7.554-01
1.1	20.00	3.75	5.658-01	9.192-03	7.820-01
1.1	20.00	4.00	5.943-01	7.993-03	8.082-01
1.1	20.00	4.25	6.166-01	6.944-03	8.343-01
1.1	20.00	4.50	6.351-01	6.034-03	8.601-01
1.1	20.00	5.00	6.572-01	4.570-03	9.109-01
1.1	20.00	5.50	6.661-01	3.486-03	9.605-01
1.1	20.00	6.00	6.648-01	2.682-03	1.009 00
1.1	20.00	7.00	6.419-01	1.632-03	1.104 00
1.1	20.00	8.00	6.057-01	1.029-03	1.194 00
1.1	20.00	10.00	5.214-01	4.507-04	1.366 00
1.1	25.00	1.50	4.742-02	1.140-02	5.417-01
1.1	25.00	1.75	1.024-01	1.620-02	5.653-01
1.1	25.00	2.00	1.688-01	1.851-02	5.899-01
1.1	25.00	2.25	2.395-01	1.894-02	6.151-01
1.1	25.00	2.50	3.093-01	1.820-02	6.407-01
1.1	25.00	2.75	3.750-01	1.685-02	6.664-01
1.1	25.00	3.00	4.340-01	1.523-02	6.922-01
1.1	25.00	3.25	4.860-01	1.357-02	7.180-01
1.1	25.00	3.50	5.307-01	1.198-02	7.436-01
1.1	25.00	3.75	5.696-01	1.052-02	7.691-01
1.1	25.00	4.00	6.008-01	9.200-03	7.944-01
1.1	25.00	4.25	6.256-01	8.036-03	8.195-01
1.1	25.00	4.50	6.467-01	7.018-03	8.444-01
1.1	25.00	5.00	6.734-01	5.363-03	8.934-01
1.1	25.00	5.50	6.863-01	4.122-03	9.414-01
1.1	25.00	6.00	6.883-01	3.192-03	9.885-01
1.1	25.00	7.00	6.700-01	1.963-03	1.080 00
1.1	25.00	8.00	6.363-01	1.249-03	1.168 00
1.1	25.00	10.00	5.533-01	5.539-04	1.334 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.1	40.00	1.50	4.159-02	1.156-02	5.374-01
1.1	40.00	1.75	9.157-02	1.712-02	5.586-01
1.1	40.00	2.00	1.538-01	2.024-02	5.808-01
1.1	40.00	2.25	2.220-01	2.133-02	6.037-01
1.1	40.00	2.50	2.911-01	2.102-02	6.269-01
1.1	40.00	2.75	3.579-01	1.989-02	6.505-01
1.1	40.00	3.00	4.193-01	1.832-02	6.742-01
1.1	40.00	3.25	4.747-01	1.660-02	6.979-01
1.1	40.00	3.50	5.235-01	1.487-02	7.215-01
1.1	40.00	3.75	5.672-01	1.323-02	7.451-01
1.1	40.00	4.00	6.032-01	1.172-02	7.686-01
1.1	40.00	4.25	6.329-01	1.035-02	7.919-01
1.1	40.00	4.50	6.588-01	9.128-03	8.150-01
1.1	40.00	5.00	6.947-01	7.100-03	8.607-01
1.1	40.00	5.50	7.157-01	5.540-03	9.055-01
1.1	40.00	6.00	7.249-01	4.346-03	9.496-01
1.1	40.00	7.00	7.170-01	2.731-03	1.035 00
1.1	40.00	8.00	6.899-01	1.768-03	1.118 00
1.1	40.00	10.00	6.121-01	8.046-04	1.275 00
1.1	60.00	1.50	3.698-02	1.138-02	5.342-01
1.1	60.00	1.75	8.269-02	1.741-02	5.536-01
1.1	60.00	2.00	1.409-01	2.114-02	5.741-01
1.1	60.00	2.25	2.061-01	2.279-02	5.953-01
1.1	60.00	2.50	2.736-01	2.291-02	6.169-01
1.1	60.00	2.75	3.401-01	2.205-02	6.388-01
1.1	60.00	3.00	4.023-01	2.063-02	6.609-01
1.1	60.00	3.25	4.595-01	1.895-02	6.831-01
1.1	60.00	3.50	5.108-01	1.718-02	7.053-01
1.1	60.00	3.75	5.575-01	1.545-02	7.275-01
1.1	60.00	4.00	5.968-01	1.381-02	7.495-01
1.1	60.00	4.25	6.300-01	1.231-02	7.715-01
1.1	60.00	4.50	6.596-01	1.094-02	7.933-01
1.1	60.00	5.00	7.026-01	8.636-03	8.365-01
1.1	60.00	5.50	7.302-01	6.820-03	8.790-01
1.1	60.00	6.00	7.454-01	5.407-03	9.208-01
1.1	60.00	7.00	7.469-01	3.459-03	1.002 00
1.1	60.00	8.00	7.263-01	2.269-03	1.081 00
1.1	60.00	10.00	6.549-01	1.055-03	1.231 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.1	100.00	1.50	3.192-02	1.092-02	5.307-01
1.1	100.00	1.75	7.260-02	1.731-02	5.484-01
1.1	100.00	2.00	1.258-01	2.168-02	5.670-01
1.1	100.00	2.25	1.867-01	2.400-02	5.864-01
1.1	100.00	2.50	2.513-01	2.469-02	6.062-01
1.1	100.00	2.75	3.164-01	2.424-02	6.264-01
1.1	100.00	3.00	3.786-01	2.308-02	6.468-01
1.1	100.00	3.25	4.368-01	2.153-02	6.674-01
1.1	100.00	3.50	4.901-01	1.980-02	6.880-01
1.1	100.00	3.75	5.396-01	1.803-02	7.086-01
1.1	100.00	4.00	5.821-01	1.631-02	7.291-01
1.1	100.00	4.25	6.188-01	1.468-02	7.496-01
1.1	100.00	4.50	6.521-01	1.318-02	7.700-01
1.1	100.00	5.00	7.030-01	1.057-02	8.105-01
1.1	100.00	5.50	7.381-01	8.472-03	8.504-01
1.1	100.00	6.00	7.606-01	6.802-03	8.897-01
1.1	100.00	7.00	7.737-01	4.441-03	9.665-01
1.1	100.00	8.00	7.618-01	2.962-03	1.041 00
1.1	100.00	10.00	7.003-01	1.412-03	1.183 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.2	1.20	1.50	7.468-04	1.216-07	1.879-01
1.2	1.20	1.75	1.304-03	1.232-07	2.054-01
1.2	1.20	2.00	1.791-03	1.067-07	2.226-01
1.2	1.20	2.25	2.171-03	8.658-08	2.395-01
1.2	1.20	2.50	2.447-03	6.839-08	2.560-01
1.2	1.20	2.75	2.633-03	5.349-08	2.720-01
1.2	1.20	3.00	2.746-03	4.177-08	2.877-01
1.2	1.20	3.25	2.803-03	3.271-08	3.029-01
1.2	1.20	3.50	2.815-03	2.575-08	3.178-01
1.2	1.20	3.75	2.795-03	2.041-08	3.324-01
1.2	1.20	4.00	2.752-03	1.628-08	3.466-01
1.2	1.20	4.25	2.691-03	1.309-08	3.606-01
1.2	1.20	4.50	2.619-03	1.059-08	3.742-01
1.2	1.20	5.00	2.459-03	7.083-09	4.007-01
1.2	1.20	5.50	2.287-03	4.855-09	4.263-01
1.2	1.20	6.00	2.118-03	3.404-09	4.510-01
1.2	1.20	7.00	1.805-03	1.777-09	4.984-01
1.2	1.20	8.00	1.540-03	9.909-10	5.434-01
1.2	1.20	10.00	1.134-03	3.606-10	6.271-01
1.2	1.40	1.50	3.529-03	5.121-06	2.983-01
1.2	1.40	1.75	6.220-03	5.285-06	3.252-01
1.2	1.40	2.00	8.608-03	4.643-06	3.517-01
1.2	1.40	2.25	1.051-02	3.816-06	3.776-01
1.2	1.40	2.50	1.192-02	3.046-06	4.031-01
1.2	1.40	2.75	1.290-02	2.404-06	4.279-01
1.2	1.40	3.00	1.352-02	1.892-06	4.521-01
1.2	1.40	3.25	1.386-02	1.492-06	4.757-01
1.2	1.40	3.50	1.397-02	1.182-06	4.988-01
1.2	1.40	3.75	1.393-02	9.419-07	5.213-01
1.2	1.40	4.00	1.376-02	7.554-07	5.434-01
1.2	1.40	4.25	1.349-02	6.099-07	5.650-01
1.2	1.40	4.50	1.318-02	4.957-07	5.862-01
1.2	1.40	5.00	1.243-02	3.339-07	6.274-01
1.2	1.40	5.50	1.162-02	2.303-07	6.672-01
1.2	1.40	6.00	1.080-02	1.623-07	7.057-01
1.2	1.40	7.00	9.266-03	8.551-08	7.794-01
1.2	1.40	8.00	7.950-03	4.804-08	8.495-01
1.2	1.40	10.00	5.904-03	1.768-08	9.800-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.2	1.60	1.50	7.534-03	3.331-05	3.682-01
1.2	1.60	1.75	1.339-02	3.492-05	4.003-01
1.2	1.60	2.00	1.866-02	3.108-05	4.320-01
1.2	1.60	2.25	2.292-02	2.582-05	4.632-01
1.2	1.60	2.50	2.613-02	2.080-05	4.937-01
1.2	1.60	2.75	2.841-02	1.655-05	5.235-01
1.2	1.60	3.00	2.990-02	1.311-05	5.527-01
1.2	1.60	3.25	3.078-02	1.040-05	5.812-01
1.2	1.60	3.50	3.114-02	8.287-06	6.090-01
1.2	1.60	3.75	3.114-02	6.636-06	6.363-01
1.2	1.60	4.00	3.085-02	5.344-06	6.630-01
1.2	1.60	4.25	3.034-02	4.332-06	6.891-01
1.2	1.60	4.50	2.970-02	3.534-06	7.147-01
1.2	1.60	5.00	2.816-02	2.395-06	7.646-01
1.2	1.60	5.50	2.641-02	1.661-06	8.127-01
1.2	1.60	6.00	2.464-02	1.177-06	8.594-01
1.2	1.60	7.00	2.126-02	6.247-07	9.487-01
1.2	1.60	8.00	1.833-02	3.532-07	1.034 00
1.2	1.60	10.00	1.371-02	1.312-07	1.192 00
1.2	1.80	1.50	1.191-02	1.062-04	4.148-01
1.2	1.80	1.75	2.132-02	1.130-04	4.499-01
1.2	1.80	2.00	2.989-02	1.017-04	4.847-01
1.2	1.80	2.25	3.691-02	8.529-05	5.189-01
1.2	1.80	2.50	4.229-02	6.928-05	5.525-01
1.2	1.80	2.75	4.617-02	5.550-05	5.853-01
1.2	1.80	3.00	4.878-02	4.425-05	6.175-01
1.2	1.80	3.25	5.038-02	3.530-05	6.489-01
1.2	1.80	3.50	5.113-02	2.825-05	6.796-01
1.2	1.80	3.75	5.128-02	2.272-05	7.097-01
1.2	1.80	4.00	5.094-02	1.837-05	7.392-01
1.2	1.80	4.25	5.022-02	1.494-05	7.681-01
1.2	1.80	4.50	4.927-02	1.223-05	7.964-01
1.2	1.80	5.00	4.689-02	8.334-06	8.516-01
1.2	1.80	5.50	4.414-02	5.808-06	9.049-01
1.2	1.80	6.00	4.130-02	4.132-06	9.565-01
1.2	1.80	7.00	3.582-02	2.209-06	1.056 00
1.2	1.80	8.00	3.102-02	1.256-06	1.150 00
1.2	1.80	10.00	2.336-02	4.706-07	1.325 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.2	2.00	1.50	1.618-02	2.357-04	4.473-01
1.2	2.00	1.75	2.914-02	2.538-04	4.841-01
1.2	2.00	2.00	4.109-02	2.308-04	5.206-01
1.2	2.00	2.25	5.099-02	1.953-04	5.567-01
1.2	2.00	2.50	5.866-02	1.598-04	5.920-01
1.2	2.00	2.75	6.429-02	1.288-04	6.267-01
1.2	2.00	3.00	6.815-02	1.033-04	6.607-01
1.2	2.00	3.25	7.061-02	8.278-05	6.939-01
1.2	2.00	3.50	7.186-02	6.653-05	7.264-01
1.2	2.00	3.75	7.226-02	5.371-05	7.583-01
1.2	2.00	4.00	7.195-02	4.358-05	7.895-01
1.2	2.00	4.25	7.108-02	3.556-05	8.201-01
1.2	2.00	4.50	6.988-02	2.918-05	8.501-01
1.2	2.00	5.00	6.674-02	1.999-05	9.086-01
1.2	2.00	5.50	6.302-02	1.399-05	9.652-01
1.2	2.00	6.00	5.913-02	9.992-06	1.020 00
1.2	2.00	7.00	5.153-02	5.375-06	1.125 00
1.2	2.00	8.00	4.478-02	3.072-06	1.225 00
1.2	2.00	10.00	3.392-02	1.160-06	1.412 00
1.2	2.25	1.50	2.104-02	4.771-04	4.753-01
1.2	2.25	1.75	3.817-02	5.211-04	5.133-01
1.2	2.25	2.00	5.415-02	4.795-04	5.510-01
1.2	2.25	2.25	6.756-02	4.096-04	5.883-01
1.2	2.25	2.50	7.811-02	3.379-04	6.249-01
1.2	2.25	2.75	8.596-02	2.743-04	6.609-01
1.2	2.25	3.00	9.147-02	2.213-04	6.961-01
1.2	2.25	3.25	9.510-02	1.783-04	7.307-01
1.2	2.25	3.50	9.708-02	1.440-04	7.645-01
1.2	2.25	3.75	9.791-02	1.168-04	7.977-01
1.2	2.25	4.00	9.774-02	9.511-05	8.302-01
1.2	2.25	4.25	9.680-02	7.789-05	8.621-01
1.2	2.25	4.50	9.538-02	6.413-05	8.934-01
1.2	2.25	5.00	9.146-02	4.418-05	9.543-01
1.2	2.25	5.50	8.666-02	3.108-05	1.013 00
1.2	2.25	6.00	8.156-02	2.228-05	1.071 00
1.2	2.25	7.00	7.144-02	1.207-05	1.180 00
1.2	2.25	8.00	6.236-02	6.938-06	1.285 00
1.2	2.25	10.00	4.755-02	2.642-06	1.480 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.2	2.50	1.50	2.526-02	7.937-04	4.947-01
1.2	2.50	1.75	4.611-02	8.779-04	5.330-01
1.2	2.50	2.00	6.578-02	8.162-04	5.712-01
1.2	2.50	2.25	8.247-02	7.033-04	6.091-01
1.2	2.50	2.50	9.575-02	5.844-04	6.464-01
1.2	2.50	2.75	1.058-01	4.775-04	6.830-01
1.2	2.50	3.00	1.129-01	3.874-04	7.189-01
1.2	2.50	3.25	1.178-01	3.137-04	7.541-01
1.2	2.50	3.50	1.206-01	2.545-04	7.886-01
1.2	2.50	3.75	1.219-01	2.071-04	8.224-01
1.2	2.50	4.00	1.220-01	1.693-04	8.556-01
1.2	2.50	4.25	1.211-01	1.391-04	8.882-01
1.2	2.50	4.50	1.196-01	1.148-04	9.202-01
1.2	2.50	5.00	1.151-01	7.952-05	9.826-01
1.2	2.50	5.50	1.093-01	5.618-05	1.043 00
1.2	2.50	6.00	1.032-01	4.043-05	1.102 00
1.2	2.50	7.00	9.081-02	2.205-05	1.214 00
1.2	2.50	8.00	7.957-02	1.273-05	1.321 00
1.2	2.50	10.00	6.103-02	4.886-06	1.521 00
1.2	2.75	1.50	2.883-02	1.166-03	5.084-01
1.2	2.75	1.75	5.294-02	1.304-03	5.468-01
1.2	2.75	2.00	7.591-02	1.224-03	5.851-01
1.2	2.75	2.25	9.560-02	1.063-03	6.231-01
1.2	2.75	2.50	1.114-01	8.893-04	6.606-01
1.2	2.75	2.75	1.235-01	7.308-04	6.975-01
1.2	2.75	3.00	1.323-01	5.958-04	7.337-01
1.2	2.75	3.25	1.384-01	4.847-04	7.692-01
1.2	2.75	3.50	1.420-01	3.947-04	8.040-01
1.2	2.75	3.75	1.439-01	3.223-04	8.382-01
1.2	2.75	4.00	1.443-01	2.643-04	8.718-01
1.2	2.75	4.25	1.435-01	2.178-04	9.047-01
1.2	2.75	4.50	1.420-01	1.803-04	9.370-01
1.2	2.75	5.00	1.371-01	1.254-04	1.000 00
1.2	2.75	5.50	1.306-01	8.896-05	1.061 00
1.2	2.75	6.00	1.236-01	6.425-05	1.121 00
1.2	2.75	7.00	1.092-01	3.523-05	1.234 00
1.2	2.75	8.00	9.601-02	2.044-05	1.343 00
1.2	2.75	10.00	7.403-02	7.898-06	1.546 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.2	3.00	1.50	3.184-02	1.573-03	5.183-01
1.2	3.00	1.75	5.877-02	1.779-03	5.566-01
1.2	3.00	2.00	8.465-02	1.684-03	5.948-01
1.2	3.00	2.25	1.070-01	1.473-03	6.328-01
1.2	3.00	2.50	1.252-01	1.240-03	6.702-01
1.2	3.00	2.75	1.392-01	1.024-03	7.071-01
1.2	3.00	3.00	1.495-01	8.391-04	7.434-01
1.2	3.00	3.25	1.568-01	6.853-04	7.789-01
1.2	3.00	3.50	1.613-01	5.601-04	8.139-01
1.2	3.00	3.75	1.638-01	4.589-04	8.482-01
1.2	3.00	4.00	1.646-01	3.773-04	8.818-01
1.2	3.00	4.25	1.640-01	3.117-04	9.149-01
1.2	3.00	4.50	1.625-01	2.587-04	9.474-01
1.2	3.00	5.00	1.573-01	1.807-04	1.011 00
1.2	3.00	5.50	1.503-01	1.286-04	1.072 00
1.2	3.00	6.00	1.425-01	9.320-05	1.132 00
1.2	3.00	7.00	1.264-01	5.137-05	1.246 00
1.2	3.00	8.00	1.115-01	2.993-05	1.356 00
1.2	3.00	10.00	8.640-02	1.164-05	1.560 00
1.2	3.25	1.50	3.435-02	2.001-03	5.257-01
1.2	3.25	1.75	6.371-02	2.284-03	5.636-01
1.2	3.25	2.00	9.216-02	2.180-03	6.016-01
1.2	3.25	2.25	1.170-01	1.919-03	6.394-01
1.2	3.25	2.50	1.373-01	1.625-03	6.767-01
1.2	3.25	2.75	1.531-01	1.349-03	7.135-01
1.2	3.25	3.00	1.648-01	1.109-03	7.496-01
1.2	3.25	3.25	1.732-01	9.095-04	7.852-01
1.2	3.25	3.50	1.786-01	7.457-04	8.200-01
1.2	3.25	3.75	1.818-01	6.128-04	8.543-01
1.2	3.25	4.00	1.829-01	5.053-04	8.880-01
1.2	3.25	4.25	1.825-01	4.184-04	9.210-01
1.2	3.25	4.50	1.811-01	3.480-04	9.535-01
1.2	3.25	5.00	1.759-01	2.441-04	1.017 00
1.2	3.25	5.50	1.685-01	1.743-04	1.078 00
1.2	3.25	6.00	1.601-01	1.266-04	1.138 00
1.2	3.25	7.00	1.425-01	7.014-05	1.253 00
1.2	3.25	8.00	1.260-01	4.102-05	1.362 00
1.2	3.25	10.00	9.808-02	1.604-05	1.567 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.2	3.50	1.50	3.644-02	2.436-03	5.313-01
1.2	3.50	1.75	6.789-02	2.806-03	5.688-01
1.2	3.50	2.00	9.859-02	2.697-03	6.065-01
1.2	3.50	2.25	1.256-01	2.389-03	6.440-01
1.2	3.50	2.50	1.478-01	2.033-03	6.811-01
1.2	3.50	2.75	1.653-01	1.695-03	7.176-01
1.2	3.50	3.00	1.784-01	1.400-03	7.536-01
1.2	3.50	3.25	1.879-01	1.152-03	7.890-01
1.2	3.50	3.50	1.941-01	9.471-04	8.237-01
1.2	3.50	3.75	1.979-01	7.804-04	8.579-01
1.2	3.50	4.00	1.995-01	6.451-04	8.914-01
1.2	3.50	4.25	1.994-01	5.353-04	9.244-01
1.2	3.50	4.50	1.981-01	4.462-04	9.568-01
1.2	3.50	5.00	1.929-01	3.140-04	1.020 00
1.2	3.50	5.50	1.851-01	2.250-04	1.082 00
1.2	3.50	6.00	1.763-01	1.639-04	1.141 00
1.2	3.50	7.00	1.574-01	9.117-05	1.256 00
1.2	3.50	8.00	1.396-01	5.351-05	1.365 00
1.2	3.50	10.00	1.091-01	2.104-05	1.570 00
1.2	3.75	1.50	3.818-02	2.868-03	5.355-01
1.2	3.75	1.75	7.143-02	3.332-03	5.727-01
1.2	3.75	2.00	1.041-01	3.225-03	6.100-01
1.2	3.75	2.25	1.330-01	2.873-03	6.471-01
1.2	3.75	2.50	1.570-01	2.457-03	6.839-01
1.2	3.75	2.75	1.760-01	2.057-03	7.202-01
1.2	3.75	3.00	1.904-01	1.705-03	7.559-01
1.2	3.75	3.25	2.010-01	1.407-03	7.911-01
1.2	3.75	3.50	2.079-01	1.160-03	8.256-01
1.2	3.75	3.75	2.124-01	9.585-04	8.596-01
1.2	3.75	4.00	2.144-01	7.941-04	8.930-01
1.2	3.75	4.25	2.146-01	6.604-04	9.259-01
1.2	3.75	4.50	2.136-01	5.514-04	9.582-01
1.2	3.75	5.00	2.084-01	3.894-04	1.021 00
1.2	3.75	5.50	2.004-01	2.798-04	1.082 00
1.2	3.75	6.00	1.912-01	2.043-04	1.142 00
1.2	3.75	7.00	1.712-01	1.141-04	1.256 00
1.2	3.75	8.00	1.522-01	6.720-05	1.365 00
1.2	3.75	10.00	1.194-01	2.656-05	1.570 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.2	4.00	1.50	3.963-02	3.293-03	5.388-01
1.2	4.00	1.75	7.443-02	3.854-03	5.755-01
1.2	4.00	2.00	1.089-01	3.754-03	6.124-01
1.2	4.00	2.25	1.395-01	3.363-03	6.492-01
1.2	4.00	2.50	1.651-01	2.888-03	6.857-01
1.2	4.00	2.75	1.855-01	2.428-03	7.217-01
1.2	4.00	3.00	2.011-01	2.019-03	7.571-01
1.2	4.00	3.25	2.126-01	1.671-03	7.921-01
1.2	4.00	3.50	2.204-01	1.382-03	8.264-01
1.2	4.00	3.75	2.255-01	1.144-03	8.602-01
1.2	4.00	4.00	2.280-01	9.501-04	8.934-01
1.2	4.00	4.25	2.284-01	7.916-04	9.260-01
1.2	4.00	4.50	2.276-01	6.622-04	9.582-01
1.2	4.00	5.00	2.226-01	4.691-04	1.021 00
1.2	4.00	5.50	2.145-01	3.379-04	1.082 00
1.2	4.00	6.00	2.049-01	2.473-04	1.141 00
1.2	4.00	7.00	1.840-01	1.387-04	1.255 00
1.2	4.00	8.00	1.640-01	8.191-05	1.364 00
1.2	4.00	10.00	1.291-01	3.252-05	1.567 00
1.2	5.00	1.50	4.334-02	4.839-03	5.461-01
1.2	5.00	1.75	8.249-02	5.817-03	5.811-01
1.2	5.00	2.00	1.221-01	5.792-03	6.164-01
1.2	5.00	2.25	1.581-01	5.284-03	6.517-01
1.2	5.00	2.50	1.888-01	4.609-03	6.868-01
1.2	5.00	2.75	2.138-01	3.927-03	7.215-01
1.2	5.00	3.00	2.334-01	3.304-03	7.558-01
1.2	5.00	3.25	2.485-01	2.763-03	7.896-01
1.2	5.00	3.50	2.590-01	2.306-03	8.230-01
1.2	5.00	3.75	2.664-01	1.925-03	8.558-01
1.2	5.00	4.00	2.707-01	1.610-03	8.881-01
1.2	5.00	4.25	2.725-01	1.350-03	9.199-01
1.2	5.00	4.50	2.726-01	1.136-03	9.512-01
1.2	5.00	5.00	2.686-01	8.136-04	1.012 00
1.2	5.00	5.50	2.605-01	5.915-04	1.072 00
1.2	5.00	6.00	2.503-01	4.364-04	1.130 00
1.2	5.00	7.00	2.270-01	2.479-04	1.241 00
1.2	5.00	8.00	2.039-01	1.480-04	1.348 00
1.2	5.00	10.00	1.624-01	5.968-05	1.548 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.2	6.00	1.50	4.503-02	6.103-03	5.488-01
1.2	6.00	1.75	8.663-02	7.497-03	5.822-01
1.2	6.00	2.00	1.294-01	7.597-03	6.160-01
1.2	6.00	2.25	1.690-01	7.034-03	6.500-01
1.2	6.00	2.50	2.033-01	6.213-03	6.838-01
1.2	6.00	2.75	2.318-01	5.350-03	7.174-01
1.2	6.00	3.00	2.545-01	4.544-03	7.505-01
1.2	6.00	3.25	2.724-01	3.832-03	7.833-01
1.2	6.00	3.50	2.853-01	3.221-03	8.156-01
1.2	6.00	3.75	2.947-01	2.707-03	8.475-01
1.2	6.00	4.00	3.006-01	2.277-03	8.789-01
1.2	6.00	4.25	3.037-01	1.921-03	9.099-01
1.2	6.00	4.50	3.049-01	1.624-03	9.403-01
1.2	6.00	5.00	3.022-01	1.173-03	10.000-01
1.2	6.00	5.50	2.946-01	8.591-04	1.058 00
1.2	6.00	6.00	2.844-01	6.379-04	1.115 00
1.2	6.00	7.00	2.599-01	3.662-04	1.223 00
1.2	6.00	8.00	2.349-01	2.204-04	1.328 00
1.2	6.00	10.00	1.890-01	9.005-05	1.524 00
1.2	8.00	1.50	4.577-02	7.913-03	5.496-01
1.2	8.00	1.75	8.951-02	1.005-02	5.805-01
1.2	8.00	2.00	1.357-01	1.046-02	6.120-01
1.2	8.00	2.25	1.795-01	9.912-03	6.438-01
1.2	8.00	2.50	2.185-01	8.926-03	6.755-01
1.2	8.00	2.75	2.516-01	7.816-03	7.071-01
1.2	8.00	3.00	2.787-01	6.736-03	7.384-01
1.2	8.00	3.25	3.007-01	5.753-03	7.694-01
1.2	8.00	3.50	3.172-01	4.892-03	8.000-01
1.2	8.00	3.75	3.299-01	4.153-03	8.303-01
1.2	8.00	4.00	3.386-01	3.526-03	8.601-01
1.2	8.00	4.25	3.440-01	2.998-03	8.896-01
1.2	8.00	4.50	3.472-01	2.555-03	9.187-01
1.2	8.00	5.00	3.473-01	1.870-03	9.756-01
1.2	8.00	5.50	3.414-01	1.385-03	1.031 00
1.2	8.00	6.00	3.320-01	1.039-03	1.085 00
1.2	8.00	7.00	3.069-01	6.062-04	1.190 00
1.2	8.00	8.00	2.801-01	3.697-04	1.290 00
1.2	8.00	10.00	2.287-01	1.540-04	1.478 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.2	10.00	1.50	4.515-02	9.073-03	5.486-01
1.2	10.00	1.75	8.940-02	1.181-02	5.777-01
1.2	10.00	2.00	1.371-01	1.255-02	6.074-01
1.2	10.00	2.25	1.831-01	1.210-02	6.375-01
1.2	10.00	2.50	2.247-01	1.106-02	6.677-01
1.2	10.00	2.75	2.608-01	9.803-03	6.977-01
1.2	10.00	3.00	2.909-01	8.541-03	7.276-01
1.2	10.00	3.25	3.157-01	7.366-03	7.573-01
1.2	10.00	3.50	3.349-01	6.317-03	7.866-01
1.2	10.00	3.75	3.501-01	5.404-03	8.156-01
1.2	10.00	4.00	3.610-01	4.621-03	8.443-01
1.2	10.00	4.25	3.683-01	3.954-03	8.726-01
1.2	10.00	4.50	3.732-01	3.388-03	9.005-01
1.2	10.00	5.00	3.759-01	2.505-03	9.553-01
1.2	10.00	5.50	3.717-01	1.872-03	1.009 00
1.2	10.00	6.00	3.635-01	1.414-03	1.061 00
1.2	10.00	7.00	3.391-01	8.355-04	1.162 00
1.2	10.00	8.00	3.117-01	5.145-04	1.259 00
1.2	10.00	10.00	2.574-01	2.175-04	1.441 00
1.2	15.00	1.50	4.245-02	1.057-02	5.452-01
1.2	15.00	1.75	8.585-02	1.436-02	5.713-01
1.2	15.00	2.00	1.342-01	1.581-02	5.981-01
1.2	15.00	2.25	1.824-01	1.570-02	6.254-01
1.2	15.00	2.50	2.272-01	1.471-02	6.529-01
1.2	15.00	2.75	2.672-01	1.334-02	6.805-01
1.2	15.00	3.00	3.016-01	1.184-02	7.079-01
1.2	15.00	3.25	3.308-01	1.039-02	7.353-01
1.2	15.00	3.50	3.543-01	9.042-03	7.624-01
1.2	15.00	3.75	3.737-01	7.840-03	7.892-01
1.2	15.00	4.00	3.884-01	6.785-03	8.158-01
1.2	15.00	4.25	3.992-01	5.869-03	8.421-01
1.2	15.00	4.50	4.073-01	5.081-03	8.682-01
1.2	15.00	5.00	4.154-01	3.823-03	9.193-01
1.2	15.00	5.50	4.151-01	2.899-03	9.694-01
1.2	15.00	6.00	4.097-01	2.219-03	1.018 00
1.2	15.00	7.00	3.883-01	1.340-03	1.113 00
1.2	15.00	8.00	3.615-01	8.392-04	1.204 00
1.2	15.00	10.00	3.044-01	3.641-04	1.376 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.2	20.00	1.50	3.991-02	1.119-02	5.424-01
1.2	20.00	1.75	8.185-02	1.564-02	5.666-01
1.2	20.00	2.00	1.296-01	1.764-02	5.917-01
1.2	20.00	2.25	1.782-01	1.786-02	6.172-01
1.2	20.00	2.50	2.243-01	1.703-02	6.431-01
1.2	20.00	2.75	2.660-01	1.566-02	6.690-01
1.2	20.00	3.00	3.027-01	1.409-02	6.949-01
1.2	20.00	3.25	3.344-01	1.250-02	7.207-01
1.2	20.00	3.50	3.605-01	1.099-02	7.464-01
1.2	20.00	3.75	3.825-01	9.615-03	7.719-01
1.2	20.00	4.00	3.997-01	8.390-03	7.972-01
1.2	20.00	4.25	4.128-01	7.311-03	8.222-01
1.2	20.00	4.50	4.232-01	6.372-03	8.470-01
1.2	20.00	5.00	4.352-01	4.852-03	8.958-01
1.2	20.00	5.50	4.380-01	3.717-03	9.435-01
1.2	20.00	6.00	4.352-01	2.870-03	9.904-01
1.2	20.00	7.00	4.167-01	1.758-03	1.081 00
1.2	20.00	8.00	3.913-01	1.114-03	1.168 00
1.2	20.00	10.00	3.339-01	4.919-04	1.334 00
1.2	25.00	1.50	3.781-02	1.147-02	5.403-01
1.2	25.00	1.75	7.835-02	1.637-02	5.632-01
1.2	25.00	2.00	1.253-01	1.878-02	5.870-01
1.2	25.00	2.25	1.736-01	1.930-02	6.113-01
1.2	25.00	2.50	2.202-01	1.864-02	6.359-01
1.2	25.00	2.75	2.630-01	1.733-02	6.607-01
1.2	25.00	3.00	3.010-01	1.574-02	6.856-01
1.2	25.00	3.25	3.343-01	1.408-02	7.103-01
1.2	25.00	3.50	3.621-01	1.247-02	7.350-01
1.2	25.00	3.75	3.860-01	1.099-02	7.595-01
1.2	25.00	4.00	4.049-01	9.644-03	7.838-01
1.2	25.00	4.25	4.197-01	8.451-03	8.079-01
1.2	25.00	4.50	4.318-01	7.402-03	8.318-01
1.2	25.00	5.00	4.468-01	5.687-03	8.789-01
1.2	25.00	5.50	4.521-01	4.390-03	9.251-01
1.2	25.00	6.00	4.513-01	3.412-03	9.703-01
1.2	25.00	7.00	4.356-01	2.113-03	1.058 00
1.2	25.00	8.00	4.117-01	1.351-03	1.143 00
1.2	25.00	10.00	3.548-01	6.042-04	1.303 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.2	40.00	1.50	3.342-02	1.162-02	5.361-01
1.2	40.00	1.75	7.065-02	1.727-02	5.567-01
1.2	40.00	2.00	1.151-01	2.051-02	5.781-01
1.2	40.00	2.25	1.622-01	2.170-02	6.002-01
1.2	40.00	2.50	2.088-01	2.148-02	6.227-01
1.2	40.00	2.75	2.526-01	2.040-02	6.453-01
1.2	40.00	3.00	2.925-01	1.888-02	6.681-01
1.2	40.00	3.25	3.284-01	1.718-02	6.909-01
1.2	40.00	3.50	3.591-01	1.545-02	7.136-01
1.2	40.00	3.75	3.862-01	1.379-02	7.363-01
1.2	40.00	4.00	4.084-01	1.225-02	7.588-01
1.2	40.00	4.25	4.264-01	1.086-02	7.812-01
1.2	40.00	4.50	4.417-01	9.605-03	8.034-01
1.2	40.00	5.00	4.627-01	7.511-03	8.473-01
1.2	40.00	5.50	4.732-01	5.887-03	8.904-01
1.2	40.00	6.00	4.770-01	4.637-03	9.328-01
1.2	40.00	7.00	4.676-01	2.934-03	1.015 00
1.2	40.00	8.00	4.476-01	1.909-03	1.095 00
1.2	40.00	10.00	3.935-01	8.764-04	1.246 00
1.2	60.00	1.50	2.992-02	1.143-02	5.330-01
1.2	60.00	1.75	6.421-02	1.754-02	5.518-01
1.2	60.00	2.00	1.061-01	2.139-02	5.716-01
1.2	60.00	2.25	1.515-01	2.315-02	5.921-01
1.2	60.00	2.50	1.974-01	2.337-02	6.129-01
1.2	60.00	2.75	2.413-01	2.259-02	6.340-01
1.2	60.00	3.00	2.821-01	2.122-02	6.553-01
1.2	60.00	3.25	3.194-01	1.956-02	6.766-01
1.2	60.00	3.50	3.519-01	1.780-02	6.980-01
1.2	60.00	3.75	3.811-01	1.607-02	7.193-01
1.2	60.00	4.00	4.056-01	1.442-02	7.404-01
1.2	60.00	4.25	4.260-01	1.289-02	7.615-01
1.2	60.00	4.50	4.437-01	1.149-02	7.825-01
1.2	60.00	5.00	4.694-01	9.117-03	8.240-01
1.2	60.00	5.50	4.841-01	7.234-03	8.648-01
1.2	60.00	6.00	4.919-01	5.759-03	9.050-01
1.2	60.00	7.00	4.883-01	3.709-03	9.832-01
1.2	60.00	8.00	4.723-01	2.447-03	1.059 00
1.2	60.00	10.00	4.219-01	1.148-03	1.203 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.2	100.00	1.50	2.602-02	1.096-02	5.297-01
1.2	100.00	1.75	5.680-02	1.742-02	5.467-01
1.2	100.00	2.00	9.542-02	2.190-02	5.647-01
1.2	100.00	2.25	1.383-01	2.434-02	5.834-01
1.2	100.00	2.50	1.826-01	2.513-02	6.025-01
1.2	100.00	2.75	2.260-01	2.478-02	6.220-01
1.2	100.00	3.00	2.670-01	2.369-02	6.416-01
1.2	100.00	3.25	3.053-01	2.218-02	6.614-01
1.2	100.00	3.50	3.393-01	2.047-02	6.812-01
1.2	100.00	3.75	3.706-01	1.871-02	7.010-01
1.2	100.00	4.00	3.974-01	1.698-02	7.207-01
1.2	100.00	4.25	4.202-01	1.533-02	7.404-01
1.2	100.00	4.50	4.405-01	1.381-02	7.600-01
1.2	100.00	5.00	4.714-01	1.114-02	7.988-01
1.2	100.00	5.50	4.911-01	8.967-03	8.372-01
1.2	100.00	6.00	5.035-01	7.228-03	8.750-01
1.2	100.00	7.00	5.074-01	4.754-03	9.487-01
1.2	100.00	8.00	4.968-01	3.189-03	1.020 00
1.2	100.00	10.00	4.522-01	1.534-03	1.157 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.3	1.20	1.50	6.674-04	1.232-07	1.872-01
1.3	1.20	1.75	1.132-03	1.256-07	2.042-01
1.3	1.20	2.00	1.526-03	1.094-07	2.210-01
1.3	1.20	2.25	1.826-03	8.933-08	2.373-01
1.3	1.20	2.50	2.040-03	7.094-08	2.533-01
1.3	1.20	2.75	2.179-03	5.573-08	2.689-01
1.3	1.20	3.00	2.257-03	4.369-08	2.840-01
1.3	1.20	3.25	2.291-03	3.434-08	2.988-01
1.3	1.20	3.50	2.290-03	2.713-08	3.132-01
1.3	1.20	3.75	2.264-03	2.156-08	3.273-01
1.3	1.20	4.00	2.223-03	1.725-08	3.411-01
1.3	1.20	4.25	2.168-03	1.390-08	3.546-01
1.3	1.20	4.50	2.105-03	1.127-08	3.678-01
1.3	1.20	5.00	1.967-03	7.562-09	3.935-01
1.3	1.20	5.50	1.822-03	5.198-09	4.183-01
1.3	1.20	6.00	1.684-03	3.654-09	4.423-01
1.3	1.20	7.00	1.428-03	1.913-09	4.883-01
1.3	1.20	8.00	1.213-03	1.070-09	5.321-01
1.3	1.20	10.00	8.887-04	3.910-10	6.131-01
1.3	1.40	1.50	3.161-03	5.185-06	2.973-01
1.3	1.40	1.75	5.409-03	5.385-06	3.234-01
1.3	1.40	2.00	7.349-03	4.760-06	3.492-01
1.3	1.40	2.25	8.855-03	3.934-06	3.744-01
1.3	1.40	2.50	9.950-03	3.157-06	3.990-01
1.3	1.40	2.75	1.069-02	2.503-06	4.230-01
1.3	1.40	3.00	1.112-02	1.978-06	4.464-01
1.3	1.40	3.25	1.134-02	1.565-06	4.693-01
1.3	1.40	3.50	1.139-02	1.244-06	4.916-01
1.3	1.40	3.75	1.130-02	9.944-07	5.135-01
1.3	1.40	4.00	1.113-02	7.997-07	5.349-01
1.3	1.40	4.25	1.089-02	6.471-07	5.558-01
1.3	1.40	4.50	1.060-02	5.271-07	5.763-01
1.3	1.40	5.00	9.958-03	3.562-07	6.162-01
1.3	1.40	5.50	9.265-03	2.464-07	6.548-01
1.3	1.40	6.00	8.596-03	1.742-07	6.921-01
1.3	1.40	7.00	7.340-03	9.204-08	7.637-01
1.3	1.40	8.00	6.265-03	5.185-08	8.318-01
1.3	1.40	10.00	4.631-03	1.916-08	9.581-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.3	1.60	1.50	6.762-03	3.371-05	3.670-01
1.3	1.60	1.75	1.166-02	3.556-05	3.982-01
1.3	1.60	2.00	1.595-02	3.185-05	4.290-01
1.3	1.60	2.25	1.934-02	2.660-05	4.593-01
1.3	1.60	2.50	2.184-02	2.155-05	4.888-01
1.3	1.60	2.75	2.357-02	1.722-05	5.177-01
1.3	1.60	3.00	2.464-02	1.370-05	5.460-01
1.3	1.60	3.25	2.522-02	1.091-05	5.735-01
1.3	1.60	3.50	2.541-02	8.717-06	6.005-01
1.3	1.60	3.75	2.529-02	7.000-06	6.269-01
1.3	1.60	4.00	2.498-02	5.654-06	6.527-01
1.3	1.60	4.25	2.451-02	4.594-06	6.780-01
1.3	1.60	4.50	2.392-02	3.755-06	7.028-01
1.3	1.60	5.00	2.257-02	2.554-06	7.511-01
1.3	1.60	5.50	2.109-02	1.777-06	7.978-01
1.3	1.60	6.00	1.963-02	1.262-06	8.430-01
1.3	1.60	7.00	1.686-02	6.722-07	9.298-01
1.3	1.60	8.00	1.446-02	3.811-07	1.012 00
1.3	1.60	10.00	1.077-02	1.423-07	1.166 00
1.3	1.80	1.50	1.071-02	1.075-04	4.135-01
1.3	1.80	1.75	1.860-02	1.150-04	4.476-01
1.3	1.80	2.00	2.559-02	1.041-04	4.814-01
1.3	1.80	2.25	3.119-02	8.783-05	5.146-01
1.3	1.80	2.50	3.539-02	7.171-05	5.472-01
1.3	1.80	2.75	3.835-02	5.771-05	5.790-01
1.3	1.80	3.00	4.024-02	4.620-05	6.101-01
1.3	1.80	3.25	4.133-02	3.698-05	6.405-01
1.3	1.80	3.50	4.176-02	2.970-05	6.702-01
1.3	1.80	3.75	4.169-02	2.395-05	6.994-01
1.3	1.80	4.00	4.129-02	1.942-05	7.279-01
1.3	1.80	4.25	4.060-02	1.583-05	7.558-01
1.3	1.80	4.50	3.972-02	1.299-05	7.833-01
1.3	1.80	5.00	3.763-02	8.883-06	8.367-01
1.3	1.80	5.50	3.527-02	6.209-06	8.884-01
1.3	1.80	6.00	3.293-02	4.429-06	9.385-01
1.3	1.80	7.00	2.843-02	2.376-06	1.035 00
1.3	1.80	8.00	2.449-02	1.355-06	1.126 00
1.3	1.80	10.00	1.835-02	5.101-07	1.296 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.3	2.00	1.50	1.457-02	2.384-04	4.459-01
1.3	2.00	1.75	2.546-02	2.582-04	4.817-01
1.3	2.00	2.00	3.522-02	2.363-04	5.172-01
1.3	2.00	2.25	4.313-02	2.010-04	5.522-01
1.3	2.00	2.50	4.915-02	1.653-04	5.865-01
1.3	2.00	2.75	5.345-02	1.339-04	6.200-01
1.3	2.00	3.00	5.628-02	1.077-04	6.529-01
1.3	2.00	3.25	5.798-02	8.668-05	6.851-01
1.3	2.00	3.50	5.875-02	6.990-05	7.165-01
1.3	2.00	3.75	5.880-02	5.659-05	7.474-01
1.3	2.00	4.00	5.837-02	4.605-05	7.776-01
1.3	2.00	4.25	5.752-02	3.766-05	8.072-01
1.3	2.00	4.50	5.639-02	3.098-05	8.363-01
1.3	2.00	5.00	5.361-02	2.130-05	8.929-01
1.3	2.00	5.50	5.040-02	1.495-05	9.477-01
1.3	2.00	6.00	4.719-02	1.071-05	1.001 00
1.3	2.00	7.00	4.092-02	5.781-06	1.103 00
1.3	2.00	8.00	3.538-02	3.313-06	1.200 00
1.3	2.00	10.00	2.667-02	1.257-06	1.381 00
1.3	2.25	1.50	1.898-02	4.825-04	4.739-01
1.3	2.25	1.75	3.340-02	5.300-04	5.108-01
1.3	2.25	2.00	4.649-02	4.905-04	5.475-01
1.3	2.25	2.25	5.723-02	4.213-04	5.836-01
1.3	2.25	2.50	6.552-02	3.493-04	6.192-01
1.3	2.25	2.75	7.155-02	2.849-04	6.540-01
1.3	2.25	3.00	7.563-02	2.307-04	6.881-01
1.3	2.25	3.25	7.818-02	1.866-04	7.215-01
1.3	2.25	3.50	7.946-02	1.512-04	7.543-01
1.3	2.25	3.75	7.976-02	1.230-04	7.863-01
1.3	2.25	4.00	7.939-02	1.005-04	8.178-01
1.3	2.25	4.25	7.841-02	8.245-05	8.487-01
1.3	2.25	4.50	7.704-02	6.803-05	8.790-01
1.3	2.25	5.00	7.354-02	4.705-05	9.380-01
1.3	2.25	5.50	6.936-02	3.320-05	9.952-01
1.3	2.25	6.00	6.515-02	2.387-05	1.051 00
1.3	2.25	7.00	5.678-02	1.298-05	1.157 00
1.3	2.25	8.00	4.930-02	7.482-06	1.259 00
1.3	2.25	10.00	3.742-02	2.863-06	1.448 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.3	2.50	1.50	2.282-02	8.025-04	4.932-01
1.3	2.50	1.75	4.040-02	8.925-04	5.305-01
1.3	2.50	2.00	5.655-02	8.346-04	5.677-01
1.3	2.50	2.25	6.994-02	7.230-04	6.044-01
1.3	2.50	2.50	8.041-02	6.039-04	6.405-01
1.3	2.50	2.75	8.815-02	4.956-04	6.760-01
1.3	2.50	3.00	9.348-02	4.037-04	7.107-01
1.3	2.50	3.25	9.694-02	3.281-04	7.448-01
1.3	2.50	3.50	9.880-02	2.670-04	7.782-01
1.3	2.50	3.75	9.942-02	2.180-04	8.109-01
1.3	2.50	4.00	9.919-02	1.787-04	8.431-01
1.3	2.50	4.25	9.818-02	1.471-04	8.746-01
1.3	2.50	4.50	9.665-02	1.218-04	9.056-01
1.3	2.50	5.00	9.259-02	8.464-05	9.660-01
1.3	2.50	5.50	8.760-02	5.998-05	1.024 00
1.3	2.50	6.00	8.250-02	4.329-05	1.081 00
1.3	2.50	7.00	7.224-02	2.369-05	1.190 00
1.3	2.50	8.00	6.295-02	1.373-05	1.294 00
1.3	2.50	10.00	4.806-02	5.294-06	1.488 00
1.3	2.75	1.50	2.609-02	1.178-03	5.069-01
1.3	2.75	1.75	4.646-02	1.325-03	5.443-01
1.3	2.75	2.00	6.533-02	1.251-03	5.816-01
1.3	2.75	2.25	8.116-02	1.092-03	6.185-01
1.3	2.75	2.50	9.367-02	9.185-04	6.548-01
1.3	2.75	2.75	1.030-01	7.581-04	6.905-01
1.3	2.75	3.00	1.096-01	6.205-04	7.255-01
1.3	2.75	3.25	1.140-01	5.066-04	7.599-01
1.3	2.75	3.50	1.164-01	4.139-04	7.936-01
1.3	2.75	3.75	1.174-01	3.391-04	8.266-01
1.3	2.75	4.00	1.174-01	2.789-04	8.591-01
1.3	2.75	4.25	1.165-01	2.303-04	8.910-01
1.3	2.75	4.50	1.148-01	1.911-04	9.223-01
1.3	2.75	5.00	1.104-01	1.334-04	9.834-01
1.3	2.75	5.50	1.047-01	9.494-05	1.043 00
1.3	2.75	6.00	9.887-02	6.876-05	1.100 00
1.3	2.75	7.00	8.692-02	3.785-05	1.211 00
1.3	2.75	8.00	7.601-02	2.203-05	1.316 00
1.3	2.75	10.00	5.833-02	8.557-06	1.512 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.3	3.00	1.50	2.884-02	1.590-03	5.169-01
1.3	3.00	1.75	5.163-02	1.807-03	5.541-01
1.3	3.00	2.00	7.294-02	1.721-03	5.913-01
1.3	3.00	2.25	9.096-02	1.513-03	6.281-01
1.3	3.00	2.50	1.053-01	1.280-03	6.644-01
1.3	3.00	2.75	1.162-01	1.062-03	7.001-01
1.3	3.00	3.00	1.240-01	8.734-04	7.352-01
1.3	3.00	3.25	1.293-01	7.160-04	7.697-01
1.3	3.00	3.50	1.324-01	5.871-04	8.034-01
1.3	3.00	3.75	1.338-01	4.825-04	8.366-01
1.3	3.00	4.00	1.340-01	3.979-04	8.692-01
1.3	3.00	4.25	1.332-01	3.295-04	9.012-01
1.3	3.00	4.50	1.315-01	2.740-04	9.326-01
1.3	3.00	5.00	1.268-01	1.922-04	9.940-01
1.3	3.00	5.50	1.206-01	1.372-04	1.054 00
1.3	3.00	6.00	1.141-01	9.972-05	1.111 00
1.3	3.00	7.00	1.007-01	5.518-05	1.222 00
1.3	3.00	8.00	8.834-02	3.225-05	1.328 00
1.3	3.00	10.00	6.812-02	1.261-05	1.526 00
1.3	3.25	1.50	3.116-02	2.022-03	5.243-01
1.3	3.25	1.75	5.603-02	2.320-03	5.612-01
1.3	3.25	2.00	7.949-02	2.226-03	5.982-01
1.3	3.25	2.25	9.949-02	1.971-03	6.348-01
1.3	3.25	2.50	1.156-01	1.677-03	6.710-01
1.3	3.25	2.75	1.279-01	1.398-03	7.066-01
1.3	3.25	3.00	1.368-01	1.154-03	7.415-01
1.3	3.25	3.25	1.429-01	9.498-04	7.759-01
1.3	3.25	3.50	1.467-01	7.814-04	8.097-01
1.3	3.25	3.75	1.485-01	6.441-04	8.428-01
1.3	3.25	4.00	1.491-01	5.326-04	8.754-01
1.3	3.25	4.25	1.483-01	4.420-04	9.074-01
1.3	3.25	4.50	1.468-01	3.685-04	9.388-01
1.3	3.25	5.00	1.418-01	2.594-04	1.000 00
1.3	3.25	5.50	1.352-01	1.859-04	1.060 00
1.3	3.25	6.00	1.282-01	1.355-04	1.118 00
1.3	3.25	7.00	1.135-01	7.532-05	1.229 00
1.3	3.25	8.00	9.989-02	4.420-05	1.335 00
1.3	3.25	10.00	7.737-02	1.738-05	1.534 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.3	3.50	1.50	3.309-02	2.460-03	5.299-01
1.3	3.50	1.75	5.978-02	2.849-03	5.664-01
1.3	3.50	2.00	8.512-02	2.753-03	6.031-01
1.3	3.50	2.25	1.069-01	2.452-03	6.394-01
1.3	3.50	2.50	1.246-01	2.097-03	6.754-01
1.3	3.50	2.75	1.382-01	1.756-03	7.108-01
1.3	3.50	3.00	1.481-01	1.456-03	7.456-01
1.3	3.50	3.25	1.551-01	1.202-03	7.798-01
1.3	3.50	3.50	1.595-01	9.920-04	8.134-01
1.3	3.50	3.75	1.618-01	8.199-04	8.464-01
1.3	3.50	4.00	1.627-01	6.797-04	8.789-01
1.3	3.50	4.25	1.621-01	5.654-04	9.108-01
1.3	3.50	4.50	1.606-01	4.723-04	9.422-01
1.3	3.50	5.00	1.556-01	3.337-04	1.003 00
1.3	3.50	5.50	1.487-01	2.399-04	1.063 00
1.3	3.50	6.00	1.413-01	1.752-04	1.121 00
1.3	3.50	7.00	1.255-01	9.788-05	1.232 00
1.3	3.50	8.00	1.107-01	5.764-05	1.338 00
1.3	3.50	10.00	8.607-02	2.279-05	1.536 00
1.3	3.75	1.50	3.471-02	2.897-03	5.342-01
1.3	3.75	1.75	6.296-02	3.382-03	5.703-01
1.3	3.75	2.00	8.997-02	3.291-03	6.066-01
1.3	3.75	2.25	1.133-01	2.948-03	6.426-01
1.3	3.75	2.50	1.324-01	2.533-03	6.783-01
1.3	3.75	2.75	1.473-01	2.130-03	7.134-01
1.3	3.75	3.00	1.582-01	1.772-03	7.480-01
1.3	3.75	3.25	1.660-01	1.468-03	7.820-01
1.3	3.75	3.50	1.710-01	1.215-03	8.154-01
1.3	3.75	3.75	1.738-01	1.007-03	8.483-01
1.3	3.75	4.00	1.750-01	8.364-04	8.806-01
1.3	3.75	4.25	1.746-01	6.972-04	9.124-01
1.3	3.75	4.50	1.732-01	5.835-04	9.436-01
1.3	3.75	5.00	1.682-01	4.137-04	1.005 00
1.3	3.75	5.50	1.610-01	2.982-04	1.064 00
1.3	3.75	6.00	1.533-01	2.184-04	1.122 00
1.3	3.75	7.00	1.366-01	1.225-04	1.232 00
1.3	3.75	8.00	1.207-01	7.238-05	1.338 00
1.3	3.75	10.00	9.426-02	2.876-05	1.536 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.3	4.00	1.50	3.606-02	3.325-03	5.375-01
1.3	4.00	1.75	6.566-02	3.912-03	5.732-01
1.3	4.00	2.00	9.414-02	3.830-03	6.091-01
1.3	4.00	2.25	1.189-01	3.449-03	6.448-01
1.3	4.00	2.50	1.393-01	2.977-03	6.801-01
1.3	4.00	2.75	1.553-01	2.513-03	7.149-01
1.3	4.00	3.00	1.672-01	2.098-03	7.493-01
1.3	4.00	3.25	1.758-01	1.743-03	7.831-01
1.3	4.00	3.50	1.814-01	1.446-03	8.163-01
1.3	4.00	3.75	1.846-01	1.201-03	8.489-01
1.3	4.00	4.00	1.861-01	1.000-03	8.810-01
1.3	4.00	4.25	1.860-01	8.354-04	9.126-01
1.3	4.00	4.50	1.847-01	7.004-04	9.437-01
1.3	4.00	5.00	1.798-01	4.982-04	1.004 00
1.3	4.00	5.50	1.724-01	3.601-04	1.063 00
1.3	4.00	6.00	1.644-01	2.643-04	1.121 00
1.3	4.00	7.00	1.469-01	1.488-04	1.231 00
1.3	4.00	8.00	1.301-01	8.821-05	1.337 00
1.3	4.00	10.00	1.019-01	3.521-05	1.534 00
1.3	5.00	1.50	3.956-02	4.883-03	5.449-01
1.3	5.00	1.75	7.301-02	5.899-03	5.789-01
1.3	5.00	2.00	1.059-01	5.903-03	6.132-01
1.3	5.00	2.25	1.351-01	5.413-03	6.474-01
1.3	5.00	2.50	1.597-01	4.745-03	6.815-01
1.3	5.00	2.75	1.795-01	4.060-03	7.151-01
1.3	5.00	3.00	1.945-01	3.429-03	7.483-01
1.3	5.00	3.25	2.059-01	2.878-03	7.810-01
1.3	5.00	3.50	2.137-01	2.410-03	8.132-01
1.3	5.00	3.75	2.186-01	2.018-03	8.450-01
1.3	5.00	4.00	2.215-01	1.693-03	8.762-01
1.3	5.00	4.25	2.223-01	1.423-03	9.070-01
1.3	5.00	4.50	2.217-01	1.201-03	9.373-01
1.3	5.00	5.00	2.174-01	8.632-04	9.965-01
1.3	5.00	5.50	2.098-01	6.297-04	1.054 00
1.3	5.00	6.00	2.012-01	4.660-04	1.110 00
1.3	5.00	7.00	1.814-01	2.658-04	1.218 00
1.3	5.00	8.00	1.620-01	1.593-04	1.322 00
1.3	5.00	10.00	1.285-01	6.460-05	1.515 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.3	6.00	1.50	4.122-02	6.156-03	5.477-01
1.3	6.00	1.75	7.689-02	7.597-03	5.802-01
1.3	6.00	2.00	1.126-01	7.736-03	6.130-01
1.3	6.00	2.25	1.448-01	7.198-03	6.460-01
1.3	6.00	2.50	1.724-01	6.390-03	6.787-01
1.3	6.00	2.75	1.949-01	5.526-03	7.112-01
1.3	6.00	3.00	2.125-01	4.712-03	7.433-01
1.3	6.00	3.25	2.260-01	3.987-03	7.750-01
1.3	6.00	3.50	2.357-01	3.364-03	8.063-01
1.3	6.00	3.75	2.422-01	2.835-03	8.371-01
1.3	6.00	4.00	2.463-01	2.393-03	8.675-01
1.3	6.00	4.25	2.481-01	2.022-03	8.974-01
1.3	6.00	4.50	2.483-01	1.714-03	9.269-01
1.3	6.00	5.00	2.449-01	1.243-03	9.846-01
1.3	6.00	5.50	2.376-01	9.138-04	1.041 00
1.3	6.00	6.00	2.289-01	6.806-04	1.096 00
1.3	6.00	7.00	2.080-01	3.925-04	1.201 00
1.3	6.00	8.00	1.869-01	2.371-04	1.302 00
1.3	6.00	10.00	1.496-01	9.743-05	1.492 00
1.3	8.00	1.50	4.206-02	7.976-03	5.486-01
1.3	8.00	1.75	7.978-02	1.017-02	5.787-01
1.3	8.00	2.00	1.185-01	1.064-02	6.093-01
1.3	8.00	2.25	1.544-01	1.013-02	6.401-01
1.3	8.00	2.50	1.858-01	9.166-03	6.708-01
1.3	8.00	2.75	2.122-01	8.060-03	7.014-01
1.3	8.00	3.00	2.334-01	6.973-03	7.317-01
1.3	8.00	3.25	2.502-01	5.977-03	7.617-01
1.3	8.00	3.50	2.628-01	5.100-03	7.913-01
1.3	8.00	3.75	2.718-01	4.343-03	8.205-01
1.3	8.00	4.00	2.782-01	3.698-03	8.494-01
1.3	8.00	4.25	2.817-01	3.153-03	8.779-01
1.3	8.00	4.50	2.834-01	2.693-03	9.060-01
1.3	8.00	5.00	2.822-01	1.979-03	9.611-01
1.3	8.00	5.50	2.758-01	1.471-03	1.015 00
1.3	8.00	6.00	2.676-01	1.107-03	1.067 00
1.3	8.00	7.00	2.461-01	6.490-04	1.168 00
1.3	8.00	8.00	2.233-01	3.973-04	1.265 00
1.3	8.00	10.00	1.814-01	1.665-04	1.448 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.3	10.00	1.50	4.162-02	9.140-03	5.476-01
1.3	10.00	1.75	7.993-02	1.195-02	5.759-01
1.3	10.00	2.00	1.200-01	1.276-02	6.049-01
1.3	10.00	2.25	1.578-01	1.235-02	6.340-01
1.3	10.00	2.50	1.916-01	1.134-02	6.632-01
1.3	10.00	2.75	2.204-01	1.010-02	6.924-01
1.3	10.00	3.00	2.440-01	8.831-03	7.213-01
1.3	10.00	3.25	2.632-01	7.643-03	7.499-01
1.3	10.00	3.50	2.780-01	6.577-03	7.783-01
1.3	10.00	3.75	2.890-01	5.645-03	8.063-01
1.3	10.00	4.00	2.971-01	4.841-03	8.340-01
1.3	10.00	4.25	3.022-01	4.152-03	8.614-01
1.3	10.00	4.50	3.051-01	3.567-03	8.884-01
1.3	10.00	5.00	3.059-01	2.649-03	9.414-01
1.3	10.00	5.50	3.009-01	1.986-03	9.932-01
1.3	10.00	6.00	2.935-01	1.505-03	1.044 00
1.3	10.00	7.00	2.722-01	8.937-04	1.141 00
1.3	10.00	8.00	2.488-01	5.526-04	1.235 00
1.3	10.00	10.00	2.044-01	2.351-04	1.412 00
1.3	15.00	1.50	3.933-02	1.063-02	5.444-01
1.3	15.00	1.75	7.720-02	1.450-02	5.697-01
1.3	15.00	2.00	1.181-01	1.604-02	5.958-01
1.3	15.00	2.25	1.580-01	1.599-02	6.223-01
1.3	15.00	2.50	1.946-01	1.506-02	6.490-01
1.3	15.00	2.75	2.267-01	1.371-02	6.756-01
1.3	15.00	3.00	2.540-01	1.222-02	7.022-01
1.3	15.00	3.25	2.769-01	1.075-02	7.286-01
1.3	15.00	3.50	2.951-01	9.395-03	7.548-01
1.3	15.00	3.75	3.094-01	8.171-03	7.808-01
1.3	15.00	4.00	3.207-01	7.093-03	8.065-01
1.3	15.00	4.25	3.286-01	6.151-03	8.319-01
1.3	15.00	4.50	3.340-01	5.338-03	8.571-01
1.3	15.00	5.00	3.390-01	4.034-03	9.065-01
1.3	15.00	5.50	3.369-01	3.071-03	9.549-01
1.3	15.00	6.00	3.317-01	2.359-03	1.002 00
1.3	15.00	7.00	3.125-01	1.431-03	1.094 00
1.3	15.00	8.00	2.892-01	9.003-04	1.182 00
1.3	15.00	10.00	2.423-01	3.931-04	1.349 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.3	20.00	1.50	3.710-02	1.125-02	5.416-01
1.3	20.00	1.75	7.389-02	1.579-02	5.652-01
1.3	20.00	2.00	1.145-01	1.787-02	5.896-01
1.3	20.00	2.25	1.548-01	1.818-02	6.144-01
1.3	20.00	2.50	1.926-01	1.741-02	6.394-01
1.3	20.00	2.75	2.264-01	1.607-02	6.645-01
1.3	20.00	3.00	2.556-01	1.451-02	6.895-01
1.3	20.00	3.25	2.806-01	1.292-02	7.145-01
1.3	20.00	3.50	3.010-01	1.140-02	7.393-01
1.3	20.00	3.75	3.174-01	1.001-02	7.640-01
1.3	20.00	4.00	3.308-01	8.757-03	7.884-01
1.3	20.00	4.25	3.406-01	7.652-03	8.126-01
1.3	20.00	4.50	3.477-01	6.685-03	8.365-01
1.3	20.00	5.00	3.559-01	5.113-03	8.837-01
1.3	20.00	5.50	3.561-01	3.933-03	9.298-01
1.3	20.00	6.00	3.529-01	3.047-03	9.751-01
1.3	20.00	7.00	3.359-01	1.876-03	1.063 00
1.3	20.00	8.00	3.136-01	1.194-03	1.147 00
1.3	20.00	10.00	2.662-01	5.308-04	1.307 00
1.3	25.00	1.50	3.524-02	1.153-02	5.396-01
1.3	25.00	1.75	7.093-02	1.651-02	5.619-01
1.3	25.00	2.00	1.110-01	1.902-02	5.850-01
1.3	25.00	2.25	1.513-01	1.963-02	6.086-01
1.3	25.00	2.50	1.895-01	1.903-02	6.325-01
1.3	25.00	2.75	2.243-01	1.776-02	6.565-01
1.3	25.00	3.00	2.546-01	1.619-02	6.805-01
1.3	25.00	3.25	2.810-01	1.454-02	7.044-01
1.3	25.00	3.50	3.029-01	1.293-02	7.282-01
1.3	25.00	3.75	3.208-01	1.142-02	7.519-01
1.3	25.00	4.00	3.357-01	1.006-02	7.754-01
1.3	25.00	4.25	3.469-01	8.835-03	7.987-01
1.3	25.00	4.50	3.553-01	7.758-03	8.218-01
1.3	25.00	5.00	3.659-01	5.987-03	8.673-01
1.3	25.00	5.50	3.681-01	4.640-03	9.119-01
1.3	25.00	6.00	3.665-01	3.619-03	9.557-01
1.3	25.00	7.00	3.515-01	2.253-03	1.041 00
1.3	25.00	8.00	3.303-01	1.447-03	1.123 00
1.3	25.00	10.00	2.831-01	6.516-04	1.278 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.3	40.00	1.50	3.131-02	1.167-02	5.355-01
1.3	40.00	1.75	6.433-02	1.740-02	5.555-01
1.3	40.00	2.00	1.025-01	2.073-02	5.764-01
1.3	40.00	2.25	1.420-01	2.202-02	5.978-01
1.3	40.00	2.50	1.805-01	2.188-02	6.195-01
1.3	40.00	2.75	2.164-01	2.087-02	6.415-01
1.3	40.00	3.00	2.485-01	1.939-02	6.635-01
1.3	40.00	3.25	2.771-01	1.770-02	6.855-01
1.3	40.00	3.50	3.015-01	1.597-02	7.075-01
1.3	40.00	3.75	3.221-01	1.430-02	7.294-01
1.3	40.00	4.00	3.397-01	1.275-02	7.512-01
1.3	40.00	4.25	3.535-01	1.132-02	7.728-01
1.3	40.00	4.50	3.646-01	1.004-02	7.943-01
1.3	40.00	5.00	3.801-01	7.891-03	8.367-01
1.3	40.00	5.50	3.864-01	6.210-03	8.783-01
1.3	40.00	6.00	3.884-01	4.908-03	9.193-01
1.3	40.00	7.00	3.783-01	3.123-03	9.990-01
1.3	40.00	8.00	3.600-01	2.041-03	1.076 00
1.3	40.00	10.00	3.147-01	9.440-04	1.222 00
1.3	60.00	1.50	2.813-02	1.147-02	5.324-01
1.3	60.00	1.75	5.873-02	1.765-02	5.508-01
1.3	60.00	2.00	9.496-02	2.160-02	5.700-01
1.3	60.00	2.25	1.333-01	2.346-02	5.898-01
1.3	60.00	2.50	1.713-01	2.378-02	6.100-01
1.3	60.00	2.75	2.074-01	2.306-02	6.305-01
1.3	60.00	3.00	2.404-01	2.175-02	6.510-01
1.3	60.00	3.25	2.703-01	2.012-02	6.717-01
1.3	60.00	3.50	2.963-01	1.838-02	6.923-01
1.3	60.00	3.75	3.187-01	1.664-02	7.128-01
1.3	60.00	4.00	3.383-01	1.497-02	7.333-01
1.3	60.00	4.25	3.542-01	1.342-02	7.537-01
1.3	60.00	4.50	3.672-01	1.200-02	7.740-01
1.3	60.00	5.00	3.866-01	9.562-03	8.140-01
1.3	60.00	5.50	3.962-01	7.619-03	8.534-01
1.3	60.00	6.00	4.013-01	6.087-03	8.923-01
1.3	60.00	7.00	3.958-01	3.943-03	9.680-01
1.3	60.00	8.00	3.807-01	2.614-03	1.041 00
1.3	60.00	10.00	3.380-01	1.235-03	1.181 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.3	100.00	1.50	2.458-02	1.098-02	5.292-01
1.3	100.00	1.75	5.223-02	1.752-02	5.458-01
1.3	100.00	2.00	8.584-02	2.209-02	5.633-01
1.3	100.00	2.25	1.223-01	2.462-02	5.814-01
1.3	100.00	2.50	1.592-01	2.552-02	6.000-01
1.3	100.00	2.75	1.950-01	2.525-02	6.188-01
1.3	100.00	3.00	2.284-01	2.423-02	6.378-01
1.3	100.00	3.25	2.593-01	2.277-02	6.569-01
1.3	100.00	3.50	2.867-01	2.108-02	6.760-01
1.3	100.00	3.75	3.109-01	1.933-02	6.951-01
1.3	100.00	4.00	3.325-01	1.759-02	7.142-01
1.3	100.00	4.25	3.505-01	1.593-02	7.332-01
1.3	100.00	4.50	3.656-01	1.438-02	7.521-01
1.3	100.00	5.00	3.894-01	1.166-02	7.896-01
1.3	100.00	5.50	4.030-01	9.426-03	8.266-01
1.3	100.00	6.00	4.119-01	7.625-03	8.631-01
1.3	100.00	7.00	4.122-01	5.044-03	9.345-01
1.3	100.00	8.00	4.013-01	3.401-03	1.004 00
1.3	100.00	10.00	3.631-01	1.648-03	1.136 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.4	1.20	1.50	5.916-04	1.247-07	1.865-01
1.4	1.20	1.75	9.853-04	1.281-07	2.031-01
1.4	1.20	2.00	1.311-03	1.122-07	2.194-01
1.4	1.20	2.25	1.555-03	9.205-08	2.353-01
1.4	1.20	2.50	1.724-03	7.342-08	2.508-01
1.4	1.20	2.75	1.830-03	5.790-08	2.659-01
1.4	1.20	3.00	1.886-03	4.556-08	2.807-01
1.4	1.20	3.25	1.906-03	3.593-08	2.950-01
1.4	1.20	3.50	1.899-03	2.846-08	3.090-01
1.4	1.20	3.75	1.872-03	2.267-08	3.227-01
1.4	1.20	4.00	1.831-03	1.818-08	3.361-01
1.4	1.20	4.25	1.782-03	1.468-08	3.492-01
1.4	1.20	4.50	1.728-03	1.192-08	3.620-01
1.4	1.20	5.00	1.608-03	8.021-09	3.870-01
1.4	1.20	5.50	1.487-03	5.528-09	4.112-01
1.4	1.20	6.00	1.370-03	3.893-09	4.346-01
1.4	1.20	7.00	1.157-03	2.045-09	4.794-01
1.4	1.20	8.00	9.790-04	1.147-09	5.219-01
1.4	1.20	10.00	7.139-04	4.200-10	6.008-01
1.4	1.40	1.50	2.806-03	5.249-06	2.962-01
1.4	1.40	1.75	4.714-03	5.486-06	3.217-01
1.4	1.40	2.00	6.323-03	4.877-06	3.468-01
1.4	1.40	2.25	7.550-03	4.051-06	3.713-01
1.4	1.40	2.50	8.419-03	3.265-06	3.952-01
1.4	1.40	2.75	8.987-03	2.599-06	4.185-01
1.4	1.40	3.00	9.307-03	2.061-06	4.413-01
1.4	1.40	3.25	9.448-03	1.636-06	4.635-01
1.4	1.40	3.50	9.449-03	1.304-06	4.852-01
1.4	1.40	3.75	9.349-03	1.045-06	5.064-01
1.4	1.40	4.00	9.178-03	8.423-07	5.271-01
1.4	1.40	4.25	8.960-03	6.830-07	5.475-01
1.4	1.40	4.50	8.709-03	5.572-07	5.674-01
1.4	1.40	5.00	8.148-03	3.777-07	6.062-01
1.4	1.40	5.50	7.566-03	2.619-07	6.438-01
1.4	1.40	6.00	6.998-03	1.855-07	6.801-01
1.4	1.40	7.00	5.954-03	9.833-08	7.499-01
1.4	1.40	8.00	5.063-03	5.555-08	8.161-01
1.4	1.40	10.00	3.723-03	2.059-08	9.390-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.4	1.60	1.50	6.010-03	3.412-05	3.657-01
1.4	1.60	1.75	1.017-02	3.621-05	3.962-01
1.4	1.60	2.00	1.374-02	3.261-05	4.262-01
1.4	1.60	2.25	1.650-02	2.738-05	4.556-01
1.4	1.60	2.50	1.850-02	2.227-05	4.843-01
1.4	1.60	2.75	1.984-02	1.786-05	5.124-01
1.4	1.60	3.00	2.064-02	1.426-05	5.398-01
1.4	1.60	3.25	2.103-02	1.140-05	5.666-01
1.4	1.60	3.50	2.111-02	9.132-06	5.927-01
1.4	1.60	3.75	2.095-02	7.353-06	6.184-01
1.4	1.60	4.00	2.063-02	5.952-06	6.434-01
1.4	1.60	4.25	2.019-02	4.846-06	6.680-01
1.4	1.60	4.50	1.967-02	3.968-06	6.921-01
1.4	1.60	5.00	1.849-02	2.707-06	7.391-01
1.4	1.60	5.50	1.723-02	1.888-06	7.845-01
1.4	1.60	6.00	1.599-02	1.343-06	8.285-01
1.4	1.60	7.00	1.369-02	7.179-07	9.131-01
1.4	1.60	8.00	1.169-02	4.082-07	9.933-01
1.4	1.60	10.00	8.662-03	1.528-07	1.142 00
1.4	1.80	1.50	9.530-03	1.087-04	4.121-01
1.4	1.80	1.75	1.624-02	1.170-04	4.454-01
1.4	1.80	2.00	2.206-02	1.066-04	4.783-01
1.4	1.80	2.25	2.664-02	9.034-05	5.106-01
1.4	1.80	2.50	3.001-02	7.408-05	5.422-01
1.4	1.80	2.75	3.231-02	5.984-05	5.731-01
1.4	1.80	3.00	3.373-02	4.808-05	6.033-01
1.4	1.80	3.25	3.450-02	3.861-05	6.328-01
1.4	1.80	3.50	3.473-02	3.109-05	6.617-01
1.4	1.80	3.75	3.456-02	2.514-05	6.900-01
1.4	1.80	4.00	3.412-02	2.043-05	7.177-01
1.4	1.80	4.25	3.348-02	1.669-05	7.448-01
1.4	1.80	4.50	3.269-02	1.372-05	7.715-01
1.4	1.80	5.00	3.084-02	9.410-06	8.235-01
1.4	1.80	5.50	2.885-02	6.595-06	8.737-01
1.4	1.80	6.00	2.685-02	4.713-06	9.225-01
1.4	1.80	7.00	2.310-02	2.537-06	1.016 00
1.4	1.80	8.00	1.981-02	1.451-06	1.105 00
1.4	1.80	10.00	1.477-02	5.478-07	1.271 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.4	2.00	1.50	1.298-02	2.411-04	4.444-01
1.4	2.00	1.75	2.226-02	2.627-04	4.794-01
1.4	2.00	2.00	3.040-02	2.417-04	5.140-01
1.4	2.00	2.25	3.688-02	2.066-04	5.480-01
1.4	2.00	2.50	4.170-02	1.707-04	5.813-01
1.4	2.00	2.75	4.508-02	1.387-04	6.139-01
1.4	2.00	3.00	4.722-02	1.121-04	6.458-01
1.4	2.00	3.25	4.843-02	9.045-05	6.770-01
1.4	2.00	3.50	4.889-02	7.315-05	7.075-01
1.4	2.00	3.75	4.879-02	5.938-05	7.375-01
1.4	2.00	4.00	4.827-02	4.843-05	7.668-01
1.4	2.00	4.25	4.746-02	3.969-05	7.956-01
1.4	2.00	4.50	4.644-02	3.270-05	8.238-01
1.4	2.00	5.00	4.397-02	2.255-05	8.789-01
1.4	2.00	5.50	4.125-02	1.588-05	9.322-01
1.4	2.00	6.00	3.850-02	1.139-05	9.839-01
1.4	2.00	7.00	3.327-02	6.171-06	1.083 00
1.4	2.00	8.00	2.865-02	3.547-06	1.178 00
1.4	2.00	10.00	2.148-02	1.350-06	1.354 00
1.4	2.25	1.50	1.693-02	4.878-04	4.724-01
1.4	2.25	1.75	2.923-02	5.389-04	5.084-01
1.4	2.25	2.00	4.016-02	5.015-04	5.441-01
1.4	2.25	2.25	4.898-02	4.329-04	5.793-01
1.4	2.25	2.50	5.564-02	3.605-04	6.138-01
1.4	2.25	2.75	6.040-02	2.951-04	6.476-01
1.4	2.25	3.00	6.350-02	2.399-04	6.807-01
1.4	2.25	3.25	6.536-02	1.946-04	7.132-01
1.4	2.25	3.50	6.619-02	1.582-04	7.450-01
1.4	2.25	3.75	6.623-02	1.290-04	7.761-01
1.4	2.25	4.00	6.571-02	1.056-04	8.066-01
1.4	2.25	4.25	6.475-02	8.685-05	8.366-01
1.4	2.25	4.50	6.350-02	7.179-05	8.660-01
1.4	2.25	5.00	6.035-02	4.980-05	9.235-01
1.4	2.25	5.50	5.681-02	3.523-05	9.790-01
1.4	2.25	6.00	5.319-02	2.538-05	1.033 00
1.4	2.25	7.00	4.619-02	1.385-05	1.137 00
1.4	2.25	8.00	3.994-02	8.008-06	1.235 00
1.4	2.25	10.00	3.015-02	3.074-06	1.419 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.4	2.50	1.50	2.038-02	8.110-04	4.917-01
1.4	2.50	1.75	3.539-02	9.072-04	5.281-01
1.4	2.50	2.00	4.889-02	8.529-04	5.643-01
1.4	2.50	2.25	5.991-02	7.426-04	6.000-01
1.4	2.50	2.50	6.835-02	6.229-04	6.351-01
1.4	2.50	2.75	7.447-02	5.132-04	6.695-01
1.4	2.50	3.00	7.856-02	4.194-04	7.033-01
1.4	2.50	3.25	8.111-02	3.420-04	7.363-01
1.4	2.50	3.50	8.236-02	2.791-04	7.687-01
1.4	2.50	3.75	8.262-02	2.285-04	8.005-01
1.4	2.50	4.00	8.216-02	1.877-04	8.317-01
1.4	2.50	4.25	8.114-02	1.549-04	8.623-01
1.4	2.50	4.50	7.972-02	1.284-04	8.924-01
1.4	2.50	5.00	7.604-02	8.954-05	9.511-01
1.4	2.50	5.50	7.180-02	6.363-05	1.008 00
1.4	2.50	6.00	6.740-02	4.603-05	1.063 00
1.4	2.50	7.00	5.880-02	2.528-05	1.170 00
1.4	2.50	8.00	5.104-02	1.469-05	1.271 00
1.4	2.50	10.00	3.875-02	5.684-06	1.459 00
1.4	2.75	1.50	2.332-02	1.190-03	5.054-01
1.4	2.75	1.75	4.073-02	1.347-03	5.419-01
1.4	2.75	2.00	5.653-02	1.278-03	5.782-01
1.4	2.75	2.25	6.957-02	1.121-03	6.141-01
1.4	2.75	2.50	7.967-02	9.470-04	6.493-01
1.4	2.75	2.75	8.711-02	7.846-04	6.840-01
1.4	2.75	3.00	9.217-02	6.445-04	7.180-01
1.4	2.75	3.25	9.543-02	5.278-04	7.514-01
1.4	2.75	3.50	9.714-02	4.325-04	7.841-01
1.4	2.75	3.75	9.767-02	3.553-04	8.162-01
1.4	2.75	4.00	9.733-02	2.928-04	8.477-01
1.4	2.75	4.25	9.631-02	2.423-04	8.786-01
1.4	2.75	4.50	9.480-02	2.015-04	9.090-01
1.4	2.75	5.00	9.070-02	1.411-04	9.684-01
1.4	2.75	5.50	8.588-02	1.007-04	1.026 00
1.4	2.75	6.00	8.082-02	7.308-05	1.082 00
1.4	2.75	7.00	7.080-02	4.037-05	1.189 00
1.4	2.75	8.00	6.166-02	2.357-05	1.292 00
1.4	2.75	10.00	4.706-02	9.186-06	1.483 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.4	3.00	1.50	2.581-02	1.606-03	5.154-01
1.4	3.00	1.75	4.530-02	1.836-03	5.517-01
1.4	3.00	2.00	6.316-02	1.757-03	5.879-01
1.4	3.00	2.25	7.803-02	1.553-03	6.237-01
1.4	3.00	2.50	8.967-02	1.319-03	6.590-01
1.4	3.00	2.75	9.834-02	1.099-03	6.937-01
1.4	3.00	3.00	1.043-01	9.067-04	7.277-01
1.4	3.00	3.25	1.083-01	7.456-04	7.612-01
1.4	3.00	3.50	1.105-01	6.132-04	7.939-01
1.4	3.00	3.75	1.113-01	5.053-04	8.261-01
1.4	3.00	4.00	1.112-01	4.177-04	8.578-01
1.4	3.00	4.25	1.102-01	3.466-04	8.888-01
1.4	3.00	4.50	1.086-01	2.888-04	9.194-01
1.4	3.00	5.00	1.043-01	2.032-04	9.790-01
1.4	3.00	5.50	9.896-02	1.455-04	1.037 00
1.4	3.00	6.00	9.333-02	1.060-04	1.093 00
1.4	3.00	7.00	8.207-02	5.884-05	1.201 00
1.4	3.00	8.00	7.169-02	3.450-05	1.304 00
1.4	3.00	10.00	5.498-02	1.353-05	1.497 00
1.4	3.25	1.50	2.790-02	2.042-03	5.229-01
1.4	3.25	1.75	4.920-02	2.356-03	5.589-01
1.4	3.25	2.00	6.888-02	2.273-03	5.948-01
1.4	3.25	2.25	8.540-02	2.021-03	6.305-01
1.4	3.25	2.50	9.845-02	1.727-03	6.656-01
1.4	3.25	2.75	1.083-01	1.446-03	7.001-01
1.4	3.25	3.00	1.152-01	1.198-03	7.341-01
1.4	3.25	3.25	1.198-01	9.887-04	7.675-01
1.4	3.25	3.50	1.225-01	8.158-04	8.002-01
1.4	3.25	3.75	1.237-01	6.742-04	8.324-01
1.4	3.25	4.00	1.237-01	5.589-04	8.640-01
1.4	3.25	4.25	1.228-01	4.649-04	8.950-01
1.4	3.25	4.50	1.213-01	3.882-04	9.256-01
1.4	3.25	5.00	1.167-01	2.742-04	9.853-01
1.4	3.25	5.50	1.110-01	1.970-04	1.043 00
1.4	3.25	6.00	1.049-01	1.439-04	1.099 00
1.4	3.25	7.00	9.259-02	8.030-05	1.208 00
1.4	3.25	8.00	8.110-02	4.727-05	1.311 00
1.4	3.25	10.00	6.247-02	1.865-05	1.504 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.4	3.50	1.50	2.965-02	2.485-03	5.285-01
1.4	3.50	1.75	5.252-02	2.892-03	5.641-01
1.4	3.50	2.00	7.381-02	2.810-03	5.998-01
1.4	3.50	2.25	9.182-02	2.515-03	6.351-01
1.4	3.50	2.50	1.062-01	2.160-03	6.700-01
1.4	3.50	2.75	1.171-01	1.816-03	7.044-01
1.4	3.50	3.00	1.248-01	1.510-03	7.382-01
1.4	3.50	3.25	1.302-01	1.251-03	7.714-01
1.4	3.50	3.50	1.333-01	1.035-03	8.040-01
1.4	3.50	3.75	1.348-01	8.580-04	8.361-01
1.4	3.50	4.00	1.351-01	7.130-04	8.676-01
1.4	3.50	4.25	1.343-01	5.944-04	8.985-01
1.4	3.50	4.50	1.328-01	4.974-04	9.290-01
1.4	3.50	5.00	1.281-01	3.526-04	9.886-01
1.4	3.50	5.50	1.221-01	2.542-04	1.046 00
1.4	3.50	6.00	1.156-01	1.861-04	1.103 00
1.4	3.50	7.00	1.024-01	1.043-04	1.211 00
1.4	3.50	8.00	8.989-02	6.164-05	1.314 00
1.4	3.50	10.00	6.953-02	2.446-05	1.507 00
1.4	3.75	1.50	3.112-02	2.925-03	5.328-01
1.4	3.75	1.75	5.535-02	3.433-03	5.680-01
1.4	3.75	2.00	7.806-02	3.357-03	6.033-01
1.4	3.75	2.25	9.740-02	3.021-03	6.384-01
1.4	3.75	2.50	1.129-01	2.607-03	6.730-01
1.4	3.75	2.75	1.248-01	2.201-03	7.071-01
1.4	3.75	3.00	1.334-01	1.838-03	7.407-01
1.4	3.75	3.25	1.394-01	1.527-03	7.737-01
1.4	3.75	3.50	1.430-01	1.267-03	8.061-01
1.4	3.75	3.75	1.449-01	1.053-03	8.380-01
1.4	3.75	4.00	1.454-01	8.771-04	8.694-01
1.4	3.75	4.25	1.447-01	7.327-04	9.002-01
1.4	3.75	4.50	1.433-01	6.144-04	9.305-01
1.4	3.75	5.00	1.385-01	4.370-04	9.898-01
1.4	3.75	5.50	1.323-01	3.159-04	1.047 00
1.4	3.75	6.00	1.255-01	2.319-04	1.103 00
1.4	3.75	7.00	1.115-01	1.305-04	1.211 00
1.4	3.75	8.00	9.811-02	7.739-05	1.314 00
1.4	3.75	10.00	7.617-02	3.086-05	1.507 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.4	4.00	1.50	3.236-02	3.356-03	5.361-01
1.4	4.00	1.75	5.776-02	3.969-03	5.709-01
1.4	4.00	2.00	8.172-02	3.906-03	6.058-01
1.4	4.00	2.25	1.023-01	3.534-03	6.406-01
1.4	4.00	2.50	1.189-01	3.064-03	6.749-01
1.4	4.00	2.75	1.317-01	2.596-03	7.087-01
1.4	4.00	3.00	1.410-01	2.175-03	7.420-01
1.4	4.00	3.25	1.476-01	1.813-03	7.748-01
1.4	4.00	3.50	1.518-01	1.508-03	8.070-01
1.4	4.00	3.75	1.540-01	1.256-03	8.387-01
1.4	4.00	4.00	1.547-01	1.049-03	8.699-01
1.4	4.00	4.25	1.542-01	8.777-04	9.005-01
1.4	4.00	4.50	1.529-01	7.373-04	9.307-01
1.4	4.00	5.00	1.481-01	5.261-04	9.898-01
1.4	4.00	5.50	1.417-01	3.813-04	1.047 00
1.4	4.00	6.00	1.347-01	2.806-04	1.103 00
1.4	4.00	7.00	1.199-01	1.586-04	1.210 00
1.4	4.00	8.00	1.058-01	9.430-05	1.313 00
1.4	4.00	10.00	8.241-02	3.779-05	1.505 00
1.4	5.00	1.50	3.559-02	4.926-03	5.436-01
1.4	5.00	1.75	6.436-02	5.980-03	5.767-01
1.4	5.00	2.00	9.210-02	6.014-03	6.101-01
1.4	5.00	2.25	1.164-01	5.541-03	6.434-01
1.4	5.00	2.50	1.365-01	4.878-03	6.765-01
1.4	5.00	2.75	1.524-01	4.189-03	7.091-01
1.4	5.00	3.00	1.644-01	3.551-03	7.413-01
1.4	5.00	3.25	1.732-01	2.989-03	7.731-01
1.4	5.00	3.50	1.790-01	2.511-03	8.044-01
1.4	5.00	3.75	1.826-01	2.108-03	8.351-01
1.4	5.00	4.00	1.844-01	1.773-03	8.655-01
1.4	5.00	4.25	1.846-01	1.494-03	8.953-01
1.4	5.00	4.50	1.837-01	1.263-03	9.247-01
1.4	5.00	5.00	1.793-01	9.107-04	9.823-01
1.4	5.00	5.50	1.727-01	6.663-04	1.038 00
1.4	5.00	6.00	1.650-01	4.943-04	1.093 00
1.4	5.00	7.00	1.483-01	2.831-04	1.198 00
1.4	5.00	8.00	1.319-01	1.701-04	1.298 00
1.4	5.00	10.00	1.040-01	6.930-05	1.487 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.4	6.00	1.50	3.715-02	6.207-03	5.464-01
1.4	6.00	1.75	6.789-02	7.696-03	5.781-01
1.4	6.00	2.00	9.805-02	7.876-03	6.101-01
1.4	6.00	2.25	1.249-01	7.362-03	6.422-01
1.4	6.00	2.50	1.475-01	6.563-03	6.740-01
1.4	6.00	2.75	1.658-01	5.697-03	7.055-01
1.4	6.00	3.00	1.798-01	4.874-03	7.367-01
1.4	6.00	3.25	1.904-01	4.138-03	7.674-01
1.4	6.00	3.50	1.978-01	3.501-03	7.977-01
1.4	6.00	3.75	2.025-01	2.959-03	8.276-01
1.4	6.00	4.00	2.053-01	2.503-03	8.571-01
1.4	6.00	4.25	2.063-01	2.121-03	8.861-01
1.4	6.00	4.50	2.060-01	1.801-03	9.147-01
1.4	6.00	5.00	2.023-01	1.311-03	9.708-01
1.4	6.00	5.50	1.958-01	9.662-04	1.025 00
1.4	6.00	6.00	1.879-01	7.215-04	1.079 00
1.4	6.00	7.00	1.702-01	4.177-04	1.181 00
1.4	6.00	8.00	1.522-01	2.532-04	1.279 00
1.4	6.00	10.00	1.212-01	1.045-04	1.464 00
1.4	8.00	1.50	3.802-02	8.037-03	5.475-01
1.4	8.00	1.75	7.063-02	1.029-02	5.768-01
1.4	8.00	2.00	1.035-01	1.082-02	6.066-01
1.4	8.00	2.25	1.335-01	1.035-02	6.365-01
1.4	8.00	2.50	1.594-01	9.401-03	6.664-01
1.4	8.00	2.75	1.809-01	8.298-03	6.961-01
1.4	8.00	3.00	1.978-01	7.203-03	7.255-01
1.4	8.00	3.25	2.112-01	6.194-03	7.546-01
1.4	8.00	3.50	2.210-01	5.300-03	7.833-01
1.4	8.00	3.75	2.278-01	4.526-03	8.116-01
1.4	8.00	4.00	2.323-01	3.864-03	8.396-01
1.4	8.00	4.25	2.347-01	3.301-03	8.672-01
1.4	8.00	4.50	2.356-01	2.826-03	8.945-01
1.4	8.00	5.00	2.334-01	2.084-03	9.480-01
1.4	8.00	5.50	2.278-01	1.554-03	1.000 00
1.4	8.00	6.00	2.201-01	1.172-03	1.051 00
1.4	8.00	7.00	2.017-01	6.901-04	1.149 00
1.4	8.00	8.00	1.821-01	4.240-04	1.244 00
1.4	8.00	10.00	1.471-01	1.785-04	1.421 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.4	10.00	1.50	3.770-02	9.205-03	5.466-01
1.4	10.00	1.75	7.092-02	1.208-02	5.742-01
1.4	10.00	2.00	1.050-01	1.296-02	6.023-01
1.4	10.00	2.25	1.367-01	1.260-02	6.307-01
1.4	10.00	2.50	1.646-01	1.162-02	6.591-01
1.4	10.00	2.75	1.882-01	1.038-02	6.873-01
1.4	10.00	3.00	2.072-01	9.113-03	7.154-01
1.4	10.00	3.25	2.226-01	7.912-03	7.432-01
1.4	10.00	3.50	2.341-01	6.829-03	7.707-01
1.4	10.00	3.75	2.425-01	5.877-03	7.979-01
1.4	10.00	4.00	2.485-01	5.052-03	8.247-01
1.4	10.00	4.25	2.521-01	4.344-03	8.512-01
1.4	10.00	4.50	2.540-01	3.740-03	8.774-01
1.4	10.00	5.00	2.534-01	2.786-03	9.289-01
1.4	10.00	5.50	2.488-01	2.096-03	9.792-01
1.4	10.00	6.00	2.416-01	1.593-03	1.028 00
1.4	10.00	7.00	2.234-01	9.496-04	1.123 00
1.4	10.00	8.00	2.032-01	5.893-04	1.214 00
1.4	10.00	10.00	1.660-01	2.519-04	1.386 00
1.4	15.00	1.50	3.577-02	1.070-02	5.434-01
1.4	15.00	1.75	6.875-02	1.465-02	5.682-01
1.4	15.00	2.00	1.037-01	1.627-02	5.936-01
1.4	15.00	2.25	1.373-01	1.629-02	6.193-01
1.4	15.00	2.50	1.677-01	1.540-02	6.452-01
1.4	15.00	2.75	1.942-01	1.407-02	6.711-01
1.4	15.00	3.00	2.162-01	1.258-02	6.969-01
1.4	15.00	3.25	2.347-01	1.111-02	7.225-01
1.4	15.00	3.50	2.492-01	9.735-03	7.479-01
1.4	15.00	3.75	2.604-01	8.491-03	7.730-01
1.4	15.00	4.00	2.689-01	7.389-03	7.980-01
1.4	15.00	4.25	2.748-01	6.423-03	8.226-01
1.4	15.00	4.50	2.787-01	5.586-03	8.470-01
1.4	15.00	5.00	2.815-01	4.237-03	8.950-01
1.4	15.00	5.50	2.792-01	3.236-03	9.419-01
1.4	15.00	6.00	2.737-01	2.492-03	9.879-01
1.4	15.00	7.00	2.570-01	1.519-03	1.077 00
1.4	15.00	8.00	2.366-01	9.590-04	1.163 00
1.4	15.00	10.00	1.971-01	4.209-04	1.325 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.4	20.00	1.50	3.383-02	1.132-02	5.408-01
1.4	20.00	1.75	6.598-02	1.593-02	5.638-01
1.4	20.00	2.00	1.008-01	1.811-02	5.875-01
1.4	20.00	2.25	1.349-01	1.849-02	6.116-01
1.4	20.00	2.50	1.663-01	1.778-02	6.359-01
1.4	20.00	2.75	1.943-01	1.648-02	6.602-01
1.4	20.00	3.00	2.180-01	1.493-02	6.845-01
1.4	20.00	3.25	2.383-01	1.333-02	7.088-01
1.4	20.00	3.50	2.546-01	1.180-02	7.328-01
1.4	20.00	3.75	2.676-01	1.039-02	7.567-01
1.4	20.00	4.00	2.778-01	9.111-03	7.804-01
1.4	20.00	4.25	2.854-01	7.980-03	8.038-01
1.4	20.00	4.50	2.907-01	6.986-03	8.270-01
1.4	20.00	5.00	2.960-01	5.363-03	8.728-01
1.4	20.00	5.50	2.956-01	4.139-03	9.176-01
1.4	20.00	6.00	2.916-01	3.216-03	9.615-01
1.4	20.00	7.00	2.767-01	1.989-03	1.047 00
1.4	20.00	8.00	2.569-01	1.271-03	1.129 00
1.4	20.00	10.00	2.167-01	5.680-04	1.284 00
1.4	25.00	1.50	3.219-02	1.159-02	5.388-01
1.4	25.00	1.75	6.346-02	1.665-02	5.605-01
1.4	25.00	2.00	9.783-02	1.925-02	5.830-01
1.4	25.00	2.25	1.320-01	1.995-02	6.060-01
1.4	25.00	2.50	1.639-01	1.942-02	6.291-01
1.4	25.00	2.75	1.927-01	1.819-02	6.524-01
1.4	25.00	3.00	2.175-01	1.664-02	6.757-01
1.4	25.00	3.25	2.391-01	1.499-02	6.989-01
1.4	25.00	3.50	2.566-01	1.336-02	7.220-01
1.4	25.00	3.75	2.708-01	1.184-02	7.450-01
1.4	25.00	4.00	2.823-01	1.045-02	7.677-01
1.4	25.00	4.25	2.910-01	9.205-03	7.903-01
1.4	25.00	4.50	2.974-01	8.100-03	8.127-01
1.4	25.00	5.00	3.047-01	6.275-03	8.568-01
1.4	25.00	5.50	3.059-01	4.879-03	9.001-01
1.4	25.00	6.00	3.031-01	3.817-03	9.426-01
1.4	25.00	7.00	2.899-01	2.387-03	1.025 00
1.4	25.00	8.00	2.709-01	1.539-03	1.105 00
1.4	25.00	10.00	2.307-01	6.970-04	1.256 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.4	40.00	1.50	2.869-02	1.172-02	5.348-01
1.4	40.00	1.75	5.778-02	1.753-02	5.543-01
1.4	40.00	2.00	9.070-02	2.096-02	5.746-01
1.4	40.00	2.25	1.243-01	2.234-02	5.954-01
1.4	40.00	2.50	1.566-01	2.229-02	6.165-01
1.4	40.00	2.75	1.864-01	2.133-02	6.378-01
1.4	40.00	3.00	2.128-01	1.988-02	6.592-01
1.4	40.00	3.25	2.364-01	1.821-02	6.806-01
1.4	40.00	3.50	2.561-01	1.648-02	7.019-01
1.4	40.00	3.75	2.725-01	1.480-02	7.231-01
1.4	40.00	4.00	2.864-01	1.322-02	7.442-01
1.4	40.00	4.25	2.973-01	1.178-02	7.651-01
1.4	40.00	4.50	3.059-01	1.047-02	7.859-01
1.4	40.00	5.00	3.172-01	8.255-03	8.270-01
1.4	40.00	5.50	3.218-01	6.519-03	8.674-01
1.4	40.00	6.00	3.218-01	5.169-03	9.071-01
1.4	40.00	7.00	3.126-01	3.304-03	9.845-01
1.4	40.00	8.00	2.958-01	2.169-03	1.059 00
1.4	40.00	10.00	2.569-01	1.009-03	1.201 00
1.4	60.00	1.50	2.585-02	1.151-02	5.318-01
1.4	60.00	1.75	5.292-02	1.776-02	5.497-01
1.4	60.00	2.00	8.427-02	2.181-02	5.684-01
1.4	60.00	2.25	1.170-01	2.377-02	5.877-01
1.4	60.00	2.50	1.490-01	2.418-02	6.073-01
1.4	60.00	2.75	1.792-01	2.354-02	6.271-01
1.4	60.00	3.00	2.063-01	2.227-02	6.471-01
1.4	60.00	3.25	2.311-01	2.067-02	6.671-01
1.4	60.00	3.50	2.522-01	1.893-02	6.870-01
1.4	60.00	3.75	2.703-01	1.719-02	7.070-01
1.4	60.00	4.00	2.858-01	1.550-02	7.268-01
1.4	60.00	4.25	2.984-01	1.393-02	7.465-01
1.4	60.00	4.50	3.087-01	1.248-02	7.661-01
1.4	60.00	5.00	3.232-01	9.989-03	8.050-01
1.4	60.00	5.50	3.306-01	7.986-03	8.432-01
1.4	60.00	6.00	3.331-01	6.401-03	8.809-01
1.4	60.00	7.00	3.276-01	4.166-03	9.543-01
1.4	60.00	8.00	3.132-01	2.774-03	1.025 00
1.4	60.00	10.00	2.763-01	1.319-03	1.161 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.4	100.00	1.50	2.265-02	1.102-02	5.286-01
1.4	100.00	1.75	4.723-02	1.761-02	5.448-01
1.4	100.00	2.00	7.645-02	2.227-02	5.619-01
1.4	100.00	2.25	1.077-01	2.491-02	5.795-01
1.4	100.00	2.50	1.389-01	2.591-02	5.974-01
1.4	100.00	2.75	1.690-01	2.572-02	6.157-01
1.4	100.00	3.00	1.966-01	2.476-02	6.341-01
1.4	100.00	3.25	2.223-01	2.334-02	6.526-01
1.4	100.00	3.50	2.447-01	2.168-02	6.711-01
1.4	100.00	3.75	2.643-01	1.993-02	6.897-01
1.4	100.00	4.00	2.815-01	1.819-02	7.082-01
1.4	100.00	4.25	2.960-01	1.651-02	7.266-01
1.4	100.00	4.50	3.080-01	1.494-02	7.449-01
1.4	100.00	5.00	3.263-01	1.216-02	7.813-01
1.4	100.00	5.50	3.370-01	9.863-03	8.171-01
1.4	100.00	6.00	3.425-01	8.006-03	8.525-01
1.4	100.00	7.00	3.419-01	5.322-03	9.217-01
1.4	100.00	8.00	3.308-01	3.604-03	9.889-01
1.4	100.00	10.00	2.973-01	1.758-03	1.117 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.5	1.20	1.50	5.558-04	1.261-07	1.858-01
1.5	1.20	1.75	9.134-04	1.302-07	2.020-01
1.5	1.20	2.00	1.204-03	1.146-07	2.180-01
1.5	1.20	2.25	1.418-03	9.448-08	2.335-01
1.5	1.20	2.50	1.562-03	7.565-08	2.486-01
1.5	1.20	2.75	1.649-03	5.988-08	2.633-01
1.5	1.20	3.00	1.693-03	4.726-08	2.776-01
1.5	1.20	3.25	1.705-03	3.737-08	2.916-01
1.5	1.20	3.50	1.694-03	2.968-08	3.052-01
1.5	1.20	3.75	1.665-03	2.370-08	3.186-01
1.5	1.20	4.00	1.625-03	1.904-08	3.316-01
1.5	1.20	4.25	1.579-03	1.539-08	3.444-01
1.5	1.20	4.50	1.528-03	1.252-08	3.569-01
1.5	1.20	5.00	1.418-03	8.446-09	3.813-01
1.5	1.20	5.50	1.308-03	5.832-09	4.049-01
1.5	1.20	6.00	1.201-03	4.114-09	4.278-01
1.5	1.20	7.00	1.012-03	2.166-09	4.716-01
1.5	1.20	8.00	8.544-04	1.218-09	5.128-01
1.5	1.20	10.00	6.199-04	4.468-10	5.901-01
1.5	1.40	1.50	2.638-03	5.305-06	2.952-01
1.5	1.40	1.75	4.374-03	5.576-06	3.201-01
1.5	1.40	2.00	5.810-03	4.981-06	3.446-01
1.5	1.40	2.25	6.888-03	4.156-06	3.684-01
1.5	1.40	2.50	7.634-03	3.362-06	3.917-01
1.5	1.40	2.75	8.106-03	2.685-06	4.145-01
1.5	1.40	3.00	8.363-03	2.136-06	4.366-01
1.5	1.40	3.25	8.459-03	1.701-06	4.582-01
1.5	1.40	3.50	8.436-03	1.359-06	4.794-01
1.5	1.40	3.75	8.326-03	1.092-06	5.000-01
1.5	1.40	4.00	8.152-03	8.813-07	5.202-01
1.5	1.40	4.25	7.943-03	7.158-07	5.401-01
1.5	1.40	4.50	7.707-03	5.849-07	5.595-01
1.5	1.40	5.00	7.189-03	3.974-07	5.974-01
1.5	1.40	5.50	6.662-03	2.762-07	6.340-01
1.5	1.40	6.00	6.142-03	1.959-07	6.696-01
1.5	1.40	7.00	5.211-03	1.041-07	7.378-01
1.5	1.40	8.00	4.421-03	5.901-08	8.020-01
1.5	1.40	10.00	3.235-03	2.190-08	9.224-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.5	1.60	1.50	5.655-03	3.447-05	3.645-01
1.5	1.60	1.75	9.449-03	3.679-05	3.942-01
1.5	1.60	2.00	1.264-02	3.329-05	4.235-01
1.5	1.60	2.25	1.507-02	2.807-05	4.522-01
1.5	1.60	2.50	1.679-02	2.292-05	4.802-01
1.5	1.60	2.75	1.791-02	1.845-05	5.075-01
1.5	1.60	3.00	1.856-02	1.478-05	5.342-01
1.5	1.60	3.25	1.884-02	1.184-05	5.603-01
1.5	1.60	3.50	1.886-02	9.512-06	5.858-01
1.5	1.60	3.75	1.867-02	7.676-06	6.107-01
1.5	1.60	4.00	1.833-02	6.225-06	6.351-01
1.5	1.60	4.25	1.791-02	5.076-06	6.591-01
1.5	1.60	4.50	1.742-02	4.163-06	6.826-01
1.5	1.60	5.00	1.632-02	2.847-06	7.284-01
1.5	1.60	5.50	1.518-02	1.990-06	7.727-01
1.5	1.60	6.00	1.405-02	1.419-06	8.158-01
1.5	1.60	7.00	1.199-02	7.601-07	8.983-01
1.5	1.60	8.00	1.022-02	4.336-07	9.763-01
1.5	1.60	10.00	7.532-03	1.625-07	1.122 00
1.5	1.80	1.50	8.972-03	1.098-04	4.108-01
1.5	1.80	1.75	1.509-02	1.189-04	4.433-01
1.5	1.80	2.00	2.031-02	1.088-04	4.754-01
1.5	1.80	2.25	2.434-02	9.259-05	5.069-01
1.5	1.80	2.50	2.725-02	7.621-05	5.377-01
1.5	1.80	2.75	2.919-02	6.177-05	5.677-01
1.5	1.80	3.00	3.036-02	4.979-05	5.971-01
1.5	1.80	3.25	3.093-02	4.010-05	6.259-01
1.5	1.80	3.50	3.105-02	3.237-05	6.540-01
1.5	1.80	3.75	3.083-02	2.624-05	6.816-01
1.5	1.80	4.00	3.035-02	2.136-05	7.086-01
1.5	1.80	4.25	2.972-02	1.748-05	7.350-01
1.5	1.80	4.50	2.897-02	1.438-05	7.610-01
1.5	1.80	5.00	2.725-02	9.895-06	8.117-01
1.5	1.80	5.50	2.543-02	6.950-06	8.607-01
1.5	1.80	6.00	2.360-02	4.976-06	9.084-01
1.5	1.80	7.00	2.024-02	2.686-06	9.998-01
1.5	1.80	8.00	1.733-02	1.541-06	1.086 00
1.5	1.80	10.00	1.285-02	5.826-07	1.248 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.5	2.00	1.50	1.223-02	2.435-04	4.430-01
1.5	2.00	1.75	2.070-02	2.667-04	4.772-01
1.5	2.00	2.00	2.799-02	2.465-04	5.109-01
1.5	2.00	2.25	3.371-02	2.117-04	5.441-01
1.5	2.00	2.50	3.790-02	1.755-04	5.765-01
1.5	2.00	2.75	4.075-02	1.432-04	6.082-01
1.5	2.00	3.00	4.253-02	1.160-04	6.393-01
1.5	2.00	3.25	4.346-02	9.389-05	6.697-01
1.5	2.00	3.50	4.375-02	7.613-05	6.994-01
1.5	2.00	3.75	4.354-02	6.194-05	7.286-01
1.5	2.00	4.00	4.297-02	5.060-05	7.572-01
1.5	2.00	4.25	4.216-02	4.155-05	7.852-01
1.5	2.00	4.50	4.118-02	3.429-05	8.128-01
1.5	2.00	5.00	3.886-02	2.371-05	8.665-01
1.5	2.00	5.50	3.639-02	1.673-05	9.185-01
1.5	2.00	6.00	3.385-02	1.202-05	9.690-01
1.5	2.00	7.00	2.917-02	6.531-06	1.066 00
1.5	2.00	8.00	2.506-02	3.766-06	1.158 00
1.5	2.00	10.00	1.870-02	1.435-06	1.330 00
1.5	2.25	1.50	1.596-02	4.924-04	4.710-01
1.5	2.25	1.75	2.720-02	5.469-04	5.062-01
1.5	2.25	2.00	3.701-02	5.113-04	5.410-01
1.5	2.25	2.25	4.481-02	4.432-04	5.753-01
1.5	2.25	2.50	5.061-02	3.705-04	6.089-01
1.5	2.25	2.75	5.465-02	3.043-04	6.418-01
1.5	2.25	3.00	5.724-02	2.482-04	6.740-01
1.5	2.25	3.25	5.869-02	2.019-04	7.056-01
1.5	2.25	3.50	5.927-02	1.645-04	7.366-01
1.5	2.25	3.75	5.916-02	1.344-04	7.669-01
1.5	2.25	4.00	5.852-02	1.103-04	7.966-01
1.5	2.25	4.25	5.756-02	9.087-05	8.258-01
1.5	2.25	4.50	5.634-02	7.523-05	8.545-01
1.5	2.25	5.00	5.338-02	5.233-05	9.105-01
1.5	2.25	5.50	5.015-02	3.710-05	9.648-01
1.5	2.25	6.00	4.679-02	2.678-05	1.017 00
1.5	2.25	7.00	4.053-02	1.466-05	1.119 00
1.5	2.25	8.00	3.496-02	8.502-06	1.215 00
1.5	2.25	10.00	2.626-02	3.269-06	1.395 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.5	2.50	1.50	1.922-02	8.184-04	4.903-01
1.5	2.50	1.75	3.295-02	9.203-04	5.259-01
1.5	2.50	2.00	4.508-02	8.693-04	5.612-01
1.5	2.50	2.25	5.484-02	7.600-04	5.960-01
1.5	2.50	2.50	6.220-02	6.399-04	6.301-01
1.5	2.50	2.75	6.742-02	5.290-04	6.636-01
1.5	2.50	3.00	7.086-02	4.337-04	6.965-01
1.5	2.50	3.25	7.288-02	3.547-04	7.287-01
1.5	2.50	3.50	7.380-02	2.902-04	7.602-01
1.5	2.50	3.75	7.384-02	2.381-04	7.911-01
1.5	2.50	4.00	7.322-02	1.960-04	8.215-01
1.5	2.50	4.25	7.217-02	1.620-04	8.514-01
1.5	2.50	4.50	7.078-02	1.345-04	8.807-01
1.5	2.50	5.00	6.729-02	9.406-05	9.379-01
1.5	2.50	5.50	6.341-02	6.699-05	9.934-01
1.5	2.50	6.00	5.933-02	4.855-05	1.047 00
1.5	2.50	7.00	5.162-02	2.674-05	1.151 00
1.5	2.50	8.00	4.470-02	1.559-05	1.249 00
1.5	2.50	10.00	3.376-02	6.044-06	1.434 00
1.5	2.75	1.50	2.200-02	1.201-03	5.040-01
1.5	2.75	1.75	3.794-02	1.366-03	5.396-01
1.5	2.75	2.00	5.216-02	1.302-03	5.751-01
1.5	2.75	2.25	6.373-02	1.147-03	6.100-01
1.5	2.75	2.50	7.255-02	9.724-04	6.444-01
1.5	2.75	2.75	7.891-02	8.084-04	6.781-01
1.5	2.75	3.00	8.319-02	6.662-04	7.112-01
1.5	2.75	3.25	8.579-02	5.472-04	7.436-01
1.5	2.75	3.50	8.709-02	4.495-04	7.755-01
1.5	2.75	3.75	8.735-02	3.701-04	8.067-01
1.5	2.75	4.00	8.679-02	3.056-04	8.374-01
1.5	2.75	4.25	8.571-02	2.534-04	8.676-01
1.5	2.75	4.50	8.420-02	2.110-04	8.972-01
1.5	2.75	5.00	8.031-02	1.482-04	9.551-01
1.5	2.75	5.50	7.589-02	1.060-04	1.011 00
1.5	2.75	6.00	7.117-02	7.707-05	1.066 00
1.5	2.75	7.00	6.218-02	4.270-05	1.171 00
1.5	2.75	8.00	5.402-02	2.502-05	1.270 00
1.5	2.75	10.00	4.102-02	9.767-06	1.457 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.5	3.00	1.50	2.436-02	1.620-03	5.140-01
1.5	3.00	1.75	4.222-02	1.861-03	5.495-01
1.5	3.00	2.00	5.831-02	1.790-03	5.848-01
1.5	3.00	2.25	7.152-02	1.588-03	6.197-01
1.5	3.00	2.50	8.170-02	1.354-03	6.540-01
1.5	3.00	2.75	8.914-02	1.132-03	6.878-01
1.5	3.00	3.00	9.423-02	9.369-04	7.209-01
1.5	3.00	3.25	9.743-02	7.726-04	7.534-01
1.5	3.00	3.50	9.913-02	6.370-04	7.854-01
1.5	3.00	3.75	9.962-02	5.261-04	8.167-01
1.5	3.00	4.00	9.917-02	4.358-04	8.475-01
1.5	3.00	4.25	9.812-02	3.622-04	8.778-01
1.5	3.00	4.50	9.654-02	3.023-04	9.075-01
1.5	3.00	5.00	9.234-02	2.133-04	9.657-01
1.5	3.00	5.50	8.748-02	1.531-04	1.022 00
1.5	3.00	6.00	8.222-02	1.117-04	1.077 00
1.5	3.00	7.00	7.211-02	6.222-05	1.183 00
1.5	3.00	8.00	6.284-02	3.661-05	1.283 00
1.5	3.00	10.00	4.794-02	1.439-05	1.471 00
1.5	3.25	1.50	2.635-02	2.059-03	5.215-01
1.5	3.25	1.75	4.588-02	2.388-03	5.566-01
1.5	3.25	2.00	6.362-02	2.314-03	5.917-01
1.5	3.25	2.25	7.831-02	2.067-03	6.264-01
1.5	3.25	2.50	8.975-02	1.772-03	6.606-01
1.5	3.25	2.75	9.820-02	1.488-03	6.943-01
1.5	3.25	3.00	1.041-01	1.237-03	7.273-01
1.5	3.25	3.25	1.079-01	1.024-03	7.598-01
1.5	3.25	3.50	1.100-01	8.472-04	7.917-01
1.5	3.25	3.75	1.107-01	7.018-04	8.230-01
1.5	3.25	4.00	1.104-01	5.828-04	8.537-01
1.5	3.25	4.25	1.094-01	4.857-04	8.840-01
1.5	3.25	4.50	1.078-01	4.063-04	9.138-01
1.5	3.25	5.00	1.034-01	2.878-04	9.719-01
1.5	3.25	5.50	9.819-02	2.073-04	1.028 00
1.5	3.25	6.00	9.247-02	1.517-04	1.083 00
1.5	3.25	7.00	8.138-02	8.490-05	1.189 00
1.5	3.25	8.00	7.111-02	5.015-05	1.290 00
1.5	3.25	10.00	5.448-02	1.983-05	1.478 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.5	3.50	1.50	2.802-02	2.505-03	5.271-01
1.5	3.50	1.75	4.900-02	2.931-03	5.619-01
1.5	3.50	2.00	6.821-02	2.860-03	5.967-01
1.5	3.50	2.25	8.423-02	2.570-03	6.311-01
1.5	3.50	2.50	9.682-02	2.215-03	6.651-01
1.5	3.50	2.75	1.062-01	1.869-03	6.986-01
1.5	3.50	3.00	1.128-01	1.559-03	7.314-01
1.5	3.50	3.25	1.172-01	1.295-03	7.638-01
1.5	3.50	3.50	1.197-01	1.075-03	7.955-01
1.5	3.50	3.75	1.208-01	8.928-04	8.267-01
1.5	3.50	4.00	1.206-01	7.433-04	8.574-01
1.5	3.50	4.25	1.197-01	6.208-04	8.876-01
1.5	3.50	4.50	1.181-01	5.204-04	9.173-01
1.5	3.50	5.00	1.136-01	3.700-04	9.753-01
1.5	3.50	5.50	1.081-01	2.673-04	1.032 00
1.5	3.50	6.00	1.020-01	1.961-04	1.086 00
1.5	3.50	7.00	9.001-02	1.103-04	1.192 00
1.5	3.50	8.00	7.886-02	6.538-05	1.292 00
1.5	3.50	10.00	6.066-02	2.600-05	1.481 00
1.5	3.75	1.50	2.942-02	2.948-03	5.314-01
1.5	3.75	1.75	5.166-02	3.477-03	5.658-01
1.5	3.75	2.00	7.216-02	3.416-03	6.003-01
1.5	3.75	2.25	8.940-02	3.087-03	6.344-01
1.5	3.75	2.50	1.030-01	2.674-03	6.681-01
1.5	3.75	2.75	1.133-01	2.265-03	7.013-01
1.5	3.75	3.00	1.206-01	1.897-03	7.340-01
1.5	3.75	3.25	1.255-01	1.581-03	7.661-01
1.5	3.75	3.50	1.285-01	1.315-03	7.977-01
1.5	3.75	3.75	1.298-01	1.095-03	8.287-01
1.5	3.75	4.00	1.299-01	9.141-04	8.592-01
1.5	3.75	4.25	1.290-01	7.651-04	8.893-01
1.5	3.75	4.50	1.275-01	6.426-04	9.189-01
1.5	3.75	5.00	1.229-01	4.584-04	9.766-01
1.5	3.75	5.50	1.171-01	3.322-04	1.033 00
1.5	3.75	6.00	1.107-01	2.443-04	1.087 00
1.5	3.75	7.00	9.804-02	1.380-04	1.193 00
1.5	3.75	8.00	8.609-02	8.208-05	1.293 00
1.5	3.75	10.00	6.647-02	3.280-05	1.481 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.5	4.00	1.50	3.060-02	3.382-03	5.348-01
1.5	4.00	1.75	5.393-02	4.020-03	5.688-01
1.5	4.00	2.00	7.559-02	3.974-03	6.028-01
1.5	4.00	2.25	9.391-02	3.610-03	6.366-01
1.5	4.00	2.50	1.085-01	3.141-03	6.701-01
1.5	4.00	2.75	1.196-01	2.671-03	7.030-01
1.5	4.00	3.00	1.276-01	2.245-03	7.354-01
1.5	4.00	3.25	1.330-01	1.876-03	7.673-01
1.5	4.00	3.50	1.364-01	1.565-03	7.987-01
1.5	4.00	3.75	1.380-01	1.307-03	8.295-01
1.5	4.00	4.00	1.382-01	1.093-03	8.599-01
1.5	4.00	4.25	1.376-01	9.163-04	8.897-01
1.5	4.00	4.50	1.361-01	7.710-04	9.191-01
1.5	4.00	5.00	1.314-01	5.517-04	9.766-01
1.5	4.00	5.50	1.255-01	4.009-04	1.032 00
1.5	4.00	6.00	1.188-01	2.956-04	1.087 00
1.5	4.00	7.00	1.055-01	1.676-04	1.192 00
1.5	4.00	8.00	9.285-02	1.000-04	1.292 00
1.5	4.00	10.00	7.194-02	4.016-05	1.479 00
1.5	5.00	1.50	3.371-02	4.962-03	5.423-01
1.5	5.00	1.75	6.017-02	6.052-03	5.747-01
1.5	5.00	2.00	8.530-02	6.113-03	6.073-01
1.5	5.00	2.25	1.070-01	5.655-03	6.397-01
1.5	5.00	2.50	1.248-01	4.996-03	6.719-01
1.5	5.00	2.75	1.386-01	4.305-03	7.037-01
1.5	5.00	3.00	1.489-01	3.660-03	7.350-01
1.5	5.00	3.25	1.562-01	3.091-03	7.659-01
1.5	5.00	3.50	1.611-01	2.602-03	7.963-01
1.5	5.00	3.75	1.639-01	2.190-03	8.263-01
1.5	5.00	4.00	1.650-01	1.845-03	8.558-01
1.5	5.00	4.25	1.649-01	1.558-03	8.848-01
1.5	5.00	4.50	1.637-01	1.319-03	9.135-01
1.5	5.00	5.00	1.593-01	9.543-04	9.695-01
1.5	5.00	5.50	1.531-01	6.999-04	1.024 00
1.5	5.00	6.00	1.457-01	5.203-04	1.077 00
1.5	5.00	7.00	1.307-01	2.990-04	1.180 00
1.5	5.00	8.00	1.159-01	1.804-04	1.278 00
1.5	5.00	10.00	9.083-02	7.363-05	1.462 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.5	6.00	1.50	3.522-02	6.249-03	5.452-01
1.5	6.00	1.75	6.354-02	7.784-03	5.762-01
1.5	6.00	2.00	9.091-02	8.000-03	6.074-01
1.5	6.00	2.25	1.150-01	7.508-03	6.386-01
1.5	6.00	2.50	1.350-01	6.716-03	6.696-01
1.5	6.00	2.75	1.509-01	5.850-03	7.003-01
1.5	6.00	3.00	1.631-01	5.021-03	7.306-01
1.5	6.00	3.25	1.720-01	4.275-03	7.605-01
1.5	6.00	3.50	1.782-01	3.626-03	7.900-01
1.5	6.00	3.75	1.820-01	3.072-03	8.191-01
1.5	6.00	4.00	1.839-01	2.604-03	8.477-01
1.5	6.00	4.25	1.844-01	2.210-03	8.760-01
1.5	6.00	4.50	1.838-01	1.881-03	9.039-01
1.5	6.00	5.00	1.798-01	1.373-03	9.585-01
1.5	6.00	5.50	1.737-01	1.014-03	1.012 00
1.5	6.00	6.00	1.661-01	7.591-04	1.063 00
1.5	6.00	7.00	1.501-01	4.410-04	1.164 00
1.5	6.00	8.00	1.339-01	2.683-04	1.259 00
1.5	6.00	10.00	1.060-01	1.110-04	1.439 00
1.5	8.00	1.50	3.612-02	8.085-03	5.464-01
1.5	8.00	1.75	6.622-02	1.040-02	5.750-01
1.5	8.00	2.00	9.610-02	1.098-02	6.041-01
1.5	8.00	2.25	1.231-01	1.054-02	6.332-01
1.5	8.00	2.50	1.461-01	9.610-03	6.623-01
1.5	8.00	2.75	1.649-01	8.510-03	6.912-01
1.5	8.00	3.00	1.798-01	7.410-03	7.198-01
1.5	8.00	3.25	1.911-01	6.390-03	7.480-01
1.5	8.00	3.50	1.994-01	5.482-03	7.760-01
1.5	8.00	3.75	2.050-01	4.693-03	8.036-01
1.5	8.00	4.00	2.084-01	4.014-03	8.308-01
1.5	8.00	4.25	2.102-01	3.437-03	8.577-01
1.5	8.00	4.50	2.105-01	2.947-03	8.843-01
1.5	8.00	5.00	2.078-01	2.180-03	9.363-01
1.5	8.00	5.50	2.024-01	1.630-03	9.871-01
1.5	8.00	6.00	1.949-01	1.232-03	1.037 00
1.5	8.00	7.00	1.781-01	7.280-04	1.133 00
1.5	8.00	8.00	1.604-01	4.489-04	1.224 00
1.5	8.00	10.00	1.288-01	1.896-04	1.398 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.5	10.00	1.50	3.587-02	9.255-03	5.456-01
1.5	10.00	1.75	6.657-02	1.220-02	5.725-01
1.5	10.00	2.00	9.765-02	1.314-02	6.000-01
1.5	10.00	2.25	1.262-01	1.282-02	6.276-01
1.5	10.00	2.50	1.511-01	1.186-02	6.552-01
1.5	10.00	2.75	1.718-01	1.064-02	6.827-01
1.5	10.00	3.00	1.885-01	9.365-03	7.100-01
1.5	10.00	3.25	2.016-01	8.155-03	7.370-01
1.5	10.00	3.50	2.115-01	7.057-03	7.638-01
1.5	10.00	3.75	2.186-01	6.087-03	7.902-01
1.5	10.00	4.00	2.232-01	5.244-03	8.163-01
1.5	10.00	4.25	2.260-01	4.518-03	8.421-01
1.5	10.00	4.50	2.272-01	3.896-03	8.677-01
1.5	10.00	5.00	2.259-01	2.912-03	9.178-01
1.5	10.00	5.50	2.213-01	2.197-03	9.667-01
1.5	10.00	6.00	2.141-01	1.673-03	1.015 00
1.5	10.00	7.00	1.975-01	1.001-03	1.107 00
1.5	10.00	8.00	1.791-01	6.237-04	1.196 00
1.5	10.00	10.00	1.454-01	2.674-04	1.364 00
1.5	15.00	1.50	3.413-02	1.075-02	5.426-01
1.5	15.00	1.75	6.469-02	1.477-02	5.667-01
1.5	15.00	2.00	9.667-02	1.647-02	5.915-01
1.5	15.00	2.25	1.270-01	1.655-02	6.165-01
1.5	15.00	2.50	1.542-01	1.570-02	6.417-01
1.5	15.00	2.75	1.777-01	1.439-02	6.669-01
1.5	15.00	3.00	1.972-01	1.291-02	6.919-01
1.5	15.00	3.25	2.130-01	1.143-02	7.169-01
1.5	15.00	3.50	2.256-01	1.004-02	7.416-01
1.5	15.00	3.75	2.352-01	8.780-03	7.660-01
1.5	15.00	4.00	2.420-01	7.656-03	7.903-01
1.5	15.00	4.25	2.469-01	6.670-03	8.142-01
1.5	15.00	4.50	2.498-01	5.811-03	8.380-01
1.5	15.00	5.00	2.514-01	4.422-03	8.847-01
1.5	15.00	5.50	2.488-01	3.387-03	9.304-01
1.5	15.00	6.00	2.430-01	2.615-03	9.751-01
1.5	15.00	7.00	2.275-01	1.599-03	1.062 00
1.5	15.00	8.00	2.089-01	1.014-03	1.145 00
1.5	15.00	10.00	1.729-01	4.466-04	1.303 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.5	20.00	1.50	3.234-02	1.136-02	5.400-01
1.5	20.00	1.75	6.217-02	1.605-02	5.624-01
1.5	20.00	2.00	9.407-02	1.831-02	5.855-01
1.5	20.00	2.25	1.250-01	1.877-02	6.090-01
1.5	20.00	2.50	1.532-01	1.811-02	6.326-01
1.5	20.00	2.75	1.780-01	1.684-02	6.563-01
1.5	20.00	3.00	1.991-01	1.530-02	6.800-01
1.5	20.00	3.25	2.166-01	1.370-02	7.035-01
1.5	20.00	3.50	2.309-01	1.216-02	7.269-01
1.5	20.00	3.75	2.420-01	1.073-02	7.501-01
1.5	20.00	4.00	2.504-01	9.430-03	7.731-01
1.5	20.00	4.25	2.566-01	8.277-03	7.959-01
1.5	20.00	4.50	2.609-01	7.260-03	8.185-01
1.5	20.00	5.00	2.646-01	5.592-03	8.630-01
1.5	20.00	5.50	2.638-01	4.328-03	9.066-01
1.5	20.00	6.00	2.592-01	3.371-03	9.494-01
1.5	20.00	7.00	2.452-01	2.093-03	1.032 00
1.5	20.00	8.00	2.270-01	1.343-03	1.112 00
1.5	20.00	10.00	1.903-01	6.024-04	1.264 00
1.5	25.00	1.50	3.082-02	1.163-02	5.380-01
1.5	25.00	1.75	5.988-02	1.676-02	5.592-01
1.5	25.00	2.00	9.143-02	1.946-02	5.812-01
1.5	25.00	2.25	1.224-01	2.023-02	6.035-01
1.5	25.00	2.50	1.512-01	1.976-02	6.260-01
1.5	25.00	2.75	1.768-01	1.857-02	6.487-01
1.5	25.00	3.00	1.988-01	1.704-02	6.713-01
1.5	25.00	3.25	2.174-01	1.539-02	6.939-01
1.5	25.00	3.50	2.329-01	1.376-02	7.164-01
1.5	25.00	3.75	2.452-01	1.222-02	7.387-01
1.5	25.00	4.00	2.547-01	1.081-02	7.608-01
1.5	25.00	4.25	2.620-01	9.540-03	7.828-01
1.5	25.00	4.50	2.672-01	8.411-03	8.045-01
1.5	25.00	5.00	2.727-01	6.537-03	8.475-01
1.5	25.00	5.50	2.732-01	5.098-03	8.896-01
1.5	25.00	6.00	2.697-01	3.998-03	9.309-01
1.5	25.00	7.00	2.571-01	2.511-03	1.011 00
1.5	25.00	8.00	2.395-01	1.625-03	1.089 00
1.5	25.00	10.00	2.027-01	7.389-04	1.236 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.5	40.00	1.50	2.756-02	1.175-02	5.341-01
1.5	40.00	1.75	5.465-02	1.763-02	5.532-01
1.5	40.00	2.00	8.496-02	2.115-02	5.729-01
1.5	40.00	2.25	1.156-01	2.262-02	5.932-01
1.5	40.00	2.50	1.447-01	2.264-02	6.137-01
1.5	40.00	2.75	1.714-01	2.174-02	6.344-01
1.5	40.00	3.00	1.950-01	2.032-02	6.552-01
1.5	40.00	3.25	2.154-01	1.866-02	6.760-01
1.5	40.00	3.50	2.329-01	1.694-02	6.967-01
1.5	40.00	3.75	2.473-01	1.525-02	7.173-01
1.5	40.00	4.00	2.589-01	1.365-02	7.378-01
1.5	40.00	4.25	2.682-01	1.218-02	7.582-01
1.5	40.00	4.50	2.754-01	1.085-02	7.784-01
1.5	40.00	5.00	2.844-01	8.586-03	8.184-01
1.5	40.00	5.50	2.880-01	6.801-03	8.576-01
1.5	40.00	6.00	2.869-01	5.406-03	8.963-01
1.5	40.00	7.00	2.778-01	3.471-03	9.716-01
1.5	40.00	8.00	2.620-01	2.288-03	1.044 00
1.5	40.00	10.00	2.260-01	1.069-03	1.183 00
1.5	60.00	1.50	2.489-02	1.154-02	5.312-01
1.5	60.00	1.75	5.016-02	1.785-02	5.487-01
1.5	60.00	2.00	7.908-02	2.198-02	5.669-01
1.5	60.00	2.25	1.089-01	2.404-02	5.856-01
1.5	60.00	2.50	1.379-01	2.453-02	6.047-01
1.5	60.00	2.75	1.650-01	2.396-02	6.240-01
1.5	60.00	3.00	1.894-01	2.273-02	6.434-01
1.5	60.00	3.25	2.109-01	2.116-02	6.628-01
1.5	60.00	3.50	2.298-01	1.943-02	6.822-01
1.5	60.00	3.75	2.456-01	1.768-02	7.016-01
1.5	60.00	4.00	2.588-01	1.598-02	7.208-01
1.5	60.00	4.25	2.696-01	1.439-02	7.400-01
1.5	60.00	4.50	2.784-01	1.292-02	7.591-01
1.5	60.00	5.00	2.903-01	1.038-02	7.969-01
1.5	60.00	5.50	2.963-01	8.322-03	8.340-01
1.5	60.00	6.00	2.974-01	6.687-03	8.707-01
1.5	60.00	7.00	2.916-01	4.372-03	9.422-01
1.5	60.00	8.00	2.777-01	2.923-03	1.011 00
1.5	60.00	10.00	2.434-01	1.396-03	1.143 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.5	100.00	1.50	2.187-02	1.103-02	5.281-01
1.5	100.00	1.75	4.488-02	1.767-02	5.439-01
1.5	100.00	2.00	7.190-02	2.242-02	5.605-01
1.5	100.00	2.25	1.005-01	2.516-02	5.776-01
1.5	100.00	2.50	1.289-01	2.624-02	5.951-01
1.5	100.00	2.75	1.559-01	2.614-02	6.128-01
1.5	100.00	3.00	1.808-01	2.523-02	6.307-01
1.5	100.00	3.25	2.033-01	2.385-02	6.487-01
1.5	100.00	3.50	2.234-01	2.221-02	6.667-01
1.5	100.00	3.75	2.407-01	2.046-02	6.847-01
1.5	100.00	4.00	2.554-01	1.872-02	7.027-01
1.5	100.00	4.25	2.679-01	1.703-02	7.206-01
1.5	100.00	4.50	2.783-01	1.544-02	7.384-01
1.5	100.00	5.00	2.935-01	1.261-02	7.738-01
1.5	100.00	5.50	3.026-01	1.026-02	8.086-01
1.5	100.00	6.00	3.063-01	8.351-03	8.430-01
1.5	100.00	7.00	3.047-01	5.578-03	9.103-01
1.5	100.00	8.00	2.937-01	3.794-03	9.756-01
1.5	100.00	10.00	2.621-01	1.859-03	1.101 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.6	1.20	1.50	5.273-04	1.277-07	1.851-01
1.6	1.20	1.75	8.570-04	1.324-07	2.010-01
1.6	1.20	2.00	1.121-03	1.171-07	2.166-01
1.6	1.20	2.25	1.312-03	9.692-08	2.317-01
1.6	1.20	2.50	1.438-03	7.788-08	2.465-01
1.6	1.20	2.75	1.512-03	6.184-08	2.609-01
1.6	1.20	3.00	1.547-03	4.894-08	2.748-01
1.6	1.20	3.25	1.553-03	3.879-08	2.885-01
1.6	1.20	3.50	1.539-03	3.087-08	3.018-01
1.6	1.20	3.75	1.511-03	2.469-08	3.148-01
1.6	1.20	4.00	1.471-03	1.987-08	3.276-01
1.6	1.20	4.25	1.428-03	1.609-08	3.401-01
1.6	1.20	4.50	1.379-03	1.310-08	3.523-01
1.6	1.20	5.00	1.277-03	8.858-09	3.762-01
1.6	1.20	5.50	1.175-03	6.127-09	3.993-01
1.6	1.20	6.00	1.078-03	4.327-09	4.217-01
1.6	1.20	7.00	9.057-04	2.286-09	4.644-01
1.6	1.20	8.00	7.629-04	1.288-09	5.048-01
1.6	1.20	10.00	5.514-04	4.726-10	5.807-01
1.6	1.40	1.50	2.504-03	5.368-06	2.942-01
1.6	1.40	1.75	4.107-03	5.669-06	3.186-01
1.6	1.40	2.00	5.415-03	5.087-06	3.425-01
1.6	1.40	2.25	6.380-03	4.260-06	3.658-01
1.6	1.40	2.50	7.036-03	3.459-06	3.885-01
1.6	1.40	2.75	7.439-03	2.772-06	4.107-01
1.6	1.40	3.00	7.648-03	2.211-06	4.323-01
1.6	1.40	3.25	7.713-03	1.765-06	4.534-01
1.6	1.40	3.50	7.672-03	1.413-06	4.740-01
1.6	1.40	3.75	7.558-03	1.137-06	4.942-01
1.6	1.40	4.00	7.386-03	9.194-07	5.140-01
1.6	1.40	4.25	7.188-03	7.479-07	5.334-01
1.6	1.40	4.50	6.961-03	6.118-07	5.524-01
1.6	1.40	5.00	6.481-03	4.167-07	5.894-01
1.6	1.40	5.50	5.986-03	2.901-07	6.253-01
1.6	1.40	6.00	5.515-03	2.061-07	6.601-01
1.6	1.40	7.00	4.665-03	1.099-07	7.267-01
1.6	1.40	8.00	3.951-03	6.237-08	7.895-01
1.6	1.40	10.00	2.879-03	2.315-08	9.077-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.6	1.60	1.50	5.370-03	3.487-05	3.633-01
1.6	1.60	1.75	8.877-03	3.739-05	3.924-01
1.6	1.60	2.00	1.178-02	3.398-05	4.210-01
1.6	1.60	2.25	1.397-02	2.876-05	4.490-01
1.6	1.60	2.50	1.549-02	2.357-05	4.763-01
1.6	1.60	2.75	1.645-02	1.903-05	5.030-01
1.6	1.60	3.00	1.699-02	1.529-05	5.290-01
1.6	1.60	3.25	1.720-02	1.228-05	5.545-01
1.6	1.60	3.50	1.716-02	9.885-06	5.794-01
1.6	1.60	3.75	1.696-02	7.991-06	6.037-01
1.6	1.60	4.00	1.662-02	6.491-06	6.276-01
1.6	1.60	4.25	1.622-02	5.302-06	6.510-01
1.6	1.60	4.50	1.574-02	4.353-06	6.740-01
1.6	1.60	5.00	1.472-02	2.984-06	7.188-01
1.6	1.60	5.50	1.365-02	2.090-06	7.622-01
1.6	1.60	6.00	1.262-02	1.491-06	8.043-01
1.6	1.60	7.00	1.074-02	8.018-07	8.850-01
1.6	1.60	8.00	9.135-03	4.582-07	9.611-01
1.6	1.60	10.00	6.707-03	1.718-07	1.104 00
1.6	1.80	1.50	8.524-03	1.111-04	4.095-01
1.6	1.80	1.75	1.419-02	1.208-04	4.413-01
1.6	1.80	2.00	1.895-02	1.110-04	4.727-01
1.6	1.80	2.25	2.258-02	9.483-05	5.034-01
1.6	1.80	2.50	2.515-02	7.833-05	5.334-01
1.6	1.80	2.75	2.683-02	6.369-05	5.628-01
1.6	1.80	3.00	2.780-02	5.148-05	5.915-01
1.6	1.80	3.25	2.824-02	4.156-05	6.196-01
1.6	1.80	3.50	2.827-02	3.363-05	6.470-01
1.6	1.80	3.75	2.802-02	2.730-05	6.739-01
1.6	1.80	4.00	2.753-02	2.227-05	7.003-01
1.6	1.80	4.25	2.693-02	1.825-05	7.261-01
1.6	1.80	4.50	2.620-02	1.504-05	7.515-01
1.6	1.80	5.00	2.459-02	1.037-05	8.011-01
1.6	1.80	5.50	2.288-02	7.295-06	8.491-01
1.6	1.80	6.00	2.121-02	5.230-06	8.957-01
1.6	1.80	7.00	1.814-02	2.832-06	9.850-01
1.6	1.80	8.00	1.550-02	1.628-06	1.069 00
1.6	1.80	10.00	1.145-02	6.160-07	1.228 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.6	2.00	1.50	1.162-02	2.462-04	4.416-01
1.6	2.00	1.75	1.946-02	2.709-04	4.751-01
1.6	2.00	2.00	2.613-02	2.515-04	5.080-01
1.6	2.00	2.25	3.129-02	2.167-04	5.404-01
1.6	2.00	2.50	3.499-02	1.803-04	5.720-01
1.6	2.00	2.75	3.747-02	1.475-04	6.030-01
1.6	2.00	3.00	3.897-02	1.199-04	6.333-01
1.6	2.00	3.25	3.970-02	9.728-05	6.630-01
1.6	2.00	3.50	3.985-02	7.905-05	6.920-01
1.6	2.00	3.75	3.960-02	6.443-05	7.205-01
1.6	2.00	4.00	3.899-02	5.273-05	7.484-01
1.6	2.00	4.25	3.822-02	4.336-05	7.758-01
1.6	2.00	4.50	3.725-02	3.583-05	8.027-01
1.6	2.00	5.00	3.510-02	2.483-05	8.552-01
1.6	2.00	5.50	3.275-02	1.755-05	9.061-01
1.6	2.00	6.00	3.045-02	1.263-05	9.556-01
1.6	2.00	7.00	2.616-02	6.886-06	1.050 00
1.6	2.00	8.00	2.243-02	3.979-06	1.140 00
1.6	2.00	10.00	1.667-02	1.518-06	1.309 00
1.6	2.25	1.50	1.517-02	4.977-04	4.696-01
1.6	2.25	1.75	2.559-02	5.553-04	5.040-01
1.6	2.25	2.00	3.457-02	5.214-04	5.380-01
1.6	2.25	2.25	4.161-02	4.536-04	5.715-01
1.6	2.25	2.50	4.676-02	3.805-04	6.043-01
1.6	2.25	2.75	5.028-02	3.135-04	6.364-01
1.6	2.25	3.00	5.248-02	2.564-04	6.679-01
1.6	2.25	3.25	5.366-02	2.091-04	6.987-01
1.6	2.25	3.50	5.403-02	1.708-04	7.289-01
1.6	2.25	3.75	5.383-02	1.398-04	7.585-01
1.6	2.25	4.00	5.314-02	1.149-04	7.875-01
1.6	2.25	4.25	5.221-02	9.479-05	8.161-01
1.6	2.25	4.50	5.100-02	7.858-05	8.441-01
1.6	2.25	5.00	4.823-02	5.479-05	8.988-01
1.6	2.25	5.50	4.516-02	3.892-05	9.519-01
1.6	2.25	6.00	4.211-02	2.814-05	1.004 00
1.6	2.25	7.00	3.636-02	1.545-05	1.102 00
1.6	2.25	8.00	3.131-02	8.979-06	1.196 00
1.6	2.25	10.00	2.342-02	3.456-06	1.373 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.6	2.50	1.50	1.828-02	8.270-04	4.888-01
1.6	2.50	1.75	3.103-02	9.341-04	5.237-01
1.6	2.50	2.00	4.214-02	8.861-04	5.582-01
1.6	2.50	2.25	5.095-02	7.775-04	5.921-01
1.6	2.50	2.50	5.750-02	6.569-04	6.255-01
1.6	2.50	2.75	6.207-02	5.447-04	6.581-01
1.6	2.50	3.00	6.501-02	4.479-04	6.902-01
1.6	2.50	3.25	6.666-02	3.671-04	7.216-01
1.6	2.50	3.50	6.730-02	3.011-04	7.524-01
1.6	2.50	3.75	6.723-02	2.475-04	7.826-01
1.6	2.50	4.00	6.653-02	2.041-04	8.123-01
1.6	2.50	4.25	6.549-02	1.690-04	8.414-01
1.6	2.50	4.50	6.409-02	1.405-04	8.701-01
1.6	2.50	5.00	6.083-02	9.846-05	9.260-01
1.6	2.50	5.50	5.712-02	7.026-05	9.803-01
1.6	2.50	6.00	5.342-02	5.100-05	1.033 00
1.6	2.50	7.00	4.634-02	2.818-05	1.134 00
1.6	2.50	8.00	4.004-02	1.647-05	1.230 00
1.6	2.50	10.00	3.012-02	6.389-06	1.411 00
1.6	2.75	1.50	2.094-02	1.213-03	5.025-01
1.6	2.75	1.75	3.574-02	1.386-03	5.374-01
1.6	2.75	2.00	4.878-02	1.327-03	5.720-01
1.6	2.75	2.25	5.924-02	1.173-03	6.061-01
1.6	2.75	2.50	6.710-02	9.978-04	6.397-01
1.6	2.75	2.75	7.268-02	8.321-04	6.726-01
1.6	2.75	3.00	7.635-02	6.876-04	7.049-01
1.6	2.75	3.25	7.851-02	5.662-04	7.365-01
1.6	2.75	3.50	7.947-02	4.662-04	7.676-01
1.6	2.75	3.75	7.957-02	3.845-04	7.981-01
1.6	2.75	4.00	7.889-02	3.181-04	8.281-01
1.6	2.75	4.25	7.781-02	2.641-04	8.575-01
1.6	2.75	4.50	7.628-02	2.202-04	8.865-01
1.6	2.75	5.00	7.264-02	1.551-04	9.431-01
1.6	2.75	5.50	6.839-02	1.111-04	9.980-01
1.6	2.75	6.00	6.411-02	8.094-05	1.051 00
1.6	2.75	7.00	5.584-02	4.499-05	1.154 00
1.6	2.75	8.00	4.842-02	2.641-05	1.251 00
1.6	2.75	10.00	3.661-02	1.032-05	1.435 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.6	3.00	1.50	2.319-02	1.636-03	5.126-01
1.6	3.00	1.75	3.979-02	1.888-03	5.473-01
1.6	3.00	2.00	5.455-02	1.823-03	5.818-01
1.6	3.00	2.25	6.650-02	1.624-03	6.158-01
1.6	3.00	2.50	7.560-02	1.389-03	6.493-01
1.6	3.00	2.75	8.214-02	1.165-03	6.823-01
1.6	3.00	3.00	8.653-02	9.667-04	7.146-01
1.6	3.00	3.25	8.920-02	7.992-04	7.463-01
1.6	3.00	3.50	9.049-02	6.604-04	7.775-01
1.6	3.00	3.75	9.079-02	5.465-04	8.081-01
1.6	3.00	4.00	9.019-02	4.534-04	8.381-01
1.6	3.00	4.25	8.911-02	3.775-04	8.677-01
1.6	3.00	4.50	8.750-02	3.155-04	8.968-01
1.6	3.00	5.00	8.355-02	2.232-04	9.536-01
1.6	3.00	5.50	7.887-02	1.605-04	1.009 00
1.6	3.00	6.00	7.410-02	1.173-04	1.062 00
1.6	3.00	7.00	6.478-02	6.555-05	1.166 00
1.6	3.00	8.00	5.634-02	3.865-05	1.264 00
1.6	3.00	10.00	4.280-02	1.521-05	1.448 00
1.6	3.25	1.50	2.508-02	2.079-03	5.200-01
1.6	3.25	1.75	4.325-02	2.422-03	5.545-01
1.6	3.25	2.00	5.954-02	2.356-03	5.887-01
1.6	3.25	2.25	7.285-02	2.112-03	6.226-01
1.6	3.25	2.50	8.308-02	1.817-03	6.560-01
1.6	3.25	2.75	9.053-02	1.531-03	6.888-01
1.6	3.25	3.00	9.561-02	1.276-03	7.210-01
1.6	3.25	3.25	9.879-02	1.059-03	7.527-01
1.6	3.25	3.50	1.004-01	8.780-04	7.838-01
1.6	3.25	3.75	1.010-01	7.287-04	8.144-01
1.6	3.25	4.00	1.005-01	6.063-04	8.444-01
1.6	3.25	4.25	9.942-02	5.060-04	8.739-01
1.6	3.25	4.50	9.776-02	4.239-04	9.030-01
1.6	3.25	5.00	9.360-02	3.010-04	9.599-01
1.6	3.25	5.50	8.855-02	2.172-04	1.015 00
1.6	3.25	6.00	8.337-02	1.592-04	1.069 00
1.6	3.25	7.00	7.313-02	8.942-05	1.172 00
1.6	3.25	8.00	6.378-02	5.294-05	1.270 00
1.6	3.25	10.00	4.867-02	2.095-05	1.455 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.6	3.50	1.50	2.668-02	2.529-03	5.257-01
1.6	3.50	1.75	4.621-02	2.972-03	5.597-01
1.6	3.50	2.00	6.385-02	2.912-03	5.937-01
1.6	3.50	2.25	7.839-02	2.626-03	6.273-01
1.6	3.50	2.50	8.966-02	2.271-03	6.605-01
1.6	3.50	2.75	9.796-02	1.922-03	6.931-01
1.6	3.50	3.00	1.037-01	1.608-03	7.252-01
1.6	3.50	3.25	1.074-01	1.339-03	7.568-01
1.6	3.50	3.50	1.094-01	1.114-03	7.877-01
1.6	3.50	3.75	1.101-01	9.268-04	8.182-01
1.6	3.50	4.00	1.098-01	7.730-04	8.481-01
1.6	3.50	4.25	1.088-01	6.466-04	8.775-01
1.6	3.50	4.50	1.071-01	5.428-04	9.066-01
1.6	3.50	5.00	1.028-01	3.869-04	9.633-01
1.6	3.50	5.50	9.748-02	2.801-04	1.018 00
1.6	3.50	6.00	9.194-02	2.059-04	1.072 00
1.6	3.50	7.00	8.091-02	1.162-04	1.175 00
1.6	3.50	8.00	7.075-02	6.902-05	1.273 00
1.6	3.50	10.00	5.420-02	2.747-05	1.458 00
1.6	3.75	1.50	2.802-02	2.976-03	5.300-01
1.6	3.75	1.75	4.873-02	3.525-03	5.637-01
1.6	3.75	2.00	6.758-02	3.478-03	5.973-01
1.6	3.75	2.25	8.322-02	3.154-03	6.307-01
1.6	3.75	2.50	9.545-02	2.741-03	6.636-01
1.6	3.75	2.75	1.045-01	2.328-03	6.960-01
1.6	3.75	3.00	1.109-01	1.956-03	7.278-01
1.6	3.75	3.25	1.151-01	1.634-03	7.592-01
1.6	3.75	3.50	1.174-01	1.362-03	7.899-01
1.6	3.75	3.75	1.184-01	1.137-03	8.202-01
1.6	3.75	4.00	1.182-01	9.504-04	8.500-01
1.6	3.75	4.25	1.173-01	7.967-04	8.793-01
1.6	3.75	4.50	1.157-01	6.701-04	9.082-01
1.6	3.75	5.00	1.113-01	4.792-04	9.647-01
1.6	3.75	5.50	1.057-01	3.480-04	1.020 00
1.6	3.75	6.00	9.987-02	2.564-04	1.073 00
1.6	3.75	7.00	8.815-02	1.453-04	1.176 00
1.6	3.75	8.00	7.726-02	8.662-05	1.274 00
1.6	3.75	10.00	5.941-02	3.466-05	1.458 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.6	4.00	1.50	2.915-02	3.414-03	5.334-01
1.6	4.00	1.75	5.089-02	4.074-03	5.667-01
1.6	4.00	2.00	7.081-02	4.044-03	5.999-01
1.6	4.00	2.25	8.745-02	3.687-03	6.329-01
1.6	4.00	2.50	1.006-01	3.218-03	6.655-01
1.6	4.00	2.75	1.104-01	2.745-03	6.977-01
1.6	4.00	3.00	1.174-01	2.313-03	7.293-01
1.6	4.00	3.25	1.220-01	1.938-03	7.604-01
1.6	4.00	3.50	1.247-01	1.621-03	7.910-01
1.6	4.00	3.75	1.260-01	1.356-03	8.211-01
1.6	4.00	4.00	1.259-01	1.136-03	8.507-01
1.6	4.00	4.25	1.251-01	9.540-04	8.798-01
1.6	4.00	4.50	1.235-01	8.038-04	9.086-01
1.6	4.00	5.00	1.190-01	5.767-04	9.648-01
1.6	4.00	5.50	1.133-01	4.199-04	1.019 00
1.6	4.00	6.00	1.072-01	3.101-04	1.073 00
1.6	4.00	7.00	9.489-02	1.764-04	1.175 00
1.6	4.00	8.00	8.335-02	1.055-04	1.273 00
1.6	4.00	10.00	6.432-02	4.243-05	1.456 00
1.6	5.00	1.50	3.213-02	5.005-03	5.410-01
1.6	5.00	1.75	5.683-02	6.131-03	5.727-01
1.6	5.00	2.00	7.999-02	6.217-03	6.045-01
1.6	5.00	2.25	9.979-02	5.771-03	6.362-01
1.6	5.00	2.50	1.158-01	5.115-03	6.676-01
1.6	5.00	2.75	1.281-01	4.421-03	6.986-01
1.6	5.00	3.00	1.371-01	3.769-03	7.291-01
1.6	5.00	3.25	1.434-01	3.190-03	7.592-01
1.6	5.00	3.50	1.474-01	2.692-03	7.889-01
1.6	5.00	3.75	1.497-01	2.270-03	8.181-01
1.6	5.00	4.00	1.504-01	1.917-03	8.469-01
1.6	5.00	4.25	1.501-01	1.621-03	8.753-01
1.6	5.00	4.50	1.487-01	1.374-03	9.032-01
1.6	5.00	5.00	1.444-01	9.968-04	9.580-01
1.6	5.00	5.50	1.383-01	7.326-04	1.011 00
1.6	5.00	6.00	1.316-01	5.456-04	1.063 00
1.6	5.00	7.00	1.176-01	3.146-04	1.164 00
1.6	5.00	8.00	1.041-01	1.903-04	1.259 00
1.6	5.00	10.00	8.128-02	7.779-05	1.439 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.6	6.00	1.50	3.359-02	6.301-03	5.440-01
1.6	6.00	1.75	6.006-02	7.880-03	5.742-01
1.6	6.00	2.00	8.533-02	8.130-03	6.047-01
1.6	6.00	2.25	1.073-01	7.657-03	6.352-01
1.6	6.00	2.50	1.254-01	6.871-03	6.654-01
1.6	6.00	2.75	1.396-01	6.003-03	6.953-01
1.6	6.00	3.00	1.503-01	5.166-03	7.249-01
1.6	6.00	3.25	1.580-01	4.409-03	7.541-01
1.6	6.00	3.50	1.632-01	3.748-03	7.828-01
1.6	6.00	3.75	1.664-01	3.182-03	8.112-01
1.6	6.00	4.00	1.678-01	2.702-03	8.392-01
1.6	6.00	4.25	1.681-01	2.298-03	8.667-01
1.6	6.00	4.50	1.671-01	1.958-03	8.939-01
1.6	6.00	5.00	1.632-01	1.433-03	9.473-01
1.6	6.00	5.50	1.571-01	1.061-03	9.992-01
1.6	6.00	6.00	1.502-01	7.956-04	1.050 00
1.6	6.00	7.00	1.352-01	4.638-04	1.148 00
1.6	6.00	8.00	1.204-01	2.829-04	1.241 00
1.6	6.00	10.00	9.490-02	1.173-04	1.418 00
1.6	8.00	1.50	3.447-02	8.146-03	5.452-01
1.6	8.00	1.75	6.266-02	1.052-02	5.732-01
1.6	8.00	2.00	9.031-02	1.115-02	6.016-01
1.6	8.00	2.25	1.150-01	1.074-02	6.300-01
1.6	8.00	2.50	1.358-01	9.820-03	6.584-01
1.6	8.00	2.75	1.527-01	8.722-03	6.866-01
1.6	8.00	3.00	1.659-01	7.615-03	7.144-01
1.6	8.00	3.25	1.758-01	6.584-03	7.420-01
1.6	8.00	3.50	1.829-01	5.661-03	7.693-01
1.6	8.00	3.75	1.878-01	4.856-03	7.962-01
1.6	8.00	4.00	1.904-01	4.162-03	8.227-01
1.6	8.00	4.25	1.918-01	3.569-03	8.489-01
1.6	8.00	4.50	1.916-01	3.065-03	8.749-01
1.6	8.00	5.00	1.889-01	2.274-03	9.257-01
1.6	8.00	5.50	1.832-01	1.704-03	9.753-01
1.6	8.00	6.00	1.764-01	1.291-03	1.024 00
1.6	8.00	7.00	1.606-01	7.652-04	1.117 00
1.6	8.00	8.00	1.444-01	4.731-04	1.207 00
1.6	8.00	10.00	1.155-01	2.002-04	1.377 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.6	10.00	1.50	3.425-02	9.319-03	5.445-01
1.6	10.00	1.75	6.305-02	1.233-02	5.708-01
1.6	10.00	2.00	9.186-02	1.333-02	5.976-01
1.6	10.00	2.25	1.181-01	1.305-02	6.246-01
1.6	10.00	2.50	1.406-01	1.211-02	6.515-01
1.6	10.00	2.75	1.593-01	1.089-02	6.783-01
1.6	10.00	3.00	1.742-01	9.616-03	7.049-01
1.6	10.00	3.25	1.857-01	8.394-03	7.313-01
1.6	10.00	3.50	1.942-01	7.281-03	7.574-01
1.6	10.00	3.75	2.004-01	6.293-03	7.831-01
1.6	10.00	4.00	2.041-01	5.432-03	8.086-01
1.6	10.00	4.25	2.064-01	4.688-03	8.338-01
1.6	10.00	4.50	2.070-01	4.049-03	8.587-01
1.6	10.00	5.00	2.055-01	3.035-03	9.076-01
1.6	10.00	5.50	2.005-01	2.295-03	9.553-01
1.6	10.00	6.00	1.940-01	1.751-03	1.002 00
1.6	10.00	7.00	1.782-01	1.052-03	1.093 00
1.6	10.00	8.00	1.613-01	6.570-04	1.179 00
1.6	10.00	10.00	1.305-01	2.823-04	1.343 00
1.6	15.00	1.50	3.261-02	1.081-02	5.416-01
1.6	15.00	1.75	6.135-02	1.491-02	5.652-01
1.6	15.00	2.00	9.108-02	1.669-02	5.894-01
1.6	15.00	2.25	1.190-01	1.683-02	6.138-01
1.6	15.00	2.50	1.438-01	1.601-02	6.384-01
1.6	15.00	2.75	1.650-01	1.471-02	6.629-01
1.6	15.00	3.00	1.825-01	1.324-02	6.873-01
1.6	15.00	3.25	1.966-01	1.175-02	7.116-01
1.6	15.00	3.50	2.075-01	1.034-02	7.357-01
1.6	15.00	3.75	2.160-01	9.063-03	7.595-01
1.6	15.00	4.00	2.218-01	7.919-03	7.832-01
1.6	15.00	4.25	2.259-01	6.911-03	8.065-01
1.6	15.00	4.50	2.280-01	6.030-03	8.297-01
1.6	15.00	5.00	2.290-01	4.602-03	8.753-01
1.6	15.00	5.50	2.258-01	3.534-03	9.199-01
1.6	15.00	6.00	2.205-01	2.734-03	9.636-01
1.6	15.00	7.00	2.056-01	1.678-03	1.048 00
1.6	15.00	8.00	1.885-01	1.067-03	1.130 00
1.6	15.00	10.00	1.554-01	4.713-04	1.284 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.6	20.00	1.50	3.093-02	1.142-02	5.391-01
1.6	20.00	1.75	5.902-02	1.619-02	5.610-01
1.6	20.00	2.00	8.873-02	1.854-02	5.835-01
1.6	20.00	2.25	1.172-01	1.906-02	6.064-01
1.6	20.00	2.50	1.430-01	1.844-02	6.295-01
1.6	20.00	2.75	1.655-01	1.720-02	6.526-01
1.6	20.00	3.00	1.845-01	1.567-02	6.756-01
1.6	20.00	3.25	2.001-01	1.407-02	6.986-01
1.6	20.00	3.50	2.126-01	1.251-02	7.214-01
1.6	20.00	3.75	2.225-01	1.106-02	7.440-01
1.6	20.00	4.00	2.298-01	9.744-03	7.664-01
1.6	20.00	4.25	2.351-01	8.567-03	7.886-01
1.6	20.00	4.50	2.384-01	7.527-03	8.106-01
1.6	20.00	5.00	2.414-01	5.815-03	8.541-01
1.6	20.00	5.50	2.396-01	4.511-03	8.966-01
1.6	20.00	6.00	2.354-01	3.522-03	9.384-01
1.6	20.00	7.00	2.218-01	2.195-03	1.019 00
1.6	20.00	8.00	2.050-01	1.413-03	1.097 00
1.6	20.00	10.00	1.712-01	6.354-04	1.246 00
1.6	25.00	1.50	2.949-02	1.168-02	5.371-01
1.6	25.00	1.75	5.687-02	1.690-02	5.579-01
1.6	25.00	2.00	8.630-02	1.968-02	5.793-01
1.6	25.00	2.25	1.149-01	2.053-02	6.011-01
1.6	25.00	2.50	1.412-01	2.011-02	6.231-01
1.6	25.00	2.75	1.645-01	1.896-02	6.451-01
1.6	25.00	3.00	1.844-01	1.744-02	6.672-01
1.6	25.00	3.25	2.011-01	1.579-02	6.892-01
1.6	25.00	3.50	2.146-01	1.414-02	7.111-01
1.6	25.00	3.75	2.256-01	1.259-02	7.328-01
1.6	25.00	4.00	2.339-01	1.116-02	7.544-01
1.6	25.00	4.25	2.402-01	9.867-03	7.757-01
1.6	25.00	4.50	2.443-01	8.714-03	7.970-01
1.6	25.00	5.00	2.489-01	6.793-03	8.389-01
1.6	25.00	5.50	2.483-01	5.311-03	8.799-01
1.6	25.00	6.00	2.451-01	4.175-03	9.203-01
1.6	25.00	7.00	2.328-01	2.631-03	9.988-01
1.6	25.00	8.00	2.165-01	1.709-03	1.074 00
1.6	25.00	10.00	1.825-01	7.791-04	1.218 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.6	40.00	1.50	2.639-02	1.180-02	5.333-01
1.6	40.00	1.75	5.196-02	1.775-02	5.519-01
1.6	40.00	2.00	8.031-02	2.137-02	5.712-01
1.6	40.00	2.25	1.087-01	2.293-02	5.910-01
1.6	40.00	2.50	1.354-01	2.301-02	6.110-01
1.6	40.00	2.75	1.598-01	2.216-02	6.312-01
1.6	40.00	3.00	1.812-01	2.076-02	6.514-01
1.6	40.00	3.25	1.996-01	1.912-02	6.717-01
1.6	40.00	3.50	2.149-01	1.739-02	6.919-01
1.6	40.00	3.75	2.280-01	1.568-02	7.119-01
1.6	40.00	4.00	2.382-01	1.407-02	7.319-01
1.6	40.00	4.25	2.463-01	1.258-02	7.517-01
1.6	40.00	4.50	2.522-01	1.123-02	7.714-01
1.6	40.00	5.00	2.600-01	8.909-03	8.104-01
1.6	40.00	5.50	2.621-01	7.075-03	8.487-01
1.6	40.00	6.00	2.611-01	5.638-03	8.864-01
1.6	40.00	7.00	2.518-01	3.634-03	9.599-01
1.6	40.00	8.00	2.371-01	2.403-03	1.031 00
1.6	40.00	10.00	2.038-01	1.126-03	1.166 00
1.6	60.00	1.50	2.386-02	1.157-02	5.305-01
1.6	60.00	1.75	4.773-02	1.796-02	5.475-01
1.6	60.00	2.00	7.484-02	2.218-02	5.653-01
1.6	60.00	2.25	1.026-01	2.434-02	5.836-01
1.6	60.00	2.50	1.292-01	2.490-02	6.022-01
1.6	60.00	2.75	1.541-01	2.438-02	6.210-01
1.6	60.00	3.00	1.762-01	2.320-02	6.399-01
1.6	60.00	3.25	1.957-01	2.164-02	6.588-01
1.6	60.00	3.50	2.123-01	1.992-02	6.777-01
1.6	60.00	3.75	2.268-01	1.816-02	6.966-01
1.6	60.00	4.00	2.384-01	1.645-02	7.153-01
1.6	60.00	4.25	2.479-01	1.484-02	7.340-01
1.6	60.00	4.50	2.552-01	1.335-02	7.526-01
1.6	60.00	5.00	2.657-01	1.075-02	7.894-01
1.6	60.00	5.50	2.701-01	8.648-03	8.257-01
1.6	60.00	6.00	2.710-01	6.966-03	8.614-01
1.6	60.00	7.00	2.646-01	4.573-03	9.311-01
1.6	60.00	8.00	2.517-01	3.068-03	9.986-01
1.6	60.00	10.00	2.197-01	1.470-03	1.128 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.6	100.00	1.50	2.099-02	1.106-02	5.274-01
1.6	100.00	1.75	4.275-02	1.776-02	5.429-01
1.6	100.00	2.00	6.813-02	2.260-02	5.590-01
1.6	100.00	2.25	9.472-02	2.543-02	5.757-01
1.6	100.00	2.50	1.209-01	2.660-02	5.928-01
1.6	100.00	2.75	1.458-01	2.656-02	6.101-01
1.6	100.00	3.00	1.685-01	2.571-02	6.275-01
1.6	100.00	3.25	1.889-01	2.436-02	6.450-01
1.6	100.00	3.50	2.067-01	2.273-02	6.626-01
1.6	100.00	3.75	2.225-01	2.099-02	6.801-01
1.6	100.00	4.00	2.357-01	1.924-02	6.976-01
1.6	100.00	4.25	2.467-01	1.754-02	7.150-01
1.6	100.00	4.50	2.556-01	1.593-02	7.323-01
1.6	100.00	5.00	2.690-01	1.305-02	7.668-01
1.6	100.00	5.50	2.762-01	1.065-02	8.008-01
1.6	100.00	6.00	2.796-01	8.690-03	8.343-01
1.6	100.00	7.00	2.769-01	5.828-03	9.000-01
1.6	100.00	8.00	2.665-01	3.978-03	9.636-01
1.6	100.00	10.00	2.369-01	1.957-03	1.086 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.7	1.20	1.50	5.121-04	1.290-07	1.846-01
1.7	1.20	1.75	8.251-04	1.345-07	2.002-01
1.7	1.20	2.00	1.073-03	1.194-07	2.154-01
1.7	1.20	2.25	1.248-03	9.917-08	2.303-01
1.7	1.20	2.50	1.362-03	7.995-08	2.447-01
1.7	1.20	2.75	1.427-03	6.366-08	2.587-01
1.7	1.20	3.00	1.456-03	5.051-08	2.724-01
1.7	1.20	3.25	1.459-03	4.012-08	2.858-01
1.7	1.20	3.50	1.443-03	3.199-08	2.988-01
1.7	1.20	3.75	1.413-03	2.563-08	3.116-01
1.7	1.20	4.00	1.375-03	2.065-08	3.241-01
1.7	1.20	4.25	1.332-03	1.674-08	3.363-01
1.7	1.20	4.50	1.285-03	1.365-08	3.484-01
1.7	1.20	5.00	1.187-03	9.244-09	3.718-01
1.7	1.20	5.50	1.091-03	6.403-09	3.944-01
1.7	1.20	6.00	9.982-04	4.527-09	4.164-01
1.7	1.20	7.00	8.375-04	2.398-09	4.582-01
1.7	1.20	8.00	7.035-04	1.352-09	4.978-01
1.7	1.20	10.00	5.070-04	4.966-10	5.727-01
1.7	1.40	1.50	2.434-03	5.424-06	2.934-01
1.7	1.40	1.75	3.956-03	5.753-06	3.173-01
1.7	1.40	2.00	5.183-03	5.183-06	3.407-01
1.7	1.40	2.25	6.075-03	4.357-06	3.635-01
1.7	1.40	2.50	6.670-03	3.549-06	3.857-01
1.7	1.40	2.75	7.027-03	2.852-06	4.074-01
1.7	1.40	3.00	7.204-03	2.281-06	4.286-01
1.7	1.40	3.25	7.247-03	1.825-06	4.493-01
1.7	1.40	3.50	7.196-03	1.464-06	4.695-01
1.7	1.40	3.75	7.075-03	1.179-06	4.892-01
1.7	1.40	4.00	6.905-03	9.550-07	5.086-01
1.7	1.40	4.25	6.709-03	7.778-07	5.276-01
1.7	1.40	4.50	6.493-03	6.371-07	5.463-01
1.7	1.40	5.00	6.025-03	4.347-07	5.826-01
1.7	1.40	5.50	5.562-03	3.031-07	6.178-01
1.7	1.40	6.00	5.111-03	2.155-07	6.520-01
1.7	1.40	7.00	4.316-03	1.153-07	7.171-01
1.7	1.40	8.00	3.645-03	6.549-08	7.787-01
1.7	1.40	10.00	2.649-03	2.433-08	8.953-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.7	1.60	1.50	5.222-03	3.522-05	3.623-01
1.7	1.60	1.75	8.556-03	3.793-05	3.909-01
1.7	1.60	2.00	1.129-02	3.461-05	4.189-01
1.7	1.60	2.25	1.331-02	2.940-05	4.463-01
1.7	1.60	2.50	1.469-02	2.417-05	4.730-01
1.7	1.60	2.75	1.555-02	1.957-05	4.991-01
1.7	1.60	3.00	1.601-02	1.576-05	5.246-01
1.7	1.60	3.25	1.617-02	1.269-05	5.495-01
1.7	1.60	3.50	1.611-02	1.023-05	5.739-01
1.7	1.60	3.75	1.588-02	8.285-06	5.977-01
1.7	1.60	4.00	1.555-02	6.740-06	6.211-01
1.7	1.60	4.25	1.515-02	5.511-06	6.441-01
1.7	1.60	4.50	1.469-02	4.531-06	6.666-01
1.7	1.60	5.00	1.369-02	3.112-06	7.106-01
1.7	1.60	5.50	1.269-02	2.182-06	7.532-01
1.7	1.60	6.00	1.170-02	1.560-06	7.945-01
1.7	1.60	7.00	9.939-03	8.410-07	8.733-01
1.7	1.60	8.00	8.433-03	4.810-07	9.481-01
1.7	1.60	10.00	6.173-03	1.805-07	1.089 00
1.7	1.80	1.50	8.292-03	1.122-04	4.084-01
1.7	1.80	1.75	1.368-02	1.225-04	4.396-01
1.7	1.80	2.00	1.816-02	1.130-04	4.703-01
1.7	1.80	2.25	2.152-02	9.690-05	5.004-01
1.7	1.80	2.50	2.387-02	8.030-05	5.298-01
1.7	1.80	2.75	2.537-02	6.548-05	5.585-01
1.7	1.80	3.00	2.622-02	5.305-05	5.866-01
1.7	1.80	3.25	2.657-02	4.293-05	6.141-01
1.7	1.80	3.50	2.655-02	3.480-05	6.409-01
1.7	1.80	3.75	2.626-02	2.830-05	6.673-01
1.7	1.80	4.00	2.577-02	2.311-05	6.931-01
1.7	1.80	4.25	2.516-02	1.897-05	7.185-01
1.7	1.80	4.50	2.446-02	1.565-05	7.434-01
1.7	1.80	5.00	2.288-02	1.081-05	7.920-01
1.7	1.80	5.50	2.128-02	7.617-06	8.391-01
1.7	1.80	6.00	1.968-02	5.468-06	8.849-01
1.7	1.80	7.00	1.680-02	2.970-06	9.722-01
1.7	1.80	8.00	1.431-02	1.709-06	1.055 00
1.7	1.80	10.00	1.054-02	6.471-07	1.212 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.7	2.00	1.50	1.131-02	2.485-04	4.405-01
1.7	2.00	1.75	1.878-02	2.747-04	4.733-01
1.7	2.00	2.00	2.505-02	2.560-04	5.056-01
1.7	2.00	2.25	2.984-02	2.214-04	5.372-01
1.7	2.00	2.50	3.323-02	1.848-04	5.682-01
1.7	2.00	2.75	3.546-02	1.516-04	5.985-01
1.7	2.00	3.00	3.677-02	1.235-04	6.282-01
1.7	2.00	3.25	3.736-02	1.004-04	6.572-01
1.7	2.00	3.50	3.744-02	8.177-05	6.856-01
1.7	2.00	3.75	3.712-02	6.676-05	7.135-01
1.7	2.00	4.00	3.651-02	5.471-05	7.409-01
1.7	2.00	4.25	3.572-02	4.505-05	7.677-01
1.7	2.00	4.50	3.480-02	3.727-05	7.941-01
1.7	2.00	5.00	3.267-02	2.588-05	8.456-01
1.7	2.00	5.50	3.047-02	1.832-05	8.956-01
1.7	2.00	6.00	2.825-02	1.321-05	9.441-01
1.7	2.00	7.00	2.423-02	7.220-06	1.037 00
1.7	2.00	8.00	2.072-02	4.176-06	1.125 00
1.7	2.00	10.00	1.535-02	1.594-06	1.291 00
1.7	2.25	1.50	1.477-02	5.024-04	4.684-01
1.7	2.25	1.75	2.470-02	5.629-04	5.022-01
1.7	2.25	2.00	3.315-02	5.305-04	5.355-01
1.7	2.25	2.25	3.970-02	4.632-04	5.683-01
1.7	2.25	2.50	4.442-02	3.897-04	6.004-01
1.7	2.25	2.75	4.760-02	3.221-04	6.318-01
1.7	2.25	3.00	4.954-02	2.640-04	6.626-01
1.7	2.25	3.25	5.052-02	2.159-04	6.927-01
1.7	2.25	3.50	5.078-02	1.766-04	7.223-01
1.7	2.25	3.75	5.049-02	1.448-04	7.513-01
1.7	2.25	4.00	4.978-02	1.191-04	7.797-01
1.7	2.25	4.25	4.882-02	9.845-05	8.077-01
1.7	2.25	4.50	4.766-02	8.173-05	8.352-01
1.7	2.25	5.00	4.491-02	5.709-05	8.888-01
1.7	2.25	5.50	4.204-02	4.062-05	9.409-01
1.7	2.25	6.00	3.909-02	2.941-05	9.915-01
1.7	2.25	7.00	3.370-02	1.620-05	1.088 00
1.7	2.25	8.00	2.893-02	9.424-06	1.180 00
1.7	2.25	10.00	2.158-02	3.630-06	1.354 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.7	2.50	1.50	1.780-02	8.346-04	4.877-01
1.7	2.50	1.75	2.996-02	9.466-04	5.218-01
1.7	2.50	2.00	4.043-02	9.013-04	5.556-01
1.7	2.50	2.25	4.864-02	7.936-04	5.888-01
1.7	2.50	2.50	5.466-02	6.726-04	6.215-01
1.7	2.50	2.75	5.879-02	5.594-04	6.535-01
1.7	2.50	3.00	6.139-02	4.610-04	6.848-01
1.7	2.50	3.25	6.280-02	3.788-04	7.155-01
1.7	2.50	3.50	6.330-02	3.112-04	7.457-01
1.7	2.50	3.75	6.308-02	2.562-04	7.752-01
1.7	2.50	4.00	6.234-02	2.116-04	8.043-01
1.7	2.50	4.25	6.127-02	1.754-04	8.329-01
1.7	2.50	4.50	5.993-02	1.460-04	8.609-01
1.7	2.50	5.00	5.667-02	1.026-04	9.158-01
1.7	2.50	5.50	5.320-02	7.331-05	9.691-01
1.7	2.50	6.00	4.961-02	5.328-05	1.021 00
1.7	2.50	7.00	4.296-02	2.954-05	1.120 00
1.7	2.50	8.00	3.702-02	1.728-05	1.214 00
1.7	2.50	10.00	2.777-02	6.710-06	1.392 00
1.7	2.75	1.50	2.040-02	1.224-03	5.014-01
1.7	2.75	1.75	3.452-02	1.404-03	5.356-01
1.7	2.75	2.00	4.681-02	1.349-03	5.695-01
1.7	2.75	2.25	5.657-02	1.197-03	6.029-01
1.7	2.75	2.50	6.381-02	1.021-03	6.357-01
1.7	2.75	2.75	6.887-02	8.542-04	6.679-01
1.7	2.75	3.00	7.214-02	7.076-04	6.995-01
1.7	2.75	3.25	7.400-02	5.840-04	7.304-01
1.7	2.75	3.50	7.477-02	4.817-04	7.608-01
1.7	2.75	3.75	7.468-02	3.980-04	7.907-01
1.7	2.75	4.00	7.396-02	3.297-04	8.201-01
1.7	2.75	4.25	7.283-02	2.742-04	8.489-01
1.7	2.75	4.50	7.135-02	2.289-04	8.773-01
1.7	2.75	5.00	6.769-02	1.615-04	9.327-01
1.7	2.75	5.50	6.372-02	1.159-04	9.866-01
1.7	2.75	6.00	5.956-02	8.455-05	1.039 00
1.7	2.75	7.00	5.179-02	4.715-05	1.139 00
1.7	2.75	8.00	4.478-02	2.772-05	1.235 00
1.7	2.75	10.00	3.376-02	1.084-05	1.415 00

TABLE I (continued).

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.7	3.00	1.50	2.260-02	1.651-03	5.114-01
1.7	3.00	1.75	3.845-02	1.913-03	5.455-01
1.7	3.00	2.00	5.237-02	1.853-03	5.792-01
1.7	3.00	2.25	6.353-02	1.656-03	6.126-01
1.7	3.00	2.50	7.192-02	1.421-03	6.454-01
1.7	3.00	2.75	7.786-02	1.195-03	6.776-01
1.7	3.00	3.00	8.179-02	9.944-04	7.092-01
1.7	3.00	3.25	8.410-02	8.241-04	7.402-01
1.7	3.00	3.50	8.517-02	6.822-04	7.707-01
1.7	3.00	3.75	8.525-02	5.655-04	8.007-01
1.7	3.00	4.00	8.458-02	4.699-04	8.301-01
1.7	3.00	4.25	8.343-02	3.917-04	8.591-01
1.7	3.00	4.50	8.187-02	3.279-04	8.875-01
1.7	3.00	5.00	7.789-02	2.324-04	9.432-01
1.7	3.00	5.50	7.351-02	1.674-04	9.974-01
1.7	3.00	6.00	6.886-02	1.225-04	1.050 00
1.7	3.00	7.00	6.011-02	6.869-05	1.151 00
1.7	3.00	8.00	5.212-02	4.055-05	1.247 00
1.7	3.00	10.00	3.948-02	1.597-05	1.429 00
1.7	3.25	1.50	2.446-02	2.097-03	5.189-01
1.7	3.25	1.75	4.181-02	2.453-03	5.527-01
1.7	3.25	2.00	5.718-02	2.395-03	5.862-01
1.7	3.25	2.25	6.962-02	2.154-03	6.194-01
1.7	3.25	2.50	7.906-02	1.859-03	6.520-01
1.7	3.25	2.75	8.585-02	1.571-03	6.841-01
1.7	3.25	3.00	9.040-02	1.312-03	7.157-01
1.7	3.25	3.25	9.318-02	1.092-03	7.466-01
1.7	3.25	3.50	9.456-02	9.067-04	7.771-01
1.7	3.25	3.75	9.482-02	7.538-04	8.070-01
1.7	3.25	4.00	9.424-02	6.281-04	8.364-01
1.7	3.25	4.25	9.311-02	5.250-04	8.653-01
1.7	3.25	4.50	9.150-02	4.403-04	8.938-01
1.7	3.25	5.00	8.728-02	3.133-04	9.495-01
1.7	3.25	5.50	8.256-02	2.265-04	1.004 00
1.7	3.25	6.00	7.749-02	1.663-04	1.056 00
1.7	3.25	7.00	6.788-02	9.369-05	1.157 00
1.7	3.25	8.00	5.902-02	5.554-05	1.254 00
1.7	3.25	10.00	4.491-02	2.201-05	1.436 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.7	3.50	1.50	2.602-02	2.550-03	5.245-01
1.7	3.50	1.75	4.468-02	3.009-03	5.580-01
1.7	3.50	2.00	6.134-02	2.959-03	5.912-01
1.7	3.50	2.25	7.494-02	2.677-03	6.241-01
1.7	3.50	2.50	8.535-02	2.323-03	6.566-01
1.7	3.50	2.75	9.292-02	1.971-03	6.885-01
1.7	3.50	3.00	9.809-02	1.653-03	7.199-01
1.7	3.50	3.25	1.013-01	1.380-03	7.507-01
1.7	3.50	3.50	1.030-01	1.150-03	7.810-01
1.7	3.50	3.75	1.035-01	9.585-04	8.108-01
1.7	3.50	4.00	1.030-01	8.006-04	8.401-01
1.7	3.50	4.25	1.019-01	6.707-04	8.690-01
1.7	3.50	4.50	1.003-01	5.638-04	8.974-01
1.7	3.50	5.00	9.590-02	4.027-04	9.530-01
1.7	3.50	5.50	9.091-02	2.920-04	1.007 00
1.7	3.50	6.00	8.549-02	2.149-04	1.060 00
1.7	3.50	7.00	7.512-02	1.217-04	1.161 00
1.7	3.50	8.00	6.548-02	7.240-05	1.257 00
1.7	3.50	10.00	5.002-02	2.885-05	1.439 00
1.7	3.75	1.50	2.733-02	3.001-03	5.289-01
1.7	3.75	1.75	4.713-02	3.568-03	5.619-01
1.7	3.75	2.00	6.494-02	3.533-03	5.949-01
1.7	3.75	2.25	7.958-02	3.215-03	6.275-01
1.7	3.75	2.50	9.089-02	2.802-03	6.597-01
1.7	3.75	2.75	9.920-02	2.387-03	6.914-01
1.7	3.75	3.00	1.049-01	2.010-03	7.225-01
1.7	3.75	3.25	1.086-01	1.683-03	7.532-01
1.7	3.75	3.50	1.106-01	1.406-03	7.833-01
1.7	3.75	3.75	1.113-01	1.175-03	8.129-01
1.7	3.75	4.00	1.110-01	9.842-04	8.421-01
1.7	3.75	4.25	1.100-01	8.262-04	8.708-01
1.7	3.75	4.50	1.083-01	6.958-04	8.991-01
1.7	3.75	5.00	1.038-01	4.987-04	9.544-01
1.7	3.75	5.50	9.860-02	3.627-04	1.008 00
1.7	3.75	6.00	9.288-02	2.677-04	1.061 00
1.7	3.75	7.00	8.186-02	1.522-04	1.161 00
1.7	3.75	8.00	7.153-02	9.086-05	1.257 00
1.7	3.75	10.00	5.485-02	3.640-05	1.439 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.7	4.00	1.50	2.844-02	3.442-03	5.323-01
1.7	4.00	1.75	4.923-02	4.124-03	5.649-01
1.7	4.00	2.00	6.806-02	4.108-03	5.975-01
1.7	4.00	2.25	8.364-02	3.757-03	6.298-01
1.7	4.00	2.50	9.578-02	3.290-03	6.617-01
1.7	4.00	2.75	1.048-01	2.814-03	6.931-01
1.7	4.00	3.00	1.111-01	2.377-03	7.241-01
1.7	4.00	3.25	1.152-01	1.996-03	7.545-01
1.7	4.00	3.50	1.175-01	1.673-03	7.844-01
1.7	4.00	3.75	1.184-01	1.401-03	8.139-01
1.7	4.00	4.00	1.182-01	1.176-03	8.429-01
1.7	4.00	4.25	1.173-01	9.890-04	8.714-01
1.7	4.00	4.50	1.157-01	8.345-04	8.995-01
1.7	4.00	5.00	1.111-01	6.000-04	9.546-01
1.7	4.00	5.50	1.057-01	4.376-04	1.008 00
1.7	4.00	6.00	9.973-02	3.237-04	1.060 00
1.7	4.00	7.00	8.814-02	1.848-04	1.161 00
1.7	4.00	8.00	7.718-02	1.107-04	1.256 00
1.7	4.00	10.00	5.939-02	4.456-05	1.437 00
1.7	5.00	1.50	3.137-02	5.044-03	5.399-01
1.7	5.00	1.75	5.503-02	6.201-03	5.710-01
1.7	5.00	2.00	7.695-02	6.310-03	6.022-01
1.7	5.00	2.25	9.553-02	5.876-03	6.332-01
1.7	5.00	2.50	1.104-01	5.224-03	6.639-01
1.7	5.00	2.75	1.217-01	4.527-03	6.942-01
1.7	5.00	3.00	1.299-01	3.870-03	7.241-01
1.7	5.00	3.25	1.356-01	3.283-03	7.535-01
1.7	5.00	3.50	1.391-01	2.776-03	7.826-01
1.7	5.00	3.75	1.409-01	2.345-03	8.112-01
1.7	5.00	4.00	1.413-01	1.983-03	8.393-01
1.7	5.00	4.25	1.408-01	1.679-03	8.671-01
1.7	5.00	4.50	1.395-01	1.426-03	8.945-01
1.7	5.00	5.00	1.349-01	1.036-03	9.481-01
1.7	5.00	5.50	1.292-01	7.631-04	1.000 00
1.7	5.00	6.00	1.226-01	5.692-04	1.051 00
1.7	5.00	7.00	1.093-01	3.294-04	1.149 00
1.7	5.00	8.00	9.646-02	1.995-04	1.243 00
1.7	5.00	10.00	7.511-02	8.167-05	1.420 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.7	6.00	1.50	3.282-02	6.347-03	5.430-01
1.7	6.00	1.75	5.820-02	7.967-03	5.727-01
1.7	6.00	2.00	8.214-02	8.247-03	6.025-01
1.7	6.00	2.25	1.028-01	7.792-03	6.323-01
1.7	6.00	2.50	1.196-01	7.013-03	6.619-01
1.7	6.00	2.75	1.327-01	6.144-03	6.912-01
1.7	6.00	3.00	1.425-01	5.300-03	7.201-01
1.7	6.00	3.25	1.495-01	4.535-03	7.486-01
1.7	6.00	3.50	1.541-01	3.863-03	7.767-01
1.7	6.00	3.75	1.567-01	3.285-03	8.045-01
1.7	6.00	4.00	1.578-01	2.794-03	8.318-01
1.7	6.00	4.25	1.578-01	2.379-03	8.588-01
1.7	6.00	4.50	1.568-01	2.030-03	8.854-01
1.7	6.00	5.00	1.525-01	1.489-03	9.377-01
1.7	6.00	5.50	1.468-01	1.105-03	9.886-01
1.7	6.00	6.00	1.399-01	8.296-04	1.038 00
1.7	6.00	7.00	1.257-01	4.854-04	1.134 00
1.7	6.00	8.00	1.116-01	2.966-04	1.226 00
1.7	6.00	10.00	8.775-02	1.231-04	1.399 00
1.7	8.00	1.50	3.371-02	8.200-03	5.443-01
1.7	8.00	1.75	6.079-02	1.063-02	5.718-01
1.7	8.00	2.00	8.704-02	1.130-02	5.995-01
1.7	8.00	2.25	1.103-01	1.091-02	6.274-01
1.7	8.00	2.50	1.298-01	1.001-02	6.551-01
1.7	8.00	2.75	1.454-01	8.917-03	6.827-01
1.7	8.00	3.00	1.575-01	7.805-03	7.099-01
1.7	8.00	3.25	1.665-01	6.764-03	7.369-01
1.7	8.00	3.50	1.728-01	5.828-03	7.635-01
1.7	8.00	3.75	1.770-01	5.008-03	7.898-01
1.7	8.00	4.00	1.793-01	4.299-03	8.158-01
1.7	8.00	4.25	1.803-01	3.692-03	8.415-01
1.7	8.00	4.50	1.800-01	3.175-03	8.668-01
1.7	8.00	5.00	1.767-01	2.361-03	9.166-01
1.7	8.00	5.50	1.714-01	1.773-03	9.652-01
1.7	8.00	6.00	1.644-01	1.345-03	1.013 00
1.7	8.00	7.00	1.495-01	8.003-04	1.104 00
1.7	8.00	8.00	1.340-01	4.957-04	1.192 00
1.7	8.00	10.00	1.069-01	2.101-04	1.359 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.7	10.00	1.50	3.351-02	9.378-03	5.436-01
1.7	10.00	1.75	6.122-02	1.245-02	5.695-01
1.7	10.00	2.00	8.860-02	1.350-02	5.957-01
1.7	10.00	2.25	1.133-01	1.326-02	6.221-01
1.7	10.00	2.50	1.344-01	1.234-02	6.484-01
1.7	10.00	2.75	1.518-01	1.113-02	6.746-01
1.7	10.00	3.00	1.655-01	9.848-03	7.006-01
1.7	10.00	3.25	1.760-01	8.617-03	7.264-01
1.7	10.00	3.50	1.837-01	7.489-03	7.519-01
1.7	10.00	3.75	1.890-01	6.485-03	7.771-01
1.7	10.00	4.00	1.924-01	5.607-03	8.020-01
1.7	10.00	4.25	1.942-01	4.846-03	8.267-01
1.7	10.00	4.50	1.947-01	4.192-03	8.510-01
1.7	10.00	5.00	1.923-01	3.150-03	8.989-01
1.7	10.00	5.50	1.877-01	2.386-03	9.457-01
1.7	10.00	6.00	1.810-01	1.824-03	9.915-01
1.7	10.00	7.00	1.660-01	1.100-03	1.080 00
1.7	10.00	8.00	1.498-01	6.881-04	1.165 00
1.7	10.00	10.00	1.208-01	2.962-04	1.326 00
1.7	15.00	1.50	3.194-02	1.087-02	5.408-01
1.7	15.00	1.75	5.965-02	1.504-02	5.639-01
1.7	15.00	2.00	8.798-02	1.688-02	5.876-01
1.7	15.00	2.25	1.144-01	1.707-02	6.116-01
1.7	15.00	2.50	1.377-01	1.629-02	6.356-01
1.7	15.00	2.75	1.574-01	1.501-02	6.596-01
1.7	15.00	3.00	1.737-01	1.354-02	6.835-01
1.7	15.00	3.25	1.866-01	1.204-02	7.072-01
1.7	15.00	3.50	1.966-01	1.063-02	7.307-01
1.7	15.00	3.75	2.041-01	9.327-03	7.540-01
1.7	15.00	4.00	2.093-01	8.163-03	7.771-01
1.7	15.00	4.25	2.128-01	7.135-03	8.000-01
1.7	15.00	4.50	2.147-01	6.235-03	8.226-01
1.7	15.00	5.00	2.147-01	4.770-03	8.672-01
1.7	15.00	5.50	2.116-01	3.670-03	9.109-01
1.7	15.00	6.00	2.059-01	2.844-03	9.537-01
1.7	15.00	7.00	1.918-01	1.753-03	1.037 00
1.7	15.00	8.00	1.752-01	1.117-03	1.116 00
1.7	15.00	10.00	1.441-01	4.943-04	1.268 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.7	20.00	1.50	3.030-02	1.148-02	5.383-01
1.7	20.00	1.75	5.743-02	1.632-02	5.598-01
1.7	20.00	2.00	8.578-02	1.874-02	5.819-01
1.7	20.00	2.25	1.128-01	1.932-02	6.043-01
1.7	20.00	2.50	1.371-01	1.875-02	6.269-01
1.7	20.00	2.75	1.581-01	1.753-02	6.495-01
1.7	20.00	3.00	1.757-01	1.601-02	6.720-01
1.7	20.00	3.25	1.902-01	1.441-02	6.944-01
1.7	20.00	3.50	2.016-01	1.284-02	7.167-01
1.7	20.00	3.75	2.105-01	1.137-02	7.388-01
1.7	20.00	4.00	2.170-01	1.003-02	7.607-01
1.7	20.00	4.25	2.217-01	8.837-03	7.824-01
1.7	20.00	4.50	2.247-01	7.776-03	8.039-01
1.7	20.00	5.00	2.264-01	6.022-03	8.464-01
1.7	20.00	5.50	2.248-01	4.682-03	8.881-01
1.7	20.00	6.00	2.201-01	3.662-03	9.290-01
1.7	20.00	7.00	2.071-01	2.292-03	1.008 00
1.7	20.00	8.00	1.907-01	1.478-03	1.085 00
1.7	20.00	10.00	1.589-01	6.662-04	1.230 00
1.7	25.00	1.50	2.890-02	1.174-02	5.364-01
1.7	25.00	1.75	5.538-02	1.703-02	5.568-01
1.7	25.00	2.00	8.349-02	1.989-02	5.777-01
1.7	25.00	2.25	1.107-01	2.080-02	5.991-01
1.7	25.00	2.50	1.355-01	2.043-02	6.206-01
1.7	25.00	2.75	1.573-01	1.931-02	6.422-01
1.7	25.00	3.00	1.758-01	1.780-02	6.637-01
1.7	25.00	3.25	1.912-01	1.615-02	6.852-01
1.7	25.00	3.50	2.037-01	1.450-02	7.066-01
1.7	25.00	3.75	2.135-01	1.293-02	7.278-01
1.7	25.00	4.00	2.210-01	1.148-02	7.489-01
1.7	25.00	4.25	2.267-01	1.017-02	7.698-01
1.7	25.00	4.50	2.305-01	8.996-03	7.906-01
1.7	25.00	5.00	2.337-01	7.031-03	8.315-01
1.7	25.00	5.50	2.331-01	5.509-03	8.718-01
1.7	25.00	6.00	2.293-01	4.338-03	9.113-01
1.7	25.00	7.00	2.175-01	2.746-03	9.880-01
1.7	25.00	8.00	2.014-01	1.787-03	1.062 00
1.7	25.00	10.00	1.695-01	8.167-04	1.203 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.7	40.00	1.50	2.589-02	1.184-02	5.327-01
1.7	40.00	1.75	5.067-02	1.787-02	5.510-01
1.7	40.00	2.00	7.781-02	2.156-02	5.699-01
1.7	40.00	2.25	1.048-01	2.320-02	5.892-01
1.7	40.00	2.50	1.301-01	2.335-02	6.088-01
1.7	40.00	2.75	1.530-01	2.253-02	6.285-01
1.7	40.00	3.00	1.729-01	2.117-02	6.483-01
1.7	40.00	3.25	1.901-01	1.953-02	6.680-01
1.7	40.00	3.50	2.043-01	1.780-02	6.878-01
1.7	40.00	3.75	2.161-01	1.609-02	7.074-01
1.7	40.00	4.00	2.254-01	1.446-02	7.269-01
1.7	40.00	4.25	2.328-01	1.295-02	7.463-01
1.7	40.00	4.50	2.383-01	1.157-02	7.655-01
1.7	40.00	5.00	2.444-01	9.210-03	8.037-01
1.7	40.00	5.50	2.464-01	7.331-03	8.412-01
1.7	40.00	6.00	2.446-01	5.852-03	8.781-01
1.7	40.00	7.00	2.355-01	3.788-03	9.499-01
1.7	40.00	8.00	2.208-01	2.510-03	1.019 00
1.7	40.00	10.00	1.894-01	1.180-03	1.152 00
1.7	60.00	1.50	2.341-02	1.161-02	5.299-01
1.7	60.00	1.75	4.659-02	1.806-02	5.466-01
1.7	60.00	2.00	7.258-02	2.236-02	5.641-01
1.7	60.00	2.25	9.901-02	2.460-02	5.819-01
1.7	60.00	2.50	1.243-01	2.524-02	6.001-01
1.7	60.00	2.75	1.476-01	2.477-02	6.185-01
1.7	60.00	3.00	1.684-01	2.362-02	6.370-01
1.7	60.00	3.25	1.866-01	2.209-02	6.554-01
1.7	60.00	3.50	2.021-01	2.037-02	6.739-01
1.7	60.00	3.75	2.151-01	1.861-02	6.923-01
1.7	60.00	4.00	2.258-01	1.689-02	7.107-01
1.7	60.00	4.25	2.346-01	1.526-02	7.289-01
1.7	60.00	4.50	2.414-01	1.375-02	7.471-01
1.7	60.00	5.00	2.500-01	1.110-02	7.831-01
1.7	60.00	5.50	2.541-01	8.951-03	8.185-01
1.7	60.00	6.00	2.541-01	7.224-03	8.535-01
1.7	60.00	7.00	2.477-01	4.763-03	9.217-01
1.7	60.00	8.00	2.346-01	3.203-03	9.877-01
1.7	60.00	10.00	2.043-01	1.539-03	1.114 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.7	100.00	1.50	2.060-02	1.109-02	5.269-01
1.7	100.00	1.75	4.177-02	1.785-02	5.420-01
1.7	100.00	2.00	6.615-02	2.276-02	5.579-01
1.7	100.00	2.25	9.156-02	2.568-02	5.742-01
1.7	100.00	2.50	1.164-01	2.693-02	5.909-01
1.7	100.00	2.75	1.399-01	2.695-02	6.078-01
1.7	100.00	3.00	1.612-01	2.615-02	6.248-01
1.7	100.00	3.25	1.804-01	2.483-02	6.419-01
1.7	100.00	3.50	1.970-01	2.322-02	6.591-01
1.7	100.00	3.75	2.114-01	2.148-02	6.762-01
1.7	100.00	4.00	2.235-01	1.972-02	6.933-01
1.7	100.00	4.25	2.338-01	1.801-02	7.103-01
1.7	100.00	4.50	2.421-01	1.638-02	7.272-01
1.7	100.00	5.00	2.535-01	1.346-02	7.609-01
1.7	100.00	5.50	2.601-01	1.101-02	7.941-01
1.7	100.00	6.00	2.624-01	9.000-03	8.270-01
1.7	100.00	7.00	2.595-01	6.063-03	8.911-01
1.7	100.00	8.00	2.486-01	4.148-03	9.534-01
1.7	100.00	10.00	2.206-01	2.047-03	1.073 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.8	1.20	1.50	4.991-04	1.302-07	1.841-01
1.8	1.20	1.75	7.986-04	1.363-07	1.994-01
1.8	1.20	2.00	1.032-03	1.215-07	2.144-01
1.8	1.20	2.25	1.196-03	1.012-07	2.289-01
1.8	1.20	2.50	1.300-03	8.183-08	2.431-01
1.8	1.20	2.75	1.358-03	6.532-08	2.569-01
1.8	1.20	3.00	1.382-03	5.194-08	2.703-01
1.8	1.20	3.25	1.382-03	4.133-08	2.834-01
1.8	1.20	3.50	1.365-03	3.300-08	2.962-01
1.8	1.20	3.75	1.334-03	2.647-08	3.087-01
1.8	1.20	4.00	1.297-03	2.136-08	3.210-01
1.8	1.20	4.25	1.255-03	1.733-08	3.330-01
1.8	1.20	4.50	1.209-03	1.415-08	3.449-01
1.8	1.20	5.00	1.115-03	9.597-09	3.679-01
1.8	1.20	5.50	1.023-03	6.655-09	3.902-01
1.8	1.20	6.00	9.355-04	4.714-09	4.117-01
1.8	1.20	7.00	7.826-04	2.501-09	4.527-01
1.8	1.20	8.00	6.567-04	1.411-09	4.917-01
1.8	1.20	10.00	4.714-04	5.183-10	5.658-01
1.8	1.40	1.50	2.373-03	5.473-06	2.926-01
1.8	1.40	1.75	3.831-03	5.828-06	3.161-01
1.8	1.40	2.00	4.991-03	5.270-06	3.391-01
1.8	1.40	2.25	5.823-03	4.445-06	3.615-01
1.8	1.40	2.50	6.370-03	3.631-06	3.833-01
1.8	1.40	2.75	6.691-03	2.925-06	4.046-01
1.8	1.40	3.00	6.842-03	2.344-06	4.253-01
1.8	1.40	3.25	6.870-03	1.879-06	4.456-01
1.8	1.40	3.50	6.811-03	1.509-06	4.654-01
1.8	1.40	3.75	6.682-03	1.218-06	4.848-01
1.8	1.40	4.00	6.519-03	9.875-07	5.038-01
1.8	1.40	4.25	6.325-03	8.051-07	5.225-01
1.8	1.40	4.50	6.112-03	6.601-07	5.408-01
1.8	1.40	5.00	5.666-03	4.511-07	5.766-01
1.8	1.40	5.50	5.219-03	3.149-07	6.112-01
1.8	1.40	6.00	4.792-03	2.243-07	6.447-01
1.8	1.40	7.00	4.036-03	1.202-07	7.085-01
1.8	1.40	8.00	3.405-03	6.834-08	7.692-01
1.8	1.40	10.00	2.464-03	2.539-08	8.845-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.8	1.60	1.50	5.094-03	3.553-05	3.614-01
1.8	1.60	1.75	8.289-03	3.842-05	3.895-01
1.8	1.60	2.00	1.087-02	3.518-05	4.170-01
1.8	1.60	2.25	1.276-02	2.998-05	4.438-01
1.8	1.60	2.50	1.404-02	2.472-05	4.700-01
1.8	1.60	2.75	1.481-02	2.007-05	4.956-01
1.8	1.60	3.00	1.521-02	1.619-05	5.206-01
1.8	1.60	3.25	1.533-02	1.306-05	5.451-01
1.8	1.60	3.50	1.525-02	1.055-05	5.690-01
1.8	1.60	3.75	1.501-02	8.553-06	5.924-01
1.8	1.60	4.00	1.469-02	6.967-06	6.154-01
1.8	1.60	4.25	1.429-02	5.703-06	6.379-01
1.8	1.60	4.50	1.384-02	4.694-06	6.601-01
1.8	1.60	5.00	1.289-02	3.229-06	7.033-01
1.8	1.60	5.50	1.191-02	2.267-06	7.452-01
1.8	1.60	6.00	1.098-02	1.623-06	7.857-01
1.8	1.60	7.00	9.297-03	8.769-07	8.630-01
1.8	1.60	8.00	7.880-03	5.020-07	9.366-01
1.8	1.60	10.00	5.745-03	1.884-07	1.076 00
1.8	1.80	1.50	8.092-03	1.131-04	4.075-01
1.8	1.80	1.75	1.326-02	1.240-04	4.381-01
1.8	1.80	2.00	1.750-02	1.148-04	4.683-01
1.8	1.80	2.25	2.065-02	9.877-05	4.977-01
1.8	1.80	2.50	2.282-02	8.208-05	5.266-01
1.8	1.80	2.75	2.418-02	6.710-05	5.547-01
1.8	1.80	3.00	2.493-02	5.449-05	5.823-01
1.8	1.80	3.25	2.521-02	4.417-05	6.092-01
1.8	1.80	3.50	2.515-02	3.586-05	6.356-01
1.8	1.80	3.75	2.482-02	2.920-05	6.614-01
1.8	1.80	4.00	2.435-02	2.388-05	6.868-01
1.8	1.80	4.25	2.374-02	1.962-05	7.117-01
1.8	1.80	4.50	2.304-02	1.620-05	7.362-01
1.8	1.80	5.00	2.154-02	1.121-05	7.839-01
1.8	1.80	5.50	1.998-02	7.912-06	8.303-01
1.8	1.80	6.00	1.847-02	5.690-06	8.752-01
1.8	1.80	7.00	1.572-02	3.097-06	9.608-01
1.8	1.80	8.00	1.338-02	1.783-06	1.042 00
1.8	1.80	10.00	9.816-03	6.753-07	1.197 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.8	2.00	1.50	1.104-02	2.506-04	4.396-01
1.8	2.00	1.75	1.820-02	2.780-04	4.717-01
1.8	2.00	2.00	2.415-02	2.600-04	5.034-01
1.8	2.00	2.25	2.864-02	2.256-04	5.344-01
1.8	2.00	2.50	3.178-02	1.888-04	5.648-01
1.8	2.00	2.75	3.381-02	1.553-04	5.945-01
1.8	2.00	3.00	3.497-02	1.268-04	6.236-01
1.8	2.00	3.25	3.546-02	1.033-04	6.521-01
1.8	2.00	3.50	3.548-02	8.423-05	6.800-01
1.8	2.00	3.75	3.510-02	6.887-05	7.073-01
1.8	2.00	4.00	3.451-02	5.652-05	7.342-01
1.8	2.00	4.25	3.372-02	4.659-05	7.605-01
1.8	2.00	4.50	3.279-02	3.858-05	7.865-01
1.8	2.00	5.00	3.076-02	2.684-05	8.371-01
1.8	2.00	5.50	2.863-02	1.903-05	8.862-01
1.8	2.00	6.00	2.652-02	1.374-05	9.338-01
1.8	2.00	7.00	2.268-02	7.527-06	1.025 00
1.8	2.00	8.00	1.938-02	4.357-06	1.111 00
1.8	2.00	10.00	1.430-02	1.664-06	1.276 00
1.8	2.25	1.50	1.443-02	5.065-04	4.674-01
1.8	2.25	1.75	2.395-02	5.696-04	5.006-01
1.8	2.25	2.00	3.198-02	5.387-04	5.333-01
1.8	2.25	2.25	3.812-02	4.718-04	5.654-01
1.8	2.25	2.50	4.250-02	3.981-04	5.968-01
1.8	2.25	2.75	4.541-02	3.298-04	6.276-01
1.8	2.25	3.00	4.714-02	2.709-04	6.578-01
1.8	2.25	3.25	4.797-02	2.219-04	6.874-01
1.8	2.25	3.50	4.815-02	1.818-04	7.164-01
1.8	2.25	3.75	4.776-02	1.493-04	7.448-01
1.8	2.25	4.00	4.708-02	1.230-04	7.728-01
1.8	2.25	4.25	4.611-02	1.018-04	8.002-01
1.8	2.25	4.50	4.493-02	8.458-05	8.272-01
1.8	2.25	5.00	4.232-02	5.920-05	8.800-01
1.8	2.25	5.50	3.951-02	4.218-05	9.311-01
1.8	2.25	6.00	3.671-02	3.059-05	9.808-01
1.8	2.25	7.00	3.156-02	1.688-05	1.076 00
1.8	2.25	8.00	2.707-02	9.832-06	1.166 00
1.8	2.25	10.00	2.010-02	3.788-06	1.338 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.8	2.50	1.50	1.739-02	8.413-04	4.867-01
1.8	2.50	1.75	2.906-02	9.576-04	5.202-01
1.8	2.50	2.00	3.901-02	9.148-04	5.533-01
1.8	2.50	2.25	4.672-02	8.081-04	5.859-01
1.8	2.50	2.50	5.232-02	6.868-04	6.179-01
1.8	2.50	2.75	5.610-02	5.726-04	6.493-01
1.8	2.50	3.00	5.844-02	4.730-04	6.800-01
1.8	2.50	3.25	5.965-02	3.893-04	7.101-01
1.8	2.50	3.50	6.003-02	3.204-04	7.397-01
1.8	2.50	3.75	5.970-02	2.642-04	7.687-01
1.8	2.50	4.00	5.898-02	2.185-04	7.972-01
1.8	2.50	4.25	5.788-02	1.813-04	8.253-01
1.8	2.50	4.50	5.651-02	1.511-04	8.528-01
1.8	2.50	5.00	5.341-02	1.063-04	9.067-01
1.8	2.50	5.50	5.002-02	7.610-05	9.591-01
1.8	2.50	6.00	4.661-02	5.541-05	1.010 00
1.8	2.50	7.00	4.024-02	3.078-05	1.107 00
1.8	2.50	8.00	3.465-02	1.803-05	1.200 00
1.8	2.50	10.00	2.588-02	7.001-06	1.376 00
1.8	2.75	1.50	1.993-02	1.234-03	5.004-01
1.8	2.75	1.75	3.350-02	1.420-03	5.340-01
1.8	2.75	2.00	4.519-02	1.369-03	5.672-01
1.8	2.75	2.25	5.436-02	1.219-03	5.999-01
1.8	2.75	2.50	6.110-02	1.043-03	6.321-01
1.8	2.75	2.75	6.575-02	8.741-04	6.637-01
1.8	2.75	3.00	6.870-02	7.257-04	6.946-01
1.8	2.75	3.25	7.031-02	6.000-04	7.250-01
1.8	2.75	3.50	7.094-02	4.958-04	7.548-01
1.8	2.75	3.75	7.071-02	4.102-04	7.841-01
1.8	2.75	4.00	7.000-02	3.403-04	8.129-01
1.8	2.75	4.25	6.882-02	2.833-04	8.412-01
1.8	2.75	4.50	6.731-02	2.367-04	8.691-01
1.8	2.75	5.00	6.382-02	1.674-04	9.236-01
1.8	2.75	5.50	5.993-02	1.203-04	9.765-01
1.8	2.75	6.00	5.597-02	8.791-05	1.028 00
1.8	2.75	7.00	4.853-02	4.913-05	1.126 00
1.8	2.75	8.00	4.193-02	2.891-05	1.220 00
1.8	2.75	10.00	3.147-02	1.131-05	1.398 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.8	3.00	1.50	2.209-02	1.663-03	5.104-01
1.8	3.00	1.75	3.732-02	1.934-03	5.439-01
1.8	3.00	2.00	5.057-02	1.880-03	5.770-01
1.8	3.00	2.25	6.107-02	1.685-03	6.097-01
1.8	3.00	2.50	6.889-02	1.451-03	6.418-01
1.8	3.00	2.75	7.436-02	1.223-03	6.734-01
1.8	3.00	3.00	7.791-02	1.020-03	7.044-01
1.8	3.00	3.25	7.994-02	8.465-04	7.348-01
1.8	3.00	3.50	8.084-02	7.019-04	7.647-01
1.8	3.00	3.75	8.074-02	5.827-04	7.941-01
1.8	3.00	4.00	8.008-02	4.849-04	8.230-01
1.8	3.00	4.25	7.887-02	4.047-04	8.514-01
1.8	3.00	4.50	7.725-02	3.391-04	8.794-01
1.8	3.00	5.00	7.346-02	2.408-04	9.341-01
1.8	3.00	5.50	6.916-02	1.737-04	9.872-01
1.8	3.00	6.00	6.473-02	1.273-04	1.039 00
1.8	3.00	7.00	5.633-02	7.156-05	1.138 00
1.8	3.00	8.00	4.882-02	4.229-05	1.232 00
1.8	3.00	10.00	3.682-02	1.666-05	1.412 00
1.8	3.25	1.50	2.391-02	2.113-03	5.179-01
1.8	3.25	1.75	4.059-02	2.480-03	5.511-01
1.8	3.25	2.00	5.523-02	2.429-03	5.840-01
1.8	3.25	2.25	6.695-02	2.192-03	6.165-01
1.8	3.25	2.50	7.576-02	1.897-03	6.485-01
1.8	3.25	2.75	8.201-02	1.606-03	6.799-01
1.8	3.25	3.00	8.614-02	1.345-03	7.109-01
1.8	3.25	3.25	8.859-02	1.121-03	7.412-01
1.8	3.25	3.50	8.977-02	9.327-04	7.711-01
1.8	3.25	3.75	8.983-02	7.766-04	8.004-01
1.8	3.25	4.00	8.925-02	6.480-04	8.293-01
1.8	3.25	4.25	8.804-02	5.422-04	8.577-01
1.8	3.25	4.50	8.636-02	4.553-04	8.857-01
1.8	3.25	5.00	8.234-02	3.246-04	9.404-01
1.8	3.25	5.50	7.769-02	2.350-04	9.936-01
1.8	3.25	6.00	7.287-02	1.728-04	1.045 00
1.8	3.25	7.00	6.363-02	9.760-05	1.144 00
1.8	3.25	8.00	5.530-02	5.792-05	1.239 00
1.8	3.25	10.00	4.188-02	2.295-05	1.419 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.8	3.50	1.50	2.545-02	2.569-03	5.236-01
1.8	3.50	1.75	4.338-02	3.041-03	5.564-01
1.8	3.50	2.00	5.926-02	3.000-03	5.890-01
1.8	3.50	2.25	7.208-02	2.723-03	6.213-01
1.8	3.50	2.50	8.181-02	2.369-03	6.531-01
1.8	3.50	2.75	8.880-02	2.015-03	6.844-01
1.8	3.50	3.00	9.349-02	1.694-03	7.151-01
1.8	3.50	3.25	9.635-02	1.417-03	7.453-01
1.8	3.50	3.50	9.782-02	1.182-03	7.751-01
1.8	3.50	3.75	9.805-02	9.873-04	8.043-01
1.8	3.50	4.00	9.758-02	8.258-04	8.330-01
1.8	3.50	4.25	9.640-02	6.926-04	8.614-01
1.8	3.50	4.50	9.469-02	5.828-04	8.893-01
1.8	3.50	5.00	9.049-02	4.171-04	9.438-01
1.8	3.50	5.50	8.557-02	3.029-04	9.969-01
1.8	3.50	6.00	8.040-02	2.234-04	1.049 00
1.8	3.50	7.00	7.043-02	1.267-04	1.148 00
1.8	3.50	8.00	6.137-02	7.549-05	1.242 00
1.8	3.50	10.00	4.667-02	3.009-05	1.422 00
1.8	3.75	1.50	2.674-02	3.023-03	5.279-01
1.8	3.75	1.75	4.577-02	3.606-03	5.604-01
1.8	3.75	2.00	6.275-02	3.582-03	5.927-01
1.8	3.75	2.25	7.657-02	3.269-03	6.247-01
1.8	3.75	2.50	8.714-02	2.857-03	6.562-01
1.8	3.75	2.75	9.482-02	2.441-03	6.873-01
1.8	3.75	3.00	1.001-01	2.060-03	7.178-01
1.8	3.75	3.25	1.033-01	1.728-03	7.478-01
1.8	3.75	3.50	1.051-01	1.446-03	7.774-01
1.8	3.75	3.75	1.055-01	1.211-03	8.065-01
1.8	3.75	4.00	1.051-01	1.015-03	8.351-01
1.8	3.75	4.25	1.040-01	8.530-04	8.633-01
1.8	3.75	4.50	1.023-01	7.192-04	8.910-01
1.8	3.75	5.00	9.799-02	5.164-04	9.454-01
1.8	3.75	5.50	9.284-02	3.762-04	9.982-01
1.8	3.75	6.00	8.738-02	2.781-04	1.050 00
1.8	3.75	7.00	7.677-02	1.585-04	1.148 00
1.8	3.75	8.00	6.705-02	9.474-05	1.243 00
1.8	3.75	10.00	5.117-02	3.796-05	1.422 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.8	4.00	1.50	2.783-02	3.466-03	5.313-01
1.8	4.00	1.75	4.782-02	4.167-03	5.634-01
1.8	4.00	2.00	6.578-02	4.164-03	5.953-01
1.8	4.00	2.25	8.049-02	3.820-03	6.270-01
1.8	4.00	2.50	9.185-02	3.354-03	6.583-01
1.8	4.00	2.75	1.002-01	2.876-03	6.891-01
1.8	4.00	3.00	1.059-01	2.435-03	7.194-01
1.8	4.00	3.25	1.096-01	2.049-03	7.492-01
1.8	4.00	3.50	1.116-01	1.719-03	7.786-01
1.8	4.00	3.75	1.122-01	1.443-03	8.074-01
1.8	4.00	4.00	1.120-01	1.212-03	8.359-01
1.8	4.00	4.25	1.110-01	1.021-03	8.639-01
1.8	4.00	4.50	1.092-01	8.623-04	8.915-01
1.8	4.00	5.00	1.049-01	6.213-04	9.455-01
1.8	4.00	5.50	9.954-02	4.538-04	9.982-01
1.8	4.00	6.00	9.384-02	3.363-04	1.049 00
1.8	4.00	7.00	8.267-02	1.924-04	1.148 00
1.8	4.00	8.00	7.237-02	1.154-04	1.242 00
1.8	4.00	10.00	5.542-02	4.647-05	1.420 00
1.8	5.00	1.50	3.072-02	5.077-03	5.391-01
1.8	5.00	1.75	5.350-02	6.262-03	5.696-01
1.8	5.00	2.00	7.443-02	6.392-03	6.001-01
1.8	5.00	2.25	9.200-02	5.970-03	6.305-01
1.8	5.00	2.50	1.059-01	5.322-03	6.606-01
1.8	5.00	2.75	1.164-01	4.624-03	6.903-01
1.8	5.00	3.00	1.240-01	3.961-03	7.196-01
1.8	5.00	3.25	1.291-01	3.367-03	7.485-01
1.8	5.00	3.50	1.323-01	2.852-03	7.769-01
1.8	5.00	3.75	1.337-01	2.413-03	8.050-01
1.8	5.00	4.00	1.341-01	2.043-03	8.326-01
1.8	5.00	4.25	1.333-01	1.732-03	8.598-01
1.8	5.00	4.50	1.318-01	1.472-03	8.867-01
1.8	5.00	5.00	1.275-01	1.073-03	9.393-01
1.8	5.00	5.50	1.217-01	7.910-04	9.907-01
1.8	5.00	6.00	1.154-01	5.911-04	1.041 00
1.8	5.00	7.00	1.026-01	3.429-04	1.137 00
1.8	5.00	8.00	9.052-02	2.079-04	1.229 00
1.8	5.00	10.00	7.014-02	8.516-05	1.404 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.8	6.00	1.50	3.215-02	6.387-03	5.422-01
1.8	6.00	1.75	5.661-02	8.042-03	5.713-01
1.8	6.00	2.00	7.950-02	8.350-03	6.006-01
1.8	6.00	2.25	9.907-02	7.911-03	6.298-01
1.8	6.00	2.50	1.149-01	7.140-03	6.587-01
1.8	6.00	2.75	1.271-01	6.270-03	6.874-01
1.8	6.00	3.00	1.361-01	5.422-03	7.157-01
1.8	6.00	3.25	1.424-01	4.648-03	7.437-01
1.8	6.00	3.50	1.466-01	3.966-03	7.713-01
1.8	6.00	3.75	1.488-01	3.378-03	7.985-01
1.8	6.00	4.00	1.498-01	2.877-03	8.253-01
1.8	6.00	4.25	1.495-01	2.453-03	8.518-01
1.8	6.00	4.50	1.483-01	2.096-03	8.779-01
1.8	6.00	5.00	1.442-01	1.540-03	9.291-01
1.8	6.00	5.50	1.384-01	1.145-03	9.791-01
1.8	6.00	6.00	1.318-01	8.612-04	1.028 00
1.8	6.00	7.00	1.181-01	5.051-04	1.122 00
1.8	6.00	8.00	1.048-01	3.091-04	1.212 00
1.8	6.00	10.00	8.199-02	1.283-04	1.383 00
1.8	8.00	1.50	3.305-02	8.247-03	5.435-01
1.8	8.00	1.75	5.918-02	1.072-02	5.705-01
1.8	8.00	2.00	8.431-02	1.143-02	5.977-01
1.8	8.00	2.25	1.064-01	1.107-02	6.250-01
1.8	8.00	2.50	1.247-01	1.018-02	6.522-01
1.8	8.00	2.75	1.394-01	9.092-03	6.792-01
1.8	8.00	3.00	1.506-01	7.977-03	7.059-01
1.8	8.00	3.25	1.588-01	6.926-03	7.323-01
1.8	8.00	3.50	1.646-01	5.978-03	7.584-01
1.8	8.00	3.75	1.682-01	5.145-03	7.842-01
1.8	8.00	4.00	1.703-01	4.423-03	8.097-01
1.8	8.00	4.25	1.709-01	3.804-03	8.348-01
1.8	8.00	4.50	1.703-01	3.275-03	8.597-01
1.8	8.00	5.00	1.672-01	2.441-03	9.085-01
1.8	8.00	5.50	1.617-01	1.835-03	9.562-01
1.8	8.00	6.00	1.550-01	1.395-03	1.003 00
1.8	8.00	7.00	1.405-01	8.324-04	1.093 00
1.8	8.00	8.00	1.259-01	5.164-04	1.179 00
1.8	8.00	10.00	9.994-02	2.190-04	1.343 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.8	10.00	1.50	3.289-02	9.427-03	5.429-01
1.8	10.00	1.75	5.963-02	1.255-02	5.683-01
1.8	10.00	2.00	8.588-02	1.365-02	5.940-01
1.8	10.00	2.25	1.094-01	1.344-02	6.199-01
1.8	10.00	2.50	1.294-01	1.255-02	6.457-01
1.8	10.00	2.75	1.456-01	1.134-02	6.713-01
1.8	10.00	3.00	1.583-01	1.006-02	6.968-01
1.8	10.00	3.25	1.680-01	8.817-03	7.220-01
1.8	10.00	3.50	1.751-01	7.677-03	7.470-01
1.8	10.00	3.75	1.798-01	6.658-03	7.717-01
1.8	10.00	4.00	1.829-01	5.765-03	7.961-01
1.8	10.00	4.25	1.843-01	4.990-03	8.203-01
1.8	10.00	4.50	1.843-01	4.321-03	8.442-01
1.8	10.00	5.00	1.821-01	3.254-03	8.911-01
1.8	10.00	5.50	1.772-01	2.469-03	9.370-01
1.8	10.00	6.00	1.708-01	1.891-03	9.820-01
1.8	10.00	7.00	1.561-01	1.143-03	1.069 00
1.8	10.00	8.00	1.409-01	7.166-04	1.152 00
1.8	10.00	10.00	1.131-01	3.087-04	1.311 00
1.8	15.00	1.50	3.138-02	1.092-02	5.402-01
1.8	15.00	1.75	5.817-02	1.515-02	5.629-01
1.8	15.00	2.00	8.538-02	1.705-02	5.861-01
1.8	15.00	2.25	1.106-01	1.729-02	6.096-01
1.8	15.00	2.50	1.326-01	1.654-02	6.331-01
1.8	15.00	2.75	1.512-01	1.527-02	6.566-01
1.8	15.00	3.00	1.664-01	1.381-02	6.800-01
1.8	15.00	3.25	1.783-01	1.231-02	7.032-01
1.8	15.00	3.50	1.877-01	1.088-02	7.263-01
1.8	15.00	3.75	1.943-01	9.565-03	7.491-01
1.8	15.00	4.00	1.992-01	8.384-03	7.717-01
1.8	15.00	4.25	2.022-01	7.337-03	7.942-01
1.8	15.00	4.50	2.035-01	6.420-03	8.163-01
1.8	15.00	5.00	2.035-01	4.923-03	8.600-01
1.8	15.00	5.50	2.001-01	3.795-03	9.029-01
1.8	15.00	6.00	1.945-01	2.946-03	9.449-01
1.8	15.00	7.00	1.805-01	1.821-03	1.026 00
1.8	15.00	8.00	1.650-01	1.163-03	1.105 00
1.8	15.00	10.00	1.349-01	5.150-04	1.254 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.8	20.00	1.50	2.979-02	1.152-02	5.378-01
1.8	20.00	1.75	5.606-02	1.643-02	5.589-01
1.8	20.00	2.00	8.332-02	1.891-02	5.805-01
1.8	20.00	2.25	1.091-01	1.955-02	6.025-01
1.8	20.00	2.50	1.321-01	1.902-02	6.246-01
1.8	20.00	2.75	1.520-01	1.782-02	6.467-01
1.8	20.00	3.00	1.685-01	1.631-02	6.687-01
1.8	20.00	3.25	1.819-01	1.471-02	6.907-01
1.8	20.00	3.50	1.926-01	1.313-02	7.125-01
1.8	20.00	3.75	2.006-01	1.165-02	7.342-01
1.8	20.00	4.00	2.067-01	1.030-02	7.556-01
1.8	20.00	4.25	2.108-01	9.081-03	7.769-01
1.8	20.00	4.50	2.132-01	8.000-03	7.980-01
1.8	20.00	5.00	2.148-01	6.211-03	8.396-01
1.8	20.00	5.50	2.127-01	4.838-03	8.805-01
1.8	20.00	6.00	2.080-01	3.791-03	9.206-01
1.8	20.00	7.00	1.950-01	2.379-03	9.984-01
1.8	20.00	8.00	1.797-01	1.537-03	1.073 00
1.8	20.00	10.00	1.489-01	6.939-04	1.217 00
1.8	25.00	1.50	2.843-02	1.178-02	5.359-01
1.8	25.00	1.75	5.408-02	1.714-02	5.559-01
1.8	25.00	2.00	8.114-02	2.006-02	5.765-01
1.8	25.00	2.25	1.071-01	2.104-02	5.973-01
1.8	25.00	2.50	1.307-01	2.071-02	6.184-01
1.8	25.00	2.75	1.513-01	1.962-02	6.395-01
1.8	25.00	3.00	1.687-01	1.813-02	6.606-01
1.8	25.00	3.25	1.830-01	1.648-02	6.817-01
1.8	25.00	3.50	1.947-01	1.483-02	7.026-01
1.8	25.00	3.75	2.036-01	1.324-02	7.234-01
1.8	25.00	4.00	2.107-01	1.178-02	7.441-01
1.8	25.00	4.25	2.156-01	1.045-02	7.646-01
1.8	25.00	4.50	2.188-01	9.250-03	7.849-01
1.8	25.00	5.00	2.218-01	7.246-03	8.250-01
1.8	25.00	5.50	2.207-01	5.689-03	8.644-01
1.8	25.00	6.00	2.168-01	4.489-03	9.032-01
1.8	25.00	7.00	2.048-01	2.849-03	9.784-01
1.8	25.00	8.00	1.900-01	1.858-03	1.051 00
1.8	25.00	10.00	1.589-01	8.505-04	1.190 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.8	40.00	1.50	2.549-02	1.188-02	5.323-01
1.8	40.00	1.75	4.954-02	1.796-02	5.502-01
1.8	40.00	2.00	7.570-02	2.173-02	5.687-01
1.8	40.00	2.25	1.015-01	2.343-02	5.876-01
1.8	40.00	2.50	1.257-01	2.364-02	6.068-01
1.8	40.00	2.75	1.473-01	2.287-02	6.261-01
1.8	40.00	3.00	1.661-01	2.153-02	6.455-01
1.8	40.00	3.25	1.821-01	1.990-02	6.648-01
1.8	40.00	3.50	1.956-01	1.817-02	6.841-01
1.8	40.00	3.75	2.063-01	1.645-02	7.034-01
1.8	40.00	4.00	2.151-01	1.481-02	7.224-01
1.8	40.00	4.25	2.217-01	1.328-02	7.415-01
1.8	40.00	4.50	2.264-01	1.188-02	7.603-01
1.8	40.00	5.00	2.323-01	9.482-03	7.976-01
1.8	40.00	5.50	2.336-01	7.563-03	8.344-01
1.8	40.00	6.00	2.315-01	6.049-03	8.705-01
1.8	40.00	7.00	2.220-01	3.928-03	9.410-01
1.8	40.00	8.00	2.085-01	2.609-03	1.009 00
1.8	40.00	10.00	1.778-01	1.228-03	1.140 00
1.8	60.00	1.50	2.307-02	1.164-02	5.295-01
1.8	60.00	1.75	4.559-02	1.814-02	5.459-01
1.8	60.00	2.00	7.069-02	2.252-02	5.630-01
1.8	60.00	2.25	9.603-02	2.483-02	5.805-01
1.8	60.00	2.50	1.202-01	2.553-02	5.983-01
1.8	60.00	2.75	1.423-01	2.511-02	6.163-01
1.8	60.00	3.00	1.619-01	2.400-02	6.344-01
1.8	60.00	3.25	1.789-01	2.248-02	6.524-01
1.8	60.00	3.50	1.936-01	2.077-02	6.705-01
1.8	60.00	3.75	2.056-01	1.901-02	6.886-01
1.8	60.00	4.00	2.158-01	1.728-02	7.065-01
1.8	60.00	4.25	2.236-01	1.564-02	7.244-01
1.8	60.00	4.50	2.296-01	1.411-02	7.422-01
1.8	60.00	5.00	2.378-01	1.142-02	7.774-01
1.8	60.00	5.50	2.411-01	9.226-03	8.121-01
1.8	60.00	6.00	2.407-01	7.462-03	8.464-01
1.8	60.00	7.00	2.337-01	4.935-03	9.133-01
1.8	60.00	8.00	2.217-01	3.326-03	9.781-01
1.8	60.00	10.00	1.920-01	1.602-03	1.103 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.8	100.00	1.50	2.031-02	1.111-02	5.265-01
1.8	100.00	1.75	4.092-02	1.792-02	5.414-01
1.8	100.00	2.00	6.450-02	2.290-02	5.569-01
1.8	100.00	2.25	8.889-02	2.589-02	5.729-01
1.8	100.00	2.50	1.127-01	2.721-02	5.893-01
1.8	100.00	2.75	1.350-01	2.729-02	6.058-01
1.8	100.00	3.00	1.552-01	2.653-02	6.225-01
1.8	100.00	3.25	1.731-01	2.524-02	6.392-01
1.8	100.00	3.50	1.890-01	2.365-02	6.560-01
1.8	100.00	3.75	2.023-01	2.192-02	6.727-01
1.8	100.00	4.00	2.138-01	2.015-02	6.894-01
1.8	100.00	4.25	2.231-01	1.843-02	7.061-01
1.8	100.00	4.50	2.304-01	1.679-02	7.227-01
1.8	100.00	5.00	2.414-01	1.383-02	7.556-01
1.8	100.00	5.50	2.471-01	1.133-02	7.882-01
1.8	100.00	6.00	2.488-01	9.287-03	8.203-01
1.8	100.00	7.00	2.450-01	6.276-03	8.833-01
1.8	100.00	8.00	2.352-01	4.305-03	9.444-01
1.8	100.00	10.00	2.075-01	2.129-03	1.062 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.9	1.20	1.50	4.933-04	1.313-07	1.836-01
1.9	1.20	1.75	7.850-04	1.380-07	1.987-01
1.9	1.20	2.00	1.010-03	1.234-07	2.133-01
1.9	1.20	2.25	1.165-03	1.031-07	2.276-01
1.9	1.20	2.50	1.262-03	8.360-08	2.415-01
1.9	1.20	2.75	1.316-03	6.688-08	2.550-01
1.9	1.20	3.00	1.336-03	5.328-08	2.682-01
1.9	1.20	3.25	1.334-03	4.246-08	2.811-01
1.9	1.20	3.50	1.315-03	3.395-08	2.937-01
1.9	1.20	3.75	1.284-03	2.727-08	3.060-01
1.9	1.20	4.00	1.247-03	2.203-08	3.181-01
1.9	1.20	4.25	1.205-03	1.789-08	3.299-01
1.9	1.20	4.50	1.161-03	1.462-08	3.416-01
1.9	1.20	5.00	1.069-03	9.928-09	3.642-01
1.9	1.20	5.50	9.781-04	6.893-09	3.862-01
1.9	1.20	6.00	8.943-04	4.891-09	4.073-01
1.9	1.20	7.00	7.463-04	2.599-09	4.476-01
1.9	1.20	8.00	6.248-04	1.467-09	4.861-01
1.9	1.20	10.00	4.475-04	5.387-10	5.595-01
1.9	1.40	1.50	2.346-03	5.518-06	2.919-01
1.9	1.40	1.75	3.767-03	5.899-06	3.149-01
1.9	1.40	2.00	4.884-03	5.352-06	3.375-01
1.9	1.40	2.25	5.674-03	4.528-06	3.594-01
1.9	1.40	2.50	6.187-03	3.708-06	3.809-01
1.9	1.40	2.75	6.484-03	2.993-06	4.017-01
1.9	1.40	3.00	6.617-03	2.404-06	4.221-01
1.9	1.40	3.25	6.634-03	1.929-06	4.420-01
1.9	1.40	3.50	6.564-03	1.552-06	4.615-01
1.9	1.40	3.75	6.435-03	1.254-06	4.806-01
1.9	1.40	4.00	6.268-03	1.018-06	4.993-01
1.9	1.40	4.25	6.077-03	8.308-07	5.177-01
1.9	1.40	4.50	5.869-03	6.818-07	5.357-01
1.9	1.40	5.00	5.432-03	4.666-07	5.709-01
1.9	1.40	5.50	4.993-03	3.261-07	6.050-01
1.9	1.40	6.00	4.583-03	2.327-07	6.378-01
1.9	1.40	7.00	3.850-03	1.248-07	7.006-01
1.9	1.40	8.00	3.240-03	7.101-08	7.605-01
1.9	1.40	10.00	2.340-03	2.639-08	8.747-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.9	1.60	1.50	5.038-03	3.581-05	3.605-01
1.9	1.60	1.75	8.153-03	3.887-05	3.881-01
1.9	1.60	2.00	1.064-02	3.571-05	4.150-01
1.9	1.60	2.25	1.244-02	3.053-05	4.414-01
1.9	1.60	2.50	1.364-02	2.523-05	4.671-01
1.9	1.60	2.75	1.436-02	2.053-05	4.923-01
1.9	1.60	3.00	1.472-02	1.660-05	5.168-01
1.9	1.60	3.25	1.481-02	1.340-05	5.408-01
1.9	1.60	3.50	1.470-02	1.085-05	5.643-01
1.9	1.60	3.75	1.446-02	8.805-06	5.873-01
1.9	1.60	4.00	1.412-02	7.180-06	6.099-01
1.9	1.60	4.25	1.373-02	5.884-06	6.321-01
1.9	1.60	4.50	1.329-02	4.846-06	6.539-01
1.9	1.60	5.00	1.236-02	3.339-06	6.965-01
1.9	1.60	5.50	1.140-02	2.347-06	7.377-01
1.9	1.60	6.00	1.050-02	1.683-06	7.774-01
1.9	1.60	7.00	8.873-03	9.107-07	8.534-01
1.9	1.60	8.00	7.502-03	5.215-07	9.261-01
1.9	1.60	10.00	5.457-03	1.958-07	1.064 00
1.9	1.80	1.50	8.004-03	1.140-04	4.064-01
1.9	1.80	1.75	1.305-02	1.254-04	4.366-01
1.9	1.80	2.00	1.714-02	1.165-04	4.661-01
1.9	1.80	2.25	2.014-02	1.005-04	4.951-01
1.9	1.80	2.50	2.218-02	8.377-05	5.234-01
1.9	1.80	2.75	2.345-02	6.863-05	5.510-01
1.9	1.80	3.00	2.413-02	5.583-05	5.781-01
1.9	1.80	3.25	2.436-02	4.533-05	6.045-01
1.9	1.80	3.50	2.426-02	3.686-05	6.304-01
1.9	1.80	3.75	2.392-02	3.005-05	6.559-01
1.9	1.80	4.00	2.342-02	2.460-05	6.808-01
1.9	1.80	4.25	2.282-02	2.024-05	7.053-01
1.9	1.80	4.50	2.215-02	1.672-05	7.294-01
1.9	1.80	5.00	2.066-02	1.159-05	7.764-01
1.9	1.80	5.50	1.913-02	8.189-06	8.220-01
1.9	1.80	6.00	1.768-02	5.899-06	8.660-01
1.9	1.80	7.00	1.501-02	3.216-06	9.502-01
1.9	1.80	8.00	1.274-02	1.852-06	1.031 00
1.9	1.80	10.00	9.327-03	7.016-07	1.184 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.9	2.00	1.50	1.092-02	2.525-04	4.385-01
1.9	2.00	1.75	1.791-02	2.812-04	4.701-01
1.9	2.00	2.00	2.366-02	2.638-04	5.012-01
1.9	2.00	2.25	2.794-02	2.296-04	5.316-01
1.9	2.00	2.50	3.091-02	1.926-04	5.615-01
1.9	2.00	2.75	3.280-02	1.588-04	5.906-01
1.9	2.00	3.00	3.385-02	1.299-04	6.192-01
1.9	2.00	3.25	3.429-02	1.060-04	6.471-01
1.9	2.00	3.50	3.423-02	8.656-05	6.745-01
1.9	2.00	3.75	3.384-02	7.086-05	7.014-01
1.9	2.00	4.00	3.321-02	5.822-05	7.278-01
1.9	2.00	4.25	3.243-02	4.804-05	7.538-01
1.9	2.00	4.50	3.153-02	3.982-05	7.793-01
1.9	2.00	5.00	2.952-02	2.775-05	8.291-01
1.9	2.00	5.50	2.742-02	1.969-05	8.774-01
1.9	2.00	6.00	2.540-02	1.424-05	9.241-01
1.9	2.00	7.00	2.166-02	7.815-06	1.013 00
1.9	2.00	8.00	1.846-02	4.526-06	1.099 00
1.9	2.00	10.00	1.359-02	1.728-06	1.262 00
1.9	2.25	1.50	1.428-02	5.103-04	4.663-01
1.9	2.25	1.75	2.358-02	5.758-04	4.989-01
1.9	2.25	2.00	3.134-02	5.463-04	5.310-01
1.9	2.25	2.25	3.721-02	4.799-04	5.625-01
1.9	2.25	2.50	4.135-02	4.060-04	5.934-01
1.9	2.25	2.75	4.407-02	3.371-04	6.236-01
1.9	2.25	3.00	4.566-02	2.775-04	6.532-01
1.9	2.25	3.25	4.640-02	2.276-04	6.823-01
1.9	2.25	3.50	4.647-02	1.868-04	7.108-01
1.9	2.25	3.75	4.606-02	1.536-04	7.387-01
1.9	2.25	4.00	4.532-02	1.267-04	7.662-01
1.9	2.25	4.25	4.435-02	1.049-04	7.932-01
1.9	2.25	4.50	4.321-02	8.727-05	8.197-01
1.9	2.25	5.00	4.062-02	6.117-05	8.716-01
1.9	2.25	5.50	3.785-02	4.364-05	9.220-01
1.9	2.25	6.00	3.517-02	3.170-05	9.707-01
1.9	2.25	7.00	3.015-02	1.753-05	1.064 00
1.9	2.25	8.00	2.579-02	1.021-05	1.153 00
1.9	2.25	10.00	1.911-02	3.935-06	1.323 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.9	2.50	1.50	1.722-02	8.474-04	4.856-01
1.9	2.50	1.75	2.862-02	9.679-04	5.185-01
1.9	2.50	2.00	3.824-02	9.276-04	5.510-01
1.9	2.50	2.25	4.562-02	8.218-04	5.830-01
1.9	2.50	2.50	5.092-02	7.002-04	6.144-01
1.9	2.50	2.75	5.447-02	5.851-04	6.452-01
1.9	2.50	3.00	5.662-02	4.842-04	6.753-01
1.9	2.50	3.25	5.772-02	3.992-04	7.049-01
1.9	2.50	3.50	5.796-02	3.291-04	7.340-01
1.9	2.50	3.75	5.760-02	2.716-04	7.625-01
1.9	2.50	4.00	5.679-02	2.249-04	7.905-01
1.9	2.50	4.25	5.570-02	1.869-04	8.181-01
1.9	2.50	4.50	5.437-02	1.559-04	8.452-01
1.9	2.50	5.00	5.129-02	1.098-04	8.983-01
1.9	2.50	5.50	4.794-02	7.873-05	9.498-01
1.9	2.50	6.00	4.466-02	5.742-05	9.996-01
1.9	2.50	7.00	3.846-02	3.196-05	1.095 00
1.9	2.50	8.00	3.302-02	1.872-05	1.187 00
1.9	2.50	10.00	2.461-02	7.273-06	1.360 00
1.9	2.75	1.50	1.974-02	1.243-03	4.993-01
1.9	2.75	1.75	3.299-02	1.435-03	5.323-01
1.9	2.75	2.00	4.431-02	1.388-03	5.649-01
1.9	2.75	2.25	5.310-02	1.239-03	5.970-01
1.9	2.75	2.50	5.949-02	1.063-03	6.286-01
1.9	2.75	2.75	6.386-02	8.929-04	6.595-01
1.9	2.75	3.00	6.658-02	7.428-04	6.899-01
1.9	2.75	3.25	6.805-02	6.151-04	7.198-01
1.9	2.75	3.50	6.851-02	5.090-04	7.491-01
1.9	2.75	3.75	6.823-02	4.217-04	7.779-01
1.9	2.75	4.00	6.742-02	3.503-04	8.062-01
1.9	2.75	4.25	6.625-02	2.919-04	8.340-01
1.9	2.75	4.50	6.478-02	2.442-04	8.614-01
1.9	2.75	5.00	6.130-02	1.729-04	9.150-01
1.9	2.75	5.50	5.745-02	1.244-04	9.671-01
1.9	2.75	6.00	5.365-02	9.108-05	1.018 00
1.9	2.75	7.00	4.639-02	5.100-05	1.114 00
1.9	2.75	8.00	3.997-02	3.002-05	1.207 00
1.9	2.75	10.00	2.994-02	1.175-05	1.383 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.9	3.00	1.50	2.188-02	1.675-03	5.093-01
1.9	3.00	1.75	3.676-02	1.954-03	5.421-01
1.9	3.00	2.00	4.959-02	1.905-03	5.747-01
1.9	3.00	2.25	5.967-02	1.713-03	6.067-01
1.9	3.00	2.50	6.709-02	1.478-03	6.383-01
1.9	3.00	2.75	7.224-02	1.249-03	6.693-01
1.9	3.00	3.00	7.554-02	1.043-03	6.997-01
1.9	3.00	3.25	7.739-02	8.676-04	7.296-01
1.9	3.00	3.50	7.808-02	7.205-04	7.589-01
1.9	3.00	3.75	7.793-02	5.989-04	7.878-01
1.9	3.00	4.00	7.714-02	4.989-04	8.162-01
1.9	3.00	4.25	7.594-02	4.169-04	8.441-01
1.9	3.00	4.50	7.437-02	3.496-04	8.716-01
1.9	3.00	5.00	7.058-02	2.487-04	9.255-01
1.9	3.00	5.50	6.631-02	1.796-04	9.778-01
1.9	3.00	6.00	6.206-02	1.319-04	1.028 00
1.9	3.00	7.00	5.386-02	7.428-05	1.126 00
1.9	3.00	8.00	4.654-02	4.392-05	1.219 00
1.9	3.00	10.00	3.503-02	1.730-05	1.396 00
1.9	3.25	1.50	2.369-02	2.127-03	5.168-01
1.9	3.25	1.75	3.999-02	2.505-03	5.494-01
1.9	3.25	2.00	5.417-02	2.461-03	5.817-01
1.9	3.25	2.25	6.543-02	2.227-03	6.136-01
1.9	3.25	2.50	7.380-02	1.932-03	6.450-01
1.9	3.25	2.75	7.969-02	1.640-03	6.759-01
1.9	3.25	3.00	8.354-02	1.376-03	7.062-01
1.9	3.25	3.25	8.579-02	1.149-03	7.360-01
1.9	3.25	3.50	8.673-02	9.572-04	7.653-01
1.9	3.25	3.75	8.673-02	7.980-04	7.941-01
1.9	3.25	4.00	8.600-02	6.667-04	8.225-01
1.9	3.25	4.25	8.479-02	5.585-04	8.504-01
1.9	3.25	4.50	8.316-02	4.694-04	8.779-01
1.9	3.25	5.00	7.912-02	3.352-04	9.318-01
1.9	3.25	5.50	7.452-02	2.430-04	9.841-01
1.9	3.25	6.00	6.988-02	1.790-04	1.035 00
1.9	3.25	7.00	6.085-02	1.013-04	1.132 00
1.9	3.25	8.00	5.273-02	6.014-05	1.226 00
1.9	3.25	10.00	3.986-02	2.384-05	1.403 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.9	3.50	1.50	2.521-02	2.586-03	5.225-01
1.9	3.50	1.75	4.275-02	3.071-03	5.547-01
1.9	3.50	2.00	5.814-02	3.039-03	5.867-01
1.9	3.50	2.25	7.046-02	2.767-03	6.184-01
1.9	3.50	2.50	7.971-02	2.413-03	6.496-01
1.9	3.50	2.75	8.631-02	2.057-03	6.803-01
1.9	3.50	3.00	9.069-02	1.733-03	7.105-01
1.9	3.50	3.25	9.333-02	1.451-03	7.401-01
1.9	3.50	3.50	9.454-02	1.213-03	7.693-01
1.9	3.50	3.75	9.469-02	1.014-03	7.981-01
1.9	3.50	4.00	9.404-02	8.494-04	8.263-01
1.9	3.50	4.25	9.286-02	7.132-04	8.542-01
1.9	3.50	4.50	9.120-02	6.007-04	8.816-01
1.9	3.50	5.00	8.698-02	4.306-04	9.352-01
1.9	3.50	5.50	8.209-02	3.132-04	9.875-01
1.9	3.50	6.00	7.713-02	2.313-04	1.038 00
1.9	3.50	7.00	6.737-02	1.315-04	1.135 00
1.9	3.50	8.00	5.853-02	7.838-05	1.229 00
1.9	3.50	10.00	4.442-02	3.125-05	1.406 00
1.9	3.75	1.50	2.649-02	3.042-03	5.269-01
1.9	3.75	1.75	4.512-02	3.642-03	5.587-01
1.9	3.75	2.00	6.158-02	3.628-03	5.904-01
1.9	3.75	2.25	7.486-02	3.320-03	6.218-01
1.9	3.75	2.50	8.493-02	2.909-03	6.528-01
1.9	3.75	2.75	9.218-02	2.491-03	6.832-01
1.9	3.75	3.00	9.708-02	2.106-03	7.132-01
1.9	3.75	3.25	1.001-01	1.770-03	7.427-01
1.9	3.75	3.50	1.016-01	1.483-03	7.717-01
1.9	3.75	3.75	1.019-01	1.243-03	8.003-01
1.9	3.75	4.00	1.014-01	1.044-03	8.284-01
1.9	3.75	4.25	1.002-01	8.783-04	8.561-01
1.9	3.75	4.50	9.855-02	7.412-04	8.834-01
1.9	3.75	5.00	9.420-02	5.331-04	9.368-01
1.9	3.75	5.50	8.908-02	3.889-04	9.888-01
1.9	3.75	6.00	8.384-02	2.880-04	1.039 00
1.9	3.75	7.00	7.345-02	1.645-04	1.136 00
1.9	3.75	8.00	6.396-02	9.836-05	1.229 00
1.9	3.75	10.00	4.872-02	3.943-05	1.406 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.9	4.00	1.50	2.758-02	3.489-03	5.303-01
1.9	4.00	1.75	4.715-02	4.207-03	5.617-01
1.9	4.00	2.00	6.456-02	4.217-03	5.931-01
1.9	4.00	2.25	7.872-02	3.879-03	6.242-01
1.9	4.00	2.50	8.954-02	3.414-03	6.549-01
1.9	4.00	2.75	9.741-02	2.934-03	6.851-01
1.9	4.00	3.00	1.028-01	2.489-03	7.148-01
1.9	4.00	3.25	1.062-01	2.098-03	7.441-01
1.9	4.00	3.50	1.079-01	1.764-03	7.729-01
1.9	4.00	3.75	1.084-01	1.482-03	8.013-01
1.9	4.00	4.00	1.080-01	1.247-03	8.292-01
1.9	4.00	4.25	1.069-01	1.051-03	8.568-01
1.9	4.00	4.50	1.053-01	8.886-04	8.839-01
1.9	4.00	5.00	1.008-01	6.413-04	9.371-01
1.9	4.00	5.50	9.553-02	4.691-04	9.888-01
1.9	4.00	6.00	9.005-02	3.482-04	1.039 00
1.9	4.00	7.00	7.911-02	1.997-04	1.136 00
1.9	4.00	8.00	6.904-02	1.198-04	1.228 00
1.9	4.00	10.00	5.277-02	4.826-05	1.404 00
1.9	5.00	1.50	3.046-02	5.108-03	5.380-01
1.9	5.00	1.75	5.277-02	6.319-03	5.680-01
1.9	5.00	2.00	7.310-02	6.469-03	5.980-01
1.9	5.00	2.25	9.003-02	6.058-03	6.278-01
1.9	5.00	2.50	1.033-01	5.414-03	6.573-01
1.9	5.00	2.75	1.133-01	4.715-03	6.865-01
1.9	5.00	3.00	1.204-01	4.047-03	7.152-01
1.9	5.00	3.25	1.252-01	3.446-03	7.435-01
1.9	5.00	3.50	1.280-01	2.923-03	7.715-01
1.9	5.00	3.75	1.292-01	2.477-03	7.990-01
1.9	5.00	4.00	1.293-01	2.099-03	8.262-01
1.9	5.00	4.25	1.286-01	1.782-03	8.529-01
1.9	5.00	4.50	1.271-01	1.516-03	8.793-01
1.9	5.00	5.00	1.226-01	1.107-03	9.311-01
1.9	5.00	5.50	1.169-01	8.172-04	9.816-01
1.9	5.00	6.00	1.108-01	6.118-04	1.031 00
1.9	5.00	7.00	9.826-02	3.557-04	1.125 00
1.9	5.00	8.00	8.640-02	2.158-04	1.216 00
1.9	5.00	10.00	6.682-02	8.843-05	1.388 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.9	6.00	1.50	3.189-02	6.424-03	5.412-01
1.9	6.00	1.75	5.586-02	8.112-03	5.698-01
1.9	6.00	2.00	7.811-02	8.447-03	5.985-01
1.9	6.00	2.25	9.700-02	8.025-03	6.272-01
1.9	6.00	2.50	1.121-01	7.260-03	6.556-01
1.9	6.00	2.75	1.237-01	6.390-03	6.837-01
1.9	6.00	3.00	1.322-01	5.537-03	7.115-01
1.9	6.00	3.25	1.382-01	4.754-03	7.389-01
1.9	6.00	3.50	1.419-01	4.063-03	7.660-01
1.9	6.00	3.75	1.439-01	3.465-03	7.927-01
1.9	6.00	4.00	1.446-01	2.955-03	8.191-01
1.9	6.00	4.25	1.442-01	2.523-03	8.451-01
1.9	6.00	4.50	1.431-01	2.157-03	8.707-01
1.9	6.00	5.00	1.388-01	1.589-03	9.211-01
1.9	6.00	5.50	1.330-01	1.182-03	9.703-01
1.9	6.00	6.00	1.266-01	8.910-04	1.018 00
1.9	6.00	7.00	1.131-01	5.238-04	1.110 00
1.9	6.00	8.00	1.001-01	3.207-04	1.199 00
1.9	6.00	10.00	7.813-02	1.332-04	1.368 00
1.9	8.00	1.50	3.281-02	8.292-03	5.426-01
1.9	8.00	1.75	5.843-02	1.081-02	5.691-01
1.9	8.00	2.00	8.290-02	1.155-02	5.958-01
1.9	8.00	2.25	1.043-01	1.122-02	6.226-01
1.9	8.00	2.50	1.219-01	1.035-02	6.493-01
1.9	8.00	2.75	1.358-01	9.258-03	6.757-01
1.9	8.00	3.00	1.464-01	8.138-03	7.019-01
1.9	8.00	3.25	1.542-01	7.078-03	7.278-01
1.9	8.00	3.50	1.595-01	6.120-03	7.534-01
1.9	8.00	3.75	1.628-01	5.274-03	7.787-01
1.9	8.00	4.00	1.645-01	4.540-03	8.038-01
1.9	8.00	4.25	1.650-01	3.909-03	8.285-01
1.9	8.00	4.50	1.645-01	3.369-03	8.529-01
1.9	8.00	5.00	1.610-01	2.515-03	9.009-01
1.9	8.00	5.50	1.555-01	1.895-03	9.478-01
1.9	8.00	6.00	1.491-01	1.443-03	9.936-01
1.9	8.00	7.00	1.347-01	8.628-04	1.082 00
1.9	8.00	8.00	1.203-01	5.357-04	1.167 00
1.9	8.00	10.00	9.530-02	2.273-04	1.329 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.9	10.00	1.50	3.266-02	9.475-03	5.420-01
1.9	10.00	1.75	5.891-02	1.265-02	5.670-01
1.9	10.00	2.00	8.449-02	1.379-02	5.922-01
1.9	10.00	2.25	1.073-01	1.362-02	6.176-01
1.9	10.00	2.50	1.265-01	1.274-02	6.429-01
1.9	10.00	2.75	1.420-01	1.154-02	6.681-01
1.9	10.00	3.00	1.541-01	1.025-02	6.930-01
1.9	10.00	3.25	1.632-01	9.005-03	7.178-01
1.9	10.00	3.50	1.698-01	7.854-03	7.423-01
1.9	10.00	3.75	1.741-01	6.821-03	7.665-01
1.9	10.00	4.00	1.767-01	5.914-03	7.905-01
1.9	10.00	4.25	1.780-01	5.124-03	8.142-01
1.9	10.00	4.50	1.781-01	4.443-03	8.377-01
1.9	10.00	5.00	1.755-01	3.352-03	8.838-01
1.9	10.00	5.50	1.705-01	2.547-03	9.290-01
1.9	10.00	6.00	1.643-01	1.955-03	9.730-01
1.9	10.00	7.00	1.498-01	1.184-03	1.058 00
1.9	10.00	8.00	1.347-01	7.431-04	1.140 00
1.9	10.00	10.00	1.079-01	3.205-04	1.297 00
1.9	15.00	1.50	3.120-02	1.097-02	5.394-01
1.9	15.00	1.75	5.752-02	1.526-02	5.617-01
1.9	15.00	2.00	8.407-02	1.721-02	5.845-01
1.9	15.00	2.25	1.085-01	1.749-02	6.075-01
1.9	15.00	2.50	1.298-01	1.677-02	6.306-01
1.9	15.00	2.75	1.476-01	1.552-02	6.536-01
1.9	15.00	3.00	1.621-01	1.406-02	6.765-01
1.9	15.00	3.25	1.735-01	1.256-02	6.993-01
1.9	15.00	3.50	1.821-01	1.112-02	7.219-01
1.9	15.00	3.75	1.884-01	9.788-03	7.443-01
1.9	15.00	4.00	1.927-01	8.591-03	7.665-01
1.9	15.00	4.25	1.955-01	7.528-03	7.885-01
1.9	15.00	4.50	1.969-01	6.594-03	8.103-01
1.9	15.00	5.00	1.963-01	5.066-03	8.533-01
1.9	15.00	5.50	1.926-01	3.912-03	8.954-01
1.9	15.00	6.00	1.873-01	3.043-03	9.366-01
1.9	15.00	7.00	1.734-01	1.886-03	1.016 00
1.9	15.00	8.00	1.578-01	1.205-03	1.094 00
1.9	15.00	10.00	1.288-01	5.344-04	1.241 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.9	20.00	1.50	2.964-02	1.157-02	5.370-01
1.9	20.00	1.75	5.545-02	1.653-02	5.578-01
1.9	20.00	2.00	8.209-02	1.908-02	5.790-01
1.9	20.00	2.25	1.071-01	1.977-02	6.006-01
1.9	20.00	2.50	1.294-01	1.927-02	6.222-01
1.9	20.00	2.75	1.485-01	1.810-02	6.439-01
1.9	20.00	3.00	1.643-01	1.660-02	6.655-01
1.9	20.00	3.25	1.771-01	1.499-02	6.870-01
1.9	20.00	3.50	1.870-01	1.341-02	7.084-01
1.9	20.00	3.75	1.946-01	1.191-02	7.296-01
1.9	20.00	4.00	2.001-01	1.054-02	7.507-01
1.9	20.00	4.25	2.040-01	9.311-03	7.716-01
1.9	20.00	4.50	2.064-01	8.212-03	7.923-01
1.9	20.00	5.00	2.074-01	6.388-03	8.332-01
1.9	20.00	5.50	2.049-01	4.984-03	8.733-01
1.9	20.00	6.00	2.004-01	3.913-03	9.127-01
1.9	20.00	7.00	1.874-01	2.462-03	9.890-01
1.9	20.00	8.00	1.720-01	1.593-03	1.063 00
1.9	20.00	10.00	1.423-01	7.199-04	1.204 00
1.9	25.00	1.50	2.830-02	1.182-02	5.352-01
1.9	25.00	1.75	5.353-02	1.724-02	5.548-01
1.9	25.00	2.00	7.998-02	2.022-02	5.750-01
1.9	25.00	2.25	1.052-01	2.126-02	5.955-01
1.9	25.00	2.50	1.280-01	2.097-02	6.161-01
1.9	25.00	2.75	1.478-01	1.991-02	6.368-01
1.9	25.00	3.00	1.646-01	1.843-02	6.575-01
1.9	25.00	3.25	1.783-01	1.679-02	6.782-01
1.9	25.00	3.50	1.892-01	1.513-02	6.987-01
1.9	25.00	3.75	1.977-01	1.354-02	7.191-01
1.9	25.00	4.00	2.040-01	1.205-02	7.394-01
1.9	25.00	4.25	2.088-01	1.070-02	7.595-01
1.9	25.00	4.50	2.119-01	9.489-03	7.794-01
1.9	25.00	5.00	2.142-01	7.449-03	8.188-01
1.9	25.00	5.50	2.127-01	5.859-03	8.575-01
1.9	25.00	6.00	2.091-01	4.631-03	8.955-01
1.9	25.00	7.00	1.970-01	2.948-03	9.694-01
1.9	25.00	8.00	1.819-01	1.925-03	1.041 00
1.9	25.00	10.00	1.519-01	8.822-04	1.178 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.9	40.00	1.50	2.540-02	1.191-02	5.316-01
1.9	40.00	1.75	4.907-02	1.805-02	5.492-01
1.9	40.00	2.00	7.468-02	2.189-02	5.674-01
1.9	40.00	2.25	9.987-02	2.365-02	5.860-01
1.9	40.00	2.50	1.232-01	2.391-02	6.048-01
1.9	40.00	2.75	1.441-01	2.318-02	6.237-01
1.9	40.00	3.00	1.623-01	2.187-02	6.426-01
1.9	40.00	3.25	1.776-01	2.025-02	6.616-01
1.9	40.00	3.50	1.902-01	1.852-02	6.805-01
1.9	40.00	3.75	2.005-01	1.680-02	6.994-01
1.9	40.00	4.00	2.085-01	1.514-02	7.181-01
1.9	40.00	4.25	2.149-01	1.360-02	7.367-01
1.9	40.00	4.50	2.195-01	1.218-02	7.553-01
1.9	40.00	5.00	2.245-01	9.738-03	7.919-01
1.9	40.00	5.50	2.253-01	7.780-03	8.280-01
1.9	40.00	6.00	2.234-01	6.234-03	8.634-01
1.9	40.00	7.00	2.137-01	4.061-03	9.326-01
1.9	40.00	8.00	1.998-01	2.700-03	9.997-01
1.9	40.00	10.00	1.701-01	1.273-03	1.128 00
1.9	60.00	1.50	2.301-02	1.167-02	5.289-01
1.9	60.00	1.75	4.520-02	1.823-02	5.450-01
1.9	60.00	2.00	6.978-02	2.267-02	5.618-01
1.9	60.00	2.25	9.450-02	2.504-02	5.790-01
1.9	60.00	2.50	1.179-01	2.580-02	5.964-01
1.9	60.00	2.75	1.393-01	2.543-02	6.140-01
1.9	60.00	3.00	1.583-01	2.435-02	6.317-01
1.9	60.00	3.25	1.746-01	2.285-02	6.494-01
1.9	60.00	3.50	1.885-01	2.115-02	6.671-01
1.9	60.00	3.75	2.000-01	1.939-02	6.848-01
1.9	60.00	4.00	2.093-01	1.765-02	7.025-01
1.9	60.00	4.25	2.170-01	1.599-02	7.200-01
1.9	60.00	4.50	2.228-01	1.445-02	7.374-01
1.9	60.00	5.00	2.300-01	1.172-02	7.720-01
1.9	60.00	5.50	2.327-01	9.484-03	8.061-01
1.9	60.00	6.00	2.325-01	7.684-03	8.397-01
1.9	60.00	7.00	2.251-01	5.098-03	9.053-01
1.9	60.00	8.00	2.125-01	3.441-03	9.690-01
1.9	60.00	10.00	1.838-01	1.660-03	1.092 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
1.9	100.00	1.50	2.028-02	1.113-02	5.260-01
1.9	100.00	1.75	4.060-02	1.798-02	5.406-01
1.9	100.00	2.00	6.371-02	2.302-02	5.558-01
1.9	100.00	2.25	8.755-02	2.608-02	5.715-01
1.9	100.00	2.50	1.107-01	2.747-02	5.875-01
1.9	100.00	2.75	1.323-01	2.761-02	6.037-01
1.9	100.00	3.00	1.518-01	2.689-02	6.200-01
1.9	100.00	3.25	1.691-01	2.563-02	6.364-01
1.9	100.00	3.50	1.841-01	2.405-02	6.528-01
1.9	100.00	3.75	1.969-01	2.233-02	6.693-01
1.9	100.00	4.00	2.075-01	2.056-02	6.857-01
1.9	100.00	4.25	2.167-01	1.883-02	7.020-01
1.9	100.00	4.50	2.239-01	1.717-02	7.183-01
1.9	100.00	5.00	2.336-01	1.417-02	7.506-01
1.9	100.00	5.50	2.387-01	1.164-02	7.826-01
1.9	100.00	6.00	2.405-01	9.555-03	8.141-01
1.9	100.00	7.00	2.362-01	6.479-03	8.757-01
1.9	100.00	8.00	2.256-01	4.451-03	9.359-01
1.9	100.00	10.00	1.987-01	2.206-03	1.052 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
2.0	1.20	1.50	4.799-04	1.324-07	1.833-01
2.0	1.20	1.75	7.597-04	1.396-07	1.981-01
2.0	1.20	2.00	9.725-04	1.252-07	2.125-01
2.0	1.20	2.25	1.118-03	1.049-07	2.266-01
2.0	1.20	2.50	1.208-03	8.525-08	2.403-01
2.0	1.20	2.75	1.257-03	6.834-08	2.536-01
2.0	1.20	3.00	1.274-03	5.453-08	2.666-01
2.0	1.20	3.25	1.270-03	4.352-08	2.793-01
2.0	1.20	3.50	1.250-03	3.484-08	2.917-01
2.0	1.20	3.75	1.221-03	2.802-08	3.038-01
2.0	1.20	4.00	1.184-03	2.265-08	3.157-01
2.0	1.20	4.25	1.143-03	1.841-08	3.274-01
2.0	1.20	4.50	1.099-03	1.505-08	3.389-01
2.0	1.20	5.00	1.011-03	1.023-08	3.613-01
2.0	1.20	5.50	9.247-04	7.119-09	3.828-01
2.0	1.20	6.00	8.450-04	5.056-09	4.036-01
2.0	1.20	7.00	7.035-04	2.689-09	4.434-01
2.0	1.20	8.00	5.884-04	1.518-09	4.816-01
2.0	1.20	10.00	4.202-04	5.575-10	5.544-01
2.0	1.40	1.50	2.283-03	5.560-06	2.913-01
2.0	1.40	1.75	3.647-03	5.965-06	3.141-01
2.0	1.40	2.00	4.707-03	5.429-06	3.362-01
2.0	1.40	2.25	5.450-03	4.605-06	3.579-01
2.0	1.40	2.50	5.926-03	3.780-06	3.790-01
2.0	1.40	2.75	6.198-03	3.058-06	3.995-01
2.0	1.40	3.00	6.314-03	2.459-06	4.196-01
2.0	1.40	3.25	6.321-03	1.977-06	4.392-01
2.0	1.40	3.50	6.245-03	1.592-06	4.584-01
2.0	1.40	3.75	6.120-03	1.288-06	4.772-01
2.0	1.40	4.00	5.956-03	1.046-06	4.957-01
2.0	1.40	4.25	5.768-03	8.548-07	5.138-01
2.0	1.40	4.50	5.562-03	7.019-07	5.316-01
2.0	1.40	5.00	5.141-03	4.809-07	5.663-01
2.0	1.40	5.50	4.723-03	3.367-07	5.998-01
2.0	1.40	6.00	4.332-03	2.405-07	6.321-01
2.0	1.40	7.00	3.630-03	1.292-07	6.940-01
2.0	1.40	8.00	3.053-03	7.348-08	7.534-01
2.0	1.40	10.00	2.198-03	2.731-08	8.667-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
2.0	1.60	1.50	4.903-03	3.608-05	3.599-01
2.0	1.60	1.75	7.896-03	3.930-05	3.870-01
2.0	1.60	2.00	1.026-02	3.621-05	4.136-01
2.0	1.60	2.25	1.195-02	3.104-05	4.395-01
2.0	1.60	2.50	1.307-02	2.571-05	4.649-01
2.0	1.60	2.75	1.373-02	2.096-05	4.896-01
2.0	1.60	3.00	1.405-02	1.698-05	5.138-01
2.0	1.60	3.25	1.412-02	1.373-05	5.374-01
2.0	1.60	3.50	1.399-02	1.112-05	5.606-01
2.0	1.60	3.75	1.376-02	9.039-06	5.833-01
2.0	1.60	4.00	1.343-02	7.379-06	6.055-01
2.0	1.60	4.25	1.304-02	6.052-06	6.274-01
2.0	1.60	4.50	1.260-02	4.988-06	6.489-01
2.0	1.60	5.00	1.170-02	3.441-06	6.909-01
2.0	1.60	5.50	1.079-02	2.423-06	7.314-01
2.0	1.60	6.00	9.931-03	1.740-06	7.705-01
2.0	1.60	7.00	8.370-03	9.420-07	8.455-01
2.0	1.60	8.00	7.071-03	5.396-07	9.174-01
2.0	1.60	10.00	5.128-03	2.026-07	1.055 00
2.0	1.80	1.50	7.792-03	1.148-04	4.058-01
2.0	1.80	1.75	1.264-02	1.268-04	4.355-01
2.0	1.80	2.00	1.653-02	1.181-04	4.646-01
2.0	1.80	2.25	1.936-02	1.022-04	4.930-01
2.0	1.80	2.50	2.126-02	8.533-05	5.209-01
2.0	1.80	2.75	2.243-02	7.006-05	5.481-01
2.0	1.80	3.00	2.304-02	5.709-05	5.747-01
2.0	1.80	3.25	2.323-02	4.642-05	6.008-01
2.0	1.80	3.50	2.309-02	3.779-05	6.263-01
2.0	1.80	3.75	2.276-02	3.085-05	6.514-01
2.0	1.80	4.00	2.227-02	2.528-05	6.759-01
2.0	1.80	4.25	2.168-02	2.081-05	7.001-01
2.0	1.80	4.50	2.100-02	1.721-05	7.239-01
2.0	1.80	5.00	1.957-02	1.194-05	7.703-01
2.0	1.80	5.50	1.811-02	8.454-06	8.151-01
2.0	1.80	6.00	1.672-02	6.096-06	8.584-01
2.0	1.80	7.00	1.416-02	3.326-06	9.415-01
2.0	1.80	8.00	1.201-02	1.916-06	1.021 00
2.0	1.80	10.00	8.768-03	7.260-07	1.173 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
2.0	2.00	1.50	1.063-02	2.543-04	4.378-01
2.0	2.00	1.75	1.736-02	2.841-04	4.689-01
2.0	2.00	2.00	2.282-02	2.674-04	4.995-01
2.0	2.00	2.25	2.686-02	2.333-04	5.295-01
2.0	2.00	2.50	2.963-02	1.962-04	5.589-01
2.0	2.00	2.75	3.139-02	1.621-04	5.876-01
2.0	2.00	3.00	3.234-02	1.328-04	6.157-01
2.0	2.00	3.25	3.270-02	1.085-04	6.432-01
2.0	2.00	3.50	3.260-02	8.872-05	6.702-01
2.0	2.00	3.75	3.222-02	7.271-05	6.967-01
2.0	2.00	4.00	3.159-02	5.980-05	7.227-01
2.0	2.00	4.25	3.081-02	4.939-05	7.483-01
2.0	2.00	4.50	2.990-02	4.097-05	7.734-01
2.0	2.00	5.00	2.797-02	2.858-05	8.226-01
2.0	2.00	5.50	2.596-02	2.032-05	8.701-01
2.0	2.00	6.00	2.403-02	1.472-05	9.160-01
2.0	2.00	7.00	2.044-02	8.082-06	1.004 00
2.0	2.00	8.00	1.741-02	4.682-06	1.089 00
2.0	2.00	10.00	1.278-02	1.788-06	1.250 00
2.0	2.25	1.50	1.390-02	5.138-04	4.657-01
2.0	2.25	1.75	2.286-02	5.817-04	4.977-01
2.0	2.25	2.00	3.024-02	5.536-04	5.293-01
2.0	2.25	2.25	3.578-02	4.876-04	5.603-01
2.0	2.25	2.50	3.966-02	4.134-04	5.907-01
2.0	2.25	2.75	4.219-02	3.439-04	6.204-01
2.0	2.25	3.00	4.363-02	2.835-04	6.496-01
2.0	2.25	3.25	4.426-02	2.330-04	6.782-01
2.0	2.25	3.50	4.426-02	1.914-04	7.062-01
2.0	2.25	3.75	4.386-02	1.576-04	7.338-01
2.0	2.25	4.00	4.312-02	1.301-04	7.609-01
2.0	2.25	4.25	4.216-02	1.079-04	7.875-01
2.0	2.25	4.50	4.100-02	8.977-05	8.137-01
2.0	2.25	5.00	3.849-02	6.300-05	8.649-01
2.0	2.25	5.50	3.585-02	4.503-05	9.144-01
2.0	2.25	6.00	3.329-02	3.275-05	9.623-01
2.0	2.25	7.00	2.846-02	1.812-05	1.054 00
2.0	2.25	8.00	2.434-02	1.056-05	1.143 00
2.0	2.25	10.00	1.798-02	4.071-06	1.311 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
2.0	2.50	1.50	1.677-02	8.530-04	4.849-01
2.0	2.50	1.75	2.774-02	9.776-04	5.173-01
2.0	2.50	2.00	3.691-02	9.396-04	5.493-01
2.0	2.50	2.25	4.389-02	8.346-04	5.808-01
2.0	2.50	2.50	4.885-02	7.128-04	6.117-01
2.0	2.50	2.75	5.216-02	5.967-04	6.419-01
2.0	2.50	3.00	5.412-02	4.947-04	6.716-01
2.0	2.50	3.25	5.507-02	4.085-04	7.008-01
2.0	2.50	3.50	5.522-02	3.371-04	7.294-01
2.0	2.50	3.75	5.486-02	2.786-04	7.575-01
2.0	2.50	4.00	5.405-02	2.309-04	7.851-01
2.0	2.50	4.25	5.296-02	1.920-04	8.123-01
2.0	2.50	4.50	5.160-02	1.603-04	8.390-01
2.0	2.50	5.00	4.862-02	1.131-04	8.913-01
2.0	2.50	5.50	4.541-02	8.122-05	9.420-01
2.0	2.50	6.00	4.228-02	5.931-05	9.910-01
2.0	2.50	7.00	3.632-02	3.304-05	1.085 00
2.0	2.50	8.00	3.117-02	1.936-05	1.176 00
2.0	2.50	10.00	2.315-02	7.524-06	1.348 00
2.0	2.75	1.50	1.922-02	1.251-03	4.986-01
2.0	2.75	1.75	3.199-02	1.449-03	5.311-01
2.0	2.75	2.00	4.278-02	1.405-03	5.632-01
2.0	2.75	2.25	5.109-02	1.258-03	5.948-01
2.0	2.75	2.50	5.709-02	1.081-03	6.258-01
2.0	2.75	2.75	6.116-02	9.105-04	6.563-01
2.0	2.75	3.00	6.366-02	7.586-04	6.862-01
2.0	2.75	3.25	6.496-02	6.292-04	7.156-01
2.0	2.75	3.50	6.529-02	5.213-04	7.444-01
2.0	2.75	3.75	6.501-02	4.324-04	7.728-01
2.0	2.75	4.00	6.418-02	3.596-04	8.007-01
2.0	2.75	4.25	6.300-02	2.999-04	8.281-01
2.0	2.75	4.50	6.149-02	2.511-04	8.552-01
2.0	2.75	5.00	5.812-02	1.780-04	9.080-01
2.0	2.75	5.50	5.444-02	1.284-04	9.592-01
2.0	2.75	6.00	5.081-02	9.407-05	1.009 00
2.0	2.75	7.00	4.382-02	5.272-05	1.104 00
2.0	2.75	8.00	3.773-02	3.105-05	1.196 00
2.0	2.75	10.00	2.817-02	1.216-05	1.370 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
2.0	3.00	1.50	2.131-02	1.686-03	5.087-01
2.0	3.00	1.75	3.565-02	1.973-03	5.410-01
2.0	3.00	2.00	4.790-02	1.929-03	5.730-01
2.0	3.00	2.25	5.743-02	1.739-03	6.045-01
2.0	3.00	2.50	6.440-02	1.504-03	6.356-01
2.0	3.00	2.75	6.921-02	1.273-03	6.660-01
2.0	3.00	3.00	7.223-02	1.065-03	6.960-01
2.0	3.00	3.25	7.389-02	8.872-04	7.254-01
2.0	3.00	3.50	7.443-02	7.378-04	7.543-01
2.0	3.00	3.75	7.426-02	6.140-04	7.827-01
2.0	3.00	4.00	7.346-02	5.121-04	8.107-01
2.0	3.00	4.25	7.223-02	4.283-04	8.382-01
2.0	3.00	4.50	7.061-02	3.594-04	8.654-01
2.0	3.00	5.00	6.693-02	2.559-04	9.185-01
2.0	3.00	5.50	6.284-02	1.853-04	9.699-01
2.0	3.00	6.00	5.879-02	1.362-04	1.020 00
2.0	3.00	7.00	5.089-02	7.678-05	1.116 00
2.0	3.00	8.00	4.395-02	4.542-05	1.208 00
2.0	3.00	10.00	3.297-02	1.790-05	1.383 00
2.0	3.25	1.50	2.307-02	2.140-03	5.162-01
2.0	3.25	1.75	3.879-02	2.528-03	5.482-01
2.0	3.25	2.00	5.233-02	2.491-03	5.800-01
2.0	3.25	2.25	6.299-02	2.260-03	6.114-01
2.0	3.25	2.50	7.086-02	1.965-03	6.423-01
2.0	3.25	2.75	7.636-02	1.672-03	6.727-01
2.0	3.25	3.00	7.990-02	1.405-03	7.025-01
2.0	3.25	3.25	8.192-02	1.174-03	7.319-01
2.0	3.25	3.50	8.270-02	9.800-04	7.607-01
2.0	3.25	3.75	8.266-02	8.180-04	7.891-01
2.0	3.25	4.00	8.191-02	6.841-04	8.171-01
2.0	3.25	4.25	8.067-02	5.736-04	8.446-01
2.0	3.25	4.50	7.897-02	4.825-04	8.717-01
2.0	3.25	5.00	7.505-02	3.450-04	9.248-01
2.0	3.25	5.50	7.063-02	2.506-04	9.762-01
2.0	3.25	6.00	6.621-02	1.848-04	1.026 00
2.0	3.25	7.00	5.751-02	1.047-04	1.122 00
2.0	3.25	8.00	4.981-02	6.219-05	1.215 00
2.0	3.25	10.00	3.752-02	2.466-05	1.390 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
2.0	3.50	1.50	2.456-02	2.602-03	5.219-01
2.0	3.50	1.75	4.148-02	3.100-03	5.536-01
2.0	3.50	2.00	5.618-02	3.076-03	5.851-01
2.0	3.50	2.25	6.785-02	2.807-03	6.162-01
2.0	3.50	2.50	7.655-02	2.454-03	6.469-01
2.0	3.50	2.75	8.272-02	2.096-03	6.771-01
2.0	3.50	3.00	8.676-02	1.769-03	7.068-01
2.0	3.50	3.25	8.914-02	1.484-03	7.360-01
2.0	3.50	3.50	9.015-02	1.242-03	7.648-01
2.0	3.50	3.75	9.027-02	1.039-03	7.931-01
2.0	3.50	4.00	8.959-02	8.715-04	8.209-01
2.0	3.50	4.25	8.836-02	7.324-04	8.483-01
2.0	3.50	4.50	8.662-02	6.174-04	8.753-01
2.0	3.50	5.00	8.252-02	4.431-04	9.283-01
2.0	3.50	5.50	7.783-02	3.229-04	9.796-01
2.0	3.50	6.00	7.309-02	2.388-04	1.029 00
2.0	3.50	7.00	6.368-02	1.359-04	1.126 00
2.0	3.50	8.00	5.530-02	8.105-05	1.218 00
2.0	3.50	10.00	4.182-02	3.233-05	1.393 00
2.0	3.75	1.50	2.582-02	3.060-03	5.262-01
2.0	3.75	1.75	4.378-02	3.675-03	5.576-01
2.0	3.75	2.00	5.951-02	3.671-03	5.888-01
2.0	3.75	2.25	7.210-02	3.368-03	6.197-01
2.0	3.75	2.50	8.158-02	2.958-03	6.501-01
2.0	3.75	2.75	8.837-02	2.538-03	6.801-01
2.0	3.75	3.00	9.288-02	2.149-03	7.096-01
2.0	3.75	3.25	9.562-02	1.809-03	7.386-01
2.0	3.75	3.50	9.688-02	1.518-03	7.672-01
2.0	3.75	3.75	9.717-02	1.274-03	7.953-01
2.0	3.75	4.00	9.658-02	1.071-03	8.230-01
2.0	3.75	4.25	9.538-02	9.018-04	8.503-01
2.0	3.75	4.50	9.361-02	7.616-04	8.772-01
2.0	3.75	5.00	8.939-02	5.485-04	9.299-01
2.0	3.75	5.50	8.446-02	4.009-04	9.810-01
2.0	3.75	6.00	7.946-02	2.973-04	1.031 00
2.0	3.75	7.00	6.943-02	1.700-04	1.126 00
2.0	3.75	8.00	6.044-02	1.017-04	1.218 00
2.0	3.75	10.00	4.588-02	4.078-05	1.393 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
2.0	4.00	1.50	2.687-02	3.509-03	5.297-01
2.0	4.00	1.75	4.575-02	4.244-03	5.607-01
2.0	4.00	2.00	6.240-02	4.266-03	5.915-01
2.0	4.00	2.25	7.583-02	3.935-03	6.221-01
2.0	4.00	2.50	8.602-02	3.471-03	6.523-01
2.0	4.00	2.75	9.339-02	2.989-03	6.820-01
2.0	4.00	3.00	9.837-02	2.540-03	7.112-01
2.0	4.00	3.25	1.015-01	2.144-03	7.400-01
2.0	4.00	3.50	1.030-01	1.804-03	7.684-01
2.0	4.00	3.75	1.034-01	1.518-03	7.964-01
2.0	4.00	4.00	1.029-01	1.279-03	8.239-01
2.0	4.00	4.25	1.018-01	1.079-03	8.510-01
2.0	4.00	4.50	1.000-01	9.130-04	8.777-01
2.0	4.00	5.00	9.570-02	6.597-04	9.302-01
2.0	4.00	5.50	9.060-02	4.835-04	9.811-01
2.0	4.00	6.00	8.537-02	3.594-04	1.031 00
2.0	4.00	7.00	7.480-02	2.063-04	1.126 00
2.0	4.00	8.00	6.525-02	1.239-04	1.217 00
2.0	4.00	10.00	4.970-02	4.992-05	1.392 00
2.0	5.00	1.50	2.969-02	5.136-03	5.375-01
2.0	5.00	1.75	5.122-02	6.372-03	5.670-01
2.0	5.00	2.00	7.069-02	6.541-03	5.965-01
2.0	5.00	2.25	8.678-02	6.141-03	6.258-01
2.0	5.00	2.50	9.934-02	5.501-03	6.549-01
2.0	5.00	2.75	1.087-01	4.800-03	6.835-01
2.0	5.00	3.00	1.153-01	4.127-03	7.118-01
2.0	5.00	3.25	1.197-01	3.519-03	7.397-01
2.0	5.00	3.50	1.221-01	2.990-03	7.672-01
2.0	5.00	3.75	1.233-01	2.536-03	7.943-01
2.0	5.00	4.00	1.233-01	2.152-03	8.210-01
2.0	5.00	4.25	1.225-01	1.829-03	8.473-01
2.0	5.00	4.50	1.208-01	1.557-03	8.734-01
2.0	5.00	5.00	1.164-01	1.138-03	9.244-01
2.0	5.00	5.50	1.109-01	8.421-04	9.740-01
2.0	5.00	6.00	1.051-01	6.312-04	1.022 00
2.0	5.00	7.00	9.295-02	3.674-04	1.116 00
2.0	5.00	8.00	8.171-02	2.231-04	1.205 00
2.0	5.00	10.00	6.297-02	9.146-05	1.376 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
2.0	6.00	1.50	3.110-02	6.457-03	5.406-01
2.0	6.00	1.75	5.424-02	8.177-03	5.688-01
2.0	6.00	2.00	7.557-02	8.537-03	5.971-01
2.0	6.00	2.25	9.354-02	8.131-03	6.253-01
2.0	6.00	2.50	1.078-01	7.372-03	6.533-01
2.0	6.00	2.75	1.188-01	6.502-03	6.809-01
2.0	6.00	3.00	1.267-01	5.643-03	7.082-01
2.0	6.00	3.25	1.322-01	4.853-03	7.352-01
2.0	6.00	3.50	1.355-01	4.153-03	7.618-01
2.0	6.00	3.75	1.374-01	3.547-03	7.881-01
2.0	6.00	4.00	1.379-01	3.028-03	8.141-01
2.0	6.00	4.25	1.374-01	2.588-03	8.397-01
2.0	6.00	4.50	1.360-01	2.215-03	8.650-01
2.0	6.00	5.00	1.319-01	1.633-03	9.146-01
2.0	6.00	5.50	1.262-01	1.218-03	9.630-01
2.0	6.00	6.00	1.202-01	9.190-04	1.010 00
2.0	6.00	7.00	1.071-01	5.410-04	1.101 00
2.0	6.00	8.00	9.470-02	3.315-04	1.189 00
2.0	6.00	10.00	7.367-02	1.378-04	1.355 00
2.0	8.00	1.50	3.200-02	8.330-03	5.421-01
2.0	8.00	1.75	5.677-02	1.089-02	5.682-01
2.0	8.00	2.00	8.025-02	1.167-02	5.946-01
2.0	8.00	2.25	1.006-01	1.136-02	6.209-01
2.0	8.00	2.50	1.173-01	1.050-02	6.471-01
2.0	8.00	2.75	1.305-01	9.413-03	6.731-01
2.0	8.00	3.00	1.404-01	8.288-03	6.988-01
2.0	8.00	3.25	1.476-01	7.220-03	7.243-01
2.0	8.00	3.50	1.524-01	6.251-03	7.495-01
2.0	8.00	3.75	1.555-01	5.394-03	7.744-01
2.0	8.00	4.00	1.571-01	4.649-03	7.991-01
2.0	8.00	4.25	1.574-01	4.007-03	8.234-01
2.0	8.00	4.50	1.565-01	3.456-03	8.475-01
2.0	8.00	5.00	1.531-01	2.584-03	8.947-01
2.0	8.00	5.50	1.477-01	1.950-03	9.409-01
2.0	8.00	6.00	1.416-01	1.487-03	9.859-01
2.0	8.00	7.00	1.276-01	8.908-04	1.073 00
2.0	8.00	8.00	1.139-01	5.535-04	1.157 00
2.0	8.00	10.00	8.992-02	2.350-04	1.317 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
2.0	10.00	1.50	3.186-02	9.516-03	5.416-01
2.0	10.00	1.75	5.725-02	1.273-02	5.662-01
2.0	10.00	2.00	8.183-02	1.392-02	5.910-01
2.0	10.00	2.25	1.036-01	1.378-02	6.160-01
2.0	10.00	2.50	1.218-01	1.292-02	6.408-01
2.0	10.00	2.75	1.365-01	1.172-02	6.656-01
2.0	10.00	3.00	1.478-01	1.044-02	6.901-01
2.0	10.00	3.25	1.564-01	9.181-03	7.145-01
2.0	10.00	3.50	1.623-01	8.017-03	7.386-01
2.0	10.00	3.75	1.664-01	6.972-03	7.624-01
2.0	10.00	4.00	1.688-01	6.052-03	7.860-01
2.0	10.00	4.25	1.698-01	5.250-03	8.094-01
2.0	10.00	4.50	1.695-01	4.556-03	8.325-01
2.0	10.00	5.00	1.670-01	3.442-03	8.779-01
2.0	10.00	5.50	1.620-01	2.621-03	9.223-01
2.0	10.00	6.00	1.561-01	2.015-03	9.657-01
2.0	10.00	7.00	1.419-01	1.223-03	1.050 00
2.0	10.00	8.00	1.276-01	7.677-04	1.131 00
2.0	10.00	10.00	1.018-01	3.313-04	1.285 00
2.0	15.00	1.50	3.045-02	1.101-02	5.390-01
2.0	15.00	1.75	5.593-02	1.535-02	5.610-01
2.0	15.00	2.00	8.148-02	1.735-02	5.835-01
2.0	15.00	2.25	1.049-01	1.768-02	6.061-01
2.0	15.00	2.50	1.251-01	1.699-02	6.288-01
2.0	15.00	2.75	1.420-01	1.576-02	6.514-01
2.0	15.00	3.00	1.556-01	1.429-02	6.739-01
2.0	15.00	3.25	1.663-01	1.279-02	6.963-01
2.0	15.00	3.50	1.743-01	1.134-02	7.186-01
2.0	15.00	3.75	1.803-01	9.995-03	7.406-01
2.0	15.00	4.00	1.842-01	8.783-03	7.624-01
2.0	15.00	4.25	1.867-01	7.706-03	7.841-01
2.0	15.00	4.50	1.875-01	6.756-03	8.055-01
2.0	15.00	5.00	1.869-01	5.199-03	8.478-01
2.0	15.00	5.50	1.832-01	4.022-03	8.892-01
2.0	15.00	6.00	1.781-01	3.133-03	9.297-01
2.0	15.00	7.00	1.644-01	1.945-03	1.008 00
2.0	15.00	8.00	1.497-01	1.244-03	1.085 00
2.0	15.00	10.00	1.217-01	5.523-04	1.230 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
2.0	20.00	1.50	2.894-02	1.161-02	5.367-01
2.0	20.00	1.75	5.394-02	1.662-02	5.572-01
2.0	20.00	2.00	7.960-02	1.923-02	5.781-01
2.0	20.00	2.25	1.036-01	1.997-02	5.992-01
2.0	20.00	2.50	1.248-01	1.950-02	6.205-01
2.0	20.00	2.75	1.429-01	1.835-02	6.418-01
2.0	20.00	3.00	1.578-01	1.686-02	6.631-01
2.0	20.00	3.25	1.699-01	1.526-02	6.842-01
2.0	20.00	3.50	1.791-01	1.367-02	7.052-01
2.0	20.00	3.75	1.863-01	1.216-02	7.261-01
2.0	20.00	4.00	1.914-01	1.077-02	7.468-01
2.0	20.00	4.25	1.949-01	9.524-03	7.674-01
2.0	20.00	4.50	1.967-01	8.408-03	7.878-01
2.0	20.00	5.00	1.976-01	6.551-03	8.280-01
2.0	20.00	5.50	1.950-01	5.122-03	8.675-01
2.0	20.00	6.00	1.907-01	4.027-03	9.062-01
2.0	20.00	7.00	1.778-01	2.539-03	9.815-01
2.0	20.00	8.00	1.633-01	1.644-03	1.054 00
2.0	20.00	10.00	1.345-01	7.439-04	1.194 00
2.0	25.00	1.50	2.764-02	1.186-02	5.349-01
2.0	25.00	1.75	5.208-02	1.732-02	5.543-01
2.0	25.00	2.00	7.758-02	2.037-02	5.741-01
2.0	25.00	2.25	1.018-01	2.146-02	5.943-01
2.0	25.00	2.50	1.236-01	2.122-02	6.146-01
2.0	25.00	2.75	1.424-01	2.018-02	6.349-01
2.0	25.00	3.00	1.581-01	1.872-02	6.552-01
2.0	25.00	3.25	1.711-01	1.708-02	6.755-01
2.0	25.00	3.50	1.813-01	1.541-02	6.957-01
2.0	25.00	3.75	1.894-01	1.381-02	7.157-01
2.0	25.00	4.00	1.953-01	1.231-02	7.357-01
2.0	25.00	4.25	1.995-01	1.094-02	7.554-01
2.0	25.00	4.50	2.020-01	9.712-03	7.751-01
2.0	25.00	5.00	2.041-01	7.637-03	8.138-01
2.0	25.00	5.50	2.025-01	6.018-03	8.519-01
2.0	25.00	6.00	1.990-01	4.765-03	8.893-01
2.0	25.00	7.00	1.869-01	3.039-03	9.621-01
2.0	25.00	8.00	1.727-01	1.986-03	1.033 00
2.0	25.00	10.00	1.437-01	9.114-04	1.168 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
2.0	40.00	1.50	2.482-02	1.194-02	5.314-01
2.0	40.00	1.75	4.777-02	1.813-02	5.487-01
2.0	40.00	2.00	7.249-02	2.203-02	5.666-01
2.0	40.00	2.25	9.668-02	2.386-02	5.849-01
2.0	40.00	2.50	1.190-01	2.416-02	6.034-01
2.0	40.00	2.75	1.389-01	2.347-02	6.219-01
2.0	40.00	3.00	1.561-01	2.218-02	6.406-01
2.0	40.00	3.25	1.706-01	2.058-02	6.592-01
2.0	40.00	3.50	1.824-01	1.885-02	6.778-01
2.0	40.00	3.75	1.922-01	1.711-02	6.963-01
2.0	40.00	4.00	1.998-01	1.545-02	7.147-01
2.0	40.00	4.25	2.056-01	1.389-02	7.330-01
2.0	40.00	4.50	2.095-01	1.245-02	7.513-01
2.0	40.00	5.00	2.142-01	9.974-03	7.873-01
2.0	40.00	5.50	2.146-01	7.985-03	8.228-01
2.0	40.00	6.00	2.129-01	6.409-03	8.577-01
2.0	40.00	7.00	2.029-01	4.182-03	9.258-01
2.0	40.00	8.00	1.899-01	2.786-03	9.919-01
2.0	40.00	10.00	1.610-01	1.315-03	1.119 00
2.0	60.00	1.50	2.249-02	1.170-02	5.287-01
2.0	60.00	1.75	4.402-02	1.829-02	5.446-01
2.0	60.00	2.00	6.776-02	2.279-02	5.611-01
2.0	60.00	2.25	9.153-02	2.523-02	5.780-01
2.0	60.00	2.50	1.140-01	2.605-02	5.951-01
2.0	60.00	2.75	1.344-01	2.573-02	6.124-01
2.0	60.00	3.00	1.523-01	2.468-02	6.298-01
2.0	60.00	3.25	1.679-01	2.320-02	6.472-01
2.0	60.00	3.50	1.809-01	2.150-02	6.647-01
2.0	60.00	3.75	1.919-01	1.974-02	6.820-01
2.0	60.00	4.00	2.007-01	1.799-02	6.993-01
2.0	60.00	4.25	2.076-01	1.632-02	7.165-01
2.0	60.00	4.50	2.127-01	1.476-02	7.337-01
2.0	60.00	5.00	2.196-01	1.200-02	7.677-01
2.0	60.00	5.50	2.218-01	9.726-03	8.012-01
2.0	60.00	6.00	2.216-01	7.894-03	8.342-01
2.0	60.00	7.00	2.138-01	5.248-03	8.989-01
2.0	60.00	8.00	2.022-01	3.548-03	9.617-01
2.0	60.00	10.00	1.741-01	1.714-03	1.083 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
2.0	100.00	1.50	1.983-02	1.115-02	5.258-01
2.0	100.00	1.75	3.955-02	1.804-02	5.402-01
2.0	100.00	2.00	6.190-02	2.314-02	5.552-01
2.0	100.00	2.25	8.485-02	2.626-02	5.706-01
2.0	100.00	2.50	1.070-01	2.771-02	5.864-01
2.0	100.00	2.75	1.277-01	2.790-02	6.023-01
2.0	100.00	3.00	1.462-01	2.722-02	6.183-01
2.0	100.00	3.25	1.628-01	2.599-02	6.344-01
2.0	100.00	3.50	1.768-01	2.443-02	6.506-01
2.0	100.00	3.75	1.891-01	2.271-02	6.667-01
2.0	100.00	4.00	1.992-01	2.094-02	6.828-01
2.0	100.00	4.25	2.075-01	1.920-02	6.988-01
2.0	100.00	4.50	2.139-01	1.752-02	7.149-01
2.0	100.00	5.00	2.232-01	1.449-02	7.466-01
2.0	100.00	5.50	2.277-01	1.193-02	7.780-01
2.0	100.00	6.00	2.294-01	9.808-03	8.090-01
2.0	100.00	7.00	2.245-01	6.664-03	8.698-01
2.0	100.00	8.00	2.148-01	4.586-03	9.290-01
2.0	100.00	10.00	1.884-01	2.277-03	1.043+00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
2.5	1.20	1.50	4.527-04	1.368-07	1.814-01
2.5	1.20	1.75	7.010-04	1.463-07	1.953-01
2.5	1.20	2.00	8.838-04	1.328-07	2.089-01
2.5	1.20	2.25	1.005-03	1.124-07	2.220-01
2.5	1.20	2.50	1.077-03	9.204-08	2.348-01
2.5	1.20	2.75	1.114-03	7.429-08	2.474-01
2.5	1.20	3.00	1.122-03	5.964-08	2.596-01
2.5	1.20	3.25	1.113-03	4.785-08	2.716-01
2.5	1.20	3.50	1.091-03	3.848-08	2.833-01
2.5	1.20	3.75	1.061-03	3.106-08	2.948-01
2.5	1.20	4.00	1.025-03	2.519-08	3.060-01
2.5	1.20	4.25	9.867-04	2.055-08	3.171-01
2.5	1.20	4.50	9.462-04	1.686-08	3.278-01
2.5	1.20	5.00	8.664-04	1.153-08	3.488-01
2.5	1.20	5.50	7.889-04	8.053-09	3.690-01
2.5	1.20	6.00	7.174-04	5.731-09	3.888-01
2.5	1.20	7.00	5.932-04	3.054-09	4.271-01
2.5	1.20	8.00	4.930-04	1.724-09	4.642-01
2.5	1.20	10.00	3.495-04	6.346-10	5.342-01
2.5	1.40	1.50	2.156-03	5.742-06	2.886-01
2.5	1.40	1.75	3.370-03	6.244-06	3.098-01
2.5	1.40	2.00	4.284-03	5.748-06	3.306-01
2.5	1.40	2.25	4.905-03	4.924-06	3.508-01
2.5	1.40	2.50	5.290-03	4.075-06	3.706-01
2.5	1.40	2.75	5.498-03	3.319-06	3.899-01
2.5	1.40	3.00	5.568-03	2.686-06	4.088-01
2.5	1.40	3.25	5.547-03	2.171-06	4.273-01
2.5	1.40	3.50	5.458-03	1.757-06	4.454-01
2.5	1.40	3.75	5.328-03	1.426-06	4.632-01
2.5	1.40	4.00	5.164-03	1.163-06	4.807-01
2.5	1.40	4.25	4.985-03	9.530-07	4.978-01
2.5	1.40	4.50	4.794-03	7.853-07	5.145-01
2.5	1.40	5.00	4.412-03	5.415-07	5.469-01
2.5	1.40	5.50	4.035-03	3.806-07	5.784-01
2.5	1.40	6.00	3.684-03	2.725-07	6.091-01
2.5	1.40	7.00	3.066-03	1.466-07	6.686-01
2.5	1.40	8.00	2.562-03	8.344-08	7.262-01
2.5	1.40	10.00	1.831-03	3.109-08	8.351-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
2.5	1.60	1.50	4.635-03	3.722-05	3.566-01
2.5	1.60	1.75	7.306-03	4.109-05	3.820-01
2.5	1.60	2.00	9.352-03	3.830-05	4.069-01
2.5	1.60	2.25	1.077-02	3.315-05	4.311-01
2.5	1.60	2.50	1.168-02	2.769-05	4.549-01
2.5	1.60	2.75	1.220-02	2.273-05	4.781-01
2.5	1.60	3.00	1.240-02	1.852-05	5.008-01
2.5	1.60	3.25	1.240-02	1.506-05	5.231-01
2.5	1.60	3.50	1.225-02	1.226-05	5.449-01
2.5	1.60	3.75	1.199-02	1.000-05	5.664-01
2.5	1.60	4.00	1.166-02	8.191-06	5.874-01
2.5	1.60	4.25	1.128-02	6.741-06	6.081-01
2.5	1.60	4.50	1.088-02	5.576-06	6.282-01
2.5	1.60	5.00	1.006-02	3.871-06	6.675-01
2.5	1.60	5.50	9.231-03	2.737-06	7.056-01
2.5	1.60	6.00	8.455-03	1.969-06	7.427-01
2.5	1.60	7.00	7.077-03	1.069-06	8.147-01
2.5	1.60	8.00	5.940-03	6.124-07	8.843-01
2.5	1.60	10.00	4.277-03	2.306-07	1.016 00
2.5	1.80	1.50	7.372-03	1.184-04	4.022-01
2.5	1.80	1.75	1.171-02	1.324-04	4.300-01
2.5	1.80	2.00	1.508-02	1.248-04	4.572-01
2.5	1.80	2.25	1.746-02	1.090-04	4.838-01
2.5	1.80	2.50	1.902-02	9.178-05	5.099-01
2.5	1.80	2.75	1.994-02	7.588-05	5.354-01
2.5	1.80	3.00	2.036-02	6.221-05	5.605-01
2.5	1.80	3.25	2.043-02	5.086-05	5.850-01
2.5	1.80	3.50	2.023-02	4.160-05	6.091-01
2.5	1.80	3.75	1.986-02	3.409-05	6.327-01
2.5	1.80	4.00	1.936-02	2.804-05	6.560-01
2.5	1.80	4.25	1.878-02	2.316-05	6.788-01
2.5	1.80	4.50	1.815-02	1.922-05	7.011-01
2.5	1.80	5.00	1.684-02	1.343-05	7.445-01
2.5	1.80	5.50	1.551-02	9.543-06	7.865-01
2.5	1.80	6.00	1.425-02	6.897-06	8.276-01
2.5	1.80	7.00	1.199-02	3.771-06	9.073-01
2.5	1.80	8.00	1.010-02	2.174-06	9.843-01
2.5	1.80	10.00	7.320-03	8.266-07	1.130 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
2.5	2.00	1.50	1.007-02	2.619-04	4.341-01
2.5	2.00	1.75	1.610-02	2.965-04	4.632-01
2.5	2.00	2.00	2.085-02	2.821-04	4.918-01
2.5	2.00	2.25	2.426-02	2.486-04	5.198-01
2.5	2.00	2.50	2.654-02	2.108-04	5.473-01
2.5	2.00	2.75	2.793-02	1.754-04	5.742-01
2.5	2.00	3.00	2.860-02	1.446-04	6.006-01
2.5	2.00	3.25	2.878-02	1.188-04	6.265-01
2.5	2.00	3.50	2.859-02	9.758-05	6.520-01
2.5	2.00	3.75	2.814-02	8.030-05	6.770-01
2.5	2.00	4.00	2.749-02	6.628-05	7.016-01
2.5	2.00	4.25	2.673-02	5.493-05	7.257-01
2.5	2.00	4.50	2.587-02	4.573-05	7.493-01
2.5	2.00	5.00	2.409-02	3.211-05	7.953-01
2.5	2.00	5.50	2.226-02	2.293-05	8.399-01
2.5	2.00	6.00	2.050-02	1.664-05	8.835-01
2.5	2.00	7.00	1.732-02	9.159-06	9.679-01
2.5	2.00	8.00	1.465-02	5.310-06	1.050 00
2.5	2.00	10.00	1.068-02	2.036-06	1.204 00
2.5	2.25	1.50	1.318-02	5.287-04	4.618-01
2.5	2.25	1.75	2.122-02	6.064-04	4.918-01
2.5	2.25	2.00	2.765-02	5.836-04	5.213-01
2.5	2.25	2.25	3.236-02	5.190-04	5.503-01
2.5	2.25	2.50	3.556-02	4.436-04	5.787-01
2.5	2.25	2.75	3.758-02	3.717-04	6.066-01
2.5	2.25	3.00	3.863-02	3.083-04	6.340-01
2.5	2.25	3.25	3.900-02	2.547-04	6.609-01
2.5	2.25	3.50	3.886-02	2.103-04	6.873-01
2.5	2.25	3.75	3.835-02	1.738-04	7.133-01
2.5	2.25	4.00	3.756-02	1.441-04	7.389-01
2.5	2.25	4.25	3.661-02	1.198-04	7.640-01
2.5	2.25	4.50	3.551-02	1.001-04	7.886-01
2.5	2.25	5.00	3.320-02	7.073-05	8.365-01
2.5	2.25	5.50	3.077-02	5.077-05	8.830-01
2.5	2.25	6.00	2.843-02	3.701-05	9.284-01
2.5	2.25	7.00	2.415-02	2.053-05	1.016 00
2.5	2.25	8.00	2.051-02	1.197-05	1.102 00
2.5	2.25	10.00	1.504-02	4.634-06	1.263 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
2.5	2.50	1.50	1.590-02	8.772-04	4.810-01
2.5	2.50	1.75	2.578-02	1.018-03	5.113-01
2.5	2.50	2.00	3.379-02	9.896-04	5.412-01
2.5	2.50	2.25	3.972-02	8.875-04	5.706-01
2.5	2.50	2.50	4.384-02	7.642-04	5.995-01
2.5	2.50	2.75	4.650-02	6.442-04	6.279-01
2.5	2.50	3.00	4.796-02	5.374-04	6.558-01
2.5	2.50	3.25	4.857-02	4.462-04	6.832-01
2.5	2.50	3.50	4.852-02	3.700-04	7.101-01
2.5	2.50	3.75	4.802-02	3.071-04	7.366-01
2.5	2.50	4.00	4.714-02	2.554-04	7.627-01
2.5	2.50	4.25	4.603-02	2.132-04	7.883-01
2.5	2.50	4.50	4.474-02	1.786-04	8.134-01
2.5	2.50	5.00	4.197-02	1.269-04	8.624-01
2.5	2.50	5.50	3.903-02	9.153-05	9.099-01
2.5	2.50	6.00	3.615-02	6.700-05	9.564-01
2.5	2.50	7.00	3.084-02	3.741-05	1.046 00
2.5	2.50	8.00	2.629-02	2.194-05	1.134 00
2.5	2.50	10.00	1.939-02	8.564-06	1.299 00
2.5	2.75	1.50	1.825-02	1.285-03	4.947-01
2.5	2.75	1.75	2.976-02	1.508-03	5.251-01
2.5	2.75	2.00	3.920-02	1.479-03	5.551-01
2.5	2.75	2.25	4.629-02	1.336-03	5.846-01
2.5	2.75	2.50	5.128-02	1.158-03	6.137-01
2.5	2.75	2.75	5.458-02	9.821-04	6.422-01
2.5	2.75	3.00	5.646-02	8.234-04	6.703-01
2.5	2.75	3.25	5.734-02	6.867-04	6.979-01
2.5	2.75	3.50	5.742-02	5.717-04	7.250-01
2.5	2.75	3.75	5.695-02	4.763-04	7.517-01
2.5	2.75	4.00	5.602-02	3.975-04	7.781-01
2.5	2.75	4.25	5.481-02	3.327-04	8.039-01
2.5	2.75	4.50	5.336-02	2.796-04	8.293-01
2.5	2.75	5.00	5.023-02	1.996-04	8.788-01
2.5	2.75	5.50	4.682-02	1.446-04	9.269-01
2.5	2.75	6.00	4.348-02	1.062-04	9.739-01
2.5	2.75	7.00	3.724-02	5.968-05	1.065 00
2.5	2.75	8.00	3.185-02	3.518-05	1.153 00
2.5	2.75	10.00	2.361-02	1.383-05	1.321 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
2.5	3.00	1.50	2.024-02	1.731-03	5.048-01
2.5	3.00	1.75	3.319-02	2.051-03	5.350-01
2.5	3.00	2.00	4.392-02	2.028-03	5.649-01
2.5	3.00	2.25	5.208-02	1.846-03	5.944-01
2.5	3.00	2.50	5.790-02	1.609-03	6.234-01
2.5	3.00	2.75	6.181-02	1.372-03	6.520-01
2.5	3.00	3.00	6.411-02	1.155-03	6.800-01
2.5	3.00	3.25	6.527-02	9.675-04	7.077-01
2.5	3.00	3.50	6.551-02	8.085-04	7.349-01
2.5	3.00	3.75	6.511-02	6.757-04	7.617-01
2.5	3.00	4.00	6.417-02	5.656-04	7.880-01
2.5	3.00	4.25	6.289-02	4.748-04	8.140-01
2.5	3.00	4.50	6.133-02	3.999-04	8.394-01
2.5	3.00	5.00	5.789-02	2.868-04	8.892-01
2.5	3.00	5.50	5.410-02	2.085-04	9.375-01
2.5	3.00	6.00	5.036-02	1.537-04	9.847-01
2.5	3.00	7.00	4.329-02	8.687-05	1.076 00
2.5	3.00	8.00	3.714-02	5.144-05	1.165 00
2.5	3.00	10.00	2.765-02	2.037-05	1.333 00
2.5	3.25	1.50	2.193-02	2.197-03	5.124-01
2.5	3.25	1.75	3.614-02	2.627-03	5.423-01
2.5	3.25	2.00	4.803-02	2.617-03	5.720-01
2.5	3.25	2.25	5.716-02	2.397-03	6.013-01
2.5	3.25	2.50	6.375-02	2.102-03	6.302-01
2.5	3.25	2.75	6.825-02	1.800-03	6.586-01
2.5	3.25	3.00	7.097-02	1.522-03	6.866-01
2.5	3.25	3.25	7.242-02	1.280-03	7.142-01
2.5	3.25	3.50	7.284-02	1.073-03	7.413-01
2.5	3.25	3.75	7.253-02	8.996-04	7.681-01
2.5	3.25	4.00	7.160-02	7.552-04	7.944-01
2.5	3.25	4.25	7.029-02	6.355-04	8.203-01
2.5	3.25	4.50	6.864-02	5.365-04	8.458-01
2.5	3.25	5.00	6.497-02	3.863-04	8.955-01
2.5	3.25	5.50	6.086-02	2.819-04	9.438-01
2.5	3.25	6.00	5.675-02	2.085-04	9.910-01
2.5	3.25	7.00	4.896-02	1.184-04	1.083 00
2.5	3.25	8.00	4.211-02	7.041-05	1.171 00
2.5	3.25	10.00	3.149-02	2.806-05	1.340 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
2.5	3.50	1.50	2.335-02	2.669-03	5.181-01
2.5	3.50	1.75	3.867-02	3.219-03	5.478-01
2.5	3.50	2.00	5.160-02	3.229-03	5.772-01
2.5	3.50	2.25	6.161-02	2.975-03	6.063-01
2.5	3.50	2.50	6.892-02	2.622-03	6.349-01
2.5	3.50	2.75	7.398-02	2.255-03	6.632-01
2.5	3.50	3.00	7.711-02	1.915-03	6.910-01
2.5	3.50	3.25	7.885-02	1.616-03	7.185-01
2.5	3.50	3.50	7.946-02	1.359-03	7.455-01
2.5	3.50	3.75	7.926-02	1.142-03	7.721-01
2.5	3.50	4.00	7.837-02	9.614-04	7.983-01
2.5	3.50	4.25	7.705-02	8.110-04	8.242-01
2.5	3.50	4.50	7.534-02	6.862-04	8.495-01
2.5	3.50	5.00	7.148-02	4.960-04	8.991-01
2.5	3.50	5.50	6.710-02	3.631-04	9.473-01
2.5	3.50	6.00	6.270-02	2.693-04	9.945-01
2.5	3.50	7.00	5.425-02	1.537-04	1.086 00
2.5	3.50	8.00	4.679-02	9.174-05	1.174 00
2.5	3.50	10.00	3.512-02	3.677-05	1.343 00
2.5	3.75	1.50	2.455-02	3.138-03	5.225-01
2.5	3.75	1.75	4.084-02	3.814-03	5.519-01
2.5	3.75	2.00	5.469-02	3.851-03	5.810-01
2.5	3.75	2.25	6.551-02	3.567-03	6.098-01
2.5	3.75	2.50	7.349-02	3.159-03	6.382-01
2.5	3.75	2.75	7.908-02	2.729-03	6.663-01
2.5	3.75	3.00	8.261-02	2.326-03	6.939-01
2.5	3.75	3.25	8.463-02	1.968-03	7.212-01
2.5	3.75	3.50	8.544-02	1.660-03	7.480-01
2.5	3.75	3.75	8.536-02	1.399-03	7.745-01
2.5	3.75	4.00	8.453-02	1.180-03	8.006-01
2.5	3.75	4.25	8.322-02	9.979-04	8.262-01
2.5	3.75	4.50	8.147-02	8.460-04	8.515-01
2.5	3.75	5.00	7.748-02	6.137-04	9.009-01
2.5	3.75	5.50	7.287-02	4.507-04	9.489-01
2.5	3.75	6.00	6.821-02	3.352-04	9.958-01
2.5	3.75	7.00	5.919-02	1.921-04	1.087 00
2.5	3.75	8.00	5.117-02	1.151-04	1.175 00
2.5	3.75	10.00	3.855-02	4.638-05	1.343 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
2.5	4.00	1.50	2.557-02	3.596-03	5.260-01
2.5	4.00	1.75	4.270-02	4.403-03	5.550-01
2.5	4.00	2.00	5.739-02	4.473-03	5.838-01
2.5	4.00	2.25	6.894-02	4.165-03	6.123-01
2.5	4.00	2.50	7.754-02	3.704-03	6.405-01
2.5	4.00	2.75	8.363-02	3.212-03	6.683-01
2.5	4.00	3.00	8.753-02	2.747-03	6.957-01
2.5	4.00	3.25	8.984-02	2.331-03	7.227-01
2.5	4.00	3.50	9.085-02	1.972-03	7.494-01
2.5	4.00	3.75	9.090-02	1.666-03	7.757-01
2.5	4.00	4.00	9.015-02	1.409-03	8.016-01
2.5	4.00	4.25	8.886-02	1.193-03	8.271-01
2.5	4.00	4.50	8.710-02	1.014-03	8.522-01
2.5	4.00	5.00	8.301-02	7.377-04	9.013-01
2.5	4.00	5.50	7.821-02	5.433-04	9.491-01
2.5	4.00	6.00	7.332-02	4.051-04	9.958-01
2.5	4.00	7.00	6.381-02	2.332-04	1.087 00
2.5	4.00	8.00	5.528-02	1.401-04	1.174 00
2.5	4.00	10.00	4.179-02	5.676-05	1.341 00
2.5	5.00	1.50	2.829-02	5.255-03	5.340-01
2.5	5.00	1.75	4.791-02	6.597-03	5.616-01
2.5	5.00	2.00	6.515-02	6.843-03	5.891-01
2.5	5.00	2.25	7.907-02	6.485-03	6.165-01
2.5	5.00	2.50	8.972-02	5.856-03	6.436-01
2.5	5.00	2.75	9.753-02	5.146-03	6.703-01
2.5	5.00	3.00	1.028-01	4.452-03	6.968-01
2.5	5.00	3.25	1.062-01	3.819-03	7.229-01
2.5	5.00	3.50	1.080-01	3.260-03	7.487-01
2.5	5.00	3.75	1.086-01	2.778-03	7.742-01
2.5	5.00	4.00	1.082-01	2.367-03	7.994-01
2.5	5.00	4.25	1.071-01	2.019-03	8.242-01
2.5	5.00	4.50	1.054-01	1.726-03	8.486-01
2.5	5.00	5.00	1.012-01	1.270-03	8.964-01
2.5	5.00	5.50	9.596-02	9.448-04	9.430-01
2.5	5.00	6.00	9.046-02	7.104-04	9.886-01
2.5	5.00	7.00	7.946-02	4.149-04	1.077 00
2.5	5.00	8.00	6.936-02	2.522-04	1.163 00
2.5	5.00	10.00	5.304-02	1.039-04	1.326 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
2.5	6.00	1.50	2.966-02	6.598-03	5.374-01
2.5	6.00	1.75	5.081-02	8.451-03	5.637-01
2.5	6.00	2.00	6.977-02	8.915-03	5.901-01
2.5	6.00	2.25	8.537-02	8.570-03	6.163-01
2.5	6.00	2.50	9.757-02	7.835-03	6.424-01
2.5	6.00	2.75	1.067-01	6.958-03	6.682-01
2.5	6.00	3.00	1.131-01	6.077-03	6.938-01
2.5	6.00	3.25	1.174-01	5.256-03	7.191-01
2.5	6.00	3.50	1.200-01	4.521-03	7.440-01
2.5	6.00	3.75	1.212-01	3.879-03	7.687-01
2.5	6.00	4.00	1.212-01	3.325-03	7.931-01
2.5	6.00	4.25	1.204-01	2.852-03	8.172-01
2.5	6.00	4.50	1.189-01	2.451-03	8.409-01
2.5	6.00	5.00	1.148-01	1.820-03	8.874-01
2.5	6.00	5.50	1.094-01	1.365-03	9.328-01
2.5	6.00	6.00	1.036-01	1.033-03	9.772-01
2.5	6.00	7.00	9.167-02	6.104-04	1.064 00
2.5	6.00	8.00	8.051-02	3.745-04	1.147 00
2.5	6.00	10.00	6.215-02	1.565-04	1.307 00
2.5	8.00	1.50	3.058-02	8.496-03	5.392-01
2.5	8.00	1.75	5.330-02	1.122-02	5.635-01
2.5	8.00	2.00	7.428-02	1.215-02	5.880-01
2.5	8.00	2.25	9.206-02	1.194-02	6.125-01
2.5	8.00	2.50	1.064-01	1.112-02	6.370-01
2.5	8.00	2.75	1.175-01	1.004-02	6.612-01
2.5	8.00	3.00	1.257-01	8.901-03	6.853-01
2.5	8.00	3.25	1.315-01	7.799-03	7.091-01
2.5	8.00	3.50	1.353-01	6.787-03	7.327-01
2.5	8.00	3.75	1.375-01	5.884-03	7.561-01
2.5	8.00	4.00	1.384-01	5.092-03	7.792-01
2.5	8.00	4.25	1.382-01	4.406-03	8.021-01
2.5	8.00	4.50	1.371-01	3.815-03	8.246-01
2.5	8.00	5.00	1.336-01	2.874-03	8.689-01
2.5	8.00	5.50	1.283-01	2.181-03	9.122-01
2.5	8.00	6.00	1.223-01	1.669-03	9.546-01
2.5	8.00	7.00	1.095-01	1.004-03	1.037 00
2.5	8.00	8.00	9.709-02	6.247-04	1.117 00
2.5	8.00	10.00	7.603-02	2.667-04	1.270 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
2.5	10.00	1.50	3.048-02	9.690-03	5.388-01
2.5	10.00	1.75	5.384-02	1.310-02	5.617-01
2.5	10.00	2.00	7.589-02	1.446-02	5.849-01
2.5	10.00	2.25	9.496-02	1.445-02	6.081-01
2.5	10.00	2.50	1.107-01	1.365-02	6.313-01
2.5	10.00	2.75	1.232-01	1.248-02	6.543-01
2.5	10.00	3.00	1.325-01	1.118-02	6.773-01
2.5	10.00	3.25	1.395-01	9.895-03	7.000-01
2.5	10.00	3.50	1.443-01	8.686-03	7.226-01
2.5	10.00	3.75	1.474-01	7.590-03	7.449-01
2.5	10.00	4.00	1.490-01	6.616-03	7.671-01
2.5	10.00	4.25	1.494-01	5.762-03	7.889-01
2.5	10.00	4.50	1.488-01	5.020-03	8.106-01
2.5	10.00	5.00	1.460-01	3.822-03	8.531-01
2.5	10.00	5.50	1.410-01	2.927-03	8.948-01
2.5	10.00	6.00	1.351-01	2.258-03	9.356-01
2.5	10.00	7.00	1.220-01	1.376-03	1.015 00
2.5	10.00	8.00	1.090-01	8.658-04	1.092 00
2.5	10.00	10.00	8.625-02	3.757-04	1.240 00
2.5	15.00	1.50	2.919-02	1.118-02	5.366-01
2.5	15.00	1.75	5.275-02	1.574-02	5.571-01
2.5	15.00	2.00	7.581-02	1.797-02	5.779-01
2.5	15.00	2.25	9.647-02	1.847-02	5.990-01
2.5	15.00	2.50	1.141-01	1.789-02	6.201-01
2.5	15.00	2.75	1.286-01	1.671-02	6.411-01
2.5	15.00	3.00	1.400-01	1.526-02	6.622-01
2.5	15.00	3.25	1.488-01	1.373-02	6.831-01
2.5	15.00	3.50	1.554-01	1.224-02	7.038-01
2.5	15.00	3.75	1.601-01	1.084-02	7.244-01
2.5	15.00	4.00	1.631-01	9.568-03	7.449-01
2.5	15.00	4.25	1.647-01	8.428-03	7.652-01
2.5	15.00	4.50	1.651-01	7.419-03	7.853-01
2.5	15.00	5.00	1.639-01	5.754-03	8.248-01
2.5	15.00	5.50	1.599-01	4.478-03	8.636-01
2.5	15.00	6.00	1.547-01	3.503-03	9.018-01
2.5	15.00	7.00	1.418-01	2.186-03	9.762-01
2.5	15.00	8.00	1.282-01	1.401-03	1.048 00
2.5	15.00	10.00	1.034-01	6.255-04	1.187 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
2.5	20.00	1.50	2.777-02	1.177-02	5.345-01
2.5	20.00	1.75	5.097-02	1.701-02	5.535-01
2.5	20.00	2.00	7.422-02	1.986-02	5.729-01
2.5	20.00	2.25	9.551-02	2.081-02	5.926-01
2.5	20.00	2.50	1.141-01	2.049-02	6.124-01
2.5	20.00	2.75	1.297-01	1.941-02	6.322-01
2.5	20.00	3.00	1.423-01	1.795-02	6.520-01
2.5	20.00	3.25	1.523-01	1.634-02	6.717-01
2.5	20.00	3.50	1.600-01	1.471-02	6.913-01
2.5	20.00	3.75	1.658-01	1.315-02	7.109-01
2.5	20.00	4.00	1.698-01	1.171-02	7.303-01
2.5	20.00	4.25	1.723-01	1.039-02	7.495-01
2.5	20.00	4.50	1.734-01	9.212-03	7.686-01
2.5	20.00	5.00	1.736-01	7.235-03	8.062-01
2.5	20.00	5.50	1.705-01	5.691-03	8.431-01
2.5	20.00	6.00	1.659-01	4.494-03	8.795-01
2.5	20.00	7.00	1.537-01	2.849-03	9.506-01
2.5	20.00	8.00	1.401-01	1.850-03	1.020 00
2.5	20.00	10.00	1.145-01	8.418-04	1.152 00
2.5	25.00	1.50	2.654-02	1.201-02	5.328-01
2.5	25.00	1.75	4.928-02	1.770-02	5.508-01
2.5	25.00	2.00	7.245-02	2.100-02	5.693-01
2.5	25.00	2.25	9.401-02	2.231-02	5.880-01
2.5	25.00	2.50	1.131-01	2.224-02	6.068-01
2.5	25.00	2.75	1.294-01	2.130-02	6.257-01
2.5	25.00	3.00	1.428-01	1.989-02	6.447-01
2.5	25.00	3.25	1.536-01	1.825-02	6.636-01
2.5	25.00	3.50	1.622-01	1.656-02	6.824-01
2.5	25.00	3.75	1.687-01	1.491-02	7.011-01
2.5	25.00	4.00	1.735-01	1.335-02	7.198-01
2.5	25.00	4.25	1.767-01	1.192-02	7.382-01
2.5	25.00	4.50	1.784-01	1.062-02	7.566-01
2.5	25.00	5.00	1.796-01	8.419-03	7.929-01
2.5	25.00	5.50	1.773-01	6.676-03	8.285-01
2.5	25.00	6.00	1.734-01	5.310-03	8.636-01
2.5	25.00	7.00	1.619-01	3.406-03	9.323-01
2.5	25.00	8.00	1.485-01	2.233-03	9.991-01
2.5	25.00	10.00	1.225-01	1.031-03	1.127 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
2.5	40.00	1.50	2.387-02	1.206-02	5.295-01
2.5	40.00	1.75	4.531-02	1.847-02	5.456-01
2.5	40.00	2.00	6.789-02	2.263-02	5.623-01
2.5	40.00	2.25	8.955-02	2.471-02	5.792-01
2.5	40.00	2.50	1.093-01	2.523-02	5.964-01
2.5	40.00	2.75	1.267-01	2.467-02	6.136-01
2.5	40.00	3.00	1.413-01	2.347-02	6.310-01
2.5	40.00	3.25	1.537-01	2.190-02	6.483-01
2.5	40.00	3.50	1.637-01	2.017-02	6.656-01
2.5	40.00	3.75	1.718-01	1.841-02	6.829-01
2.5	40.00	4.00	1.779-01	1.669-02	7.001-01
2.5	40.00	4.25	1.825-01	1.507-02	7.172-01
2.5	40.00	4.50	1.855-01	1.357-02	7.342-01
2.5	40.00	5.00	1.890-01	1.096-02	7.679-01
2.5	40.00	5.50	1.885-01	8.828-03	8.010-01
2.5	40.00	6.00	1.860-01	7.121-03	8.338-01
2.5	40.00	7.00	1.763-01	4.677-03	8.980-01
2.5	40.00	8.00	1.637-01	3.125-03	9.606-01
2.5	40.00	10.00	1.377-01	1.485-03	1.081 00
2.5	60.00	1.50	2.166-02	1.179-02	5.270-01
2.5	60.00	1.75	4.182-02	1.858-02	5.418-01
2.5	60.00	2.00	6.361-02	2.334-02	5.571-01
2.5	60.00	2.25	8.500-02	2.605-02	5.728-01
2.5	60.00	2.50	1.049-01	2.710-02	5.887-01
2.5	60.00	2.75	1.229-01	2.696-02	6.047-01
2.5	60.00	3.00	1.383-01	2.602-02	6.209-01
2.5	60.00	3.25	1.516-01	2.461-02	6.371-01
2.5	60.00	3.50	1.627-01	2.294-02	6.533-01
2.5	60.00	3.75	1.719-01	2.116-02	6.695-01
2.5	60.00	4.00	1.791-01	1.938-02	6.856-01
2.5	60.00	4.25	1.848-01	1.766-02	7.017-01
2.5	60.00	4.50	1.888-01	1.603-02	7.177-01
2.5	60.00	5.00	1.942-01	1.314-02	7.494-01
2.5	60.00	5.50	1.952-01	1.072-02	7.807-01
2.5	60.00	6.00	1.941-01	8.749-03	8.117-01
2.5	60.00	7.00	1.862-01	5.857-03	8.726-01
2.5	60.00	8.00	1.747-01	3.974-03	9.320-01
2.5	60.00	10.00	1.492-01	1.933-03	1.047 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
2.5	100.00	1.50	1.912-02	1.121-02	5.243-01
2.5	100.00	1.75	3.766-02	1.827-02	5.377-01
2.5	100.00	2.00	5.826-02	2.361-02	5.516-01
2.5	100.00	2.25	7.902-02	2.701-02	5.659-01
2.5	100.00	2.50	9.884-02	2.872-02	5.805-01
2.5	100.00	2.75	1.171-01	2.911-02	5.952-01
2.5	100.00	3.00	1.332-01	2.859-02	6.101-01
2.5	100.00	3.25	1.473-01	2.746-02	6.251-01
2.5	100.00	3.50	1.595-01	2.595-02	6.401-01
2.5	100.00	3.75	1.698-01	2.425-02	6.551-01
2.5	100.00	4.00	1.783-01	2.247-02	6.701-01
2.5	100.00	4.25	1.851-01	2.069-02	6.850-01
2.5	100.00	4.50	1.902-01	1.897-02	6.999-01
2.5	100.00	5.00	1.979-01	1.582-02	7.296-01
2.5	100.00	5.50	2.009-01	1.311-02	7.588-01
2.5	100.00	6.00	2.014-01	1.084-02	7.879-01
2.5	100.00	7.00	1.961-01	7.419-03	8.451-01
2.5	100.00	8.00	1.861-01	5.126-03	9.010-01
2.5	100.00	10.00	1.619-01	2.564-03	1.009 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
3.0	1.20	1.50	4.314-04	1.398-07	1.802-01
3.0	1.20	1.75	6.619-04	1.508-07	1.935-01
3.0	1.20	2.00	8.289-04	1.379-07	2.064-01
3.0	1.20	2.25	9.383-04	1.175-07	2.190-01
3.0	1.20	2.50	1.001-03	9.674-08	2.313-01
3.0	1.20	2.75	1.030-03	7.844-08	2.433-01
3.0	1.20	3.00	1.035-03	6.319-08	2.551-01
3.0	1.20	3.25	1.023-03	5.085-08	2.666-01
3.0	1.20	3.50	1.000-03	4.101-08	2.779-01
3.0	1.20	3.75	9.699-04	3.321-08	2.889-01
3.0	1.20	4.00	9.356-04	2.702-08	2.996-01
3.0	1.20	4.25	8.986-04	2.209-08	3.101-01
3.0	1.20	4.50	8.604-04	1.815-08	3.204-01
3.0	1.20	5.00	7.845-04	1.244-08	3.407-01
3.0	1.20	5.50	7.125-04	8.698-09	3.605-01
3.0	1.20	6.00	6.458-04	6.194-09	3.798-01
3.0	1.20	7.00	5.316-04	3.300-09	4.176-01
3.0	1.20	8.00	4.406-04	1.867-09	4.536-01
3.0	1.20	10.00	3.107-04	6.858-10	5.217-01
3.0	1.40	1.50	2.056-03	5.864-06	2.867-01
3.0	1.40	1.75	3.184-03	6.433-06	3.070-01
3.0	1.40	2.00	4.020-03	5.967-06	3.268-01
3.0	1.40	2.25	4.582-03	5.143-06	3.462-01
3.0	1.40	2.50	4.920-03	4.279-06	3.651-01
3.0	1.40	2.75	5.091-03	3.501-06	3.837-01
3.0	1.40	3.00	5.141-03	2.844-06	4.019-01
3.0	1.40	3.25	5.103-03	2.305-06	4.197-01
3.0	1.40	3.50	5.007-03	1.871-06	4.371-01
3.0	1.40	3.75	4.874-03	1.524-06	4.541-01
3.0	1.40	4.00	4.717-03	1.246-06	4.707-01
3.0	1.40	4.25	4.545-03	1.024-06	4.870-01
3.0	1.40	4.50	4.364-03	8.450-07	5.030-01
3.0	1.40	5.00	3.999-03	5.837-07	5.344-01
3.0	1.40	5.50	3.648-03	4.108-07	5.651-01
3.0	1.40	6.00	3.319-03	2.943-07	5.952-01
3.0	1.40	7.00	2.750-03	1.584-07	6.537-01
3.0	1.40	8.00	2.291-03	9.034-08	7.096-01
3.0	1.40	10.00	1.629-03	3.361-08	8.155-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
3.0	2.00	1.50	9.616-03	2.671-04	4.315-01
3.0	2.00	1.75	1.523-02	3.049-04	4.593-01
3.0	2.00	2.00	1.959-02	2.923-04	4.866-01
3.0	2.00	2.25	2.270-02	2.590-04	5.134-01
3.0	2.00	2.50	2.472-02	2.208-04	5.397-01
3.0	2.00	2.75	2.591-02	1.846-04	5.655-01
3.0	2.00	3.00	2.646-02	1.527-04	5.909-01
3.0	2.00	3.25	2.654-02	1.259-04	6.158-01
3.0	2.00	3.50	2.628-02	1.037-04	6.403-01
3.0	2.00	3.75	2.580-02	8.564-05	6.642-01
3.0	2.00	4.00	2.517-02	7.092-05	6.876-01
3.0	2.00	4.25	2.442-02	5.892-05	7.106-01
3.0	2.00	4.50	2.360-02	4.913-05	7.333-01
3.0	2.00	5.00	2.188-02	3.457-05	7.776-01
3.0	2.00	5.50	2.016-02	2.472-05	8.210-01
3.0	2.00	6.00	1.851-02	1.795-05	8.635-01
3.0	2.00	7.00	1.557-02	9.889-06	9.463-01
3.0	2.00	8.00	1.314-02	5.748-06	1.026 00
3.0	2.00	10.00	9.519-03	2.203-06	1.176 00
3.0	2.25	1.50	1.259-02	5.389-04	4.591-01
3.0	2.25	1.75	2.008-02	6.232-04	4.878-01
3.0	2.25	2.00	2.600-02	6.040-04	5.159-01
3.0	2.25	2.25	3.028-02	5.404-04	5.436-01
3.0	2.25	2.50	3.314-02	4.644-04	5.709-01
3.0	2.25	2.75	3.488-02	3.909-04	5.976-01
3.0	2.25	3.00	3.576-02	3.255-04	6.239-01
3.0	2.25	3.25	3.599-02	2.698-04	6.498-01
3.0	2.25	3.50	3.575-02	2.234-04	6.752-01
3.0	2.25	3.75	3.520-02	1.853-04	7.000-01
3.0	2.25	4.00	3.442-02	1.541-04	7.244-01
3.0	2.25	4.25	3.347-02	1.285-04	7.483-01
3.0	2.25	4.50	3.242-02	1.075-04	7.719-01
3.0	2.25	5.00	3.017-02	7.610-05	8.181-01
3.0	2.25	5.50	2.790-02	5.470-05	8.633-01
3.0	2.25	6.00	2.569-02	3.991-05	9.076-01
3.0	2.25	7.00	2.172-02	2.216-05	9.938-01
3.0	2.25	8.00	1.840-02	1.296-05	1.077 00
3.0	2.25	10.00	1.342-02	5.017-06	1.234 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
3.0	1.60	1.50	4.422-03	3.800-05	3.543-01
3.0	1.60	1.75	6.907-03	4.230-05	3.786-01
3.0	1.60	2.00	8.781-03	3.972-05	4.023-01
3.0	1.60	2.25	1.007-02	3.459-05	4.256-01
3.0	1.60	2.50	1.087-02	2.905-05	4.483-01
3.0	1.60	2.75	1.130-02	2.396-05	4.706-01
3.0	1.60	3.00	1.146-02	1.959-05	4.924-01
3.0	1.60	3.25	1.142-02	1.598-05	5.139-01
3.0	1.60	3.50	1.124-02	1.304-05	5.349-01
3.0	1.60	3.75	1.098-02	1.068-05	5.554-01
3.0	1.60	4.00	1.066-02	8.774-06	5.754-01
3.0	1.60	4.25	1.030-02	7.238-06	5.951-01
3.0	1.60	4.50	9.910-03	5.997-06	6.145-01
3.0	1.60	5.00	9.120-03	4.171-06	6.524-01
3.0	1.60	5.50	8.351-03	2.953-06	6.894-01
3.0	1.60	6.00	7.624-03	2.126-06	7.258-01
3.0	1.60	7.00	6.353-03	1.154-06	7.965-01
3.0	1.60	8.00	5.318-03	6.630-07	8.642-01
3.0	1.60	10.00	3.808-03	2.495-07	9.924-01
3.0	1.80	1.50	7.037-03	1.208-04	3.997-01
3.0	1.80	1.75	1.107-02	1.362-04	4.262-01
3.0	1.80	2.00	1.416-02	1.293-04	4.522-01
3.0	1.80	2.25	1.633-02	1.137-04	4.777-01
3.0	1.80	2.50	1.771-02	9.622-05	5.027-01
3.0	1.80	2.75	1.849-02	7.991-05	5.272-01
3.0	1.80	3.00	1.882-02	6.577-05	5.513-01
3.0	1.80	3.25	1.882-02	5.394-05	5.749-01
3.0	1.80	3.50	1.859-02	4.424-05	5.980-01
3.0	1.80	3.75	1.820-02	3.638-05	6.206-01
3.0	1.80	4.00	1.771-02	3.002-05	6.427-01
3.0	1.80	4.25	1.715-02	2.486-05	6.645-01
3.0	1.80	4.50	1.654-02	2.066-05	6.859-01
3.0	1.80	5.00	1.529-02	1.446-05	7.278-01
3.0	1.80	5.50	1.404-02	1.029-05	7.687-01
3.0	1.80	6.00	1.286-02	7.443-06	8.089-01
3.0	1.80	7.00	1.077-02	4.072-06	8.870-01
3.0	1.80	8.00	9.052-03	2.354-06	9.619-01
3.0	1.80	10.00	6.522-03	8.943-07	1.104 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
3.0	2.50	1.50	1.520-02	8.938-04	4.783-01
3.0	2.50	1.75	2.441-02	1.046-03	5.072-01
3.0	2.50	2.00	3.178-02	1.024-03	5.358-01
3.0	2.50	2.25	3.720-02	9.234-04	5.639-01
3.0	2.50	2.50	4.088-02	7.994-04	5.916-01
3.0	2.50	2.75	4.319-02	6.771-04	6.188-01
3.0	2.50	3.00	4.443-02	5.670-04	6.455-01
3.0	2.50	3.25	4.484-02	4.723-04	6.718-01
3.0	2.50	3.50	4.468-02	3.928-04	6.977-01
3.0	2.50	3.75	4.409-02	3.272-04	7.231-01
3.0	2.50	4.00	4.321-02	2.730-04	7.479-01
3.0	2.50	4.25	4.212-02	2.285-04	7.724-01
3.0	2.50	4.50	4.087-02	1.917-04	7.964-01
3.0	2.50	5.00	3.817-02	1.365-04	8.436-01
3.0	2.50	5.50	3.540-02	9.857-05	8.898-01
3.0	2.50	6.00	3.269-02	7.221-05	9.350-01
3.0	2.50	7.00	2.776-02	4.037-05	1.023 00
3.0	2.50	8.00	2.360-02	2.374-05	1.108 00
3.0	2.50	10.00	1.731-02	9.272-06	1.269 00
3.0	2.75	1.50	1.745-02	1.309-03	4.920-01
3.0	2.75	1.75	2.819-02	1.548-03	5.210-01
3.0	2.75	2.00	3.689-02	1.529-03	5.496-01
3.0	2.75	2.25	4.336-02	1.390-03	5.778-01
3.0	2.75	2.50	4.784-02	1.211-03	6.056-01
3.0	2.75	2.75	5.071-02	1.032-03	6.330-01
3.0	2.75	3.00	5.232-02	8.682-04	6.599-01
3.0	2.75	3.25	5.296-02	7.265-04	6.865-01
3.0	2.75	3.50	5.289-02	6.067-04	7.125-01
3.0	2.75	3.75	5.232-02	5.071-04	7.381-01
3.0	2.75	4.00	5.138-02	4.246-04	7.632-01
3.0	2.75	4.25	5.018-02	3.564-04	7.879-01
3.0	2.75	4.50	4.878-02	2.999-04	8.122-01
3.0	2.75	5.00	4.570-02	2.146-04	8.599-01
3.0	2.75	5.50	4.250-02	1.556-04	9.065-01
3.0	2.75	6.00	3.934-02	1.144-04	9.522-01
3.0	2.75	7.00	3.354-02	6.437-05	1.041 00
3.0	2.75	8.00	2.861-02	3.806-05	1.127 00
3.0	2.75	10.00	2.109-02	1.498-05	1.290 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
3.0	3.00	1.50	1.936-02	1.762-03	5.021-01
3.0	3.00	1.75	3.145-02	2.105-03	5.310-01
3.0	3.00	2.00	4.135-02	2.095-03	5.595-01
3.0	3.00	2.25	4.880-02	1.918-03	5.876-01
3.0	3.00	2.50	5.403-02	1.681-03	6.154-01
3.0	3.00	2.75	5.745-02	1.440-03	6.427-01
3.0	3.00	3.00	5.944-02	1.218-03	6.697-01
3.0	3.00	3.25	6.032-02	1.023-03	6.962-01
3.0	3.00	3.50	6.038-02	8.575-04	7.224-01
3.0	3.00	3.75	5.985-02	7.191-04	7.480-01
3.0	3.00	4.00	5.889-02	6.039-04	7.731-01
3.0	3.00	4.25	5.761-02	5.083-04	7.979-01
3.0	3.00	4.50	5.609-02	4.289-04	8.223-01
3.0	3.00	5.00	5.271-02	3.083-04	8.701-01
3.0	3.00	5.50	4.914-02	2.244-04	9.170-01
3.0	3.00	6.00	4.558-02	1.656-04	9.629-01
3.0	3.00	7.00	3.901-02	9.369-05	1.052 00
3.0	3.00	8.00	3.337-02	5.564-05	1.138 00
3.0	3.00	10.00	2.471-02	2.206-05	1.302 00
3.0	3.25	1.50	2.098-02	2.236-03	5.097-01
3.0	3.25	1.75	3.426-02	2.694-03	5.383-01
3.0	3.25	2.00	4.523-02	2.703-03	5.666-01
3.0	3.25	2.25	5.358-02	2.490-03	5.946-01
3.0	3.25	2.50	5.951-02	2.195-03	6.222-01
3.0	3.25	2.75	6.346-02	1.889-03	6.495-01
3.0	3.25	3.00	6.583-02	1.604-03	6.763-01
3.0	3.25	3.25	6.695-02	1.353-03	7.028-01
3.0	3.25	3.50	6.716-02	1.138-03	7.288-01
3.0	3.25	3.75	6.670-02	9.570-04	7.544-01
3.0	3.25	4.00	6.574-02	8.059-04	7.795-01
3.0	3.25	4.25	6.442-02	6.801-04	8.043-01
3.0	3.25	4.50	6.281-02	5.752-04	8.287-01
3.0	3.25	5.00	5.918-02	4.151-04	8.765-01
3.0	3.25	5.50	5.530-02	3.033-04	9.233-01
3.0	3.25	6.00	5.139-02	2.245-04	9.692-01
3.0	3.25	7.00	4.413-02	1.277-04	1.059 00
3.0	3.25	8.00	3.786-02	7.615-05	1.145 00
3.0	3.25	10.00	2.815-02	3.039-05	1.309 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
3.0	3.50	1.50	2.235-02	2.716-03	5.155-01
3.0	3.50	1.75	3.666-02	3.300-03	5.438-01
3.0	3.50	2.00	4.860-02	3.333-03	5.718-01
3.0	3.50	2.25	5.777-02	3.089-03	5.996-01
3.0	3.50	2.50	6.436-02	2.737-03	6.270-01
3.0	3.50	2.75	6.881-02	2.365-03	6.541-01
3.0	3.50	3.00	7.155-02	2.017-03	6.808-01
3.0	3.50	3.25	7.293-02	1.707-03	7.071-01
3.0	3.50	3.50	7.330-02	1.440-03	7.330-01
3.0	3.50	3.75	7.292-02	1.215-03	7.585-01
3.0	3.50	4.00	7.199-02	1.026-03	7.835-01
3.0	3.50	4.25	7.064-02	8.675-04	8.082-01
3.0	3.50	4.50	6.898-02	7.354-04	8.325-01
3.0	3.50	5.00	6.514-02	5.327-04	8.802-01
3.0	3.50	5.50	6.100-02	3.906-04	9.269-01
3.0	3.50	6.00	5.680-02	2.899-04	9.727-01
3.0	3.50	7.00	4.893-02	1.657-04	1.062 00
3.0	3.50	8.00	4.208-02	9.921-05	1.148 00
3.0	3.50	10.00	3.141-02	3.983-05	1.312 00
3.0	3.75	1.50	2.351-02	3.192-03	5.199-01
3.0	3.75	1.75	3.873-02	3.908-03	5.479-01
3.0	3.75	2.00	5.153-02	3.973-03	5.757-01
3.0	3.75	2.25	6.144-02	3.702-03	6.032-01
3.0	3.75	2.50	6.865-02	3.295-03	6.304-01
3.0	3.75	2.75	7.358-02	2.860-03	6.572-01
3.0	3.75	3.00	7.667-02	2.447-03	6.837-01
3.0	3.75	3.25	7.831-02	2.078-03	7.099-01
3.0	3.75	3.50	7.884-02	1.759-03	7.356-01
3.0	3.75	3.75	7.856-02	1.487-03	7.610-01
3.0	3.75	4.00	7.768-02	1.259-03	7.859-01
3.0	3.75	4.25	7.633-02	1.067-03	8.104-01
3.0	3.75	4.50	7.462-02	9.064-04	8.346-01
3.0	3.75	5.00	7.063-02	6.590-04	8.820-01
3.0	3.75	5.50	6.628-02	4.846-04	9.285-01
3.0	3.75	6.00	6.181-02	3.607-04	9.741-01
3.0	3.75	7.00	5.341-02	2.071-04	1.063 00
3.0	3.75	8.00	4.604-02	1.244-04	1.149 00
3.0	3.75	10.00	3.450-02	5.024-05	1.312 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
3.0	4.00	1.50	2.449-02	3.657-03	5.234-01
3.0	4.00	1.75	4.051-02	4.510-03	5.511-01
3.0	4.00	2.00	5.408-02	4.613-03	5.785-01
3.0	4.00	2.25	6.468-02	4.320-03	6.058-01
3.0	4.00	2.50	7.245-02	3.862-03	6.327-01
3.0	4.00	2.75	7.783-02	3.365-03	6.593-01
3.0	4.00	3.00	8.127-02	2.889-03	6.856-01
3.0	4.00	3.25	8.315-02	2.461-03	7.115-01
3.0	4.00	3.50	8.387-02	2.088-03	7.371-01
3.0	4.00	3.75	8.369-02	1.771-03	7.623-01
3.0	4.00	4.00	8.287-02	1.502-03	7.870-01
3.0	4.00	4.25	8.153-02	1.276-03	8.114-01
3.0	4.00	4.50	7.981-02	1.086-03	8.354-01
3.0	4.00	5.00	7.570-02	7.919-04	8.826-01
3.0	4.00	5.50	7.116-02	5.841-04	9.288-01
3.0	4.00	6.00	6.647-02	4.358-04	9.742-01
3.0	4.00	7.00	5.759-02	2.512-04	1.063 00
3.0	4.00	8.00	4.975-02	1.515-04	1.148 00
3.0	4.00	10.00	3.741-02	6.149-05	1.310 00
3.0	5.00	1.50	2.712-02	5.338-03	5.316-01
3.0	5.00	1.75	4.549-02	6.749-03	5.579-01
3.0	5.00	2.00	6.145-02	7.047-03	5.841-01
3.0	5.00	2.25	7.424-02	6.717-03	6.102-01
3.0	5.00	2.50	8.390-02	6.098-03	6.361-01
3.0	5.00	2.75	9.085-02	5.384-03	6.617-01
3.0	5.00	3.00	9.554-02	4.677-03	6.871-01
3.0	5.00	3.25	9.838-02	4.026-03	7.121-01
3.0	5.00	3.50	9.979-02	3.448-03	7.369-01
3.0	5.00	3.75	1.001-01	2.948-03	7.612-01
3.0	5.00	4.00	9.959-02	2.520-03	7.852-01
3.0	5.00	4.25	9.842-02	2.156-03	8.089-01
3.0	5.00	4.50	9.673-02	1.846-03	8.323-01
3.0	5.00	5.00	9.241-02	1.362-03	8.782-01
3.0	5.00	5.50	8.742-02	1.015-03	9.232-01
3.0	5.00	6.00	8.212-02	7.638-04	9.674-01
3.0	5.00	7.00	7.181-02	4.467-04	1.054 00
3.0	5.00	8.00	6.250-02	2.725-04	1.137 00
3.0	5.00	10.00	4.754-02	1.126-04	1.296 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
3.0	6.00	1.50	2.846-02	6.697-03	5.351-01
3.0	6.00	1.75	4.828-02	8.637-03	5.601-01
3.0	6.00	2.00	6.585-02	9.171-03	5.853-01
3.0	6.00	2.25	8.021-02	8.866-03	6.103-01
3.0	6.00	2.50	9.130-02	8.147-03	6.352-01
3.0	6.00	2.75	9.950-02	7.271-03	6.599-01
3.0	6.00	3.00	1.052-01	6.376-03	6.844-01
3.0	6.00	3.25	1.089-01	5.535-03	7.086-01
3.0	6.00	3.50	1.110-01	4.776-03	7.325-01
3.0	6.00	3.75	1.118-01	4.112-03	7.561-01
3.0	6.00	4.00	1.117-01	3.536-03	7.794-01
3.0	6.00	4.25	1.107-01	3.042-03	8.024-01
3.0	6.00	4.50	1.092-01	2.619-03	8.251-01
3.0	6.00	5.00	1.049-01	1.951-03	8.698-01
3.0	6.00	5.50	9.977-02	1.465-03	9.136-01
3.0	6.00	6.00	9.413-02	1.110-03	9.566-01
3.0	6.00	7.00	8.293-02	6.569-04	1.041 00
3.0	6.00	8.00	7.262-02	4.044-04	1.122 00
3.0	6.00	10.00	5.575-02	1.695-04	1.277 00
3.0	8.00	1.50	2.936-02	8.612-03	5.370-01
3.0	8.00	1.75	5.070-02	1.145-02	5.602-01
3.0	8.00	2.00	7.018-02	1.248-02	5.836-01
3.0	8.00	2.25	8.659-02	1.233-02	6.069-01
3.0	8.00	2.50	9.966-02	1.155-02	6.302-01
3.0	8.00	2.75	1.097-01	1.048-02	6.534-01
3.0	8.00	3.00	1.170-01	9.321-03	6.764-01
3.0	8.00	3.25	1.221-01	8.197-03	6.992-01
3.0	8.00	3.50	1.253-01	7.156-03	7.219-01
3.0	8.00	3.75	1.270-01	6.226-03	7.442-01
3.0	8.00	4.00	1.276-01	5.406-03	7.663-01
3.0	8.00	4.25	1.273-01	4.692-03	7.881-01
3.0	8.00	4.50	1.261-01	4.072-03	8.096-01
3.0	8.00	5.00	1.223-01	3.076-03	8.521-01
3.0	8.00	5.50	1.172-01	2.339-03	8.939-01
3.0	8.00	6.00	1.113-01	1.792-03	9.349-01
3.0	8.00	7.00	9.923-02	1.079-03	1.015 00
3.0	8.00	8.00	8.771-02	6.740-04	1.093 00
3.0	8.00	10.00	6.830-02	2.888-04	1.241 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
3.0	10.00	1.50	2.930-02	9.813-03	5.368-01
3.0	10.00	1.75	5.126-02	1.336-02	5.586-01
3.0	10.00	2.00	7.175-02	1.483-02	5.807-01
3.0	10.00	2.25	8.939-02	1.490-02	6.028-01
3.0	10.00	2.50	1.037-01	1.415-02	6.249-01
3.0	10.00	2.75	1.150-01	1.300-02	6.469-01
3.0	10.00	3.00	1.235-01	1.170-02	6.688-01
3.0	10.00	3.25	1.296-01	1.039-02	6.906-01
3.0	10.00	3.50	1.338-01	9.147-03	7.122-01
3.0	10.00	3.75	1.363-01	8.021-03	7.335-01
3.0	10.00	4.00	1.376-01	7.014-03	7.546-01
3.0	10.00	4.25	1.377-01	6.128-03	7.755-01
3.0	10.00	4.50	1.370-01	5.351-03	7.962-01
3.0	10.00	5.00	1.338-01	4.087-03	8.371-01
3.0	10.00	5.50	1.289-01	3.136-03	8.772-01
3.0	10.00	6.00	1.231-01	2.422-03	9.166-01
3.0	10.00	7.00	1.107-01	1.479-03	9.937-01
3.0	10.00	8.00	9.853-02	9.335-04	1.068 00
3.0	10.00	10.00	7.756-02	4.067-04	1.212 00
3.0	15.00	1.50	2.809-02	1.131-02	5.348-01
3.0	15.00	1.75	5.029-02	1.601-02	5.543-01
3.0	15.00	2.00	7.178-02	1.838-02	5.741-01
3.0	15.00	2.25	9.093-02	1.900-02	5.942-01
3.0	15.00	2.50	1.071-01	1.849-02	6.143-01
3.0	15.00	2.75	1.203-01	1.736-02	6.344-01
3.0	15.00	3.00	1.307-01	1.592-02	6.544-01
3.0	15.00	3.25	1.385-01	1.437-02	6.744-01
3.0	15.00	3.50	1.443-01	1.286-02	6.942-01
3.0	15.00	3.75	1.483-01	1.143-02	7.139-01
3.0	15.00	4.00	1.508-01	1.012-02	7.334-01
3.0	15.00	4.25	1.521-01	8.943-03	7.528-01
3.0	15.00	4.50	1.523-01	7.891-03	7.720-01
3.0	15.00	5.00	1.505-01	6.141-03	8.099-01
3.0	15.00	5.50	1.466-01	4.790-03	8.472-01
3.0	15.00	6.00	1.412-01	3.752-03	8.840-01
3.0	15.00	7.00	1.289-01	2.346-03	9.560-01
3.0	15.00	8.00	1.162-01	1.509-03	1.026 00
3.0	15.00	10.00	9.316-02	6.767-04	1.160 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
3.0	20.00	1.50	2.675-02	1.189-02	5.328-01
3.0	20.00	1.75	4.863-02	1.728-02	5.509-01
3.0	20.00	2.00	7.033-02	2.029-02	5.694-01
3.0	20.00	2.25	9.011-02	2.136-02	5.881-01
3.0	20.00	2.50	1.072-01	2.114-02	6.069-01
3.0	20.00	2.75	1.214-01	2.013-02	6.258-01
3.0	20.00	3.00	1.329-01	1.869-02	6.447-01
3.0	20.00	3.25	1.419-01	1.708-02	6.635-01
3.0	20.00	3.50	1.487-01	1.543-02	6.823-01
3.0	20.00	3.75	1.537-01	1.384-02	7.009-01
3.0	20.00	4.00	1.572-01	1.236-02	7.194-01
3.0	20.00	4.25	1.593-01	1.101-02	7.378-01
3.0	20.00	4.50	1.602-01	9.783-03	7.560-01
3.0	20.00	5.00	1.595-01	7.711-03	7.920-01
3.0	20.00	5.50	1.565-01	6.080-03	8.276-01
3.0	20.00	6.00	1.517-01	4.809-03	8.626-01
3.0	20.00	7.00	1.399-01	3.055-03	9.313-01
3.0	20.00	8.00	1.271-01	1.991-03	9.981-01
3.0	20.00	10.00	1.033-01	9.102-04	1.127 00
3.0	25.00	1.50	2.559-02	1.212-02	5.312-01
3.0	25.00	1.75	4.705-02	1.796-02	5.484-01
3.0	25.00	2.00	6.870-02	2.143-02	5.659-01
3.0	25.00	2.25	8.875-02	2.288-02	5.837-01
3.0	25.00	2.50	1.063-01	2.292-02	6.016-01
3.0	25.00	2.75	1.212-01	2.206-02	6.197-01
3.0	25.00	3.00	1.335-01	2.068-02	6.377-01
3.0	25.00	3.25	1.433-01	1.905-02	6.557-01
3.0	25.00	3.50	1.509-01	1.735-02	6.737-01
3.0	25.00	3.75	1.566-01	1.567-02	6.916-01
3.0	25.00	4.00	1.607-01	1.408-02	7.093-01
3.0	25.00	4.25	1.635-01	1.261-02	7.270-01
3.0	25.00	4.50	1.649-01	1.127-02	7.445-01
3.0	25.00	5.00	1.652-01	8.964-03	7.792-01
3.0	25.00	5.50	1.629-01	7.126-03	8.135-01
3.0	25.00	6.00	1.586-01	5.677-03	8.473-01
3.0	25.00	7.00	1.475-01	3.650-03	9.136-01
3.0	25.00	8.00	1.348-01	2.401-03	9.782-01
3.0	25.00	10.00	1.105-01	1.114-03	1.103 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
3.0	40.00	1.50	2.305-02	1.216-02	5.281-01
3.0	40.00	1.75	4.332-02	1.870-02	5.434-01
3.0	40.00	2.00	6.446-02	2.303-02	5.592-01
3.0	40.00	2.25	8.466-02	2.528-02	5.753-01
3.0	40.00	2.50	1.029-01	2.593-02	5.916-01
3.0	40.00	2.75	1.188-01	2.548-02	6.081-01
3.0	40.00	3.00	1.323-01	2.434-02	6.246-01
3.0	40.00	3.25	1.435-01	2.280-02	6.411-01
3.0	40.00	3.50	1.525-01	2.107-02	6.576-01
3.0	40.00	3.75	1.596-01	1.930-02	6.741-01
3.0	40.00	4.00	1.651-01	1.756-02	6.905-01
3.0	40.00	4.25	1.691-01	1.591-02	7.068-01
3.0	40.00	4.50	1.718-01	1.436-02	7.230-01
3.0	40.00	5.00	1.741-01	1.164-02	7.552-01
3.0	40.00	5.50	1.735-01	9.407-03	7.871-01
3.0	40.00	6.00	1.705-01	7.602-03	8.186-01
3.0	40.00	7.00	1.609-01	5.006-03	8.805-01
3.0	40.00	8.00	1.489-01	3.357-03	9.409-01
3.0	40.00	10.00	1.245-01	1.603-03	1.057 00
3.0	60.00	1.50	2.093-02	1.186-02	5.257-01
3.0	60.00	1.75	4.003-02	1.879-02	5.398-01
3.0	60.00	2.00	6.046-02	2.372-02	5.543-01
3.0	60.00	2.25	8.044-02	2.660-02	5.692-01
3.0	60.00	2.50	9.885-02	2.780-02	5.843-01
3.0	60.00	2.75	1.153-01	2.778-02	5.996-01
3.0	60.00	3.00	1.296-01	2.693-02	6.149-01
3.0	60.00	3.25	1.417-01	2.557-02	6.304-01
3.0	60.00	3.50	1.517-01	2.391-02	6.458-01
3.0	60.00	3.75	1.599-01	2.214-02	6.612-01
3.0	60.00	4.00	1.664-01	2.034-02	6.766-01
3.0	60.00	4.25	1.714-01	1.860-02	6.919-01
3.0	60.00	4.50	1.750-01	1.693-02	7.071-01
3.0	60.00	5.00	1.791-01	1.394-02	7.375-01
3.0	60.00	5.50	1.800-01	1.141-02	7.676-01
3.0	60.00	6.00	1.781-01	9.327-03	7.973-01
3.0	60.00	7.00	1.702-01	6.262-03	8.560-01
3.0	60.00	8.00	1.592-01	4.265-03	9.132-01
3.0	60.00	10.00	1.351-01	2.085-03	1.024 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
3.0	100.00	1.50	1.850-02	1.127-02	5.231-01
3.0	100.00	1.75	3.609-02	1.844-02	5.358-01
3.0	100.00	2.00	5.544-02	2.394-02	5.491-01
3.0	100.00	2.25	7.486-02	2.751-02	5.626-01
3.0	100.00	2.50	9.321-02	2.939-02	5.765-01
3.0	100.00	2.75	1.100-01	2.993-02	5.905-01
3.0	100.00	3.00	1.249-01	2.951-02	6.046-01
3.0	100.00	3.25	1.379-01	2.845-02	6.189-01
3.0	100.00	3.50	1.489-01	2.699-02	6.332-01
3.0	100.00	3.75	1.581-01	2.531-02	6.474-01
3.0	100.00	4.00	1.658-01	2.352-02	6.617-01
3.0	100.00	4.25	1.720-01	2.173-02	6.759-01
3.0	100.00	4.50	1.766-01	1.998-02	6.901-01
3.0	100.00	5.00	1.828-01	1.674-02	7.184-01
3.0	100.00	5.50	1.855-01	1.392-02	7.466-01
3.0	100.00	6.00	1.851-01	1.153-02	7.745-01
3.0	100.00	7.00	1.796-01	7.921-03	8.295-01
3.0	100.00	8.00	1.699-01	5.495-03	8.833-01
3.0	100.00	10.00	1.468-01	2.763-03	9.877-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
5.0	1.20	1.50	4.140-04	1.461-07	1.778-01
5.0	1.20	1.75	6.245-04	1.601-07	1.900-01
5.0	1.20	2.00	7.713-04	1.482-07	2.019-01
5.0	1.20	2.25	8.630-04	1.277-07	2.135-01
5.0	1.20	2.50	9.127-04	1.062-07	2.247-01
5.0	1.20	2.75	9.322-04	8.686-08	2.357-01
5.0	1.20	3.00	9.307-04	7.051-08	2.465-01
5.0	1.20	3.25	9.150-04	5.711-08	2.572-01
5.0	1.20	3.50	8.899-04	4.627-08	2.677-01
5.0	1.20	3.75	8.591-04	3.758-08	2.782-01
5.0	1.20	4.00	8.248-04	3.062-08	2.885-01
5.0	1.20	4.25	7.890-04	2.506-08	2.987-01
5.0	1.20	4.50	7.529-04	2.062-08	3.087-01
5.0	1.20	5.00	6.821-04	1.415-08	3.282-01
5.0	1.20	5.50	6.161-04	9.886-09	3.472-01
5.0	1.20	6.00	5.560-04	7.034-09	3.658-01
5.0	1.20	7.00	4.545-04	3.746-09	4.016-01
5.0	1.20	8.00	3.747-04	2.116-09	4.359-01
5.0	1.20	10.00	2.624-04	7.775-10	5.009-01
5.0	1.40	1.50	1.975-03	6.118-06	2.830-01
5.0	1.40	1.75	3.008-03	6.816-06	3.016-01
5.0	1.40	2.00	3.746-03	6.401-06	3.199-01
5.0	1.40	2.25	4.221-03	5.581-06	3.377-01
5.0	1.40	2.50	4.492-03	4.690-06	3.550-01
5.0	1.40	2.75	4.613-03	3.871-06	3.719-01
5.0	1.40	3.00	4.628-03	3.167-06	3.886-01
5.0	1.40	3.25	4.570-03	2.583-06	4.051-01
5.0	1.40	3.50	4.463-03	2.107-06	4.214-01
5.0	1.40	3.75	4.324-03	1.721-06	4.375-01
5.0	1.40	4.00	4.165-03	1.410-06	4.535-01
5.0	1.40	4.25	3.997-03	1.160-06	4.692-01
5.0	1.40	4.50	3.825-03	9.588-07	4.847-01
5.0	1.40	5.00	3.483-03	6.634-07	5.149-01
5.0	1.40	5.50	3.160-03	4.670-07	5.444-01
5.0	1.40	6.00	2.863-03	3.344-07	5.732-01
5.0	1.40	7.00	2.355-03	1.799-07	6.288-01
5.0	1.40	8.00	1.952-03	1.024-07	6.821-01
5.0	1.40	10.00	1.378-03	3.811-08	7.832-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
5.0	1.60	1.50	4.251-03	3.960-05	3.499-01
5.0	1.60	1.75	6.530-03	4.476-05	3.722-01
5.0	1.60	2.00	8.192-03	4.256-05	3.941-01
5.0	1.60	2.25	9.289-03	3.749-05	4.154-01
5.0	1.60	2.50	9.938-03	3.179-05	4.361-01
5.0	1.60	2.75	1.025-02	2.644-05	4.565-01
5.0	1.60	3.00	1.033-02	2.179-05	4.765-01
5.0	1.60	3.25	1.024-02	1.788-05	4.963-01
5.0	1.60	3.50	1.004-02	1.467-05	5.159-01
5.0	1.60	3.75	9.754-03	1.205-05	5.354-01
5.0	1.60	4.00	9.424-03	9.916-06	5.546-01
5.0	1.60	4.25	9.067-03	8.193-06	5.735-01
5.0	1.60	4.50	8.698-03	6.798-06	5.922-01
5.0	1.60	5.00	7.957-03	4.738-06	6.287-01
5.0	1.60	5.50	7.246-03	3.356-06	6.642-01
5.0	1.60	6.00	6.587-03	2.416-06	6.990-01
5.0	1.60	7.00	5.449-03	1.312-06	7.662-01
5.0	1.60	8.00	4.536-03	7.523-07	8.308-01
5.0	1.60	10.00	3.224-03	2.829-07	9.531-01
5.0	1.80	1.50	6.770-03	1.258-04	3.949-01
5.0	1.80	1.75	1.048-02	1.440-04	4.192-01
5.0	1.80	2.00	1.323-02	1.384-04	4.432-01
5.0	1.80	2.25	1.508-02	1.230-04	4.666-01
5.0	1.80	2.50	1.621-02	1.052-04	4.894-01
5.0	1.80	2.75	1.680-02	8.810-05	5.117-01
5.0	1.80	3.00	1.699-02	7.304-05	5.338-01
5.0	1.80	3.25	1.690-02	6.028-05	5.556-01
5.0	1.80	3.50	1.661-02	4.969-05	5.771-01
5.0	1.80	3.75	1.619-02	4.099-05	5.985-01
5.0	1.80	4.00	1.568-02	3.389-05	6.197-01
5.0	1.80	4.25	1.512-02	2.811-05	6.405-01
5.0	1.80	4.50	1.454-02	2.340-05	6.611-01
5.0	1.80	5.00	1.335-02	1.642-05	7.014-01
5.0	1.80	5.50	1.220-02	1.169-05	7.407-01
5.0	1.80	6.00	1.112-02	8.460-06	7.791-01
5.0	1.80	7.00	9.250-03	4.630-06	8.534-01
5.0	1.80	8.00	7.730-03	2.672-06	9.248-01
5.0	1.80	10.00	5.527-03	1.014-06	1.060 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
5.0	2.00	1.50	9.256-03	2.779-04	4.264-01
5.0	2.00	1.75	1.442-02	3.219-04	4.519-01
5.0	2.00	2.00	1.831-02	3.124-04	4.771-01
5.0	2.00	2.25	2.098-02	2.800-04	5.017-01
5.0	2.00	2.50	2.266-02	2.411-04	5.257-01
5.0	2.00	2.75	2.356-02	2.032-04	5.492-01
5.0	2.00	3.00	2.391-02	1.694-04	5.725-01
5.0	2.00	3.25	2.385-02	1.405-04	5.955-01
5.0	2.00	3.50	2.351-02	1.163-04	6.182-01
5.0	2.00	3.75	2.297-02	9.638-05	6.408-01
5.0	2.00	4.00	2.230-02	7.997-05	6.631-01
5.0	2.00	4.25	2.156-02	6.656-05	6.852-01
5.0	2.00	4.50	2.077-02	5.560-05	7.069-01
5.0	2.00	5.00	1.914-02	3.923-05	7.495-01
5.0	2.00	5.50	1.754-02	2.808-05	7.911-01
5.0	2.00	6.00	1.604-02	2.041-05	8.318-01
5.0	2.00	7.00	1.339-02	1.125-05	9.106-01
5.0	2.00	8.00	1.123-02	6.528-06	9.863-01
5.0	2.00	10.00	8.074-03	2.500-06	1.130 00
5.0	2.25	1.50	1.213-02	5.600-04	4.540-01
5.0	2.25	1.75	1.904-02	6.572-04	4.802-01
5.0	2.25	2.00	2.433-02	6.448-04	5.061-01
5.0	2.25	2.25	2.803-02	5.834-04	5.315-01
5.0	2.25	2.50	3.041-02	5.064-04	5.564-01
5.0	2.25	2.75	3.176-02	4.298-04	5.808-01
5.0	2.25	3.00	3.235-02	3.606-04	6.049-01
5.0	2.25	3.25	3.238-02	3.007-04	6.287-01
5.0	2.25	3.50	3.202-02	2.502-04	6.523-01
5.0	2.25	3.75	3.138-02	2.082-04	6.757-01
5.0	2.25	4.00	3.054-02	1.735-04	6.989-01
5.0	2.25	4.25	2.959-02	1.450-04	7.218-01
5.0	2.25	4.50	2.856-02	1.216-04	7.444-01
5.0	2.25	5.00	2.643-02	8.631-05	7.887-01
5.0	2.25	5.50	2.430-02	6.213-05	8.319-01
5.0	2.25	6.00	2.228-02	4.537-05	8.743-01
5.0	2.25	7.00	1.870-02	2.521-05	9.564-01
5.0	2.25	8.00	1.575-02	1.473-05	1.035 00
5.0	2.25	10.00	1.139-02	5.693-06	1.185 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
5.0	2.50	1.50	1.465-02	9.279-04	4.731-01
5.0	2.50	1.75	2.316-02	1.102-03	4.996-01
5.0	2.50	2.00	2.977-02	1.091-03	5.258-01
5.0	2.50	2.25	3.446-02	9.958-04	5.516-01
5.0	2.50	2.50	3.755-02	8.707-04	5.768-01
5.0	2.50	2.75	3.937-02	7.437-04	6.016-01
5.0	2.50	3.00	4.024-02	6.273-04	6.261-01
5.0	2.50	3.25	4.040-02	5.258-04	6.504-01
5.0	2.50	3.50	4.005-02	4.395-04	6.744-01
5.0	2.50	3.75	3.935-02	3.673-04	6.982-01
5.0	2.50	4.00	3.839-02	3.072-04	7.218-01
5.0	2.50	4.25	3.727-02	2.576-04	7.452-01
5.0	2.50	4.50	3.605-02	2.166-04	7.682-01
5.0	2.50	5.00	3.347-02	1.547-04	8.134-01
5.0	2.50	5.50	3.088-02	1.119-04	8.576-01
5.0	2.50	6.00	2.839-02	8.208-05	9.008-01
5.0	2.50	7.00	2.393-02	4.594-05	9.847-01
5.0	2.50	8.00	2.022-02	2.699-05	1.065 00
5.0	2.50	10.00	1.471-02	1.052-05	1.219 00
5.0	2.75	1.50	1.682-02	1.358-03	4.868-01
5.0	2.75	1.75	2.676-02	1.629-03	5.133-01
5.0	2.75	2.00	3.457-02	1.628-03	5.396-01
5.0	2.75	2.25	4.021-02	1.497-03	5.655-01
5.0	2.75	2.50	4.398-02	1.317-03	5.908-01
5.0	2.75	2.75	4.627-02	1.132-03	6.158-01
5.0	2.75	3.00	4.744-02	9.594-04	6.405-01
5.0	2.75	3.25	4.776-02	8.078-04	6.649-01
5.0	2.75	3.50	4.747-02	6.780-04	6.890-01
5.0	2.75	3.75	4.674-02	5.687-04	7.130-01
5.0	2.75	4.00	4.570-02	4.773-04	7.368-01
5.0	2.75	4.25	4.445-02	4.014-04	7.603-01
5.0	2.75	4.50	4.307-02	3.386-04	7.835-01
5.0	2.75	5.00	4.012-02	2.431-04	8.292-01
5.0	2.75	5.50	3.711-02	1.767-04	8.738-01
5.0	2.75	6.00	3.420-02	1.301-04	9.175-01
5.0	2.75	7.00	2.895-02	7.328-05	1.002 00
5.0	2.75	8.00	2.454-02	4.328-05	1.084 00
5.0	2.75	10.00	1.794-02	1.701-05	1.239 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
5.0	3.00	1.50	1.868-02	1.827-03	4.969-01
5.0	3.00	1.75	2.987-02	2.213-03	5.233-01
5.0	3.00	2.00	3.878-02	2.230-03	5.495-01
5.0	3.00	2.25	4.529-02	2.064-03	5.753-01
5.0	3.00	2.50	4.972-02	1.828-03	6.006-01
5.0	3.00	2.75	5.247-02	1.578-03	6.256-01
5.0	3.00	3.00	5.394-02	1.344-03	6.502-01
5.0	3.00	3.25	5.444-02	1.136-03	6.746-01
5.0	3.00	3.50	5.424-02	9.573-04	6.988-01
5.0	3.00	3.75	5.351-02	8.056-04	7.228-01
5.0	3.00	4.00	5.242-02	6.783-04	7.466-01
5.0	3.00	4.25	5.107-02	5.721-04	7.702-01
5.0	3.00	4.50	4.957-02	4.838-04	7.935-01
5.0	3.00	5.00	4.631-02	3.490-04	8.392-01
5.0	3.00	5.50	4.294-02	2.547-04	8.840-01
5.0	3.00	6.00	3.967-02	1.882-04	9.279-01
5.0	3.00	7.00	3.370-02	1.067-04	1.013 00
5.0	3.00	8.00	2.865-02	6.329-05	1.095 00
5.0	3.00	10.00	2.103-02	2.505-05	1.251 00
5.0	3.25	1.50	2.025-02	2.316-03	5.045-01
5.0	3.25	1.75	3.255-02	2.830-03	5.307-01
5.0	3.25	2.00	4.245-02	2.874-03	5.567-01
5.0	3.25	2.25	4.976-02	2.677-03	5.823-01
5.0	3.25	2.50	5.480-02	2.383-03	6.075-01
5.0	3.25	2.75	5.801-02	2.068-03	6.324-01
5.0	3.25	3.00	5.979-02	1.769-03	6.569-01
5.0	3.25	3.25	6.048-02	1.501-03	6.812-01
5.0	3.25	3.50	6.038-02	1.269-03	7.054-01
5.0	3.25	3.75	5.969-02	1.071-03	7.293-01
5.0	3.25	4.00	5.857-02	9.044-04	7.530-01
5.0	3.25	4.25	5.716-02	7.648-04	7.766-01
5.0	3.25	4.50	5.556-02	6.484-04	7.998-01
5.0	3.25	5.00	5.204-02	4.697-04	8.455-01
5.0	3.25	5.50	4.837-02	3.441-04	8.902-01
5.0	3.25	6.00	4.477-02	2.551-04	9.340-01
5.0	3.25	7.00	3.816-02	1.454-04	1.019 00
5.0	3.25	8.00	3.254-02	8.665-05	1.101 00
5.0	3.25	10.00	2.398-02	3.452-05	1.258 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
5.0	3.50	1.50	2.158-02	2.811-03	5.104-01
5.0	3.50	1.75	3.486-02	3.464-03	5.362-01
5.0	3.50	2.00	4.564-02	3.541-03	5.620-01
5.0	3.50	2.25	5.369-02	3.318-03	5.874-01
5.0	3.50	2.50	5.931-02	2.969-03	6.124-01
5.0	3.50	2.75	6.294-02	2.588-03	6.371-01
5.0	3.50	3.00	6.503-02	2.222-03	6.615-01
5.0	3.50	3.25	6.593-02	1.892-03	6.857-01
5.0	3.50	3.50	6.594-02	1.605-03	7.097-01
5.0	3.50	3.75	6.530-02	1.359-03	7.335-01
5.0	3.50	4.00	6.418-02	1.150-03	7.571-01
5.0	3.50	4.25	6.273-02	9.750-04	7.805-01
5.0	3.50	4.50	6.106-02	8.283-04	8.036-01
5.0	3.50	5.00	5.733-02	6.025-04	8.491-01
5.0	3.50	5.50	5.340-02	4.429-04	8.937-01
5.0	3.50	6.00	4.952-02	3.294-04	9.374-01
5.0	3.50	7.00	4.234-02	1.887-04	1.022 00
5.0	3.50	8.00	3.619-02	1.129-04	1.104 00
5.0	3.50	10.00	2.678-02	4.525-05	1.261 00
5.0	3.75	1.50	2.270-02	3.302-03	5.149-01
5.0	3.75	1.75	3.684-02	4.099-03	5.404-01
5.0	3.75	2.00	4.842-02	4.218-03	5.659-01
5.0	3.75	2.25	5.714-02	3.974-03	5.911-01
5.0	3.75	2.50	6.330-02	3.572-03	6.159-01
5.0	3.75	2.75	6.735-02	3.127-03	6.404-01
5.0	3.75	3.00	6.973-02	2.695-03	6.646-01
5.0	3.75	3.25	7.084-02	2.302-03	6.886-01
5.0	3.75	3.50	7.098-02	1.958-03	7.124-01
5.0	3.75	3.75	7.041-02	1.662-03	7.361-01
5.0	3.75	4.00	6.930-02	1.411-03	7.596-01
5.0	3.75	4.25	6.783-02	1.198-03	7.828-01
5.0	3.75	4.50	6.611-02	1.020-03	8.058-01
5.0	3.75	5.00	6.221-02	7.449-04	8.510-01
5.0	3.75	5.50	5.806-02	5.494-04	8.954-01
5.0	3.75	6.00	5.393-02	4.097-04	9.389-01
5.0	3.75	7.00	4.625-02	2.358-04	1.024 00
5.0	3.75	8.00	3.963-02	1.416-04	1.105 00
5.0	3.75	10.00	2.942-02	5.709-05	1.261 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
5.0	4.00	1.50	2.366-02	3.781-03	5.185-01
5.0	4.00	1.75	3.855-02	4.727-03	5.437-01
5.0	4.00	2.00	5.084-02	4.893-03	5.689-01
5.0	4.00	2.25	6.019-02	4.634-03	5.938-01
5.0	4.00	2.50	6.685-02	4.184-03	6.184-01
5.0	4.00	2.75	7.129-02	3.676-03	6.426-01
5.0	4.00	3.00	7.396-02	3.179-03	6.667-01
5.0	4.00	3.25	7.527-02	2.724-03	6.905-01
5.0	4.00	3.50	7.555-02	2.323-03	7.141-01
5.0	4.00	3.75	7.505-02	1.977-03	7.376-01
5.0	4.00	4.00	7.398-02	1.682-03	7.608-01
5.0	4.00	4.25	7.250-02	1.432-03	7.839-01
5.0	4.00	4.50	7.074-02	1.221-03	8.068-01
5.0	4.00	5.00	6.672-02	8.948-04	8.517-01
5.0	4.00	5.50	6.238-02	6.619-04	8.958-01
5.0	4.00	6.00	5.804-02	4.950-04	9.391-01
5.0	4.00	7.00	4.991-02	2.861-04	1.023 00
5.0	4.00	8.00	4.285-02	1.725-04	1.104 00
5.0	4.00	10.00	3.192-02	6.988-05	1.260 00
5.0	5.00	1.50	2.622-02	5.509-03	5.269-01
5.0	5.00	1.75	4.335-02	7.059-03	5.508-01
5.0	5.00	2.00	5.787-02	7.457-03	5.749-01
5.0	5.00	2.25	6.922-02	7.186-03	5.987-01
5.0	5.00	2.50	7.758-02	6.588-03	6.223-01
5.0	5.00	2.75	8.339-02	5.865-03	6.457-01
5.0	5.00	3.00	8.714-02	5.132-03	6.688-01
5.0	5.00	3.25	8.925-02	4.444-03	6.918-01
5.0	5.00	3.50	9.010-02	3.826-03	7.146-01
5.0	5.00	3.75	8.997-02	3.284-03	7.373-01
5.0	5.00	4.00	8.911-02	2.815-03	7.598-01
5.0	5.00	4.25	8.772-02	2.414-03	7.821-01
5.0	5.00	4.50	8.594-02	2.073-03	8.042-01
5.0	5.00	5.00	8.164-02	1.537-03	8.479-01
5.0	5.00	5.50	7.682-02	1.149-03	8.907-01
5.0	5.00	6.00	7.187-02	8.668-04	9.328-01
5.0	5.00	7.00	6.238-02	5.687-04	1.015 00
5.0	5.00	8.00	5.396-02	3.104-04	1.094 00
5.0	5.00	10.00	4.065-02	1.280-04	1.246 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
5.0	6.00	1.50	2.754-02	6.900-03	5.305-01
5.0	6.00	1.75	4.605-02	9.017-03	5.534-01
5.0	6.00	2.00	6.209-02	9.684-03	5.764-01
5.0	6.00	2.25	7.490-02	9.464-03	5.993-01
5.0	6.00	2.50	8.456-02	8.783-03	6.220-01
5.0	6.00	2.75	9.148-02	7.904-03	6.445-01
5.0	6.00	3.00	9.614-02	6.982-03	6.668-01
5.0	6.00	3.25	9.897-02	6.098-03	6.890-01
5.0	6.00	3.50	1.004-01	5.290-03	7.110-01
5.0	6.00	3.75	1.007-01	4.571-03	7.329-01
5.0	6.00	4.00	1.001-01	3.943-03	7.547-01
5.0	6.00	4.25	9.887-02	3.401-03	7.763-01
5.0	6.00	4.50	9.719-02	2.936-03	7.978-01
5.0	6.00	5.00	9.286-02	2.197-03	8.401-01
5.0	6.00	5.50	8.783-02	1.656-03	8.817-01
5.0	6.00	6.00	8.254-02	1.259-03	9.226-01
5.0	6.00	7.00	7.217-02	7.479-04	1.002 00
5.0	6.00	8.00	6.281-02	4.608-04	1.080 00
5.0	6.00	10.00	4.775-02	1.929-04	1.228 00
5.0	8.00	1.50	2.845-02	8.852-03	5.328-01
5.0	8.00	1.75	4.844-02	1.192-02	5.539-01
5.0	8.00	2.00	6.631-02	1.313-02	5.753-01
5.0	8.00	2.25	8.103-02	1.312-02	5.966-01
5.0	8.00	2.50	9.252-02	1.240-02	6.178-01
5.0	8.00	2.75	1.011-01	1.135-02	6.389-01
5.0	8.00	3.00	1.072-01	1.017-02	6.599-01
5.0	8.00	3.25	1.112-01	9.000-03	6.808-01
5.0	8.00	3.50	1.136-01	7.900-03	7.016-01
5.0	8.00	3.75	1.147-01	6.900-03	7.222-01
5.0	8.00	4.00	1.147-01	6.010-03	7.428-01
5.0	8.00	4.25	1.139-01	5.230-03	7.633-01
5.0	8.00	4.50	1.126-01	4.552-03	7.835-01
5.0	8.00	5.00	1.085-01	3.457-03	8.237-01
5.0	8.00	5.50	1.035-01	2.639-03	8.631-01
5.0	8.00	6.00	9.790-02	2.029-03	9.021-01
5.0	8.00	7.00	8.660-02	1.228-03	9.782-01
5.0	8.00	8.00	7.607-02	7.682-04	1.052 00
5.0	8.00	10.00	5.865-02	3.289-04	1.194 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
5.0	10.00	1.50	2.841-02	1.007-02	5.329-01
5.0	10.00	1.75	4.903-02	1.387-02	5.527-01
5.0	10.00	2.00	6.789-02	1.558-02	5.728-01
5.0	10.00	2.25	8.378-02	1.581-02	5.930-01
5.0	10.00	2.50	9.648-02	1.516-02	6.131-01
5.0	10.00	2.75	1.062-01	1.405-02	6.331-01
5.0	10.00	3.00	1.134-01	1.273-02	6.531-01
5.0	10.00	3.25	1.184-01	1.137-02	6.730-01
5.0	10.00	3.50	1.216-01	1.007-02	6.928-01
5.0	10.00	3.75	1.233-01	8.869-03	7.125-01
5.0	10.00	4.00	1.239-01	7.782-03	7.322-01
5.0	10.00	4.25	1.236-01	6.817-03	7.517-01
5.0	10.00	4.50	1.225-01	5.970-03	7.711-01
5.0	10.00	5.00	1.190-01	4.583-03	8.095-01
5.0	10.00	5.50	1.141-01	3.532-03	8.474-01
5.0	10.00	6.00	1.085-01	2.739-03	8.848-01
5.0	10.00	7.00	9.681-02	1.682-03	9.579-01
5.0	10.00	8.00	8.563-02	1.064-03	1.029 00
5.0	10.00	10.00	6.673-02	4.635-04	1.166 00
5.0	15.00	1.50	2.727-02	1.156-02	5.313-01
5.0	15.00	1.75	4.820-02	1.656-02	5.490-01
5.0	15.00	2.00	6.807-02	1.922-02	5.670-01
5.0	15.00	2.25	8.545-02	2.007-02	5.853-01
5.0	15.00	2.50	9.987-02	1.972-02	6.035-01
5.0	15.00	2.75	1.114-01	1.867-02	6.218-01
5.0	15.00	3.00	1.203-01	1.724-02	6.401-01
5.0	15.00	3.25	1.269-01	1.567-02	6.583-01
5.0	15.00	3.50	1.316-01	1.409-02	6.765-01
5.0	15.00	3.75	1.346-01	1.258-02	6.946-01
5.0	15.00	4.00	1.363-01	1.118-02	7.127-01
5.0	15.00	4.25	1.369-01	9.911-03	7.307-01
5.0	15.00	4.50	1.367-01	8.772-03	7.486-01
5.0	15.00	5.00	1.343-01	6.865-03	7.842-01
5.0	15.00	5.50	1.301-01	5.379-03	8.192-01
5.0	15.00	6.00	1.249-01	4.233-03	8.540-01
5.0	15.00	7.00	1.131-01	2.664-03	9.221-01
5.0	15.00	8.00	1.013-01	1.719-03	9.885-01
5.0	15.00	10.00	8.043-02	7.717-04	1.116 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
5.0	20.00	1.50	2.600-02	1.213-02	5.296-01
5.0	20.00	1.75	4.667-02	1.783-02	5.460-01
5.0	20.00	2.00	6.680-02	2.115-02	5.628-01
5.0	20.00	2.25	8.481-02	2.250-02	5.798-01
5.0	20.00	2.50	1.001-01	2.247-02	5.969-01
5.0	20.00	2.75	1.127-01	2.158-02	6.140-01
5.0	20.00	3.00	1.226-01	2.019-02	6.312-01
5.0	20.00	3.25	1.303-01	1.856-02	6.484-01
5.0	20.00	3.50	1.359-01	1.687-02	6.656-01
5.0	20.00	3.75	1.399-01	1.520-02	6.827-01
5.0	20.00	4.00	1.424-01	1.362-02	6.998-01
5.0	20.00	4.25	1.437-01	1.217-02	7.168-01
5.0	20.00	4.50	1.441-01	1.085-02	7.338-01
5.0	20.00	5.00	1.427-01	8.600-03	7.674-01
5.0	20.00	5.50	1.392-01	6.813-03	8.007-01
5.0	20.00	6.00	1.345-01	5.415-03	8.338-01
5.0	20.00	7.00	1.231-01	3.465-03	8.986-01
5.0	20.00	8.00	1.111-01	2.267-03	9.620-01
5.0	20.00	10.00	8.934-02	1.038-03	1.084 00
5.0	25.00	1.50	2.488-02	1.235-02	5.282-01
5.0	25.00	1.75	4.519-02	1.850-02	5.437-01
5.0	25.00	2.00	6.532-02	2.230-02	5.596-01
5.0	25.00	2.25	8.363-02	2.405-02	5.757-01
5.0	25.00	2.50	9.945-02	2.431-02	5.920-01
5.0	25.00	2.75	1.126-01	2.359-02	6.084-01
5.0	25.00	3.00	1.233-01	2.228-02	6.248-01
5.0	25.00	3.25	1.317-01	2.066-02	6.412-01
5.0	25.00	3.50	1.381-01	1.892-02	6.577-01
5.0	25.00	3.75	1.427-01	1.717-02	6.741-01
5.0	25.00	4.00	1.458-01	1.549-02	6.905-01
5.0	25.00	4.25	1.477-01	1.391-02	7.068-01
5.0	25.00	4.50	1.486-01	1.247-02	7.231-01
5.0	25.00	5.00	1.481-01	9.980-03	7.555-01
5.0	25.00	5.50	1.452-01	7.973-03	7.875-01
5.0	25.00	6.00	1.409-01	6.383-03	8.193-01
5.0	25.00	7.00	1.299-01	4.135-03	8.819-01
5.0	25.00	8.00	1.181-01	2.732-03	9.430-01
5.0	25.00	10.00	9.581-02	1.271-03	1.061 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
5.0	40.00	1.50	2.243-02	1.235-02	5.253-01
5.0	40.00	1.75	4.167-02	1.919-02	5.392-01
5.0	40.00	2.00	6.141-02	2.386-02	5.535-01
5.0	40.00	2.25	7.995-02	2.644-02	5.681-01
5.0	40.00	2.50	9.647-02	2.737-02	5.829-01
5.0	40.00	2.75	1.107-01	2.712-02	5.978-01
5.0	40.00	3.00	1.226-01	2.610-02	6.128-01
5.0	40.00	3.25	1.323-01	2.461-02	6.278-01
5.0	40.00	3.50	1.400-01	2.288-02	6.429-01
5.0	40.00	3.75	1.459-01	2.105-02	6.580-01
5.0	40.00	4.00	1.503-01	1.923-02	6.731-01
5.0	40.00	4.25	1.533-01	1.748-02	6.881-01
5.0	40.00	4.50	1.553-01	1.583-02	7.032-01
5.0	40.00	5.00	1.566-01	1.291-02	7.331-01
5.0	40.00	5.50	1.551-01	1.049-02	7.628-01
5.0	40.00	6.00	1.519-01	8.521-03	7.923-01
5.0	40.00	7.00	1.422-01	5.658-03	8.505-01
5.0	40.00	8.00	1.309-01	3.814-03	9.075-01
5.0	40.00	10.00	1.082-01	1.829-03	1.018 00
5.0	60.00	1.50	2.038-02	1.202-02	5.232-01
5.0	60.00	1.75	3.855-02	1.922-02	5.359-01
5.0	60.00	2.00	5.768-02	2.450-02	5.490-01
5.0	60.00	2.25	7.609-02	2.772-02	5.625-01
5.0	60.00	2.50	9.287-02	2.923-02	5.762-01
5.0	60.00	2.75	1.076-01	2.945-02	5.900-01
5.0	60.00	3.00	1.203-01	2.876-02	6.040-01
5.0	60.00	3.25	1.309-01	2.749-02	6.180-01
5.0	60.00	3.50	1.396-01	2.587-02	6.321-01
5.0	60.00	3.75	1.465-01	2.407-02	6.462-01
5.0	60.00	4.00	1.518-01	2.221-02	6.603-01
5.0	60.00	4.25	1.558-01	2.037-02	6.744-01
5.0	60.00	4.50	1.587-01	1.861-02	6.885-01
5.0	60.00	5.00	1.615-01	1.541-02	7.166-01
5.0	60.00	5.50	1.613-01	1.268-02	7.445-01
5.0	60.00	6.00	1.591-01	1.043-02	7.724-01
5.0	60.00	7.00	1.509-01	7.062-03	8.273-01
5.0	60.00	8.00	1.402-01	4.839-03	8.813-01
5.0	60.00	10.00	1.178-01	2.379-03	9.864-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
5.0	100.00	1.50	1.803-02	1.139-02	5.208-01
5.0	100.00	1.75	3.480-02	1.880-02	5.323-01
5.0	100.00	2.00	5.298-02	2.463-02	5.442-01
5.0	100.00	2.25	7.094-02	2.856-02	5.565-01
5.0	100.00	2.50	8.774-02	3.076-02	5.690-01
5.0	100.00	2.75	1.029-01	3.158-02	5.817-01
5.0	100.00	3.00	1.162-01	3.138-02	5.945-01
5.0	100.00	3.25	1.277-01	3.045-02	6.074-01
5.0	100.00	3.50	1.373-01	2.906-02	6.205-01
5.0	100.00	3.75	1.453-01	2.739-02	6.335-01
5.0	100.00	4.00	1.517-01	2.557-02	6.466-01
5.0	100.00	4.25	1.568-01	2.371-02	6.597-01
5.0	100.00	4.50	1.606-01	2.188-02	6.728-01
5.0	100.00	5.00	1.653-01	1.845-02	6.990-01
5.0	100.00	5.50	1.667-01	1.542-02	7.250-01
5.0	100.00	6.00	1.659-01	1.285-02	7.510-01
5.0	100.00	7.00	1.596-01	8.908-03	8.024-01
5.0	100.00	8.00	1.501-01	6.221-03	8.530-01
5.0	100.00	10.00	1.284-01	3.150-03	9.519-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
10.0	1.20	1.50	3.981-04	1.514-07	1.757-01
10.0	1.20	1.75	5.949-04	1.671-07	1.873-01
10.0	1.20	2.00	7.292-04	1.553-07	1.989-01
10.0	1.20	2.25	8.107-04	1.339-07	2.103-01
10.0	1.20	2.50	8.526-04	1.113-07	2.214-01
10.0	1.20	2.75	8.668-04	9.090-08	2.323-01
10.0	1.20	3.00	8.620-04	7.369-08	2.430-01
10.0	1.20	3.25	8.449-04	5.963-08	2.535-01
10.0	1.20	3.50	8.199-04	4.831-08	2.638-01
10.0	1.20	3.75	7.900-04	3.924-08	2.740-01
10.0	1.20	4.00	7.573-04	3.199-08	2.840-01
10.0	1.20	4.25	7.235-04	2.620-08	2.939-01
10.0	1.20	4.50	6.896-04	2.156-08	3.036-01
10.0	1.20	5.00	6.236-04	1.481-08	3.226-01
10.0	1.20	5.50	5.624-04	1.037-08	3.412-01
10.0	1.20	6.00	5.071-04	7.394-09	3.592-01
10.0	1.20	7.00	4.138-04	3.950-09	3.942-01
10.0	1.20	8.00	3.407-04	2.237-09	4.277-01
10.0	1.20	10.00	2.381-04	8.242-10	4.911-01
10.0	1.40	1.50	1.900-03	6.334-06	2.798-01
10.0	1.40	1.75	2.867-03	7.111-06	2.976-01
10.0	1.40	2.00	3.544-03	6.703-06	3.153-01
10.0	1.40	2.25	3.969-03	5.850-06	3.327-01
10.0	1.40	2.50	4.201-03	4.914-06	3.498-01
10.0	1.40	2.75	4.294-03	4.051-06	3.665-01
10.0	1.40	3.00	4.291-03	3.311-06	3.831-01
10.0	1.40	3.25	4.225-03	2.698-06	3.993-01
10.0	1.40	3.50	4.116-03	2.200-06	4.153-01
10.0	1.40	3.75	3.980-03	1.798-06	4.310-01
10.0	1.40	4.00	3.828-03	1.474-06	4.465-01
10.0	1.40	4.25	3.668-03	1.213-06	4.617-01
10.0	1.40	4.50	3.506-03	1.002-06	4.768-01
10.0	1.40	5.00	3.186-03	6.942-07	5.062-01
10.0	1.40	5.50	2.886-03	4.895-07	5.350-01
10.0	1.40	6.00	2.612-03	3.513-07	5.630-01
10.0	1.40	7.00	2.145-03	1.896-07	6.172-01
10.0	1.40	8.00	1.775-03	1.082-07	6.693-01
10.0	1.40	10.00	1.251-03	4.039-08	7.680-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
10.0	1.60	1.50	4.091-03	4.096-05	3.462-01
10.0	1.60	1.75	6.228-03	4.667-05	3.673-01
10.0	1.60	2.00	7.756-03	4.454-05	3.884-01
10.0	1.60	2.25	8.741-03	3.928-05	4.093-01
10.0	1.60	2.50	9.302-03	3.331-05	4.298-01
10.0	1.60	2.75	9.554-03	2.768-05	4.499-01
10.0	1.60	3.00	9.589-03	2.278-05	4.697-01
10.0	1.60	3.25	9.476-03	1.868-05	4.892-01
10.0	1.60	3.50	9.263-03	1.532-05	5.085-01
10.0	1.60	3.75	8.985-03	1.258-05	5.274-01
10.0	1.60	4.00	8.667-03	1.036-05	5.460-01
10.0	1.60	4.25	8.327-03	8.565-06	5.644-01
10.0	1.60	4.50	7.978-03	7.108-06	5.826-01
10.0	1.60	5.00	7.282-03	4.957-06	6.181-01
10.0	1.60	5.50	6.621-03	3.517-06	6.528-01
10.0	1.60	6.00	6.013-03	2.537-06	6.867-01
10.0	1.60	7.00	4.966-03	1.382-06	7.522-01
10.0	1.60	8.00	4.127-03	7.945-07	8.152-01
10.0	1.60	10.00	2.927-03	2.997-07	9.347-01
10.0	1.80	1.50	6.517-03	1.300-04	3.908-01
10.0	1.80	1.75	9.997-03	1.500-04	4.138-01
10.0	1.80	2.00	1.253-02	1.448-04	4.369-01
10.0	1.80	2.25	1.420-02	1.289-04	4.598-01
10.0	1.80	2.50	1.519-02	1.102-04	4.822-01
10.0	1.80	2.75	1.567-02	9.221-05	5.043-01
10.0	1.80	3.00	1.578-02	7.637-05	5.261-01
10.0	1.80	3.25	1.565-02	6.298-05	5.476-01
10.0	1.80	3.50	1.534-02	5.191-05	5.688-01
10.0	1.80	3.75	1.492-02	4.283-05	5.896-01
10.0	1.80	4.00	1.443-02	3.542-05	6.102-01
10.0	1.80	4.25	1.390-02	2.939-05	6.304-01
10.0	1.80	4.50	1.334-02	2.447-05	6.504-01
10.0	1.80	5.00	1.223-02	1.718-05	6.897-01
10.0	1.80	5.50	1.115-02	1.225-05	7.280-01
10.0	1.80	6.00	1.016-02	8.880-06	7.654-01
10.0	1.80	7.00	8.431-03	4.875-06	8.379-01
10.0	1.80	8.00	7.036-03	2.821-06	9.076-01
10.0	1.80	10.00	5.020-03	1.074-06	1.040 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
10.0	2.00	1.50	8.913-03	2.870-04	4.221-01
10.0	2.00	1.75	1.377-02	3.352-04	4.462-01
10.0	2.00	2.00	1.736-02	3.266-04	4.704-01
10.0	2.00	2.25	1.977-02	2.933-04	4.944-01
10.0	2.00	2.50	2.124-02	2.526-04	5.180-01
10.0	2.00	2.75	2.199-02	2.127-04	5.413-01
10.0	2.00	3.00	2.223-02	1.772-04	5.643-01
10.0	2.00	3.25	2.210-02	1.469-04	5.870-01
10.0	2.00	3.50	2.173-02	1.216-04	6.093-01
10.0	2.00	3.75	2.119-02	1.007-04	6.313-01
10.0	2.00	4.00	2.054-02	8.360-05	6.530-01
10.0	2.00	4.25	1.982-02	6.960-05	6.744-01
10.0	2.00	4.50	1.907-02	5.815-05	6.956-01
10.0	2.00	5.00	1.753-02	4.104-05	7.371-01
10.0	2.00	5.50	1.604-02	2.942-05	7.777-01
10.0	2.00	6.00	1.465-02	2.141-05	8.173-01
10.0	2.00	7.00	1.221-02	1.184-05	8.941-01
10.0	2.00	8.00	1.023-02	6.889-06	9.680-01
10.0	2.00	10.00	7.335-03	2.647-06	1.108 00
10.0	2.25	1.50	1.168-02	5.781-04	4.495-01
10.0	2.25	1.75	1.818-02	6.839-04	4.742-01
10.0	2.25	2.00	2.307-02	6.738-04	4.992-01
10.0	2.25	2.25	2.643-02	6.108-04	5.239-01
10.0	2.25	2.50	2.853-02	5.304-04	5.483-01
10.0	2.25	2.75	2.966-02	4.499-04	5.724-01
10.0	2.25	3.00	3.010-02	3.771-04	5.962-01
10.0	2.25	3.25	3.003-02	3.143-04	6.197-01
10.0	2.25	3.50	2.962-02	2.615-04	6.429-01
10.0	2.25	3.75	2.896-02	2.177-04	6.657-01
10.0	2.25	4.00	2.814-02	1.814-04	6.883-01
10.0	2.25	4.25	2.722-02	1.516-04	7.105-01
10.0	2.25	4.50	2.624-02	1.271-04	7.325-01
10.0	2.25	5.00	2.422-02	9.029-05	7.757-01
10.0	2.25	5.50	2.224-02	6.507-05	8.179-01
10.0	2.25	6.00	2.037-02	4.759-05	8.592-01
10.0	2.25	7.00	1.706-02	2.652-05	9.392-01
10.0	2.25	8.00	1.434-02	1.553-05	1.016 00
10.0	2.25	10.00	1.035-02	6.025-06	1.163 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
10.0	2.50	1.50	1.411-02	9.571-04	4.685-01
10.0	2.50	1.75	2.212-02	1.146-03	4.935-01
10.0	2.50	2.00	2.825-02	1.140-03	5.187-01
10.0	2.50	2.25	3.252-02	1.042-03	5.438-01
10.0	2.50	2.50	3.525-02	9.117-04	5.686-01
10.0	2.50	2.75	3.679-02	7.784-04	5.930-01
10.0	2.50	3.00	3.746-02	6.561-04	6.172-01
10.0	2.50	3.25	3.750-02	5.497-04	6.411-01
10.0	2.50	3.50	3.708-02	4.594-04	6.647-01
10.0	2.50	3.75	3.635-02	3.839-04	6.879-01
10.0	2.50	4.00	3.540-02	3.212-04	7.109-01
10.0	2.50	4.25	3.431-02	2.694-04	7.336-01
10.0	2.50	4.50	3.314-02	2.266-04	7.560-01
10.0	2.50	5.00	3.069-02	1.618-04	8.001-01
10.0	2.50	5.50	2.826-02	1.172-04	8.432-01
10.0	2.50	6.00	2.595-02	8.608-05	8.853-01
10.0	2.50	7.00	2.183-02	4.831-05	9.671-01
10.0	2.50	8.00	1.842-02	2.846-05	1.046 00
10.0	2.50	10.00	1.337-02	1.114-05	1.196 00
10.0	2.75	1.50	1.621-02	1.400-03	4.822-01
10.0	2.75	1.75	2.557-02	1.693-03	5.072-01
10.0	2.75	2.00	3.282-02	1.700-03	5.324-01
10.0	2.75	2.25	3.796-02	1.566-03	5.576-01
10.0	2.75	2.50	4.131-02	1.379-03	5.824-01
10.0	2.75	2.75	4.327-02	1.185-03	6.070-01
10.0	2.75	3.00	4.419-02	1.004-03	6.313-01
10.0	2.75	3.25	4.436-02	8.446-04	6.554-01
10.0	2.75	3.50	4.397-02	7.089-04	6.791-01
10.0	2.75	3.75	4.320-02	5.946-04	7.025-01
10.0	2.75	4.00	4.216-02	4.992-04	7.257-01
10.0	2.75	4.25	4.094-02	4.199-04	7.486-01
10.0	2.75	4.50	3.961-02	3.542-04	7.712-01
10.0	2.75	5.00	3.680-02	2.543-04	8.157-01
10.0	2.75	5.50	3.398-02	1.849-04	8.592-01
10.0	2.75	6.00	3.128-02	1.364-04	9.018-01
10.0	2.75	7.00	2.642-02	7.703-05	9.845-01
10.0	2.75	8.00	2.236-02	4.561-05	1.064 00
10.0	2.75	10.00	1.631-02	1.799-05	1.216 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
10.0	3.00	1.50	1.800-02	1.882-03	4.924-01
10.0	3.00	1.75	2.856-02	2.299-03	5.172-01
10.0	3.00	2.00	3.683-02	2.327-03	5.423-01
10.0	3.00	2.25	4.278-02	2.159-03	5.673-01
10.0	3.00	2.50	4.672-02	1.913-03	5.921-01
10.0	3.00	2.75	4.910-02	1.652-03	6.167-01
10.0	3.00	3.00	5.028-02	1.406-03	6.410-01
10.0	3.00	3.25	5.059-02	1.188-03	6.650-01
10.0	3.00	3.50	5.027-02	1.001-03	6.888-01
10.0	3.00	3.75	4.949-02	8.425-04	7.122-01
10.0	3.00	4.00	4.839-02	7.095-04	7.354-01
10.0	3.00	4.25	4.707-02	5.986-04	7.584-01
10.0	3.00	4.50	4.562-02	5.062-04	7.810-01
10.0	3.00	5.00	4.250-02	3.651-04	8.256-01
10.0	3.00	5.50	3.934-02	2.666-04	8.693-01
10.0	3.00	6.00	3.629-02	1.973-04	9.120-01
10.0	3.00	7.00	3.076-02	1.121-04	9.951-01
10.0	3.00	8.00	2.612-02	6.669-05	1.075 00
10.0	3.00	10.00	1.913-02	2.649-05	1.228 00
10.0	3.25	1.50	1.952-02	2.385-03	5.000-01
10.0	3.25	1.75	3.113-02	2.939-03	5.246-01
10.0	3.25	2.00	4.033-02	2.998-03	5.495-01
10.0	3.25	2.25	4.702-02	2.800-03	5.743-01
10.0	3.25	2.50	5.153-02	2.495-03	5.990-01
10.0	3.25	2.75	5.431-02	2.164-03	6.234-01
10.0	3.25	3.00	5.576-02	1.850-03	6.476-01
10.0	3.25	3.25	5.624-02	1.570-03	6.715-01
10.0	3.25	3.50	5.599-02	1.327-03	6.952-01
10.0	3.25	3.75	5.523-02	1.120-03	7.186-01
10.0	3.25	4.00	5.409-02	9.461-04	7.418-01
10.0	3.25	4.25	5.270-02	8.003-04	7.647-01
10.0	3.25	4.50	5.115-02	6.783-04	7.873-01
10.0	3.25	5.00	4.778-02	4.913-04	8.319-01
10.0	3.25	5.50	4.432-02	3.602-04	8.755-01
10.0	3.25	6.00	4.097-02	2.674-04	9.182-01
10.0	3.25	7.00	3.484-02	1.528-04	1.001 00
10.0	3.25	8.00	2.966-02	9.127-05	1.081 00
10.0	3.25	10.00	2.181-02	3.650-05	1.234 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
10.0	3.50	1.50	2.081-02	2.894-03	5.059-01
10.0	3.50	1.75	3.335-02	3.595-03	5.302-01
10.0	3.50	2.00	4.338-02	3.693-03	5.548-01
10.0	3.50	2.25	5.075-02	3.469-03	5.794-01
10.0	3.50	2.50	5.579-02	3.107-03	6.039-01
10.0	3.50	2.75	5.896-02	2.708-03	6.281-01
10.0	3.50	3.00	6.068-02	2.325-03	6.521-01
10.0	3.50	3.25	6.133-02	1.979-03	6.759-01
10.0	3.50	3.50	6.118-02	1.678-03	6.995-01
10.0	3.50	3.75	6.045-02	1.421-03	7.228-01
10.0	3.50	4.00	5.930-02	1.203-03	7.458-01
10.0	3.50	4.25	5.786-02	1.020-03	7.686-01
10.0	3.50	4.50	5.623-02	8.667-04	7.911-01
10.0	3.50	5.00	5.266-02	6.303-04	8.355-01
10.0	3.50	5.50	4.895-02	4.636-04	8.790-01
10.0	3.50	6.00	4.532-02	3.452-04	9.216-01
10.0	3.50	7.00	3.867-02	1.982-04	1.004 00
10.0	3.50	8.00	3.300-02	1.189-04	1.084 00
10.0	3.50	10.00	2.436-02	4.783-05	1.237 00
10.0	3.75	1.50	2.190-02	3.397-03	5.105-01
10.0	3.75	1.75	3.525-02	4.253-03	5.344-01
10.0	3.75	2.00	4.604-02	4.398-03	5.588-01
10.0	3.75	2.25	5.404-02	4.154-03	5.831-01
10.0	3.75	2.50	5.958-02	3.738-03	6.073-01
10.0	3.75	2.75	6.312-02	3.272-03	6.314-01
10.0	3.75	3.00	6.511-02	2.819-03	6.552-01
10.0	3.75	3.25	6.593-02	2.408-03	6.788-01
10.0	3.75	3.50	6.589-02	2.048-03	7.022-01
10.0	3.75	3.75	6.520-02	1.739-03	7.253-01
10.0	3.75	4.00	6.406-02	1.476-03	7.482-01
10.0	3.75	4.25	6.259-02	1.254-03	7.709-01
10.0	3.75	4.50	6.090-02	1.068-03	7.933-01
10.0	3.75	5.00	5.716-02	7.793-04	8.374-01
10.0	3.75	5.50	5.324-02	5.750-04	8.807-01
10.0	3.75	6.00	4.938-02	4.293-04	9.231-01
10.0	3.75	7.00	4.225-02	2.477-04	1.006 00
10.0	3.75	8.00	3.614-02	1.491-04	1.085 00
10.0	3.75	10.00	2.677-02	6.033-05	1.237 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
10.0	4.00	1.50	2.282-02	3.888-03	5.141-01
10.0	4.00	1.75	3.689-02	4.903-03	5.377-01
10.0	4.00	2.00	4.836-02	5.100-03	5.617-01
10.0	4.00	2.25	5.693-02	4.843-03	5.858-01
10.0	4.00	2.50	6.294-02	4.378-03	6.098-01
10.0	4.00	2.75	6.683-02	3.847-03	6.336-01
10.0	4.00	3.00	6.908-02	3.326-03	6.573-01
10.0	4.00	3.25	7.009-02	2.850-03	6.807-01
10.0	4.00	3.50	7.016-02	2.430-03	7.039-01
10.0	4.00	3.75	6.954-02	2.069-03	7.268-01
10.0	4.00	4.00	6.841-02	1.760-03	7.495-01
10.0	4.00	4.25	6.693-02	1.499-03	7.720-01
10.0	4.00	4.50	6.520-02	1.278-03	7.943-01
10.0	4.00	5.00	6.132-02	9.361-04	8.381-01
10.0	4.00	5.50	5.721-02	6.928-04	8.811-01
10.0	4.00	6.00	5.315-02	5.186-04	9.233-01
10.0	4.00	7.00	4.560-02	3.005-04	1.005 00
10.0	4.00	8.00	3.909-02	1.816-04	1.085 00
10.0	4.00	10.00	2.905-02	7.384-05	1.236 00
10.0	5.00	1.50	2.531-02	5.657-03	5.227-01
10.0	5.00	1.75	4.152-02	7.310-03	5.451-01
10.0	5.00	2.00	5.509-02	7.764-03	5.679-01
10.0	5.00	2.25	6.556-02	7.504-03	5.909-01
10.0	5.00	2.50	7.314-02	6.889-03	6.139-01
10.0	5.00	2.75	7.830-02	6.137-03	6.367-01
10.0	5.00	3.00	8.151-02	5.369-03	6.595-01
10.0	5.00	3.25	8.323-02	4.650-03	6.820-01
10.0	5.00	3.50	8.379-02	4.003-03	7.044-01
10.0	5.00	3.75	8.348-02	3.437-03	7.266-01
10.0	5.00	4.00	8.252-02	2.947-03	7.486-01
10.0	5.00	4.25	8.108-02	2.527-03	7.704-01
10.0	5.00	4.50	7.930-02	2.170-03	7.919-01
10.0	5.00	5.00	7.511-02	1.608-03	8.345-01
10.0	5.00	5.50	7.052-02	1.202-03	8.763-01
10.0	5.00	6.00	6.587-02	9.080-04	9.173-01
10.0	5.00	7.00	5.703-02	5.339-04	9.973-01
10.0	5.00	8.00	4.925-02	3.265-04	1.075 00
10.0	5.00	10.00	3.701-02	1.352-04	1.223 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
10.0	6.00	1.50	2.659-02	7.077-03	5.265-01
10.0	6.00	1.75	4.414-02	9.327-03	5.478-01
10.0	6.00	2.00	5.916-02	1.007-02	5.696-01
10.0	6.00	2.25	7.100-02	9.877-03	5.916-01
10.0	6.00	2.50	7.980-02	9.181-03	6.137-01
10.0	6.00	2.75	8.599-02	8.268-03	6.356-01
10.0	6.00	3.00	9.004-02	7.304-03	6.575-01
10.0	6.00	3.25	9.241-02	6.380-03	6.793-01
10.0	6.00	3.50	9.346-02	5.535-03	7.009-01
10.0	6.00	3.75	9.350-02	4.785-03	7.224-01
10.0	6.00	4.00	9.278-02	4.129-03	7.436-01
10.0	6.00	4.25	9.149-02	3.562-03	7.647-01
10.0	6.00	4.50	8.977-02	3.074-03	7.857-01
10.0	6.00	5.00	8.552-02	2.300-03	8.270-01
10.0	6.00	5.50	8.070-02	1.733-03	8.676-01
10.0	6.00	6.00	7.570-02	1.319-03	9.075-01
10.0	6.00	7.00	6.602-02	7.846-04	9.853-01
10.0	6.00	8.00	5.735-02	4.845-04	1.061 00
10.0	6.00	10.00	4.349-02	2.036-04	1.205 00
10.0	8.00	1.50	2.749-02	9.062-03	5.291-01
10.0	8.00	1.75	4.647-02	1.231-02	5.487-01
10.0	8.00	2.00	6.325-02	1.364-02	5.689-01
10.0	8.00	2.25	7.692-02	1.367-02	5.893-01
10.0	8.00	2.50	8.746-02	1.296-02	6.098-01
10.0	8.00	2.75	9.519-02	1.187-02	6.303-01
10.0	8.00	3.00	1.006-01	1.064-02	6.509-01
10.0	8.00	3.25	1.040-01	9.417-03	6.713-01
10.0	8.00	3.50	1.060-01	8.268-03	6.917-01
10.0	8.00	3.75	1.067-01	7.224-03	7.119-01
10.0	8.00	4.00	1.065-01	6.295-03	7.320-01
10.0	8.00	4.25	1.056-01	5.479-03	7.520-01
10.0	8.00	4.50	1.041-01	4.768-03	7.718-01
10.0	8.00	5.00	1.001-01	3.619-03	8.110-01
10.0	8.00	5.50	9.518-02	2.762-03	8.495-01
10.0	8.00	6.00	8.990-02	2.125-03	8.875-01
10.0	8.00	7.00	7.930-02	1.288-03	9.617-01
10.0	8.00	8.00	6.951-02	8.071-04	1.034 00
10.0	8.00	10.00	5.346-02	3.469-04	1.172 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
10.0	10.00	1.50	2.746-02	1.029-02	5.294-01
10.0	10.00	1.75	4.707-02	1.430-02	5.478-01
10.0	10.00	2.00	6.481-02	1.616-02	5.667-01
10.0	10.00	2.25	7.961-02	1.647-02	5.859-01
10.0	10.00	2.50	9.130-02	1.583-02	6.053-01
10.0	10.00	2.75	1.001-01	1.468-02	6.248-01
10.0	10.00	3.00	1.065-01	1.331-02	6.443-01
10.0	10.00	3.25	1.109-01	1.190-02	6.637-01
10.0	10.00	3.50	1.135-01	1.054-02	6.831-01
10.0	10.00	3.75	1.149-01	9.286-03	7.024-01
10.0	10.00	4.00	1.152-01	8.151-03	7.216-01
10.0	10.00	4.25	1.147-01	7.142-03	7.407-01
10.0	10.00	4.50	1.135-01	6.254-03	7.596-01
10.0	10.00	5.00	1.098-01	4.799-03	7.972-01
10.0	10.00	5.50	1.050-01	3.698-03	8.342-01
10.0	10.00	6.00	9.972-02	2.868-03	8.706-01
10.0	10.00	7.00	8.871-02	1.763-03	9.420-01
10.0	10.00	8.00	7.831-02	1.117-03	1.011 00
10.0	10.00	10.00	6.085-02	4.884-04	1.145 00
10.0	15.00	1.50	2.639-02	1.179-02	5.281-01
10.0	15.00	1.75	4.631-02	1.704-02	5.444-01
10.0	15.00	2.00	6.508-02	1.990-02	5.614-01
10.0	15.00	2.25	8.133-02	2.086-02	5.787-01
10.0	15.00	2.50	9.469-02	2.056-02	5.962-01
10.0	15.00	2.75	1.052-01	1.949-02	6.139-01
10.0	15.00	3.00	1.133-01	1.802-02	6.316-01
10.0	15.00	3.25	1.191-01	1.640-02	6.494-01
10.0	15.00	3.50	1.232-01	1.475-02	6.672-01
10.0	15.00	3.75	1.257-01	1.318-02	6.849-01
10.0	15.00	4.00	1.270-01	1.172-02	7.025-01
10.0	15.00	4.25	1.273-01	1.039-02	7.201-01
10.0	15.00	4.50	1.269-01	9.193-03	7.376-01
10.0	15.00	5.00	1.242-01	7.191-03	7.723-01
10.0	15.00	5.50	1.200-01	5.634-03	8.066-01
10.0	15.00	6.00	1.150-01	4.433-03	8.405-01
10.0	15.00	7.00	1.038-01	2.792-03	9.070-01
10.0	15.00	8.00	9.274-02	1.804-03	9.717-01
10.0	15.00	10.00	7.340-02	8.124-04	1.097 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
10.0	20.00	1.50	2.517-02	1.235-02	5.266-01
10.0	20.00	1.75	4.487-02	1.831-02	5.417-01
10.0	20.00	2.00	6.392-02	2.186-02	5.574-01
10.0	20.00	2.25	8.082-02	2.336-02	5.735-01
10.0	20.00	2.50	9.505-02	2.340-02	5.898-01
10.0	20.00	2.75	1.066-01	2.252-02	6.064-01
10.0	20.00	3.00	1.156-01	2.109-02	6.230-01
10.0	20.00	3.25	1.225-01	1.941-02	6.398-01
10.0	20.00	3.50	1.274-01	1.765-02	6.565-01
10.0	20.00	3.75	1.308-01	1.592-02	6.732-01
10.0	20.00	4.00	1.329-01	1.427-02	6.899-01
10.0	20.00	4.25	1.339-01	1.275-02	7.065-01
10.0	20.00	4.50	1.340-01	1.137-02	7.230-01
10.0	20.00	5.00	1.322-01	9.011-03	7.560-01
10.0	20.00	5.50	1.286-01	7.138-03	7.885-01
10.0	20.00	6.00	1.239-01	5.673-03	8.208-01
10.0	20.00	7.00	1.130-01	3.631-03	8.841-01
10.0	20.00	8.00	1.018-01	2.378-03	9.459-01
10.0	20.00	10.00	8.159-02	1.092-03	1.065 00
10.0	25.00	1.50	2.410-02	1.256-02	5.254-01
10.0	25.00	1.75	4.347-02	1.897-02	5.396-01
10.0	25.00	2.00	6.254-02	2.301-02	5.544-01
10.0	25.00	2.25	7.976-02	2.494-02	5.697-01
10.0	25.00	2.50	9.451-02	2.529-02	5.852-01
10.0	25.00	2.75	1.067-01	2.460-02	6.010-01
10.0	25.00	3.00	1.164-01	2.327-02	6.168-01
10.0	25.00	3.25	1.240-01	2.160-02	6.328-01
10.0	25.00	3.50	1.296-01	1.980-02	6.488-01
10.0	25.00	3.75	1.336-01	1.798-02	6.648-01
10.0	25.00	4.00	1.362-01	1.622-02	6.808-01
10.0	25.00	4.25	1.377-01	1.458-02	6.967-01
10.0	25.00	4.50	1.383-01	1.307-02	7.126-01
10.0	25.00	5.00	1.373-01	1.046-02	7.443-01
10.0	25.00	5.50	1.342-01	8.354-03	7.756-01
10.0	25.00	6.00	1.299-01	6.688-03	8.066-01
10.0	25.00	7.00	1.194-01	4.333-03	8.677-01
10.0	25.00	8.00	1.082-01	2.866-03	9.273-01
10.0	25.00	10.00	8.754-02	1.336-03	1.043 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
10.0	40.00	1.50	2.174-02	1.253-02	5.228-01
10.0	40.00	1.75	4.013-02	1.962-02	5.355-01
10.0	40.00	2.00	5.887-02	2.457-02	5.488-01
10.0	40.00	2.25	7.636-02	2.737-02	5.625-01
10.0	40.00	2.50	9.183-02	2.843-02	5.765-01
10.0	40.00	2.75	1.050-01	2.824-02	5.908-01
10.0	40.00	3.00	1.160-01	2.723-02	6.052-01
10.0	40.00	3.25	1.248-01	2.571-02	6.198-01
10.0	40.00	3.50	1.317-01	2.393-02	6.344-01
10.0	40.00	3.75	1.369-01	2.204-02	6.491-01
10.0	40.00	4.00	1.407-01	2.015-02	6.638-01
10.0	40.00	4.25	1.433-01	1.832-02	6.784-01
10.0	40.00	4.50	1.448-01	1.660-02	6.931-01
10.0	40.00	5.00	1.455-01	1.354-02	7.224-01
10.0	40.00	5.50	1.437-01	1.099-02	7.514-01
10.0	40.00	6.00	1.403-01	8.930-03	7.802-01
10.0	40.00	7.00	1.309-01	5.929-03	8.370-01
10.0	40.00	8.00	1.201-01	3.999-03	8.927-01
10.0	40.00	10.00	9.899-02	1.922-03	1.001 00
10.0	60.00	1.50	1.977-02	1.217-02	5.209-01
10.0	60.00	1.75	3.715-02	1.962-02	5.325-01
10.0	60.00	2.00	5.534-02	2.517-02	5.446-01
10.0	60.00	2.25	7.275-02	2.864-02	5.572-01
10.0	60.00	2.50	8.852-02	3.032-02	5.701-01
10.0	60.00	2.75	1.023-01	3.063-02	5.833-01
10.0	60.00	3.00	1.140-01	2.998-02	5.967-01
10.0	60.00	3.25	1.237-01	2.870-02	6.103-01
10.0	60.00	3.50	1.315-01	2.704-02	6.239-01
10.0	60.00	3.75	1.377-01	2.518-02	6.375-01
10.0	60.00	4.00	1.424-01	2.326-02	6.513-01
10.0	60.00	4.25	1.459-01	2.135-02	6.650-01
10.0	60.00	4.50	1.482-01	1.951-02	6.788-01
10.0	60.00	5.00	1.503-01	1.616-02	7.062-01
10.0	60.00	5.50	1.497-01	1.330-02	7.335-01
10.0	60.00	6.00	1.473-01	1.093-02	7.607-01
10.0	60.00	7.00	1.391-01	7.401-03	8.143-01
10.0	60.00	8.00	1.288-01	5.072-03	8.671-01
10.0	60.00	10.00	1.078-01	2.498-03	9.695-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
10.0	100.00	1.50	1.750-02	1.151-02	5.187-01
10.0	100.00	1.75	3.356-02	1.914-02	5.292-01
10.0	100.00	2.00	5.087-02	2.525-02	5.402-01
10.0	100.00	2.25	6.791-02	2.944-02	5.516-01
10.0	100.00	2.50	8.375-02	3.184-02	5.634-01
10.0	100.00	2.75	9.795-02	3.280-02	5.754-01
10.0	100.00	3.00	1.103-01	3.267-02	5.877-01
10.0	100.00	3.25	1.209-01	3.176-02	6.001-01
10.0	100.00	3.50	1.297-01	3.036-02	6.127-01
10.0	100.00	3.75	1.369-01	2.864-02	6.253-01
10.0	100.00	4.00	1.426-01	2.677-02	6.379-01
10.0	100.00	4.25	1.470-01	2.484-02	6.507-01
10.0	100.00	4.50	1.503-01	2.294-02	6.634-01
10.0	100.00	5.00	1.541-01	1.934-02	6.890-01
10.0	100.00	5.50	1.550-01	1.617-02	7.144-01
10.0	100.00	6.00	1.538-01	1.347-02	7.398-01
10.0	100.00	7.00	1.473-01	9.338-03	7.899-01
10.0	100.00	8.00	1.381-01	6.521-03	8.394-01
10.0	100.00	10.00	1.176-01	3.306-03	9.359-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
15.0	1.20	1.50	3.953-04	1.484-07	1.769-01
15.0	1.20	1.75	5.901-04	1.637-07	1.885-01
15.0	1.20	2.00	7.237-04	1.526-07	2.000-01
15.0	1.20	2.25	8.050-04	1.319-07	2.113-01
15.0	1.20	2.50	8.469-04	1.100-07	2.223-01
15.0	1.20	2.75	8.610-04	8.999-08	2.332-01
15.0	1.20	3.00	8.562-04	7.308-08	2.438-01
15.0	1.20	3.25	8.388-04	5.919-08	2.543-01
15.0	1.20	3.50	8.135-04	4.797-08	2.647-01
15.0	1.20	3.75	7.834-04	3.899-08	2.748-01
15.0	1.20	4.00	7.507-04	3.180-08	2.848-01
15.0	1.20	4.25	7.169-04	2.605-08	2.947-01
15.0	1.20	4.50	6.829-04	2.144-08	3.044-01
15.0	1.20	5.00	6.171-04	1.473-08	3.234-01
15.0	1.20	5.50	5.563-04	1.032-08	3.419-01
15.0	1.20	6.00	5.014-04	7.357-09	3.600-01
15.0	1.20	7.00	4.090-04	3.932-09	3.949-01
15.0	1.20	8.00	3.368-04	2.230-09	4.283-01
15.0	1.20	10.00	2.355-04	8.238-10	4.913-01
15.0	1.40	1.50	1.887-03	6.213-06	2.816-01
15.0	1.40	1.75	2.844-03	6.967-06	2.994-01
15.0	1.40	2.00	3.517-03	6.584-06	3.170-01
15.0	1.40	2.25	3.941-03	5.762-06	3.343-01
15.0	1.40	2.50	4.172-03	4.853-06	3.513-01
15.0	1.40	2.75	4.265-03	4.009-06	3.680-01
15.0	1.40	3.00	4.262-03	3.282-06	3.845-01
15.0	1.40	3.25	4.195-03	2.678-06	4.006-01
15.0	1.40	3.50	4.084-03	2.185-06	4.166-01
15.0	1.40	3.75	3.948-03	1.786-06	4.323-01
15.0	1.40	4.00	3.795-03	1.465-06	4.478-01
15.0	1.40	4.25	3.635-03	1.206-06	4.630-01
15.0	1.40	4.50	3.473-03	9.969-07	4.780-01
15.0	1.40	5.00	3.154-03	6.906-07	5.075-01
15.0	1.40	5.50	2.856-03	4.871-07	5.362-01
15.0	1.40	6.00	2.583-03	3.495-07	5.642-01
15.0	1.40	7.00	2.120-03	1.887-07	6.185-01
15.0	1.40	8.00	1.755-03	1.079-07	6.702-01
15.0	1.40	10.00	1.237-03	4.036-08	7.683-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
15.0	1.60	1.50	4.064-03	4.020-05	3.483-01
15.0	1.60	1.75	6.179-03	4.572-05	3.695-01
15.0	1.60	2.00	7.696-03	4.373-05	3.906-01
15.0	1.60	2.25	8.677-03	3.868-05	4.113-01
15.0	1.60	2.50	9.237-03	3.288-05	4.316-01
15.0	1.60	2.75	9.489-03	2.738-05	4.517-01
15.0	1.60	3.00	9.524-03	2.257-05	4.715-01
15.0	1.60	3.25	9.409-03	1.854-05	4.909-01
15.0	1.60	3.50	9.193-03	1.521-05	5.101-01
15.0	1.60	3.75	8.914-03	1.250-05	5.290-01
15.0	1.60	4.00	8.594-03	1.030-05	5.476-01
15.0	1.60	4.25	8.254-03	8.516-06	5.660-01
15.0	1.60	4.50	7.904-03	7.068-06	5.841-01
15.0	1.60	5.00	7.210-03	4.931-06	6.197-01
15.0	1.60	5.50	6.552-03	3.499-06	6.544-01
15.0	1.60	6.00	5.947-03	2.525-06	6.882-01
15.0	1.60	7.00	4.909-03	1.375-06	7.538-01
15.0	1.60	8.00	4.081-03	7.922-07	8.164-01
15.0	1.60	10.00	2.895-03	2.995-07	9.352-01
15.0	1.80	1.50	6.475-03	1.276-04	3.931-01
15.0	1.80	1.75	9.919-03	1.470-04	4.163-01
15.0	1.80	2.00	1.243-02	1.421-04	4.393-01
15.0	1.80	2.25	1.410-02	1.269-04	4.620-01
15.0	1.80	2.50	1.508-02	1.087-04	4.844-01
15.0	1.80	2.75	1.556-02	9.117-05	5.064-01
15.0	1.80	3.00	1.567-02	7.565-05	5.281-01
15.0	1.80	3.25	1.554-02	6.247-05	5.496-01
15.0	1.80	3.50	1.523-02	5.152-05	5.707-01
15.0	1.80	3.75	1.481-02	4.254-05	5.915-01
15.0	1.80	4.00	1.431-02	3.520-05	6.120-01
15.0	1.80	4.25	1.378-02	2.922-05	6.323-01
15.0	1.80	4.50	1.322-02	2.433-05	6.523-01
15.0	1.80	5.00	1.211-02	1.708-05	6.915-01
15.0	1.80	5.50	1.104-02	1.219-05	7.298-01
15.0	1.80	6.00	1.005-02	8.836-06	7.672-01
15.0	1.80	7.00	8.335-03	4.852-06	8.397-01
15.0	1.80	8.00	6.957-03	2.812-06	9.090-01
15.0	1.80	10.00	4.966-03	1.074-06	1.040 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
15.0	2.00	1.50	8.858-03	2.819-04	4.245-01
15.0	2.00	1.75	1.366-02	3.285-04	4.489-01
15.0	2.00	2.00	1.722-02	3.206-04	4.730-01
15.0	2.00	2.25	1.962-02	2.886-04	4.969-01
15.0	2.00	2.50	2.108-02	2.491-04	5.204-01
15.0	2.00	2.75	2.184-02	2.102-04	5.436-01
15.0	2.00	3.00	2.207-02	1.754-04	5.665-01
15.0	2.00	3.25	2.195-02	1.456-04	5.891-01
15.0	2.00	3.50	2.157-02	1.206-04	6.114-01
15.0	2.00	3.75	2.103-02	1.000-04	6.333-01
15.0	2.00	4.00	2.037-02	8.307-05	6.550-01
15.0	2.00	4.25	1.965-02	6.919-05	6.764-01
15.0	2.00	4.50	1.890-02	5.782-05	6.976-01
15.0	2.00	5.00	1.736-02	4.082-05	7.391-01
15.0	2.00	5.50	1.588-02	2.927-05	7.796-01
15.0	2.00	6.00	1.449-02	2.131-05	8.192-01
15.0	2.00	7.00	1.207-02	1.178-05	8.960-01
15.0	2.00	8.00	1.011-02	6.868-06	9.696-01
15.0	2.00	10.00	7.256-03	2.645-06	1.109 00
15.0	2.25	1.50	1.161-02	5.680-04	4.520-01
15.0	2.25	1.75	1.804-02	6.703-04	4.771-01
15.0	2.25	2.00	2.290-02	6.614-04	5.019-01
15.0	2.25	2.25	2.623-02	6.009-04	5.266-01
15.0	2.25	2.50	2.832-02	5.229-04	5.509-01
15.0	2.25	2.75	2.946-02	4.445-04	5.749-01
15.0	2.25	3.00	2.989-02	3.733-04	5.986-01
15.0	2.25	3.25	2.983-02	3.116-04	6.220-01
15.0	2.25	3.50	2.940-02	2.595-04	6.451-01
15.0	2.25	3.75	2.874-02	2.161-04	6.679-01
15.0	2.25	4.00	2.792-02	1.803-04	6.904-01
15.0	2.25	4.25	2.699-02	1.507-04	7.127-01
15.0	2.25	4.50	2.601-02	1.264-04	7.346-01
15.0	2.25	5.00	2.399-02	8.980-05	7.778-01
15.0	2.25	5.50	2.202-02	6.474-05	8.200-01
15.0	2.25	6.00	2.015-02	4.735-05	8.612-01
15.0	2.25	7.00	1.687-02	2.640-05	9.412-01
15.0	2.25	8.00	1.419-02	1.549-05	1.018 00
15.0	2.25	10.00	1.024-02	6.021-06	1.164 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
15.0	2.50	1.50	1.403-02	9.409-04	4.711-01
15.0	2.50	1.75	2.196-02	1.123-03	4.964-01
15.0	2.50	2.00	2.802-02	1.119-03	5.216-01
15.0	2.50	2.25	3.227-02	1.025-03	5.466-01
15.0	2.50	2.50	3.499-02	8.985-04	5.712-01
15.0	2.50	2.75	3.653-02	7.688-04	5.956-01
15.0	2.50	3.00	3.720-02	6.493-04	6.197-01
15.0	2.50	3.25	3.723-02	5.448-04	6.435-01
15.0	2.50	3.50	3.681-02	4.557-04	6.670-01
15.0	2.50	3.75	3.607-02	3.811-04	6.903-01
15.0	2.50	4.00	3.512-02	3.191-04	7.132-01
15.0	2.50	4.25	3.403-02	2.677-04	7.359-01
15.0	2.50	4.50	3.285-02	2.252-04	7.582-01
15.0	2.50	5.00	3.041-02	1.609-04	8.023-01
15.0	2.50	5.50	2.799-02	1.166-04	8.453-01
15.0	2.50	6.00	2.568-02	8.565-05	8.875-01
15.0	2.50	7.00	2.159-02	4.809-05	9.692-01
15.0	2.50	8.00	1.822-02	2.837-05	1.048 00
15.0	2.50	10.00	1.323-02	1.113-05	1.197 00
15.0	2.75	1.50	1.612-02	1.376-03	4.848-01
15.0	2.75	1.75	2.538-02	1.660-03	4.848-01
15.0	2.75	2.00	3.257-02	1.668-03	5.354-01
15.0	2.75	2.25	3.767-02	1.540-03	5.604-01
15.0	2.75	2.50	4.101-02	1.359-03	5.852-01
15.0	2.75	2.75	4.297-02	1.169-03	6.097-01
15.0	2.75	3.00	4.389-02	9.928-04	6.339-01
15.0	2.75	3.25	4.405-02	8.368-04	6.579-01
15.0	2.75	3.50	4.365-02	7.030-04	6.816-01
15.0	2.75	3.75	4.288-02	5.901-04	7.050-01
15.0	2.75	4.00	4.183-02	4.958-04	7.281-01
15.0	2.75	4.25	4.061-02	4.173-04	7.509-01
15.0	2.75	4.50	3.928-02	3.521-04	7.735-01
15.0	2.75	5.00	3.647-02	2.529-04	8.180-01
15.0	2.75	5.50	3.365-02	1.840-04	8.614-01
15.0	2.75	6.00	3.096-02	1.357-04	9.040-01
15.0	2.75	7.00	2.613-02	7.668-05	9.867-01
15.0	2.75	8.00	2.212-02	4.548-05	1.066 00
15.0	2.75	10.00	1.613-02	1.798-05	1.217 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
15.0	3.00	1.50	1.791-02	1.851-03	4.949-01
15.0	3.00	1.75	2.835-02	2.254-03	5.202-01
15.0	3.00	2.00	3.655-02	2.284-03	5.453-01
15.0	3.00	2.25	4.244-02	2.123-03	5.702-01
15.0	3.00	2.50	4.637-02	1.884-03	5.950-01
15.0	3.00	2.75	4.875-02	1.630-03	6.194-01
15.0	3.00	3.00	4.993-02	1.391-03	6.436-01
15.0	3.00	3.25	5.024-02	1.177-03	6.676-01
15.0	3.00	3.50	4.991-02	9.925-04	6.913-01
15.0	3.00	3.75	4.912-02	8.361-04	7.147-01
15.0	3.00	4.00	4.801-02	7.046-04	7.379-01
15.0	3.00	4.25	4.669-02	5.948-04	7.608-01
15.0	3.00	4.50	4.523-02	5.031-04	7.834-01
15.0	3.00	5.00	4.212-02	3.630-04	8.280-01
15.0	3.00	5.50	3.896-02	2.652-04	8.716-01
15.0	3.00	6.00	3.592-02	1.963-04	9.143-01
15.0	3.00	7.00	3.043-02	1.116-04	9.973-01
15.0	3.00	8.00	2.584-02	6.649-05	1.077 00
15.0	3.00	10.00	1.893-02	2.647-05	1.229 00
15.0	3.25	1.50	1.942-02	2.347-03	5.026-01
15.0	3.25	1.75	3.091-02	2.883-03	5.276-01
15.0	3.25	2.00	4.002-02	2.942-03	5.525-01
15.0	3.25	2.25	4.665-02	2.751-03	5.773-01
15.0	3.25	2.50	5.114-02	2.456-03	6.019-01
15.0	3.25	2.75	5.391-02	2.136-03	6.262-01
15.0	3.25	3.00	5.537-02	1.829-03	6.503-01
15.0	3.25	3.25	5.584-02	1.555-03	6.742-01
15.0	3.25	3.50	5.559-02	1.315-03	6.978-01
15.0	3.25	3.75	5.482-02	1.112-03	7.212-01
15.0	3.25	4.00	5.367-02	9.395-04	7.443-01
15.0	3.25	4.25	5.228-02	7.951-04	7.671-01
15.0	3.25	4.50	5.072-02	6.742-04	7.897-01
15.0	3.25	5.00	4.735-02	4.886-04	8.342-01
15.0	3.25	5.50	4.390-02	3.583-04	8.778-01
15.0	3.25	6.00	4.056-02	2.660-04	9.205-01
15.0	3.25	7.00	3.447-02	1.521-04	1.004 00
15.0	3.25	8.00	2.934-02	9.099-05	1.083 00
15.0	3.25	10.00	2.158-02	3.647-05	1.235 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
15.0	3.50	1.50	2.070-02	2.848-03	5.084-01
15.0	3.50	1.75	3.311-02	3.527-03	5.332-01
15.0	3.50	2.00	4.304-02	3.623-03	5.579-01
15.0	3.50	2.25	5.035-02	3.409-03	5.824-01
15.0	3.50	2.50	5.537-02	3.059-03	6.068-01
15.0	3.50	2.75	5.853-02	2.672-03	6.310-01
15.0	3.50	3.00	6.026-02	2.298-03	6.549-01
15.0	3.50	3.25	6.090-02	1.959-03	6.787-01
15.0	3.50	3.50	6.074-02	1.663-03	7.021-01
15.0	3.50	3.75	6.000-02	1.410-03	7.254-01
15.0	3.50	4.00	5.885-02	1.195-03	7.484-01
15.0	3.50	4.25	5.741-02	1.014-03	7.711-01
15.0	3.50	4.50	5.577-02	8.614-04	7.936-01
15.0	3.50	5.00	5.219-02	6.267-04	8.379-01
15.0	3.50	5.50	4.849-02	4.612-04	8.814-01
15.0	3.50	6.00	4.487-02	3.434-04	9.239-01
15.0	3.50	7.00	3.826-02	1.973-04	1.007 00
15.0	3.50	8.00	3.265-02	1.185-04	1.086 00
15.0	3.50	10.00	2.410-02	4.780-05	1.238 00
15.0	3.75	1.50	2.179-02	3.344-03	5.130-01
15.0	3.75	1.75	3.500-02	4.172-03	5.374-01
15.0	3.75	2.00	4.568-02	4.314-03	5.619-01
15.0	3.75	2.25	5.361-02	4.081-03	5.862-01
15.0	3.75	2.50	5.912-02	3.679-03	6.103-01
15.0	3.75	2.75	6.265-02	3.227-03	6.343-01
15.0	3.75	3.00	6.464-02	2.786-03	6.581-01
15.0	3.75	3.25	6.547-02	2.384-03	6.816-01
15.0	3.75	3.50	6.541-02	2.030-03	7.049-01
15.0	3.75	3.75	6.472-02	1.725-03	7.280-01
15.0	3.75	4.00	6.357-02	1.465-03	7.508-01
15.0	3.75	4.25	6.210-02	1.246-03	7.734-01
15.0	3.75	4.50	6.041-02	1.061-03	7.958-01
15.0	3.75	5.00	5.666-02	7.749-04	8.399-01
15.0	3.75	5.50	5.274-02	5.720-04	8.831-01
15.0	3.75	6.00	4.889-02	4.272-04	9.255-01
15.0	3.75	7.00	4.180-02	2.465-04	1.008 00
15.0	3.75	8.00	3.576-02	1.487-04	1.087 00
15.0	3.75	10.00	2.649-02	6.029-05	1.239 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
15.0	4.00	1.50	2.271-02	3.829-03	5.165-01
15.0	4.00	1.75	3.664-02	4.810-03	5.407-01
15.0	4.00	2.00	4.798-02	5.003-03	5.649-01
15.0	4.00	2.25	5.649-02	4.757-03	5.889-01
15.0	4.00	2.50	6.245-02	4.308-03	6.128-01
15.0	4.00	2.75	6.634-02	3.793-03	6.366-01
15.0	4.00	3.00	6.859-02	3.286-03	6.601-01
15.0	4.00	3.25	6.959-02	2.820-03	6.835-01
15.0	4.00	3.50	6.966-02	2.408-03	7.066-01
15.0	4.00	3.75	6.903-02	2.052-03	7.295-01
15.0	4.00	4.00	6.790-02	1.747-03	7.522-01
15.0	4.00	4.25	6.641-02	1.489-03	7.746-01
15.0	4.00	4.50	6.467-02	1.270-03	7.968-01
15.0	4.00	5.00	6.078-02	9.308-04	8.406-01
15.0	4.00	5.50	5.669-02	6.891-04	8.836-01
15.0	4.00	6.00	5.263-02	5.160-04	9.257-01
15.0	4.00	7.00	4.512-02	2.991-04	1.008 00
15.0	4.00	8.00	3.868-02	1.810-04	1.087 00
15.0	4.00	10.00	2.875-02	7.378-05	1.237 00
15.0	5.00	1.50	2.520-02	5.575-03	5.250-01
15.0	5.00	1.75	4.124-02	7.176-03	5.480-01
15.0	5.00	2.00	5.467-02	7.616-03	5.711-01
15.0	5.00	2.25	6.503-02	7.368-03	5.941-01
15.0	5.00	2.50	7.257-02	6.775-03	6.170-01
15.0	5.00	2.75	7.770-02	6.046-03	6.398-01
15.0	5.00	3.00	8.092-02	5.301-03	6.624-01
15.0	5.00	3.25	8.263-02	4.598-03	6.849-01
15.0	5.00	3.50	8.319-02	3.964-03	7.072-01
15.0	5.00	3.75	8.287-02	3.407-03	7.294-01
15.0	5.00	4.00	8.190-02	2.924-03	7.513-01
15.0	5.00	4.25	8.046-02	2.509-03	7.730-01
15.0	5.00	4.50	7.867-02	2.156-03	7.946-01
15.0	5.00	5.00	7.448-02	1.598-03	8.371-01
15.0	5.00	5.50	6.989-02	1.196-03	8.788-01
15.0	5.00	6.00	6.525-02	9.033-04	9.198-01
15.0	5.00	7.00	5.645-02	5.314-04	9.997-01
15.0	5.00	8.00	4.874-02	3.255-04	1.077 00
15.0	5.00	10.00	3.663-02	1.351-04	1.224 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
15.0	6.00	1.50	2.649-02	6.979-03	5.288-01
15.0	6.00	1.75	4.385-02	9.160-03	5.507-01
15.0	6.00	2.00	5.871-02	9.882-03	5.727-01
15.0	6.00	2.25	7.043-02	9.696-03	5.948-01
15.0	6.00	2.50	7.917-02	9.024-03	6.168-01
15.0	6.00	2.75	8.533-02	8.141-03	6.387-01
15.0	6.00	3.00	8.937-02	7.206-03	6.606-01
15.0	6.00	3.25	9.174-02	6.305-03	6.823-01
15.0	6.00	3.50	9.279-02	5.478-03	7.038-01
15.0	6.00	3.75	9.283-02	4.741-03	7.252-01
15.0	6.00	4.00	9.210-02	4.095-03	7.464-01
15.0	6.00	4.25	9.080-02	3.535-03	7.675-01
15.0	6.00	4.50	8.907-02	3.053-03	7.884-01
15.0	6.00	5.00	8.481-02	2.286-03	8.296-01
15.0	6.00	5.50	7.999-02	1.724-03	8.701-01
15.0	6.00	6.00	7.500-02	1.312-03	9.100-01
15.0	6.00	7.00	6.536-02	7.810-04	9.878-01
15.0	6.00	8.00	5.677-02	4.829-04	1.063 00
15.0	6.00	10.00	4.305-02	2.034-04	1.207 00
15.0	8.00	1.50	2.740-02	8.946-03	5.312-01
15.0	8.00	1.75	4.619-02	1.210-02	5.515-01
15.0	8.00	2.00	6.277-02	1.339-02	5.719-01
15.0	8.00	2.25	7.630-02	1.342-02	5.924-01
15.0	8.00	2.50	8.675-02	1.273-02	6.130-01
15.0	8.00	2.75	9.444-02	1.167-02	6.335-01
15.0	8.00	3.00	9.981-02	1.049-02	6.540-01
15.0	8.00	3.25	1.033-01	9.299-03	6.744-01
15.0	8.00	3.50	1.052-01	8.175-03	6.947-01
15.0	8.00	3.75	1.059-01	7.152-03	7.148-01
15.0	8.00	4.00	1.057-01	6.239-03	7.349-01
15.0	8.00	4.25	1.048-01	5.435-03	7.548-01
15.0	8.00	4.50	1.033-01	4.733-03	7.745-01
15.0	8.00	5.00	9.929-02	3.596-03	8.136-01
15.0	8.00	5.50	9.438-02	2.746-03	8.521-01
15.0	8.00	6.00	8.909-02	2.113-03	8.900-01
15.0	8.00	7.00	7.853-02	1.282-03	9.642-01
15.0	8.00	8.00	6.882-02	8.044-04	1.036 00
15.0	8.00	10.00	5.292-02	3.465-04	1.173 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
15.0	10.00	1.50	2.738-02	1.017-02	5.314-01
15.0	10.00	1.75	4.680-02	1.407-02	5.504-01
15.0	10.00	2.00	6.434-02	1.586-02	5.696-01
15.0	10.00	2.25	7.897-02	1.616-02	5.890-01
15.0	10.00	2.50	9.055-02	1.554-02	6.085-01
15.0	10.00	2.75	9.934-02	1.444-02	6.280-01
15.0	10.00	3.00	1.057-01	1.311-02	6.474-01
15.0	10.00	3.25	1.100-01	1.174-02	6.668-01
15.0	10.00	3.50	1.127-01	1.042-02	6.861-01
15.0	10.00	3.75	1.140-01	9.187-03	7.054-01
15.0	10.00	4.00	1.143-01	8.074-03	7.245-01
15.0	10.00	4.25	1.138-01	7.081-03	7.435-01
15.0	10.00	4.50	1.126-01	6.205-03	7.624-01
15.0	10.00	5.00	1.090-01	4.767-03	7.999-01
15.0	10.00	5.50	1.042-01	3.676-03	8.368-01
15.0	10.00	6.00	9.884-02	2.852-03	8.732-01
15.0	10.00	7.00	8.787-02	1.755-03	9.445-01
15.0	10.00	8.00	7.754-02	1.113-03	1.014 00
15.0	10.00	10.00	6.025-02	4.879-04	1.146 00
15.0	15.00	1.50	2.633-02	1.167-02	5.299-01
15.0	15.00	1.75	4.608-02	1.678-02	5.469-01
15.0	15.00	2.00	6.462-02	1.954-02	5.642-01
15.0	15.00	2.25	8.068-02	2.047-02	5.817-01
15.0	15.00	2.50	9.391-02	2.018-02	5.993-01
15.0	15.00	2.75	1.044-01	1.915-02	6.170-01
15.0	15.00	3.00	1.124-01	1.773-02	6.348-01
15.0	15.00	3.25	1.182-01	1.616-02	6.525-01
15.0	15.00	3.50	1.222-01	1.456-02	6.702-01
15.0	15.00	3.75	1.248-01	1.302-02	6.879-01
15.0	15.00	4.00	1.261-01	1.159-02	7.055-01
15.0	15.00	4.25	1.264-01	1.029-02	7.230-01
15.0	15.00	4.50	1.259-01	9.114-03	7.405-01
15.0	15.00	5.00	1.233-01	7.138-03	7.751-01
15.0	15.00	5.50	1.191-01	5.598-03	8.093-01
15.0	15.00	6.00	1.140-01	4.407-03	8.432-01
15.0	15.00	7.00	1.029-01	2.778-03	9.095-01
15.0	15.00	8.00	9.187-02	1.798-03	9.741-01
15.0	15.00	10.00	7.269-02	8.114-04	1.098 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
15.0	20.00	1.50	2.513-02	1.223-02	5.283-01
15.0	20.00	1.75	4.467-02	1.804-02	5.440-01
15.0	20.00	2.00	6.348-02	2.147-02	5.601-01
15.0	20.00	2.25	8.018-02	2.292-02	5.765-01
15.0	20.00	2.50	9.425-02	2.296-02	5.929-01
15.0	20.00	2.75	1.057-01	2.211-02	6.095-01
15.0	20.00	3.00	1.147-01	2.074-02	6.262-01
15.0	20.00	3.25	1.215-01	1.912-02	6.429-01
15.0	20.00	3.50	1.265-01	1.741-02	6.596-01
15.0	20.00	3.75	1.298-01	1.572-02	6.762-01
15.0	20.00	4.00	1.319-01	1.411-02	6.929-01
15.0	20.00	4.25	1.329-01	1.263-02	7.094-01
15.0	20.00	4.50	1.330-01	1.127-02	7.260-01
15.0	20.00	5.00	1.312-01	8.940-03	7.588-01
15.0	20.00	5.50	1.276-01	7.090-03	7.913-01
15.0	20.00	6.00	1.229-01	5.638-03	8.234-01
15.0	20.00	7.00	1.120-01	3.613-03	8.867-01
15.0	20.00	8.00	1.009-01	2.369-03	9.483-01
15.0	20.00	10.00	8.081-02	1.091-03	1.067 00
15.0	25.00	1.50	2.407-02	1.244-02	5.269-01
15.0	25.00	1.75	4.329-02	1.870-02	5.418-01
15.0	25.00	2.00	6.213-02	2.262-02	5.571-01
15.0	25.00	2.25	7.913-02	2.447-02	5.726-01
15.0	25.00	2.50	9.372-02	2.481-02	5.883-01
15.0	25.00	2.75	1.058-01	2.415-02	6.041-01
15.0	25.00	3.00	1.155-01	2.287-02	6.200-01
15.0	25.00	3.25	1.230-01	2.126-02	6.359-01
15.0	25.00	3.50	1.286-01	1.951-02	6.519-01
15.0	25.00	3.75	1.326-01	1.774-02	6.679-01
15.0	25.00	4.00	1.352-01	1.603-02	6.838-01
15.0	25.00	4.25	1.367-01	1.443-02	6.997-01
15.0	25.00	4.50	1.373-01	1.295-02	7.156-01
15.0	25.00	5.00	1.363-01	1.037-02	7.471-01
15.0	25.00	5.50	1.332-01	8.295-03	7.784-01
15.0	25.00	6.00	1.289-01	6.645-03	8.093-01
15.0	25.00	7.00	1.184-01	4.311-03	8.703-01
15.0	25.00	8.00	1.072-01	2.855-03	9.298-01
15.0	25.00	10.00	8.671-02	1.335-03	1.045 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
15.0	40.00	1.50	2.173-02	1.243-02	5.242-01
15.0	40.00	1.75	3.999-02	1.938-02	5.375-01
15.0	40.00	2.00	5.851-02	2.417-02	5.513-01
15.0	40.00	2.25	7.578-02	2.687-02	5.653-01
15.0	40.00	2.50	9.107-02	2.789-02	5.795-01
15.0	40.00	2.75	1.041-01	2.771-02	5.939-01
15.0	40.00	3.00	1.150-01	2.674-02	6.084-01
15.0	40.00	3.25	1.237-01	2.528-02	6.229-01
15.0	40.00	3.50	1.306-01	2.356-02	6.376-01
15.0	40.00	3.75	1.358-01	2.172-02	6.522-01
15.0	40.00	4.00	1.396-01	1.989-02	6.668-01
15.0	40.00	4.25	1.422-01	1.811-02	6.815-01
15.0	40.00	4.50	1.438-01	1.642-02	6.961-01
15.0	40.00	5.00	1.444-01	1.341-02	7.252-01
15.0	40.00	5.50	1.426-01	1.091-02	7.542-01
15.0	40.00	6.00	1.392-01	8.868-03	7.829-01
15.0	40.00	7.00	1.298-01	5.897-03	8.396-01
15.0	40.00	8.00	1.191-01	3.983-03	8.952-01
15.0	40.00	10.00	9.808-02	1.919-03	1.003 00
15.0	60.00	1.50	1.977-02	1.209-02	5.221-01
15.0	60.00	1.75	3.704-02	1.939-02	5.343-01
15.0	60.00	2.00	5.503-02	2.478-02	5.469-01
15.0	60.00	2.25	7.222-02	2.813-02	5.599-01
15.0	60.00	2.50	8.779-02	2.974-02	5.730-01
15.0	60.00	2.75	1.014-01	3.005-02	5.864-01
15.0	60.00	3.00	1.130-01	2.943-02	5.998-01
15.0	60.00	3.25	1.226-01	2.820-02	6.134-01
15.0	60.00	3.50	1.304-01	2.660-02	6.270-01
15.0	60.00	3.75	1.366-01	2.480-02	6.407-01
15.0	60.00	4.00	1.413-01	2.293-02	6.544-01
15.0	60.00	4.25	1.447-01	2.108-02	6.681-01
15.0	60.00	4.50	1.471-01	1.928-02	6.818-01
15.0	60.00	5.00	1.492-01	1.600-02	7.092-01
15.0	60.00	5.50	1.486-01	1.319-02	7.364-01
15.0	60.00	6.00	1.461-01	1.085-02	7.635-01
15.0	60.00	7.00	1.379-01	7.359-03	8.170-01
15.0	60.00	8.00	1.277-01	5.051-03	8.696-01
15.0	60.00	10.00	1.068-01	2.494-03	9.717-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
15.0	100.00	1.50	1.752-02	1.144-02	5.199-01
15.0	100.00	1.75	3.348-02	1.894-02	5.309-01
15.0	100.00	2.00	5.062-02	2.488-02	5.423-01
15.0	100.00	2.25	6.744-02	2.893-02	5.541-01
15.0	100.00	2.50	8.308-02	3.125-02	5.661-01
15.0	100.00	2.75	9.712-02	3.217-02	5.784-01
15.0	100.00	3.00	1.094-01	3.205-02	5.907-01
15.0	100.00	3.25	1.198-01	3.119-02	6.032-01
15.0	100.00	3.50	1.286-01	2.983-02	6.158-01
15.0	100.00	3.75	1.357-01	2.818-02	6.284-01
15.0	100.00	4.00	1.414-01	2.637-02	6.410-01
15.0	100.00	4.25	1.459-01	2.451-02	6.538-01
15.0	100.00	4.50	1.492-01	2.265-02	6.665-01
15.0	100.00	5.00	1.530-01	1.913-02	6.919-01
15.0	100.00	5.50	1.538-01	1.602-02	7.173-01
15.0	100.00	6.00	1.526-01	1.336-02	7.426-01
15.0	100.00	7.00	1.462-01	9.280-03	7.927-01
15.0	100.00	8.00	1.370-01	6.492-03	8.420-01
15.0	100.00	10.00	1.166-01	3.299-03	9.381-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
20.0	1.20	1.50	3.963-04	1.504-07	1.761-01
20.0	1.20	1.75	5.914-04	1.661-07	1.876-01
20.0	1.20	2.00	7.244-04	1.548-07	1.990-01
20.0	1.20	2.25	8.049-04	1.338-07	2.101-01
20.0	1.20	2.50	8.460-04	1.116-07	2.211-01
20.0	1.20	2.75	8.597-04	9.135-08	2.319-01
20.0	1.20	3.00	8.545-04	7.420-08	2.425-01
20.0	1.20	3.25	8.369-04	6.012-08	2.529-01
20.0	1.20	3.50	8.115-04	4.874-08	2.631-01
20.0	1.20	3.75	7.813-04	3.961-08	2.732-01
20.0	1.20	4.00	7.486-04	3.232-08	2.832-01
20.0	1.20	4.25	7.148-04	2.648-08	2.929-01
20.0	1.20	4.50	6.810-04	2.179-08	3.026-01
20.0	1.20	5.00	6.154-04	1.497-08	3.215-01
20.0	1.20	5.50	5.549-04	1.050-08	3.398-01
20.0	1.20	6.00	5.003-04	7.494-09	3.576-01
20.0	1.20	7.00	4.083-04	4.012-09	3.921-01
20.0	1.20	8.00	3.362-04	2.274-09	4.252-01
20.0	1.20	10.00	2.349-04	8.383-10	4.883-01
20.0	1.40	1.50	1.891-03	6.294-06	2.804-01
20.0	1.40	1.75	2.850-03	7.068-06	2.980-01
20.0	1.40	2.00	3.521-03	6.679-06	3.154-01
20.0	1.40	2.25	3.941-03	5.845-06	3.325-01
20.0	1.40	2.50	4.168-03	4.923-06	3.494-01
20.0	1.40	2.75	4.259-03	4.069-06	3.660-01
20.0	1.40	3.00	4.254-03	3.332-06	3.823-01
20.0	1.40	3.25	4.185-03	2.720-06	3.984-01
20.0	1.40	3.50	4.074-03	2.219-06	4.142-01
20.0	1.40	3.75	3.937-03	1.815-06	4.298-01
20.0	1.40	4.00	3.785-03	1.488-06	4.451-01
20.0	1.40	4.25	3.625-03	1.226-06	4.603-01
20.0	1.40	4.50	3.463-03	1.013-06	4.752-01
20.0	1.40	5.00	3.145-03	7.020-07	5.045-01
20.0	1.40	5.50	2.848-03	4.955-07	5.329-01
20.0	1.40	6.00	2.578-03	3.560-07	5.606-01
20.0	1.40	7.00	2.117-03	1.925-07	6.140-01
20.0	1.40	8.00	1.752-03	1.100-07	6.654-01
20.0	1.40	10.00	1.234-03	4.107-08	7.636-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
20.0	1.60	1.50	4.074-03	4.071-05	3.468-01
20.0	1.60	1.75	6.193-03	4.639-05	3.679-01
20.0	1.60	2.00	7.706-03	4.437-05	3.886-01
20.0	1.60	2.25	8.678-03	3.923-05	4.092-01
20.0	1.60	2.50	9.231-03	3.335-05	4.294-01
20.0	1.60	2.75	9.477-03	2.779-05	4.493-01
20.0	1.60	3.00	9.507-03	2.292-05	4.689-01
20.0	1.60	3.25	9.389-03	1.882-05	4.882-01
20.0	1.60	3.50	9.172-03	1.545-05	5.072-01
20.0	1.60	3.75	8.891-03	1.270-05	5.260-01
20.0	1.60	4.00	8.571-03	1.046-05	5.445-01
20.0	1.60	4.25	8.231-03	8.654-06	5.627-01
20.0	1.60	4.50	7.882-03	7.184-06	5.807-01
20.0	1.60	5.00	7.189-03	5.013-06	6.160-01
20.0	1.60	5.50	6.535-03	3.560-06	6.503-01
20.0	1.60	6.00	5.934-03	2.571-06	6.838-01
20.0	1.60	7.00	4.901-03	1.403-06	7.484-01
20.0	1.60	8.00	4.073-03	8.076-07	8.106-01
20.0	1.60	10.00	2.887-03	3.047-07	9.294-01
20.0	1.80	1.50	6.490-03	1.292-04	3.915-01
20.0	1.80	1.75	9.942-03	1.491-04	4.145-01
20.0	1.80	2.00	1.245-02	1.442-04	4.372-01
20.0	1.80	2.25	1.410-02	1.287-04	4.597-01
20.0	1.80	2.50	1.507-02	1.103-04	4.819-01
20.0	1.80	2.75	1.554-02	9.253-05	5.037-01
20.0	1.80	3.00	1.565-02	7.680-05	5.253-01
20.0	1.80	3.25	1.551-02	6.344-05	5.465-01
20.0	1.80	3.50	1.519-02	5.233-05	5.675-01
20.0	1.80	3.75	1.477-02	4.321-05	5.881-01
20.0	1.80	4.00	1.428-02	3.576-05	6.085-01
20.0	1.80	4.25	1.374-02	2.969-05	6.286-01
20.0	1.80	4.50	1.319-02	2.473-05	6.484-01
20.0	1.80	5.00	1.207-02	1.737-05	6.874-01
20.0	1.80	5.50	1.101-02	1.240-05	7.253-01
20.0	1.80	6.00	1.003-02	8.999-06	7.623-01
20.0	1.80	7.00	8.322-03	4.950-06	8.337-01
20.0	1.80	8.00	6.944-03	2.867-06	9.026-01
20.0	1.80	10.00	4.952-03	1.092-06	1.034 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
20.0	2.00	1.50	8.877-03	2.853-04	4.228-01
20.0	2.00	1.75	1.369-02	3.332-04	4.469-01
20.0	2.00	2.00	1.725-02	3.253-04	4.708-01
20.0	2.00	2.25	1.963-02	2.927-04	4.944-01
20.0	2.00	2.50	2.107-02	2.527-04	5.177-01
20.0	2.00	2.75	2.181-02	2.134-04	5.407-01
20.0	2.00	3.00	2.204-02	1.781-04	5.634-01
20.0	2.00	3.25	2.191-02	1.479-04	5.858-01
20.0	2.00	3.50	2.153-02	1.225-04	6.079-01
20.0	2.00	3.75	2.098-02	1.016-04	6.297-01
20.0	2.00	4.00	2.032-02	8.440-05	6.513-01
20.0	2.00	4.25	1.960-02	7.031-05	6.725-01
20.0	2.00	4.50	1.885-02	5.876-05	6.935-01
20.0	2.00	5.00	1.731-02	4.149-05	7.347-01
20.0	2.00	5.50	1.584-02	2.977-05	7.749-01
20.0	2.00	6.00	1.446-02	2.170-05	8.140-01
20.0	2.00	7.00	1.205-02	1.202-05	8.897-01
20.0	2.00	8.00	1.009-02	7.002-06	9.627-01
20.0	2.00	10.00	7.236-03	2.690-06	1.102 00
20.0	2.25	1.50	1.163-02	5.747-04	4.502-01
20.0	2.25	1.75	1.808-02	6.798-04	4.750-01
20.0	2.25	2.00	2.293-02	6.710-04	4.996-01
20.0	2.25	2.25	2.624-02	6.095-04	5.239-01
20.0	2.25	2.50	2.831-02	5.304-04	5.480-01
20.0	2.25	2.75	2.943-02	4.511-04	5.719-01
20.0	2.25	3.00	2.985-02	3.789-04	5.954-01
20.0	2.25	3.25	2.977-02	3.164-04	6.186-01
20.0	2.25	3.50	2.934-02	2.635-04	6.415-01
20.0	2.25	3.75	2.867-02	2.195-04	6.641-01
20.0	2.25	4.00	2.785-02	1.831-04	6.865-01
20.0	2.25	4.25	2.692-02	1.531-04	7.085-01
20.0	2.25	4.50	2.594-02	1.284-04	7.303-01
20.0	2.25	5.00	2.393-02	9.127-05	7.732-01
20.0	2.25	5.50	2.196-02	6.585-05	8.150-01
20.0	2.25	6.00	2.011-02	4.822-05	8.557-01
20.0	2.25	7.00	1.684-02	2.693-05	9.347-01
20.0	2.25	8.00	1.416-02	1.579-05	1.011 00
20.0	2.25	10.00	1.021-02	6.124-06	1.156 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
20.0	2.50	1.50	1.406-02	9.517-04	4.693-01
20.0	2.50	1.75	2.201-02	1.139-03	4.943-01
20.0	2.50	2.00	2.807-02	1.135-03	5.192-01
20.0	2.50	2.25	3.229-02	1.040-03	5.439-01
20.0	2.50	2.50	3.498-02	9.114-04	5.683-01
20.0	2.50	2.75	3.650-02	7.801-04	5.925-01
20.0	2.50	3.00	3.715-02	6.591-04	6.164-01
20.0	2.50	3.25	3.717-02	5.531-04	6.400-01
20.0	2.50	3.50	3.673-02	4.628-04	6.633-01
20.0	2.50	3.75	3.599-02	3.871-04	6.864-01
20.0	2.50	4.00	3.503-02	3.242-04	7.091-01
20.0	2.50	4.25	3.394-02	2.720-04	7.316-01
20.0	2.50	4.50	3.277-02	2.289-04	7.538-01
20.0	2.50	5.00	3.032-02	1.636-04	7.976-01
20.0	2.50	5.50	2.791-02	1.186-04	8.402-01
20.0	2.50	6.00	2.563-02	8.721-05	8.819-01
20.0	2.50	7.00	2.156-02	4.905-05	9.626-01
20.0	2.50	8.00	1.819-02	2.892-05	1.040 00
20.0	2.50	10.00	1.319-02	1.132-05	1.189 00
20.0	2.75	1.50	1.615-02	1.392-03	4.830-01
20.0	2.75	1.75	2.544-02	1.683-03	5.080-01
20.0	2.75	2.00	3.262-02	1.693-03	5.329-01
20.0	2.75	2.25	3.769-02	1.562-03	5.577-01
20.0	2.75	2.50	4.100-02	1.378-03	5.822-01
20.0	2.75	2.75	4.293-02	1.187-03	6.065-01
20.0	2.75	3.00	4.383-02	1.008-03	6.305-01
20.0	2.75	3.25	4.397-02	8.496-04	6.543-01
20.0	2.75	3.50	4.357-02	7.139-04	6.778-01
20.0	2.75	3.75	4.278-02	5.994-04	7.010-01
20.0	2.75	4.00	4.173-02	5.036-04	7.239-01
20.0	2.75	4.25	4.051-02	4.240-04	7.466-01
20.0	2.75	4.50	3.917-02	3.577-04	7.690-01
20.0	2.75	5.00	3.637-02	2.570-04	8.132-01
20.0	2.75	5.50	3.356-02	1.871-04	8.563-01
20.0	2.75	6.00	3.089-02	1.382-04	8.983-01
20.0	2.75	7.00	2.609-02	7.820-05	9.799-01
20.0	2.75	8.00	2.208-02	4.635-05	1.059 00
20.0	2.75	10.00	1.609-02	1.828-05	1.209 00

TABLE I (continued).

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
20.0	3.00	1.50	1.794-02	1.872-03	4.932-01
20.0	3.00	1.75	2.841-02	2.286-03	5.180-01
20.0	3.00	2.00	3.661-02	2.317-03	5.428-01
20.0	3.00	2.25	4.248-02	2.153-03	5.675-01
20.0	3.00	2.50	4.637-02	1.911-03	5.920-01
20.0	3.00	2.75	4.871-02	1.654-03	6.162-01
20.0	3.00	3.00	4.987-02	1.411-03	6.402-01
20.0	3.00	3.25	5.016-02	1.195-03	6.640-01
20.0	3.00	3.50	4.981-02	1.008-03	6.875-01
20.0	3.00	3.75	4.901-02	8.491-04	7.107-01
20.0	3.00	4.00	4.790-02	7.157-04	7.337-01
20.0	3.00	4.25	4.658-02	6.042-04	7.564-01
20.0	3.00	4.50	4.512-02	5.112-04	7.789-01
20.0	3.00	5.00	4.200-02	3.689-04	8.231-01
20.0	3.00	5.50	3.886-02	2.697-04	8.664-01
20.0	3.00	6.00	3.584-02	1.999-04	9.086-01
20.0	3.00	7.00	3.038-02	1.138-04	9.905-01
20.0	3.00	8.00	2.578-02	6.777-05	1.070 00
20.0	3.00	10.00	1.887-02	2.692-05	1.221 00
20.0	3.25	1.50	1.945-02	2.372-03	5.008-01
20.0	3.25	1.75	3.098-02	2.922-03	5.254-01
20.0	3.25	2.00	4.008-02	2.984-03	5.500-01
20.0	3.25	2.25	4.669-02	2.791-03	5.745-01
20.0	3.25	2.50	5.114-02	2.492-03	5.989-01
20.0	3.25	2.75	5.388-02	2.167-03	6.230-01
20.0	3.25	3.00	5.531-02	1.857-03	6.469-01
20.0	3.25	3.25	5.576-02	1.578-03	6.706-01
20.0	3.25	3.50	5.549-02	1.336-03	6.940-01
20.0	3.25	3.75	5.470-02	1.129-03	7.172-01
20.0	3.25	4.00	5.355-02	9.542-04	7.401-01
20.0	3.25	4.25	5.215-02	8.077-04	7.628-01
20.0	3.25	4.50	5.059-02	6.850-04	7.852-01
20.0	3.25	5.00	4.722-02	4.965-04	8.294-01
20.0	3.25	5.50	4.379-02	3.644-04	8.726-01
20.0	3.25	6.00	4.046-02	2.708-04	9.148-01
20.0	3.25	7.00	3.441-02	1.551-04	9.967-01
20.0	3.25	8.00	2.929-02	9.274-05	1.076 00
20.0	3.25	10.00	2.152-02	3.708-05	1.227 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
20.0	3.50	1.50	2.074-02	2.878-03	5.067-01
20.0	3.50	1.75	3.318-02	3.575-03	5.310-01
20.0	3.50	2.00	4.312-02	3.676-03	5.554-01
20.0	3.50	2.25	5.040-02	3.458-03	5.797-01
20.0	3.50	2.50	5.537-02	3.103-03	6.038-01
20.0	3.50	2.75	5.850-02	2.711-03	6.278-01
20.0	3.50	3.00	6.019-02	2.332-03	6.515-01
20.0	3.50	3.25	6.081-02	1.989-03	6.750-01
20.0	3.50	3.50	6.063-02	1.689-03	6.983-01
20.0	3.50	3.75	5.988-02	1.432-03	7.213-01
20.0	3.50	4.00	5.871-02	1.213-03	7.442-01
20.0	3.50	4.25	5.727-02	1.030-03	7.667-01
20.0	3.50	4.50	5.563-02	8.752-04	7.891-01
20.0	3.50	5.00	5.205-02	6.369-04	8.331-01
20.0	3.50	5.50	4.836-02	4.690-04	8.761-01
20.0	3.50	6.00	4.477-02	3.496-04	9.182-01
20.0	3.50	7.00	3.819-02	2.012-04	10.000-01
20.0	3.50	8.00	3.258-02	1.208-04	1.079 00
20.0	3.50	10.00	2.403-02	4.860-05	1.230 00
20.0	3.75	1.50	2.182-02	3.379-03	5.112-01
20.0	3.75	1.75	3.508-02	4.229-03	5.353-01
20.0	3.75	2.00	4.576-02	4.377-03	5.594-01
20.0	3.75	2.25	5.366-02	4.140-03	5.834-01
20.0	3.75	2.50	5.913-02	3.732-03	6.073-01
20.0	3.75	2.75	6.262-02	3.274-03	6.311-01
20.0	3.75	3.00	6.458-02	2.827-03	6.546-01
20.0	3.75	3.25	6.537-02	2.420-03	6.780-01
20.0	3.75	3.50	6.530-02	2.061-03	7.011-01
20.0	3.75	3.75	6.459-02	1.751-03	7.240-01
20.0	3.75	4.00	6.343-02	1.488-03	7.466-01
20.0	3.75	4.25	6.195-02	1.266-03	7.691-01
20.0	3.75	4.50	6.026-02	1.078-03	7.913-01
20.0	3.75	5.00	5.650-02	7.874-04	8.350-01
20.0	3.75	5.50	5.261-02	5.817-04	8.779-01
20.0	3.75	6.00	4.878-02	4.349-04	9.198-01
20.0	3.75	7.00	4.173-02	2.514-04	1.001 00
20.0	3.75	8.00	3.568-02	1.515-04	1.080 00
20.0	3.75	10.00	2.641-02	6.130-05	1.231 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
20.0	4.00	1.50	2.275-02	3.868-03	5.148-01
20.0	4.00	1.75	3.672-02	4.875-03	5.386-01
20.0	4.00	2.00	4.806-02	5.075-03	5.624-01
20.0	4.00	2.25	5.654-02	4.826-03	5.862-01
20.0	4.00	2.50	6.246-02	4.370-03	6.098-01
20.0	4.00	2.75	6.631-02	3.848-03	6.333-01
20.0	4.00	3.00	6.853-02	3.335-03	6.567-01
20.0	4.00	3.25	6.950-02	2.863-03	6.798-01
20.0	4.00	3.50	6.954-02	2.445-03	7.028-01
20.0	4.00	3.75	6.889-02	2.083-03	7.255-01
20.0	4.00	4.00	6.775-02	1.774-03	7.480-01
20.0	4.00	4.25	6.625-02	1.512-03	7.702-01
20.0	4.00	4.50	6.451-02	1.290-03	7.923-01
20.0	4.00	5.00	6.062-02	9.458-04	8.358-01
20.0	4.00	5.50	5.654-02	7.008-04	8.783-01
20.0	4.00	6.00	5.251-02	5.253-04	9.200-01
20.0	4.00	7.00	4.504-02	3.049-04	1.001 00
20.0	4.00	8.00	3.860-02	1.845-04	1.079 00
20.0	4.00	10.00	2.866-02	7.502-05	1.229 00
20.0	5.00	1.50	2.523-02	5.629-03	5.234-01
20.0	5.00	1.75	4.133-02	7.270-03	5.459-01
20.0	5.00	2.00	5.477-02	7.725-03	5.686-01
20.0	5.00	2.25	6.511-02	7.475-03	5.913-01
20.0	5.00	2.50	7.259-02	6.872-03	6.140-01
20.0	5.00	2.75	7.769-02	6.134-03	6.366-01
20.0	5.00	3.00	8.086-02	5.379-03	6.590-01
20.0	5.00	3.25	8.253-02	4.667-03	6.813-01
20.0	5.00	3.50	8.306-02	4.024-03	7.035-01
20.0	5.00	3.75	8.272-02	3.459-03	7.254-01
20.0	5.00	4.00	8.173-02	2.969-03	7.471-01
20.0	5.00	4.25	8.028-02	2.549-03	7.687-01
20.0	5.00	4.50	7.849-02	2.190-03	7.901-01
20.0	5.00	5.00	7.429-02	1.624-03	8.323-01
20.0	5.00	5.50	6.971-02	1.216-03	8.736-01
20.0	5.00	6.00	6.510-02	9.194-04	9.142-01
20.0	5.00	7.00	5.634-02	5.418-04	9.932-01
20.0	5.00	8.00	4.864-02	3.317-04	1.070 00
20.0	5.00	10.00	3.652-02	1.374-04	1.216 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
20.0	6.00	1.50	2.652-02	7.044-03	5.272-01
20.0	6.00	1.75	4.394-02	9.277-03	5.487-01
20.0	6.00	2.00	5.882-02	1.002-02	5.704-01
20.0	6.00	2.25	7.052-02	9.835-03	5.921-01
20.0	6.00	2.50	7.921-02	9.154-03	6.139-01
20.0	6.00	2.75	8.532-02	8.260-03	6.356-01
20.0	6.00	3.00	8.932-02	7.312-03	6.572-01
20.0	6.00	3.25	9.164-02	6.399-03	6.787-01
20.0	6.00	3.50	9.266-02	5.561-03	7.001-01
20.0	6.00	3.75	9.267-02	4.813-03	7.213-01
20.0	6.00	4.00	9.192-02	4.158-03	7.423-01
20.0	6.00	4.25	9.060-02	3.590-03	7.632-01
20.0	6.00	4.50	8.887-02	3.101-03	7.839-01
20.0	6.00	5.00	8.460-02	2.322-03	8.249-01
20.0	6.00	5.50	7.979-02	1.752-03	8.650-01
20.0	6.00	6.00	7.483-02	1.335-03	9.045-01
20.0	6.00	7.00	6.524-02	7.961-04	9.813-01
20.0	6.00	8.00	5.665-02	4.921-04	1.056 00
20.0	6.00	10.00	4.292-02	2.068-04	1.199 00
20.0	8.00	1.50	2.742-02	9.023-03	5.298-01
20.0	8.00	1.75	4.627-02	1.225-02	5.495-01
20.0	8.00	2.00	6.290-02	1.357-02	5.696-01
20.0	8.00	2.25	7.641-02	1.361-02	5.898-01
20.0	8.00	2.50	8.681-02	1.291-02	6.101-01
20.0	8.00	2.75	9.446-02	1.184-02	6.304-01
20.0	8.00	3.00	9.977-02	1.064-02	6.507-01
20.0	8.00	3.25	1.032-01	9.436-03	6.709-01
20.0	8.00	3.50	1.051-01	8.298-03	6.910-01
20.0	8.00	3.75	1.058-01	7.260-03	7.110-01
20.0	8.00	4.00	1.056-01	6.334-03	7.309-01
20.0	8.00	4.25	1.046-01	5.519-03	7.506-01
20.0	8.00	4.50	1.031-01	4.806-03	7.702-01
20.0	8.00	5.00	9.905-02	3.653-03	8.090-01
20.0	8.00	5.50	9.414-02	2.792-03	8.472-01
20.0	8.00	6.00	8.889-02	2.150-03	8.847-01
20.0	8.00	7.00	7.838-02	1.306-03	9.580-01
20.0	8.00	8.00	6.868-02	8.196-04	1.029 00
20.0	8.00	10.00	5.276-02	3.523-04	1.166 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
20.0	10.00	1.50	2.740-02	1.025-02	5.300-01
20.0	10.00	1.75	4.688-02	1.423-02	5.485-01
20.0	10.00	2.00	6.446-02	1.607-02	5.674-01
20.0	10.00	2.25	7.909-02	1.639-02	5.865-01
20.0	10.00	2.50	9.064-02	1.577-02	6.057-01
20.0	10.00	2.75	9.937-02	1.464-02	6.250-01
20.0	10.00	3.00	1.057-01	1.330-02	6.442-01
20.0	10.00	3.25	1.099-01	1.191-02	6.634-01
20.0	10.00	3.50	1.126-01	1.057-02	6.826-01
20.0	10.00	3.75	1.139-01	9.326-03	7.017-01
20.0	10.00	4.00	1.142-01	8.196-03	7.206-01
20.0	10.00	4.25	1.136-01	7.190-03	7.395-01
20.0	10.00	4.50	1.124-01	6.301-03	7.582-01
20.0	10.00	5.00	1.087-01	4.842-03	7.954-01
20.0	10.00	5.50	1.039-01	3.737-03	8.320-01
20.0	10.00	6.00	9.863-02	2.902-03	8.680-01
20.0	10.00	7.00	8.770-02	1.788-03	9.385-01
20.0	10.00	8.00	7.738-02	1.134-03	1.007 00
20.0	10.00	10.00	6.007-02	4.960-04	1.139 00
20.0	15.00	1.50	2.634-02	1.175-02	5.287-01
20.0	15.00	1.75	4.614-02	1.695-02	5.452-01
20.0	15.00	2.00	6.474-02	1.979-02	5.621-01
20.0	15.00	2.25	8.081-02	2.076-02	5.793-01
20.0	15.00	2.50	9.402-02	2.047-02	5.967-01
20.0	15.00	2.75	1.044-01	1.943-02	6.142-01
20.0	15.00	3.00	1.124-01	1.799-02	6.318-01
20.0	15.00	3.25	1.182-01	1.639-02	6.493-01
20.0	15.00	3.50	1.222-01	1.477-02	6.668-01
20.0	15.00	3.75	1.246-01	1.322-02	6.843-01
20.0	15.00	4.00	1.259-01	1.177-02	7.018-01
20.0	15.00	4.25	1.262-01	1.044-02	7.192-01
20.0	15.00	4.50	1.257-01	9.254-03	7.365-01
20.0	15.00	5.00	1.230-01	7.250-03	7.708-01
20.0	15.00	5.50	1.188-01	5.689-03	8.048-01
20.0	15.00	6.00	1.137-01	4.483-03	8.382-01
20.0	15.00	7.00	1.027-01	2.830-03	9.039-01
20.0	15.00	8.00	9.167-02	1.831-03	9.679-01
20.0	15.00	10.00	7.248-02	8.250-04	1.091 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
20.0	20.00	1.50	2.513-02	1.231-02	5.271-01
20.0	20.00	1.75	4.472-02	1.822-02	5.424-01
20.0	20.00	2.00	6.360-02	2.174-02	5.582-01
20.0	20.00	2.25	8.031-02	2.324-02	5.742-01
20.0	20.00	2.50	9.438-02	2.329-02	5.904-01
20.0	20.00	2.75	1.058-01	2.243-02	6.068-01
20.0	20.00	3.00	1.147-01	2.104-02	6.233-01
20.0	20.00	3.25	1.215-01	1.939-02	6.398-01
20.0	20.00	3.50	1.264-01	1.766-02	6.563-01
20.0	20.00	3.75	1.297-01	1.595-02	6.728-01
20.0	20.00	4.00	1.317-01	1.432-02	6.893-01
20.0	20.00	4.25	1.327-01	1.282-02	7.057-01
20.0	20.00	4.50	1.328-01	1.144-02	7.221-01
20.0	20.00	5.00	1.309-01	9.078-03	7.546-01
20.0	20.00	5.50	1.273-01	7.204-03	7.869-01
20.0	20.00	6.00	1.226-01	5.734-03	8.187-01
20.0	20.00	7.00	1.118-01	3.679-03	8.812-01
20.0	20.00	8.00	1.007-01	2.413-03	9.423-01
20.0	20.00	10.00	8.058-02	1.109-03	1.060 00
20.0	25.00	1.50	2.406-02	1.252-02	5.259-01
20.0	25.00	1.75	4.333-02	1.888-02	5.403-01
20.0	25.00	2.00	6.223-02	2.289-02	5.552-01
20.0	25.00	2.25	7.926-02	2.481-02	5.704-01
20.0	25.00	2.50	9.385-02	2.517-02	5.858-01
20.0	25.00	2.75	1.059-01	2.450-02	6.014-01
20.0	25.00	3.00	1.155-01	2.320-02	6.171-01
20.0	25.00	3.25	1.230-01	2.157-02	6.329-01
20.0	25.00	3.50	1.285-01	1.980-02	6.487-01
20.0	25.00	3.75	1.325-01	1.800-02	6.645-01
20.0	25.00	4.00	1.351-01	1.627-02	6.803-01
20.0	25.00	4.25	1.365-01	1.464-02	6.960-01
20.0	25.00	4.50	1.371-01	1.314-02	7.118-01
20.0	25.00	5.00	1.360-01	1.053-02	7.430-01
20.0	25.00	5.50	1.329-01	8.428-03	7.740-01
20.0	25.00	6.00	1.286-01	6.757-03	8.047-01
20.0	25.00	7.00	1.181-01	4.390-03	8.650-01
20.0	25.00	8.00	1.070-01	2.907-03	9.240-01
20.0	25.00	10.00	8.647-02	1.357-03	1.038 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
20.0	40.00	1.50	2.172-02	1.249-02	5.233-01
20.0	40.00	1.75	4.001-02	1.954-02	5.361-01
20.0	40.00	2.00	5.860-02	2.445-02	5.495-01
20.0	40.00	2.25	7.590-02	2.722-02	5.632-01
20.0	40.00	2.50	9.120-02	2.828-02	5.772-01
20.0	40.00	2.75	1.042-01	2.811-02	5.913-01
20.0	40.00	3.00	1.151-01	2.713-02	6.057-01
20.0	40.00	3.25	1.238-01	2.565-02	6.200-01
20.0	40.00	3.50	1.306-01	2.390-02	6.345-01
20.0	40.00	3.75	1.358-01	2.204-02	6.490-01
20.0	40.00	4.00	1.395-01	2.018-02	6.635-01
20.0	40.00	4.25	1.421-01	1.837-02	6.780-01
20.0	40.00	4.50	1.436-01	1.667-02	6.925-01
20.0	40.00	5.00	1.441-01	1.362-02	7.214-01
20.0	40.00	5.50	1.423-01	1.108-02	7.501-01
20.0	40.00	6.00	1.390-01	9.016-03	7.785-01
20.0	40.00	7.00	1.296-01	6.003-03	8.346-01
20.0	40.00	8.00	1.188-01	4.056-03	8.897-01
20.0	40.00	10.00	9.781-02	1.951-03	9.966-01
20.0	60.00	1.50	1.975-02	1.214-02	5.213-01
20.0	60.00	1.75	3.705-02	1.954-02	5.330-01
20.0	60.00	2.00	5.510-02	2.505-02	5.453-01
20.0	60.00	2.25	7.233-02	2.848-02	5.579-01
20.0	60.00	2.50	8.793-02	3.015-02	5.708-01
20.0	60.00	2.75	1.016-01	3.047-02	5.839-01
20.0	60.00	3.00	1.131-01	2.985-02	5.972-01
20.0	60.00	3.25	1.227-01	2.860-02	6.106-01
20.0	60.00	3.50	1.305-01	2.698-02	6.241-01
20.0	60.00	3.75	1.366-01	2.516-02	6.376-01
20.0	60.00	4.00	1.412-01	2.327-02	6.511-01
20.0	60.00	4.25	1.446-01	2.139-02	6.647-01
20.0	60.00	4.50	1.469-01	1.957-02	6.783-01
20.0	60.00	5.00	1.489-01	1.624-02	7.054-01
20.0	60.00	5.50	1.483-01	1.340-02	7.324-01
20.0	60.00	6.00	1.458-01	1.103-02	7.592-01
20.0	60.00	7.00	1.377-01	7.489-03	8.122-01
20.0	60.00	8.00	1.275-01	5.142-03	8.643-01
20.0	60.00	10.00	1.065-01	2.535-03	9.658-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
20.0	100.00	1.50	1.749-02	1.148-02	5.191-01
20.0	100.00	1.75	3.348-02	1.907-02	5.297-01
20.0	100.00	2.00	5.066-02	2.513-02	5.408-01
20.0	100.00	2.25	6.753-02	2.927-02	5.523-01
20.0	100.00	2.50	8.321-02	3.166-02	5.641-01
20.0	100.00	2.75	9.725-02	3.262-02	5.761-01
20.0	100.00	3.00	1.095-01	3.250-02	5.882-01
20.0	100.00	3.25	1.199-01	3.163-02	6.005-01
20.0	100.00	3.50	1.286-01	3.027-02	6.130-01
20.0	100.00	3.75	1.357-01	2.859-02	6.254-01
20.0	100.00	4.00	1.414-01	2.676-02	6.380-01
20.0	100.00	4.25	1.458-01	2.486-02	6.505-01
20.0	100.00	4.50	1.490-01	2.298-02	6.631-01
20.0	100.00	5.00	1.528-01	1.942-02	6.883-01
20.0	100.00	5.50	1.536-01	1.627-02	7.135-01
20.0	100.00	6.00	1.524-01	1.358-02	7.385-01
20.0	100.00	7.00	1.459-01	9.443-03	7.881-01
20.0	100.00	8.00	1.367-01	6.607-03	8.369-01
20.0	100.00	10.00	1.163-01	3.354-03	9.324-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
25.0	1.20	1.50	3.949-04	1.497-07	1.763-01
25.0	1.20	1.75	5.889-04	1.656-07	1.878-01
25.0	1.20	2.00	7.210-04	1.544-07	1.992-01
25.0	1.20	2.25	8.008-04	1.335-07	2.104-01
25.0	1.20	2.50	8.416-04	1.113-07	2.213-01
25.0	1.20	2.75	8.550-04	9.113-08	2.321-01
25.0	1.20	3.00	8.499-04	7.403-08	2.427-01
25.0	1.20	3.25	8.324-04	5.999-08	2.531-01
25.0	1.20	3.50	8.072-04	4.864-08	2.633-01
25.0	1.20	3.75	7.772-04	3.953-08	2.734-01
25.0	1.20	4.00	7.447-04	3.225-08	2.834-01
25.0	1.20	4.25	7.112-04	2.643-08	2.931-01
25.0	1.20	4.50	6.777-04	2.177-08	3.027-01
25.0	1.20	5.00	6.128-04	1.498-08	3.215-01
25.0	1.20	5.50	5.526-04	1.050-08	3.397-01
25.0	1.20	6.00	4.982-04	7.496-09	3.575-01
25.0	1.20	7.00	4.065-04	4.009-09	3.922-01
25.0	1.20	8.00	3.345-04	2.270-09	4.256-01
25.0	1.20	10.00	2.336-04	8.357-10	4.891-01
25.0	1.40	1.50	1.885-03	6.266-06	2.807-01
25.0	1.40	1.75	2.839-03	7.044-06	2.984-01
25.0	1.40	2.00	3.505-03	6.661-06	3.158-01
25.0	1.40	2.25	3.921-03	5.830-06	3.329-01
25.0	1.40	2.50	4.147-03	4.912-06	3.498-01
25.0	1.40	2.75	4.236-03	4.059-06	3.663-01
25.0	1.40	3.00	4.232-03	3.324-06	3.827-01
25.0	1.40	3.25	4.163-03	2.714-06	3.987-01
25.0	1.40	3.50	4.053-03	2.215-06	4.145-01
25.0	1.40	3.75	3.916-03	1.811-06	4.301-01
25.0	1.40	4.00	3.765-03	1.485-06	4.455-01
25.0	1.40	4.25	3.607-03	1.223-06	4.606-01
25.0	1.40	4.50	3.446-03	1.012-06	4.754-01
25.0	1.40	5.00	3.132-03	7.022-07	5.045-01
25.0	1.40	5.50	2.836-03	4.958-07	5.328-01
25.0	1.40	6.00	2.567-03	3.561-07	5.604-01
25.0	1.40	7.00	2.107-03	1.924-07	6.142-01
25.0	1.40	8.00	1.743-03	1.098-07	6.660-01
25.0	1.40	10.00	1.227-03	4.095-08	7.648-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
25.0	1.60	1.50	4.060-03	4.053-05	3.473-01
25.0	1.60	1.75	6.168-03	4.622-05	3.683-01
25.0	1.60	2.00	7.671-03	4.425-05	3.891-01
25.0	1.60	2.25	8.636-03	3.913-05	4.096-01
25.0	1.60	2.50	9.183-03	3.327-05	4.298-01
25.0	1.60	2.75	9.427-03	2.772-05	4.497-01
25.0	1.60	3.00	9.456-03	2.286-05	4.693-01
25.0	1.60	3.25	9.339-03	1.878-05	4.886-01
25.0	1.60	3.50	9.123-03	1.542-05	5.076-01
25.0	1.60	3.75	8.844-03	1.267-05	5.264-01
25.0	1.60	4.00	8.526-03	1.044-05	5.449-01
25.0	1.60	4.25	8.189-03	8.638-06	5.631-01
25.0	1.60	4.50	7.844-03	7.175-06	5.810-01
25.0	1.60	5.00	7.159-03	5.014-06	6.161-01
25.0	1.60	5.50	6.507-03	3.561-06	6.502-01
25.0	1.60	6.00	5.909-03	2.572-06	6.836-01
25.0	1.60	7.00	4.878-03	1.402-06	7.486-01
25.0	1.60	8.00	4.053-03	8.061-07	8.113-01
25.0	1.60	10.00	2.872-03	3.038-07	9.308-01
25.0	1.80	1.50	6.468-03	1.286-04	3.920-01
25.0	1.80	1.75	9.902-03	1.486-04	4.150-01
25.0	1.80	2.00	1.240-02	1.438-04	4.377-01
25.0	1.80	2.25	1.403-02	1.284-04	4.602-01
25.0	1.80	2.50	1.499-02	1.100-04	4.823-01
25.0	1.80	2.75	1.546-02	9.231-05	5.042-01
25.0	1.80	3.00	1.557-02	7.662-05	5.257-01
25.0	1.80	3.25	1.542-02	6.329-05	5.470-01
25.0	1.80	3.50	1.511-02	5.222-05	5.679-01
25.0	1.80	3.75	1.469-02	4.312-05	5.886-01
25.0	1.80	4.00	1.420-02	3.568-05	6.090-01
25.0	1.80	4.25	1.367-02	2.963-05	6.290-01
25.0	1.80	4.50	1.312-02	2.470-05	6.488-01
25.0	1.80	5.00	1.202-02	1.737-05	6.875-01
25.0	1.80	5.50	1.096-02	1.240-05	7.252-01
25.0	1.80	6.00	9.984-03	8.999-06	7.621-01
25.0	1.80	7.00	8.283-03	4.945-06	8.339-01
25.0	1.80	8.00	6.909-03	2.861-06	9.032-01
25.0	1.80	10.00	4.925-03	1.089-06	1.035 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
25.0	2.00	1.50	8.848-03	2.841-04	4.234-01
25.0	2.00	1.75	1.364-02	3.319-04	4.474-01
25.0	2.00	2.00	1.717-02	3.243-04	4.713-01
25.0	2.00	2.25	1.954-02	2.920-04	4.949-01
25.0	2.00	2.50	2.097-02	2.521-04	5.182-01
25.0	2.00	2.75	2.170-02	2.129-04	5.412-01
25.0	2.00	3.00	2.192-02	1.777-04	5.639-01
25.0	2.00	3.25	2.179-02	1.475-04	5.863-01
25.0	2.00	3.50	2.141-02	1.223-04	6.084-01
25.0	2.00	3.75	2.087-02	1.014-04	6.302-01
25.0	2.00	4.00	2.021-02	8.421-05	6.518-01
25.0	2.00	4.25	1.950-02	7.017-05	6.730-01
25.0	2.00	4.50	1.875-02	5.868-05	6.939-01
25.0	2.00	5.00	1.724-02	4.149-05	7.348-01
25.0	2.00	5.50	1.577-02	2.978-05	7.748-01
25.0	2.00	6.00	1.440-02	2.170-05	8.139-01
25.0	2.00	7.00	1.200-02	1.201-05	8.899-01
25.0	2.00	8.00	1.004-02	6.987-06	9.634-01
25.0	2.00	10.00	7.197-03	2.683-06	1.104 00
25.0	2.25	1.50	1.160-02	5.721-04	4.508-01
25.0	2.25	1.75	1.801-02	6.773-04	4.756-01
25.0	2.25	2.00	2.283-02	6.690-04	5.001-01
25.0	2.25	2.25	2.612-02	6.079-04	5.245-01
25.0	2.25	2.50	2.817-02	5.291-04	5.486-01
25.0	2.25	2.75	2.927-02	4.500-04	5.724-01
25.0	2.25	3.00	2.969-02	3.780-04	5.959-01
25.0	2.25	3.25	2.961-02	3.157-04	6.191-01
25.0	2.25	3.50	2.919-02	2.630-04	6.420-01
25.0	2.25	3.75	2.852-02	2.190-04	6.647-01
25.0	2.25	4.00	2.770-02	1.827-04	6.870-01
25.0	2.25	4.25	2.679-02	1.528-04	7.091-01
25.0	2.25	4.50	2.582-02	1.283-04	7.308-01
25.0	2.25	5.00	2.382-02	9.128-05	7.734-01
25.0	2.25	5.50	2.186-02	6.587-05	8.150-01
25.0	2.25	6.00	2.002-02	4.822-05	8.557-01
25.0	2.25	7.00	1.676-02	2.690-05	9.349-01
25.0	2.25	8.00	1.409-02	1.575-05	1.011 00
25.0	2.25	10.00	1.016-02	6.107-06	1.158 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
25.0	2.50	1.50	1.402-02	9.474-04	4.699-01
25.0	2.50	1.75	2.192-02	1.135-03	4.949-01
25.0	2.50	2.00	2.795-02	1.132-03	5.198-01
25.0	2.50	2.25	3.213-02	1.037-03	5.445-01
25.0	2.50	2.50	3.481-02	9.092-04	5.689-01
25.0	2.50	2.75	3.631-02	7.782-04	5.931-01
25.0	2.50	3.00	3.696-02	6.575-04	6.170-01
25.0	2.50	3.25	3.697-02	5.518-04	6.406-01
25.0	2.50	3.50	3.654-02	4.618-04	6.639-01
25.0	2.50	3.75	3.580-02	3.863-04	6.869-01
25.0	2.50	4.00	3.485-02	3.235-04	7.097-01
25.0	2.50	4.25	3.377-02	2.715-04	7.322-01
25.0	2.50	4.50	3.261-02	2.286-04	7.543-01
25.0	2.50	5.00	3.019-02	1.636-04	7.978-01
25.0	2.50	5.50	2.779-02	1.186-04	8.402-01
25.0	2.50	6.00	2.551-02	8.721-05	8.818-01
25.0	2.50	7.00	2.146-02	4.899-05	9.628-01
25.0	2.50	8.00	1.809-02	2.886-05	1.041 00
25.0	2.50	10.00	1.312-02	1.129-05	1.191 00
25.0	2.75	1.50	1.610-02	1.386-03	4.836-01
25.0	2.75	1.75	2.534-02	1.677-03	5.086-01
25.0	2.75	2.00	3.248-02	1.687-03	5.336-01
25.0	2.75	2.25	3.752-02	1.558-03	5.583-01
25.0	2.75	2.50	4.080-02	1.375-03	5.828-01
25.0	2.75	2.75	4.271-02	1.184-03	6.071-01
25.0	2.75	3.00	4.360-02	1.005-03	6.311-01
25.0	2.75	3.25	4.374-02	8.476-04	6.549-01
25.0	2.75	3.50	4.334-02	7.123-04	6.784-01
25.0	2.75	3.75	4.255-02	5.981-04	7.016-01
25.0	2.75	4.00	4.151-02	5.025-04	7.245-01
25.0	2.75	4.25	4.030-02	4.231-04	7.472-01
25.0	2.75	4.50	3.898-02	3.573-04	7.695-01
25.0	2.75	5.00	3.621-02	2.570-04	8.134-01
25.0	2.75	5.50	3.342-02	1.872-04	8.563-01
25.0	2.75	6.00	3.075-02	1.381-04	8.983-01
25.0	2.75	7.00	2.596-02	7.811-05	9.801-01
25.0	2.75	8.00	2.197-02	4.625-05	1.059 00
25.0	2.75	10.00	1.600-02	1.823-05	1.211 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
25.0	3.00	1.50	1.788-02	1.863-03	4.938-01
25.0	3.00	1.75	2.830-02	2.276-03	5.186-01
25.0	3.00	2.00	3.645-02	2.310-03	5.434-01
25.0	3.00	2.25	4.228-02	2.147-03	5.681-01
25.0	3.00	2.50	4.614-02	1.907-03	5.926-01
25.0	3.00	2.75	4.846-02	1.650-03	6.168-01
25.0	3.00	3.00	4.961-02	1.408-03	6.408-01
25.0	3.00	3.25	4.989-02	1.192-03	6.646-01
25.0	3.00	3.50	4.955-02	1.006-03	6.881-01
25.0	3.00	3.75	4.875-02	8.473-04	7.113-01
25.0	3.00	4.00	4.765-02	7.141-04	7.343-01
25.0	3.00	4.25	4.633-02	6.030-04	7.570-01
25.0	3.00	4.50	4.489-02	5.105-04	7.794-01
25.0	3.00	5.00	4.181-02	3.689-04	8.234-01
25.0	3.00	5.50	3.869-02	2.698-04	8.664-01
25.0	3.00	6.00	3.568-02	1.998-04	9.086-01
25.0	3.00	7.00	3.023-02	1.137-04	9.907-01
25.0	3.00	8.00	2.565-02	6.762-05	1.070 00
25.0	3.00	10.00	1.877-02	2.685-05	1.222 00
25.0	3.25	1.50	1.939-02	2.362-03	5.014-01
25.0	3.25	1.75	3.086-02	2.910-03	5.261-01
25.0	3.25	2.00	3.992-02	2.975-03	5.507-01
25.0	3.25	2.25	4.647-02	2.784-03	5.752-01
25.0	3.25	2.50	5.089-02	2.485-03	5.995-01
25.0	3.25	2.75	5.361-02	2.162-03	6.236-01
25.0	3.25	3.00	5.502-02	1.852-03	6.475-01
25.0	3.25	3.25	5.546-02	1.574-03	6.712-01
25.0	3.25	3.50	5.519-02	1.333-03	6.946-01
25.0	3.25	3.75	5.441-02	1.126-03	7.178-01
25.0	3.25	4.00	5.327-02	9.521-04	7.407-01
25.0	3.25	4.25	5.188-02	8.061-04	7.634-01
25.0	3.25	4.50	5.034-02	6.841-04	7.857-01
25.0	3.25	5.00	4.701-02	4.965-04	8.297-01
25.0	3.25	5.50	4.360-02	3.645-04	8.727-01
25.0	3.25	6.00	4.028-02	2.708-04	9.148-01
25.0	3.25	7.00	3.424-02	1.549-04	9.970-01
25.0	3.25	8.00	2.913-02	9.253-05	1.077 00
25.0	3.25	10.00	2.141-02	3.698-05	1.229 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
25.0	3.50	1.50	2.067-02	2.865-03	5.073-01
25.0	3.50	1.75	3.305-02	3.560-03	5.317-01
25.0	3.50	2.00	4.293-02	3.664-03	5.560-01
25.0	3.50	2.25	5.017-02	3.449-03	5.803-01
25.0	3.50	2.50	5.510-02	3.095-03	6.044-01
25.0	3.50	2.75	5.820-02	2.704-03	6.284-01
25.0	3.50	3.00	5.988-02	2.326-03	6.521-01
25.0	3.50	3.25	6.049-02	1.984-03	6.756-01
25.0	3.50	3.50	6.031-02	1.685-03	6.989-01
25.0	3.50	3.75	5.956-02	1.428-03	7.220-01
25.0	3.50	4.00	5.840-02	1.211-03	7.448-01
25.0	3.50	4.25	5.697-02	1.028-03	7.673-01
25.0	3.50	4.50	5.535-02	8.739-04	7.896-01
25.0	3.50	5.00	5.181-02	6.368-04	8.334-01
25.0	3.50	5.50	4.815-02	4.691-04	8.762-01
25.0	3.50	6.00	4.457-02	3.496-04	9.183-01
25.0	3.50	7.00	3.801-02	2.009-04	1.000 00
25.0	3.50	8.00	3.242-02	1.205-04	1.080 00
25.0	3.50	10.00	2.391-02	4.847-05	1.232 00
25.0	3.75	1.50	2.176-02	3.364-03	5.119-01
25.0	3.75	1.75	3.495-02	4.211-03	5.359-01
25.0	3.75	2.00	4.557-02	4.362-03	5.600-01
25.0	3.75	2.25	5.342-02	4.129-03	5.841-01
25.0	3.75	2.50	5.884-02	3.723-03	6.080-01
25.0	3.75	2.75	6.230-02	3.266-03	6.317-01
25.0	3.75	3.00	6.424-02	2.821-03	6.553-01
25.0	3.75	3.25	6.503-02	2.414-03	6.786-01
25.0	3.75	3.50	6.496-02	2.056-03	7.017-01
25.0	3.75	3.75	6.425-02	1.748-03	7.246-01
25.0	3.75	4.00	6.310-02	1.485-03	7.473-01
25.0	3.75	4.25	6.163-02	1.263-03	7.697-01
25.0	3.75	4.50	5.995-02	1.076-03	7.918-01
25.0	3.75	5.00	5.625-02	7.873-04	8.354-01
25.0	3.75	5.50	5.237-02	5.818-04	8.780-01
25.0	3.75	6.00	4.856-02	4.348-04	9.198-01
25.0	3.75	7.00	4.153-02	2.510-04	1.001 00
25.0	3.75	8.00	3.550-02	1.512-04	1.080 00
25.0	3.75	10.00	2.627-02	6.113-05	1.232 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
25.0	4.00	1.50	2.268-02	3.851-03	5.155-01
25.0	4.00	1.75	3.658-02	4.855-03	5.392-01
25.0	4.00	2.00	4.786-02	5.059-03	5.630-01
25.0	4.00	2.25	5.628-02	4.812-03	5.868-01
25.0	4.00	2.50	6.216-02	4.359-03	6.105-01
25.0	4.00	2.75	6.598-02	3.839-03	6.340-01
25.0	4.00	3.00	6.817-02	3.327-03	6.573-01
25.0	4.00	3.25	6.913-02	2.856-03	6.805-01
25.0	4.00	3.50	6.917-02	2.439-03	7.034-01
25.0	4.00	3.75	6.853-02	2.079-03	7.261-01
25.0	4.00	4.00	6.739-02	1.770-03	7.486-01
25.0	4.00	4.25	6.591-02	1.509-03	7.708-01
25.0	4.00	4.50	6.419-02	1.288-03	7.928-01
25.0	4.00	5.00	6.035-02	9.456-04	8.361-01
25.0	4.00	5.50	5.629-02	7.008-04	8.785-01
25.0	4.00	6.00	5.228-02	5.252-04	9.201-01
25.0	4.00	7.00	4.482-02	3.046-04	1.001 00
25.0	4.00	8.00	3.840-02	1.840-04	1.080 00
25.0	4.00	10.00	2.851-02	7.481-05	1.231 00
25.0	5.00	1.50	2.516-02	5.605-03	5.240-01
25.0	5.00	1.75	4.117-02	7.238-03	5.466-01
25.0	5.00	2.00	5.454-02	7.698-03	5.693-01
25.0	5.00	2.25	6.482-02	7.453-03	5.920-01
25.0	5.00	2.50	7.225-02	6.855-03	6.147-01
25.0	5.00	2.75	7.730-02	6.119-03	6.372-01
25.0	5.00	3.00	8.045-02	5.366-03	6.597-01
25.0	5.00	3.25	8.211-02	4.656-03	6.820-01
25.0	5.00	3.50	8.263-02	4.015-03	7.041-01
25.0	5.00	3.75	8.228-02	3.451-03	7.260-01
25.0	5.00	4.00	8.130-02	2.963-03	7.478-01
25.0	5.00	4.25	7.986-02	2.544-03	7.693-01
25.0	5.00	4.50	7.809-02	2.186-03	7.907-01
25.0	5.00	5.00	7.394-02	1.624-03	8.327-01
25.0	5.00	5.50	6.940-02	1.216-03	8.739-01
25.0	5.00	6.00	6.480-02	9.192-04	9.144-01
25.0	5.00	7.00	5.607-02	5.411-04	9.934-01
25.0	5.00	8.00	4.838-02	3.309-04	1.070 00
25.0	5.00	10.00	3.633-02	1.370-04	1.217 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
25.0	6.00	1.50	2.644-02	7.014-03	5.279-01
25.0	6.00	1.75	4.378-02	9.236-03	5.493-01
25.0	6.00	2.00	5.858-02	9.986-03	5.710-01
25.0	6.00	2.25	7.021-02	9.806-03	5.928-01
25.0	6.00	2.50	7.884-02	9.130-03	6.146-01
25.0	6.00	2.75	8.490-02	8.239-03	6.363-01
25.0	6.00	3.00	8.887-02	7.294-03	6.579-01
25.0	6.00	3.25	9.117-02	6.384-03	6.794-01
25.0	6.00	3.50	9.218-02	5.548-03	7.007-01
25.0	6.00	3.75	9.218-02	4.802-03	7.219-01
25.0	6.00	4.00	9.143-02	4.149-03	7.430-01
25.0	6.00	4.25	9.013-02	3.583-03	7.639-01
25.0	6.00	4.50	8.842-02	3.096-03	7.845-01
25.0	6.00	5.00	8.420-02	2.321-03	8.253-01
25.0	6.00	5.50	7.943-02	1.752-03	8.653-01
25.0	6.00	6.00	7.449-02	1.335-03	9.047-01
25.0	6.00	7.00	6.492-02	7.951-04	9.816-01
25.0	6.00	8.00	5.636-02	4.909-04	1.056 00
25.0	6.00	10.00	4.270-02	2.062-04	1.200 00
25.0	8.00	1.50	2.735-02	8.985-03	5.304-01
25.0	8.00	1.75	4.611-02	1.219-02	5.502-01
25.0	8.00	2.00	6.265-02	1.352-02	5.703-01
25.0	8.00	2.25	7.608-02	1.357-02	5.905-01
25.0	8.00	2.50	8.642-02	1.287-02	6.108-01
25.0	8.00	2.75	9.400-02	1.181-02	6.311-01
25.0	8.00	3.00	9.928-02	1.061-02	6.514-01
25.0	8.00	3.25	1.027-01	9.413-03	6.716-01
25.0	8.00	3.50	1.045-01	8.279-03	6.917-01
25.0	8.00	3.75	1.052-01	7.244-03	7.117-01
25.0	8.00	4.00	1.050-01	6.320-03	7.316-01
25.0	8.00	4.25	1.041-01	5.507-03	7.513-01
25.0	8.00	4.50	1.026-01	4.798-03	7.709-01
25.0	8.00	5.00	9.859-02	3.651-03	8.095-01
25.0	8.00	5.50	9.371-02	2.791-03	8.475-01
25.0	8.00	6.00	8.848-02	2.150-03	8.850-01
25.0	8.00	7.00	7.799-02	1.305-03	9.583-01
25.0	8.00	8.00	6.832-02	8.176-04	1.030 00
25.0	8.00	10.00	5.248-02	3.512-04	1.167 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
25.0	10.00	1.50	2.733-02	1.021-02	5.306-01
25.0	10.00	1.75	4.672-02	1.416-02	5.492-01
25.0	10.00	2.00	6.421-02	1.601-02	5.681-01
25.0	10.00	2.25	7.875-02	1.633-02	5.872-01
25.0	10.00	2.50	9.023-02	1.572-02	6.064-01
25.0	10.00	2.75	9.890-02	1.461-02	6.257-01
25.0	10.00	3.00	1.052-01	1.327-02	6.449-01
25.0	10.00	3.25	1.094-01	1.189-02	6.641-01
25.0	10.00	3.50	1.120-01	1.055-02	6.833-01
25.0	10.00	3.75	1.133-01	9.304-03	7.023-01
25.0	10.00	4.00	1.136-01	8.178-03	7.213-01
25.0	10.00	4.25	1.130-01	7.175-03	7.402-01
25.0	10.00	4.50	1.118-01	6.290-03	7.589-01
25.0	10.00	5.00	1.082-01	4.839-03	7.959-01
25.0	10.00	5.50	1.034-01	3.736-03	8.324-01
25.0	10.00	6.00	9.816-02	2.901-03	8.684-01
25.0	10.00	7.00	8.727-02	1.786-03	9.389-01
25.0	10.00	8.00	7.697-02	1.132-03	1.008 00
25.0	10.00	10.00	5.975-02	4.945-04	1.140 00
25.0	15.00	1.50	2.628-02	1.170-02	5.292-01
25.0	15.00	1.75	4.599-02	1.688-02	5.458-01
25.0	15.00	2.00	6.449-02	1.971-02	5.628-01
25.0	15.00	2.25	8.048-02	2.068-02	5.800-01
25.0	15.00	2.50	9.360-02	2.040-02	5.974-01
25.0	15.00	2.75	1.040-01	1.937-02	6.149-01
25.0	15.00	3.00	1.118-01	1.795-02	6.324-01
25.0	15.00	3.25	1.176-01	1.635-02	6.500-01
25.0	15.00	3.50	1.215-01	1.474-02	6.675-01
25.0	15.00	3.75	1.240-01	1.319-02	6.850-01
25.0	15.00	4.00	1.253-01	1.174-02	7.025-01
25.0	15.00	4.25	1.255-01	1.042-02	7.198-01
25.0	15.00	4.50	1.251-01	9.237-03	7.371-01
25.0	15.00	5.00	1.224-01	7.244-03	7.714-01
25.0	15.00	5.50	1.182-01	5.687-03	8.052-01
25.0	15.00	6.00	1.132-01	4.481-03	8.386-01
25.0	15.00	7.00	1.021-01	2.826-03	9.043-01
25.0	15.00	8.00	9.119-02	1.827-03	9.684-01
25.0	15.00	10.00	7.209-02	8.223-04	1.092 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
25.0	20.00	1.50	2.507-02	1.226-02	5.277-01
25.0	20.00	1.75	4.458-02	1.814-02	5.430-01
25.0	20.00	2.00	6.336-02	2.165-02	5.588-01
25.0	20.00	2.25	7.998-02	2.315-02	5.749-01
25.0	20.00	2.50	9.397-02	2.321-02	5.911-01
25.0	20.00	2.75	1.053-01	2.236-02	6.075-01
25.0	20.00	3.00	1.142-01	2.098-02	6.240-01
25.0	20.00	3.25	1.209-01	1.934-02	6.405-01
25.0	20.00	3.50	1.258-01	1.762-02	6.570-01
25.0	20.00	3.75	1.291-01	1.591-02	6.735-01
25.0	20.00	4.00	1.311-01	1.429-02	6.900-01
25.0	20.00	4.25	1.320-01	1.279-02	7.064-01
25.0	20.00	4.50	1.321-01	1.142-02	7.227-01
25.0	20.00	5.00	1.303-01	9.071-03	7.552-01
25.0	20.00	5.50	1.267-01	7.201-03	7.873-01
25.0	20.00	6.00	1.221-01	5.730-03	8.191-01
25.0	20.00	7.00	1.113-01	3.675-03	8.817-01
25.0	20.00	8.00	1.001-01	2.407-03	9.428-01
25.0	20.00	10.00	8.014-02	1.106-03	1.061 00
25.0	25.00	1.50	2.401-02	1.247-02	5.264-01
25.0	25.00	1.75	4.320-02	1.880-02	5.409-01
25.0	25.00	2.00	6.200-02	2.279-02	5.558-01
25.0	25.00	2.25	7.895-02	2.471-02	5.711-01
25.0	25.00	2.50	9.345-02	2.508-02	5.865-01
25.0	25.00	2.75	1.054-01	2.442-02	6.021-01
25.0	25.00	3.00	1.150-01	2.314-02	6.178-01
25.0	25.00	3.25	1.224-01	2.151-02	6.336-01
25.0	25.00	3.50	1.279-01	1.975-02	6.494-01
25.0	25.00	3.75	1.318-01	1.796-02	6.652-01
25.0	25.00	4.00	1.344-01	1.623-02	6.810-01
25.0	25.00	4.25	1.358-01	1.461-02	6.967-01
25.0	25.00	4.50	1.364-01	1.312-02	7.124-01
25.0	25.00	5.00	1.353-01	1.052-02	7.436-01
25.0	25.00	5.50	1.323-01	8.423-03	7.745-01
25.0	25.00	6.00	1.280-01	6.753-03	8.051-01
25.0	25.00	7.00	1.176-01	4.384-03	8.655-01
25.0	25.00	8.00	1.064-01	2.900-03	9.245-01
25.0	25.00	10.00	8.600-02	1.352-03	1.039 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
25.0	40.00	1.50	2.168-02	1.245-02	5.237-01
25.0	40.00	1.75	3.990-02	1.946-02	5.367-01
25.0	40.00	2.00	5.839-02	2.434-02	5.502-01
25.0	40.00	2.25	7.561-02	2.710-02	5.639-01
25.0	40.00	2.50	9.082-02	2.817-02	5.779-01
25.0	40.00	2.75	1.038-01	2.802-02	5.920-01
25.0	40.00	3.00	1.145-01	2.705-02	6.063-01
25.0	40.00	3.25	1.232-01	2.558-02	6.207-01
25.0	40.00	3.50	1.300-01	2.384-02	6.352-01
25.0	40.00	3.75	1.351-01	2.199-02	6.497-01
25.0	40.00	4.00	1.388-01	2.013-02	6.642-01
25.0	40.00	4.25	1.413-01	1.833-02	6.787-01
25.0	40.00	4.50	1.428-01	1.663-02	6.931-01
25.0	40.00	5.00	1.434-01	1.360-02	7.220-01
25.0	40.00	5.50	1.416-01	1.107-02	7.506-01
25.0	40.00	6.00	1.383-01	9.009-03	7.790-01
25.0	40.00	7.00	1.289-01	5.995-03	8.351-01
25.0	40.00	8.00	1.182-01	4.046-03	8.902-01
25.0	40.00	10.00	9.728-02	1.945-03	9.973-01
25.0	60.00	1.50	1.972-02	1.211-02	5.217-01
25.0	60.00	1.75	3.695-02	1.946-02	5.336-01
25.0	60.00	2.00	5.491-02	2.493-02	5.459-01
25.0	60.00	2.25	7.205-02	2.836-02	5.586-01
25.0	60.00	2.50	8.757-02	3.003-02	5.715-01
25.0	60.00	2.75	1.011-01	3.037-02	5.846-01
25.0	60.00	3.00	1.126-01	2.976-02	5.979-01
25.0	60.00	3.25	1.221-01	2.852-02	6.113-01
25.0	60.00	3.50	1.298-01	2.691-02	6.247-01
25.0	60.00	3.75	1.359-01	2.510-02	6.383-01
25.0	60.00	4.00	1.405-01	2.321-02	6.518-01
25.0	60.00	4.25	1.439-01	2.134-02	6.654-01
25.0	60.00	4.50	1.462-01	1.953-02	6.789-01
25.0	60.00	5.00	1.482-01	1.622-02	7.060-01
25.0	60.00	5.50	1.476-01	1.338-02	7.329-01
25.0	60.00	6.00	1.451-01	1.102-02	7.597-01
25.0	60.00	7.00	1.370-01	7.480-03	8.127-01
25.0	60.00	8.00	1.268-01	5.130-03	8.649-01
25.0	60.00	10.00	1.060-01	2.527-03	9.664-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
25.0	100.00	1.50	1.747-02	1.145-02	5.195-01
25.0	100.00	1.75	3.340-02	1.899-02	5.303-01
25.0	100.00	2.00	5.050-02	2.501-02	5.414-01
25.0	100.00	2.25	6.728-02	2.914-02	5.529-01
25.0	100.00	2.50	8.287-02	3.153-02	5.647-01
25.0	100.00	2.75	9.684-02	3.250-02	5.767-01
25.0	100.00	3.00	1.090-01	3.240-02	5.889-01
25.0	100.00	3.25	1.194-01	3.154-02	6.012-01
25.0	100.00	3.50	1.280-01	3.018-02	6.136-01
25.0	100.00	3.75	1.351-01	2.851-02	6.261-01
25.0	100.00	4.00	1.407-01	2.669-02	6.386-01
25.0	100.00	4.25	1.451-01	2.480-02	6.512-01
25.0	100.00	4.50	1.483-01	2.293-02	6.638-01
25.0	100.00	5.00	1.520-01	1.939-02	6.889-01
25.0	100.00	5.50	1.528-01	1.626-02	7.140-01
25.0	100.00	6.00	1.516-01	1.357-02	7.390-01
25.0	100.00	7.00	1.452-01	9.430-03	7.886-01
25.0	100.00	8.00	1.360-01	6.592-03	8.375-01
25.0	100.00	10.00	1.157-01	3.343-03	9.331-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
40.0	1.20	1.50	3.941-04	1.502-07	1.762-01
40.0	1.20	1.75	5.876-04	1.661-07	1.877-01
40.0	1.20	2.00	7.196-04	1.549-07	1.990-01
40.0	1.20	2.25	7.995-04	1.340-07	2.101-01
40.0	1.20	2.50	8.406-04	1.117-07	2.210-01
40.0	1.20	2.75	8.544-04	9.155-08	2.318-01
40.0	1.20	3.00	8.497-04	7.445-08	2.422-01
40.0	1.20	3.25	8.325-04	6.037-08	2.525-01
40.0	1.20	3.50	8.076-04	4.899-08	2.626-01
40.0	1.20	3.75	7.779-04	3.985-08	2.726-01
40.0	1.20	4.00	7.456-04	3.253-08	2.825-01
40.0	1.20	4.25	7.121-04	2.666-08	2.922-01
40.0	1.20	4.50	6.785-04	2.195-08	3.019-01
40.0	1.20	5.00	6.132-04	1.509-08	3.208-01
40.0	1.20	5.50	5.527-04	1.056-08	3.393-01
40.0	1.20	6.00	4.980-04	7.530-09	3.573-01
40.0	1.20	7.00	4.059-04	4.019-09	3.922-01
40.0	1.20	8.00	3.339-04	2.273-09	4.255-01
40.0	1.20	10.00	2.331-04	8.368-10	4.885-01
40.0	1.40	1.50	1.881-03	6.284-06	2.805-01
40.0	1.40	1.75	2.833-03	7.065-06	2.981-01
40.0	1.40	2.00	3.498-03	6.683-06	3.154-01
40.0	1.40	2.25	3.915-03	5.850-06	3.325-01
40.0	1.40	2.50	4.141-03	4.929-06	3.493-01
40.0	1.40	2.75	4.233-03	4.077-06	3.658-01
40.0	1.40	3.00	4.230-03	3.343-06	3.820-01
40.0	1.40	3.25	4.163-03	2.731-06	3.978-01
40.0	1.40	3.50	4.054-03	2.230-06	4.135-01
40.0	1.40	3.75	3.919-03	1.825-06	4.289-01
40.0	1.40	4.00	3.769-03	1.498-06	4.441-01
40.0	1.40	4.25	3.611-03	1.234-06	4.592-01
40.0	1.40	4.50	3.450-03	1.020-06	4.741-01
40.0	1.40	5.00	3.133-03	7.072-07	5.034-01
40.0	1.40	5.50	2.837-03	4.987-07	5.320-01
40.0	1.40	6.00	2.566-03	3.577-07	5.600-01
40.0	1.40	7.00	2.105-03	1.929-07	6.141-01
40.0	1.40	8.00	1.740-03	1.101-07	6.659-01
40.0	1.40	10.00	1.225-03	4.102-08	7.638-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
40.0	1.60	1.50	4.052-03	4.064-05	3.470-01
40.0	1.60	1.75	6.154-03	4.636-05	3.680-01
40.0	1.60	2.00	7.656-03	4.439-05	3.887-01
40.0	1.60	2.25	8.621-03	3.927-05	4.091-01
40.0	1.60	2.50	9.170-03	3.339-05	4.293-01
40.0	1.60	2.75	9.419-03	2.784-05	4.490-01
40.0	1.60	3.00	9.453-03	2.299-05	4.685-01
40.0	1.60	3.25	9.339-03	1.890-05	4.875-01
40.0	1.60	3.50	9.126-03	1.552-05	5.064-01
40.0	1.60	3.75	8.850-03	1.277-05	5.249-01
40.0	1.60	4.00	8.534-03	1.053-05	5.433-01
40.0	1.60	4.25	8.197-03	8.710-06	5.614-01
40.0	1.60	4.50	7.851-03	7.233-06	5.794-01
40.0	1.60	5.00	7.162-03	5.048-06	6.147-01
40.0	1.60	5.50	6.509-03	3.582-06	6.492-01
40.0	1.60	6.00	5.907-03	2.583-06	6.830-01
40.0	1.60	7.00	4.873-03	1.406-06	7.485-01
40.0	1.60	8.00	4.047-03	8.080-07	8.111-01
40.0	1.60	10.00	2.867-03	3.045-07	9.297-01
40.0	1.80	1.50	6.455-03	1.290-04	3.917-01
40.0	1.80	1.75	9.880-03	1.490-04	4.146-01
40.0	1.80	2.00	1.237-02	1.442-04	4.373-01
40.0	1.80	2.25	1.401-02	1.288-04	4.596-01
40.0	1.80	2.50	1.497-02	1.104-04	4.818-01
40.0	1.80	2.75	1.544-02	9.271-05	5.035-01
40.0	1.80	3.00	1.556-02	7.704-05	5.248-01
40.0	1.80	3.25	1.542-02	6.368-05	5.458-01
40.0	1.80	3.50	1.512-02	5.258-05	5.665-01
40.0	1.80	3.75	1.470-02	4.345-05	5.870-01
40.0	1.80	4.00	1.421-02	3.597-05	6.072-01
40.0	1.80	4.25	1.368-02	2.987-05	6.272-01
40.0	1.80	4.50	1.313-02	2.489-05	6.470-01
40.0	1.80	5.00	1.203-02	1.748-05	6.859-01
40.0	1.80	5.50	1.097-02	1.248-05	7.241-01
40.0	1.80	6.00	9.981-03	9.041-06	7.614-01
40.0	1.80	7.00	8.275-03	4.961-06	8.337-01
40.0	1.80	8.00	6.900-03	2.869-06	9.030-01
40.0	1.80	10.00	4.918-03	1.092-06	1.034 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
40.0	2.00	1.50	8.830-03	2.849-04	4.231-01
40.0	2.00	1.75	1.361-02	3.329-04	4.470-01
40.0	2.00	2.00	1.714-02	3.254-04	4.708-01
40.0	2.00	2.25	1.950-02	2.930-04	4.943-01
40.0	2.00	2.50	2.094-02	2.530-04	5.176-01
40.0	2.00	2.75	2.168-02	2.138-04	5.405-01
40.0	2.00	3.00	2.191-02	1.786-04	5.630-01
40.0	2.00	3.25	2.179-02	1.484-04	5.851-01
40.0	2.00	3.50	2.141-02	1.231-04	6.070-01
40.0	2.00	3.75	2.088-02	1.021-04	6.286-01
40.0	2.00	4.00	2.023-02	8.489-05	6.500-01
40.0	2.00	4.25	1.952-02	7.073-05	6.711-01
40.0	2.00	4.50	1.877-02	5.913-05	6.920-01
40.0	2.00	5.00	1.725-02	4.177-05	7.332-01
40.0	2.00	5.50	1.577-02	2.995-05	7.735-01
40.0	2.00	6.00	1.439-02	2.180-05	8.130-01
40.0	2.00	7.00	1.199-02	1.205-05	8.896-01
40.0	2.00	8.00	1.003-02	7.009-06	9.631-01
40.0	2.00	10.00	7.188-03	2.691-06	1.102 00
40.0	2.25	1.50	1.157-02	5.738-04	4.505-01
40.0	2.25	1.75	1.797-02	6.792-04	4.751-01
40.0	2.25	2.00	2.278-02	6.711-04	4.996-01
40.0	2.25	2.25	2.607-02	6.100-04	5.239-01
40.0	2.25	2.50	2.812-02	5.310-04	5.480-01
40.0	2.25	2.75	2.924-02	4.519-04	5.716-01
40.0	2.25	3.00	2.967-02	3.800-04	5.949-01
40.0	2.25	3.25	2.960-02	3.176-04	6.179-01
40.0	2.25	3.50	2.919-02	2.647-04	6.406-01
40.0	2.25	3.75	2.853-02	2.207-04	6.630-01
40.0	2.25	4.00	2.772-02	1.842-04	6.852-01
40.0	2.25	4.25	2.680-02	1.540-04	7.071-01
40.0	2.25	4.50	2.583-02	1.292-04	7.288-01
40.0	2.25	5.00	2.383-02	9.186-05	7.716-01
40.0	2.25	5.50	2.187-02	6.623-05	8.136-01
40.0	2.25	6.00	2.001-02	4.844-05	8.547-01
40.0	2.25	7.00	1.675-02	2.699-05	9.345-01
40.0	2.25	8.00	1.407-02	1.581-05	1.011 00
40.0	2.25	10.00	1.015-02	6.127-06	1.156 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
40.0	2.50	1.50	1.399-02	9.501-04	4.696-01
40.0	2.50	1.75	2.187-02	1.138-03	4.945-01
40.0	2.50	2.00	2.789-02	1.135-03	5.193-01
40.0	2.50	2.25	3.207-02	1.040-03	5.439-01
40.0	2.50	2.50	3.475-02	9.123-04	5.682-01
40.0	2.50	2.75	3.627-02	7.815-04	5.923-01
40.0	2.50	3.00	3.693-02	6.609-04	6.160-01
40.0	2.50	3.25	3.696-02	5.551-04	6.393-01
40.0	2.50	3.50	3.654-02	4.648-04	6.624-01
40.0	2.50	3.75	3.581-02	3.891-04	6.852-01
40.0	2.50	4.00	3.487-02	3.259-04	7.078-01
40.0	2.50	4.25	3.379-02	2.736-04	7.302-01
40.0	2.50	4.50	3.262-02	2.302-04	7.523-01
40.0	2.50	5.00	3.020-02	1.646-04	7.960-01
40.0	2.50	5.50	2.779-02	1.193-04	8.388-01
40.0	2.50	6.00	2.551-02	8.761-05	8.807-01
40.0	2.50	7.00	2.144-02	4.917-05	9.623-01
40.0	2.50	8.00	1.808-02	2.896-05	1.041 00
40.0	2.50	10.00	1.311-02	1.133-05	1.189 00
40.0	2.75	1.50	1.607-02	1.389-03	4.833-01
40.0	2.75	1.75	2.529-02	1.681-03	5.082-01
40.0	2.75	2.00	3.241-02	1.693-03	5.330-01
40.0	2.75	2.25	3.745-02	1.563-03	5.577-01
40.0	2.75	2.50	4.073-02	1.380-03	5.822-01
40.0	2.75	2.75	4.266-02	1.189-03	6.063-01
40.0	2.75	3.00	4.357-02	1.011-03	6.301-01
40.0	2.75	3.25	4.372-02	8.526-04	6.537-01
40.0	2.75	3.50	4.334-02	7.170-04	6.769-01
40.0	2.75	3.75	4.256-02	6.023-04	6.999-01
40.0	2.75	4.00	4.153-02	5.063-04	7.227-01
40.0	2.75	4.25	4.032-02	4.263-04	7.452-01
40.0	2.75	4.50	3.900-02	3.598-04	7.675-01
40.0	2.75	5.00	3.621-02	2.586-04	8.116-01
40.0	2.75	5.50	3.342-02	1.882-04	8.548-01
40.0	2.75	6.00	3.074-02	1.388-04	8.971-01
40.0	2.75	7.00	2.594-02	7.840-05	9.795-01
40.0	2.75	8.00	2.195-02	4.642-05	1.059 00
40.0	2.75	10.00	1.599-02	1.830-05	1.209 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
40.0	3.00	1.50	1.785-02	1.869-03	4.934-01
40.0	3.00	1.75	2.824-02	2.283-03	5.182-01
40.0	3.00	2.00	3.637-02	2.317-03	5.429-01
40.0	3.00	2.25	4.220-02	2.154-03	5.675-01
40.0	3.00	2.50	4.607-02	1.913-03	5.919-01
40.0	3.00	2.75	4.840-02	1.657-03	6.160-01
40.0	3.00	3.00	4.957-02	1.415-03	6.398-01
40.0	3.00	3.25	4.987-02	1.199-03	6.634-01
40.0	3.00	3.50	4.954-02	1.012-03	6.866-01
40.0	3.00	3.75	4.876-02	8.532-04	7.096-01
40.0	3.00	4.00	4.767-02	7.195-04	7.324-01
40.0	3.00	4.25	4.636-02	6.075-04	7.550-01
40.0	3.00	4.50	4.491-02	5.141-04	7.774-01
40.0	3.00	5.00	4.182-02	3.712-04	8.215-01
40.0	3.00	5.50	3.869-02	2.712-04	8.648-01
40.0	3.00	6.00	3.567-02	2.007-04	9.074-01
40.0	3.00	7.00	3.021-02	1.141-04	9.901-01
40.0	3.00	8.00	2.563-02	6.788-05	1.070 00
40.0	3.00	10.00	1.876-02	2.696-05	1.221 00
40.0	3.25	1.50	1.936-02	2.368-03	5.011-01
40.0	3.25	1.75	3.079-02	2.919-03	5.256-01
40.0	3.25	2.00	3.983-02	2.984-03	5.501-01
40.0	3.25	2.25	4.639-02	2.793-03	5.746-01
40.0	3.25	2.50	5.081-02	2.494-03	5.988-01
40.0	3.25	2.75	5.354-02	2.170-03	6.228-01
40.0	3.25	3.00	5.498-02	1.862-03	6.465-01
40.0	3.25	3.25	5.544-02	1.583-03	6.700-01
40.0	3.25	3.50	5.518-02	1.341-03	6.932-01
40.0	3.25	3.75	5.442-02	1.134-03	7.161-01
40.0	3.25	4.00	5.328-02	9.592-04	7.389-01
40.0	3.25	4.25	5.190-02	8.121-04	7.614-01
40.0	3.25	4.50	5.036-02	6.889-04	7.837-01
40.0	3.25	5.00	4.702-02	4.995-04	8.278-01
40.0	3.25	5.50	4.359-02	3.664-04	8.710-01
40.0	3.25	6.00	4.027-02	2.720-04	9.135-01
40.0	3.25	7.00	3.422-02	1.555-04	9.962-01
40.0	3.25	8.00	2.912-02	9.291-05	1.076 00
40.0	3.25	10.00	2.139-02	3.714-05	1.227 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
40.0	3.50	1.50	2.063-02	2.873-03	5.069-01
40.0	3.50	1.75	3.298-02	3.570-03	5.312-01
40.0	3.50	2.00	4.284-02	3.675-03	5.555-01
40.0	3.50	2.25	5.007-02	3.460-03	5.797-01
40.0	3.50	2.50	5.501-02	3.105-03	6.038-01
40.0	3.50	2.75	5.813-02	2.715-03	6.276-01
40.0	3.50	3.00	5.983-02	2.338-03	6.511-01
40.0	3.50	3.25	6.046-02	1.996-03	6.744-01
40.0	3.50	3.50	6.030-02	1.696-03	6.975-01
40.0	3.50	3.75	5.957-02	1.438-03	7.203-01
40.0	3.50	4.00	5.842-02	1.220-03	7.430-01
40.0	3.50	4.25	5.699-02	1.035-03	7.654-01
40.0	3.50	4.50	5.537-02	8.800-04	7.876-01
40.0	3.50	5.00	5.182-02	6.406-04	8.315-01
40.0	3.50	5.50	4.815-02	4.715-04	8.746-01
40.0	3.50	6.00	4.456-02	3.511-04	9.169-01
40.0	3.50	7.00	3.798-02	2.017-04	9.994-01
40.0	3.50	8.00	3.240-02	1.210-04	1.079 00
40.0	3.50	10.00	2.389-02	4.869-05	1.230 00
40.0	3.75	1.50	2.172-02	3.373-03	5.115-01
40.0	3.75	1.75	3.487-02	4.223-03	5.355-01
40.0	3.75	2.00	4.547-02	4.376-03	5.595-01
40.0	3.75	2.25	5.331-02	4.142-03	5.835-01
40.0	3.75	2.50	5.874-02	3.735-03	6.073-01
40.0	3.75	2.75	6.222-02	3.279-03	6.309-01
40.0	3.75	3.00	6.419-02	2.834-03	6.543-01
40.0	3.75	3.25	6.499-02	2.428-03	6.774-01
40.0	3.75	3.50	6.494-02	2.069-03	7.003-01
40.0	3.75	3.75	6.425-02	1.760-03	7.230-01
40.0	3.75	4.00	6.311-02	1.496-03	7.455-01
40.0	3.75	4.25	6.165-02	1.272-03	7.677-01
40.0	3.75	4.50	5.997-02	1.084-03	7.898-01
40.0	3.75	5.00	5.625-02	7.919-04	8.335-01
40.0	3.75	5.50	5.237-02	5.847-04	8.763-01
40.0	3.75	6.00	4.855-02	4.367-04	9.185-01
40.0	3.75	7.00	4.150-02	2.520-04	1.001 00
40.0	3.75	8.00	3.548-02	1.518-04	1.080 00
40.0	3.75	10.00	2.626-02	6.142-05	1.231 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
40.0	4.00	1.50	2.263-02	3.861-03	5.151-01
40.0	4.00	1.75	3.650-02	4.868-03	5.388-01
40.0	4.00	2.00	4.776-02	5.074-03	5.625-01
40.0	4.00	2.25	5.617-02	4.828-03	5.862-01
40.0	4.00	2.50	6.206-02	4.373-03	6.098-01
40.0	4.00	2.75	6.589-02	3.854-03	6.332-01
40.0	4.00	3.00	6.811-02	3.343-03	6.564-01
40.0	4.00	3.25	6.909-02	2.872-03	6.793-01
40.0	4.00	3.50	6.915-02	2.455-03	7.020-01
40.0	4.00	3.75	6.852-02	2.093-03	7.245-01
40.0	4.00	4.00	6.740-02	1.783-03	7.468-01
40.0	4.00	4.25	6.592-02	1.520-03	7.689-01
40.0	4.00	4.50	6.420-02	1.297-03	7.909-01
40.0	4.00	5.00	6.035-02	9.511-04	8.342-01
40.0	4.00	5.50	5.628-02	7.044-04	8.768-01
40.0	4.00	6.00	5.226-02	5.274-04	9.187-01
40.0	4.00	7.00	4.480-02	3.057-04	1.000 00
40.0	4.00	8.00	3.838-02	1.848-04	1.079 00
40.0	4.00	10.00	2.850-02	7.518-05	1.229 00
40.0	5.00	1.50	2.511-02	5.619-03	5.237-01
40.0	5.00	1.75	4.108-02	7.259-03	5.462-01
40.0	5.00	2.00	5.442-02	7.721-03	5.688-01
40.0	5.00	2.25	6.469-02	7.477-03	5.914-01
40.0	5.00	2.50	7.212-02	6.877-03	6.140-01
40.0	5.00	2.75	7.719-02	6.143-03	6.365-01
40.0	5.00	3.00	8.036-02	5.391-03	6.588-01
40.0	5.00	3.25	8.204-02	4.681-03	6.809-01
40.0	5.00	3.50	8.259-02	4.040-03	7.028-01
40.0	5.00	3.75	8.227-02	3.474-03	7.245-01
40.0	5.00	4.00	8.130-02	2.983-03	7.461-01
40.0	5.00	4.25	7.987-02	2.561-03	7.675-01
40.0	5.00	4.50	7.810-02	2.201-03	7.888-01
40.0	5.00	5.00	7.393-02	1.633-03	8.308-01
40.0	5.00	5.50	6.939-02	1.222-03	8.722-01
40.0	5.00	6.00	6.478-02	9.230-04	9.129-01
40.0	5.00	7.00	5.604-02	5.431-04	9.924-01
40.0	5.00	8.00	4.837-02	3.324-04	1.069 00
40.0	5.00	10.00	3.632-02	1.377-04	1.216 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
40.0	6.00	1.50	2.639-02	7.032-03	5.275-01
40.0	6.00	1.75	4.369-02	9.262-03	5.489-01
40.0	6.00	2.00	5.845-02	1.002-02	5.705-01
40.0	6.00	2.25	7.006-02	9.836-03	5.922-01
40.0	6.00	2.50	7.869-02	9.159-03	6.139-01
40.0	6.00	2.75	8.477-02	8.270-03	6.355-01
40.0	6.00	3.00	8.877-02	7.328-03	6.570-01
40.0	6.00	3.25	9.109-02	6.418-03	6.783-01
40.0	6.00	3.50	9.212-02	5.581-03	6.995-01
40.0	6.00	3.75	9.215-02	4.833-03	7.205-01
40.0	6.00	4.00	9.142-02	4.177-03	7.414-01
40.0	6.00	4.25	9.012-02	3.607-03	7.621-01
40.0	6.00	4.50	8.841-02	3.116-03	7.827-01
40.0	6.00	5.00	8.419-02	2.334-03	8.235-01
40.0	6.00	5.50	7.940-02	1.761-03	8.636-01
40.0	6.00	6.00	7.446-02	1.340-03	9.032-01
40.0	6.00	7.00	6.489-02	7.981-04	9.805-01
40.0	6.00	8.00	5.634-02	4.931-04	1.055 00
40.0	6.00	10.00	4.269-02	2.074-04	1.199 00
40.0	8.00	1.50	2.730-02	9.007-03	5.300-01
40.0	8.00	1.75	4.601-02	1.222-02	5.498-01
40.0	8.00	2.00	6.251-02	1.356-02	5.698-01
40.0	8.00	2.25	7.592-02	1.361-02	5.900-01
40.0	8.00	2.50	8.625-02	1.291-02	6.102-01
40.0	8.00	2.75	9.385-02	1.186-02	6.304-01
40.0	8.00	3.00	9.914-02	1.066-02	6.506-01
40.0	8.00	3.25	1.026-01	9.461-03	6.706-01
40.0	8.00	3.50	1.045-01	8.326-03	6.905-01
40.0	8.00	3.75	1.052-01	7.289-03	7.104-01
40.0	8.00	4.00	1.050-01	6.361-03	7.301-01
40.0	8.00	4.25	1.040-01	5.543-03	7.497-01
40.0	8.00	4.50	1.026-01	4.828-03	7.692-01
40.0	8.00	5.00	9.855-02	3.670-03	8.078-01
40.0	8.00	5.50	9.367-02	2.804-03	8.459-01
40.0	8.00	6.00	8.844-02	2.158-03	8.835-01
40.0	8.00	7.00	7.795-02	1.309-03	9.571-01
40.0	8.00	8.00	6.831-02	8.214-04	1.029 00
40.0	8.00	10.00	5.249-02	3.534-04	1.166 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
40.0	10.00	1.50	2.728-02	1.023-02	5.303-01
40.0	10.00	1.75	4.662-02	1.420-02	5.488-01
40.0	10.00	2.00	6.407-02	1.606-02	5.676-01
40.0	10.00	2.25	7.858-02	1.638-02	5.867-01
40.0	10.00	2.50	9.005-02	1.577-02	6.058-01
40.0	10.00	2.75	9.872-02	1.466-02	6.250-01
40.0	10.00	3.00	1.050-01	1.333-02	6.441-01
40.0	10.00	3.25	1.093-01	1.194-02	6.632-01
40.0	10.00	3.50	1.119-01	1.061-02	6.822-01
40.0	10.00	3.75	1.132-01	9.360-03	7.011-01
40.0	10.00	4.00	1.135-01	8.230-03	7.199-01
40.0	10.00	4.25	1.130-01	7.220-03	7.387-01
40.0	10.00	4.50	1.118-01	6.329-03	7.573-01
40.0	10.00	5.00	1.081-01	4.864-03	7.943-01
40.0	10.00	5.50	1.034-01	3.752-03	8.308-01
40.0	10.00	6.00	9.811-02	2.912-03	8.668-01
40.0	10.00	7.00	8.722-02	1.792-03	9.376-01
40.0	10.00	8.00	7.696-02	1.137-03	1.006 00
40.0	10.00	10.00	5.977-02	4.977-04	1.139 00
40.0	15.00	1.50	2.623-02	1.173-02	5.289-01
40.0	15.00	1.75	4.590-02	1.692-02	5.455-01
40.0	15.00	2.00	6.435-02	1.977-02	5.624-01
40.0	15.00	2.25	8.030-02	2.074-02	5.795-01
40.0	15.00	2.50	9.341-02	2.046-02	5.969-01
40.0	15.00	2.75	1.038-01	1.944-02	6.143-01
40.0	15.00	3.00	1.117-01	1.802-02	6.317-01
40.0	15.00	3.25	1.174-01	1.643-02	6.491-01
40.0	15.00	3.50	1.214-01	1.482-02	6.665-01
40.0	15.00	3.75	1.239-01	1.326-02	6.839-01
40.0	15.00	4.00	1.252-01	1.181-02	7.012-01
40.0	15.00	4.25	1.255-01	1.049-02	7.185-01
40.0	15.00	4.50	1.250-01	9.291-03	7.357-01
40.0	15.00	5.00	1.223-01	7.280-03	7.698-01
40.0	15.00	5.50	1.182-01	5.711-03	8.037-01
40.0	15.00	6.00	1.131-01	4.497-03	8.371-01
40.0	15.00	7.00	1.021-01	2.836-03	9.029-01
40.0	15.00	8.00	9.117-02	1.835-03	9.671-01
40.0	15.00	10.00	7.212-02	8.279-04	1.091 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
40.0	20.00	1.50	2.503-02	1.229-02	5.274-01
40.0	20.00	1.75	4.449-02	1.819-02	5.427-01
40.0	20.00	2.00	6.322-02	2.171-02	5.584-01
40.0	20.00	2.25	7.981-02	2.322-02	5.744-01
40.0	20.00	2.50	9.377-02	2.328-02	5.906-01
40.0	20.00	2.75	1.051-01	2.244-02	6.069-01
40.0	20.00	3.00	1.140-01	2.107-02	6.233-01
40.0	20.00	3.25	1.207-01	1.943-02	6.397-01
40.0	20.00	3.50	1.256-01	1.771-02	6.561-01
40.0	20.00	3.75	1.289-01	1.600-02	6.724-01
40.0	20.00	4.00	1.309-01	1.437-02	6.888-01
40.0	20.00	4.25	1.319-01	1.286-02	7.051-01
40.0	20.00	4.50	1.320-01	1.148-02	7.214-01
40.0	20.00	5.00	1.302-01	9.114-03	7.538-01
40.0	20.00	5.50	1.266-01	7.231-03	7.859-01
40.0	20.00	6.00	1.220-01	5.750-03	8.177-01
40.0	20.00	7.00	1.112-01	3.686-03	8.803-01
40.0	20.00	8.00	1.001-01	2.417-03	9.415-01
40.0	20.00	10.00	8.018-02	1.113-03	1.060 00
40.0	25.00	1.50	2.397-02	1.250-02	5.261-01
40.0	25.00	1.75	4.311-02	1.884-02	5.406-01
40.0	25.00	2.00	6.187-02	2.286-02	5.554-01
40.0	25.00	2.25	7.877-02	2.478-02	5.706-01
40.0	25.00	2.50	9.325-02	2.516-02	5.860-01
40.0	25.00	2.75	1.052-01	2.450-02	6.015-01
40.0	25.00	3.00	1.148-01	2.322-02	6.172-01
40.0	25.00	3.25	1.222-01	2.161-02	6.328-01
40.0	25.00	3.50	1.277-01	1.984-02	6.485-01
40.0	25.00	3.75	1.316-01	1.806-02	6.642-01
40.0	25.00	4.00	1.342-01	1.633-02	6.799-01
40.0	25.00	4.25	1.357-01	1.470-02	6.955-01
40.0	25.00	4.50	1.363-01	1.319-02	7.111-01
40.0	25.00	5.00	1.352-01	1.057-02	7.422-01
40.0	25.00	5.50	1.322-01	8.458-03	7.731-01
40.0	25.00	6.00	1.279-01	6.776-03	8.037-01
40.0	25.00	7.00	1.175-01	4.398-03	8.641-01
40.0	25.00	8.00	1.064-01	2.913-03	9.231-01
40.0	25.00	10.00	8.604-02	1.362-03	1.037 00

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
40.0	40.00	1.50	2.164-02	1.247-02	5.235-01
40.0	40.00	1.75	3.982-02	1.950-02	5.364-01
40.0	40.00	2.00	5.826-02	2.440-02	5.498-01
40.0	40.00	2.25	7.544-02	2.718-02	5.634-01
40.0	40.00	2.50	9.062-02	2.825-02	5.774-01
40.0	40.00	2.75	1.036-01	2.810-02	5.915-01
40.0	40.00	3.00	1.143-01	2.714-02	6.057-01
40.0	40.00	3.25	1.229-01	2.568-02	6.200-01
40.0	40.00	3.50	1.297-01	2.395-02	6.344-01
40.0	40.00	3.75	1.349-01	2.210-02	6.488-01
40.0	40.00	4.00	1.386-01	2.024-02	6.632-01
40.0	40.00	4.25	1.412-01	1.843-02	6.776-01
40.0	40.00	4.50	1.427-01	1.672-02	6.920-01
40.0	40.00	5.00	1.433-01	1.367-02	7.207-01
40.0	40.00	5.50	1.415-01	1.112-02	7.493-01
40.0	40.00	6.00	1.382-01	9.039-03	7.777-01
40.0	40.00	7.00	1.288-01	6.013-03	8.338-01
40.0	40.00	8.00	1.181-01	4.062-03	8.888-01
40.0	40.00	10.00	9.733-02	1.958-03	9.958-01
40.0	60.00	1.50	1.969-02	1.213-02	5.215-01
40.0	60.00	1.75	3.688-02	1.950-02	5.333-01
40.0	60.00	2.00	5.479-02	2.499-02	5.456-01
40.0	60.00	2.25	7.189-02	2.844-02	5.582-01
40.0	60.00	2.50	8.737-02	3.012-02	5.710-01
40.0	60.00	2.75	1.009-01	3.046-02	5.841-01
40.0	60.00	3.00	1.124-01	2.986-02	5.973-01
40.0	60.00	3.25	1.219-01	2.863-02	6.106-01
40.0	60.00	3.50	1.296-01	2.703-02	6.240-01
40.0	60.00	3.75	1.357-01	2.522-02	6.374-01
40.0	60.00	4.00	1.403-01	2.333-02	6.509-01
40.0	60.00	4.25	1.437-01	2.145-02	6.644-01
40.0	60.00	4.50	1.460-01	1.963-02	6.779-01
40.0	60.00	5.00	1.480-01	1.630-02	7.048-01
40.0	60.00	5.50	1.474-01	1.344-02	7.317-01
40.0	60.00	6.00	1.450-01	1.105-02	7.585-01
40.0	60.00	7.00	1.369-01	7.501-03	8.114-01
40.0	60.00	8.00	1.268-01	5.150-03	8.635-01
40.0	60.00	10.00	1.060-01	2.544-03	9.649-01

TABLE I (continued)

T_1^*	r_1/r_2	T_2/T_1	h	k_c	k_d
40.0	100.00	1.50	1.744-02	1.147-02	5.193-01
40.0	100.00	1.75	3.333-02	1.903-02	5.300-01
40.0	100.00	2.00	5.039-02	2.507-02	5.411-01
40.0	100.00	2.25	6.713-02	2.922-02	5.525-01
40.0	100.00	2.50	8.269-02	3.162-02	5.643-01
40.0	100.00	2.75	9.662-02	3.259-02	5.762-01
40.0	100.00	3.00	1.088-01	3.250-02	5.884-01
40.0	100.00	3.25	1.191-01	3.165-02	6.006-01
40.0	100.00	3.50	1.278-01	3.030-02	6.129-01
40.0	100.00	3.75	1.348-01	2.864-02	6.253-01
40.0	100.00	4.00	1.405-01	2.682-02	6.378-01
40.0	100.00	4.25	1.448-01	2.493-02	6.503-01
40.0	100.00	4.50	1.481-01	2.305-02	6.628-01
40.0	100.00	5.00	1.518-01	1.948-02	6.879-01
40.0	100.00	5.50	1.527-01	1.632-02	7.129-01
40.0	100.00	6.00	1.514-01	1.361-02	7.379-01
40.0	100.00	7.00	1.450-01	9.455-03	7.874-01
40.0	100.00	8.00	1.359-01	6.616-03	8.362-01
40.0	100.00	10.00	1.157-01	3.365-03	9.315-01

TABLE II

LENNARD-JONES (6-12) MODEL SHAPE FACTORS
FOR FLAT-PLATE COLUMNS BASED ON
AVERAGE TEMPERATURE GAS PROPERTIES

TABLE II

T_1^*	T_2/T_1	$\bar{h}$	$\bar{k}_c$	$\bar{k}_d$
0.8	1.50	0.9335	1.0009	1.0127
0.8	1.75	0.9398	1.0059	1.0217
0.8	2.00	0.9364	1.0139	1.0305
0.8	2.25	0.9343	1.0248	1.0385
0.8	2.50	0.9343	1.0378	1.0455
0.8	2.75	0.9365	1.0530	1.0516
0.8	3.00	0.9406	1.0698	1.0567
0.8	3.25	0.9471	1.0895	1.0613
0.8	3.50	0.9543	1.1088	1.0653
0.8	3.75	0.9625	1.1286	1.0687
0.8	4.00	0.9717	1.1489	1.0718
0.8	4.25	0.9816	1.1695	1.0744
0.8	4.50	0.9920	1.1902	1.0768
0.8	5.00	1.0145	1.2330	1.0805
0.8	5.50	1.0380	1.2762	1.0826
0.8	6.00	1.0620	1.3172	1.0851
0.8	7.00	1.1108	1.3975	1.0886
0.8	8.00	1.1577	1.4662	1.0933
0.8	10.00	1.2533	1.6131	1.0954
0.9	1.50	0.9704	1.0037	1.0115
0.9	1.75	0.9614	1.0108	1.0200
0.9	2.00	0.9561	1.0212	1.0281
0.9	2.25	0.9542	1.0345	1.0354
0.9	2.50	0.9552	1.0503	1.0418
0.9	2.75	0.9596	1.0697	1.0474
0.9	3.00	0.9652	1.0890	1.0524
0.9	3.25	0.9725	1.1095	1.0567
0.9	3.50	0.9811	1.1307	1.0606
0.9	3.75	0.9908	1.1524	1.0639
0.9	4.00	1.0013	1.1743	1.0669
0.9	4.25	1.0127	1.1973	1.0693
0.9	4.50	1.0240	1.2190	1.0713
0.9	5.00	1.0488	1.2652	1.0745
0.9	5.50	1.0742	1.3046	1.0775
0.9	6.00	1.1003	1.3536	1.0798
0.9	7.00	1.1502	1.4290	1.0859
0.9	8.00	1.2024	1.5131	1.0871
0.9	10.00	1.3002	1.6567	1.0917

TABLE II (continued)

T_1^*	T_2/T_1	$\bar{h}$	$\bar{k}_c$	$\bar{k}_d$
1.0	1.50	0.9799	1.0061	1.0106
1.0	1.75	0.9724	1.0151	1.0185
1.0	2.00	0.9688	1.0278	1.0260
1.0	2.25	0.9685	1.0433	1.0328
1.0	2.50	0.9722	1.0632	1.0388
1.0	2.75	0.9776	1.0832	1.0442
1.0	3.00	0.9849	1.1046	1.0490
1.0	3.25	0.9938	1.1268	1.0531
1.0	3.50	1.0039	1.1496	1.0568
1.0	3.75	1.0150	1.1730	1.0601
1.0	4.00	1.0268	1.1976	1.0621
1.0	4.25	1.0391	1.2214	1.0644
1.0	4.50	1.0519	1.2449	1.0666
1.0	5.00	1.0785	1.2924	1.0703
1.0	5.50	1.1063	1.3401	1.0730
1.0	6.00	1.1336	1.3852	1.0754
1.0	7.00	1.1875	1.4689	1.0802
1.0	8.00	1.2407	1.5494	1.0836
1.0	10.00	1.3402	1.6920	1.0891
1.1	1.50	0.9853	1.0085	1.0099
1.1	1.75	0.9800	1.0190	1.0173
1.1	2.00	0.9783	1.0336	1.0242
1.1	2.25	0.9810	1.0530	1.0306
1.1	2.50	0.9858	1.0732	1.0364
1.1	2.75	0.9929	1.0952	1.0416
1.1	3.00	1.0018	1.1181	1.0462
1.1	3.25	1.0117	1.1408	1.0504
1.1	3.50	1.0234	1.1663	1.0532
1.1	3.75	1.0359	1.1922	1.0558
1.1	4.00	1.0486	1.2162	1.0588
1.1	4.25	1.0622	1.2416	1.0610
1.1	4.50	1.0760	1.2665	1.0631
1.1	5.00	1.1044	1.3156	1.0667
1.1	5.50	1.1391	1.3855	1.0641
1.1	6.00	1.1612	1.4075	1.0731
1.1	7.00	1.2179	1.4952	1.0777
1.1	8.00	1.2730	1.5771	1.0813
1.1	10.00	1.3745	1.7227	1.0863

TABLE II (continued)

T_1^*	T_2/T_1	$\bar{h}$	$\bar{k}_c$	$\bar{k}_d$
1.2	1.50	0.9891	1.0101	1.0093
1.2	1.75	0.9857	1.0223	1.0162
1.2	2.00	0.9870	1.0405	1.0227
1.2	2.25	0.9908	1.0602	1.0289
1.2	2.50	0.9973	1.0821	1.0345
1.2	2.75	1.0061	1.1055	1.0395
1.2	3.00	1.0163	1.1296	1.0440
1.2	3.25	1.0280	1.1556	1.0470
1.2	3.50	1.0407	1.1816	1.0502
1.2	3.75	1.0542	1.2078	1.0530
1.2	4.00	1.0680	1.2332	1.0557
1.2	4.25	1.0824	1.2592	1.0581
1.2	4.50	1.0972	1.2850	1.0601
1.2	5.00	1.1248	1.3273	1.0661
1.2	5.50	1.1566	1.3827	1.0676
1.2	6.00	1.1865	1.4301	1.0704
1.2	7.00	1.2450	1.5188	1.0753
1.2	8.00	1.3008	1.6004	1.0793
1.2	10.00	1.4036	1.7459	1.0848
1.3	1.50	0.9919	1.0114	1.0088
1.3	1.75	0.9913	1.0269	1.0152
1.3	2.00	0.9937	1.0453	1.0216
1.3	2.25	0.9993	1.0667	1.0275
1.3	2.50	1.0075	1.0899	1.0329
1.3	2.75	1.0172	1.1142	1.0372
1.3	3.00	1.0290	1.1399	1.0415
1.3	3.25	1.0420	1.1672	1.0448
1.3	3.50	1.0556	1.1936	1.0480
1.3	3.75	1.0701	1.2209	1.0507
1.3	4.00	1.0849	1.2476	1.0533
1.3	4.25	1.1002	1.2745	1.0556
1.3	4.50	1.1215	1.3217	1.0521
1.3	5.00	1.1464	1.3508	1.0621
1.3	5.50	1.1776	1.4005	1.0655
1.3	6.00	1.2083	1.4482	1.0684
1.3	7.00	1.2682	1.5378	1.0735
1.3	8.00	1.3253	1.6205	1.0778
1.3	10.00	1.4290	1.7659	1.0836

TABLE II (continued)

T_1^*	T_2/T_1	$\bar{h}$	$\bar{k}_c$	$\bar{k}_d$
1.4	1.50	0.9948	1.0141	1.0083
1.4	1.75	0.9955	1.0299	1.0144
1.4	2.00	0.9997	1.0498	1.0206
1.4	2.25	1.0069	1.0723	1.0264
1.4	2.50	1.0164	1.0974	1.0309
1.4	2.75	1.0278	1.1236	1.0353
1.4	3.00	1.0404	1.1499	1.0394
1.4	3.25	1.0544	1.1776	1.0427
1.4	3.50	1.0695	1.2063	1.0456
1.4	3.75	1.0844	1.2330	1.0487
1.4	4.00	1.1004	1.2616	1.0510
1.4	4.25	1.1151	1.2848	1.0544
1.4	4.50	1.1316	1.3129	1.0563
1.4	5.00	1.1639	1.3653	1.0603
1.4	5.50	1.1960	1.4157	1.0636
1.4	6.00	1.2276	1.4636	1.0669
1.4	7.00	1.2886	1.5539	1.0722
1.4	8.00	1.3461	1.6373	1.0758
1.4	10.00	1.4508	1.7823	1.0827
1.5	1.50	0.9970	1.0156	1.0078
1.5	1.75	0.9993	1.0327	1.0139
1.5	2.00	1.0050	1.0537	1.0199
1.5	2.25	1.0135	1.0779	1.0248
1.5	2.50	1.0349	1.1409	1.0216
1.5	2.75	1.0368	1.1307	1.0338
1.5	3.00	1.0506	1.1583	1.0376
1.5	3.25	1.0655	1.1867	1.0410
1.5	3.50	1.0809	1.2148	1.0442
1.5	3.75	1.0988	1.2491	1.0453
1.5	4.00	1.1129	1.2695	1.0501
1.5	4.25	1.1292	1.2967	1.0525
1.5	4.50	1.1462	1.3249	1.0546
1.5	5.00	1.1794	1.3778	1.0586
1.5	5.50	1.2123	1.4282	1.0624
1.5	6.00	1.2446	1.4770	1.0656
1.5	7.00	1.3067	1.5689	1.0702
1.5	8.00	1.3648	1.6515	1.0748
1.5	10.00	1.4704	1.7973	1.0819

TABLE II (continued)

T_1^*	T_2/T_1	$\bar{h}$	$\bar{k}_c$	$\bar{k}_d$
1.6	1.50	0.9990	1.0171	1.0075
1.6	1.75	1.0027	1.0351	1.0134
1.6	2.00	1.0097	1.0569	1.0193
1.6	2.25	1.0193	1.0820	1.0238
1.6	2.50	1.0303	1.1044	1.0305
1.6	2.75	1.0448	1.1367	1.0325
1.6	3.00	1.0597	1.1657	1.0362
1.6	3.25	1.0735	1.1905	1.0403
1.6	3.50	1.0894	1.2160	1.0449
1.6	3.75	1.1062	1.2470	1.0465
1.6	4.00	1.1249	1.2795	1.0484
1.6	4.25	1.1419	1.3071	1.0511
1.6	4.50	1.1590	1.3345	1.0535
1.6	5.00	1.1931	1.3881	1.0575
1.6	5.50	1.2281	1.4423	1.0615
1.6	6.00	1.2595	1.4880	1.0645
1.6	7.00	1.3225	1.5806	1.0693
1.6	8.00	1.3817	1.6643	1.0740
1.6	10.00	1.4873	1.8094	1.0813
1.7	1.50	1.0007	1.0181	1.0073
1.7	1.75	1.0056	1.0369	1.0131
1.7	2.00	1.0137	1.0604	1.0179
1.7	2.25	1.0246	1.0861	1.0229
1.7	2.50	1.0375	1.1136	1.0274
1.7	2.75	1.0519	1.1421	1.0314
1.7	3.00	1.0675	1.1715	1.0351
1.7	3.25	1.0827	1.1965	1.0398
1.7	3.50	1.1006	1.2293	1.0419
1.7	3.75	1.1178	1.2585	1.0447
1.7	4.00	1.1355	1.2874	1.0475
1.7	4.25	1.1530	1.3154	1.0501
1.7	4.50	1.1706	1.3434	1.0522
1.7	5.00	1.2055	1.3975	1.0565
1.7	5.50	1.2396	1.4486	1.0603
1.7	6.00	1.2729	1.4977	1.0636
1.7	7.00	1.3366	1.5906	1.0686
1.7	8.00	1.3960	1.6741	1.0733
1.7	10.00	1.5019	1.8194	1.0807

TABLE II (continued)

T_1^*	T_2/T_1	$\bar{h}$	$\bar{k}_c$	$\bar{k}_d$
1.8	1.50	1.0022	1.0191	1.0072
1.8	1.75	1.0082	1.0393	1.0121
1.8	2.00	1.0173	1.0627	1.0173
1.8	2.25	1.0293	1.0897	1.0220
1.8	2.50	1.0432	1.1180	1.0264
1.8	2.75	1.0586	1.1477	1.0303
1.8	3.00	1.0728	1.1703	1.0362
1.8	3.25	1.0916	1.2059	1.0378
1.8	3.50	1.1092	1.2361	1.0407
1.8	3.75	1.1270	1.2653	1.0439
1.8	4.00	1.1449	1.2946	1.0464
1.8	4.25	1.1630	1.3230	1.0490
1.8	4.50	1.1809	1.3509	1.0515
1.8	5.00	1.2164	1.4050	1.0557
1.8	5.50	1.2511	1.4567	1.0595
1.8	6.00	1.2848	1.5071	1.0621
1.8	7.00	1.3492	1.5994	1.0680
1.8	8.00	1.4089	1.6831	1.0728
1.8	10.00	1.5153	1.8289	1.0803
1.9	1.50	1.0036	1.0199	1.0071
1.9	1.75	1.0106	1.0410	1.0117
1.9	2.00	1.0208	1.0655	1.0167
1.9	2.25	1.0336	1.0929	1.0213
1.9	2.50	1.0483	1.1220	1.0256
1.9	2.75	1.0662	1.1575	1.0279
1.9	3.00	1.0811	1.1810	1.0336
1.9	3.25	1.0988	1.2117	1.0367
1.9	3.50	1.1168	1.2415	1.0401
1.9	3.75	1.1352	1.2716	1.0428
1.9	4.00	1.1535	1.3006	1.0457
1.9	4.25	1.1718	1.3291	1.0483
1.9	4.50	1.1902	1.3576	1.0507
1.9	5.00	1.2262	1.4118	1.0550
1.9	5.50	1.2614	1.4650	1.0581
1.9	6.00	1.2960	1.5153	1.0615
1.9	7.00	1.3603	1.6069	1.0674
1.9	8.00	1.4209	1.6917	1.0723
1.9	10.00	1.5268	1.8366	1.0799

TABLE II (continued)

T_1^*	T_2/T_1	$\bar{h}$	$\bar{k}_c$	$\bar{k}_d$
2.0	1.50	1.0048	1.0212	1.0063
2.0	1.75	1.0127	1.0423	1.0113
2.0	2.00	1.0239	1.0678	1.0161
2.0	2.25	1.0374	1.0956	1.0207
2.0	2.50	1.0527	1.1252	1.0248
2.0	2.75	1.0691	1.1539	1.0294
2.0	3.00	1.0871	1.1858	1.0326
2.0	3.25	1.1052	1.2159	1.0362
2.0	3.50	1.1238	1.2468	1.0392
2.0	3.75	1.1425	1.2766	1.0423
2.0	4.00	1.1613	1.3060	1.0450
2.0	4.25	1.1800	1.3349	1.0476
2.0	4.50	1.1991	1.3642	1.0501
2.0	5.00	1.2351	1.4189	1.0536
2.0	5.50	1.2717	1.4729	1.0575
2.0	6.00	1.3053	1.5212	1.0610
2.0	7.00	1.3706	1.6140	1.0670
2.0	8.00	1.4307	1.6978	1.0719
2.0	10.00	1.5374	1.8437	1.0796
2.5	1.50	1.0097	1.0248	1.0055
2.5	1.75	1.0202	1.0468	1.0102
2.5	2.00	1.0353	1.0752	1.0147
2.5	2.25	1.0524	1.1061	1.0186
2.5	2.50	1.0706	1.1371	1.0230
2.5	2.75	1.0898	1.1690	1.0267
2.5	3.00	1.1097	1.2009	1.0304
2.5	3.25	1.1299	1.2326	1.0339
2.5	3.50	1.1499	1.2634	1.0371
2.5	3.75	1.1706	1.2948	1.0401
2.5	4.00	1.1907	1.3259	1.0421
2.5	4.25	1.2107	1.3557	1.0447
2.5	4.50	1.2300	1.3839	1.0472
2.5	5.00	1.2689	1.4404	1.0517
2.5	5.50	1.3058	1.4935	1.0557
2.5	6.00	1.3415	1.5441	1.0593
2.5	7.00	1.4079	1.6373	1.0655
2.5	8.00	1.4689	1.7218	1.0706
2.5	10.00	1.5752	1.8674	1.0786

TABLE II (continued)

T_1^*	T_2/T_1	$\bar{h}$	$\bar{k}_c$	$\bar{k}_d$
3.0	1.50	1.0127	1.0262	1.0054
3.0	1.75	1.0267	1.0520	1.0092
3.0	2.00	1.0434	1.0811	1.0132
3.0	2.25	1.0623	1.1122	1.0178
3.0	2.50	1.0825	1.1445	1.0219
3.0	2.75	1.1032	1.1769	1.0257
3.0	3.00	1.1245	1.2103	1.0286
3.0	3.25	1.1461	1.2428	1.0320
3.0	3.50	1.1677	1.2749	1.0352
3.0	3.75	1.1887	1.3061	1.0382
3.0	4.00	1.2098	1.3369	1.0410
3.0	4.25	1.2305	1.3670	1.0437
3.0	4.50	1.2509	1.3964	1.0462
3.0	5.00	1.2903	1.4528	1.0507
3.0	5.50	1.3282	1.5064	1.0548
3.0	6.00	1.3644	1.5573	1.0584
3.0	7.00	1.4316	1.6510	1.0647
3.0	8.00	1.4926	1.7355	1.0699
3.0	10.00	1.5983	1.8808	1.0781
5.0	1.50	1.0189	1.0302	1.0041
5.0	1.75	1.0371	1.0577	1.0080
5.0	2.00	1.0580	1.0888	1.0120
5.0	2.25	1.0806	1.1218	1.0160
5.0	2.50	1.1040	1.1556	1.0199
5.0	2.75	1.1278	1.1897	1.0236
5.0	3.00	1.1516	1.2236	1.0272
5.0	3.25	1.1752	1.2571	1.0306
5.0	3.50	1.1984	1.2899	1.0338
5.0	3.75	1.2213	1.3221	1.0368
5.0	4.00	1.2436	1.3535	1.0396
5.0	4.25	1.2655	1.3842	1.0423
5.0	4.50	1.2868	1.4140	1.0448
5.0	5.00	1.3277	1.4712	1.0495
5.0	5.50	1.3664	1.5253	1.0536
5.0	6.00	1.4030	1.5765	1.0573
5.0	7.00	1.4703	1.6706	1.0637
5.0	8.00	1.5307	1.7550	1.0691
5.0	10.00	1.6342	1.8999	1.0773

TABLE II (continued)

T_1^*	T_2/T_1	$\bar{h}$	$\bar{k}_c$	$\bar{k}_d$
10.0	1.50	1.0225	1.0314	1.0042
10.0	1.75	1.0430	1.0598	1.0078
10.0	2.00	1.0662	1.0917	1.0117
10.0	2.25	1.0906	1.1254	1.0156
10.0	2.50	1.1156	1.1597	1.0195
10.0	2.75	1.1407	1.1943	1.0232
10.0	3.00	1.1655	1.2285	1.0268
10.0	3.25	1.1900	1.2623	1.0302
10.0	3.50	1.2139	1.2955	1.0334
10.0	3.75	1.2373	1.3279	1.0364
10.0	4.00	1.2600	1.3596	1.0392
10.0	4.25	1.2821	1.3904	1.0419
10.0	4.50	1.3035	1.4204	1.0444
10.0	5.00	1.3446	1.4778	1.0491
10.0	5.50	1.3832	1.5321	1.0533
10.0	6.00	1.4196	1.5833	1.0570
10.0	7.00	1.4862	1.6775	1.0635
10.0	8.00	1.5456	1.7618	1.0688
10.0	10.00	1.6474	1.9063	1.0772
15.0	1.50	1.0232	1.0316	1.0042
15.0	1.75	1.0442	1.0601	1.0078
15.0	2.00	1.0678	1.0921	1.0116
15.0	2.25	1.0925	1.1258	1.0156
15.0	2.50	1.1177	1.1603	1.0194
15.0	2.75	1.1429	1.1949	1.0232
15.0	3.00	1.1679	1.2293	1.0267
15.0	3.25	1.1924	1.2631	1.0301
15.0	3.50	1.2163	1.2963	1.0333
15.0	3.75	1.2397	1.3287	1.0363
15.0	4.00	1.2624	1.3604	1.0392
15.0	4.25	1.2845	1.3912	1.0419
15.0	4.50	1.3059	1.4212	1.0444
15.0	5.00	1.3469	1.4787	1.0491
15.0	5.50	1.3854	1.5329	1.0532
15.0	6.00	1.4217	1.5842	1.0570
15.0	7.00	1.4882	1.6783	1.0634
15.0	8.00	1.5476	1.7626	1.0688
15.0	10.00	1.6492	1.9071	1.0771

TABLE II (continued)

T_1^*	T_2/T_1	$\bar{h}$	$\bar{k}_c$	$\bar{k}_d$
20.0	1.50	1.0234	1.0316	1.0042
20.0	1.75	1.0446	1.0602	1.0078
20.0	2.00	1.0682	1.0922	1.0116
20.0	2.25	1.0930	1.1260	1.0156
20.0	2.50	1.1183	1.1605	1.0194
20.0	2.75	1.1435	1.1951	1.0232
20.0	3.00	1.1685	1.2294	1.0267
20.0	3.25	1.1930	1.2633	1.0301
20.0	3.50	1.2169	1.2965	1.0333
20.0	3.75	1.2403	1.3289	1.0363
20.0	4.00	1.2630	1.3605	1.0392
20.0	4.25	1.2851	1.3914	1.0419
20.0	4.50	1.3065	1.4214	1.0444
20.0	5.00	1.3475	1.4788	1.0491
20.0	5.50	1.3861	1.5331	1.0532
20.0	6.00	1.4224	1.5844	1.0570
20.0	7.00	1.4889	1.6785	1.0634
20.0	8.00	1.5482	1.7628	1.0688
20.0	10.00	1.6495	1.9073	1.0771

25.0	1.50	1.0235	1.0317	1.0041
25.0	1.75	1.0447	1.0602	1.0077
25.0	2.00	1.0684	1.0923	1.0116
25.0	2.25	1.0932	1.1260	1.0156
25.0	2.50	1.1185	1.1605	1.0194
25.0	2.75	1.1437	1.1951	1.0232
25.0	3.00	1.1687	1.2295	1.0267
25.0	3.25	1.1932	1.2633	1.0301
25.0	3.50	1.2172	1.2965	1.0333
25.0	3.75	1.2405	1.3289	1.0363
25.0	4.00	1.2633	1.3606	1.0392
25.0	4.25	1.2854	1.3914	1.0419
25.0	4.50	1.3068	1.4214	1.0444
25.0	5.00	1.3478	1.4789	1.0491
25.0	5.50	1.3864	1.5332	1.0532
25.0	6.00	1.4227	1.5844	1.0570
25.0	7.00	1.4890	1.6786	1.0634
25.0	8.00	1.5482	1.7629	1.0688
25.0	10.00	1.6494	1.9073	1.0771

TABLE II (continued)

T_1^*	T_2/T_1	$\bar{h}$	$\bar{k}_c$	$\bar{k}_d$
40.0	1.50	1.0236	1.0317	1.0041
40.0	1.75	1.0448	1.0602	1.0078
40.0	2.00	1.0685	1.0923	1.0116
40.0	2.25	1.0934	1.1260	1.0156
40.0	2.50	1.1187	1.1605	1.0194
40.0	2.75	1.1439	1.1951	1.0232
40.0	3.00	1.1689	1.2295	1.0267
40.0	3.25	1.1935	1.2633	1.0301
40.0	3.50	1.2174	1.2965	1.0333
40.0	3.75	1.2408	1.3290	1.0363
40.0	4.00	1.2635	1.3606	1.0392
40.0	4.25	1.2856	1.3915	1.0419
40.0	4.50	1.3070	1.4214	1.0444
40.0	5.00	1.3478	1.4789	1.0491
40.0	5.50	1.3863	1.5332	1.0532
40.0	6.00	1.4225	1.5845	1.0570
40.0	7.00	1.4887	1.6786	1.0634
40.0	8.00	1.5479	1.7629	1.0688
40.0	10.00	1.6498	1.9074	1.0771

TABLE III
 INTERMOLECULAR FORCE PARAMETERS σ AND ϵ/κ
 FOR THE LENNARD-JONES 6-12 POTENTIAL*

Substance	Molecular Weight	σ , Å	ϵ/κ , °K
<u>Light Elements</u>			
H ₂	2.016	2.915	38.0
He	4.003	2.576	10.2
<u>Inert Gases</u>			
Ne	20.18	2.789	35.7
Ar	39.94	3.418	124.0
Kr	83.80	3.610	190.0
Xe	131.3	4.055	229.0
<u>Simple Polyatomic Gases</u>			
Cl ₂	70.91	4.115	357.0
CH ₄	16.04	3.822	137.0
CO	28.01	3.590	110.0
CO ₂	44.01	3.996	190.0
F ₂	38.00	3.653	112.0
N ₂	28.02	3.681	91.5
NO	30.01	3.470	119.0
N ₂ O	44.02	3.879	220.0
O ₂	32.00	3.433	113.0
SO ₂	64.07	4.290	252.0
UF ₆	352.0	5.853	261.0

* Reference 5, pp 1110-2.

REFERENCES

1. Clusius, K., and Dickel, G., Naturwissenschaften, 26, 546 (1938).
2. Jones, R. C., and Furry, W. H., Rev. Modern Phys., 18, 152-224 (1946).
3. Von Halle, E., Greene, E., and Hoglund, R. L., "Thermal Diffusion Column Shape Factors, Part I. Shape Factors Based on An Inverse Power Repulsion Model," Union Carbide Corporation, Nuclear Division, Report K-1469 (1965).
4. McInteer, B. B., and Reisfeld, M. J., "Tabulated Values of Thermal Diffusion Column Shape Factors for the Lennard-Jones (12-6) Potential," Los Alamos Scientific Laboratory of the University of California, Report LAMS-2517 (1961).
5. Hirschfelder, J. O., Curtiss, C. F., and Bird, R. B., Molecular Theory of Gases and Liquids, John Wiley and Sons, Inc., New York (1954).
6. Perry, R. H., Chilton, C. H., and Kirkpatrick, S. D., Chemical Engineers' Handbook, 4th Edition, McGraw-Hill Book Co., Inc., New York, 14-20 (1963).
7. Svehla, R. A., "Estimated Viscosities and Thermal Conductivities of Gases at High Temperatures," NASA Technical Report R-132, 34-7 1962.