27
1/29/80
242175

TABLES OF THERMODYNAMIC FUNCTIONS FOR GASEOUS THORIUM, URANIUM, AND PLUTONIUM OXIDES

by

David W. Green

MASTER

ARGONNE NATIONAL LABORATORY, ARGONNE, ILLINOIS

Prepared for the U. S. DEPARTMENT OF ENERGY

under Contract W-31-109-Eng-38

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

The facilities of Argonne National Laboratory are owned by the United States Government. Under the terms of a contract (W-31-109-Eng-38) among the U. S. Department of Energy, Argonne Universities Association and The University of Chicago, the University employs the staff and operates the Laboratory in accordance with policies and programs formulated, approved and reviewed by the Association.

MEMBERS OF ARGONNE UNIVERSITIES ASSOCIATION

The University of Arizona	The University of Kansas	The Ohio State University
Carnegie-Mellon University	Kansas State University	Ohio University
Case Western Reserve University	Loyola University of Chicago	The Pennsylvania State University
The University of Chicago	Marquette University	Purdue University
University of Cincinnati	The University of Michigan	Saint Louis University
Illinois Institute of Technology	Michigan State University	Southern Illinois University
University of Illinois	University of Minnesota	The University of Texas at Austin
Indiana University	University of Missouri	Washington University
The University of Iowa	Northwestern University	Wayne State University
Iowa State University	University of Notre Dame	The University of Wisconsin-Madison

NOTICE

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government or any agency thereof, nor any of their employees, make any warranty, express or implied, or assume any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represent that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, mark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

ARGONNE NATIONAL LABORATORY
9700 South Cass Avenue
Argonne, Illinois 60439

TABLES OF THERMODYNAMIC FUNCTIONS FOR GASEOUS
THORIUM, URANIUM, AND PLUTONIUM OXIDES

by

David W. Green

Chemical Engineering Division

March 1980

DISCLAIMER

This book was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

THIS PAGE
WAS INTENTIONALLY
LEFT BLANK

TABLES OF THERMODYNAMIC FUNCTIONS FOR GASEOUS
THORIUM, URANIUM, AND PLUTONIUM OXIDES

by

David W. Green

Measured and estimated spectroscopic data for thorium, uranium, and plutonium oxide vapor species have been used with the methods of statistical mechanics to calculate thermodynamic functions. Some inconsistencies between spectroscopic data and some thermodynamic data¹ have been resolved by recalculating² ΔH_f° (298.15 K) values for the vapor species of these oxides. Evaluation of the uncertainties in data, methods of estimating molecular parameters, and effects of assumptions have been discussed elsewhere.³

The tables of thermodynamic functions that were reported earlier⁴ have been revised principally because the low-frequency vibrational modes of UO_2 and UO_3 have now been measured.⁵ These new empirical data resulted in changes in the electronic contributions to the calculated thermodynamic functions of UO_2 and the estimated vibrational contributions for PuO_2 . In addition, some minor changes have been made in the methods of calculation of the electronic contributions for all molecules.

Table 1 summarizes the data that were used to generate the thermodynamic functions given in Tables 2 to 15. The rotational and vibrational contributions are from measured and estimated spectroscopic data. The parameters for the electric contribution are for an increasing-density-of-states model that is similar to one described previously.⁶ The values of ΔH_f° (298.15 K) are calculated^{2,3} for the oxides from evaluated ΔG_f° equations and consistent thermodynamic functions. Contributions to the thermodynamic functions from vibrational anharmonicity, vibration-rotation interaction, centrifugal stretching, and other "correction" terms are not included because they are small relative to the uncertainties in the thermodynamic functions at temperatures above 3000 K.

Table 1. Summary of Data for Uranium, Plutonium, and Thorium Oxide Vapor Species.

	UO	UO ₂	UO ₃	PuO	PuO ₂	ThO	ThO ₂
Rotation ^a	$r = 0.184 \text{ nm}$	linear $r = 0.179 \text{ nm}$	T-shaped $2r = 0.176 \text{ nm}$ $r = 0.179 \text{ nm}$	$r = 0.183 \text{ nm}$	linear $r = 0.179 \text{ nm}$	$r = 0.184 \text{ nm}$	$\theta = 122.5^\circ$ $r = 0.180 \text{ nm}$
Vibration ^b (frequency in cm^{-1})	820.0	765.4 225.2 (2), 776.1	843.5, 745.7, 186.2, 852.6, 211.6, 151.5	822.3	746.50, 230 (2), 794.25	890.99	787.40, 250, 735.35
Electronic ^c	$g = 1$, $x = 920 \text{ cm}^{-1}$, IP = 45,000 cm^{-1}	$g = 1$, $x = 230$, IP = 45,000	$g = 1$, $x = 2300$, IP = 85,000	$g = 1$, $x = 260$, IP = 47,000	$g = 1$, $x = 670$, IP = 75,000	$g = 1$, $x = 430$, IP = 49,000	$g = 1$, $x = 2300$, IP = 70,000
ΔH_f° (kJ) in kJ and (kcal)	19.9 (4.8)	-466.5 (-111.5)	-800.1 (-191.2)	-91.0 (-21.8)	-469.2 (-112.1)	-21.8 (-5.2)	-453 (-108)

^aBond angles are measured;⁷⁻¹⁰ bond distances are estimated³, except for ThO.¹¹

^bAll frequencies above 300 cm^{-1} are measured;⁷⁻¹¹ those below are measured⁵ for UO₂ and UO₃; others are estimated.³

^cModel parameters^{3,4} are derived; ionization potentials are measured.¹²

Table 2. Thermodynamic Functions for ThO(g); Units for Columns 2-5 Are cal K⁻¹ mol⁻¹ and for Columns 6-9 Are kcal mol⁻¹.

T(K)	C _p ^o	S ^o	$-\left(\frac{G^o-H_0^o}{T}\right)$	$-\left(\frac{G^o-H_{298}^o}{T}\right)$	H ^o -H ₀ ^o	H ^o -H ₂₉₈ ^o	ΔH _f ^o	ΔG _f ^o
0.0	0.0	0.0	INF	INF	0.0	-2.29	-4.9	-4.9
298.15	8.89	58.20	50.53	58.20	2.29	0.0	-5.2	-11.5
300.00	8.90	58.26	50.58	58.20	2.30	0.02	-5.2	-11.5
400.00	9.51	60.91	52.84	58.56	3.23	0.94	-5.3	-13.6
500.00	9.91	63.08	54.68	59.25	4.20	1.91	-5.4	-15.6
600.00	10.18	64.91	56.24	60.05	5.20	2.92	-5.5	-17.7
700.00	10.36	66.49	57.59	60.86	6.23	3.94	-5.6	-19.7
800.00	10.50	67.89	58.79	61.65	7.27	4.99	-5.7	-21.7
900.00	10.59	69.13	59.87	62.41	8.33	6.04	-5.8	-23.7
1000.00	10.66	70.25	60.86	63.14	9.39	7.11	-5.9	-25.7
1100.00	10.72	71.27	61.76	63.84	10.46	8.18	-6.1	-27.7
1200.00	10.77	72.20	62.59	64.49	11.54	9.25	-6.2	-29.6
1300.00	10.80	73.07	63.36	65.12	12.62	10.33	-6.4	-31.6
1400.00	10.84	73.87	64.08	65.72	13.70	11.41	-6.6	-33.5
1500.00	10.86	74.62	64.76	66.29	14.78	12.50	-6.9	-35.4
1600.00	10.88	75.32	65.40	66.83	15.87	13.59	-7.1	-37.3
1700.00	10.91	75.98	66.00	67.35	16.96	14.68	-7.2	-39.1
1800.00	10.92	76.61	66.58	67.85	18.05	15.77	-8.4	-40.9
1900.00	10.94	77.20	67.12	68.32	19.15	16.86	-8.7	-42.7
2000.00	10.95	77.76	67.64	68.78	20.24	17.96	-9.0	-44.5
2100.00	10.97	78.29	68.13	69.22	21.34	19.05	-12.7	-46.2
2200.00	10.98	78.81	68.61	69.64	22.44	20.15	-13.2	-47.7
2300.00	10.99	79.29	69.06	70.05	23.54	21.25	-13.6	-49.3
2400.00	11.00	79.76	69.50	70.45	24.64	22.35	-14.1	-50.9
2500.00	11.01	80.21	69.92	70.83	25.74	23.45	-14.5	-52.4
2600.00	11.03	80.64	70.32	71.20	26.84	24.56	-15.0	-53.9
2700.00	11.04	81.06	70.71	71.56	27.95	25.66	-15.5	-55.4
2800.00	11.05	81.46	71.09	71.90	29.05	26.76	-15.9	-56.8
2900.00	11.06	81.85	71.45	72.24	30.16	27.87	-16.4	-58.3
3000.00	11.07	82.23	71.80	72.57	31.26	28.98	-16.9	-59.7
3100.00	11.08	82.59	72.15	72.88	32.37	30.08	-17.3	-61.1
3200.00	11.09	82.94	72.48	73.19	33.48	31.19	-17.8	-62.5
3300.00	11.09	83.28	72.80	73.49	34.59	32.30	-18.3	-63.9
3400.00	11.10	83.62	73.11	73.79	35.70	33.41	-18.8	-65.3
3500.00	11.11	83.94	73.42	74.07	36.81	34.53	-19.2	-66.7
3600.00	11.12	84.25	73.72	74.35	37.93	35.64	-19.7	-68.0
3700.00	11.13	84.56	74.00	74.62	39.04	36.75	-20.2	-69.4
3800.00	11.14	84.85	74.29	74.89	40.16	37.87	-20.7	-70.7
3900.00	11.15	85.14	74.56	75.15	41.27	38.98	-21.1	-72.0
4000.00	11.16	85.43	74.83	75.40	42.39	40.10	-21.6	-73.3
4100.00	11.17	85.70	75.09	75.65	43.51	41.22	-22.1	-74.6
4200.00	11.18	85.97	75.35	75.89	44.62	42.34	-22.6	-75.9
4300.00	11.19	86.24	75.60	76.13	45.74	43.46	-23.1	-77.1
4400.00	11.20	86.49	75.84	76.36	46.87	44.58	-23.5	-78.4
4500.00	11.21	86.75	76.08	76.59	47.99	45.70	-24.0	-79.6
4600.00	11.22	86.99	76.32	76.81	49.11	46.82	-24.5	-80.8
4700.00	11.23	87.23	76.55	77.03	50.24	47.95	-25.0	-82.1
4800.00	11.25	87.47	76.77	77.25	51.36	49.08	-25.5	-83.3
4900.00	11.26	87.70	76.99	77.46	52.49	50.20	-25.9	-84.5
5000.00	11.27	87.93	77.21	77.67	53.62	51.33	-161.5	-84.9
5100.00	11.28	88.16	77.42	77.87	54.75	52.46	-161.9	-83.4
5200.00	11.29	88.37	77.63	78.07	55.88	53.59	-162.4	-81.8
5300.00	11.31	88.59	77.83	78.27	57.01	54.72	-162.9	-80.3
5400.00	11.32	88.80	78.03	78.46	58.14	55.85	-163.4	-78.7
5500.00	11.33	89.01	78.23	78.65	59.28	56.99	-163.9	-77.1
5600.00	11.35	89.22	78.43	78.84	60.41	58.13	-164.4	-75.5
5700.00	11.36	89.42	78.62	79.02	61.55	59.26	-164.9	-74.0
5800.00	11.38	89.62	78.81	79.20	62.69	60.40	-165.4	-72.4
5900.00	11.39	89.81	78.99	79.38	63.83	61.54	-165.8	-70.7
6000.00	11.41	90.00	79.17	79.55	64.97	62.69	-166.3	-69.1

Table 3. Thermodynamic Functions for $\text{ThO}_2(\text{g})$; Units for Columns 2-5 Are $\text{cal K}^{-1} \text{mol}^{-1}$ and for Columns 6-9 Are kcal mol^{-1} .

T(K)	C_p°	S°	$-\left(\frac{G^\circ - H_0^\circ}{T}\right)$	$-\left(\frac{G^\circ - H_{298}^\circ}{T}\right)$	$H^\circ - H_0^\circ$	$H^\circ - H_{298}^\circ$	ΔH_f°	ΔG_f°
0.0	0.0	0.0	INF	INF	0.0	-2.79	-107.4	-107.4
298.15	11.15	67.00	57.65	67.00	2.79	0.0	-108.3	-109.8
300.00	11.17	67.07	57.71	67.00	2.81	0.02	-108.3	-109.8
400.00	12.05	70.41	60.48	67.45	3.97	1.18	-108.5	-110.3
500.00	12.67	73.17	62.75	68.33	5.21	2.42	-108.7	-110.8
600.00	13.16	75.53	64.69	69.34	6.50	3.71	-108.8	-111.2
700.00	13.56	77.59	66.39	70.37	7.84	5.05	-109.0	-111.6
800.00	13.89	79.42	67.90	71.39	9.21	6.42	-109.2	-111.9
900.00	14.16	81.07	69.28	72.37	10.62	7.83	-109.4	-112.2
1000.00	14.40	82.58	70.63	73.32	12.04	9.26	-109.5	-112.5
1100.00	14.59	83.96	71.69	74.23	13.49	10.70	-109.7	-112.8
1200.00	14.76	85.24	72.77	75.09	14.96	12.17	-109.9	-113.1
1300.00	14.90	86.42	73.77	75.92	16.44	13.66	-110.2	-113.4
1400.00	15.02	87.53	74.71	76.71	17.94	15.15	-110.4	-113.6
1500.00	15.12	88.57	75.60	77.46	19.45	16.66	-110.6	-113.8
1600.00	15.21	89.55	76.45	78.19	20.97	18.18	-110.9	-114.0
1700.00	15.29	90.47	77.24	78.88	22.49	19.70	-112.0	-114.2
1800.00	15.36	91.35	78.00	79.55	24.02	21.23	-112.2	-114.3
1900.00	15.42	92.18	78.73	80.20	25.56	22.77	-112.5	-114.4
2000.00	15.47	92.97	79.42	80.81	27.11	24.32	-112.7	-114.5
2100.00	15.51	93.73	80.08	81.41	28.66	25.87	-116.5	-114.5
2200.00	15.56	94.45	80.72	81.99	30.21	27.42	-116.9	-114.4
2300.00	15.59	95.15	81.33	82.55	31.77	28.98	-117.4	-114.2
2400.00	15.63	95.81	81.92	83.08	33.33	30.54	-117.8	-114.1
2500.00	15.66	96.45	82.49	83.61	34.89	32.10	-118.3	-113.9
2600.00	15.69	97.06	83.04	84.11	36.46	33.67	-118.8	-113.7
2700.00	15.71	97.66	83.57	84.60	38.03	35.24	-119.2	-113.5
2800.00	15.73	98.23	84.08	85.08	39.60	36.81	-119.7	-113.3
2900.00	15.76	98.78	84.58	85.54	41.18	38.39	-120.2	-113.1
3000.00	15.78	99.32	85.06	85.99	42.75	39.97	-120.7	-112.8
3100.00	15.79	99.83	85.53	86.43	44.33	41.54	-121.1	-112.5
3200.00	15.81	100.34	85.99	86.86	45.91	43.13	-121.6	-112.3
3300.00	15.83	100.82	86.43	87.27	47.50	44.71	-122.1	-112.0
3400.00	15.84	101.29	86.86	87.68	49.08	46.29	-122.6	-111.6
3500.00	15.86	101.75	87.28	88.07	50.67	47.88	-123.1	-111.3
3600.00	15.87	102.20	87.69	88.46	52.25	49.46	-123.6	-111.0
3700.00	15.89	102.64	88.08	88.84	53.84	51.05	-124.1	-110.6
3800.00	15.90	103.06	88.47	89.21	55.43	52.64	-124.6	-110.3
3900.00	15.91	103.47	88.86	89.57	57.02	54.23	-125.1	-109.9
4000.00	15.92	103.88	89.22	89.92	58.61	55.82	-125.6	-109.5
4100.00	15.94	104.27	89.58	90.26	60.21	57.42	-126.1	-109.1
4200.00	15.95	104.65	89.94	90.60	61.80	59.01	-126.6	-108.6
4300.00	15.96	105.03	90.29	90.93	63.40	60.61	-127.1	-108.2
4400.00	15.97	105.40	90.62	91.26	64.99	62.21	-127.6	-107.8
4500.00	15.98	105.76	90.96	91.58	66.59	63.80	-128.1	-107.3
4600.00	15.99	106.11	91.28	91.89	68.19	65.40	-128.6	-106.9
4700.00	16.00	106.45	91.60	92.20	69.79	67.00	-129.1	-106.4
4800.00	16.01	106.79	91.91	92.50	71.39	68.60	-129.6	-105.9
4900.00	16.02	107.12	92.22	92.79	72.99	70.20	-130.1	-105.4
5000.00	16.03	107.44	92.52	93.08	74.60	71.81	-265.7	-104.1
5100.00	16.03	107.76	92.82	93.37	76.20	73.41	-266.2	-100.9
5200.00	16.05	108.07	93.11	93.64	77.80	75.01	-266.7	-97.6
5300.00	16.05	108.38	93.39	93.92	79.41	76.62	-267.2	-94.4
5400.00	16.06	108.68	93.67	94.19	81.01	78.22	-267.8	-91.1
5500.00	16.07	108.97	93.95	94.46	82.62	79.83	-268.3	-87.8
5600.00	16.08	109.26	94.22	94.72	84.23	81.44	-268.8	-84.6
5700.00	16.09	109.55	94.49	94.98	85.84	83.05	-269.4	-81.3
5800.00	16.10	109.83	94.75	95.23	87.45	84.66	-269.9	-77.9
5900.00	16.10	110.10	95.01	95.48	89.06	86.27	-270.4	-74.6
6000.00	16.11	110.37	95.26	95.73	90.67	87.88	-270.9	-71.3

Table 4. Thermodynamic Functions for UO(g) ; Units for Columns 2-5 Are $\text{cal K}^{-1} \text{mol}^{-1}$ and for Columns 6-9 Are kcal mol^{-1} .

T(K)	C_p°	S°	$-\left(\frac{G^\circ - H_0^\circ}{T}\right)$	$-\left(\frac{G^\circ - H_{298}^\circ}{T}\right)$	$H^\circ - H_0^\circ$	$H^\circ - H_{298}^\circ$	ΔH_f°	ΔG_f°
0.0	0.0	0.0	INF	INF	0.0	-2.15	5.2	5.2
298.15	8.05	57.59	50.38	57.59	2.15	0.0	4.8	-1.5
300.00	8.07	57.64	50.42	57.59	2.17	0.01	4.8	-1.6
400.00	8.84	60.07	52.54	57.92	3.01	0.86	4.6	-3.6
500.00	9.40	62.11	54.25	58.56	3.93	1.78	4.4	-5.7
600.00	9.78	63.86	55.71	59.30	4.89	2.74	4.2	-7.7
700.00	10.06	65.39	56.99	60.06	5.88	3.73	3.9	-9.6
800.00	10.25	66.74	58.12	60.81	6.90	4.74	3.6	-11.5
900.00	10.39	67.96	59.15	61.54	7.93	5.78	3.1	-13.4
1000.00	10.50	69.06	60.09	62.24	8.97	6.82	2.0	-15.2
1100.00	10.59	70.07	60.95	62.90	10.03	7.88	0.6	-16.8
1200.00	10.65	70.99	61.75	63.54	11.09	8.94	0.3	-18.4
1300.00	10.71	71.85	62.49	64.15	12.16	10.01	0.0	-19.9
1400.00	10.75	72.64	63.19	64.73	13.23	11.08	-0.3	-21.4
1500.00	10.79	73.38	63.84	65.28	14.31	12.16	-3.0	-22.8
1600.00	10.83	74.08	64.46	65.81	15.39	13.24	-3.5	-24.1
1700.00	10.85	74.74	65.05	66.31	16.48	14.32	-4.0	-25.4
1800.00	10.88	75.36	65.60	66.80	17.56	15.41	-4.5	-26.6
1900.00	10.90	75.95	66.13	67.26	18.65	16.50	-5.0	-27.8
2000.00	10.92	76.51	66.64	67.71	19.74	17.59	-5.6	-29.0
2100.00	10.94	77.04	67.12	68.14	20.84	18.69	-6.1	-30.2
2200.00	10.96	77.55	67.58	68.56	21.93	19.78	-6.6	-31.3
2300.00	10.98	78.04	68.03	68.96	23.03	20.88	-7.1	-32.4
2400.00	10.99	78.51	68.45	69.35	24.13	21.98	-7.6	-33.5
2500.00	11.00	78.96	68.87	69.73	25.23	23.08	-8.2	-34.6
2600.00	11.02	79.39	69.26	70.09	26.33	24.18	-8.7	-35.6
2700.00	11.03	79.81	69.64	70.44	27.43	25.28	-9.2	-36.6
2800.00	11.05	80.21	70.02	70.78	28.54	26.39	-9.8	-37.6
2900.00	11.06	80.60	70.37	71.11	29.64	27.49	-10.3	-38.6
3000.00	11.07	80.97	70.72	71.44	30.75	28.60	-10.8	-39.6
3100.00	11.08	81.33	71.06	71.75	31.86	29.71	-11.4	-40.5
3200.00	11.09	81.69	71.38	72.06	32.97	30.82	-11.9	-41.5
3300.00	11.11	82.03	71.70	72.35	34.08	31.93	-12.4	-42.4
3400.00	11.12	82.36	72.01	72.64	35.19	33.04	-13.0	-43.3
3500.00	11.13	82.68	72.31	72.92	36.30	34.15	-13.5	-44.2
3600.00	11.14	83.00	72.60	73.20	37.42	35.27	-14.0	-45.0
3700.00	11.15	83.30	72.89	73.47	38.53	36.38	-14.6	-45.9
3800.00	11.16	83.60	73.17	73.73	39.65	37.50	-15.1	-46.7
3900.00	11.18	83.89	73.44	73.99	40.77	38.62	-15.7	-47.6
4000.00	11.19	84.17	73.70	74.24	41.89	39.73	-16.2	-48.4
4100.00	11.20	84.45	73.96	74.49	43.01	40.85	-16.7	-49.2
4200.00	11.21	84.72	74.21	74.73	44.13	41.98	-17.3	-50.0
4300.00	11.23	84.98	74.46	74.96	45.25	43.10	-17.8	-50.7
4400.00	11.24	85.24	74.70	75.19	46.37	44.22	-18.4	-51.5
4500.00	11.25	85.50	74.94	75.42	47.50	45.35	-18.9	-52.3
4600.00	11.27	85.74	75.17	75.64	48.63	46.48	-19.6	-53.0
4700.00	11.28	85.99	75.40	75.86	49.76	47.60	-20.3	-53.7
4800.00	11.30	86.22	75.62	76.07	50.89	48.73	-21.0	-54.4
4900.00	11.31	86.46	75.84	76.28	52.02	49.87	-21.7	-55.1
5000.00	11.32	86.69	76.06	76.49	53.15	51.00	-22.4	-55.8
5100.00	11.34	86.91	76.27	76.69	54.28	52.13	-23.1	-56.5
5200.00	11.36	87.13	76.47	76.89	55.42	53.27	-23.8	-57.2
5300.00	11.38	87.35	76.68	77.08	56.56	54.41	-24.5	-57.9
5400.00	11.39	87.56	76.88	77.27	57.70	55.55	-25.2	-58.6
5500.00	11.41	87.77	77.07	77.46	58.84	56.69	-25.9	-59.3
5600.00	11.42	87.98	77.27	77.65	59.98	57.83	-26.6	-60.0
5700.00	11.44	88.18	77.46	77.83	61.12	58.97	-27.3	-60.7
5800.00	11.45	88.38	77.64	78.01	62.27	60.11	-28.0	-61.4
5900.00	11.47	88.57	77.83	78.19	63.41	61.26	-28.7	-62.1
6000.00	11.48	88.77	78.01	78.36	64.56	62.41	-29.4	-62.8

Table 5. Thermodynamic Functions for $\text{UO}_2(\text{g})$; Units for Columns 2-5 Are $\text{cal K}^{-1} \text{mol}^{-1}$ and for Columns 6-9 Are kcal mol^{-1} .

T(K)	C_p°	S°	$-\left(\frac{G^\circ - H_0^\circ}{T}\right)$	$-\left(\frac{G^\circ - H_{298}^\circ}{T}\right)$	$H^\circ - H_0^\circ$	$H^\circ - H_{298}^\circ$	ΔH_f°	ΔG_f°
0.0	0.0	0.0	INF	INF	0.0	-3.16	-111.1	-111.1
298.15	13.77	63.66	53.05	63.66	3.16	0.0	-111.5	-112.3
300.00	13.79	63.74	53.11	63.66	3.19	0.03	-111.5	-112.3
400.00	14.79	67.86	56.30	64.21	4.62	1.46	-111.5	-112.6
500.00	15.41	71.23	58.96	65.29	6.14	2.97	-111.4	-112.8
600.00	15.81	74.08	61.25	66.52	7.70	4.53	-111.4	-113.1
700.00	16.08	76.54	63.26	67.78	9.29	6.13	-111.5	-113.4
800.00	16.27	78.70	65.06	69.02	10.91	7.75	-111.6	-113.7
900.00	16.40	80.63	66.69	70.20	12.55	9.38	-111.8	-113.9
1000.00	16.51	82.36	68.17	71.33	14.19	11.03	-112.7	-114.1
1100.00	16.58	83.94	69.53	72.41	15.85	12.68	-114.0	-114.2
1200.00	16.65	85.39	70.79	73.43	17.51	14.35	-114.1	-114.2
1300.00	16.70	86.72	71.97	74.40	19.18	16.01	-114.2	-114.2
1400.00	16.74	87.96	73.07	75.33	20.85	17.69	-114.3	-114.2
1500.00	16.77	89.12	74.10	76.21	22.53	19.36	-116.9	-114.0
1600.00	16.80	90.20	75.07	77.05	24.21	21.04	-117.2	-113.8
1700.00	16.83	91.22	75.99	77.85	25.89	22.73	-117.6	-113.6
1800.00	16.85	92.18	76.86	78.62	27.57	24.41	-117.9	-113.4
1900.00	16.87	93.10	77.69	79.36	29.26	26.10	-118.2	-113.1
2000.00	16.89	93.96	78.49	80.07	30.95	27.79	-118.7	-112.8
2100.00	16.91	94.79	79.24	80.75	32.64	29.48	-119.1	-112.5
2200.00	16.92	95.57	79.97	81.41	34.33	31.17	-119.4	-112.2
2300.00	16.94	96.33	80.66	82.04	36.03	32.86	-119.8	-111.9
2400.00	16.95	97.05	81.33	82.65	37.72	34.56	-120.2	-111.5
2500.00	16.97	97.74	81.97	83.24	39.42	36.26	-120.6	-111.2
2600.00	16.98	98.41	82.59	83.81	41.12	37.96	-121.0	-110.8
2700.00	16.99	99.05	83.19	84.36	42.82	39.65	-121.4	-110.4
2800.00	17.00	99.67	83.77	84.90	44.52	41.36	-121.8	-109.9
2900.00	17.02	100.27	84.33	85.42	46.22	43.06	-122.2	-109.5
3000.00	17.03	100.84	84.87	85.92	47.93	44.76	-122.6	-109.1
3100.00	17.04	101.40	85.39	86.41	49.63	46.47	-123.1	-108.6
3200.00	17.05	101.94	85.90	86.89	51.34	48.17	-123.5	-108.1
3300.00	17.06	102.47	86.40	87.35	53.04	49.88	-123.9	-107.7
3400.00	17.07	102.98	86.88	87.81	54.75	51.59	-124.3	-107.2
3500.00	17.08	103.48	87.34	88.25	56.46	53.30	-124.8	-106.6
3600.00	17.09	103.96	87.80	88.68	58.17	55.01	-125.2	-106.1
3700.00	17.11	104.43	88.24	89.10	59.88	56.72	-125.6	-105.6
3800.00	17.12	104.88	88.67	89.51	61.60	58.43	-126.1	-105.0
3900.00	17.13	105.33	89.09	89.91	63.31	60.15	-126.5	-104.5
4000.00	17.14	105.76	89.51	90.30	65.03	61.86	-126.9	-103.9
4100.00	17.15	106.19	89.91	90.68	66.74	63.58	-127.4	-103.3
4200.00	17.16	106.60	90.30	91.05	68.46	65.30	-127.8	-102.7
4300.00	17.18	107.01	90.68	91.42	70.18	67.02	-128.3	-102.1
4400.00	17.19	107.40	91.06	91.78	71.90	68.74	-128.7	-101.5
4500.00	17.20	107.79	91.43	92.13	73.62	70.46	-129.2	-99.2
4600.00	17.21	108.17	91.79	92.47	75.35	72.18	-129.7	-95.9
4700.00	17.23	108.54	92.14	92.81	77.07	73.91	-129.3	-92.6
4800.00	17.24	108.90	92.48	93.14	78.80	75.63	-129.8	-89.4
4900.00	17.25	109.26	92.82	93.47	80.52	77.36	-129.4	-86.0
5000.00	17.27	109.61	93.16	93.79	82.25	79.09	-128.9	-82.7
5100.00	17.28	109.95	93.48	94.10	83.98	80.82	-129.4	-79.4
5200.00	17.30	110.29	93.80	94.41	85.71	82.55	-129.9	-76.1
5300.00	17.31	110.62	94.12	94.71	87.45	84.28	-129.5	-72.7
5400.00	17.33	110.94	94.42	95.01	89.18	86.02	-129.0	-69.4
5500.00	17.35	111.26	94.73	95.30	90.92	87.76	-129.5	-66.0
5600.00	17.37	111.57	95.03	95.59	92.66	89.50	-129.9	-62.6
5700.00	17.38	111.88	95.32	95.87	94.40	91.24	-129.4	-59.2
5800.00	17.41	112.18	95.61	96.15	96.15	92.98	-129.9	-55.8
5900.00	17.43	112.48	95.89	96.43	97.90	94.73	-129.3	-52.4
6000.00	17.46	112.78	96.17	96.70	99.65	96.49	-129.8	-49.0

Table 6. Thermodynamic Functions for $\text{UO}_3(\text{g})$; Units for Columns 2-5 Are $\text{cal K}^{-1} \text{mol}^{-1}$ and for Columns 6-9 are kcal mol^{-1} .

T(K)	C_p°	S°	$-\left(\frac{C_p^\circ - H_{298}^\circ}{T}\right)$	$-\left(\frac{C_p^\circ - H_{298}^\circ}{T}\right)$	$H^\circ - H_{298}^\circ$	$H^\circ - H_{298}^\circ$	ΔH_f°	ΔG_f°
0.0	0.0	0.0	INF	INF	0.0	-3.62	-190.2	-190.2
298.15	15.43	74.00	61.85	73.99	3.62	0.0	-191.2	-187.8
300.00	15.46	74.09	61.93	73.99	3.65	0.03	-191.2	-187.8
400.00	16.79	78.73	65.57	74.62	5.26	1.64	-191.4	-186.6
500.00	17.74	82.58	68.60	75.84	6.99	3.37	-191.5	-185.4
600.00	18.44	85.88	71.21	77.24	8.80	5.18	-191.6	-184.2
700.00	18.99	88.77	73.52	78.69	10.68	7.06	-191.8	-182.9
800.00	19.43	91.33	75.58	80.11	12.60	8.98	-192.0	-181.6
900.00	19.79	93.64	77.47	81.49	14.56	10.94	-192.3	-180.3
1000.00	20.08	95.74	79.19	82.81	16.55	12.93	-193.3	-179.0
1100.00	20.32	97.67	80.78	84.07	18.57	14.95	-194.6	-177.5
1200.00	20.52	99.45	82.27	85.28	20.62	17.00	-194.8	-175.9
1300.00	20.68	101.10	83.65	86.44	22.68	19.06	-194.9	-174.3
1400.00	20.82	102.63	84.95	87.54	24.75	21.13	-195.0	-172.7
1500.00	20.95	104.07	86.18	88.59	26.84	23.22	-197.6	-171.0
1600.00	21.05	105.43	87.34	89.60	28.94	25.32	-198.0	-169.2
1700.00	21.14	106.71	88.44	90.57	31.05	27.43	-198.3	-167.4
1800.00	21.22	107.92	89.49	91.50	33.17	29.55	-198.7	-165.5
1900.00	21.28	109.07	90.49	92.40	35.29	31.67	-199.1	-163.7
2000.00	21.34	110.16	91.45	93.26	37.42	33.80	-199.5	-161.8
2100.00	21.39	111.20	92.36	94.09	39.56	35.94	-199.9	-159.9
2200.00	21.44	112.20	93.24	94.89	41.70	38.08	-200.2	-158.0
2300.00	21.48	113.15	94.09	95.66	43.85	40.23	-200.6	-156.1
2400.00	21.52	114.07	94.90	96.41	46.00	42.38	-201.0	-154.1
2500.00	21.55	114.95	95.69	97.13	48.15	44.53	-201.4	-152.2
2600.00	21.58	115.80	96.44	97.84	50.31	46.69	-201.8	-150.2
2700.00	21.61	116.61	97.18	98.52	52.47	48.85	-202.3	-148.2
2800.00	21.64	117.40	97.88	99.18	54.63	51.01	-202.7	-146.2
2900.00	21.66	118.16	98.57	99.82	56.80	53.18	-203.1	-144.2
3000.00	21.68	118.89	99.24	100.44	58.97	55.35	-203.5	-142.1
3100.00	21.70	119.60	99.88	101.05	61.14	57.51	-203.9	-140.1
3200.00	21.72	120.29	100.51	101.64	63.31	59.69	-204.4	-138.0
3300.00	21.74	120.96	101.12	102.21	65.46	61.86	-204.8	-135.9
3400.00	21.75	121.61	101.71	102.78	67.65	64.03	-205.3	-133.8
3500.00	21.77	122.24	102.29	103.32	69.83	66.21	-205.7	-131.7
3600.00	21.78	122.85	102.85	103.86	72.01	68.39	-206.2	-129.6
3700.00	21.80	123.45	103.40	104.38	74.19	70.57	-206.6	-127.5
3800.00	21.81	124.03	103.94	104.89	76.37	72.75	-207.1	-125.3
3900.00	21.82	124.60	104.46	105.39	78.55	74.93	-207.5	-123.2
4000.00	21.83	125.15	104.97	105.87	80.73	77.11	-208.0	-121.0
4100.00	21.85	125.69	105.47	106.35	82.92	79.30	-208.5	-118.8
4200.00	21.86	126.22	105.95	106.82	85.10	81.48	-209.0	-116.6
4300.00	21.86	126.73	106.43	107.27	87.29	83.67	-209.4	-114.4
4400.00	21.88	127.24	106.90	107.72	89.48	85.86	-209.9	-112.2
4500.00	21.88	127.73	107.36	108.16	91.66	88.04	-327.4	-108.3
4600.00	21.89	128.21	107.80	108.59	93.85	90.23	-328.0	-103.4
4700.00	21.90	128.68	108.24	109.01	96.04	92.42	-328.6	-98.5
4800.00	21.91	129.14	108.67	109.43	98.24	94.61	-329.2	-93.6
4900.00	21.92	129.59	109.10	109.84	100.43	96.81	-329.8	-88.7
5000.00	21.93	130.04	109.51	110.24	102.62	99.00	-330.3	-83.8
5100.00	21.94	130.47	109.92	110.63	104.81	101.19	-330.9	-78.8
5200.00	21.94	130.90	110.32	111.01	107.01	103.39	-331.5	-73.9
5300.00	21.95	131.31	110.71	111.39	109.20	105.58	-332.0	-68.9
5400.00	21.96	131.73	111.09	111.77	111.40	107.78	-332.6	-64.0
5500.00	21.97	132.13	111.47	112.13	113.59	109.97	-333.2	-59.0
5600.00	21.97	132.52	111.85	112.49	115.79	112.17	-333.7	-54.0
5700.00	21.98	132.91	112.21	112.85	117.99	114.37	-334.2	-49.0
5800.00	21.99	133.30	112.57	113.20	120.19	116.57	-334.7	-44.0
5900.00	22.00	133.67	112.93	113.54	122.39	118.77	-335.3	-38.9
6000.00	22.00	134.04	113.28	113.88	124.59	120.97	-335.8	-33.9

Table 7. Thermodynamic Functions for PuO(g) ; Units for Columns 2-5 Are $\text{cal K}^{-1} \text{mol}^{-1}$ and for Columns 6-9 Are kcal mol^{-1} .

T(K)	C_p°	S°	$-\left(\frac{G^\circ - H_0^\circ}{T}\right)$	$-\left(\frac{G^\circ - H_{298}^\circ}{T}\right)$	$H^\circ - H_0^\circ$	$H^\circ - H_{298}^\circ$	ΔH_f°	ΔG_f°
0.0	0.0	0.0	INF	INF	0.0	-2.42	-21.4	-21.4
298.15	9.33	59.12	51.01	59.12	2.42	0.0	-21.8	-28.1
300.00	9.34	59.18	51.06	59.12	2.43	0.02	-21.8	-28.1
400.00	9.83	61.94	53.45	59.49	3.39	0.98	-22.8	-30.2
500.00	10.15	64.17	55.38	60.21	4.39	1.98	-23.2	-32.0
600.00	10.36	66.04	57.00	61.03	5.42	3.00	-23.5	-33.7
700.00	10.50	67.65	58.41	61.86	6.46	4.05	-23.8	-35.4
800.00	10.61	69.06	59.66	62.68	7.52	5.10	-24.0	-37.0
900.00	10.68	70.31	60.77	63.46	8.59	6.17	-24.2	-38.6
1000.00	10.74	71.44	61.78	64.20	9.66	7.24	-25.6	-40.1
1100.00	10.78	72.47	62.71	64.91	10.73	8.32	-25.9	-41.5
1200.00	10.82	73.41	63.56	65.57	11.82	9.40	-26.3	-42.9
1300.00	10.85	74.27	64.35	66.21	12.90	10.48	-26.6	-44.3
1400.00	10.88	75.08	65.09	66.82	13.99	11.57	-27.0	-45.7
1500.00	10.90	75.83	65.78	67.39	15.08	12.66	-27.4	-47.0
1600.00	10.92	76.54	66.43	67.94	16.17	13.75	-27.7	-48.3
1700.00	10.93	77.20	67.05	68.47	17.26	14.84	-28.1	-49.5
1800.00	10.95	77.82	67.63	68.97	18.35	15.94	-28.4	-50.8
1900.00	10.96	78.42	68.18	69.45	19.45	17.03	-20.0	-52.0
2000.00	10.97	78.98	68.71	69.91	20.55	18.13	-29.1	-53.2
2100.00	10.99	79.52	69.21	70.36	21.65	19.23	-29.5	-54.4
2200.00	11.00	80.03	69.69	70.79	22.75	20.33	-29.9	-55.6
2300.00	11.01	80.52	70.15	71.20	23.85	21.43	-30.2	-56.8
2400.00	11.02	80.99	70.59	71.60	24.95	22.53	-30.6	-57.9
2500.00	11.03	81.44	71.02	71.98	26.06	23.64	-31.0	-59.1
2600.00	11.04	81.87	71.42	72.35	27.16	24.74	-31.4	-60.2
2700.00	11.05	82.29	71.82	72.71	28.27	25.85	-31.7	-61.3
2800.00	11.06	82.69	72.20	73.06	29.37	26.96	-32.1	-62.4
2900.00	11.07	83.08	72.57	73.40	30.48	28.06	-32.5	-63.4
3000.00	11.08	83.46	72.93	73.73	31.59	29.17	-32.9	-64.5
3100.00	11.09	83.82	73.27	74.05	32.70	30.28	-33.2	-65.5
3200.00	11.10	84.17	73.61	74.36	33.81	31.39	-33.6	-66.6
3300.00	11.11	84.52	73.93	74.66	34.92	32.50	-34.0	-67.6
3400.00	11.12	84.85	74.25	74.96	36.03	33.62	-34.4	-68.6
3500.00	11.13	85.17	74.56	75.25	37.15	34.73	-34.8	-69.6
3600.00	11.14	85.48	74.86	75.53	38.26	35.85	-35.1	-70.6
3700.00	11.15	85.79	75.15	75.80	39.38	36.96	-119.2	-69.4
3800.00	11.16	86.09	75.43	76.07	40.50	38.08	-120.0	-68.0
3900.00	11.16	86.38	75.71	76.33	41.61	39.20	-120.8	-66.7
4000.00	11.18	86.66	75.98	76.58	42.73	40.32	-121.7	-65.3
4100.00	11.19	86.94	76.24	76.83	43.85	41.44	-122.5	-63.8
4200.00	11.20	87.21	76.50	77.08	44.97	42.56	-123.4	-62.4
4300.00	11.21	87.47	76.75	77.31	46.10	43.68	-124.2	-60.9
4400.00	11.22	87.73	77.00	77.55	47.22	44.80	-125.1	-59.5
4500.00	11.23	87.98	77.24	77.78	48.34	45.93	-125.9	-58.0
4600.00	11.24	88.23	77.40	78.00	49.47	47.05	-126.8	-56.4
4700.00	11.25	88.47	77.71	78.22	50.60	48.18	-127.6	-54.9
4800.00	11.26	88.71	77.93	78.44	51.72	49.31	-128.5	-53.3
4900.00	11.28	88.94	78.16	78.65	52.85	50.44	-129.3	-51.8
5000.00	11.29	89.17	78.38	78.86	53.98	51.57	-130.2	-50.2
5100.00	11.30	89.40	78.59	79.06	55.12	52.70	-131.0	-48.6
5200.00	11.31	89.62	78.80	79.26	56.25	53.83	-131.8	-47.0
5300.00	11.33	89.83	79.01	79.46	57.38	54.97	-132.6	-45.3
5400.00	11.34	90.05	79.21	79.66	58.52	56.10	-133.4	-43.7
5500.00	11.36	90.25	79.41	79.85	59.66	57.24	-134.1	-42.0
5600.00	11.37	90.46	79.60	80.03	60.80	58.38	-134.9	-40.3
5700.00	11.39	90.66	79.79	80.22	61.94	59.52	-135.6	-38.6
5800.00	11.41	90.86	79.98	80.40	63.08	60.67	-136.3	-36.9
5900.00	11.42	91.06	80.17	80.58	64.23	61.81	-137.0	-35.2
6000.00	11.44	91.25	80.35	80.76	65.38	62.96	-137.7	-33.4

Table 8. Thermodynamic Functions for $\text{PuO}_2(\text{g})$; Units for Columns 2-5 Are $\text{cal K}^{-1} \text{mol}^{-1}$ and for Columns 6-9 Are kcal mol^{-1} .

T(K)	C_p°	S°	$-\left(\frac{C_p^\circ - H_f^\circ}{T}\right)$	$-\left(\frac{C_p^\circ - H_{298}^\circ}{T}\right)$	$H^\circ - H_0^\circ$	$H^\circ - H_{298}^\circ$	ΔH_f°	ΔG_f°
0.0	0.0	0.0	INF	INF	0.0	-2.91	-111.3	-111.3
298.15	12.84	62.65	52.29	62.65	2.91	0.0	-112.1	-112.0
300.00	12.87	62.13	52.35	62.65	2.93	0.02	-112.1	-112.0
400.00	14.15	66.62	55.30	62.57	4.29	1.38	-113.2	-112.0
500.00	14.95	69.27	57.78	63.60	5.75	2.84	-113.4	-111.6
600.00	15.47	72.05	59.93	64.78	7.27	4.36	-113.7	-111.3
700.00	15.82	74.46	61.84	65.99	8.84	5.93	-113.8	-110.8
800.00	16.06	76.59	63.55	67.19	10.43	7.52	-113.9	-110.4
900.00	16.23	78.45	65.11	68.34	12.04	9.14	-113.9	-109.9
1000.00	16.35	80.21	66.53	69.44	13.67	10.76	-115.2	-109.3
1100.00	16.45	81.77	67.85	70.49	15.31	12.41	-115.4	-108.8
1200.00	16.53	83.21	69.07	71.49	16.96	14.06	-115.6	-108.1
1300.00	16.59	84.53	70.21	72.45	18.62	15.71	-115.8	-107.5
1400.00	16.64	85.76	71.28	73.35	20.28	17.37	-116.0	-106.9
1500.00	16.68	86.91	72.28	74.22	21.95	19.04	-116.2	-106.2
1600.00	16.71	87.99	73.23	75.05	23.62	20.71	-116.4	-105.5
1700.00	16.74	89.01	74.13	75.84	25.29	22.38	-116.6	-104.9
1800.00	16.77	89.96	74.98	76.60	26.97	24.06	-116.9	-104.2
1900.00	16.79	90.87	75.79	77.33	28.65	25.74	-117.1	-103.4
2000.00	16.81	91.73	76.57	78.02	30.33	27.42	-117.3	-102.7
2100.00	16.83	92.55	77.31	78.70	32.01	29.10	-117.6	-102.0
2200.00	16.84	93.34	78.02	79.34	33.69	30.78	-117.8	-101.2
2300.00	16.86	94.09	78.70	79.97	35.38	32.47	-118.0	-100.5
2400.00	16.87	94.80	79.36	80.57	37.06	34.15	-118.3	-99.7
2500.00	16.88	95.49	79.99	81.16	38.75	35.84	-118.5	-98.9
2600.00	16.89	96.16	80.60	81.72	40.44	37.53	-118.8	-98.1
2700.00	16.90	96.79	81.19	82.27	42.13	39.22	-119.0	-97.3
2800.00	16.91	97.41	81.76	82.80	43.82	40.91	-119.3	-96.5
2900.00	16.92	98.00	82.31	83.31	45.51	42.60	-119.6	-95.7
3000.00	16.93	98.58	82.84	83.81	47.21	44.30	-119.8	-94.9
3100.00	16.94	99.13	83.36	84.30	48.90	45.99	-120.1	-94.0
3200.00	16.94	99.67	83.86	84.77	50.60	47.69	-120.4	-93.2
3300.00	16.95	100.19	84.35	85.23	52.29	49.38	-120.7	-92.3
3400.00	16.96	100.70	84.82	85.67	53.99	51.08	-121.0	-91.5
3500.00	16.97	101.19	85.28	86.11	55.68	52.78	-121.2	-90.6
3600.00	16.97	101.67	85.73	86.54	57.38	54.47	-121.5	-89.7
3700.00	16.98	102.13	86.17	86.95	59.08	56.17	-120.5	-86.7
3800.00	16.99	102.59	86.59	87.36	60.78	57.87	-206.2	-83.4
3900.00	16.99	103.03	87.01	87.75	62.48	59.57	-206.9	-80.2
4000.00	17.00	103.46	87.41	88.14	64.18	61.27	-207.7	-76.9
4100.00	17.01	103.88	87.81	88.52	65.88	62.97	-208.5	-73.7
4200.00	17.01	104.29	88.20	88.89	67.58	64.67	-209.2	-70.4
4300.00	17.02	104.69	88.58	89.25	69.28	66.38	-210.0	-67.0
4400.00	17.02	105.08	88.95	89.61	70.99	68.08	-210.8	-63.7
4500.00	17.03	105.46	89.31	89.96	72.69	69.78	-211.6	-60.4
4600.00	17.04	105.84	89.67	90.30	74.40	71.49	-212.4	-57.0
4700.00	17.04	106.21	90.01	90.63	76.10	73.19	-213.1	-53.6
4800.00	17.05	106.56	90.35	90.96	77.81	74.90	-213.9	-50.2
4900.00	17.05	106.92	90.69	91.28	79.51	76.60	-214.7	-46.8
5000.00	17.06	107.26	91.02	91.60	81.22	78.31	-215.4	-43.4
5100.00	17.07	107.60	91.34	91.91	82.93	80.02	-216.2	-39.9
5200.00	17.07	107.93	91.65	92.21	84.63	81.72	-216.9	-36.4
5300.00	17.08	108.26	91.96	92.51	86.34	83.43	-217.7	-33.0
5400.00	17.08	108.58	92.27	92.81	88.05	85.14	-218.4	-29.5
5500.00	17.09	108.89	92.57	93.10	89.76	86.85	-219.1	-26.0
5600.00	17.10	109.20	92.86	93.38	91.47	88.56	-219.8	-22.5
5700.00	17.10	109.50	93.15	93.66	93.18	90.27	-220.5	-18.9
5800.00	17.11	109.80	93.44	93.94	94.89	91.98	-221.1	-15.4
5900.00	17.11	110.09	93.72	94.21	96.61	93.70	-221.8	-11.8
6000.00	17.12	110.38	93.99	94.48	98.32	95.41	-222.4	-8.2

THIS PAGE
WAS INTENTIONALLY
LEFT BLANK

Table 9. Thermodynamic Functions for ThO(g); Units for Columns 2-5 Are $\text{J K}^{-1} \text{mol}^{-1}$ and for Columns 6-9 Are kJ mol^{-1} .

T(K)	C_p°	S°	$-\left(\frac{G^\circ - H_0^\circ}{T}\right)$	$-\left(\frac{G^\circ - H_{298}^\circ}{T}\right)$	$H^\circ - H_0^\circ$	$H^\circ - H_{298}^\circ$	ΔH_f°	ΔG_f°
0.0	0.0	0.0	INF	INF	0.0	-9.6	-20.5	-20.5
298.15	37.17	243.5	211.4	243.5	9.6	0.0	-21.8	-47.9
300.00	37.23	243.8	211.6	243.5	9.6	0.1	-21.8	-48.1
400.00	39.78	254.8	221.1	245.0	13.5	3.9	-22.2	-56.8
500.00	41.47	263.9	228.8	247.9	17.6	8.0	-22.5	-65.4
600.00	42.59	271.6	235.3	251.2	21.8	12.2	-22.9	-73.9
700.00	43.37	278.2	241.0	254.6	26.1	16.5	-23.3	-82.4
800.00	43.92	284.0	246.0	257.9	30.4	20.9	-23.7	-90.8
900.00	44.31	289.2	250.5	261.1	34.9	25.3	-24.2	-99.2
1000.00	44.62	293.9	254.6	264.2	39.3	29.7	-24.7	-107.5
1100.00	44.86	298.2	258.4	267.1	43.8	34.2	-25.4	-115.7
1200.00	45.05	302.1	261.9	269.8	48.3	38.7	-26.1	-123.9
1300.00	45.20	305.7	265.1	272.5	52.8	43.2	-26.9	-132.0
1400.00	45.34	309.1	268.1	275.0	57.3	47.8	-27.8	-140.1
1500.00	45.44	312.2	271.0	277.3	61.9	52.3	-28.8	-148.1
1600.00	45.54	315.1	273.6	279.6	66.4	56.8	-29.8	-156.0
1700.00	45.63	317.9	276.2	281.8	71.0	61.4	-34.3	-163.7
1800.00	45.70	320.5	278.6	283.9	75.5	66.0	-35.3	-171.3
1900.00	45.77	323.0	280.8	285.9	80.1	70.5	-36.4	-178.8
2000.00	45.83	325.3	283.0	287.8	84.7	75.1	-37.6	-186.3
2100.00	45.89	327.6	285.1	289.6	89.3	79.7	-53.1	-193.2
2200.00	45.94	329.7	287.0	291.4	93.9	84.3	-55.0	-199.8
2300.00	45.99	331.8	288.9	293.1	98.5	88.9	-57.0	-206.3
2400.00	46.04	333.7	290.8	294.8	103.1	93.5	-58.9	-212.8
2500.00	46.08	335.6	292.5	296.4	107.7	98.1	-63.8	-219.1
2600.00	46.13	337.4	294.2	297.9	112.3	102.7	-62.8	-225.4
2700.00	46.18	339.2	295.9	299.4	116.9	107.4	-64.7	-231.6
2800.00	46.22	340.8	297.4	300.8	121.5	112.0	-66.7	-237.8
2900.00	46.26	342.5	299.0	302.3	126.2	116.6	-68.6	-243.9
3000.00	46.30	344.0	300.4	303.6	130.8	121.2	-73.6	-249.9
3100.00	46.34	345.6	301.9	304.9	135.4	125.9	-72.6	-255.8
3200.00	46.38	347.0	303.3	306.2	140.1	130.5	-74.5	-261.7
3300.00	46.42	348.5	304.6	307.5	144.7	135.2	-76.5	-267.5
3400.00	46.46	349.8	305.9	308.7	149.4	139.8	-78.5	-273.3
3500.00	46.50	351.2	307.2	309.9	154.0	144.5	-83.5	-279.0
3600.00	46.54	352.5	308.4	311.1	158.7	149.1	-82.5	-284.6
3700.00	46.58	353.8	309.6	312.2	163.3	153.8	-84.5	-290.2
3800.00	46.62	355.0	310.8	313.3	168.0	158.4	-86.5	-295.7
3900.00	46.66	356.2	312.0	314.4	172.7	163.1	-88.5	-301.2
4000.00	46.70	357.4	313.1	315.5	177.4	167.8	-90.5	-306.6
4100.00	46.75	358.6	314.2	316.5	182.0	172.5	-92.5	-312.0
4200.00	46.78	359.7	315.2	317.5	186.7	177.1	-94.5	-317.4
4300.00	46.83	360.8	316.3	318.5	191.4	181.8	-96.5	-322.7
4400.00	46.87	361.9	317.3	319.5	196.1	186.5	-98.5	-327.9
4500.00	46.91	362.9	318.3	320.4	200.8	191.2	-100.5	-333.1
4600.00	46.96	364.0	319.3	321.4	205.5	195.9	-102.5	-338.2
4700.00	47.01	365.0	320.3	322.3	210.2	200.6	-104.5	-343.3
4800.00	47.05	366.0	321.2	323.2	214.9	205.3	-106.5	-348.4
4900.00	47.10	367.0	322.1	324.1	219.6	210.0	-108.5	-353.4
5000.00	47.15	367.9	323.0	325.0	224.3	214.8	-675.5	-355.2
5100.00	47.20	368.8	323.9	325.8	229.1	219.5	-677.6	-348.8
5200.00	47.25	369.8	324.8	326.6	233.8	224.2	-679.6	-342.3
5300.00	47.30	370.7	325.7	327.5	238.5	229.0	-681.7	-335.8
5400.00	47.36	371.5	326.5	328.3	243.3	233.7	-683.7	-329.3
5500.00	47.41	372.4	327.3	329.1	248.0	238.4	-685.8	-322.7
5600.00	47.47	373.3	328.1	329.8	252.8	243.2	-687.8	-316.1
5700.00	47.54	374.1	328.9	330.6	257.5	248.0	-689.8	-309.4
5800.00	47.60	374.9	329.7	331.4	262.3	252.7	-691.9	-302.7
5900.00	47.67	375.8	330.5	332.1	267.1	257.5	-693.9	-296.0
6000.00	47.74	376.6	331.3	332.9	271.9	262.3	-695.9	-289.2

Table 10. Thermodynamic Functions for $\text{ThO}_2(\text{g})$; Units for Columns 2-5 Are $\text{J K}^{-1} \text{mol}^{-1}$ and for Columns 6-9 Are kJ mol^{-1} .

T(K)	C_p°	S°	$-\left(\frac{G^\circ - H_0^\circ}{T}\right)$	$-\left(\frac{G^\circ - H_{298}^\circ}{T}\right)$	$H^\circ - H_0^\circ$	$H^\circ - H_{298}^\circ$	ΔH_f°	ΔG_f°
0.0	0.0	0.0	INF	INF	0.0	-11.7	-449.5	-449.5
298.15	46.65	280.3	241.2	280.3	11.7	0.0	-453.0	-459.5
300.00	46.73	280.6	241.4	280.3	11.8	0.1	-453.0	-459.6
400.00	50.40	294.6	253.0	282.2	16.6	5.0	-453.9	-461.6
500.00	53.03	306.1	262.5	285.9	21.8	10.1	-454.7	-463.5
600.00	55.07	316.0	270.7	290.1	27.2	15.5	-455.4	-465.2
700.00	56.72	324.6	277.8	294.4	32.8	21.1	-456.1	-466.7
800.00	58.10	332.3	284.1	298.7	38.5	26.9	-456.0	-468.2
900.00	59.26	339.2	289.8	302.8	44.4	32.7	-457.5	-469.6
1000.00	60.24	345.5	295.1	306.8	50.4	38.7	-458.3	-470.9
1100.00	61.05	351.3	300.0	310.6	56.5	44.8	-459.1	-472.1
1200.00	61.76	356.6	304.5	314.2	62.6	50.9	-460.0	-473.3
1300.00	62.34	361.6	308.7	317.6	68.8	57.1	-460.9	-474.3
1400.00	62.84	366.2	312.6	320.9	75.1	63.4	-461.8	-475.2
1500.00	63.28	370.6	316.3	324.1	81.4	69.7	-462.9	-476.2
1600.00	63.65	374.7	319.8	327.1	87.7	76.1	-463.9	-477.1
1700.00	63.96	378.5	323.2	330.1	94.1	82.4	-464.5	-477.7
1800.00	64.25	382.2	326.4	332.8	100.5	88.8	-469.4	-478.3
1900.00	64.50	385.7	329.4	335.5	107.0	95.3	-470.5	-478.7
2000.00	64.71	389.0	332.3	338.1	113.4	101.7	-471.7	-479.1
2100.00	64.91	392.2	335.1	340.6	119.9	108.2	-487.3	-478.9
2200.00	65.08	395.2	337.7	343.0	126.4	114.7	-489.2	-478.5
2300.00	65.24	398.1	340.3	345.4	132.9	121.2	-491.1	-478.0
2400.00	65.38	400.9	342.8	347.6	139.4	127.8	-493.1	-477.3
2500.00	65.51	403.5	345.1	349.8	146.0	134.3	-495.0	-476.6
2600.00	65.63	406.1	347.4	351.9	152.6	140.9	-497.0	-475.9
2700.00	65.74	408.6	349.7	354.0	159.1	147.5	-498.9	-475.0
2800.00	65.83	411.0	351.8	356.0	165.7	154.0	-500.9	-474.1
2900.00	65.93	413.3	353.9	357.9	172.3	160.6	-502.9	-473.1
3000.00	66.01	415.5	355.9	359.8	178.9	167.2	-504.9	-472.0
3100.00	66.09	417.7	357.9	361.6	185.5	173.8	-506.9	-470.9
3200.00	66.17	419.8	359.8	363.4	192.1	180.4	-508.9	-469.7
3300.00	66.23	421.8	361.6	365.2	198.7	187.1	-510.9	-468.5
3400.00	66.29	423.8	363.4	366.8	205.4	193.7	-512.9	-467.1
3500.00	66.36	425.7	365.2	368.5	212.0	200.3	-515.0	-465.8
3600.00	66.42	427.6	366.9	370.1	218.6	207.0	-517.0	-464.3
3700.00	66.47	429.4	368.5	371.7	225.3	213.6	-519.1	-462.8
3800.00	66.53	431.2	370.2	373.2	231.9	220.3	-521.2	-461.3
3900.00	66.58	432.9	371.8	374.7	238.6	226.9	-523.2	-459.7
4000.00	66.63	434.6	373.3	376.2	245.2	233.6	-525.3	-458.1
4100.00	66.68	436.3	374.8	377.7	251.9	240.2	-527.4	-456.3
4200.00	66.72	437.9	376.3	379.1	258.6	246.9	-529.5	-454.6
4300.00	66.76	439.4	377.8	380.5	265.3	253.6	-531.6	-452.8
4400.00	66.81	441.0	379.2	381.8	271.9	260.3	-533.8	-450.9
4500.00	66.85	442.5	380.6	383.2	278.6	267.0	-535.9	-449.0
4600.00	66.89	444.0	381.9	384.5	285.3	273.6	-538.0	-447.1
4700.00	66.94	445.4	383.3	385.7	292.0	280.3	-540.2	-445.1
4800.00	66.97	446.8	384.6	387.0	298.7	287.0	-542.3	-443.0
4900.00	67.01	448.2	385.9	388.2	305.4	293.7	-544.4	-440.9
5000.00	67.06	449.5	387.1	389.4	312.1	300.4	-1111.5	-435.6
5100.00	67.09	450.9	388.4	390.6	318.8	307.1	-1113.7	-422.1
5200.00	67.13	452.2	389.6	391.8	325.5	313.9	-1115.9	-408.5
5300.00	67.17	453.5	390.8	393.0	332.2	320.6	-1118.1	-394.9
5400.00	67.20	454.7	391.9	394.1	339.0	327.3	-1120.3	-381.2
5500.00	67.24	455.9	393.1	395.2	345.7	334.0	-1122.5	-367.5
5600.00	67.28	457.2	394.2	396.3	352.4	340.7	-1124.8	-353.8
5700.00	67.31	458.3	395.3	397.4	359.1	347.5	-1127.0	-340.0
5800.00	67.35	459.5	396.4	398.4	365.9	354.2	-1129.2	-326.1
5900.00	67.38	460.7	397.5	399.5	372.6	360.9	-1131.4	-312.2
6000.00	67.41	461.8	398.6	400.5	379.4	367.7	-1133.5	-298.3

Table 11. Thermodynamic Functions for $\text{UO}(\text{g})$; Units
for Columns 2-5 Are $\text{J K}^{-1} \text{mol}^{-1}$ and for
Columns 6-9 Are kJ mol^{-1} .

T(K)	C_p°	S°	$-\left(\frac{G^\circ - H_0^\circ}{T}\right)$	$-\left(\frac{G^\circ - H_{298}^\circ}{T}\right)$	$H^\circ - H_0^\circ$	$H^\circ - H_{298}^\circ$	ΔH_f°	ΔG_f°
0.0	0.0	0.0	INF	INF	0.0	-9.0	21.6	21.6
298.15	33.70	241.0	210.8	241.0	9.0	0.0	19.9	-6.4
300.00	33.77	241.2	211.0	241.0	9.1	0.1	19.9	-6.6
400.00	36.97	251.3	219.8	242.3	12.6	3.6	19.1	-15.2
500.00	39.31	259.9	227.0	245.0	16.4	7.4	18.3	-23.7
600.00	40.94	267.2	233.1	248.1	20.4	11.4	17.4	-32.1
700.00	42.08	273.6	238.4	251.3	24.6	15.6	16.3	-40.2
800.00	42.88	279.3	243.2	254.4	28.8	19.8	14.9	-48.2
900.00	43.49	284.3	247.5	257.5	33.2	24.2	13.1	-56.0
1000.00	43.94	288.9	251.4	260.4	37.5	28.5	8.5	-63.4
1100.00	44.30	293.2	255.0	263.2	42.0	33.0	2.4	-70.3
1200.00	44.58	297.0	258.4	265.9	46.4	37.4	1.2	-76.8
1300.00	44.81	300.6	261.5	268.4	50.9	41.9	0.0	-83.3
1400.00	44.99	303.9	264.4	270.8	55.4	46.4	-1.1	-89.7
1500.00	45.15	307.0	267.1	273.1	59.9	50.9	-12.3	-95.3
1600.00	45.29	310.0	269.7	275.3	64.4	55.4	-14.5	-100.8
1700.00	45.41	312.7	272.2	277.5	68.9	59.9	-16.7	-106.1
1800.00	45.52	315.3	274.5	279.5	73.5	64.5	-18.9	-111.3
1900.00	45.62	317.8	276.7	281.4	78.0	69.0	-21.0	-116.4
2000.00	45.70	320.1	278.8	283.3	82.6	73.6	-23.2	-121.4
2100.00	45.78	322.3	280.8	285.1	87.2	78.2	-25.4	-126.2
2200.00	45.85	324.5	282.8	286.9	91.8	82.8	-27.6	-131.0
2300.00	45.92	326.5	284.6	288.5	96.4	87.4	-29.8	-135.6
2400.00	45.99	328.5	286.4	290.2	101.0	92.0	-32.0	-140.2
2500.00	46.04	330.4	288.1	291.7	105.6	96.6	-34.2	-144.6
2600.00	46.10	332.2	289.8	293.3	110.2	101.2	-36.4	-149.0
2700.00	46.16	333.9	291.4	294.7	114.8	105.8	-38.6	-153.3
2800.00	46.21	335.6	292.9	296.2	119.4	110.4	-40.8	-157.5
2900.00	46.27	337.2	294.4	297.5	124.0	115.0	-43.1	-161.6
3000.00	46.32	338.8	295.9	298.9	128.7	119.7	-45.3	-165.6
3100.00	46.36	340.3	297.3	300.2	133.3	124.3	-47.5	-169.6
3200.00	46.42	341.8	298.7	301.5	137.9	128.9	-49.8	-173.5
3300.00	46.47	343.2	300.0	302.7	142.6	133.6	-52.0	-177.4
3400.00	46.52	344.6	301.3	303.9	147.2	138.2	-54.2	-181.1
3500.00	46.57	345.9	302.5	305.1	151.9	142.9	-56.5	-184.8
3600.00	46.62	347.3	303.8	306.3	156.6	147.6	-58.7	-188.5
3700.00	46.67	348.5	305.0	307.4	161.2	152.2	-61.0	-192.0
3800.00	46.71	349.8	306.1	308.5	165.9	156.9	-63.2	-195.5
3900.00	46.76	351.0	307.3	309.6	170.6	161.6	-65.5	-199.0
4000.00	46.81	352.2	308.4	310.6	175.2	166.2	-67.8	-202.4
4100.00	46.87	353.3	309.5	311.6	179.9	170.9	-70.0	-205.7
4200.00	46.92	354.5	310.5	312.7	184.6	175.6	-72.3	-209.0
4300.00	46.97	355.6	311.5	313.6	189.3	180.3	-74.5	-212.3
4400.00	47.03	356.7	312.6	314.6	194.0	185.0	-76.8	-215.4
4500.00	47.08	357.7	313.5	315.5	198.7	189.7	-568.6	-211.4
4600.00	47.14	358.8	314.5	316.5	203.5	194.5	-571.3	-203.5
4700.00	47.20	359.8	315.5	317.4	208.2	199.2	-574.0	-195.4
4800.00	47.26	360.8	316.4	318.3	212.9	203.9	-576.7	-187.3
4900.00	47.32	361.7	317.3	319.2	217.6	208.6	-579.3	-179.2
5000.00	47.38	362.7	318.2	320.0	222.4	213.4	-582.0	-171.0
5100.00	47.46	363.6	319.1	320.9	227.1	218.1	-584.5	-162.8
5200.00	47.53	364.6	320.0	321.7	231.9	222.9	-587.1	-154.5
5300.00	47.60	365.5	320.8	322.5	236.6	227.6	-589.6	-146.1
5400.00	47.66	366.4	321.7	323.3	241.4	232.4	-592.1	-137.7
5500.00	47.72	367.2	322.5	324.1	246.2	237.2	-594.5	-129.3
5600.00	47.79	368.1	323.3	324.9	250.9	242.0	-596.9	-120.8
5700.00	47.85	368.9	324.1	325.7	255.7	246.7	-599.3	-112.3
5800.00	47.91	369.8	324.9	326.4	260.5	251.5	-601.6	-103.7
5900.00	47.98	370.6	325.6	327.1	265.3	256.3	-603.9	-95.1
6000.00	48.04	371.4	326.4	327.9	270.1	261.1	-606.1	-86.5

Table 12. Thermodynamic Functions for $\text{UO}_2(\text{g})$; Units for Columns 2-5 Are $\text{J K}^{-1} \text{mol}^{-1}$ and for Columns 6-9 Are kJ mol^{-1} .

T(K)	C_p°	S°	$-\left(\frac{G^\circ - H_0^\circ}{T}\right)$	$-\left(\frac{G^\circ - H_{298}^\circ}{T}\right)$	$H^\circ - H_0^\circ$	$H^\circ - H_{298}^\circ$	ΔH_f°	ΔG_f°
0.0	0.0	0.0	INF	INF	0.0	-13.2	-464.7	-464.7
298.15	57.61	266.3	221.9	266.3	13.2	0.0	-466.5	-469.8
300.00	57.71	266.7	222.2	266.3	13.3	0.1	-466.5	-469.8
400.00	61.87	283.9	235.6	268.7	19.3	6.1	-466.3	-471.0
500.00	64.49	298.0	246.7	273.2	25.7	12.4	-466.2	-472.2
600.00	66.16	310.0	256.3	278.3	32.2	19.0	-466.1	-473.4
700.00	67.29	320.2	264.7	283.6	38.9	25.6	-466.3	-474.5
800.00	68.07	329.3	272.2	288.8	45.7	32.4	-466.9	-475.7
900.00	68.64	337.3	279.0	293.7	52.5	39.3	-467.8	-476.7
1000.00	69.06	344.6	285.2	298.4	59.4	46.1	-471.7	-477.5
1100.00	69.39	351.2	290.9	303.0	66.3	53.1	-477.1	-477.8
1200.00	69.65	357.3	296.2	307.2	73.3	60.0	-477.5	-477.9
1300.00	69.86	362.8	301.1	311.3	80.2	67.0	-477.9	-477.9
1400.00	70.02	368.0	305.7	315.2	87.2	74.0	-478.4	-477.9
1500.00	70.17	372.9	310.0	318.8	94.3	81.0	-488.9	-477.2
1600.00	70.30	377.4	314.1	322.4	101.3	88.0	-490.4	-476.3
1700.00	70.41	381.7	317.9	325.7	108.3	95.1	-492.0	-475.4
1800.00	70.50	385.7	321.6	329.0	115.4	102.1	-493.5	-474.4
1900.00	70.59	389.5	325.1	332.0	122.4	109.2	-495.0	-473.3
2000.00	70.67	393.1	328.4	335.0	129.5	116.3	-496.6	-472.1
2100.00	70.74	396.6	331.6	337.9	136.6	123.3	-498.2	-470.9
2200.00	70.81	399.9	334.6	340.6	143.7	130.4	-499.8	-469.5
2300.00	70.87	403.0	337.5	343.2	150.7	137.5	-501.4	-468.1
2400.00	70.93	406.1	340.3	345.8	157.8	144.6	-503.0	-466.6
2500.00	70.99	409.0	343.0	348.3	164.9	151.7	-504.7	-465.1
2600.00	71.04	411.7	345.6	350.7	172.0	158.8	-506.3	-463.4
2700.00	71.09	414.4	348.1	353.0	179.2	165.9	-508.0	-461.8
2800.00	71.14	417.0	350.5	355.2	186.3	173.0	-509.7	-460.0
2900.00	71.19	419.5	352.8	357.4	193.4	180.2	-511.4	-458.2
3000.00	71.24	421.9	355.1	359.5	200.5	187.3	-513.1	-456.3
3100.00	71.29	424.3	357.3	361.6	207.7	194.4	-514.9	-454.4
3200.00	71.33	426.5	359.4	363.5	214.8	201.6	-516.6	-452.4
3300.00	71.38	428.7	361.5	365.5	221.9	208.7	-518.4	-450.4
3400.00	71.43	430.9	363.5	367.4	229.1	215.8	-520.2	-448.3
3500.00	71.47	432.9	365.4	369.2	236.2	223.0	-522.0	-446.2
3600.00	71.52	435.0	367.3	371.0	243.4	230.2	-523.8	-444.0
3700.00	71.57	436.9	369.2	372.8	250.6	237.3	-525.6	-441.8
3800.00	71.62	438.8	371.0	374.5	257.7	244.5	-527.4	-439.5
3900.00	71.66	440.7	372.8	376.2	264.9	251.7	-529.2	-437.1
4000.00	71.71	442.5	374.5	377.8	272.1	258.8	-531.1	-434.8
4100.00	71.76	444.3	376.2	379.4	279.3	266.0	-532.9	-432.3
4200.00	71.81	446.0	377.8	381.0	286.4	273.2	-534.8	-429.9
4300.00	71.86	447.7	379.4	382.5	293.6	280.4	-536.6	-427.4
4400.00	71.91	449.4	381.0	384.0	300.8	287.6	-538.5	-424.8
4500.00	71.96	451.0	382.5	385.5	308.0	294.8	-1029.9	-415.1
4600.00	72.02	452.6	384.0	386.9	315.2	302.0	-1032.2	-401.4
4700.00	72.07	454.1	385.5	388.3	322.5	309.2	-1034.5	-387.6
4800.00	72.13	455.6	387.0	389.7	329.7	316.4	-1036.8	-373.9
4900.00	72.19	457.1	388.4	391.1	336.9	323.7	-1039.1	-360.0
5000.00	72.24	458.6	389.8	392.4	344.1	330.9	-1041.3	-346.1
5100.00	72.31	460.0	391.1	393.7	351.4	338.1	-1043.6	-332.2
5200.00	72.37	461.4	392.5	395.0	358.6	345.4	-1045.8	-318.2
5300.00	72.44	462.8	393.8	396.3	365.9	352.6	-1047.9	-304.2
5400.00	72.51	464.2	395.1	397.5	373.1	359.9	-1050.0	-290.2
5500.00	72.58	465.5	396.3	398.7	380.4	367.2	-1052.1	-276.1
5600.00	72.66	466.8	397.6	400.0	387.7	374.5	-1054.2	-261.9
5700.00	72.73	468.1	398.8	401.1	395.0	381.7	-1056.1	-247.8
5800.00	72.82	469.4	400.0	402.3	402.3	389.0	-1058.1	-233.6
5900.00	72.93	470.6	401.2	403.5	409.6	396.4	-1060.0	-219.3
6000.00	73.05	471.9	402.4	404.6	416.9	403.7	-1061.8	-205.0

Table 13. Thermodynamic Functions for $\text{UO}_3(\text{g})$; Units for Columns 2-5 Are $\text{J K}^{-1} \text{mol}^{-1}$ and for Columns 6-9 Are kJ mol^{-1} .

T(K)	C_p°	S°	$-\left(\frac{G^\circ - H_0^\circ}{T}\right)$	$-\left(\frac{G^\circ - H_{298}^\circ}{T}\right)$	$H^\circ - H_0^\circ$	$H^\circ - H_{298}^\circ$	ΔH_f°	ΔG_f°
0.0	0.0	0.0	INF	INF	0.0	-15.1	-795.9	-795.9
298.15	64.55	309.6	258.8	309.6	15.1	0.0	-800.1	-785.7
300.00	64.67	310.0	259.1	309.6	15.3	0.1	-800.1	-785.7
400.00	70.23	329.4	274.3	312.2	22.0	6.9	-800.7	-780.8
500.00	74.21	345.5	287.0	317.3	29.3	14.1	-801.1	-775.7
600.00	77.17	359.3	297.9	323.2	36.8	21.7	-801.6	-770.6
700.00	79.46	371.4	307.6	329.2	44.7	29.5	-802.3	-765.3
800.00	81.29	382.1	316.2	335.2	52.7	37.6	-803.2	-760.0
900.00	82.78	391.8	324.1	340.9	60.9	45.8	-804.5	-754.5
1000.00	84.00	400.6	331.3	346.5	69.3	54.1	-808.6	-748.7
1100.00	85.00	408.6	338.0	351.8	77.7	62.6	-814.3	-742.5
1200.00	85.84	416.1	344.2	356.8	86.3	71.1	-814.9	-735.9
1300.00	86.54	423.0	350.0	361.6	94.9	79.7	-815.5	-729.3
1400.00	87.13	429.4	355.4	366.3	103.6	88.4	-816.0	-722.7
1500.00	87.64	435.4	360.6	370.7	112.3	97.2	-826.7	-715.3
1600.00	88.07	441.1	365.4	374.9	121.1	105.9	-828.3	-707.9
1700.00	88.44	446.5	370.0	379.0	129.9	114.8	-829.8	-700.3
1800.00	88.77	451.5	374.4	382.8	138.8	123.6	-831.4	-692.6
1900.00	89.05	456.3	378.6	386.6	147.7	132.5	-833.0	-684.9
2000.00	89.29	460.9	382.6	390.2	156.6	141.4	-834.6	-677.0
2100.00	89.51	465.3	386.5	393.7	165.5	150.4	-836.2	-669.1
2200.00	89.71	469.4	390.1	397.0	174.5	159.3	-837.8	-661.1
2300.00	89.87	473.4	393.7	400.3	183.5	168.3	-839.5	-653.1
2400.00	90.04	477.3	397.1	403.4	192.5	177.3	-841.1	-644.9
2500.00	90.18	480.9	400.4	406.4	201.5	186.3	-842.8	-636.7
2600.00	90.30	484.5	403.5	409.3	210.5	195.4	-844.5	-628.4
2700.00	90.42	487.9	406.6	412.2	219.5	204.4	-846.2	-620.1
2800.00	90.53	491.2	409.5	415.0	228.6	213.4	-848.0	-611.6
2900.00	90.62	494.4	412.4	417.6	237.6	222.5	-849.7	-603.2
3000.00	90.72	497.4	415.2	420.2	246.7	231.6	-851.5	-594.6
3100.00	90.80	500.4	417.9	422.8	255.8	240.6	-853.3	-586.0
3200.00	90.87	503.3	420.5	425.3	264.9	249.7	-855.1	-577.4
3300.00	90.95	506.1	423.1	427.7	274.0	258.8	-857.0	-568.7
3400.00	91.01	508.8	425.6	430.0	283.1	267.9	-858.8	-559.9
3500.00	91.08	511.5	428.0	432.3	292.2	277.0	-860.7	-551.1
3600.00	91.14	514.0	430.3	434.5	301.3	286.1	-862.6	-542.2
3700.00	91.19	516.5	432.6	436.7	310.4	295.3	-864.5	-533.3
3800.00	91.25	519.0	434.9	438.9	319.5	304.4	-866.4	-524.3
3900.00	91.30	521.3	437.1	440.9	328.7	313.5	-868.3	-515.3
4000.00	91.35	523.6	439.2	443.0	337.8	322.6	-870.3	-506.2
4100.00	91.40	525.9	441.3	445.0	346.9	331.8	-872.3	-497.1
4200.00	91.44	528.1	443.3	446.9	356.1	340.9	-874.2	-488.0
4300.00	91.48	530.3	445.3	448.8	365.2	350.1	-876.2	-478.7
4400.00	91.53	532.4	447.3	450.7	374.4	359.2	-878.3	-469.5
4500.00	91.57	534.4	449.2	452.5	383.5	368.4	-879.8	-460.2
4600.00	91.60	536.4	451.1	454.3	392.7	377.5	-879.3	-450.6
4700.00	91.64	538.4	452.9	456.1	401.8	386.7	-877.8	-441.2
4800.00	91.68	540.3	454.7	457.8	411.0	395.9	-877.2	-431.7
4900.00	91.71	542.2	456.5	459.6	420.2	405.0	-877.7	-421.1
5000.00	91.75	544.1	458.2	461.2	429.4	414.2	-878.1	-410.5
5100.00	91.78	545.9	459.9	462.9	438.5	423.4	-878.5	-400.9
5200.00	91.81	547.7	461.6	464.5	447.7	432.6	-878.9	-391.2
5300.00	91.85	549.4	463.2	466.1	456.9	441.8	-879.3	-381.4
5400.00	91.88	551.1	464.8	467.6	466.1	450.9	-879.6	-371.6
5500.00	91.90	552.8	466.4	469.2	475.3	460.1	-879.9	-361.8
5600.00	91.94	554.5	468.0	470.7	484.5	469.3	-880.2	-352.9
5700.00	91.97	556.1	469.5	472.2	493.7	478.5	-880.4	-343.9
5800.00	91.99	557.7	471.0	473.6	502.9	487.7	-880.6	-334.0
5900.00	92.03	559.3	472.5	475.1	512.1	496.9	-880.7	-324.9
6000.00	92.06	560.8	473.9	476.5	521.3	506.1	-880.8	-315.9

Table 14. Thermodynamic Functions for PuO(g); Units for Columns 2-5 Are J K⁻¹ mol⁻¹ and for Columns 6-9 Are kJ mol⁻¹.

T(K)	C _p ^o	S ^o	$-\left(\frac{C_p^o - H_0^o}{T}\right)$	$-\left(\frac{C_p^o - H_{298}^o}{T}\right)$	H ^o -H ₀ ^o	H ^o -H ₂₉₈ ^o	ΔH _f ^o	ΔG _f ^o
0.0	0.0	0.0	INF	INF	0.0	-10.1	-89.6	-89.6
298.15	39.03	247.4	213.4	247.4	10.1	0.0	-91.0	-117.4
300.00	39.07	247.6	213.6	247.4	10.2	0.1	-91.0	-117.6
400.00	41.11	259.1	223.6	248.9	14.2	4.1	-95.5	-126.3
500.00	42.45	268.5	231.7	251.9	18.4	8.3	-96.9	-133.9
600.00	43.34	276.3	238.5	255.4	22.7	12.6	-98.4	-141.2
700.00	43.95	283.0	244.4	258.8	27.0	16.9	-99.4	-148.2
800.00	44.37	288.9	249.6	262.2	31.5	21.4	-100.4	-155.0
900.00	44.69	294.2	254.3	265.5	35.9	25.8	-101.3	-161.6
1000.00	44.94	298.9	258.5	268.6	40.4	30.3	-107.0	-167.0
1100.00	45.12	303.2	262.4	271.6	44.9	34.8	-108.5	-173.0
1200.00	45.27	307.1	265.9	274.4	49.4	39.3	-110.0	-179.6
1300.00	45.39	310.8	269.2	277.0	54.0	43.9	-111.5	-185.4
1400.00	45.50	314.1	272.3	279.6	58.5	48.4	-112.9	-191.0
1500.00	45.59	317.3	275.2	282.0	63.1	53.0	-114.4	-196.5
1600.00	45.67	320.2	277.9	284.3	67.6	57.5	-115.9	-201.9
1700.00	45.75	323.0	280.5	286.5	72.2	62.1	-117.4	-207.3
1800.00	45.81	325.6	283.0	288.6	76.8	66.7	-118.9	-212.5
1900.00	45.87	328.1	285.3	290.6	81.4	71.3	-120.4	-217.7
2000.00	45.92	330.5	287.5	292.5	86.0	75.9	-122.0	-222.8
2100.00	45.97	332.7	289.6	294.4	90.6	80.5	-123.5	-227.8
2200.00	46.02	334.8	291.6	296.2	95.2	85.1	-125.0	-232.7
2300.00	46.07	336.9	293.5	297.9	99.8	89.7	-126.5	-237.5
2400.00	46.11	338.9	295.4	299.6	104.4	94.3	-128.1	-242.3
2500.00	46.15	340.7	297.1	301.2	109.0	98.9	-129.6	-247.1
2600.00	46.19	342.6	298.8	302.7	113.6	103.5	-131.2	-251.7
2700.00	46.24	344.3	300.5	304.2	118.3	108.2	-132.8	-256.3
2800.00	46.27	346.0	302.1	305.7	122.9	112.8	-134.3	-260.9
2900.00	46.32	347.6	303.6	307.1	127.5	117.4	-135.9	-265.4
3000.00	46.35	349.2	305.1	308.5	132.2	122.1	-137.5	-269.8
3100.00	46.40	350.7	306.6	309.8	136.8	126.7	-139.1	-274.2
3200.00	46.43	352.2	308.0	311.1	141.5	131.3	-140.7	-278.5
3300.00	46.47	353.6	309.3	312.4	146.1	136.0	-142.3	-282.8
3400.00	46.51	355.0	310.7	313.6	150.8	140.7	-143.9	-287.1
3500.00	46.55	356.4	311.9	314.8	155.4	145.3	-145.5	-291.3
3600.00	46.60	357.7	313.2	316.0	160.1	150.0	-147.1	-295.4
3700.00	46.63	358.9	314.4	317.1	164.8	154.6	-148.6	-299.3
3800.00	46.68	360.2	315.6	318.3	169.4	159.3	-150.2	-304.7
3900.00	46.71	361.4	316.8	319.4	174.1	164.0	-150.5	-308.9
4000.00	46.76	362.6	317.9	320.4	178.8	168.7	-150.9	-313.1
4100.00	46.80	363.8	319.0	321.5	183.5	173.4	-152.5	-317.1
4200.00	46.84	364.9	320.1	322.5	188.2	178.1	-154.1	-321.1
4300.00	46.89	366.0	321.1	323.5	192.9	182.7	-154.7	-325.0
4400.00	46.94	367.1	322.2	324.5	197.6	187.5	-155.3	-328.8
4500.00	46.98	368.1	323.2	325.4	202.3	192.2	-156.9	-332.5
4600.00	47.03	369.2	324.2	326.4	207.0	196.9	-158.5	-336.1
4700.00	47.08	370.2	325.1	327.3	211.7	201.6	-159.1	-339.7
4800.00	47.13	371.2	326.1	328.2	216.4	206.3	-159.6	-343.2
4900.00	47.18	372.1	327.0	329.1	221.1	211.0	-160.1	-346.6
5000.00	47.23	373.1	327.9	329.9	225.9	215.8	-160.6	-350.0
5100.00	47.28	374.0	328.8	330.8	230.6	220.5	-161.2	-353.2
5200.00	47.34	375.0	329.7	331.6	235.3	225.2	-161.7	-356.5
5300.00	47.40	375.9	330.6	332.5	240.1	230.0	-162.2	-359.6
5400.00	47.46	376.8	331.4	333.3	244.9	234.7	-162.7	-362.7
5500.00	47.52	377.6	332.2	334.1	249.6	239.5	-163.2	-365.7
5600.00	47.58	378.5	333.1	334.9	254.4	244.3	-163.7	-368.7
5700.00	47.65	379.3	333.9	335.6	259.2	249.0	-164.2	-371.6
5800.00	47.72	380.2	334.7	336.4	263.9	253.8	-164.7	-374.4
5900.00	47.80	381.0	335.4	337.1	268.7	258.6	-165.2	-377.2
6000.00	47.88	381.8	336.2	337.9	273.5	263.4	-165.7	-380.0

Table 15. Thermodynamic Functions for $\text{PuO}_2(\text{g})$; Units for Columns 2-5 Are $\text{J K}^{-1} \text{mol}^{-1}$ and for Columns 6-9 Are kJ mol^{-1} .

T(K)	C_p°	S°	$-\left(\frac{C_p^\circ - H_0^\circ}{T}\right)$	$-\left(\frac{C_p^\circ - H_{298}^\circ}{T}\right)$	$H^\circ - H_0^\circ$	$H^\circ - H_{298}^\circ$	ΔH_f°	ΔG_f°
0.0	0.0	0.0	INF	INF	0.0	-12.2	-465.5	-465.5
298.15	53.73	259.6	218.8	259.6	12.2	0.0	-469.2	-468.7
300.00	53.85	260.0	219.0	259.6	12.3	0.1	-469.2	-468.7
400.00	59.18	276.2	231.4	261.8	17.9	5.8	-473.5	-468.4
500.00	62.56	289.8	241.7	266.1	24.0	11.9	-474.5	-467.0
600.00	64.73	301.5	250.8	271.0	30.4	18.2	-475.6	-465.5
700.00	66.17	311.5	258.7	276.1	37.0	24.8	-476.0	-463.8
800.00	67.18	320.5	265.9	281.1	43.6	31.5	-476.4	-461.9
900.00	67.89	328.4	272.4	285.9	50.4	38.2	-476.7	-459.9
1000.00	68.43	335.6	278.4	290.5	57.2	45.0	-481.8	-457.5
1100.00	68.83	342.1	283.9	294.9	64.1	51.9	-482.7	-455.0
1200.00	69.15	348.1	289.0	299.1	71.0	58.8	-483.6	-452.5
1300.00	69.40	353.7	293.8	303.1	77.9	65.7	-484.5	-449.9
1400.00	69.61	358.8	298.2	306.9	84.9	72.7	-485.3	-447.2
1500.00	69.78	363.6	302.4	310.5	91.8	79.7	-486.3	-444.4
1600.00	69.93	368.2	306.4	314.0	98.8	86.6	-487.2	-441.6
1700.00	70.05	372.4	310.2	317.3	105.8	93.6	-488.1	-438.7
1800.00	70.16	376.4	313.7	320.5	112.8	100.7	-489.0	-435.8
1900.00	70.25	380.2	317.1	323.5	119.9	107.7	-489.9	-432.8
2000.00	70.33	383.8	320.4	326.5	126.9	114.7	-490.9	-429.8
2100.00	70.40	387.2	323.5	329.3	133.9	121.8	-491.9	-426.7
2200.00	70.47	390.5	326.4	332.0	141.0	128.8	-492.9	-423.6
2300.00	70.52	393.7	329.3	334.6	148.0	135.8	-493.9	-420.4
2400.00	70.58	396.7	332.0	337.1	155.1	142.9	-494.9	-417.2
2500.00	70.63	399.5	334.7	339.6	162.1	150.0	-496.0	-413.9
2600.00	70.67	402.3	337.2	341.9	169.2	157.0	-497.0	-410.6
2700.00	70.71	405.0	339.7	344.2	176.3	164.1	-498.1	-407.2
2800.00	70.75	407.6	342.1	346.4	183.4	171.2	-499.2	-403.9
2900.00	70.79	410.0	344.4	348.6	190.4	178.3	-500.3	-400.4
3000.00	70.83	412.4	346.6	350.7	197.5	185.3	-501.4	-397.0
3100.00	70.86	414.8	348.8	352.7	204.6	192.4	-502.6	-393.5
3200.00	70.89	417.0	350.9	354.7	211.7	199.5	-503.7	-389.9
3300.00	70.92	419.2	352.9	356.6	218.8	206.6	-504.9	-386.3
3400.00	70.96	421.3	354.9	358.5	225.9	213.7	-506.1	-382.7
3500.00	70.98	423.4	356.8	360.3	233.0	220.8	-507.3	-379.1
3600.00	71.01	425.4	358.7	362.1	240.1	227.9	-508.5	-375.4
3700.00	71.04	427.3	360.5	363.8	247.2	235.0	-509.7	-362.5
3800.00	71.07	429.2	362.3	365.5	254.3	242.1	-510.9	-349.1
3900.00	71.10	431.1	364.0	367.2	261.4	249.2	-512.1	-335.5
4000.00	71.13	432.9	365.7	368.8	268.5	256.4	-513.3	-321.9
4100.00	71.16	434.6	367.4	370.4	275.6	263.5	-514.5	-308.2
4200.00	71.18	436.3	369.0	371.9	282.8	270.6	-515.7	-294.4
4300.00	71.21	438.0	370.6	373.4	289.9	277.7	-516.9	-280.5
4400.00	71.23	439.7	372.2	374.9	297.0	284.8	-518.1	-266.6
4500.00	71.26	441.3	373.7	376.4	304.1	292.0	-519.3	-252.6
4600.00	71.28	442.8	375.2	377.8	311.3	299.1	-520.5	-238.5
4700.00	71.31	444.4	376.6	379.2	318.4	306.2	-521.7	-224.3
4800.00	71.33	445.9	378.0	380.6	325.5	313.4	-522.9	-210.1
4900.00	71.36	447.3	379.4	381.9	332.7	320.5	-524.1	-195.8
5000.00	71.38	448.8	380.8	383.2	339.8	327.6	-525.3	-181.4
5100.00	71.40	450.2	382.2	384.5	347.0	334.8	-526.5	-167.0
5200.00	71.43	451.6	383.5	385.8	354.1	341.9	-527.7	-152.5
5300.00	71.45	452.9	384.8	387.1	361.3	349.1	-528.9	-137.9
5400.00	71.48	454.3	386.1	388.3	368.4	356.2	-530.1	-123.3
5500.00	71.50	455.6	387.3	389.5	375.6	363.4	-531.3	-108.7
5600.00	71.53	456.9	388.5	390.7	382.7	370.5	-532.5	-93.9
5700.00	71.55	458.2	389.7	391.9	389.9	377.7	-533.7	-79.2
5800.00	71.58	459.4	390.9	393.0	397.0	384.9	-534.9	-64.3
5900.00	71.60	460.6	392.1	394.2	404.2	392.0	-536.1	-49.4
6000.00	71.63	461.8	393.3	395.3	411.4	399.2	-537.3	-34.5

REFERENCES

1. D. W. Green, J. Nucl. Mater. 88, 51 (1980).
2. D. W. Green, Standard Enthalpies of Formation of Gaseous Thorium, Uranium, and Plutonium Oxides, Int. J. Thermophys., to be published.
3. D. W. Green, Calculation of the Thermodynamic Properties of Fuel-Vapor Species From Spectroscopic Data, Argonne National Laboratory Report, in preparation.
4. D. W. Green, Argonne National Laboratory Report, ANL-CEN-RSD-79-4, August 1979.
5. D. W. Green, G. T. Reedy, and S. D. Gabelnick, Infrared Spectra of Matrix-Isolated Uranium Oxides. III. Low Frequency Modes, to be published.
6. D. W. Green, Argonne National Laboratory Report ANL-RDP-77, November 1978, p. 5.47.
7. S. D. Gabelnick, G. T. Reedy, and M. G. Chasanov, J. Chem. Phys. 58, 4468 (1973).
8. S. D. Gabelnick, G. T. Reedy, and M. G. Chasanov, J. Chem. Phys. 59, 6397 (1973).
9. D. W. Green and G. T. Reedy, J. Chem. Phys. 69, 544 (1978).
10. S. D. Gabelnick, G. T. Reedy, and M. G. Chasanov, J. Chem. Phys. 60, 1167 (1974).
11. K. P. Huber and G. Herzberg, Molecular Spectra and Molecular Structure IV. Constants of Diatomic Molecules, van Nostrand, New York (1979).
12. E. G. Rauh and R. J. Ackermann, J. Chem. Phys. 60, 1396 (1974).