DOE/ER/13429--7

DE92 006915

TECHNICAL PROGRESS REPORT

SUPERSONIC BARE METAL CLUSTER BEAMS

Department of Energy

Grant No. DOE-FG05-85ER13429

For Period 7-15-89 through 12-31-91

Principal Investigator: R. E. Smalley

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

MASTER

dp

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

The past 2.5 years of this grant concerning the production and study of bare metal clusters though beam techniques has been one of our most productive. The following list gives the titles for the publications which have either already appeared, or been submitted over this time period covering work for which DOE support off of this grant was acknowledged. The numbers are from the PI's publication list. The starred listings concern research which is directly related to the objectives of this DOE-supported research in metal clusters.

113. "Supersonic Carbon Cluster Beams," R. E. Smalley, in Atomic and Molecular Clusters E. R. Bernstein, editor, Studies in Physical and Theoretical Chemistry vol. **68**, Elsevier Science, 1990, pp 1-68.
114. "Supersonic Beam Studies of Carbon Condensation," R. E. Smalley, in Proceedings from Symposium on Diamonds Derived from Fuels, ACS spring meeting, Dallas, Texas, pp. 1-7 (1989).
115. "Surface Chemistry on Microclusters: Recent Results from Si Cluster Beams," J. M. Alford and R. E. Smalley, Mat. Res. Soc. Symp. Proc. **131**, 3 (1989).
- *117. "Ultraviolet Photoelectron Spectra of Mass Selected Copper Clusters: Evolution of the 3d Band", O. Cheshnovsky, K. J. Taylor, J. Conceicao, and R. E. Smalley, Phys. Rev. Letters **64**, 1785 (1990).
[for a copy, see APPENDIX A]
- *118. "Surface Chemistry of Metal and Semiconductor Clusters," R.E.Smalley, in Metal-Metal Bonds and Clusters in Chemistry and Catalysis, edited by J. P. Fackler, Plenum Publishing Corp., pp. 249-264 (1989).
120. "Ammonia Chemisorption on Gallium Arsenide Clusters," L. H. Wang, L.P.F. Chibante, F. K. Tittel, R. F. Curl, and R. E. Smalley, Chem. Phys. Lett. **172**, 335 (1990).
122. "UPS of Ga_XAs_Y Clusters," C. Jin, K. J. Taylor, and R. E. Smalley, Chem. Phys. Lett., **175** 17 (1990).
123. "Ethylene Chemisorption on Levitated Silicon Cluster Ions: Evidence for the Importance of Annealing", L. R. Anderson, S. Maruyama, and R. E. Smalley, Chem. Phys. Lett., **176**, 349 (1991)...
- *124. "Direct Injection Supersonic Cluster Beam Source for FT-ICR Studies of Clusters", S. Maruyama, L. R. Anderson, and R. E. Smalley, Rev. Sci. Instrum., **61**, 3686 (1990).
[for a copy, see APPENDIX B]

125. "Laser Annealing of Silicon Clusters", S. Maruyama, L. R. Anderson, and R. E. Smalley, *J. Chem. Phys.* **93** 5349 (1990).
- *126. "Vibrational Autodetachment Spectroscopy of Au_6^- : Image-Charge-Bound States of a Gold Ring", K. J. Taylor, C. Jin, J. Conceicao, L-S Wang, O. Cheshnovsky, B. R. Johnson, P. J. Nordlander, and R. E. Smalley, *J. Chem. Phys.*, **93** 7515 (1990).
[for a copy, see APPENDIX C]
- *127. "Ultraviolet Photoelectron Spectra of Coinage Metal Clusters", O. Cheshnovsky, C. L. Pettiette, and R. E. Smalley, *J. Chem. Phys.*, in press.
128. "Ammonia Chemisorption Studies on Silicon Cluster Ions", J. M. Alford, R.T. Laaksonen, and R. E. Smalley, *J. Chem. Phys.* **94**, 2618 (1991).
129. "Thermionic Emission from Giant Fullerenes", S. Maruyama, M. Y. Lee, R. E. Haufler, Y. Chai, and R. E. Smalley, *Z. Physik D*, **19** 409-412 (1991).
130. "Efficient Production of C_{60} (Buckminsterfullerene), $\text{C}_{60}\text{H}_{36}$, and the Solvated Buckide Ion", R. E. Haufler, J. Conceicao, L.P.F. Chibante, Y. Chai, N. E. Byrne, S. Flanagan, M. M. Haley, S. C. O'Brien, C. Pan, Z. Xiao, W. E. Billups, M. A. Ciufolini, R. H. Hauge, J. L. Margrave, L. J. Wilson, R. F. Curl, and R. E. Smalley, *J. Phys. Chem.* **94**, 24, 8634-8636 (1990).
133. "Laser Annealing of Semiconductor Clusters: Trimethylamine Reactions with Positive and Negative Clusters, Shigeo Maruyama, Lila R. Anderson, and R. E. Smalley, in *Mat. Res. Soc. Symp. Proc.*, v. **206**, pages 63-70 (1991).
144. "Threshold Photodetachment of Cold C_{60}^- ", Lai-Sheng Wang, J. Conceicao, Changming Jin, and R. E. Smalley, *Chem. Phys. Lett.* **182** 1, 5-11 (1991).
145. "Doping Bucky: Formation and Properties of Boron-Doped Buckminsterfullerene," Ting Guo, Changming Jin, and R. E. Smalley, *J. Phys. Chem.* **95** 4948 (1991).
- *146. "Laser Annealing of Niobium and Tantalum Clusters," Shigeo Maruyama, Ting Guo, C. Chen, R. T. Laaksonen, and R. E. Smalley, *Chem. Phys. Lett.*, in press.
149. "Doping Bucky," R. E. Smalley, ACS Books Volume, on "Large Carbon Clusters", G. S. Hammond, ed, in press (1991).

- *151. "Electronic Shell Closings in Metal Cluster Plus Adsorbate Systems: Cu_7^+CO and $\text{Cu}_{17}^+\text{CO}$," Martin A. Nygren, Per Siegbahn, Changming Jin, Ting Guo, and R. E. Smalley, *J. Chem. Phys.* **95** 6181-6184 (1991).

[for a copy, see APPENDIX D]

155. "Fullerenes with Metals Inside," Yan Chai, Ting Guo, Changming Jin, Robert E. Haufler, L.P. Felipe Chibante, Jan Fure, Lihong Wang, J. Michael Alford, and Richard E. Smalley, *J. Phys. Chem.* **95** 7564-7568 (1991).
161. "Ultraviolet Photoelectron Spectroscopy and Photo-fragmentation Studies of Excess Electrons in Potassium Iodide Cluster Anions," Y.A. Yang, L. A. Bloomfield, C. Jin, L. S. Wang, and R. E. Smalley, *J. Chem. Phys.*, in press (1991).
158. "XPS Probes of Carbon-Caged Metals," John H. Weaver, Yan Chai, G. H. Kroll, C. Jin, T. R. Ohno, R. E. Haufler, T. Guo, J. M. Alford, J. Conceicao, L. P. F. Chibante, A. Jain, G. Palmer, and R. E. Smalley, *Chem Phys Lett*, in press (1991).
162. "Electronic structure of $\text{K}_x\text{C}_{60}^-$ and Dipole-Supported States in KC_{60}^- ," Lai-Sheng Wang, O. Cheshnovsky, J. P. Carpenter, S. J. Hwu, and R. E. Smalley, *J. Chem. Phys.* (1991).

Looking back now over the proposal for this grant, written in the spring of 1989, it is clear than much has been achieved, but still much remains to be done. In that proposal one of the principal objectives was to learn how to produce sufficiently cold metal cluster negative ions so that the ultraviolet photoelectron spectrum (UPS) taken with the cluster UPS apparatus we had developed in previous years of this DOE project would be sufficiently cold for detailed spectral analysis. As attested by a number of papers we have published over this past few years (#'s 117, 126, 127, 144, 161 and 162 from the above list) that objective has been largely achieved. As anticipated in the last renewal proposal, conversion to a very fast pulsed electromagnetic "hairpin" nozzle and implementing what we have come to call the "wait 'til you vap" operation philosophy has done much to allow the metal cluster negative ion beams to be produced with good intensity while still having internal vibrational temperatures cooled to well below room temperature. In those cases such as Au_6^- [see Appendix C] where we can detect vibrational structure though vibrational autodetachment spectroscopy, it is clear that

the vibrational degrees of freedom have been cooled to below 100K. For much of what we have to do, this has been sufficient.

As was anticipated, detailed study of the UPS results for a broad range of coinage metal clusters (copper, silver, and gold) revealed that the "shell" model for these clusters is an excellent approximation. We have recently submitted a very detailed manuscript to J. Chem. Phys. on this subject (# 127 in above list), and it is currently in press. It is too long to include here as an appendix, but a copy on an initial version of this work which focussed on clusters of copper can be found starting on page 7. It was published in Phys. Rev. Lett., and has received quite a bit of notariety in the metal cluster community as an excellent example of the evolution of bulk band structure of metals as a function of cluster size. This study which focussed primarily on the evolution of the 3d band in the copper clusters was one of the prime targets mentioned in the 1989 proposal for this grant.

Another major objective stated in 1989 was to continue development of the metal cluster Fourier Transform Ion cyclotron resonance FT-ICR technique for the study of the surface chemistry. There were two specific aspects mentioned (1) direct injection of the supersonic cluster beam into the ICR cell, and (2) improvement of confinement during collisions by tweaking the electric trapping fields. On the first topic, we had excellent success. The adaption of the "wait 'till you vap' nozzle technology together with a small UHV 6-way cross pumped out by a single 170 l/s turbopump produced a fine, compact cluster "minisource" which has now been cloned several times for use in a variety of laboratories both in this country and in Europe and Japan. This advance is discussed in detail in the RSI paper (# 124) which is reproduced here at the end of this report in Appendix B. However, on the second topic (2) we have not met with success. In careful studies it became clear that the dominant problem limiting the confinement time is not the profile of the trapping electric fields at the ends of the ICR cell. Instead it appears that it is the net space charge in the cell that is the dominant problem. Since we must keep the overall number of ions in the cell at roughly the same level as we have now in order to have enough sensitivity, the only solution to this problem is to increase the physical size of the cell. That in turn will require a larger bore superconducting magnet, and, accordingly, funds for such a magnet are being requested for the next funding cycle of this grant.

Unanticipated at the time of the 1989 proposal was a requirement to cryopump the region immediately around the ICR cell in order to avoid parasitic reactions of the trapped metal clusters with background water vapor and H_2 which otherwise is present in unacceptable amounts from outgassing of the ICR components themselves. We had hoped to be able to clean up the design of the cell and its support structures so well that this problem was negligible, but in the end we did have to construct an internal liquid nitrogen cooled shroud around the ICR cell. Once

we have switched to a larger bore magnet we may be able to improve the effective pumping around the ICR cell sufficiently to avoid these LN₂ shrouds, but for now they are necessary.

We have performed now extensive studies of transition metal cluster reactivity with both positive and negative ions for a rather broad range of metals and have combined these reactivity studies with detailed examination of their electronic structure as revealed by UPS. Specifically we have focussed on clusters of Group VA [V, Nb, Ta] and the first-row transition series Group VIIIA [Fe, Co, Ni], and the coinage metals, Group IB. The results are just now being written up in detail, and since so much of the future of this DOE-sponsored research involves such studies, the bulk of the discussion of these results is interwoven with the renewal proposal for the next grant period. However, as a short example of the sort of data we are obtaining, a copy of one manuscript that has now been published is attached here as Appendix D. Here we describe FT-ICR experiments designed to see if there are consequences of the metallic "shell" electronic structure known to apply to copper clusters that pertain to the chemisorption behavior. We find that, in fact, the behavior of the chemisorbed products (for CO chemisorption) is just what one would expect. The last paragraph of this short JCP communication mentions the possibility that there may be some residual aspect of this metallic shell model behavior in the open 3d transition metal systems such as cobalt. In fact, the new data we have collected within the past 6 months or so on iron, cobalt, and nickel provides some impressive support for this thought. The pursuit of such notions is exactly what we had in mind at the original inception of our studies of bare metal clusters, and it will be in just this area that our future studies are proposed.

APPENDIX A.....	page	7
"Ultraviolet Photoelectron Spectra of Mass-Selected Copper Clusters: Evolution of the 3d Band"; O. Cheshnovsky, K. J. Taylor, J. Conceicao, and R. E. Smalley <i>Phys. Rev. Lett.</i> 64 , 1785 (1990).		
APPENDIX B.....	page	11
"Direct Injection Supersonic cluster beam source for FT-ICR studies of clusters"; S. Maruyama, L. R. Anderson, and R. E. Smalley <i>Rev. Sci. Instrum.</i> 61 , 3686 (1990).		
APPENDIX C.....	page	19
"Vibrational autodetachment spectroscopy of Au ₆ ⁻ : Image-charge-bound states of a gold ring"; K. J. Taylor, C. Jin, J. Conceicao, Lai-Sheng Wang, O. Cheshnovsky, B. R. Johnson, ;P. J. Nordlander, and R. E. Smalley <i>J. Chem. Phys.</i> 93 , 7515 (1990).		
APPENDIX D.....	page	23
"Electronic shell closings in metal cluster plus adsorbate systems: Cu ₇ ⁺ CO and Cu ₁₇ ⁺ CO"; Martin A. Nygren, Per E. M. Siegbahn, C. Jin, T. Guo, and R. E. Smalley <i>J. Chem. Phys.</i> 95 , 6181 (1991).		

reprints removed.
ds

END

**DATE
FILMED
312192**