*Augmentation of ENDF/B Fission Product
Gamma-Ray Spectra by Calculated Spectra*

Received by OSTI
NOV 21 1991

Los Alamos

*Los Alamos National Laboratory is operated by the University of California for
the United States Department of Energy under contract W-7405-ENG-36.*

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

*This work was supported by the US Department of Energy,
Office of High Energy and Nuclear Physics, Division of
Nuclear Physics.*

An Affirmative Action/Equal Opportunity Employer

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither The Regents of the University of California, the United States Government nor any agency thereof, nor any of their employees, makes a... warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by The Regents of the University of California, the United States Government, or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of The Regents of the University of California, the United States Government, or any agency thereof.

LA-12125-MS
ENDF-352

UC-413
Issued: November 1991

LA--12125-MS

DE92 003134

*Augmentation of ENDF/B Fission Product
Gamma-Ray Spectra by Calculated Spectra*

*J. Katakura**
T. R. England

**Collaborator at Los Alamos. Japan Atomic Energy Research Institute,
Department of Fuel Safety Research, T 319-11, Tokai-mura, Naka-gun,
Ibaraki-ken, JAPAN.*

MASTER

Los Alamos Los Alamos National Laboratory
Los Alamos, New Mexico 87545

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

CONTENTS

ABSTRACT.....	1
I. INTRODUCTION.....	1
II. CALCULATION OF GAMMA-RAY SPECTRA.....	3
III. AUGMENTED SPECTRA WITH THE CALCULATED ONES.....	5
IV. CALCULATION OF AGGREGATE SPECTRUM.....	7
A. Comparison with Oak Ridge National Laboratory Measurements.....	8
B. Comparison with University of Tokyo Measurements (YAYOI Facility).....	8
C. Comparison with Los Alamos National Laboratory Measurements.....	9
V. SUMMARY.....	10
ACKNOWLEDGMENTS.....	10
Figure 1--Figure 411.....	11-117
REFERENCES.....	118
APPENDIX A--COMPARISONS USING ENDF/B-VI PRELIMINARY DATA.....	120
Figure A-1--Figure A-6.....	121-123
APPENDIX B--CALCULATION OF BETA-RAY SPECTRUM.....	124
Figure B-1--Figure B-2.....	126
APPENDIX C--FISSION PRODUCTS: PRELIMINARY DECAY ENERGIES, HALF-LIVES, AND BRANCHINGS FOR ENDF/B-VI.....	127
TABLE C-1--PRELIMINARY LIST OF ENDF/B-VI FISSION-PRODUCT PARAMETERS.....	129
ENDF/B-IV Decay File: Summary of Modifications, Supplements, and General Sources.....	155
Figure C-1--Figure C-3.....	157-158
TABLE C-2--FISSION-PRODUCT DECAY FILE: SUPPLEMENTS, ADDITIONS, SOURCES.....	159

AUGMENTATION OF ENDF/B FISSION PRODUCT GAMMA-RAY SPECTRA BY CALCULATED SPECTRA

by

J. Katakura and T. R. England

ABSTRACT

Gamma-ray spectral data of the ENDF/B-V fission product decay data file have been augmented by calculated spectra. The calculations were performed with a model using beta strength functions and cascade gamma-ray transitions. The calculated spectra were applied to individual fission product nuclides. Comparisons with several hundred measured aggregate gamma spectra after fission were performed to confirm the applicability of the calculated spectra. The augmentation was extended to a preliminary ENDF/B-VI file (Appendix A), and to beta spectra (Appendix B). Appendix C provides information on the total decay energies for individual products and some comparisons of measured and aggregate values based on the preliminary ENDF/B-VI files.

I. INTRODUCTION

Aggregate gamma-ray spectrum of fission products (FP) after fission of a fissionable nuclide is a summation of the spectra of individual FP nuclides. In order to understand the behavior of the aggregate gamma-ray spectra, it is necessary to know the spectrum of each individual FP nuclide. However, there are many short-lived FP nuclides whose spectra data have not been measured at all or that have been only partially done. If we apply such spectra to the calculation of the aggregate ones, we will obtain an underestimation of the spectral values.

This situation has been recognized in the work on decay heat after fission¹ that uses average decay energy values. The gamma-ray component of the decay heat calculated by using the average energy values derived from measured spectra data usually underestimates the measured decay heat values. To reduce the underestimation, theoretically calculated average energy values are adopted for nuclides with no measured spectra data and those considered to have partially measured ones. The calculated energy values have reproduced the measured decay heat values well;² however, the evaluation work has focussed attention primarily on the average energy values.

Recently an attempt to adopt the theoretical calculation to gamma-ray spectra of FP nuclides was tried.³ In this attempt the calculations were performed for 32 "typical" FP nuclides characterized by mass (light and heavy), even-oddness of protons and neutrons and four Q_β values (4, 7, 9, and 11 MeV). The "typical" spectra were applied to nuclides with partially measured spectra data, as well as those with none, for calculating the aggregate gamma-ray spectra. The resultant spectra showed fairly good agreement with the measured ones.³

The evaluated nuclear data file (ENDF/B-V) has not contained such theoretical spectra data; these are particularly applicable to the prediction of the aggregate gamma-ray spectra at short cooling times after fission⁴ because of the absence of measured spectra data of short-lived nuclides. We tried to apply the calculated spectra to augment the ENDF/B-V line spectral data. It was felt that the set of spectra calculated for individual nuclides would provide better applicability of the spectra to the aggregate spectrum calculation than would the "typical" ones. We prepared the calculated spectra of the individual nuclides, taking into account the character of each nuclide, e.g., mass, Q_β values, etc.

The ENDF/B-V file contains the FP data for 877 total nuclides. Of these, 750 nuclides are unstable and decay to another nuclide. All of the nuclides have average decay energy values for decay heat application but only 248 nuclides have gamma-ray spectral data. It is understood, however, that some of them may suffer from a problem of missing gamma rays. Therefore, we calculated the spectra of all β^- decaying nuclides in the ENDF/B-V file. (Electron capturing and/or β^+ decaying nuclides are considered unimportant for the calculation of the aggregate spectra due to their low fission yields.) The calculated spectra amounted to 633; they were used to augment the line spectra contained in the ENDF/B-V file. In the augmentation, the average decay energy values, which give a good prediction of the decay heat, were taken into account so that the augmented spectra reproduce the average when the spectrum integration is performed.

Calculations of the aggregate spectra using the augmented data were completed and compared with the data measured at the Oak Ridge National Laboratory,⁵ the University of Tokyo,⁶ and Los Alamos National Laboratory⁷ to confirm their applicability.

In Sec. II the calculation of the gamma-ray spectra is presented; Section III discusses the augmentation by the calculated spectra, and Sec. IV describes the calculation of the aggregate spectra after fission. The comparisons between measured aggregate gamma spectra and the calculated ones are described in Sec. V, followed by a summary of the entire project in Sec. VI.

In addition, we have augmented a preliminary (September 1989) ENDF/B-VI file, as summarized in Appendix A. Finally, the beta spectrum also has been augmented in ENDF/B-V, as seen in Appendix B, and the preliminary ENDF/B-VI are also augmented in the same way as discussed there. Appendix C provides some comparisons of aggregate calculations and other information on the preliminary ENDF/B-VI file.

This effort was initiated in order to provide essentially complete fission product spectra for ENDF/B-V and -VI. The files will delineate cases in which theoretical data are partially or entirely in use.

II. CALCULATION OF GAMMA-RAY SPECTRA

We used the Gross Theory⁸ of beta decay and a cascade gamma transition model³ for the spectrum calculation. The Gross Theory was employed to calculate the initial level population of a daughter nucleus fed by beta decay. In general, the calculation of the beta strength function of a nuclide needs a detailed knowledge of nuclear structure. Nuclear structure information, however, has not been satisfactory for predicting the strength function of all nuclides because nuclear properties are often experimentally incomplete. The Gross Theory, on the other hand, deals with certain average properties of beta decay and does not require the detailed knowledge of an individual nuclear state. A brief summary of the theory (based on papers by Takahashi, Yamada, and Kondoh⁸) follows.

In the Gross Theory, the summation over final nuclear states appearing in beta decay equations is replaced by an integration, and nuclear matrix elements specifying the transitions are expressed by some simple functional forms whose parameters are evaluated by sum rules and the average properties of beta decay. For example, the total decay constant of the Fermi transition is expressed as follows:

$$\lambda = \left(\frac{1}{2\pi^3}\right) \int_Q^0 \sum_{\Omega} |g_{\Omega}|^2 \cdot |M_{\Omega}(E_g)|^2 \cdot f(-E_g + 1) dE_g, \quad (1)$$

where the symbol Ω stands for type of beta decay such as Fermi and Gamow-Teller, f is the integrated Fermi function, and g_{Ω} is the coupling constant. In this expression, the summation over the final nuclear states is replaced by the integration with respect to the level energy E_g . The $|M_{\Omega}(E_g)|^2$ is a strength function and is the average of squared matrix elements multiplied by the final level density. The model of the Gross Theory expresses the function as

$$|M_{\Omega}(E_g)|^2 = \int_{\epsilon_{\min}}^{\epsilon_{\max}} D_{\Omega}(E_g, \epsilon) \cdot W(E_g, \epsilon) \frac{dn}{d\epsilon} d\epsilon, \quad (2)$$

where ϵ is a single nucleon energy of the decaying nucleon in a daughter nucleus, $\frac{dn}{d\epsilon}$ is a number density of nucleons, and $W(E_g, \epsilon)$ is a weight function that reflects the degree of vacancy of the final states. The function $D_{\Omega}(E_g, \epsilon)$ is a single nucleon contribution to $|M_{\Omega}(E_g)|^2$ in the absence of the Pauli principle.

The properties of $D_{\Omega}(E_g, \epsilon)$ were studied by sum rules and trial forms were examined. Based on the examination,⁸ a modified Lorentzian shape is used on our calculation.

For the allowed transitions, Fermi and Gamow-Teller transitions are considered and the strength function of total beta decay summed over them,

$$S_{\beta}(E) = \sum_{\Omega} |g_{\Omega}|^2 \cdot |M_{\Omega}(E)|^2 . \quad (3)$$

Once the strength function, $S_{\beta}(E)$, is determined, the level population density by beta feeding, $b(E)$, is given by

$$b(E) = S_{\beta}(E) \cdot f(Z, Q_{\beta} - E) \cdot T_{1/2} , \quad (4)$$

where f is the Fermi function and $T_{1/2}$ is a half-life of beta decay.

After determining the level population density, gamma transitions are treated as successive de-excitation from higher levels and the level population density is changed to be a summation of that by beta feeding and by the gamma de-excitation.

$$P(E) = b(E) + \int_E^{E_{\max}} P(E') G(E' - E) \rho(E') dE' \quad (5)$$

where $G(E'-E)$ is a probability of gamma emission and $\rho(E')$ is the level density of the daughter nucleus.

The intensity of the gamma rays, then, becomes

$$I(E_{\gamma}) = \int_0^{E_{\max}} dE' \int_{E'}^{E_{\max}} dE'' \delta(E'' - E' - E_{\gamma}) P(E'') G(E'' - E') \rho(E') . \quad (6)$$

The probability $G(E)$ depends upon the type of the gamma transition, such as E1, M1, E2, etc. In our calculations, we take the assumed E1 transitions. In this case, $G(E)$ is expressed as

$$G(E) = E^3 \cdot S_{\gamma}(E) , \quad (7)$$

where $S_{\gamma}(E)$ is the gamma-ray strength function. We used the strength function proposed by Brink⁹ and by Axel¹⁰ and the level density based on Gilbert and Cameron.¹¹

In the frame of the Gross Theory, a parameter Q_{00} (introduced to take into account the effect of the selection rules applied to decays to low-lying states) plays an important role in the

calculation of average decay energy values.¹²⁻¹³ In the calculation of the gamma-ray spectrum based on the present model, however, the introduction of a non-zero value to the parameter produces a discontinuity in the energy of the Q_{00} parameter (see Figs. 1-4). To avoid this discontinuity, we have used a value of zero for the calculation of the spectra.

Using the above procedure, the gamma spectra were calculated for all β^- decaying nuclides in the ENDF/B-V file. The calculated spectra have an energy bin structure of 10 keV, and the energy spectra were normalized to 1.0 (the ENDF/B-V spectra is truncated for some nuclides and may not integrate to 1.0).

Examples of the calculated spectra are shown in Figs. 5-8 for nuclides with high Q_{β} values. In these figures the "typical" spectra (used in Ref. 3) are also shown. As seen in these figures, the "typical" energy spectra are softer than those currently calculated. It is expected that the enhancement at about 2 MeV (again, in Ref. 3) should be depressed.

The calculations of the aggregate spectra using the present calculated spectra for all β^- decaying nuclides are shown in Figs. 9-12, together with the calculations for the ENDF/B-V spectra data and the measured aggregate spectra of ^{235}U and ^{239}Pu thermal neutron fission.⁵ The calculational method of the aggregate spectra will be described in Sec. IV. The measured data were taken from Dickens *et al.*⁵ Figures 9 and 10 illustrate ^{235}U fission and Figs. 11 and 12, the ^{239}Pu fission. Figures 9 and 11 cover the full energy range of the measured spectra, while Figs. 10 and 12 show the low-energy part up to 2 MeV. It can be seen from these figures that the calculations with only the ENDF/B-V spectra underestimate the measured values for the full energy range. Alternatively, the calculations using only the present calculated spectra [GT (Gross Theory) spectra only] show overall agreement with the measurements except for the detailed fine structure and the overestimation seen at energies between 2 and 3 MeV.

III. AUGMENTED SPECTRA WITH THE CALCULATED ONES

It is important to decide if the spectrum should be augmented or not in the cases in which a nuclide has a measured spectrum. A definitive means for making this decision does not exist. However, the average decay energy set, which gives a good prediction for the many temporal values of decay heat after fission, can be used as an accurate measurement of the defective spectrum. It is known from decay heat studies that some of the average energy values derived from the measured spectra data show an underestimation of gamma-energy values due to missing gamma rays.¹ This means that the gamma-energy value based on the measured spectral data is smaller than that which is used for the decay heat prediction. In this case, the calculated spectra should be added to the measured ones in order to compensate for the difference between them. That is, if E_a is the average energy value for the decay heat calculation and E_s is from measured spectral data, $\Delta E = E_a - E_s$ is proportional to the defect of the spectrum. The normalized energy spectrum calculated in

Sec. II is multiplied by the ΔE value for the augmentation. Thus, the augmented energy spectrum $A(E_\gamma)$ is expressed by a summation of the experiment one, $E(E_\gamma)$ and the calculated one, $C(E_\gamma)$, as follows:

$$A(E_\gamma) = E(E_\gamma) + \Delta E \cdot C(E_\gamma) . \quad (8)$$

By this expression, the energy value averaged with the above spectrum becomes equal to that for the decay heat calculation.

$$\begin{aligned} \bar{E} &= \int A(E_\gamma) dE \\ &= E_s + \Delta E \\ &= E_s + (E_a - E_s) \\ &= E_a \end{aligned}$$

In the present calculation, we used the JNDC V2 library¹³ as an average energy set to partially assist us in the determination of when an augmented spectra appeared to be needed.

Examples of the augmented spectra are seen in Figs. 13 and 14, as well as the measured spectra. In these figures the lower part indicates the measured line spectrum and the upper part, the augmented one. Figure 13 shows the ^{98}Sr decay, the Q_β value of which is 5.8 MeV. In the ENDF/B-V file, there are 11 gamma rays emitted through ^{98}Sr decay, and the highest energy of the gamma ray is 600 keV. The average energy from the spectral data is 0.176 MeV; that in the JNDC V2 library, on the other hand, is 1.051 MeV. The difference between the two is augmented by the calculated spectra. The calculated spectrum used for the augmentation is a continuous one and smoothly extends to the Q_β value limit. Another example, shown in Fig. 14, is the case of ^{97m}Y decay. The highest energy of the gamma ray in this case is much lower than the Q_β value. The average energy from the spectral data is 1.82 MeV and that in the JNDC V2 library is 3.34 MeV. The calculated spectra of the nuclide is used to augment the difference between them.

This concludes the brief discussion regarding the method of Gross Theory calculations and the augmentation of selected measured spectra. The reason for the augmentation of each spectra was considered in more detail than we have presented. Many nuclides are known to have an incomplete spectra, and there are other parameters, such as Q_β , which indicate inadequate spectra when compared with average energies derived from spectra. We acknowledge that our reasons for a few of the augmentations could be in error. The new files will contain sufficient information for users to examine the augmentations, and no evaluated measurements will be missing from the files.

IV. CALCULATION OF AGGREGATE SPECTRUM

Aggregate spectrum is a summation of the spectra of FP nuclides produced after nuclear fission.

$$A(E_\gamma, t) = \sum_j \lambda_j \cdot N_j(t) \cdot a_j(E_\gamma) , \quad (9)$$

where $a_j(E_\gamma)$ is the spectra of the j -th FP nuclide, λ_j is the decay constant, and $N_j(t)$ is the nuclide concentration at time t . The nuclide concentrations of FP nuclides at time t were calculated with the CINDER-10 code,¹⁴ which has been developed at Los Alamos National Laboratory. The library for CINDER-10 calculations contains all nuclear data needed for the calculation of the nuclide concentration. However, we used preliminary fission yield data evaluated by England *et al.*¹⁵ for the ENDF/B-VI file. After obtaining the nuclide concentrations at various cooling times, the aggregate spectra were calculated by summing up the spectrum of each nuclide at these cooling times.

In the comparison with measurement, however, the measured data are broadened because of the finite energy resolution of the detector. In order to take into account the effect of broadened spectra in the comparison, we used the detector resolution reported with the measured data to broaden each fission-product spectra used in calculations.

Figures 15-18 show the comparisons of the calculated aggregate spectra after the fission event with the same measured data in Figs. 9-12. Three kinds of calculations are illustrated in these figures: the ENDF/B-V line spectra augmented by the present calculated ones (ENDF/B-V + GT spectra); the JNDC line spectra augmented by the present calculated ones [JNDCV2 (line) + GT spectra]; and the JNDC line spectra augmented by the "typical" ones used in Ref. 3 (JNDCV2 only). The first and second ones show nearly the same behavior, the difference between them being due to the line spectra contained in each file. Their agreement with measured data is better than that of the third, which shows the digression at higher energies, especially above 6 MeV, and the overestimation at low energies. This behavior reflects the "softness" of the "typical" spectra used in the calculation. As is evident in these figures, the present spectra seem to be applicable to the calculation of the aggregate spectra after fission of a fissionable nuclide. (Only the spectra change in these comparisons, not, *e.g.*, densities.)

V. COMPARISON WITH MEASURED AGGREGATE SPECTRA

In confirming the applicability of the calculated spectra of individual FP nuclides to the calculation of the aggregate gamma-ray spectra after a fission event, we performed comparisons with aggregate spectra measured at Oak Ridge National Laboratory, the University of Tokyo, and Los

Alamos National Laboratory. In the comparisons, the line spectra of gamma rays were broadened according to the detector resolution reported. The calculated GT spectra, due to their smoothness and continuous nature, were not considered in need of broadening. The energy group structure of the calculated aggregate spectra was also matched to that of each measurement. Additionally, the measurements are made over a counting period, but the calculations are carried out for a specific time that corresponds to the average time *during* the counting period.

All of the measured aggregate gamma spectra are compared with the calculations using the ENDF/B-V spectra data (i.e., calculations using the ENDF/B-V only) and the augmented one (using ENDF/B-V + GT spectra).

In the following comparisons, the unit of the spectrum is expressed as MeV/sec/fission/bin; i.e., the energy release rate per fission divided by the bin width in energy units.

A. Comparison with Oak Ridge National Laboratory Measurements.

The aggregate gamma-ray spectra from ^{235}U , ^{239}Pu , and ^{241}Pu thermal neutron fission were measured by Dickens *et al.* at Oak Ridge.⁵ The spectra data are reported up to 8 MeV. The average cooling times after fission cover from 2.7 s to 12 000 s.

The compared results are shown in Figs. 19-61 for ^{235}U , Figs. 62-104 for ^{239}Pu , and Figs. 105-148 for ^{241}Pu . As is evident in these figures, the augmentation by the GT spectra improves the calculation of the aggregate spectra at cooling times shorter than a few hundred seconds. In this cooling-time region, the augmented spectra reproduce the measured ones rather well for these fissionable nuclides, irrespective of their different fission yields. In particular the reproduction is good at energy regions lower than 3 MeV. Above 3 MeV, the calculated spectra cannot make some peaks, but they seem to show the overall agreement.

After a few hundred seconds, the difference between the calculation with the ENDF/B-V spectral data and the augmented ones is not seen. This indicates that the nuclides with measured, augmented spectra data hardly contribute to the aggregate spectra at long cooling times. However, the discrepancies between the calculation and measurement seen at long cooling time regions seem to show that even the nuclides with long half-lives may have insufficient spectral data for application to the calculation of the aggregate spectrum. Further examination of measured spectra data for these nuclides may well be needed.

B. Comparison with University of Tokyo Measurements (YAYOI Facility).

The aggregate gamma-ray spectra from ^{233}U , ^{235}U , ^{238}U , ^{239}Pu , and ^{232}Th fast neutron fission were measured by Akyama *et al.* at the University of Tokyo.⁶ Measurements up to 5 MeV were taken, with average cooling times after fission covering from 19 s to 24 000 s.

The compared results are seen in Figs. 149-188 for ^{233}U , in Figs. 189-238 for ^{235}U , in Figs. 239-286 for ^{238}U , in Figs. 287-327 for ^{239}Pu , and in Figs. 328-375 for ^{232}Th . In the cases of ^{238}U and ^{232}Th , the measured data have the contributions from the products by neutron capture reactions. The chains of the products are as follows:

The nuclides in the chains of ^{239}Pu and ^{233}U have a sufficiently long half-life ($> 10^4$ y) such that their contributions to the measured spectra are negligible for the cooling time region of the measurements. In our comparisons, the contributions from ^{239}U and ^{239}Np for ^{238}U fission and those from ^{233}Th and ^{233}Pa for ^{232}Th fission are taken into consideration.

In the case of ^{238}U neutron capture, the nuclide concentrations of $^{239}\text{U}(N^u(t))$ and $^{239}\text{Np}(N^n(t))$ are expressed as follows:

$$N^u(t) = R \cdot e^{-\lambda_u t} ,$$

$$N^n(t) = \left[(\lambda_u R / (\lambda_n - \lambda_u)) \right] \cdot [e^{-\lambda_u t} - e^{-\lambda_n t}] , \quad (10)$$

where R is the reaction rate ratio of neutron capture to fission, λ_u and λ_n are decay constants of ^{239}U and ^{239}Np , respectively. The spectra from the ^{239}U and ^{239}Np decay are added to those of fission products in the figures. The reaction rate ratio R is 5.38 for ^{238}U and 23.0 for ^{232}Th , respectively.⁶ The spectral data of these nuclides were taken from the ENDF/B-V file.

The calculated aggregate spectra using the augmented nuclides improve the agreement with measured data at cooling times shorter than a few hundred seconds. Even in the fission of ^{238}U and ^{232}Th , the agreement was achieved by adding contributions from the products by neutron capture.

C. Comparison with Los Alamos National Laboratory Measurements.

The aggregate spectra from ^{233}U , ^{235}U , and ^{239}Pu thermal neutron fission were measured by *Jurney et al.* at Los Alamos National Laboratory,⁷ with the energy of range of measurements extending to 7.5 MeV. The compared results are shown in Figs 376-387 for ^{233}U , in Figs. 388-399 for ^{235}U , and in Figs. 400-411 for ^{239}Pu . These comparisons demonstrate no difference between the calculations using the ENDF/B-V spectra data vs the augmented ones. The irradiation time of the measurements is 20 000 s, and this is sufficiently long to prohibit the short-lived nuclides, having augmented spectra, from contributing appreciably in such cases. However, the calculated results do show the underestimation at short cooling times for the energy regions above 2

MeV (see Figs. 376, 388, and 400). With the exception of the short cooling times, the comparisons show a good agreement.

VI. SUMMARY

The theoretically calculated gamma spectra of FP nuclides have been used to augment the line spectra in the ENDF/B-V file based on measurements. The augmented spectra have been applied to the calculation of the aggregate gamma spectra after fission. Calculated results show a good agreement with the measured spectra for various fissionable nuclides. The effect of the augmentation is prominent at short cooling times after fission when the nuclides with partially measured or no measured spectra data contribute to the aggregate spectra. At longer cooling times, the augmentation is not effective because it is considered that almost all nuclides contributing at those cooling times have a well-measured spectra.

From our comparisons, it is concluded that the augmented spectra are applicable to the calculation of aggregate ones at shorter cooling times when the nuclides with incomplete or no measured spectra data contribute. If we use the augmented spectra, we can obtain a spectra consistent with the decay heat calculated by the average decay energy.

ACKNOWLEDGMENTS

We greatly appreciate the assistance of the Science and Technology Agency (STA) of Japan and the US Department of Energy. One of the authors (J. Katakura) spent one year as a collaborator for the Nuclear Theory and Applications Group at Los Alamos National Laboratory (November 1988-November 1989) under the support of the STA. The work was performed during his stay.

We also wish to acknowledge the productive discussions with Drs. R. E. Schenter, F. M. Mann, J. K. Dickens, C. W. Reich, T. Yoshida, K. Tasaka, and R. Nakasima. All have contributed information and supported the need for a complete data base; they are in no way responsible for any errors we may have made.

Fig. 1. Calculated energy spectrum of ^{77}Ni decay ($Q_{00}=2.0$).

Fig. 2. Calculated energy spectrum of ^{77}Ni decay ($Q_{00}=0.0$).

Fig. 3. Calculated energy spectrum of ^{80}As decay ($Q_{00}=2.0$).

Fig. 4. Calculated energy spectrum of ^{80}As decay ($Q_{00}=0.0$).

Fig. 5. Calculated energy spectrum of ^{74}Co decay ($Q=14.7$ MeV).

Fig. 7. Calculated energy spectrum of ^{77}Ni decay ($Q=11.9$ MeV).

Fig. 6. Calculated energy spectrum of ^{75}Co decay ($Q=13.3$ MeV).

Fig. 8. Calculated energy spectrum of ^{78}Ni decay ($Q=10.1$ MeV).

Fig. 9. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (to 8 MeV).

Fig. 10. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (to 2 MeV).

Fig. 11. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (to 8 MeV).

Fig. 12. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (to 2 MeV).

Fig. 13. Measured and modified energy spectra of ^{98}Sr decay ($Q_{00}=0.00$).

Fig. 14. Measured and modified energy spectra of $^{97\text{m}}\text{Y}$ decay ($Q_{00}=0.00$).

Fig. 15. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (see Fig. 9).

Fig. 16. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (to 2 MeV).

Fig. 17. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (see Fig. 11).

Fig. 18. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (to 2 MeV).

Fig. 19. Gamma spectrum after ^{235}U thermal fission
 ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (to 8 MeV).

Fig. 20. Gamma spectrum after ^{235}U thermal fission
 ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 3.2$ sec).

Fig. 21. Gamma spectrum after ^{235}U thermal fission
 ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 4.2$ sec)

Fig. 22. Gamma spectrum after ^{235}U thermal fission
 ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 5.7$ sec).

Fig. 23. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 8.2$ sec).

Fig. 24. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 12.2$ sec).

Fig. 25. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 17.2$ sec).

Fig. 26. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 22.2$ sec).

Fig. 27. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 29.7$ sec).

Fig. 28. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 39.7$ sec).

Fig. 29. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 52.2$ sec).

Fig. 30. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 67.2$ sec).

Fig. 31. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 1.0 \text{ sec}$, $T_{\text{cool.}} = 82.2 \text{ sec}$).

Fig. 32. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 1.0 \text{ sec}$, $T_{\text{cool.}} = 99.7 \text{ sec}$).

Fig. 33. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 10.0 \text{ sec}$, $T_{\text{cool.}} = 13.7 \text{ sec}$).

Fig. 34. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 10.0 \text{ sec}$, $T_{\text{cool.}} = 20.7 \text{ sec}$).

Fig. 35. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 29.7$ sec).

Fig. 36. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 39.7$ sec).

Fig. 37. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 49.7$ sec).

Fig. 38. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 64.7$ sec).

Fig. 39. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 84.7$ sec).

Fig. 40. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 104.7$ sec).

Fig. 41. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 134.7$ sec).

Fig. 42. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 184.7$ sec).

Fig. 43. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 254.7$ sec).

Fig. 44. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 344.7$ sec).

Fig. 45. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 494.7$ sec).

Fig. 46. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 694.7$ sec).

Fig. 47 Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 90.0$ sec).

Fig. 48. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 140.0$ sec).

Fig. 49. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 210.0$ sec).

Fig. 50. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 300.0$ sec).

Fig. 51. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 450.0$ sec).

Fig. 52. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 650.0$ sec).

Fig. 53. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 950.0$ sec).

Fig. 54. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 1350.0$ sec).

Fig. 55. Gamma spectrum after ^{235}U thermal fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 1750.0$ sec).

Fig. 56. Gamma spectrum after ^{235}U thermal fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2200.0$ sec).

Fig. 57. Gamma spectrum after ^{235}U thermal fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2700.0$ sec).

Fig. 58. Gamma spectrum after ^{235}U thermal fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 3450.0$ sec).

Fig. 59. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 4950.0 \text{ sec}$).

Fig. 61. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 11950.0 \text{ sec}$).

Fig. 60. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 7950.0 \text{ sec}$).

Fig. 62. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec).

Fig. 63. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 3.2$ sec).

Fig. 64. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 4.2$ sec).

Fig. 65. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 5.7$ sec).

Fig. 66. Gamma spectrum after ^{239}Pu thermal fission
 ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 8.2$ sec).

Fig. 67. Gamma spectrum after ^{239}Pu thermal fission
 ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 12.2$ sec).

Fig. 68. Gamma spectrum after ^{239}Pu thermal fission
 ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 17.2$ sec).

Fig. 69. Gamma spectrum after ^{239}Pu thermal fission
 ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 22.2$ sec).

Fig. 70. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 1.0 \text{ sec}$, $T_{\text{cool.}} = 29.7 \text{ sec}$).

Fig. 71. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 1.0 \text{ sec}$, $T_{\text{cool.}} = 39.7 \text{ sec}$).

Fig. 72. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 1.0 \text{ sec}$, $T_{\text{cool.}} = 52.2 \text{ sec}$).

Fig. 73. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 1.0 \text{ sec}$, $T_{\text{cool.}} = 67.2 \text{ sec}$).

Fig. 74. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 82.2$ sec).

Fig. 75. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 99.7$ sec).

Fig. 76. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 119.7$ sec).

Fig. 77. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 20.2$ sec).

Fig. 78. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 27.7$ sec).

Fig. 79. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 37.7$ sec).

Fig. 80. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 50.2$ sec).

Fig. 81. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 65.2$ sec).

Fig. 82. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 80.2$ sec).

Fig. 83. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 97.7$ sec).

Fig. 84. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 117.7$ sec).

Fig. 85. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 147.7$ sec).

Fig. 86. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{Irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 197.7$ sec).

Fig. 87. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{Irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 262.7$ sec).

Fig. 88. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{Irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 347.7$ sec).

Fig. 89. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{Irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 497.7$ sec).

Fig. 90. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 697.7$ sec).

Fig. 91. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 997.7$ sec).

Fig. 92. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 300.0$ sec).

Fig. 93. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 450.0$ sec).

Fig. 94. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 650.0$ sec).

Fig. 95. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 950.0$ sec).

Fig. 96. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 1350.0$ sec).

Fig. 97. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 1750.0$ sec).

Fig. 98. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2230.0$ sec).

Fig. 99. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2700.0$ sec).

Fig. 100. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 3450.0$ sec).

Fig. 101. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 4950.0$ sec).

Fig. 102. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 6950.0$ sec).

Fig. 103. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 8950.0$ sec).

Fig. 104. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 11950.0$ sec).

Fig. 105. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 1.0 \text{ sec}$, $T_{\text{cool.}} = 2.2 \text{ sec}$).

Fig. 106. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 1.0 \text{ sec}$, $T_{\text{cool.}} = 3.2 \text{ sec}$).

Fig. 107. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 1.0 \text{ sec}$, $T_{\text{cool.}} = 4.2 \text{ sec}$).

Fig. 108. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 1.0 \text{ sec}$, $T_{\text{cool.}} = 5.7 \text{ sec}$).

Fig. 109. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 8.2$ sec).

Fig. 110. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 12.2$ sec).

Fig. 111. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 17.2$ sec).

Fig. 112. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 22.2$ sec).

Fig. 113. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 29.7$ sec).

Fig. 114. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 39.7$ sec).

Fig. 115. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 52.2$ sec).

Fig. 116. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 67.2$ sec).

Fig. 117. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 82.2$ sec).

Fig. 118. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 99.7$ sec).

Fig. 119. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 119.7$ sec).

Fig. 120. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 20.2$ sec).

Fig. 121. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 5.0 \text{ sec}$, $T_{\text{cool.}} = 27.7 \text{ sec}$).

Fig. 122. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 5.0 \text{ sec}$, $T_{\text{cool.}} = 37.7 \text{ sec}$).

Fig. 123. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 5.0 \text{ sec}$, $T_{\text{cool.}} = 50.2 \text{ sec}$).

Fig. 124. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 5.0 \text{ sec}$, $T_{\text{cool.}} = 65.2 \text{ sec}$).

Fig. 125. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 80.2$ sec).

Fig. 126. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 97.7$ sec).

Fig. 127. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 117.7$ sec).

Fig. 128. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 147.7$ sec).

Fig. 129. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 5.0 \text{ sec}$, $T_{\text{cool.}} = 197.7 \text{ sec}$).

Fig. 130. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 5.0 \text{ sec}$, $T_{\text{cool.}} = 262.7 \text{ sec}$).

Fig. 131. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 5.0 \text{ sec}$, $T_{\text{cool.}} = 347.7 \text{ sec}$).

Fig. 132. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 5.0 \text{ sec}$, $T_{\text{cool.}} = 497.7 \text{ sec}$).

Fig. 133. Gamma spectrum after ^{241}Pu thermal fission
 ($T_{\text{irrad.}} = 5.0 \text{ sec}$, $T_{\text{cool.}} = 697.7 \text{ sec}$).

Fig. 134. Gamma spectrum after ^{241}Pu thermal fission
 ($T_{\text{irrad.}} = 5.0 \text{ sec}$, $T_{\text{cool.}} = 997.7 \text{ sec}$).

Fig. 135. Gamma spectrum after ^{241}Pu thermal fission
 ($T_{\text{irrad.}} = 50.0 \text{ sec}$, $T_{\text{cool.}} = 235.0 \text{ sec}$).

Fig. 136. Gamma spectrum after ^{241}Pu thermal fission
 ($T_{\text{irrad.}} = 50.0 \text{ sec}$, $T_{\text{cool.}} = 325.0 \text{ sec}$).

Fig. 137. Gamma spectrum after ^{241}Pu thermal fission
 ($T_{\text{irrad.}} = 50.0$ sec, $T_{\text{cool.}} = 475.0$ sec).

Fig. 138. Gamma spectrum after ^{241}Pu thermal fission
 ($T_{\text{irrad.}} = 50.0$ sec, $T_{\text{cool.}} = 675.0$ sec).

Fig. 139. Gamma spectrum after ^{241}Pu thermal fission
 ($T_{\text{irrad.}} = 50.0$ sec, $T_{\text{cool.}} = 975.0$ sec).

Fig. 140. Gamma spectrum after ^{241}Pu thermal fission
 ($T_{\text{irrad.}} = 50.0$ sec, $T_{\text{cool.}} = 1375.0$ sec).

Fig. 141. Gamma spectrum after ^{241}Pu thermal fission
 ($T_{\text{irrad.}} = 50.0$ sec, $T_{\text{cool.}} = 1775.0$ sec).

Fig. 142. Gamma spectrum after ^{241}Pu thermal fission
 ($T_{\text{irrad.}} = 50.0$ sec, $T_{\text{cool.}} = 2225.0$ sec).

Fig. 143. Gamma spectrum after ^{241}Pu thermal fission
 ($T_{\text{irrad.}} = 50.0$ sec, $T_{\text{cool.}} = 2725.0$ sec).

Fig. 144. Gamma spectrum after ^{241}Pu thermal fission
 ($T_{\text{irrad.}} = 50.0$ sec, $T_{\text{cool.}} = 3475.0$ sec).

Fig. 145. Gamma spectrum after ^{241}Pu thermal fission
 ($T_{\text{irrad.}} = 50.0$ sec, $T_{\text{cool.}} = 4975.0$ sec).

Fig. 146. Gamma spectrum after ^{241}Pu thermal fission
 ($T_{\text{irrad.}} = 50.0$ sec, $T_{\text{cool.}} = 6975.0$ sec).

Fig. 147. Gamma spectrum after ^{241}Pu thermal fission
 ($T_{\text{irrad.}} = 50.0$ sec, $T_{\text{cool.}} = 8975.0$ sec).

Fig. 148. Gamma spectrum after ^{241}Pu thermal fission
 ($T_{\text{irrad.}} = 50.0$ sec, $T_{\text{cool.}} = 11975.0$ sec).

Fig. 149. Gamma spectrum after ^{233}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 26.0$ sec).

Fig. 150. Gamma spectrum after ^{233}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 45.0$ sec).

Fig. 151. Gamma spectrum after ^{233}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 70.0$ sec).

Fig. 152. Gamma spectrum after ^{233}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 110.0$ sec).

Fig. 153. Gamma spectrum after ^{233}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 140.0$ sec).

Fig. 154. Gamma spectrum after ^{233}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 180.0$ sec).

Fig. 155. Gamma spectrum after ^{233}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 230.0$ sec).

Fig. 156. Gamma spectrum after ^{233}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 290.0$ sec).

Fig. 157. Gamma spectrum after ^{233}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 360.0$ sec).

Fig. 158. Gamma spectrum after ^{233}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 450.0$ sec).

Fig. 159. Gamma spectrum after ^{233}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 550.0$ sec).

Fig. 160. Gamma spectrum after ^{233}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 700.0$ sec).

Fig. 161. Gamma spectrum after ^{233}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 900.0$ sec).

Fig. 162. Gamma spectrum after ^{233}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 1200.0$ sec).

Fig. 163. Gamma spectrum after ^{233}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 1600.0$ sec).

Fig. 164. Gamma spectrum after ^{233}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2000.0$ sec).

Fig. 165. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2450.0$ sec).

Fig. 166. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2950.0$ sec).

Fig. 167. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 3500.0$ sec).

Fig. 168. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 4100.0$ sec).

Fig. 169. Gamma spectrum after ^{233}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 230.0$ sec).

Fig. 170. Gamma spectrum after ^{233}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 290.0$ sec).

Fig. 171. Gamma spectrum after ^{233}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 900.0$ sec).

Fig. 172. Gamma spectrum after ^{233}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 1200.0$ sec).

Fig. 173. Gamma spectrum after ^{233}U fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 1600.0$ sec).

Fig. 174. Gamma spectrum after ^{233}U fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2000.0$ sec).

Fig. 175. Gamma spectrum after ^{233}U fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2450.0$ sec).

Fig. 176. Gamma spectrum after ^{233}U fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2950.0$ sec).

Fig. 177. Gamma spectrum after ^{233}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 3500.0$ sec).

Fig. 178. Gamma spectrum after ^{233}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 4100.0$ sec).

Fig. 179. Gamma spectrum after ^{233}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 4800.0$ sec).

Fig. 180. Gamma spectrum after ^{233}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 5600.0$ sec).

Fig. 181. Gamma spectrum after ^{233}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 6500.0$ sec).

Fig. 182. Gamma spectrum after ^{233}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 7500.0$ sec).

Fig. 183. Gamma spectrum after ^{233}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 9000.0$ sec).

Fig. 184. Gamma spectrum after ^{233}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 11000.0$ sec).

Fig. 185. Gamma spectrum after ^{233}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 13500.0$ sec).

Fig. 186. Gamma spectrum after ^{233}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 16500.0$ sec).

Fig. 187. Gamma spectrum after ^{233}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 20000.0$ sec).

Fig. 188. Gamma spectrum after ^{233}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 24000.0$ sec).

Fig. 189. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 19.0$ sec).

Fig. 190. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 26.0$ sec).

Fig. 191. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 35.0$ sec).

Fig. 192. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 45.0$ sec).

Fig. 193. Gamma spectrum after ^{235}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 55.0$ sec).

Fig. 194. Gamma spectrum after ^{235}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 70.0$ sec).

Fig. 195. Gamma spectrum after ^{235}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 90.0$ sec).

Fig. 196. Gamma spectrum after ^{235}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 110.0$ sec).

Fig. 197. Gamma spectrum after ^{235}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 140.0$ sec).

Fig. 198. Gamma spectrum after ^{235}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 180.0$ sec).

Fig. 199. Gamma spectrum after ^{235}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 230.0$ sec).

Fig. 200. Gamma spectrum after ^{235}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 290.0$ sec).

Fig. 201. Gamma spectrum after ^{235}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 360.0$ sec).

Fig. 202. Gamma spectrum after ^{235}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 450.0$ sec).

Fig. 203. Gamma spectrum after ^{235}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 550.0$ sec).

Fig. 204. Gamma spectrum after ^{235}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 700.0$ sec).

Fig. 205. Gamma spectrum after ^{235}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 900.0$ sec).

Fig. 206. Gamma spectrum after ^{235}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 1200.0$ sec).

Fig. 207. Gamma spectrum after ^{235}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 1600.0$ sec).

Fig. 208. Gamma spectrum after ^{235}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2000.0$ sec).

Fig. 209. Gamma spectrum after ^{235}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2450.0$ sec).

Fig. 210. Gamma spectrum after ^{235}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2950.0$ sec).

Fig. 211. Gamma spectrum after ^{235}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 3500.0$ sec).

Fig. 212. Gamma spectrum after ^{235}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 4100.0$ sec).

Fig. 213. Gamma spectrum after ^{235}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 140.0$ sec).

Fig. 214. Gamma spectrum after ^{235}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 180.0$ sec).

Fig. 215. Gamma spectrum after ^{235}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 230.0$ sec).

Fig. 216. Gamma spectrum after ^{235}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 290.0$ sec).

Fig. 217. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 360.0$ sec).

Fig. 218. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 450.0$ sec).

Fig. 219. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 550.0$ sec).

Fig. 220. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 700.0$ sec).

Fig. 221. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 900.0$ sec).

Fig. 222. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 1200.0$ sec).

Fig. 223. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 1600.0$ sec).

Fig. 224. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2000.0$ sec).

Fig. 225. Gamma spectrum after ^{235}U fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2450.0$ sec).

Fig. 226. Gamma spectrum after ^{235}U fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2950.0$ sec).

Fig. 227. Gamma spectrum after ^{235}U fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 3500.0$ sec).

Fig. 228. Gamma spectrum after ^{235}U fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 4100.0$ sec).

Fig. 229. Gamma spectrum after ^{235}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 4800.0$ sec).

Fig. 230. Gamma spectrum after ^{235}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 5600.0$ sec).

Fig. 231. Gamma spectrum after ^{235}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 6500.0$ sec).

Fig. 232. Gamma spectrum after ^{235}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 7500.0$ sec).

Fig. 233. Gamma spectrum after ^{235}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 9000.0$ sec).

Fig. 234. Gamma spectrum after ^{235}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 11000.0$ sec).

Fig. 235. Gamma spectrum after ^{235}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 13500.0$ sec).

Fig. 236. Gamma spectrum after ^{235}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 16500.0$ sec).

Fig. 237. Gamma spectrum after ^{235}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 20000.0$ sec).

Fig. 238. Gamma spectrum after ^{235}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 24000.0$ sec).

Fig. 239. Gamma spectrum after ^{238}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 19.0$ sec).

Fig. 240. Gamma spectrum after ^{238}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 26.0$ sec).

Fig. 241. Gamma spectrum after ^{238}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 35.0$ sec).

Fig. 242. Gamma spectrum after ^{238}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 45.0$ sec).

Fig. 243. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 55.0$ sec).

Fig. 244. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 70.0$ sec).

Fig. 245. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 90.0$ sec).

Fig. 246. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 110.0$ sec).

Fig. 247. Gamma spectrum after ^{238}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 140.0$ sec).

Fig. 248. Gamma spectrum after ^{238}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 180.0$ sec).

Fig. 249. Gamma spectrum after ^{238}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 230.0$ sec).

Fig. 250. Gamma spectrum after ^{238}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 290.0$ sec).

Fig. 251. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 360.0$ sec).

Fig. 252. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 450.0$ sec).

Fig. 253. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 550.0$ sec).

Fig. 254. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 700.0$ sec).

Fig. 255. Gamma spectrum after ^{238}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 900.0$ sec).

Fig. 256. Gamma spectrum after ^{238}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 1200.0$ sec).

Fig. 257. Gamma spectrum after ^{238}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 1600.0$ sec).

Fig. 258. Gamma spectrum after ^{238}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2000.0$ sec).

Fig. 259. Gamma spectrum after ^{238}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2450.0$ sec).

Fig. 260. Gamma spectrum after ^{238}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2950.0$ sec).

Fig. 261. Gamma spectrum after ^{238}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 3500.0$ sec).

Fig. 262. Gamma spectrum after ^{238}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 4100.0$ sec).

Fig. 263. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 230.0$ sec).

Fig. 264. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 290.0$ sec).

Fig. 265. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 360.0$ sec).

Fig. 266. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 450.0$ sec).

Fig. 267. Gamma spectrum after ^{238}U fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 550.0$ sec).

Fig. 268. Gamma spectrum after ^{238}U fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 700.0$ sec).

Fig. 269. Gamma spectrum after ^{238}U fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 900.0$ sec).

Fig. 270. Gamma spectrum after ^{238}U fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 1200.0$ sec).

Fig. 273. Gamma spectrum after ^{238}U fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2450.0$ sec).

Fig. 274. Gamma spectrum after ^{238}U fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2950.0$ sec).

Fig. 271. Gamma spectrum after ^{238}U fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 1600.0$ sec).

Fig. 272. Gamma spectrum after ^{238}U fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2000.0$ sec).

Fig. 275. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 3500.0$ sec).

Fig. 276. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 4100.0$ sec).

Fig. 277. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 4800.0$ sec).

Fig. 278. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 5600.0$ sec).

Fig. 279. Gamma spectrum after ^{238}U fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 6500.0$ sec).

Fig. 280. Gamma spectrum after ^{238}U fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 7500.0$ sec).

Fig. 281. Gamma spectrum after ^{238}U fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 9000.0$ sec).

Fig. 282. Gamma spectrum after ^{238}U fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 11000.0$ sec).

Fig. 283. Gamma spectrum after ^{238}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 13500.0$ sec).

Fig. 284. Gamma spectrum after ^{238}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 16500.0$ sec).

Fig. 285. Gamma spectrum after ^{238}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 20000.0$ sec).

Fig. 286. Gamma spectrum after ^{238}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 24000.0$ sec).

Fig. 287. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 19.0$ sec).

Fig. 288. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 26.0$ sec).

Fig. 289. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 35.0$ sec).

Fig. 290. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 45.0$ sec).

Fig. 291. Gamma spectrum after ^{239}Pu fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 55.0$ sec).

Fig. 292. Gamma spectrum after ^{239}Pu fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 70.0$ sec).

Fig. 293. Gamma spectrum after ^{239}Pu fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 90.0$ sec).

Fig. 294. Gamma spectrum after ^{239}Pu fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 110.0$ sec).

Fig. 295. Gamma spectrum after ^{239}Pu fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 140.0$ sec).

Fig. 296. Gamma spectrum after ^{239}Pu fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 180.0$ sec).

Fig. 297. Gamma spectrum after ^{239}Pu fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 230.0$ sec).

Fig. 298. Gamma spectrum after ^{239}Pu fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 290.0$ sec).

Fig. 299. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 360.0$ sec).

Fig. 300. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 450.0$ sec).

Fig. 301. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 550.0$ sec).

Fig. 302. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 700.0$ sec).

Fig. 303. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 900.0$ sec).

Fig. 304. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 1200.0$ sec).

Fig. 305. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 1600.0$ sec).

Fig. 306. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2000.0$ sec).

Fig. 307. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2450.0$ sec).

Fig. 308. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2950.0$ sec).

Fig. 309. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 3500.0$ sec).

Fig. 310. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 4100.0$ sec).

Fig. 311. Gamma spectrum after ^{239}Pu fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 1200.0$ sec).

Fig. 312. Gamma spectrum after ^{239}Pu fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 1600.0$ sec).

Fig. 313. Gamma spectrum after ^{239}Pu fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2000.0$ sec).

Fig. 314. Gamma spectrum after ^{239}Pu fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2450.0$ sec).

Fig. 315. Gamma spectrum after ^{239}Pu fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2950.0$ sec).

Fig. 316. Gamma spectrum after ^{239}Pu fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 3500.0$ sec).

Fig. 317. Gamma spectrum after ^{239}Pu fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 4100.0$ sec).

Fig. 318. Gamma spectrum after ^{239}Pu fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 4800.0$ sec).

Fig. 319. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 5600.0$ sec).

Fig. 320. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 6500.0$ sec).

Fig. 321. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 7500.0$ sec).

Fig. 322. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 9000.0$ sec).

Fig. 323. Gamma spectrum after ^{239}Pu fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 11000.0$ sec).

Fig. 324. Gamma spectrum after ^{239}Pu fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 13500.0$ sec).

Fig. 325. Gamma spectrum after ^{239}Pu fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 16500.0$ sec).

Fig. 326. Gamma spectrum after ^{239}Pu fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 20000.0$ sec).

Fig. 327. Gamma spectrum after ^{239}Pu fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 24000.0$ sec)

Fig. 328. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 19.0$ sec).

Fig. 329. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 26.0$ sec).

Fig. 330. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 35.0$ sec).

Fig. 331. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 45.0$ sec).

Fig. 332. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 55.0$ sec).

Fig. 333. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 70.0$ sec).

Fig. 334. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 90.0$ sec).

Fig. 335. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 110.0$ sec).

Fig. 336. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 140.0$ sec).

Fig. 337. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 180.0$ sec).

Fig. 338. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 230.0$ sec).

Fig. 339. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 290.0$ sec).

Fig. 340. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 360.0$ sec).

Fig. 341. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 450.0$ sec).

Fig. 342. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 550.0$ sec).

Fig. 343. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 700.0$ sec).

Fig. 344. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 900.0$ sec).

Fig. 345. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 1200.0$ sec).

Fig. 346. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 1600.0$ sec).

Fig. 347. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2000.0$ sec).

Fig. 348. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2450.0$ sec).

Fig. 349. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2950.0$ sec).

Fig. 350. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 3500.0$ sec).

Fig. 351. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 4100.0$ sec).

Fig. 352. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 230.0$ sec).

Fig. 353. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 290.0$ sec).

Fig. 354. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 360.0$ sec).

Fig. 355. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 450.0$ sec).

Fig. 356. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 550.0$ sec).

Fig. 357. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 700.0$ sec).

Fig. 358. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 900.0$ sec).

Fig. 359. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 1200.0$ sec).

Fig. 360. Gamma spectrum after ^{232}Th fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 1600.0$ sec).

Fig. 361. Gamma spectrum after ^{232}Th fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2000.0$ sec).

Fig. 362. Gamma spectrum after ^{232}Th fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2450.0$ sec).

Fig. 363. Gamma spectrum after ^{232}Th fast neutron fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2950.0$ sec).

Fig. 364. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad}} = 100.0$ sec, $T_{\text{cool}} = 3500.0$ sec).

Fig. 365. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad}} = 100.0$ sec, $T_{\text{cool}} = 4100.0$ sec).

Fig. 366. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad}} = 100.0$ sec, $T_{\text{cool}} = 4800.0$ sec).

Fig. 367. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad}} = 100.0$ sec, $T_{\text{cool}} = 5600.0$ sec).

Fig. 368. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad}} = 100.0$ sec, $T_{\text{cool}} = 6500.0$ sec).

Fig. 369. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad}} = 100.0$ sec, $T_{\text{cool}} = 7500.0$ sec).

Fig. 370. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad}} = 100.0$ sec, $T_{\text{cool}} = 9000.0$ sec).

Fig. 371. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad}} = 100.0$ sec, $T_{\text{cool}} = 11000.0$ sec).

Fig. 372. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 13500.0$ sec).

Fig. 373. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 16500.0$ sec).

Fig. 374. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 20000.0$ sec).

Fig. 375. Gamma spectrum after ^{232}Th fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 24000.0$ sec).

Fig. 376. Gamma spectrum after ^{233}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 29.0$ sec).

Fig. 377. Gamma spectrum after ^{233}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 128.0$ sec).

Fig. 378. Gamma spectrum after ^{233}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 284.0$ sec).

Fig. 379. Gamma spectrum after ^{233}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 538.0$ sec).

Fig. 380. Gamma spectrum after ^{233}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 1218.0$ sec).

Fig. 381. Gamma spectrum after ^{233}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 2581.0$ sec).

Fig. 382. Gamma spectrum after ^{233}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 3961.0$ sec).

Fig. 383. Gamma spectrum after ^{233}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 5010.0$ sec).

Fig. 384. Gamma spectrum after ^{233}U thermal neutron fission
($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 23760.0$ sec).

Fig. 385. Gamma spectrum after ^{233}U thermal neutron fission
($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 59292.0$ sec).

Fig. 386. Gamma spectrum after ^{233}U thermal neutron fission
($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 96822.0$ sec).

Fig. 387. Gamma spectrum after ^{233}U thermal neutron fission
($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 146562.2$ sec).

Fig. 388. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0 \text{ sec}$, $T_{\text{cool.}} = 29.0 \text{ sec}$).

Fig. 389. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0 \text{ sec}$, $T_{\text{cool.}} = 128.0 \text{ sec}$).

Fig. 390. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0 \text{ sec}$, $T_{\text{cool.}} = 284.0 \text{ sec}$).

Fig. 391. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0 \text{ sec}$, $T_{\text{cool.}} = 538.0 \text{ sec}$).

Fig. 392. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 1218.0$ sec).

Fig. 393. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 2581.0$ sec).

Fig. 394. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 3961.0$ sec).

Fig. 395. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 5010.0$ sec).

Fig. 396. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 23760.0$ sec).

Fig. 397. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 59292.0$ sec).

Fig. 398. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 96822.0$ sec).

Fig. 399. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 146562.0$ sec).

Fig. 400. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 29.0$ sec).

Fig. 401. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 128.0$ sec).

Fig. 402. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 284.0$ sec).

Fig. 403. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 538.0$ sec).

Fig. 404. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 20000.0 \text{ sec}$, $T_{\text{cool.}} = 1218.0 \text{ sec}$).

Fig. 405. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 20000.0 \text{ sec}$, $T_{\text{cool.}} = 2530.0 \text{ sec}$).

Fig. 406. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 20000.0 \text{ sec}$, $T_{\text{cool.}} = 3930.0 \text{ sec}$).

Fig. 407. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 20000.0 \text{ sec}$, $T_{\text{cool.}} = 5020.0 \text{ sec}$).

Fig. 408. Gamma spectrum after ^{239}Pu thermal neutron fission
 ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 23760.0$ sec).

Fig. 409. Gamma spectrum after ^{239}Pu thermal neutron fission
 ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 59320.0$ sec).

Fig. 410. Gamma spectrum after ^{239}Pu thermal neutron fission
 ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 96840.0$ sec).

Fig. 411. Gamma spectrum after ^{239}Pu thermal neutron fission
 ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 146520.0$ sec).

REFERENCES:

1. Proc. Nuclear Energy Agency Nuclear Data Committee (NEANDC) Specialists' Meeting on Yields and Decay Data of Fission Product Nuclides, Brookhaven National Laboratory, Oct. 24-27, 1983, Brookhaven report BNL 51778.
 2. K. Tasaka, H. Ihara, M. Akiyama, T. Yoshida, Z. Matumot, and R. Nakasima, "JNDC Nuclear Data Library of Fission Products," Japan Atomic Energy Research Inst. report JAERI 1287 [NEANDC(J) 91/U, INDC(JAP0 78/L)] (1983).
 3. T. Yoshida and J. Katakura, "Calculation of the Delayed Gamma-Ray Energy Spectra from Aggregate Fission Product Nuclides," Nucl. Sci. Eng. 93 (1986).
- J. Katakura and T. Yoshida, "Gamma-Ray Spectrum Data Library of Fission Product Nuclides and its Assessment," Japan Atomic Energy Research Inst. report JAERI 1311 [NEANDC (J)-124/U, INDC(JPN-110/L)] (1988).
- T. Yoshida and R. Nakasima, J. Nuc. Sci. Tech. 18, No. 6, 393-407 (June 1981).
- T. Yoshida, "Theoretical Calculation of Decay Data of Short-Lived Nuclides for JNDC Fission Product Decay File, Japan Atomic Energy Research Inst. report JAERI-M-83-127 [NEANDC (J)-92/U, INDC(JAP0)-79/L] (August 1983).
4. T. R. England, W. B. Wilson, R. E. Schenter, and F. M. Mann, "Summary of ENDF/B-V Data for Fission Products and Actinides," Electric Power Research Inst. report EPRI NP-3787 (1984).
 5. J. K. Dickens, J. F. Emery, T. A. Love, J. W. McConnell, K. J. Northcutt, R. W. Peelle, and H. Weaver, "Fission Product Energy Release for Times Following Thermal Neutron Fission of ^{235}U Between 2 and 14,000 Seconds," Oak Ridge National Laboratory report ORNL/NUREG-14 (1977).
- J. K. Dickens, J. F. Emery, T. A. Love, J. W. McConnell, K. J. Northcutt, R. W. Peelle, and H. Weaver, "Fission Product Energy Release for Times Following Thermal Neutron Fission of ^{239}Pu Between 2 and 14,000 Seconds," Oak Ridge National Laboratory report NUREG/CR-0194, ORNL/NUREG-34 (1978).
- J. K. Dickens, J. F. Emery, T. A. Love, J. W. McConnell, K. J. Northcutt, R. W. Peelle, and H. Weaver, "Fission Product Energy Release for Times Following Thermal Neutron Fission of ^{241}Pu Between 2 and 14,000 Seconds," Oak Ridge National Laboratory report NUREG/CR-0171, ORNL/NUREG-47 (1978).
- J. K. Dickens, T. A. Love, J. W. McConnell, J. F. Emery, K. J. Northcutt, and R. W. Peelle, "Delayed Beta- and Gamma-Ray Production Due to Thermal-Neutron Fission of ^{235}U , Spectral Distributions for Times after Fission Between 2 and 14,000 Seconds: Tabular and Graphical Data," Oak Ridge National Laboratory report NUREG/CR-0162, ORNL/NUREG-39 (1978).
- J. K. Dickens, T. R. England, T. A. Love, J. W. McConnell, J. F. Emery, K. J. Northcutt, and R. W. Peelle, "Delayed Beta- and Gamma-Ray Production Due to Thermal-Neutron Fission of ^{239}Pu : Tabular and Graphical Spectral Distributions for Times After Fission Between 2 and 14,000 Seconds," Oak Ridge National Laboratory report NUREG/CR-1172, ORNL/NUREG-66 (1980).

6. M. Akiyama, Dr. Eng. Thesis, University of Tokyo (1983).
M. Akiyama and J. Katakura, "Measured Data of Delayed Gamma-Ray Spectra from Fissions of ^{232}Th , ^{233}U , ^{235}U , ^{238}U , and ^{239}Pu by Fast Neutrons: Tabular Data," Japan Atomic Energy Research Inst. report JAERI-M 88-252 (1988).
7. E. T. Jurney, P. J. Bendt, and T. R. England, "Fission Product Gamma Spectra," Los Alamos National Laboratory report LA-7620-MS (1979).
8. K. Takahashi, M. Yamada, and T. Kondoh, "Beta-Decay Half-Lives Calculated on the Gross Theory," *Atom. Data and Nucl. Data Tables*, **12**, 101 (1973) (see also references therein).
9. D. M. Brink, Ph.D. Thesis, Oxford University (1955).
10. P. Axel, "Electric Dipole Ground-State Transition Width Strength Function and 7-MeV Photon Interactions," *Phys. Rev.* **126**, 67 (1962).
11. A. Gilbert and A. G. W. Cameron, "A Composite Nuclear Level Density Formula with Shell Corrections," *Can. J. Phys.* **43**, 1446 (1965).
12. J. Katakura and R. Nakasima, "Average Decay Energies in JNDC file Version 2," *Proc. Specialists' Mtg. on Data for Decay Heat Prediction*, Studsvik, Sweden, Sept. 7-10, 1987, NEACRP-302 'L', NEANDC-245 'U' (1987).
13. H. Ihara, Ed., "Tables and Figures from JNDC Nuclear Data Library of Fission Products, Version 2," Japan Atomic Energy Research Inst. report JAERI-M 90-204 (1989).
K. Tasaka, J. Katakura, H. Ihara, T. Yoshida, S. Iijima, R. Nakasima, T. Nakagawa, and H. Takano, "Second Version of JNDC Nuclear Data Library of Fission Products," to be published as a JAERI report.
14. T. R. England, R. Wilczynski, and N. L. Whittemore, "CINDER-7: An Interim Report for Users," Los Alamos Scientific Laboratory report LA-5885-MS (April 1975).
15. T. R. England and B. F. Rider, "Evaluation and Compilation of Fission Product Yields, 1989," (ENDF-349) draft form, to be published as a Los Alamos report as the primary documentation for ENDF/B-VI.

APPENDIX A

COMPARISONS USING ENDF/B-VI PRELIMINARY DATA

The calculations using the ENDF/B-VI preliminary data (as of October 1989) were performed due to the fact that the data became available for testing during the time frame of this work effort. The results are shown in Figs. A-1 through A-6 for ^{235}U , ^{239}Pu , and ^{241}Pu fission. Four kinds of calculations are demonstrated in each figure; i.e., the calculations using the ENDF/B-V line spectral data, the augmented ENDF/B-V data, the preliminary ENDF/B-VI line spectral data, and the augmented preliminary ENDF/B-VI data.

As evidenced in these figures, the preliminary ENDF/B-VI spectral data are greatly improved over the ENDF/B-V ones. However, the calculations using only the preliminary ENDF/B-VI spectral data seem to have a problem of missing gamma rays and they underestimate the measured aggregate spectral data. The augmented preliminary ENDF/B-VI data seem to give better agreement among them. These comparisons were done using the preliminary ENDF/B-VI file; some data in the file could be changed when the file is completed, but most of the improvement is expected by using the calculated spectra for the augmentation of the line spectral data.

Fig. A-1. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (to 8 MeV).

Fig. A-2. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (to 3 MeV).

Fig. A-3. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (to 8 MeV).

Fig. A-4. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (to 3 MeV).

Fig. A-5. Gamma spectrum after ^{241}Pu thermal neutron fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (to 8 MeV).

Fig. A-6. Gamma spectrum after ^{241}Pu thermal neutron fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (to 3 MeV).

APPENDIX B

CALCULATION OF BETA-RAY SPECTRUM

The calculation of gamma-ray spectra is discussed in the main text. The beta spectra calculation also involves a problem for some nuclides in that the measured spectrum enhances the high-energy part, because the beta transitions to higher energy levels of daughter nucleus may not be observed in measurements even if the transitions are to be allowed. The calculation of aggregate beta spectrum using such spectral data also enhances the high-energy part and depresses the low-energy part. The situation is seen in the comparisons of the aggregate beta-ray spectra between the calculations and the measurements by Dickens *et al.* At very short cooling times after fission, when the nuclides with no measured data contribute to the spectra, the calculation falls below the measured values. At longer (though still short) cooling times in which the nuclides with incomplete spectral data are still important, the calculation shows an underestimation for the low-energy part and an overestimation for the high-energy part. In order to improve the situation, we tried to calculate the beta spectra of each fission-product nuclide by the Gross Theory, which is used to complement the measured gamma spectra.

In the case of the beta-ray spectra, some different treatments or modifications from that of the gamma-ray spectra are needed. The average beta energy value that can force agreement with the measured decay heat value is smaller than the average energy from measured decay scheme data. Therefore, it is not suitable to simply add some fraction of the calculated spectrum to the measured one. We used the following procedure.

The calculation of beta rays by the Gross Theory was performed by assuming that there may have been some missing beta transitions to higher levels than the observed ones. Namely, the beta spectrum was calculated with the maximum energy equal to the difference between the Q_β value and the maximum level energy. This calculated spectrum is normalized to be 1.0 when energy integration is carried out over the full energy range.

Let the average energy of the calculated spectrum be E_c and the energy derived from the measured decay scheme be E_m . The average energy that is suitable to calculate the decay heat value is E_T ; then E_T is expressed as follows:

$$E_T = \alpha \cdot E_m + \beta \cdot E_c ,$$

whereas $\alpha + \beta = 1.0$, α - and β -values can be calculated

$$\alpha = (E_T - E_c) / (E_m - E_c)$$

$$\beta = (E_m - E_T) / (E_m - E_c) .$$

As $E_c < E_r < E_m$ for most of the nuclides having the problem, α and β values become positive. In the case of $E_r > E_m$, the calculated spectrum is simply added to augment the difference between E_r and E_m ; $\alpha = 1$, $\beta = (E_r - E_m) / E_c$ in this case. The spectrum, then, becomes

$$S(E_\beta) = \alpha \cdot S_m(E_\beta) + \beta \cdot S_c(E_\beta).$$

By this method, the beta-ray spectra were calculated for nuclides whose average beta energy value has inconsistency between that from the decay scheme and that used for decay heat calculations.

An example of the spectrum is shown in Fig. B-1. This is a case of ^{97}Sr decay. The average energy value derived from the measured decay scheme is 2.646 and its spectrum is illustrated by the dotted line. The calculated spectrum, assuming that beta transitions occur only to higher levels than observed ones, is shown by a dashed line, and its average energy is 1.923 MeV. The modified or augmented spectrum is seen as a solid line. This modified spectrum gives the average energy of 2.282 MeV, which is nearly equal to the value of the energy used for the decay heat calculation in the JNDCV2 library.

The modified spectra of each fission product nuclide were used to calculate the aggregate beta-ray spectra after fission. One result is shown in Fig. B-2 together with the measured spectrum. The calculation using only the ENDF/B-V spectra data shows an underestimation for the low-energy part. The calculation using the modified spectra (ENDF/B-V + GT spectra in the figure) shows rather good agreement with the measurement.

Fig. B-1. Beta-ray spectrum of ^{97}Sr decay ($Q = 7.4 \text{ MeV}$).

Fig. B-2. Beta-ray spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 1.0 \text{ sec}$, $T_{\text{cool.}} = 2.2 \text{ sec}$) (to 8 MeV).

APPENDIX C

FISSION PRODUCTS: PRELIMINARY DECAY ENERGIES, HALF-LIVES, AND BRANCHINGS FOR ENDF/B-VI

In Table C-1 we have listed total beta, gamma, and alpha energies from the most recent data file used in this report. Branchings by decay are also listed, as are half-lives. All energies are in eV, half-lives in seconds, and branchings are fractions per decay. Spectral data are too extensive for inclusion in this report. The table identifies 127 products as stable; these are needed in calculations involving a neutron flux. Their cross sections will be found in ENDF/B-VI files. The meaning of the columns in Table C-1 are:

<u>Col. Heading</u>	<u>Quantity</u>
Symbol	chemical symbol preceded by the Z value and followed by the atomic number. Nuclides that are isomeric states have m, n, ... following the atomic number meaning 1st, 2nd, ... isomeric states (the files generally include isomeric states having half-lives ≥ 0.1 s).
ZZAAAS	is a numeric identifier consisting of the quantity $Z \times 10000 + A \times 10 + S$, where S is the isomeric state number (0 = ground, 1 = 1st isomeric state, etc.).
Half-life	the total decay half-life in seconds.
E-beta, E-gamma, E-alpha	generally are average beta, gamma, and alpha decay energies, but have more precise definitions. Thus, E-beta is the total electron-related radiation, such as β^- , β^+ , conversion electron, Auger, <i>etc.</i> E-gamma is the average energy of all "electromagnetic" radiation, such as gamma rays, x rays, and annihilation radiation. E-alpha is the average energy of <u>all</u> heavy charged particles and delayed neutrons. The alpha decay energy includes the recoil energy. The sum of the three average energies is the recoverable energy per decay (neutrino energies are excluded). All values are given in units of eV. (Delayed neutron energy is not tabulated but will be included in the final ENDF/B-VI files and summed into E-alpha.)
RTYP	identifies the initial or primary decay mode for the listed line of data (see below).
RFS	identifies the daughter state following the decay (0. = ground, 1. = 1st isomeric state, etc.).
Q	is the total Q-value for the decay mode.
Branching	is the fraction of decays from type RTYP to state RFS.
NDK	is the number of decay modes.
NSP	is the number of spectral types included in the ENDF/B files.
MAT	is the material identification number assignment in the ENDF/B files.

The decay mode identification, RTYP, has the following definitions.

RTP	Decay Mode
------------	-------------------

1.	β^-	Beta decay
2.	e.c., (β^+)	Electron capture and/or positron emission
3.	IT	Isomeric transition
4.	α	Alpha decay
5.	n	Neutron emission but <u>not</u> delayed neutron decay (see below)
6.	SF	Spontaneous fission
7.	p	Proton emission
10.	—	Unknown

Multiple particle emission is also defined by combining the RTYP indicators as decimal digits in the sequence in which particles are emitted. Thus, a beta decay followed by a delayed neutron is $RTYP = 1.5$, and a positron followed by alpha decay is $RTYP = 2.4$, etc. Such compound RTYP values therefore indicate intermediate states having lifetimes that are too short for explicit inclusion in the files. The Q-value for such cases is the energy difference based on masses of the initial and final states.

Spectral files contain a particle indicator, STYP, defined similarly to RTYP, but with the added values of 0. = gamma rays, 8. = discrete electrons, and 9. = x rays. In this report we do not include the average energies for each type of spectra. As can be seen from the NSP column, most nuclides do have spectra in the files.

These data are preliminary because they have not been officially accepted by the Cross Section Evaluation Working Group (CSEWG). We anticipate that the decay energies will be accepted as mod 0. Figures C-1 through C-3 show a comparison of aggregate decay energies (beta, gamma, and total) with Tokyo measurements following a ^{235}U fast fission pulse. The "Pandemonium" problem is no longer evident. Additional comparisons will be included in ENDF/B-VI documentation following a phase-1 review of the decay and yield files.

TABLE C-1

PRELIMINARY LIST OF ENDF/B-VI FISSION-PRODUCT PARAMETERS

SYMBOL	S	Z	AA	SS	HALF-LIFE	E-BETA	E-GAMMA	E-ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
27-co-	72	0	270720	1.2355e-01	4.6080e+06	4.6940e+06		0.0	1.00	0.0	1.3568e+07	8.8468e-01	2	3	2764
									1.50	0.0	7.6390e+00	1.1532e-01			
28-ni-	72	0	280720	3.8306e+00	1.8820e+06	9.1310e+05		0.0	1.00	0.0	4.9211e+06	1.0000e+00	1	2	2867
29-cu-	72	0	290720	6.4891e+00	2.0350e+06	2.9940e+06		0.0	1.00	0.0	8.0524e+06	1.0000e+00	2	3	2952
									1.50	0.0	8.4000e-02	1.0000e-06			
30-zn-	72	0	300720	1.6740e+05	1.0270e+05	1.5250e+05		0.0	1.00	0.0	4.5700e+05	1.0000e+00	1	4	3049
31-ga-	72	0	310720	5.0760e+04	5.0000e+05	2.7060e+06		0.0	1.00	0.0	3.9924e+06	1.0000e+00	1	4	3134
31-ga-	72	1	310721	3.7000e-02	0.0	1.1920e+05		0.0	3.00	0.0	5.0000e+04	1.0000e+00	1	0	3135
32-ge-	72	0	320720	stable									0	0	3231
27-co-	73	0	270730	1.2898e-01	4.7180e+06	2.9800e+06		0.0	1.00	0.0	1.1631e+07	7.4878e-01	2	3	2767
									1.50	0.0	9.0290e+00	2.5122e-01			
28-ni-	73	0	280730	4.9059e-01	3.2810e+06	1.6190e+06		0.0	1.00	0.0	8.3984e+06	9.9995e-01	2	3	2870
									1.50	0.0	4.3900e-01	4.7000e-05			
29-cu-	73	0	290730	5.1136e+00	1.9850e+06	7.7230e+05		0.0	1.00	0.0	5.7024e+06	9.9441e-01	2	3	2955
									1.50	0.0	1.2320e+00	5.5880e-03			
30-zn-	73	0	300730	2.3500e+01	1.5436e+06	1.1709e+06		0.0	1.00	0.0	4.2900e+06	1.0000e+00	1	2	3052
31-ga-	73	0	310730	1.7496e+04	4.4600e+05	3.4100e+05		0.0	1.00	0.0	1.5890e+06	1.3000e-02	2	4	3137
									1.00	1.0	1.5220e+06	9.8700e-01			
32-ge-	73	0	320730	stable									0	0	3234
32-ge-	73	1	320731	4.9900e-01	5.4500e+04	1.1130e+04		0.0	3.00	0.0	6.6716e+04	1.0000e+00	1	3	3235
27-co-	74	0	270740	9.1963e-02	5.1670e+06	5.4200e+06		0.0	1.00	0.0	1.4659e+07	8.2567e-01	2	3	2770
									1.50	0.0	9.6590e+00	1.7433e-01			
28-ni-	74	0	280740	9.0015e-01	2.6830e+06	1.1990e+06		0.0	1.00	0.0	6.4611e+06	9.9644e-01	2	3	2873
									1.50	0.0	1.1890e+00	3.5600e-03			
29-cu-	74	0	290740	6.4818e-01	2.5110e+06	3.2060e+06		0.0	1.00	0.0	9.1797e+06	9.9705e-01	2	3	2958
									1.50	0.0	1.5830e+00	2.9490e-03			
30-zn-	74	0	300740	9.6000e+01	5.7770e+05	8.5970e+05		0.0	1.00	0.0	2.3500e+06	2.5000e-01	2	2	3055
									1.00	1.0	2.2900e+06	7.5000e-01			
31-ga-	74	0	310740	4.8720e+02	1.0110e+06	3.0170e+06		0.0	1.00	0.0	5.3700e+06	1.0000e+00	1	4	3140
31-ga-	74	1	310741	9.5000e+00	1.6300e+04	4.3230e+04		0.0	3.00	0.0	5.9800e+04	7.5000e-01	1	3	3141
32-ge-	74	0	320740	stable									0	0	3237
34-se-	74	0	340740	stable									0	0	3425
27-co-	75	0	270750	8.1657e-02	5.2590e+06	3.7450e+06		0.0	1.00	0.0	1.3339e+07	6.8688e-01	2	3	2773
									1.50	0.0	1.1359e+01	3.1312e-01			
28-ni-	75	0	280750	2.3118e-01	3.8270e+06	2.2160e+06		0.0	1.00	0.0	9.4889e+06	9.8998e-01	2	3	2876
									1.50	0.0	2.5290e+00	1.0022e-02			
29-cu-	75	0	290750	9.2736e-01	2.6880e+06	1.0900e+06		0.0	1.00	0.0	7.2424e+06	9.6530e-01	2	3	2961
									1.50	0.0	3.1890e+00	3.4700e-02			
30-zn-	75	0	300750	1.0200e+01	1.8480e+06	1.9000e+06		0.0	1.00	0.0	6.0600e+06	1.0000e+00	1	2	3058
31-ga-	75	0	310750	1.2600e+02	1.3010e+06	3.5500e+05		0.0	1.00	0.0	3.3920e+06	9.5200e-01	2	2	3143
									1.00	1.0	3.2530e+06	4.8000e-02			
32-ge-	75	0	320750	4.9668e+03	4.2110e+05	3.5000e+04		0.0	1.00	0.0	1.1776e+06	1.0000e+00	1	4	3240
32-ge-	75	1	320751	4.7700e+01	7.9000e+04	5.6900e+04		0.0	1.00	0.0	1.3173e+06	3.0000e-04	2	4	3241
									3.00	0.0	1.3968e+05	9.9970e-01			
33-as-	75	0	330750	stable									0	0	3325
34-se-	75	0	340750	1.0348e+07	1.4500e+04	3.9200e+05		0.0	2.00	0.0	8.6390e+05	1.0000e+00	1	4	3428
28-ni-	76	0	280760	3.0456e-01	3.3790e+06	1.5270e+06		0.0	1.00	0.0	8.1689e+06	9.6489e-01	2	3	2879
									1.50	0.0	3.4790e+00	3.5113e-02			
29-cu-	76	0	290760	2.6025e-01	3.1130e+06	3.5040e+06		0.0	1.00	0.0	1.0270e+07	9.7158e-01	2	3	2964
									1.50	0.0	3.8330e+00	2.8418e-02			

TABLE C-1 (Cont.)

SYMBOL	S	ZZAAS	HALF-LIFE	E-BETA	E-GAMMA	E-ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
30-zn-	76	0	300760	5.6000e+00	1.3980e+06	7.5410e+05	0.0	1.00	0.0	4.1600e+06	1.0000e+00	1	2 3061
31-ga-	76	0	310760	3.2600e+01	1.9040e+06	2.8000e+06	0.0	1.00	0.0	7.0100e+06	1.0000e+00	1	4 3146
32-ge-	76	0	320760	stable			0.0	1.00	0.0			0	0 3243
33-as-	76	0	330760	9.4752e+04	1.0660e+06	4.1700e+05	0.0	1.00	0.0	2.9635e+06	1.0000e+00	1	4 3328
34-se-	76	0	340760	stable								0	0 3431
28-ni-	77	0	280770	1.0331e-01	4.4810e+06	3.0880e+06	0.0	1.00	0.0	1.1872e+07	9.5289e-01	2	3 2882
29-cu-	77	0	290770	3.0522e-01	3.2670e+06	1.5060e+06	0.0	1.00	0.0	4.7090e+00	4.7115e-02	2	3 2967
30-zn-	77	0	300770	2.0800e+00	2.4200e+06	1.8000e+06	0.0	1.00	0.0	5.6630e+00	1.2312e-01	1	2 3064
31-ga-	77	0	310770	1.3200e+01	2.0430e+06	7.8930e+05	0.0	1.00	1.0	5.5300e+06	1.0000e+00	1	2 3149
32-ge-	77	0	320770	4.0680e+04	6.6200e+05	1.0220e+06	0.0	1.00	0.0	2.7031e+06	1.0000e+00	1	4 3246
32-ge-	77	1	320771	5.2900e+01	9.4820e+05	6.5000e+04	0.0	1.00	0.0	2.8628e+06	7.9000e-01	2	4 3247
33-as-	77	0	330770	1.3979e+05	2.2610e+05	7.5000e+03	0.0	1.00	0.0	1.5970e+05	2.1000e-01	2	4 3331
34-se-	77	0	340770	stable			0.0	1.00	0.0	6.8310e+05	9.9680e-01	2	4 3334
34-se-	77	1	340771	1.7450e+01	7.1800e+04	8.7400e+04	0.0	1.00	1.0	5.2110e+05	3.2000e-03	0	0 3434
28-ni-	78	0	280780	1.3179e-01	3.9290e+06	1.8770e+06	0.0	1.00	0.0	1.6197e+05	1.0000e+00	1	3 3435
29-cu-	78	0	290780	1.1787e-01	3.8300e+06	4.0530e+06	0.0	1.00	0.0	1.0074e+07	9.0702e-01	2	3 2885
30-zn-	78	0	300780	1.4700e+00	2.2250e+06	1.5290e+06	0.0	1.00	0.0	1.2653e+07	9.0091e-01	2	3 2970
31-ga-	78	0	310780	5.0900e+00	2.5410e+06	2.5400e+06	0.0	1.00	0.0	6.5540e+00	9.9093e-02	2	3 3067
32-ge-	78	0	320780	5.2800e+03	2.2700e+05	2.7800e+05	0.0	1.00	0.0	6.4400e+06	9.9996e-01	2	3 3067
33-as-	78	0	330780	5.4420e+03	1.2390e+06	1.3400e+06	0.0	1.00	0.0	3.8100e-01	4.1000e-05	1	4 3152
34-se-	78	0	340780	stable			0.0	1.00	0.0	8.2000e+06	1.0000e+00	1	4 3249
36-kr-	78	0	360780	stable			0.0	1.00	0.0	9.5300e+05	1.0000e+00	1	4 3334
29-cu-	79	0	290790	1.3506e-01	3.7090e+06	1.9700e+06	0.0	1.00	0.0	4.2120e+06	1.0000e+00	0	0 3437
30-zn-	79	0	300790	1.0000e+00	3.0160e+06	2.9170e+06	0.0	1.00	0.0	1.0855e+07	7.5794e-01	2	3 2973
31-ga-	79	0	310790	3.0000e+00	2.1350e+06	2.0810e+06	0.0	1.00	0.0	2.4206e-01	2.4206e-01	2	3 3070
32-ge-	79	0	320790	1.9100e+01	1.6449e+06	4.0743e+05	0.0	1.00	0.0	8.5500e+06	9.8854e-01	3	5 3155
32-ge-	79	1	320791	3.9000e+01	1.2130e+06	1.7590e+06	0.0	1.00	0.0	2.6110e+00	1.1459e-02	3	5 3155
33-as-	79	0	330790	5.4060e+02	8.4761e+05	2.8200e+04	0.0	1.00	0.0	6.7700e+06	9.4700e-01	3	5 3155
34-se-	79	0	340790	1.0414e+12	5.2900e+04	0.0	0.0	1.00	0.0	6.5840e+06	5.2000e-02	1	4 3252
34-se-	79	1	340791	2.3460e+02	8.0000e+04	1.3700e+04	0.0	1.00	0.0	1.0300e+06	5.5000e-04	1	4 3252
35-br-	79	0	350790	stable			0.0	1.00	0.0	4.1100e+06	1.0000e+00	2	4 3253
35-br-	79	1	350791	4.8600e+00	4.7300e+04	1.5850e+05	0.0	1.00	0.0	4.2960e+06	9.6000e-01	2	4 3253
36-kr-	79	0	360790	1.2614e+05	2.4090e+04	2.5700e+05	0.0	1.00	0.0	1.8595e+05	4.0000e-02	2	2 3337
36-kr-	79	1	360791	5.0000e+01	8.6000e+04	3.9900e+04	0.0	1.00	0.0	2.2800e+06	1.0600e-02	2	2 3337
29-cu-	80	0	290800	8.9877e-02	4.3270e+06	4.5870e+06	0.0	1.00	0.0	2.1840e+06	9.8940e-01	1	1 3440
30-zn-	80	0	300800	5.4000e-01	2.7580e+06	1.2420e+06	0.0	1.00	0.0	1.5090e+05	1.0000e+00	1	3 3441
							0.0	1.00	0.0	9.5730e+04	1.0000e+00	0	0 3525
							0.0	3.00	0.0	2.0710e+05	1.0000e+00	1	3 3526
							0.0	2.00	0.0	1.6280e+06	1.0000e+00	1	4 3628
							0.0	3.00	0.0	1.2977e+05	1.0000e+00	1	3 3629
29-cu-	80	0	290800	8.9877e-02	4.3270e+06	4.5870e+06	0.0	1.00	0.0	1.5269e+07	8.4957e-01	2	3 2976
30-zn-	80	0	300800	5.4000e-01	2.7580e+06	1.2420e+06	0.0	1.00	0.0	9.4990e+00	1.5043e-01	2	3 3073
							0.0	1.00	0.0	7.3500e+06	9.8902e-01	2	3 3073
							0.0	1.00	0.0	2.2840e+00	1.0983e-02		

TABLE C-1 (Cont.)

SYMBOL	S	Z	AAAS	HALF-LIFE	E- BETA	E GAMMA	E- ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
31-ga-	80	0	310800	1.6600e+00	3.1220e+06	3.5480e+06		0.0	1.00	0.0	1.0000e+07	9.9180e-01	2	5 3158
32-ge-	80	0	320800	2.9500e+01	9.1000e+05	6.0000e+05		1.50	0.0	0.0	2.0800e+06	8.2000e-03	1	2 3255
33-as-	80	0	330800	1.5200e+01	2.1993e+06	8.2709e+05		0.0	1.00	0.0	2.7800e+06	1.0000e+00	1	4 3340
34-se-	80	0	340800	stable				0.0	1.00	0.0	5.5970e+06	1.0000e+00	0	0 3443
35-br-	80	0	350800	1.0608e+03	7.2500e+05	7.6000e+04		0.0	1.00	0.0	2.0010e+06	9.1700e-01	2	5 3528
35-br-	80	1	350801	1.5912e+04	6.0600e+04	2.4100e+04		2.00	0.0	0.0	1.8711e+06	8.3000e-02	1	3 3529
36-kr-	80	0	360800	stable				0.0	3.00	0.0	8.5845e+04	1.0000e+00	0	0 3631
29-cu-	81	0	290810	7.4209e-02	4.8260e+06	3.4570e+06		0.0	1.00	0.0	1.4294e+07	4.7050e-01	2	3 2979
30-zn-	81	0	300810	1.2275e-01	4.0320e+06	2.7130e+06		1.50	0.0	0.0	1.3379e+01	5.2950e-01	2	3 3076
31-ga-	81	0	310810	1.2300e+00	2.5150e+06	2.2500e+06		0.0	1.00	0.0	5.5660e+00	5.7372e-02	3	3 3161
32-ge-	81	0	320810	7.6000e+00	2.4426e+06	8.4067e+05		1.50	0.0	0.0	8.3200e+06	4.7000e-01	1	2 3258
33-as-	81	0	330810	3.3300e+01	1.5780e+06	2.3000e+05		1.00	1.0	0.0	7.6410e+06	4.1000e-01	2	4 3343
34-se-	81	0	340810	1.1070e+03	6.1200e+05	6.0000e+03		0.0	1.00	0.0	3.3300e+06	1.1900e-01	1	4 3446
34-se-	81	1	340811	3.4350e+03	8.5000e+04	1.4900e+04		0.0	1.00	0.0	6.2300e+06	1.0000e+00	2	4 3447
35-br-	81	0	350810	stable				0.0	2.00	0.0	1.5860e+06	1.0000e+00	0	0 3531
36-kr-	81	0	360810	6.7216e+12	4.9400e+03	1.7000e+04		0.0	2.00	0.0	1.6890e+06	4.7000e-04	1	4 3634
36-kr-	81	1	360811	1.3000e+01	5.6800e+04	1.2990e+05		3.00	0.0	0.0	1.9057e+05	9.994e-01	2	4 3635
30-zn-	82	0	300820	1.2676e-01	4.2340e+06	2.1810e+06		0.0	1.00	0.0	2.8080e+05	1.0000e+00	2	3 3079
31-ga-	82	0	310820	6.0000e-01	3.7960e+06	4.1310e+06		1.50	0.0	0.0	1.0941e+07	7.8774e-01	2	3 3164
32-ge-	82	0	320820	4.6000e+00	1.4490e+06	7.6520e+05		0.0	1.00	0.0	7.9430e+00	2.1226e-01	1	2 3261
33-as-	82	0	330820	1.9100e+01	2.9171e+06	1.0849e+06		1.50	0.0	0.0	1.3079e+07	7.9000e-01	1	4 3346
34-se-	82	0	340820	1.3600e+01	1.8170e+06	2.8000e+06		0.0	1.00	0.0	4.1500e+06	2.1000e-01	1	4 3347
35-br-	82	0	350820	1.2708e+05	1.4400e+05	2.6390e+06		0.0	1.00	0.0	4.1501e+06	1.0000e+00	0	0 3449
35-br-	82	1	350821	3.6780e+02	7.0000e+04	8.1000e+03		0.0	1.00	0.0	7.5190e+06	1.0000e+00	1	4 3534
36-kr-	82	0	360820	stable				3.00	0.0	0.0	4.5949e+04	9.7600e-01	2	4 3535
30-zn-	83	0	300830	8.3639e-02	4.1020e+06	3.9530e+06		0.0	1.00	0.0	1.2955e+07	7.7125e-01	0	0 3637
31-ga-	83	0	310830	3.1000e-01	3.8810e+06	3.7430e+06		1.50	0.0	0.0	9.5690e+00	2.2875e-01	2	3 3082
32-ge-	83	0	320830	1.9000e+00	2.6890e+06	2.4440e+06		0.0	1.00	0.0	1.2103e+07	4.4000e-01	2	3 3167
33-as-	83	0	330830	1.3400e+01	1.2556e+06	2.7514e+06		1.50	0.0	0.0	8.2000e+06	5.6000e-01	2	3 3264
34-se-	83	0	340830	1.3380e+03	4.5600e+05	2.5940e+06		0.0	1.00	0.0	5.5641e+06	9.9830e-01	2	3 3349
34-se-	83	1	340831	7.0100e+01	1.2730e+06	9.5400e+05		0.0	1.00	0.0	2.3000e+05	1.7000e-03	2	2 3452
35-br-	83	0	350830	8.6400e+03	3.2550e+05	7.0000e+03		0.0	1.00	0.0	5.4600e+06	3.0000e-01	1	2 3453
								1.00	1.0	0.0	5.2320e+06	7.0000e-01	2	4 3537
								0.0	1.00	0.0	3.6680e+06	1.0000e+00	1	2 3452
								0.0	1.00	0.0	3.8970e+06	1.0000e+00	1	2 3453
								0.0	1.00	0.0	9.7300e+05	2.4000e-04	2	4 3537
								1.00	1.0	0.0	9.3100e+05	9.9976e-01	2	4 3537

TABLE C-1 (Cont.)

SYMBOL	S	ZAAS	HALF-LIFE	E	RETA	E	GAMMA	E	ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
36-kr-	83	0	360830	stable												
36-kr-	83	1	360831	6.5880e+03	3.5700e+04	2.4200e+03			0.0	3.00	0.0	4.1564e+04	1.0000e+00	0	0	3640
31-ga-	84	0	310840	9.8378e-02	4.2280e+06	4.6330e+06			0.0	1.00	0.0	1.4117e+07	7.1977e-01	2	3	3170
32-ge-	84	0	320840	1.2000e+00	2.5460e+06	2.4600e+06			0.0	1.00	0.0	7.5884e+06	9.0000e-01	2	3	3267
33-as-	84	0	330840	5.5000e+00	3.8400e+06	1.6000e+06			0.0	1.00	0.0	3.0600e+06	1.0000e-01	2	5	3352
33-as-	84	1	330841	6.0000e-01	2.9180e+06	3.4620e+06			0.0	1.00	0.0	9.8700e+06	9.9910e-01	1	2	3353
34-se-	84	0	340840	1.9200e+02	5.4000e+05	4.2000e+05			0.0	1.00	0.0	1.0070e+07	1.0000e+00	1	4	3455
35-br-	84	0	350840	1.9080e+03	1.2480e+06	1.7380e+06			0.0	1.00	0.0	1.8260e+06	1.0000e+00	1	4	3540
35-br-	84	1	350841	3.6000e+02	8.9900e+05	2.7700e+06			0.0	1.00	0.0	4.6530e+06	1.0000e+00	1	4	3541
36-kr-	84	0	360840	stable												
38-sr-	84	0	380840	stable												
31-ga-	85	0	310850	8.6969e-02	4.5090e+06	4.3050e+06			0.0	1.00	0.0	1.3580e+07	5.5035e-01	2	3	3173
32-ge-	85	0	320850	2.4996e-01	3.0290e+06	3.1830e+06			0.0	1.00	0.0	1.1359e+01	4.4965e-01	2	3	3270
33-as-	85	0	330850	2.0280e+00	2.8360e+06	3.0050e+06			0.0	1.00	0.0	9.6024e+06	8.0000e-01	2	3	3355
34-se-	85	0	340850	3.1700e+01	1.7550e+06	2.2150e+06			0.0	1.00	0.0	8.9100e+06	2.9000e-01	1	2	3458
35-br-	85	0	350850	1.7220e+02	1.0410e+06	6.6000e+04			0.0	1.00	0.0	6.1900e+06	1.0000e+00	2	2	3543
36-kr-	85	0	360850	3.3829e+08	2.5080e+05	2.2300e+03			0.0	1.00	0.0	2.8700e+06	1.8000e-03	1	4	3646
36-kr-	85	1	360851	1.6128e+04	2.5510e+05	1.5700e+05			0.0	1.00	0.0	5.8740e+05	1.0000e+00	2	4	3647
37-rb-	85	0	370850	stable					3.00	0.0	0.0	9.9230e+05	7.9000e-01	0	0	3725
38-sr-	85	0	380850	5.6022e+06	8.6600e+03	5.1840e+05			0.0	2.00	0.0	1.0652e+06	1.0000e+00	1	4	3828
38-sr-	85	1	380851	4.0596e+03	1.2700e+04	2.1590e+05			0.0	2.00	0.0	1.3039e+06	1.2700e-01	2	4	3829
32-ge-	86	0	320860	2.4676e-01	3.3620e+06	2.6360e+06			0.0	1.00	0.0	2.3868e+05	8.7300e-01	2	3	3273
33-as-	86	0	330860	9.0000e-01	3.3170e+06	3.7780e+06			0.0	1.00	0.0	9.0654e+06	7.8000e-01	2	3	3358
34-se-	86	0	340860	1.5300e+01	1.2500e+06	2.3000e+06			0.0	1.00	0.0	1.2200e+07	8.8000e-01	1	4	3461
35-br-	86	0	350860	5.5100e+01	1.9200e+06	3.4200e+06			0.0	1.00	0.0	5.1000e+06	1.0000e+00	1	2	3546
36-kr-	86	0	360860	stable					0.0	1.00	0.0	7.6200e+06	1.0000e+00	0	0	3649
37-rb-	86	0	370860	1.6097e+06	6.6820e+05	9.3100e+04			0.0	1.00	0.0	1.7743e+06	9.9995e-01	2	5	3728
37-rb-	86	1	370861	6.1020e+01	1.0000e+04	5.4600e+05			2.00	0.0	0.0	5.1800e+05	5.2000e-05	1	3	3729
38-sr-	86	0	380860	stable					0.0	3.00	0.0	5.5600e+05	1.0000e+00	0	0	3831
32-ge-	87	0	320870	1.3393e-01	3.5330e+06	3.5850e+06			0.0	1.00	0.0	1.0875e+07	8.4867e-01	2	3	3276
33-as-	87	0	330870	3.0000e-01	3.4400e+06	3.4730e+06			0.0	1.00	0.0	7.7490e+00	1.5133e-01	2	3	3361
34-se-	87	0	340870	5.6000e+00	2.0790e+06	2.6440e+06			0.0	1.00	0.0	7.7500e+06	4.4000e-01	2	3	3464
35-br-	87	0	350870	5.5690e+01	1.6090e+06	3.3370e+06			0.0	1.00	0.0	7.2693e+06	9.9810e-01	2	3	3549
36-kr-	87	0	360870	4.5786e+03	1.3310e+06	7.9200e+05			0.0	1.00	0.0	1.0000e+06	1.9000e-03	1	4	3652

TABLE C-1 (Cont.)

SYMBOL S	ZZAAS	HALF-LIFE	E-BETA	E-GAMMA	E-ALPHA	RTYP	RFS	✓	BRANCHING	NDK	NSP	MAT
37-rb- 87 0	370870	1.5147e+18	8.1700e+04	0.0		0.0	1.00 0.0	2.8230e+05	1.0000e+00	1	1	3731
38-sr- 87 0	380870	stable								0	0	3834
38-sr- 87 1	380871	1.0116e+04	6.4900e+04	3.2100e+05		0.0	2.00 0.0	6.6070e+05	3.0000e-03	2	4	3835
						3.00 0.0		3.8840e+05	9.9700e-01			
32-ge- 88 0	320880	1.2900e-01	4.0060e+06	3.0030e+06		0.0	1.00 0.0	1.0463e+07	7.8345e-01	2	3	3279
						1.50 0.0		8.3190e+00	2.1655e-01			
33-as- 88 0	330880	1.3483e-01	3.7520e+06	4.2210e+06		0.0	1.00 0.0	1.2381e+07	8.0093e-01	2	3	3364
						1.50 0.0		8.1990e+00	1.9907e-01			
34-se- 88 0	340880	1.5000e+00	2.2150e+06	2.0320e+06		0.0	1.00 0.0	6.7323e+06	9.9500e-01	2	3	3467
						1.50 0.0		1.4100e+06	5.0000e-03			
35-br- 88 0	350880	1.6500e+01	2.5650e+06	3.3000e+06		0.0	1.00 0.0	8.9700e+06	9.3630e-01	2	5	3552
						1.50 0.0		1.9200e+06	6.3700e-02			
36-kr- 88 0	360880	1.0224e+04	3.6800e+05	1.9540e+06		0.0	1.00 0.0	2.9130e+06	1.0000e+00	1	4	3655
37-rb- 88 0	370880	1.0668e+03	2.0720e+06	6.3700e+05		0.0	1.00 0.0	5.3160e+06	1.0000e+00	1	4	3734
38-sr- 88 0	380880	stable				0.0	1.00 0.0			0	0	3837
33-as- 89 0	330890	1.2125e-01	3.9770e+06	3.9430e+06		0.0	1.00 0.0	1.1969e+07	6.6728e-01	2	3	3367
						1.50 0.0		9.1490e+00	3.3272e-01			
34-se- 89 0	340890	4.1000e-01	3.1260e+06	1.8940e+06		0.0	1.00 0.0	8.5423e+06	9.5000e-01	2	3	3470
						1.50 0.0		2.7500e+06	5.0000e-02			
35-br- 89 0	350890	4.3700e+00	2.1900e+06	3.2200e+06		0.0	1.00 0.0	8.1400e+06	8.6200e-01	2	3	3555
						1.50 0.0		3.0300e+06	1.3800e-01			
36-kr- 89 0	360890	1.9020e+02	1.3660e+06	1.8200e+06		0.0	1.00 0.0	4.9900e+06	1.0000e+00	1	2	3658
37-rb- 89 0	370890	9.1200e+02	1.0180e+06	2.0700e+06		0.0	1.00 0.0	4.4980e+06	1.0000e+00	1	4	3737
38-sr- 89 0	380890	4.3675e+06	5.8130e+05	0.0		0.0	1.00 0.0	4.4920e+06	9.9991e-01	2	1	3840
						1.00 1.0		5.8100e+05	9.3000e-05			
39-y- 89 0	390890	stable				0.0	3.00 0.0	9.0920e+05	1.0000e+00	0	0	3925
39-y- 89 1	390891	1.6060e+01	7.4800e+03	9.0150e+05		0.0	3.00 0.0			1	3	3926
33-as- 90 0	330900	9.1116e-02	4.5970e+06	4.3800e+06		0.0	1.00 0.0	1.4640e+07	7.5651e-01	2	3	3370
						1.50 0.0		9.7890e+00	2.4349e-01			
34-se- 90 0	340900	4.2721e-01	2.9040e+06	2.6330e+06		0.0	1.00 0.0	8.1303e+06	8.9000e-01	2	3	3473
						1.50 0.0		3.4400e+06	1.1000e-01			
35-br- 90 0	350900	1.9200e+00	2.5000e+06	3.2200e+06		0.0	1.00 0.0	1.0300e+07	7.6800e-01	2	3	3558
						1.50 0.0		3.9900e+06	2.1200e-01			
36-kr- 90 0	360900	3.2320e+01	1.3410e+06	1.2370e+06		0.0	1.00 0.0	4.3900e+06	8.8000e-01	2	4	3661
						1.00 1.0		4.2810e+06	1.2000e-01			
37-rb- 90 0	370900	1.5300e+02	1.9916e+06	2.1641e+06		0.0	1.00 0.0	6.5890e+06	1.0000e+00	1	4	3740
37-rb- 90 1	370901	2.5800e+02	1.4240e+06	3.3270e+06		0.0	1.00 0.0	6.6960e+06	9.7700e-01	2	4	3741
						3.00 0.0		1.0692e+05	2.3000e-02			
38-sr- 90 0	380900	8.8833e+08	1.9590e+05	0.0		0.0	1.00 0.0	5.4620e+05	1.0000e+00	1	1	3843
39-y- 90 0	390900	2.3076e+05	9.3400e+05	1.7000e+00		0.0	1.00 0.0	2.2815e+06	1.0000e+00	1	4	3928
39-y- 90 1	390901	1.1484e+04	4.5900e+04	6.1420e+05		0.0	1.00 0.0	2.9635e+06	2.1000e-05	2	4	3929
						3.00 0.0		6.8204e+05	9.9998e-01			
40-zr- 90 0	400900	stable				0.0	3.00 0.0	2.3191e+06	1.0000e+00	0	0	4025
40-zr- 90 1	400901	8.0920e-01	1.6202e+04	2.3025e+06		0.0	3.00 0.0			1	3	4026
34-se- 91 0	340910	2.7000e-01	3.7850e+06	3.1260e+06		0.0	1.00 0.0	1.0801e+07	7.9000e-01	2	3	3476
						1.50 0.0		4.8100e+06	2.1000e-01			
35-br- 91 0	350910	6.0000e-01	3.4170e+06	2.1390e+06		0.0	1.00 0.0	9.1151e+06	8.9100e-01	2	3	3561
						1.50 0.0		5.0400e+06	1.0900e-01			
36-kr- 91 0	360910	8.5700e+00	2.0660e+06	1.7460e+06		0.0	1.00 0.0	6.4200e+06	1.0000e+00	1	4	3664
37-rb- 91 0	370910	5.8400e+01	1.5610e+06	2.3400e+06		0.0	1.00 0.0	5.8670e+06	1.0000e+00	2	5	3743
						1.50 0.0		6.3000e-02	1.0000e-06			

TABLE C-1 (Cont.)

SYMBOL	S	Z	A	HAIF-LIFE	E BETA	E GAMMA	E-ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
38-sr-	91	0	380910	3.4272e+04	6.4200e+05	7.0500e+05	0.0	1.00	0.0	2.6860e+06	4.2000e-01	2	4	3846
39-y-	91	0	390910	5.0553e+06	6.0340e+05	3.6000e+03	0.0	1.00	0.0	2.1300e+06	5.8000e-01	1	4	3931
39-y-	91	1	390911	2.9826e+03	2.7200e+04	5.2800e+05	0.0	3.00	0.0	5.5561e+05	1.0000e+00	1	3	3932
40-zr-	91	0	400910	stable								0	0	4028
34-se-	92	0	340920	1.6819e-01	4.1130e+06	2.2370e+06	0.0	1.00	0.0	1.0068e+07	8.6767e-01	2	3	3479
35-br-	92	0	350920	3.6500e-01	4.0060e+06	3.1990e+06	0.0	1.00	0.0	6.2990e+00	1.3231e-01	2	3	3564
36-kr-	92	0	360920	1.8500e+00	2.1070e+06	1.4520e+06	0.0	1.00	0.0	5.8000e+06	3.0000e-01	2	3	3667
37-rb-	92	0	370920	4.5000e+00	3.5240e+06	5.2000e+05	0.0	1.00	0.0	6.1600e+06	9.9967e-01	2	5	3746
38-sr-	92	0	380920	9.7560e+03	1.7600e+05	1.3400e+06	0.0	1.00	0.0	1.0500e+06	3.3000e-04	1	4	3849
39-y-	92	0	390920	1.2744e+04	1.4360e+06	2.5300e+05	0.0	1.00	0.0	1.5000e+00	9.9989e-01	1	4	3934
40-zr-	92	0	400920	stable			0.0	1.00	0.0	1.6120e+06	1.0000e+00	0	0	4031
42-mo-	92	0	420920	stable			0.0	1.00	0.0	7.5300e+05	1.0500e-04	0	0	4225
34-se-	93	0	340930	9.6767e-02	4.1170e+06	4.1420e+06	0.0	1.00	0.0	1.2286e+07	8.7968e-01	2	3	3482
35-br-	93	0	350930	1.7628e-01	3.5540e+06	3.6720e+06	0.0	1.00	0.0	7.1690e+00	1.2032e-01	2	3	3567
36-kr-	93	0	360930	1.2900e+00	2.9050e+06	2.2870e+06	0.0	1.00	0.0	8.5300e+06	9.8050e-01	2	5	3670
37-rb-	93	0	370930	5.7000e+00	2.7060e+06	1.3600e+06	0.0	1.00	0.0	2.6200e+06	1.9500e-02	2	5	3749
38-sr-	93	0	380930	4.4538e+02	8.1600e+05	2.2740e+06	0.0	1.00	0.0	7.4430e+06	9.8660e-01	2	4	3852
39-y-	93	0	390930	3.6360e+04	1.1720e+06	8.8000e+04	0.0	1.00	0.0	4.1140e+06	6.5400e-01	2	4	3937
39-y-	93	1	390931	8.2000e-01	7.8100e+04	6.8074e+05	0.0	3.00	0.0	3.3550e+06	3.4600e-01	1	3	3938
40-zr-	93	0	400930	4.8282e+13	1.9000e+04	0.0	0.0	1.00	1.0	2.8840e+06	1.0000e+00	1	1	4034
41-nb-	93	0	410930	stable			0.0	1.00	0.0	6.0100e+04	1.0000e+00	0	0	4125
41-nb-	93	1	410931	5.0901e+08	2.7100e+04	1.8800e+03	0.0	3.00	0.0	3.0770e+04	1.0000e+00	1	3	4126
42-mo-	93	0	420930	1.1045e+11	5.0000e+03	1.1000e+04	0.0	2.00	0.0	4.0600e+05	1.8000e-01	2	3	4228
42-mo-	93	1	420931	2.5000e+04	1.1582e+05	2.3098e+06	0.0	3.00	0.0	3.7500e+05	8.2000e-01	1	0	4229
35-br-	94	0	350940	1.1080e-01	4.0190e+06	4.6610e+06	0.0	1.00	0.0	2.4248e+06	1.0000e+00	2	3	3570
36-kr-	94	0	360940	2.1000e-01	2.9470e+06	1.4800e+06	0.0	1.00	0.0	1.3271e+07	7.0197e-01	2	3	3673
37-rb-	94	0	370940	2.7020e+00	2.7600e+06	4.1200e+06	0.0	1.00	0.0	9.1690e+00	2.9804e-01	2	5	3752
38-sr-	94	0	380940	7.5200e+01	8.4000e+05	1.4270e+06	0.0	1.00	0.0	7.7260e+06	9.4300e-01	1	4	3855
39-y-	94	0	390940	1.1220e+03	1.8150e+06	7.7200e+05	0.0	1.00	0.0	2.4200e+06	5.7000e-02	1	4	3940
40-zr-	94	0	400940	stable			0.0	1.00	0.0	1.0307e+07	8.9950e-01	0	0	4037
41-nb-	94	0	410940	6.4061e+11	1.4500e+05	1.5720e+06	0.0	1.00	0.0	3.5210e+06	1.0150e-01	1	4	4128
41-nb-	94	1	410941	3.7560e+02	3.5000e+04	1.1700e+04	0.0	1.00	0.0	3.5120e+06	1.0000e+00	2	4	4129
42-mo-	94	0	420940	stable			0.0	1.00	0.0	4.9200e+06	1.0000e+00	0	0	4231
35-br-	95	0	350950	1.0688e-01	3.5930e+06	3.7130e+06	0.0	1.00	0.0	2.0453e+06	1.0000e+00	2	3	3573
							0.0	1.00	0.0	2.0862e+06	5.0000e-03			
							3.00	0.0	0.0	4.0951e+04	9.9500e-01			
							0.0	1.00	0.0	1.2175e+07	7.2920e-01	2	3	3573
							1.50	0.0	0.0	8.7190e+00	2.7080e-01			

TABLE C-1 (Cont.)

SYMBOL S	ZZAAS	HALF LIFE	E BETA	E GAMMA	F ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
36 kr- 95 0	360950	7.8000e-01	3.0550e+06	3.3550e+06	0.0	1.00	0.0	9.9440e+06	9.0500e-01	2	3	3676
37 rb- 95 0	370950	3.8400e-01	2.8540e+06	3.3700e+06	0.0	1.00	0.0	3.6500e+06	9.5000e-02	2	5	3755
38 sr- 95 0	380950	2.5100e+01	1.8232e+06	2.0018e+06	0.0	1.00	0.0	9.2800e+06	8.5200e-02	1	2	3858
39 y- 95 0	390950	6.3000e+02	1.3470e+06	1.2900e+06	0.0	1.00	0.0	6.1200e+06	1.0000e+00	1	4	3943
40 zr- 95 0	400950	5.5313e+06	1.1840e+05	7.3200e+05	0.0	1.00	0.0	4.4450e+06	9.8890e-01	2	4	4040
41 nb- 95 0	410950	3.0214e+06	4.4560e+04	7.6437e+05	0.0	1.00	0.0	1.1243e+06	1.1100e-02	1	4	4131
41 nb- 95 1	410951	3.1190e+05	1.7000e+05	6.8600e+04	0.0	1.00	0.0	8.8860e+05	1.0000e+00	2	4	4132
42 mo- 95 0	420950	stable			3.00	0.0	0.0	9.2560e+05	5.6000e-02	0	0	4234
35 br- 96 0	350960	8.8815e-02	4.4690e+06	4.8220e+06	0.0	1.00	0.0	2.3568e+05	9.4400e-01	2	3	3576
36 kr- 96 0	360960	2.9310e-01	3.0730e+06	1.5660e+06	0.0	1.00	0.0	1.5239e+07	7.8081e-01	2	3	3679
37 rb- 96 0	370960	1.9900e-01	2.9100e+06	4.8800e+06	0.0	1.00	0.0	9.4690e+00	2.1920e-01	2	5	3758
38 sr- 96 0	380960	1.0600e+00	1.7937e+06	1.3543e+06	0.0	1.00	0.0	8.8480e+06	9.2253e-01	2	5	3861
39 y- 96 0	390960	5.9000e+00	3.2290e+06	1.2056e+06	0.0	1.00	0.0	4.5870e+00	7.7473e-02	1	4	3946
39 y- 96 1	390961	9.6000e+00	1.4060e+06	3.9750e+06	0.0	1.00	0.0	1.1750e+07	8.6600e-01	1	4	3947
40 zr- 96 0	400960	stable			0.0	1.00	0.0	5.8900e+06	1.3400e-01	0	0	4043
41 nb- 96 0	410960	8.4060e+04	2.5380e+05	2.4620e+06	0.0	1.00	0.0	5.4160e+06	9.9999e-01	1	4	4134
42 mo- 96 0	420960	stable			0.0	1.00	0.0	2.3700e-01	1.0000e-05	0	0	4237
44 ru- 96 0	440960	stable			0.0	1.00	0.0	7.1400e+06	1.0000e+00	1	4	4425
36 kr- 97 0	360970	1.0000e-01	3.8340e+06	2.9930e+06	0.0	1.00	0.0	7.2400e+06	1.0000e+00	2	3	3682
37 rb- 97 0	370970	1.7180e-01	3.5050e+06	4.8000e+06	0.0	1.00	0.0	1.1912e+07	9.1608e-01	2	5	3761
38 sr- 97 0	380970	4.2000e-01	2.4500e+06	2.2100e+06	0.0	1.00	0.0	5.2450e+00	8.3925e-02	2	5	3864
39 y- 97 0	390970	3.5000e+00	2.1520e+06	1.8000e+06	0.0	1.00	0.0	1.0520e+07	7.3600e-01	3	5	3949
39 y- 97 1	390971	1.2300e+00	2.0760e+06	2.6795e+06	0.0	1.00	0.0	6.5400e+06	2.6400e-01	2	5	3950
40 zr- 97 0	400970	6.0840e+04	6.9400e+05	1.9200e+05	0.0	1.00	0.0	7.4700e+06	8.4995e-01	2	4	4046
41 nb- 97 0	410970	4.3260e+03	4.6820e+05	6.6570e+05	0.0	1.00	0.0	6.8000e+06	9.9942e-01	1	4	4137
41 nb- 97 1	410971	6.0000e+01	1.4900e+04	7.2790e+05	0.0	1.00	0.0	1.1000e+06	5.8000e-04	1	3	4138
42 mo- 97 0	420970	stable			0.0	3.00	0.0	7.3480e+06	9.9891e-01	0	0	4240
43 tc- 97 0	430970	8.2048e+13	4.9878e+03	1.1783e+04	0.0	2.00	0.0	2.6583e+06	5.2000e-02	1	3	4325
43 tc- 97 1	430971	7.8192e+06	8.3000e+04	9.3000e+03	0.0	1.00	0.0	1.9150e+06	9.4800e-01	1	3	4326
44 ru- 97 0	440970	2.5056e+05	1.2300e+04	2.4040e+05	0.0	2.00	0.0	1.9338e+06	1.0000e+00	2	4	4428
36 kr- 98 0	360980	1.6023e-01	3.4920e+06	1.8510e+06	0.0	1.00	0.0	7.4327e+05	1.0000e+00	2	3	3685
37 rb- 98 0	370980	1.1400e-01	3.7110e+06	2.9230e+06	0.0	1.00	0.0	3.2000e+05	1.0000e+00	2	5	3764

TABLE C-1 (Cont.)

SYMBOL S	ZZAARS	HALF-LIFE	E-BETA	E-GAMMA	E-ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
38-sr- 98 0	380980	6.5000e-01	2.1390e+06	1.0510e+06	0.0	1.00	0.0	5.8800e+06	9.9700e-01	2	5	3867
39- y- 98 0	390980	6.4000e-01	2.5400e+06	2.6100e+06	0.0	1.00	0.0	8.9100e+06	9.9760e-01	2	5	3952
39- y- 98 1	390981	2.0000e+00	2.5670e+06	3.0380e+06	0.0	1.00	0.0	8.9100e+06	9.6590e-01	2	5	3953
40-zr- 98 0	400980	3.0700e+01	8.3671e+05	1.6467e+05	0.0	1.00	0.0	2.2400e+06	3.4100e-02	1	2	4049
41-nb- 98 0	410980	2.8600e+00	1.4661e+06	1.1902e+06	0.0	1.00	0.0	4.5860e+06	1.0000e+00	1	4	4140
41-nb- 98 1	410981	3.0780e+03	7.5200e+05	2.7100e+06	0.0	1.00	0.0	4.6700e+06	1.0000e+00	1	4	4141
42-mo- 98 0	420980	stable								0	0	4243
44-ru- 98 0	440980	stable								0	0	4431
37-rb- 99 0	370990	5.9000e-02	3.6640e+06	2.6560e+06	0.0	1.00	0.0	1.1310e+07	8.5000e-01	2	3	3767
38-sr- 99 0	380990	2.7100e-01	2.7130e+06	2.7000e+06	0.0	1.00	0.0	7.5600e+06	1.5000e-01	2	5	3870
39- y- 99 0	390990	1.4700e+00	2.4990e+06	1.3400e+06	0.0	1.00	0.0	2.5400e+06	9.7000e-04	2	5	3955
40-zr- 99 0	400990	2.1000e+00	1.4090e+06	1.1841e+06	0.0	1.00	0.0	4.5900e+06	6.4000e-01	2	4	4052
41-nb- 99 0	410990	1.5000e+01	1.3000e+06	7.2000e+05	0.0	1.00	0.0	3.6400e+06	1.0000e+00	1	4	4143
41-nb- 99 1	410991	1.5600e+02	1.0400e+06	1.5900e+06	0.0	1.00	0.0	4.0050e+06	1.0000e+00	1	4	4144
42-mo- 99 0	420990	2.3738e+05	4.0398e+05	2.7159e+05	0.0	1.00	0.0	1.3570e+06	1.2000e-01	2	4	4246
43-tc- 99 0	430990	6.6617e+12	8.4600e+04	6.2000e-01	0.0	1.00	0.0	2.9360e+05	1.0000e+00	1	4	4331
43-tc- 99 1	430991	2.1636e+04	3.1200e+04	1.2660e+05	0.0	1.00	0.0	4.3630e+05	3.7000e-05	2	4	4332
44-ru- 99 0	440990	stable			3.00	0.0	0.0	1.4268e+05	9.9996e-01	0	0	4434
37-rb-100 0	371000	9.8438e-02	4.2760e+06	4.6740e+06	0.0	1.00	0.0	1.4504e+07	9.5050e-01	2	3	3770
38-sr-100 0	381000	2.0200e-01	2.5310e+06	1.2750e+06	0.0	1.00	0.0	7.6800e+06	4.9500e-02	2	5	3873
39- y-100 0	391000	7.3500e-01	3.3000e+06	2.5000e+06	0.0	1.00	0.0	2.4300e+06	7.5000e-03	2	5	3958
40-zr-100 0	401000	7.1000e+00	1.1141e+06	6.9823e+05	0.0	1.00	0.0	3.3400e+06	8.5000e-03	1	2	4055
41-nb-100 0	411000	1.5000e+00	2.4890e+06	7.0800e+05	0.0	1.00	0.0	6.2670e+06	1.0000e+00	1	4	4146
41-nb-100 1	411001	2.9800e+00	1.9440e+06	1.9520e+06	0.0	1.00	0.0	6.7450e+06	1.0000e+00	1	4	4147
42-mo-100 0	421000	stable								0	0	4249
43-tc-100 0	431000	1.5800e+01	1.3150e+06	8.3000e+04	0.0	1.00	0.0	3.2025e+06	1.0000e+00	1	4	4334
44-ru-100 0	441000	stable								0	0	4437
37-rb-101 0	371010	9.3851e-02	4.0380e+06	3.1230e+06	0.0	1.00	0.0	1.2509e+07	7.1679e-01	2	3	3773
38-sr-101 0	381010	1.9415e-01	3.4660e+06	2.6620e+06	0.0	1.00	0.0	9.1320e+06	2.8322e-01	2	3	3876
39- y-101 0	391010	5.0000e-01	2.6910e+06	1.5230e+06	0.0	1.00	0.0	8.7200e+06	9.7930e-01	2	3	3961
40-zr-101 0	401010	2.0000e+00	2.1600e+06	1.0910e+06	0.0	1.00	0.0	6.4240e+06	1.0000e+00	1	2	4058
41-nb-101 0	411010	7.1000e+00	1.6860e+06	7.1960e+05	0.0	1.00	0.0	4.3000e+06	1.0000e+00	1	2	4149
42-mo-101 0	421010	8.7600e+02	5.1800e+05	1.5140e+06	0.0	1.00	0.0	2.8120e+06	1.0000e+00	1	4	4252
43-tc-101 0	431010	8.5200e+02	4.7700e+05	3.3600e+05	0.0	1.00	0.0	1.6250e+06	1.0000e+00	1	4	4337
44-ru-101 0	441010	stable								0	0	4440

TABLE C-1 (Cont.)

SYMBOL S	Z	AA	NS	HALF-LIFE	E- BETA	E- GAMMA	E- ALPHA	RTYP	RFS	O	BRANCHING	NDK	NSP	MAT
38 sr-102 0	38	1020	0	2.8711e-01	3.0170e+06	1.5780e+06	0.0	1.00	0.0	8.5706e+06	9.5240e-01	2	3	3879
39 y-102 0	39	1020	0	9.0000e-01	3.0960e+06	3.8230e+06	0.0	1.00	0.0	3.8250e+00	4.7600e-02	2	3	3964
40 zr-102 0	40	1020	0	2.9000e+00	1.2500e+06	7.3730e+05	0.0	1.00	0.0	3.7150e+00	5.9400e-02	1	2	4061
41 nb-102 0	41	1020	0	1.3000e+00	2.8320e+06	1.4610e+06	0.0	1.00	0.0	4.5850e+06	1.0000e+00	1	2	4152
41 nb-102 1	41	1021	4	3.0000e+00	2.8320e+06	1.4610e+06	0.0	1.00	0.0	7.2100e+06	1.0000e+00	1	2	4153
42 mo-102 0	42	1020	0	6.7800e+02	3.5055e+05	4.7304e+04	0.0	1.00	0.0	1.0140e+06	1.0000e+00	1	4	4255
43 tc-102 0	43	1020	0	5.2800e+00	1.4201e+06	1.1933e+06	0.0	1.00	0.0	4.5260e+06	1.0000e+00	1	4	4340
43 tc-102 1	43	1021	2	2.6100e+02	7.9200e+05	2.5250e+06	0.0	1.00	0.0	4.5260e+06	9.8000e-01	2	4	4341
44 ru-102 0	44	1020	0	stable			3.00	0.0	0.0	2.0000e+04	2.0000e-02	0	0	4443
46 pd-102 0	46	1020	0	stable								0	0	4625
38 sr-103 0	38	1030	0	1.1960e-01	3.6940e+06	2.9490e+06	0.0	1.00	0.0	1.1423e+07	9.1124e-01	2	3	3882
39 y-103 0	39	1030	0	2.6041e-01	3.0340e+06	1.9810e+06	0.0	1.00	0.0	6.0990e+00	8.8758e-02	2	3	3967
40 zr-103 0	40	1030	0	1.3000e+00	2.4570e+06	1.4670e+06	0.0	1.00	0.0	4.9500e+00	1.2366e-01	2	3	4064
41 nb-103 0	41	1030	0	1.5000e+00	2.1110e+06	9.8200e+05	0.0	1.00	0.0	6.9500e+06	9.976e-01	2	3	4155
42 mo-103 0	42	1030	0	6.7500e+01	1.1440e+06	1.1340e+06	0.0	1.00	0.0	5.5000e+06	9.986e-01	2	3	4155
43 tc-103 0	43	1030	0	5.4200e+01	7.0399e+05	5.5265e+05	0.0	1.00	0.0	3.8450e+06	1.0000e+00	1	2	4258
44 ru-103 0	44	1030	0	3.3921e+06	6.6600e+04	4.9500e+05	0.0	1.00	0.0	2.6540e+06	1.0000e+00	1	4	4343
45 rh-103 0	45	1030	0	stable			1.00	1.0	1.0	7.6620e+05	2.6800e-03	2	4	4446
45 rh-103 1	45	1031	3	3.672e+03	3.6300e+04	1.6800e+03	0.0	3.00	0.0	3.9756e+04	1.0000e+00	0	0	4525
46 pd-103 0	46	1030	0	1.4680e+06	5.0050e+03	1.4519e+04	0.0	2.00	0.0	5.7220e+05	2.5000e-04	1	3	4526
38 sr-104 0	38	1040	0	1.6292e-01	3.4300e+06	1.8520e+06	0.0	1.00	0.0	9.5206e+06	8.6530e-01	2	3	3885
39 y-104 0	39	1040	0	1.2825e-01	3.4940e+06	3.7500e+06	0.0	1.00	0.0	6.7790e+00	1.3470e-01	2	3	3970
40 zr-104 0	40	1040	0	2.5728e+00	1.7420e+06	8.9440e+05	0.0	1.00	0.0	1.2737e+07	9.1223e-01	2	3	4067
41 nb-104 0	41	1040	0	4.8000e+00	2.5100e+06	3.3760e+06	0.0	1.00	0.0	5.5080e+00	8.7769e-02	2	3	4158
41 nb-104 1	41	1041	1	1.0000e+00	3.1250e+06	2.1340e+06	0.0	1.00	0.0	5.4486e+06	9.9890e-01	2	3	4158
42 mo-104 0	42	1040	0	6.0000e+01	6.2290e+05	5.8470e+05	0.0	1.00	0.0	1.0400e+06	1.0000e-03	1	2	4159
43 tc-104 0	43	1040	0	1.0980e+03	1.4500e+06	2.2450e+06	0.0	1.00	0.0	8.6496e+06	9.9290e-01	1	4	4261
44 ru-104 0	44	1040	0	stable			0.0	1.00	0.0	1.5000e+06	7.1000e-03	1	4	4346
45 rh-104 0	45	1040	0	4.2300e+01	9.8700e+05	1.2000e+04	0.0	1.00	0.0	2.1250e+06	1.0000e+00	0	0	4449
45 rh-104 1	45	1041	2	2.6040e+02	8.1300e+04	4.5500e+04	0.0	1.00	0.0	2.4420e+06	9.9550e-01	2	5	4528
46 pd-104 0	46	1040	0	stable			2.00	0.0	0.0	1.1440e+06	4.5000e-03	2	4	4529
39 y-105 0	39	1050	0	1.4688e-01	3.3250e+06	2.3720e+06	0.0	1.00	0.0	2.5710e+06	1.3000e-03	2	4	4631
40 zr-105 0	40	1050	0	4.9261e-01	2.6620e+06	1.7640e+06	0.0	1.00	0.0	1.2896e+05	9.9870e-01	0	0	4631
40 zr-105 1	40	1051	2	2.0700e+06	1.4000e-02		0.0	1.00	0.0	1.0835e+07	8.0247e-01	2	3	3973
40 zr-105 2	40	1052	2	1.9753e-01	6.8390e+00	1.9753e-01	1.50	0.0	0.0	6.8390e+00	1.9753e-01	2	3	4070
40 zr-105 3	40	1053	3	8.3006e+06	9.8600e-01		0.0	1.00	0.0	8.3006e+06	9.8600e-01	2	3	4070
40 zr-105 4	40	1054	4	1.4000e-02			1.50	0.0	0.0	2.0700e+06	1.4000e-02			

TABLE C-1 (Cont.)

SYMBOL	S	Z	AAAS	HALF LIFE	E- BETA	E- GAMMA	E- ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
41-nb-105	0	411050	2.9500e+00	2.4990e+06	1.4040e+06		0.0	1.00	0.0	6.4250e+06	9.7768e-01	2	3	4161
42-mo-105	0	421050	3.5600e+01	1.7411e+06	1.4361e+06		1.50	0.0	2.2700e+00	2.2322e-02				
43-tc-105	0	431050	4.5600e+02	1.2110e+06	7.8200e+05		0.0	1.00	0.0	4.9850e+06	1.0000e+00	1	2	4264
44-ru-105	0	441050	1.5984e+04	4.1200e+05	7.3800e+05		0.0	1.00	0.0	3.5850e+06	1.0000e+00	1	4	4349
45-rh-105	0	451050	1.2730e+05	1.5320e+05	7.7000e+04		0.0	1.00	0.0	1.9160e+06	7.1600e-01	2	4	4452
46-pd-105	0	461050	stable				1.00	1.0	1.7860e+06	2.8400e-01				
45-rh-105	0	451050	1.2730e+05	1.5320e+05	7.7000e+04		0.0	1.00	0.0	5.6620e+05	1.0000e+00	1	4	4531
45-rh-105	1	451051	4.5000e+01	9.1000e+04	3.4300e+04		0.0	3.00	0.0	1.2978e+05	1.0000e+00	1	3	4532
46-pd-105	0	461050	stable				0.0	3.00	0.0	1.2978e+05	1.0000e+00	0	0	4634
39-y-106	0	391060	8.9428e-02	3.8130e+06	4.1870e+06		0.0	1.00	0.0	1.3684e+07	8.4339e-01	2	3	3976
40-zr-106	0	401060	9.0709e-01	2.1380e+06	1.0910e+06		1.50	0.0	7.3790e+00	1.5661e-01				
41-nb-106	0	411060	1.0000e+00	3.3130e+06	2.5490e+06		0.0	1.00	0.0	6.3986e+06	9.8476e-01	2	3	4073
42-mo-106	0	421060	8.4000e+00	1.2320e+06	7.4590e+05		1.50	0.0	2.5630e+00	1.5242e-02				
43-tc-106	0	431060	3.6000e+01	1.6970e+06	2.9330e+06		0.0	1.00	0.0	9.5066e+06	9.4500e-01	2	3	4164
44-ru-106	0	441060	3.2105e+07	1.0030e+04	0.0		0.0	1.00	0.0	3.0300e+06	5.5000e-02			
45-rh-106	0	451060	2.9800e+01	1.4110e+06	2.0600e+05		0.0	1.00	0.0	3.5200e+06	1.0000e+00	1	2	4267
45-rh-106	1	451061	7.8000e+03	3.2130e+05	2.8520e+06		0.0	1.00	0.0	6.5400e+06	1.0000e+00	1	4	4352
46-pd-106	0	461060	stable				0.0	1.00	0.0	3.9400e+04	1.0000e+00	1	1	4455
48-cd-106	0	481060	stable				0.0	1.00	0.0	3.5400e+06	1.0000e+00	1	4	4534
39-y-107	0	391070	9.2257e-02	3.6670e+06	2.8010e+06		0.0	1.00	0.0	3.6770e+06	1.0000e+00	1	4	4535
40-zr-107	0	401070	2.4295e-01	2.9820e+06	2.2010e+06		0.0	1.00	0.0			0	0	4637
41-nb-107	0	411070	7.6605e-01	2.8150e+06	1.8160e+06		0.0	1.00	0.0			0	0	4825
42-mo-107	0	421070	3.5000e+00	2.3170e+06	1.3930e+06		0.0	1.00	0.0	1.2008e+07	7.4056e-01	2	3	3979
43-tc-107	0	431070	2.1200e+01	1.1682e+06	1.4147e+06		1.50	0.0	8.4390e+00	2.5944e-01				
44-ru-107	0	441070	2.2500e+02	1.0561e+06	5.9619e+05		0.0	1.00	0.0	9.2479e+06	9.6287e-01	2	3	4076
45-rh-107	0	451070	1.3020e+03	4.3700e+05	3.1300e+05		1.50	0.0	3.9690e+00	3.7127e-02				
46-pd-107	0	461070	2.0512e+14	9.3000e+03	0.0		0.0	1.00	0.0	7.6046e+06	9.1219e-01	2	3	4167
46-pd-107	1	461071	2.1300e+01	6.1100e+04	1.5200e+05		1.50	0.0	4.1680e+00	8.7806e-02				
47-ag-107	0	471070	stable				0.0	1.00	0.0	5.7684e+06	1.0000e+00	1	2	4270
47-ag-107	1	471071	4.4300e+01	7.7000e+04	1.2500e+04		0.0	1.00	0.0	4.7500e+06	1.0000e+00	1	4	4355
48-cd-107	0	481070	2.3400e+04	5.3000e+03	2.0900e+04		0.0	1.00	0.0	3.1500e+06	1.0000e+00	1	4	4458
40-zr-108	0	401080	3.7807e-01	2.5670e+06	1.3190e+06		0.0	1.00	0.0	1.5120e+06	1.0000e+00	1	4	4537
41-nb-108	0	411080	2.4230e-01	3.5870e+06	3.1080e+06		0.0	1.00	0.0	3.3200e+04	1.0000e+00	1	1	4640
42-mo-108	0	421080	1.5000e+00	1.5938e+06	1.1523e+06		0.0	1.00	0.0	2.1490e+05	1.0000e+00	1	3	4641
43-tc-108	0	431080	5.1700e+00	2.2490e+06	2.9930e+06		0.0	1.00	0.0	9.3120e+04	1.0000e+00	0	0	4725
44-ru-108	0	441080	2.7300e+02	5.0000e+05	6.1000e+04		0.0	1.00	0.0	1.4170e+06	6.4000e-04	1	3	4726
45-rh-108	0	451080	1.6800e+01	1.3904e+06	1.2493e+06		0.0	1.00	0.0	1.3240e+06	9.9936e-01	2	4	4828
45-rh-108	1	451081	3.6000e+02	6.3450e+05	2.8541e+06		2.00	1.0						
46-pd-108	0	461080	stable				0.0	1.00	0.0	4.4300e+06	1.0000e+00	0	0	4643
47-ag-108	0	471080	1.4220e+02	6.1000e+05	1.8400e+04		0.0	1.00	0.0	1.6550e+06	9.7150e-01	2	5	4728
							2.00	0.0		1.9160e+06	2.8500e-02			

TABLE C-1 (Cont.)

SYMBOL S	ZZAAS	HALF-LIFE	E- BETA	E- GAMMA	E- ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
47-ag-108 1	471081	4.0077e+09	1.4900e+04	1.6210e+06	0.0	2.00	0.0	2.0250e+06	9.1300e-01	2	4	4729
48-cd-108 0	481080	stable			3.00	0.0		1.0947e+05	8.7000e-02	0	0	4831
40-zr-109 0	401090	1.2998e-01	3.3870e+06	2.7030e+06	0.0	1.00	0.0	1.0564e+07	9.2606e-01	2	3	4082
41-nb-109 0	411090	3.1537e-01	3.1580e+06	2.2630e+06	0.0	1.00	0.0	5.4390e+00	7.3940e-02	2	3	4173
42-mo-109 0	421090	1.4085e+00	2.6750e+06	1.8760e+06	0.0	1.00	0.0	8.7773e+06	8.7347e-01	2	3	4276
43-tc-109 0	431090	1.4000e+00	2.1440e+06	1.0990e+06	0.0	1.00	0.0	5.3090e+00	1.2653e-01	2	3	4361
44-ru-109 0	441090	3.5000e+01	1.3283e+06	9.7123e+05	0.0	1.00	0.0	6.7157e+06	9.9470e-01	2	3	4464
44-ru-109 1	441091	1.3000e+01	1.2321e+06	1.1592e+06	0.0	1.00	0.0	6.4000e+05	5.3000e-03	2	3	4464
45-rh-109 0	451090	8.0000e+01	9.2700e+05	3.1000e+05	0.0	1.00	0.0	5.3900e+06	9.8300e-01	2	2	4464
45-rh-109 1	451091	5.0000e+01	0.0	5.0000e+04	0.0	3.00	0.0	3.9330e+06	5.0000e-01	2	2	4464
46-pd-109 0	461090	4.9320e+04	3.6080e+05	6.4000e+02	0.0	1.00	0.0	3.9330e+06	5.0000e-01	2	2	4464
46-pd-109 1	461091	2.8140e+02	7.3900e+04	1.0980e+05	0.0	3.00	0.0	1.3500e+06	1.7000e-02	2	2	4464
47-ag-109 0	471090	stable			0.0	1.00	0.0	3.9330e+06	5.0000e-01	2	2	4464
47-ag-109 1	471091	3.9600e+01	7.3700e+04	1.0900e+04	0.0	3.00	0.0	3.9330e+06	5.0000e-01	2	2	4464
48-cd-109 0	481090	3.9969e+07	4.7604e+03	1.4949e+04	0.0	2.00	1.0	3.9330e+06	5.0000e-01	2	2	4464
41-nb-110 0	411100	1.2979e-01	3.9270e+06	3.7450e+06	0.0	1.00	0.0	1.1770e+07	8.9948e-01	2	3	4176
42-mo-110 0	421100	2.7721e+00	2.1990e+06	1.1520e+06	0.0	1.00	0.0	5.7790e+00	1.0053e-01	2	3	4279
43-tc-110 0	431100	8.3000e-01	3.0320e+06	2.1700e+06	0.0	1.00	0.0	5.0391e+06	9.8700e-01	2	3	4364
44-ru-110 0	441100	1.5000e+01	6.5850e+05	5.9690e+05	0.0	1.00	0.0	9.9000e+05	1.3000e-02	2	3	4364
45-rh-110 0	451100	3.1600e+00	1.9101e+06	1.0811e+06	0.0	1.00	0.0	8.2393e+06	9.6900e-01	2	3	4364
45-rh-110 1	451101	2.8500e+01	1.1500e+06	2.5870e+06	0.0	1.00	0.0	1.8600e+06	3.1000e-02	2	3	4364
46-pd-110 0	461100	stable			0.0	1.00	0.0	2.0316e+06	1.0000e+00	1	2	4467
47-ag-110 0	471100	2.4600e+01	1.1815e+06	3.0700e+04	0.0	1.00	0.0	5.4000e+06	1.0000e+00	1	4	4546
47-ag-110 1	471101	2.1579e+07	7.3900e+04	2.7390e+06	0.0	1.00	0.0	5.4000e+06	1.0000e+00	1	4	4547
48-cd-110 0	481100	stable			0.0	1.00	0.0	5.4000e+06	1.0000e+00	0	0	4649
41-nb-111 0	411110	1.7183e-01	3.3990e+06	2.5680e+06	0.0	1.00	0.0	2.8927e+06	9.9700e-01	2	5	4734
42-mo-111 0	421110	4.6637e-01	3.0980e+06	2.4130e+06	0.0	1.00	0.0	8.7900e+05	3.0000e-03	2	4	4735
43-tc-111 0	431110	1.9824e+00	2.4860e+06	1.5010e+06	0.0	1.00	0.0	3.0103e+06	9.8640e-01	2	4	4735
44-ru-111 0	441110	1.6000e+00	1.8670e+06	9.6240e+05	0.0	1.00	0.0	1.1759e+05	1.3600e-02	0	0	4837
45-rh-111 0	451110	1.1000e+01	1.0774e+06	8.9819e+05	0.0	1.00	0.0	9.7703e+06	8.1605e-01	2	3	4179
46-pd-111 0	461110	1.4040e+03	8.3300e+05	4.4900e+04	0.0	1.00	0.0	6.9290e+00	1.8395e-01	2	3	4282
46-pd-111 1	461111	1.9800e+04	1.8600e+05	3.5900e+05	0.0	1.00	0.0	8.0317e+06	9.8970e-01	2	3	4282
					3.00	0.0		2.2900e+00	1.0303e-02	2	3	4367
					0.0	1.00	0.0	6.5627e+06	9.4305e-01	2	3	4367
					1.50	0.0		3.5950e+00	5.6954e-02	2	3	4367
					0.0	1.00	0.0	4.8803e+06	1.0000e+00	1	2	4470
					0.0	1.00	0.0	3.5030e+06	1.0000e+00	1	2	4549
					0.0	1.00	0.0	2.2000e+06	7.4000e-03	2	4	4652
					1.00	1.0		2.1400e+06	9.9260e-01	3	4	4653
					0.0	1.00	0.0	2.3720e+06	7.4000e-02	3	4	4653
					1.00	1.0		2.3120e+06	1.9600e-01	3	4	4653
					3.00	0.0		1.7220e+05	7.3000e-01	3	4	4653

TABLE C-1 (Cont.)

SYMBOL S	Z	AAAS	HALF-LIFE	E- BETA	E GAMMA	E-ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
47-ag-111 0	47	1110	6.4368e+05	3.5460e+05	2.6400e+04	0.0	1.00	0.0	1.0370e+06	1.0000e+00	1	4	4737
47-ag-111 1	47	1111	6.4800e+01	5.3900e+04	7.7000e+03	0.0	1.00	0.0	1.0968e+06	7.0000e-03	2	4	4738
						3.00	0.0	0.0	5.9820e+04	9.9300e-01			
48-cd-111 0	48	1110	stable			0.0	3.00	0.0	3.9622e+05	1.0000e+00	0	0	4840
48-cd-111 1	48	1111	2.9160e+03	1.0300e+05	2.8400e+05						1	3	4841
41-nb-112 0	41	1120	8.6719e-02	4.1780e+06	4.1860e+06	0.0	1.00	0.0	1.2835e+07	1.0000e+00	1	2	4182
42-mo-112 0	42	1120	9.7537e-01	2.5520e+06	1.3540e+06	0.0	1.00	0.0	6.0321e+06	9.7921e-01	2	3	4285
						1.50	0.0	0.0	2.7390e+00	2.0788e-02			
43-tc-112 0	43	1120	4.3136e-01	3.3400e+06	2.7900e+06	0.0	1.00	0.0	9.5553e+06	9.4797e-01	2	3	4370
						1.50	0.0	0.0	3.8260e+00	5.2031e-02			
44-rh-112 0	44	1120	3.6000e+00	1.1140e+06	7.2500e+05	0.0	1.00	0.0	3.2037e+06	1.0000e+00	1	2	4473
45-rh-112 0	45	1120	1.5000e+00	2.4770e+06	1.1560e+06	0.0	1.00	0.0	6.3523e+06	1.0000e+00	1	2	4552
46-pd-112 0	46	1120	7.5762e+04	9.1000e+04	4.9000e+03	0.0	1.00	0.0	2.9400e+05	1.0000e+00	1	4	4655
47-ag-112 0	47	1120	1.1304e+04	1.3950e+06	6.9100e+05	0.0	1.00	0.0	3.9600e+06	1.0000e+00	1	4	4740
48-cd-112 0	48	1120	stable								0	0	4843
50-sn-112 0	50	1120	stable								0	0	5025
42-mo-113 0	42	1130	2.2866e-01	3.4300e+06	2.8020e+06	0.0	1.00	0.0	9.0972e+06	9.6203e-01	2	3	4288
						1.50	0.0	0.0	4.0290e+00	3.7966e-02			
43-tc-113 0	43	1130	6.5238e-01	2.7320e+06	1.8220e+06	0.0	1.00	0.0	7.5557e+06	9.2814e-01	2	3	4373
						1.50	0.0	0.0	4.0990e+00	7.1864e-02			
44-ru-113 0	44	1130	3.0000e+00	2.2490e+06	1.4160e+06	0.0	1.00	0.0	6.1963e+06	1.0000e+00	2	3	4476
						1.50	0.0	0.0	2.0600e-01	5.0000e-06			
45-rh-113 0	45	1130	9.0000e-01	1.7130e+06	8.1590e+05	0.0	1.00	0.0	4.6757e+06	1.0000e+00	1	2	4555
46-pd-113 0	46	1130	9.3000e+01	1.0900e+06	6.1020e+05	0.0	1.00	0.0	3.3600e+06	8.1500e-01	2	2	4658
						1.00	1.0	0.0	3.3170e+06	1.8500e-01			
47-ag-113 0	47	1130	1.9332e+04	7.6200e+05	7.1900e+04	0.0	1.00	0.0	2.0100e+06	9.8300e-01	2	4	4743
						1.00	1.0	0.0	1.7460e+06	1.7000e-02			
47-ag-113 1	47	1131	6.8700e+01	1.3800e+05	1.1600e+05	0.0	1.00	0.0	2.0530e+06	2.0000e-01	2	4	4744
						3.00	0.0	0.0	4.3200e+04	8.0000e-01			
48-cd-113 0	48	1130	2.9348e+23	9.1300e+04	0.0	0.0	1.00	0.0	3.1600e+05	1.0000e+00	1	1	4846
48-cd-113 1	48	1131	4.4495e+08	1.8140e+05	7.0700e+01	0.0	1.00	0.0	5.8000e+05	9.9860e-01	2	4	4847
						3.00	0.0	0.0	2.6359e+05	1.4000e-03			
49-in-113 0	49	1130	stable								0	0	4925
49-in-113 1	49	1131	5.9688e+03	1.3000e+05	2.5700e+05	0.0	3.00	0.0	3.9169e+05	1.0000e+00	1	3	4926
50-sn-113 0	50	1130	9.9438e+06	5.2200e+03	2.2800e+04	0.0	2.00	0.0	1.0390e+06	4.0000e-08	2	4	5028
						2.00	1.0	0.0	6.4700e+05	1.0000e+00			
50-sn-113 1	50	1131	1.2840e+03	5.1500e+04	1.3700e+04	0.0	2.00	0.0	1.1160e+06	8.9000e-02	2	4	5029
						3.00	0.0	0.0	7.7398e+04	9.1100e-01			
42-mo-114 0	42	1140	3.7665e-01	2.9250e+06	1.5780e+06	0.0	1.00	0.0	7.3623e+06	1.0000e+00	1	2	4291
43-tc-114 0	43	1140	2.0226e-01	3.5780e+06	3.2570e+06	0.0	1.00	0.0	1.0621e+07	9.3464e-01	2	3	4376
						1.50	0.0	0.0	4.8090e+00	6.5358e-02			
44-ru-114 0	44	1140	8.1365e+00	1.4730e+06	8.4370e+05	0.0	1.00	0.0	4.1967e+06	9.9896e-01	2	3	4479
						1.50	0.0	0.0	8.8000e-01	1.0390e-03			
45-rh-114 0	45	1140	1.7000e+00	2.7420e+06	1.7530e+06	0.0	1.00	0.0	7.6683e+06	9.9998e-01	2	3	4558
						1.50	0.0	0.0	3.0000e-01	2.0000e-05			
46-pd-114 0	46	1140	1.4700e+02	4.8249e+05	8.4923e+04	0.0	1.00	0.0	1.4500e+06	1.0000e+00	1	4	4661
47-ag-114 0	47	1140	4.6000e+00	2.0432e+06	2.1066e+05	0.0	1.00	0.0	5.0300e+06	1.0000e+00	1	4	4746
48-cd-114 0	48	1140	stable								0	0	4849
49-in-114 0	49	1140	7.1900e+01	7.7300e+05	2.3000e+03	0.0	1.00	0.0	1.9863e+06	9.9500e-01	2	5	4928
						2.00	0.0	0.0	1.4520e+06	5.0000e-03			

TABLE C-1 (Cont.)

SYMBOL	S	2ZAAAS	HALF-LIFE	E-BETA	E-GAMMA	E-ALPHA	RTYP	RFS	Q	BRANCHING	NDX	NSP	MAT
49-in-114	1	491141	4.2777e+06	1.4200e+05	9.4000e+04	0.0	2.00	0.0	1.6340e+06	4.3000e-02	2	4	4929
50-sn-114	0	501140	stable			3.00	0.0	0.0	1.9034e+05	9.5700e-01	0	0	5031
42-mo-115	0	421150	1.2591e-01	3.5980e+06	2.9980e+06	0.0	1.00	0.0	1.0348e+07	1.0000e+00	1	2	4294
43-te-115	0	431150	2.7044e-01	2.9950e+06	2.1620e+06	0.0	1.00	0.0	8.8859e+06	8.5663e-01	2	3	4379
44-ru-115	0	441150	8.7844e-01	2.5380e+06	1.8060e+06	0.0	1.00	0.0	5.9290e+00	1.4337e-01	1	2	4482
45-rh-115	0	451150	8.3154e+00	2.0210e+06	1.0540e+06	0.0	1.00	0.0	7.2618e+06	9.9772e-01	2	3	4561
46-pd-115	0	461150	3.8000e+01	1.3453e+06	1.2512e+06	0.0	1.00	0.0	1.4190e+00	2.2760e-03	2	3	4664
47-ag-115	0	471150	1.2000e+03	1.1000e+06	4.8300e+05	0.0	1.00	0.0	5.6687e+06	9.9225e-01	2	2	4749
47-ag-115	1	471151	1.8000e+01	9.3299e+05	8.8150e+05	0.0	1.00	0.0	1.5120e+00	7.7460e-03	2	4	4750
48-cd-115	0	481150	1.9246e+05	3.1710e+05	1.9300e+05	0.0	1.00	0.0	4.4581e+06	2.7000e-01	2	4	4852
48-cd-115	1	481151	3.8534e+06	6.0300e+05	3.3000e+04	0.0	1.00	0.0	3.1400e+06	9.4300e-01	2	4	4853
49-in-115	0	491150	1.3917e+22	1.5300e+05	0.0	0.0	1.00	0.0	2.9590e+06	5.7000e-02	1	1	4931
49-in-115	1	491151	1.6150e+04	1.6900e+05	1.6240e+05	0.0	1.00	0.0	3.1830e+06	1.0000e+00	2	4	4932
50-sn-115	0	501150	stable			3.00	0.0	0.0	1.1056e+06	1.0000e+00	0	0	5034
43-te-116	0	431160	1.1549e-01	3.6930e+06	3.4950e+06	0.0	1.00	0.0	1.2866e+06	1.1000e-04	2	3	4382
44-ru-116	0	441160	1.7004e+00	1.8430e+06	9.8600e+05	0.0	1.00	0.0	8.7338e+06	9.9462e-01	2	3	4485
45-rh-116	0	451160	9.4919e-01	2.9670e+06	2.2200e+06	0.0	1.00	0.0	5.3790e-03	1.0000e+00	2	3	4564
46-pd-116	0	461160	1.2720e+01	6.6230e+05	6.0400e+05	0.0	1.00	0.0	2.6200e+06	1.0000e+00	1	4	4667
47-ag-116	0	471160	1.6080e+02	1.6790e+06	2.1100e+06	0.0	1.00	0.0	6.0000e+06	1.0000e+00	1	4	4752
47-ag-116	1	471161	1.0400e+01	1.3458e+06	2.7148e+06	0.0	1.00	0.0	6.0810e+06	9.8000e-01	2	4	4753
48-cd-116	0	481160	stable			3.00	0.0	0.0	8.1000e+04	2.0000e-02	0	0	4855
49-in-116	0	491160	1.4100e+01	1.3649e+06	1.9600e+04	0.0	1.00	0.0	3.2760e+06	1.0000e+00	1	4	4934
49-in-116	1	491161	3.2490e+03	3.1100e+05	2.4730e+06	0.0	1.00	0.0	3.4030e+06	1.0000e+00	1	4	4935
49-in-116	2	491162	2.1800e+00	9.0800e+04	6.7800e+04	0.0	3.00	1.0	2.8966e+05	1.0000e+00	1	3	4936
50-sn-116	0	501160	stable			3.00	0.0	0.0	8.1000e+04	2.0000e-02	0	0	5037
43-te-117	0	431170	1.5176e-01	3.1730e+06	2.5900e+06	0.0	1.00	0.0	9.9071e+06	7.8750e-01	2	3	4385
44-ru-117	0	441170	3.4277e-01	2.6970e+06	2.0260e+06	0.0	1.00	0.0	7.4790e+00	2.1250e-01	2	3	4488
45-rh-117	0	451170	1.2174e+00	2.2890e+06	1.3590e+06	0.0	1.00	0.0	3.1990e+00	2.0509e-02	2	3	4567
46-pd-117	0	461170	5.0000e+00	1.9150e+06	1.0870e+06	0.0	1.00	0.0	6.9989e+06	9.5180e-01	2	2	4670
47-ag-117	0	471170	7.2800e+01	1.2210e+06	1.3000e+06	0.0	1.00	0.0	5.5248e+06	5.0000e-01	2	4	4755
47-ag-117	1	471171	5.3400e+00	1.4660e+06	8.3200e+05	0.0	1.00	0.0	5.5238e+06	1.4000e-01	2	4	4756
						1.00	1.0	1.0	4.0340e+06	1.4500e-01			

TABLE C-1 (Cont.)

SYMBOL S	Z	A	HAZ	HALF-LIFE	E- BETA	E- GAMMA	E- ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
48-cd-117 0	481170	8.9640e+03	4.3000e+05	1.0800e+06	0.0 1.00 0.0	2.5250e+06	9.0000e-02	2	4 4858					
48-cd-117 1	481171	1.2096e+04	2.0100e+05	2.0340e+06	1.00 1.0 0.0	2.2100e+06	9.1000e-01	2	2 4859					
49-in-117 0	491170	2.6280e+03	2.6620e+05	6.8800e+05	0.0 1.00 0.0	2.3460e+06	1.5000e-02	2	4 4937					
49-in-117 1	491171	6.9900e+03	4.3100e+05	9.1000e+04	1.00 1.0 0.0	1.4540e+06	9.9680e-01	2	4 4938					
50-sn-117 0	501170	stable	1.5600e+05	1.5750e+05	3.00 0.0 0.0	1.1390e+06	3.2000e-03	0	0 5040					
50-sn-117 1	501171	1.1750e+06	1.5600e+05	1.5750e+05	0.0 3.00 0.0	1.7690e+06	5.2900e-01	1	3 5041					
43-tc-118 0	431180	8.1554e-02	3.8770e+06	3.8350e+06	0.0 1.00 0.0	3.1530e+05	4.7100e-01	1	2 4388					
44-ru-118 0	441180	6.6235e-01	2.0940e+06	1.1180e+06	0.0 1.00 0.0	1.2666e+07	1.0000e+00	2	3 4491					
45-rh-118 0	451180	3.1565e-01	3.0940e+06	2.4940e+06	1.50 0.0 3.6890e+00	4.1092e-02	9.7083e-01	2	3 4570					
46-pd-118 0	461180	3.1000e+00	1.0440e+06	7.1540e+05	0.0 1.00 0.0	9.9851e+06	2.9167e-02	2	2 4673					
47-ag-118 0	471180	3.7600e+00	2.4880e+06	1.6000e+06	0.0 1.00 0.0	3.7899e+06	5.0000e-01	1	4 4758					
47-ag-118 1	471181	2.0000e+00	1.2510e+06	1.5000e+06	0.0 1.00 0.0	7.2580e+06	5.9000e-01	2	4 4759					
48-cd-118 0	481180	3.0180e+03	2.3452e+05	2.9919e+04	3.00 0.0 1.2714e+05	4.1000e-01	1.0000e-01	1	2 4861					
49-in-118 0	491180	5.0000e+00	1.7700e+06	7.8000e+06	0.0 1.00 0.0	7.4000e+05	1.0000e+00	1	4 4940					
49-in-118 1	491181	2.6700e+02	5.6200e+05	7.2000e+04	0.0 1.00 0.0	4.2000e+06	1.0000e+00	1	4 4941					
49-in-118 2	491182	8.5000e+00	1.0400e+05	7.5000e+04	0.0 1.00 0.0	4.2600e+06	1.0000e+00	2	4 4942					
50-sn-118 0	501180	stable	2.9200e+06	2.3110e+06	3.00 1.0 1.3820e+05	9.8600e-01	0	0 5043						
44-ru-119 0	441190	1.9495e-01	2.9200e+06	2.3110e+06	0.0 1.00 0.0	1.3820e+05	9.8600e-01	2	3 4494					
45-rh-119 0	451190	4.6542e-01	2.4760e+06	1.5980e+06	1.50 0.0 4.4590e+00	4.3580e-02	9.1703e-01	2	3 4573					
46-pd-119 0	461190	1.7587e+00	2.1110e+06	1.3370e+06	0.0 1.00 0.0	8.0201e+06	9.1703e-01	2	3 4676					
47-ag-119 0	471190	2.1000e+00	1.5613e+06	1.7351e+06	1.50 0.0 1.0000e-01	6.7761e+06	1.0000e+00	3	5 4761					
48-cd-119 0	481190	1.6140e+02	7.8300e+05	1.6890e+06	0.0 1.00 0.0	1.0000e-01	1.0000e-06	2	4 4864					
48-cd-119 1	481191	1.3200e+02	6.6000e+05	2.3940e+06	1.50 0.0 7.0000e-02	5.2030e+06	2.2000e-01	2	4 8864					
49-in-119 0	491190	1.4400e+02	6.0100e+05	7.6890e+05	0.0 1.00 0.0	3.7900e+06	1.0000e-01	1	2 4865					
49-in-119 1	491191	1.0800e+03	9.7774e+05	1.2970e+05	0.0 1.00 0.0	3.9360e+06	9.0000e+00	2	4 4943					
50-sn-119 0	501190	stable	7.5900e+04	1.1430e+04	0.0 1.00 0.0	2.360e+06	9.9070e-01	0	0 5046					
50-sn-119 1	501191	2.5315e+07	7.5900e+04	1.1430e+04	3.00 0.0 3.1139e+05	2.6470e+06	9.7500e-01	1	3 5047					
44-ru-120 0	441200	3.5028e-01	2.3610e+06	1.2660e+06	0.0 3.00 0.0	2.460e+06	9.3000e-03	2	4 4944					
45-rh-120 0	451200	1.7246e-01	3.2610e+06	2.8370e+06	0.0 1.00 0.0	3.1139e+05	2.5000e-02	2	4 4944					
46-pd-120 0	461200	3.9065e+00	1.3430e+06	8.1370e+05	0.0 1.00 0.0	8.9530e+04	1.0000e+00	0	0 5046					
					1.50 0.0 4.1800e-01	6.8000e-05	2.5000e-02	1	3 5047					
					0.0 1.00 0.0	7.3351e+06	9.2435e-01	2	3 4497					
					1.50 0.0 5.0490e+00	7.5652e-02	9.4072e-01	2	3 4576					
					0.0 1.00 0.0	4.8490e+00	5.9282e-02	2	3 4679					
					0.0 1.00 0.0	4.8111e+06	9.9993e-01	2	3 4679					
					1.50 0.0 4.1800e-01	6.8000e-05								

TABLE C-1 (Cont.)

SYMBOL	S	Z	AAAS	HALF-LIFE	E- BETA	E- GAMMA	E- ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
47-aq-120	0	471200	1.1700e+00	2.2870e+06	2.8811e+06		0.0	1.00	0.0	8.2000e+06	9.9999e-01	2	3	4764
47-aq-120	1	471201	3.2000e-01	1.3708e+06	2.0859e+06		1.50	0.0	1.000e-01	1.5000e-05				
47-aq-120	0	471200	1.1700e+00	2.2870e+06	2.8811e+06		0.0	1.00	0.0	8.4030e+06	6.3000e-01	2	2	4765
47-aq-120	1	471201	3.2000e-01	1.3708e+06	2.0859e+06		3.00	0.0	2.0300e+05	3.7000e-01				
48-cd-120	0	481200	5.0800e+01	6.0720e+05	1.2748e+05		0.0	1.00	0.0	1.8300e+06	1.0000e+00	1	2	4867
49-in-120	0	491200	3.0800e+00	2.1134e+06	6.4542e+05		0.0	1.00	0.0	5.3000e+06	1.0000e+00	1	4	4946
49-in-120	1	491201	4.6200e+01	1.0820e+06	2.8400e+06		0.0	1.00	0.0	5.3000e+06	1.0000e+00	1	4	4947
49-in-120	2	491202	4.7300e+01	7.6900e+05	3.3120e+06		0.0	1.00	0.0	5.3000e+06	1.0000e+00	1	4	4948
50-sn-120	0	501200	stable				0.0	1.00	0.0	5.3000e+06	1.0000e+00	0	0	5049
52-te-120	0	521200	stable									0	0	5225
45-rh-121	0	451210	2.4956e-01	2.6710e+06	1.8520e+06		0.0	1.00	0.0	8.8071e+06	8.6432e-01	2	3	4579
45-rh-121	0	451210	2.4956e-01	2.6710e+06	1.8520e+06		1.50	0.0	6.0900e+00	1.3568e-01				
46-pd-121	0	461210	6.4367e-01	2.3350e+06	1.6380e+06		0.0	1.00	0.0	7.5701e+06	9.9728e-01	2	3	4682
46-pd-121	0	461210	6.4367e-01	2.3350e+06	1.6380e+06		1.50	0.0	1.5360e+00	2.7220e-03				
47-ag-121	0	471210	8.0000e-01	1.6673e+06	2.0715e+06		0.0	1.00	0.0	6.4000e+06	9.9924e-01	2	3	4767
47-ag-121	0	471210	8.0000e-01	1.6673e+06	2.0715e+06		1.50	0.0	1.3500e+06	7.6000e-04				
48-cd-121	0	481210	1.3500e+01	1.2957e+06	1.8837e+06		0.0	1.00	1.0	4.5760e+06	1.0000e+00	1	2	4870
48-cd-121	1	481211	4.8000e+00	1.3151e+06	2.3331e+06		0.0	1.00	0.0	4.8900e+06	1.0000e+00	1	2	4871
49-in-121	0	491210	2.3100e+01	9.8500e+05	9.2700e+05		0.0	1.00	0.0	3.3610e+06	8.8700e-01	2	4	4949
49-in-121	0	491210	2.3100e+01	9.8500e+05	9.2700e+05		1.00	1.0	3.3550e+06	1.1300e-01				
49-in-121	1	491211	2.3280e+02	1.5340e+06	6.4000e+04		0.0	1.00	0.0	3.6750e+06	9.8800e-01	2	4	4950
49-in-121	1	491211	2.3280e+02	1.5340e+06	6.4000e+04		3.00	0.0	3.1360e+05	1.2000e-02				
50-sn-121	0	501210	9.7416e+04	1.1520e+05	0.0		0.0	1.00	0.0	3.8890e+05	1.0000e+00	1	1	5052
50-sn-121	1	501211	1.7356e+09	3.4000e+04	5.0000e+03		0.0	1.00	0.0	3.9520e+05	2.2400e-01	2	4	5053
50-sn-121	1	501211	1.7356e+09	3.4000e+04	5.0000e+03		3.00	0.0	6.2900e+03	7.7600e-01				
51-sb-121	0	511210	stable									0	0	5125
52-te-121	0	521210	1.4498e+06	8.6300e+03	5.7700e+05		0.0	2.00	0.0	1.0490e+06	1.0000e+00	1	4	5228
52-te-121	1	521211	1.3306e+07	7.4200e+04	2.1700e+05		0.0	2.00	0.0	1.3430e+06	1.1400e-01	2	4	5229
52-te-121	1	521211	1.3306e+07	7.4200e+04	2.1700e+05		3.00	0.0	2.9398e+05	8.8600e-01				
45-rh-122	0	451220	1.0715e-01	3.3700e+06	3.0700e+06		0.0	1.00	0.0	1.1763e+07	9.1699e-01	2	3	4582
45-rh-122	0	451220	1.0715e-01	3.3700e+06	3.0700e+06		1.50	0.0	6.1190e+00	8.3012e-02				
46-pd-122	0	461220	1.4112e+00	1.6500e+06	9.2090e+05		0.0	1.00	0.0	5.5981e+06	9.9562e-01	2	3	4685
46-pd-122	0	461220	1.4112e+00	1.6500e+06	9.2090e+05		1.50	0.0	1.5490e+00	4.3770e-03				
47-ag-122	0	471220	4.8000e-01	3.0480e+06	2.5110e+06		0.0	1.00	0.0	9.1100e+06	9.9814e-01	2	5	4770
47-ag-122	0	471220	4.8000e-01	3.0480e+06	2.5110e+06		1.50	0.0	4.0600e+06	1.8600e-03				
47-ag-122	1	471221	1.5000e+00	2.8649e+06	2.8232e+06		0.0	1.00	0.0	9.1100e+06	1.0000e+00	1	2	4771
48-cd-122	0	481220	5.2400e+00	7.9681e+05	4.5565e+05		0.0	1.00	0.0	3.0000e+06	1.0000e+00	1	2	4873
49-in-122	0	491220	1.5000e+00	2.3630e+06	1.2420e+06		0.0	1.00	0.0	6.3700e+06	1.0000e+00	1	4	4952
49-in-122	1	491221	1.0300e+01	1.5450e+06	2.5200e+06		0.0	1.00	0.0	6.3700e+06	1.0000e+00	1	4	4953
49-in-122	2	491222	1.0800e+01	1.2640e+06	3.4040e+06		0.0	1.00	0.0	6.3700e+06	1.0000e+00	1	4	4954
50-sn-122	0	501220	stable				0.0	1.00	0.0	6.3700e+06	1.0000e+00	0	0	5055
51-sb-122	0	511220	2.3328e+05	5.6470e+05	4.3700e+05		0.0	1.00	0.0	1.9830e+06	9.7600e-01	2	5	5128
51-sb-122	0	511220	2.3328e+05	5.6470e+05	4.3700e+05		2.00	0.0	1.6200e+06	2.4000e-02				
51-sb-122	1	511221	2.5260e+02	9.0000e+04	7.0000e+04		0.0	3.00	0.0	1.6356e+05	1.0000e+00	1	3	5129
52-te-122	0	521220	stable									0	0	5231
45-rh-123	0	451230	1.3429e-01	2.9030e+06	2.1470e+06		0.0	1.00	0.0	1.0069e+07	8.2893e-01	2	3	4585
45-rh-123	0	451230	1.3429e-01	2.9030e+06	2.1470e+06		1.50	0.0	7.0290e+00	1.7107e-01				
46-pd-123	0	461230	3.0041e-01	2.4950e+06	1.8590e+06		0.0	1.00	0.0	8.5541e+06	9.9310e-01	2	3	4688
46-pd-123	0	461230	3.0041e-01	2.4950e+06	1.8590e+06		1.50	0.0	2.3190e+00	6.8970e-03				
47-ag-123	0	471230	3.9000e-01	2.6400e+06	1.8590e+06		0.0	1.00	0.0	7.3144e+06	9.5400e-01	2	3	4773
47-ag-123	0	471230	3.9000e-01	2.6400e+06	1.8590e+06		1.50	0.0	2.1600e+06	4.6000e-02				

TABLE C-1 (Cont.)

SYMBOL S	ZZAAS	HALF-LIFE	E-BETA	E-GAMMA	E-ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
48-cd-123 0	481230	8.9050e+00	1.8660e+06	1.0990e+06	0.0	1.00	0.0	5.4932e+06	7.7000e-01	2	2	4876
49-in-123 0	491230	5.9800e+00	1.3630e+06	1.1020e+06	0.0	1.00	0.0	5.1902e+06	2.3000e-01	2	4	4955
49-in-123 1	491231	4.7800e+01	2.0100e+06	6.6000e+04	0.0	1.00	1.0	4.3750e+06	9.6800e-01	1	4	4956
50-sn-123 0	501230	1.1163e+07	5.2030e+05	6.9000e+03	0.0	1.00	0.0	4.6950e+06	1.0000e+00	1	4	5058
50-sn-123 1	501231	2.4048e+03	4.7850e+05	1.4100e+05	0.0	1.00	0.0	1.4027e+06	1.0000e+00	1	4	5059
51-sb-123 0	511230	stable	3.9629e+03	1.2920e+04	0.0	1.00	0.0	1.4273e+06	1.0000e+00	0	0	5131
52-te-123 0	521230	3.9131e+20	9.8000e+04	1.4800e+05	0.0	2.00	0.0	5.1300e+04	1.0000e+00	1	3	5234
52-te-123 1	521231	1.0342e+07	1.9810e+06	1.0720e+06	0.0	3.00	0.0	2.4746e+05	1.0000e+00	1	3	5235
46-pd-124 0	461240	5.1398e-01	3.0900e+06	2.6220e+06	0.0	1.00	0.0	6.8601e+06	9.7301e-01	2	3	4691
47-ag-124 0	471240	2.4948e-01	1.9810e+06	2.6220e+06	0.0	1.00	0.0	3.1390e+00	2.6986e-02	2	3	4776
48-cd-124 0	481240	9.0000e-01	1.1413e+06	5.6755e+05	0.0	1.00	0.0	1.0270e+07	9.7712e-01	1	2	4879
49-in-124 0	491240	3.1700e+00	1.9690e+06	2.6950e+06	0.0	1.00	0.0	3.3690e+00	2.2881e-02	1	4	4958
49-in-124 1	491241	2.4000e+00	1.7090e+06	3.8000e+06	0.0	1.00	0.0	7.1800e+06	1.0000e+00	1	4	4959
50-sn-124 0	501240	stable	3.9000e+05	1.8460e+06	0.0	1.00	0.0	7.3700e+06	1.0000e+00	0	0	5061
51-sb-124 0	511240	5.2013e+06	1.1400e+05	4.4300e+05	0.0	1.00	0.0	2.9062e+06	1.0000e+00	1	4	5134
51-sb-124 1	511241	9.3000e+01	2.4000e+04	2.4400e+02	0.0	3.00	1.0	2.9171e+06	2.5000e-01	2	4	5135
51-sb-124 2	511242	1.2120e+03	2.4000e+04	2.4400e+02	0.0	3.00	1.0	1.0863e+04	7.5000e-01	1	3	5136
52-te-124 0	521240	stable	1.9810e+06	1.0720e+06	0.0	2.00	0.0	3.6846e+04	1.0000e+00	0	0	5237
54-xe-124 0	541240	stable	1.9810e+06	1.0720e+06	0.0	2.00	0.0	3.6846e+04	1.0000e+00	0	0	5425
46-pd-125 0	461250	1.6604e-01	2.6710e+06	2.0920e+06	0.0	1.00	0.0	9.5601e+06	9.7734e-01	2	3	4694
47-ag-125 0	471250	3.3351e-01	2.5910e+06	1.8150e+06	0.0	1.00	0.0	8.5764e+06	9.3683e-01	2	3	4779
48-cd-125 0	481250	1.5480e+00	2.0610e+06	1.3480e+06	0.0	1.00	0.0	4.1090e+00	6.3167e-02	2	2	4882
49-in-125 0	491250	2.3300e+00	1.7970e+06	1.2930e+06	0.0	1.00	1.0	6.4822e+06	7.0000e-01	2	4	4961
49-in-125 1	491251	1.2200e+01	2.0970e+06	6.7203e+05	0.0	1.00	1.0	5.4800e+06	1.1200e-01	1	4	4962
50-sn-125 0	501250	8.3290e+05	3.1200e+05	3.1200e+05	0.0	1.00	0.0	5.6320e+06	1.0000e+00	1	4	5064
50-sn-125 1	501251	5.7120e+02	8.0660e+05	3.5000e+05	0.0	1.00	0.0	2.3880e+06	1.0000e+00	1	4	5065
51-sb-125 0	511250	8.6150e+07	9.9300e+04	4.3400e+05	0.0	1.00	0.0	7.6670e+05	7.7000e-01	2	4	5137
52-te-125 0	521250	stable	1.0640e+05	3.5600e+04	0.0	1.00	0.0	6.2190e+05	2.3000e-01	0	0	5240
52-te-125 1	521251	5.0112e+06	1.6700e+04	4.2100e+04	0.0	3.00	0.0	1.4477e+05	1.0000e+00	1	3	5241
53-i-125 0	531250	5.961e+06	1.6700e+04	4.2100e+04	0.0	2.00	0.0	1.7810e+05	1.0000e+00	1	4	5319
54-xe-125 0	541250	6.0840e+04	3.2400e+04	2.6800e+05	0.0	2.00	0.0	1.6550e+06	1.0000e+00	1	4	5428
54-xe-125 1	541251	5.7000e+01	1.3100e+05	1.1590e+05	0.0	3.00	0.0	2.5260e+05	1.0000e+00	1	3	5429
46-pd-126 0	461260	2.5202e-01	2.3590e+06	1.2760e+06	0.0	1.00	0.0	7.9501e+06	9.4969e-01	2	3	4697
47-ag-126 0	471260	1.3984e-01	2.9960e+06	3.4380e+06	0.0	1.00	0.0	4.3590e+00	5.0310e-02	2	3	4782
48-cd-126 0	481260	5.0600e-01	1.4905e+06	7.2089e+05	0.0	1.00	1.0	1.1276e+07	9.5362e-01	1	2	4885
49-in-126 0	491260	1.4500e+00	1.8930e+06	4.3100e+06	0.0	1.00	0.0	4.4400e+06	1.0000e+00	1	4	4964
49-in-126 1	491261	1.5000e+00	2.4340e+06	2.8120e+06	0.0	1.00	0.0	8.1200e+06	1.0000e+00	1	4	4965
50-sn-126 0	501260	3.1557e+12	1.3247e+05	1.3055e+05	0.0	1.00	1.0	3.6000e+05	3.3000e-01	2	4	5067
50-sn-126 1	501260	3.1557e+12	1.3247e+05	1.3055e+05	0.0	1.00	2.0	3.3800e+05	6.7000e-01	2	4	5067

TABLE C-1 (Cont.)

SYMBOL S	Z	AAAS	HALF-LIFE	E- β	E- γ	E- α	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
51-sb-126 0	511260	1.0714e+06	3.6600e+05	2.7530e+06	0.0 1.00 0.0	0.0 1.00 0.0	3.6700e+06	1.0000e+00	1.0000e+00	1	4	5140	
51-sb-126 1	511261	1.1400e+03	6.3200e+05	1.5540e+06	0.0 1.00 0.0	0.0 1.00 0.0	3.6880e+06	8.6000e-01	8.6000e-01	2	4	5141	
51-sb-126 2	511262	1.1000e+01	2.1100e+04	2.8400e+02	0.0 3.00 1.0	0.0 3.00 1.0	4.0400e+04	1.0000e+00	1.0000e+00	1	3	5142	
52-te-126 0	521260	stable								0	0	5243	
54-xe-126 0	541260	stable								0	0	5431	
47-aq-127 0	471270	1.7527e-01	2.8870e+06	2.1810e+06	0.0 1.00 0.0	0.0 1.00 0.0	9.6664e+06	9.0137e-01	9.0137e-01	2	3	4785	
48-cd-127 0	481270	5.7187e-01	2.0730e+06	2.0010e+06	0.0 1.00 0.0	0.0 1.00 0.0	7.4892e+06	4.9950e-01	4.9950e-01	3	3	4888	
49-in-127 0	491270	1.1500e+00	2.1520e+06	1.7660e+06	0.0 1.00 0.0	0.0 1.00 0.0	6.4900e+06	1.5298e-01	1.5298e-01	3	3	4967	
49-in-127 1	491271	3.7600e+00	2.1910e+06	1.7270e+06	0.0 1.00 1.0	0.0 1.00 1.0	6.6450e+06	9.9350e-01	9.9350e-01	2	5	4968	
50-sn-127 0	501270	7.5600e+03	5.1300e+05	1.9000e+06	0.0 1.00 0.0	0.0 1.00 0.0	3.2010e+06	1.0000e+00	1.0000e+00	1	4	5070	
50-sn-127 1	501271	2.4780e+02	8.9031e+05	8.8645e+05	0.0 1.00 0.0	0.0 1.00 0.0	3.2060e+06	1.0000e+00	1.0000e+00	1	2	5071	
51-sb-127 0	511270	3.3264e+05	3.1400e+05	6.6400e+05	0.0 1.00 0.0	0.0 1.00 0.0	1.5810e+06	8.2500e-01	8.2500e-01	2	4	5143	
52-te-127 0	521270	3.3660e+04	2.2430e+05	4.9000e+03	0.0 1.00 0.0	0.0 1.00 0.0	6.9700e+05	1.0000e+00	1.0000e+00	1	4	5246	
52-te-127 1	521271	9.4176e+06	7.9200e+04	1.1100e+04	0.0 1.00 0.0	0.0 1.00 0.0	7.8500e+05	2.4000e-02	2.4000e-02	2	4	5247	
53-i-127 0	531270	stable			3.00 0.0	0.0 0.0	8.8260e+04	9.7600e-01	9.7600e-01	0	0	5325	
54-xe-127 0	541270	3.1450e+06	3.0600e+04	2.8000e+05	0.0 2.00 0.0	0.0 2.00 0.0	6.6000e+05	1.0000e+00	1.0000e+00	1	4	5434	
54-xe-127 1	541271	6.9200e+01	1.2500e+05	1.6800e+05	0.0 3.00 0.0	0.0 3.00 0.0	2.9710e+05	1.0000e+00	1.0000e+00	1	3	5435	
47-ag-128 0	471280	9.4279e-02	3.1990e+06	3.6990e+06	0.0 1.00 0.0	0.0 1.00 0.0	1.2058e+07	9.3114e-01	9.3114e-01	2	3	4788	
48-cd-128 0	481280	1.0531e+00	1.8310e+06	1.0030e+06	0.0 1.00 0.0	0.0 1.00 0.0	5.8792e+06	9.9890e-01	9.9890e-01	2	3	4891	
49-in-128 0	491280	9.0000e-01	2.6300e+06	3.1000e+06	0.0 1.00 0.0	0.0 1.00 0.0	1.8000e+05	1.0000e-03	1.0000e-03	2	3	4970	
49-in-128 1	491281	9.0000e-01	2.4849e+06	3.5730e+06	0.0 1.00 0.0	0.0 1.00 0.0	1.4300e+06	4.3000e-04	4.3000e-04	2	4	4971	
50-sn-128 0	501280	3.5460e+03	2.5000e+05	6.0300e+05	0.0 1.00 1.0	0.0 1.00 1.0	1.2900e+06	1.0000e+00	1.0000e+00	1	4	5073	
50-sn-128 1	501281	6.5000e+00	7.8700e+04	2.0114e+06	0.0 3.00 0.0	0.0 3.00 0.0	2.0915e+06	1.0000e+00	1.0000e+00	1	3	5074	
51-sb-128 0	511280	3.2436e+04	4.8800e+05	3.0900e+06	0.0 1.00 0.0	0.0 1.00 0.0	4.3900e+06	1.0000e+00	1.0000e+00	1	4	5146	
51-sb-128 1	511281	6.2400e+02	9.5700e+05	1.8970e+06	0.0 1.00 0.0	0.0 1.00 0.0	4.3900e+06	9.6400e-01	9.6400e-01	2	4	5147	
52-te-128 0	521280	stable			3.00 0.0	0.0 0.0	0.0	3.6000e-02	3.6000e-02	0	0	5249	
53-i-128 0	531280	1.4994e+03	7.3900e+05	9.0000e+04	0.0 1.00 0.0	0.0 1.00 0.0	2.1230e+06	9.3100e-01	9.3100e-01	2	5	5328	
54-xe-128 0	541280	stable			2.00 0.0	0.0 0.0	1.2550e+06	6.9000e-02	6.9000e-02	0	0	5437	
48-cd-129 0	481290	2.9872e-01	2.3040e+06	2.2280e+06	0.0 1.00 0.0	0.0 1.00 0.0	8.2712e+06	9.9848e-01	9.9848e-01	2	3	4894	
49-in-129 0	491290	5.9000e-01	2.5010e+06	2.1700e+06	0.0 1.00 0.0	0.0 1.00 0.0	7.6000e+06	8.9400e-01	8.9400e-01	3	5	4973	
49-in-129 1	491291	1.2600e+00	2.1550e+06	2.9470e+06	0.0 1.00 0.0	0.0 1.00 0.0	7.8000e+06	1.6000e-03	1.6000e-03	2	5	4974	
					1.50 0.0	0.0 0.0	2.4100e+06	2.5000e-02	2.5000e-02				

TABLE C-1 (Cont.)

SYMBOL S	ZZAAS	HALF-LIFE	E-BETA	E-GAMMA	E-ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
50-sn-129 0	501290	1.2960e+02	1.2676e+06	1.4457e+06	0.0	1.00	0.0	4.0000e+06	1.0000e+00	1	2	5076
50-sn-129 1	501291	4.0200e+02	8.0838e+05	2.0908e+06	0.0	1.00	0.0	4.0350e+06	1.0000e+00	2	4	5077
51-sb-129 0	511290	1.5840e+04	3.9100e+05	1.3560e+06	0.0	1.00	0.0	3.5200e+04	2.0000e-06	2	4	5149
52-te-129 0	521290	4.1760e+03	5.3800e+05	6.2000e+04	0.0	1.00	0.0	2.3770e+06	8.2000e-01	1	4	5252
52-te-129 1	521291	2.9030e+06	2.7000e+05	3.7000e+04	0.0	1.00	0.0	2.2720e+06	1.8000e-01	2	4	5253
53-i-129 0	531290	4.9544e+14	5.4300e+04	2.4600e+04	0.0	1.00	0.0	1.6040e+06	3.6000e-01	1	4	5331
54-xe-129 0	541290	stable	stable	stable	0.0	1.00	0.0	1.0550e+05	6.4000e-01	0	0	5440
54-xe-129 1	541291	7.6810e+05	1.7600e+05	5.0700e+04	0.0	1.00	0.0	1.5200e+05	1.0000e+00	1	3	5441
48-cd-130 0	481300	4.7675e-01	2.2580e+06	1.2250e+06	0.0	1.00	0.0	2.3614e+05	1.0000e+00	2	3	4897
49-in-130 0	491300	3.2000e-01	2.8900e+06	3.2000e+06	0.0	1.00	0.0	6.8262e+06	9.9032e-01	3	5	4976
49-in-130 1	491301	5.5000e-01	2.7700e+06	2.2600e+06	0.0	1.00	0.0	1.0200e+07	7.0000e-01	2	5	4977
49-in-130 2	491302	5.5000e-01	3.3000e+06	3.3000e+06	0.0	1.00	0.0	8.2530e+06	2.9000e-01	3	4	4978
50-sn-130 0	501300	2.2320e+02	4.6900e+05	9.5500e+05	0.0	1.00	0.0	2.5700e+06	9.1000e-03	1	4	5079
50-sn-130 1	501301	1.0200e+02	1.2086e+06	1.0521e+06	0.0	1.00	0.0	8.3030e+06	9.9140e-01	1	4	5080
51-sb-130 0	511300	2.3700e+03	6.9700e+05	3.2720e+06	0.0	1.00	0.0	2.6200e+06	8.6000e-03	1	4	5152
51-sb-130 1	511301	3.7800e+02	9.8000e+05	2.7080e+06	0.0	1.00	0.0	1.0600e+07	8.2000e-01	1	4	5153
52-te-130 0	521300	stable	stable	stable	0.0	1.00	0.0	1.0000e+06	1.0000e+00	0	0	5255
53-i-130 0	531300	4.4496e+04	2.9000e+05	2.1380e+06	0.0	1.00	0.0	8.6530e+06	1.6000e-01	1	4	5334
53-i-130 1	531301	5.4000e+02	1.7800e+05	1.1000e+05	0.0	1.00	0.0	2.9700e+06	8.6000e-03	2	4	5335
54-xe-130 0	541300	stable	stable	stable	0.0	1.00	0.0	3.9952e+04	8.4000e-01	0	0	5443
48-cd-131 0	481310	1.0617e-01	3.5180e+06	3.2670e+06	0.0	1.00	0.0	1.1111e+07	9.5127e-01	2	3	4900
49-in-131 0	491310	2.7000e-01	2.7070e+06	2.0170e+06	0.0	1.00	0.0	5.4330e+00	4.8728e-02	3	3	4979
49-in-131 1	491311	3.5000e-01	3.0126e+06	2.2012e+06	0.0	1.00	0.0	8.9300e+06	9.3252e-01	2	1	4980
50-sn-131 0	501310	3.9000e+01	8.8000e+05	2.3600e+06	0.0	1.00	0.0	3.5700e+00	1.8400e-02	1	2	5082
50-sn-131 1	501311	6.1200e+01	1.2459e+06	1.8924e+06	0.0	1.00	0.0	9.2300e+06	9.8290e-01	1	2	5083
51-sb-131 0	511310	1.3800e+03	5.8200e+05	1.7500e+06	0.0	1.00	0.0	1.6000e+06	1.7100e-02	2	2	5155
52-te-131 0	521310	1.5000e+03	7.2070e+05	4.2100e+05	0.0	1.00	0.0	4.6500e+06	1.0000e+00	1	4	5258
52-te-131 1	521311	1.0800e+05	1.9100e+05	1.4210e+06	0.0	1.00	0.0	2.2490e+06	1.0000e+00	2	4	5259
53-i-131 0	531310	6.9466e+05	1.9150e+05	3.8200e+05	0.0	1.00	0.0	2.4310e+06	7.7800e-01	2	4	5337
54-xe-131 0	541310	stable	stable	stable	0.0	1.00	0.0	1.8225e+05	2.2200e-01	0	0	5446
54-xe-131 1	541311	1.0282e+06	1.4200e+05	2.0100e+04	0.0	1.00	0.0	9.7080e+05	9.8914e-01	1	3	5447
48-cd-132 0	481320	1.3572e-01	3.4050e+06	1.8970e+06	0.0	1.00	0.0	8.0690e+05	1.0860e-02	2	3	4903

TABLE C-1 (Cont.)

SYMBOL	S	Z	AAAS	HALF LIFE	E BETA	E GAMMA	E ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
49	in-132	0	491320	1.8600e-01	3.3200e+06	5.8000e+06	0.0	1.00	0.0	1.3600e+07	9.5000e-01	2	5	4982
50	sn-132	0	501320	4.0000e+01	7.2900e+05	1.2929e+06	1.50	0.0	0.0	6.2900e+06	5.0000e-02			
51	sb-132	0	511320	2.5200e+02	1.2940e+06	2.5790e+06	0.0	1.00	1.0	3.1200e+06	1.0600e+00	1	4	5085
51	sb-132	1	511321	1.6800e+02	1.2580e+06	2.6020e+06	0.0	1.00	0.0	5.4900e+06	1.0000e+00	1	4	5156
52	te-132	0	521320	2.8152e+05	1.0040e+05	2.3150e+05	0.0	1.00	0.0	4.9300e+05	1.0000e+00	1	4	5261
53	1-132	0	531320	8.2224e+03	5.0000e+05	2.2780e+06	0.0	1.00	0.0	3.5800e+06	1.0000e+00	1	4	5340
53	1-132	1	531321	5.0160e+03	1.3800e+05	3.1900e+05	0.0	1.00	0.0	3.7000e+06	1.3200e-01	2	4	5341
54	xe-132	0	541320	stable			3.00	0.0	0.0	1.2000e+05	8.6800e-01	0	0	5449
49	in-133	0	491330	1.1163e-01	3.7660e+06	3.4140e+06	0.0	1.00	0.0	1.1252e+07	6.8344e-01	2	3	4985
50	sn-133	0	501330	1.4400e+00	2.5900e+06	2.0630e+06	0.0	1.00	0.0	7.8300e+06	9.9745e-01	2	3	5088
51	sb-133	0	511330	1.5000e+02	6.5600e+05	2.0400e+06	0.0	1.00	0.0	3.9500e+06	8.3000e-01	2	2	5161
52	te-133	0	521330	7.5000e+02	6.7500e+05	1.2000e+06	0.0	1.00	0.0	2.9200e+06	1.0000e+00	1	4	5264
52	te-133	1	521331	3.3240e+03	3.6700e+05	1.6830e+06	0.0	1.00	0.0	3.2540e+06	7.2300e-01	3	4	5265
53	1-133	0	531330	7.4880e+04	4.0900e+05	6.1200e+05	1.00	1.0	1.0	1.6200e+06	1.0200e-01			
53	1-133	1	531331	9.0000e+00	5.4300e+04	1.5784e+06	3.00	0.0	0.0	3.3426e+05	1.7500e-01	2	4	5343
54	xe-133	0	541330	4.5300e+05	1.3640e+05	4.7100e+04	0.0	3.00	0.0	1.6342e+06	1.0000e+00	1	3	5344
54	xe-133	1	541331	1.8922e+05	1.8500e+05	4.0300e+04	0.0	1.00	0.0	4.2700e+05	1.0000e+00	1	4	5452
55	cs-133	0	551330	stable			0.0	3.00	0.0	2.3322e+05	1.0000e+00	0	0	5525
49	in-134	0	491340	8.0557e-02	3.9920e+06	4.6990e+06	0.0	1.00	0.0	1.2720e+07	6.6244e-01	2	3	4988
50	sn-134	0	501340	1.0400e+00	2.2950e+06	1.2480e+06	0.0	1.00	0.0	5.7320e+06	8.3000e-01	2	3	5091
51	sb-134	0	511340	8.5000e-01	2.7810e+06	2.2560e+06	0.0	1.00	0.0	2.1600e+06	1.7000e-01	2	3	5164
51	sb-134	1	511341	1.0430e+01	2.7620e+06	2.3800e+06	0.0	1.00	0.0	8.4100e+06	9.9896e-01	2	4	5165
52	te-134	0	521340	2.5080e+03	2.3700e+05	8.5800e+05	0.0	1.00	0.0	1.5600e+06	1.0000e+00	1	4	5267
53	1-134	0	531340	3.1560e+03	6.1700e+05	2.6100e+06	0.0	1.00	0.0	4.1500e+06	1.0000e+00	1	4	5346
53	1-134	1	531341	2.2140e+02	8.4000e+04	2.4100e+05	0.0	1.20	1.0	2.5010e+06	2.3000e-02	2	4	5347
54	xe-134	0	541340	stable			3.00	0.0	0.0	3.1630e+05	9.7700e-01	0	0	5455
54	xe-134	1	541341	2.9000e-01	6.7000e+04	1.8980e+06	0.0	3.00	0.0	1.9655e+06	1.0000e+00	1	3	5456
55	cs-134	0	551340	6.5070e+07	1.6500e+05	1.5550e+06	0.0	1.00	0.0	2.0585e+06	1.0000e+00	2	5	5528
55	cs-134	1	551341	1.0476e+04	1.0470e+05	2.6700e+04	2.00	0.0	0.0	1.2120e+06	3.0000e-06			
56	ba-134	0	561340	stable			0.0	3.00	0.0	1.3875e+05	1.0000e+00	1	3	5529
50	sn-135	0	501350	4.1777e-01	2.5550e+06	2.4820e+06	0.0	1.00	0.0	7.2000e+06	9.1400e-01	2	3	5094
51	sb-135	0	511350	1.7100e+00	2.2900e+06	1.6000e+06	0.0	1.00	0.0	3.0800e+06	8.6000e-02	2	3	5167
52	te-135	0	521350	1.9000e+01	4.12e+06	1.4779e+06	0.0	1.00	0.0	7.5400e+06	7.9800e-01	1	2	5270
53	1-135	0	531350	2.3652e+04	3.5900e+05	1.5920e+06	0.0	1.00	0.0	5.9600e+06	1.0000e+00	2	4	5349
							1.00	1.0	0.0	2.6960e+06	8.4300e-01			
										2.1690e+06	1.5700e-01			

TABLE C-1 (Cont.)

SYMBOL		S	ZZAAS	HALF LIFE	E BETA	E GAMMA	F ALPHA	RTYP	RPS	Q	BRANCHING	NDK	NSP	MAT
54	xe	135	0	541350 3.2904e+04	3.1800e+05	2.4880e+05	0.0	1.00	0.0	1.1600e+06	1.0000e+00	1	4	5458
54	xe	135	1	541351 9.1740e+02	9.5000e+04	4.2800e+05	0.0	1.00	0.0	1.6870e+06	4.0000e-05	2	4	5459
55	cs	135	0	551350 7.2581e+13	5.6300e+04	0.0	0.0	1.00	0.0	5.2656e+05	9.9996e-01	1	1	5531
55	cs	135	1	551351 3.1800e+01	1.5000e+04	1.5953e+06	0.0	1.00	0.0	2.0500e+05	1.0000e+00	1	3	5532
56	ba	135	0	561350 stable	2.0000e+05	5.9500e+04	0.0	3.00	0.0	1.6329e+06	1.0000e+00	0	0	5640
56	ba	135	1	561351 1.0132e+05	2.0000e+05	5.9500e+04	0.0	3.00	0.0	2.6822e+05	1.0000e+00	1	3	5641
50	sn	136	0	501360 7.1718e-01	2.6140e+06	1.4270e+06	0.0	1.00	0.0	5.8920e+06	8.3608e-01	2	3	5097
51	sb	136	0	511360 8.2000e-01	2.9530e+06	2.6050e+06	0.0	1.00	0.0	5.8690e+00	1.6392e-01	2	3	5170
52	te	136	0	521360 1.7500e+01	1.2910e+06	2.0000e+06	0.0	1.00	0.0	4.0200e+06	2.3000e-01	2	5	5273
53	i	136	0	531360 8.1400e+01	1.9850e+06	2.3590e+06	0.0	1.00	0.0	5.0900e+06	9.9100e-01	1	4	5352
53	i	136	1	531361 4.6900e+01	2.2330e+06	2.5900e+05	0.0	1.00	0.0	6.3300e+06	1.0000e+00	1	4	5353
54	xe	136	0	541360 stable	1.3370e+05	1.9170e+06	0.0	1.00	0.0	1.3300e+06	9.0000e-03	0	0	5461
55	cs	136	0	551360 1.1170e+06	1.3370e+05	1.9170e+06	0.0	1.00	0.0	2.5485e+06	8.8800e-01	2	4	5534
55	cs	136	1	551361 1.9000e+01	7.9380e+04	5.5000e+03	0.0	3.00	0.0	5.1800e+05	1.1200e-01	1	0	5535
56	ba	136	0	561360 stable	1.0280e+05	1.9270e+06	0.0	3.00	0.0	5.0000e+04	1.0000e+00	0	0	5643
56	ba	136	1	561361 3.0840e-01	1.0280e+05	1.9270e+06	0.0	3.00	0.0	2.0305e+06	1.0000e+00	1	3	5644
51	sb	137	0	511370 4.7785e-01	2.5730e+06	2.3890e+06	0.0	1.00	0.0	7.1030e+06	8.0000e-01	2	3	5173
52	te	137	0	521370 3.5000e+00	2.1730e+06	1.6090e+06	0.0	1.00	0.0	4.8600e+06	2.0000e-01	2	3	5276
53	i	137	0	531370 2.4500e+01	2.0300e+06	1.2300e+06	0.0	1.00	0.0	9.4000e+05	2.2000e-02	2	3	5355
54	xe	137	0	541370 2.2908e+02	1.6970e+06	1.9100e+05	0.0	1.00	0.0	1.8600e+06	6.7000e-02	1	4	5464
55	cs	137	0	551370 9.4671e+08	1.8754e+05	0.0	0.0	1.00	0.0	1.1751e+06	5.5700e-02	2	1	5537
56	ba	137	0	561370 stable	6.3800e+04	5.9900e+05	0.0	3.00	0.0	5.1340e+05	9.4430e-01	0	0	5646
56	ba	137	1	561371 1.5312e+02	6.3800e+04	5.9900e+05	0.0	3.00	0.0	6.6166e+05	1.0000e+00	1	3	5647
51	sb	138	0	511380 1.7336e-01	3.0300e+06	3.780e+06	0.0	1.00	0.0	9.5310e+06	7.7989e-01	2	3	5176
52	te	138	0	521380 1.4000e+00	1.9460e+06	1.0680e+06	0.0	1.00	0.0	6.0000e+06	5.3700e-01	2	3	5279
53	i	138	0	531380 6.4900e+00	2.1279e+06	2.5792e+06	0.0	1.00	0.0	2.1200e+06	6.3000e-02	2	5	5358
54	xe	138	0	541380 8.4480e+02	6.4700e+05	1.1260e+06	0.0	1.00	0.0	7.8200e+06	9.4640e-01	1	4	5467
55	cs	138	0	551380 1.9320e+03	1.2430e+06	2.3610e+06	0.0	1.00	0.0	2.7700e+06	1.0000e+00	1	4	5540
55	cs	138	1	551381 1.7460e+02	2.8320e+05	7.0660e+05	0.0	1.00	0.0	5.4570e+06	1.9000e-01	2	4	5541
56	ba	138	0	561380 stable	2.8800e+04	1.2330e+06	0.0	1.00	0.0	7.9900e+04	8.1000e-01	0	0	5649
57	la	138	0	571380 3.3135e+18	2.8800e+04	1.2330e+06	0.0	1.00	0.0	1.0440e+06	3.3600e-01	2	5	5725
							2.00	0.0	0.0	1.7450e+06	6.6400e-01			
51	sb	139	0	511390 2.1781e-01	2.9080e+06	2.6840e+06	0.0	1.00	0.0	8.4310e+06	5.8307e-01	2	3	5179
52	te	139	0	521390 5.8002e-01	2.3760e+06	2.3510e+06	0.0	1.00	0.0	7.9190e+00	4.1693e-01	2	3	5282
53	i	139	0	531390 2.3000e+00	2.4300e+06	1.4000e+06	0.0	1.00	0.0	6.9000e+06	9.3700e-01	2	3	5361
							1.50	0.0	0.0	2.4000e+06	6.3000e-02	2	3	5361
							1.50	0.0	0.0	6.8200e+06	9.0400e-01	2	3	5361
							1.50	0.0	0.0	3.1800e+06	9.6000e-02			

TABLE C-1 (Cont.)

SYMBOL S	ZZAAS	HALF LIFE	E BETA	E GAMMA	E ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
54-xe-139 0	541390	3.9680e+01	1.7720e+06	8.9000e+05	0.0	1.00	0.0	5.0200e+06	1.0000e+00	1	4	5470
55-cs-139 0	551390	5.5620e+02	1.6500e+06	3.3000e+05	0.0	1.00	0.0	4.2130e+06	1.0000e+00	1	2	5543
56-ba-139 0	561390	5.0778e+03	8.9900e+05	4.3300e+04	0.0	1.00	0.0	2.3100e+06	1.0000e+00	1	4	5652
57-la-139 0	571390	stable								0	0	5728
52-te-140 0	521400	8.9384e-01	2.3360e+06	1.2750e+06	0.0	1.00	0.0	5.8000e+06	8.4504e-01	2	3	5285
53-l-140 0	531400	8.6000e-01	2.7620e+06	2.3280e+06	0.0	1.00	0.0	5.1200e+00	1.5496e-01	2	3	5364
54-xe-140 0	541400	1.3600e+01	1.0581e+06	1.4675e+06	0.0	1.00	0.0	4.0600e+06	1.0000e+00	1	4	5473
55-cs-140 0	551400	6.3700e+01	1.7518e+06	2.2161e+06	0.0	1.00	0.0	6.2180e+06	1.0000e+00	1	4	5546
56-ba-140 0	561400	1.1018e+06	3.1100e+05	1.8200e+05	0.0	1.00	0.0	1.0340e+06	1.0000e+00	1	4	5655
57-la-140 0	571400	1.4499e+05	5.3300e+05	2.2990e+06	0.0	1.00	0.0	3.7610e+06	1.0000e+00	1	4	5731
58-ce-140 0	581400	stable								0	0	5837
52-te-141 0	521410	2.7262e-01	2.6580e+06	2.5980e+06	0.0	1.00	0.0	8.0260e+06	8.9528e-01	2	3	5288
53-l-141 0	531410	4.6000e-01	2.4250e+06	1.7790e+06	0.0	1.00	0.0	5.5590e+00	1.0472e-01	2	3	5367
54-xe-141 0	541410	1.7300e+00	2.0310e+06	1.5700e+06	0.0	1.00	0.0	6.9830e+06	6.1000e-01	2	5	5476
55-cs-141 0	551410	2.4940e+01	1.6040e+06	1.1400e+06	0.0	1.00	0.0	3.9400e+06	3.9000e-01	2	5	5549
56-ba-141 0	561410	1.0962e+03	9.1400e+05	8.1600e+05	0.0	1.00	0.0	6.1500e+06	9.9957e-01	2	5	5658
57-la-141 0	571410	1.4112e+04	9.5133e+05	4.2467e+04	0.0	1.00	0.0	6.4000e+05	4.3000e-04	2	5	5734
58-ce-141 0	581410	2.8081e+06	1.7030e+05	7.6600e+04	0.0	1.00	0.0	7.0800e+05	3.6000e-04	2	5	5840
59-pr-141 0	591410	stable						3.2300e+06	1.0000e+00	1	4	5925
52-te-142 0	521420	5.9007e-01	2.5130e+06	1.3750e+06	0.0	1.00	0.0	6.1000e+06	8.4921e-01	2	3	5291
53-l-142 0	531420	2.0000e-01	2.6920e+06	3.2030e+06	0.0	1.00	0.0	5.7490e+00	1.5079e-01	2	3	5370
54-xe-142 0	541420	1.2200e+00	1.4043e+06	1.5764e+06	0.0	1.00	0.0	9.2090e+06	8.4000e-01	2	3	5479
55-cs-142 0	551420	1.7000e+00	2.4490e+06	1.7870e+06	0.0	1.00	0.0	4.4700e+06	1.6000e-01	2	5	5552
56-ba-142 0	561420	6.3600e+02	3.7300e+05	1.0760e+06	0.0	1.00	0.0	5.0400e+06	9.9590e-01	2	5	5661
57-la-142 0	571420	5.4660e+03	8.6600e+05	2.3640e+06	0.0	1.00	0.0	8.9000e+05	4.1000e-03	2	5	5737
58-ce-142 0	581420	3.3113e+18	0.0	0.0	1.4445e+06	4.00	0.0	1.1100e+06	9.9930e-01	2	5	5843
59-pr-142 0	591420	6.8832e+04	8.0960e+05	5.8000e+04	0.0	1.00	0.0	2.1604e+06	9.9984e-01	2	5	5928
59-pr-142 1	591421	8.7600e+02	1.5500e+03	1.8415e-07	0.0	3.00	0.0	7.4270e+05	1.6400e-04	1	2	5929
60-nd-142 0	601420	stable						3.6830e+03	1.0000e+00	0	0	6025
53-l-143 0	531430	4.0109e-01	2.3750e+06	2.2520e+06	0.0	1.00	0.0	7.2830e+06	8.2000e-01	2	3	5373
54-xe-143 0	541430	9.6000e-01	2.0500e+06	2.0880e+06	0.0	1.00	0.0	4.7200e+06	1.8000e-01	2	3	5482
54-xe-143 1	541431	3.0000e-01	2.2250e+06	1.7280e+06	0.0	1.00	0.0	7.1260e+06	9.8800e-01	2	5	5483
55-cs-143 0	551430	1.7800e+00	1.9500e+06	1.2400e+06	0.0	1.00	0.0	1.0400e+06	1.2000e-02	1	2	5555
56-ba-143 0	561430	1.4500e+01	1.3960e+06	9.8000e+05	0.0	1.00	0.0	7.1260e+06	1.0000e+00	1	4	5664
57-la-143 0	571430	8.4840e+02	1.2500e+06	1.3000e+05	0.0	1.00	0.0	6.2800e+06	9.8390e-01	1	2	5740
58-ce-143 0	581430	1.1880e+05	4.3000e+05	2.7900e+05	0.0	1.00	0.0	2.0400e+06	1.6100e-02	1	4	5846

TABLE C-1 (Cont.)

SYMBOL S	Z	ZAAS	HALF-LIFE	E-BETA	E GAMMA	E-ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
59 pr-143 0	59	1430	1.1724e+06	3.1530e+05	9.0000e-03	0.0	1.00	0.0	9.3450e+05	1.0000e+00	1	4	5931
60 nd-143 0	60	1430	stable								0	0	6028
53 i-144 0	53	1440	1.4597e-01	2.7190e+06	3.2480e+06	0.0	1.00	0.0	9.8560e+06	8.4761e-01	2	3	5376
54 xe-144 0	54	1440	1.1000e+00	1.6060e+06	9.2320e+05	0.0	1.00	0.0	6.3090e+00	1.5239e-01	2	3	5485
55 cs-144 0	55	1440	1.0200e+00	2.3900e+06	2.6600e+06	0.0	1.00	0.0	9.8000e+05	7.3000e-03	2	3	5558
56 ba-144 0	56	1440	1.1400e+01	9.4630e+05	7.0500e+05	0.0	1.00	0.0	2.9700e+06	1.0000e+00	1	4	5667
57 la-144 0	57	1440	4.0900e+01	1.4280e+06	2.2400e+06	0.0	1.00	0.0	5.6000e+06	1.0000e+00	1	4	5743
58 ce-144 0	58	1440	2.4615e+07	9.1400e+04	1.9000e+04	0.0	1.00	0.0	3.1860e+05	9.8600e-01	2	4	5849
59 pr-144 0	59	1440	1.0368e+03	1.2089e+06	2.8900e+04	0.0	1.00	0.0	2.5960e+05	1.4000e-02	1	4	5934
59 pr-144 1	59	1441	4.3200e+02	4.5400e+04	1.2500e+04	0.0	1.00	0.0	3.0559e+06	4.0000e-04	2	4	5935
60 nd-144 0	60	1440	6.6000e+22	0.0	0.0	1.9103e+06	4.00	0.0	5.9030e+04	9.9960e-01	1	0	6031
62 sm-144 0	62	1440	stable						1.9103e+06	1.0000e+00	0	0	6225
53 i-145 0	53	1450	1.9342e-01	2.4680e+06	2.3420e+06	0.0	1.00	0.0	8.5590e+06	7.5914e-01	2	3	5379
54 xe-145 0	54	1450	9.0000e-01	2.2910e+06	1.8270e+06	0.0	1.00	0.0	6.9990e+00	2.4086e-01	2	3	5488
55 cs-145 0	55	1450	5.9400e-01	1.3750e+06	2.3700e+06	0.0	1.00	0.0	4.3050e+00	6.1090e-02	2	5	5561
56 ba-145 0	56	1450	4.3100e+00	2.2000e+06	9.3400e+05	0.0	1.00	0.0	3.5600e+06	1.4600e-01	1	4	5670
57 la-145 0	57	1450	2.4800e+01	8.7700e+05	1.4970e+06	0.0	1.00	0.0	4.9500e+06	1.0000e+00	1	4	5746
58 ce-145 0	58	1450	1.8060e+02	6.7600e+05	8.6000e+05	0.0	1.00	0.0	4.1200e+06	1.0000e+00	1	4	5852
59 pr-145 0	59	1450	2.1542e+04	6.7700e+05	1.8600e+04	0.0	1.00	0.0	2.5300e+06	1.0000e+00	1	4	5937
60 nd-145 0	60	1450	stable						1.8050e+06	1.0000e+00	0	0	6034
61 pm-145 0	61	1450	5.5856e+08	1.1700e+04	3.2300e+04	6.5020e-03	2.00	0.0	1.6140e+05	1.0000e+00	2	5	6143
62 sm-145 0	62	1450	2.9376e+07	2.7600e+04	6.5000e+04	4.00	0.0	0.0	2.3220e+06	2.8000e-09	1	4	6228
54 xe-146 0	54	1460	5.6268e-01	1.9710e+06	1.0860e+06	0.0	1.00	0.0	6.4760e+06	9.3495e-01	2	3	5491
55 cs-146 0	55	1460	3.4300e-01	2.9430e+06	2.1600e+06	0.0	1.00	0.0	4.3900e+00	6.5048e-02	2	5	5564
56 ba-146 0	56	1460	2.2000e+00	1.3700e+06	8.8000e+05	0.0	1.00	0.0	4.2800e+06	1.3200e-01	2	3	5673
57 la-146 0	57	1460	6.2700e+00	1.9320e+06	2.2800e+06	0.0	1.00	0.0	5.0000e-01	1.0000e-04	2	5	5749
57 la-146 1	57	1461	1.0000e+01	2.2020e+06	1.4341e+06	0.0	1.00	0.0	6.3860e+06	9.9997e-01	2	5	5749
58 ce-146 0	58	1460	8.1120e+02	2.5400e+05	3.1900e+05	0.0	1.00	0.0	5.9000e-02	3.5000e-05	1	4	5750
59 pr-146 0	59	1460	1.4490e+03	1.3090e+06	1.0190e+06	0.0	1.00	0.0	1.0200e+06	1.0000e+00	1	4	5855
60 nd-146 0	60	1460	stable						4.1500e+06	1.0000e+00	0	0	6037
62 sm-146 0	62	1460	3.2504e+15	0.0	0.0	2.5430e+06	4.00	0.0	2.5430e+06	1.0000e+00	1	1	6231
54 xe-147 0	54	1470	1.9909e-01	2.2790e+06	2.3130e+06	0.0	1.00	0.0	8.6830e+06	9.1294e-01	2	3	5494
55 cs-147 0	55	1470	5.4548e-01	2.2190e+06	1.5810e+06	0.0	1.00	0.0	5.3410e+00	8.7056e-02	2	3	5567
56 ba-147 0	56	1470	7.0000e-01	1.8580e+06	1.3010e+06	0.0	1.00	0.0	7.0210e+06	2.5000e-01	2	3	5676
									8.0000e+04	2.7000e-04			

TABLE C-1 (Cont.)

SYMBOL S	ZZAAS	HALF LIFE	E BETA	E GAMMA	E ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
57 la-147 0	571470	4.4000e+00	1.6320e+06	9.3630e+05	0.0	1.00	0.0	4.9450e+06	9.9954e-01	2	3	5752
					1.50	0.0	0.0	4.6000e+05	4.6000e-04			
58 ce-147 0	581470	5.6400e+01	8.5910e+05	1.0810e+06	0.0	1.00	0.0	3.3100e+06	1.0000e+00	1	2	5858
59 pr-147 0	591470	8.1600e+02	7.8814e+05	8.3272e+05	0.0	1.00	0.0	2.6800e+06	1.0000e+00	1	4	5943
60 nd-147 0	601470	9.4867e+05	2.6830e+05	1.4000e+05	0.0	1.00	0.0	8.9530e+05	1.0000e+00	1	4	6040
61 pm-147 0	611470	8.2786e+07	6.1930e+04	4.3800e+00	0.0	1.00	0.0	2.2460e+05	1.0000e+00	1	4	6149
62 sm-147 0	621470	3.3450e+18	0.0	0.0	2.3109e+06	4.00	0.0	2.3106e+06	1.0000e+00	1	1	6234
55 cs-148 0	551480	2.0560e-01	2.4540e+06	2.9690e+06	0.0	1.00	0.0	9.2280e+06	7.4900e-01	2	3	5570
					1.50	0.0	0.0	6.0110e+00	2.5100e-01			
56 ba-148 0	561480	6.0700e-01	1.3430e+06	8.3530e+05	0.0	1.00	0.0	5.4000e+06	9.9941e-01	2	5	5679
					1.50	0.0	0.0	3.9000e+05	5.9000e-04			
57 la-148 0	571480	1.0500e+00	2.0740e+06	1.2510e+06	0.0	1.00	0.0	6.0200e+06	9.9867e-01	2	5	5755
					1.50	0.0	0.0	1.8000e-01	1.3300e-03			
58 ce-148 0	581480	5.6000e+01	6.7200e+05	3.1600e+05	0.0	1.00	0.0	2.0500e+06	1.0000e+00	1	4	5861
59 pr-148 0	591480	1.3620e+02	1.5571e+06	1.2359e+06	0.0	1.00	0.0	4.9600e+06	1.0000e+00	1	4	5946
59 pr-148 1	591481	1.2000e+02	1.2907e+06	1.7970e+06	0.0	1.00	0.0	5.0500e+06	1.0000e+00	1	4	5947
60 nd-148 0	601480	stable			0.0	1.00	0.0	5.0500e+06	1.0000e+00	0	0	6043
61 pm-148 0	611480	4.6397e+05	7.2900e+05	5.7400e+05	0.0	1.00	0.0	2.4730e+06	1.0000e+00	1	4	6152
61 pm-148 1	611481	3.5675e+06	1.7170e+05	1.9840e+06	0.0	1.00	0.0	2.6100e+06	9.5400e-01	2	4	6153
62 sm-148 0	621480	2.5000e+23	0.0	0.0	1.9862e+06	4.00	0.0	1.9862e+06	1.0000e+00	1	0	6237
55 cs-149 0	551490	2.4419e-01	2.5070e+06	2.4040e+06	0.0	1.00	0.0	8.3140e+06	6.7243e-01	2	3	5573
					1.50	0.0	0.0	7.2250e+00	3.2757e-01			
56 ba-149 0	561490	6.9518e-01	2.0160e+06	1.5200e+06	0.0	1.00	0.0	6.7420e+06	9.9970e-01	2	3	5682
					1.50	0.0	0.0	2.6000e+05	3.0000e-04			
57 la-149 0	571490	2.4079e+00	1.7830e+06	1.0870e+06	0.0	1.00	0.0	5.6370e+06	9.9190e-01	2	3	5758
					1.50	0.0	0.0	1.2100e+06	8.1000e-03			
58 ce-149 0	581490	5.2000e+00	1.1752e+06	1.0450e+06	0.0	1.00	0.0	4.1300e+06	1.0000e+00	2	3	5864
					1.50	0.0	0.0	5.0000e-01	0.0			
59 pr-149 0	591490	1.3560e+02	9.5260e+05	6.1610e+05	0.0	1.00	0.0	3.0000e+06	1.0000e+00	1	4	5949
60 nd-149 0	601490	6.2100e+03	5.0000e+05	3.7100e+05	0.0	1.00	0.0	1.6880e+06	1.0000e+00	1	4	6046
61 pm-149 0	611490	1.9109e+05	3.6470e+05	1.1900e+04	0.0	1.00	0.0	1.0730e+06	1.0000e+00	1	4	6155
62 sm-149 0	621490	3.1536e+23	0.0	0.0	1.9076e+06	4.00	0.0	1.8949e+06	1.0000e+00	1	0	6240
55 cs-150 0	551500	1.2376e-01	2.7510e+06	3.3310e+06	0.0	1.00	0.0	1.0204e+07	8.4912e-01	2	3	5576
					1.50	0.0	0.0	6.4590e+00	1.5088e-01			
56 ba-150 0	561500	9.6219e-01	1.9850e+06	1.0960e+06	0.0	1.00	0.0	5.8280e+06	9.9760e-01	2	3	5685
					1.50	0.0	0.0	2.1000e+05	2.4000e-03			
57 la-150 0	571500	6.0808e-01	2.0370e+06	2.5470e+06	0.0	1.00	0.0	7.8440e+06	9.9060e-01	2	3	5761
					1.50	0.0	0.0	2.6560e+06	9.4000e-03			
58 ce-150 0	581500	4.0000e+00	6.8918e+05	4.3969e+05	0.0	1.00	0.0	1.2000e+06	1.0000e+00	1	2	5867
59 pr-150 0	591500	6.1900e+00	2.0170e+06	1.0760e+06	0.0	1.00	0.0	5.6900e+06	1.0000e+00	1	2	5952
60 nd-150 0	601500	stable			0.0	1.00	0.0	5.6900e+06	1.0000e+00	0	0	6049
61 pm-150 0	611500	9.6480e+03	7.7900e+05	1.4700e+06	0.0	1.00	0.0	3.4540e+06	1.0000e+00	1	4	6158
62 sm-150 0	621500	stable								0	0	6243
56 ba-151 0	561510	3.3274e-01	2.1830e+06	2.2510e+06	0.0	1.00	0.0	7.7180e+06	9.6243e-01	2	3	5688
					1.50	0.0	0.0	3.5490e+00	3.7569e-02			
57 la-151 0	571510	7.1939e-01	2.2020e+06	1.6010e+06	0.0	1.00	0.0	6.9300e+06	9.3451e-01	2	3	5764
					1.50	0.0	0.0	3.5810e+00	6.5495e-02			
58 ce-151 0	581510	1.0200e+00	1.4400e+06	8.7740e+05	0.0	1.00	0.0	4.9000e+06	1.0000e+00	1	2	5870
59 pr-151 0	591510	1.8900e+01	1.2340e+06	7.0110e+05	0.0	1.00	0.0	3.8000e+06	1.0000e+00	1	4	5955

TABLE C-1 (Cont.)

SYMBOL		S	Z	A	HALF-LIFE	E- β	E- γ	E- α	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
60	nd-151	0	601510	7.4640e+02	5.3400e+05	9.4700e+05		0.0	1.00	0.0	2.4430e+06	1.0000e+00	1	4	6052
61	pm-151	0	611510	1.0224e+05	2.8700e+05	3.2900e+05		0.0	1.00	0.0	1.1870e+06	1.0000e+00	1	4	6161
62	sm-151	0	621510	2.8401e+09	1.9830e+04	1.4200e+01		0.0	1.00	0.0	7.6300e+04	1.0000e+00	1	4	6246
63	eu-151	0	631510	stable									0	0	6325
56	ba-152	0	561520	4.2049e-01	2.5240e+06	1.3900e+06		0.0	1.00	0.0	6.8990e+06	9.4279e-01	2	3	5691
57	la-152	0	571520	2.8495e-01	2.3550e+06	2.8850e+06		0.0	1.00	0.0	8.8200e+06	9.3961e-01	2	3	5767
								1.50	0.0	3.9990e+00	5.7209e-02				
58	ce-152	0	581520	7.6627e+00	1.1660e+06	7.7840e+05		0.0	1.00	0.0	3.9890e+00	6.0393e-02	1	2	5873
								0.0	1.00	0.0	3.9490e+06	1.0000e+00			
59	pr-152	0	591520	6.7761e+00	1.5490e+06	2.1190e+06		0.0	1.00	0.0	6.4870e+06	1.0000e+00	1	2	5958
60	nd-152	0	601520	6.8400e+02	3.3300e+05	1.6100e+05		0.0	1.00	0.0	1.1200e+06	1.0000e+00	1	4	6055
61	pm-152	0	611520	2.4600e+02	1.3950e+06	1.5000e+05		0.0	1.00	0.0	3.5000e+06	1.0000e+00	1	4	6164
61	pm-152	1	611521	4.5120e+02	8.8100e+05	1.5000e+06		0.0	1.00	0.0	3.6200e+06	1.0000e+00	1	4	6165
61	pm-152	2	611522	1.0800e+03	6.6079e+05	1.7332e+06		0.0	1.00	0.0	3.4710e+06	1.0000e+00	1	2	6166
62	sm-152	0	621520	stable									0	0	6249
63	eu-152	0	631520	4.2065e+08	1.2610e+05	1.1619e+06		0.0	1.00	0.0	1.8221e+06	2.7920e-01	2	5	6328
63	eu-152	1	631521	3.3552e+04	5.0230e+05	3.0300e+05		0.0	1.00	0.0	1.8677e+06	7.2000e-01	2	5	6329
								2.00	0.0	1.9217e+06	2.8000e-01				
63	eu-152	2	631522	5.7600e+03	6.1200e+04	7.5100e+04		0.0	3.00	0.0	1.4781e+05	1.0000e+00	1	3	6330
64	gd-152	0	641520	3.4080e+21	0.0	0.0		2.2062e+06	4.00	0.0	2.2062e+06	1.0000e+00	1	0	6425
57	la-153	0	571530	3.2584e-01	2.5950e+06	2.0880e+06		0.0	1.00	0.0	8.0010e+06	8.9312e-01	2	3	5770
58	ce-153	0	581530	1.4688e+00	1.6800e+06	1.1250e+06		1.50	0.0	4.7390e+00	1.0689e-01	2	3	5876	
								0.0	1.00	5.8390e+06	9.9378e-01				
59	pr-153	0	591530	4.4907e+00	1.7000e+06	1.0270e+06		1.50	0.0	1.6360e+00	6.2190e-03	1	2	5961	
								0.0	1.00	5.5730e+06	1.0000e+00				
60	nd-153	0	601530	6.7500e+01	1.1110e+06	6.7230e+05		0.0	1.00	0.0	3.3510e+06	1.0000e+00	1	2	6058
61	pm-153	0	611530	3.2400e+02	6.0720e+05	1.7220e+05		0.0	1.00	0.0	1.9000e+06	1.0000e+00	1	2	6167
62	sm-153	0	621530	1.6657e+05	2.6970e+05	6.5100e+04		0.0	1.00	0.0	8.0920e+05	1.0000e+00	1	4	6252
63	eu-153	0	631530	stable									0	0	6331
64	gd-153	0	641530	2.0874e+07	4.0700e+04	1.0760e+05		0.0	2.00	0.0	4.8390e+05	1.0000e+00	1	4	6428
57	la-154	0	571540	1.4926e-01	2.6150e+06	3.1990e+06		0.0	1.00	0.0	1.0063e+07	8.9730e-01	2	3	5773
58	ce-154	0	581540	2.0161e+00	1.6940e+06	9.5870e+05		1.50	0.0	5.2990e+00	1.0270e-01	2	3	5879	
								0.0	1.00	5.0200e+06	9.9363e-01				
59	pr-154	0	591540	1.0614e+00	1.8730e+06	2.4140e+06		1.50	0.0	1.6590e+00	6.3730e-03	2	3	5964	
								0.0	1.00	7.4630e+06	9.9889e-01				
60	nd-154	0	601540	4.0000e+01	6.0718e+05	6.0759e+05		1.50	0.0	9.0700e-01	1.1100e-03	1	2	6061	
								0.0	1.00	2.4370e+06	1.0000e+00				
61	pm-154	0	611540	1.0320e+02	8.9100e+05	1.9000e+06		0.0	1.00	0.0	4.0000e+06	1.0000e+00	1	4	6170
61	pm-154	1	611541	1.6080e+02	8.9920e+05	1.9989e+06		0.0	1.00	0.0	4.0000e+06	1.0000e+00	1	4	6171
62	sm-154	0	621540	stable									0	0	6255
63	eu-154	0	631540	2.7114e+08	2.7800e+05	1.2540e+06		0.0	1.00	0.0	1.9689e+06	9.9980e-01	2	5	6334
63	eu-154	1	631541	2.7600e+03	8.2000e+04	7.3000e+04		2.00	0.0	7.1700e+05	2.0000e-04	1	3	6335	
								0.0	3.00	1.5700e+05	1.0000e+00				
64	gd-154	0	641540	stable									0	0	6431
57	la-155	0	571550	1.5399e-01	2.8170e+06	2.6980e+06		0.0	1.00	0.0	9.5040e+06	8.3241e-01	2	3	5776
58	ce-155	0	581550	5.2782e-01	2.0150e+06	1.5710e+06		1.50	0.0	6.0890e+00	1.6759e-01	2	3	5882	
								0.0	1.00	7.0820e+06	9.8400e-01				
59	pr-155	0	591550	1.1224e+00	2.0710e+06	1.4800e+06		1.50	0.0	2.5190e+00	1.6004e-02	2	3	5967	
								0.0	1.00	6.0440e+06	9.8457e-01				

TABLE C-1 (Cont.)

SYMBOL S	ZZAAS	HALF-LIFE	E BETA	E GAMMA	F ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
60 nd 155 0	601550	1.8221e+01	1.3660e+06	8.3390e+05	0.0	1.00	0.0	4.3270e+06	1.0000e+00	1	2	6064
61 pm 155 0	611550	4.8000e+01	1.0200e+06	6.3300e+05	0.0	1.00	0.0	3.1000e+06	1.0000e+00	1	2	6173
62 sm 155 0	621550	1.3380e+03	5.6360e+05	1.0300e+05	0.0	1.00	0.0	1.6275e+06	1.0000e+00	1	4	6258
63 eu 155 0	631550	1.4769e+08	6.6400e+04	6.4700e+04	0.0	1.00	0.0	2.5270e+05	1.0000e+00	1	4	6337
64 qd 155 0	641550	stable								0	0	6434
58 ee 156 0	581560	5.9629e-01	2.1180e+06	1.1710e+06	0.0	1.00	0.0	6.5230e+06	9.7008e-01	2	3	5885
59 pr 156 0	591560	3.7926e-01	2.1490e+06	2.6880e+06	0.0	1.00	0.0	3.7060e+06	9.7283e-01	2	3	5970
60 nd 156 0	601560	1.9622e+01	1.1220e+06	7.6570e+05	0.0	1.00	0.0	2.8090e+06	2.7170e-02	1	2	6067
61 pm 156 0	611560	1.3100e+01	1.3140e+06	1.8940e+06	0.0	1.00	0.0	3.5080e+06	1.0000e+00	1	2	6176
62 sm 156 0	621560	3.3840e+04	2.1600e+05	1.1400e+05	0.0	1.00	0.0	4.9800e+06	1.0000e+00	1	4	6261
63 eu 156 0	631560	1.3124e+06	4.6500e+05	1.2300e+06	0.0	1.00	0.0	7.1400e+05	1.0000e+00	1	4	6340
64 qd 156 0	641560	stable						2.4530e+06	1.0000e+00	0	0	6437
58 ee 157 0	581570	2.1442e-01	2.4310e+06	2.0890e+06	0.0	1.00	0.0	8.6780e+06	9.5547e-01	2	3	5888
59 pr 157 0	591570	3.8001e-01	2.3870e+06	1.8810e+06	0.0	1.00	0.0	3.8790e+06	4.4528e-02	2	3	5973
60 nd 157 0	601570	2.4833e+00	1.6680e+06	1.1400e+06	0.0	1.00	0.0	3.6090e+06	6.3874e-02	1	2	6070
61 pm 157 0	611570	6.1183e+01	1.4510e+06	8.4080e+05	0.0	1.00	0.0	5.5700e+06	1.0000e+00	1	2	6179
62 sm 157 0	621570	4.8420e+02	8.6260e+05	4.0160e+05	0.0	1.00	0.0	4.1610e+06	1.0000e+00	1	2	6264
63 eu 157 0	631570	5.4648e+04	3.9400e+05	2.6600e+05	0.0	1.00	0.0	2.6000e+06	1.0000e+00	1	4	6343
64 qd 157 0	641570	stable						1.3630e+06	1.0000e+00	0	0	6440
59 pr 158 0	591580	1.6855e-01	2.5520e+06	3.1550e+06	0.0	1.00	0.0	1.0302e+07	9.3577e-01	2	3	5976
60 nd 158 0	601580	2.6949e+00	1.5890e+06	9.2390e+05	0.0	1.00	0.0	4.1690e+06	6.4230e-02	2	3	6073
61 pm 158 0	611580	3.7997e+00	1.5690e+06	2.1640e+06	0.0	1.00	0.0	3.3900e-01	5.3000e-05	1	2	6182
62 sm 158 0	621580	3.3060e+02	4.0843e+05	5.5492e+05	0.0	1.00	0.0	6.2230e+06	1.0000e+00	1	2	6267
63 eu 158 0	631580	2.7540e+03	9.6600e+05	1.0800e+06	0.0	1.00	0.0	2.0500e+06	1.0000e+00	1	4	6346
64 qd 158 0	641580	stable						3.4500e+06	1.0000e+00	0	0	6443
59 pr 159 0	591590	1.8055e-01	2.7730e+06	2.3380e+06	0.0	1.00	0.0	9.5010e+06	8.7637e-01	2	3	5979
60 nd 159 0	601590	6.4159e-01	2.0630e+06	1.6660e+06	0.0	1.00	0.0	5.0090e+06	1.2363e-01	2	3	6076
61 pm 159 0	611590	3.0005e+00	1.7820e+06	1.1600e+06	0.0	1.00	0.0	7.1660e+06	9.9764e-01	2	3	6185
62 sm 159 0	621590	1.6200e+02	1.0002e+06	9.6497e+05	0.0	1.00	0.0	1.2490e+06	2.3610e-03	2	3	6270
63 eu 159 0	631590	1.0860e+03	8.7290e+05	4.0515e+05	0.0	1.00	0.0	4.1900e-01	1.8500e-04	1	4	6349
64 qd 159 0	641590	6.6816e+04	3.1000e+05	5.2000e+04	0.0	1.00	0.0	3.8480e+06	1.0000e+00	1	4	6446
65 tb 159 0	651590	stable						2.5140e+06	1.0000e+00	1	4	6446
60 nd 160 0	601600	7.8856e-01	2.1000e+06	1.2060e+06	0.0	1.00	0.0	9.7080e+05	1.0000e+00	0	0	6525
61 pm 160 0	611600	7.2892e-01	1.9690e+06	2.5000e+06	0.0	1.00	0.0	6.3650e+06	9.9053e-01	2	3	6079
62 sm 160 0	621600	7.2579e+01	8.4670e+05	6.8980e+05	0.0	1.00	0.0	1.8490e+06	9.4690e-03	2	3	6188
63 eu 160 0	631600	4.4000e+01	1.4640e+06	1.6000e+06	0.0	1.00	0.0	7.8190e+06	9.9732e-01	1	2	6273
64 qd 160 0	641600	stable						1.1490e+06	2.6760e-03	1	2	6352
65 tb 160 0	651600	6.2467e+06	2.5700e+05	1.2230e+06	0.0	1.00	0.0	3.2890e+06	1.0000e+00	1	4	6449
66 dy 160 0	661600	stable						4.5000e+06	1.0000e+00	0	0	6637

TABLE C-1 (Cont.)

SYMBOL S	ZZAAS	HALF-LIFE	E BETA	E GAMMA	E ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
60 nd-161 0	601610	3.1131e-01	2.1600e+06	1.8790e+06	0.0	1.00	0.0	8.1100e+06	9.8302e-01	2	3	6082
61 pm-161 0	611610	7.8993e-01	2.1080e+06	1.6960e+06	0.0	1.00	0.0	2.5590e+00	1.6982e-02	2	3	6191
62 sm-161 0	621610	4.7801e+00	1.5070e+06	1.1380e+06	0.0	1.00	0.0	1.9690e+00	1.7504e-02	1	2	6276
63 eu-161 0	631610	4.2050e+01	1.0059e+06	1.0062e+06	0.0	1.00	0.0	5.4440e+06	1.0000e+00	1	2	6355
64 qd-161 0	641610	2.1960e+02	5.8300e+05	3.8800e+05	0.0	1.00	0.0	4.1350e+06	1.0000e+00	1	4	6452
65 tb-161 0	651610	5.9616e+05	1.9700e+05	3.6000e+04	0.0	1.00	0.0	1.9590e+06	1.0000e+00	1	4	6531
66 dy-161 0	661610	stable			0.0	1.00	0.0	5.9210e+05	1.0000e+00	0	0	6640
61 pm-162 0	611620	3.2428e-01	2.0790e+06	2.6200e+06	0.0	1.00	0.0	8.7630e+06	9.7855e-01	2	3	6194
62 sm-162 0	621620	5.2600e+00	1.3830e+06	8.7780e+05	0.0	1.00	0.0	2.4890e+00	2.1452e-02	1	2	6279
63 eu-162 0	631620	1.6243e+02	1.4030e+06	2.0180e+06	0.0	1.00	0.0	4.6430e+06	1.0000e+00	1	2	6358
64 qd-162 0	641620	5.0400e+02	2.8618e+05	5.3704e+05	0.0	1.00	0.0	1.4000e+06	1.0000e+00	1	4	6455
65 tb-162 0	651620	4.6560e+02	5.3900e+05	1.1070e+06	0.0	1.00	0.0	2.5300e+06	1.0000e+00	0	0	6643
66 dy-162 0	661620	stable										
62 sm-163 0	621630	1.2679e+00	1.6690e+06	1.3340e+06	0.0	1.00	0.0	6.3880e+06	1.0000e+00	1	2	6282
63 eu-163 0	631630	7.6045e+00	1.5410e+06	1.0720e+06	0.0	1.00	0.0	5.4890e+06	1.0000e+00	1	2	6361
64 qd-163 0	641630	9.2770e+01	8.5917e+05	9.6128e+05	0.0	1.00	0.0	3.5550e+06	1.0000e+00	1	2	6458
65 tb-163 0	651630	1.1700e+03	3.2100e+05	7.8900e+05	0.0	1.00	0.0	1.7000e+06	1.0000e+00	1	4	6537
66 dy-163 0	661630	stable								0	0	6646
62 sm-164 0	621640	1.3850e+00	1.8030e+06	1.0490e+06	0.0	1.00	0.0	5.7970e+06	9.9988e-01	2	3	6285
63 eu-164 0	631640	1.5327e+00	1.5630e+06	2.1470e+06	0.0	1.00	0.0	4.3900e-01	1.2400e-04	2	3	6364
64 qd-164 0	641640	1.3014e+03	7.1810e+05	6.4630e+05	0.0	1.00	0.0	1.9000e-02	1.0000e-06	1	2	6461
65 tb-164 0	651640	1.8000e+02	7.1700e+05	2.3310e+06	0.0	1.00	0.0	2.7540e+06	1.0000e+00	1	4	6540
66 dy-164 0	661640	stable						3.8600e+06	1.0000e+00	0	0	6649
62 sm-165 0	621650	4.5356e-01	1.9630e+06	1.6910e+06	0.0	1.00	0.0	7.6770e+06	9.9751e-01	2	3	6288
63 eu-165 0	631650	1.3546e+00	1.8300e+06	1.4070e+06	0.0	1.00	0.0	1.2390e+00	2.4910e-03	2	3	6367
64 qd-165 0	641650	4.2295e+01	1.2300e+06	8.8110e+05	0.0	1.00	0.0	8.9900e-01	1.9110e-03	1	2	6464
65 tb-165 0	651650	1.2660e+02	8.7400e+05	8.3600e+05	0.0	1.00	0.0	2.9500e+06	1.4000e-01	2	4	6543
66 dy-165 0	661650	8.4024e+03	4.4800e+05	2.6000e+04	0.0	1.00	0.0	2.8420e+06	8.6000e-01	1	4	6652
66 dy-165 1	661651	7.5480e+01	9.8000e+04	1.9900e+04	0.0	1.00	0.0	1.2867e+06	1.0000e+00	2	4	6653
67 ho-165 0	671650	stable			3.00	0.0	0.0	1.3949e+06	2.2400e-02	0	0	6725
66 dy-166 0	661660	2.9376e+05	1.6260e+05	4.3000e+04	0.0	1.00	0.0	1.0816e+05	9.7760e-01	0	0	6725
67 ho-166 0	671660	9.6480e+04	6.9600e+05	2.9500e+04	0.0	1.00	0.0	4.8690e+05	1.0000e+00	1	4	6655
67 ho-166 1	671661	3.7868e+10	1.4620e+05	1.6280e+06	0.0	1.00	0.0	1.8539e+06	1.0000e+00	1	4	6728
68 er-166 0	681660	stable						1.8599e+06	1.0000e+00	0	0	6837
68 er-167 0	681670	stable								0	0	6840
68 er-167 1	681671	2.2800e+00	1.0600e+05	9.7000e+04	0.0	3.00	0.0	2.0780e+05	1.0000e+00	1	3	6841

TABLE C-1 (Cont.)

	Data Count
891 =	total nuclides
127 =	stable nuclides
159 =	nuclides in isomeric states
9 =	nuclides in second isostates
755 =	nuclides having spectra
405 =	nuclides having discrete electron spectra
400 =	nuclides having conversion electron and discrete spectra
400 =	nuclides having conversion electrons
404 =	nuclides having x-ray spectra
379 =	nuclides having discrete beta spectra
443 =	nuclides having discrete gamma spectra
0 =	nuclides having discrete neutron spectra
3 =	nuclides having alpha spectra
40 =	nuclides having positron or electron spectra
384 =	nuclides having continuous gamma spectra (theoretical)
383 =	nuclides having continuous beta spectra (theoretical)
272 =	nuclides having continuous neutron spectra (delayed neutron)
736 =	nuclides having gamma spectra
677 =	nuclides having beta spectra
272 =	nuclides having neutron spectra

ENDF/B-VI Decay File: Summary of Modifications, Supplements, and General Sources.

The fission-product decay data will be combined with the activation and actinide decay files to produce a single decay file of ~ 970 nuclides. Fifty nuclides are common in these files. The fission product and actinide files take precedence over the earlier evaluated activation files. All files are now at Brookhaven National Laboratory [the activation and actinide files having been sent earlier by Fred Mann, HEDL (Hanford Engineering Development Laboratory)].

Differing from previous versions of ENDF/B, in the preliminary Version VI, the fission products were formed as a sequence of libraries, testing each with an extensive range of integral measurements. Unlike the activation and actinide portions of the ENDF/B-VI decay file, many fission products have no spectral measurements and some lack even half-life measurements. Other products have incomplete measurements of spectra.

Recognizing that measured data were extensive but inadequate for calculations of decay heat and spectra, it was decided to:

1. Use measured data where they existed in ~ 1989;
2. Otherwise, use theory.
3. Supplement measurements believed to be incomplete with theoretical values.
4. Complete a library having spectra that would closely match the average beta and gamma energies.
5. Add in the delayed neutron spectra.

In the process of supplementation we did not want to lose any evaluated measurements, and for spectra, that is the case. Average energies for ~ 73 nuclides were known to be in error and they were replaced by theoretical values. Approximately 45 others were *believed* to be in error and were replaced by theory. Many others (~ 244) had no measurements, average energies, or spectra, and were necessarily replaced by theory. None had delayed neutron spectra.

In toto, 420 of 764 nuclides now have theoretical data and/or delayed neutron data. We believe the supplements are essentially correct; however, the user should be aware that some are certainly questionable and the need for some specific supplements were necessarily subjective. A few (~ 116) have since been measured, but they will have to be used in a subsequent "mod." The process of forcing agreement of average energies derived from spectra with file averages complicates the simple additions of new spectral measurements. Perhaps more importantly, this first file has already been compared with essentially all measured aggregate decay heat, beta, and gamma spectra. As was the original motivation for the product data, it is an excellent file that will serve as an essential complete *fiducial* data set. All but 9 of 764 unstable nuclides now have a decay spectra (compared with 264 in ENDF/B-V). All theoretical values are inserted as continuous spectra. Evaluations of measured data have not been changed except in a few cases where the beta normalization was adjusted by changing FD (the discrete spectrum normalization factor for beta decay appearing in the File 8 representation of decay spectra in ENDF/B-VI), to avoid negative spectra.

Most of the evaluated measurements were supplied by Charles Reich of INEL (Idaho National Engineering Lab.), with a close adherence to ENSDF (Evaluated Nuclear Structure Data File) and converted to ENDF/B format at HEDL by F. Mann. All of the supplements to these data and those for unmeasured parameters were made at Los Alamos by the authors. The additions expanded the file from ~ 60 0000 to > 300 000 lines, or approximately 25 000 000 bytes.

Table C-2 provides a list of information that may be of great interest to present and future evaluators. This information, as well as more detailed additional material, can now be recovered from File 1. The meaning of the various numbers is given at the end of the table. The table relates only to beta, gamma, and delayed neutron energies; there are other spectra in the files.

Fig. C-1. Gamma decay energy after ^{235}U fast fission (pulse).

Fig. C-2. Beta decay energy after ^{235}U fast fission (pulse).

Fig. C-3. Total decay energy after ^{235}U fast fission (pulse).

TABLE C-2

FISSION-PRODUCT DECAY FILE: SUPPLEMENTS, ADDITIONS, AND SOURCES^a

NUM	ID	MAT	H	G	SP	TYP	CONT	BETA	GAMMA	DEL	NEUT	NEW	PD
					B	G	N						
1	270720	2764	2	2	1	1	1	4.6081+06	4.6940+06	9.2009+04			
2	270730	2767	2	2	1	1	1	4.7180+06	2.9800+06	2.1642+05			
3	270740	2770	2	2	1	1	1	5.1669+06	5.4200+06	1.5428+05			
4	270750	2773	2	2	1	1	1	5.2591+06	3.7449+06	2.9849+05			
5	280720	2867	2	2	1	1	-1	1.8820+06	9.1313+05				
6	280730	2870	2	2	1	1	1	3.2809+06	1.6189+06	7.2241+00			
7	280740	2873	2	2	1	1	1	2.6831+06	1.1990+06	1.1609+03			
8	280750	2876	2	2	1	1	1	3.8269+06	2.2159+06	4.4904+03			
9	280760	2879	2	2	1	1	1	3.3790+06	1.5270+06	1.8386+04			
10	280770	2882	2	2	1	1	1	4.4810+06	3.0881+06	2.8536+04			
11	280780	2885	2	2	1	1	1	3.9289+06	1.8769+06	6.0141+04			
12	290720	2952	2	2	1	1	1	2.0350+06	2.9940+06	4.7074-02			
13	290730	2955	2	2	1	1	1	1.9849+06	7.7230+05	1.7105+03			
14	290740	2958	2	2	1	1	1	2.5109+06	3.2060+06	1.0359+03			
15	290750	2961	2	2	1	1	1	2.6880+06	1.0900+06	1.7502+04			
16	290760	2964	2	2	1	1	1	3.1131+06	3.5040+06	1.5625+04			
17	290770	2967	2	2	1	1	1	3.2671+06	1.5060+06	8.1783+04			
18	290780	2970	2	2	1	1	1	3.8302+06	4.0531+06	7.0359+04			
19	290790	2973	2	2	1	1	1	3.7089+06	1.9700+06	1.8111+05			
20	290800	2976	2	2	1	1	1	4.3269+06	4.5871+06	1.2697+05			
21	290810	2979	2	2	1	1	1	4.8260+06	3.4570+06	5.2712+05			
22	300720	3049	0	0	-1	-1	-1						
23	300730	3052	2	2	2	2	-1	3.8865+05	1.0519+06			6.2633-03	
24	300740	3055	2	2	2	2	-1	1.8053+05	5.8772+05			4.9522-03	
25	300750	3058	0	0	-1	-1	-1						
26	300760	3061	2	2	2	2	-1	1.7295+05	2.0810+05			7.7388-03	
27	300770	3064	0	0	2	-1	-1	2.8500+05					
28	300780	3067	0	0	-1	-1	1				5.6341+00		
29	300790	3070	2	2	1	1	1	3.0160+06	2.9170+06	5.0892+03			
30	300800	3073	2	2	1	1	1	2.7581+06	1.2420+06	4.5256+03			
31	300810	3076	2	2	1	1	1	4.0320+06	2.7131+06	3.6837+04			
32	300820	3079	2	2	1	1	1	4.2339+06	2.1810+06	1.6182+05			
33	300830	3082	2	2	1	1	1	4.1021+06	3.9531+06	1.9025+05			
34	310720	3134	0	0	-1	-1	-1						
35	310721	3135	-5	5	-1	-1	-1						
36	310730	3137	0	0	-1	-1	-1						
37	310740	3140	0	0	-1	1	-1						
38	310741	3141	0	0	-1	-1	-1						
39	310750	3143	0	0	-1	-1	-1						
40	310760	3146	0	0	-1	-1	-1						
41	310770	3149	2	2	1	1	-1	2.0430+06	7.8930+05				
42	310780	3152	0	0	-1	-1	-1						
43	310790	3155	0	0	-1	-1	1				1.6635+02		
44	310800	3158	2	2	2	2	1	4.4322+05	7.7800+05	2.7848+03			
45	310810	3161	0	0	2	-1	1	3.0899+05			4.4581+04		
46	310820	3164	2	2	1	1	1	3.7961+06	4.1311+06	1.3732+05			
47	310830	3167	2	2	1	1	1	3.8810+06	3.7429+06	4.4794+05			
48	310840	3170	2	2	1	1	1	4.2280+06	4.6330+06	2.3871+05			
49	310850	3173	2	2	1	1	1	4.5090+06	4.3050+06	4.0263+05			
50	320731	3235	0	0	-1	-1	-1						
51	320750	3240	0	0	-1	-1	-1						
52	320751	3241	0	0	-1	1	-1						
53	320770	3246	0	0	-1	-1	-1						
54	320771	3247	0	0	-1	-1	-1						
55	320780	3249	0	0	-1	-1	-1						
56	320790	3252	2	2	-1	2	-1		9.9269+04				
57	320791	3253	0	0	-1	-1	-1						
58	320800	3255	0	0	2	-1	-1	6.4631+04				8.0511-03	
59	320810	3258	2	2	1	1	-1	2.4426+06	8.4067+05				
60	320820	3261	2	2	1	1	-1	1.4490+06	7.6519+05				
61	320830	3264	2	2	1	1	1	2.6891+06	2.4440+06	3.6673+02			
62	320840	3267	2	2	1	1	1	2.5461+06	2.4600+06	5.6600+04			
63	320850	3270	2	2	1	1	1	3.0291+06	3.1829+06	1.3881+05			
64	320860	3273	2	2	1	1	1	3.3620+06	2.6360+06	1.4859+05			
65	320870	3276	2	2	1	1	1	3.5330+06	3.5850+06	1.1063+05			
66	320880	3279	2	2	1	1	1	4.0061+06	3.0030+06	1.6309+05			

Table C-2 (Cont.)

NUM	ID	MAT	AV	E	SP	TYP	CONT	E COMPONENT	DEL	NEUT	NEW	FD
			B	G	B	G	N	BETA	GAMMA			
67	330760	3328	0	0	-1	1	-1	---	---	---	---	---
68	330770	3331	0	0	1	1	1	---	---	---	---	---
69	330780	3334	0	0	-1	1	-1	---	---	---	---	---
70	330790	3337	6	6	-1	2	-1	---	8.9001+03	---	---	---
71	330800	3340	2	2	-1	2	-1	---	1.9008+05	---	---	---
72	330810	3343	0	0	1	-1	-1	---	---	---	---	---
73	330820	3346	2	2	2	2	-1	4.9313+04	7.5490+05	---	8.7004+03	---
74	330821	3347	0	0	-1	-1	-1	---	---	---	---	---
75	330830	3349	6	6	1	1	-1	1.2556+06	2.7514+06	---	---	---
76	330840	3352	0	0	-1	-1	1	---	---	2.5480+02	---	---
77	330841	3353	2	2	1	1	1	2.9179+06	3.4620+06	---	---	---
78	330850	3355	2	2	1	1	1	2.8360+06	3.0050+06	5.0294+05	---	---
79	330860	3358	2	2	1	1	1	3.3170+06	3.7779+06	8.4908+04	---	---
80	330870	3361	2	2	1	1	1	3.4400+06	3.4731+06	3.3708+05	---	---
81	330880	3364	2	2	1	1	1	3.7521+06	4.2211+06	1.4884+05	---	---
82	330890	3367	2	2	1	1	1	3.9768+06	3.9429+06	2.6130+05	---	---
83	330900	3370	2	2	1	1	1	4.5968+06	4.3800+06	1.9670+05	---	---
84	340750	3428	0	0	-1	-1	-1	---	---	---	---	---
85	340771	3435	0	0	-1	-1	-1	---	---	---	---	---
86	340790	3440	0	0	-1	-1	-1	---	---	---	---	---
87	340791	3441	0	0	-1	-1	-1	---	---	---	---	---
88	340810	3446	0	0	-1	-1	-1	---	---	---	---	---
89	340811	3447	0	0	-1	-1	-1	---	---	---	---	---
90	340830	3452	0	0	-1	-1	-1	---	---	---	---	---
91	340831	3453	0	0	-1	-1	-1	---	---	---	---	---
92	340840	3455	0	0	-1	-1	-1	---	---	---	---	---
93	340850	3458	0	0	-1	-1	-1	---	---	---	---	---
94	340860	3461	0	0	-1	-1	-1	---	---	---	---	---
95	340870	3464	2	2	1	1	1	2.0791+06	2.6440+06	4.3577+02	---	---
96	340880	3467	2	2	1	1	1	2.2151+06	2.0320+06	2.4953+03	---	---
97	340890	3470	2	2	1	1	1	3.1261+06	1.8940+06	3.1279+04	---	---
98	340900	3473	2	2	1	1	1	2.9040+06	2.6330+06	7.0072+04	---	---
99	340910	3476	2	2	1	1	1	3.7850+06	3.1260+06	1.5110+05	---	---
100	340920	3479	2	2	1	1	1	4.1130+06	2.2370+06	8.4815+04	---	---
101	340930	3482	2	2	1	1	1	4.1169+06	4.1419+06	8.7728+04	---	---
102	350791	3526	0	0	-1	-1	-1	---	---	---	---	---
103	350800	3528	0	0	-1	-1	-1	---	---	---	---	---
104	350801	3529	0	0	-1	-1	-1	---	---	---	---	---
105	350820	3534	0	0	-1	-1	-1	---	---	---	---	---
106	350821	3535	0	0	-1	-1	-1	---	---	---	---	---
107	350830	3537	0	0	-1	-1	-1	---	---	---	---	---
108	350840	3540	0	0	-1	-1	-1	---	---	---	---	---
109	350841	3541	0	0	-1	-1	-1	---	---	---	---	---
110	350850	3543	0	0	-1	-1	-1	---	---	---	---	---
111	350860	3546	1	1	-1	-1	-1	---	---	---	---	---
112	350870	3549	0	0	-1	-1	1	---	5.4221+03	---	---	---
113	350880	3552	0	0	-1	-1	1	---	1.6077+04	---	---	---
114	350890	3555	1	1	2	2	1	7.132+06	1.5500+06	7.1476+04	1.8381+03	---
115	350900	3558	1	1	2	2	1	2.0580+06	1.6800+06	1.5125+05	1.3827+03	---
116	350910	3561	2	2	1	1	1	3.4171+06	2.1390+06	7.1622+04	---	---
117	350920	3564	2	2	1	1	1	4.0059+06	3.1990+06	4.7618+05	---	---
118	350930	3567	2	2	1	1	1	3.5540+06	3.6719+06	3.0705+05	---	---
119	350940	3570	2	2	1	1	1	4.0190+06	4.6610+06	2.2801+05	---	---
120	350950	3573	2	2	1	1	1	3.5929+06	3.7130+06	2.0095+05	---	---
121	350960	3576	2	2	1	1	1	4.4689+06	4.8219+06	1.6863+05	---	---
122	360790	3628	0	0	-1	-1	-1	---	---	---	---	---
123	360791	3629	0	0	-1	-1	-1	---	---	---	---	---
124	360810	3634	0	0	-1	-1	-1	---	---	---	---	---
125	360811	3635	0	0	-1	-1	-1	---	---	---	---	---
126	360831	3641	0	0	-1	-1	-1	---	---	---	---	---
127	360850	3646	0	0	-1	-1	-1	---	---	---	---	---
128	360851	3647	0	0	-1	-1	-1	---	---	---	---	---
129	360870	3652	0	0	-1	-1	-1	---	---	---	---	---
130	360880	3655	0	0	-1	-1	-1	---	---	---	---	---
131	360890	3658	0	0	-1	-1	-1	---	---	---	---	---
132	360900	3661	0	0	-1	-1	-1	---	---	---	---	---
133	360910	3664	0	0	-1	-1	-1	---	---	---	---	---
134	360920	3667	0	0	-1	-1	1	---	8.3248+01	---	---	---

Table C-2 (Cont.)

NUM	ID	MAT	AV	E	SP	TYP	CONT.	E	COMPONENT	NEW	FD
			B	G	B	G	N	BETA	GAMMA	DEL.	NEUT.
135	360940	3670	0	0	-1	-1	1	---	---	7.4492+03	---
136	360940	3673	2	2	1	1	1	2.9469+06	1.4800+06	2.9224+04	---
137	360950	3676	2	2	1	1	1	3.0551+06	3.3550+06	5.2493+04	---
138	360960	3679	2	2	1	1	1	3.0729+06	1.5660+06	4.1480+04	---
139	360970	3682	2	2	1	1	1	3.8339+06	2.9930+06	4.7802+04	---
140	360980	3685	2	2	1	1	1	3.4921+06	1.8510+06	4.8157+04	---
141	370860	3728	0	0	-1	-1	-1	---	---	---	---
142	370861	3729	0	0	-1	-1	-1	---	---	---	---
143	370870	3731	0	0	-1	-1	-1	---	---	---	---
144	370880	3734	0	0	-1	-1	-1	---	---	---	---
145	370890	3737	0	0	-1	-1	-1	---	---	---	---
146	370900	3740	6	6	2	2	-1	7.4151+03	7.5110+05	---	8.5220+03
147	370901	3741	0	0	-1	-1	-1	---	---	---	---
148	370910	3743	0	0	-1	-1	1	---	---	3.6007+02	---
149	370920	3746	0	0	-1	-1	1	---	---	2.0517+01	---
150	370930	3749	0	0	-1	-1	1	---	---	5.4123+03	---
151	370940	3752	1	1	2	2	1	9.7749+05	1.4140+06	4.4810+04	5.7847+03
152	370950	3755	1	1	2	2	1	1.6194+06	2.6968+06	4.8441+04	3.4010+03
153	370960	3758	1	1	2	2	1	2.8360+06	2.8761+06	5.9018+04	1.8867+04
154	370970	3761	1	1	2	2	1	2.0995+05	4.1875+06	1.4075+05	---
155	370980	3764	2	2	1	2	1	3.7112+06	2.4116+06	9.9048+04	---
156	370990	3767	2	2	1	1	1	3.6641+06	2.6561+06	1.0153+05	---
157	371000	3770	2	2	1	1	1	4.2760+06	4.6741+06	3.3602+04	---
158	371010	3773	2	2	1	1	1	4.0379+06	3.1230+06	2.0860+05	---
159	380850	3828	0	0	-1	-1	-1	---	---	---	---
160	380851	3829	0	0	-1	-1	-1	---	---	---	---
161	380871	3835	0	0	-1	-1	-1	---	---	---	---
162	380890	3840	0	0	-1	-1	-1	---	---	---	---
163	380900	3843	0	0	-1	-1	-1	---	---	---	---
164	380910	3846	0	0	-1	-1	-1	---	---	---	---
165	380920	3849	0	0	-1	-1	-1	---	---	---	---
166	380930	3852	6	6	-1	-1	-1	---	---	---	---
167	380940	3855	0	0	-1	-1	-1	---	---	---	---
168	380950	3858	2	2	2	2	-1	7.8944+05	9.7880+05	---	4.4907+03
169	380960	3861	2	2	2	2	1	2.7431+05	4.2952+05	1.0013+00	7.6373+03
170	380970	3864	1	1	-1	-1	1	---	---	1.5875+01	---
171	380980	3867	2	2	2	2	1	1.9027+05	3.9060+05	9.6188+02	8.2092+03
172	380990	3870	1	1	2	2	1	1.6266+06	1.4398+06	3.4767+02	3.3881+03
173	381000	3873	2	2	2	2	1	7.2048+05	7.6310+05	2.6166+03	6.0844+03
174	381010	3876	2	2	1	1	1	3.4659+06	2.6621+06	1.1133+04	---
175	381020	3879	2	2	1	1	1	3.0170+06	1.5781+06	2.2577+04	---
176	381030	3882	2	2	1	1	1	3.6941+06	2.9490+06	5.2905+04	---
177	381040	3885	2	2	1	1	1	3.4300+06	1.8520+06	8.4238+04	---
178	390891	3926	0	0	-1	-1	-1	---	---	---	---
179	390900	3928	0	0	-1	-1	-1	---	---	---	---
180	390901	3929	0	0	-1	-1	-1	---	---	---	---
181	390910	3931	0	0	-1	-1	-1	---	---	---	---
182	390911	3932	0	0	-1	-1	-1	---	---	---	---
183	390920	3934	0	0	-1	-1	-1	---	---	---	---
184	390930	3937	0	0	-1	-1	-1	---	---	---	---
185	390931	3938	0	0	-1	-1	-1	---	---	---	---
186	390940	3940	0	0	-1	-1	-1	---	---	---	---
187	390950	3943	0	0	-1	-1	-1	---	---	---	---
188	390960	3946	2	2	-1	2	-1	---	1.1395+06	---	---
189	390961	3947	0	0	-1	-1	-1	---	---	---	---
190	390970	3949	0	0	-1	-1	1	---	---	1.4761+02	---
191	390971	3950	2	2	2	-1	1	1.5329+05	---	2.7740+02	8.2656+03
192	390980	3952	1	1	-1	-1	1	---	---	9.3948+02	---
193	390981	3953	0	0	-1	-1	1	---	---	1.3348+04	---
194	390990	3955	1	1	2	2	1	2.4564+05	6.8720+05	6.5405+03	7.1366+03
195	391000	3958	1	1	2	2	1	1.1783+06	4.9857+05	3.5744+03	5.5863+03
196	391010	3961	2	2	1	1	1	2.6911+06	1.5230+06	1.0333+04	---
197	391020	3964	2	2	1	1	1	3.0960+06	3.8229+06	2.7765+04	---
198	391030	3967	2	2	1	1	1	3.0341+06	1.9810+06	6.6402+04	---
199	391040	3970	2	2	1	1	1	3.4940+06	3.7500+06	4.9476+04	---
200	391050	3973	2	2	1	1	1	3.3250+06	2.3721+06	1.2348+05	---
201	391060	3976	2	2	1	1	1	3.8131+06	4.1870+06	1.0121+05	---
202	391070	3979	2	2	1	1	1	3.6669+06	2.8011+06	1.7847+05	---

Table C-2 (Cont.)

NUM	ID	MAT	B	G	SP	TYP	CONT	BETA	GAMMA	DEL	NEUT	NEW	FD
203	400901	4026	0	0	-1	-1	-1	---	---	---	---	---	---
204	400930	4034	0	0	-1	-1	-1	---	---	---	---	---	---
205	400950	4040	0	0	-1	-1	-1	---	---	---	---	---	---
206	400970	4046	0	0	-1	-1	-1	---	---	---	---	---	---
207	400980	4049	2	2	2	1	-1	3.7310+04	1.6467+05	---	---	8.8137-03	---
208	400990	4052	2	2	2	2	-1	1.1047+05	2.5202+05	---	---	8.0714-03	---
209	401000	4055	2	2	2	2	-1	1.6047+05	4.5723+05	---	---	7.2354-03	---
210	401010	4058	2	2	1	1	-1	2.1600+06	1.0910+06	---	---	---	---
211	401020	4061	2	2	1	1	-1	1.2500+06	7.3729+05	---	---	---	---
212	401030	4064	2	2	1	1	1	2.4571+06	1.4670+06	4.4324+01	---	---	---
213	401040	4067	2	2	1	1	1	1.7420+06	8.9439+05	2.7368+02	---	---	---
214	401050	4070	2	2	1	1	1	2.6620+06	1.7640+06	5.0182+03	---	---	---
215	401060	4073	2	2	1	1	1	2.1381+06	1.0910+06	5.8012+03	---	---	---
216	401070	4076	2	2	1	1	1	2.9820+06	2.2011+06	1.7514+04	---	---	---
217	401080	4079	2	2	1	1	1	2.5671+06	1.3390+06	3.6110+04	---	---	---
218	401090	4082	2	2	1	1	1	3.3871+06	2.7030+06	4.0458+04	---	---	---
219	410931	4126	0	0	-1	-1	-1	---	---	---	---	---	---
220	410940	4128	0	0	-1	-1	-1	---	---	---	---	---	---
221	410941	4129	0	0	-1	-1	-1	---	---	---	---	---	---
222	410950	4131	0	0	-1	-1	-1	---	---	---	---	---	---
223	410951	4132	0	0	-1	-1	-1	---	---	---	---	---	---
224	410960	4134	0	0	-1	-1	-1	---	---	---	---	---	---
225	410970	4137	0	0	1	-1	-1	---	---	---	---	---	---
226	410971	4138	0	0	-1	-1	-1	---	---	---	---	---	---
227	410980	4140	2	2	2	2	-1	3.5376+04	8.6284+05	---	---	8.6649-03	---
228	410981	4141	0	0	-1	-1	-1	---	---	---	---	---	---
229	410990	4143	1	1	2	2	-1	1.7931+05	5.4568+05	---	---	7.3009-03	---
230	410991	4144	1	1	2	2	-1	4.6542+05	8.3702+05	---	---	3.9500-03	---
231	411000	4146	0	0	-1	-1	-1	---	---	---	---	---	---
232	411001	4147	0	0	-1	-1	-1	---	---	---	---	---	---
233	411010	4149	2	2	1	1	-1	1.6860+06	7.1960+05	---	---	---	---
234	411020	4152	2	2	1	1	-1	2.8319+06	1.4610+06	---	---	---	---
235	411021	4153	2	2	1	1	-1	2.8319+06	1.4610+06	---	---	---	---
236	411030	4155	2	2	1	1	1	2.1110+06	9.8201+05	1.7182+01	---	---	---
237	411040	4158	2	2	1	1	1	2.5101+06	3.3760+06	1.4088+03	---	---	---
238	411041	4159	2	2	1	1	-1	3.1250+06	2.1340+06	---	---	---	---
239	411050	4161	2	2	1	1	1	2.4991+06	1.4040+06	8.0283+03	---	---	---
240	411060	4164	2	2	1	1	1	3.3130+06	2.5490+06	1.9963+04	---	---	---
241	411070	4167	2	2	1	1	1	2.8151+06	1.8160+06	4.2448+04	---	---	---
242	411080	4170	2	2	1	1	1	3.5871+06	3.1081+06	3.2273+04	---	---	---
243	411090	4173	2	2	1	1	1	3.1580+06	2.2630+06	6.8401+04	---	---	---
244	411100	4176	2	2	1	1	1	3.9269+06	3.7449+06	5.6442+04	---	---	---
245	411110	4179	2	2	1	1	1	3.3989+06	2.5680+06	1.1258+05	---	---	---
246	411120	4182	2	2	1	1	-1	4.1781+06	4.1860+06	---	---	---	---
247	420930	4228	-5	-5	-1	-1	-1	---	---	---	---	---	---
248	420931	4229	-5	-5	-1	-1	-1	---	---	---	---	---	---
249	420990	4246	6	6	-1	2	-1	---	1.2190+05	---	---	---	---
250	421010	4252	0	0	-1	-1	-1	---	---	---	---	---	---
251	421020	4255	2	2	-1	2	-1	---	2.9216+04	---	---	---	---
252	421030	4258	2	2	1	1	-1	1.1440+06	1.1340+06	---	---	---	---
253	421040	4261	2	2	2	2	-1	1.0536+05	4.0920+05	---	---	5.5733-03	---
254	421050	4264	2	2	1	1	-1	1.7411+06	1.4361+06	---	---	---	---
255	421060	4267	2	2	1	1	-1	1.2320+06	7.4593+05	---	---	---	---
256	421070	4270	2	2	1	1	-1	2.3170+06	1.3930+06	---	---	---	---
257	421080	4273	2	2	1	1	1	1.5938+06	1.1523+06	5.0000-03	---	---	---
258	421090	4276	2	2	1	1	1	2.6749+06	1.8760+06	1.3533+03	---	---	---
259	421100	4279	2	2	1	1	1	2.1990+06	1.1520+06	4.3584+03	---	---	---
260	421110	4282	2	2	1	1	1	3.0980+06	2.4129+06	3.5720+03	---	---	---
261	421120	4285	2	2	1	1	1	2.5520+06	1.3540+06	7.9598+03	---	---	---
262	421130	4288	2	2	1	1	1	3.4300+06	2.8020+06	1.7560+04	---	---	---
263	421140	4291	2	2	1	1	-1	2.9250+06	1.5780+06	---	---	---	---
264	421150	4294	2	2	1	1	-1	3.5981+06	2.9979+06	---	---	---	---
265	430970	4325	5	5	-1	-1	-1	---	---	---	---	---	---
266	430971	4326	0	0	-1	-1	-1	---	---	---	---	---	---
267	430990	4331	0	0	-1	-1	-1	---	---	---	---	---	---
268	430991	4332	0	0	-1	-1	-1	---	---	---	---	---	---
269	431000	4334	0	0	-1	-1	-1	---	---	---	---	---	---
270	431010	4337	0	0	-1	-1	-1	---	---	---	---	---	---

Table C-2 (Cont.)

			AV E		SP TYP			---CONT E COMPONENT---				
NUM	ID	MAT	B	G	B	G	N	BETA	GAMMA	DEL	NEUT.	NEW FD
271	431020	4340	2	2	2	2	-1	1.4054+05	1.1123+06	---	---	6.5741-03
272	431021	4341	0	0	-1	-1	-1	---	---	---	---	---
273	431030	4343	2	2	2	2	-1	1.4617+05	2.9824+05	---	---	5.6713-03
274	431040	4346	0	0	2	-1	-1	3.8492+04	---	---	---	7.7937-03
275	431050	4349	0	0	-1	-1	-1	---	---	---	---	---
276	431060	4352	2	2	2	2	-1	5.4848+05	7.3271+05	---	---	6.0945-03
277	431070	4355	2	2	2	2	-1	6.4955+05	8.9960+05	---	---	2.6921-03
278	431080	4358	2	2	2	2	-1	9.5352+05	2.1064+06	---	---	4.1448-03
279	431090	4361	2	2	1	1	1	2.1440+06	1.0990+06	3.2142+03	---	---
280	431100	4364	2	2	1	1	1	3.0319+06	2.1700+06	1.0105+04	---	---
281	431110	4367	2	2	1	1	1	2.4861+06	1.5010+06	2.5105+04	---	---
282	431120	4370	2	2	1	1	1	3.3401+06	2.7899+06	2.3555+04	---	---
283	431130	4373	2	2	1	1	1	2.7320+06	1.8220+06	3.3525+04	---	---
284	431140	4376	2	2	1	1	1	3.5779+06	3.2569+06	3.2881+04	---	---
285	431150	4379	2	2	1	1	1	2.9950+06	2.1620+06	7.9740+04	---	---
286	431160	4382	2	2	1	1	1	3.6930+06	3.4949+06	7.1735+04	---	---
287	431170	4385	2	2	1	1	1	3.1731+06	2.3900+06	1.3160+05	---	---
288	431180	4388	2	2	1	1	-1	3.8771+06	3.8349+06	---	---	---
289	440970	4428	0	0	-1	-1	-1	---	---	---	---	---
290	441030	4446	0	0	-1	-1	-1	---	---	---	---	---
291	441050	4452	0	0	-1	-1	-1	---	---	---	---	---
292	441060	4455	0	0	-1	-1	-1	---	---	---	---	---
293	441070	4458	2	2	2	2	-1	3.9426+04	3.9011+05	---	---	8.2570-03
294	441080	4461	0	0	-1	-1	-1	---	---	---	---	---
295	441090	4464	2	2	1	1	-1	1.3283+06	9.7126+05	---	---	---
296	441091	4465	2	2	1	1	-1	1.2321+06	1.1592+06	---	---	---
297	441100	4467	2	2	1	1	-1	6.5849+05	5.9689+05	---	---	---
298	441110	4470	2	2	1	1	-1	1.8670+06	9.6244+05	---	---	---
299	441120	4473	2	2	1	1	-1	1.1140+06	7.2501+05	---	---	---
300	441130	4476	2	2	1	1	1	2.2491+06	1.4160+06	3.9443-01	---	---
301	441140	4479	2	2	1	1	1	1.4730+06	8.4371+05	2.1716+02	---	---
302	441150	4482	2	2	1	1	1	2.5380+06	1.8060+06	6.1499+02	---	---
303	441160	4485	2	2	1	1	1	1.8430+06	9.8600+05	3.6086+03	---	---
304	441170	4488	2	2	1	1	1	2.6970+06	2.0261+06	8.3058+03	---	---
305	441180	4491	2	2	1	1	1	2.0941+06	1.1180+06	1.7796+04	---	---
306	441190	4494	2	2	1	1	1	2.9201+06	2.3109+06	2.0663+04	---	---
307	441200	4497	2	2	1	1	1	2.3609+06	1.2660+06	3.8011+04	---	---
308	451031	4526	0	0	-1	-1	-1	---	---	---	---	---
309	451040	4528	0	0	-1	-1	-1	---	---	---	---	---
310	451041	4529	0	0	-1	-1	-1	---	---	---	---	---
311	451050	4531	0	0	-1	-1	-1	---	---	---	---	---
312	451051	4532	0	0	-1	-1	-1	---	---	---	---	---
313	451060	4534	0	0	-1	-1	-1	---	---	---	---	---
314	451061	4535	0	0	-1	-1	-1	---	---	---	---	---
315	451070	4537	0	0	-1	-1	-1	---	---	---	---	---
316	451080	4540	2	2	2	2	-1	1.1928+05	9.3023+05	---	---	7.1793-03
317	451081	4541	2	2	2	2	-1	8.2145+05	5.9113+05	---	---	9.5896-03
318	451090	4543	0	0	-1	-1	-1	---	---	---	---	---
319	451091	4544	-5	5	-1	-1	-1	---	---	---	---	---
320	451100	4546	2	2	2	2	-1	7.3251+04	8.5998+05	---	---	7.9950-03
321	451101	4547	0	0	-1	-1	-1	---	---	---	---	---
322	451110	4549	2	2	1	1	-1	1.0774+06	8.9817+05	---	---	---
323	451120	4552	2	2	1	1	-1	2.4770+06	1.1560+06	---	---	---
324	451130	4555	2	2	1	1	-1	1.7330+06	8.1593+05	---	---	---
325	451140	4558	2	2	1	1	1	2.7421+06	1.7531+06	2.0850+00	---	---
326	451150	4561	2	2	1	1	1	2.0210+06	1.0540+06	2.1641+03	---	---
327	451160	4564	2	2	1	1	1	2.9670+06	2.2200+06	1.6528+03	---	---
328	451170	4567	2	2	1	1	1	2.2890+06	1.3590+06	1.9324+04	---	---
329	451180	4570	2	2	1	1	1	3.0940+06	2.4940+06	1.2160+04	---	---
330	451190	4573	2	2	1	1	1	2.4760+06	1.5981+06	3.8986+04	---	---
331	451200	4576	2	2	1	1	1	3.2609+06	2.8370+06	2.9190+04	---	---
332	451210	4579	2	2	1	1	1	2.6710+06	1.8520+06	7.4063+04	---	---
333	451220	4582	2	2	1	1	1	3.3701+06	3.0699+06	4.5538+04	---	---
334	451230	4585	2	2	1	1	1	2.9030+06	2.1470+06	1.0017+05	---	---
335	461030	4628	0	0	-1	-1	-1	---	---	---	---	---
336	461070	4640	0	0	-1	-1	-1	---	---	---	---	---
337	461071	4641	0	0	-1	-1	-1	---	---	---	---	---
338	461090	4646	0	0	-1	-1	-1	---	---	---	---	---

Table C-2 (Cont.)

NUM	ID	MAT	AV	E	SP TYP			CONT.	E COMPONENT			NEW FD
			B	G	B	G	N	BETA	GAMMA	DEL.	NEUT.	
339	461091	4647	0	0	-1	-1	-1	---	---	---	---	---
340	461110	4652	0	0	-1	-1	-1	---	---	---	---	---
341	461111	4653	0	0	-1	-1	-1	---	---	---	---	---
342	461120	4655	0	0	-1	-1	-1	---	---	---	---	---
343	461130	4658	2	2	1	1	-1	1.0900+06	6.1018+05	---	---	---
344	461140	4661	2	2	2	2	-1	2.1799+04	5.7826+04	---	8.6622-03	---
345	461150	4664	2	2	1	1	-1	1.3453+06	1.2512+06	---	---	---
346	461160	4667	2	2	2	2	-1	1.8571+05	4.4966+05	---	4.6602-03	---
347	461170	4670	2	2	1	1	-1	1.9150+06	1.0870+06	---	---	---
348	461180	4673	2	2	1	1	-1	1.0440+06	7.1539+05	---	---	---
349	461190	4676	2	2	1	1	1	2.1111+06	1.3370+06	4.4373-02	---	---
350	461200	4679	2	2	1	1	1	1.3430+06	8.1367+05	8.7140+00	---	---
351	461210	4682	2	2	1	1	1	2.3350+06	1.6380+06	7.4808+02	---	---
352	461220	4685	2	2	1	1	1	1.6500+06	9.2092+05	1.2033+03	---	---
353	461230	4688	2	2	1	1	1	2.4951+06	1.8590+06	2.3183+03	---	---
354	461240	4691	2	2	1	1	1	1.9810+06	1.0720+06	1.0516+04	---	---
355	461250	4694	2	2	1	1	1	2.6709+06	2.0919+06	9.4718+03	---	---
356	461260	4697	2	2	1	1	1	2.3590+06	1.2760+06	2.2921+04	---	---
357	471071	4726	0	0	-1	-1	-1	---	---	---	---	---
358	471080	4728	0	0	-1	-1	-1	---	---	---	---	---
359	471081	4729	0	0	-1	-1	-1	---	---	---	---	---
360	471091	4732	0	0	-1	-1	-1	---	---	---	---	---
361	471100	4734	0	0	-1	-1	-1	---	---	---	---	---
362	471101	4735	0	0	-1	-1	-1	---	---	---	---	---
363	471110	4737	0	0	-1	-1	-1	---	---	---	---	---
364	471111	4738	0	0	-1	-1	-1	---	---	---	---	---
365	471120	4740	0	0	-1	-1	-1	---	---	---	---	---
366	471130	4743	0	0	-1	-1	-1	---	---	---	---	---
367	471131	4744	0	0	-1	-1	-1	---	---	---	---	---
368	471140	4746	2	2	2	2	-1	1.0366+05	1.1165+05	---	8.9161-03	---
369	471150	4749	0	0	-1	-1	-1	---	---	---	---	---
370	471151	4750	2	2	1	1	-1	9.3297+05	8.8148+05	---	---	---
371	471160	4752	0	0	-1	-1	-1	---	---	---	---	---
372	471161	4753	2	2	2	2	-1	7.1343+05	9.1753+05	---	3.4600-03	---
373	471170	4755	0	0	2	-1	-1	1.2940+05	---	---	---	---
374	471171	4756	0	0	-1	-1	-1	---	---	---	---	---
375	471180	4758	0	0	-1	-1	-1	---	---	---	---	---
376	471181	4759	0	0	-1	-1	-1	---	---	---	---	---
377	471190	4761	2	2	2	2	1	4.7230+05	4.3270+05	3.3859-02	5.3385-03	---
378	471200	4764	2	2	1	1	1	2.2870+06	2.9810+06	7.0126-01	---	---
379	471201	4765	2	2	1	1	-1	1.3708+06	2.0860+06	---	---	---
380	471210	4767	2	2	1	1	1	1.6673+06	2.0715+06	1.9534+02	---	---
381	471220	4770	2	2	2	2	1	7.3635+05	1.3879+06	5.2970+02	6.4741-03	---
382	471221	4771	2	2	1	1	-1	2.8649+06	2.8231+06	---	---	---
383	471230	4773	2	2	1	1	1	2.6400+06	1.8590+06	1.5519+04	---	---
384	471240	4776	2	2	1	1	1	3.0900+06	2.6220+06	9.2377+03	---	---
385	471250	4779	2	2	1	1	1	2.5910+06	1.8149+06	2.8053+04	---	---
386	471260	4782	2	2	1	1	1	2.9959+06	3.4379+06	2.1467+04	---	---
387	471270	4785	2	2	1	1	1	2.8869+06	2.1810+06	4.9349+04	---	---
388	471280	4788	2	2	1	1	1	3.1989+06	3.6990+06	3.4513+04	---	---
389	481070	4828	0	0	-1	-1	-1	---	---	---	---	---
390	481090	4834	5	5	-1	-1	-1	---	---	---	---	---
391	481111	4841	0	0	-1	-1	-1	---	---	---	---	---
392	481130	4846	0	0	-1	-1	-1	---	---	---	---	---
393	481131	4847	0	0	-1	-1	-1	---	---	---	---	---
394	481150	4852	0	0	-1	-1	-1	---	---	---	---	---
395	481151	4853	0	0	-1	-1	-1	---	---	---	---	---
396	481170	4858	0	0	-1	-1	-1	---	---	---	---	---
397	481171	4859	0	0	-1	-1	-1	---	---	---	---	---
398	481180	4861	2	2	-1	1	-1	---	2.9919+04	---	---	---
399	481190	4864	0	0	-1	-1	-1	---	---	---	---	---
400	481191	4865	0	0	-1	-1	-1	---	---	---	---	---
401	481200	4867	2	2	2	1	-1	4.0282+04	1.2748+05	---	8.0073-03	---
402	481210	4870	6	6	1	1	-1	1.2957+06	1.8837+06	---	---	---
403	481211	4871	6	6	1	1	-1	1.3151+06	2.3331+06	---	---	---
404	481220	4873	2	2	1	1	-1	7.9679+05	4.5565+05	---	---	---
405	481230	4876	2	2	1	1	-1	1.8661+06	1.0990+06	---	---	---
406	481240	4879	2	2	1	1	-1	1.1413+06	5.6755+05	---	---	---

Table C-2 (Cont.)

NUM	ID	MAT	AV	E	SF	TYP	CONT	E	COMPONENT	NEW	FD
			B	G	B	G	N	BETA	GAMMA DEL	NEUT	
407	481250	4882	2	2	1	1	-1	2.0610+06	1.3480+06	---	---
408	481260	4885	2	2	1	1	-1	1.4905+06	7.2089+05	---	---
409	481270	4888	2	2	1	1	1	2.0730+06	2.0011+06	1.5105+01	---
410	481280	4891	2	2	1	1	1	1.8310+06	1.0030+06	2.3804+02	---
411	481290	4894	2	2	1	1	1	2.3040+06	2.2280+06	3.7534+02	---
412	481300	4897	2	2	1	1	1	2.2580+06	1.2250+06	3.1277+03	---
413	481310	4900	2	2	1	1	1	3.5181+06	3.2671+06	2.4307+04	---
414	481320	4903	2	2	1	1	1	3.4049+06	1.8971+06	1.3097+05	---
415	491131	4926	0	0	-1	-1	-1	---	---	---	---
416	491140	4928	0	0	-1	-1	-1	---	---	---	---
417	491141	4929	0	0	-1	-1	-1	---	---	---	---
418	491150	4931	0	0	-1	-1	-1	---	---	---	---
419	491151	4932	0	0	-1	-1	-1	---	---	---	---
420	491160	4934	0	0	-1	-1	-1	---	---	---	---
421	491161	4935	0	0	-1	-1	-1	---	---	---	---
422	491162	4936	0	0	-1	-1	-1	---	---	---	---
423	491170	4937	0	0	-1	-1	-1	---	---	---	---
424	491171	4938	0	0	-1	-1	-1	---	---	---	---
425	491180	4940	0	0	-1	-1	-1	---	---	---	---
426	491181	4941	0	0	-1	-1	-1	---	---	---	---
427	491182	4942	0	0	-1	-1	-1	---	---	---	---
428	491190	4943	0	0	-1	-1	-1	---	---	---	---
429	491191	4944	2	2	2	2	-1	3.9001+04	1.1846+05	---	8.7996-03
430	491200	4946	2	2	-1	2	-1	---	3.1442+05	---	---
431	491201	4947	0	0	-1	-1	-1	---	---	---	---
432	491202	4948	0	0	-1	-1	-1	---	---	---	---
433	491210	4949	0	0	-1	-1	-1	---	---	---	---
434	491211	4950	0	0	-1	-1	-1	---	---	---	---
435	491220	4952	2	2	2	2	-1	1.8134+05	6.0199+05	---	8.6049-03
436	491221	4953	0	0	2	-1	-1	2.2341+05	---	---	---
437	491222	4954	0	0	-1	-1	-1	---	---	---	---
438	491230	4955	0	0	-1	-1	-1	---	---	---	---
439	491231	4956	0	0	-1	-1	-1	---	---	---	---
440	491240	4958	0	0	-1	-1	-1	---	---	---	---
441	491241	4959	0	0	-1	-1	-1	---	---	---	---
442	491250	4961	0	0	-1	-1	-1	---	---	---	---
443	491251	4962	2	2	2	2	-1	2.7575+05	5.0533+05	---	7.5687-03
444	491260	4964	0	0	2	-1	-1	1.3752+06	---	---	2.1329-03
445	491261	4965	0	0	-1	-1	-1	---	---	---	---
446	491270	4967	0	0	-1	-1	1	---	---	1.3635+03	---
447	491271	4968	2	2	2	2	1	6.1617+05	1.2263+06	1.3429+03	5.7159-03
448	491280	4970	1	1	-1	-1	1	---	---	1.1085+02	---
449	491281	4971	2	2	-1	2	-1	---	1.7523+06	---	---
450	491290	4973	0	0	-1	-1	1	---	---	8.7615+02	---
451	491291	4974	2	2	2	2	1	1.3252+06	2.5857+06	1.3690+04	2.4555-03
452	491300	4976	0	0	-1	-1	1	---	---	4.8671+03	---
453	491301	4977	0	0	-1	-1	1	---	---	4.5996+03	---
454	491302	4978	0	0	-1	-1	-1	---	---	---	---
455	491310	4979	2	2	1	1	1	2.7071+06	2.0170+06	7.4402+03	---
456	491311	4980	2	2	-1	-1	1	---	---	6.9145+03	---
457	491320	4982	0	0	-1	-1	1	---	---	2.5952+04	---
458	491330	4985	2	2	1	1	1	3.7661+06	3.4140+06	2.1073+05	---
459	491340	4988	2	2	1	1	1	3.9920+06	4.6991+06	2.3581+05	---
460	501130	5028	0	0	-1	-1	-1	---	---	---	---
461	501131	5029	0	0	-1	-1	-1	---	---	---	---
462	501171	5041	0	0	-1	-1	-1	---	---	---	---
463	501191	5047	0	0	-1	-1	-1	---	---	---	---
464	501210	5052	0	0	-1	-1	-1	---	---	---	---
465	501211	5053	0	0	-1	-1	-1	---	---	---	---
466	501230	5058	0	0	-1	-1	-1	---	---	---	---
467	501231	5059	0	0	-1	-1	-1	---	---	---	---
468	501250	5064	0	0	-1	-1	-1	---	---	---	---
469	501251	5065	0	0	-1	-1	-1	---	---	---	---
470	501260	5067	0	0	2	2	-1	2.6171+04	7.4452+04	---	---
471	501270	5070	0	0	-1	-1	-1	---	---	---	---
472	501271	5071	2	2	2	2	-1	8.9376+04	3.1845+05	---	7.2156-03
473	501280	5073	0	0	-1	-1	-1	---	---	---	---
474	501281	5074	0	0	-1	-1	-1	---	---	---	---

Table C-2 (Cont.)

NUM	ID	MAI	AV	E	SP	TYP	CONT.	E	COMPONENT	DEL.	NEUT.	NEW	FD
			B	G	B	G	N	BETA	GAMMA				
475	501290	5076	7	7	2	2	-1	1.4808+05	8.0011+05	---	---	7.9455-03	---
476	501291	5077	7	7	2	2	-1	4.8707+05	4.7850+05	---	---	3.3296-03	---
477	501300	5079	0	0	-1	-1	-1	---	---	---	---	---	---
478	501301	5080	2	2	2	2	-1	8.1946+04	3.4720+05	---	---	6.7135-03	---
479	501310	5082	1	1	1	1	-1	8.8004+05	2.3600+06	---	---	---	---
480	501311	5083	2	2	1	1	-1	1.2459+06	1.8924+06	---	---	---	---
481	501320	5085	0	0	-1	-1	-1	---	---	---	---	---	---
482	501330	5088	1	1	2	2	1	7.2485+05	1.7900+06	6.9831+02	---	5.4954-03	---
483	501340	5091	2	2	1	1	1	2.2950+06	1.2480+06	9.0706+04	---	---	---
484	501350	5094	2	2	1	1	1	2.5550+06	2.4820+06	4.0836+04	---	---	---
485	501360	5097	2	2	1	1	1	2.6141+06	1.4270+06	8.3410+04	---	---	---
486	511220	5128	0	0	-1	-1	-1	---	---	---	---	---	---
487	511221	5129	0	0	-1	-1	-1	---	---	---	---	---	---
488	511240	5134	0	0	-1	-1	-1	---	---	---	---	---	---
489	511241	5135	0	0	-1	-1	-1	---	---	---	---	---	---
490	511242	5136	0	0	-1	-1	-1	---	---	---	---	---	---
491	511250	5137	0	0	-1	-1	-1	---	---	---	---	---	---
492	511260	5140	0	0	-1	-1	-1	---	---	---	---	---	---
493	511261	5141	0	0	-1	-1	-1	---	---	---	---	---	---
494	511262	5142	0	0	-1	-1	-1	---	---	---	---	---	---
495	511270	5143	0	0	-1	-1	-1	---	---	---	---	---	---
496	511280	5146	0	0	-1	-1	-1	---	---	---	---	---	---
497	511281	5147	0	0	-1	-1	-1	---	---	---	---	---	---
498	511290	5149	0	0	-1	-1	-1	---	---	---	---	---	---
499	511300	5152	0	0	-1	-1	-1	---	---	---	---	---	---
500	511301	5153	0	0	-1	-1	-1	---	---	---	---	---	---
501	511310	5155	0	0	-1	-1	-1	---	---	---	---	---	---
502	511320	5158	0	0	-1	-1	-1	---	---	---	---	---	---
503	511321	5159	0	0	-1	-1	-1	---	---	---	---	---	---
504	511330	5161	0	0	-1	-1	-1	---	---	---	---	---	---
505	511340	5164	2	2	1	1	1	2.7810+06	2.2560+06	2.0637+02	---	---	---
506	511341	5165	1	1	-1	2	-1	---	3.4390+05	---	---	---	---
507	511350	5167	1	1	1	1	1	2.2900+06	1.6000+06	1.6475+05	---	---	---
508	511360	5170	2	2	1	1	1	2.9529+06	2.6051+06	1.0769+05	---	---	---
509	511370	5173	2	2	1	1	1	2.5730+06	2.3891+06	1.0036+05	---	---	---
510	511380	5176	2	2	1	1	1	3.0300+06	3.5780+06	1.2349+05	---	---	---
511	511390	5179	2	2	1	1	1	2.9080+06	2.6840+06	2.4376+05	---	---	---
512	521210	5228	0	0	-1	-1	-1	---	---	---	---	---	---
513	521211	5229	0	0	-1	-1	-1	---	---	---	---	---	---
514	521230	5234	5	5	-1	-1	-1	---	---	---	---	---	---
515	521231	5235	0	0	-1	-1	-1	---	---	---	---	---	---
516	521251	5241	0	0	-1	-1	-1	---	---	---	---	---	---
517	521270	5246	0	0	-1	-1	-1	---	---	---	---	---	---
518	521271	5247	0	0	-1	2	-1	---	4.0001+01	---	---	---	---
519	521290	5252	0	0	-1	-1	-1	---	---	---	---	---	---
520	521291	5253	0	0	-1	-1	-1	---	---	---	---	---	---
521	521310	5258	0	0	-1	-1	-1	---	---	---	---	---	---
522	521311	5259	0	0	-1	-1	-1	---	---	---	---	---	---
523	521320	5261	0	0	-1	-1	-1	---	---	---	---	---	---
524	521330	5264	0	0	-1	-1	-1	---	---	---	---	---	---
525	521331	5265	0	0	-1	-1	-1	---	---	---	---	---	---
526	521340	5267	0	0	-1	-1	-1	---	---	---	---	---	---
527	521350	5270	2	2	2	2	-1	3.7034+05	9.6790+05	---	---	7.1800-03	---
528	521360	5273	0	0	-1	-1	1	---	---	2.6734+03	---	---	---
529	521370	5276	2	2	1	1	1	2.1730+06	1.6090+06	6.4241+03	---	---	---
530	521380	5279	2	2	1	1	1	1.9460+06	1.0680+06	2.0845+04	---	---	---
531	521390	5282	2	2	1	1	1	2.3760+06	2.3510+06	2.8410+04	---	---	---
532	521400	5285	2	2	1	1	1	2.3360+06	1.2750+06	7.2588+04	---	---	---
533	521410	5288	2	2	1	1	1	2.6581+06	2.5980+06	5.0932+04	---	---	---
534	521420	5291	2	2	1	1	1	2.5130+06	1.3750+06	7.4319+04	---	---	---
535	531250	5319	0	0	-1	-1	-1	---	---	---	---	---	---
536	531280	5328	0	0	-1	-1	-1	---	---	---	---	---	---
537	531290	5331	0	0	-1	-1	-1	---	---	---	---	---	---
538	531300	5334	0	0	-1	-1	-1	---	---	---	---	---	---
539	531301	5335	0	0	-1	-1	-1	---	---	---	---	---	---
540	531310	5337	0	0	-1	-1	-1	---	---	---	---	---	---
541	531320	5340	0	0	-1	-1	-1	---	---	---	---	---	---
542	531321	5341	0	0	2	-1	-1	7.0197+03	---	---	---	9.8884-03	---

Table C-2 (Cont.)

NUM	ID	MAT	AV. E		SP. IYP			-----CONT. E COMPONENT-----				NEW FD
			R	G	B	G	N	BETA	GAMMA	DEL.	NEUT.	
543	531330	5343	0	0	-1	-1	-1	---	---	---	---	---
544	531331	5344	0	0	-1	-1	-1	---	---	---	---	---
545	531340	5346	0	0	-1	-1	-1	---	---	---	---	---
546	531341	5347	0	0	-1	-1	-1	---	---	---	---	---
547	531350	5349	0	0	-1	-1	-1	---	---	---	---	---
548	531360	5352	0	0	-1	-1	-1	---	---	---	---	---
549	531361	5353	1	1	2	2	-1	1.4454+04	4.8650+05	---	---	8.2505-03
550	531370	5355	1	1	-1	-1	1	---	---	4.2194+04	---	---
551	531380	5358	2	2	2	2	1	6.4218+05	1.1191+06	2.0145+04	---	5.3909-03
552	531390	5361	1	1	1	1	1	2.4299+06	1.4000+06	3.9890+04	---	---
553	531400	5364	2	2	1	1	1	2.7621+06	2.3280+06	4.0215+04	---	---
554	531410	5367	2	2	1	1	1	2.4251+06	1.7790+06	1.3514+05	---	---
555	531420	5370	2	2	1	1	1	2.6920+06	3.2030+06	8.2623+04	---	---
556	531430	5373	2	2	1	1	1	2.3751+06	2.2520+06	9.8113+04	---	---
557	531440	5376	2	2	1	1	1	2.7189+06	3.2481+06	7.8132+04	---	---
558	531450	5379	2	2	1	1	1	2.4681+06	2.3421+06	1.2962+05	---	---
559	541250	5428	0	0	-1	-1	-1	---	---	---	---	---
560	541251	5429	0	0	-1	-1	-1	---	---	---	---	---
561	541270	5434	0	0	-1	-1	-1	---	---	---	---	---
562	541271	5435	0	0	-1	-1	-1	---	---	---	---	---
563	541291	5441	0	0	-1	-1	-1	---	---	---	---	---
564	541311	5447	0	0	-1	-1	-1	---	---	---	---	---
565	541330	5452	0	0	-1	-1	-1	---	---	---	---	---
566	541331	5453	0	0	-1	-1	-1	---	---	---	---	---
567	541341	5456	0	0	-1	-1	-1	---	---	---	---	---
568	541350	5458	0	0	-1	-1	-1	---	---	---	---	---
569	541351	5459	0	0	-1	-1	-1	---	---	---	---	---
570	541370	5464	0	0	-1	-1	-1	---	---	---	---	---
571	541380	5467	0	0	-1	-1	-1	---	---	---	---	---
572	541390	5470	0	0	-1	-1	-1	---	---	---	---	---
573	541400	5473	2	2	-1	2	-1	---	3.6970+05	---	---	---
574	541410	5476	1	1	2	2	1	3.3528+04	1.0267+06	6.8564+01	---	7.1622-03
575	541420	5479	2	2	1	1	1	1.4043+06	1.5764+06	7.8455+02	---	---
576	541430	5482	2	2	1	1	1	2.0500+06	2.0880+06	4.4114+03	---	---
577	541431	5483	2	2	1	1	-1	2.2251+06	1.7280+06	---	---	---
578	541440	5485	2	2	1	1	1	1.6060+06	9.2320+05	2.8032+03	---	---
579	541450	5488	2	2	1	1	1	2.2910+06	1.8270+06	2.5784+04	---	---
580	541460	5491	2	2	1	1	1	1.9711+06	1.0860+06	2.7629+04	---	---
581	541470	5494	2	2	1	1	1	2.2789+06	2.3131+06	4.0647+04	---	---
582	551340	5528	0	0	-1	-1	-1	---	---	---	---	---
583	551341	5529	0	0	-1	-1	-1	---	---	---	---	---
584	551350	5531	0	0	-1	-1	-1	---	---	---	---	---
585	551351	5532	0	0	-1	-1	-1	---	---	---	---	---
586	551360	5534	0	0	-1	-1	-1	---	---	---	---	---
587	551361	5535	6	6	-1	-1	-1	---	---	---	---	---
588	551370	5537	0	0	-1	-1	-1	---	---	---	---	---
589	551380	5540	0	0	-1	-1	-1	---	---	---	---	---
590	551381	5541	2	2	2	2	-1	-3.5700+04	2.9029+05	---	---	---
591	551390	5543	0	0	-1	-1	-1	---	---	---	---	---
592	551400	5546	6	6	2	2	-1	8.1312+03	6.4901+05	---	---	8.5538-03
593	551410	5549	1	1	2	2	1	1.5176+04	3.6100+05	7.9177+01	---	7.8085-03
594	551420	5552	2	2	1	2	1	2.4490+06	7.6682+05	2.4996+02	---	---
595	551430	5555	1	1	2	2	1	5.0195+05	8.5358+05	4.1149+03	---	5.6760-03
596	551440	5558	1	1	1	1	1	2.3900+06	2.6601+06	9.8195+03	---	---
597	551450	5561	1	1	2	2	1	1.0891+06	1.7101+06	6.2998+04	---	8.2671-04
598	551450	5564	1	1	2	2	1	5.3204+05	1.3427+06	8.1035+04	---	6.8707-03
599	551470	5567	2	2	1	1	1	2.2190+06	1.5810+06	1.4630+05	---	---
600	551480	5570	2	2	1	1	1	2.4540+06	2.9690+06	1.2391+05	---	---
601	551490	5573	2	2	1	1	1	2.5069+06	2.4041+06	1.7669+05	---	---
602	551500	5576	2	2	1	1	1	2.7510+06	3.3311+06	7.6691+04	---	---
603	561301	5641	0	0	-1	-1	-1	---	---	---	---	---
604	561361	5644	0	0	-1	-1	-1	---	---	---	---	---
605	561371	5647	0	0	-1	-1	-1	---	---	---	---	---
606	561390	5652	0	0	-1	-1	-1	---	---	---	---	---
607	561400	5655	0	0	-1	-1	-1	---	---	---	---	---
608	561410	5658	0	0	2	-1	-1	4.6161+03	---	---	---	8.9573-03
609	561420	5661	0	0	-1	-1	-1	---	---	---	---	---
610	561430	5664	0	0	-1	-1	-1	---	---	---	---	---

Table C-2 (Cont.)

NUM	ID	MAT	B	G	AV. E	SP	TYP	CONT.	E COMPONENT	NEW	FD
						B	G	N	BETA	GAMMA DEL.	NEUT.
611	561440	5667	2	2		1	2	-1	9.4629+05	1.0140+05	---
612	561450	5670	1	1		2	2	-1	3.3070+05	5.4780+05	---
613	561460	5673	1	1		1	-1	1	1.3700+06	---	1.3510+01
614	561470	5676	2	2		1	1	1	1.8580+06	1.3010+06	6.3636+00
615	561480	5679	2	2		2	2	1	2.1695+05	6.2300+05	6.7759+01
616	561490	5682	2	2		1	1	1	2.0160+06	1.5200+06	9.4217+01
617	561500	5685	2	2		1	1	1	1.9850+06	1.0960+06	9.8791+02
618	561510	5688	2	2		1	1	1	2.1831+06	2.2510+06	1.4108+04
619	561520	5691	2	2		1	1	1	2.5239+06	1.3900+06	2.2730+04
620	571380	5725	0	0		-1	-1	-1	---	---	---
621	571400	5731	0	0		-1	-1	-1	---	---	---
622	571410	5734	6	6		-1	2	-1	---	1.5667+04	---
623	571420	5737	0	0		-1	-1	-1	---	---	---
624	571430	5740	1	1		-1	-1	-1	---	---	---
625	571440	5743	1	1		2	-1	-1	3.3460+04	---	---
626	571450	5746	1	1		2	2	-1	6.1160+05	8.4008+05	---
627	571460	5749	1	1		2	2	1	2.4979+05	1.0546+06	9.9295-01
628	571461	5750	0	0		-1	-1	-1	---	---	---
629	571470	5752	2	2		1	2	1	1.6320+06	7.5630+05	7.6282+01
630	571480	5755	0	0		-1	-1	1	---	---	8.9599+01
631	571490	5758	2	2		1	1	1	1.7830+06	1.0870+06	1.7335+03
632	571500	5761	2	2		1	1	1	2.0370+06	2.5470+06	2.1532+03
633	571510	5764	2	2		1	1	1	2.2020+06	1.6010+06	2.4706+04
634	571520	5767	2	2		1	1	1	2.3550+06	2.8849+06	2.3965+04
635	571530	5770	2	2		1	1	1	2.5950+06	2.0880+06	4.6080+04
636	571540	5773	2	2		1	1	1	2.6149+06	3.1989+06	4.6664+04
637	571550	5776	2	2		1	1	1	2.8169+06	2.6980+06	8.1364+04
638	581410	5840	0	0		-1	-1	-1	---	---	---
639	581420	5843	-5	-5		-1	-1	-1	---	---	---
640	581430	5846	0	0		-1	-1	-1	---	---	---
641	581440	5849	0	0		-1	-1	-1	---	---	---
642	581450	5852	0	0		-1	-1	-1	---	---	---
643	581460	5855	0	0		-1	-1	-1	---	---	---
644	581470	5858	2	2		1	2	-1	8.5908+05	9.8303+05	---
645	581480	5861	0	0		-1	-1	-1	---	---	---
646	581490	5864	2	2		1	1	1	1.1752+06	1.0450+06	---
647	581500	5867	2	2		1	1	-1	6.8918+05	4.3969+05	---
648	581510	5870	2	2		1	1	-1	1.4400+06	8.7740+05	---
649	581520	5873	2	2		1	1	-1	1.1660+06	7.7842+05	---
650	581530	5876	2	2		1	1	1	1.6800+06	1.1250+06	1.5734+03
651	581540	5879	2	2		1	1	1	1.6940+06	9.5867+05	1.6186+03
652	581550	5882	2	2		1	1	1	2.0150+06	1.5711+06	4.9970+03
653	581560	5885	2	2		1	1	1	2.1180+06	1.1710+06	1.0196+04
654	581570	5888	2	2		1	1	1	2.4309+06	2.0889+06	1.7144+04
655	591420	5928	0	0		-1	-1	-1	---	---	---
656	591421	5929	0	0		-1	-1	-1	---	---	---
657	591430	5931	0	0		-1	-1	-1	---	---	---
658	591440	5934	0	0		-1	-1	-1	---	---	---
659	591441	5935	0	0		-1	-1	-1	---	---	---
660	591450	5937	0	0		-1	-1	-1	---	---	---
661	591460	5940	0	0		-1	-1	-1	---	---	---
662	591470	5943	6	6		2	2	-1	5.7966+03	4.2463+05	8.2690-03
663	591480	5946	2	2		2	2	-1	2.9362+04	3.6397+05	8.5750-03
664	591481	5947	2	2		2	2	-1	6.0288+04	8.5834+05	7.0741-03
665	591490	5949	2	2		2	2	-1	5.3163+04	2.4660+05	8.1329-03
666	591500	5952	2	2		1	1	-1	2.0170+06	1.0760+06	---
667	591510	5955	2	2		2	2	-1	1.9456+05	2.4890+05	7.4517-03
668	591520	5958	2	2		1	1	-1	1.5490+06	2.1190+06	---
669	591530	5961	2	2		1	1	-1	1.7000+06	1.0270+06	---
670	591540	5964	2	2		1	1	1	1.8730+06	2.4140+06	2.0622+02
671	591550	5967	2	2		1	1	1	2.0710+06	1.4870+06	4.3380+03
672	591560	5970	2	2		1	1	1	2.1490+06	2.6879+06	8.9302+03
673	591570	5973	2	2		1	1	1	2.3870+06	1.8809+06	2.3721+04
674	591580	5976	2	2		1	1	1	2.5519+06	3.1550+06	2.5556+04
675	591590	5979	2	2		1	1	1	2.7730+06	2.3380+06	5.3750+04
676	601440	6031	-5	-5		-1	-1	-1	---	---	---
677	601470	6040	0	0		-1	-1	-1	---	---	---
678	601490	6046	0	0		-1	-1	-1	---	---	---

Table C-2 (Cont.)

NUM	ID	MAT	AV. E		SP. TYP			CONT. E COMPONENT				NEW FD
			B	G	B	G	N	BETA	GAMMA	DEL.	NEUT.	
679	601510	6052	0	0	-1	-1	-1	---	---	---	---	---
680	601520	6053	0	0	-1	-1	-1	---	---	---	---	---
681	601530	6058	2	2	1	1	-1	1.1110+06	6.7228+05	---	---	---
682	601540	6061	2	2	1	1	-1	6.0718+05	6.0760+05	---	---	---
683	601550	6064	2	2	1	1	-1	1.3660+06	8.3390+05	---	---	---
684	601560	6067	2	2	1	1	-1	1.1220+06	7.6567+05	---	---	---
685	601570	6070	2	2	1	1	-1	1.6680+06	1.1400+06	---	---	---
686	601580	6073	2	2	1	1	1	1.5890+06	9.2387+05	5.3826+00	---	---
687	601590	6076	2	2	1	1	1	2.0629+06	1.6660+06	5.1090+02	---	---
688	601600	6079	2	2	1	1	1	2.0999+06	1.2060+06	2.4922+03	---	---
689	601610	6082	2	2	1	1	1	2.1600+06	1.8790+06	5.2440+03	---	---
690	611450	6143	0	0	-1	-1	-1	---	---	---	---	---
691	611470	6149	0	0	-1	-1	-1	---	---	---	---	---
692	611480	6152	0	0	-1	-1	-1	---	---	---	---	---
693	611481	6153	0	0	-1	-1	-1	---	---	---	---	---
694	611490	6155	0	0	-1	-1	-1	---	---	---	---	---
695	611500	6158	0	0	-1	-1	-1	---	---	---	---	---
696	611510	6161	0	0	-1	-1	-1	---	---	---	---	---
697	611520	6164	0	0	-1	-1	-1	---	---	---	---	---
698	611521	6165	0	0	-1	-1	-1	---	---	---	---	---
699	611522	6166	2	2	1	1	-1	6.6079+05	1.7332+06	---	---	---
700	611530	6167	2	2	1	1	-1	6.0721+05	1.7220+05	---	---	---
701	611540	6170	0	0	-1	-1	-1	---	---	---	---	---
702	611541	6171	6	6	2	2	-1	3.4463+04	6.8460+05	---	7.4952-03	---
703	611550	6173	2	2	1	1	-1	1.0200+06	6.3301+05	---	---	---
704	611560	6176	2	2	1	1	-1	1.3140+06	1.8940+06	---	---	---
705	611570	6179	2	2	1	1	-1	1.4510+06	8.4079+05	---	---	---
706	611580	6182	2	2	1	1	-1	1.5690+06	2.1640+06	---	---	---
707	611590	6185	2	2	1	1	1	1.7819+06	1.1599+06	2.1557+01	---	---
708	611600	6188	2	2	1	1	1	1.9690+06	2.4999+06	5.5300+02	---	---
709	611610	6191	2	2	1	1	1	2.1081+06	1.6961+06	4.7400+03	---	---
710	611620	6194	2	2	1	1	1	2.0790+06	2.6200+06	6.5128+03	---	---
711	621450	6228	0	0	-1	-1	-1	---	---	---	---	---
712	621460	6231	-5	-5	-1	-1	-1	---	---	---	---	---
713	621470	6234	-5	-5	-1	-1	-1	---	---	---	---	---
714	621480	6237	-5	-5	-1	-1	-1	---	---	---	---	---
715	621490	6240	-5	-5	-1	-1	-1	---	---	---	---	---
716	621510	6246	0	0	-1	-1	-1	---	---	---	---	---
717	621530	6252	0	0	-1	-1	-1	---	---	---	---	---
718	621550	6258	0	0	-1	-1	-1	---	---	---	---	---
719	621560	6261	0	0	-1	-1	-1	---	---	---	---	---
720	621570	6264	2	2	1	1	-1	8.6261+05	4.0160+05	---	---	---
721	621580	6267	2	2	1	2	-1	4.0843+05	2.1592+05	---	---	---
722	621590	6270	2	2	1	1	-1	1.0002+06	9.6499+05	---	---	---
723	621600	6273	2	2	1	1	-1	8.4669+05	6.8978+05	---	---	---
724	621610	6276	2	2	1	1	-1	1.5070+06	1.1380+06	---	---	---
725	621620	6279	2	2	1	1	-1	1.3830+06	8.7783+05	---	---	---
726	621630	6282	2	2	1	1	-1	1.6690+06	1.3340+06	---	---	---
727	621640	6285	2	2	1	1	1	1.8029+06	1.0490+06	1.4716+01	---	---
728	621650	6288	2	2	1	1	1	1.9630+06	1.6910+06	5.2722+02	---	---
729	631520	6328	0	0	-1	-1	-1	---	---	---	---	---
730	631521	6329	0	0	-1	-1	-1	---	---	---	---	---
731	631522	6330	0	0	-1	-1	-1	---	---	---	---	---
732	631540	6334	0	0	-1	-1	-1	---	---	---	---	---
733	631541	6335	0	0	-1	-1	-1	---	---	---	---	---
734	631550	6337	0	0	-1	-1	-1	---	---	---	---	---
735	631560	6340	0	0	-1	-1	-1	---	---	---	---	---
736	631570	6343	0	0	-1	-1	-1	---	---	---	---	---
737	631580	6346	0	0	-1	-1	-1	---	---	---	---	---
738	631590	6349	2	2	1	2	-1	8.7290+05	2.2555+05	---	---	---
739	631600	6352	0	0	-1	-1	-1	---	---	---	---	---
740	631610	6355	2	2	1	1	-1	1.0059+06	1.0062+06	---	---	---
741	631620	6358	2	2	1	1	-1	1.4030+06	2.0180+06	---	---	---
742	631630	6361	2	2	1	1	-1	1.5410+06	1.0720+06	---	---	---
743	631640	6364	2	2	1	1	1	1.5629+06	2.1469+06	5.0000-03	---	---
744	631650	6367	2	2	1	1	1	1.8301+06	1.4070+06	3.4214+02	---	---
745	641520	6425	-5	-5	-1	-1	-1	---	---	---	---	---
746	641530	6428	0	0	-1	-1	-1	---	---	---	---	---

Table C-2 (Cont.)

NUM	ID	MAT	AV. E		SP TYP			CONT. E COMPONENT				NEW FD
			B	G	B	G	N	BETA	GAMMA	DEL.	NEUT.	
747	641590	6446	0	0	-1	-1	-1	---	---	---	---	---
748	641610	6452	0	0	-1	-1	-1	---	---	---	---	---
749	641620	6455	2	2	2	2	-1	3.7416+04	1.1273+05	---	---	7.3435+03
750	641630	6458	2	2	1	1	-1	8.5918+05	9.6129+05	---	---	---
751	641640	6461	2	2	1	1	-1	7.1809+05	6.4691+05	---	---	---
752	641650	6464	2	2	1	1	-1	1.2300+06	8.8110+05	---	---	---
753	651600	6528	0	0	-1	-1	-1	---	---	---	---	---
754	651610	6531	0	0	-1	-1	-1	---	---	---	---	---
755	651620	6534	0	0	-1	-1	-1	---	---	---	---	---
756	651630	6537	0	0	-1	-1	-1	---	---	---	---	---
757	651640	6540	0	0	-1	-1	-1	---	---	---	---	---
758	651650	6543	0	0	-1	-1	-1	---	---	---	---	---
759	661650	6652	0	0	-1	-1	-1	---	---	---	---	---
760	661651	6653	0	0	-1	-1	-1	---	---	---	---	---
761	661660	6655	0	0	-1	-1	-1	---	---	---	---	---
762	671660	6728	0	0	-1	-1	-1	---	---	---	---	---
763	671661	6729	0	0	-1	-1	-1	---	---	---	---	---
764	681671	6841	0	0	-1	-1	-1	---	---	---	---	---

^a"NUM" corresponds to the order in the fission-product decay file before combining all decay data into a single ENDF/B-VI file.

"ID" = $Z*10000+A*10+S$ is a numerical identification for the nuclide.

"MAT" = ENDF MAT number

Under "AV. E," the B (beta) and G (gamma) numbers mean:

- 0 no change in INEL spectroscopic data (Fall 1989)
- 1 direct measurement by G. Rudstam from INEL data
- 2 theory, LANL (using slightly modified Gross Theory code of T. Toshida)
- 5 same as ENDF/B-V
- 5 no average energy as in ENDF/B-V
- 6-7 JNDC 1989; probably based on evaluated measurement for gamma and/or beta

Note: these two columns are primarily used to indicate with "2" where Gross Theory has been used as the source of average energy. Many such values will probably agree with JENDL2.

Under "SP TYP" for B, G, and N, the numbers mean:

- 1 no change in spectroscopic spectra made
- 1 corresponding spectra entirely free from Gross Theory, except delayed neutrons are based on LANL evaluation of measured and theory (referenced in File 1).
- 2 Gross Theory spectra supplements spectroscopic

Under "CONT.E COMPONENT" are the beta, gamma, and delayed neutron energies derived from the continuous energy files.

Under "NEW FD," the discrete normalization factor for beta is listed if it has changed from the spectroscopic value (usually $1.0e-02$).

END

**DATE
FILMED**

01/03/92