ANNUAL PROGRESS REPORT

submitted to

BASIC ENERGY SCIENCES PROGRAM/ ER-15000
OFFICE OF ENERGY SCIENCES
U.S. DEPARTMENT OF ENERGY
GERMANTOWN, MD 20585

DOE/ER/13287--8

DE93 006463

ENERGETICS OF SILICATE MELTS FROM THERMAL DIFFUSION STUDIES

David Walker

Lamont-Doherty Geological Observatory
Columbia University, Palisades, NY 10964

July 1992

This report was an account of work sponsored by the United States Government. Neither the United States, nor the Department of Energy, nor any of their contractors, subcontractors, or their employees, makes any warantee, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product or process disclosed or represents that its use would not infringe privately-owned rights.

Prepared for

THE U.S. DEPARTMENT OF ENERGY

AGREEMENT NO. DE-FG02-84ER13287

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

PREVIOUS WORK, PROGRESS AND SUGGESTIONS FOR CONTINUATION

EXPERIMENTAL DESIGN AND LABORATORY ESTABLISHMENT

One of the major activities of the past grant period has been developing simplified multianvil equipment and techniques for doing high pressure and temperature experimental work. We have also established multianvil laboratories based on the new equipment and techniques at both LDGO and UC Davis with help from the DOE/URI program. The equipment is based on the conventional MA6/MA8 configuration, but the anvil drivers are contained within a loose cylindrical enclosure which provides both support and alignment to the payload (Walker et al., 1990). Advantages to the cylindrical configuration include substantial material and fabrication savings by comparison with conventional multianvil equipment. The physical scale is sufficiently reduced that modules based on this construction principal can be retrofit to the presses in many existing piston-cylinder labs. This design is proving quite popular and at least 11 such labs are now on line or in the development state in addition to those running Japanese-style MA6/MA8 multianvils. A two-press lab at LDGO and a one-press lab at UC Davis are now on line.

Technique development, in addition to initial calibrations, carried out over the past grant period has lead to the adoption of castable ceramics for forming integral assemblies of pressure media and gaskets (Walker, 1991). This development work is being widely adopted in the new multianvil labs and is, therefore, a derivative community benefit of this research program. In addition to being very cost-effective compared to extant procedures, these integral assemblies are simpler to use and lead to exceptional pressure and temperature stability for multianvil experiments. Runs in excess of 100 hours above 100 kbar and 1300°C are routinely possible. Thus the long diffusive experiments we undertake are now a practical reality in the multianvil P-T range. We discuss our initial results below.

Development work proposed for the renewal period will include identification of cost saving strategies for operational expenses, particularly anvil costs. Two aspects are being pursued. The first is to reduce the size of the carbide part of the anvils. Preliminary experiments with 16 mm edge cubes (instead of 25 or 32 mm) shimmed out to 1" have been encouraging. The cost savings in switching from 1" to 16 mm carbide pieces is quite substantial (factor ~3). The shim material and configuration are the objects of the development effort. Relatively low cost S5 shock-resistant tool steel has sustained loads (and survived blowouts) to 500 tons with excellent recovery. For higher loads, should S5 prove unsuccessful, the maraging steel Vascomax C350 should perform better although it is more costly. The second strategy is to pursue alternate materials: Ti-Zr boride microcomposites appear quite promising in terms of their comparable hardness and far superior fracture toughness to the tungsten carbides presently in use. Both these approaches will be pursued, and rapid dissemination of these technical advances to the community can be anticipated on the basis of previous performance.

Of more scientific interest, perhaps, among our development tasks will be an attempt to provide an absolute calibration of the pressure effect on thermocouple emf in our multianvil environment. Serious attempts to do this in any environment have been virtually absent since the study by Getting and Kennedy (1970) to 35 kbar for two common thermocouple types (S and K) in piston-cylinder environments. Given the substantially higher pressure capabilities of the current generation of equipment and the known magnitude of the P effects to 35 kbar, temperatures for S thermocouples could be in error by ~200°C at 200 kb. [Errors for D couples may be less than this (Williams and Kennedy, 1970).] Although relative temperatures can still be determined at any particular pressure by thermocouple pyrometry, absolute errors of this magnitude can be a significant problem in doing temperature difference correlations between pressures. For instance,

in our diffusive studies in which we plan to examine the effect of pressure variation in the multianvil range, errors of this magnitude could make interpretation of P effects, independent of T effects from thermocouple errors, rather tricky. Thus, we have an incentive in our own work to improve calibration of the pressure effect on thermocouples in this particular environment. [The nature of the environment - the details of the P, T path of the thermocouple wires plays a key role in the magnitude of the pressure effect, so calibrations in the multianvil environment of the MA6/MA8 type could differ substantially from tetrahedral presses or diamond anvil cells. Nevertheless, the rapidly growing number of labs using this multianvil type makes the exercise for this equipment style worthwhile.]

We plan in collaboration with Professor Peter Fowler [Physics Dept., University of Bristol] to exploit the epithermal neutron resonance technique of Fowler and Taylor (1987). Certain nuclei, happily including common thermocouple materials ^{195}Pt , ^{103}Rh , ^{182}W , and ^{185}Re , show epithermal neutron resonances. The width of the absorption peak in a neutron beam caused by these resonances is temperature sensitive. Thermal motion of the resonating nuclei cause Doppler shifting and frequency dispersion in the absorption spectrum. Measurement of this broadening is capable in favorable cases of giving temperature accuracy approaching $\pm 4^\circ\text{C}$ at 2000°C . As long as $T \geq \theta$, the Debye temperature, the effect of pressure on this technique is negligible (P. Fowler, personal communication).

It happens that standard LaCrO_3 heaters and the castable ceramic pressure media and gaskets we have developed have the requisite transparency and aridity (unlike pyrophyllite) to transmit neutrons to a thermocouple junction embedded within a multianvil device. It is a relatively simple mechanical matter to penetrate the module and press structures with a neutron beam (see Figs. 1 and 2) and to measure the absorption spectra of the emergent beam after it has passed through hot, pressurized metallic foil couples which serve as thermocouple junctions within the multianvil apparatus. If the emf's from these couples are simultaneously monitored as a function of load pressure at temperature, the required emf pressure corrections for this multianvil environment can be determined from the absolute temperature of neutron resonance pyrometry.

Of course this procedure requires a neutron source, an appropriate detection system, and a correctly oriented press and multianvil module. Fortunately these elements are coming together at the SERC Rutherford Appleton Laboratory (RAL) in the U.K. The ISIS pulsed neutron source at RAL, Fowler's detection system there, and the required press and module on loan from SERC/Daresbury Synchrotron (DL) facility will make this experiment possible during July of 1993. Dr. Steve Hull of SERC/RAL and Dr. Simon Clark of SERC/DL are collaborating in this multi-disciplinary effort with Walker, Johnson, and Fowler. Walker has been engaged for about a year in the design and contract specifications of the SERC/DL presses and multianvil modules (2 of them), one of which will be permanently installed on beam line 16.3 at Daresbury, the other will be portable for Daresbury on-site experiments and/or transport to RAL. SERC management has already committed the money for the equipment and the specifications have gone out to tender. Walker and Johnson will be involved in commissioning this apparatus both for the RAL neutron pyrometry experiment and for SERC/DL synchrotron experiments. This device should open new frontiers of large volume high-P beam research which is inaccessible with the more conventional cubic press geometry. This undertaking can also be viewed as a "dry-run" for similar CARS activity on the APS sponsored in part by DOE. Thus DOE can expect, in addition to the scientific pay off of determining thermocouple P corrections, to experience some development benefits for the high pressure aspects of the APS facility which Walker has been invited to assist in designing.

The immediate impact for this proposal is that our high pressure diffusion studies will have better temperature calibration than currently available, and at a cost which involves no capital expenditure for DOE - only very modest salary, travel, and consumable expenses.

FIGURE 1. Plan and section drawings of the multi-anvil module. Uniaxial hydraulic press into which this module is slid for axial loading is not shown. The plan view has been drawn with the top pressure distribution plate [G₁], the top three wedges [A₄₋₆], and the cubes plus pressure medium assembly [C,D] removed.

Plan for entry and exit beams of neutrons (and/or) Xrays through MA6/MA8 multianvil module to be used at SERC/RAL and SERC/DL.

This work may be considered as a low cost to DOE dry run for similar activities at the APS.

for neutron pyrometry
experiments

FIGURE 2

Beamline and press
arrangement for
SERC/DL synchrotron;
duplicate to be used
at SERC/RAL for neutron
pyrometry experiments.

Other equipment development projects supported in part by DOE and worthy of mention include the design of a compact piston-cylinder device capable of achieving 40 kb using 1/2" pressure vessels. Two of these machines are on-line at UC Davis. We also designed and constructed a cold-seal apparatus using Ti-Zr-Mo or Hf-Zr-Mo alloy pressure vessels capable of achieving temperatures of 1200-1300 °C at up to 3 kb with rapid "isobaric" quenching of samples supported in the hot spot by a magnetic field. The development of the rapid-quench cold-seal device was undertaken in anticipation of our need to synthesize volatile-bearing glasses for the diffusion studies we propose for the next project period.

LIQUID-STATE THERMAL DIFFUSION

Silicate liquids.

The principal focus of this project over the past 8 years has been characterizing the Soret effect in silicate liquids and extracting useful thermodynamic and kinetic information from our observations. During the past grant period, we have published a major data and synthesis paper summarizing this effort (Leshner and Walker, 1991; attached). Besides providing an encyclopedic characterization of the effect in silicate liquids, this paper suggested that the principal microscopic determinant of the process is the difficulty in rearranging polymeric species by diffusive jumps. This hypothesis accounts for the strong speciation signals obvious in Soret separation chemical fractionations, for the characteristic separation of SiO₂-rich polymeric ingredients to the hot side of an experiment, for the strong dependence of the magnitude of the Soret coefficients for trace elements on the bulk SiO₂ of the system and cation field strength, for the strongly pseudobinary nature of the Soret signal for a wide compositional range, and for the large discrepancy between the activation energy for diffusion (E^*) and the heat of transport (Q^*) with $Q^* \ll E^*$. Briefly, silicate liquid Soret separation can be rationalized as an imbalance between the ease of a species leaving its initial site and arriving at a new site. For large polymeric species of relatively poor cohesion to one another, the ease of detaching for a "jump" contrasts with the difficulty in finding a hole to fall into in some other place. For network-modifying cations or those providing the loose bonding between the polymers, it is relatively difficult to detach for the "jump" but easy to find a new home, once launched, because of the ease in accommodating small species with minimal structural rearrangement. Thus network-modifying cations will "jump" with greater frequency at high temperature and statistically find suitable sites to accommodate them even at lower temperatures. By contrast the large polymeric species may be considered a lag deposit at the hot end of an experiment because few suitable sites can be arranged to receive "jumping" individuals, especially towards the cold end. Thus SiO₂-rich material separates to the hot end as a residue. The more polymerized the units, the stronger is the separation of network-modifying material. The pseudobinary nature of the Soret separation reflects the pseudobinary character of the network-former/network-modifier structural speciation. The details of and supporting evidence for this model can be found in Leshner and Walker (1991, attached).

Given the central role of speciation in this model of the Soret effect, it becomes interesting to understand how variables which control the speciation will perturb the effect. Obviously bulk composition is an important control, and we have already explored this at some length (Leshner and Walker, 1991). There is a strong supposition from physical property measurements (e.g. Stolper and Ahrens, 1987; Ridgen et al., 1988; Agee and Walker, 1988) that high pressure also changes silicate speciation. The relevance of density and other measurements for speciation change is not whether it occurs, but whether the speciation change is a continuum of change to the characteristic species or a blend of discrete entities. The physical property variations with pressure aid in

identifying the relevant pressure ranges. Thus if the Soret process is speciation-sensitive, then it becomes interesting to monitor the effect of pressure on the observed separations. With this objective in mind, we undertook the equipment development efforts described above. These have been successful and a few preliminary results have been gathered.

Our first experiments have been on an intermediate composition, the Mount Hood andesite (MHA) whose strongly Soret-active behavior we have previously characterized at 10 kbar. MHA is known to achieve nearly steady state separation in two days in a 4 mm graphite capsule at a mean temperature $\sim 1400^\circ\text{C}$ (Leshner and Walker, 1986).

Imagine our surprise to find that in two days at 60 kb in the multianvil in a graphite capsule at mean temperatures of 1500°C and 1700°C , two experiments produced no Soret separation. At first glance it might seem (as in fact it seemed to us) that there was some silly problem and in fact no thermal gradient was present. Although we only measured the mean temperature in these experiments and rely on calibrations from other experiments to estimate the temperature drop across the liquid as $\sim 200^\circ\text{C}$, due consideration convinces us large temperature gradients did exist in these experiments. This conclusion is based on three lines of evidence. First, these charges are still partially crystalline at these P-T conditions (kyanite, coesite, and pyroxene in the cooler charge and only pyroxene in the hotter charge), and thermal compaction of these crystals to the cold end of the charge has definitely occurred (e.g. Leshner & Walker, 1988). This thermal compaction requires that a temperature gradient was present. Second, examining the recrystallization halo widths around the heater in the sectioned pressure medium also leads to the conclusion that a large thermal gradient was present. Third, use of similar experimental configurations on sulfide liquid/metal charges produces both thermally compacted metal crystals and an easily observable Soret effect in the sulfide liquid. Because this experimental configuration does produce an observable Soret effect in other liquids, we are forced to conclude that our null result on the MHA is significant. The Soret effect has been shut down at 60 kbar on MHA in graphite.

This result is not only surprising, but also difficult to rationalize. Density measurements would predict only modest speciation changes at these pressures, certainly none so drastic as to terminate the effect according to our model of the process. We expected only modest perturbations to the 10 kb Soret coefficients. Possible reasons for this surprising result could include a greatly increased diffusive sluggishness at 60 kbar or changes in bulk composition through interaction with the graphite capsule.

Diffusion may indeed be slower at high P for some constituents, although Watson (1979) has shown this expectation based on the Stokes-Einstein approach to be false at least for some cations for the first few tens of kb; and viscosity measurements also suggest the reverse. Also, the higher mean T of the multianvil experiments would be expected to put kinetics in favor of a more rapid separation rather than a separation slower than previously observed. Furthermore, the operation of thermal compaction, itself a diffusive transfer process, suggests that diffusion did not shut down. Thus, we do not take the "slow-diffusion" possibility terribly seriously at the present time.

On the other hand, our microprobe analytical totals on the recovered quench-crystal free glasses are 95-96% with no unanalysed elements visible on EDS analysis, suggesting possibly substantial amounts of dissolved carbon from the capsule. At the present time the amount and speciation of dissolved carbon are unknown, but these will be determined in the FTIR lab of Dr. Anne Hofmeister at University of California - Davis during the renewal period. Of course if dissolved carbon is the "problem", then we should anticipate that the silicate speciation has been thoroughly destroyed by percent levels of carbon if we are to explain the complete termination of the Soret effect. While some carbon dissolution mechanisms may perhaps capture bridging oxygens and depolymerize the melt to a certain extent, why this effect should be so apparently

drastic to the polymerization at low levels of carbon as the Soret null result suggests is unclear. It is also difficult to reconcile this completely-depolymerized-melt-from-carbon-solubility scenario with the observed saturation of the cooler melt with coesite.

Obviously, our speculations are running too far ahead of the observations at the present time. Nevertheless this fairly stimulating null result is worth speculating about in the search for directions in which to proceed. Further tests of the carbon-contamination scenario are underway now through the substitution of Re for the graphite capsule material. Although there is some tendency to form Re-Al intermetallic compounds at these P-T conditions (which hinders run stability) at least the Re will provide a control experiment removing carbon contamination as a possible debacle. We shall also explore in more detail the possibility that lateral temperature gradients may be stimulating unusually strong convective modes. Our experience with less viscous sulfide melts makes this unlikely, however.

Clearly, it is early in the exploration of P as a control on the Soret effect in silicate liquids. We have a provocative preliminary result on MHA, we have the equipment in place to continue this experimental program, and we have the curiosity to do so. We propose to take a systematic look at P variations introduced in the compositional range we have previously explored at a single pressure in earlier grant periods of this project. We can be relied upon to do such obvious things as those outlined above as well as to see if the result is gradational or abrupt in the P range from the data base at 10 kb to the null result at 60 kb. It is premature, however, to formulate an overly detailed comprehensive plan before a few more preliminary observations have been made. Our past performance should be a useful guide to whether we are likely to make any progress on this problem.

Isotopic fractionation.

A provocative discovery we reported during the last grant period (Kyser et al., 1990) was substantial oxygen isotope fractionation by Soret diffusion in silicate liquids at 20 kb. The cooperation of Kurt Kyser at University of Saskatchewan, who has developed techniques enabling high precision oxygen isotope measurements of extremely small silicate samples (< 2 mg) by conventional ionization methods, made these studies possible. Careful dissection of quenched cylinders of Soret separated melt recovers between 8-9 thin (0.4 mm) glass wafers along the temperature gradient. We have characterized oxygen isotopic gradients for a number of bulk compositions ranging from basalt to dacite and variable run duration (Fig. 3). For the ~200 °C temperature difference imposed on the superliquidus sample we find O¹⁸ is consistently enriched at the cold over the hot end of a temperature gradient by 4-7 ‰. Comparing the isotopic composition of starting materials and recalculated bulk compositions of our run products shows that the experiments remained closed to external sources or preferential oxygen loss. We conclude from this observation and the reproducibility of the results that the isotopic shifts are indeed caused by the imposed temperature gradient.

Two features of the oxygen isotope results surprised us. First, the sense of isotopic fractionation indicates migration of O¹⁸ to the cold end and O¹⁶ to the hot end, and second, the magnitude of the fractionation in a single experiment exceeds the range commonly reported among unaltered terrestrial igneous rocks. To put this matter in perspective, our previous work on silicate liquid thermal diffusion showed no proclivity for heavier elements to migrate to cooler regions and for lighter elements to concentrate in warmer regions as expected theoretically and known from thermal diffusion studies of polyatomic gases and aqueous solutions. If thermal diffusion in melts was a mass-dependent process acting on individual chemical constituents, we anticipated elements of similar chemical properties (charge and radius) but different atomic weights to separate. As we have shown, however, suitable element pairs such as Na-K and Fe⁺²-Mg show little tendency to

FIGURE 3. Covariation of silica (wt.%) and oxygen isotope composition (δO^{18}) produced by thermal diffusion in basaltic (MORB), andesitic (MHA) and dacitic (MSD) liquids. All experiments conducted at 20 kb and mean T of 1425 °C with a temperature difference of 200-250 °C between hot and cold ends of 3-4 mm long capsules. Run times are given in parentheses. Open squares with crosses represent bulk compositions of initial starting materials.

TABLE 1

BULK SILICA AND OXYGEN ISOTOPE COMPOSITIONS OF IMMISCIBLE SILICATE LIQUIDS IN THE SYSTEM FA-LC-Q EQUILIBRATED AT 1 ATM AND 1180 °C

Phase	SiO ₂ (wt. %)	δO^{18}
<u>2LIQ-8 (64 hours)</u>		
A	65.93	12.6
B	50.37	12.1
<u>2LIQ-9 (12 days)</u>		
A	66.74	12.7
B	50.14	12.1

separate from one another. In fact in silicic melts the relative fractionations of Na and K that do occur are opposite to the mass-dependent expectation (Leshner, 1986). We now understand that this behavior results from the strong speciation control exerted by the polymeric structure of silicate liquids (Leshner and Walker, 1991). Next we need to reconcile why this model that accounts so well for the chemical species behavior, apparently fails to explain the thermal diffusion behavior of individual isotopes. Given that oxygen represents the fundamental building block of any aluminosilicate polymeric structure, we feel that understanding the significance of our isotopic results is crucial to further refining thermal diffusion models for silicate liquids.

When we began our collaboration with K. Kyser we were concerned about the likelihood of detecting any isotopic shift because mean experimental temperatures (1400-1500 °C) are above ~1250 °C, where conventional wisdom purports no oxygen isotope fractionation between coexisting silicates should exist. Nevertheless, the development of a sizable silica gradient in our charges suggested that an opportunity for partitioning of oxygen between more and less polymerized portions of the gradient might be present. If the distribution was governed by the same crystallochemical control known for solid silicates, i.e. preferential enrichment of O¹⁸ in more polymerized structures, we thought there might be a chance of resolving perhaps a per mil shift in our experimental runs. Our initial Soret results demonstrate not only that fractionations are non-zero at temperatures far in excess of 1250 °C and opposite those expected from steric considerations, but also that the isotopic shifts are a factor of 4 to 7 greater than we imagined.

These rather remarkable Soret results raise the interesting question: what if the Soret temperature potential for isotopic fractionation is even larger than the results indicate, and is suppressed by the development of large major element gradients within which O¹⁸ prefers to associate with more polymerized species? Therefore, a means of isolating temperature effects from compositional effects would be useful. It is virtually impossible to prevent silicate liquids placed in a temperature gradient at pressures of 10-20 kb from chemically separating while allowing isotopic fractionation to proceed. An alternative approach had to be sought. We elected to attempt to isolate composition from temperature by equilibrating liquids of contrasting composition under isothermal conditions.

The system Fe₂SiO₄-KAlSi₂O₆-SiO₂ in which we have conducted previous Soret diffusion studies (Leshner and Walker, 1986) possesses a large field of stable liquid immiscibility at low pressure. The experiments we undertook consisted of loading ~100 mg of powder into Fe capsules sealed within evacuated silica tubes. Two charges were hung in a Deltech furnace at 1150 °C, allowed to react for 2 and 10 days, respectively, and drop-quenched into water. On inspection, two immiscible liquids were clearly visible with the high-Fe, high density liquid well segregated at the bottom of the capsule. Microprobe analyses confirmed the homogeneity of each melt phase and showed a 40 wt % SiO₂ difference consistent with the phase relations determined by Roedder (1951). Glass separates were extracted from the charges and their oxygen isotope compositions determined by K. Kyser. The results reported in Table 1 show that under isothermal conditions the fractionation of O¹⁸ between immiscible liquids that differ by ~15 wt % SiO₂ is ~0.6‰. Notably, the fractionation between these contrasting liquids is small, compared to the Soret results, however, the sense of O¹⁸ enrichment is consistent with structural considerations. These preliminary results indicate that the oxygen isotopic shifts found in our Soret experiments are almost entirely controlled by temperature, although suppressed slightly by composition.

At this stage, we have documented that the Soret effect causes substantial oxygen isotopic fractionation at temperatures above which we did not previously expect much detectable fractionation. In addition, we have isolated a small oxygen isotope fractionation effect attributable directly to melt composition. Previously, our efforts to isolate the effects of T and X for trace element fractionation in silicate liquids showed that composition, not T, was the dominate control

on trace element partitioning (Leshner, 1986). Further work to document the importance of T and X is suggested by the 60 kb null result on Mount Hood andesite. If the Soret effect is no longer active on chemical species at 60 kb, what about mass-dependent isotopic fractionation given that we have shown that oxygen isotope Soret fractionation is largely independent of the chemical separation at low pressure? At 60 kb we have the potential opportunity to isolate T from X which was not possible in a temperature gradient at low to moderate pressure.

The capacity for thermal diffusion to manifest itself quite differently on scales ranging from a diffusing polymeric species to its atomic constituents offers the unique opportunity to study fundamental microscopic aspects of diffusion in molten silicates. Specifically, the coupling of isotopic and chemical characterizations of thermal diffusion run products suggests an approach for evaluating the reactivity of polymer units required to facilitate mass-dependent fractionation in the wake of chemical separation. We feel we have just identified the tip of an iceberg in simultaneous considerations of chemical and isotopic fractionations and plan to explore more fully the interrelationships between these features of thermal diffusion during the next funding period. Much of the motivation for pursuing the self and chemical diffusion studies discussed in a later section can be traced to the fundamental problems of molecular transport in silicate melts highlighted by our Soret oxygen isotopic studies.

Volatiles.

As part of our overall effort to characterize the Soret effect in silicate liquids we have initiated various pilot studies of the Soret behavior of volatile components. The dramatic effects of H₂O, CO₂, F, and Cl on melt properties are well-established, although the underlying causes, rooted in silicate speciation, are not fully understood. Volatile solubility in magmas depends strongly on bulk composition and P and less so on T. The importance of composition over temperature is similar to the conclusions we have reached regarding trace element distributions during thermal diffusion. These conclusions have permitted us to establish Soret activities for many trace and minor elements (Leshner, 1986, 1991). The theoretical basis of this approach is discussed in the final section. During the next grant period, we wish to explore whether this same approach will allow the activity-composition relations for volatile constituents of silicate melts to be characterized.

Our initial studies of halogen thermal diffusion in silicic melts show that both F and Cl concentrate along with other network-modifiers at the cold end. F has a greater affinity for cold end separation than does Cl. Until recently we have obtained only indirect evidence that H₂O also concentrates as a network-modifier at the cold end of a temperature gradient based on the variations of low (<100%) microprobe totals in "wet" Soret experiments. In all these cases major element fractionations are consistent with those observed in "dry" systems. Volatile addition, certainly in moderate quantities, does not reverse the overall sense (hot vs. cold) of network-former/network modifier fractionation, although volatile effects on melt kinetics are anticipated to influence the rate at which Soret separations develop.

We have not pursued this direction of research more vigorously in the past partly because of the many other Soret topics we have chosen to explore, and partly because we recognized the need for a more quantitative analytical tool to characterize accurately H₂O and CO₂ distribution in our experimental run products. FTIR facilities now available at UC Davis afford us new opportunities to examine volatile element behavior during thermal diffusion.

As a first look, we conducted a Soret experiment using Mount Hood andesite powder allowed to equilibrate in air on a rainy day in March prior to loading in a graphite capsule welded shut within a Pt sleeve. This "damp" experiment was permitted to fractionate for 5 days at a mean T of 1450 °C at 20 kb and quenched to glass. Our microprobe analyses confirmed the expected

major element Soret gradient, and the sample was prepared for FTIR analysis. The results of an eight point traverse across the charge from hot end to cold end are shown (Fig. 4) as infrared absorbance spectra in the vicinity of the fundamental OH-stretching peak at $\sim 3500\text{ cm}^{-1}$. Water contents of 0.11-0.12 wt. % were determined in these glasses (assuming hydroxyl groups dominate at the low concentrations present) using the Beer-Lambert law, assuming a constant molar absorptivity of 67 liter/mole-cm (Stolper, 1982), interpolated sample thickness measurements, and room temperature glass densities estimated from Bottinga and Weil (1970). We are both surprised and intrigued by these results which indicate virtually *no* water concentration gradient across the charge, particularly given the large major element gradient that developed in response to the temperature gradient (Fig. 4). Why no H_2O gradient exists, when our crude "by difference" results for silicic melt indicate that water preferentially concentrates at the cold end of the Soret gradient when present in high concentration, may relate to differences in Soret fractionation of hydroxyl and molecular species. However, at this stage this we can only speculate and emphasize the need for further experimental work.

We present these preliminary results to demonstrate the feasibility of FTIR studies of volatile component fractionation in Soret experiments. The facilities are available, the techniques developed, and we have the interest in pursuing these sorts of studies. Given the difficulties in preserving high T speciation on quench, we believe our IR spectroscopic studies will be most useful, certainly initially, in obtaining data on the distribution of total water content. One of the first tasks will be understanding the significance of the preliminary indications that the Soret fractionation behavior of water is functionally dependent on total water content, using Mt. Hood andesite as the base composition. Follow-up studies of more silicic bulk compositions are planned. We hope by applying Stolper's (1982) speciation model and non-equilibrium thermodynamic theory to obtain measures of heats of transport for both molecular water and hydroxyl species, and to constrain activity-composition relations for these species using an approach analogous to that developed for anhydrous systems (Leshner and Walker, 1991; attached).

Tektites: case study.

An example of unanticipated applications of our thermal diffusion results is provided by recent exchanges with Dr. John Delano at SUNY Albany who has been studying the compositional relationships among Australasian tektites and associated microtektites. The Australasian tektites are believed to represent molten terrestrial lithologies formed by impact melting, ejection above the atmosphere, and return to Earth at hypersonic velocity. The meteoritic impact event which formed the australites is dated at ~ 0.7 my ago (Fleischer and Price, 1964). Curious features of tektites include their distinctive morphologies (e.g. teardrop, dumbbell, rod, sphere, button) composed of a subspherical glassy core encased by a distinctive glassy annulus or flange. In the case of the australites, core and flange units have been taken as evidence of two separate melting events; the glassy core representing the original impact melt (Taylor, 1973) and the flange formed by remelting and processing of core material during the re-entry phase of flight. Australite flanges commonly exhibit intricate swirls of compositionally diverse glass (e.g. Glass, 1970). These swirls are interpreted as forming by backward flowage in the airstream of a thin melt film developed along the leading surface of the core. Adams (1963) estimates that the anterior surface of tektites will reach temperatures in excess of 2000°C by frictional heating during passage through the atmosphere at hypersonic velocity. These extreme temperatures are well above the liquidus temperature of an australite composition (1347°C ; Cassidy, 1964).

The broad range of glass compositions preserved on scales of $100\text{ }\mu\text{m}$ and less within australite flanges led Chao (1963) to postulate that the small scale heterogeneities are all that remain of fused fragments of a heterogeneous target. Figure 5 (courtesy of J. Delano) shows that within

FIGURE 4. Broadband IR spectra of fundamental OH stretch vibration for silicate glasses along thermal diffusion gradient of Mt. Hood andesite. True absorbance units shown for cold end spectrum only. Other spectra offset by 0.4 absorbance units progressing to higher temperature for convenience. Water contents along the Soret gradient given in right margin of plot; note, no water concentration gradient exists although a substantial silica gradient is present (left margin of plot).

PINE DAM #1

FIGURE 5. Compositional variation with flange of Australasian tektites (from Delano and Hanson, in review).

the flange of an individual australite the compositional heterogeneity is characterized by a continuum of melts ranging from 92 to 56 wt % SiO_2 . The preservation of these chemical heterogeneities against the homogenizing action of diffusion at the estimated extreme reentry temperatures led Varshneya and Cooper (1969), among others, to argue that tektite flanges could not have remained molten for more than a few seconds. This conclusion is difficult to reconcile with Chapman and Larson's (1963) estimates that tektites would be heated to 2300-2500 °C for as long as 10 s during hypersonic re-entry. Others have proposed that the compositional heterogeneities found in tektite flanges are introduced by fractional vaporization during remelting. If this is the sole explanation, it is difficult to understand why the bulk compositions of flange and core shown by Delano and Hanson (in review) should be identical. Currently, no clear consensus exists regarding how flanges developed or how compositional heterogeneities are preserved within tektite flanges.

Delano and Hanson (in review) offer an alternative hypothesis noting striking similarities between the compositional continuum found in tektite flanges (Fig. 5) and that generated by the Soret effect in silicate liquids. They propose that the extreme thermal gradients developed along the anterior surface during atmospheric re-entry supplied the necessary driving force for liquid phase unmixing by Soret diffusion. The region affected is restricted to a thin (~100 μm) melt layer formed along the leading surface where steep transient temperature gradients would have developed and been sustained. Delano and Hanson (in review) estimate that transport kinetics were so enhanced at the high temperatures within the molten flange that Soret separations could develop on the scale of 10-100 mm during the brief (~10 s) re-entry phase.

Studies of tektite oxygen isotope compositions, including australites, may lend credibility to the Delano-Hanson hypothesis. Taylor and Epstein (1969) showed that individual tektite groups exhibit a systematic decrease in δO^{18} with increasing SiO_2 content. Curiously this trend is opposite to the fractionation trend found among terrestrial igneous rocks commonly inferred as target material. Taylor and Epstein (1969) attributed the negative correlation between δO^{18} and SiO_2 to either vapor fractionation during impact melting or variable mixtures of weathered or hydrothermally altered felsic igneous rocks at the target site. Walter and Clayton (1967) characterized the shift in δO^{18} of tektite liquid with 82 wt % SiO_2 on heating to 2800 °C for 45 min. Fractional vaporization of the sample resulted in a 1.2 ‰ enrichment in O^{18} and a 37 wt % reduction in SiO_2 . This experimental result qualitatively resembles the relationship displayed by tektite groups, i.e. δO^{18} and bulk silica are negatively correlated, but quantitatively the δO^{18} shift with silica content is considerably smaller than observed within tektite groups. For example, δO^{18} among australites varies by ~2 ‰ while SiO_2 contents vary by only 15 wt %. One obstacle to the vaporization theory is that most tektites have SiO_2 contents > 60 wt %, and none have reported SiO_2 contents less than 45 wt %. If fractional vaporization of silicic targets is responsible for the observed O^{18} enrichments, then a significant proportion of tektites should be characteristically poor in silica, rather than enriched as observed.

Our studies of oxygen isotopic fractionation by thermal diffusion demonstrate that yet another process can generate a negative correlation between δO^{18} and silica content, and in this case the magnitude of the effect is substantial. The results presented in Figure 3 show that Soret separation of Mount Hood dacite leads to a 4 ‰ enrichment of O^{18} in the low SiO_2 , cold portion of the charge. Such an isotopic shift with SiO_2 content more than accounts for the variations found within tektite groups. We are clearly treading on thin ice at this point, but we feel some compulsion to entertain the question: are the distinctive oxygen isotopic relationships seen specifically within australites also the consequence of thermal diffusion as proposed by Delano and Hanson to explain major element systematics? We feel we are uniquely positioned to offer

something constructive to this problem by experimentally investigating thermal diffusion of australite liquids.

The Delano-Hanson hypothesis is intriguing and if true represents the first documented example where Soret diffusion is a major cause of compositional diversity in naturally-occurring silicate liquids, albeit under extreme environmental conditions. Needless to say we find the possibilities intriguing and regard the hypothesis, whether ultimately confirmed or refuted, as worth pursuing. As such we propose to undertake (with input from J. Delano) thermal diffusion studies of tektite melts documenting major element, trace element, and oxygen isotope fractionations under the extreme temperatures approaching those estimated for tektite re-entry. Temperatures in excess of 2000 °C can be achieved in the piston-cylinder device with the required thermal gradient to promote unmixing of australitic melt with no modifications to our assembly. In addition we plan to undertake time studies documenting the rise to steady-state separations at these extreme conditions. The results will be used to establish unmixing rates and their T dependence, and will permit the scales and magnitudes of Soret effects possible during the re-entry phase of flange formation to be evaluated more rigorously.

Polymetallic sulfide liquids.

A number of important problems in geochemistry depend upon knowing the partition coefficients of siderophile elements between iron-rich metal and polymetallic sulfide liquids. These coefficients are especially important in evaluating models of the segregation of core from mantle in planetary differentiation (Newsom, 1990). Experimental determination of these coefficients has proceeded by at least two distinct approaches which unfortunately give discrepant results. [Compare Malvin et. al. (1986) with Sellamuthu and Goldstein (1985).] Both methods have technical aspects which make their interpretation less than straight forward.

Standard "cook and quench" procedures pursued by the Arizona group are complicated by the fact that polymetallic sulfide liquids do not quench to homogeneous masses but to complex dendritic intergrowths. Rapid crystallization kinetics and potential back reaction with coexisting iron-rich metal crystals may lead to quench melt zoning and analytical difficulties. Thus the coefficients determined by analysis after quench may not reflect those appropriate to the high temperature metal/melt equilibrium. Nevertheless, Malvin et al. (1986) have made a reasonable case for such results approaching an equilibrium from the criteria of reproducible, well ordered behavior and compositional convergence.

On the other hand, the dynamic crystallization by the Czochralski growth ("crystal pulling") technique used by the Lehigh group suffers little quenching problem because the zoning information is preserved within the pulled crystals. However, the technique necessarily employs some temperature gradient to induce the crystals to grow as they are being pulled. The interpretation of the results by standard Burton and Slichter (1958) theory would need to be modified if a substantial Soret effect was present in the sulfide liquid in the thermal gradient across which crystal growth occurs in this technique. Accordingly, Dr. John Jones of NASA's JSC initiated a collaboration with us several years ago in order to discover whether or not a strong Soret effect exists in sulfide liquids. If one exists, then the question was whether the chemical sense and magnitude of the Soret fractionation was consistent with the discrepancies noted between the crystal pulling and cook and quench techniques. Also, any Soret effect discovered might provide useful insight into sulfide melt speciation in an analogous manner to the insights derived for silicate melts.

This project has been a long time coming to fruition because of the technical difficulties associated with finding a suitable non-interactive containment procedure for the sulfide melts at modest pressure. We have finally succeeded in doing this and have reported the results during the

last grant period in Jones and Walker (1991a; attached). Briefly, sulfide liquids show a Soret effect of comparable magnitude to silicate liquids, sulfur goes to the hot end of the gradient and Fe to the cold end, the distribution of trace constituents such as P in the thermal gradient follows contours of isoactivity based on major element melt chemistry (and presumably melt structure) in a way entirely analogous to trace element behavior in silicate liquids (Leshner, 1986), and the effect is in the correct sense to explain the discrepancies noted above between the various experimental partitioning studies. Furthermore, the Soret coefficients for trace elements change with melt composition in a manner approximately predicted by the [Jones and Malvin, 1990] activity-composition model of sulfide liquids, thus strongly reinforcing this model as well as providing a basis for predicting Soret variation with bulk composition for minor elements which have yet to be determined experimentally (Fig. 6).

Clearly, this aspect of our initial results is deserving of further experimental testing, and work on additional trace element distributions in the Fe-Ni-S-P system such as Ir, Re, and W is in progress now and will be pursued into the renewal period.

As a byproduct of our Soret studies of sulfide liquids, crystal/liquid partition coefficients were determined in experiments which were inadvertently run at too low a mean temperature and which precipitated metal crystals at the cold end. These results from work at 8 kbar appeared to fit exactly the Jones and Malvin model for experimental work at 1 bar, so we decided to explore further the pressure effect on partitioning between metal crystals and sulfide liquids for a suite of siderophile trace elements Ni, P, Au, and Ge. Jones and Walker (1991b) show that changes in the partitioning behavior of these elements to pressures of the order 100-150 kb are negligible. As some of these experiments were done in the multianvil environment with strong temperature gradients, we also had an opportunity to observe good Soret separations within the sulfide liquids. In view of the independence of the trace element crystal/liquid partitioning with pressure, it was not a big surprise when the strong Soret effect observed in these sulfide liquids at high pressure showed little deviation from our low pressure sulfide Soret results (Jones and Walker, 1991a). This invariance reinforces our conclusions about the links between Soret and partitioning studies. Our studies in sulfide liquids and silicate liquids provide examples of strongly contrasting pressure effects on the Soret process. Clearly further work on thermal diffusion in sulfide melts will be directed towards exploring compositional effects on the process rather than pressure effects.

We propose to extend our current studies into a wider range of S and P contents in sulfide liquids as well as to both less and more siderophile trace elements than our current crop. We propose to look at the thermal diffusion behavior of Mn, V, and Cr in addition to continuing with Ir, W, and Re. When the major element coverage of this effect in sulfide liquids is expanded, we hope to be able to make some cautious inferences about the microscopic nature of sulfide liquids. Considering their importance in metallurgical ore extraction and smelting, it is surprising how little is known about the structure of sulfide melts. No comparable data base on physical properties and their variation with composition exists for sulfide liquids as it does for silicate liquids. Thus, this avenue for understanding sulfide melts is not yet available. It is hoped that our thermal diffusion research may help provide insights for sulfides comparable with those that they have provided for silicates (e.g. Leshner and Walker, 1991).

Carbonate liquids.

Carbonate liquids have been invoked from time to time to explain various enigmatic geochemical features of terrestrial volcanism. McKenzie (1985) made a case for some carbonate magma involvement in MORB petrogenesis and in refluxing depleted lithosphere. Nelson et al. (1988) have pointed out chemical and isotopic affinities between carbonatites and ocean island basalts. Walker and Jones (1991) and Jones et al. (1992) have published new partitioning

Fig. 3. Soret profiles for S. The data here are from the same analyses as Fig. 2, but S concentrations are plotted instead. In both charges S increases by 20-30% going from the cold to the hot end of the charge.

Fig. 2. Soret profiles for Fe in SS3-MgO-1 and SS1-MgO-22 as a function of distance from the cold end of the experimental charge. Each data point is the average of three individual $110 \mu \times 110 \mu$ raster analyses. The trends are systematic indicating Soret coefficients of $1-2 \times 10^{-3}/^\circ\text{C}$.

Fig. 4. Soret profiles for P. In SS1-22 P changes by about 30%; in the SS3-1 charge P changes by about a factor of 2. Note change of scales between (a) and (b). In both charges P is enriched at the cold end.

FIGURE 6.

Soret results for sulfide melts are sensitive to the fraction of S in the sulfide melt. The fractionation of P is seen to be stronger in the S-rich composition SS3-MgO-1. This result and the approximate magnitude of the Soret coefficient difference between the two bulk compositions are found to be predictable from the Jones and Malvin (1990) model. Thus there is now some basis for predicting Soret results for other trace elements in sulfide melts and for accordingly doing more experiments to test these predictions.

information on Nb, Ba, Ca, Ra, Ce, Mg, Na, Pb, Fe, U, Th, Pa, Al, Mo, and Si between immiscible silicate and carbonate magmas to help evaluate these suggestions. With our admittedly limited data base so far accumulated on this problem, there is very little to encourage the view that carbonatite magma is much of a player in these large-scale petrogenetic arenas. In fact, our results on compositions chosen to be relevant to the petrogenesis of natural Na-Ca carbonatites decidedly do not support this view. In order to expand our compositional coverage and extend our results, we decided to attempt thermal diffusion experiments on molten carbonate liquids. This approach has been very useful in silicate systems in extending crystal/liquid partitioning results from one silicate bulk composition to another along a Soret array (e.g. Leshner, 1986). With the aid of the Jones and Malvin (1990) model, this approach has proven fruitful for sulfide melts as well. It was reasoned that if we could produce major element compositional variation in our carbonate liquids by the Soret effect, then we could extend our silicate/carbonate liquid partitioning results for the trace constituents along the Soret compositional array in an analogous manner. Also if a Soret effect were observed in carbonate liquids, it might provide clues to carbonate melt microstructure.

Naturally there proved to be some early experimental difficulties with this project in containing molten carbonate at modest pressure in a thermal gradient. Our initial attempts to do this in graphite capsules at 10 kb proved disastrous as the graphite was highly interactive and completely absorbed the molten carbonate. Eventually we found that dissolving a few percent silicate liquid into the carbonate so dramatically changed the wetting properties of carbonate against graphite that these more complex melts were easily contained. Since the immiscible carbonate melts, whose partitioning behavior we wish to extend, also have some dissolved silicate, this modification to our Soret experiments is not counter productive to our objective. In fact, we were able to perform experiments with molten carbonate in a thermal gradient having an immiscible silicate liquid droplet at the cold end of the experiment, thus allowing both partitioning and Soret observations to be made in the same experiment.

The accompanying Table 2 and Figure 7 give results for partitioning between silicate and carbonate liquid and for the Soret separation within the carbonate liquid. The figure shows the partitioning results for a more carbonate-rich bulk composition (DCBP5) than studied by Jones et al. (1992). Nevertheless, the partitioning results are very comparable to those of Jones et al. (1992) and show the pronounced control of the partitioning by the cation field strength (Z/r), although the slopes for the present results are slightly steeper.

Within the quench carbonate liquid in the temperature gradient some compositional variation attributable to the Soret effect is observed. The character of the separation, however, is wholly unlike that observed in silicates or sulfides where the effect is observed in almost all elements, major and trace, at comparable levels of fractionation. In the carbonate melts most elements show statistically unresolvable, if any, Soret separation. The only exceptions are Na and Pb which are barely resolvable, going to the cold end and hot end respectively, and Mo which shows a very strong effect, going to the hot end. Na is a major element whereas Pb and Mo are minor elements in this bulk composition.

Interestingly Mo, the only element to show a strong Soret fractionation effect in carbonate liquids is also the element most strongly partitioned from the silicate into the carbonate liquid. The reason for this strong partitioning and Soret fractionation behavior is presently unknown but the formation of a molybdate complex is one hypothesis worth exploring. An obvious supporting piece of evidence might be the observation of comparable behavior of W through formation of an analogous tungstate complex. We also plan to explore the oxidation state sensitivity of these results during the next grant period. Mo was added as MoO_3 without either preoxidation or prereduction of the charge. In a more reduced oxidation state, this complex formation might be

TABLE 2

EXPERIMENT DCBP5 (48.5 HOURS)

Soret Activity

	<u>Na</u>	<u>Pb</u>	<u>Mo</u>
	cold (1250°C)	16.0±0.4*	0.68±0.06
0.086±0.018			
	intermediate	15.2±0.6	0.75±0.17
0.163±0.037			
	hot (1450°C)	14.6±0.6	0.88±0.05
0.215±0.048			

ln D (carbonate/silicate)

Si	Al	Mg	Fe	Ca	Na	
-2.9	-2.9	0.20	-0.40	1.1	0.8	
Ba	Mo	Ce	U	Pb	Th	Nb
1.1	2.2	0.49	-0.77	-0.45	-1.6	-0.50

*uncertainties reflect standard deviations of multiple raster analyses taken in particular (warm, cold, etc.) regions of the charge.

Data for DCBP5 Soret activity and partitioning as a function of temperature and cation field strength (Z/r) shown in accompanying figures. Mosaic is BSE image of charge DCBP5 showing quench carbonate crystals and an immiscible droplet of silicate liquid at the bottom (cold end). Scale box is 0.1 mm. Dark background and inclusions are graphite.

DCBP5 Carbonate Liquid Soret

FIGURE 7.

suppressed. BN capsules may provide a more reducing environment although they need to be tested for other possible interactions.

The carbonate liquid Soret results obtained so far have some intriguing aspects. First is the near absence of Soret activity of the major constituents, coupled with at least one very strong minor element signal. Clearly Mo is not segregating according to isoactivity contours introduced by melt composition and structure gradients set up by major element Soret fractionation because these gradients do not exist. And so the rationalization for minor element Soret behavior as a side effect of major element behavior, which works so well for silicates and sulfides, utterly fails for carbonate liquids. The second is that some link between Soret activity and partitioning behavior appears indicated. Obviously these preliminary observations need further testing by varying the carbonate liquid composition. During the renewal application period, we propose to extend observations of the Soret effect to Ca-Mg carbonate liquids. Not only may these carbonates be more relevant to mantle processes (e.g. Wallace and Green, 1988), but the observation of Ca-Mg couples should allow any cation mass dependent effects to be evaluated. Such effects are swamped by crystallochemical effects in silicate liquid polymerization. However, if the carbonates form depolymerized anionic complex melts, then it may be possible to see a chemical mass effect analogous to the isotope mass effect we observed in silicate liquids and reported in Kyser et al. (1990). We anticipate that the acquisition of more information during the renewal period should materially aid us in elucidating these enigmatic results.

Aqueous sulfate solutions.

Extending our previous work on the compaction of magmatic silicate crystals in a thermal gradient, we applied the same principles to aqueous sulfate solutions and bedded evaporite formation. We deduced that curious pseudomorphous relations between gypsum and halite in fossil evaporites are most satisfactorily explained as a thermal imbalance between solar-heated brine ponds and their cooler substrates. An essential feature of the pseudomorphing process is the contrasting solubilities of chlorides such as halite (prograde) compared with sulfates such as gypsum (retrograde). Hot waters saturated with halite and gypsum, upon cooling, are undersaturated in sulfate and oversaturated in chloride. As hot water percolates into the cool gypsum substrate then pseudomorphing proceeds. The details of this process and supporting evidence for its operation in some fossil evaporites are given by Schreiber and Walker (1992; attached). Semiquantitative treatment of the generic problem of permeability and compositional fluid convection within evaporite sequences was attempted in this paper, but clearly more experimental and observational information on sulfate recrystallization kinetics and wetting properties are needed to establish which controls are most important in evaporite diagenetic evolution.

The retrograde solubilities of anhydrite and gypsum create a context for understanding the pseudomorphing process in bedded evaporites, but are extremely interesting and unusual features in their own right. In general, most species become increasingly water soluble with increasing temperature. Retrograde solubility, however, has been observed in several sulfate species (e.g. CaSO_4 , CdSO_4 , Li_2SO_4 , and the rare earth sulfates $\text{Ce}_2(\text{SO}_4)_3$, $\text{Gd}_2(\text{SO}_4)_3$, $\text{La}_2(\text{SO}_4)_3$, $\text{Pr}_2(\text{SO}_4)_3$, and $\text{Yb}_2(\text{SO}_4)_3$). This distinctive trait of sulfates may potentially have direct impact on high-level radioactive waste disposal strategies.

One strategy for disposing of radioactive waste involves burying waste containers in salt beds. Salt beds were thought to be ideal repositories because they have low permeabilities (reducing groundwater contamination problems) and deform plastically (allowing fractures caused by drilling to heal). Waste disposal in salt beds, however, has one disturbing complication. NaCl and KCl both dissolve more readily at high temperature than at low temperature. Because waste

canisters generate heat through radioactive element decay, they create temperature gradients in the materials surrounding them. These temperature gradients influence the behavior of intragranular and intergranular fluids within the salt beds.

Specifically, a fluid inclusion that is in a temperature gradient will preferentially dissolve NaCl at the hot end of the inclusion, transport the salt by thermal and mass diffusion through the liquid, and precipitate NaCl at the cold end of the inclusion. In effect, this response will cause the fluid inclusion to migrate up temperature towards the waste container. This mass transport induced by the thermal gradient intensifies groundwater corrosion of waste canisters because ground water is drawn towards the canister. Once inclusions migrate up temperature to the salt-air interface around the canister, a separate vapor phase may develop. Two phase vapor/fluid inclusions may then migrate down temperature because evaporation at the inclusion's hot end will cause net precipitation while condensation at the cold end will cause net dissolution. Corrosion of waste canisters and spread of contaminated ground water could be an environmental catastrophe, and thus other radioactive waste disposal hosts such as tuff are currently more popular.

The retrograde solubilities of sulfates offer a possible solution to ground water contamination problems. Since CaSO_4 is more soluble at low temperature than at high temperature, fluid inclusions and intergranular fluids in an anhydrite bed will dissolve material at their cold ends and precipitate material at their hot ends. Thus, fluids will migrate down the temperature gradient away from the "hot spot" generated by a radioactive waste canister. Pore fluid would be driven away from the canister effectively sealing it off by creating an impermeable layer with virtually zero porosity. Thus, waste burial in an anhydrite bed or use of extensive anhydrite as backfill in other repositories may reduce the hazards of corroded canisters and contaminated ground water. Anhydrite is clearly preferable to gypsum because conversion of metastable gypsum to anhydrite will generate an *in situ* fluid which may carry off contaminants.

Although brine migration in salt crystals has been extensively experimentally studied (e.g. Hoekstra et al., 1965; Bradshaw and Sanchez, 1969; Anthony and Cline, 1971; Olander et al., 1982), few experiments have been conducted on aqueous sulfate solutions. To explore the implications of retrograde solubility, we have designed a simple experiment to observe the compaction of aqueous sulfate solutions in a controlled temperature gradient. While gypsum and anhydrite are the most commonly occurring natural sulfates, the solubilities of these minerals are very low. In contrast, Li_2SO_4 is three orders of magnitude more soluble in water than CaSO_4 . For the pilot experiments, we therefore chose Li_2SO_4 as an analogue to the natural sulfates because flux is directly related to solubility.

Heating tape was wrapped around the upper part of a vial filled with Li_2SO_4 and deionized, distilled water. The vial was inserted into a 1.5 cm thick piece of insulating fire-brick, and the fire-brick and vial were placed in an oven with a background temperature of $\sim 40^\circ\text{C}$ in the region above the fire brick. The water/ Li_2SO_4 interface coincides with the top of the fire-brick. This arrangement allowed a temperature gradient of $\sim 12^\circ\text{C}$ to be maintained over the 1.5 cm distance. Temperature immediately adjacent to the vial at the top and bottom of the fire-brick was monitored with two separate chromel-alumel thermocouples (75 vs. 63°C). Blue food coloring was added to the water in order to observe its progress during the course of the experiment.

After 10 days under these conditions, noticeable thermal migration has occurred (Fig. 8). A thin layer of water-rich material has formed on the bottom of the vial below the Li_2SO_4 layer. Density alone segregates the water above the Li_2SO_4 ; its presence below the Li_2SO_4 must be attributed to mass migration in response to a temperature gradient. A complementary water-free sulfate layer ~ 5 mm thick has formed at the sulfate/water interface. These preliminary results are encouraging, and mimic the results we have produced in silicate systems. In this case, we have an

FIGURE 8. Photograph of a vial containing a fluid saturated with Li_2SO_4 and Li_2SO_4 crystals. Heating tape has been wrapped around the top of this vial, and the vial has been inserted into firebrick (details in the text) in order to create the temperature gradient shown schematically. This temperature gradient was maintained for 10 days. The salient points of this photograph are 1) the compacted water-free sulfate layer at the water/sulfate interface and 2) the fluid layer at the bottom of the vial. Both layers result from the retrograde solubility of Li_2SO_4 .

aqueous solution rather than a silicate liquid and a compacted sulfate crystal mat rather than an accumulus silicate crystal pile.

Given these preliminary results, we would like to continue to explore the thermal migration process in saturated aqueous solutions. We propose to vary external variables like absolute temperature and the magnitude of the temperature gradient. We will study the differences between the behavior of a fluid saturated crystal mush and a fluid inclusion within a crystal. Although the diffusion coefficient for Li_2SO_4 is unknown, most sulfates have D's on the order of 1×10^{-5} . A simple calculation reveals that if diffusion alone controlled the thermal migration process, the fluid would compact out of a 1 cm thick sulfate layer in about a day. The results of our preliminary experiments suggest that the actual compaction rate is much slower than this estimate. Thus, the kinetic controls on this process also need to be deciphered.

Finally, one intriguing difference between our results for silicate systems and results reported in the literature on brine migration in salt crystals is the difference in observed shapes. In silicate systems, we noted that crystals grown in a temperature gradient tend to be elongated parallel to the temperature gradient. We reasoned that this textural elongation results from the system's desire to minimize entropy production by minimizing the exposed cross-sectional area (Leshner and Walker, 1988). In contrast, inclusions in salt crystals display a variety of shapes from elongated to flattened parallel to the temperature gradient (Olander et al., 1982; Stein and McTigue, 1992). The shapes of these inclusions are thought to represent a trade off between the work required to move N moles of material and the work required to increase the surface area. This theoretical treatment ignores the entropy production arguments so crucial to our understanding of textural development in silicate systems. We hope to incorporate these types of arguments into the existing framework for understanding aqueous solutions. The experimental observations will allow us to calculate diffusion coefficients and compaction length scales. These data will contribute to our understanding of thermal migration in a medium different from those previously studied, will enhance our understanding of evaporite diagenetic evolution, and may ultimately provide a suitable host material for nuclear waste disposal.

LIQUID-STATE ISOTHERMAL DIFFUSION

A new direction of experimental research unforeseen three years ago but a direct outgrowth of our thermal diffusion studies is characterizing liquid-state diffusion under isothermal conditions. We are interested in pursuing these studies because we are curious about whether the complexities of molecular diffusion in silicate liquids revealed through our studies of the Soret effect have their counterparts in the isothermal environment where diffusion normally operates to dissipate, rather than promote, compositional heterogeneity. We know, for example, that thermal diffusion and "equilibrium" silicate liquid immiscibility act upon similar chemical species to create unmixed states. But do the actors change when the script is changed, i.e. diffusion operates to homogenize a system rather than generate heterogeneity? We feel this is an important question to address because of the powerful link thermal diffusion provides between thermodynamic properties (activity-composition relations) and kinetic properties (heat of transport) of silicate liquids (Leshner and Walker, 1986, 1991). Connecting these observations to the isothermal environment is a logical next step.

In addition, deficiencies exist in our microscopic interpretation of silicate liquid thermal diffusion which contrasts the ease with which silicate species are activated for a diffusive "jump" to the energy required to find a hole to accept an activated complex (Leshner and Walker, 1991). The heat of transport (Q^*) represents the difference in the energies required for launching (q_l) and hole

(q_h) formation. Therefore, Q^* does not directly constrain the magnitude of either q_h or q_l . These magnitudes would provide us with insights into the number and character of bonds that are severed to accommodate diffusional motion. On the other hand, Q^* measurements coupled with constraints on activation energies (E^*) for diffusion, which are the sum of q_h and q_l , suggest a strategy to gain such footing. Granted the recipe is simple, but the relevant Q^* and E^* values for silicate liquids are scarce. We have already reviewed our thermal diffusion efforts to contribute Q^* values. Below we review parallel efforts to constrain E^* . Other reasons for examining diffusion kinetics under isothermal conditions will become apparent as we proceed.

Self diffusion.

Our oxygen isotope Soret fractionation studies indicate fundamental differences in the diffusional behavior of polymer species as a whole and individual network-forming ingredients. With this issue in mind, we initiated self diffusion studies of the principal network formers, Si and O during the previous grant period (Leshner and Hervig, 1991; attached). In this study, we examined Si and O self diffusion in basaltic liquid by characterizing the time-dependent decay of initial isotopic contrasts between juxtaposed melt reservoirs. Simple diffusion couples were constructed by mating cylinders of basalt "enriched" in Si^{30} and O^{18} to isotopically "normal" basalt, allowing them to react at high P and T, and quenching them to glass. Variations in the relative abundance of Si^{30} and O^{18} across the interfacial region of the couples were determined by ion microprobe. Example profiles at 1450 °C and 10 kb are shown in Figure 9. Self diffusivities for Si and O were obtained from these profiles using the standard solution to the diffusion equation for a composite semi-infinite medium (Crank, 1975). By comparing the dotted curves (modelled using computed D's) to the experimental profiles the goodness of fit of the diffusion model to the experimental results may be visually assessed. Figure 10 presents 10 kb diffusivities determined at 1320, 1465, and 1600 °C plotted against reciprocal T. The plot shows that the self diffusivities of Si and O are identical to within experimental uncertainty. A fit of the 10 kb data to the Arrhenius relation gives a 170 ± 2 KJ/mole activation energy (E^*).

We are impressed by two features of these basaltic liquid diffusion data; first, the absolute magnitudes and temperature dependences of Si and O self diffusion coefficients are similar, and second the activation energy for self diffusion of these network formers is surprisingly low (less than half the Si-O bonding energy). Taken together, these observations suggest that Si and O mobilization involves breaking an equal and a relatively small number of Si-O linkages.

Basaltic melt, by virtue of its low silica content, is depolymerized and presumably contains a large proportion of SiO_4 tetrahedra sharing only two oxygens. Activating Si from the polymer structure would then require severing on average two bridging oxygen bonds. If successfully launched, Si carries as baggage the two associated non-bridging oxygen forming molecular SiO_2 as a neutral activated complex. Creating this neutral molecule for diffusion of the network formers provides the smallest possible flow unit and disrupts the fewest Si-O bonds. This diffusion mechanism also represents a minimum energy transfer from the initial to the transition state (i.e. low activation energy) as the two dangling oxygen left behind are available to locally charge balance network modifiers shed during molecular SiO_2 formation.

How do we reconcile this model of molecular diffusion of network formers with the gross response of Soret diffusion to sort bulky and lean silicate polymers from one another? We have already shown that a certain independence is expressed in the diffusional behavior of chemical species and, for example, oxygen isotopes in our Soret experiments. From these observations, it appears that to accommodate this independence of motion, the participants of any given polymer species must continually be changing positions in a fashion reminiscent of musical chairs. Our Soret results have taught us about the attributes of these polymer species, and we speculate that the

FIGURE 9. Variations in isotopic proportions of Si^{30} ($\text{Si}^{30}/\Sigma\text{Si}$) and O^{18} ($\text{O}^{18}/\Sigma\text{O}$) across interdiffusion zone of simple basalt diffusion couple reacted at 10 kb and 1450°C for 35 minutes. Isotopic profiles determined using the CAMECA 3f ion microprobe at CSSS/ASU. Model profiles using diffusivities obtained by inversion of experimental profiles shown as dotted curves.

FIGURE 10. Self diffusivities of network formers Si and O at 10 kb and 20 kb for basaltic liquid determined from simple diffusion couples as shown in Figure A.

self diffusion results may tell us about their reactivity. If this is the case, studies of the compositional dependence of network former self diffusion may provide important clues about changes in the reactivity of silicate polymers as copolymerization leads to larger and larger species. We plan to examine this thesis more closely during the next grant period by undertaking self diffusion studies of network formers similar to those described here on andesitic, dacitic, and rhyolitic liquids.

Figure 10 also shows that self diffusivities for Si and O at 20 kb and 1400 °C are identical (within error), but 1.5 times larger than those determined at 10 kb. The modest increase in D^* with pressure gives a negative activation volume of 6.7 cm³/mole suggesting that activating SiO₂ collapses the anionic structure of basaltic liquid. The activation volume determined for O self diffusion in jadeite melt is similar (Shimizu and Kushiro, 1984). Obviously we need to investigate the pressure dependence of network former self diffusion more closely during the next project period. These isothermal studies will complement our parallel efforts to characterize the pressure dependence of thermal diffusion.

During the last grant period we also initiated experimental studies of network modifier self diffusion. As shown in our thermal diffusion studies, the compatibility of network modifiers is strongly influenced by the aluminosilicate network's degree of polymerization. We wish to understand how changes in compatibility, related to the availability of suitable coordination polyhedra, influence the ease with which network modifiers are activated for diffusion. In the first of these studies we characterized the self diffusion rates of Sr and Nd in basaltic and rhyolitic liquids at 10 kb (Leshner, 1991; attached and Fig. 11). In brief, we find that self diffusivities for Sr are 3-10 times greater than for Nd in basaltic and rhyolitic liquids. The relative differences in their magnitude compare well with results from tracer diffusion studies (e.g. Hofmann, 1980), and correlate with cation field strength. We also find that the self diffusivities for Sr and Nd are a factor of 7-10 greater in basalt than rhyolite at 1225 °C.

Applying the Arrhenius relation to the diffusion results for rhyolitic liquid in Figure 11 gives an activation energy of 136 KJ/mole for Sr and 198 KJ/mole for Nd self diffusion. Although these values straddle the activation energy determined for network former self diffusion in basalt, they pertain to highly polymerized liquids (i.e. rhyolite). Additional E^* measurements for network formers and modifiers on identical bulk compositions are needed. Nevertheless, data obtained thus far demonstrate the feasibility of making these measurements in our laboratories, and our efforts to do so during the previous grant period. Our continuing studies of network modifier self diffusion will be integrated with those planned for the network formers. We also intend to examine the self diffusion behavior of Pb, U and Th in silicate liquids. We are particularly interested in these elements because, like Sr and Nd, they are important tracers of magmatic processes. We also believe these data will have direct application to ongoing assessments of the mobility of "hot" isotopes during in-situ vitrification (ISV) processing, and the long term retention of radioactive species in the synthesized glass.

Basalt-rhyolite interdiffusion.

Curious events occurred when we juxtaposed isotopically "normal" basalt against isotopically "enriched" rhyolite (both compositional endmembers used in our Sr and Nd self diffusion studies) and monitored the approach to chemical and isotopic equilibrium by interdiffusion (Leshner, 1990; attached). We refer the reader to the appended reprint for example profiles. Figure 1 of Leshner (1990) shows the rather surprising result that Sr and Nd isotopic differences between the basaltic and rhyolitic reservoirs are eliminated much more rapidly than the chemical gradients are abolished. This point is particularly well displayed by the 1465 °C run which demonstrates that after 12h the couple is uniform in Sr isotopic composition, although

FIGURE 11. Self diffusivities of Sr and Nd in basaltic and rhyolitic liquids at 10 kb.

substantial chemical gradients persist, even for Sr itself. Moreover, Sr and Nd both display evidence of diffusion "uphill" against their own concentration gradients with no apparent disturbance in the evolving isotopic abundance gradients for these elements. Once again we find a contrast between the diffusional behavior of isotopes of a given element relative to one another with the chemical flux of the element relative to other chemically distinct species. These differences are exhibited spectacularly in our basalt-rhyolite interdiffusion experiments because the degree of polymerization changes dramatically across the interdiffusion zone. These polymerization changes strongly dictate the chemical diffusion behavior of the network modifiers. The sluggish diffusion of the network formers effectively supports the overall polymerization gradient permitting the more mobile species to redistribute themselves so as to minimize gradients in activity as best

they can (e.g. Watson, 1982). Nonetheless, the slow reorganization of the overall polymer structure through interdiffusion of network formers and modifiers does not preclude random walk exchange of isotopes among suitable structural positions. The comparatively rapid equilibration of Sr isotopes observed in our basalt-rhyolite interdiffusion experiments reflects this movement. In this context, interdiffusion studies involving isotopically, as well as chemically, dissimilar liquids offer a complementary approach to others discussed here for investigating liquid structure and its reactivity.

As part of the proposed diffusion studies of Pb, U, and Th, we plan to characterize the diffusional response of these tracers in the presence of large chemical gradients, as we have done for Sr and Nd, using the isotopically and chemically distinct endmembers synthesized for the self diffusion experiments.

Selective contamination: case study.

During the previous grant period, we applied many of the experimental results and theoretical principals developed by this research program to a natural magmatic example where diffusion-controlled contamination appears to have occurred. The setting is provided by macrodikes exposed in the Tertiary igneous province of East Greenland. Hot gabbroic magma intruded and reacted extensively with the enclosing felsic Archaean gneisses. The appended reprint (Blichert-Toft et al., 1992) discusses the field and geochemical relationships for these intrusions, and presents a kinetic model for interactions between mantle-derived magmas and granophyres formed by partially melting the felsic host rocks. The model represents our initial attempt to integrate concepts of mixing, involving fluids of contrasting viscosity and density (Ottino, 1989), with diffusion kinetics. We define time-dependent "irreversible" mixing paths, and show how they diverge from predicted bulk mixing and coupled assimilation-fractional crystallization trends. The results of our kinetic model correspond well with the observed geochemical relationships among the macrodiike hybrid magmas, and allow the magmatic time scales involved in selective contamination of these intrusions to be estimated. We believe that the model developed in this study will be of general utility to petrologists concerned with identifying (and interpreting) magma contamination histories and parental liquid source characteristics (Leshner, 1990). The interested reader is directed to the attached reprint for an in-depth discussion of the results and the model.

Chemical diffusion model.

Finally, a direct outgrowth of our thermal and isothermal diffusion studies and attempts to apply these results to the magmatic environment has been modelling chemical diffusion of species in dilute concentration in silicate liquids based on theory presented by Darken (1948) (Leshner, 1991; attached). Optimistically, we believe this approach will also be useful in modelling chemical diffusion of major elements in naturally-occurring silicate liquids where efforts based on the generalized form of Fick's law (Onsager, 1931) have been unsuccessful.

Darken (1948) proposed that the chemical diffusivity of a trace constituent (D_i^c) is related to the product of the species' intrinsic mobility (M_i) and the gradient in species activity (a_i) along which diffusion occurs.

$$D_i^c = kTM_i \frac{d \ln a_i}{d \ln x_i}$$

where k is the Boltzmann constant, and x_i is species concentration in mole fraction. This is commonly known as the Darken diffusivity and can be substituted directly into Fick's first law to compute species flux. In the limit of uniform chemical composition, $d \ln a_i / d \ln x_i$ approaches one

and D_i^C approaches kTM_i . The value of D_i^C measured under these conditions is the self diffusivity (D^*). We can rewrite the Darken diffusivity, after replacing kTM_i with D^* and recalling that $a_i = \gamma_i x_i$, where γ_i is the activity coefficient, as

$$D_i^C = D_i^* \left(1 + \frac{d \ln \gamma_i}{dz} \frac{dz}{d \ln x_i} \right)$$

where z is position in the diffusion direction.

To evaluate the Darken diffusivity (for a given T and P) D^* must be known as a function of bulk composition, and the variation of γ_i with X must be independently constrained. For dilute solutions the variation in γ_i with x_i can be assumed constant (i.e. Henry's law) and, therefore, $D_i^C \equiv D_i^*$. However, γ_i is constant only if other compositional gradients are absent. Our trace element fractionation thermal diffusion studies have taught us that the proportions of network formers to network modifiers, i.e. polymerization, exert a strong influence on trace element compatibility and will be reflected in γ_i variations. These changes in compatibility as a function of network former abundance were characterized for a host of trace elements including Sr and rare earth elements (Leshner, 1986). Using Leshner's (1986) parameter M_f , representing the changes in trace element compatibility along steady-state Soret gradients, we may define an appropriate functional dependence of γ_i on bulk composition as follows

$$M_f^{-1} = \frac{x_i^0}{x_i} \approx \frac{\gamma_i}{\gamma_i^0} = \gamma_i^*$$

where the superscript 0 denotes values for the reference liquid taken as basalt.

The Darken diffusivity can be either positive, negative, or zero depending on the sign of $d \ln \gamma_i^*$ for a given compositional gradient. "Normal" diffusion, i.e. diffusion of species down their respective concentration gradients, occurs when D_i^C is positive, while "uphill" diffusion results when the Darken diffusivity is negative.

Using relationships for γ_{Sr}^* and γ_{REE}^* derived from thermal diffusion arrays, and Sr and Nd self diffusion measurements reviewed above, we developed a computer code to solve the diffusion equation for variable Darken diffusivity using a Forward Time Center Space explicit differencing scheme (Press et al., 1986). Computer simulations of Sr and Nd chemical diffusion between basalt and rhyolite generated using this code (Leshner, 1991) are shown in Figure 12. The plots show the model results after times corresponding to specific experimental run durations with the actual experimental profiles superimposed. Gross features of Sr and Nd chemical diffusion observed in the laboratory experiments, including the length scale on which diffusion has modified composition and migration of Sr and Nd up their respective concentration gradients, are predicted by the model which is entirely constrained by independent data on γ_i and D^* . We are encouraged by these preliminary results and the predictive capacity of the model when chemical diffusivities are defined according to the Darken equation. Further refinements to the model, however, must necessarily lag behind the acquisition of the relevant transport and thermodynamic data needed to constrain the model. Therefore, as we have stressed throughout this proposal, our primary responsibility during the next three years, as it has been in the past three, will be the acquisition of these data required to build a predictive understanding of geological fluids.

FIGURE 12. Model chemical diffusion profiles of Sr and Nd determined by Forward Time Center Space explicit differencing of 1-D diffusion equation using a variable Darken diffusivity as defined in text. Actual experimental profiles shown by symbols. Relative concentrations plotted are referenced to the initial compositions of experimental endmember liquids.

WORK PLAN & DIVISION OF RESPONSIBILITY (LDGO/UC DAVIS)

This collaborative project involves several inter-related aspects which will be handled jointly in some cases and more separately in others, between the investigators at LDGO and UC Davis. We summarize the plans and division of responsibilities according to the sections above.

EXPERIMENTAL AND TECHNICAL DEVELOPMENTS

Most of the cost saving strategies for multianvil operation are being, and will continue to be, initiated and tested in the LDGO lab in which Mr. Peter McNutt, our machinist, plays a key role. But, since some of the multianvil experiments will also be done at UC Davis, innovations will doubtless arise there as well. Thus this activity is the responsibility of all the parties collaborating in this research.

The neutron pyrometry experiment to provide calibration of the effect of pressure on thermocouple emf will largely be the responsibility of Walker and Johnson at LDGO in collaboration with Fowler, Hull, and Clark in the UK. In as much as the UC Davis lab will make immediate use of the results, as will other multianvil labs, this project is also of interest to the collaborative effort as a whole. It is also relevant to the DOE effort for the APS high-pressure beam line, being a low-risk trial of this style multianvil.

LIQUID-STATE THERMAL DIFFUSION

Silicate liquids.

This topic has been and will continue to be the principal focus of the LDGO/UC Davis collaboration. In the past, we have extensively explored the compositional controls on silicate systems, and extracted diffusion and solution parameters from the observations. For the proposed renewal period, our joint activities will be to extend our coverage to include the effect of pressure on the compositions we have already studied. Thus our work plan is to divide up those compositions between the two labs and proceed to make observations. Our preliminary results give a sense that there may be some surprises in store. Because of the availability of two presses at LDGO, more of the experimental work can proceed there. However, Leshner's ionprobe expertise and the availability of an FTIR lab at UC Davis dictates that more of the analytical work will proceed under Leshner's auspices.

Isotopic fractionation.

Responsibility for the experimental work for this subproject will be shared by Leshner and Walker. As before, Dr. Kurt Kyser of the Univ. of Saskatchewan will perform the oxygen isotope analyses of experimental run products. All three individuals will contribute to the theoretical analysis and applications of the results.

Volatiles.

This subproject represents a new initiative and will be coordinated by Leshner at UC Davis, where both experiments and FTIR analyses will be undertaken. Johnson and Walker will be responsible for performing some of the high pressure studies in CO₂- and H₂O-bearing silicate

liquids at LDGO. They, along with Lesher, will be responsible for data synthesis and theoretical treatment of the results.

Tektites: case study.

This subproject also represents a new initiative in collaboration with Dr. John Delano at SUNY Albany. The proposed high temperature thermal diffusion studies to test the Delano-Hanson hypothesis will be carried out at UC Davis by Lesher. Delano and Walker will be involved in the interpretation and applications of the results to australite formation.

Polymetallic sulfide liquids.

This subproject will continue in collaboration with Dr. John Jones of NASA/JSC. The experimental work of investigating the behavior of Mn, Cr, V, Ir, W, and Re in sulfide melts will be done at LDGO and is already partly underway in the masters research of Ms. Yu Wang. Lesher at Davis will be involved in the theoretical treatment of the data to extract solution and transport properties for sulfide melts. Jones will also be involved in data synthesis with Walker to examine the coincidence, or lack thereof, of the result with the Jones and Malvin (1990) non-metal interaction model.

Carbonate liquids.

This subproject will also continue in collaboration with Dr. John Jones of NASA/JSC. The experimental and analytical work of investigating the behavior of Mg-Ca carbonates will be undertaken by Walker and Johnson at LDGO. They, in collaboration with Lesher and Jones, will be responsible for theoretical treatment of the results. This will evidently require breaking some new ground if the decidedly different character of the effect in carbonate liquids is a useful guide.

Aqueous sulfate solutions.

The extension of our thermal migration studies from partially molten silicates to aqueous, saturated Li_2SO_4 solutions will be primarily the responsibility of Johnson with assistance from Walker at LDGO. The pilot experiments demonstrate quite clearly that the expected effect can be observed. Detailed observations should allow the extraction of solution and transport coefficients as we have previously done for silicate solutions (see review in Lesher and Walker, 1991).

LIQUID-STATE ISOTHERMAL DIFFUSION

These studies were initiated by Lesher while at LDGO and will continue largely at UC Davis. Self diffusion studies of network formers will continue in collaboration with Dr. Rick Hervig at CSSS/ASU. Walker and Johnson will participate in the high pressure self diffusion studies, and will be involved in establishing links to our microscopic model of thermal diffusion. Proposed Pb, U, and Th self diffusion and chemical diffusion studies will be conducted at Davis, and will utilize the LLNL ion microprobe with the participation of Drs. Doug Phinney and Rick Ryerson. The incorporation of these results into the "Darken" chemical diffusion model will be the responsibility of Lesher, in collaboration with Johnson and Walker.

The budget summaries of the two institutions reflect this division of responsibilities.

REFERENCES

- Adams, E. W. (1963) Aerodynamic analysis of tektites and their hypothetical parent bodies, in Tektites (J.A. O'Keefe, ed.), Univ. of Chicago, 150-166.
- Agee, C. B. and Walker, D. (1988) Static compression and olivine flotation in ultrabasic silicate liquid. J. Geophys. Res., **93**, 3437-3449.
- Anthony, T. R. and Cline, H. E. (1971) Thermal migration of liquid droplets through solids. J. Appl. Phys., **42**, 3380-3387.
- Blichert-Toft, J., Leshner, C. E. and Rosing, M. (1992) Selectively contaminated magmas of the Tertiary East Greenland macrodiike complex. Contrib. Mineral. Petrol., **110**, 154-172.
- Bottinga, Y. and Weill, D. F. (1970) Densities of liquid silicate systems calculated from partial molar volumes of oxide components. Amer. J. Sci., **269**, 169-182.
- Bradshaw, R. L. and Sanchez, F. (1969) Migration of brine cavities in rock salt. J. Geophys. Res., **74**, 4209-4212.
- Burton, J. A. and Slichter, W. P. (1958) The distribution of solute elements: steady state growth. In: Transistor Technology, V.1. (N. E. Bridges, ed.) Van Nostrand, NY, p. 71-106.
- Cassidy, W. A. (1964) Experimental testing of hypotheses of the origin of tektites. Geochim. Cosmochim. Acta, **28**, 999-1008.
- Chao, E. C. T. (1963) Petrographic and chemical characteristics of tektites, in Tektites (J.A. O'Keefe, ed.), Univ. Chicago Press, 51-94.
- Chapman, D. R. and Larson, H. K. (1963) On the lunar origin of tektites. J. Geophys. Res., **68**, 4305-4358.
- Crank, J. (1975) The Mathematics of Diffusion. McGraw-Hill, New York, 414 pp.
- Darken, L. S. (1948) Diffusion, mobility and their interrelation through free energy in binary metallic systems., AIME, 184-201.
- Delano, J. W. and Hanson, B. Z., Soret diffusion in Australasian tektites. (submitted to Geochim. Cosmochim. Acta)
- Fowler, P. H. and Taylor, A. D. (1987) Thermal imaging using epithermal neutrons. Presented at: Neutron Resonance Radiography Workshop, LANL, Los Alamos, NM, USA, July 27-29, 1987, RAL Document 87-056.
- Glass, B. P. (1970) Comparison of the chemical variations in a flange australite with the chemical variation among "normal" Australasian microtektites. Earth Planet. Sci. Lett., **9**, 240-246.
- Getting, I. C. and Kennedy, G. C. (1970) Effect of pressure on the emf of Chromel-Alumel and Platinum-Platinum 10% Rhodium thermocouples. J. Appl. Phys., **41**, 4552-4562.
- Hoekstra, P., Osterkamp, T. E. and Weeks, W. F. (1965) The migration of liquid inclusions in single ice crystals. J. Geophys. Res., **70**, 5035-5041.
- Hofmann, A. W. (1980) Diffusion in natural silicate melts: A critical review, in Physics of Magmatic Processes, R. B. Hargraves, ed., 385-418, Princeton Univ. Press, Princeton, NJ.
- Jones, J. H. and Malvin, D. J. (1990) A non metal interaction model for the segregation of trace metals during solidification of Fe-Ni-S, Fe-Ni-P, and Fe-Ni-S-P alloys. Metall. Trans., **21B**, 697-706.
- Jones, J. H. and Walker, D. (1991a) Thermal diffusion in metal-sulfide liquids: early results. Proc. Lunar Planet. Sci. Conf., **21**, 367-373.
- Jones, J. H. and Walker, D. (1991b) Partitioning of siderophile elements in the Fe-Ni-S system: one bar to 80 kbar. Earth Planet. Sci. Lett., **105**, 127-133.
- Jones, J. H., Walker, D., Pickett, D. A., and Murrell M. T. (1992) An experimental study of partitioning between carbonate and silicate liquids. Lunar Planet. Sci. XXIII, 627-628.

- Kyser, T. K., Leshner, C. E., and Walker, D. (1990) Soret separation of oxygen isotopes in natural silicate liquids. EOS, 71, 1664.
- Leshner, C. E. (1986) Effect of silicate liquid composition on mineral-liquid element partitioning from Soret diffusion studies. J. Geophys. Res., 91, 6123-6141.
- Leshner, C. E. (1991) Chemical and self diffusion of Sr and Nd in naturally-occurring silicate liquids. EOS, 72, 309.
- Leshner, C. E. (1991) Decoupling of chemical and isotopic exchange during magma mixing. Nature, 344, 235-237.
- Leshner, C. E. and Hervig, R. L. (1991) Self-diffusion of network formers (Si and O) in anhydrous basaltic liquid: Preliminary results. EOS, 72, 517.
- Leshner, C. E. and Walker, D. (1986) Solution properties of silicate liquids from thermal diffusion experiments. Geochim. Cosmochim. Acta, 50, 1397-1411.
- Leshner, C. E. and Walker, D. (1988) Cumulate maturation and melt migration in a temperature gradient. J. Geophys. Res., 93, 10295-10311.
- Leshner, C. E. and Walker, D. (1991) Thermal diffusion in petrology. In: Diffusion, Atomic Ordering, and Mass Transport, J. Ganguly, ed., Adv. in Phys. Geochim., V8, 396-457.
- Malvin, D. J., Jones, J. H. and Drake, M. J. (1986) Experimental investigations of trace element fractionation in iron meteorites, III: element partitioning in the system Fe-Ni-S-P. Geochim. Cosmochim. Acta, 50, 1221-1231.
- McKenzie, D. (1985) The extraction of magma from the crust and mantle. Earth Planet. Sci. Lett., 74, 81-91.
- Nelson, D. R., Chivas, A. R., Chappell, B. W., and McCulloch, M. T. (1988) Geochemical and isotopic systematics in carbonatites and implications of the evolution of ocean-island sources. Geochim. Cosmochim. Acta, 52, 1-17.
- Newsom, H. E. (1990) Accretions and core formation in the Earth: Evidence from siderophile elements. In: Origin of the Earth, (Newsom, H. E. and Jones, J. H., eds), Oxford, New York, 273-288.
- Olander, D. R., Machiels, A. J., Balooch, M. and Yagnik, S. K. (1982) Thermal gradient migration of brine inclusions in synthetic alkali halide single crystals. J. Appl. Phys., 53, 669-681.
- Onsager, L. (1931) Reciprocal relations in irreversible processes. Part I. Phys. Rev., 37, 405-426 and Part II. Phys. Rev., 39, 2265-2279.
- Ottino, J. M. (1989) The Kinematics of Mixing: Stretching, Chaos, and Transport. Cambridge Univ. Press, Cambridge, 364 pp.
- Press, H. P., Flannery, B. P., Teukolsky, S. A., and Vetterling, W. T. (1986) Numerical Recipes: The Art of Scientific Computing. Cambridge Univ. Press, Cambridge, 818 pp.
- Rigden, S. M., Ahrens, T. J. and Stolper, E. M. (1988) Shock comparison of molten silicate: results for a model basaltic composition. J. Geophys. Res., 93, 367-382.
- Roedder, E. (1951) Low temperature liquid immiscibility in the system K_2O -FeO- Al_2O_3 - SiO_2 . Amer. Mineral., 36, 282-286.
- Schreiber, B. C. and Walker, D. (1992) Halite pseudomorphs after gypsum: a suggested mechanism. J. Sediment. Petrol., 62, 61-70.
- Sellamuthu, R. and Goldstein, J. I. (1985) Analysis of segregation trends observed in iron meteorites using measured distribution coefficients. Proc. Lunar Planet. Sci. Conf., 15, JGR, 90, C677-C688.
- Shimizu, N. and Kushiro, I. (1984) Diffusivity of oxygen in jadeite and diopside melts at high pressures. Geochim. Cosmochim. Acta, 48, 1295-1303.

- Soret, C. (1879) Concentrations differences d'une dissolution dont deux parties sont à des températures différentes. Ach. Sci. Phys. Natur., 2, 48-61.
- Stein, C. L. and McTigue, D. F. (1992) Thermal migration of fluid inclusions: post-test analysis of heated salt from the waste isolation pilot plant (WIPP). Sandia National Laboratories, document SAND89-0751, unlimited release, 55 pp.
- Stolper, E. (1982) Water in silicate glass: An infrared spectroscopic study. Contrib. Mineral. Petrol., 81, 1-17.
- Stolper, E. M. and Ahrens, T. J. (1987) On the nature of pressure-induced coordination changes in silicate melts and glasses. Geophys. Res. Lett., 14, 1231-1233.
- Taylor, H. P. and Epstein, S. (1969) Correlations between O^{18}/O^{16} ratios and chemical compositions of tektites. J. Geophys. Res., 74, 6834-6844.
- Taylor, S. R. (1973) Tektites: a post-Apollo view. Earth Sci. Reviews, 9, 101-123.
- Varshneya, A. K. and Cooper, A. R. (1969) Inhomogeneities and iron diffusion in a Thailand tektite. J. Geophys. Res., 74, 6845-6852.
- Walker, D. (1991) Lubrication, gasketing, and precision in multianvil experiments. Am. Mineral., 76, 1092-1100.
- Walker, D. and Jones, J. H. (1991) Experimental partitioning of Nb, Mo, Ba, Ce, Pb, Th, and U between carbonate and silicate liquids. EOS, 72, 574.
- Walker, D., Carpenter, M. A., and Hitch, C. M. (1990) Some simplifications to multianvil devices for high pressure experiments. Am. Mineral., 75, 1020-1028.
- Wallace, M. S. and Green, D. H. (1988) An experimental determination of primary carbonatite magma composition. Nature, 335, 343-346.
- Walter, L. S., and Clayton, R. N. (1967) Oxygen isotopes: Experimental vapor fractionation and variations in tektites. Science, 156, 1357-1358.
- Watson, E. B. (1979) Calcium diffusion in a simple silicate melt to 30 kbar. Geochim. Cosmochim. Acta, 43, 313-322.
- Watson, E. B. (1982) Basalt contamination by continental crust: some experiments and models. Contrib. Mineral. Petrol., 56, 119-134.
- Williams, D.C. and Kennedy, G. L. (1969) Melting curve of diopside to 50 kilobars. J. Geophys. Res., 74, 4359-4366.

Reprints & Preprints removed

END

**DATE
FILMED**

2 / 17 / 93