2
EGG-FSP-9865

APR 27 1992

**Idaho
National
Engineering
Laboratory**

*Managed
by the U.S.
Department
of Energy*

**A COMPARISON OF DOSE AND DOSE-RATE
CONVERSION FACTORS FROM THE SOVIET UNION,
UNITED KINGDOM, U.S. DEPARTMENT OF ENERGY,
AND THE IDAHO NATIONAL ENGINEERING
LABORATORY FUSION SAFETY PROGRAM**

**ARTHUR S. ROOD
MICHAEL L. ABBOTT**

Published December 1991

**EG&G Idaho, Inc.
Idaho Falls, Idaho 83415**

*Work performed under
DOE Contract
No. DE-AC07-76ID01570*

**Prepared for the
U. S. Department of Energy
Idaho Operations Office
Under DOE Contract No. DE-AC07-76ID01570**

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

This document contains new concepts or the author(s) interpretation of new calculations and/or measurements; accordingly, EG&G Idaho, Inc. is required by the United States Government to include the following disclaimer:

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights. References herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

EGG-FSP--9865

DE92 012221

**A COMPARISON OF DOSE AND DOSE-RATE CONVERSION FACTORS FROM THE
SOVIET UNION, UNITED KINGDOM, U.S. DEPARTMENT OF ENERGY, AND THE
IDAHO NATIONAL ENGINEERING LABORATORY FUSION SAFETY PROGRAM**

**ARTHUR S. ROOD
MICHAEL L. ABBOTT**

Published December 1991

**EG&G Idaho, Inc.
Idaho Falls, Idaho 83415**

**Prepared for the
U.S. Department of Energy
Idaho Operations Office
Under DOE Contract No. DE-AC07-76ID01570**

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

ABSTRACT

Several independent data sets of radiological dose and dose-rate conversion factors (DCF/DRCF) have been tabulated or developed by the international community both for fission and fusion safety purposes. This report compares data sets from the U.S. Department of Energy (DOE), the Soviet Union (USSR), and the United Kingdom (UK) with those calculated by the Idaho National Engineering Laboratory Fusion Safety Program (FSP). The objectives were to (1) identify trends and potential outlying values for specific radionuclides and (2) contribute to a future benchmark evaluation of the CARR (Consequences of Accidental Radioactive Releases)¹, computer code.

Fifty-year committed effective dose equivalent (CEDE) factors were compared for the inhalation and ingestion pathways. External effective dose equivalent (EDE) rates were compared for the air immersion and ground surface exposure pathways. Comparisons were made by dividing dose factors in the different data bases by the values in the FSP data base (e.g. Soviet DCF/FSP DCF).

Differences in DCF/DRCF values less than a factor of 2 were considered to be in good agreement and are likely due to the use of slightly different decay data, variations in the number of organs considered for calculating CEDE, and rounding errors. The percentages of comparisons within a factor of 2 for individual pathways (inhalation, ingestion, immersion, and ground surface) were: (1) DOE: 91%, 96%, 87%, and 85%; (2) Soviet: 79%, 94%, 81%, and 63%; (3) UK: 82%, 90% (The UK data set contains only inhalation and ingestion DCF values). DCF/DRCF values that differed by greater than a factor of 10 were considered to be significant. These differences are attributed primarily to the use of different radionuclide decay data, selection and nomenclature for different isomeric states, treatment of progeny radionuclides, differences in calculational methodology, and assumptions on a radionuclide's chemical form. The percentages of values greater than a factor of 10 for the individual pathways were: (1) DOE: 0.0%, 0.99%, 5.1%, and 6.3%; (2) Soviet: 8.5%, 1.7%, 4.5%, and 8.4%; (3) UK: 0.6%, 1.5%.

ACKNOWLEDGMENTS

The authors would like to thank Dr. Steven Fetter of University of Maryland, Dr. Valentin Beliaev of the Soviet Union, and Dr. Robin Forrest of the United Kingdom for their assistance and cooperation in providing dose conversion factor information for this project. The authors would also like to thank Dr. Steven Piet and Lee Cadwallader of the Idaho National Engineering Laboratory, Fusion Safety Program for their helpful comments and overall support of this project.

CONTENTS

ABSTRACT	ii
1.0 INTRODUCTION	1
2.0 METHOD OF COMPARISON	2
3.0 RESULTS	4
3.1 DOE/Fetter Comparison	4
3.1.1 Inhalation	4
3.1.2 Ingestion	9
3.1.3 Immersion	14
3.1.4 Ground Surface	19
3.2 Soviet/Fetter Comparison	24
3.2.1 Inhalation	24
3.2.2 Ingestion	28
3.2.3 Immersion	32
3.2.4 Ground Surface	36
3.3 UK/Fetter Comparison	40
3.3.1 Inhalation	40
3.3.2 Ingestion	45
3.4 ITER/BPX Radionuclides	50
4.0 DISCUSSION OF DIFFERENCES	56
4.1 Radionuclide Decay Data	56
4.2 Isotope and Chemical Form.....	57
4.3 Treatment of Daughter Radionuclides	59
4.3.1 Internal DCFs	59
4.3.2 External DRCFs	60
4.4 Methodology Differences	
4.4.1 Soviet/Fetter External Methodology	62
4.4.2 UK Internal Methodology	63
4.4.3 Fetter Internal Methodology	63
4.4.4 DOE External Methodology	64
4.5 ITER/BPX Isotope Evaluation	65
5.0 REFERENCES	71

CONTENTS (continued)

APPENDIX A -DEFINITION OF TERMS	A-1
APPENDIX B -DOSE CONVERSION FACTORS CALCULATED BY S. FETTER.....	B-1
APPENDIX C -DEPARTMENT OF ENERGY DOSE CONVERSION FACTORS.....	C-1
APPENDIX D -DOSE CONVERSION FACTORS FROM THE SOVIET UNION.....	D-1
APPENDIX E -DOSE CONVERSION FACTORS FROM THE UNITED KINGDOM.....	E-1

FIGURES

1.	Histogram of DOE/Fetter DCF ratios for the inhalation pathway ...	8
2.	Histogram of DOE/Fetter DCF ratios for the ingestion pathway	13
3.	Histogram of DOE/Fetter DRCF ratios for the immersion pathway ...	18
4.	Histogram of DOE/Fetter DRCF ratios for the ground surface pathway	23
5.	Histogram of Soviet/Fetter DCF ratios for the inhalation pathway	27
6.	Histogram of Soviet/Fetter DCF ratios for the ingestion pathway	31
7.	Histogram of Soviet/Fetter DRCF ratios for the immersion pathway	35
8.	Histogram of Soviet/Fetter DRCF ratios for the ground surface pathway	39
9.	Histogram of UK/Fetter DCF ratios for the inhalation pathway	44
10.	Histogram of UK/Fetter DCF ratios for the ingestion pathway	49
11.	Comparison of Fetter, DOE, Soviet, and UK inhalation DCFs for critical fusion radionuclides	52
12.	Comparison of Fetter, DOE, Soviet, and UK ingestion DCFs for critical fusion radionuclides	53
13.	Comparison of Fetter, DOE, Soviet, and UK immersion DRCFs for critical fusion radionuclides	54
14.	Comparison of Fetter, DOE, Soviet, and UK ground surface DRCFs for critical fusion radionuclides	55

TABLES

1.	DOE/Fetter DCF ratios for the inhalation pathway	5
2.	DOE/Fetter DCF ratios for the ingestion pathway	10
3.	DOE/Fetter DRCF ratios for the immersion pathway	15
4.	DOE/Fetter DRCF ratios for the ground surface pathway	20
5.	Soviet/Fetter DCF ratios for the inhalation pathway	25
6.	Soviet/Fetter DCF ratios for the ingestion pathway	29
7.	Soviet/Fetter DRCF ratios for the immersion pathway	33
8.	Soviet/Fetter DRCF ratios for the ground surface pathway	37
9.	UK/Fetter DCF ratios for the inhalation pathway	41
10.	UK/Fetter DCF ratios for the ingestion pathway	46
11.	Reasons for differences in DCFs/DRCFs for high priority fusion radionuclides	67
B-1	Fetter dose conversion factors for the inhalation and ingestion pathway	B-1
B-2	Fetter dose rate conversion factors for ground surface and immersion pathways	B-8
C-1	DOE dose conversion factors for the inhalation and ingestion pathways	C-1
C-2	DOE dose rate conversion factors for the ground surface and immersion pathways	C-21
D-1	Soviet dose conversion factors for the inhalation and ingestion pathways	D-1
D-2	Soviet dose rate conversion factors for the ground surface and immersion pathways	D-12
E-1	UK dose conversion factors for the inhalation and ingestion pathways	E-1

**A COMPARISON OF DOSE AND DOSE-RATE CONVERSION FACTORS FROM THE
SOVIET UNION, UNITED KINGDOM, U.S DEPARTMENT OF ENERGY, AND THE
IDAHO NATIONAL ENGINEERING LABORATORY FUSION SAFETY PROGRAM**

1.0 INTRODUCTION

The development of internal dose and external dose-rate conversion factors for potential fusion radionuclides is a critical element in the assessment of fusion safety and environmental impacts. Internal dose conversion factors (DCF) represent the dose equivalent per unit intake of a radionuclide (Sv/Bq) and have been calculated for the inhalation and ingestion exposure pathways. External dose-rate conversion factors (DRCF) represent the dose-rate per unit environmental concentration and have been calculated for air immersion (Sv/s per Bq/m³) and ground surface exposure pathways (Sv/s per Bq/m²). Several independent data sets of these dose factors have been tabulated or developed by the international community both for fission and fusion safety purposes.

The scope of this study was limited to comparison of (1) the 50-year committed effective dose equivalent (CEDE) for internal exposure (inhalation and ingestion) and (2) the effective dose equivalent (EDE) rate for external exposure. In accordance with ICRP Publication 30 methodology², these effective dose equivalents are the sum of specific organ dose equivalents weighted according to the organ's relative susceptibility to radiation induced cancer. Individual organ EDEs for many radionuclides are provided in the Supplements to ICRP Publication 30². No individual organ dose factors were compared.

2.0 METHODS OF COMPARISON

Internal dose conversion factors (DCF) and external dose-rate conversion factors (DRCF) were obtained in hardcopy and ASCII format from four sources: the United Kingdom (UK)³, Soviet Union⁴, U.S. Department of Energy (DOE)^{5,6} and Idaho National Engineering Laboratory (INEL) Fusion Safety Program (FSP)^{7,8}. Dose factors from FSP were reported by Fetter and will be referred to as the Fetter DCF/DRCF data base in this report. The Soviet, DOE and Fetter data bases contained DCF/DRCF values for inhalation, ingestion, air immersion and ground surface pathways. The UK data base contained DCF values for the ingestion and inhalation pathways only. Dose factors for water immersion were not compared because Fetter did not consider this pathway. Soil external DRCF were reported by Fetter but not compared because comparable DCFs were lacking from both the UK and DOE data bases. All of the DOE and Soviet, and many of the UK internal DCF values are reportedly taken directly from the ICRP Supplements.

The Fetter database contained 384 ingestion and inhalation DCFs and 396 immersion and ground surface DRCFs. The Soviet database contained 304 inhalation DCFs, 232 ingestion DCFs, 294 immersion DRCFs and 270 ground surface DRCFs. The DOE data base contained 759 inhalation and ingestion DCFs and 496 immersion and ground surface DRCFs. The UK data base contained 1051 inhalation and ingestion DCFs. Dose conversion factor values from each data base and for each pathway considered are reported in the Appendices.

Dose conversion factor comparisons were made relative to Fetter's DCF/DRCF values which are currently being used in FSP safety and environmental assessments. Comparisons were made by dividing the Fetter DCF/DRCF into the corresponding other DCF/DRCF. Ratio values greater than 1.0 indicated the Fetter DCF/DRCF was lower than the other DCF/DRCF, and ratio values of less than 1.0 indicated the Fetter DCF/DRCF was greater than the other DCF/DRCF. A value of zero was assigned to the ratio when the Fetter DCF/DRCF was equal to zero.

The ICRP methodology calculates DCF values based on lung clearance class

(LCC) and gut absorption (f1) value. The LCC and the f1 value describe the radionuclide's metabolic behavior (retention) in the body and are determined by the chemical form of the radionuclide. Many radionuclides, therefore, have more than one DCF value depending on the chemical state. Fetter considered only the oxide chemical form for each radionuclide because it was the most appropriate for high temperature fusion releases. Only DCF values for the oxide LCC and f1 were selected from the DOE and Soviet data bases for comparison to Fetter values. In the UK data base, only a single CEDE value was given for each radionuclide. This value was selected from the highest CEDE value (worst-case LCC and f1 value) given in ICRP Publication 30 and reference 9 and, therefore, did not always represent the oxide form. No attempt was made in this analysis to determine the chemical form that the UK values represented. However, to provide as much information as possible, UK/Fetter comparisons were still made for all matching radionuclides.

Dose conversion factor ratio values were separated into four groups. These groups were as follows:

- Comparison DCF/DRCF values greater than a factor of 10 different than the corresponding Fetter DCF/DRCF.
- Comparison DCF/DRCF values between a factor of 5 and factor of 10 different than the corresponding Fetter DCF/DRCF.
- Comparison DCF/DRCF values between a factor of 2 and factor of 5 different than the corresponding Fetter DCF/DRCF.
- Comparison DCF/DRCF values less than a factor of 2 different than the corresponding Fetter DCF/DRCF.

The ratio values were also separated into nine bins and plotted as histograms. Ratios with values of zero were excluded from the evaluation but reported in the output tables.

3.0 RESULTS

Results are reported by the source of the data base (DOE, Soviet and UK) that was compared with the Fetter values and by pathway (inhalation, ingestion, immersion, and ground surface). Complete listings of the Fetter DCF/DRCF data sets are presented in Appendix A.

3.1 DOE/Fetter DCF/DRCF Comparison

The DOE DCF/DRCF values used in this study for the inhalation, ingestion, immersion and ground surface pathways are listed in Appendix B.

3.1.1 DOE/Fetter Inhalation

DOE/Fetter inhalation DCF ratios are presented in Table 1 and Figure 1. Only nuclides with the same lung clearance class^a and fl values as reported by Fetter were compared. Fetter considered only the oxide form of the nuclides because it was the most appropriate chemical form for releases derived from high temperature fusion. Ratios were computed for a total of 304 matching nuclides. Of that total, 91% of the DOE DCFs were within a factor of 2 of the Fetter DCF values, 8.2% were greater than a factor of 2 but less than a factor of 5, and 0.66% were greater than a factor of 5 but less than a factor of 10 different than the Fetter DCF values. There were no DOE values greater than a factor of 10 different than the Fetter DCF values.

a. The lung clearance class (LCC) defines the time period required for clearance of the radionuclide from the lung. Three clearance classes have been defined by ICRP: Days (D), Weeks (W), Years (Y).

Table 1. DOE/Fetter DCF ratios for the inhalation pathway

Greater than 10x ^a Ratio Nuclide	Less than 2x ^d Ratio Nuclide	Less than 2x Ratio Nuclide
none	5.02E-01 Lu-178	6.97E-01 Co-60
	5.04E-01 Rh-103m	6.99E-01 I-133
Greater than 5x ^b and less than 10x Ratio Nuclide	5.04E-01 Zn-71m	7.02E-01 Cl-39
	5.05E-01 Hg-199m	7.03E-01 Pm-143
	5.07E-01 Sc-49	7.09E-01 Br-80
	5.08E-01 In-115m	7.29E-01 Y-91m
1.11E-01 Ra-226	5.09E-01 Ge-75	7.37E-01 Re-184
5.55E+00 Te-131	5.09E-01 Y-92	7.44E-01 Rh-102
	5.10E-01 Ho-164m	7.44E-01 Ag-108m
Greater than 2x ^c and less than 5x Ratio Nuclide	5.15E-01 Zn-69	7.45E-01 Y-93
	5.16E-01 Ga-68	7.52E-01 Sb-126
	5.18E-01 As-78	7.53E-01 Y-88
	5.34E-01 Mo-101	7.55E-01 Gd-159
2.47E-01 Ra-228	5.34E-01 Sn-121m	7.58E-01 Hg-203
4.08E-01 Au-198	5.36E-01 Lu-176m	7.59E-01 Ga-72
4.13E-01 In-116m	5.41E-01 Ag-106	7.71E-01 F-18
4.47E-01 I-135	5.58E-01 Hf-183	7.72E-01 Cr-51
4.51E-01 Sb-126m	5.73E-01 U-240	7.73E-01 Pm-146
4.52E-01 Mn-52m	5.81E-01 Ta-186	7.76E-01 Al-26
4.54E-01 Mn-56	5.91E-01 Ge-77	7.77E-01 Nb-95
4.64E-01 Lu-178m	5.91E-01 Ir-192m	7.78E-01 Nb-96
4.64E-01 Hf-177m/g	5.98E-01 Cu-64	7.78E-01 Zr-97
4.71E-01 Zn-63	5.98E-01 Sr-90	7.80E-01 I-134
4.76E-01 Ho-164	5.99E-01 Ta-182m	7.81E-01 Fe-59
4.79E-01 Y-94	6.03E-01 Sc-44	7.82E-01 I-128
4.80E-01 Nb-97	6.09E-01 Sb-129	7.85E-01 Re-188
4.81E-01 Tc-101	6.16E-01 Co-60m	7.87E-01 Re-188m
4.83E-01 Ni-65	6.22E-01 Nd-141	7.91E-01 V-48
4.89E-01 Co-62m	6.33E-01 Nd-149	7.92E-01 As-76
4.89E-01 Te-129	6.35E-01 Tc-99m	7.93E-01 Na-24
4.90E-01 Cr-49	6.42E-01 U-239	7.93E-01 Nb-90
4.92E-01 Si-31	6.46E-01 Co-58	7.95E-01 K-43
4.93E-01 Co-61	6.49E-01 H-3	7.97E-01 Ir-194
4.97E-01 Ga-70	6.50E-01 Ag-110m	7.97E-01 Pr-142
2.36E+00 Pt-193m	6.55E-01 Rb-88	7.98E-01 Sc-48
2.45E+00 I-126	6.71E-01 Mg-28	7.99E-01 Ra-224
2.52E+00 Te-123m	6.71E-01 Mo-93m	8.01E-01 Ca-47
4.24E+00 Pt-193	6.72E-01 Sc-46	8.03E-01 Mo-93
5.01E-01 Ta-185	6.74E-01 Zn-69m	8.03E-01 Pd-109
5.01E-01 Ti-45	6.81E-01 Cl-38	8.07E-01 K-42
	6.82E-01 Er-171	8.11E-01 Be-7
	6.84E-01 Co-58m	8.12E-01 Sm-153
	6.85E-01 Sn-126	8.13E-01 Ni-63
	6.96E-01 Bi-207	8.14E-01 Sn-121

Table 1. DOE/Fetter DRCF ratios for the inhalation pathway (continued)

Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide
8.16E-01 Zr-95	8.83E-01 Sn-119m	9.40E-01 Th-234
8.18E-01 W-179	8.84E-01 Pb-202	9.42E-01 Ho-166m/
8.19E-01 C-14	8.86E-01 Ce-139	9.44E-01 Lu-176
8.19E-01 As-74	8.87E-01 Rh-101m	9.44E-01 Pa-232
8.20E-01 Ba-139	8.91E-01 Hg-197m	9.46E-01 Cs-137
8.21E-01 Sc-47	8.92E-01 Pm-149	9.46E-01 Sm-146
8.22E-01 Ni-59	8.92E-01 Ir-194m	9.47E-01 Rb-86
8.23E-01 Os-194	8.93E-01 Tb-161	9.47E-01 Ce-141
8.24E-01 V-49	8.94E-01 W-185	9.48E-01 Ag-106m
8.26E-01 La-140	8.95E-01 K-40	9.48E-01 Ti-44
8.27E-01 Te-129m	8.95E-01 Br-80m	9.49E-01 Er-169
8.28E-01 Ir-192	8.98E-01 Nd-147	9.50E-01 Sm-147
8.28E-01 Hf-182	8.99E-01 Hf-179m/g	9.50E-01 Mn-52
8.29E-01 Os-189m	9.02E-01 Y-91	9.50E-01 Ba-133m
8.31E-01 Nb-95m	9.02E-01 Ra-223	9.50E-01 Te-121m
8.32E-01 As-77	9.06E-01 Ta-180m	9.51E-01 Ce-144
8.34E-01 Sb-124	9.09E-01 Hg-197	9.54E-01 Fe-60
8.35E-01 Th-231	9.09E-01 Ir-190m	9.55E-01 Th-232
8.36E-01 Ge-69	9.09E-01 Ag-111	9.55E-01 Pu-238
8.38E-01 Si-32	9.09E-01 In-115	9.59E-01 U-236
8.41E-01 Ni-57	9.09E-01 Th-228	9.61E-01 Sm-151
8.42E-01 Co-57	9.10E-01 Re-187	9.62E-01 U-233
8.44E-01 Sb-125	9.12E-01 Ca-45	9.62E-01 Ra-225
8.45E-01 Te-121	9.14E-01 Y-90	9.62E-01 Os-191
8.46E-01 W-187	9.17E-01 Sn-123	9.62E-01 Re-186
8.48E-01 Lu-174	9.22E-01 Ta-184	9.63E-01 Lu-174m
8.49E-01 Rh-105	9.23E-01 Ac-225	9.63E-01 S-35
8.53E-01 Tc-98	9.23E-01 Tc-97	9.63E-01 Pu-242
8.56E-01 Y-90m	9.28E-01 Po-210	9.64E-01 Hf-181
8.56E-01 Rh-101	9.28E-01 Br-82	9.65E-01 Se-75
8.59E-01 Mn-53	9.28E-01 Fe-55	9.66E-01 Gd-148
8.61E-01 Mo-99	9.28E-01 Ac-227	9.70E-01 Bi-210
8.61E-01 La-137	9.30E-01 Au-198m	9.73E-01 Zr-93
8.62E-01 Ta-182	9.30E-01 Nb-93m	9.74E-01 Pu-239
8.64E-01 Sb-122	9.31E-01 Tc-96	9.74E-01 Pu-240
8.66E-01 Nb-94	9.31E-01 Se-79	9.74E-01 Sr-91
8.67E-01 W-188	9.31E-01 Pb-209	9.76E-01 Ba-140
8.68E-01 In-114m	9.32E-01 Pa-233	9.76E-01 Bi-210m
8.69E-01 Lu-177	9.33E-01 Te-125m	9.77E-01 Ta-183
8.70E-01 Zr-89	9.34E-01 Pu-236	9.78E-01 U-234
8.71E-01 Re-189	9.34E-01 Pb-210	9.79E-01 Pt-197
8.71E-01 Ac-228	9.35E-01 Mn-54	9.80E-01 Th-227
8.75E-01 Pm-147	9.37E-01 Sc-44m	9.81E-01 Th-229
8.75E-01 Tl-204	9.38E-01 Gd-152	9.86E-01 Cl-36
8.79E-01 Tm-170	9.38E-01 I-132	9.90E-01 Sr-85
8.82E-01 Zn-65	9.39E-01 Tm-171	9.91E-01 U-235

Table 1. DOE/Fetter DCF ratios for the inhalation pathway (continued)

Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide
9.93E-01 Th-230	1.02E+00 Cs-136	1.18E+00 Ta-179
9.94E-01 Pu-241	1.03E+00 I-130	1.20E+00 I-129
9.97E-01 Tb-160	1.05E+00 Ir-190	1.23E+00 Be-10
1.00E+00 Pa-231	1.06E+00 Hf-178m	1.23E+00 Au-194
1.00E+00 Sn-113	1.06E+00 La-138	1.31E+00 W-181
1.00E+00 Te-132	1.06E+00 Dy-159	1.32E+00 Hf-175
1.00E+00 Cs-134	1.07E+00 I-131	1.32E+00 Rb-84
1.01E+00 U-232	1.07E+00 Ca-41	1.34E+00 Pb-205
1.01E+00 Ba-133	1.08E+00 P-32	1.36E+00 Rb-87
1.01E+00 Na-22	1.09E+00 Cs-135	1.37E+00 Re-184m
1.01E+00 Pd-107	1.09E+00 Hg-194	1.38E+00 Pb-203
1.01E+00 Cs-132	1.10E+00 Tc-99	1.41E+00 Tb-157
1.01E+00 Tl-202	1.11E+00 Tb-158	1.81E+00 Te-131m
1.01E+00 Pt-197m	1.12E+00 Pm-145	1.83E+00 Lu-177m
1.02E+00 Pu-244	1.13E+00 P-33	1.93E+00 Rh-102m
1.02E+00 Te-123	1.16E+00 Sr-89	
1.02E+00 U-238	1.18E+00 Re-186m	

(a) The DCF ratio is greater than 10 or less than 0.1

(b) The DCF ratio is greater than 5 or less than 0.2 and the DRCF ratio is less than 10 and greater than 0.1

(c) The DCF ratio is greater than 2 or less than 0.1 and the DRCF ratio is less than 5 and greater than 0.2

(d) The DCF ratio is less than 2 and greater than 0.5

Note: If the isomer designations differ between the comparison DCF and the Fetter DCF then the comparison DCF isomer designation is given first followed by the Fetter isomer designation.

Figure 1. Histogram of DOE/Fetter DCF ratios for the inhalation pathway.

3.1.2 DOE/Fetter Ingestion

DOE/Fetter ingestion DCF ratios are presented in Table 2 and Figure 2. Only nuclides with similar f1 values as reported by Fetter were compared. Ratios were computed for a total of 303 matching nuclides. Of that total, 96% of the DOE DCFs were within a factor of 2 of the Fetter DCF values, 2.6% were greater than a factor of 2 but less than a factor of 5, 0.66% were greater than a factor of 5 but less than a factor of 10, and 0.99% were greater than a factor of 10.

Table 2. DOE/Fetter DCF ratios for the ingestion pathway.

Greater than 10x ^a Ratio Nuclide	Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide
3.32E-02 Ra-226	7.12E-01 Br-80m	9.03E-01 Hf-183
9.76E-02 Ra-228	7.12E-01 Ta-182m	9.03E-01 Ra-223
1.69E+01 Pt-193	7.13E-01 Mo-101	9.04E-01 Br-82
	7.26E-01 Lu-178	9.06E-01 Co-61
Greater than 5x ^b and less than 10x Ratio Nuclide	7.27E-01 Ta-186	9.06E-01 Cu-64
	7.30E-01 Zn-63	9.09E-01 Al-26
	7.32E-01 Co-60m	9.09E-01 Nb-95m
	7.45E-01 U-240	9.10E-01 Sc-46
1.25E-01 U-232	7.47E-01 Mo-93	9.10E-01 Nb-95
5.64E+00 Te-131	7.48E-01 Ge-77	9.10E-01 Y-88
	7.69E-01 Ra-225	9.11E-01 I-132
Greater than 2x ^c and less than 5x Ratio Nuclide	7.73E-01 K-42	9.15E-01 Sc-48
	7.80E-01 Zn-69	9.18E-01 Pb-209
	7.87E-01 I-133	9.21E-01 As-74
	7.92E-01 W-185	9.22E-01 Se-75
4.28E-01 Ir-192m	7.93E-01 Nb-94	9.24E-01 Ac-225
4.62E-01 I-135	7.96E-01 Hg-199m	9.27E-01 V-48
4.75E-01 Au-198	7.97E-01 Sc-49	9.28E-01 Bi-210m
2.02E+00 Re-184m	8.03E-01 Rh-103m	9.33E-01 Zn-71m
2.02E+00 Te-131m	8.06E-01 Te-129	9.40E-01 Ni-57
2.59E+00 Te-123m	8.10E-01 Ag-106	9.42E-01 Gd-152
2.66E+00 I-126	8.10E-01 Ta-185	9.43E-01 Bi-207
3.02E+00 Pt-193m	8.19E-01 Rh-102	9.44E-01 Pm-146
	8.24E-01 Cr-49	9.45E-01 In-115m
Less than 2x ^d Ratio Nuclide	8.25E-01 Ho-164m	9.45E-01 Pb-210
	8.33E-01 Si-32	9.46E-01 Y-91m
5.21E-01 Ge-75	8.47E-01 Ba-139	9.48E-01 Fe-60
5.24E-01 Cl-39	8.50E-01 Po-210	9.49E-01 Mn-52
5.47E-01 Cl-38	8.51E-01 Te-132	9.51E-01 Ti-45
5.63E-01 Rb-88	8.54E-01 U-239	9.55E-01 Sb-122
5.78E-01 Sb-126m	8.76E-01 K-43	9.55E-01 Mn-56
5.85E-01 Sr-90	8.79E-01 Na-24	9.55E-01 Te-121
5.90E-01 Sn-121m	8.82E-01 Pb-202	9.55E-01 As-77
6.19E-01 Mn-52m	8.84E-01 Sn-126	9.58E-01 Sm-151
6.25E-01 Y-94	8.84E-01 Hf-177m/g	9.60E-01 Zr-95
6.26E-01 Br-80	8.85E-01 Nb-97	9.60E-01 In-114m
6.28E-01 Tc-101	8.85E-01 Sc-47	9.62E-01 Cr-51
6.47E-01 Co-62m	8.87E-01 Be-7	9.63E-01 Th-228
6.52E-01 F-18	8.87E-01 Sb-126	9.64E-01 Sb-129
6.67E-01 Lu-178m	8.92E-01 Hf-182	9.65E-01 Ni-65
6.71E-01 Ga-70	8.92E-01 Ti-44	9.66E-01 Co-58
6.80E-01 I-128	8.95E-01 Mo-93m	9.66E-01 Th-230
6.84E-01 I-134	8.96E-01 Tl-204	9.67E-01 La-140
6.85E-01 H-3	8.98E-01 As-78	9.67E-01 Mo-99
6.98E-01 Ho-164	8.98E-01 W-188	9.68E-01 Ag-111
7.05E-01 Os-194	9.02E-01 In-115	9.71E-01 Sm-153
	9.02E-01 In-116m	9.72E-01 Zn-65

Table 2. DOE/Fetter DCF ratio for the ingestion pathway (continued).

Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide
9.74E-01 Ba-140	1.00E+00 S-35	1.04E+00 Sc-44
9.75E-01 W-179	1.00E+00 Pa-232	1.04E+00 Rh-105
9.75E-01 Co-58m	1.00E+00 Pu-236	1.04E+00 Er-171
9.76E-01 Nd-149	1.00E+00 Fe-59	1.04E+00 Pd-107
9.77E-01 Lu-176m	1.00E+00 Bi-210	1.05E+00 La-138
9.78E-01 Se-79	1.00E+00 Ac-227	1.05E+00 Rh-101
9.78E-01 Lu-176	1.00E+00 Sb-124	1.05E+00 Na-22
9.78E-01 Nb-90	1.01E+00 Ra-224	1.05E+00 Ir-194
9.78E-01 Sm-147	1.01E+00 Pm-147	1.05E+00 Ag-110m
9.80E-01 Si-31	1.01E+00 Ca-47	1.05E+00 Th-227
9.80E-01 Ni-63	1.01E+00 Pu-239	1.05E+00 Pr-142
9.82E-01 Mn-53	1.01E+00 Cs-136	1.05E+00 Er-169
9.82E-01 Ag-106m	1.01E+00 Pu-238	1.05E+00 Tm-170
9.83E-01 Hg-203	1.01E+00 Ta-182	1.05E+00 Cs-134
9.84E-01 Pu-241	1.01E+00 Te-129m	1.05E+00 La-137
9.85E-01 Tc-96	1.01E+00 Zr-97	1.05E+00 Te-121m
9.85E-01 Lu-177	1.01E+00 Tm-171	1.06E+00 Ir-190m
9.85E-01 Mg-28	1.01E+00 Lu-174m	1.06E+00 Cs-132
9.85E-01 Zr-89	1.01E+00 Sn-123	1.06E+00 Sb-125
9.85E-01 Mn-54	1.01E+00 Pt-197	1.06E+00 Tl-202
9.86E-01 Gd-148	1.01E+00 Ga-72	1.06E+00 Ba-133m
9.88E-01 Rb-86	1.01E+00 Ir-192	1.06E+00 Th-234
9.89E-01 Th-229	1.01E+00 Ho-166m/	1.06E+00 P-32
9.89E-01 Co-60	1.02E+00 Y-90	1.06E+00 Hg-194
9.89E-01 Tb-161	1.02E+00 I-130	1.06E+00 Fe-55
9.90E-01 Y-92	1.02E+00 Gd-159	1.06E+00 Ba-133
9.90E-01 W-187	1.02E+00 Pd-109	1.06E+00 Pa-233
9.91E-01 Zn-69m	1.02E+00 Pu-240	1.06E+00 Tb-158
9.91E-01 Sm-146	1.02E+00 Y-90m	1.06E+00 Sr-89
9.91E-01 Sn-119m	1.02E+00 Ta-183	1.07E+00 Sn-121
9.91E-01 Nd-147	1.02E+00 Hf-179m/g	1.07E+00 Os-191
9.92E-01 Nb-96	1.03E+00 Pu-242	1.07E+00 Ag-108m
9.93E-01 Zr-93	1.03E+00 Y-93	1.07E+00 Sr-91
9.93E-01 Cs-137	1.03E+00 Th-232	1.07E+00 Cl-36
9.95E-01 Te-125m	1.03E+00 Ge-69	1.07E+00 Te-123
9.96E-01 K-40	1.03E+00 Ac-228	1.08E+00 Sc-44m
9.96E-01 Lu-174	1.03E+00 Pt-197m	1.08E+00 Ce-144
9.96E-01 Rh-101m	1.03E+00 As-76	1.08E+00 Hg-197m
1.00E+00 Ce-141	1.03E+00 Pu-244	1.08E+00 Nb-93m
1.00E+00 Sr-85	1.04E+00 Ga-68	1.08E+00 Ir-194m
1.00E+00 Pm-149	1.04E+00 V-49	1.09E+00 Ca-41
1.00E+00 Pm-143	1.04E+00 Y-91	1.10E+00 Ce-139
1.00E+00 Co-57	1.04E+00 Pa-231	1.12E+00 Tb-160

Table 2. (continued)

Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide
1.12E+00 Hf-181	1.19E+00 U-234	1.26E+00 Os-189m
1.13E+00 U-233	1.19E+00 Hf-178m	1.27E+00 Ta-179
1.13E+00 P-33	1.20E+00 U-238	1.29E+00 Pb-203
1.13E+00 Ir-190	1.20E+00 Nd-141	1.30E+00 Tc-97
1.13E+00 Sn-113	1.20E+00 Re-188m	1.32E+00 Hf-175
1.15E+00 Th-231	1.20E+00 Re-188	1.32E+00 Au-194
1.15E+00 I-131	1.21E+00 U-236	1.33E+00 W-181
1.15E+00 Dy-159	1.22E+00 Re-189	1.33E+00 Pb-205
1.15E+00 Re-184	1.23E+00 Ca-45	1.37E+00 Rb-87
1.16E+00 Cs-135	1.23E+00 Tc-99m	1.41E+00 Rb-84
1.17E+00 U-235	1.23E+00 Ta-184	1.43E+00 Ta-180m
1.17E+00 Ni-59	1.24E+00 Be-10	1.44E+00 Tc-99
1.18E+00 Re-187	1.24E+00 I-129	1.71E+00 Re-186m
1.18E+00 Hg-197	1.24E+00 Tb-157	1.74E+00 Rh-102m
1.18E+00 Au-198m	1.25E+00 Tc-98	1.98E+00 Lu-177m
1.19E+00 Re-186	1.25E+00 Pm-145	

(a) The DCF ratio is greater than 10 or less than 0.1

(b) The DCF ratio is greater than 5 or less than 0.2 and the DRCF ratio is less than 10 and greater than 0.1

(c) The DCF ratio is greater than 2 or less than 0.1 and the DRCF ratio is less than 5 and greater than 0.2

(d) The DCF ratio is less than 2 and greater than 0.5

Note: If the isomer designations differ between the comparison DCF and the Fetter DCF then the comparison DCF isomer designation is given first followed by the Fetter isomer designation.

Figure 2. Histogram of DOE/Fetter DCF ratios for the ingestion pathway.

3.1.3 DOE/Fetter Immersion

DOE/Fetter immersion DRCF ratios are presented in Table 3 and Figure 3. Ratios were computed for a total of 300 matching nuclides. Of that total, 87% of the DOE DRCFs were within a factor of 2 of the Fetter DRCF values, 5.1% of the DOE DRCF values were greater than a factor of 2 but less than a factor of 5, 2.6% were greater than a factor of 5 but less than a factor of 10, and 5.1% were greater than a factor of 10 different than the Fetter DRCF values. There were 25 nuclides with ratio values of zero that were omitted from the evaluation but represented 8.3% of the total nuclides that were compared.

Table 3. DOE/Fetter DRCF ratios for the immersion pathway.

Greater than 10x ^a Ratio Nuclide	Less than 2x ^d Ratio Nuclide	Less than 2x Ratio Nuclide
5.39E-08 Ra-228	6.57E-01 Ba-139	8.51E-01 Zn-69m
4.17E-05 Cl-36	6.61E-01 Am-241	8.52E-01 Ti-45
2.08E-04 Rn-222	7.05E-01 Pt-193m	8.54E-01 Er-171
2.08E-03 U-240	7.10E-01 Cm-245	8.54E-01 Ce-141
5.88E-03 Ra-224	7.14E-01 N-16	8.55E-01 Tc-101
1.03E-02 U-238	7.42E-01 Nb-95m	8.56E-01 Am-242
3.32E-02 Sn-113	7.60E-01 Re-186	8.56E-01 Au-198
3.70E-02 Tc-99	7.73E-01 Ra-226	8.57E-01 Pt-197
9.55E-02 Ac-225	7.74E-01 Ag-111	8.58E-01 Tc-99m
2.39E+01 Ga-68	7.92E-01 Th-232	8.60E-01 Ti-51
3.72E+01 Er-169	7.93E-01 I-128	8.60E-01 N-13
5.28E+01 Sm-151	7.95E-01 W-188	8.61E-01 W-185
1.80E+02 Ac-227	7.96E-01 Cu-64	8.62E-01 Be-7
8.49E+03 Te-123	8.06E-01 Ho-166m/	8.63E-01 Co-57
	7.99E-01 Cr-51	8.64E-01 Cu-62
Greater than 5x ^b and less than 10x Ratio Nuclide	8.01E-01 Np-236	8.65E-01 Pb-210
	8.04E-01 I-129	8.65E-01 Kr-85
	8.05E-01 Te-132	8.66E-01 Th-227
	8.12E-01 U-235	8.68E-01 I-131
1.11E-01 Ni-59	8.14E-01 Ba-133	8.68E-01 Mo-91
1.37E-01 Pd-109	8.14E-01 Lu-177	8.69E-01 W-181
1.97E-01 Zr-97	8.16E-01 U-233	8.71E-01 Xe-133
5.13E+00 Ir-190m	8.19E-01 Th-233	8.73E-01 Sr-85
5.16E+00 Fe-55	8.21E-01 Hg-203	8.74E-01 Nd-147
5.26E+00 Mn-53	8.22E-01 Ru-97	8.74E-01 Np-239
9.02E+00 Pu-244	8.28E-01 Ir-190	8.76E-01 Te-129
	8.30E-01 Xe-135	8.77E-01 Mo-101
Greater than 2x ^c and less than 5x Ratio Nuclide	8.30E-01 Xe-133m	8.78E-01 Os-191
	8.31E-01 K-42	8.78E-01 Ir-194m
	8.33E-01 Rh-105	8.79E-01 Re-188
	8.33E-01 F-18	8.80E-01 Tm-170
2.26E-01 Ca-41	8.33E-01 Sc-47	8.80E-01 Tl-202
3.03E-01 Cd-109	8.34E-01 Kr-81	8.80E-01 K-40
3.84E-01 Ra-223	8.34E-01 Ce-139	8.81E-01 Sn-126
3.94E-01 Ce-144	8.35E-01 Te-125m	8.82E-01 Ag-108
4.56E-01 Th-234	8.39E-01 U-239	8.82E-01 K-43
2.07E+00 Th-229	8.40E-01 Te-123m	8.84E-01 Y-91m
2.16E+00 Cm-244	8.41E-01 Cm-243	8.85E-01 V-52
2.99E+00 Re-184m	8.41E-01 Se-75	8.86E-01 Hf-181
3.17E+00 Eu-152m	8.41E-01 Th-228	8.87E-01 Br-80m
3.23E+00 Pt-193	8.43E-01 Y-90m	8.88E-01 As-77
3.42E+00 Pu-240	8.43E-01 Tb-160	8.88E-01 Ru-103
3.61E+00 Pb-205	8.45E-01 Tb-157	8.90E-01 Mn-52m
4.60E+00 Co-58m	8.46E-01 Ba-133m	8.90E-01 Te-121
4.96E+00 V-49	8.48E-01 Ir-192	8.92E-01 Pr-142
6.53E-01 Gd-159	8.48E-01 In-115m	8.93E-01 Sm-153

Table 3. DOE/Fetter DRCF ratios for the immersion pathway (continued).

Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide
8.94E-01 Pu-236	9.36E-01 Nb-97	9.71E-01 Sc-46
8.96E-01 Mo-99	9.36E-01 Fe-59	9.71E-01 Mn-54
8.97E-01 Sb-125	9.36E-01 Pm-143	9.74E-01 Te-129m
8.97E-01 Sb-122	9.38E-01 Bi-208	9.76E-01 Au-196
8.97E-01 Na-22	9.41E-01 Co-60	9.76E-01 Sr-89
8.98E-01 Cr-49	9.42E-01 Zr-95	9.80E-01 Nb-90
8.99E-01 Pa-233	9.44E-01 Br-82	9.81E-01 Zn-65
9.00E-01 As-74	9.44E-01 Nb-97m	9.83E-01 Ir-194
9.02E-01 Lu-177m	9.44E-01 Mn-52	9.84E-01 Nb-92m
9.05E-01 Pm-145	9.46E-01 Nb-92	9.85E-01 Y-88
9.05E-01 Hg-197	9.48E-01 Nb-96	9.86E-01 Au-194
9.06E-01 Cd-115	9.49E-01 V-48	9.87E-01 Cl-38
9.07E-01 Ni-65	9.49E-01 Ni-57	9.90E-01 Pm-149
9.07E-01 Ca-47	9.50E-01 Nb-95	9.92E-01 Ag-110m
9.08E-01 Pm-146	9.50E-01 Bi-207	9.94E-01 Ag-108m
9.08E-01 W-187	9.52E-01 Co-58	9.95E-01 Nb-94m
9.11E-01 Ge-77	9.52E-01 Mg-27	9.97E-01 Pt-197m
9.15E-01 Ti-44	9.53E-01 Kr-87	1.00E+00 P-33
9.16E-01 I-130	9.53E-01 I-135	1.00E+00 S-35
9.16E-01 Sn-119m	9.54E-01 Eu-154	1.00E+00 Pb-209
9.16E-01 Sc-44	9.55E-01 Sc-48	1.00E+00 Sm-147
9.18E-01 Co-60m	9.55E-01 Pb-203	1.00E+00 Gd-152
9.20E-01 Sc-49	9.56E-01 Pa-231	1.00E+00 In-115
9.23E-01 I-133	9.56E-01 Tc-95	1.00E+00 Zr-93
9.24E-01 Sb-126	9.57E-01 Sn-123	1.01E+00 Nb-91
9.24E-01 Ag-110	9.58E-01 Nb-94	1.01E+00 Am-243
9.25E-01 Sb-126m	9.60E-01 Po-210	1.01E+00 U-232
9.25E-01 Al-28	9.60E-01 Nb-91m	1.01E+00 Rh-103m
9.27E-01 Na-24	9.60E-01 Cs-136	1.02E+00 Kr-88
9.28E-01 Ta-182	9.62E-01 Cs-134	1.02E+00 Y-93
9.29E-01 Mg-28	9.62E-01 Cs-132	1.02E+00 Mn-56
9.31E-01 Np-237	9.63E-01 Re-184	1.02E+00 Ac-228
9.31E-01 Ar-41	9.63E-01 La-140	1.02E+00 Ga-72
9.31E-01 Nd-149	9.64E-01 Rb-86	1.03E+00 Te-131
9.32E-01 Ag-106m	9.64E-01 Ru-105	1.03E+00 Sb-124
9.32E-01 Al-26	9.64E-01 As-76	1.03E+00 I-132
9.33E-01 Tm-171	9.64E-01 Zr-89	1.04E+00 Te-131m
9.33E-01 Si-31	9.65E-01 Tc-96	1.05E+00 Th-231
9.34E-01 Ra-225	9.65E-01 In-116m	1.05E+00 Te-121m
9.35E-01 Tc-98	9.66E-01 Y-92	1.06E+00 Po-209
9.35E-01 Eu-152	9.68E-01 Sr-91	1.08E+00 Pu-239
9.35E-01 Co-61	9.68E-01 Rb-88	1.11E+00 Ba-140
9.35E-01 Y-91	9.70E-01 In-114m	1.13E+00 I-134

Table 3. DOE/Fetter DRCF ratios for the immersion pathway (continued).

Less than 2x Ratio Nuclide	Ratio = 0 ^a Ratio Nuclide
1.13E+00 U-234	0.00E+00 H-3
1.15E+00 Mn-57	0.00E+00 Be-10
1.17E+00 Hg-197m	0.00E+00 C-14
1.30E+00 Sb-129	0.00E+00 Si-32
1.33E+00 Kr-85m	0.00E+00 P-32
1.36E+00 Mo-93	0.00E+00 Ar-39
1.38E+00 Tc-97	0.00E+00 Ca-45
1.42E+00 Th-230	0.00E+00 Ni-63
1.45E+00 Rb-84	0.00E+00 Zn-69
1.59E+00 U-236	0.00E+00 Se-79
1.60E+00 Br-80	0.00E+00 Rb-87
1.67E+00 Nb-93m	0.00E+00 Sr-90
1.75E+00 Pu-242	0.00E+00 Y-90
1.77E+00 Cm-242	0.00E+00 Ru-106
1.82E+00 Am-242m	0.00E+00 Pd-107
1.85E+00 Pu-238	0.00E+00 Cd-113m
1.88E+00 I-126	0.00E+00 In-114
1.94E+00 Tl-204	0.00E+00 Cs-135
	0.00E+00 Cs-137
	0.00E+00 Pm-147
	0.00E+00 Re-187
	0.00E+00 Bi-210
	0.00E+00 Pu-241
	0.00E+00 Cm-246
	0.00E+00 Cm-248

- (a) The DRCF ratio is greater than 10 or less than 0.1
(b) The DRCF ratio is greater than 5 or less than 0.2 and the DRCF ratio is less than 10 and greater than 0.1
(c) The DRCF ratio is greater than 2 or less than 0.1 and the DRCF ratio is less than 5 and greater than 0.2
(d) The DRCF ratio is less than 2 and greater than 0.5
(e) The DRCF ratio is equal to zero or the Fetter DRCF is equal to zero.

Note: If the isomer designations differ between the comparison DCF and the Fetter DCF then the comparison DCF isomer designation is given first followed by the Fetter isomer designation.

Figure 3. Histogram of DOE/Fetter DRCF ratios for the immersion pathway

3.1.4 DOE/Fetter Ground Surface

DOE/Fetter ground surface DRCF ratios are presented in Table 4 and Figure 4. Ratios were computed for a total of 300 matching nuclides. Of that total, 85% of the DOE DRCFs were within a factor of 2 of the Fetter DRCF values, 6.4% were greater than a factor of 2 but less than a factor of 5, 1.9% were greater than a factor of 5 but less than a factor of 10, and 6.3% were greater than a factor of 10 different than the Fetter DRCF values. There were 33 nuclides with ratio values of zero that were omitted from the evaluation but represented 11% of the total nuclides that were compared.

Table 4. DOE/Fetter DRCF ratios for the ground surface pathway.

Greater than 10x ^a Ratio Nuclide	Greater than 2x and less than 5x Ratio Nuclide	Less than 2x Ratio Nuclide
1.67E-07 Ra-228	2.84E+00 Re-184m	8.32E-01 F-18
1.84E-04 Cl-36	3.09E+00 U-232	8.36E-01 Sc-47
7.99E-03 Ra-224	3.15E+00 Pt-193	8.37E-01 Se-75
1.16E-02 U-240	3.16E+00 Eu-152m	8.37E-01 Ce-141
2.57E-02 Tc-99	3.68E+00 Pb-205	8.38E-01 K-42
3.85E-02 U-238		8.41E-01 Th-233
5.44E-02 Sn-113		8.41E-01 Te-129
6.78E-02 Pd-109	Less than 2x ^d	8.41E-01 Tb-160
1.42E+01 Pu-244	Ratio Nuclide	8.42E-01 Y-90m
2.06E+01 Pu-240		8.45E-01 Tc-99m
2.32E+01 Fe-55	5.37E-01 Th-234	8.46E-01 In-115m
2.38E+01 Ac-227	5.89E-01 Sn-119m	8.47E-01 Tb-157
2.71E+01 Ga-68	6.44E-01 Ba-139	8.51E-01 Ir-192
5.19E+01 Mn-53	6.57E-01 Gd-159	8.52E-01 Zn-69m
1.74E+02 Sm-151	6.89E-01 Pt-193m	8.52E-01 W-185
6.66E+02 V-49	7.18E-01 Re-186	8.53E-01 W-181
5.94E+08 Te-123	7.19E-01 Pm-145	8.53E-01 Er-171
	7.20E-01 N-16	8.53E-01 Ti-45
Greater than 5x ^b and less than 10x	7.27E-01 I-129	8.55E-01 Au-198
Ratio Nuclide	7.35E-01 Am-241	8.55E-01 Cm-243
	7.35E-01 Cm-245	8.56E-01 Tc-101
1.09E-01 Ac-225	7.60E-01 Nb-95m	8.57E-01 N-13
1.86E-01 Zr-97	7.71E-01 Ra-226	8.58E-01 Be-7
5.34E+00 Ir-190m	7.81E-01 Ag-111	8.58E-01 Nd-147
8.12E+00 Co-58m	7.84E-01 Te-132	8.59E-01 Re-188
9.24E+00 Er-169	7.89E-01 U-235	8.61E-01 Ti-51
	7.90E-01 W-188	8.61E-01 Mo-91
Greater than 2x ^c and less than 5x	7.98E-01 I-128	8.63E-01 I-131
Ratio Nuclide	7.98E-01 Cu-64	8.63E-01 Pt-197
	8.00E-01 Br-80m	8.65E-01 Cu-62
4.01E-01 Ra-223	8.01E-01 Ho-166m/	8.71E-01 Te-121
4.84E-01 Ce-144	8.04E-01 Cr-51	8.71E-01 Co-57
4.85E-01 Cd-109	8.07E-01 Sn-126	8.74E-01 Sm-153
4.99E-01 Te-125m	8.10E-01 Ba-133	8.77E-01 Te-129m
2.14E+00 U-234	8.13E-01 Lu-177	8.78E-01 Ir-194m
2.20E+00 Th-229	8.13E-01 Te-123m	8.78E-01 Sr-85
2.21E+00 Th-232	8.18E-01 U-233	8.78E-01 Th-227
2.28E+00 Cm-242	8.23E-01 U-239	8.79E-01 Tm-170
2.28E+00 Cm-244	8.24E-01 Ba-133m	8.80E-01 K-40
2.46E+00 U-236	8.24E-01 Ce-139	8.80E-01 Os-191
2.50E+00 Pu-242	8.25E-01 Ru-97	8.81E-01 Sb-125
2.52E+00 Pu-238	8.26E-01 Hg-203	8.84E-01 Mo-101
	8.28E-01 Ir-190	8.85E-01 Hf-181
	8.28E-01 Np-236	8.85E-01 V-52
	8.32E-01 Rh-105	8.86E-01 Ag-108

Table 4. DOE/Fetter DRCF ratios for the ground surface pathway (continued).

Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide
8.86E-01 Y-91m	9.36E-01 Tm-171	9.73E-01 Au-196
8.87E-01 Tl-202	9.37E-01 Fe-59	9.73E-01 La-140
8.87E-01 As-77	9.39E-01 Tc-98	9.75E-01 Au-194
8.87E-01 K-43	9.39E-01 I-135	9.77E-01 Ra-225
8.88E-01 Pr-142	9.41E-01 Br-82	9.80E-01 Pb-203
8.89E-01 Mo-99	9.41E-01 Zr-95	9.82E-01 Pm-149
8.90E-01 In-114m	9.42E-01 Bi-207	9.83E-01 Cl-38
8.90E-01 Cr-49	9.42E-01 Np-237	9.83E-01 Sr-89
8.90E-01 Ru-103	9.43E-01 Mn-52	9.84E-01 Nb-91m
8.91E-01 Np-239	9.43E-01 Y-91	9.85E-01 Nb-92m
8.94E-01 Mn-52m	9.44E-01 Ni-57	9.87E-01 Zn-65
8.98E-01 Sb-122	9.46E-01 Ta-182	9.88E-01 Nb-90
9.00E-01 Na-22	9.46E-01 Nb-97m	9.91E-01 Y-88
9.01E-01 Pm-146	9.47E-01 Co-58	9.91E-01 Ag-110m
9.02E-01 As-74	9.48E-01 V-48	9.93E-01 Ag-108m
9.04E-01 W-187	9.49E-01 Nb-92	9.99E-01 Y-93
9.05E-01 Ti-44	9.50E-01 Nb-96	1.00E+00 In-115
9.06E-01 Ca-47	9.51E-01 Nb-94	1.00E+00 Ar-39
9.08E-01 Sc-44	9.52E-01 Mg-27	1.00E+00 Pb-209
9.08E-01 Ge-77	9.53E-01 Nb-95	1.00E+00 P-33
9.09E-01 Pm-143	9.54E-01 Eu-154	1.00E+00 Sm-147
9.09E-01 Cd-115	9.55E-01 Cs-132	1.00E+00 Pt-197m
9.10E-01 Pa-233	9.55E-01 In-116m	1.00E+00 Re-187
9.13E-01 Hg-197	9.57E-01 Tc-95	1.00E+00 S-35
9.13E-01 Ni-65	9.57E-01 Sc-48	1.00E+00 Zr-93
9.16E-01 I-130	9.58E-01 As-76	1.00E+00 Gd-152
9.18E-01 Na-24	9.58E-01 Cs-136	1.00E+00 Nb-94m
9.19E-01 Sc-49	9.58E-01 Pb-210	1.00E+00 Am-243
9.19E-01 Nd-149	9.59E-01 Pa-231	1.01E+00 Te-121m
9.20E-01 I-133	9.60E-01 Po-210	1.01E+00 Te-131
9.22E-01 Al-26	9.60E-01 Sn-123	1.01E+00 Ac-228
9.23E-01 Am-242	9.63E-01 Re-184	1.02E+00 Th-231
9.23E-01 Sb-126	9.63E-01 Y-92	1.02E+00 Mn-56
9.24E-01 Mg-28	9.64E-01 Ru-105	1.02E+00 Th-228
9.24E-01 Ag-110	9.64E-01 Tc-96	1.03E+00 Sb-124
9.25E-01 Al-28	9.64E-01 Cs-134	1.03E+00 Ga-72
9.25E-01 Lu-177m	9.65E-01 Rb-86	1.03E+00 Rh-103m
9.26E-01 Sb-126m	9.65E-01 Sc-46	1.03E+00 I-132
9.28E-01 Si-31	9.66E-01 Co-60m	1.03E+00 Te-131m
9.29E-01 Bi-208	9.67E-01 Zr-89	1.06E+00 Ni-59
9.29E-01 Ag-106m	9.67E-01 Am-242m	1.06E+00 Po-209
9.29E-01 Co-61	9.68E-01 Sr-91	1.10E+00 Mn-57
9.32E-01 Eu-152	9.69E-01 Rb-88	1.10E+00 Ba-140
9.33E-01 Nb-97	9.69E-01 Ir-194	1.12E+00 I-134
9.33E-01 Co-60	9.69E-01 Mn-54	1.16E+00 Hg-197m

Table 4. DOE/Fetter DRCF ratios for the ground surface pathway (continued).

Less than 2x Ratio Nuclide	Ratio = 0 ^e Ratio Nuclide	Ratio = 0 Ratio Nuclide
1.29E+00 Mo-93	0.00E+00 H-3	0.00E+00 Ru-106
1.29E+00 Sb-129	0.00E+00 Be-10	0.00E+00 Pd-107
1.37E+00 Pu-236	0.00E+00 C-14	0.00E+00 Cd-113m
1.39E+00 Nb-91	0.00E+00 Si-32	0.00E+00 In-114
1.59E+00 Nb-93m	0.00E+00 P-32	0.00E+00 Xe-133
1.80E+00 Pu-239	0.00E+00 Ar-41	0.00E+00 Xe-133m
1.88E+00 Tl-204	0.00E+00 Ca-45	0.00E+00 Xe-135
1.36E+00 Tc-97	0.00E+00 Ni-63	0.00E+00 Cs-135
1.38E+00 Ca-41	0.00E+00 Zn-69	0.00E+00 Cs-137
1.50E+00 Rb-84	0.00E+00 Se-79	0.00E+00 Pm-147
1.62E+00 Br-80	0.00E+00 Kr-81	0.00E+00 Bi-210
1.84E+00 I-126	0.00E+00 Kr-85	0.00E+00 Rn-222
1.90E+00 Th-230	0.00E+00 Kr-85m	0.00E+00 Pu-241
	0.00E+00 Kr-87	0.00E+00 Cm-246
	0.00E+00 Kr-88	0.00E+00 Cm-248
	0.00E+00 Rb-87	0.00E+00 Y-90
	0.00E+00 Sr-90	

- (a) The DRCF ratio is greater than 10 or less than 0.1
 (b) The DRCF ratio is greater than 5 or less than 0.2 and the DRCF ratio is less than 10 and greater than 0.1
 (c) The DRCF ratio is greater than 2 or less than 0.1 and the DRCF ratio is less than 5 and greater than 0.2
 (d) The DRCF ratio is less than 2 and greater than 0.5
 (e) The DRCF ratio is equal to zero if the Fetter DRCF is equal to zero.

Note: If the isomer designations differ between the comparison DCF and the Fetter DCF then the comparison DCF isomer designation is given first followed by the Fetter isomer designation.

Figure 4. Histogram of DOE/Fetter DRCF ratios for the ground surface pathway.

3.2 Soviet/Fetter DCF Comparison

The Soviet DCF values obtained for this study are listed in Appendix C.

3.2.1 Soviet/Fetter Inhalation Pathway

Value used in the Soviet inhalation DCF database were compiled from DCF values reported in ICRP, Publication 30². The DCF values in this data base are essentially ICRP values however final compilation and identification of isomer states were performed by Beliaev⁴.

Soviet/Fetter inhalation DCF ratios are presented in Table 5 and Figure 5. Only nuclides with similar lung clearance class and f1 values as reported by Fetter (generally the oxide form) were compared. Ratios were computed for a total of 236 matching nuclides. Of that total, 79% of the Soviet DCFs were within a factor of 2 of the Fetter DCF values, 11% were greater than a factor of 2 but less than a factor of 5, 1.7% were greater than a factor of 5 but less than a factor of 10, and 8.5% were greater than a factor of 10 different than the Fetter DCF values.

Table 5. Soviet/Fetter DCF ratios for the inhalation pathway.

Greater than 10x ^a Ratio Nuclide	Greater than 2x and less than 5x Ratio Nuclide	Less than 2x Ratio Nuclide
1.06E-03 Pt-190	4.79E-01 Cr-49	8.17E-01 Ni-59
1.11E-02 Nb-92	4.80E-01 Co-62m	8.18E-01 Os-194
1.08E+01 Cu-66	4.83E-01 Ti-45	6.66E-01 Au-198
1.16E+01 Cl-40	4.84E-01 Ni-65	6.69E-01 Mo-93m
1.20E+01 Pd-111	4.86E-01 Te-129	6.72E-01 Cl-38
1.72E+01 V-52	4.87E-01 Rh-103m	6.73E-01 Co-58m
1.83E+01 Cr-55	4.90E-01 Si-31	6.78E-01 Zn-69m
3.80E+01 Mn-57	4.91E-01 Co-61	6.85E-01 Sn-126
3.98E+01 V-53	4.93E-01 Tc-101	6.86E-01 Sc-46
8.28E+01 In-116	4.94E-01 Ta-185	7.03E-01 I-133
1.81E+02 Sb-126m	4.97E-01 Zn-71m	7.06E-01 Co-60
2.74E+02 Tl-206	5.00E-01 Ga-70	7.30E-01 Y-91m
4.14E+02 Hg-205	2.31E+00 Pt-193	7.30E-01 Pd-111m
9.55E+02 Ag-108	2.37E+00 Pt-193m	7.38E-01 Y-93
1.34E+03 Sn-113m		7.52E-01 Hg-203
2.27E+03 Al-29		7.55E-01 Sb-126
4.97E+03 Al-28	Less than 2x ^d	7.57E-01 Ag-108m
1.39E+04 Rb-86m	Ratio Nuclide	7.59E-01 Ga-72
1.07E+05 Ag-110		7.59E-01 Y-88
2.66E+05 Nb-94m	5.05E-01 Sc-49	7.59E-01 Rh-102
	5.06E-01 Y-92	7.72E-01 Zr-97
Greater than 5x ^b and less than 10x	5.06E-01 Lu-178	7.73E-01 Pd-109
Ratio Nuclide	5.08E-01 Zn-69	7.76E-01 F-18
	5.08E-01 As-78	7.77E-01 Nb-95
	5.15E-01 Ge-75	7.78E-01 Fe-59
1.25E-01 Nb-91	5.26E-01 In-115m	7.79E-01 Cr-51
5.60E+00 Te-131	5.32E-01 Lu-176m	7.80E-01 Al-26
5.65E+00 Fe-53	5.32E-01 Sn-121m	7.81E-01 As-76
7.12E+00 Sc-50	5.39E-01 Mo-101	7.87E-01 I-134
	5.46E-01 Ag-106	7.87E-01 Re-188m
Greater than 2x ^c and less than 5x	5.67E-01 Hf-183	7.90E-01 Nb-96
Ratio Nuclide	5.70E-01 Ta-186	7.91E-01 V-48
	5.91E-01 Ta-182m	7.93E-01 K-42
	5.96E-01 Ir-192m	7.93E-01 Na-24
2.42E-01 Nb-91m	5.96E-01 Cu-64	7.96E-01 Re-188
3.46E-01 Nb-98m	5.96E-01 Sr-90	7.99E-01 Ir-194
4.09E-01 In-116m	5.98E-01 Sc-44	7.99E-01 Nb-90
4.45E-01 Mn-52m	5.99E-01 Co-60m	8.02E-01 Ca-47
4.55E-01 Mn-56	6.13E-01 Sb-129	8.02E-01 Mo-93
4.63E-01 I-135	6.36E-01 Ag-110m	8.05E-01 Sc-47
4.66E-01 Zn-63	6.37E-01 Tc-99m	8.05E-01 K-43
4.67E-01 Lu-178m	6.46E-01 Co-58	8.06E-01 W-179
4.70E-01 Hf-177m/g	6.49E-01 H-3	8.07E-01 Sc-48
4.75E-01 Nb-97	6.50E-01 W-179m	8.07E-01 Pm-146
4.76E-01 Y-94	6.65E-01 Mg-28	8.08E-01 Sn-121

Table 5. Soviet/Fetter DCF ratio for the inhalation pathway (continued).

Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide
8.10E-01 Ni-63	8.91E-01 Pb-202	9.74E-01 Sr-91
8.19E-01 Hf-182	8.97E-01 Re-187	9.77E-01 Ta-183
8.19E-01 La-140	9.03E-01 Ag-111	9.78E-01 Zr-93
8.19E-01 As-74	9.04E-01 Zn-65	9.79E-01 Gd-148
8.19E-01 Sb-124	9.04E-01 Pb-210	9.88E-01 Cl-36
8.21E-01 Ni-57	9.06E-01 Ca-45	9.90E-01 Hf-181
8.22E-01 Be-7	9.06E-01 In-115	9.92E-01 Sn-113
8.25E-01 Os-189m	9.06E-01 Ta-180m	9.96E-01 Sr-85
8.27E-01 V-49	9.09E-01 Y-90	1.00E+00 Te-132
8.31E-01 Ir-192	9.09E-01 Y-91	1.01E+00 Ba-133
8.32E-01 As-77	9.16E-01 Sn-123	1.01E+00 Na-22
8.33E-01 Zr-95	9.20E-01 Tc-97	1.01E+00 Tl-202
8.35E-01 Te-129m	9.20E-01 Pb-209	1.02E+00 Cs-134
8.38E-01 Nb-95m	9.30E-01 Mn-54	1.02E+00 Cs-136
8.40E-01 W-187	9.31E-01 K-40	1.05E+00 La-138
8.41E-01 Sb-125	9.31E-01 Se-79	1.07E+00 P-32
8.42E-01 Rh-105	9.36E-01 I-132	1.08E+00 I-131
8.45E-01 Si-32	9.38E-01 Te-125m	1.08E+00 Ca-41
8.46E-01 Co-57	9.41E-01 Sc-44m	1.09E+00 Cs-135
8.48E-01 Tc-98	9.41E-01 Sm-147	1.10E+00 Tc-99
8.49E-01 Y-90m	9.42E-01 Ce-141	1.10E+00 Pm-145
8.55E-01 Rh-101	9.42E-01 Sm-146	1.11E+00 Tb-158
8.55E-01 In-114m	9.43E-01 Nb-93m	1.11E+00 Au-194
8.59E-01 Ta-182	9.44E-01 Lu-176	1.13E+00 P-33
8.59E-01 Mn-53	9.46E-01 S-35	1.17E+00 Ta-179
8.61E-01 La-137	9.47E-01 Re-186	1.17E+00 Re-186m
8.64E-01 Sb-122	9.49E-01 Sm-151	1.17E+00 Sr-89
8.67E-01 W-188	9.49E-01 Cs-137	1.22E+00 Be-10
8.70E-01 Hf-179m/n	9.52E-01 Rb-86	1.29E+00 Hf-175
8.71E-01 Mo-99	9.54E-01 Fe-55	1.33E+00 W-181
8.74E-01 Nb-94	9.55E-01 Ce-144	1.35E+00 Rb-87
8.75E-01 Tl-204	9.55E-01 Ag-106m	1.35E+00 Pb-205
8.80E-01 Lu-177	9.63E-01 Pt-197m	1.38E+00 Pb-203
8.82E-01 Rh-101m	9.65E-01 Pt-197	1.40E+00 Mn-52
8.86E-01 Zr-89	9.65E-01 Se-75	1.41E+00 Tb-157
8.86E-01 Re-189	9.66E-01 Nb-92m	1.67E+00 Rb-88
8.89E-01 Sn-119m	9.67E-01 Fe-60	1.81E+00 Te-131m
8.90E-01 W-185	9.71E-01 Ti-44	1.85E+00 Lu-177m
8.91E-01 Ta-184	9.72E-01 Ba-140	

(a) The DCF ratio is greater than 10 or less than 0.1

(b) The DCF ratio is greater than 5 or less than 0.2 and the DRCF ratio is less than 10 and greater than 0.1

(c) The DCF ratio is greater than 2 or less than 0.1 and the DRCF ratio is less than 5 and greater than 0.2

(d) The DCF ratio is less than 2 and greater than 0.5

Note: If the isomer designations differ between the comparison DCF and the Fetter DCF then the comparison DCF isomer designation is given first followed by the Fetter isomer designation.

Figure 5. Histogram of Soviet/Fetter DCF ratios for the inhalation pathway.

3.2.2 Ingestion Pathway

Value used in the Soviet ingestion DCF database were compiled from DCF values reported in ICRP, Publication 30². The DCF values in this data base are essentially ICRP values however final compilation and identification of isomer states were performed by Beliaev⁴.

Soviet/Fetter ingestion DCF ratios are presented in Table 6 and Figure 6. Only nuclides with similar f1 values (generally the oxide form) as reported by Fetter were compared. Ratios were computed for a total of 180 matching nuclides. Of that total, 94% of the Soviet DCFs were within a factor of 2 of the Fetter DCF values, 3.2% were greater than a factor of 2 but less than a factor of 5, 0.0% were greater than a factor of 5 but less than a factor of 10, and 1.7% were greater than a factor of 10 different than the Fetter DCF values.

Table 6. Soviet/Fetter DCF ratios for the ingestion pathway.

Greater than 10x ^a Ratio Nuclide	Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide
6.88E+01 C-14	8.68E-01 Nb-97	9.68E-01 Ag-111
2.27E+01 Ta-180m	8.71E-01 K-43	9.70E-01 Zr-93
1.65E+01 Pt-193	8.81E-01 Al-26	9.71E-01 Sm-146
	8.84E-01 Hf-182	9.71E-01 Y-92
	8.87E-01 Sb-126	9.71E-01 As-77
	8.88E-01 Sc-47	9.72E-01 Gd-148
Greater than 5x ^b and less than 10x Ratio Nuclide	8.95E-01 Hf-183	9.73E-01 Ni-63
	8.96E-01 Be-7	9.74E-01 Ba-140
	8.97E-01 Y-88	9.76E-01 Mg-28
none	8.98E-01 Ti-44	9.77E-01 Lu-176m
	9.00E-01 Na-24	9.77E-01 Sb-129
	9.02E-01 Co-61	9.78E-01 Zr-89
Greater than 2x ^c and less than 5x Ratio Nuclide	9.02E-01 W-188	9.80E-01 Si-31
	9.02E-01 Nb-93m	9.81E-01 K-40
	9.03E-01 As-78	9.81E-01 Hg-203
2.02E+00 Te-131m	9.05E-01 Pb-209	9.84E-01 Lu-176
4.62E-01 I-135	9.05E-01 Tl-204	9.84E-01 Fe-60
4.42E-01 Ir-192m	9.06E-01 Cu-64	9.84E-01 Co-58m
2.96E+00 Pt-193m	9.07E-01 In-115	9.84E-01 Nb-96
	9.10E-01 Sc-46	9.84E-01 Rb-86
	9.10E-01 Sc-48	9.85E-01 Nb-90
	9.11E-01 Sn-126	9.86E-01 Cr-51
Less than 2x ^d Ratio Nuclide	9.17E-01 I-132	9.87E-01 W-187
	9.18E-01 Nb-95m	9.87E-01 Mn-54
	9.22E-01 Nb-95	9.89E-01 Mn-53
5.29E-01 Ge-75	9.22E-01 V-48	9.90E-01 Ce-141
5.83E-01 Sr-90	9.25E-01 Mo-93m	9.91E-01 Sn-119m
6.12E-01 Sn-121m	9.31E-01 As-74	9.92E-01 Rh-101m
6.76E-01 F-18	9.35E-01 In-115m	9.93E-01 V-49
6.85E-01 H-3	9.38E-01 In-114m	9.93E-01 Co-60
7.05E-01 Os-194	9.42E-01 Zn-71m	9.94E-01 Te-125m
7.08E-01 Ho-166	9.46E-01 Ni-57	1.00E+00 Fe-59
7.28E-01 Mo-93	9.49E-01 Sm-151	1.00E+00 Te-129m
7.68E-01 K-42	9.49E-01 Mn-52	1.00E+00 S-35
7.94E-01 Nb-94	9.54E-01 Pm-146	1.00E+00 Ga-72
7.96E-01 I-133	9.57E-01 Ti-45	1.00E+00 Se-75
8.02E-01 La-137	9.57E-01 Zr-95	1.00E+00 Ca-47
8.13E-01 W-185	9.59E-01 Pb-210	1.00E+00 Zn-65
8.15E-01 Rh-102	9.59E-01 Mo-99	1.01E+00 Ta-182
8.15E-01 Te-129	9.59E-01 Mn-56	1.01E+00 Co-57
8.40E-01 Au-198	9.61E-01 Sb-122	1.01E+00 Ir-192
8.40E-01 Pb-202	9.63E-01 La-140	1.01E+00 Zr-97
8.49E-01 Si-32	9.65E-01 Ni-65	1.01E+00 Sb-124
8.51E-01 Te-132	9.66E-01 Sm-147	1.01E+00 Sc-44
	9.67E-01 Co-58	1.01E+00 Sn-123

Table 6. Soviet/Fetter DCF ratios for the ingestion pathway (continued).

Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide
1.02E+00 Hf-179m/n	1.06E+00 Fe-55	1.22E+00 Re-188
1.02E+00 Rh-105	1.06E+00 Sr-91	1.23E+00 Ta-184
1.02E+00 Pt-197	1.06E+00 Tb-158	1.23E+00 Re-189
1.02E+00 Y-90m	1.06E+00 Sn-121	1.24E+00 Tb-157
1.02E+00 Y-90	1.06E+00 P-32	1.24E+00 Ta-179
1.02E+00 Pt-197m	1.07E+00 Ba-133	1.25E+00 Pm-145
1.02E+00 Se-79	1.07E+00 Sr-89	1.26E+00 Tc-98
1.02E+00 Ta-183	1.07E+00 Ag-108m	1.28E+00 Os-189m
1.02E+00 Ag-110m	1.08E+00 Sc-44m	1.29E+00 Tc-97
1.03E+00 Cs-137	1.08E+00 Cl-36	1.29E+00 Pb-203
1.03E+00 Tl-202	1.11E+00 Hf-181	1.31E+00 Pb-205
1.03E+00 Rh-101	1.13E+00 Ca-41	1.34E+00 Hf-175
1.03E+00 Na-22	1.13E+00 I-131	1.35E+00 W-181
1.03E+00 Y-93	1.13E+00 P-33	1.37E+00 Rb-87
1.03E+00 As-76	1.15E+00 Sn-113	1.41E+00 Tc-99
1.03E+00 Sr-85	1.16E+00 Cs-135	1.70E+00 Re-186m
1.04E+00 Y-91	1.16E+00 Re-187	1.98E+00 Lu-177m
1.04E+00 Pd-109	1.19E+00 Au-194	
1.04E+00 Cs-136	1.19E+00 Ni-59	
1.05E+00 Cs-134	1.20E+00 Re-186	
1.05E+00 Sb-125	1.21E+00 Tc-99m	
1.05E+00 La-138	1.21E+00 Be-10	
1.05E+00 Ir-194	1.22E+00 Ca-45	
1.05E+00 Ce-144		

- (a) The DCF ratio is greater than 10 or less than 0.1
(b) The DCF ratio is greater than 5 or less than 0.2 and the DRCF ratio is less than 10 and greater than 0.1
(c) The DCF ratio is greater than 2 or less than 0.1 and the DRCF ratio is less than 5 and greater than 0.2
(d) The DCF ratio is less than 2 and greater than 0.5

Note: If the isomer designations differ between the comparison DCF and the Fetter DCF then the comparison DCF isomer designation is given first followed by the Fetter isomer designation.

Figure 6. Histogram of Soviet/Fetter DCF ratios for the ingestion pathway.

3.2.3 Soviet/Fetter Immersion Pathway

Soviet/Fetter immersion DRCF ratios are presented in Table 6 and Figure 6. Ratios were computed for a total of 225 matching nuclides. Of that total, 81% of the Soviet DRCFs were within a factor of 2 of the Fetter DRCF values, 10% were greater than a factor of 2 but less than a factor of 5, 4.1% were greater than a factor of 5 but less than a factor of 10, and 4.5% were greater than a factor of 10 different than the Fetter DRCF values. There were 5 nuclides with ratio values of zero that were omitted from the evaluation but represented 2.2% of the total nuclides that were compared.

Table 7. Soviet/Fetter DRCF ratios for the immersion pathway.

Greater than 10x ^a Ratio Nuclide	Greater than 2x and less than 5x Ratio Nuclide	Less than 2x Ratio Nuclide
3.85E+02 Co-58m		1.30E+00 Cr-51
3.33E-03 Y-90	2.83E+00 Nb-94m	1.30E+00 Cu-64
1.35E+02 Nb-93m	2.92E+00 Pm-145	1.31E+00 Se-75
2.29E+01 Mo-93	3.00E+00 Sr-91	1.31E+00 Kr-87
2.47E+01 Tc-97	3.24E+00 Tl-204	1.31E+00 Al-28
1.17E+01 Rh-103m	3.31E+00 Mg-28	1.31E+00 Te-132
2.23E+01 Sn-121m	3.51E+00 La-137	1.31E+00 Tc-99m
4.68E+01 Sn-126	3.62E+00 Pd-109	1.31E+00 Sc-49
1.18E+04 Sm-151	3.79E+00 I-129	1.32E+00 F-18
5.02E+04 Pb-202	4.22E+00 Ir-192m	1.32E+00 Rh-105
	4.80E+00 Te-125m	1.33E+00 Ir-192
		1.33E+00 Y-90m
Greater than 5x ^b and less than 10x Ratio Nuclide	Less than 2x ^d Ratio Nuclide	1.34E+00 Fe-53
1.14E-01 Cd-113m	5.57E-01 Hf-178m	1.34E+00 Be-7
1.31E-01 Cl-36	6.59E-01 Sn-113m	1.35E+00 Hg-203
1.37E-01 Sn-113	6.64E-01 W-179m	1.35E+00 K-40
5.23E+00 Tb-157	6.87E-01 Tl-206	1.35E+00 Co-57
5.72E+00 Cd-109	7.60E-01 Lu-177	1.35E+00 Au-198
7.16E+00 Nb-91	7.87E-01 Tb-158	1.35E+00 V-52
7.22E+00 Sn-119m	8.94E-01 N-16	1.36E+00 N-13
8.47E+00 Pd-111m	9.75E-01 Hf-182	1.36E+00 Cl-38
9.03E+00 Ta-180m	9.85E-01 Lu-178m	1.36E+00 I-131
	1.06E+00 Pt-193m	1.36E+00 Kr-85
Greater than 2x ^c and less than 5x Ratio Nuclide	1.08E+00 Hg-205	1.36E+00 Ti-45
3.76E-01 Rh-102	1.09E+00 As-77	1.36E+00 Al-26
2.03E+00 Pb-210	1.12E+00 Ga-70	1.36E+00 Ce-141
2.03E+00 Os-194	1.17E+00 Re-189	1.36E+00 Cu-62
2.03E+00 Kr-85m	1.18E+00 Re-186	1.36E+00 Ag-106m
2.09E+00 Pt-197	1.19E+00 As-78	1.37E+00 Zn-69m
2.22E+00 Co-60m	1.21E+00 Ge-75	1.37E+00 Sb-126
2.43E+00 Cd-115	1.26E+00 K-42	1.37E+00 Rh-101m
2.45E+00 Y-91	1.26E+00 Lu-176	1.37E+00 Ta-182m
2.45E+00 Mo-99	1.26E+00 Nb-98m	1.38E+00 Mo-93m
2.50E+00 Zn-71m	1.26E+00 Na-24	1.38E+00 Y-91m
2.66E+00 Hf-177m	1.27E+00 Tc-101	1.38E+00 I-130
2.71E+00 Lu-178	1.27E+00 Cl-40	1.39E+00 Ta-183
2.75E+00 Pd-111	1.28E+00 W-187	1.39E+00 Rb-86m
	1.29E+00 Lu-176m	1.39E+00 Nb-90
	1.29E+00 Nb-95m	1.39E+00 Ca-47
	1.29E+00 Mn-57	1.39E+00 Sr-85
	1.30E+00 K-43	1.40E+00 In-115m
	1.30E+00 Sc-47	1.40E+00 As-74
	1.30E+00 Sc-44m	1.40E+00 Ru-106
		1.40E+00 Zn-63
		1.40E+00 Ba-133

Table 7. Soviet/Fetter DRCF ratio for the immersion pathway (continued).

Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide
1.41E+00 Na-22	1.45E+00 Sc-44	1.52E+00 Nb-91m
1.41E+00 I-133	1.45E+00 Ta-184	1.53E+00 Te-129
1.41E+00 Tl-202	1.45E+00 Nb-94	1.53E+00 Sb-124
1.41E+00 Al-29	1.45E+00 Ga-72	1.54E+00 Ir-194
1.41E+00 Re-188	1.45E+00 Te-131m	1.55E+00 Hf-183
1.41E+00 La-140	1.45E+00 Rb-86	1.56E+00 Sr-89
1.42E+00 Y-88	1.46E+00 Sc-48	1.56E+00 Ag-108m
1.42E+00 Ta-182	1.46E+00 Y-92	1.56E+00 Ag-110m
1.42E+00 Mn-52	1.46E+00 Lu-177m	1.58E+00 I-132
1.42E+00 Eu-154	1.46E+00 Hf-175	1.58E+00 Pb-203
1.42E+00 Sc-50	1.46E+00 Tc-98	1.58E+00 Ta-179
1.43E+00 Ag-111	1.46E+00 Mn-56	1.59E+00 In-116
1.43E+00 Cs-137	1.46E+00 Nb-96	1.61E+00 Y-93
1.43E+00 Ar-41	1.46E+00 Ni-57	1.61E+00 Te-129m
1.43E+00 Pm-146	1.46E+00 Rh-101	1.61E+00 As-76
1.43E+00 La-138	1.47E+00 Sc-46	1.62E+00 Te-131
1.43E+00 Ru-103	1.47E+00 Sb-122	1.62E+00 W-181
1.43E+00 Fe-59	1.47E+00 Rb-88	1.64E+00 Ba-140
1.43E+00 Hf-181	1.47E+00 Mn-54	1.65E+00 Ag-108
1.43E+00 Co-60	1.48E+00 V-53	1.65E+00 Ce-144
1.43E+00 Si-31	1.48E+00 Cr-49	1.67E+00 Pt-197m
1.44E+00 Zr-95	1.48E+00 In-114m	1.67E+00 I-134
1.44E+00 Sb-126m	1.48E+00 Cs-134	1.68E+00 W-179
1.44E+00 Cs-136	1.48E+00 In-116m	1.75E+00 Mo-101
1.44E+00 Nb-97	1.48E+00 Co-62m	1.76E+00 Co-61
1.44E+00 Mg-27	1.49E+00 Ta-186	1.81E+00 Co-58
1.44E+00 Nb-92	1.49E+00 Nb-92m	1.82E+00 Xe-133m
1.44E+00 Cu-66	1.49E+00 Zn-65	1.83E+00 Sb-129
1.44E+00 Sn-123	1.50E+00 W-188	1.83E+00 Re-186m
1.45E+00 Nb-95	1.50E+00 Ti-44	1.83E+00 Cr-55
1.45E+00 Sb-125	1.50E+00 Ni-65	1.84E+00 Ta-185
1.45E+00 V-48	1.50E+00 Ru-105	1.90E+00 Xe-133
1.45E+00 Zr-97	1.50E+00 I-135	1.94E+00 Re-188m
1.45E+00 Eu-152	1.51E+00 Au-194	1.95E+00 Mn-52m
	1.52E+00 Zr-89	1.96E+00 Y-94

(a) The DRCF ratio is greater than 10 or less than 0.1

(b) The DRCF ratio is greater than 5 or less than 0.2 and the DRCF ratio is less than 10 and greater than 0.1

(c) The DRCF ratio is greater than 2 or less than 0.1 and the DRCF ratio is less than 5 and greater than 0.2

(d) The DRCF ratio is less than 2 and greater than 0.5

Note: If the isomer designations differ between the comparison DCF and the Fetter DCF then the comparison DCF isomer designation is given first followed by the Fetter isomer designation.

Figure 7. Histogram of Soviet/Fetter DRCF ratios for the immersion pathway.

3.2.4 Soviet/Fetter Ground Surface

Soviet/Fetter ground surface DRCF ratios are presented in Table 8 and Figure 8. Ratios were computed for a total of 219 matching nuclides. Of that total, 63% of the Soviet DRCFs were within a factor of 2 of the Fetter DRCF values, 24% were greater than a factor of 2 but less than a factor of 5, 5.0% were greater than a factor of 5 but less than a factor of 10, and 8.4% were greater than a factor of 10 different than the Fetter DRCF values. There were four nuclides with ratio values of zero that were omitted from the evaluation but represented 1.8% of the total nuclides that were compared.

Table 8. Soviet/Fetter DRCF ratios for the ground surface pathway

Greater than 10x ^a Ratio Nuclide	Greater than 2x and less than 5x Ratio Nuclide	Less than 2x ^d Ratio Nuclide
9.85E-03 Y-90		5.02E-01 Cl-40
4.04E-02 Cl-36	3.35E-01 Lu-176m	5.05E-01 Hf-181
1.29E+01 Rh-103m	3.42E-01 N-16	5.05E-01 N-13
1.41E+01 W-188	3.72E-01 Re-189	5.06E-01 Y-90m
1.55E+01 Sn-121m	3.81E-01 Sc-47	5.09E-01 Cu-62
1.59E+01 Sn-126	4.01E-01 As-77	5.09E-01 Ti-45
1.62E+01 Nb-94m	4.13E-01 W-179m	5.11E-01 Ag-111
3.36E+01 Mo-93	4.15E-01 Lu-176	5.11E-01 Hf-175
3.52E+01 Tc-97	4.20E-01 W-181	5.14E-01 Pb-203
4.21E+01 Os-194	4.24E-01 Ga-70	5.15E-01 Sb-126
4.30E+01 Nb-91	4.26E-01 Ta-179	5.16E-01 Pt-193m
1.99E+02 Nb-93m	4.27E-01 Ta-183	5.16E-01 Al-28
2.14E+02 Co-60m	4.37E-01 Ce-141	5.18E-01 Sc-49
7.17E+02 Ir-192m	4.39E-01 Cr-51	5.20E-01 Zn-63
8.60E+02 Cd-113m	4.43E-01 Tc-101	5.24E-01 Co-61
2.85E+03 Pb-202	4.50E-01 Hg-203	5.24E-01 Al-26
1.59E+04 Co-58m	4.53E-01 Ge-75	5.25E-01 K-40
3.65E+04 Sm-151	4.55E-01 As-78	5.26E-01 As-74
	4.61E-01 Re-188	5.28E-01 Ru-106
Greater than 5x ^b and less than 10x Ratio Nuclide	4.63E-01 Rh-105	5.29E-01 Ta-184
	4.68E-01 Tc-99m	5.30E-01 Cr-49
	4.70E-01 W-187	5.31E-01 V-52
	4.75E-01 Ir-192	5.34E-01 Cl-38
1.19E-01 Sn-113m	4.79E-01 K-43	5.38E-01 Na-22
1.66E-01 Sr-90	4.87E-01 Nb-98m	5.38E-01 Ta-185
1.84E-01 Rh-102	4.87E-01 Au-198	5.40E-01 Ta-186
1.93E-01 Hf-178m	4.88E-01 I-131	5.43E-01 Y-91m
5.29E+00 Tl-204	4.90E-01 F-18	5.44E-01 Ta-182
6.14E+00 Sn-119m	4.90E-01 Cu-64	5.45E-01 Cs-136
6.29E+00 Pd-109	4.91E-01 Lu-177m	5.45E-01 Nb-97
6.59E+00 Nb-95m	4.94E-01 Tl-202	5.46E-01 Mn-52
7.26E+00 Ti-44	4.94E-01 K-42	5.46E-01 Cs-137
7.40E+00 Ba-140	4.97E-01 Na-24	5.46E-01 Eu-154
9.64E+00 Cd-109	4.98E-01 Fe-53	5.48E-01 Pm-146
	4.98E-01 Zn-69m	5.49E-01 Au-194
Greater than 2x ^c and less than 5x Ratio Nuclide	4.98E-01 Be-7	5.50E-01 Nb-92
	2.01E+00 La-137	5.50E-01 Ir-194
	2.05E+00 Hf-182	5.53E-01 Sc-50
	2.21E+00 Ta-182m	5.54E-01 Sc-44
2.24E-01 Tl-206	2.40E+00 Te-129m	5.54E-01 Tc-98
2.28E-01 Lu-177	2.75E+00 Ta-180m	5.54E-01 Nb-95
3.06E-01 Tb-158	3.16E+00 Pd-111m	5.55E-01 Al-29
3.12E-01 Re-186	3.17E+00 Te-125m	5.55E-01 Mo-93m
3.31E-01 Lu-178m	3.83E+00 Nb-91m	5.55E-01 Mg-27
3.33E-01 Hg-205	3.93E+00 Sc-44m	5.55E-01 Nb-94
	4.80E+00 Te-132	5.56E-01 Sb-122

Table 8. Soviet/Fetter DRCF ratios for the ground surface pathway (continued).

Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide
5.56E-01 Eu-152	6.03E-01 I-132	1.03E+00 Lu-178
5.56E-01 La-140	6.05E-01 Sr-89	1.06E+00 Sn-113
5.58E-01 Co-60	6.07E-01 I-133	1.07E+00 Re-186m
5.58E-01 Si-31	6.10E-01 Rb-86m	1.08E+00 Mn-57
5.58E-01 Y-92	6.15E-01 In-116	1.10E+00 Cd-115
5.59E-01 Fe-59	6.16E-01 Ni-57	1.11E+00 Zr-95
5.59E-01 Nb-96	6.38E-01 I-134	1.11E+00 Te-131
5.59E-01 Ru-103	6.46E-01 Ce-144	1.20E+00 Sr-91
5.60E-01 V-48	6.46E-01 Co-57	1.20E+00 Pm-145
5.61E-01 Rb-88	6.53E-01 Ag-108m	1.21E+00 Zn-71m
5.61E-01 Ag-106m	6.67E-01 Sb-126m	1.24E+00 Mg-28
5.61E-01 Mn-54	6.72E-01 Sb-125	1.29E+00 Pd-111
5.62E-01 Cs-134	6.74E-01 Y-88	1.32E+00 Se-75
5.63E-01 Pt-197	6.82E-01 Co-58	1.65E+00 Hf-179m
5.64E-01 Cu-66	6.85E-01 I-135	1.88E+00 Tb-157
5.65E-01 Zr-97	6.86E-01 In-115m	
5.66E-01 Sc-48	6.91E-01 Mo-101	Ratio = 0 ^e
5.66E-01 Sn-123	6.97E-01 Pt-197m	Ratio Nuclide
5.67E-01 Rb-86	7.07E-01 Cr-55	
5.68E-01 Sc-46	7.31E-01 Zr-89	0.00E+00 Fe-60
5.69E-01 In-116m	7.42E-01 Sb-129	0.00E+00 Zn-69
5.70E-01 Mn-56	7.52E-01 Y-94	0.00E+00 In-114
5.72E-01 Pb-210	7.54E-01 Ag-108	0.00E+00 Pb-209
5.74E-01 Ga-72	7.60E-01 Mn-52m	
5.74E-01 V-53	7.63E-01 Te-129	
5.75E-01 La-138	7.79E-01 W-179	
5.81E-01 Co-62m	8.05E-01 Nb-92m	
5.84E-01 Zn-65	8.30E-01 Rh-101	
5.87E-01 Ni-65	8.55E-01 Te-131m	
5.87E-01 Nb-90	8.73E-01 Rh-101m	
5.91E-01 Sb-124	8.77E-01 Re-188m	
5.91E-01 Ru-105	8.84E-01 Hf-177m	
5.97E-01 Ca-47	9.19E-01 In-114m	
6.00E-01 Y-93	9.37E-01 Y-91	
6.01E-01 Ba-133	9.87E-01 Mo-99	
6.01E-01 As-76	9.98E-01 Sr-85	
6.02E-01 Ag-110m	1.03E+00 Hf-183	

(a) The DRCF ratio is greater than 10 or less than 0.1

(b) The DRCF ratio is greater than 5 or less than 0.2 and the DRCF ratio is less than 10 and greater than 0.1

(c) The DRCF ratio is greater than 2 or less than 0.1 and the DRCF ratio is less than 5 and greater than 0.2

(d) The DRCF ratio is less than 2 and greater than 0.5

(e) The DRCF ratio is equal to zero of the fetter DRCF was zero

Note: If the isomer designations differ between the comparison DCF and the Fetter DCF then the comparison DCF isomer designation is given first followed by the Fetter isomer designation.

Figure 8. Histogram of Soviet/Fetter DRCF ratios for the ground surface pathway.

3.3 UK/Fetter DCF Comparison

United Kingdom DCF values obtained for this study included only values for inhalation and ingestion and are listed in Appendix D. It should be noted that this report compares DCF values as calculated by Smith³ (1990). Recently, values for all the nuclides have been recalculated using revised decay data and new data from National Radiological Protection Board (NRPD).²⁴

3.3.1 UK/Fetter Inhalation

UK/Fetter inhalation DCF ratios are presented in Table 9 and Figure 9. Comparisons for some radionuclides were made for dissimilar LCC and f1 values because only worst-case LCC and f1 CEDE values were provided by the UK. Ratios were computed for a total of 335 matching nuclides. Of that total, 82% of the UK DCFs were within a factor of 2 of the Fetter DCF values, 14% were greater than a factor of 2 but less than a factor of 5, 3.3% were greater than a factor of 5 but less than a factor of 10, and 0.6% of the UK DCF values were greater than a factor of 10 different than the Fetter DCF values.

Table 9. UK/Fetter DCF ratios for the inhalation pathway.

Greater than 10x ^a Ratio Nuclide		Less than 2x Ratio Nuclide
1.90E+01 Si-32	5.00E-01 Ho-164m	5.32E-01 Sn-121m
7.07E+01 C-14	2.03E+00 Fe-55	5.48E-01 Cr-49
	2.30E+00 Te-123	5.55E-01 N-16
	2.33E+00 I-126	5.68E-01 Te-129
	2.42E+00 Pt-193m	5.70E-01 Ta-186
	2.43E+00 Rh-104	5.70E-01 Sc-50
Greater than 5x ^b and less than 10x Ratio Nuclide	2.45E+00 Te-123m	5.74E-01 Ga-70
1.59E-01 Tl-206	2.48E+00 Rb-86m	5.75E-01 Tc-101
5.19E+00 V-52	2.61E+00 P-32	5.77E-01 Ag-106
5.35E+00 Tm-168	2.62E+00 Rh-104m	5.81E-01 Mo-101
7.04E+00 Au-197m	2.75E+00 Fe-60	5.82E-01 Sc-44
7.26E+00 S-37	2.75E+00 Hf-177m	5.88E-01 Ge-77
7.30E+00 Sr-89	2.96E+00 In-116	5.93E-01 Sb-129
7.45E+00 Al-28	2.97E+00 In-114	5.99E-01 Ni-65
7.49E+00 S-35	3.08E+00 Cd-109	5.99E-01 Co-60m
7.80E+00 Al-29	3.18E+00 La-137	6.00E-01 Ir-192n/m
8.58E+00 Gd-161	3.27E+00 Sr-90	6.02E-01 In-115m
9.55E+00 Cl-36	3.28E+00 Hf-182	6.04E-01 Si-31
	3.37E+00 In-115	6.06E-01 Cu-64
	3.49E+00 P-33	6.10E-01 Ta-182n/m
	3.55E+00 Cd-113m	6.07E-01 Hg-199m
	3.71E+00 Gd-150	6.15E-01 Mn-56
Greater than 2x ^c and less than 5x Ratio Nuclide	3.75E+00 Gd-152	6.16E-01 Nd-141
2.68E-01 W-179m	3.78E+00 Hf-178n/m	6.21E-01 Br-80
3.02E-01 Ti-51	3.79E+00 Gd-148	6.22E-01 I-133
3.08E-01 Cr-55	3.87E+00 Zr-93	6.32E-01 In-116m
3.33E-01 Mn-57	4.02E+00 La-138	6.36E-01 Ag-110m
3.47E-01 Cu-66	4.08E+00 V-53	6.36E-01 Rb-88
3.85E-01 Nb-94m	4.25E+00 Pt-193	6.40E-01 Co-58
3.95E-01 Mg-27	4.48E+00 Hg-194	6.44E-01 Nd-149
4.21E-01 I-135	4.96E+00 Ti-44	6.49E-01 H-3
4.67E-01 Lu-178m		6.56E-01 Ti-45
4.75E-01 Nb-97	Less than 2x ^d Ratio Nuclide	6.58E-01 Hf-183
4.76E-01 Y-94	5.05E-01 Tl-206m	6.62E-01 Mo-93m
4.85E-01 Ho-164	5.05E-01 Sc-49	6.64E-01 Au-198
4.86E-01 Co-62m	5.06E-01 Lu-178	6.71E-01 Ru-105
4.90E-01 Zn-63	5.08E-01 Zn-69	6.79E-01 Ga-68
4.91E-01 Co-61	5.08E-01 As-78	6.80E-01 Hf-177g
4.91E-01 Zn-71m	5.10E-01 Nb-98m	6.83E-01 Sc-46
	5.10E-01 Cu-62	6.83E-01 Mg-28
	5.14E-01 Mn-52m	6.88E-01 Zn-69m
Greater than 2 and less than 5x Ratio Nuclide	5.15E-01 Y-92	6.93E-01 Cl-38
4.93E-01 Sb-126m	5.15E-01 Ge-75	6.97E-01 Cl-39
	5.19E-01 Ta-185	7.00E-01 Bi-207
	5.31E-01 Rh-103m	7.06E-01 Co-60
	5.32E-01 Lu-176m	

Table 9. UK/Fetter DCF ratios for the inhalation pathway (continued).

Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide
7.07E-01 Co-58m	8.14E-01 Os-189m	8.81E-01 Tc-97
7.07E-01 Er-171	8.15E-01 Mn-53	8.82E-01 Rh-101m
7.19E-01 Hg-205	8.18E-01 Os-194	8.84E-01 Ca-45
7.28E-01 Rh-102	8.22E-01 Sb-124	8.84E-01 Sb-122
7.30E-01 Y-91m	8.23E-01 Sc-47	8.86E-01 Tl-204
7.35E-01 Y-93	8.24E-01 Ni-57	8.86E-01 Pm-147
7.36E-01 Nb-92	8.27E-01 V-49	8.90E-01 Tm-170
7.43E-01 Ag-108m	8.28E-01 Sb-125	8.90E-01 Pt-190
7.48E-01 Fe-53	8.30E-01 Co-57	8.91E-01 Hf-179n
7.50E-01 Re-184	8.33E-01 Sn-121	8.91E-01 Hg-197m
7.52E-01 Gd-159	8.33E-01 La-140	8.94E-01 I-132
7.52E-01 Sb-126	8.33E-01 Lu-174	8.94E-01 Lu-177
7.56E-01 Y-88	8.35E-01 Ba-139	8.95E-01 Pm-149
7.60E-01 Ga-72	8.36E-01 Tc-98	8.96E-01 Tb-161
7.61E-01 I-134	8.37E-01 As-74	8.97E-01 Re-187
7.64E-01 Nb-95	8.38E-01 Nb-95m	8.99E-01 Sn-113m
7.69E-01 I-128	8.39E-01 Ir-192	9.00E-01 Po-209 ^a
7.69E-01 Mo-91	8.41E-01 Te-129m	9.04E-01 Tc-96
7.75E-01 Cd-115	8.42E-01 Pm-143	9.04E-01 Pb-210
7.76E-01 F-18	8.42E-01 Cs-137	9.05E-01 Y-90
7.79E-01 Ag-108	8.45E-01 Au-198m	9.05E-01 Cs-136
7.84E-01 Nd-144	8.45E-01 Rh-105	9.06E-01 Ir-190m
7.84E-01 Pd-109	8.46E-01 Ge-69	9.06E-01 Ta-180m
7.84E-01 As-76	8.47E-01 Nb-91m	9.09E-01 Y-91
7.87E-01 Re-188m	8.49E-01 Tc-95	9.13E-01 Te-132
7.88E-01 K-42	8.50E-01 Nb-91	9.14E-01 Hg-197
7.88E-01 Sn-126	8.50E-01 Sm-153	9.14E-01 Ag-111
7.89E-01 K-43	8.51E-01 Rh-101	9.15E-01 Eu-154
7.91E-01 Nb-96	8.53E-01 Ta-182	9.16E-01 Sn-123
7.93E-01 Bi-208	8.58E-01 Pb-202	9.16E-01 Zr-89
7.95E-01 Mo-93	8.59E-01 W-188	9.19E-01 Mn-54
7.97E-01 Ir-194	8.61E-01 Te-121	9.20E-01 Pb-209
7.97E-01 Cl-40	8.63E-01 Y-90m	9.25E-01 W-185
7.97E-01 Pr-142	8.64E-01 Sn-119m	9.26E-01 Zn-65
7.98E-01 Ag-110	8.64E-01 Nb-94	9.27E-01 Se-79
8.01E-01 Cr-51	8.66E-01 Cs-134	9.27E-01 Sc-44m
8.02E-01 Na-24	8.68E-01 Ru-103	9.29E-01 Nb-92m
8.06E-01 V-48	8.70E-01 Ta-184	9.30E-01 Ru-106
8.06E-01 W-179	8.73E-01 Ce-139	9.31E-01 Tm-171
8.06E-01 Ca-47	8.76E-01 Mo-99	9.32E-01 Cs-132
8.07E-01 Pm-146	8.77E-01 Sb-120m	9.32E-01 Po-210
8.07E-01 As-77	8.78E-01 Dy-154	9.39E-01 K-40
8.08E-01 Re-188	8.80E-01 Ru-97	9.41E-01 Sm-147
8.10E-01 Nb-90	8.80E-01 Zr-97	9.42E-01 Sm-146
8.11E-01 Sc-48	8.80E-01 Re-189	9.43E-01 Mn-52

Table 9. UK/Fetter DCF ratios for the inhalation pathway (continued).

Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide
9.43E-01 Ba-133m	9.88E-01 Tb-160	1.18E+00 Re-186m
9.44E-01 Sm-151	9.89E-01 Tl-202	1.19E+00 Zr-95
9.44E-01 Lu-176	9.90E-01 I-131	1.21E+00 Be-10
9.44E-01 Lu-174m	9.96E-01 Sn-113	1.22E+00 Ca-41
9.46E-01 Ir-194m	1.00E+00 Au-196	1.29E+00 Te-131
9.46E-01 Nb-93m	1.01E+00 W-187	1.30E+00 Ag-106m
9.47E-01 Ce-141	1.02E+00 Eu-152	1.31E+00 Re-184m
9.47E-01 Er-169	1.02E+00 I-130	1.32E+00 Rb-87
9.55E-01 Sm-148	1.02E+00 Al-26	1.33E+00 Ni-63
9.55E-01 Ce-144	1.03E+00 Ba-133	1.33E+00 W-181
9.57E-01 Se-75	1.03E+00 Te-121m	1.34E+00 Pb-205
9.57E-01 Rb-86	1.04E+00 I-129	1.35E+00 Rb-84
9.61E-01 Re-186	1.04E+00 Eu-150m/	1.37E+00 Pb-203
9.62E-01 Os-191	1.05E+00 Dy-159	1.38E+00 In-114m
9.62E-01 Bi-210	1.06E+00 Hg-203	1.39E+00 Nb-97m
9.62E-01 Bi-210m	1.07E+00 Eu-152m	1.40E+00 Tb-157
9.63E-01 Nd-147	1.08E+00 Ir-190	1.43E+00 Pd-111m
9.63E-01 Pt-197m	1.08E+00 Tc-99	1.46E+00 Te-131m
9.63E-01 Ba-140	1.09E+00 N-13	1.51E+00 Hf-175
9.70E-01 Ho-166m/	1.10E+00 Hf-181	1.57E+00 Ni-59
9.72E-01 Tc-99m	1.10E+00 Pm-145	1.64E+00 Sr-85
9.72E-01 Pt-197	1.10E+00 Br-80m	1.67E+00 Sr-91
9.74E-01 Br-82	1.11E+00 Tb-158	1.72E+00 Hf-179m
9.77E-01 Ta-183	1.12E+00 Au-194	1.85E+00 Lu-177m
9.79E-01 Te-125m	1.13E+00 Ta-179	1.86E+00 Rh-102m
9.82E-01 Cs-135	1.13E+00 Pd-111	1.99E+00 Eu-152n
9.83E-01 Pd-107	1.17E+00 Fe-59	
9.86E-01 Na-22		

- (a) The DCF ratio is greater than 10 or less than 0.1
 (b) The DCF ratio is greater than 5 or less than 0.2 and the DRCF ratio is less than 10 and greater than 0.1
 (c) The DCF ratio is greater than 2 or less than 0.1 and the DRCF ratio is less than 5 and greater than 0.2
 (d) The DCF ratio is less than 2 and greater than 0.5
 (e) New NRPB value [reference 24]

Note: If the isomer designations differ between the comparison DCF and the Fetter DCF then the comparison DCF isomer designation is given first followed by the Fetter isomer designation.

Figure 9. Histogram of UK/Fetter DCF ratios for the inhalation pathway.

3.3.2 UK/Fetter Ingestion

UK/Fetter ingestion DCF ratios are presented in Table 10 and Figure 10. Comparisons for some radionuclides were made for dissimilar f1 values because only worst-case LCC and f1 CEDE values were provided by the UK. Ratios were computed for a total of 334 matching nuclides. Of that total, 90% of the UK DCFs were within a factor of 2 of the Fetter DCF values, 6.9% were greater than a factor of 2 but less than a factor of 5, 1.2% were greater than a factor of 5 but less than a factor of 10, and 1.5% were greater than a factor of 10 different than the Fetter DCF values.

Table 10. UK/Fetter DCF ratios for the ingestion pathway (continued).

Greater than 10x ^a Ratio Nuclide	Less than 2x ^d Ratio Nuclide	Less than 2x Ratio Nuclide
1.28E-05 Po-209	5.12E-01 Cl-39	8.19E-01 Rh-102
2.86E-05 Hf-178m	5.16E-01 Rh-104	8.26E-01 Cr-49
7.24E-05 Ta-182m	5.18E-01 In-114	8.28E-01 I-132
1.90E-04 Ir-192m	5.29E-01 Ge-75	8.30E-01 Ag-106
8.67E-02 As-78	5.35E-01 In-116	8.35E-01 Si-32
9.52E-02 Sb-120m	5.46E-01 Cl-38	8.38E-01 Rh-103m
1.65E+01 Pt-193	5.50E-01 Sr-90	8.40E-01 Au-198
4.90E+01 Hg-194	5.71E-01 Rh-104m	8.44E-01 Gd-161
6.88E+01 C-14	5.73E-01 Rb-88	8.46E-01 Po-210
	5.79E-01 W-179m	8.51E-01 Te-132
Greater than 5x ^b and less than 10x Ratio Nuclide	5.86E-01 Sc-50	8.58E-01 Ru-106
	5.87E-01 Sb-126m	8.60E-01 Na-24
	6.10E-01 Tc-101	8.61E-01 Nb-98m
	6.12E-01 Mn-52m	8.68E-01 Nb-97
1.12E-01 Tl-206	6.17E-01 Y-94	8.71E-01 K-43
1.35E-01 Sn-113m	6.22E-01 Sn-121m	8.72E-01 Cd-115
5.95E+00 S-35	6.25E-01 Co-62m	8.81E-01 Al-26
7.24E+00 S-37	6.30E-01 Br-80	8.81E-01 Hf-183
	6.55E-01 N-13	8.82E-01 Cs-137
Greater than 2x ^c and less than 5x Ratio Nuclide	6.64E-01 Ga-70	8.85E-01 V-52
	6.66E-01 I-134	8.87E-01 Ba-139
	6.72E-01 Lu-178m	8.89E-01 In-116m
	6.76E-01 F-18	8.89E-01 Pb-209
2.25E-01 Cu-66	6.80E-01 I-128	8.89E-01 Co-61
2.73E-01 Cr-55	6.85E-01 H-3	8.95E-01 Sc-47
3.22E-01 Mn-57	6.88E-01 Os-194	8.95E-01 Cs-134
3.28E-01 Mg-27	6.88E-01 Mo-91	8.96E-01 Hf-182
3.30E-01 N-16	6.99E-01 Ho-164	8.99E-01 Sc-48
3.42E-01 Nb-94m	7.07E-01 Co-60m	9.01E-01 Y-91m
3.52E-01 Cu-62	7.10E-01 Br-80m	9.02E-01 Tl-204
3.54E-01 Eu-150	7.15E-01 Zn-63	9.02E-01 Hf-177n
3.59E-01 Tl-206m	7.16E-01 Mo-101	9.02E-01 Dy-154
3.74E-01 Ti-51	7.18E-01 Ho-166	9.03E-01 Y-88
4.10E-01 I-135	7.23E-01 Ta-186	9.04E-01 Sc-46
4.51E-01 Ag-110	7.27E-01 V-53	9.06E-01 Sn-126
4.69E-01 Ag-108	7.29E-01 I-133	9.06E-01 Br-82
4.93E-01 Cl-40	7.40E-01 Lu-178	9.07E-01 In-115
2.02E+00 Re-184m	7.43E-01 Ge-77	9.09E-01 Nb-93m
2.35E+00 I-126	7.46E-01 Hf-179m	9.17E-01 Nb-95
2.56E+00 Co-60	7.55E-01 K-42	9.17E-01 Zn-71m
2.63E+00 Te-123m	7.78E-01 Ta-185	9.20E-01 Bi-210m
2.96E+00 Pt-193m	7.80E-01 Zn-69	9.24E-01 Nb-95m
3.16E+00 Rb-86m	7.96E-01 Hg-199m	9.24E-01 Pb-202
3.76E+00 Mo-93	8.11E-01 Sc-49	9.25E-01 Sb-126
4.64E+00 Tm-168	8.13E-01 Ho-164m	9.26E-01 Cd-113m
4.67E+00 Hg-203	8.15E-01 Te-129	9.29E-01 Bi-207

Table 10. UK/Fetter DCF ratios for the ingestion pathway (continued).

less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide
9.29E-01 Mn-56	9.76E-01 Mo-99	1.02E+00 Pm-147
9.31E-01 Nb-91m	9.77E-01 Bi-208	1.02E+00 Y-93
9.34E-01 Mo-93m	9.77E-01 Nb-94	1.02E+00 Pm-149
9.35E-01 Fe-53	9.77E-01 Lu-176m	1.02E+00 Ru-97
9.35E-01 In-115m	9.77E-01 Gd-152	1.02E+00 Pt-197m
9.36E-01 Ni-65	9.77E-01 La-140	1.02E+00 Ag-110m
9.38E-01 Pt-190	9.83E-01 Y-92	1.02E+00 Hf-179n
9.38E-01 Cu-64	9.84E-01 Fe-60	1.02E+00 Pt-197
9.40E-01 As-74	9.84E-01 Co-58m	1.02E+00 Sn-123
9.43E-01 Pd-111	9.84E-01 Ta-183	1.02E+00 Rh-105
9.45E-01 Nd-149	9.85E-01 Tc-96	1.02E+00 Te-129m
9.47E-01 Gd-150	9.86E-01 Sc-44	1.02E+00 Ga-72
9.48E-01 In-114m	9.87E-01 Sb-129	1.03E+00 Sr-85
9.48E-01 Ni-57	9.87E-01 Ba-140	1.03E+00 As-76
9.49E-01 Cs-136	9.88E-01 K-40	1.03E+00 Zr-97
9.52E-01 Ag-111	9.88E-01 Ti-45	1.03E+00 Y-90m
9.52E-01 Mn-53	9.89E-01 Lu-176	1.03E+00 Cs-135
9.55E-01 Sb-122	9.90E-01 Ti-44	1.03E+00 Rh-101
9.59E-01 V-48	9.93E-01 Ir-192	1.04E+00 Sb-124
9.59E-01 Sm-151	9.93E-01 Au-197m	1.04E+00 Ba-133
9.59E-01 Pb-210	9.94E-01 Sm-153	1.04E+00 Y-91
9.61E-01 Pm-146	9.96E-01 Te-125m	1.04E+00 Ba-133m
9.61E-01 Zr-95	9.96E-01 Ce-141	1.04E+00 Lu-174m
9.63E-01 Nb-90	9.99E-01 Tb-161	1.04E+00 W-179
9.63E-01 Nd-144	1.00E+00 Ta-182	1.04E+00 Ga-68
9.64E-01 Nb-92m	1.00E+00 Lu-174	1.04E+00 Pd-107
9.64E-01 Ca-47	1.00E+00 Nb-96	1.04E+00 Ge-69
9.65E-01 Nb-92	1.00E+00 Rh-101m	1.04E+00 Ru-105
9.65E-01 As-77	1.00E+00 Zn-65	1.04E+00 Nd-147
9.65E-01 Lu-177	1.00E+00 Se-79	1.04E+00 Ce-139
9.66E-01 Sm-148	1.01E+00 Ni-63	1.05E+00 Er-171
9.66E-01 Zr-93	1.01E+00 Fe-59	1.05E+00 I-130
9.66E-01 Sm-147	1.01E+00 Bi-210	1.05E+00 I-131
9.67E-01 Te-121	1.01E+00 Ag-106m	1.05E+00 Sb-125
9.69E-01 Se-75	1.01E+00 Pm-143	1.05E+00 Te-121m
9.69E-01 Mn-52	1.01E+00 Gd-159	1.05E+00 La-138
9.71E-01 Cs-132	1.01E+00 Zn-69m	1.06E+00 Er-169
9.71E-01 Sm-146	1.01E+00 Na-22	1.06E+00 Ir-190m
9.71E-01 Mg-28	1.01E+00 Si-31	1.06E+00 Pr-142
9.72E-01 Mn-54	1.01E+00 Sn-119m	1.06E+00 Tm-171
9.72E-01 Gd-148	1.02E+00 Tl-202	1.06E+00 V-49
9.73E-01 Rb-86	1.02E+00 Y-90	1.06E+00 Ag-108m
9.75E-01 Ru-103	1.02E+00 Tc-95	1.06E+00 Pd-109
9.75E-01 Zr-89	1.02E+00 Sn-121	1.06E+00 Te-123

Table 10. UK/Fetter DCF ratios for the ingestion pathway (continued).

Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide	Less than 2x Ratio Nuclide
1.07E+00 Ir-194	1.15E+00 Hf-181	1.28E+00 Tb-157
1.07E+00 P-32	1.15E+00 Sn-113	1.29E+00 Pb-203
1.07E+00 Cr-51	1.17E+00 Dy-159	1.29E+00 Eu-152
1.07E+00 Ce-144	1.19E+00 Au-196	1.29E+00 Tc-97
1.07E+00 Os-191	1.19E+00 Be-10	1.31E+00 Pb-205
1.07E+00 Hg-205	1.19E+00 Au-194	1.32E+00 Al-28
1.08E+00 I-129	1.20E+00 Nd-141	1.33E+00 Eu-154
1.08E+00 Sc-44m	1.20E+00 Re-186	1.33E+00 Sr-91
1.08E+00 Fe-55	1.20E+00 Co-58	1.35E+00 Hf-175
1.08E+00 Au-198m	1.21E+00 Re-187	1.35E+00 Te-131m
1.08E+00 Ir-194m	1.21E+00 Tc-99m	1.36E+00 Nb-97m
1.08E+00 Tb-158	1.21E+00 Pm-145	1.37E+00 Rb-87
1.08E+00 Cl-36	1.21E+00 Re-188m	1.41E+00 Rb-84
1.08E+00 La-137	1.21E+00 Ni-59	1.43E+00 Al-29
1.09E+00 Tm-170	1.21E+00 Ta-184	1.43E+00 W-187
1.10E+00 Sr-89	1.22E+00 W-188	1.44E+00 Tc-99
1.10E+00 Tb-160	1.23E+00 Re-189	1.46E+00 Ta-180m
1.11E+00 Nb-91	1.23E+00 Ca-45	1.49E+00 Eu-152m
1.11E+00 Hg-197m	1.24E+00 Cd-109	1.51E+00 W-181
1.11E+00 Ir-190	1.24E+00 Ta-179	1.51E+00 Pd-111m
1.12E+00 Re-184	1.24E+00 Re-188	1.52E+00 Eu-152n
1.13E+00 Hf-177m	1.25E+00 Te-131	1.63E+00 Re-186m
1.14E+00 P-33	1.25E+00 Tc-98	1.74E+00 Co-57
1.15E+00 Hg-197	1.28E+00 Ca-41	1.75E+00 Rh-102m
1.15E+00 W-185	1.28E+00 Os-189m	1.94E+00 Lu-177m

(a) The DCF ratio is greater than 10 or less than 0.1

(b) The DCF ratio is greater than 5 or less than 0.2 and the DRCF ratio is less than 10 and greater than 0.1

(c) The DCF ratio is greater than 2 or less than 0.1 and the DRCF ratio is less than 5 and greater than 0.2

(d) The DCF ratio is less than 2 and greater than 0.5

Note: If the isomer designations differ between the comparison DCF and the Fetter DCF then the comparison DCF isomer designation is given first followed by the Fetter isomer designation.

Figure 10. Histogram of UK/Fetter DCF ratios for the ingestion pathway.

3.4 Critical Fusion (ITER/BPX) Radionuclides

The highest priority radionuclides for fusion safety research include those that could be generated in the International Thermonuclear Experimental Reactor (ITER) and the Burning Plasma Experiment (BPX).¹⁰ Comparisons of the dose conversion factor values from the four data bases for these radionuclides are shown in Figures 11 through 14.

Only the Fetter data base provides values for all priority radionuclides and all pathways. Both the Fetter and UK data bases provide internal DCF values for all the radionuclides. There are no DOE values for V-52/53 (inhalation), Cu-62 (internal), Cu-66 (all pathways), and Nb-92m/94m (internal). There are no Soviet values for V-49, Fe-55, W-185 (external), Cu-62 (internal), Cu-66 (ingestion), Nb-94m (ingestion), and Po-210 (all pathways). Only Fetter gives an external DRCF for C-14.

There was generally good agreement among data bases. The comparisons (Figures 11-14) are most practical for identification of outlying values and trends among data bases and exposure pathways. Subjective observations on the comparisons are listed below and an explanation of the differences follows in Section 4.

- **Inhalation:** Outlying values are high Soviet and UK values for C-14 (70x), and high Soviet values for V-53 (40x), Cu-66 (11x), and Nb-94m (2.7E+5x).
- **Ingestion:** The most notable difference is the low Fetter C-14 value (0.014x other data bases). Other differences are slightly higher UK values for Co-60 and Mo-93 and slightly lower UK values for Cu-62, Cu-66, and Nb-94m.
- **Immersion:** The Soviet DRCF values are consistently higher than all other data bases for most nuclides (also see Figure 7). The largest difference is for Mo-93 (23x Fetter). Only Fetter reports an immersion DRCF greater than zero for C-14.

- **Ground Surface:** The most notable differences are the higher DOE values for V-49 (660x Fetter) and Fe-55 (23x Fetter), and the higher Soviet values for Nb-94m (16x Fetter) and Mo-93 (34x Fetter). For most of the other radionuclides, Soviet DRCF values show a slightly lower trend. Only Fetter reports a ground surface DRCF greater than zero for C-14.

Figure 11. Comparison of Fetter, DOE, Soviet, and UK inhalation DCFs for critical fusion radionuclides.

Figure 12. Comparison of Fetter, DOE, Soviet, and UK ingestion DCFs for critical fusion radionuclides.

Figure 13. Comparison of Fetter, DOE, and Soviet immersion DRCFs for critical fusion radionuclides.

Figure 14. Comparison of Fetter, DOE, and Soviet ground surface DRCFs for critical fusion radionuclides.

4.0 DISCUSSION OF DIFFERENCES

An effort was made to investigate potential reasons for differences in DCF/DRCF values between data bases. Although all the radionuclides were not investigated due to time constraints and lack of published input data, the investigation revealed that differences are likely due to one or a combination of the following reasons: (1) the use of different radionuclide decay data, (2) the use of different energy states or chemical forms for a radionuclide, (3) treatment of progeny (daughter) radionuclides, (4) differences in general calculational methodology, and (5) rounding error from unit conversions (e.g. Sv/Bq to Rem/ μ Ci). Some of the more important differences are discussed in the following sections.

4.1 Radionuclide Decay Data

The values for both DCFs and DRCFs are strongly dependent upon the radionuclide decay data used as input in the calculations. This decay data includes the type, energy, and intensity of the individual radiations associated with a specific radionuclide and its progeny (daughters). These data are based on experimental measurements and have been compiled in numerous sources^{2,11,12,13,14}. The compilations require a considerable degree of subjectivity in evaluation of the experimental data and, as a result, have resulted in variations in published decay data for a given radionuclide.

In the data base comparisons in this study, some of the larger differences may be attributed to the use of different decay data. It must be emphasized, though, that some of these cases are due to Fetter's inclusion of very weak or low intensity photons (e.g. internal bremsstrahlung) that have an extremely low dose contribution. Although these differences may produce large ratio differences when comparing two values (or "zero ratio" values when one value is zero), the overall dose from these weak, low-intensity photons is extremely small.

Fetter used decay data from The Table of Isotopes¹¹, The Table of Radioactive Isotopes¹², and the National Nuclear Data Center¹³. The DOE, Soviet, and many of the UK internal DCFs are taken directly from ICRP Publication 30². For external DRCFs, DOE uses decay data from Kocher's Radioactive Decay Data Tables¹⁴, the Soviet data is taken from Photon Radiation from Radioactive Nuclides¹⁵, and the UK uses the UKDECAY3 data library. The following nuclides are examples of where the use of different decay data produced large (or zero) ratio differences between data bases:

- 1) **H-3, Be-10, C-14, P-32** (most of the "zero-ratio" nuclides)
DOE/Fetter-external: Fetter includes very low energy "internal bremsstrahlung" (IB) photons that accompany β^- , β^+ , and electron-capture decay; DOE does not include IB (external dose = 0).
- 2) **Ra-228**, DOE/Fetter-external: Fetter includes several "uncertain" gamma photons between 6 and 31 keV; DOE uses the beta emission only. The extreme ratio between the two data bases is insignificant as the daughter Ac-228 gives much higher dose.
- 3) **Pt-193**, DOE/Fetter-internal: DOE includes a low energy Auger L electron; Fetter includes only low energy photons.

4.2 Selection and Identification of Isomeric States and Chemical Form

Among all the data bases, there was no uniform nomenclature for identification of multiple isomeric states for certain radionuclides. This caused confusion and uncertainty in proper matching of some radionuclides especially because many of the tabulations do not include half-life with the radionuclide in the DCF tables. Fetter used "m" to identify the lower energy state isomer and "g" to identify the higher energy state isomer when decay was by isomeric transition (IT). In the Soviet data base, a single IT state is selected for those radionuclides with both high and low states and identified with an "m". In the UK data base, IT states are identified as "m" and "n," with the latter corresponding to Fetter's "m" state. In addition, some

radionuclides (In-110, Sb-120, Eu-150, Ho-166, Ta-178, Np-236) exist in two energy states that do not decay by IT and were not identified in the nomenclature with any identifying suffix or half-life. Although thorough examination of decay libraries, if available, will eliminate this confusion, the authors believe that a uniform nomenclature should be established that includes half-life next to the radionuclide name when multiple energy states exist.

Several of the outlying ratios are attributed to comparison of different chemical forms of the same radionuclide. The chemical form of a radionuclide affects organ distribution and retention (biological half-life) and, therefore, the CEDE. Examples of comparison of different chemical forms are:

(1) **C-14:** The ICRP metabolic model assumes that 100% of inhaled or ingested carbon is instantaneously and uniformly distributed throughout all organs and tissues of the body. Retention (biological half-life) is based on whether the chemical form is gaseous CO/CO₂ (most lost within 1 hr) or organic (40 d half-life), with the longer retention time resulting in higher dose. For the *inhalation* pathway, the Soviet and UK used the ICRP values for organic carbon compounds (the LCC for the Soviet value is inappropriately identified as "D" for this form). This form gives a CEDE value that is 71 times higher than the ICRP and Fetter value for the CO₂ form. The authors believe that the most appropriate form for inhalation is in the gaseous (CO/CO₂) form although explicit CEDE values should be calculated and identified for all forms. For the *ingestion* pathway, ICRP indicates that dietary carbon will be in the organic form with a biological half-life of approximately 40 d. The DOE, Soviet, and UK ingestion CEDE values (560 pSv/Bq) reflect this retention time. However, Fetter used the CO₂ *inhalation* retention function for ingestion calculations, resulting in a much smaller ingestion CEDE (8.14 pSv/Bq). The authors believe that organic carbon is the only appropriate form for ingestion pathway calculations.

(2) Hg-194, Co-60, Mo-93 (ingestion), and Fe-55 (inhalation): Many of the UK comparisons are high because they are based on "worst-case" chemical form, which is not always the oxide form that Fetter used.

4.3 Treatment of Daughter Radionuclides

4.3.1 Internal DCFs.

Internal DCFs for a parent radionuclide must account for the radiations from daughter radionuclides that grow in after intake of the parent. The metabolic behavior of these daughters must be defined in the calculations to determine organ retention and distribution. The ICRP metabolic model assumes that these daughters behave biologically like the parent element except in the following cases: (1) inert daughters (e.g. xenon) escape from the body with a half-life of two hours, and (2) iodine daughters behave biologically like iodine instead of the parent. The DOE, Soviet and some of the UK internal DCF values are taken from the ICRP and, therefore, follow this methodology. For computational simplicity, Fetter's model assumes that daughter radionuclides behave biologically like the parent in every case. In addition to the treatment of daughter metabolism, differences in DCF values may be influenced by the number of daughters included (parents with long decay chains) or whether daughters with small branching ratios are included in the decay library.

Variations in internal DCFs for the following radionuclides are likely due to differences in treatment of daughters:

- (1) Ra-226: The DOE values (ICRP) assume that the radon gas progeny, Rn-222, escapes from the body with a half-life of 2-hr. Fetter assumes the progeny is retained according to the biological behavior of radium, which produces significantly higher (up to 30x) DCF values than DOE .

(2) **I-133, I-135:** These nuclides decay to xenon isotopes which escape from the body in the ICRP model but are retained according to iodine in Fetter's model. Fetter's DCF values are approximately 2 times higher.

(3) **Te-129, Te-129m, Te-131, Te-131m:** These radionuclides decay first to radioiodine and then to primarily stable xenon isotopes. The Fetter model assumes these daughters behave biologically like tellurium. For Te-131 and Te-131m, the Fetter model under-predicts (up to 5.6x) the ICRP (Soviet/DOE) model because it does not account for the distribution and retention of the I-131 daughter in the thyroid. For Te-129 and Te-129m, the Fetter model slightly over-predicts (up to 2x) the ICRP model because it assumes that the I-129 daughter behaves metabolically like tellurium rather than iodine (shorter biological half-life).

(4) **Nb-94m, Nb-94:** The ICRP reports an internal DCF value for Nb-94 and no DCF value for its parent, Nb-94m. The Fetter database reports different internal DCF values for the two isomers. It appears the Nb-94 DCF value was also used in Nb-94m in the Soviet compiled database resulting in a large comparison ratio for Nb-94m. This apparent substitution is not appropriate because the progeny is not in secular equilibrium with the parent. The Soviet author (Beliaev) has compiled a new set of ingestion DCFs from the ICRP database and this error appears to have been corrected. The Soviet inhalation DCF database is believed to have the same error. Therefore, large ratios for Nb-94m and other isomers (Sb-126, Sb-126m) are probably due to compilation errors.

4.3.2 External DRCFs.

For external DRCF tabulations, short-lived daughters were not treated uniformly between data bases. Two examples are cited:

Cs-137, Ru-106: The Fetter and Soviet data bases included the gamma emissions from the short-lived daughters, Ba-137m and Rh-106, in the parent decay data. This methodology is based on the reasonable assumption of secular equilibrium in the environment and similar

environmental behavior for both parent and daughter. In contrast, all DOE values include only radiations from the listed radionuclide, and separate entries are explicitly listed for each daughter. As a result, the Fetter and Soviet data implicitly give an external photon dose from these beta emitting parents while DOE includes only beta, resulting in no (0) external dose.

The implicit inclusion of daughter radiations in selected parent nuclides for external DRCFs may be a significant source of confusion when these factors are used in environmental transport modeling. The modeler may be unsure of which daughters to add to the source term and which are built-in to DRCF. If daughter radiations are included in the external DRCF for the parent, the listing should be adequately labeled as such.

4.4 Methodology Differences

4.4.1 Soviet/Fetter External Methodology

Differences between Soviet external (ground surface and immersion) DRCF values and Fetter's values were due primarily to differences in the methodology used to calculate the factors and slightly different values for physical constants such as air density and decay data.

The Soviet immersion methodology does not calculate a true effective dose equivalent. Rather, the methodology more closely resembles a conversion from gamma exposure in air to dose to the whole body. The Soviet methodology uses a fixed conversion from energy deposited in air to equivalent dose in tissue of 1.09 Sv/Gy. Fetter's immersion methodology uses photon energy-specific mass energy absorption coefficient ratio for air and tissue. The dose is calculated separately for each organ by multiplying by the ratio of absorbed dose rate in the organ to the absorbed dose rate in air for immersion in a radioactive cloud as calculated by Poston and Snyder¹⁶ (organ/air ratio). Hand calculations performed using each methodology for the immersion pathway indicated the major difference between the two DRCFs was the inclusion of the organ/air ratio in Fetter's DRCF. Since the organ/air ratio is generally less than 1.0, then a systematically lower Fetter immersion DRCF relative to the Soviet DRCF can be expected.

Corresponding organ/air ratios for ground surface exposure DRCFs are not reported in the literature. Therefore, Fetter followed Kocher's methodology⁶ for calculation of ground surface DRCF and used organ/air ratios that were calculated for the immersion pathway. Fetter states that this is a rough approximation and will result in errors generally less than 25%. The organ dose is then multiplied by its weighting factor and summed to give an EDE.

The Soviet methodology for ground surface is based on the gamma exposure rate constant reported in Reference 17 and 18. The gamma exposure constant is multiplied by a fixed conversion from energy deposited in air to that in tissue (1.09 Sv/Gy), and a 2π geometry correction factor is also applied.

Fetter calculates the gamma exposure constant explicitly and, like the immersion DRCF, multiplies this value by the ratio of the mass attenuation coefficients for tissue and air and the organ/air ratio. The Soviet/Fetter ground surface DRCF ratios appear to be systematically less than 1.0 (Fetter DRCF > Soviet DRCF) and this is suspected to be due the combination of input data and methodology differences.

4.4.2 UK Internal Methodology

The UK database developed for the FISPACT fusion activation code³ consists of committed effective dose equivalent (CEDE) values (Sv/Bq intake) for 1051 radionuclides. No external DRCF were provided. The CEDE values were taken from ICRP Publication 30 and National Radiological Protection Board (NRPB) data^{19,20} whenever a radionuclide was listed in those sources. To provide values for the remaining radionuclides in the UKDECAY3 library, CEDE values were estimated by scaling similar radionuclides (of same or similar elements) according to half-lives and decay energies³. Estimation methods were accomplished for short-lived (less than 3 days) radionuclides, noble gases, and some long-lived alpha emitters. The estimation methods are reported to give CEDE values generally higher than if they had been generated using the ICRP model (range: .1x to 100 x).

Of the 1,051 radionuclides in the UK data base, only those that were also calculated by Fetter (335) were compared in this report. For those UK values that differed by a factor of greater than 10, most were significantly lower than the values calculated by Fetter. Two UK inhalation (Si-32, C-14) and 3 ingestion values (Pt-193, Hg-194, and C-14) were greater by a factor of 10 than the Fetter value. These differences are likely due to the fact that values for the UK data assume worst-case lung clearance class, f1 values, and radionuclide chemical state (organic vs. inorganic Hg; organic C vs. CO₂).

4.4.3 Fetter Internal Methodology

The CEDE values for the DOE, Soviet, and part of the UK data bases were reportedly taken from ICRP. In the ICRP methodology, only the organs which

give about 90% of the dose are listed and contribute to the CEDE. Fetter's CEDE includes the weighted contributions from all organs with weighting factors explicitly assigned to them regardless of the percent contribution. These organ and their weighting factors are the gonads (greater of the dose to the ovaries or testes), 0.25; breast, 0.15, red marrow, 0.12; lung, 0.12; thyroid, 0.03; bone surface, 0.03; remainder (5 highest remaining organs) 0.06⁷. As a result, Fetter's CEDE values may be slightly higher than the other data bases. However, other factors (e.g. use of different decay data) may also contribute significantly to the overall DCF ratio value and mask the effect from this difference.

For example, the inhalation EDE for V-49 reported for DOE, Soviet and UK data bases was about the same (76 pSv/Bq) but the Fetter DCF was slightly higher (92 pSv/Bq). ICRP assumes 100% of the inhalation dose is from the lung and the Fetter and ICRP non-weighted lung dose conversion factors are exactly the same. However, Fetter adds the other weighted organ doses to the calculate CEDE, resulting in a 20% higher value.

The Fetter inhalation methodology also includes dose to the nasopharyngeal (N-P) region in the lung model. This dose is ignored by ICRP because it is relatively small when compared to the dose to other lung regions over long integration times (e.g. 50-y EDE). This may have resulted in slightly higher lung dose for some nuclides.

4.4.4 DOE External Methodology

The external DOE DRCFs are calculated using approximately the same methodology as Fetter. However, DOE uses an organ/air dose ratio derived from a methodology developed by O'Brian and Sanna^{21,22} which was reported²³ to have a systematic error in the calculations that resulted in a 10% - 30% underestimation of the individual organ doses. The effect of this underestimation was not clear in the histograms (Figure 3 and 4) but was revealed in the evaluation of ITER/BPX nuclides.

4.5 ITER/BPX Isotope Evaluation

Probable reasons for differences in DCF/DRCFs ratios for critical fusion nuclides¹⁰ are presented in Table 11. These reasons are summarized below along with some *suggested* recommendations for deciding on appropriate DCF/DRCFs to use in preliminary safety and environmental assessments and appropriate methodology to be implemented in future DCF/DRCF calculations.

1. *Different Radionuclide Decay Data (Section 4.1)*: All comparison external DRCF values were calculated with different nuclide libraries. ICRP and Fetter used different decay data for internal DCFs. Thus, all differences, to some extent, can be attributed to decay data. Significant differences in ratios that are attributed primarily to decay data are noted in Table 11.

The authors recommend using the most current decay data available for use in future calculations and cross checking this data with other sources.

2. *Different Energy States or Chemical Forms (Section 4.2)*: Differences attributed to the use of different energy states and chemical forms are primarily due to the use of different nomenclature for identifying metastable states of nuclides or not identifying the chemical form of the nuclide used in the calculations. The authors recommend that the LCC, f1 value, chemical form and half-life of the nuclide accompany each DCF/DRCF value listed in the various data bases.

3. *Inconsistent Treatment of Progeny Radionuclides (Section 4.3)*: The authors recommend that nuclide progeny not be included in external (immersion and ground surface) DRCFs. Each external DRCF should only include radiations from the parent and not radiations from implicitly included progeny. This only affects two of the nuclides Fetter calculated since progeny radiations were excluded from the DRCF value for most nuclides.

At the present the ICRP is engaged in calculating new internal DCFs using new metabolic models. In these models, progeny are handled differently than ICRP-30 and Fetter. These internal DCFs will incorporate the latest

metabolic data and represents a significant refinement from the original ICRP-30 model. The results, however, have not been published. In the interim, Fetter's internal DCF values are recommended for internal dose calculations with the exception of iodine and the inert gases. The ICRP (DOE and Soviet) DCF values are recommended for these nuclides.

4. *Differences in Computational Methodology (Section 4.4):* The Fetter or DOE external (ground surface and immersion) methodology is recommended because they use energy specific photon mass attenuation coefficients in the calculation. The DOE ground surface DRCFs have an admitted 10 to 30% error, therefore, Fetter values are recommended for these DRCFs. External DRCFs are currently being re-evaluated by several investigators and new values are being generated. These new values should be evaluated when they become available.

It is important to note the external DRCFs calculated by the Soviet Union compared reasonably well with Fetter's derived DRCFs. Considering the differences in the complexity of the two calculations, the simple Soviet methodology provided reasonably good estimates of the DRCFs.

As stated above, the Fetter internal methodology is recommended (with the exception of iodine and the inert gases) until the new ICRP internal DCFs are published.

5. *Rounding Error from Unit Conversions:* It is suggested that all DCF calculations be performed using SI (Sv, Gy, m (etc.)) units and later converted to other, non-standard units using a fixed conversion factor and rounding all results to two significant digits.

It is important to note that a DCF should not be selected because it has the highest, and therefore the most conservative, value. A DCF/DRCF should be selected based the suitability of the dose model and the accuracy of the data used to calculate the value.

Table 11. Reasons for differences in DCFs/DRCFs ratios (comparison DOE/Fetter DCF) for high priority fusion radionuclides.

Nuclide	DOE Ratio	Reason	USSR Ratio	Reason	UK Ratio	Reason
C-14						
ingestion	69.8	2	68.8	2	68.8	2
inhalation	0.82	1,4	70.7	2	70.7	2
ground	0.00	1	--	--	--	--
immersion	0.00	1	--	--	--	--
V-49						
ingestion	1.04	5	0.99	5	1.06	5
inhalation	0.82	4	0.83	4	0.83	4
ground	660	1?	--	--	--	--
immersion	4.96	1?	--	--	--	--
V-52						
ingestion	--	--	--	--	0.86	4
inhalation	--	--	17.2	1 (a)	0.52	4(b)
ground	0.89	4	0.53	4	--	--
immersion	0.89	4	1.35	4	--	--
V-53						
ingestion	--	--	--	--	0.73	4
inhalation	--	--	39.8	1 (a)	4.08	4 (b)
ground	--	--	0.57	4	--	--
immersion	--	--	1.48	4	--	--
Cr-51						
ingestion	0.96	5	0.99	5	1.07	5
inhalation	0.77	4	0.78	4	0.80	4
ground	0.80	4?	0.44	4	--	--
immersion	0.80	4?	1.30	4	--	--
Mn-54						
ingestion	0.99	5	0.99	5	0.97	5
inhalation	0.94	5	0.93	5	0.92	5
ground	0.97	5	0.56	4	--	--
immersion	0.97	5	1.47	4	--	--
Mn-56						
ingestion	0.96	5	0.96	5	0.93	5
inhalation	0.45	4	0.46	4	0.62	4
ground	1.02	5	0.57	4	--	--
immersion	1.02	5	1.46	4	--	--
Fe-55						
ingestion	1.06	5	1.06	5	1.08	2,5
inhalation	0.93	5	0.95	5	2.03	2,4
ground	23.1	1?	--	--	--	--
immersion	5.16	1?	--	--	--	--

Reasons for Differences

1. Different Radionuclide Decay Data
2. Different Energy States or Chemical Forms
3. Inconsistent Treatment of Progeny
4. Differences in Computational Methodology
5. Rounding Error

a. ICRP does not report an internal DCF for V-52 or V-53. The Soviet database appears to have used the V-49 internal DCF for V-52 and V-53.

b. It was uncertain what f1 value or LCC was used for the UK DCF

? Reason for difference uncertain or not investigated.

Table 11 (continued)

Nuclide	DOE	Reason	USSR	Reason	UK	Reason
Co-57						
ingestion	1.00	5	1.01	5	1.74	2,4
inhalation	0.84	4	0.85	4	0.83	4?
ground	0.87	4	0.65	4	--	--
immersion	0.86	4	1.35	4	--	--
Co-58						
ingestion	0.97	5	0.97	5	1.20	2
inhalation	0.65	4	0.65	4	0.64	4
ground	0.95	5&4	0.68	4	--	--
immersion	0.95	5&4	1.80	4	--	--
Co-60						
ingestion	0.99	5	0.99	5	2.56	2
inhalation	0.70	4	0.71	4	0.71	4
ground	0.93	5&4	0.56	4	--	--
immersion	0.94	5&4	1.43	4	--	--
Ni-57						
ingestion	0.94	5	0.95	5	0.95	5
inhalation	0.84	4	0.82	4	0.82	4
ground	0.94	5	0.62	4	--	--
immersion	0.95	5	1.46	4	--	--
Cu-62						
ingestion	--	--	--	--	0.35	4
inhalation	--	--	--	--	0.51	4
ground	0.87	4	0.51	4	--	--
immersion	0.86	4	1.36	4	--	--
Cu-64						
ingestion	0.91	4	0.91	4	0.94	4
inhalation	0.60	4	0.60	4	0.61	4
ground	0.80	4	0.49	4	--	--
immersion	0.80	4	1.30	4	--	--
Cu-66						
ingestion	--	--	--	--	0.23	4
inhalation	--	--	10.8	--	0.35	4
ground	--	--	0.56	4	--	--
immersion	--	--	1.44	4	--	--
Nb-92m						
ingestion	--	--	2.29	c	0.96	4
inhalation	--	--	0.97	c	0.93	4
ground	0.99	5	0.80	4	--	--
immersion	0.98	5	1.49	4	--	--

Reasons for Differences

1. Different Radionuclide Decay Data
2. Different Energy States or Chemical Forms
3. Inconsistent Treatment of Progeny
4. Differences in Computational Methodology
5. Rounding Error
- c. The same DCF was used for Nb-90, 91, 91m, 92, 92m
- ? Reason for difference uncertain.

Table 11 (continued)

Nuclide	DOE	Reason	USSR	Reason	UK	Reason
Nb-94m						
ingestion	--	--	--	--	0.34	4
inhalation	--	--	2.6E+5	d	0.39	4
ground	1.00	5	16.1	4?	--	--
immersion	0.99	5	2.83	4?	--	--
Mo-93						
ingestion	0.75	4	0.73	4	3.80	2
inhalation	0.80	4	0.80	4	0.80	4
ground	1.29	1	33.6	4	--	--
immersion	1.37	1	22.9	4	--	--
Mo-99						
ingestion	0.97	5	0.96	5	0.98	5
inhalation	0.860	4	0.87	4	0.88	4
ground	0.88	4	0.99	4	--	--
immersion	0.90	4	2.45	4	--	--
Mo-101						
ingestion	0.71	4?	--	--	0.72	4
inhalation	0.53	4?	0.54	4	0.58	4?
ground	0.88	4	0.69	4	--	--
immersion	0.88	4	1.75	4	--	--
Ta-182						
ingestion	1.01	5	1.01	5	1.00	1
inhalation	0.86	4	0.86	4	0.85	4
ground	0.95	4	0.54	4	--	--
immersion	0.93	4	1.42	4	--	--
W-181						
ingestion	1.33	1?	1.35	1?	1.51	1?
inhalation	1.31	1?	1.33	1?	1.33	1?
ground	0.85	4	0.42	4	--	--
immersion	0.87	4	1.62	4	--	--
W-185						
ingestion	0.79	1?	0.81	1?	1.15	4?,e
inhalation	0.89	1?	0.89	1?	0.93	4?,e
ground	0.85	4	--	--	--	--
immersion	0.86	4	--	--	--	--
W-187						
ingestion	0.99	5	0.99	5	1.43	4?
inhalation	0.85	4	0.84	4	1.01	4&5?
ground	0.90	4	0.47	4	--	--
immersion	0.90	4	1.28	4	--	--

Reasons for Differences

1. Different Radionuclide Decay Data
2. Different Energy States or Chemical Forms
3. Inconsistent Treatment of Progeny
4. Differences in Computational Methodology
5. Rounding Error
- d. The inhalation DCF for Nb-94 was the same.
- e. It is unknown why the UK/Fetter ratio is different than the Soviet or DOE since ICRP provided DCFs for this nuclide.
- ? Reason for difference uncertain

Table 11 (continued)

Nuclide	DOE	Reason	USSR	Reason	UK	Reason
Re-186						
Ingestion	1.19	?	1.20	?	1.20	1&4?
Inhalation	0.96	?	0.95	?	0.96	1&4?
ground	0.76	4	0.31	4	--	--
immersion	0.76	4	1.18	4	--	--
Po-210						
Ingestion	0.95	?	--	--	0.85	4?
Inhalation	0.93	?	--	--	0.93	?
ground	0.96	4	--	--	--	--
immersion	0.86	4	--	--	--	--

Reasons for Differences

1. Different Radionuclide Decay Data
 2. Different Energy States or Chemical Forms
 3. Inconsistent Treatment of Progeny
 4. Differences in Computational Methodology
 5. Rounding Error
 - ? Reason for difference uncertain.
-

5.0 REFERENCES

1. S. Fetter, The Radiological hazards of Fusion Reactors: Models and Comparisons, Ph.D. dissertation, University of California, Berkeley, 1985.
2. International Commission on Radiological Protection, Limits for Intakes of Radionuclides by Workers, ICRP Publication 30, Parts 1-3, 1979-1981, and Supplements to Parts 1-3, 1979-1982, Oxford: Pergamon Press.
3. K. R. Smith, Dosimetric Data for FISPACT, CLM-R299, Abingdon, Oxon., OX14 3DB, UK, April 1990.
4. V. A. Belliaev and N. G. Gusev, Method of Individual and Collective Exposure Doses Calculation from Effluents of Radionuclides by Fusion Power Facilities (Working material submitted to the ITER - Workshop), Moscow, 1990.
5. U.S. Department of Energy (DOE), Internal Dose Conversion Factors for Calculation of Dose to the Public, DOE/EH-0071, July 1988.
6. U.S. Department Energy (DOE), External Dose-Rate Conversion Factors for Calculation of Dose to the Public, DOE/EH-0070, July 1988.
7. S. Fetter, Internal Dose Conversion Factors for 19 Target Organs and 9 Irradiation Times and External Dose-Rate Conversion Factors for 21 Target Organs for 259 Radionuclides Produced in Potential Fusion Reactor Materials, EGG-FSP-8036, March 1988.
8. S. Fetter, Internal Dose Conversion Factors for 19 Target Organs and 9 Irradiation Times and External Dose Rate Conversion Factors for 21 Target Organs for 144 Radionuclides, EG&G Informal Report to be published September, 1991.
9. R. A. Forrest and D. A. J. Endacott, FISPACT - User Manual, AERE-M-3654, 1988.
10. L. C. Cadwallader to A. S. Rood, EG&G Idaho, Inc., Subject: "RADIONUCLIDES OF INTEREST FOR THE DCF COMPARISON REPORT - LCC-59-91," August 15, 1991.
11. C. M. Lederer and V. S. Shirley, eds., Table of Isotopes, 7th Edition, New York: John Wiley & Sons, Inc., 1978.
12. E. Browne and R. B. Firestone, Table of Radioactive Isotopes, New York: John Wiley & Sons, Inc., 1986.
13. C. L. Dunford, I. W. Burrows, and J. K. Tuli, National Nuclear Data Center On-Line Services Documentation, BNL-NCS-39756, Upton, NY: Brookhaven National Laboratory, March 31, 1987.

14. D. C. Kocher, Radioactive Decay Data Tables, DOE/TIC-11026, U.S. Department of Energy, 1981.
15. N. G. Gusev and P. P. Dmitriev, Photon Radiation from Radioactive Nuclides, Reference book, Moscow, Atomizdat, 1977.
16. J. W. Poston and W.S. Snyder, A Model for Exposure to a Semi-Infinite Radioactive Cloud, Health Physics, Vol. 26 1974
17. N. G. Gusev, E. E. Kovalev, D. P. Osanov, and V. I. Popou, Protection from Extended Sources of Radiation, Moscow, Gosatomizdat, 1961.
18. B. R. Bergelson and G. A. Zorikoev, Manual for Protection from Extended Sources of Radiation, Moscow, Atmoizdat, 1965.
19. G. M. Kendall, B. W. Kennedy, J. R. Greenhalgh, N. Adams, and T. P. Fell, Committed Dose Equivalent to Selected Organs and Committed Effective Dose Equivalent from Intakes of Radionuclides, NRPB-GS7, HMSO, London, 1985.
20. J. R. Greenhalgh, T. P. Fell, and N. Adams, Doses from Intakes of Radionuclides by Adults and Young People, NRPB-R162, HMSO, London, 1987.
21. K. O. O'Brian and R. Sanna, The Effects of the Male-Female Body-Size Difference on Absorbed Dose-Rate Distributions in Humans from Natural Gamma Rays, Health Physics, Vol 34, 1978.
22. K. O. O'Brian, Human Dose from Radiation of Terrestrial Origin, p 1163 in *Natural Radiation Environment III*, Vol. 2. CONF-780422, U.S. Department of Energy, 1980.
23. P. Jacob, H. G. Paretzke, H. Rosenbaum, and M. Zankl, Effective Dose Equivalents for Photon Exposures from Plane Sources on the Ground, Radiation Protection and Dosimetry, Vol 14, 1986
24. R. Forrest, UKAEA, to M. Abbott, EG&G Idaho Inc., Subject: "Dose Factor Comparison Report" [Review of], September 17, 1991.

APPENDIX A

DEFINITIONS OF TERMS

Auger electron is an outer shell electron that is ejected from an atom in order to transfer excitation energy caused by an electron vacancy in another shell. Auger electron energy is relatively low and their emission is favored only in low-Z elements for which electron binding energies are small.

Committed dose equivalent is the predicted total dose equivalent to a tissue or organ over a 50-year period after a known intake of a radionuclide into the body. It does not include contributions from external dose. Committed dose equivalent is expressed in units of sievert (Sv) or rem.

Committed Effective Dose Equivalent (CEDE) is the sum of the committed dose equivalents to various tissues in the body, each multiplied by the appropriate weighting factor. CEDE is expressed in units of Sv or rem.

Dose Conversion Factor (DCF) is a calculated value for the dose equivalent resulting from a unit intake (inhalation, ingestion) of a radionuclide. The dose conversion factor for a parent radionuclide includes the dose equivalent resulting from decay of all daughter radionuclides in addition to that resulting from the parent. DCFs are calculated for both individual organ and weighted sum (CEDE) dose equivalents. Typical units are in Sv/Bq (or rem/ μ Ci).

Dose equivalent is the product of absorbed dose in gray (or rad) in tissue and a quality factor. Dose equivalent is expressed in units of Sv or rem.

Dose Rate Conversion Factor (DRCF) is a calculated value for the external dose-rate per unit environmental concentration. DRCFs investigated in this report are for the air immersion (Sv/s per Bq/m³) and ground surface exposure pathways (Sv/s per Bq/m²). DRCFs may be calculated for individual organ, uniform whole-body, and weighted sum (EDE) dose rates.

Effective dose equivalent in this document is the weighted sum of organ dose equivalents resulting from external photon irradiation in the environment. This sum is a risk equivalent value and can be used to estimate the health-effects risk of the exposed individual. The tissue-specific weighting factors represent the fraction of the total health risk resulting from uniform whole-body irradiation that would be contributed by that particular tissue. Effective dose equivalent is expressed in units of Sv or rem.

f1 value represents the fraction of a stable element reaching the body fluids following ingestion. Values of f1 are given in the metabolic data for a number of classes of chemical compounds for each element.

Internal Bremsstrahlung (IB) is the continuous-energy photon radiation that accompanies beta, positron, and electron-capture decay. The energy of IB is usually much weaker than that of gamma photons, but often comparable to that of X-rays or atomic electrons.

Lung Clearance Class (LCC) is the discreet classification of a radioactive aerosol according to how rapidly it is removed from the respiratory passages. Three clearance classes have been designated by the ICRP: D (removal accomplished in days), W (removal accomplished in weeks), and Y (removal accomplished in years). The LCC is generally dependent on the chemical form (e.g. oxide) of the aerosol carrier.

Energy Absorption Coefficient (μ_{en} , cm^{-1}) is the fraction of a photon beam's energy that is *deposited* in an absorber, per unit length of the absorber. It includes only the energy transferred from the photoelectron, Compton electron, and electron pair in pair production. The *mass* energy absorption coefficient (μ_{en}/ρ , cm^2/g) is used when the absorber thickness is given in g/cm^2 . Values of μ_{en}/ρ for various photon energies are given in the literature for water, air, compact bone, and muscle.

Metastable refers to the designation of a relatively short-lived, higher energy isomeric state of a radionuclide (e.g. Co-60m --> Co-60).

Secular Equilibrium is a parent/daughter radionuclide condition where the number of atoms of a relatively short-lived daughter has become constant and the activity of the daughter equals that of the parent.

Weighting Factor is tissue-specific and represents the fraction of the total health risk resulting from uniform, whole-body irradiation that could be contributed to that particular tissue. The weighting factors recommended by ICRP 26 are:

<u>Organ or Tissue</u>	<u>Weighting Factor</u>
Gonads	0.25
Breasts	0.15
Red Bone Marrow	0.12
Lungs	0.12
Thyroid	0.03
Bone Surfaces	0.03
Remainder	0.30

Where "remainder" means the five other organs with the highest dose. The weighting factor for each organ is 0.06.

APPENDIX B

DOSE CONVERSION FACTORS CALCULATED BY S. FETTER

Table B-1 Fetter dose conversion factors for the inhalation and ingestion pathways.

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Ingestion DCF (pSv/Bq)
H-3	010030	1.00E+00	N	2.62E+01	2.48E+01
Be-7	040070	5.00E-03	Y	9.00E+01	3.35E+01
Be-10	040100	5.00E-03	Y	7.68E+04	9.22E+02
C-14	060140	1.00E+00	N	7.92E+00	8.14E+00
N-13	070130	1.00E+00	N	5.76E+00	9.62E+00
N-16	070160	1.00E+00	N	6.49E-01	1.09E+00
F-18	090180	1.00E+00	D	2.45E+01	4.14E+01
Na-22	110220	1.00E+00	D	2.13E+03	3.08E+03
Na-24	110240	1.00E+00	D	3.24E+02	4.30E+02
Mg-27	120270	0.50E+00	W	7.35E+00	1.77E+01
Mg-28	120280	0.50E+00	W	1.61E+03	2.06E+03
Al-26	130260	0.01E+00	W	2.05E+04	3.86E+03
Al-28	130280	0.01E+00	W	3.22E+00	8.35E+00
Al-29	130290	0.01E+00	W	7.05E+00	1.75E+01
Si-31	140310	0.01E+00	W	8.78E+01	1.49E+02
Si-32	140320	0.01E+00	W	1.42E+04	5.51E+02
P-32	150320	0.80E+00	D	1.38E+03	1.97E+03
P-33	150330	0.80E+00	D	1.46E+02	2.10E+02
S-35	160350	0.80E+00	D	8.14E+01	1.16E+02
S-37	160370	0.80E+00	D	4.68E+00	1.23E+01
Cl-36	170360	1.00E+00	D	5.76E+02	7.59E+02
Cl-38	170380	1.00E+00	D	4.76E+01	9.89E+01
Cl-39	170390	1.00E+00	D	3.73E+01	7.22E+01
Cl-40	170400	1.00E+00	D	2.76E+00	7.30E+00
K-40	190400	1.00E+00	D	3.62E+03	5.16E+03
K-42	190420	1.00E+00	D	3.68E+02	3.84E+02
K-43	190430	1.00E+00	D	1.90E+02	2.41E+02
Ca-41	200410	0.30E+00	W	3.27E+02	2.97E+02
Ca-45	200450	0.30E+00	W	1.81E+03	6.57E+02
Ca-47	200470	0.30E+00	W	1.86E+03	1.66E+03
Sc-44	210440	1.00E-04	Y	1.89E+02	3.65E+02
Sc-44m	210441	1.00E-04	Y	2.05E+03	2.49E+03
Sc-46	210460	1.00E-04	Y	2.05E+03	1.66E+03
Sc-47	210470	1.00E-04	Y	5.59E+02	5.81E+02
Sc-48	210480	1.00E-04	Y	1.22E+03	1.89E+03
Sc-49	210490	1.00E-04	Y	4.95E+01	8.14E+01
Sc-50	210500	1.00E-04	Y	3.51E+00	9.05E+00
Ti-44	220440	0.01E+00	W	4.84E+04	5.76E+03
Ti-45	220450	0.01E+00	W	8.08E+01	1.62E+02
Ti-51	220510	0.01E+00	W	5.30E+00	1.31E+01
V-48	230480	0.01E+00	W	2.73E+03	2.19E+03
V-49	230490	0.01E+00	W	9.19E+01	1.41E+01
V-52	230520	0.01E+00	W	4.43E+00	1.13E+01
V-53	230530	0.01E+00	W	1.91E+00	4.95E+00
Cr-49	240490	0.10E+00	Y	2.92E+01	5.57E+01
Cr-51	240510	0.10E+00	Y	9.11E+01	3.65E+01
Cr-55	240550	0.10E+00	Y	3.89E+00	9.54E+00
Mn-52	250520	0.10E+00	W	1.59E+03	1.96E+03
Mn-52m	250521	0.10E+00	W	2.92E+01	6.54E+01
Mn-53	250530	0.10E+00	W	1.35E+02	2.73E+01
Mn-54	250540	0.10E+00	W	1.85E+03	7.41E+02
Mn-56	250560	0.10E+00	W	1.43E+02	2.69E+02
Mn-57	250570	0.10E+00	W	1.71E+00	4.35E+00

Table B-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation	Ingestion
				DCF (pSv/Bq)	DCF (pSv/Bq)
Fe-53	260530	0.10E+00	W	1.15E+01	2.78E+01
Fe-55	260550	0.10E+00	W	3.49E+02	1.48E+02
Fe-59	260590	0.10E+00	W	3.43E+03	1.78E+03
Fe-60	260600	0.10E+00	W	7.65E+04	4.27E+04
Co-57	270570	0.05E+00	Y	2.41E+03	1.78E+02
Co-58	270580	0.05E+00	Y	2.97E+03	7.84E+02
Co-58m	270581	0.05E+00	Y	2.97E+01	2.44E+01
Co-60	270600	0.05E+00	Y	5.81E+04	2.73E+03
Co-60m	270601	0.05E+00	Y	8.35E-01	1.33E+00
Co-61	270610	0.05E+00	Y	4.89E+01	7.76E+01
Co-62m	270621	0.05E+00	Y	1.77E+01	4.00E+01
Ni-57	280570	0.05E+00	W	5.46E+02	9.49E+02
Ni-59	280590	0.05E+00	W	2.30E+02	4.62E+01
Ni-63	280630	0.05E+00	W	6.32E+02	1.49E+02
Ni-65	280650	0.05E+00	W	9.51E+01	1.71E+02
Cu-62	290620	0.50E+00	Y	1.49E+01	3.41E+01
Cu-64	290640	0.50E+00	Y	1.04E+02	1.28E+02
Cu-66	290660	0.50E+00	Y	5.76E+00	1.38E+01
Zn-63	300630	0.50E+00	Y	4.08E+01	7.41E+01
Zn-65	300650	0.50E+00	Y	5.51E+03	3.89E+03
Zn-69	300690	0.50E+00	Y	1.89E+01	2.95E+01
Zn-69m	300691	0.50E+00	Y	2.76E+02	3.27E+02
Zn-71m	300711	0.50E+00	Y	1.61E+02	2.40E+02
Ga-68	310680	1.00E-03	W	4.86E+01	8.59E+01
Ga-70	310700	1.00E-03	W	1.36E+01	2.86E+01
Ga-72	310720	1.00E-03	W	6.05E+02	1.18E+03
Ge-69	320690	1.00E+00	W	2.01E+02	9.49E+01
Ge-75	320750	1.00E+00	W	3.30E+01	3.78E+01
Ge-77	320770	1.00E+00	W	4.08E+02	2.02E+02
As-74	330740	0.50E+00	W	2.15E+03	9.68E+02
As-76	330760	0.50E+00	W	1.16E+03	1.26E+03
As-77	330770	0.50E+00	W	3.22E+02	3.11E+02
As-78	330780	0.50E+00	W	1.20E+02	1.96E+02
Se-75	340750	0.80E+00	W	2.30E+03	2.58E+03
Se-79	340790	0.80E+00	W	2.59E+03	2.29E+03
Br-80	350800	1.00E+00	D	1.03E+01	2.38E+01
Br-80m	350801	1.00E+00	D	8.46E+01	8.73E+01
Br-82	350820	1.00E+00	D	3.49E+02	5.08E+02
Rb-84	370840	1.00E+00	D	1.33E+03	1.92E+03
Rb-86	370860	1.00E+00	D	1.88E+03	2.57E+03
Rb-86m	370861	1.00E+00	D	1.29E-01	2.66E-01
Rb-87	370870	1.00E+00	D	6.57E+02	9.49E+02
Rb-88	370880	1.00E+00	D	3.30E+01	7.68E+01
Sr-85	380850	0.30E+00	D	5.19E+02	5.14E+02
Sr-89	380890	0.30E+00	D	1.37E+03	2.09E+03
Sr-90	380900	0.30E+00	D	1.04E+05	6.00E+04
Sr-91	380910	0.30E+00	D	2.33E+02	6.08E+02
Y-88	390880	1.00E-04	Y	7.54E+03	1.55E+03
Y-90	390900	1.00E-04	Y	2.43E+03	2.64E+03
Y-90m	390901	1.00E-04	Y	1.39E+02	1.75E+02
Y-91	390910	1.00E-04	Y	1.32E+04	2.31E+03
Y-91m	390911	1.00E-04	Y	1.15E+01	1.11E+01
Y-92	390920	1.00E-04	Y	3.30E+02	5.19E+02
Y-93	390930	1.00E-04	Y	7.62E+02	1.18E+03
Y-94	390940	1.00E-04	Y	3.78E+01	7.78E+01
Zr-89	400890	2.00E-03	W	6.22E+02	8.51E+02
Zr-93	400930	2.00E-03	W	2.25E+04	4.35E+02
Zr-95	400950	2.00E-03	W	4.30E+03	9.57E+02
Zr-97	400970	2.00E-03	W	1.25E+03	2.13E+03

Table B-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Ingestion DCF (pSv/Bq)
Nb-90	410900	0.01E+00	Y	7.16E+02	1.35E+03
Nb-91	410910	0.01E+00	Y	4.59E+03	4.24E+01
Nb-91m	410911	0.01E+00	Y	2.36E+03	4.08E+02
Nb-92	410920	0.01E+00	Y	5.16E+04	1.14E+03
Nb-92m	410921	0.01E+00	Y	5.92E+02	5.81E+02
Nb-93m	410931	0.01E+00	Y	8.14E+03	1.32E+02
Nb-94	410940	0.01E+00	Y	1.03E+05	1.74E+03
Nb-94m	410941	0.01E+00	Y	3.38E-01	7.30E-01
Nb-95	410950	0.01E+00	Y	1.57E+03	6.54E+02
Nb-95m	410951	0.01E+00	Y	7.16E+02	5.95E+02
Nb-96	410960	0.01E+00	Y	6.95E+02	1.20E+03
Nb-97	410970	0.01E+00	Y	4.00E+01	7.03E+01
Nb-97m	410971	0.01E+00	Y	6.27E-01	1.18E+00
Nb-98m	410981	0.01E+00	Y	5.49E+01	1.08E+02
Mo-91	420910	0.05E+00	Y	2.73E+01	5.81E+01
Mo-93	420930	0.05E+00	Y	9.43E+03	7.97E+01
Mo-93m	420931	0.05E+00	Y	1.45E+02	3.32E+02
Mo-99	420990	0.05E+00	Y	1.13E+03	1.23E+03
Mo-101	421010	0.05E+00	Y	1.67E+01	3.49E+01
Tc-95	430950	0.80E+00	W	7.89E+01	1.18E+02
Tc-96	430960	0.80E+00	W	6.97E+02	7.41E+02
Tc-97	430970	0.80E+00	W	2.61E+02	3.11E+01
Tc-98	430980	0.80E+00	W	5.38E+03	1.04E+03
Tc-99	430990	0.80E+00	W	1.85E+03	2.43E+02
Tc-99m	430991	0.80E+00	W	8.95E+00	1.32E+01
Tc-101	431010	0.80E+00	W	7.30E+00	1.64E+01
Ru-97	440970	0.50E+00	Y	1.25E+02	1.67E+02
Ru-103	441030	0.50E+00	Y	2.42E+03	7.59E+02
Ru-105	441050	0.50E+00	Y	1.64E+02	2.69E+02
Ru-106	441060	0.50E+00	Y	1.29E+05	6.76E+03
Rh-101	451010	0.05E+00	Y	1.01E+04	5.95E+02
Rh-101m	451011	0.05E+00	Y	2.04E+02	2.39E+02
Rh-102	451020	0.05E+00	Y	3.16E+04	2.81E+03
Rh-102m	451021	0.05E+00	Y	5.92E+03	5.43E+02
Rh-103m	451031	0.05E+00	Y	2.26E+00	3.70E+00
Rh-104	451040	0.05E+00	Y	7.41E-01	1.90E+00
Rh-104m	451041	0.05E+00	Y	4.97E+00	1.19E+01
Rh-105	451050	0.05E+00	Y	2.84E+02	3.62E+02
Pd-107	461070	5.00E-03	Y	3.46E+03	3.65E+01
Pd-109	461090	5.00E-03	Y	3.70E+02	5.57E+02
Pd-111	461110	5.00E-03	Y	2.39E+01	4.24E+01
Pd-111m	461111	5.00E-03	Y	3.92E+02	5.68E+02
Ag-106	471060	0.05E+00	Y	1.30E+01	2.53E+01
Ag-106m	471061	0.05E+00	Y	1.54E+03	1.68E+03
Ag-108	471080	0.05E+00	Y	1.54E+00	3.84E+00
Ag-108m	471081	0.05E+00	Y	7.27E+04	1.89E+03
Ag-110	471100	0.05E+00	Y	5.14E-01	1.33E+00
Ag-110m	471101	0.05E+00	Y	2.20E+04	2.84E+03
Ag-111	471110	0.05E+00	Y	1.75E+03	1.26E+03
Cd-109	481090	0.50E+00	Y	9.08E+03	2.59E+03
Cd-113m	481131	0.50E+00	Y	1.07E+05	4.32E+04
Cd-115	481150	0.50E+00	Y	1.29E+03	1.49E+03
In-114	491140	0.02E+00	W	9.76E-01	2.51E+00
In-114m	491141	0.02E+00	W	1.52E+04	4.22E+03
In-115	491150	0.02E+00	W	2.76E+05	4.19E+04
In-115m	491151	0.02E+00	W	5.32E+01	9.73E+01
In-116	491160	0.02E+00	W	3.38E-01	8.78E-01
In-116m	491161	0.02E+00	W	2.69E+01	6.30E+01
Sn-113	501130	0.02E+00	W	2.41E+03	6.46E+02

Table B-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Ingestion DCF (pSv/Bq)
Sn-113m	501131	0.02E+00	W	1.78E+00	3.19E+00
Sn-119m	501191	0.02E+00	W	1.62E+03	3.27E+02
Sn-121	501210	0.02E+00	W	1.56E+02	2.25E+02
Sn-121m	501211	0.02E+00	W	4.51E+03	5.95E+02
Sn-123	501230	0.02E+00	W	8.84E+03	2.05E+03
Sn-126	501260	0.02E+00	W	2.92E+04	5.19E+03
Sb-120m	511201	0.01E+00	W	1.14E+03	1.47E+03
Sb-122	511220	0.01E+00	W	1.47E+03	1.78E+03
Sb-124	511240	0.01E+00	W	6.81E+03	2.51E+03
Sb-125	511250	0.01E+00	W	3.14E+03	6.65E+02
Sb-126	511260	0.01E+00	W	3.59E+03	2.92E+03
Sb-126m	511261	0.01E+00	W	1.50E+01	3.41E+01
Sb-129	511290	0.01E+00	W	2.53E+02	4.76E+02
Te-121	521210	0.20E+00	W	5.11E+02	4.24E+02
Te-121m	521211	0.20E+00	W	3.41E+03	1.72E+03
Te-123	521230	0.20E+00	W	1.22E+03	1.04E+03
Te-123m	521231	0.20E+00	W	1.02E+03	5.32E+02
Te-125m	521251	0.20E+00	W	1.94E+03	9.24E+02
Te-129	521290	0.20E+00	W	3.70E+01	6.38E+01
Te-129m	521291	0.20E+00	W	6.54E+03	2.66E+03
Te-131	521310	0.20E+00	W	2.09E+01	4.08E+01
Te-131m	521311	0.20E+00	W	8.24E+02	1.11E+03
Te-132	521320	0.20E+00	W	2.08E+03	2.35E+03
I-126	531260	1.00E+00	D	4.73E+03	7.22E+03
I-128	531280	1.00E+00	D	1.56E+01	3.38E+01
I-129	531290	1.00E+00	D	4.05E+04	6.11E+04
I-130	531300	1.00E+00	D	6.57E+02	1.14E+03
I-131	531310	1.00E+00	D	8.08E+03	1.24E+04
I-132	531320	1.00E+00	D	9.51E+01	1.69E+02
I-133	531330	1.00E+00	D	2.09E+03	3.43E+03
I-134	531340	1.00E+00	D	3.81E+01	7.51E+01
I-135	531350	1.00E+00	D	6.65E+02	1.17E+03
Cs-132	551320	1.00E+00	D	3.22E+02	4.84E+02
Cs-134	551340	1.00E+00	D	1.27E+04	1.90E+04
Cs-135	551350	1.00E+00	D	1.12E+03	1.65E+03
Cs-136	551360	1.00E+00	D	1.99E+03	2.95E+03
Cs-137	551370	1.00E+00	D	9.14E+03	1.36E+04
Ba-133	561330	0.10E+00	D	1.85E+03	8.19E+02
Ba-133m	561331	0.10E+00	D	1.59E+02	5.08E+02
Ba-139	561390	0.10E+00	D	5.27E+01	1.24E+02
Ba-140	561400	0.10E+00	D	9.97E+02	2.33E+03
La-137	571370	1.00E-03	W	5.97E+03	1.11E+02
La-138	571380	1.00E-03	W	9.46E+04	1.52E+03
La-140	571400	1.00E-03	W	1.44E+03	2.15E+03
Ce-139	581390	3.00E-04	Y	2.29E+03	2.69E+02
Ce-141	581410	3.00E-04	Y	2.43E+03	7.03E+02
Ce-144	581440	3.00E-04	Y	9.95E+04	5.03E+03
Pr-142	591420	3.00E-04	Y	9.16E+02	1.32E+03
Nd-141	601410	3.00E-04	Y	3.57E+00	7.19E+00
Nd-144	601440	3.00E-04	Y	2.04E+07	4.05E+04
Nd-147	601470	3.00E-04	Y	1.87E+03	1.06E+03
Nd-149	601490	3.00E-04	Y	8.54E+01	1.27E+02
Pm-143	611430	3.00E-04	Y	2.73E+03	2.57E+02
Pm-145	611450	3.00E-04	Y	6.54E+03	9.89E+01
Pm-146	611460	3.00E-04	Y	3.84E+04	9.16E+02
Pm-147	611470	3.00E-04	Y	1.05E+04	2.55E+02
Pm-149	611490	3.00E-04	Y	8.49E+02	9.73E+02
Sm-146	621460	3.00E-04	W	2.23E+07	5.46E+04
Sm-147	621470	3.00E-04	W	2.02E+07	4.97E+04

Table B-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Ingestion DCF (pSv/Bq)
Sm-148	621480	3.00E-04	W	1.78E+07	4.35E+04
Sm-151	621510	3.00E-04	W	8.16E+03	9.59E+01
Sm-153	621530	3.00E-04	W	5.65E+02	7.24E+02
Eu-150	631500	1.00E-04	W	7.03E+04	1.13E+03
Eu-152	631520	1.00E-04	W	5.70E+04	1.24E+03
Eu-152m	631521	1.00E-04	W	1.97E+02	3.43E+02
Eu-152n	631522	1.00E-04	W	4.08E+01	7.22E+01
Eu-154	631540	1.00E-04	W	7.54E+04	1.88E+03
Gd-148	641480	3.00E-04	W	2.35E+07	5.76E+04
Gd-150	641500	3.00E-04	W	2.24E+07	5.49E+04
Gd-152	641520	3.00E-04	W	1.76E+07	4.30E+04
Gd-159	641590	3.00E-04	W	3.19E+02	5.05E+02
Gd-161	641610	3.00E-04	W	2.68E+00	6.16E+00
Tb-157	651570	3.00E-04	W	1.72E+03	2.18E+01
Tb-158	651580	3.00E-04	W	6.11E+04	1.02E+03
Tb-160	651600	3.00E-04	W	5.97E+03	1.55E+03
Tb-161	651610	3.00E-04	W	9.38E+02	7.11E+02
Dy-154	661540	3.00E-04	W	2.62E+07	6.43E+04
Dy-159	661590	3.00E-04	W	5.35E+02	9.43E+01
Ho-164	671640	3.00E-04	W	4.54E+00	9.30E+00
Ho-164m	671641	3.00E-04	W	9.00E+00	1.60E+01
Ho-166	671660	3.00E-04	W	2.07E+05	2.09E+03
Er-169	681690	3.00E-04	W	5.70E+02	3.59E+02
Er-171	681710	3.00E-04	W	1.98E+02	3.62E+02
Tm-168	691680	3.00E-04	W	4.30E+03	1.10E+03
Tm-170	691700	3.00E-04	W	7.08E+03	1.28E+03
Tm-171	691710	3.00E-04	W	2.47E+03	1.04E+02
Lu-174	711740	3.00E-04	Y	1.02E+04	2.69E+02
Lu-174m	711741	3.00E-04	Y	6.46E+03	4.81E+02
Lu-176	711760	3.00E-04	Y	1.80E+05	1.82E+03
Lu-176m	711761	3.00E-04	Y	1.11E+02	1.74E+02
Lu-177	711770	3.00E-04	Y	7.16E+02	5.49E+02
Lu-177m	711771	3.00E-04	Y	9.19E+03	9.27E+02
Lu-178	711780	3.00E-04	Y	2.37E+01	4.46E+01
Lu-178m	711781	3.00E-04	Y	1.69E+01	3.57E+01
Hf-175	721750	2.00E-03	W	9.27E+02	3.27E+02
Hf-177m	721771	2.00E-03	W	6.19E-03	1.68E-02
Hf-177g	721772	2.00E-03	W	3.38E+01	7.65E+01
Hf-178m	721781	2.00E-03	W	1.43E+05	4.54E+03
Hf-179m	721791	2.00E-03	W	4.78E-02	1.26E-01
Hf-179n	721792	2.00E-03	W	2.58E+03	1.27E+03
Hf-181	721810	2.00E-03	W	3.08E+03	1.04E+03
Hf-182	721820	2.00E-03	W	2.32E+05	4.24E+03
Hf-183	721830	2.00E-03	W	4.41E+01	7.49E+01
Ta-179	731790	1.00E-03	Y	1.33E+03	5.32E+01
Ta-180m	731801	1.00E-03	Y	2.54E+01	3.97E+01
Ta-182	731820	1.00E-03	Y	1.16E+04	1.60E+03
Ta-182m	731821	1.00E-03	Y	5.41E+00	9.11E+00
Ta-183	731830	1.00E-03	Y	1.33E+03	1.22E+03
Ta-184	731840	1.00E-03	Y	3.22E+02	5.95E+02
Ta-185	731850	1.00E-03	Y	4.05E+01	6.68E+01
Ta-186	731860	1.00E-03	Y	1.07E+01	2.49E+01
W-179	741790	0.30E+00	D	9.92E-01	2.41E+00
W-179m	741791	0.30E+00	D	1.23E+00	3.11E+00
W-181	741810	0.30E+00	D	3.08E+01	5.49E+01
W-185	741850	0.30E+00	D	2.27E+02	4.43E+02
W-187	741870	0.30E+00	D	1.69E+02	5.19E+02
W-188	741880	0.30E+00	D	1.28E+03	2.05E+03
Re-184	751840	0.80E+00	W	1.32E+03	5.19E+02

Table B-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Ingestion DCF (pSv/Bq)
Re-184m	751841	0.80E+00	W	2.36E+03	3.22E+02
Re-186	751860	0.80E+00	W	8.43E+02	5.92E+02
Re-186m	751861	0.80E+00	W	7.57E+03	5.22E+02
Re-187	751870	0.80E+00	W	1.45E+01	1.90E+00
Re-188	751880	0.80E+00	W	6.19E+02	6.30E+02
Re-188m	751881	0.80E+00	W	1.27E+01	1.40E+01
Re-189	751890	0.80E+00	W	3.41E+02	3.32E+02
Os-189m	761891	0.01E+00	Y	9.46E+00	1.41E+01
Os-191	761910	0.01E+00	Y	1.04E+03	5.05E+02
Os-194	761940	0.01E+00	Y	2.20E+05	3.49E+03
Ir-190	771900	0.01E+00	Y	1.39E+03	1.17E+03
Ir-190m	771901	0.01E+00	Y	7.73E+00	7.62E+00
Ir-192	771920	0.01E+00	Y	7.51E+03	1.41E+03
Ir-192m	771921	0.01E+00	Y	1.51E+05	9.46E+02
Ir-194	771940	0.01E+00	Y	9.16E+02	1.31E+03
Ir-194m	771941	0.01E+00	Y	1.48E+04	2.03E+03
Pt-190	781900	0.01E+00	D	4.27E+05	9.92E+03
Pt-193	781930	0.01E+00	D	1.34E+01	1.76E+00
Pt-193m	781931	0.01E+00	D	9.49E+01	1.52E+02
Pt-197	781970	0.01E+00	D	1.44E+02	4.00E+02
Pt-197m	781971	0.01E+00	D	3.22E+01	8.14E+01
Au-194	791940	0.10E+00	Y	2.42E+02	4.11E+02
Au-196	791960	0.10E+00	Y	3.00E+02	3.19E+02
Au-197m	791971	0.10E+00	Y	2.70E-02	7.05E-02
Au-198	791980	0.10E+00	Y	1.19E+03	1.31E+03
Au-198m	791981	0.10E+00	Y	1.42E+03	1.30E+03
Hg-194	801940	0.02E+00	W	1.05E+04	1.53E+03
Hg-197	801970	0.02E+00	W	1.75E+02	2.08E+02
Hg-197m	801971	0.02E+00	W	3.03E+02	4.24E+02
Hg-199m	801991	0.02E+00	W	1.50E+01	2.89E+01
Hg-203	802030	0.02E+00	W	1.61E+03	5.78E+02
Hg-205	802050	0.02E+00	W	2.92E+00	7.19E+00
Tl-202	812020	1.00E+00	D	2.63E+02	3.81E+02
Tl-204	812040	1.00E+00	D	7.11E+02	9.65E+02
Tl-206	812060	1.00E+00	D	2.27E+00	5.78E+00
Tl-206m	812061	1.00E+00	D	3.76E+00	9.76E+00
Pb-202	822020	0.20E+00	D	3.03E+04	1.19E+04
Pb-203	822030	0.20E+00	D	1.02E+02	2.01E+02
Pb-205	822050	0.20E+00	D	7.49E+02	3.05E+02
Pb-209	822090	0.20E+00	D	2.61E+01	6.19E+01
Pb-210	822100	0.20E+00	D	3.76E+06	1.46E+06
Bi-207	832070	0.05E+00	W	5.43E+03	1.40E+03
Bi-208	832080	0.05E+00	W	4.16E+03	1.33E+03
Bi-210	832100	0.05E+00	W	5.30E+04	1.59E+03
Bi-210m	832101	0.05E+00	W	2.08E+06	2.50E+04
Po-209	842090	0.10E+00	W	3.11E+06	6.41E+05
Po-210	842100	0.10E+00	W	2.36E+06	5.08E+05
Ra-223	882230	0.20E+00	W	2.25E+06	1.65E+05
Ra-224	882240	0.20E+00	W	9.81E+05	8.86E+04
Ra-225	882250	0.20E+00	W	2.11E+06	1.09E+05
Ra-226	882260	0.20E+00	W	1.92E+07	8.95E+06
Ra-228	882280	0.20E+00	W	4.62E+06	3.32E+06
Ac-225	892250	1.00E-03	Y	2.34E+06	2.78E+04
Ac-227	892270	1.00E-03	Y	3.49E+08	3.78E+06
Ac-228	892280	1.00E-03	Y	3.41E+04	5.49E+02
Th-227	902270	2.00E-04	Y	4.41E+06	9.30E+03
Th-228	902280	2.00E-04	Y	9.22E+07	1.07E+05
Th-229	902290	2.00E-04	Y	4.68E+08	9.57E+05
Th-230	902300	2.00E-04	Y	7.08E+07	1.48E+05

Table B-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation	Ingestion
				DCF (pSv/Bq)	DCF (pSv/Bq)
Th-231	902310	2.00E-04	Y	2.49E+02	3.05E+02
Th-232	902320	2.00E-04	Y	3.11E+08	7.38E+05
Th-233	902330	2.00E-04	Y	1.15E+01	2.02E+01
Th-234	902340	2.00E-04	Y	9.49E+03	3.30E+03
Pa-231	912310	1.00E-03	Y	2.32E+08	2.86E+06
Pa-232	912320	1.00E-03	Y	1.95E+04	9.19E+02
Pa-233	912330	1.00E-03	Y	2.49E+03	8.43E+02
U-232	922320	2.00E-03	Y	1.80E+08	1.47E+05
U-233	922330	2.00E-03	Y	3.65E+07	6.00E+03
U-234	922340	2.00E-03	Y	3.59E+07	5.68E+03
U-235	922350	2.00E-03	Y	3.27E+07	5.78E+03
U-235m	922351	2.00E-03	Y	1.99E-03	2.00E-03
U-236	922360	2.00E-03	Y	3.38E+07	5.35E+03
U-238	922380	2.00E-03	Y	3.19E+07	5.19E+03
U-239	922390	2.00E-03	Y	1.39E+01	2.40E+01
U-240	922400	2.00E-03	Y	9.92E+02	1.49E+03
Np-236	932360	0.01E+00	W	2.73E+07	2.17E+06
Np-237	932370	0.01E+00	W	1.36E+08	1.06E+07
Np-239	932390	0.01E+00	W	5.70E+02	6.38E+02
Pu-236	942360	1.00E-05	Y	3.76E+07	8.11E+03
Pu-238	942380	1.00E-05	Y	8.49E+07	1.45E+04
Pu-239	942390	1.00E-05	Y	9.16E+07	1.55E+04
Pu-240	942400	1.00E-05	Y	9.16E+07	1.54E+04
Pu-241	942410	1.00E-05	Y	1.55E+06	2.53E+02
Pu-242	942420	1.00E-05	Y	8.70E+07	1.47E+04
Pu-244	942440	1.00E-05	Y	8.24E+07	1.68E+04
Am-241	952410	5.00E-04	W	1.44E+08	5.92E+05
Am-242	952420	5.00E-04	W	1.64E+04	3.14E+02
Am-242m	952421	5.00E-04	W	1.39E+08	5.73E+05
Am-243	952430	5.00E-04	W	1.44E+08	5.89E+05
Cm-242	962420	5.00E-04	W	4.84E+06	1.81E+04
Cm-243	962430	5.00E-04	W	9.65E+07	3.95E+05
Cm-244	962440	5.00E-04	W	7.65E+07	3.14E+05
Cm-245	962450	5.00E-04	W	1.48E+08	6.11E+05
Cm-246	962460	5.00E-04	W	1.46E+08	6.00E+05
Cm-248	962480	5.00E-04	W	1.27E+08	5.19E+05

Table B-2 Fetter dose rate conversion factors for the ground surface and immersion pathways.

Nuclide	ZA Number	Ground Surface (pSv/s/Bq/m ²)	Immersion _s (pSv/s/Bq/m ²)
H-3	010030	1.27E-13	4.73E-13
Be-7	040070	5.14E-05	2.47E-03
Be-10	040100	1.23E-07	4.57E-06
C-14	060140	4.86E-09	1.04E-07
N-13	070130	1.05E-03	5.08E-02
N-16	070160	3.86E-03	3.49E-01
F-18	090180	1.05E-03	5.08E-02
Na-22	110220	1.99E-03	1.06E-01
Na-24	110240	3.30E-03	2.20E-01
Mg-27	120270	7.95E-04	4.19E-02
Mg-28	120280	1.18E-03	6.46E-02
Al-26	130260	2.31E-03	1.33E-01
Al-28	130280	1.46E-03	9.16E-02
Al-29	130290	1.12E-03	6.62E-02
Si-31	140310	7.35E-07	4.19E-05
Si-32	140320	1.20E-08	3.14E-07
P-32	150320	1.22E-06	5.41E-05
P-33	150330	0.00E+00	0.00E+00
S-35	160350	0.00E+00	0.00E+00
S-37	160370	2.29E-03	1.70E-01
Cl-36	170360	2.17E-07	8.70E-06
Cl-38	170380	1.15E-03	7.43E-02
Cl-39	170390	1.23E-03	7.00E-02
Cl-40	170400	2.95E-03	2.01E-01
Ar-39	180390	0.00E+00	5.49E-06
Ar-41	180410	0.00E+00	6.08E-02
Ar-42	180420	0.00E+00	6.32E-06
K-40	190400	1.33E-04	7.86E-03
K-42	190420	2.47E-04	1.48E-02
K-43	190430	9.76E-04	4.76E-02
Ca-41	200410	1.28E-08	5.97E-07
Ca-45	200450	0.00E+00	0.00E+00
Ca-47	200470	9.08E-04	5.16E-02
Sc-44	210440	1.95E-03	1.02E-01
Sc-44m	210441	3.05E-04	1.44E-02
Sc-46	210460	1.71E-03	9.27E-02
Sc-47	210470	1.28E-04	5.81E-03
Sc-48	210480	2.81E-03	1.56E-01
Sc-49	210490	8.59E-07	5.35E-05
Sc-50	210500	2.62E-03	1.49E-01
Ti-44	220440	1.57E-04	6.22E-03
Ti-45	220450	9.00E-04	4.38E-02
Ti-51	220510	3.89E-04	1.85E-02
V-48	230480	2.50E-03	1.36E-01
V-49	230490	9.70E-11	8.14E-08
V-52	230520	1.22E-03	7.22E-02
V-53	230530	8.76E-04	4.78E-02
Cr-49	240490	1.05E-03	5.00E-02
Cr-51	240510	3.62E-05	1.69E-03
Cr-55	240550	4.81E-07	2.89E-05
Mn-52	250520	2.97E-03	1.62E-01
Mn-52m	250521	2.17E-03	1.18E-01
Mn-53	250530	2.60E-09	1.42E-07
Mn-54	250540	7.41E-04	3.84E-02
Mn-56	250560	1.34E-03	7.81E-02
Mn-57	250570	5.78E-05	2.76E-03
Fe-53	260530	1.23E-03	5.97E-02
Fe-55	260550	8.16E-09	1.91E-07

Table B-2 (continued)

Nuclide	ZA Number	Ground Surface (pSv/s/Bq/m ²)	Immersion ₃ (pSv/s/Bq/m ³)
Fe-59	260590	9.97E-04	5.62E-02
Fe-60	260600	0.00E+00	0.00E+00
Co-57	270570	1.40E-04	6.27E-03
Co-58	270580	8.89E-04	4.54E-02
Co-58m	270581	3.78E-08	3.22E-07
Co-60	270600	2.08E-03	1.18E-01
Co-60m	270601	4.16E-06	2.08E-04
Co-61	270610	9.32E-05	4.00E-03
Co-62m	270621	2.17E-03	1.27E-01
Ni-57	280570	1.60E-03	9.03E-02
Ni-59	280590	3.38E-07	1.49E-05
Ni-63	280630	1.87E-10	1.76E-09
Ni-65	280650	4.62E-04	2.68E-02
Cu-62	290620	1.03E-03	5.00E-02
Cu-64	290640	2.08E-04	1.02E-02
Cu-66	290660	8.05E-05	4.41E-03
Zn-63	300630	1.09E-03	5.32E-02
Zn-65	300650	4.73E-04	2.63E-02
Zn-69	300690	0.00E+00	0.00E+00
Zn-69m	300691	4.38E-04	2.08E-02
Zn-71m	300711	1.54E-03	7.57E-02
Ga-68	310680	3.08E-05	1.71E-03
Ga-70	310700	6.27E-06	3.35E-04
Ga-72	310720	2.11E-03	1.26E-01
Ge-69	320690	5.97E-04	3.27E-02
Ge-75	320750	3.97E-05	1.83E-03
Ge-77	320770	1.02E-03	5.14E-02
As-74	330740	7.46E-04	3.68E-02
As-76	330760	3.81E-04	1.96E-02
As-77	330770	8.95E-06	4.19E-04
As-78	330780	1.12E-03	6.22E-02
Se-75	340750	4.41E-04	2.01E-02
Se-79	340790	5.70E-09	1.24E-07
Br-80	350800	4.05E-05	2.03E-03
Br-80m	350801	1.75E-05	3.46E-04
Br-82	350820	2.36E-03	1.24E-01
Kr-81	360810	0.00E+00	5.24E-04
Kr-85	360850	0.00E+00	1.11E-04
Kr-85m	360851	0.00E+00	5.22E-03
Kr-87	360870	0.00E+00	4.00E-02
Kr-88	360880	0.00E+00	9.54E-02
Rb-84	370840	5.16E-04	2.73E-02
Rb-86	370860	7.95E-05	4.38E-03
Rb-86m	370861	5.43E-04	2.66E-02
Rb-87	370870	1.88E-08	5.46E-07
Rb-88	370880	5.08E-04	3.16E-02
Sr-85	380850	5.16E-04	2.51E-02
Sr-89	380890	1.18E-07	6.27E-06
Sr-90	380900	1.22E-07	4.54E-06
Sr-91	380910	5.97E-04	3.16E-02
Y-88	390880	2.15E-03	1.29E-01
Y-90	390900	2.05E-06	9.43E-05
Y-90m	390901	6.84E-04	3.24E-02
Y-91	390910	3.00E-06	1.70E-04
Y-91m	390911	5.27E-04	2.59E-02
Y-92	390920	2.15E-04	1.16E-02
Y-93	390930	7.30E-05	4.05E-03
Y-94	390940	6.38E-04	3.46E-02
Zr-89	400890	1.02E-03	5.32E-02

Table B-2 (continued)

Nuclide	ZA Number	Ground Surface (pSv/s/Bq/m ²)	Immersion ₃ (pSv/s/Bq/m ³)
Zr-93	400930	0.00E+00	0.00E+00
Zr-95	400950	6.78E-04	3.46E-02
Zr-97	400970	7.95E-04	4.08E-02
Nb-90	410900	3.32E-03	2.04E-01
Nb-91	410910	4.51E-06	9.81E-05
Nb-91m	410911	3.81E-05	1.99E-03
Nb-92	410920	1.36E-03	7.00E-02
Nb-92m	410921	8.24E-04	4.38E-02
Nb-93m	410931	5.54E-07	3.46E-06
Nb-94	410940	1.42E-03	7.30E-02
Nb-94m	410941	6.86E-06	2.08E-04
Nb-95	410950	6.95E-04	3.57E-02
Nb-95m	410951	7.76E-05	3.49E-03
Nb-96	410960	2.20E-03	1.15E-01
Nb-97	410970	6.22E-04	3.11E-02
Nb-97m	410971	6.68E-04	3.41E-02
Nb-98m	410981	2.26E-03	1.21E-01
Mo-91	420910	9.95E-04	4.84E-02
Mo-93	420930	3.84E-06	2.39E-05
Mo-93m	420931	2.02E-03	1.12E-01
Mo-99	420990	1.53E-04	7.62E-03
Mo-101	421010	1.38E-03	7.73E-02
Tc-95	430950	7.14E-04	3.65E-02
Tc-96	430960	2.22E-03	1.15E-01
Tc-97	430970	4.03E-06	2.92E-05
Tc-98	430980	1.30E-03	6.57E-02
Tc-99	430990	2.06E-08	6.08E-07
Tc-99m	430991	1.48E-04	6.57E-03
Tc-101	431010	3.68E-04	1.72E-02
Ru-97	440970	2.68E-04	1.21E-02
Ru-103	441030	4.81E-04	2.33E-02
Ru-105	441050	7.14E-04	3.57E-02
Ru-106	441060	1.97E-04	9.81E-03
Rh-101	451010	3.41E-04	1.51E-02
Rh-101m	451011	3.30E-04	1.50E-02
Rh-102	451020	2.00E-03	1.02E-01
Rh-102m	451021	2.23E-04	1.10E-02
Rh-103m	451031	9.57E-07	8.46E-06
Rh-104	451040	1.10E-05	5.41E-04
Rh-104m	451041	4.35E-05	1.25E-03
Rh-105	451050	8.62E-05	4.00E-03
Pd-107	461070	7.43E-12	3.68E-11
Pd-109	461090	8.97E-06	2.15E-04
Pd-111	461110	4.41E-05	1.34E-03
Pd-111m	461111	7.41E-05	3.08E-03
Ag-106	471060	9.43E-05	4.46E-03
Ag-106m	471061	2.53E-03	1.32E-01
Ag-108	471080	1.75E-05	8.59E-04
Ag-108m	471081	1.43E-03	7.05E-02
Ag-110	471100	2.89E-05	1.45E-03
Ag-110m	471101	2.31E-03	1.23E-01
Ag-111	471110	3.11E-05	1.46E-03
Cd-109	481090	1.67E-05	3.11E-04
Cd-113m	481131	1.85E-07	7.30E-06
Cd-115	481150	1.98E-04	9.65E-03
In-114	491140	0.00E+00	0.00E+00
In-114m	491141	9.41E-05	4.05E-03
In-115	491150	0.00E+00	0.00E+00
In-115m	491151	1.75E-04	8.03E-03

Table B-2 (continued)

Nuclide	ZA Number	Ground Surface (pSv/s/Bq/m ²)	Immersion (pSv/s/Bq/m ³)
In-116	491160	1.39E-05	7.97E-04
In-116m	491161	2.02E-03	1.15E-01
Sn-113	501130	2.39E-04	1.08E-02
Sn-113m	501131	2.48E-05	2.84E-04
Sn-119m	501191	8.70E-06	1.02E-04
Sn-121	501210	4.11E-08	1.35E-06
Sn-121m	501211	4.89E-06	6.46E-05
Sn-123	501230	5.81E-06	3.22E-04
Sn-126	501260	6.49E-05	2.35E-03
Sb-120m	511201	2.15E-03	1.15E-01
Sb-122	511220	4.32E-04	2.14E-02
Sb-124	511240	1.47E-03	8.24E-02
Sb-125	511250	4.30E-04	2.04E-02
Sb-126	511260	2.60E-03	1.31E-01
Sb-126m	511261	1.49E-03	7.43E-02
Sb-129	511290	9.30E-04	4.92E-02
Te-121	521210	5.73E-04	2.73E-02
Te-121m	521211	1.93E-04	8.54E-03
Te-123	521230	1.02E-14	1.52E-08
Te-123m	521231	1.71E-04	7.30E-03
Te-125m	521251	3.57E-05	4.92E-04
Te-129	521290	5.78E-05	2.66E-03
Te-129m	521291	3.57E-05	1.51E-03
Te-131	521310	3.68E-04	1.79E-02
Te-131m	521311	1.17E-03	6.11E-02
Te-132	521320	2.69E-04	1.16E-02
I-126	531260	2.20E-04	1.06E-02
I-128	531280	8.41E-05	4.05E-03
I-129	531290	2.56E-05	4.38E-04
I-130	531300	2.03E-03	1.02E-01
I-131	531310	4.00E-04	1.89E-02
I-132	531320	1.89E-03	9.78E-02
I-133	531330	5.73E-04	2.84E-02
I-134	531340	1.96E-03	1.04E-01
I-135	531350	1.31E-03	7.46E-02
Xe-133	541330	0.00E+00	1.71E-03
Xe-133m	541331	0.00E+00	1.53E-03
Xe-135	541350	0.00E+00	1.29E-02
Cs-132	551320	6.49E-04	3.19E-02
Cs-134	551340	1.40E-03	7.11E-02
Cs-135	551350	7.89E-09	1.94E-07
Cs-136	551360	1.91E-03	1.00E-01
Cs-137	551370	5.35E-04	2.68E-02
Ba-133	561330	4.41E-04	1.93E-02
Ba-133m	561331	7.22E-05	2.86E-03
Ba-139	561390	5.14E-05	2.33E-03
Ba-140	561400	1.54E-04	7.27E-03
La-137	571370	2.48E-05	4.81E-04
La-138	571380	1.04E-03	5.89E-02
La-140	571400	1.87E-03	1.09E-01
Ce-139	581390	1.82E-04	7.65E-03
Ce-141	581410	8.92E-05	3.84E-03
Ce-144	581440	3.78E-05	1.96E-03
Pr-142	591420	4.92E-05	2.97E-03
Nd-141	601410	4.84E-05	1.61E-03
Nd-144	601440	0.00E+00	0.00E+00
Nd-147	601470	1.48E-04	6.49E-03
Nd-149	601490	3.81E-04	1.75E-02
Pm-143	611430	2.95E-04	1.41E-02

Table B-2 (continued)

Nuclide	ZA Number	Ground Surface (pSv/s/Bq/m ²)	Immersion (pSv/s/Bq/m ³)
Pm-145	611450	3.41E-05	7.78E-04
Pm-146	611460	7.30E-04	3.57E-02
Pm-147	611470	0.00E+00	0.00E+00
Pm-149	611490	1.08E-05	5.05E-04
Sm-146	621460	0.00E+00	0.00E+00
Sm-147	621470	0.00E+00	0.00E+00
Sm-148	621480	0.00E+00	0.00E+00
Sm-151	621510	2.57E-11	7.41E-10
Sm-153	621530	6.84E-05	2.44E-03
Eu-150	631500	1.51E-03	7.38E-02
Eu-152	631520	1.02E-03	5.38E-02
Eu-152m	631521	8.49E-05	4.38E-03
Eu-152n	631522	8.51E-05	3.41E-03
Eu-154	631540	1.08E-03	5.81E-02
Gd-148	641480	0.00E+00	0.00E+00
Gd-150	641500	0.00E+00	0.00E+00
Gd-152	641520	0.00E+00	0.00E+00
Gd-159	641590	5.62E-05	2.45E-03
Gd-161	641610	4.30E-04	1.95E-02
Tb-157	651570	4.65E-06	1.29E-04
Tb-158	651580	6.92E-04	3.57E-02
Tb-160	651600	1.07E-03	5.68E-02
Tb-161	651610	3.92E-05	1.13E-03
Dy-154	661540	0.00E+00	0.00E+00
Dy-159	661590	4.92E-05	1.45E-03
Ho-164	671640	6.27E-05	2.41E-03
Ho-164m	671641	5.22E-05	1.51E-03
Ho-166	671660	1.76E-03	8.76E-02
Er-169	681690	4.59E-10	2.19E-09
Er-171	681710	4.08E-04	1.85E-02
Tm-168	691680	1.16E-03	5.70E-02
Tm-170	691700	6.03E-06	2.24E-04
Tm-171	691710	7.14E-07	2.39E-05
Lu-174	711740	1.24E-04	5.70E-03
Lu-174m	711741	5.41E-05	1.82E-03
Lu-176	711760	5.59E-04	2.55E-02
Lu-176m	711761	1.58E-05	6.11E-04
Lu-177	711770	4.16E-05	1.83E-03
Lu-177m	711771	1.01E-03	4.68E-02
Lu-178	711780	1.17E-04	6.57E-03
Lu-178m	711781	1.29E-03	5.92E-02
Hf-175	721750	3.54E-04	1.63E-02
Hf-177m	721771	1.21E-03	5.49E-02
Hf-177n	721772	1.27E-03	5.89E-02
Hf-178m	721781	2.53E-03	1.19E-01
Hf-179m	721791	2.78E-04	1.23E-02
Hf-179n	721792	1.02E-03	4.68E-02
Hf-181	721810	5.57E-04	2.62E-02
Hf-182	721820	3.46E-04	1.62E-02
Hf-183	721830	6.70E-04	3.38E-02
Ta-179	731790	3.78E-05	1.29E-03
Ta-180m	731801	8.84E-06	3.51E-04
Ta-182	731820	1.11E-03	6.14E-02
Ta-182m	731821	3.27E-04	1.39E-02
Ta-183	731830	3.51E-04	1.52E-02
Ta-184	731840	1.47E-03	7.30E-02
Ta-185	731850	1.65E-04	7.03E-03
Ta-186	731860	1.57E-03	7.73E-02
W-179	741790	6.65E-05	2.09E-03

Table B-2 (continued)

Nuclide	ZA Number	Ground Surface (pSv/s/Bq/m ²)	Immersion ₃ (pSv/s/Bq/m ³)
W-179m	741791	6.41E-05	2.53E-03
W-181	741810	4.62E-05	1.60E-03
W-185	741850	3.11E-08	1.37E-06
W-187	741870	4.68E-04	2.28E-02
W-188	741880	2.09E-06	9.49E-05
Re-184	751840	8.03E-04	4.08E-02
Re-184m	751841	1.23E-04	5.59E-03
Re-186	751860	2.84E-05	1.14E-03
Re-186m	751861	1.66E-05	5.62E-04
Re-187	751870	0.00E+00	3.08E-14
Re-188	751880	6.16E-05	2.89E-03
Re-188m	751881	7.49E-05	2.84E-03
Re-189	751890	6.32E-05	2.86E-03
Os-189m	761891	8.05E-08	3.46E-07
Os-191	761910	8.19E-05	3.35E-03
Os-194	761940	1.10E-06	2.95E-05
Ir-190	771900	1.51E-03	7.27E-02
Ir-190m	771901	9.19E-08	3.78E-07
Ir-192	771920	8.73E-04	4.14E-02
Ir-192m	771921	5.73E-07	1.84E-05
Ir-194	771940	8.27E-05	4.03E-03
Ir-194m	771941	2.37E-03	1.15E-01
Pt-190	781900	0.00E+00	0.00E+00
Pt-193	781930	1.52E-07	5.86E-07
Pt-193m	781931	1.61E-05	5.86E-04
Pt-197	781970	2.70E-05	1.13E-03
Pt-197m	781971	7.73E-05	3.30E-03
Au-194	791940	9.14E-04	4.92E-02
Au-196	791960	4.49E-04	2.06E-02
Au-197m	791971	2.52E-04	1.15E-02
Au-198	791980	4.27E-04	2.02E-02
Au-198m	791981	6.11E-04	2.73E-02
Hg-194	801940	6.51E-05	2.66E-03
Hg-197	801970	7.46E-05	2.95E-03
Hg-197m	801971	7.78E-05	3.32E-03
Hg-199m	801991	2.05E-04	9.03E-03
Hg-203	802030	2.58E-04	1.19E-02
Hg-205	802050	9.70E-06	4.43E-04
Tl-202	812020	4.78E-04	2.24E-02
Tl-204	812040	5.84E-07	2.23E-05
Tl-206	812060	9.86E-08	4.35E-06
Tl-206m	812061	2.54E-03	1.26E-01
Pb-202	822020	1.65E-07	6.30E-07
Pb-203	822030	2.92E-04	1.34E-02
Pb-205	822050	1.76E-07	6.78E-07
Pb-209	822090	0.00E+00	0.00E+00
Pb-210	822100	2.64E-06	6.51E-05
Bi-207	832070	1.37E-03	7.16E-02
Bi-208	832080	2.10E-03	1.46E-01
Bi-210	832100	4.73E-07	1.98E-05
Bi-210m	832101	2.92E-04	1.34E-02
Po-209	842090	2.89E-06	1.44E-04
Po-210	842100	7.65E-09	3.95E-07
Rn-222	862220	0.00E+00	8.03E-02
Ra-223	882230	3.22E-04	1.49E-02
Ra-224	882240	1.18E-03	7.35E-02
Ra-225	882250	1.30E-05	3.05E-04
Ra-226	882260	8.41E-06	3.78E-04
Ra-228	882280	3.43E-06	5.08E-05

Table B-2 (continued)

Nuclide	ZA Number	Ground Surface (pSv/s/Bq/m ²)	Immersion ₃ (pSv/s/Bq/m ³)
Ac-225	892250	1.29E-04	6.05E-03
Ac-227	892270	7.62E-09	2.97E-08
Ac-228	892280	7.65E-04	4.03E-02
Th-227	902270	1.15E-04	5.16E-03
Th-228	902280	2.31E-06	1.00E-04
Th-229	902290	4.05E-05	1.77E-03
Th-230	902300	4.08E-07	1.17E-05
Th-231	902310	1.60E-05	4.70E-04
Th-232	902320	2.58E-07	1.00E-05
Th-233	902330	3.70E-05	1.77E-03
Th-234	902340	1.59E-05	7.19E-04
Pa-231	912310	3.19E-05	1.35E-03
Pa-232	912320	8.68E-04	4.49E-02
Pa-233	912330	2.21E-04	1.01E-02
U-232	922320	2.86E-07	1.12E-05
U-233	922330	5.22E-07	1.25E-05
U-234	922340	3.24E-07	5.78E-06
U-235	922350	1.85E-04	8.08E-03
U-235m	922351	0.00E+00	2.37E-11
U-236	922360	2.55E-07	3.24E-06
U-238	922380	1.44E-05	4.30E-04
U-239	922390	5.81E-05	2.36E-03
U-240	922400	2.92E-04	1.47E-02
Np-236	932360	1.63E-04	6.97E-03
Np-237	932370	2.92E-05	1.05E-03
Np-239	932390	1.84E-04	8.19E-03
Pu-236	942360	6.22E-07	5.68E-06
Pu-238	942380	2.92E-07	2.04E-06
Pu-239	942390	1.80E-07	3.24E-06
Pu-240	942400	3.41E-08	1.08E-06
Pu-241	942410	1.56E-09	6.78E-08
Pu-242	942420	2.34E-07	1.79E-05
Pu-244	942440	3.49E-08	2.55E-07
Am-241	952410	3.43E-05	1.21E-03
Am-242	952420	1.68E-05	6.86E-04
Am-242m	952421	2.45E-06	1.11E-05
Am-243	952430	5.57E-05	2.15E-03
Cm-242	962420	3.51E-07	2.37E-06
Cm-243	962430	1.45E-04	6.46E-03
Cm-244	962440	3.11E-07	1.65E-06
Cm-245	962450	9.89E-05	4.27E-03
Cm-246	962460	0.00E+00	0.00E+00
Cm-248	962480	0.00E+00	0.00E+00

APPENDIX C

DEPARTMENT OF ENERGY DOSE CONVERSION FACTORS

Table C-1 DOE dose conversion factors for the inhalation and ingestion pathway.

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	f1	Ingestion DCF (pSv/Bq)
H-3 (WATER)	010030	1.0E+00	N	1.70E+01	H-3 (WATER)	1.0E-00	1.70E+01
Be-7	040070	5.0E-03	W	6.22E+01	Be-7	5.0E-03	2.97E+01
	040070	5.0E-03	Y	7.30E+01	Be-10	5.0E-03	1.14E+03
Be-10	040100	5.0E-03	W	8.92E+03	C-11 (ORG)		3.24E+00
	040100	5.0E-03	Y	9.46E+04	C-11 (CO)		0.00E+00
C-11 (ORG)	060110		W	3.24E+00	C-11 (CO-2)		0.00E+00
C-11 (CO)	060110		W	1.22E+00	C-14 (ORG)		5.68E+02
C-11 (CO-2)	060110		W	2.16E+00	C-14 (CO)		0.00E+00
C-14 (ORG)	060140		W	5.68E+02	C-14 (CO-2)		0.00E+00
C-14 (CO)	060140		W	7.84E-01	F-18	1.0E+00	2.70E+01
C-14 (CO-2)	060140	1.0E+00	N	6.49E+00	Na-22	1.0E+00	3.24E+03
F-18	090180	1.0E+00	D	1.89E+01	Na-24	1.0E+00	3.78E+02
	090180	1.0E+00	W	1.57E+01	Mg-28	5.0E-01	2.03E+03
	090180	1.0E+00	Y	1.68E+01	Al-26	1.0E-02	3.51E+03
Na-22	110220	1.0E+00	D	2.16E+03	Si-31	1.0E-02	1.46E+02
Na-24	110240	1.0E+00	D	2.57E+02	Si-32	1.0E-02	4.59E+02
Mg-28	120280	5.0E-01	D	8.38E+02	P-32	8.0E-01	2.08E+03
	120280	5.0E-01	W	1.08E+03	P-33	8.0E-01	2.38E+02
Al-26	130260	1.0E-02	D	2.14E+04	S-35	8.0E-01	1.16E+02
	130260	1.0E-02	W	1.59E+04		1.0E-01	1.76E+02
Si-31	140310	1.0E-02	D	5.41E+01	S-35 (GAS)		0.00E+00
	140310	1.0E-02	W	4.32E+01	Cl-36	1.0E+00	8.11E+02
	140310	1.0E-02	Y	5.14E+01	Cl-38	1.0E+00	5.41E+01
Si-32	140320	1.0E-02	D	5.68E+03	Cl-39	1.0E+00	3.78E+01
	140320	1.0E-02	W	1.19E+04	K-40	1.0E+00	5.14E+03
	140320	1.0E-02	Y	2.70E+05	K-42	1.0E+00	2.97E+02
P-32	150320	8.0E-01	D	1.49E+03	K-43	1.0E+00	2.11E+02
	150320	8.0E-01	W	3.51E+03	K-44	1.0E+00	4.05E+01
P-33	150330	8.0E-01	D	1.65E+02	K-45	1.0E+00	2.51E+01
	150330	8.0E-01	W	5.14E+02	Ca-41	3.0E-01	3.24E+02
S-35		8.0E-01	D	7.84E+01	Ca-45	3.0E-01	8.11E+02
		8.0E-01	W	6.22E+02	Ca-47	3.0E-01	1.68E+03
S-35 (GAS)	160350		W	9.46E+01	Sc-43	1.0E-04	1.97E+02
Cl-36	170360	1.0E+00	D	5.68E+02	Sc-44M	1.0E-04	2.68E+03
	170360	1.0E+00	W	5.41E+03	Sc-44	1.0E-04	3.78E+02
Cl-38	170380	1.0E+00	D	3.24E+01	Sc-46	1.0E-04	1.51E+03
	170380	1.0E+00	W	2.97E+01	Sc-47	1.0E-04	5.14E+02
Cl-39	170390	1.0E+00	D	2.62E+01	Sc-48	1.0E-04	1.73E+03
	170390	1.0E+00	W	2.41E+01	Sc-49	1.0E-04	6.49E+01
K-40	190400	1.0E+00	D	3.24E+03	Ti-44	1.0E-02	5.14E+02
K-42	190420	1.0E+00	D	2.97E+02	Ti-45	1.0E-02	1.54E+02
K-43	190430	1.0E+00	D	1.51E+02	V-47	1.0E-02	4.32E+01
K-44	190440	1.0E+00	D	2.05E+01	V-48	1.0E-02	2.03E+03
K-45	190450	1.0E+00	D	1.24E+01	V-49	1.0E-02	1.46E+01
Ca-41	200410	3.0E-01	W	3.51E+02	Cr-48	1.0E-01	2.22E+02
Ca-45	200450	3.0E-01	W	1.65E+03		1.0E-02	2.32E+02
Ca-47	200470	3.0E-01	W	1.49E+03	Cr-49	1.0E-01	4.59E+01
Sc-43	210430	1.0E-04	Y	5.95E+01		1.0E-02	4.59E+01
Sc-44M	210441	1.0E-04	Y	1.92E+03	Cr-51	1.0E-01	3.51E+01
Sc-44	210440	1.0E-04	Y	1.14E+02		1.0E-02	3.51E+01
Sc-46	210460	1.0E-04	Y	5.41E+03	Mn-51	1.0E-01	6.76E+01
Sc-47	210470	1.0E-04	Y	4.59E+02	Mn-52M	1.0E-01	4.05E+01
Sc-48	210480	1.0E-04	Y	9.73E+02	Mn-52	1.0E-01	1.86E+03
Sc-49	210490	1.0E-04	Y	2.51E+01	Mn-53	1.0E-01	2.68E+01

Table C-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	f1	Ingestion DCF (pSv/Bq)
Ti-44	220440	1.0E-02	D	1.22E+05	Mn-54	1.0E-01	7.30E+02
	220440	1.0E-02	W	4.59E+04	Mn-56	1.0E-01	2.57E+02
	220440	1.0E-02	Y	2.41E+05	Fe-52	1.0E-01	1.46E+03
Ti-45	220450	1.0E-02	D	5.41E+01	Fe-55	1.0E-01	1.57E+02
	220450	1.0E-02	W	4.05E+01	Fe-59	1.0E-01	1.78E+03
	220450	1.0E-02	Y	4.59E+01	Fe-60	1.0E-01	4.05E+04
V-47	230470	1.0E-02	D	1.62E+01	Co-55	5.0E-02	1.11E+03
	230470	1.0E-02	W	1.43E+01		3.0E-01	8.92E+02
V-48	230480	1.0E-02	D	1.24E+03	Co-56	5.0E-02	2.62E+03
	230480	1.0E-02	W	2.16E+03		3.0E-01	3.24E+03
V-49	230490	1.0E-02	D	4.05E+01	Co-57	5.0E-02	1.78E+02
	230490	1.0E-02	W	7.57E+01		3.0E-01	2.97E+02
Cr-48	240480	1.0E-01	D	1.19E+02	Co-58M	5.0E-02	2.38E+01
	240480	1.0E-01	W	1.84E+02		3.0E-01	2.00E+01
	240480	1.0E-01	Y	1.92E+02	Co-58	5.0E-02	7.57E+02
Cr-49	240490	1.0E-01	D	1.65E+01		3.0E-01	9.46E+02
	240490	1.0E-01	W	1.32E+01	Co-60M	5.0E-02	9.73E-01
	240490	1.0E-01	Y	1.43E+01		3.0E-01	9.73E-01
Cr-51	240510	1.0E-01	D	2.97E+01	Co-60	5.0E-02	2.70E+03
	240510	1.0E-01	W	5.68E+01		3.0E-01	7.03E+03
	240510	1.0E-01	Y	7.03E+01	Co-61	5.0E-02	7.03E+01
Mn-51	250510	1.0E-01	D	2.70E+01		3.0E-01	6.49E+01
	250510	1.0E-01	W	2.27E+01	Co-62M	5.0E-02	2.59E+01
Mn-52M	250521	1.0E-01	D	1.49E+01		3.0E-01	2.57E+01
	250521	1.0E-01	W	1.32E+01	Ni-56 (IN)	5.0E-02	9.46E+02
Mn-52	250520	1.0E-01	D	1.22E+03	Ni-56 (VAP)		0.00E+00
	250520	1.0E-01	W	1.51E+03	Ni-57 (IN)	5.0E-02	8.92E+02
Mn-53	250530	1.0E-01	D	5.68E+01	Ni-57 (VAP)		0.00E+00
	250530	1.0E-01	W	1.16E+02	Ni-59 (IN)	5.0E-02	5.41E+01
Mn-54	250540	1.0E-01	D	1.46E+03	Ni-59 (VAP)		0.00E+00
	250540	1.0E-01	W	1.73E+03	Ni-63 (IN)	5.0E-02	1.46E+02
Mn-56	250560	1.0E-01	D	8.92E+01	Ni-63 (VAP)		0.00E+00
	250560	1.0E-01	W	6.49E+01	Ni-65 (IN)	5.0E-02	1.65E+02
Fe-52	260520	1.0E-01	D	4.59E+02	Ni-65 (VAP)		0.00E+00
	260520	1.0E-01	W	5.41E+02	Ni-66 (IN)	5.0E-02	2.97E+03
Fe-55	260550	1.0E-01	D	7.03E+02	Ni-66 (VAP)		0.00E+00
	260550	1.0E-01	W	3.24E+02	Cu-60	5.0E-01	4.59E+01
Fe-59	260590	1.0E-01	D	4.05E+03	Cu-61	5.0E-01	1.11E+02
	260590	1.0E-01	W	2.68E+03	Cu-64	5.0E-01	1.16E+02
Fe-60	260600	1.0E-01	D	2.05E+05	Cu-67	5.0E-01	2.97E+02
	260600	1.0E-01	W	7.30E+04	Zn-62	5.0E-01	9.19E+02
Co-55	270550	5.0E-02	W	4.59E+02	Zn-63	5.0E-01	5.41E+01
	270550	5.0E-02	Y	5.14E+02	Zn-65	5.0E-01	3.78E+03
Co-56	270560	5.0E-02	W	4.32E+03	Zn-69M	5.0E-01	3.24E+02
	270560	5.0E-02	Y	7.03E+03	Zn-69	5.0E-01	2.30E+01
Co-57	270570	5.0E-02	W	4.86E+02	Zn-71M	5.0E-01	2.24E+02
	270570	5.0E-02	Y	2.03E+03	Zn-72	5.0E-01	1.32E+03
Co-58M	270581	5.0E-02	W	1.46E+01	Ga-65	1.0E-03	2.11E+01
	270581	5.0E-02	Y	2.03E+01	Ga-66	1.0E-03	1.27E+03
Co-58	270580	5.0E-02	W	1.24E+03	Ga-67	1.0E-03	1.95E+02
	270580	5.0E-02	Y	1.92E+03	Ga-68	1.0E-03	8.92E+01
Co-60M	270601	5.0E-02	W	3.51E-01	Ga-70	1.0E-03	1.92E+01
	270601	5.0E-02	Y	5.14E-01	Ga-72	1.0E-03	1.19E+03
Co-60	270600	5.0E-02	W	8.11E+03	Ga-73	1.0E-03	2.70E+02
	270600	5.0E-02	Y	4.05E+04	Ge-66	1.0E+00	5.68E+01
Co-61	270610	5.0E-02	W	2.16E+01	Ge-67	1.0E+00	2.97E+01
	270610	5.0E-02	Y	2.41E+01	Ge-68	1.0E+00	2.97E+02
Co-62M	270621	5.0E-02	W	8.11E+00	Ge-69	1.0E+00	9.73E+01
	270621	5.0E-02	Y	8.65E+00	Ge-71	1.0E+00	2.59E+00

Table C-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	f1	Ingestion DCF (pSv/Bq)
Ni-56 (IN)	280560	5.0E-02	D	6.76E+02	Ge-75	1.0E+00	1.97E+01
	280560	5.0E-02	W	1.03E+03	Ge-77	1.0E+00	1.51E+02
Ni-56 (VAP)	280560		W	1.14E+03	Ge-78	1.0E+00	5.68E+01
Ni-57 (IN)	280570	5.0E-02	D	2.70E+02	As-69	5.0E-01	2.97E+01
	280570	5.0E-02	W	4.59E+02	As-70	5.0E-01	9.19E+01
Ni-57 (VAP)	280570		W	2.14E+02	As-71	5.0E-01	3.51E+02
Ni-59 (IN)	280590	5.0E-02	D	3.51E+02	As-72	5.0E-01	1.51E+03
	280590	5.0E-02	W	1.89E+02	As-73	5.0E-01	1.65E+02
Ni-59 (VAP)	280590		W	7.30E+02	As-74	5.0E-01	8.92E+02
Ni-63 (IN)	280630	5.0E-02	D	8.11E+02	As-76	5.0E-01	1.30E+03
	280630	5.0E-02	W	5.14E+02	As-77	5.0E-01	2.97E+02
Ni-63 (VAP)	280630		W	1.70E+03	As-78	5.0E-01	1.76E+02
Ni-65 (IN)	280650	5.0E-02	D	5.68E+01	Se-70	8.0E-01	8.11E+01
	280650	5.0E-02	W	4.59E+01		5.0E-02	1.30E+02
Ni-65 (VAP)	280650		W	8.11E+01	Se-73M	8.0E-01	2.05E+01
Ni-66 (IN)	280660	5.0E-02	D	8.38E+02		5.0E-02	4.05E+01
	280660	5.0E-02	W	2.16E+03	Se-73	8.0E-01	1.95E+02
Ni-66 (VAP)	280660		W	4.59E+02		5.0E-02	4.05E+02
Cu-60	290600	5.0E-01	D	1.46E+01	Se-75	8.0E-01	2.38E+03
	290600	5.0E-01	W	1.19E+01		5.0E-02	4.59E+02
	290600	5.0E-01	Y	1.32E+01	Se-79	8.0E-01	2.24E+03
Cu-61	290610	5.0E-01	D	4.59E+01		5.0E-02	2.97E+02
	290610	5.0E-01	W	3.24E+01	Se-81M	8.0E-01	3.78E+01
	290610	5.0E-01	Y	3.78E+01		5.0E-02	5.68E+01
Cu-64	290640	5.0E-01	D	4.32E+01	Se-81	8.0E-01	1.54E+01
	290640	5.0E-01	W	5.95E+01		5.0E-02	1.65E+01
	290640	5.0E-01	Y	6.22E+01	Se-83	8.0E-01	2.97E+01
Cu-67	290670	5.0E-01	D	1.78E+02		5.0E-02	4.05E+01
	290670	5.0E-01	W	2.65E+02	Br-74M	1.0E+00	5.95E+01
	290670	5.0E-01	Y	2.97E+02	Br-74	1.0E+00	3.78E+01
Zn-62	300620	5.0E-01	Y	4.86E+02	Br-75	1.0E+00	3.51E+01
Zn-63	300630	5.0E-01	Y	1.92E+01	Br-76	1.0E+00	3.78E+02
Zn-65	300650	5.0E-01	Y	4.86E+03	Br-77	1.0E+00	8.38E+01
Zn-69M	300691	5.0E-01	Y	1.86E+02	Br-80M	1.0E+00	6.22E+01
Zn-69	300690	5.0E-01	Y	9.73E+00	Br-80	1.0E+00	1.49E+01
Zn-71M	300711	5.0E-01	Y	8.11E+01	Br-82	1.0E+00	4.59E+02
Zn-72	300720	5.0E-01	Y	1.14E+03	Br-83	1.0E+00	1.97E+01
Ga-65	310650	1.0E-03	D	7.84E+00	Br-84	1.0E+00	4.05E+01
	310650	1.0E-03	W	7.03E+00	Rb-79	1.0E+00	2.35E+01
Ga-66	310660	1.0E-03	D	4.05E+02	Rb-81M	1.0E+00	4.86E+00
	310660	1.0E-03	Y	4.59E+02	Rb-81	1.0E+00	3.51E+01
Ga-67	310670	1.0E-03	D	9.46E+01	Rb-82M	1.0E+00	1.14E+02
	310670	1.0E-03	W	1.30E+02	Rb-83	1.0E+00	2.08E+03
Ga-68	310680	1.0E-03	D	3.24E+01	Rb-84	1.0E+00	2.70E+03
	310680	1.0E-03	W	2.51E+01	Rb-86	1.0E+00	2.54E+03
Ga-70	310700	1.0E-03	D	7.84E+00	Rb-87	1.0E+00	1.30E+03
	310700	1.0E-03	W	6.76E+00	Rb-88	1.0E+00	4.32E+01
Ga-72	310720	1.0E-03	D	3.78E+02	Rb-89	1.0E+00	2.16E+01
	310720	1.0E-03	W	4.59E+02	Sr-80	3.0E-01	1.32E+00
Ga-73	310730	1.0E-03	D	8.92E+01		1.0E-02	1.41E+00
	310730	1.0E-03	W	8.92E+01	Sr-81	3.0E-01	5.14E+01
Ge-66	320660	1.0E+00	D	5.14E+01		1.0E-02	5.95E+01
	320660	1.0E+00	W	6.76E+01	Sr-83	3.0E-01	4.86E+02
Ge-67	320670	1.0E+00	D	1.46E+01		1.0E-02	6.22E+02
	320670	1.0E+00	W	1.32E+01	Sr-85M	3.0E-01	5.95E+00
Ge-68	320680	1.0E+00	D	3.51E+02		1.0E-02	6.49E+00
	320680	1.0E+00	W	1.32E+04	Sr-85	3.0E-01	5.14E+02
Ge-69	320690	1.0E+00	D	8.92E+01		1.0E-02	3.51E+02
	320690	1.0E+00	W	1.68E+02	Sr-87M	3.0E-01	2.97E+01

Table C-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	f1	Ingestion DCF (pSv/Bq)
Ge-71	320710	1.0E+00	D	2.97E+00		1.0E-02	3.24E+01
	320710	1.0E+00	W	3.24E+01	Sr-89	3.0E-01	2.22E+03
Ge-75	320750	1.0E+00	D	1.70E+01		1.0E-02	2.35E+03
	320750	1.0E+00	W	1.68E+01	Sr-90	3.0E-01	3.51E+04
Ge-77	320770	1.0E+00	D	1.32E+02		1.0E-02	3.24E+03
	320770	1.0E+00	W	2.41E+02	Sr-91	3.0E-01	6.49E+02
Ge-78	320780	1.0E+00	D	5.95E+01		1.0E-02	8.11E+02
	320780	1.0E+00	W	6.49E+01	Sr-92	3.0E-01	4.32E+02
As-69	330690	5.0E-01	W	1.14E+01		1.0E-02	5.14E+02
As-70	330700	5.0E-01	W	2.65E+01	Y-86M	1.0E-04	6.49E+01
As-71	330710	5.0E-01	W	2.97E+02	Y-86	1.0E-04	1.11E+03
As-72	330720	5.0E-01	W	9.46E+02	Y-87	1.0E-04	5.95E+02
As-73	330730	5.0E-01	W	8.38E+02	Y-88	1.0E-04	1.41E+03
As-74	330740	5.0E-01	W	1.76E+03	Y-90M	1.0E-04	1.78E+02
As-76	330760	5.0E-01	W	9.19E+02	Y-90	1.0E-04	2.70E+03
As-77	330770	5.0E-01	W	2.68E+02	Y-91M	1.0E-04	1.05E+01
As-78	330780	5.0E-01	W	6.22E+01	Y-91	1.0E-04	2.41E+03
Se-70	340700	8.0E-01	D	3.51E+01	Y-92	1.0E-04	5.14E+02
	340700	8.0E-01	W	3.24E+01	Y-93	1.0E-04	1.22E+03
Se-73M	340731	8.0E-01	D	8.92E+00	Y-94	1.0E-04	4.86E+01
	340731	8.0E-01	W	9.19E+00	Y-95	1.0E-04	2.62E+01
Se-73	340730	8.0E-01	D	1.03E+02	Zr-86	2.0E-03	9.46E+02
	340730	8.0E-01	W	8.65E+01	Zr-88	2.0E-03	3.51E+02
Se-75	340750	8.0E-01	D	1.92E+03	Zr-89	2.0E-03	8.38E+02
	340750	8.0E-01	W	2.22E+03	Zr-93	2.0E-03	4.32E+02
Se-79	340790	8.0E-01	D	1.68E+03	Zr-95	2.0E-03	9.19E+02
	340790	8.0E-01	W	2.41E+03	Zr-97	2.0E-03	2.16E+03
Se-81M	340811	8.0E-01	D	2.00E+01	Nb-88	1.0E-02	1.95E+01
	340811	8.0E-01	W	1.92E+01	Nb-89 (66 M)	1.0E-02	1.24E+02
Se-81	340810	8.0E-01	D	6.49E+00	Nb-89 (122 M)	1.0E-02	2.70E+02
	340810	8.0E-01	W	5.68E+00	Nb-90	1.0E-02	1.32E+03
Se-83	340830	8.0E-01	D	1.16E+01	Nb-93M	1.0E-02	1.43E+02
	340830	8.0E-01	W	1.08E+01	Nb-94	1.0E-02	1.38E+03
Br-74M	350741	1.0E+00	D	3.78E+01	Nb-95M	1.0E-02	5.41E+02
	350741	1.0E+00	W	3.24E+01	Nb-95	1.0E-02	5.95E+02
Br-74	350740	1.0E+00	D	1.95E+01	Nb-96	1.0E-02	1.19E+03
	350740	1.0E+00	W	1.68E+01	Nb-97	1.0E-02	6.22E+01
Br-75	350750	1.0E+00	D	2.97E+01	Nb-98	1.0E-02	9.19E+01
	350750	1.0E+00	W	2.70E+01	Mo-90	8.0E-01	2.70E+02
Br-76	350760	1.0E+00	D	2.97E+02		5.0E-02	6.76E+02
	350760	1.0E+00	W	3.24E+02	Mo-93M	8.0E-01	1.35E+02
Br-77	350770	1.0E+00	D	5.68E+01		5.0E-02	2.97E+02
	350770	1.0E+00	W	7.03E+01	Mo-93	8.0E-01	3.51E+02
Br-80M	350801	1.0E+00	D	7.57E+01		5.0E-02	5.95E+01
	350801	1.0E+00	W	9.46E+01	Mo-99	8.0E-01	7.84E+02
Br-80	350800	1.0E+00	D	7.30E+00		5.0E-02	1.19E+03
	350800	1.0E+00	W	6.49E+00	Mo-101	8.0E-01	2.32E+01
Br-82	350820	1.0E+00	D	3.24E+02		5.0E-02	2.49E+01
	350820	1.0E+00	W	3.51E+02	Tc-93M	8.0E-01	1.92E+01
Br-83	350830	1.0E+00	D	2.05E+01	Tc-93	8.0E-01	4.32E+01
	350830	1.0E+00	W	2.16E+01	Tc-94M	8.0E-01	6.76E+01
Br-84	350840	1.0E+00	D	2.35E+01	Tc-94	8.0E-01	1.57E+02
	350840	1.0E+00	W	2.03E+01	Tc-96M	8.0E-01	8.38E+00
Rb-79	370790	1.0E+00	D	1.16E+01	Tc-96	8.0E-01	7.30E+02
Rb-81M	370811	1.0E+00	D	4.05E+00	Tc-97M	8.0E-01	2.97E+02
Rb-81	370810	1.0E+00	D	2.70E+01	Tc-97	8.0E-01	4.05E+01
Rb-82M	370821	1.0E+00	D	7.57E+01	Tc-98	8.0E-01	1.30E+03
Rb-83	370830	1.0E+00	D	1.32E+03	Tc-99M	8.0E-01	1.62E+01
Rb-84	370840	1.0E+00	D	1.76E+03	Tc-99	8.0E-01	3.51E+02

Table C-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	f1	Ingestion DCF (pSv/Bq)
Rb-86	370860	1.0E+00	D	1.78E+03	Tc-101	8.0E-01	1.03E+01
Rb-87	370870	1.0E+00	D	8.92E+02	Tc-104	8.0E-01	4.32E+01
Rb-88	370880	1.0E+00	D	2.16E+01	Ru-94	5.0E-02	8.92E+01
Rb-89	370890	1.0E+00	D	1.00E+01	Ru-97	5.0E-02	1.73E+02
Sr-80	380800	3.0E-01	D	6.22E-01	Ru-103	5.0E-02	7.30E+02
	380800	1.0E-02	Y	5.68E-01	Ru-105	5.0E-02	2.70E+02
Sr-81	380810	3.0E-01	D	1.76E+01	Ru-106	5.0E-02	5.68E+03
	380810	1.0E-02	Y	1.81E+01	Rh-99M	5.0E-02	7.57E+01
Sr-83	380830	3.0E-01	D	1.95E+02	Rh-93	5.0E-02	5.41E+02
	380830	1.0E-02	Y	3.78E+02	Rh-100	5.0E-02	8.38E+02
Sr-85M	380851	3.0E-01	D	2.22E+00	Rh-101M	5.0E-02	2.38E+02
	380851	1.0E-02	Y	1.59E+00	Rh-101	5.0E-02	6.22E+02
Sr-85	380850	3.0E-01	D	5.14E+02	Rh-102M	5.0E-02	9.46E+02
	380850	1.0E-02	Y	8.65E+02	Rh-102	5.0E-02	2.30E+03
Sr-87M	380871	3.0E-01	D	1.03E+01	Rh-103M	5.0E-02	2.97E+00
	380871	1.0E-02	Y	8.65E+00	Rh-105	5.0E-02	3.78E+02
Sr-89	380890	3.0E-01	D	1.59E+03	Rh-106M	5.0E-02	1.65E+02
	380890	1.0E-02	Y	1.00E+04	Rh-107	5.0E-02	1.46E+01
Sr-90	380900	3.0E-01	D	6.22E+04	Pd-100	5.0E-03	1.03E+03
	380900	1.0E-02	Y	3.51E+05	Pd-101	5.0E-03	1.03E+02
Sr-91	380910	3.0E-01	D	2.27E+02	Pd-103	5.0E-03	1.86E+02
	380910	1.0E-02	Y	3.78E+02	Pd-107	5.0E-03	3.78E+01
Sr-92	380920	3.0E-01	D	1.46E+02	Pd-109	5.0E-03	5.68E+02
	380920	1.0E-02	Y	2.06E+02	Ag-102	5.0E-02	2.14E+01
Y-86M	390861	1.0E-04	W	2.27E+01	Ag-103	5.0E-02	3.78E+01
	390861	1.0E-04	Y	2.46E+01	Ag-104M	5.0E-02	4.05E+01
Y-86	390860	1.0E-04	W	4.05E+02	Ag-104	5.0E-02	6.22E+01
	390860	1.0E-04	Y	4.32E+02	Ag-105	5.0E-02	5.14E+02
Y-87	390870	1.0E-04	W	4.05E+02	Ag-106M	5.0E-02	1.65E+03
	390870	1.0E-04	Y	4.32E+02	Ag-106	5.0E-02	2.05E+01
Y-88	390880	1.0E-04	W	5.41E+03	Ag-108M	5.0E-02	2.03E+03
	390880	1.0E-04	Y	5.68E+03	Ag-110M	5.0E-02	2.97E+03
Y-90M	390901	1.0E-04	W	1.08E+02	Ag-111	5.0E-02	1.22E+03
	390901	1.0E-04	Y	1.19E+02	Ag-112	5.0E-02	4.32E+02
Y-90	390900	1.0E-04	W	2.00E+03	Ag-115	5.0E-02	4.05E+01
	390900	1.0E-04	Y	2.22E+03	Cd-104	5.0E-02	6.22E+01
Y-91M	390911	1.0E-04	W	5.68E+00	Cd-107	5.0E-02	6.49E+01
	390911	1.0E-04	Y	8.38E+00	Cd-109	5.0E-02	3.24E+03
Y-91	390910	1.0E-04	W	7.84E+03	Cd-113M	5.0E-02	4.05E+04
	390910	1.0E-04	Y	1.19E+04	Cd-113	5.0E-02	4.32E+04
Y-92	390920	1.0E-04	W	1.62E+02	Cd-115M	5.0E-02	4.05E+03
	390920	1.0E-04	Y	1.68E+02	Cd-115	5.0E-02	1.27E+03
Y-93	390930	1.0E-04	W	4.86E+02	Cd-117M	5.0E-02	2.97E+02
	390930	1.0E-04	Y	5.68E+02	Cd-117	5.0E-02	2.97E+02
Y-94	390940	1.0E-04	W	1.68E+01	In-109	2.0E-02	7.30E+01
	390940	1.0E-04	Y	1.91E+01	In-110 (69M)	2.0E-02	9.92E+01
Y-95	390950	1.0E-04	W	8.92E+00	In-110 (5H)	2.0E-02	2.70E+02
	390950	1.0E-04	Y	9.73E+00	In-111	2.0E-02	3.24E+02
Zr-86	400860	2.0E-03	D	3.51E+02	In-112	2.0E-02	5.68E+00
	400860	2.0E-03	W	5.14E+02	In-113M	2.0E-02	2.70E+01
	400860	2.0E-03	Y	5.68E+02	In-114M	2.0E-02	4.05E+03
Zr-88	400880	2.0E-03	D	5.95E+03	In-115M	2.0E-02	9.19E+01
	400880	2.0E-03	W	2.70E+03	In-115	2.0E-02	3.78E+04
	400880	2.0E-03	Y	4.59E+03	In-116M	2.0E-02	5.68E+01
Zr-89	400890	2.0E-03	D	3.78E+02	In-117M	2.0E-02	1.14E+02
	400890	2.0E-03	W	5.41E+02	In-117	2.0E-02	2.35E+01
	400890	2.0E-03	Y	5.68E+02	In-119M	2.0E-02	2.70E+01

Table C-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	f1	Ingestion DCF (pSv/Bq)
Zr-93	400930	2.0E-03	D	8.65E+04	Sn-110	2.0E-02	4.05E+02
	400930	2.0E-03	W	2.19E+04	Sn-111	2.0E-02	1.81E+01
	400930	2.0E-03	Y	2.00E+04	Sn-113	2.0E-02	7.30E+02
Zr-95	400950	2.0E-03	D	5.14E+03	Sn-117M	2.0E-02	7.03E+02
	400950	2.0E-03	W	3.51E+03	Sn-119M	2.0E-02	3.24E+02
	400950	2.0E-03	Y	4.86E+03	Sn-121M	2.0E-02	3.51E+02
Zr-97	400970	2.0E-03	D	6.76E+02	Sn-121	2.0E-02	2.41E+02
	400970	2.0E-03	W	9.73E+02	Sn-123M	2.0E-02	2.70E+01
	400970	2.0E-03	Y	1.08E+03	Sn-123	2.0E-02	2.08E+03
Nb-88	410880	1.0E-02	W	5.95E+00	Sn-125	2.0E-02	2.97E+03
	410880	1.0E-02	Y	6.49E+00	Sn-126	2.0E-02	4.59E+03
Nb-89 (66 M)	410890	1.0E-02	W	3.24E+01	Sn-127	2.0E-02	2.00E+02
	410890	1.0E-02	Y	3.51E+01	Sn-128	2.0E-02	1.41E+02
Nb-89 (122 M)	410890	1.0E-02	W	7.30E+01	Sb-115	1.0E-01	1.70E+01
	410890	1.0E-02	Y	8.65E+01		1.0E-02	1.70E+01
Nb-90	410900	1.0E-02	W	5.14E+02	Sb-116M	1.0E-01	6.49E+01
	410900	1.0E-02	Y	5.68E+02		1.0E-02	6.49E+01
Nb-93m	410931	1.0E-02	W	1.11E+03	Sb-116	1.0E-01	1.15E+01
	410931	1.0E-02	Y	7.57E+03		1.0E-02	1.51E+01
Nb-94	410940	1.0E-02	W	7.03E+03	Sb-117	1.0E-01	1.89E+01
	410940	1.0E-02	Y	8.92E+04		1.0E-02	2.00E+01
Nb-95M	410951	1.0E-02	W	5.14E+02	Sb-118M	1.0E-01	2.41E+02
	410951	1.0E-02	Y	5.95E+02		1.0E-02	2.51E+02
Nb-95	410950	1.0E-02	W	1.05E+03	Sb-119	1.0E-01	8.38E+01
	410950	1.0E-02	Y	1.22E+03		1.0E-02	9.19E+01
Nb-96	410960	1.0E-02	W	5.14E+02	Sb-120 (16M)	1.0E-01	8.11E+00
	410960	1.0E-02	Y	5.41E+02		1.0E-02	8.11E+00
Nb-97	410970	1.0E-02	W	1.68E+01	Sb-120 (6D)	1.0E-01	1.35E+03
	410970	1.0E-02	Y	1.92E+01		1.0E-02	1.46E+03
Nb-98	410980	1.0E-02	W	2.51E+01	Sb-122	1.0E-01	1.54E+03
	410980	1.0E-02	Y	2.70E+01		1.0E-02	1.70E+03
Mo-90	420900	8.0E-01	D	1.86E+02	Sb-124M	1.0E-01	5.14E+00
	420900	5.0E-02	Y	2.97E+02		1.0E-02	5.41E+00
Mo-93M	420931	8.0E-01	D	7.57E+01	Sb-124	1.0E-01	2.35E+03
	420931	5.0E-02	Y	9.73E+01		1.0E-02	2.51E+03
Mo-93	420930	8.0E-01	D	2.49E+02	Sb-125	1.0E-01	6.49E+02
	420930	5.0E-02	Y	7.57E+03		1.0E-02	7.03E+02
Mo-99	420990	8.0E-01	D	5.41E+02	Sb-126M	1.0E-01	1.97E+01
	420990	5.0E-02	Y	9.73E+02		1.0E-02	1.97E+01
Mo-101	421010	8.0E-01	D	9.73E+00	Sb-126	1.0E-01	2.43E+03
	421010	5.0E-02	Y	8.92E+00		1.0E-02	2.59E+03
Tc-93M	430931	8.0E-01	D	8.65E+00	Sb-127	1.0E-01	1.62E+03
	430931	8.0E-01	W	4.59E+00		1.0E-02	1.78E+03
Tc-93	430930	8.0E-01	D	1.92E+01	Sb-128 (9H)	1.0E-01	1.08E+03
	430930	8.0E-01	W	1.30E+01		1.0E-02	1.16E+03
Tc-94M	430941	8.0E-01	D	3.24E+01	Sb-128 (10M)	1.0E-01	1.35E+01
	430941	8.0E-01	W	2.38E+01		1.0E-02	1.35E+01
Tc-94	430940	8.0E-01	D	7.30E+01	Sb-129	1.0E-01	4.59E+02
	430940	8.0E-01	W	5.41E+01		1.0E-02	4.59E+02
Tc-96M	430961	8.0E-01	D	4.86E+00	Sb-130	1.0E-01	6.76E+01
	430961	8.0E-01	W	5.68E+00		1.0E-02	7.03E+01
Tc-96	430960	8.0E-01	D	4.32E+02	Sb-131	1.0E-01	7.84E+01
	430960	8.0E-01	W	6.49E+02		1.0E-02	7.84E+01
Tc-97M	430971	8.0E-01	D	1.89E+02	Te-116	2.0E-01	1.81E+02
	430971	8.0E-01	W	1.14E+03	Te-121M	2.0E-01	1.81E+03
Tc-97	430970	8.0E-01	D	2.70E+01	Te-121	2.0E-01	4.05E+02
	430970	8.0E-01	W	2.41E+02	Te-123M	2.0E-01	1.38E+03
Tc-98	430980	8.0E-01	D	8.38E+02	Te-123	2.0E-01	1.11E+03
	430980	8.0E-01	W	4.59E+03	Te-125M	2.0E-01	9.19E+02

Table C-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	f1	Ingestion DCF (pSv/Bq)
Tc-99M	430991	8.0E-01	D	8.65E+00	Te-127M	2.0E-01	2.14E+03
	430991	8.0E-01	W	5.68E+00	Te-127	2.0E-01	1.86E+02
Tc-99	430990	8.0E-01	D	2.27E+02	Te-129M	2.0E-01	2.68E+03
	430990	8.0E-01	W	2.03E+03	Te-129	2.0E-01	5.14E+01
Tc-101	431010	8.0E-01	D	4.32E+00	Te-131M	2.0E-01	2.24E+03
	431010	8.0E-01	W	3.51E+00	Te-131	2.0E-01	2.30E+02
Tc-104	431040	8.0E-01	D	1.84E+01	Te-132	2.0E-01	2.00E+03
	431040	8.0E-01	W	1.57E+01	Te-133M	2.0E-01	2.05E+02
Ru-94	440940	5.0E-02	D	3.24E+01	Te-133	2.0E-01	4.32E+01
	440940	5.0E-02	W	2.16E+01	Te-134	2.0E-01	5.68E+01
	440940	5.0E-02	Y	2.27E+01	I-120M	1.0E+00	1.05E+02
Ru-97	440970	5.0E-02	D	7.03E+01	I-120	1.0E+00	1.81E+02
	440970	5.0E-02	W	1.05E+02	I-121	1.0E+00	4.86E+01
	440970	5.0E-02	Y	1.14E+02	I-123	1.0E+00	1.32E+02
Ru-103	441030	5.0E-02	D	8.11E+02	I-124	1.0E+00	8.38E+03
	441030	5.0E-02	W	1.38E+03	I-125	1.0E+00	1.03E+04
	441030	5.0E-02	Y	2.11E+03	I-126	1.0E+00	1.92E+04
Ru-105	441050	5.0E-02	D	9.19E+01	I-128	1.0E+00	2.30E+01
	441050	5.0E-02	W	9.46E+01	I-129	1.0E+00	7.57E+04
	441050	5.0E-02	Y	1.11E+02	I-130	1.0E+00	1.16E+03
Ru-106	441060	5.0E-02	D	1.54E+04	I-131	1.0E+00	1.43E+04
	441060	5.0E-02	W	2.51E+04	I-132M	1.0E+00	1.27E+02
	441060	5.0E-02	Y	1.19E+05	I-132	1.0E+00	1.54E+02
Rh-99M	450991	5.0E-02	D	2.32E+01	I-133	1.0E+00	2.70E+03
	450991	5.0E-02	W	1.81E+01	I-134	1.0E+00	5.14E+01
	450991	5.0E-02	Y	2.00E+01	I-135	1.0E+00	5.41E+02
Rh-99	450990	5.0E-02	D	4.59E+02	Cs-125	1.0E+00	1.49E+01
	450990	5.0E-02	W	6.22E+02	Cs-127	1.0E+00	2.16E+01
	450990	5.0E-02	Y	7.03E+02	Cs-129	1.0E+00	5.95E+01
Rh-100	451000	5.0E-02	D	2.65E+02	Cs-130	1.0E+00	1.32E+01
	451000	5.0E-02	W	3.51E+02	Cs-131	1.0E+00	6.49E+01
	451000	5.0E-02	Y	3.78E+02	Cs-132	1.0E+00	5.14E+02
Rh-101M	451011	5.0E-02	D	1.14E+02	Cs-134M	1.0E+00	1.14E+01
	451011	5.0E-02	W	1.65E+02	Cs-134	1.0E+00	2.00E+04
	451011	5.0E-02	Y	1.81E+02	Cs-135M	1.0E+00	1.32E+01
Rh-101	451010	5.0E-02	D	2.70E+03	Cs-135	1.0E+00	1.92E+03
	451010	5.0E-02	W	1.73E+03	Cs-136	1.0E+00	2.97E+03
	451010	5.0E-02	Y	8.65E+03	Cs-137	1.0E+00	1.35E+04
Rh-102M	451021	5.0E-02	D	2.70E+03	Cs-138	1.0E+00	4.32E+01
	451021	5.0E-02	W	3.51E+03	Ba-126	1.0E-01	2.43E+02
	451021	5.0E-02	Y	1.14E+04	Ba-128	1.0E-01	2.70E+03
Rh-102	451020	5.0E-02	D	1.46E+04	Ba-131M	1.0E-01	2.62E+00
	451020	5.0E-02	W	7.57E+03	Ba-131	1.0E-01	4.32E+02
	451020	5.0E-02	Y	2.35E+04	Ba-133M	1.0E-01	5.41E+02
Rh-103M	451031	5.0E-02	D	1.24E+00	Ba-133	1.0E-01	8.65E+02
	451031	5.0E-02	W	1.05E+00	Ba-135M	1.0E-01	4.32E+02
	451031	5.0E-02	Y	1.14E+00	Ba-139	1.0E-01	1.05E+02
Rh-105	451050	5.0E-02	D	1.14E+02	Ba-140	1.0E-01	2.27E+03
	451050	5.0E-02	W	2.19E+02	Ba-141	1.0E-01	5.41E+01
	451050	5.0E-02	Y	2.41E+02	Ba-142	1.0E-01	2.70E+01
Rh-106M	451061	5.0E-02	D	5.41E+01	La-131	1.0E-03	2.97E+01
	451061	5.0E-02	W	3.51E+01	La-132	1.0E-03	4.05E+02
	451061	5.0E-02	Y	4.05E+01	La-135	1.0E-03	3.51E+01
Rh-107	451070	5.0E-02	D	5.68E+00	La-137	1.0E-03	1.16E+02
	451070	5.0E-02	W	5.14E+00	La-138	1.0E-03	1.59E+03
	451070	5.0E-02	Y	5.41E+00	La-140	1.0E-03	2.08E+03
Pd-100	461000	5.0E-03	D	9.19E+02	La-141	1.0E-03	3.78E+02
	461000	5.0E-03	W	1.05E+03	La-142	1.0E-03	1.70E+02
	461000	5.0E-03	Y	9.19E+02	La-143	1.0E-03	3.78E+01

Table C-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	f1	Ingestion DCF (pSv/Bq)
Pd-101	461010	5.0E-03	D	4.32E+01	Ce-134	3.0E-04	2.41E+03
	461010	5.0E-03	W	4.05E+01	Ce-135	3.0E-04	8.65E+02
	461010	5.0E-03	Y	4.59E+01	Ce-137M	3.0E-04	5.41E+02
Pd-103	461030	5.0E-03	D	2.14E+02	Ce-137	3.0E-04	2.65E+01
	461030	5.0E-03	W	2.97E+02	Ce-139	3.0E-04	2.97E+02
	461030	5.0E-03	Y	3.78E+02	Ce-141	3.0E-04	7.03E+02
Pd-107	461070	5.0E-03	D	6.22E+01	Ce-143	3.0E-04	1.14E+03
	461070	5.0E-03	W	1.81E+02	Ce-144	3.0E-04	5.41E+03
	461070	5.0E-03	Y	3.51E+03	Pr-136	3.0E-04	1.84E+01
Pd-109	461090	5.0E-03	D	2.14E+02	Pr-137	3.0E-04	3.51E+01
	461090	5.0E-03	W	2.49E+02	Pr-138M	3.0E-04	1.32E+02
	461090	5.0E-03	Y	2.97E+02	Pr-139	3.0E-04	3.24E+01
Ag-102	471020	5.0E-02	D	7.57E+00	Pr-142M	3.0E-04	1.70E+01
	471020	5.0E-02	W	6.49E+00	Pr-142	3.0E-04	1.38E+03
	471020	5.0E-02	Y	6.76E+00	Pr-143	3.0E-04	1.22E+03
Ag-103	471030	5.0E-02	D	1.38E+01	Pr-144	3.0E-04	2.97E+01
	471030	5.0E-02	W	1.03E+01	Pr-145	3.0E-04	4.05E+02
	471030	5.0E-02	Y	1.11E+01	Pr-147	3.0E-04	1.54E+01
Ag-104M	471041	5.0E-02	D	1.43E+01	Nd-136	3.0E-04	8.92E+01
	471041	5.0E-02	W	1.05E+01	Nd-138	3.0E-04	6.76E+02
	471041	5.0E-02	Y	1.14E+01	Nd-139M	3.0E-04	2.70E+02
Ag-104	471040	5.0E-02	D	1.89E+01	Nd-139	3.0E-04	1.54E+01
	471040	5.0E-02	W	9.19E+00	Nd-141	3.0E-04	8.65E+00
	471040	5.0E-02	Y	9.19E+00	Nd-147	3.0E-04	1.05E+03
Ag-105	471050	5.0E-02	D	1.27E+03	Nd-149	3.0E-04	1.24E+02
	471050	5.0E-02	W	7.84E+02	Nd-151	3.0E-04	2.00E+01
	471050	5.0E-02	Y	8.38E+02	Pm-141	3.0E-04	2.27E+01
Ag-106M	471061	5.0E-02	D	1.92E+03	Pm-143	3.0E-04	2.57E+02
	471061	5.0E-02	W	1.54E+03	Pm-144	3.0E-04	1.05E+03
	471061	5.0E-02	Y	1.46E+03	Pm-145	3.0E-04	1.24E+02
Ag-106	471060	5.0E-02	D	7.57E+00	Pm-146	3.0E-04	8.65E+02
	471060	5.0E-02	W	6.49E+00	Pm-147	3.0E-04	2.57E+02
	471060	5.0E-02	Y	7.03E+00	Pm-148M	3.0E-04	1.89E+03
Ag-108M	471081	5.0E-02	D	7.57E+03	Pm-148	3.0E-04	2.57E+03
	471081	5.0E-02	W	5.14E+03	Pm-149	3.0E-04	9.73E+02
	471081	5.0E-02	Y	5.41E+04	Pm-150	3.0E-04	2.65E+02
Ag-110M	471101	5.0E-02	D	1.03E+04	Pm-151	3.0E-04	7.57E+02
	471101	5.0E-02	W	7.30E+03	Sm-141M	3.0E-04	4.86E+01
	471101	5.0E-02	Y	1.43E+04	Sm-141	3.0E-04	2.27E+01
Ag-111	471110	5.0E-02	D	8.38E+02	Sm-142	3.0E-04	1.62E+02
	471110	5.0E-02	W	1.51E+03	Sm-145	3.0E-04	2.30E+02
	471110	5.0E-02	Y	1.59E+03	Sm-146	3.0E-04	5.41E+04
Ag-112	471120	5.0E-02	D	1.68E+02	Sm-147	3.0E-04	4.36E+04
	471120	5.0E-02	W	1.35E+02	Sm-151	3.0E-04	9.19E+01
	471120	5.0E-02	Y	1.49E+02	Sm-153	3.0E-04	7.03E+02
Ag-115	471150	5.0E-02	D	1.49E+01	Sm-155	3.0E-04	1.78E+01
	471150	5.0E-02	W	1.62E+01	Sm-156	3.0E-04	2.70E+02
	471150	5.0E-02	Y	1.65E+01	Eu-145	1.0E-03	8.65E+02
Cd-104	481040	5.0E-02	D	2.00E+01	Eu-146	1.0E-03	1.38E+03
	481040	5.0E-02	W	1.16E+01	Eu-147	1.0E-03	4.86E+02
	481040	5.0E-02	Y	1.24E+01	Eu-148	1.0E-03	1.41E+03
Cd-107	481070	5.0E-02	D	2.51E+01	Eu-149	1.0E-03	1.14E+02
	481070	5.0E-02	W	2.24E+01	Eu-150 (12H)	1.0E-03	4.05E+02
	481070	5.0E-02	Y	2.70E+01	Eu-150 (34Y)	1.0E-03	1.68E+03
Cd-109	481090	5.0E-02	D	2.70E+04	Eu-152M	1.0E-03	5.14E+02
	481090	5.0E-02	W	9.73E+03	Eu-152	1.0E-03	1.62E+03
	481090	5.0E-02	Y	1.14E+04	Eu-154	1.0E-03	2.46E+03

Table C-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	f1	Ingestion DCF (pSv/Bq)
Cd-113M	481131	5.0E-02	D	3.78E+05	Eu-155	1.0E-03	3.51E+02
	481131	5.0E-02	W	1.14E+05	Eu-156	1.0E-03	2.35E+03
	481131	5.0E-02	Y	1.03E+05	Eu-157	1.0E-03	6.22E+02
Cd-113	481130	5.0E-02	D	4.32E+05	Eu-158	1.0E-03	7.03E+01
	481130	5.0E-02	W	1.27E+05	Gd-145	3.0E-04	2.97E+01
	481130	5.0E-02	Y	1.00E+05	Gd-146	3.0E-04	1.03E+03
Cd-115M	481151	5.0E-02	D	1.76E+04	Gd-147	3.0E-04	7.03E+02
	481151	5.0E-02	W	1.05E+04	Gd-148	3.0E-04	5.68E+04
	481151	5.0E-02	Y	9.46E+03	Gd-149	3.0E-04	4.86E+02
Cd-115	481150	5.0E-02	D	9.73E+02	Gd-151	3.0E-04	2.08E+02
	481150	5.0E-02	W	1.03E+03	Gd-152	3.0E-04	4.05E+04
	481150	5.0E-02	Y	1.03E+03	Gd-153	3.0E-04	2.97E+02
Cd-117M	481171	5.0E-02	D	1.11E+02	Gd-159	3.0E-04	5.14E+02
	481171	5.0E-02	W	7.84E+01	Tb-147	3.0E-04	1.51E+02
	481171	5.0E-02	Y	9.19E+01	Tb-149	3.0E-04	2.57E+02
Cd-117	481170	5.0E-02	D	1.16E+02	Tb-150	3.0E-04	2.62E+02
	481170	5.0E-02	W	8.11E+01	Tb-151	3.0E-04	3.78E+02
	481170	5.0E-02	Y	9.73E+01	Tb-153	3.0E-04	2.68E+02
In-109	491090	2.0E-02	D	2.97E+01	Tb-154	3.0E-04	7.57E+02
	491090	2.0E-02	W	2.05E+01	Tb-155	3.0E-04	2.22E+02
In-110 (69M)	491100	2.0E-02	D	2.97E+01	Tb-156M (24H)	3.0E-04	1.89E+02
	491100	2.0E-02	W	2.27E+01	Tb-156M (5H)	3.0E-04	8.65E+01
In-110 (5H)	491100	2.0E-02	D	8.11E+01	Tb-156	3.0E-04	1.24E+03
	491100	2.0E-02	W	6.76E+01	Tb-157	3.0E-04	2.70E+01
In-111	491110	2.0E-02	D	2.08E+02	Tb-158	3.0E-04	1.08E+03
	491110	2.0E-02	W	2.05E+02	Tb-160	3.0E-04	1.73E+03
In-112	491120	2.0E-02	D	2.16E+00	Tb-161	3.0E-04	7.03E+02
	491120	2.0E-02	W	1.92E+00	Dy-155	3.0E-04	1.51E+02
In-113M	491131	2.0E-02	D	9.19E+00	Dy-157	3.0E-04	7.30E+01
	491131	2.0E-02	W	7.03E+00	Dy-159	3.0E-04	1.08E+02
In-114M	491141	2.0E-02	D	2.11E+04	Dy-165	3.0E-04	9.73E+01
	491141	2.0E-02	W	1.32E+04	Dy-166	3.0E-04	1.68E+03
In-115M	491151	2.0E-02	D	3.24E+01	Ho-155	3.0E-04	3.24E+01
	491151	2.0E-02	W	2.70E+01	Ho-157	3.0E-04	5.14E+00
In-115	491150	2.0E-02	D	9.19E+05	Ho-159	3.0E-04	6.22E+00
	491150	2.0E-02	W	2.51E+05	Ho-161	3.0E-04	1.27E+01
In-116M	491161	2.0E-02	D	1.73E+01	Ho-162M	3.0E-04	2.43E+01
	491161	2.0E-02	W	1.11E+01	Ho-162	3.0E-04	1.81E+00
In-117M	491171	2.0E-02	D	4.05E+01	Ho-164M	3.0E-04	1.32E+01
	491171	2.0E-02	W	3.24E+01	Ho-164	3.0E-04	6.49E+00
In-117	491170	2.0E-02	D	8.11E+00	Ho-166M	3.0E-04	2.11E+03
	491170	2.0E-02	W	6.49E+00	Ho-166	3.0E-04	1.49E+03
In-119M	491191	2.0E-02	D	1.08E+01	Ho-167	3.0E-04	8.65E+01
	491191	2.0E-02	W	9.73E+00	Er-161	3.0E-04	8.92E+01
Sn-110	501100	2.0E-02	D	1.16E+02	Er-165	3.0E-04	2.14E+01
	501100	2.0E-02	W	1.16E+02	Er-169	3.0E-04	3.78E+02
Sn-111	501110	2.0E-02	D	5.95E+00	Er-171	3.0E-04	3.78E+02
	501110	2.0E-02	W	5.14E+00	Er-172	3.0E-04	1.00E+03
Sn-113	501130	2.0E-02	D	1.05E+03	Tm-162	3.0E-04	1.89E+01
	501130	2.0E-02	W	2.41E+03	Tm-166	3.0E-04	3.24E+02
Sn-117M	501171	2.0E-02	D	6.22E+02	Tm-167	3.0E-04	5.68E+02
	501171	2.0E-02	W	9.19E+02	Tm-170	3.0E-04	1.35E+03
Sn-119M	501191	2.0E-02	D	5.68E+02	Tm-171	3.0E-04	1.05E+02
	501191	2.0E-02	W	1.43E+03	Tm-172	3.0E-04	1.62E+03
Sn-121M	501211	2.0E-02	D	1.57E+03	Tm-173	3.0E-04	3.24E+02
	501211	2.0E-02	W	2.41E+03	Tm-175	3.0E-04	1.46E+01
Sn-121	501210	2.0E-02	D	8.65E+01	Yb-162	3.0E-04	1.89E+01
	501210	2.0E-02	W	1.27E+02	Yb-166	3.0E-04	1.03E+03

Table C-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	f1	Ingestion DCF (pSv/Bq)
Sn-123M	501231	2.0E-02	D	1.14E+01	Yb-167	3.0E-04	4.59E+00
	501231	2.0E-02	W	9.46E+00	Yb-169	3.0E-04	7.57E+02
Sn-123	501230	2.0E-02	D	2.14E+03	Yb-175	3.0E-04	4.32E+02
	501230	2.0E-02	W	8.11E+03	Yb-177	3.0E-04	8.38E+01
Sn-125	501250	2.0E-02	D	1.46E+03	Yb-178	3.0E-04	1.05E+02
	501250	2.0E-02	W	3.78E+03	Lu-169	3.0E-04	5.41E+02
Sn-126	501260	2.0E-02	D	2.32E+04	Lu-170	3.0E-04	1.16E+03
	501260	2.0E-02	W	2.00E+04	Lu-171	3.0E-04	7.03E+02
Sn-127	501270	2.0E-02	D	7.03E+01	Lu-172	3.0E-04	1.35E+03
	501270	2.0E-02	W	7.30E+01	Lu-173	3.0E-04	2.62E+02
Sn-128	501280	2.0E-02	D	4.86E+01	Lu-174M	3.0E-04	4.86E+02
	501280	2.0E-02	W	3.78E+01	Lu-174	3.0E-04	2.68E+02
Sb-115	511150	1.0E-01	D	5.68E+00	Lu-176M	3.0E-04	1.70E+02
	511150	1.0E-02	W	4.59E+00	Lu-176	3.0E-04	1.78E+03
Sb-116M	511161	1.0E-01	D	1.95E+01	Lu-177M	3.0E-04	1.84E+03
	511161	1.0E-02	W	1.00E+01	Lu-177	3.0E-04	5.41E+02
Sb-116	511160	1.0E-01	D	4.86E+00	Lu-178M	3.0E-04	2.38E+01
	511160	1.0E-02	W	4.32E+00	Lu-178	3.0E-04	3.24E+01
Sb-117	511170	1.0E-01	D	6.22E+00	Lu-179	3.0E-04	2.19E+02
	511170	1.0E-02	W	4.59E+00	Hf-170	2.0E-03	5.14E+02
Sb-118M	511181	1.0E-01	D	7.03E+01	Hf-172	2.0E-03	1.11E+03
	511181	1.0E-02	W	6.22E+01	Hf-173	2.0E-03	2.59E+02
Sb-119	511190	1.0E-01	D	2.97E+01	Hf-175	2.0E-03	4.32E+02
	511190	1.0E-02	W	5.14E+01	Hf-177M	2.0E-03	6.76E+01
Sb-120 (16M)	511200	1.0E-01	D	2.97E+00	Hf-178M	2.0E-03	5.41E+03
	511200	1.0E-02	W	2.70E+00	Hf-179M	2.0E-03	1.30E+03
Sb-120 (6D)	511200	1.0E-01	D	5.95E+02	Hf-180M	2.0E-03	1.86E+02
	511200	1.0E-02	W	9.46E+02	Hf-181	2.0E-03	1.16E+03
Sb-122	511220	1.0E-01	D	5.95E+02	Hf-182M	2.0E-03	3.78E+01
	511220	1.0E-02	W	1.27E+03	Hf-182	2.0E-03	3.78E+03
Sb-124M	511241	1.0E-01	D	1.65E+00	Hf-183	2.0E-03	6.76E+01
	511241	1.0E-02	W	2.27E+00	Hf-184	2.0E-03	5.68E+02
Sb-124	511240	1.0E-01	D	1.49E+03	Ta-172	1.0E-03	3.78E+01
	511240	1.0E-02	W	5.68E+03	Ta-173	1.0E-03	2.00E+02
Sb-125	511250	1.0E-01	D	5.68E+02	Ta-174	1.0E-03	5.14E+01
	511250	1.0E-02	W	2.65E+03	Ta-175	1.0E-03	2.38E+02
Sb-126M	511261	1.0E-01	D	7.57E+00	Ta-176	1.0E-03	3.51E+02
	511261	1.0E-02	W	6.76E+00	Ta-177	1.0E-03	1.11E+02
Sb-126	511260	1.0E-01	D	1.24E+03	Ta-178	1.0E-03	7.84E+01
	511260	1.0E-02	W	2.70E+03	Ta-179	1.0E-03	6.76E+01
Sb-127	511270	1.0E-01	D	6.22E+02	Ta-180M	1.0E-03	5.68E+01
	511270	1.0E-02	W	1.46E+03	Ta-180	1.0E-03	8.92E+02
Sb-128 (9H)	511280	1.0E-01	D	3.24E+02	Ta-182M	1.0E-03	6.49E+00
	511280	1.0E-02	W	4.32E+02	Ta-182	1.0E-03	1.62E+03
Sb-128 (10M)	511280	1.0E-01	D	3.78E+00	Ta-183	1.0E-03	1.24E+03
	511280	1.0E-02	W	3.24E+00	Ta-184	1.0E-03	7.30E+02
Sb-129	511290	1.0E-01	D	1.51E+02	Ta-185	1.0E-03	5.41E+01
	511290	1.0E-02	W	1.54E+02	Ta-186	1.0E-03	1.81E+01
Sb-130	511300	1.0E-01	D	2.19E+01	W-176	1.0E-02	1.30E+02
	511300	1.0E-02	W	1.68E+01		3.0E-01	1.00E+02
Sb-131	511310	1.0E-01	D	3.51E+01	W-177	1.0E-02	6.49E+01
	511310	1.0E-02	W	3.24E+01		3.0E-01	5.68E+01
Te-116	521160	2.0E-01	D	6.49E+01	W-178	1.0E-02	2.51E+02
	521160	2.0E-01	W	4.59E+01		3.0E-01	1.81E+02
Te-121M	521211	2.0E-01	D	3.51E+03	W-179	1.0E-02	2.43E+00
	521211	2.0E-01	W	3.24E+03		3.0E-01	2.35E+00
Te-121	521210	2.0E-01	D	3.24E+02	W-181	1.0E-02	8.38E+01
	521210	2.0E-01	W	4.32E+02		3.0E-01	7.30E+01

Table C-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	f1	Ingestion DCF (pSv/Bq)
Te-123M	521231	2.0E-01	D	2.51E+03	W-185	1.0E-02	5.14E+02
	521231	2.0E-01	W	2.57E+03		3.0E-01	3.51E+02
Te-123	521230	2.0E-01	D	2.97E+03	W-187	1.0E-02	7.03E+02
	521230	2.0E-01	W	1.24E+03		3.0E-01	5.14E+02
Te-125M	521251	2.0E-01	D	1.32E+02	W-188	1.0E-02	2.43E+03
	521251	2.0E-01	W	1.81E+03		3.0E-01	1.84E+03
Te-127M	521271	2.0E-01	D	3.24E+03	Re-177	8.0E-01	1.19E+01
	521271	2.0E-01	W	5.14E+03	Re-178	8.0E-01	1.30E+01
Te-127	521270	2.0E-01	D	5.95E+01	Re-181	8.0E-01	2.70E+02
	521270	2.0E-01	W	7.84E+01	Re-182 (64H)	8.0E-01	9.19E+02
Te-129M	521291	2.0E-01	D	2.16E+03	Re-182 (12H)	8.0E-01	2.00E+02
	521291	2.0E-01	W	5.41E+03	Re-184M	8.0E-01	6.49E+02
Te-129	521290	2.0E-01	D	2.08E+01	Re-184	8.0E-01	5.95E+02
	521290	2.0E-01	W	1.81E+01	Re-186M	8.0E-01	8.92E+02
Te-131M	521311	2.0E-01	D	1.11E+03	Re-186	8.0E-01	7.03E+02
	521311	2.0E-01	W	1.49E+03	Re-187	8.0E-01	2.24E+00
Te-131	521310	2.0E-01	D	1.08E+02	Re-188M	8.0E-01	1.68E+01
	521310	2.0E-01	W	1.16E+02	Re-188	8.0E-01	7.57E+02
Te-132	521320	2.0E-01	D	1.76E+03	Re-189	8.0E-01	4.05E+02
	521320	2.0E-01	W	2.08E+03	Os-180	1.0E-02	1.27E+01
Te-133M	521331	2.0E-01	D	1.00E+02	Os-181	1.0E-02	9.46E+01
	521331	2.0E-01	W	1.03E+02	Os-182	1.0E-02	5.95E+02
Te-133	521330	2.0E-01	D	2.30E+01	Os-185	1.0E-02	5.68E+02
	521330	2.0E-01	W	2.32E+01	Os-189M	1.0E-02	1.78E+01
Te-134	521340	2.0E-01	D	2.70E+01	Os-191M	1.0E-02	9.73E+01
	521340	2.0E-01	W	2.65E+01	Os-191	1.0E-02	5.41E+02
I-120M	531201	1.0E+00	D	5.95E+01	Os-193	1.0E-02	8.38E+02
I-120	531200	1.0E+00	D	1.11E+02	Os-194	1.0E-02	2.46E+03
I-121	531210	1.0E+00	D	2.70E+01	Ir-182	1.0E-02	3.24E+01
I-123	531230	1.0E+00	D	7.30E+01	Ir-184	1.0E-02	1.73E+02
I-124	531240	1.0E+00	D	5.14E+03	Ir-185	1.0E-02	2.97E+02
I-125	531250	1.0E+00	D	6.49E+03	Ir-186	1.0E-02	5.68E+02
I-126	531260	1.0E+00	D	1.16E+04	Ir-187	1.0E-02	1.30E+02
I-128	531280	1.0E+00	D	1.22E+01	Ir-188	1.0E-02	7.30E+02
I-129	531290	1.0E+00	D	4.86E+04	Ir-189	1.0E-02	2.51E+02
I-130	531300	1.0E+00	D	6.76E+02	Ir-190M	1.0E-02	8.11E+00
I-131	531310	1.0E+00	D	8.65E+03	Ir-190	1.0E-02	1.32E+03
I-132M	531321	1.0E+00	D	7.03E+01	Ir-192M	1.0E-02	4.05E+02
I-132	531320	1.0E+00	D	8.92E+01	Ir-192	1.0E-02	1.43E+03
I-133	531330	1.0E+00	D	1.46E+03	Ir-194M	1.0E-02	2.19E+03
I-134	531340	1.0E+00	D	2.97E+01	Ir-194	1.0E-02	1.38E+03
I-135	531350	1.0E+00	D	2.97E+02	Ir-195M	1.0E-02	1.73E+02
Cs-125	551250	1.0E+00	D	9.19E+00	Ir-195	1.0E-02	9.19E+01
Cs-127	551270	1.0E+00	D	1.41E+01	Pt-186	1.0E-02	1.00E+02
Cs-129	551290	1.0E+00	D	4.05E+01	Pt-188	1.0E-02	8.11E+02
Cs-130	551300	1.0E+00	D	7.03E+00	Pt-189	1.0E-02	1.32E+02
Cs-131	551310	1.0E+00	D	4.32E+01	Pt-191	1.0E-02	3.51E+02
Cs-132	551320	1.0E+00	D	3.24E+02	Pt-193M	1.0E-02	4.59E+02
Cs-134M	551341	1.0E+00	D	9.73E+00	Pt-193	1.0E-02	2.97E+01
Cs-134	551340	1.0E+00	D	1.27E+04	Pt-195M	1.0E-02	5.95E+02
Cs-135M	551351	1.0E+00	D	7.03E+00	Pt-197M	1.0E-02	8.38E+01
Cs-135	551350	1.0E+00	D	1.22E+03	Pt-197	1.0E-02	4.05E+02
Cs-136	551360	1.0E+00	D	2.03E+03	Pt-199	1.0E-02	2.70E+01
Cs-137	551370	1.0E+00	D	8.65E+03	Pt-200	1.0E-02	1.22E+03
Cs-138	551380	1.0E+00	D	2.38E+01	Au-193	1.0E-01	1.62E+02
Ba-126	561260	1.0E-01	D	8.92E+01	Au-194	1.0E-01	5.41E+02
Ba-128	561280	1.0E-01	D	7.84E+02	Au-195	1.0E-01	2.97E+02
Ba-131M	561311	1.0E-01	D	1.03E+00	Au-198M	1.0E-01	1.54E+03
Ba-131	561310	1.0E-01	D	1.81E+02	Au-198	1.0E-01	6.22E+02

Table C-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	f1	Ingestion DCF (pSv/Bq)
Ba-133M	561331	1.0E-01	D	1.51E+02	Au-199	1.0E-01	4.86E+02
Ba-133	561330	1.0E-01	D	1.86E+03	Au-200M	1.0E-01	1.24E+03
Ba-135M	561351	1.0E-01	D	1.19E+02	Au-200	1.0E-01	5.14E+01
Ba-139	561390	1.0E-01	D	4.32E+01	Au-201	1.0E-01	1.54E+01
Ba-140	561400	1.0E-01	D	9.73E+02	Hg-193M (ORG)	1.0E+00	1.46E+02
Ba-141	561410	1.0E-01	D	2.00E+01		4.0E-01	3.24E+02
Ba-142	561420	1.0E-01	D	9.73E+00	Hg-193M (IN)	2.0E-02	4.32E+02
La-131	571310	1.0E-03	D	1.22E+01	Hg-193M (VAP)		0.00E+00
	571310	1.0E-03	W	8.11E+00	Hg-193 (ORG)	1.0E+00	2.97E+01
La-132	571320	1.0E-03	D	1.38E+02		4.0E-01	6.76E+01
	571320	1.0E-03	W	1.22E+02	Hg-193 (IN)	2.0E-02	8.92E+01
La-135	571350	1.0E-03	D	1.27E+01	Hg-193 (VAP)		0.00E+00
	571350	1.0E-03	W	1.41E+01	Hg-194 (ORG)	1.0E+00	7.57E+04
La-137	571370	1.0E-03	D	1.97E+04		4.0E-01	2.97E+04
	571370	1.0E-03	W	5.14E+03	Hg-194 (IN)	2.0E-02	1.62E+03
La-138	571380	1.0E-03	D	3.78E+05	Hg-194 (VAP)		0.00E+00
	571380	1.0E-03	W	1.00E+05	Hg-195M (ORG)	1.0E+00	2.97E+02
La-140	571400	1.0E-03	D	9.19E+02		4.0E-01	4.59E+02
	571400	1.0E-03	W	1.19E+03	Hg-195M (IN)	2.0E-02	5.95E+02
La-141	571410	1.0E-03	D	1.46E+02	Hg-195M (VAP)		0.00E+00
	571410	1.0E-03	W	1.22E+02	Hg-195 (ORG)	1.0E+00	3.78E+01
La-142	571420	1.0E-03	D	5.95E+01		4.0E-01	8.11E+01
	571420	1.0E-03	W	4.32E+01	Hg-195 (IN)	2.0E-02	1.03E+02
La-143	571430	1.0E-03	D	1.30E+01	Hg-195 (VAP)		0.00E+00
	571430	1.0E-03	W	1.49E+01	Hg-197M (ORG)	1.0E+00	1.92E+02
Ce-134	581340	3.0E-04	W	1.81E+03		4.0E-01	3.51E+02
	581340	3.0E-04	Y	2.00E+03	Hg-197M (IN)	2.0E-02	4.59E+02
Ce-135	581350	3.0E-04	W	3.51E+02	Hg-197M (VAP)		0.00E+00
	581350	3.0E-04	Y	3.78E+02	Hg-197 (ORG)	1.0E+00	1.43E+02
Ce-137M	581371	3.0E-04	W	2.97E+02		4.0E-01	1.97E+02
	581371	3.0E-04	Y	3.51E+02	Hg-197 (IN)	2.0E-02	2.46E+02
Ce-137	581370	3.0E-04	W	9.46E+00	Hg-197 (VAP)		0.00E+00
	581370	3.0E-04	Y	1.05E+01	Hg-199M (ORG)	1.0E+00	1.32E+01
Ce-139	581390	3.0E-04	W	1.73E+03		4.0E-01	2.19E+01
	581390	3.0E-04	Y	2.03E+03	Hg-199M (IN)	2.0E-02	2.30E+01
Ce-141	581410	3.0E-04	W	1.92E+03	Hg-199M (VAP)		0.00E+00
	581410	3.0E-04	Y	2.30E+03	Hg-203 (ORG)	1.0E+00	2.70E+03
Ce-143	581430	3.0E-04	W	7.57E+02		4.0E-01	1.51E+03
	581430	3.0E-04	Y	8.65E+02	Hg-203 (IN)	2.0E-02	5.68E+02
Ce-144	581440	3.0E-04	W	5.14E+04	Hg-203 (VAP)		0.00E+00
	581440	3.0E-04	Y	9.46E+04	Tl-194M	1.0E+00	1.92E+01
Pr-136	591360	3.0E-04	W	5.68E+00	Tl-194	1.0E+00	5.14E+00
	591360	3.0E-04	Y	5.95E+00	Tl-195	1.0E+00	2.08E+01
Pr-137	591370	3.0E-04	W	8.92E+00	Tl-197	1.0E+00	1.86E+01
	591370	3.0E-04	Y	9.73E+00	Tl-198M	1.0E+00	4.32E+01
Pr-138M	591381	3.0E-04	W	2.46E+01	Tl-198	1.0E+00	7.03E+01
	591381	3.0E-04	Y	3.24E+01	Tl-199	1.0E+00	2.22E+01
Pr-139	591390	3.0E-04	W	1.14E+01	Tl-200	1.0E+00	1.81E+02
	591390	3.0E-04	Y	1.27E+01	Tl-201	1.0E+00	7.84E+01
Pr-142M	591421	3.0E-04	W	8.38E+00	Tl-202	1.0E+00	4.05E+02
	591421	3.0E-04	Y	9.73E+00	Tl-204	1.0E+00	8.65E+02
Pr-142	591420	3.0E-04	W	6.49E+02	Pb-195M	2.0E-01	2.30E+01
	591420	3.0E-04	Y	7.30E+02	Pb-198	2.0E-01	4.32E+01
Pr-143	591430	3.0E-04	W	1.68E+03	Pb-199	2.0E-01	5.95E+01
	591430	3.0E-04	Y	1.97E+03	Pb-200	2.0E-01	4.05E+02
Pr-144	591440	3.0E-04	W	1.05E+01	Pb-201	2.0E-01	1.81E+02
	591440	3.0E-04	Y	1.14E+01	Pb-202M	2.0E-01	1.49E+02
Pr-145	591450	3.0E-04	W	1.46E+02	Pb-202	2.0E-01	1.05E+04
	591450	3.0E-04	Y	1.73E+02	Pb-203	2.0E-01	2.59E+02

Table C-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	f1	Ingestion DCF (pSv/Bq)
Pr-147	591470	3.0E-04	W	6.76E+00	Pb-205	2.0E-01	4.05E+02
	591470	3.0E-04	Y	7.30E+00	Pb-209	2.0E-01	5.68E+01
Nd-136	601360	3.0E-04	W	2.27E+01	Pb-210	2.0E-01	1.38E+06
	601360	3.0E-04	Y	2.51E+01	Pb-211	2.0E-01	1.19E+02
Nd-138	601380	3.0E-04	W	2.11E+02	Pb-212	2.0E-01	1.11E+04
	601380	3.0E-04	Y	2.54E+02	Pb-214	2.0E-01	1.57E+02
Nd-139M	601391	3.0E-04	W	8.11E+01	Bi-200	5.0E-02	4.59E+01
	601391	3.0E-04	Y	9.46E+01	Bi-201	5.0E-02	1.22E+02
Nd-139	601390	3.0E-04	W	4.05E+00	Bi-202	5.0E-02	9.73E+01
	601390	3.0E-04	Y	4.59E+00	Bi-203	5.0E-02	5.68E+02
Nd-141	601410	3.0E-04	W	1.86E+00	Bi-205	5.0E-02	1.00E+03
	601410	3.0E-04	Y	2.22E+00	Bi-206	5.0E-02	2.16E+03
Nd-147	601470	3.0E-04	W	1.43E+03	Bi-207	5.0E-02	1.32E+03
	601470	3.0E-04	Y	1.68E+03	Bi-210M	5.0E-02	2.32E+04
Nd-149	601490	3.0E-04	W	4.86E+01	Bi-210	5.0E-02	1.59E+03
	601490	3.0E-04	Y	5.41E+01	Bi-212	5.0E-02	2.68E+02
Nd-151	601510	3.0E-04	W	6.76E+00	Bi-213	5.0E-02	1.84E+02
	601510	3.0E-04	Y	7.03E+00	Bi-214	5.0E-02	6.49E+01
Pm-141	611410	3.0E-04	W	7.30E+00	Po-203	1.0E-01	5.41E+01
	611410	3.0E-04	Y	7.84E+00	Po-205	1.0E-01	6.49E+01
Pm-143	611430	3.0E-04	W	2.24E+03	Po-207	1.0E-01	1.65E+02
	611430	3.0E-04	Y	1.92E+03	Po-210	1.0E-01	4.32E+05
Pm-144	611440	3.0E-04	W	1.19E+04	At-207	1.0E+00	2.41E+02
	611440	3.0E-04	Y	1.11E+04	At-211	1.0E+00	1.11E+04
Pm-145	611450	3.0E-04	W	6.22E+03	Fr-222	1.0E+00	6.76E+02
	611450	3.0E-04	Y	7.00E+03	Fr-223	1.0E+00	2.32E+03
Pm-146	611460	3.0E-04	W	2.70E+04	Ra-223	2.0E-01	1.49E+05
	611460	3.0E-04	Y	2.97E+04	Ra-224	2.0E-01	8.92E+04
Pm-147	611470	3.0E-04	W	6.76E+03	Ra-225	2.0E-01	8.38E+04
	611470	3.0E-04	Y	9.19E+03	Ra-226	2.0E-01	2.97E+05
Pm-148M	611481	3.0E-04	W	4.59E+03	Ra-227	2.0E-01	5.95E+01
	611481	3.0E-04	Y	4.32E+03	Ra-228	2.0E-01	3.24E+05
Pm-148	611480	3.0E-04	W	2.54E+03	Ac-224	1.0E-03	7.03E+02
	611480	3.0E-04	Y	2.70E+03	Ac-225	1.0E-03	2.57E+04
Pm-149	611490	3.0E-04	W	7.03E+02	Ac-226	1.0E-03	1.08E+04
	611490	3.0E-04	Y	7.57E+02	Ac-227	1.0E-03	3.78E+06
Pm-150	611500	3.0E-04	W	7.03E+01	Ac-228	1.0E-03	5.68E+02
	611500	3.0E-04	Y	7.84E+01	Th-226	2.0E-04	2.49E+02
Pm-151	611510	3.0E-04	W	3.78E+02	Th-227	2.0E-04	9.73E+03
	611510	3.0E-04	Y	4.32E+02	Th-228	2.0E-04	1.03E+05
Sm-141M	621411	3.0E-04	W	1.32E+01	Th-229	2.0E-04	9.46E+05
Sm-141	621410	3.0E-04	W	7.57E+00	Th-230	2.0E-04	1.43E+05
Sm-142	621420	3.0E-04	W	5.14E+01	Th-231	2.0E-04	3.51E+02
Sm-145	621450	3.0E-04	W	2.70E+03	Th-232	2.0E-04	7.57E+05
Sm-146	621460	3.0E-04	W	2.11E+07	Th-234	2.0E-04	3.51E+03
Sm-147	621470	3.0E-04	W	1.92E+07	Pa-227	1.0E-03	3.51E+02
Sm-151	621510	3.0E-04	W	7.84E+03	Pa-228	1.0E-03	1.08E+03
Sm-153	621530	3.0E-04	W	4.59E+02	Pa-230	1.0E-03	1.51E+03
Sm-155	621550	3.0E-04	W	6.49E+00	Pa-231	1.0E-03	2.97E+06
Sm-156	621560	3.0E-04	W	1.54E+02	Pa-232	1.0E-03	9.19E+02
Eu-145	631450	1.0E-03	W	7.03E+02	Pa-233	1.0E-03	8.92E+02
Eu-146	631460	1.0E-03	W	1.03E+03	Pa-234	1.0E-03	5.68E+02
Eu-147	631470	1.0E-03	W	8.11E+02	U-230	5.0E-02	2.27E+05
Eu-148	631480	1.0E-03	W	3.78E+03		2.0E-03	3.24E+04
Eu-149	631490	1.0E-03	W	4.32E+02	U-231	5.0E-02	2.97E+02
Eu-150 (12H)	631500	1.0E-03	W	1.65E+02		2.0E-03	2.97E+02
Eu-150 (34Y)	631500	1.0E-03	W	7.30E+04	U-232	5.0E-02	3.51E+05
Eu-152M	631521	1.0E-03	W	2.05E+02		2.0E-03	1.84E+04
Eu-152	631520	1.0E-03	W	5.95E+04	U-233	5.0E-02	7.30E+04

Table C-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	f1	Ingestion DCF (pSv/Bq)
Eu-154	631540	1.0E-03	W	7.03E+04		2.0E-03	6.76E+03
Eu-155	631550	1.0E-03	W	1.05E+04	U-234	5.0E-02	7.03E+04
Eu-156	631560	1.0E-03	W	2.97E+03		2.0E-03	5.76E+03
Eu-157	631570	1.0E-03	W	2.70E+02	U-235	5.0E-02	6.76E+04
Eu-158	631580	1.0E-03	W	2.27E+01		2.0E-03	6.76E+03
Gd-145	641450	3.0E-04	D	8.65E+00	U-236	5.0E-02	6.76E+04
	641450	3.0E-04	W	8.11E+00		2.0E-03	6.49E+03
Gd-146	641460	3.0E-04	D	1.03E+04	U-237	5.0E-02	7.03E+02
	641460	3.0E-04	W	4.86E+03		2.0E-03	7.30E+02
Gd-147	641470	3.0E-04	D	3.24E+02	U-238	5.0E-02	6.22E+04
	641470	3.0E-04	W	3.78E+02		2.0E-03	6.22E+03
Gd-148	641480	3.0E-04	D	8.92E+07	U-239	5.0E-02	2.03E+01
	641480	3.0E-04	W	2.27E+07		2.0E-03	2.05E+01
Gd-149	641490	3.0E-04	D	6.22E+02	U-240	5.0E-02	1.05E+03
	641490	3.0E-04	W	5.41E+02		2.0E-03	1.11E+03
Gd-151	641510	3.0E-04	D	2.14E+03	Np-232	1.0E-03	6.49E+00
	641510	3.0E-04	W	1.11E+03	Np-233	1.0E-03	1.51E+00
Gd-152	641520	3.0E-04	D	6.49E+07	Np-234	1.0E-03	4.59E+02
	641520	3.0E-04	W	1.65E+07	Np-235	1.0E-03	5.68E+01
Gd-153	641530	3.0E-04	D	5.68E+03	Np-236 (1E5Y)	1.0E-03	2.14E+05
	641530	3.0E-04	W	2.27E+03	Np-236 (22H)	1.0E-03	2.57E+02
Gd-159	641590	3.0E-04	D	1.73E+02	Np-237	1.0E-03	1.05E+06
	641590	3.0E-04	W	2.41E+02	Np-238	1.0E-03	9.19E+02
Tb-147	651470	3.0E-04	W	4.32E+01	Np-239	1.0E-03	7.84E+02
Tb-149	651490	3.0E-04	W	1.81E+03	Np-240	1.0E-03	5.41E+01
Tb-150	651500	3.0E-04	W	6.22E+01	Pu-234	1.0E-03	3.24E+02
Tb-151	651510	3.0E-04	W	1.49E+02		1.0E-05	1.49E+02
Tb-153	651530	3.0E-04	W	1.89E+02	Pu-235	1.0E-03	3.78E+00
Tb-154	651540	3.0E-04	W	3.24E+02		1.0E-05	1.59E+00
Tb-155	651550	3.0E-04	W	1.81E+02	Pu-236	1.0E-03	3.51E+05
Tb-156M (24H)	651561	3.0E-04	W	1.78E+02		1.0E-05	8.11E+03
Tb-156M (5H)	651561	3.0E-04	W	5.14E+01	Pu-237	1.0E-03	2.70E+02
Tb-156	651560	3.0E-04	W	9.73E+02		1.0E-05	1.08E+02
Tb-157	651570	3.0E-04	W	2.43E+03	Pu-238	1.0E-03	1.03E+06
Tb-158	651580	3.0E-04	W	6.76E+04		1.0E-05	1.46E+04
Tb-160	651600	3.0E-04	W	5.95E+03	Pu-239	1.0E-03	1.16E+06
Tb-161	651610	3.0E-04	W	8.38E+02		1.0E-05	1.57E+04
Dy-155	661550	3.0E-04	W	5.41E+01	Pu-240	1.0E-03	1.16E+06
Dy-157	661570	3.0E-04	W	2.05E+01		1.0E-05	1.57E+04
Dy-159	661590	3.0E-04	W	5.68E+02	Pu-241	1.0E-03	2.32E+04
Dy-165	661650	3.0E-04	W	2.97E+01		1.0E-05	2.49E+02
Dy-166	661660	3.0E-04	W	1.86E+03	Pu-242	1.0E-03	1.11E+06
Ho-157	671550	3.0E-04	W	8.65E+00		1.0E-05	1.51E+04
Ho-157	671570	3.0E-04	W	1.00E+00	Pu-243	1.0E-03	8.92E+01
Ho-159	671590	3.0E-04	W	1.32E+00		1.0E-05	8.92E+01
Ho-161	671610	3.0E-04	W	3.24E+00	Pu-244	1.0E-03	1.08E+06
Ho-162M	671621	3.0E-04	W	5.14E+00		1.0E-05	1.73E+04
Ho-162	671620	3.0E-04	W	5.68E-01	Pu-245	1.0E-03	6.49E+02
Ho-164M	671641	3.0E-04	W	4.59E+00		1.0E-05	6.49E+02
Ho-164	671640	3.0E-04	W	2.16E+00	Am-237	1.0E-03	2.00E+01
Ho-166M	671661	3.0E-04	W	1.95E+05	Am-238	1.0E-03	4.59E+01
Ho-166	671660	3.0E-04	W	7.57E+02	Am-239	1.0E-03	2.70E+02
Ho-167	671670	3.0E-04	W	2.30E+01	Am-240	1.0E-03	7.84E+02
Er-161	681610	3.0E-04	W	2.14E+01	Am-241	1.0E-03	1.22E+06
Er-165	681650	3.0E-04	W	7.30E+00	Am-242M	1.0E-03	1.14E+06
Er-169	681690	3.0E-04	W	5.41E+02	Am-242	1.0E-03	3.24E+02
Er-171	681710	3.0E-04	W	1.35E+02	Am-243	1.0E-03	1.22E+06
Er-172	681720	3.0E-04	W	9.46E+02	Am-244M	1.0E-03	1.84E+01
Tm-162	691620	3.0E-04	W	4.86E+00	Am-244	1.0E-03	5.41E+02

Table C-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	f1	Ingestion DCF (pSv/Bq)
Tm-166	691660	3.0E-04	W	9.46E+01	Am-245	1.0E-03	4.86E+01
Tm-167	691670	3.0E-04	W	7.03E+02	Am-246M	1.0E-03	2.27E+01
Tm-170	691700	3.0E-04	W	6.22E+03	Am-246	1.0E-03	4.05E+01
Tm-171	691710	3.0E-04	W	2.32E+03	Cm-238	1.0E-03	9.73E+01
Tm-172	691720	3.0E-04	W	1.16E+03	Cm-240	1.0E-03	1.70E+04
Tm-173	691730	3.0E-04	W	1.16E+02	Cm-241	1.0E-03	1.24E+03
Tm-175	691750	3.0E-04	W	5.41E+00	Cm-242	1.0E-03	2.97E+04
Yb-162	701620	3.0E-04	W	4.59E+00	Cm-243	1.0E-03	7.84E+05
	701620	3.0E-04	Y	4.86E+00	Cm-244	1.0E-03	6.22E+05
Yb-166	701660	3.0E-04	W	6.76E+02	Cm-245	1.0E-03	1.22E+06
	701660	3.0E-04	Y	7.57E+02	Cm-246	1.0E-03	1.22E+06
Yb-167	701670	3.0E-04	W	1.76E+00	Cm-247	1.0E-03	1.11E+06
	701670	3.0E-04	Y	1.89E+00	Cm-248	1.0E-03	4.32E+06
Yb-169	701690	3.0E-04	W	1.65E+03	Cm-249	1.0E-03	2.57E+01
	701690	3.0E-04	Y	1.89E+03	Bk-245	5.0E-04	6.22E+02
Yb-175	701750	3.0E-04	W	4.05E+02	Bk-246	5.0E-04	5.14E+02
	701750	3.0E-04	Y	4.05E+02	Bk-247	5.0E-04	6.22E+05
Yb-177	701770	3.0E-04	W	2.70E+01	Bk-249	5.0E-04	1.62E+03
	701770	3.0E-04	Y	2.97E+01	Bk-250	5.0E-04	1.35E+02
Yb-178	701780	3.0E-04	W	3.24E+01	Cf-244	1.0E-03	4.05E+01
	701780	3.0E-04	Y	3.78E+01	Cf-246	1.0E-03	3.24E+03
Lu-169	711690	3.0E-04	W	2.97E+02	Cf-248	1.0E-03	7.57E+04
	711690	3.0E-04	Y	3.24E+02	Cf-249	1.0E-03	1.24E+06
Lu-170	711700	3.0E-04	W	6.22E+02	Cf-250	1.0E-03	5.14E+05
	711700	3.0E-04	Y	6.76E+02	Cf-251	1.0E-03	1.24E+06
Lu-171	711710	3.0E-04	W	7.03E+02	Cf-252	1.0E-03	2.54E+05
	711710	3.0E-04	Y	7.03E+02	Cf-253	1.0E-03	2.49E+03
Lu-172	711720	3.0E-04	W	1.14E+03	Cf-254	5.0E-04	6.76E+05
	711720	3.0E-04	Y	1.19E+03	Es-250	5.0E-04	2.57E+01
Lu-173	711730	3.0E-04	W	2.97E+03	Es-251	5.0E-04	1.81E+02
	711730	3.0E-04	Y	5.14E+03	Es-253	5.0E-04	6.49E+03
Lu-174M	711741	3.0E-04	W	4.32E+03	Es-254M	5.0E-04	4.05E+03
	711741	3.0E-04	Y	6.22E+03	Es-254	5.0E-04	4.05E+04
Lu-174	711740	3.0E-04	W	5.68E+03	Fm-252	5.0E-04	2.68E+03
	711740	3.0E-04	Y	8.65E+03	Fm-253	5.0E-04	9.46E+02
Lu-176M	711761	3.0E-04	W	5.41E+01	Fm-254	5.0E-04	4.32E+02
	711761	3.0E-04	Y	5.95E+01	Fm-255	5.0E-04	2.62E+03
Lu-176	711760	3.0E-04	W	1.19E+05	Fm-257	5.0E-04	1.97E+04
	711760	3.0E-04	Y	1.70E+05	Md-257	5.0E-04	1.46E+02
Lu-177M	711771	3.0E-04	W	1.11E+04	Md-258	5.0E-04	1.65E+04
	711771	3.0E-04	Y	1.68E+04			
Lu-177	711770	3.0E-04	W	6.22E+02			
	711770	3.0E-04	Y	6.22E+02			
Lu-178M	711781	3.0E-04	W	7.57E+00			
	711781	3.0E-04	Y	7.84E+00			
Lu-178	711780	3.0E-04	W	1.11E+01			
	711780	3.0E-04	Y	1.19E+01			
Lu-179	711790	3.0E-04	W	7.30E+01			
	711790	3.0E-04	Y	8.65E+01			
Hf-170	721700	2.0E-03	D	2.30E+02			
	721700	2.0E-03	W	2.97E+02			
Hf-172	721720	2.0E-03	D	7.30E+04			
	721720	2.0E-03	W	2.46E+04			
Hf-173	721730	2.0E-03	D	1.08E+02			
	721730	2.0E-03	W	1.19E+02			
Hf-175	721750	2.0E-03	D	1.32E+03			
	721750	2.0E-03	W	1.22E+03			
Hf-177M	721771	2.0E-03	D	2.35E+01			
	721771	2.0E-03	W	1.57E+01			

Table C-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)
Hf-178M	721781	2.0E-03	D	5.41E+05	Re-178	751780	8.0E-01	D	5.14E+00
	721781	2.0E-03	W	1.51E+05		751780	8.0E-01	W	4.86E+00
Hf-179M	721791	2.0E-03	D	2.32E+03	Re-181	751810	8.0E-01	D	1.57E+02
	721791	2.0E-03	W	2.24E+03		751810	8.0E-01	W	1.54E+02
Hf-180M	721801	2.0E-03	D	5.95E+01	Re-182 (64H)	751820	8.0E-01	D	5.41E+02
	721801	2.0E-03	W	5.41E+01		751820	8.0E-01	W	6.22E+02
Hf-181	721810	2.0E-03	D	3.51E+03	Re-182 (12H)	751820	8.0E-01	D	1.08E+02
	721810	2.0E-03	W	2.7E+03		751820	8.0E-01	W	8.92E+01
Hf-182M	721821	2.0E-03	D	1.54E+01	Re-184M	751841	8.0E-01	D	4.59E+02
	721821	2.0E-03	W	9.19E+00		751841	8.0E-01	W	3.24E+03
Hf-182	721820	2.0E-03	D	7.57E+05	Re-184	751840	8.0E-01	D	3.78E+02
	721820	2.0E-03	W	1.92E+05		751840	8.0E-01	W	9.73E+02
Hf-183	721830	2.0E-03	D	2.97E+01	Re-186M	751861	8.0E-01	D	6.22E+02
	721830	2.0E-03	W	2.46E+01		751861	8.0E-01	W	8.92E+03
Hf-184	721840	2.0E-03	D	1.76E+02	Re-186	751860	8.0E-01	D	4.59E+02
	721840	2.0E-03	W	2.14E+02		751860	8.0E-01	W	8.11E+02
Ta-172	731720	1.0E-03	W	1.08E+01	Re-187	751870	8.0E-01	D	1.49E+00
	731720	1.0E-03	Y	1.32E+01		751870	8.0E-01	W	1.32E+01
Ta-173	731730	1.0E-03	W	7.03E+01	Re-188M	751881	8.0E-01	D	9.73E+00
	731730	1.0E-03	Y	7.84E+01		751881	8.0E-01	W	1.00E+01
Ta-174	731740	1.0E-03	W	1.43E+01	Re-188	751880	8.0E-01	D	4.86E+02
	731740	1.0E-03	Y	1.57E+01		751880	8.0E-01	W	4.86E+02
Ta-175	731750	1.0E-03	W	8.38E+01	Re-189	751890	8.0E-01	D	2.65E+02
	731750	1.0E-03	Y	9.19E+01		751890	8.0E-01	W	2.97E+02
Ta-176	731760	1.0E-03	W	1.11E+02	Os-180	761800	1.0E-02	D	3.78E+00
	731760	1.0E-03	Y	1.14E+02		761800	1.0E-02	W	2.70E+00
Ta-177	731770	1.0E-03	W	7.03E+01		761800	1.0E-02	Y	2.97E+00
	731770	1.0E-03	Y	7.57E+01	Os-181	761810	1.0E-02	D	2.97E+01
Ta-178	731780	1.0E-03	W	1.46E+01		761810	1.0E-02	W	2.97E+01
	731780	1.0E-03	Y	1.89E+01		761810	1.0E-02	Y	3.24E+01
Ta-179	731790	1.0E-03	W	2.54E+02	Os-182	761820	1.0E-02	D	2.27E+02
	731790	1.0E-03	Y	1.57E+03		761820	1.0E-02	W	3.24E+02
Ta-180M	731801	1.0E-03	W	2.00E+01		761820	1.0E-02	Y	3.51E+02
	731801	1.0E-03	Y	2.30E+01	Os-185	761850	1.0E-02	D	2.70E+03
Ta-180	731800	1.0E-03	W	3.24E+03		761850	1.0E-02	W	1.73E+03
	731800	1.0E-03	Y	5.68E+04		761850	1.0E-02	Y	1.68E+03
Ta-182M	731821	1.0E-03	W	2.51E+00	Os-189M	761891	1.0E-02	D	5.95E+00
	731821	1.0E-03	Y	3.24E+00		761891	1.0E-02	W	6.49E+00
Ta-182	731820	1.0E-03	W	4.32E+03		761891	1.0E-02	Y	7.84E+00
	731820	1.0E-03	Y	1.00E+04	Os-191M	761911	1.0E-02	D	4.86E+01
Ta-183	731830	1.0E-03	W	1.19E+03		761911	1.0E-02	W	6.49E+01
	731830	1.0E-03	Y	1.30E+03		761911	1.0E-02	Y	7.57E+01
Ta-184	731840	1.0E-03	W	2.51E+02	Os-191	761910	1.0E-02	D	6.49E+02
	731840	1.0E-03	Y	2.97E+02		761910	1.0E-02	W	8.38E+02
Ta-185	731850	1.0E-03	W	1.81E+01		761910	1.0E-02	Y	1.00E+03
	731850	1.0E-03	Y	2.03E+01	Os-193	761930	1.0E-02	D	2.97E+02
Ta-186	731860	1.0E-03	W	5.95E+00		761930	1.0E-02	W	4.59E+02
	731860	1.0E-03	Y	6.22E+00		761930	1.0E-02	Y	5.14E+02
W-176	741760	3.0E-01	D	2.54E+01	Os-194	761940	1.0E-02	D	3.24E+04
W-177	741770	3.0E-01	D	1.57E+01		761940	1.0E-02	W	2.35E+04
W-178	741780	3.0E-01	D	7.03E+01		761940	1.0E-02	Y	1.81E+05
W-179	741790	3.0E-01	D	8.11E-01	Ir-182	771820	1.0E-02	D	9.46E+00
W-181	741810	3.0E-01	D	4.05E+01		771820	1.0E-02	W	8.92E+00
W-185	741850	3.0E-01	D	2.03E+02		771820	1.0E-02	Y	1.05E+01
W-187	741870	3.0E-01	D	1.43E+02	Ir-184	771840	1.0E-02	D	5.41E+01
W-188	741880	3.0E-01	D	1.11E+03		771840	1.0E-02	W	4.32E+01
Re-177	751770	8.0E-01	D	5.14E+00		771840	1.0E-02	Y	5.14E+01
	751770	8.0E-01	W	3.78E+00					

Table C-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)
Ir-185	771850	1.0E-02	D	1.08E+02	Au-198M	791981	1.0E-01	D	1.22E+03
	771850	1.0E-02	W	1.16E+02		791981	1.0E-01	W	1.35E+03
	771850	1.0E-02	Y	1.32E+02		791981	1.0E-01	Y	1.32E+03
Ir-186	771860	1.0E-02	D	1.76E+02	Au-198	791980	1.0E-01	D	7.84E+02
	771860	1.0E-02	W	2.14E+02		791980	1.0E-01	W	5.41E+02
	771860	1.0E-02	Y	2.32E+02		791980	1.0E-01	Y	4.86E+02
Ir-187	771870	1.0E-02	D	4.32E+01	Au-199	791990	1.0E-01	D	4.05E+02
	771870	1.0E-02	W	4.59E+01		791990	1.0E-01	W	4.05E+02
	771870	1.0E-02	Y	5.14E+01		791990	1.0E-01	Y	4.05E+02
Ir-188	771880	1.0E-02	D	2.97E+02	Au-200M	792001	1.0E-01	D	7.30E+02
	771880	1.0E-02	W	3.78E+02		792001	1.0E-01	W	5.95E+02
	771880	1.0E-02	Y	4.05E+02		792001	1.0E-01	Y	5.68E+02
Ir-189	771890	1.0E-02	D	2.70E+02	Au-200	792000	1.0E-01	D	3.51E+01
	771890	1.0E-02	W	3.51E+02		792000	1.0E-01	W	2.19E+01
	771890	1.0E-02	Y	3.78E+02		792000	1.0E-01	Y	1.92E+01
Ir-190M	771901	1.0E-02	D	7.03E+00	Au-201	792010	1.0E-01	D	9.73E+00
	771901	1.0E-02	W	6.49E+00		792010	1.0E-01	W	6.76E+00
	771901	1.0E-02	Y	7.03E+00		792010	1.0E-01	Y	5.95E+00
Ir-190	771900	1.0E-02	D	1.46E+03	Hg-193M (ORG)	801931	1.0E+00	D	1.03E+02
	771900	1.0E-02	W	1.32E+03	Hg-193M (IN)	801931	2.0E-02	D	1.51E+02
	771900	1.0E-02	Y	1.46E+03		801931	2.0E-02	W	1.70E+02
Ir-192M	771921	1.0E-02	D	1.46E+04	Hg-193M (VAP)	801931		W	1.57E+02
	771921	1.0E-02	W	6.22E+03	Hg-193 (ORG)	801930	1.0E+00	D	2.08E+01
	771921	1.0E-02	Y	8.92E+04	Hg-193 (IN)	801930	2.0E-02	D	2.97E+01
Ir-192	771920	1.0E-02	D	4.86E+03		801930	2.0E-02	W	3.24E+01
	771920	1.0E-02	W	3.51E+03	Hg-193 (VAP)	801930		W	4.32E+01
	771920	1.0E-02	Y	6.22E+03	Hg-194 (ORG)	801940	1.0E+00	D	4.86E+04
Ir-194M	771941	1.0E-02	D	1.43E+04	Hg-194 (IN)	801940	2.0E-02	D	3.24E+04
	771941	1.0E-02	W	8.38E+03		801940	2.0E-02	W	1.14E+04
	771941	1.0E-02	Y	1.32E+04	Hg-194 (VAP)	801940		W	4.59E+04
Ir-194	771940	1.0E-02	D	4.59E+02	Hg-195M (ORG)	801951	1.0E+00	D	2.22E+02
	771940	1.0E-02	W	6.49E+02	Hg-195M (IN)	801951	2.0E-02	D	2.57E+02
	771940	1.0E-02	Y	7.30E+02		801951	2.0E-02	W	3.51E+02
Ir-195M	771951	1.0E-02	D	5.68E+01	Hg-195M (VAP)	801951		W	3.51E+02
	771951	1.0E-02	W	4.86E+01	Hg-195 (ORG)	801950	1.0E+00	D	2.97E+01
	771951	1.0E-02	Y	6.22E+01	Hg-195 (IN)	801950	2.0E-02	D	3.78E+01
Ir-195	771950	1.0E-02	D	3.24E+01		801950	2.0E-02	W	4.05E+01
	771950	1.0E-02	W	2.65E+01	Hg-195 (VAP)	801950		W	4.59E+01
	771950	1.0E-02	Y	3.24E+01	Hg-197M (ORG)	801971	1.0E+00	D	1.49E+02
Pt-186	781860	1.0E-02	D	3.51E+01	Hg-197M (IN)	801971	2.0E-02	D	1.86E+02
Pt-188	781880	1.0E-02	D	8.38E+02		801971	2.0E-02	W	2.70E+02
Pt-189	781890	1.0E-02	D	4.59E+01	Hg-197M (VAP)	801971		W	2.65E+02
Pt-191	781910	1.0E-02	D	1.62E+02	Hg-197 (ORG)	801970	1.0E+00	D	1.00E+02
Pt-193M	781931	1.0E-02	D	2.24E+02	Hg-197 (IN)	801970	2.0E-02	D	1.16E+02
Pt-193	781930	1.0E-02	D	5.68E+01		801970	2.0E-02	W	1.59E+02
Pt-195M	781951	1.0E-02	D	3.24E+02	Hg-197 (VAP)	801970		W	1.70E+01
Pt-197M	781971	1.0E-02	D	3.24E+01	Hg-199M (ORG)	801991	1.0E+00	D	8.38E+00
Pt-197	781970	1.0E-02	D	1.41E+02	Hg-199M (IN)	801991	2.0E-02	D	9.19E+00
Pt-199	781990	1.0E-02	D	9.73E+00		801991	2.0E-02	W	7.57E+00
Pt-200	782000	1.0E-02	D	4.05E+02	Hg-199M (VAP)	801991		W	1.81E+01
Au-193	791930	1.0E-01	D	9.73E+01	Hg-203 (ORG)	802030	1.0E+00	D	1.76E+03
	791930	1.0E-01	W	7.84E+01	Hg-203 (IN)	802030	2.0E-02	D	1.08E+03
	791930	1.0E-01	Y	7.84E+01		802030	2.0E-02	W	1.22E+03
Au-194	791940	1.0E-01	D	3.51E+02	Hg-203 (VAP)	802030		W	1.68E+03
	791940	1.0E-01	W	1.14E+21	Tl-194M	811941	1.0E+00	D	8.92E+00
	791940	1.0E-01	Y	2.97E+02	Tl-194	811940	1.0E+00	D	2.27E+00
Au-195	791950	1.0E-01	D	2.97E+02	Tl-195	811950	1.0E+00	D	1.08E+01
	791950	1.0E-01	W	9.46E+02	Tl-197	811970	1.0E+00	D	1.16E+01
	791950	1.0E-01	Y	3.24E+03	Tl-198M	811981	1.0E+00	D	2.46E+01

Table C-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)
Tl-198	811980	1.0E+00	D	4.32E+01	Ra-224	882240	2.0E-01	W	7.84E+05
Tl-199	811990	1.0E+00	D	1.65E+01	Ra-225	882250	2.0E-01	W	2.03E+06
Tl-200	812000	1.0E+00	D	1.24E+02	Ra-226	882260	2.0E-01	W	2.14E+06
Tl-201	812010	1.0E+00	D	6.22E+01	Ra-227	882270	2.0E-01	W	7.30E+01
Tl-202	812020	1.0E+00	D	2.65E+02	Ra-228	882280	2.0E-01	W	1.14E+06
Tl-204	812040	1.0E+00	D	6.22E+02	Ac-224	892240	1.0E-03	D	3.51E+04
Pb-195M	821951	2.0E-01	D	6.76E+00		892240	1.0E-03	W	2.70E+04
Pb-198	821980	2.0E-01	D	2.08E+01		892240	1.0E-03	Y	2.97E+04
Pb-199	821990	2.0E-01	D	1.89E+01	Ac-225	892250	1.0E-03	D	2.70E+06
Pb-200	822000	2.0E-01	D	2.14E+02		892250	1.0E-03	W	2.03E+06
Pb-201	822010	2.0E-01	D	6.49E+01		892250	1.0E-03	Y	2.16E+06
Pb-202M	822021	2.0E-01	D	4.59E+01	Ac-226	892260	1.0E-03	D	3.51E+05
Pb-202	822020	2.0E-01	D	2.68E+04		892260	1.0E-03	W	2.70E+05
Pb-203	822030	2.0E-01	D	1.41E+02		892260	1.0E-03	Y	2.97E+05
Pb-205	822050	2.0E-01	D	1.00E+03	Ac-227	892270	1.0E-03	D	1.81E+09
Pb-209	822090	2.0E-01	D	2.43E+01		892270	1.0E-03	W	4.59E+08
Pb-210	822100	2.0E-01	D	3.51E+06		892270	1.0E-03	Y	3.24E+08
Pb-211	822110	2.0E-01	D	2.16E+03	Ac-228	892280	1.0E-03	D	7.84E+04
Pb-212	822120	2.0E-01	D	4.32E+04		892280	1.0E-03	W	2.35E+04
Pb-214	822140	2.0E-01	D	1.81E+03		892280	1.0E-03	Y	2.97E+04
Bi-200	832000	5.0E-02	D	1.65E+01	Th-226	902260	2.0E-04	W	8.65E+03
	832000	5.0E-02	W	1.38E+01		902260	2.0E-04	Y	9.46E+03
Bi-201	832010	5.0E-02	D	4.86E+01	Th-227	902270	2.0E-04	W	4.05E+06
	832010	5.0E-02	W	3.51E+01		902270	2.0E-04	Y	4.32E+06
Bi-202	832020	5.0E-02	D	3.24E+01	Th-228	902280	2.0E-04	W	6.76E+07
	832020	5.0E-02	W	1.78E+01		902280	2.0E-04	Y	8.38E+07
Bi-203	832030	5.0E-02	D	2.00E+02	Th-229	902290	2.0E-04	W	5.41E+08
	832030	5.0E-02	W	2.22E+02		902290	2.0E-04	Y	4.59E+08
Bi-205	832050	5.0E-02	D	5.41E+02	Th-230	902300	2.0E-04	W	8.65E+07
	832050	5.0E-02	W	1.05E+03		902300	2.0E-04	Y	7.03E+07
Bi-206	832060	5.0E-02	D	1.00E+03	Th-231	902310	2.0E-04	W	2.19E+02
	832060	5.0E-02	W	1.59E+03		902310	2.0E-04	Y	2.08E+02
Bi-207	832070	5.0E-02	D	7.84E+02	Th-232	902320	2.0E-04	W	4.32E+08
	832070	5.0E-02	W	3.78E+03		902320	2.0E-04	Y	2.97E+08
Bi-210M	832101	5.0E-02	D	2.16E+05	Th-234	902340	2.0E-04	W	6.76E+03
	832101	5.0E-02	W	2.03E+06		902340	2.0E-04	Y	8.92E+03
Bi-210	832100	5.0E-02	D	3.51E+03	Pa-227	912270	1.0E-03	W	1.19E+04
	832100	5.0E-02	W	5.14E+04		912270	1.0E-03	Y	1.32E+04
Bi-212	832120	5.0E-02	D	5.68E+03	Pa-228	912280	1.0E-03	W	6.22E+04
	832120	5.0E-02	W	4.59E+03		912280	1.0E-03	Y	1.11E+05
Bi-213	832130	5.0E-02	D	4.59E+03	Pa-230	912300	1.0E-03	W	2.97E+05
	832130	5.0E-02	W	3.78E+03		912300	1.0E-03	Y	4.05E+05
Bi-214	832140	5.0E-02	D	1.70E+03	Pa-231	912310	1.0E-03	W	3.51E+08
	832140	5.0E-02	W	1.57E+03		912310	1.0E-03	Y	2.32E+08
Po-203	842030	1.0E-01	D	2.14E+01	Pa-232	912320	1.0E-03	W	2.41E+04
	842030	1.0E-01	W	1.59E+01		912320	1.0E-03	Y	1.84E+04
Po-205	842050	1.0E-01	D	3.51E+01	Pa-233	912330	1.0E-03	W	1.92E+03
	842050	1.0E-01	W	1.89E+01		912330	1.0E-03	Y	2.32E+03
Po-207	842070	1.0E-01	D	5.41E+01	Pa-234	912340	1.0E-03	W	1.76E+02
	842070	1.0E-01	W	4.59E+01		912340	1.0E-03	Y	2.00E+02
Po-210	842100	1.0E-01	D	2.16E+06	U-230	922300	5.0E-02	D	2.27E+06
	842100	1.0E-01	W	2.19E+06		922300	5.0E-02	W	3.78E+06
At-207	852070	1.0E+00	D	5.14E+02		922300	2.0E-03	Y	5.41E+06
	852070	1.0E+00	W	6.22E+02	U-231	922310	5.0E-02	D	1.70E+02
At-211	852110	1.0E+00	D	1.81E+04		922310	5.0E-02	W	2.38E+02
	852110	1.0E+00	W	2.51E+04		922310	2.0E-03	Y	2.97E+02
Fr-222	872220	1.0E+00	D	2.97E+03					
Fr-223	872230	1.0E+00	D	1.65E+03					
Ra-223	882230	2.0E-01	W	2.03E+06					

Table C-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)
U-232	922320	5.0E-02	D	3.24E+06	Pu-245	942450	1.0E-03	W	2.97E+02
	922320	5.0E-02	W	3.51E+06		942450	1.0E-05	Y	3.24E+02
	922320	2.0E-03	Y	1.81E+08	Am-237	952370	1.0E-03	W	4.86E+00
U-233	922330	5.0E-02	D	7.30E+05	Am-238	952380	1.0E-03	W	2.59E+02
	922330	5.0E-02	W	1.92E+06	Am-239	952390	1.0E-03	W	1.08E+02
	922330	2.0E-03	Y	3.51E+07	Am-240	952400	1.0E-03	W	4.86E+02
U-234	922340	5.0E-02	D	7.30E+05	Am-241	952410	1.0E-03	W	1.41E+08
	922340	5.0E-02	W	1.92E+06	Am-242M	952421	1.0E-03	W	1.38E+08
	922340	2.0E-03	Y	3.51E+07	Am-242	952420	1.0E-03	W	1.65E+04
U-235	922350	5.0E-02	D	6.76E+05	Am-243	952430	1.0E-03	W	1.41E+08
	922350	5.0E-02	W	1.81E+06	Am-244M	952441	1.0E-03	W	2.16E+02
	922350	2.0E-03	Y	3.24E+07	Am-244	952440	1.0E-03	W	4.59E+03
U-236	922360	5.0E-02	D	6.76E+05	Am-245	952450	1.0E-03	W	1.78E+01
	922360	5.0E-02	W	1.81E+06	Am-246M	952461	1.0E-03	W	7.84E+00
	922360	2.0E-03	Y	3.24E+07	Am-246	952460	1.0E-03	W	1.32E+01
U-237	922370	5.0E-02	D	4.86E+02	Cm-238	962380	1.0E-03	W	1.27E+03
	922370	5.0E-02	W	7.84E+02	Cm-240	962400	1.0E-03	W	2.24E+06
	922370	2.0E-03	Y	8.92E+02	Cm-241	962410	1.0E-03	W	4.32E+04
U-238	922380	5.0E-02	D	6.49E+05	Cm-242	962420	1.0E-03	W	4.59E+06
	922380	5.0E-02	W	1.68E+06	Cm-243	962430	1.0E-03	W	9.46E+07
	922380	2.0E-03	Y	3.24E+07	Cm-244	962440	1.0E-03	W	7.30E+07
U-239	922390	5.0E-02	D	7.30E+00	Cm-245	962450	1.0E-03	W	1.46E+08
	922390	5.0E-02	W	8.11E+00	Cm-246	962460	1.0E-03	W	1.46E+08
	922390	2.0E-03	Y	8.92E+00	Cm-247	962470	1.0E-03	W	1.32E+08
U-240	922400	5.0E-02	D	3.78E+02	Cm-248	962480	1.0E-03	W	5.14E+08
	922400	5.0E-02	W	4.86E+02	Cm-249	962490	1.0E-03	W	5.95E+01
	922400	2.0E-03	Y	5.68E+02	Bk-245	972450	5.0E-04	W	1.03E+03
Np-232	932320	1.0E-03	W	2.97E+02	Bk-246	972460	5.0E-04	W	4.59E+02
Np-233	932330	1.0E-03	W	4.05E-01	Bk-247	972470	5.0E-04	W	1.49E+08
Np-234	932340	1.0E-03	W	5.14E+02	Bk-249	972490	5.0E-04	W	3.51E+05
Np-235	932350	1.0E-03	W	1.03E+03	Bk-250	972500	5.0E-04	W	1.86E+03
Np-236 (1E5Y)	932360	1.0E-03	W	2.68E+07	Cf-244	982440	1.0E-03	W	2.30E+03
Np-236 (22H)	932360	1.0E-03	W	1.92E+04		982440	1.0E-03	Y	2.41E+03
Np-237	932370	1.0E-03	W	1.32E+08	Cf-246	982460	1.0E-03	W	1.32E+05
Np-238	932380	1.0E-03	W	8.38E+03		982460	1.0E-03	Y	1.57E+05
Np-239	932390	1.0E-03	W	5.95E+02	Cf-248	982480	1.0E-03	W	1.03E+07
Np-240	932400	1.0E-03	W	1.70E+01		982480	1.0E-03	Y	1.16E+07
Pu-234	942340	1.0E-03	W	6.49E+03	Cf-249	982490	1.0E-03	W	1.49E+08
	942340	1.0E-05	Y	7.30E+03		982490	1.0E-03	Y	9.73E+07
Pu-235	942350	1.0E-03	W	4.59E-01	Cf-250	982500	1.0E-03	W	5.95E+07
	942350	1.0E-05	Y	5.41E-01		982500	1.0E-03	Y	5.14E+07
Pu-236	942360	1.0E-03	W	4.32E+07	Cf-251	982510	1.0E-03	W	1.51E+08
	942360	1.0E-05	Y	3.51E+07		982510	1.0E-03	Y	1.00E+08
Pu-237	942370	1.0E-03	W	4.32E+02	Cf-252	982520	1.0E-03	W	3.24E+07
	942370	1.0E-05	Y	4.32E+02		982520	1.0E-03	Y	3.51E+07
Pu-238	942380	1.0E-03	W	1.24E+08	Cf-253	982530	1.0E-03	W	6.76E+05
	942380	1.0E-05	Y	8.11E+07		982530	1.0E-03	Y	8.11E+05
Pu-239	942390	1.0E-03	W	1.38E+08	Cf-254	982540	5.0E-04	W	5.95E+07
	942390	1.0E-05	Y	8.92E+07		982540	5.0E-04	Y	7.57E+07
Pu-240	942400	1.0E-03	W	1.38E+08	Es-250	992500	5.0E-04	W	1.14E+03
	942400	1.0E-05	Y	8.92E+07	Es-251	992510	5.0E-04	W	1.16E+03
Pu-241	942410	1.0E-03	W	2.70E+06	Es-253	992530	5.0E-04	W	8.92E+05
	942410	1.0E-05	Y	1.54E+06	Es-254M	992541	5.0E-04	W	1.27E+05
Pu-242	942420	1.0E-03	W	1.30E+08	Es-254	992540	5.0E-04	W	9.73E+06
	942420	1.0E-05	Y	8.38E+07	Fm-252	1002520	5.0E-04	W	1.03E+05
Pu-243	942430	1.0E-03	W	4.05E+01	Fm-253	1002530	5.0E-04	W	1.30E+05
	942430	1.0E-05	Y	3.78E+01	Fm-254	1002540	5.0E-04	W	1.32E+04
Pu-244	942440	1.0E-03	W	1.30E+08	Fm-255	1002550	5.0E-04	W	6.22E+04
	942440	1.0E-05	Y	8.38E+07	Fm-257	1002570	5.0E-04	W	5.68E+06

Table C-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)
Md-257	1012570	5.0E-04	W	1.41E+04
Md-258	1012580	5.0E-04	W	4.05E+06

Table C-2 DOE dose rate conversion factors for the ground surface and immersion pathways.

Nuclide	ZA Number	Ground Surface (pSv/s/Bq/m ²)	Immersion ³ (pSv/s/Bq/m ³)	Nuclide	ZA Number	Ground Surface (pSv/s/Bq/m ²)	Immersion ³ (pSv/s/Bq/m ³)
H-3	010030	0.00E+00	0.00E+00	CO-58M	270581	3.07E-07	1.48E-06
BE-7	040070	4.41E-05	2.13E-03	CO-60	270600	1.94E-03	1.11E-01
BE-10	040100	0.00E+00	0.00E+00	CO-60M	270601	4.02E-06	1.89E-04
C-11	060110	9.00E-04	4.37E-02	CO-61	270610	8.66E-05	3.74E-03
C-14	060140	0.00E+00	0.00E+00	NI-56	280560	1.49E-03	7.62E-02
N-13	070130	9.00E-04	4.37E-02	NI-57	280570	1.51E-03	8.57E-02
N-16	070160	2.78E-03	2.49E-01	NI-59	280590	3.57E-07	1.65E-06
O-15	080150	9.00E-04	4.37E-02	NI-63	280630	0.00E+00	0.00E+00
F-18	090180	8.74E-04	4.23E-02	NI-65	280650	4.22E-04	2.43E-02
NA-22	110220	1.79E-03	9.51E-02	CU-61	290610	7.22E-04	3.54E-02
NA-24	110240	3.03E-03	2.04E-01	CU-62	290620	8.91E-04	4.32E-02
MG-27	120270	7.57E-04	3.99E-02	CU-64	290640	1.66E-04	8.12E-03
MG-28	120280	1.09E-03	6.00E-02	CU-67	290670	1.12E-04	5.04E-03
AL-26	130260	2.13E-03	1.24E-01	ZN-62	300620	4.00E-04	1.93E-02
AL-28	130280	1.35E-03	8.47E-02	ZN-65	300650	4.67E-04	2.58E-02
SI-31	140310	6.82E-07	3.91E-05	ZN-69	300690	5.41E-09	2.56E-07
SI-32	140320	0.00E+00	0.00E+00	ZN-69M	300691	3.73E-04	1.77E-02
P-32	150320	0.00E+00	0.00E+00	GA-66	310660	1.91E-03	1.20E-01
P-33	150330	0.00E+00	0.00E+00	GA-67	310670	1.40E-04	6.28E-03
S-35	160350	0.00E+00	0.00E+00	GA-68	310680	8.35E-04	4.08E-02
CL-36	170360	3.99E-11	3.63E-10	GA-72	310720	2.17E-03	1.29E-01
CL-38	170380	1.13E-03	7.33E-02	GE-68	320680	9.86E-07	3.87E-06
AR-37	180370	6.74E-09	5.79E-08	GE-71	320710	1.00E-06	3.92E-06
AR-39	180390	0.00E+00	0.00E+00	GE-77	320770	9.26E-04	4.68E-02
AR-41	180410	9.86E-04	5.66E-02	AS-72	330720	1.54E-03	7.86E-02
K-40	190400	1.17E-04	6.92E-03	AS-73	330730	8.24E-06	1.93E-04
K-42	190420	2.07E-04	1.23E-02	AS-74	330740	6.73E-04	3.31E-02
K-43	190430	8.66E-04	4.20E-02	AS-76	330760	3.65E-04	1.89E-02
CA-41	200410	1.77E-08	1.35E-07	AS-77	330770	7.94E-06	3.72E-04
CA-45	200450	1.83E-13	7.00E-13	SE-73	340730	9.86E-04	4.66E-02
CA-47	200470	8.23E-04	4.68E-02	SE-75	340750	3.69E-04	1.69E-02
CA-49	200490	2.21E-03	1.65E-01	SE-79	340790	0.00E+00	0.00E+00
SC-44	210440	1.77E-03	9.34E-02	BR-77	350770	2.85E-04	1.36E-02
SC-46	210460	1.65E-03	9.00E-02	BR-80	350800	6.56E-05	3.24E-03
SC-46M	210461	8.91E-05	4.02E-03	BR-80M	350801	1.40E-05	3.07E-04
SC-47	210470	1.07E-04	4.84E-03	BR-82	350820	2.22E-03	1.17E-01
SC-48	210480	2.69E-03	1.49E-01	BR-83	350830	6.56E-06	3.20E-04
SC-49	210490	7.89E-07	4.92E-05	BR-84	350840	1.35E-03	8.74E-02
TI-44	220440	1.42E-04	5.69E-03	BR-85	350850	5.56E-05	2.97E-03
TI-45	220450	7.68E-04	3.73E-02	KR-79	360790	2.26E-04	1.09E-02
TI-51	220510	3.35E-04	1.59E-02	KR-81	360810	1.16E-05	4.37E-04
V-48	230480	2.37E-03	1.29E-01	KR-83M	360831	9.77E-07	4.02E-06
V-49	230490	6.46E-08	4.04E-07	KR-85	360850	1.97E-06	9.60E-05
V-52	230520	1.08E-03	6.39E-02	KR-85M	360851	1.53E-04	6.96E-03
CR-49	240490	9.34E-04	4.49E-02	KR-87	360870	6.32E-04	3.81E-02
CR-51	240510	2.91E-05	1.35E-03	KR-88	360880	1.51E-03	9.68E-02
MN-52	250520	2.80E-03	1.53E-01	KR-89	360890	1.42E-03	8.66E-02
MN-52M	250521	1.94E-03	1.05E-01	KR-90	360900	1.03E-03	5.74E-02
MN-53	250530	1.35E-07	7.47E-07	RB-81	370810	5.47E-04	2.61E-02
MN-54	250540	7.18E-04	3.73E-02	RB-82	370820	9.60E-04	4.71E-02
MN-56	250560	1.37E-03	7.94E-02	RB-83	370830	4.42E-04	2.14E-02
MN-57	250570	6.37E-05	3.17E-03	RB-84	370840	7.72E-04	3.97E-02
FE-52	260520	6.64E-04	3.18E-02	RB-86	370860	7.67E-05	4.22E-03
FE-55	260550	1.89E-07	9.86E-07	RB-87	370870	0.00E+00	0.00E+00
FE-59	260590	9.34E-04	5.26E-02	RB-88	370880	4.92E-04	3.06E-02
CO-56	270560	2.83E-03	1.70E-01	RB-89	370890	1.62E-03	9.68E-02
CO-57	270570	1.22E-04	5.41E-03	RB-90	370900	1.50E-03	1.10E-01
CO-58	270580	8.42E-04	4.32E-02	RB-90M	370901	2.48E-03	1.59E-01
				SR-82	380820	3.52E-06	1.46E-05

Table C-2 (continued)

Nuclide	ZA Number	Ground Surface (pSv/s/Bq/m ²)	Immersion ₃ (pSv/s/Bq/m ³)	Nuclide	ZA Number	Ground Surface (pSv/s/Bq/m ²)	Immersion ₃ (pSv/s/Bq/m ³)
SR-85	380850	4.53E-04	2.19E-02	PD-107	461070	0.00E+00	0.00E+00
SR-85M	380851	2.05E-04	9.34E-03	PD-109	461090	6.08E-07	2.95E-05
SR-87M	380871	2.91E-04	1.36E-02	AG-106M	471061	2.35E-03	1.23E-01
SR-89	380890	1.16E-07	6.12E-06	AG-108	471080	1.55E-05	7.58E-04
SR-90	380900	0.00E+00	0.00E+00	AG-108M	471081	1.42E-03	7.01E-02
SR-91	380910	5.78E-04	3.06E-02	AG-109M	471091	7.65E-06	1.91E-04
SR-92	380920	1.02E-03	5.90E-02	AG-110	471100	2.67E-05	1.34E-03
SR-93	380930	1.83E-03	1.02E-01	AG-110M	471101	2.29E-03	1.22E-01
Y-86	390860	2.93E-03	1.63E-01	AG-111	471110	2.43E-05	1.13E-03
Y-87	390870	4.09E-04	1.95E-02	CD-109	481090	8.10E-06	9.43E-05
Y-88	390880	2.13E-03	1.27E-01	CD-111M	481111	2.68E-04	1.22E-02
Y-90	390900	0.00E+00	0.00E+00	CD-113	481130	0.00E+00	0.00E+00
Y-90M	390901	5.76E-04	2.73E-02	CD-113M	481131	0.00E+00	0.00E+00
Y-91	390910	2.83E-06	1.59E-04	CD-115	481150	1.80E-04	8.74E-03
Y-91M	390911	4.67E-04	2.29E-02	CD-115M	481151	1.79E-05	9.77E-04
Y-92	390920	2.07E-04	1.12E-02	CD-117	481170	8.74E-04	4.85E-02
Y-93	390930	7.29E-05	4.11E-03	CD-117M	481171	1.61E-03	9.60E-02
ZR-86	400860	2.64E-04	1.18E-02	IN-111	491110	3.77E-04	1.70E-02
ZR-88	400880	3.51E-04	1.64E-02	IN-113M	491131	2.33E-04	1.09E-02
ZR-89	400890	9.86E-04	5.13E-02	IN-114	491140	2.77E-05	1.38E-03
ZR-93	400930	0.00E+00	0.00E+00	IN-114M	491141	8.37E-05	3.93E-03
ZR-95	400950	6.38E-04	3.26E-02	IN-115	491150	0.00E+00	0.00E+00
ZR-97	400970	1.48E-04	8.03E-03	IN-115M	491151	1.48E-04	6.81E-03
NB-90	410900	3.28E-03	2.00E-01	IN-116M	491161	1.93E-03	1.11E-01
NB-91	410910	6.28E-06	9.86E-05	IN-117	491170	6.20E-04	2.98E-02
NB-91M	410911	3.75E-05	1.91E-03	IN-117M	491171	8.41E-05	3.81E-03
NB-92	410920	1.29E-03	6.62E-02	SN-113	501130	1.30E-05	3.58E-04
NB-92M	410921	8.12E-04	4.31E-02	SN-117M	501171	1.46E-04	6.42E-03
NB-93M	410931	8.83E-07	5.79E-06	SN-119M	501191	5.12E-06	9.34E-05
NB-94	410940	1.35E-03	6.99E-02	SN-123	501230	5.58E-06	3.08E-04
NB-94M	410941	6.88E-06	2.07E-04	SN-125	501250	2.48E-04	1.38E-02
NB-95	410950	6.62E-04	3.39E-02	SN-126	501260	5.24E-05	2.07E-03
NB-95M	410951	5.90E-05	2.59E-03	SB-117	511170	1.68E-04	7.47E-03
NB-96	410960	2.09E-03	1.09E-01	SB-122	511220	3.88E-04	1.92E-02
NB-97	410970	5.80E-04	2.91E-02	SB-124	511240	1.51E-03	8.48E-02
NB-97M	410971	6.32E-04	3.22E-02	SB-125	511250	3.79E-04	1.83E-02
MO-91	420910	8.57E-04	4.20E-02	SB-126	511260	2.40E-03	1.21E-01
MO-93	420930	4.95E-06	3.24E-05	SB-126M	511261	1.38E-03	6.87E-02
MO-99	420990	1.36E-04	6.83E-03	SB-127	511270	5.80E-04	2.89E-02
MO-101	421010	1.22E-03	6.78E-02	SB-129	511290	1.20E-03	6.40E-02
TC-95	430950	6.83E-04	3.49E-02	TE-121	521210	4.99E-04	2.43E-02
TC-95M	430951	5.90E-04	2.92E-02	TE-121M	521211	1.95E-04	9.00E-03
TC-96	430960	2.14E-03	1.11E-01	TE-123	521230	6.06E-06	1.29E-04
TC-96M	430961	3.75E-05	1.85E-03	TE-123M	521231	1.39E-04	6.13E-03
TC-97	430970	5.47E-06	4.03E-05	TE-125M	521251	1.78E-05	4.11E-04
TC-97M	430971	4.76E-06	4.95E-05	TE-127	521270	4.38E-06	2.07E-04
TC-98	430980	1.22E-03	6.14E-02	TE-127M	521271	5.69E-06	1.32E-04
TC-99	430990	5.30E-10	2.25E-08	TE-129	521290	4.86E-05	2.33E-03
TC-99M	430991	1.25E-04	5.64E-03	TE-129M	521291	3.13E-05	1.47E-03
TC-101	431010	3.15E-04	1.47E-02	TE-131	521310	3.72E-04	1.84E-02
RU-97	440970	2.21E-04	9.94E-03	TE-131M	521311	1.21E-03	6.35E-02
RU-103	441030	4.28E-04	2.07E-02	TE-132	521320	2.11E-04	9.34E-03
RU-105	441050	6.88E-04	3.44E-02	TE-133	521330	7.85E-04	4.11E-02
RU-106	441060	0.00E+00	0.00E+00	TE-133M	521331	1.87E-03	9.94E-02
RH-103M	451031	9.86E-07	8.56E-06	TE-134	521340	7.76E-04	3.79E-02
RH-105	451050	7.17E-05	3.33E-03	I-122	531220	8.51E-04	4.18E-02
RH-105M	451051	3.16E-05	1.23E-03	I-123	531230	1.57E-04	6.86E-03
RH-106	451060	1.80E-04	9.00E-03	I-124	531240	8.83E-04	4.69E-02
PD-103	461030	8.74E-06	7.62E-05	I-125	531250	2.09E-05	4.73E-04

Table C-2 (continued)

Nuclide	ZA Number	Ground Surface (pSv/s/Bq/m ²)	Immersion ₃ (pSv/s/Bq/m ³)	Nuclide	ZA Number	Ground Surface (pSv/s/Bq/m ²)	Immersion ₃ (pSv/s/Bq/m ³)
I-126	531260	4.05E-04	1.99E-02	PM-147	611470	3.48E-09	1.55E-07
I-128	531280	6.71E-05	3.21E-03	PM-148	611480	4.59E-04	2.54E-02
I-129	531290	1.86E-05	3.52E-04	PM-148M	611481	1.74E-03	8.74E-02
I-130	531300	1.86E-03	9.34E-02	PM-149	611490	1.06E-05	5.00E-04
I-131	531310	3.45E-04	1.64E-02	PM-151	611510	3.06E-04	1.43E-02
I-132	531320	1.95E-03	1.01E-01	SM-147	621470	0.00E+00	0.00E+00
I-133	531330	5.27E-04	2.62E-02	SM-151	621510	4.46E-09	3.91E-08
I-134	531340	2.20E-03	1.17E-01	SM-153	621530	5.98E-05	2.18E-03
I-135	531350	1.23E-03	7.11E-02	EU-152	631520	9.51E-04	5.03E-02
I-136	531360	1.89E-03	1.20E-01	EU-152M	631521	2.68E-04	1.39E-02
XE-122	541220	6.25E-05	2.58E-03	EU-154	631540	1.03E-03	5.54E-02
XE-123	541230	5.36E-04	2.73E-02	EU-155	631550	6.05E-05	2.43E-03
XE-125	541250	2.39E-04	1.07E-02	EU-156	631560	1.07E-03	6.26E-02
XE-127	541270	2.55E-04	1.13E-02	GD-152	641520	0.00E+00	0.00E+00
XE-129M	541291	4.04E-05	9.86E-04	GD-153	641530	1.07E-04	3.77E-03
XE-131M	541311	1.55E-05	3.64E-04	GD-159	641590	3.69E-05	1.60E-03
XE-133	541330	4.30E-05	1.49E-03	GD-162	641620	3.81E-04	1.80E-02
XE-133M	541331	3.54E-05	1.27E-03	TB-157	651570	3.94E-06	1.09E-04
XE-135	541350	2.31E-04	1.07E-02	TB-160	651600	9.00E-04	4.79E-02
XE-135M	541351	3.79E-04	1.83E-02	TB-162	651620	9.60E-04	4.85E-02
XE-137	541370	1.61E-04	8.17E-03	DY-157	661570	3.23E-04	1.45E-02
XE-138	541380	9.00E-04	5.35E-02	DY-165	661650	2.33E-05	1.05E-03
CS-126	551260	9.94E-04	4.85E-02	DY-166	661660	3.75E-05	1.35E-03
CS-129	551290	2.50E-04	1.11E-02	HO-166	671660	2.43E-05	1.20E-03
CS-131	551310	1.68E-05	3.03E-04	HO-166M	671661	1.41E-03	7.01E-02
CS-132	551320	6.20E-04	3.07E-02	ER-169	681690	4.24E-09	8.14E-08
CS-134	551340	1.35E-03	6.84E-02	ER-171	681710	3.48E-04	1.58E-02
CS-134M	551341	2.44E-05	8.83E-04	TM-170	691700	5.30E-06	1.97E-04
CS-135	551350	0.00E+00	0.00E+00	TM-171	691710	6.68E-07	2.23E-05
CS-136	551360	1.83E-03	9.60E-02	YB-169	701690	3.03E-04	1.22E-02
CS-137	551370	0.00E+00	0.00E+00	YB-175	701750	3.63E-05	1.67E-03
CS-138	551380	1.83E-03	1.09E-01	LU-177	711770	3.38E-05	1.49E-03
CS-139	551390	2.33E-04	1.42E-02	LU-177M	711771	9.34E-04	4.22E-02
BA-131	561310	4.23E-04	1.95E-02	HF-181	721810	4.93E-04	2.32E-02
BA-133	561330	3.57E-04	1.57E-02	TA-182	731820	1.05E-03	5.70E-02
BA-133M	561331	5.95E-05	2.42E-03	W-181	741810	3.94E-05	1.39E-03
BA-135M	561351	5.34E-05	2.13E-03	W-185	741850	2.65E-08	1.18E-06
BA-137M	561371	5.22E-04	2.61E-02	W-187	741870	4.23E-04	2.07E-02
BA-139	561390	3.31E-05	1.53E-03	W-188	741880	1.65E-06	7.54E-05
BA-140	561400	1.70E-04	8.05E-03	RE-182	751820	1.47E-03	7.62E-02
BA-141	561410	7.64E-04	3.93E-02	RE-182M	751821	9.77E-04	5.26E-02
BA-142	561420	7.52E-04	3.99E-02	RE-183	751830	1.51E-04	6.05E-03
LA-140	571400	1.82E-03	1.05E-01	RE-184	751840	7.73E-04	3.93E-02
LA-141	571410	3.23E-05	1.89E-03	RE-184M	751841	3.49E-04	1.67E-02
LA-142	571420	2.08E-03	1.34E-01	RE-186	751860	2.04E-05	8.66E-04
CE-139	581390	1.50E-04	6.38E-03	RE-187	751870	0.00E+00	0.00E+00
CE-141	581410	7.47E-05	3.28E-03	RE-188	751880	5.29E-05	2.54E-03
CE-143	581430	2.43E-04	1.12E-02	OS-185	761850	6.22E-04	3.07E-02
CE-144	581440	1.83E-05	7.73E-04	OS-186	761860	0.00E+00	0.00E+00
PR-142	591420	4.37E-05	2.65E-03	OS-190M	761901	1.42E-03	6.84E-02
PR-143	591430	7.73E-12	3.94E-10	OS-191	761910	7.21E-05	2.94E-03
PR-144	591440	2.55E-05	1.53E-03	OS-191M	761911	5.09E-06	1.75E-04
PR-144M	591441	8.51E-06	2.25E-04	OS-193	761930	6.23E-05	2.85E-03
ND-147	601470	1.27E-04	5.67E-03	IR-190	771900	1.25E-03	6.02E-02
ND-149	601490	3.50E-04	1.63E-02	IR-190M	771901	4.91E-07	1.94E-06
PM-143	611430	2.68E-04	1.32E-02	IR-190M	771901	4.84E-05	1.78E-03
PM-144	611440	1.35E-03	6.72E-02	IR-192	771920	7.43E-04	3.51E-02
PM-145	611450	2.45E-05	7.04E-04	IR-193M	771931	8.12E-07	1.47E-05
PM-146	611460	6.58E-04	3.24E-02	IR-194	771940	8.01E-05	3.96E-03

Table C-2 (continued)

Nuclide	ZA Number	Ground Surface (pSv/s/Bq/m ²)	Immersion ₃ (pSv/s/Bq/m ³)	Nuclide	ZA Number	Ground Surface (pSv/s/Bq/m ²)	Immersion ₃ (pSv/s/Bq/m ³)
IR-194M	771941	2.08E-03	1.01E-01	RA-224	882240	9.43E-06	4.32E-04
PT-191	781910	2.71E-04	1.20E-02	RA-225	882250	1.27E-05	2.85E-04
PT-193	781930	4.78E-07	1.89E-06	RA-226	882260	6.48E-06	2.92E-04
PT-193M	781931	1.11E-05	4.13E-04	RA-228	882280	5.72E-13	2.74E-12
PT-195M	781951	7.16E-05	2.78E-03	AC-225	892250	1.41E-05	5.78E-04
PT-197	781970	2.33E-05	9.68E-04	AC-227	892270	1.81E-07	5.35E-06
PT-197M	781971	7.73E-05	3.29E-03	AC-228	892280	7.76E-04	4.12E-02
AU-194	791940	8.91E-04	4.85E-02	TH-226	902260	7.88E-06	3.36E-04
AU-195	791950	8.34E-05	3.24E-03	TH-227	902270	1.01E-04	4.47E-03
AU-195M	791951	1.88E-04	8.51E-03	TH-228	902280	2.36E-06	8.41E-05
AU-196	791960	4.37E-04	2.01E-02	TH-229	902290	8.91E-05	3.67E-03
AU-198	791980	3.65E-04	1.73E-02	TH-230	902300	7.73E-07	1.66E-05
AU-199	791990	8.66E-05	3.86E-03	TH-231	902310	1.63E-05	4.94E-04
HG-197	801970	6.81E-05	2.67E-03	TH-232	902320	5.69E-07	7.92E-06
HG-197M	801971	9.00E-05	3.87E-03	TH-233	902330	3.11E-05	1.45E-03
HG-203	802030	2.13E-04	9.77E-03	TH-234	902340	8.53E-06	3.28E-04
TL-200	812000	1.11E-03	5.75E-02	PA-230	912300	5.71E-04	2.91E-02
TL-201	812010	9.08E-05	3.70E-03	PA-231	912310	3.06E-05	1.29E-03
TL-202	812020	4.24E-04	1.97E-02	PA-233	912330	2.01E-04	9.08E-03
TL-204	812040	1.10E-06	4.33E-05	PA-234	912340	1.67E-03	8.66E-02
TL-207	812070	1.84E-06	9.68E-05	PA-234M	912341	9.68E-06	5.09E-04
TL-208	812080	2.59E-03	1.69E-01	U-230	922300	1.71E-06	4.72E-05
TL-209	812090	1.67E-03	9.43E-02	U-231	922310	7.40E-05	2.93E-03
TL-210	812100	2.25E-03	1.27E-01	U-232	922320	8.83E-07	1.13E-05
PB-203	822030	2.86E-04	1.28E-02	U-233	922330	4.27E-07	1.02E-05
PB-204M	822041	1.79E-03	9.26E-02	U-234	922340	6.92E-07	6.50E-06
PB-205	822050	6.47E-07	2.45E-06	U-235	922350	1.46E-04	6.56E-03
PB-209	822090	0.00E+00	0.00E+00	U-236	922360	6.28E-07	5.14E-06
PB-210	822100	2.53E-06	5.63E-05	U-237	922370	1.37E-04	5.72E-03
PB-211	822110	4.47E-05	2.23E-03	U-238	922380	5.54E-07	4.41E-06
PB-212	822120	1.41E-04	6.30E-03	U-239	922390	4.78E-05	1.98E-03
PB-214	822140	2.30E-04	1.06E-02	U-240	922400	3.40E-06	3.06E-05
BI-206	832060	2.76E-03	1.47E-01	NP-235	932350	4.05E-06	8.54E-05
BI-207	832070	1.29E-03	6.80E-02	NP-236	932360	1.35E-04	5.58E-03
BI-208	832080	1.95E-03	1.37E-01	NP-236M	932361	5.06E-05	2.19E-03
BI-210	832100	0.00E+00	0.00E+00	NP-237	932370	2.75E-05	9.77E-04
BI-211	832110	4.35E-05	2.02E-03	NP-238	932380	4.59E-04	2.47E-02
BI-212	832120	1.52E-04	8.19E-03	NP-239	932390	1.64E-04	7.16E-03
BI-213	832130	1.24E-04	5.96E-03	NP-240	932400	1.00E-03	5.07E-02
BI-214	832140	1.20E-03	6.92E-02	NP-240M	932401	2.85E-04	1.44E-02
PO-209	842090	3.06E-06	1.53E-04	PU-236	942360	8.50E-07	5.08E-06
PO-210	842100	7.34E-09	3.79E-07	PU-237	942370	5.06E-05	2.04E-03
PO-211	842110	6.69E-06	3.43E-04	PU-238	942380	7.35E-07	3.77E-06
PO-212	842120	0.00E+00	0.00E+00	PU-239	942390	3.24E-07	3.50E-06
PO-213	842130	2.64E-08	1.35E-06	PU-240	942400	7.03E-07	3.69E-06
PO-214	842140	7.20E-08	3.71E-06	PU-241	942410	0.00E+00	0.00E+00
PO-215	842150	1.34E-07	6.38E-06	PU-242	942420	5.84E-07	3.14E-06
PO-216	842160	1.25E-08	6.45E-07	PU-243	942430	2.43E-05	9.86E-04
PO-218	842180	0.00E+00	0.00E+00	PU-244	942440	4.97E-07	2.30E-06
AT-211	852110	3.85E-05	1.57E-03	PU-245	942450	3.71E-04	1.83E-02
AT-217	852170	2.09E-07	1.03E-05	PU-246	942460	9.43E-05	4.10E-03
RN-218	862180	6.62E-07	3.29E-05	AM-241	952410	2.52E-05	8.00E-04
RN-219	862190	5.28E-05	2.46E-03	AM-242	952420	1.55E-05	5.87E-04
RN-220	862200	4.59E-07	2.25E-05	AM-242M	952421	2.37E-06	2.02E-05
RN-222	862220	3.44E-07	1.67E-05	AM-243	952430	5.59E-05	2.16E-03
FR-221	872210	2.94E-05	1.33E-03	AM-244	952440	7.00E-04	3.54E-02
FR-223	872230	5.03E-05	1.96E-03	AM-245	952450	3.04E-05	1.34E-03
RA-222	882220	8.48E-06	3.94E-04	AM-246	952460	8.09E-04	4.35E-02
RA-223	882230	1.29E-04	5.72E-03	CM-242	962420	8.00E-07	4.20E-06

Table C-2 (continued)

Nuclide	ZA Number	Ground Surface (pSv/s/Bq/m ²)	Immersion ₃ (pSv/s/Bq/m ³)
CM-243	962430	1.24E-04	5.43E-03
CM-244	962440	7.10E-07	3.57E-06
CM-245	962450	7.27E-05	3.03E-03
CM-246	962460	6.29E-07	3.01E-06
CM-247	962470	2.87E-04	1.35E-02
CM-248	962480	5.04E-07	2.63E-06
CM-249	962490	1.66E-05	8.17E-04
CM-250	962500	0.00E+00	0.00E+00
BK-249	972490	0.00E+00	0.00E+00
BK-250	972500	7.34E-04	3.97E-02
BK-251	972510	0.00E+00	0.00E+00
CF-248	982480	5.77E-07	2.88E-06
CF-249	982490	3.01E-04	1.41E-02
CF-250	982500	5.87E-07	3.68E-06
CF-251	982510	1.16E-04	5.01E-03
CF-252	982520	5.43E-07	3.21E-06
CF-253	982530	9.77E-09	4.87E-08
CF-254	982540	1.98E-11	5.42E-10
ES-253	992530	6.13E-07	1.43E-05
ES-254	992540	9.94E-06	1.47E-04
ES-254M	992541	4.91E-04	2.45E-02
ES-255	992550	4.24E-08	2.24E-07

APPENDIX D

DOSE CONVERSION FACTORS FROM THE SOVIET UNION

Table D-1 Soviet dose conversion factors for the inhalation and ingestion pathway.

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	ZA Number	f1	Ingestion DCF (pSv/Bq)
H-3	010030	1.0E+0	N	17	H-3	010030	1	17
C-14	060140	1.0E+0	N	560	C-14 (ORG)	060140	1	560
BE-7	040070	1	D	560	BE-7	040070	5.0E-3	30
	040070	5.0E-3	W	62	BE-10	040100	5.0E-3	1120
	040070	5.0E-3	Y	74	F-18	090180	1	28
BE-10	040100	1	D	560	NA-22	110220	1	3170
	040100	5.0E-3	W	8790	NA-24	110240	1	387
	040100	5.0E-3	Y	9.4E4	MG-28	120280	0.50	2011
N-13	070130	1	D	560	AL-26	130260	0.010	3400
	070130	5.0E-3	W	8790	SI-31	140310	0.010	146
	070130	5.0E-3	Y	9.4E4	SI-32	140320	0.010	468
N-16	070160	1	D	560	P-32	150320	0.80	2080
	070160	5.0E-3	W	8790	P-33	150330	0.80	238
	070160	5.0E-3	Y	9.4E4	S-35	160350	0.80	116
F-18	090180	1	D	19		160350	0.10	177
	090180	1	W	16	CL-36	170360	1	818
	090180	1	Y	17	K-40	190400	1	5060
NA-22	110220	1	D	2160	K-42	190420	1	295
	110220	1	W	16	K-43	190430	1	210
	110220	1	Y	17	CA-41	200410	0.30	336
NA-24	110240	1	D	257	CA-45	200450	0.30	803
	110240	1	W	16	CA-47	200470	0.30	1660
	110240	1	Y	17	SC-44	210440	1.0E-4	369
MG-27	120270	1	D	257	SC-44M	210441	1.0E-4	2680
	120270	1	W	16	SC-46	210460	1.0E-4	1510
	120270	1	Y	17	SC-47	210470	1.0E-4	516
MG-28	120280	0.50	D	834	SC-48	210480	1.0E-4	1720
	120280	0.50	W	1070	TI-44	220440	0.010	5170
	120280	1	Y	17	TI-45	220450	0.010	155
AL-26	130260	0.010	D	2.1E4	V-48	230480	0.010	2020
	130260	0.010	W	1.6E4	V-49	230490	0.010	14
	130260	1	Y	17	CR-51	240510	0.10	36
AL-28	130280	0.010	D	2.1E4		240510	0.010	36
	130280	0.010	W	1.6E4	MN-52	250520	0.10	1860
	130280	1	Y	17	MN-53	250530	0.10	27
AL-29	130290	0.010	D	2.1E4	MN-54	250540	0.10	731
	130290	0.010	W	1.6E4	MN-56	250560	0.10	258
	130290	1	Y	17	FE-55	260550	0.10	157
SI-31	140310	0.010	D	53	FE-59	260590	0.10	1780
	140310	0.010	W	43	FE-60	260600	0.10	4.2E+4
	140310	0.010	Y	52	CO-56	270560	0.050	2630
SI-32	140320	0.010	D	5700		270560	0.30	3290
	140320	0.010	W	1.2E4	CO-57	270570	0.050	179
	140320	0.010	Y	2.8E5		270570	0.30	311
P-32	150320	0.80	D	1480	CO-58	270580	0.050	758
	150320	0.80	W	3620		270580	0.30	953
	150320	0.010	Y	2.8E5	CO-58M	270581	0.050	24
P-33	150330	0.80	D	165		270581	0.30	20
	150330	0.80	W	504	CO-60	270600	0.050	2710
	150330	0.010	Y	2.8E5		270600	0.30	7040
S-35	160350	0.80	D	77	CO-61	270610	0.050	70
	160350	0.80	W	612		270610	0.30	64
	160350	0.010	Y	2.8E5	NI-57	280570	0.050	898
CL-36	170360	1	D	569	NI-59	280590	0.050	55
	170360	1	W	5520	NI-63	280630	0.050	145
	170360	0.010	Y	2.8E5	NI-65	280650	0.050	165

Table D-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	ZA Number	f1	Ingestion DCF (pSv/Bq)
CL-38	170380	1	D	32	NI-66	280660	0.050	2940
	170380	1	W	29	CU-64	290640	0.50	116
	170380	0.010	Y	2.8E5	CU-67	290670	0.50	296
CL-40	170400	1	D	32	ZN-65	300650	0.50	3900
	170400	1	W	29	ZN-71M	300711	0.50	226
	170400	0.010	Y	2.8E5	GA-72	310720	1.0E-3	1181
K-40	190400	1	D	3370	GE-71	320710	1	2.6
	190400	1	W	29	GE-75	320750	1	20
	190400	0.010	Y	2.8E5	AS-74	330740	0.50	901
K-42	190420	1	D	292	AS-76	330760	0.50	1300
	190420	1	W	29	AS-77	330770	0.50	302
	190420	0.010	Y	2.8E5	AS-78	330780	0.50	177
K-43	190430	1	D	153	SE-75	340750	0.80	2580
	190430	1	W	29		340750	0.050	451
	190430	0.010	Y	2.8E5	SE-79	340790	0.80	2330
K-44	190440	1	D	21		340790	0.050	297
	190440	1	W	29	RB-86	370860	1	2530
	190440	0.010	Y	2.8E5	RB-87	370870	1	1300
CA-41	200410	1	D	21	SR-85	380850	0.30	527
	200410	0.30	W	354		380850	0.010	362
	200410	0.010	Y	2.8E5	SR-85M	380851	0.30	6
CA-45	200450	1	D	21		380851	0.010	6.4
	200450	0.30	W	1640	SR-87M	380871	0.30	60
	200450	0.010	Y	2.8E5		380871	0.010	34
CA-47	200470	1	D	21	SR-89	380890	0.30	2230
	200470	0.30	W	1491		380890	0.010	2340
	200470	0.010	Y	2.8E5	SR-90	380900	0.30	3.5E4
SC-44	210440	1	D	21		380900	0.010	3110
	210440	0.30	W	1491	SR-91	380910	0.30	644
	210440	1.0E-4	Y	113		380910	0.010	822
SC-44M	210441	1	D	21	SR-92	380920	0.30	424
	210441	0.30	W	1491		380920	0.010	511
	210441	1.0E-4	Y	1930	Y-88	390880	1.0E-4	1390
SC-46	210460	1	D	21	Y-90	390900	1.0E-4	2700
	210460	0.30	W	1491	Y-90M	390901	1.0E-4	179
	210460	1.0E-4	Y	5520	Y-91	390910	1.0E-4	2400
SC-47	210470	1	D	21	Y-92	390920	1.0E-4	504
	210470	0.30	W	1491	Y-93	390930	1.0E-4	1220
	210470	1.0E-4	Y	450	ZR-88	400880	2.0E-3	360
SC-48	210480	1	D	21	ZR-89	400890	2.0E-3	832
	210480	0.30	W	1491	ZR-93	400930	2.0E-3	422
	210480	1.0E-4	Y	984	ZR-95	400950	2.0E-3	916
SC-49	210490	1	D	21	ZR-97	400970	2.0E-3	2160
	210490	0.30	W	1491	NB-90	410900	0.010	1330
	210490	1.0E-4	Y	25	NB-93M	410931	0.010	119
SC-50	210500	1	D	21	NB-94	410940	0.010	1381
	210500	0.30	W	1491	NB-95	410950	0.010	603
	210500	1.0E-4	Y	25	NB-95M	410951	0.010	546
TI-44	220440	0.010	D	1.2E5	NB-96	410960	0.010	1181
	220440	0.010	W	4.7E4	NB-97	410970	0.010	61
	220440	0.010	Y	2.4E5	MO-90	420900	0.80	282
TI-45	220450	0.010	D	54		420900	0.050	669
	220450	0.010	W	39	MO-93	420930	0.80	342
	220450	0.010	Y	47		420930	0.050	58
V-47	230470	0.010	D	16	MO-93M	420931	0.80	136
	230470	0.010	W	14		420931	0.050	307
	230470	0.010	Y	47	MO-99	420990	0.80	814
V-48	230480	0.010	D	1250		420990	0.050	1180
	230480	0.010	W	2160	TC-97	430970	0.80	40
	230480	0.010	Y	47	TC-97M	430971	0.80	289

Table D-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	ZA Number	f1	Ingestion DCF (pSv/Bq)
V-49	230490	0.010	D	40	TC-98	430980	0.80	1310
	230490	0.010	W	76	TC-99	430990	0.80	343
	230490	0.010	Y	47	TC-99M	430991	0.80	16
V-52	230520	0.010	D	40	RU-103	441030	0.050	688
	230520	0.010	W	76	RU-105	441050	0.050	276
	230520	0.010	Y	47	RU-106	441060	0.050	5760
V-53	230530	0.010	D	40	RH-101	451010	0.050	612
	230530	0.010	W	76	RH-101M	451011	0.050	237
	230530	0.010	Y	47	RH-102	451020	0.050	2290
CR-49	240490	0.10	D	16	RH-105	451050	0.050	368
	240490	0.10	W	13	PD-101	461010	5.0E-3	102
	240490	0.10	Y	14	PD-103	461030	5.0E-3	188
CR-51	240510	0.10	D	29	PD-109	461090	5.0E-3	581
	240510	0.10	W	58	M-106	461060	0.050	1661
	240510	0.10	Y	71	AG-108M	471081	0.050	2031
CR-55	240550	0.10	D	29	AG-110M	471101	0.050	2911
	240550	0.10	W	58	AG-111	471110	0.050	1220
	240550	0.10	Y	71	AG-112	471120	0.050	432
MN-51	250510	0.10	D	27	CD-109	481090	0.050	3180
	250510	0.10	W	23	CD-113M	481131	0.050	3.9E+4
	250510	0.10	Y	71	CD-115	481150	0.050	1270
MN-52	250520	0.10	D	1220	CD-115M	481151	0.050	4160
	250520	0.10	W	2220	CD-117	481170	0.050	295
	250520	0.10	Y	71	CD-117M	481171	0.050	298
MN-52M	250521	0.10	D	15	IN-111	491110	0.020	334
	250521	0.10	W	13	IN-114M	491141	0.020	3960
	250521	0.10	Y	71	IN-115	491150	0.020	3.8E+4
MN-53	250530	0.10	D	58	IN-115M	491151	0.020	91
	250530	0.10	W	116	IN-117M	491171	0.020	114
	250530	0.10	Y	71	SN-113	501130	0.020	740
MN-54	250540	0.10	D	1460	SN-117M	501171	0.020	703
	250540	0.10	W	1720	SN-119M	501191	0.020	324
	250540	0.10	Y	71	SN-121	501210	0.020	239
MN-56	250560	0.10	D	88	SN-121M	501211	0.020	364
	250560	0.10	W	65	SN-123	501230	0.020	2080
	250560	0.10	Y	71	SN-125	501250	0.020	3000
MN-57	250570	0.10	D	88	SN-126	501260	0.020	4730
	250570	0.10	W	65	SB-122	511220	0.10	1540
	250570	0.10	Y	71		511220	0.010	1710
FE-53	260530	0.10	D	88	SB-124	511240	0.10	2340
	260530	0.10	W	65		511240	0.010	2530
	260530	0.10	Y	71	SB-125	511250	0.10	656
FE-55	260550	0.10	D	696		511250	0.010	701
	260550	0.10	W	333	SB-126	511260	0.10	2430
	260550	0.10	Y	71		511260	0.010	2590
FE-59	260590	0.10	D	3990	SB-129	511290	0.10	447
	260590	0.10	W	2670		511290	0.010	465
	260590	0.10	Y	71	TE-125M	521251	0.20	918
FE-60	260600	0.10	D	2.0E5	TE-127M	521271	0.20	2120
	260600	0.10	W	7.4E4	TE-127	521270	0.20	188
	260600	0.10	Y	71	TE-129M	521291	0.20	2660
CO-56	270560	0.10	D	2.0E5	TE-129	521290	0.20	52
	270560	0.050	W	4360	TE-131M	521311	0.20	2240
	270560	0.050	Y	7080	TE-132	521320	0.20	2000
CO-57	270570	0.10	D	2.0E5	I-131	531310	1	1.4E+4
	270570	0.050	W	492	I-132	531320	1	155
	270570	0.050	Y	2040	I-133	531330	1	2730
CO-58	270580	0.10	D	2.0E5	I-135	531350	1	540
	270580	0.050	W	1230	CS-134	551340	1	2.0E+4
	270580	0.050	Y	1920	CS-135	551350	1	1910

Table D-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	ZA Number	f1	Ingestion DCF (pSv/Bq)
CO-58M	270581	0.10	D	2.0E5	CS-136	551360	1	3070
	270581	0.050	W	14	CS-137	551370	1	1.4E+4
	270581	0.050	Y	20	BA-133	561330	0.10	874
CO-60	270600	0.10	D	2.0E5	BA-140	561400	0.10	2270
	270600	0.050	W	7980	LA-137	571370	1.0E-3	89
	270600	0.050	Y	4.1E4	LA-138	571380	1.0E-3	1590
CO-60M	270601	0.10	D	2.0E5	LA-140	571400	1.0E-3	2070
	270601	0.050	W	0.35	CE-141	581410	3.0E-4	696
	270601	0.050	Y	0.50	CE-144	581440	3.0E-4	5280
CO-61	270610	0.10	D	2.0E5	PM-145	611450	3.0E-4	124
	270610	0.050	W	22	PM-146	611460	3.0E-4	874
	270610	0.050	Y	24	SM-146	621460	3.0E-4	5.3E+4
CO-62	270620	0.10	D	2.0E5	SM-147	621470	3.0E-4	4.8E+4
	270620	0.050	W	22	SM-151	621510	3.0E-4	91
	270620	0.050	Y	24	EU-150	631500	1.0E-3	400
CO-62M	270621	0.10	D	2.0E5	EU-152	631520	1.0E-3	1630
	270621	0.050	W	8.2	EU-154	631540	1.0E-3	2460
	270621	0.050	Y	8.5	GD-148	641480	3.0E-4	5.6E+4
NI-57	280570	0.050	D	282	TB-157	651570	3.0E-4	27
	280570	0.050	W	448	TB-158	651580	3.0E-4	1080
	280570	0.050	Y	8.5	HO-166	671660	3.0E-4	1480
NI-59	280590	0.050	D	359	LU-176	711760	3.0E-4	1791
	280590	0.050	W	188	LU-176M	711761	3.0E-4	170
	280590	0.050	Y	8.5	LU-177	711770	3.0E-4	528
NI-63	280630	0.050	D	838	LU-177M	711771	3.0E-4	1840
	280630	0.050	W	512	LU-179	711790	3.0E-4	218
	280630	0.050	Y	8.5	HF-175	721750	2.0E-3	439
NI-65	280650	0.050	D	57	HF-179M	721791	2.0E-3	1300
	280650	0.050	W	46	HF-180M	721801	2.0E-3	187
	280650	0.050	Y	8.5	HF-181	721810	2.0E-3	1150
NI-66	280660	0.050	D	839	HF-182	721820	2.0E-3	3750
	280660	0.050	W	2160	HF-182M	721821	2.0E-3	38
	280660	0.050	Y	8.5	HF-183	721830	2.0E-3	67
CU-62	290620	0.050	D	839	TA-179	731790	1.0E-3	66
	290620	0.050	W	2160	TA-180M	731801	1.0E-3	900
	290620	0.050	Y	8.5	TA-182	731820	1.0E-3	1610
CU-64	290640	0.50	D	44	TA-183	731830	1.0E-3	1250
	290640	0.50	W	58	TA-184	731840	1.0E-3	729
	290640	0.50	Y	62	W-181	741810	0.010	84
CU-66	290660	0.50	D	44		741810	0.30	74
	290660	0.50	W	58	W-185	741850	0.010	504
	290660	0.50	Y	62		741850	0.30	360
CU-67	290670	0.50	D	179	W-187	741870	0.010	701
	290670	0.50	W	265		741870	0.30	512
	290670	0.50	Y	288	W-188	741880	0.010	2440
ZN-63	300630	0.50	D	179		741880	0.30	1850
	300630	0.50	W	265	RE-186	751860	0.80	708
	300630	0.50	Y	19	RE-186M	751861	0.80	888
ZN-65	300650	0.50	D	179	RE-187	751870	0.80	2.2
	300650	0.50	W	265	RE-188	751880	0.80	768
	300650	0.50	Y	4980	RE-189	751890	0.80	410
ZN-69	300690	0.50	D	179	OS-189M	761891	0.010	18
	300690	0.50	W	265	OS-194	761940	0.010	2460
	300690	0.50	Y	9.6	IR-192	771920	0.010	1420
ZN-69M	300691	0.50	D	179	IR-192M	771921	0.010	418
	300691	0.50	W	265	IR-194	771940	0.010	1370
	300691	0.50	Y	187	PT-191	781910	0.010	360
ZN-71M	300711	0.50	D	179	PT-193	781930	0.010	29
	300711	0.50	W	265	PT-193M	781931	0.010	450
	300711	0.50	Y	80	PT-197	781970	0.010	410

Table D-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	ZA Number	f1	Ingestion DCF (pSv/Bq)
GA-70	310700	1.E-3	D	7.7	PT-197M	781971	0.010	83
	310700	1.E-3	W	6.8	AU-194	791940	0.10	489
	310700	0.50	Y	80	AU-198	791980	0.10	1100
GA-72	310720	1.E-3	D	380	AU-199	791990	0.10	408
	310720	1.E-3	W	459	HG-203	802030	0.020	567
	310720	0.50	Y	80	TL-202	812020	1	393
GE-71	320710	1	D	3	TL-204	812040	1	873
	320710	1	W	32	PB-202	822020	0.20	1.0E+4
	320710	0.50	Y	80	PB-202M	822021	0.20	150
GE-75	320750	1	D	17	PB-203	822030	0.20	259
	320750	1	W	17	PB-205	822050	0.20	399
	320750	0.50	Y	80	PB-209	822090	0.20	56
AS-74	330740	1	D	17	PB-210	822100	0.20	1.4E+6
	330740	0.50	W	1760	PO-210	822100	0.10	4.4E+5
	330740	0.50	Y	80	BI-207	822070	0.050	1310
AS-76	330760	1	D	17	BI-210	822100	0.050	1600
	330760	0.50	W	906	BI-210M	822101	0.050	2.3E+4
	330760	0.50	Y	80				
AS-77	330770	1	D	17				
	330770	0.50	W	268				
	330770	0.50	Y	80				
AS-78	330780	1	D	17				
	330780	0.50	W	61				
	330780	0.50	Y	80				
SE-75	340750	0.80	D	1930				
	340750	0.80	W	2220				
	340750	0.50	Y	80				
SE-79	340790	0.80	D	1680				
	340790	0.80	W	2410				
	340790	0.50	Y	80				
RB-86	370860	1	D	1790				
	370860	0.80	W	2410				
	370860	0.50	Y	80				
RB-86M	370861	1	D	1790				
	370861	0.80	W	2410				
	370861	0.50	Y	80				
RB-87	370870	1	D	887				
	370870	0.80	W	2410				
	370870	0.50	Y	80				
RB-88	370880	1	D	55				
	370880	0.80	W	2410				
	370880	0.50	Y	80				
RB-89	370890	1	D	10				
	370890	0.80	W	2410				
	370890	0.50	Y	80				
SR-85	380850	0.30	D	517				
	380850	0.80	W	2410				
	380850	0.010	Y	864				
SR-85M	380851	0.30	D	2.2				
	380851	0.80	W	2410				
	380851	0.010	Y	1.6				
SR-87M	380871	0.30	D	10				
	380871	0.80	W	2410				
	380871	0.010	Y	8.8				
SR-89	380890	0.30	D	1600				
	380890	0.80	W	2410				
	380890	0.010	Y	1.0E4				
SR-90	380900	0.30	D	6.2E4				
	380900	0.80	W	2410				
	380900	0.010	Y	3.5E5				

Table D-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)
SR-91	380910	0.30	D	227
	380910	0.80	W	2410
	380910	0.010	Y	390
SR-92	380920	0.30	D	145
	380920	0.80	W	2410
	380920	0.010	Y	208
Y-88	390880	0.30	D	145
	390880	1.E-4	W	5390
	390880	1.E-4	Y	5720
Y-90	390900	0.30	D	145
	390900	1.E-4	W	2000
	390900	1.E-4	Y	2210
Y-90M	390901	0.30	D	145
	390901	1.E-4	W	107
	390901	1.E-4	Y	118
Y-91	390910	0.30	D	145
	390910	1.E-4	W	7870
	390910	1.E-4	Y	1.2E4
Y-91M	390911	0.30	D	145
	390911	1.E-4	W	5.6
	390911	1.E-4	Y	8.4
Y-92	390920	0.30	D	145
	390920	1.E-4	W	163
	390920	1.E-4	Y	167
Y-93	390930	0.30	D	145
	390930	1.E-4	W	474
	390930	1.E-4	Y	562
Y-94	390940	0.30	D	145
	390940	1.E-4	W	17
	390940	1.E-4	Y	18
Y-95	390950	0.30	D	145
	390950	1.E-4	W	8.9
	390950	1.E-4	Y	9.6
ZR-88	400880	2.E-3	D	6060
	400880	2.E-3	W	2820
	400880	2.E-3	Y	4550
ZR-89	400890	2.E-3	D	384
	400890	2.E-3	W	551
	400890	2.E-3	Y	574
ZR-93	400930	2.E-3	D	8.8E4
	400930	2.E-3	W	2.2E4
	400930	2.E-3	Y	2.0E4
ZR-95	400950	2.E-3	D	5040
	400950	2.E-3	W	3580
	400950	2.E-3	Y	4920
ZR-97	400970	2.E-3	D	676
	400970	2.E-3	W	965
	400970	2.E-3	Y	1070
NB-90	410900	2.E-3	D	676
	410900	0.010	W	509
	410900	0.010	Y	572
NB-91	410910	2.E-3	D	676
	410910	0.010	W	509
	410910	0.010	Y	572
NB-91M	410911	2.E-3	D	676
	410911	0.010	W	509
	410911	0.010	Y	572
NB-92	410920	2.E-3	D	676
	410920	0.010	W	509
	410920	0.010	Y	572

Table D-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)
NB-92M	410921	2.E-3	D	676
	410921	0.010	W	509
	410921	0.010	Y	572
NB-93M	410931	2.E-3	D	676
	410931	0.010	W	681
	410931	0.010	Y	7680
NB-94	410940	2.E-3	D	676
	410940	0.010	W	7000
	410940	0.010	Y	9.0E4
NB-94M	410941	2.E-3	D	676
	410941	0.010	W	7000
	410941	0.010	Y	9.0E4
NB-95	410950	2.E-3	D	676
	410950	0.010	W	1050
	410950	0.010	Y	1220
NB-95M	410951	2.E-3	D	676
	410951	0.010	W	513
	410951	0.010	Y	600
NB-96	410960	2.E-3	D	676
	410960	0.010	W	524
	410960	0.010	Y	549
NB-97	410970	2.E-3	D	676
	410970	0.010	W	17
	410970	0.010	Y	19
NB-98M	410981	2.E-3	D	676
	410981	0.010	W	17
	410981	0.010	Y	19
MO-90	420900	0.80	D	187
	420900	0.010	W	17
	420900	0.050	Y	302
MO-93	420930	0.80	D	250
	420930	0.010	W	17
	420930	0.050	Y	7560
MO-93M	420931	0.80	D	77
	420931	0.010	W	17
	420931	0.050	Y	97
MO-99	420990	0.80	D	527
	420990	0.010	W	17
	420990	0.050	Y	984
MO-101	421010	0.80	D	9.7
	421010	0.010	W	17
	421010	0.050	Y	9
TC-97	430970	0.80	D	27
	430970	0.80	W	240
	430970	0.050	Y	9
TC-97M	430971	0.80	D	190
	430971	0.80	W	1140
	430971	0.050	Y	9
TC-98	430980	0.80	D	835
	430980	0.80	W	4560
	430980	0.050	Y	9
TC-99	430990	0.80	D	228
	430990	0.80	W	2040
	430990	0.050	Y	9
TC-99M	430991	0.80	D	8.7
	430991	0.80	W	5.7
	430991	0.050	Y	9
TC-101	431010	0.80	D	4.2
	431010	0.80	W	3.6
	431010	0.050	Y	9

Table D-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)
RU-103	441030	0.050	D	803	AG-110M	471101	0.050	D	1.0E4
	441030	0.050	W	1370		471101	0.050	W	7240
	441030	0.050	Y	2110		471101	0.050	Y	1.4E4
RU-105	441050	0.050	D	92	AG-111	471110	0.050	D	847
	441050	0.050	W	94		471110	0.050	W	1520
	441050	0.050	Y	111		471110	0.050	Y	1580
RU-106	441060	0.050	D	1.5E4	AG-112	471120	0.050	D	169
	441060	0.050	W	2.5E4		471120	0.050	W	134
	441060	0.050	Y	1.2E5		471120	0.050	Y	149
RH-101	451010	0.050	D	2700	CD-109	481090	0.050	D	2.8E4
	451010	0.050	W	1730		481090	0.050	W	9660
	451010	0.050	Y	8640		481090	0.050	Y	1.1E4
RH-101M	451011	0.050	D	114	CD-113M	481131	0.050	D	3.9E5
	451011	0.050	W	164		481131	0.050	W	1.1E5
	451011	0.050	Y	180		481131	0.050	Y	1.0E5
RH-102	451020	0.050	D	1.4E4	CD-115	481150	0.050	D	978
	451020	0.050	W	7600		481150	0.050	W	1040
	451020	0.050	Y	2.4E4		481150	0.050	Y	1010
RH-103M	451031	0.050	D	1.2	CD-115M	481151	0.050	D	1.8E4
	451031	0.050	W	1		481151	0.050	W	1.0E4
	451031	0.050	Y	1.1		481151	0.050	Y	9360
RH-105	451050	0.050	D	73	CD-117	481170	0.050	D	117
	451050	0.050	W	218		481170	0.050	W	82
	451050	0.050	Y	239		481170	0.050	Y	97
RH-106	451060	0.050	D	73	CD-117M	481171	0.050	D	110
	451060	0.050	W	218		481171	0.050	W	79
	451060	0.050	Y	239		481171	0.050	Y	92
RH-107	451070	0.050	D	5.7	IN-111	491110	0.020	D	208
	451070	0.050	W	5		491110	0.020	W	205
	451070	0.050	Y	5.4		491110	0.050	Y	92
PD-101	461010	5.E-3	D	43	IN-112	491120	0.020	D	2.2
	461010	5.E-3	W	41		491120	0.020	W	1.9
	461010	5.E-3	Y	45		491120	0.050	Y	92
PD-103	461030	5.E-3	D	214	IN-114M	491141	0.020	D	2.1E4
	461030	5.E-3	W	311		491141	0.020	W	1.3E4
	461030	5.E-3	Y	390	IN-115	491150	0.020	D	9.3E5
PD-109	461090	5.E-3	D	215		491150	0.020	W	2.5E5
	461090	5.E-3	W	250	IN-115M	491151	0.020	D	32
	461090	5.E-3	Y	286		491151	0.020	W	28
PD-111	461110	5.E-3	D	215	IN-116	491160	0.020	D	32
	461110	5.E-3	W	250		491160	0.020	W	28
	461110	5.E-3	Y	286	IN-116M	491161	0.020	D	17
PD-111M	461111	5.E-3	D	215		491161	0.020	W	11
	461111	5.E-3	W	250	IN-117	491170	0.020	D	8.1
	461111	5.E-3	Y	286		491170	0.020	W	6.5
AG-106	471060	0.050	D	7.6	IN-117M	491171	0.020	D	40
	471060	0.050	W	6.6		491171	0.020	W	31
	471060	0.050	Y	7.1	IN-119M	491191	0.020	D	11
AG-106M	471061	0.050	D	1921		491191	0.020	W	9.7
	471061	0.050	W	1540	SN-111	501110	0.020	D	6
	471061	0.050	Y	1470		501110	0.020	W	5
AG-108	471080	0.050	D	1921	SN-113	501130	0.020	D	1070
	471080	0.050	W	1540		501130	0.020	W	2390
	471080	0.050	Y	1470	SN-113M	501131	0.020	D	1070
AG-108M	471081	0.050	D	7520		501131	0.020	W	2390
	471081	0.050	W	5560	SN-117M	501171	0.020	D	610
	471081	0.050	Y	5.5E4		501171	0.020	W	930
AG-110	471100	0.050	D	7520	SN-119M	501191	0.020	D	565
	471100	0.050	W	5560		501191	0.020	W	1440
	471100	0.050	Y	5.5E4					

Table D-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)
SN-121	501210	0.020	D	86	BA-133	561330	0.10	D	1860
	501210	0.020	W	126		561330	0.20	W	2090
SN-121M	501211	0.020	D	1580	BA-140	561400	0.10	D	969
	501211	0.020	W	2400		561400	0.20	W	2090
SN-123	501230	0.020	D	2150	LA-137	571370	1.E-3	D	2.0E4
	501230	0.020	W	8100		571370	1.E-3	W	5140
SN-123M	501231	0.020	D	11	LA-138	571380	1.E-3	D	3.8E5
	501231	0.020	W	9.5		571380	1.E-3	W	9.9E4
SN-125	501250	0.020	D	1450	LA-140	571400	1.E-3	D	919
	501250	0.020	W	3860		571400	1.E-3	W	1180
SN-126	501260	0.020	D	2.3E4	CE-141	581410	1.E-3	D	919
	501260	0.020	W	2.0E4		581410	3.E-4	W	1930
SB-122	511220	0.10	D	587		581410	3.E-4	Y	2290
	511220	0.010	W	1270	CE-144	581440	1.E-3	D	919
SB-124	511240	0.10	D	1480		581440	3.E-4	W	5.2E4
	511240	0.010	W	5580		581440	3.E-4	Y	9.5E4
SB-124M	511241	0.10	D	1.6	PM-145	611450	1.E-3	D	919
	511241	0.010	W	2.3		611450	3.E-4	W	6250
SB-125	511250	0.10	D	568		611450	3.E-4	Y	7200
	511250	0.010	W	2640	PM-146	611460	1.E-3	D	919
SB-126	511260	0.10	D	1250		611460	3.E-4	W	2.7E4
	511260	0.010	W	2710		611460	3.E-4	Y	3.1E4
SB-126M	511261	0.10	D	1250	SM-146	621460	1.E-3	D	919
	511261	0.010	W	2710		621460	3.E-4	W	2.1E7
SB-129	511290	0.10	D	150		621460	3.E-4	Y	3.1E4
	511290	0.010	W	155	SM-147	621470	1.E-3	D	919
TE-125M	521251	0.20	D	1320		621470	3.E-4	W	1.9E7
	521251	0.20	W	1820		621470	3.E-4	Y	3.1E4
TE-127M	521271	0.20	D	3240	SM-151	621510	1.E-3	D	919
	521271	0.20	W	5210		621510	3.E-4	W	7740
TE-127	521270	0.20	D	60		621510	3.E-4	Y	3.1E4
	521270	0.20	W	78	EU-150	631500	1.E-3	D	919
TE-129M	521291	0.20	D	2170		631500	1.E-3	W	164
	521291	0.20	W	5460		631500	3.E-4	Y	3.1E4
TE-129	521290	0.20	D	21	EU-152	631520	1.E-3	D	919
	521290	0.20	W	18		631520	1.E-3	W	5.9E4
TE-131	521310	0.20	D	108		631520	3.E-4	Y	3.1E4
	521310	0.20	W	117	EU-154	631540	1.E-3	D	919
TE-131M	521311	0.20	D	1101		631540	1.E-3	W	7.0E4
	521311	0.20	W	1490		631540	3.E-4	Y	3.1E4
TE-132	521320	0.20	D	1770	GD-148	641480	3.E-4	D	9.0E7
	521320	0.20	W	2090		641480	3.E-4	W	2.3E7
I-131	531310	1	D	8700		641480	3.E-4	Y	3.1E4
	531310	0.20	W	2090	TB-157	651570	3.E-4	D	9.0E7
I-132	531320	1	D	89		651570	3.E-4	W	2430
	531320	0.20	W	2090		651570	3.E-4	Y	3.1E4
I-133	531330	1	D	1470	TB-158	651580	3.E-4	D	9.0E7
	531330	0.20	W	2090		651580	3.E-4	W	6.8E4
I-134	531340	1	D	30		651580	3.E-4	Y	3.1E4
	531340	0.20	W	2090	HO-166	671660	3.E-4	D	9.0E7
I-135	531350	1	D	308		671660	3.E-4	W	762
	531350	0.20	W	2090		671660	3.E-4	Y	3.1E4
CS-134	551340	1	D	1.3E4	LU-176	711760	3.E-4	D	9.0E7
	551340	0.20	W	2090		711760	3.E-4	W	1.2E5
CS-135	551350	1	D	1220		711760	3.E-4	Y	1.7E5
	551350	0.20	W	2090	LU-176M	711761	3.E-4	D	9.0E7
CS-136	551360	1	D	2020		711761	3.E-4	W	53
	551360	0.20	W	2090		711761	3.E-4	Y	59
CS-137	551370	1	D	8670					
	551370	0.20	W	2090					

Table D-1 (continued)

Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Nuclide	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)
LU-177	711770	3.E-4	D	9.0E7	W-179	741790	0.30	D	0.80
	711770	3.E-4	W	620		741790	1.E-3	W	5.9
	711770	3.E-4	Y	630		741790	1.E-3	Y	6.1
LU-177M	711771	3.E-4	D	9.0E7	W-179M	741791	0.30	D	0.80
	711771	3.E-4	W	1.1E4		741791	1.E-3	W	5.9
	711771	3.E-4	Y	1.7E4		741791	1.E-3	Y	6.1
LU-178	711780	3.E-4	D	9.0E7	W-181	741810	0.30	D	41
	711780	3.E-4	W	11		741810	1.E-3	W	5.9
	711780	3.E-4	Y	12		741810	1.E-3	Y	6.1
LU-178M	711781	3.E-4	D	9.0E7	W-185	741850	0.30	D	202
	711781	3.E-4	W	7.4		741850	1.E-3	W	5.9
	711781	3.E-4	Y	7.9		741850	1.E-3	Y	6.1
LU-179	711790	3.E-4	D	9.0E7	W-187	741870	0.30	D	142
	711790	3.E-4	W	73		741870	1.E-3	W	5.9
	711790	3.E-4	Y	86		741870	1.E-3	Y	6.1
HF-175	721750	2.E-3	D	1320	W-188	741880	0.30	D	1110
	721750	2.E-3	W	1200		741880	1.E-3	W	5.9
	721750	3.E-4	Y	86		741880	1.E-3	Y	6.1
HF-177M	721771	2.E-3	D	24	RE-186	751860	0.80	D	464
	721771	2.E-3	W	16		751860	0.80	W	798
HF-179M	721791	2.E-3	D	2320		751860	1.E-3	Y	6.1
	721791	2.E-3	W	2250	RE-186M	751861	0.80	D	631
HF-180M	721801	2.E-3	D	60		751861	0.80	W	8880
	721801	2.E-3	W	53		751861	1.E-3	Y	6.1
HF-181	721810	2.E-3	D	3380	RE-187	751870	0.80	D	1.5
	721810	2.E-3	W	3050		751870	0.80	W	13
HF-182	721820	2.E-3	D	7.5E5		751870	1.E-3	Y	6.1
	721820	2.E-3	W	1.9E5	RE-188	751880	0.80	D	481
HF-182M	721821	2.E-3	D	15		751880	0.80	W	493
	721821	2.E-3	W	9.2		751880	1.E-3	Y	6.1
HF-183	721830	2.E-3	D	29	RE-188M	751881	0.80	D	9.8
	721830	2.E-3	W	25		751881	0.80	W	10
TA-178	731780	2.E-3	D	29		751881	1.E-3	Y	6.1
	731780	1.E-3	W	15	RE-189	751890	0.80	D	265
	731780	1.E-3	Y	19		751890	0.80	W	302
TA-179	731790	2.E-3	D	29		751890	1.E-3	Y	6.1
	731790	1.E-3	W	254	OS-189M	761891	0.010	D	5.8
	731790	1.E-3	Y	1560		761891	0.010	W	6.5
TA-180M	731801	2.E-3	D	29		761891	0.010	Y	7.8
	731801	1.E-3	W	20	OS-194	761940	0.010	D	3.2E4
	731801	1.E-3	Y	23		761940	0.010	W	2.3E4
TA-182	731820	2.E-3	D	29		761940	0.010	Y	1.8E5
	731820	1.E-3	W	4280	IR-192	771920	0.010	D	4960
	731820	1.E-3	Y	9960		771920	0.010	W	3390
TA-182M	731821	2.E-3	D	29		771920	0.010	Y	6240
	731821	1.E-3	W	2.5	IR-192M	771921	0.010	D	1.4E4
	731821	1.E-3	Y	3.2		771921	0.010	W	6170
TA-183	731830	2.E-3	D	29		771921	0.010	Y	9.0E4
	731830	1.E-3	W	1180	IR-194	771940	0.010	D	451
	731830	1.E-3	Y	1300		771940	0.010	W	660
TA-184	731840	2.E-3	D	29		771940	0.010	Y	732
	731840	1.E-3	W	252	PT-190	781900	0.010	D	451
	731840	1.E-3	Y	287		781900	0.010	W	660
TA-185	731850	2.E-3	D	29		781900	0.010	Y	732
	731850	1.E-3	W	18	PT-191	781910	0.010	D	163
	731850	1.E-3	Y	20		781910	0.010	W	660
TA-186	731860	2.E-3	D	29		781910	0.010	Y	732
	731860	1.E-3	W	5.9	PT-193	781930	0.010	D	31
	731860	1.E-3	Y	6.1		781930	0.010	W	660
						781930	0.010	Y	732

Table D-1 (continued)

Nuclide	ZA Number	f ₁	LCC	Inhalation DCF (pSv/Bq)	Nuclide	ZA Number	f ₁	LCC	Inhalation DCF (pSv/Bq)
PT-193M	781931	0.010	D	225	PB-211	822110	0.20	D	2160
	781931	0.010	W	660		822110	0.020	W	1210
	781931	0.010	Y	732		822110	0.10	Y	19
PT-197	781970	0.010	D	139	PO-209	822090	0.20	D	2160
	781970	0.010	W	660		822090	0.020	W	1210
	781970	0.010	Y	732		822090	0.10	Y	19
PT-197M	781971	0.010	D	31	PO-210	822100	0.10	D	2.2E6
	781971	0.010	W	660		822100	0.10	W	2.2E6
	781971	0.010	Y	732		822100	0.10	Y	19
PT-199	781990	0.010	D	9.7	BI-207	822070	0.050	D	777
	781990	0.010	W	660		822070	0.050	W	3840
	781990	0.010	Y	732		822070	0.10	Y	19
AU-194	791940	0.10	D	168	BI-208	822080	0.050	D	777
	791940	0.10	W	245		822080	0.050	W	3840
	791940	0.10	Y	269		822080	0.10	Y	19
AU-198	791980	0.10	D	368	BI-210	822100	0.050	D	3480
	791980	0.10	W	726		822100	0.050	W	5.2E4
	791980	0.10	Y	792		822100	0.10	Y	19
AU-199	791990	0.10	D	158	BI-210M	822101	0.050	D	2.2E5
	791990	0.10	W	337		822101	0.050	W	2.0E6
	791990	0.10	Y	373		822101	0.10	Y	19
AU-200	792000	0.10	D	21					
	792000	0.10	W	18					
	792000	0.10	Y	19					
AU-203	792030	0.10	D	21					
	792030	0.10	W	18					
	792030	0.10	Y	19					
HG-203	802030	0.020	D	1070					
	802030	0.020	W	1210					
	802030	0.10	Y	19					
HG-205	802050	0.020	D	1070					
	802050	0.020	W	1210					
	802050	0.10	Y	19					
TL-202	812020	1	D	265					
	812020	0.020	W	1210					
	812020	0.10	Y	19					
TL-204	812040	1	D	622					
	812040	0.020	W	1210					
	812040	0.10	Y	19					
TL-206	812060	1	D	622					
	812060	0.020	W	1210					
	812060	0.10	Y	19					
PB-202	822020	0.20	D	2.7E4					
	822020	0.020	W	1210					
	822020	0.10	Y	19					
PB-202M	822021	0.20	D	47					
	822021	0.020	W	1210					
	822021	0.10	Y	19					
PB-203	822030	0.20	D	141					
	822030	0.020	W	1210					
	822030	0.10	Y	19					
PB-205	822050	0.20	D	1010					
	822050	0.020	W	1210					
	822050	0.10	Y	19					
PB-209	822090	0.20	D	24					
	822090	0.020	W	1210					
	822090	0.10	Y	19					
PB-210	822100	0.20	D	3.4E6					
	822100	0.020	W	1210					
	822100	0.10	Y	19					

Table D-2 Soviet dose rate conversion factors for the immersion and ground surface pathways.

Nuclide	ZA Number	Immersion DRCF (pSv-m3/Bq-s)	Nuclide	ZA Number	Ground Surface DRCF (pSv-m2/Bq-s)
AR-41	180410	8.67E-02	BE-7	040070	2.56E-05
KR-85M	360851	1.06E-02	N-13	070130	5.30E-04
KR-85	360850	1.51E-04	N-16	070160	1.32E-03
KR-87	360870	5.24E-02	F-18	090180	5.14E-04
KR-89	360890	1.39E-01	NA-22	110220	1.07E-03
KR-90	360900	1.22E-01	NA-24	110240	1.64E-03
KR-91	360910	4.94E-02	MG-27	120270	4.41E-04
KR-92	360920	4.62E-02	MG-28	120280	1.46E-03
XE-131M	541311	1.18E-03	AL-26	130260	1.21E-03
XE-133M	541331	2.78E-03	AL-28	130280	7.53E-04
XE-133	541330	3.24E-03	AL-29	130290	6.21E-04
XE-135M	541351	2.86E-02	SI-31	140310	4.10E-07
XE-137	541370	1.25E-02	CL-36	170360	8.76E-09
XE-138	541380	7.24E-02	CL-38	170380	6.14E-04
XE-139	541390	2.97E-02	CL-40	170400	1.48E-03
I-129	531290	1.66E-03	K-40	190400	6.98E-05
I-130	531300	1.41E-01	K-42	190420	1.22E-04
I-131	531310	2.57E-02	K-43	190430	4.67E-04
I-132	531320	1.54E-01	K-44	190440	9.76E-04
I-133	531330	4.00E-02	CA-47	200470	5.47E-04
I-134M	531341	1.88E-02	SC-44	210440	1.08E-03
I-134	531340	1.74E-01	SC-44M	210441	1.20E-03
I-135	531350	1.12E-01	SC-46	210460	9.71E-04
I-136	531360	1.30E-01	SC-47	210470	4.87E-05
BE-7	040070	3.32E-03	SC-48	210480	1.59E-03
N-13	070130	6.89E-02	SC-49	210490	4.45E-07
N-16	070160	3.12E-01	SC-50	210500	1.45E-03
F-18	090180	6.68E-02	TI-44	220440	1.14E-03
NA-22	110220	1.49E-01	TI-45	220450	4.58E-04
NA-24	110240	2.78E-01	V-47	230470	5.36E-04
MG-27	120270	6.04E-02	V-48	230480	1.40E-03
MG-28	120280	2.14E-01	V-52	230520	6.48E-04
AL-26	130260	1.81E-01	V-53	230530	5.03E-04
AL-28	130280	1.20E-01	CR-49	240490	5.56E-04
AL-29	130290	9.34E-02	CR-51	240510	1.59E-05
SI-31	140310	6.01E-05	CR-55	240550	3.40E-07
CL-36	170360	1.14E-06	MN-51	250510	5.29E-04
CL-38	170380	1.01E-01	MN-52	250520	1.62E-03
CL-40	170400	2.56E-01	MN-52M	250521	1.65E-03
K-40	190400	1.06E-02	MN-54	250540	4.16E-04
K-42	190420	1.86E-02	MN-56	250560	7.64E-04
K-43	190430	6.17E-02	MN-57	250570	6.24E-05
K-44	190440	1.56E-01	FE-53	260530	6.12E-04
CA-47	200470	7.19E-02	FE-59	260590	5.57E-04
SC-44	210440	1.48E-01	FE-60	260600	8.89E-04
SC-44M	210441	1.87E-02	CO-56	270560	1.62E-03
SC-46	210460	1.36E-01	CO-57	270570	9.04E-05
SC-47	210470	7.54E-03	CO-58	270580	6.06E-04
SC-48	210480	2.27E-01	CO-58M	270581	6.00E-04
SC-49	210490	7.03E-05	CO-60	270600	1.16E-03
SC-50	210500	2.12E-01	CO-60M	270601	8.89E-04
TI-44	220440	9.32E-03	CO-61	270610	4.88E-05
TI-45	220450	5.96E-02	CO-62	270620	7.17E-04
V-47	230470	7.00E-02	CO-62M	270621	1.26E-03
V-48	230480	1.97E-01	NI-57	280570	9.85E-04
V-52	230520	9.76E-02	NI-65	280650	2.71E-04
V-53	230530	7.05E-02	NI-66	280660	4.54E-05
CR-49	240490	7.38E-02	CU-62	290620	5.24E-04
CR-51	240510	2.20E-03	CU-64	290640	1.02E-04

Table D-2 (continued)

Nuclide	ZA Number	Immersion DRCF (pSv-m3/Bq-s)	Nuclide	ZA Number	Ground Surface DRCF (pSv-m2/Bq-s)
CR-55	240550	5.30E-05	CU-66	290660	4.54E-05
MN-51	250510	6.67E-02	CU-67	290670	4.98E-05
MN-52	250520	2.30E-01	ZN-63	300630	5.67E-04
MN-52M	250521	2.30E-01	ZN-65	300650	2.76E-04
MN-54	250540	5.65E-02	ZN-69	300690	2.40E-09
MN-56	250560	1.14E-01	ZN-69M	300691	2.18E-04
MN-57	250570	3.56E-03	ZN-71M	300711	1.87E-03
FE-53	260530	8.01E-02	GA-70	310700	2.66E-06
FE-59	260590	8.03E-02	GA-72	310720	1.21E-03
FE-60	260600	4.57E-04	GE-75	320750	1.80E-05
CO-56	270560	2.46E-01	AS-74	330740	3.92E-04
CO-57	270570	8.47E-03	AS-76	330760	2.29E-04
CO-58	270580	8.20E-02	AS-77	330770	3.59E-06
CO-58M	270581	1.24E-04	AS-78	330780	5.09E-04
CO-60	270600	1.69E-01	SE-75	340750	5.81E-04
CO-60M	270601	4.57E-04	RB-86	370860	4.51E-05
CO-61	270610	7.04E-03	RB-86M	370861	3.31E-04
CO-62	270620	1.09E-01	RB-88	370880	2.85E-04
CO-62M	270621	1.88E-01	RB-89	370890	1.02E-03
NI-57	280570	1.32E-01	SR-85	380850	5.15E-04
NI-65	280650	4.02E-02	SR-85M	380851	5.89E-04
NI-66	280660	6.37E-03	SR-87M	380871	2.08E-04
CU-62	290620	6.82E-02	SR-89	380890	7.14E-08
CU-64	290640	1.33E-02	SR-90	380900	2.02E-08
CU-66	290660	6.37E-03	SR-91	380910	7.14E-04
CU-67	290670	7.63E-03	SR-92	380920	6.92E-04
ZN-63	300630	7.44E-02	Y-88	390880	1.45E-03
ZN-65	300650	3.93E-02	Y-90	390900	2.02E-08
ZN-69	300690	3.23E-07	Y-90M	390901	3.46E-04
ZN-69M	300691	2.84E-02	Y-91	390910	2.81E-06
ZN-71M	300711	1.89E-01	Y-91M	390911	2.86E-04
GA-70	310700	3.75E-04	Y-92	390920	1.20E-04
GA-72	310720	1.83E-01	Y-93	390930	4.38E-05
GE-75	320750	2.21E-03	Y-94	390940	4.80E-04
AS-74	330740	5.14E-02	Y-95	390950	9.64E-04
AS-76	330760	3.16E-02	ZR-88	400880	1.83E-03
AS-77	330770	4.57E-04	ZR-89	400890	7.46E-04
AS-78	330780	7.41E-02	ZR-95	400950	7.53E-04
SE-75	340750	2.63E-02	ZR-97	400970	4.49E-04
RB-86	370860	6.37E-03	NB-90	410900	1.95E-03
RB-86M	370861	3.70E-02	NB-91	410910	1.94E-04
RB-88	370880	4.64E-02	NB-91M	410911	1.46E-04
RB-89	370890	1.57E-01	NB-92	410920	7.48E-04
SR-85	380850	3.50E-02	NB-92M	410921	6.63E-04
SR-85M	380851	1.45E-02	NB-93M	410931	1.10E-04
SR-87M	380871	2.22E-02	NB-94	410940	7.88E-04
SR-89	380890	9.77E-06	NB-94M	410941	1.11E-04
SR-90	380900	0.00E+00	NB-95	410950	3.85E-04
SR-91	380910	9.48E-02	NB-95M	410951	5.11E-04
SR-92	380920	8.50E-02	NB-96	410960	1.23E-03
Y-88	390880	1.83E-01	NB-97	410970	3.39E-04
Y-90	390900	3.14E-07	NB-98M	410981	1.10E-03
Y-90M	390901	4.32E-02	MO-90	420900	6.29E-04
Y-91	390910	4.16E-04	MO-93	420930	1.29E-04
Y-91M	390911	3.57E-02	MO-93M	420931	1.12E-03
Y-92	390920	1.69E-02	MO-99	420990	1.51E-04
Y-93	390930	6.50E-03	MO-101	421010	9.53E-04
Y-94	390940	6.78E-02	TC-97	430970	1.42E-04
Y-95	390950	3.53E-02	TC-97M	430971	1.01E-04
ZR-88	400880	2.65E-02	TC-98	430980	7.20E-04

Table D-2 (continued)

Nuclide	ZA Number	Immersion DRCF (pSv-m3/Bq-s)	Nuclide	ZA Number	Ground Surface DRCF (pSv-m2/Bq-s)
ZR-89	400890	8.08E-02	TC-99M	430991	6.93E-05
ZR-95	400950	4.97E-02	TC-101	431010	1.63E-04
ZR-97	400970	5.91E-02	RU-103	441030	2.69E-04
NB-90	410900	2.84E-01	RU-105	441050	4.22E-04
NB-91	410910	7.02E-04	RU-106	441060	1.04E-04
NB-91M	410911	3.03E-03	RH-101	451010	2.83E-04
NB-92	410920	1.01E-01	RH-101M	451011	2.88E-04
NB-92M	410921	6.54E-02	RH-102	451020	3.68E-04
NB-93M	410931	4.67E-04	RH-103M	451031	1.23E-05
NB-94	410940	1.06E-01	RH-105	451050	3.99E-05
NB-94M	410941	5.88E-04	RH-106	451060	1.04E-04
NB-95	410950	5.16E-02	RH-107	451070	1.59E-04
NB-95M	410951	4.49E-03	PD-101	461010	6.23E-04
NB-96	410960	1.68E-01	PD-103	461030	1.36E-04
NB-97	410970	4.48E-02	PD-109	461090	5.64E-05
NB-98M	410981	1.53E-01	PD-111	461110	5.69E-05
MO-90	420900	5.71E-02	PD-111M	461111	2.34E-04
MO-93	420930	5.47E-04	AG-106M	471061	1.42E-03
MO-93M	420931	1.54E-01	AG-108	471080	1.32E-05
MO-99	420990	1.87E-02	AG-108M	471081	9.34E-04
MO-101	421010	1.35E-01	AG-110M	471101	1.39E-03
TC-97	430970	7.21E-04	AG-111	471110	1.59E-05
TC-97M	430971	6.36E-04	AG-112	471120	3.16E-04
TC-98	430980	9.59E-02	CD-109	481090	1.61E-04
TC-99M	430991	8.61E-03	CD-113M	481131	1.59E-04
TC-101	431010	2.19E-02	CD-115	481150	2.18E-04
RU-103	441030	3.33E-02	CD-115M	481151	1.52E-05
RU-105	441050	5.36E-02	CD-117	481170	4.76E-04
RU-106	441060	1.37E-02	CD-117M	481171	1.15E-03
RH-101	451010	2.21E-02	IN-111	491110	2.95E-04
RH-101M	451011	2.05E-02	IN-112	491120	2.22E-04
RH-102	451020	3.83E-02	IN-114	491140	2.94E-06
RH-103M	451031	9.86E-05	IN-114M	491141	8.65E-05
RH-105	451050	5.29E-03	IN-115M	491151	1.20E-04
RH-106	451060	1.39E-02	IN-116	491160	8.55E-06
RH-107	451070	2.11E-02	IN-116M	491161	1.15E-03
PD-101	461010	2.40E-02	IN-117	491170	3.58E-04
PD-103	461030	1.09E-03	IN-117M	491171	2.32E-04
PD-109	461090	7.78E-04	IN-119M	491191	6.10E-05
PD-111	461110	3.69E-03	SN-111	501110	2.89E-04
PD-111M	461111	2.61E-02	SN-113	501130	2.54E-04
AG-106M	471061	1.80E-01	SN-113M	501131	2.94E-06
AG-108	471080	1.42E-03	SN-117M	501171	1.36E-04
AG-108M	471081	1.10E-01	SN-119M	501191	5.34E-05
AG-110M	471101	1.92E-01	SN-121M	501211	7.59E-05
AG-111	471110	2.08E-03	SN-123	501230	3.29E-06
AG-112	471120	4.56E-02	SN-123M	501231	7.32E-05
CD-109	481090	1.78E-03	SN-125	501250	4.00E-04
CD-113M	481131	8.31E-07	SN-126	501260	1.03E-03
CD-115	481150	2.34E-02	SB-122	511220	2.40E-04
CD-115M	481151	1.44E-03	SB-124	511240	8.68E-04
CD-117	481170	5.96E-02	SB-124M	511241	8.26E-04
CD-117M	481171	1.65E-01	SB-125	511250	2.89E-04
IN-111	491110	2.75E-02	SB-126	511260	1.34E-03
IN-112	491120	2.61E-02	SB-126M	511261	9.94E-04
IN-114	491140	1.87E-04	SB-129	511290	6.90E-04
IN-114M	491141	5.98E-03	TE-125M	521251	1.13E-04
IN-115M	491151	1.12E-02	TE-127M	521271	3.86E-05
IN-116	491160	1.27E-03	TE-127	521270	3.92E-06
IN-116M	491161	1.70E-01	TE-129M	521291	8.58E-05

Table D-2 (continued)

Nuclide	ZA Number	Immersion DRCF (pSv-m3/Bq-s)	Nuclide	ZA Number	Ground Surface DRCF (pSv-m2/Bq-s)
IN-117	491170	4.68E-02	TE-129	521290	4.41E-05
IN-117M	491171	2.76E-02	TE-131	521310	4.10E-04
IN-119M	491191	6.31E-03	TE-131M	521311	1.00E-03
SN-111	501110	3.13E-02	TE-132	521320	1.29E-03
SN-113	501130	1.48E-03	I-131	531310	1.95E-04
SN-113M	501131	1.87E-04	I-132	531320	1.14E-03
SN-117M	501171	1.06E-02	I-133	531330	3.48E-04
SN-119M	501191	7.36E-04	I-134	531340	1.25E-03
SN-121M	501211	1.44E-03	I-135	531350	8.97E-04
SN-123	501230	4.65E-04	CS-134	551340	7.87E-04
SN-123M	501231	9.49E-03	CS-136	551360	1.04E-03
SN-125	501250	2.11E-02	CS-137	551370	2.92E-04
SN-126	501260	1.10E-01	BA-133	561330	2.65E-04
SB-122	511220	3.14E-02	BA-140	561400	1.14E-03
SB-124	511240	1.26E-01	LA-137	571370	4.98E-05
SB-124M	511241	2.38E-02	LA-138	571380	5.98E-04
SB-125	511250	2.95E-02	LA-140	571400	1.04E-03
SB-126	511260	1.79E-01	CE-141	581410	3.90E-05
SB-126M	511261	1.07E-01	CE-144	581440	2.44E-05
SB-129	511290	8.98E-02	PM-145	611450	4.10E-05
TE-125M	521251	2.36E-03	PM-146	611460	4.00E-04
TE-127M	521271	7.04E-04	SM-151	621510	9.38E-07
TE-127	521270	3.77E-04	EU-150	631500	2.72E-05
TE-129M	521291	2.43E-03	EU-152	631520	5.67E-04
TE-129	521290	4.06E-03	EU-154	631540	5.90E-04
TE-131	521310	2.89E-02	TB-157	651570	8.75E-06
TE-131M	521311	8.87E-02	TB-158	651580	2.12E-04
TE-132	521320	1.52E-02	HO-166	671660	1.29E-05
I-131	531310	2.57E-02	LU-176	711760	2.32E-04
I-132	531320	1.54E-01	LU-176M	711761	5.29E-06
I-133	531330	4.00E-02	LU-177	711770	9.47E-06
I-134	531340	1.74E-01	LU-177M	711771	4.96E-04
I-135	531350	1.16E-01	LU-178	711780	1.21E-04
CS-134	551340	1.05E-01	LU-178M	711781	4.27E-04
CS-136	551360	1.44E-01	LU-179	711790	1.29E-05
CS-137	551370	3.82E-02	HF-175	721750	1.81E-04
BA-133	561330	2.70E-02	HF-177M	721771	1.07E-03
BA-140	561400	1.19E-02	HF-178M	721781	4.87E-04
LA-137	571370	1.69E-03	HF-179M	721791	4.59E-04
LA-138	571380	8.41E-02	HF-180M	721801	5.05E-04
LA-140	571400	1.54E-01	HF-181	721810	2.81E-04
CE-141	581410	5.23E-03	HF-182	721820	7.09E-04
CE-144	581440	3.24E-03	HF-182M	721821	1.27E-03
PM-145	611450	2.27E-03	HF-183	721830	6.90E-04
PM-146	611460	5.09E-02	TA-178	731780	5.64E-05
SM-151	621510	8.72E-06	TA-179	731790	1.61E-05
EU-150	631500	3.50E-03	TA-180M	731801	2.43E-05
EU-152	631520	7.80E-02	TA-182	731820	6.04E-04
EU-154	631540	8.26E-02	TA-182M	731821	7.24E-04
TB-157	651570	6.75E-04	TA-183	731830	1.50E-04
TB-158	651580	2.81E-02	TA-184	731840	7.78E-04
HO-166	671660	1.84E-03	TA-185	731850	8.88E-05
LU-176	711760	3.22E-02	TA-186	731860	8.48E-04
LU-176M	711761	7.86E-04	W-179	741790	5.18E-05
LU-177	711770	1.39E-03	W-179M	741791	2.65E-05
LU-177M	711771	6.82E-02	W-181	741810	1.94E-05
LU-178	711780	1.78E-02	W-187	741870	2.20E-04
LU-178M	711781	5.83E-02	W-188	741880	2.94E-05
LU-179	711790	1.84E-03	RE-186	751860	8.86E-06
HF-175	721750	2.38E-02	RE-186M	751861	1.78E-05

Table D-2 (continued)

Nuclide	ZA Number	Immersion DRCF (pSv-m3/Bq-s)	Nuclide	ZA Number	Ground Surface DRCF (pSv-m2/Bq-s)
HF-177M	721771	1.46E-01	RE-188	751880	2.84E-05
HF-178M	721781	6.63E-02	RE-188M	751881	6.57E-05
HF-179M	721791	6.20E-02	RE-189	751890	2.35E-05
HF-180M	721801	6.76E-02	OS-194	761940	4.63E-05
HF-181	721810	3.75E-02	IR-192	771920	4.15E-04
HF-182	721820	1.58E-02	IR-192M	771921	4.11E-04
HF-182M	721821	5.72E-02	IR-194	771940	4.55E-05
HF-183	721830	5.24E-02	PT-191	781910	1.43E-04
TA-178	731780	7.75E-03	PT-193M	781931	8.30E-06
TA-179	731790	2.04E-03	PT-197	781970	1.52E-05
TA-180M	731801	3.17E-03	PT-197M	781971	5.39E-05
TA-182	731820	8.72E-02	PT-199	781990	1.44E-04
TA-182M	731821	1.90E-02	AU-194	791940	5.02E-04
TA-183	731830	2.11E-02	AU-198	791980	2.08E-04
TA-184	731840	1.06E-01	AU-199	791990	4.18E-05
TA-185	731850	1.29E-02	HG-203	802030	1.16E-04
TA-186	731860	1.15E-01	HG-205	802050	3.23E-06
W-179	741790	3.51E-03	TL-202	812020	2.36E-04
W-179M	741791	1.68E-03	TL-204	812040	3.09E-06
W-181	741810	2.59E-03	TL-206	812060	2.21E-08
W-187	741870	2.92E-02	PB-202	822020	4.70E-04
W-188	741880	1.42E-04	PB-202M	822021	1.01E-03
RE-186	751860	1.35E-03	PB-203	822030	1.50E-04
RE-186M	751861	1.03E-03	PB-210	822100	1.51E-06
RE-188	751880	4.08E-03	PB-211	822110	5.10E-05
RE-188M	751881	5.50E-03	PO-209	822090	1.55E-06
RE-189	751890	3.35E-03	PO-210	822100	4.82E-09
OS-194	761940	5.99E-05	BI-207	822070	7.54E-04
IR-192	771920	5.52E-02	BI-208	822080	9.94E-04
IR-192M	771921	7.77E-05	BI-210	822100	4.86E-09
IR-194	771940	6.22E-03	BI-210M	822101	1.27E-04
PT-191	781910	1.98E-02			
PT-193M	781931	6.18E-04			
PT-197	781970	2.36E-03			
PT-197M	781971	5.50E-03			
PT-199	781990	1.36E-02			
AU-194	791940	7.43E-02			
AU-198	791980	2.73E-02			
AU-199	791990	6.41E-03			
HG-203	802030	1.60E-02			
HG-205	802050	4.78E-04			
TL-202	812020	3.16E-02			
TL-204	812040	7.23E-05			
TL-206	812060	2.99E-06			
PB-202	822020	3.16E-02			
PB-202M	822021	1.34E-01			
PB-203	822030	2.11E-02			
PB-210	822100	1.32E-04			
PB-211	822110	6.82E-03			
PO-209	822090	2.14E-04			
PO-210	822100	6.51E-07			
BI-207	822070	1.05E-01			
BI-208	822080	1.79E-01			
BI-210	822100	1.95E-08			
BI-210M	822101	1.74E-02			

APPENDIX E

DOSE CONVERSION FACTORS FROM THE UNITED KINGDOM

Table E-1. UK DCF values for inhalation and ingestion pathways.

Nuclides	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Ingestion DCF (pSv/Bq)
H-3	010030	1.00E+00	N	1.70E+01	1.70E+01
LI-8	030080	1.00E+00	D	7.80E-03	1.10E-02
LI-9	030090	1.00E+00	D	1.80E-03	2.60E-03
BE-8	040080	5.00E-03	Y	4.50E-19	4.40E-19
BE-10	040100	5.00E-03	Y	9.30E+04	1.10E+03
BE-11	040110	5.00E-03	Y	3.40E-01	3.30E-01
B-12	050120	0.01E+00	W	7.90E-03	3.50E-03
B-13	050130	0.01E+00	W	6.90E-03	3.10E-03
C-14	060140	1.00E+00	N	5.60E+02	5.60E+02
C-15	060150	1.00E+00	N	1.10E-01	1.10E-01
N-13	070130	1.00E+00	N	6.30E+00	6.30E+00
N-16	070160	1.00E+00	N	3.60E-01	3.60E-01
N-17	070170	1.00E+00	N	5.10E-02	5.10E-02
N-18	070180	1.00E+00	N	4.10E-02	4.10E-02
O-19	080190	0.80E+00	D	5.10E-01	5.10E-01
F-18	090180	1.00E+00	D	1.90E+01	2.80E+01
F-20	090200	1.00E+00	D	1.00E-01	1.50E-01
F-21	090210	1.00E+00	D	2.80E-02	4.20E-02
F-22	090220	1.00E+00	D	7.40E-02	1.10E-01
NA-21	110210	1.00E+00	D	7.10E-02	1.00E-01
NA-22	110220	1.00E+00	D	2.10E+03	3.10E+03
NA-24	110240	1.00E+00	D	2.60E+02	3.70E+02
NA-24M	110241	1.00E+00	D	1.50E-04	2.30E-04
NA-25	110250	1.00E+00	D	1.70E-01	2.50E-01
NA-26	110260	1.00E+00	D	8.70E-03	1.30E-02
NA-27	110270	1.00E+00	D	2.40E-03	3.50E-03
NA-28	110280	1.00E+00	D	4.90E-04	7.20E-04
MG-27	120270	0.50E+00	W	2.90E+00	5.80E+00
MG-28	120280	0.50E+00	W	1.10E+03	2.00E+03
MG-29	120290	0.50E+00	W	2.40E-02	4.80E-02
AL-25	130250	0.01E+00	W	1.10E+00	4.80E-01
AL-26	130260	0.01E+00	W	2.10E+04	3.40E+03
AL-26M	130261	0.01E+00	W	9.30E-01	4.20E-01
AL-28	130280	0.01E+00	W	2.40E+01	1.10E+01
AL-29	130290	0.01E+00	W	5.50E+01	2.50E+01
AL-30	130300	0.01E+00	W	1.30E+00	5.70E-01
AL-31	130310	0.01E+00	W	2.20E-01	1.00E-01
AL-32	130320	0.01E+00	W	1.30E-02	6.00E-03
SI-31	140310	0.01E+00	W	5.30E+01	1.50E+02
SI-32	140320	0.01E+00	W	2.70E+05	4.60E+02
SI-33	140330	0.01E+00	W	2.20E-01	6.30E-01
P-30	150300	0.80E+00	D	6.40E+00	6.70E+00
P-32	150320	0.80E+00	D	3.60E+03	2.10E+03
P-33	150330	0.80E+00	D	5.10E+02	2.40E+02
P-34	150340	0.80E+00	D	5.70E-01	5.90E-01
P-35	150350	0.80E+00	D	2.10E+00	2.20E+00
P-36	150360	0.80E+00	D	7.40E-01	7.70E-01
S-35	160350	0.80E+00	D	6.10E+02	6.90E+02
S-37	160370	0.80E+00	D	3.40E+01	8.90E+01
S-38	160380	0.80E+00	D	1.60E+03	4.30E+03
S-39	160390	0.80E+00	D	2.20E+00	5.80E+00
CL-34	170340	1.00E+00	D	2.30E-02	3.80E-02
CL-34M	170341	1.00E+00	D	3.70E+01	6.10E+01
CL-36	170360	1.00E+00	D	5.50E+03	8.20E+02
CL-38	170380	1.00E+00	D	3.30E+01	5.40E+01
CL-38M	170381	1.00E+00	D	1.40E-02	2.30E-02

Table E-1 (continued)

Nuclides	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Ingestion DCF (pSv/Bq)
CL-39	170390	1.00E+00	D	2.60E+01	3.70E+01
CL-40	170400	1.00E+00	D	2.20E+00	3.60E+00
CL-41	170410	1.00E+00	D	9.20E-01	1.50E+00
CL-42	170420	1.00E+00	D	2.20E-01	3.60E-01
K-38	190380	1.00E+00	D	8.10E+00	1.60E+01
K-38M	190381	1.00E+00	D	1.20E-02	2.50E-02
K-40	190400	1.00E+00	D	3.40E+03	5.10E+03
K-42	190420	1.00E+00	D	2.90E+02	2.90E+02
K-43	190430	1.00E+00	D	1.50E+02	2.10E+02
K-44	190440	1.00E+00	D	2.00E+01	4.00E+01
K-45	190450	1.00E+00	D	1.20E+01	2.50E+01
K-46	190460	1.00E+00	D	1.10E+00	2.20E+00
K-47	190470	1.00E+00	D	3.80E-01	7.10E-01
K-48	190480	1.00E+00	D	2.60E-01	5.30E-01
CA-41	200410	0.30E+00	W	4.00E+02	3.80E+02
CA-45	200450	0.30E+00	W	1.60E+03	8.10E+02
CA-47	200470	0.30E+00	W	1.50E+03	1.60E+03
CA-49	200490	0.30E+00	W	1.20E+02	1.40E+02
SC-42	210420	1.00E-04	Y	2.10E-02	5.60E-02
SC-42M	210421	1.00E-04	Y	3.00E+00	7.90E+00
SC-43	210430	1.00E-04	Y	5.90E+01	1.90E+02
SC-44	210440	1.00E-04	Y	1.10E+02	3.60E+02
SC-44M	210441	1.00E-04	Y	1.90E+03	2.70E+03
SC-45M	210451	1.00E-04	Y	1.50E-05	4.10E-05
SC-46	210460	1.00E-04	Y	5.50E+03	1.50E+03
SC-46M	210461	1.00E-04	Y	4.30E-02	8.50E-02
SC-47	210470	1.00E-04	Y	4.60E+02	5.20E+02
SC-48	210480	1.00E-04	Y	9.90E+02	1.70E+03
SC-49	210490	1.00E-04	Y	2.50E+01	6.60E+01
SC-50	210500	1.00E-04	Y	2.00E+00	5.30E+00
SC-50M	210501	1.00E-04	Y	7.50E-03	2.00E-02
TI-44	220440	0.01E+00	W	2.40E+05	5.70E+03
TI-45	220450	0.01E+00	W	5.30E+01	1.60E+02
TI-51	220510	0.01E+00	W	1.60E+00	4.90E+00
TI-52	220520	0.01E+00	W	1.30E+00	4.00E+00
V-47	230470	0.01E+00	W	1.70E+01	4.30E+01
V-48	230480	0.01E+00	W	2.20E+03	2.10E+03
V-49	230490	0.01E+00	W	7.60E+01	1.50E+01
V-52	230520	0.01E+00	W	2.30E+01	1.00E+01
V-53	230530	0.01E+00	W	7.80E+00	3.60E+00
V-54	230540	0.01E+00	W	1.10E+01	5.10E+00
CR-49	240490	0.10E+00	Y	1.60E+01	4.60E+01
CR-51	240510	0.10E+00	Y	7.30E+01	3.90E+01
CR-55	240550	0.10E+00	Y	1.20E+00	2.60E+00
CR-56	240560	0.10E+00	Y	6.00E+00	1.30E+01
CR-57	240570	0.10E+00	Y	3.90E-01	8.40E-01
MN-51	250510	0.10E+00	W	2.70E+01	6.70E+01
MN-52	250520	0.10E+00	W	1.50E+03	1.90E+03
MN-52M	250521	0.10E+00	W	1.50E+01	4.00E+01
MN-53	250530	0.10E+00	W	1.10E+02	2.60E+01
MN-54	250540	0.10E+00	W	1.70E+03	7.20E+02
MN-56	250560	0.10E+00	W	8.80E+01	2.50E+02
MN-57	250570	0.10E+00	W	5.70E-01	1.40E+00
MN-58	250580	0.10E+00	W	1.30E+00	3.30E+00
MN-58M	250581	0.10E+00	W	4.20E-02	1.00E-01
MN-59	250590	0.10E+00	W	8.30E-02	2.00E-01
MN-60	250600	0.10E+00	W	4.80E-02	1.20E-01
FE-52	260520	0.10E+00	W	5.40E+02	1.40E+03
FE-52M	260521	0.10E+00	W	3.20E+00	8.60E+00
FE-53	260530	0.10E+00	W	8.60E+00	2.60E+01

Table E-1 (continued)

Nuclides	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Ingestion DCF (pSv/Bq)
FE-53M	260531	0.10E+00	W	6.00E+00	1.80E+01
FE-55	260550	0.10E+00	W	7.10E+02	1.60E+02
FE-59	260590	0.10E+00	W	4.00E+03	1.80E+03
FE-60	260600	0.10E+00	W	2.10E+05	4.20E+04
FE-61	260610	0.10E+00	W	8.30E+00	2.50E+01
FE-62	260620	0.10E+00	W	2.60E+00	7.70E+00
FE-63	260630	0.10E+00	W	2.30E-01	7.00E-01
CO-54	270540	0.05E+00	Y	2.90E-02	2.00E-02
CO-54M	270541	0.05E+00	Y	1.80E+01	1.20E+01
CO-55	270550	0.05E+00	Y	5.20E+02	1.10E+03
CO-56	270560	0.05E+00	Y	7.10E+03	3.30E+03
CO-57	270570	0.05E+00	Y	2.00E+03	3.10E+02
CO-58	270580	0.05E+00	Y	1.90E+03	9.40E+02
CO-58M	270581	0.05E+00	Y	2.10E+01	2.40E+01
CO-60	270600	0.05E+00	Y	4.10E+04	7.00E+03
CO-60M	270601	0.05E+00	Y	5.00E-01	9.40E-01
CO-61	270610	0.05E+00	Y	2.40E+01	6.90E+01
CO-62	270620	0.05E+00	Y	9.70E+00	6.80E+00
CO-62M	270621	0.05E+00	Y	8.60E+00	2.50E+01
CO-63	270630	0.05E+00	Y	1.60E+00	1.10E+00
CO-64	270640	0.05E+00	Y	3.50E-02	2.50E-02
CO-66	270660	0.05E+00	Y	1.70E-01	1.10E-01
NI-56	280560	0.05E+00	W	1.00E+03	9.70E+02
NI-57	280570	0.05E+00	W	4.50E+02	9.00E+02
NI-59	280590	0.05E+00	W	3.60E+02	5.60E+01
NI-63	280630	0.05E+00	W	8.40E+02	1.50E+02
NI-65	280650	0.05E+00	W	5.70E+01	1.60E+02
NI-66	280660	0.05E+00	W	2.10E+03	3.00E+03
NI-67	280670	0.05E+00	W	1.60E+00	3.40E+00
NI-68	280680	0.05E+00	W	6.50E-02	1.40E-01
NI-69	280690	0.05E+00	W	5.50E-02	1.20E-01
CU-62	290620	0.50E+00	Y	7.60E+00	1.20E+01
CU-64	290640	0.50E+00	Y	6.30E+01	1.20E+02
CU-66	290660	0.50E+00	Y	2.00E+00	3.10E+00
CU-67	290670	0.50E+00	Y	2.90E+02	2.90E+02
CU-68	290680	0.50E+00	Y	4.50E-01	6.90E-01
CU-68M	290681	0.50E+00	Y	4.80E+00	7.40E+00
CU-69	290690	0.50E+00	Y	1.60E+00	2.40E+00
CU-70	290700	0.50E+00	Y	7.10E-02	1.10E-01
CU-70M	290701	0.50E+00	Y	1.20E+00	1.90E+00
CU-71	290710	0.50E+00	Y	4.50E-01	6.90E-01
CU-72	290720	0.50E+00	Y	2.80E-01	3.80E-01
ZN-63	300630	0.50E+00	Y	2.00E+01	5.30E+01
ZN-65	300650	0.50E+00	Y	5.10E+03	3.90E+03
ZN-69	300690	0.50E+00	Y	9.60E+00	2.30E+01
ZN-69M	300691	0.50E+00	Y	1.90E+02	3.30E+02
ZN-71	300710	0.50E+00	Y	4.20E+00	7.40E+00
ZN-71M	300711	0.50E+00	Y	7.90E+01	2.20E+02
ZN-72	300720	0.50E+00	Y	1.10E+03	1.30E+03
ZN-73	300730	0.50E+00	Y	1.30E+00	2.40E+00
ZN-74	300740	0.50E+00	Y	9.70E+00	1.70E+01
GA-66	310660	1.00E-03	W	4.70E+02	1.30E+03
GA-67	310670	1.00E-03	W	1.30E+02	1.90E+02
GA-68	310680	1.00E-03	W	3.30E+01	8.90E+01
GA-70	310700	1.00E-03	W	7.80E+00	1.90E+01
GA-72	310720	1.00E-03	W	4.60E+02	1.20E+03
GA-73	310730	1.00E-03	W	9.10E+01	2.80E+02
GA-74	310740	1.00E-03	W	1.80E+01	4.40E+01
GA-74M	310741	1.00E-03	W	3.60E-01	8.80E-01
GA-75	310750	1.00E-03	W	2.30E+00	5.80E+00

Table E-1 (continued)

Nuclides	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Ingestion DCF (pSv/Bq)
GA-76	310760	1.00E-03	W	1.20E+00	3.10E+00
GA-77	310770	1.00E-03	W	5.70E-01	1.40E+00
GE-67	320670	1.00E+00	W	1.50E+01	3.10E+01
GE-68	320680	1.00E+00	W	1.30E+04	2.90E+02
GE-69	320690	1.00E+00	W	1.70E+02	9.90E+01
GE-71	320710	1.00E+00	W	3.20E+01	2.60E+00
GE-73M	320731	1.00E+00	W	6.20E-04	3.40E-04
GE-75	320750	1.00E+00	W	1.70E+01	2.00E+01
GE-75M	320751	1.00E+00	W	5.20E-01	2.90E-01
GE-77	320770	1.00E+00	W	2.40E+02	1.50E+02
GE-77M	320771	1.00E+00	W	1.40E+00	7.40E-01
GE-78	320780	1.00E+00	W	6.60E+01	5.60E+01
GE-79	320790	1.00E+00	W	1.30E+00	7.10E-01
GE-79M	320791	1.00E+00	W	2.80E+00	1.60E+00
AS-70	330700	0.50E+00	W	2.70E+01	1.00E+02
AS-71	330710	0.50E+00	W	2.90E+02	3.60E+02
AS-72	330720	0.50E+00	W	9.30E+02	1.50E+03
AS-73	330730	0.50E+00	W	8.30E+02	1.70E+02
AS-74	330740	0.50E+00	W	1.80E+03	9.10E+02
AS-76	330760	0.50E+00	W	9.10E+02	1.30E+03
AS-77	330770	0.50E+00	W	2.60E+02	3.00E+02
AS-78	330780	0.50E+00	W	6.10E+01	1.70E+01
AS-79	330790	0.50E+00	W	1.30E+01	6.00E+00
AS-80	330800	0.50E+00	W	1.30E+00	6.00E-01
AS-81	330810	0.50E+00	W	2.10E+00	9.80E-01
AS-82	330820	0.50E+00	W	2.10E+00	9.60E-01
AS-82M	330821	0.50E+00	W	1.70E+00	8.20E-01
SE-71	340710	0.80E+00	W	1.30E+01	3.30E+01
SE-72	340720	0.80E+00	W	4.30E+03	5.00E+03
SE-73	340730	0.80E+00	W	1.00E+02	4.20E+02
SE-73M	340731	0.80E+00	W	9.30E+00	4.00E+01
SE-75	340750	0.80E+00	W	2.20E+03	2.50E+03
SE-77M	340771	0.80E+00	W	3.70E-02	9.80E-02
SE-79	340790	0.80E+00	W	2.40E+03	2.30E+03
SE-79M	340791	0.80E+00	W	3.00E-01	7.70E-01
SE-81	340810	0.80E+00	W	6.40E+00	1.60E+01
SE-81M	340811	0.80E+00	W	1.90E+01	5.50E+01
SE-83	340830	0.80E+00	W	1.20E+01	4.00E+01
SE-83M	340831	0.80E+00	W	2.30E+00	6.00E+00
SE-84	340840	0.80E+00	W	1.00E+01	2.70E+01
BR-75	350750	1.00E+00	D	2.80E+01	3.60E+01
BR-76	350760	1.00E+00	D	3.10E+02	3.70E+02
BR-76M	350761	1.00E+00	D	3.60E-02	7.90E-02
BR-77	350770	1.00E+00	D	6.80E+01	8.20E+01
BR-77M	350771	1.00E+00	D	8.00E-01	1.40E+00
BR-78	350780	1.00E+00	D	6.20E+00	1.40E+01
BR-79M	350791	1.00E+00	D	7.90E-03	1.80E-02
BR-80	350800	1.00E+00	D	6.40E+00	1.50E+01
BR-80M	350801	1.00E+00	D	9.30E+01	6.20E+01
BR-82	350820	1.00E+00	D	3.40E+02	4.60E+02
BR-82M	350821	1.00E+00	D	7.90E+00	1.40E+01
BR-83	350830	1.00E+00	D	2.20E+01	2.00E+01
BR-84	350840	1.00E+00	D	2.30E+01	4.10E+01
BR-84M	350841	1.00E+00	D	1.00E+01	2.40E+01
BR-85	350850	1.00E+00	D	1.50E+00	3.40E+00
BR-86	350860	1.00E+00	D	2.20E+00	5.10E+00
RB-80	370800	1.00E+00	D	8.00E-01	2.40E+00
RB-81	370810	1.00E+00	D	2.70E+01	3.50E+01
RB-81M	370811	1.00E+00	D	4.10E+00	5.00E+00
RB-82	370820	1.00E+00	D	1.40E+00	4.10E+00

Table E-1 (continued)

Nuclides	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Ingestion DCF (pSv/Bq)
RB-82M	370821	1.00E+00	D	7.60E+01	1.20E+02
RB-83	370830	1.00E+00	D	1.30E+03	2.10E+03
RB-84	370840	1.00E+00	D	1.80E+03	2.70E+03
RB-84M	370841	1.00E+00	D	4.60E+00	1.20E+01
RB-86	370860	1.00E+00	D	1.80E+03	2.50E+03
RB-86M	370861	1.00E+00	D	3.20E-01	8.40E-01
RB-87	370870	1.00E+00	D	8.70E+02	1.30E+03
RB-88	370880	1.00E+00	D	2.10E+01	4.40E+01
RB-89	370890	1.00E+00	D	9.90E+00	2.20E+01
RB-90	370900	1.00E+00	D	4.50E+00	1.30E+01
RB-90M	370901	1.00E+00	D	8.40E+00	2.50E+01
SR-81	380810	0.30E+00	D	1.80E+01	6.00E+01
SR-82	380820	0.30E+00	D	1.50E+04	5.80E+03
SR-83	380830	0.30E+00	D	3.80E+02	6.10E+02
SR-83M	380831	0.30E+00	D	2.50E-01	1.10E-01
SR-85	380850	0.30E+00	D	8.50E+02	5.30E+02
SR-85M	380851	0.30E+00	D	2.10E+00	6.30E+00
SR-87M	380871	0.30E+00	D	1.00E+01	3.30E+01
SR-89	380890	0.30E+00	D	1.00E+04	2.30E+03
SR-90	380900	0.30E+00	D	3.40E+05	3.30E+04
SR-91	380910	0.30E+00	D	3.90E+02	8.10E+02
SR-92	380920	0.30E+00	D	2.00E+02	5.10E+02
SR-93	380930	0.30E+00	D	7.30E+01	3.80E+01
SR-94	380940	0.30E+00	D	1.50E+01	8.00E+00
Y-85	390850	1.00E-04	Y	8.60E+02	4.50E+02
Y-85M	390851	1.00E-04	Y	1.70E+03	8.90E+02
Y-86	390860	1.00E-04	Y	4.30E+02	1.10E+03
Y-86M	390861	1.00E-04	Y	2.50E+01	6.40E+01
Y-87	390870	1.00E-04	Y	4.30E+02	6.00E+02
Y-87M	390871	1.00E-04	Y	2.40E+03	9.40E+02
Y-88	390880	1.00E-04	Y	5.70E+03	1.40E+03
Y-89M	390891	1.00E-04	Y	7.20E-01	3.80E-01
Y-90	390900	1.00E-04	Y	2.20E+03	2.70E+03
Y-90M	390901	1.00E-04	Y	1.20E+02	1.80E+ 2
Y-91	390910	1.00E-04	Y	1.20E+04	2.40E+03
Y-91M	390911	1.00E-04	Y	8.40E+00	1.00E+01
Y-92	390920	1.00E-04	Y	1.70E+02	5.10E+02
Y-93	390930	1.00E-04	Y	5.60E+02	1.20E+03
Y-93M	390931	1.00E-04	Y	8.20E-02	4.30E-02
Y-94	390940	1.00E-04	Y	1.80E+01	4.80E+01
Y-95	390950	1.00E-04	Y	9.60E+00	2.60E+01
Y-96	390960	1.00E-04	Y	9.60E-01	5.10E-01
Y-96M	390961	1.00E-04	Y	2.80E+00	1.50E+00
Y-96N	390962	1.00E-04	Y	3.30E+01	1.70E+01
Y-97	390970	1.00E-04	Y	1.20E+00	6.40E-01
Y-97M	390971	1.00E-04	Y	4.20E-01	2.20E-01
ZR-87	400870	2.00E-03	W	3.40E+02	2.00E+02
ZR-87M	400871	2.00E-03	W	9.00E-01	5.50E-01
ZR-88	400880	2.00E-03	W	6.10E+03	3.60E+02
ZR-89	400890	2.00E-03	W	5.70E+02	8.30E+02
ZR-89M	400891	2.00E-03	W	1.80E+01	8.50E+00
ZR-90M	400901	2.00E-03	W	5.40E-02	3.60E-02
ZR-93	400930	2.00E-03	W	8.70E+04	4.20E+02
ZR-95	400950	2.00E-03	W	5.10E+03	9.20E+02
ZR-97	400970	2.00E-03	W	1.10E+03	2.20E+03
ZR-98	400980	2.00E-03	W	2.50E+00	1.70E+00
NB-89	410890	0.01E+00	Y	3.60E+01	1.20E+02
NB-89M	410891	0.01E+00	Y	8.70E+01	2.70E+02
NB-90	410900	0.01E+00	Y	5.80E+02	1.30E+03
NB-90M	410901	0.01E+00	Y	6.80E-01	1.20E+00

Table E-1 (continued)

Nuclides	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Ingestion DCF (pSv/Bq)
NB-91	410910	0.01E+00	Y	3.90E+03	4.70E+01
NB-91M	410911	0.01E+00	Y	2.00E+03	3.80E+02
NB-92	410920	0.01E+00	Y	3.80E+04	1.10E+03
NB-92M	410921	0.01E+00	Y	5.50E+02	5.60E+02
NB-93M	410931	0.01E+00	Y	7.70E+03	1.20E+02
NB-94	410940	0.01E+00	Y	8.90E+04	1.70E+03
NB-94M	410941	0.01E+00	Y	1.30E-01	2.50E-01
NB-95	410950	0.01E+00	Y	1.20E+03	6.00E+02
NB-95M	410951	0.01E+00	Y	6.00E+02	5.50E+02
NB-96	410960	0.01E+00	Y	5.50E+02	1.20E+03
NB-97	410970	0.01E+00	Y	1.90E+01	6.10E+01
NB-97M	410971	0.01E+00	Y	8.70E-01	1.60E+00
NB-98	410980	0.01E+00	Y	4.50E-02	8.30E-02
NB-98M	410981	0.01E+00	Y	2.80E+01	9.30E+01
NB-99	410990	0.01E+00	Y	2.40E-01	4.20E-01
NB-99M	410991	0.01E+00	Y	3.10E+00	5.50E+00
NB-100	411000	0.01E+00	Y	9.90E-02	1.80E-01
NB-100M	411001	0.01E+00	Y	4.10E-02	7.70E-02
MO-91	420910	0.05E+00	Y	2.10E+01	4.00E+01
MO-91M	420911	0.05E+00	Y	2.60E+00	5.00E+00
MO-93	420930	0.05E+00	Y	7.50E+03	3.00E+02
MO-93M	420931	0.05E+00	Y	9.60E+01	3.10E+02
MO-99	420990	0.05E+00	Y	9.90E+02	1.20E+03
MO-101	421010	0.05E+00	Y	9.70E+00	2.50E+01
MO-102	421020	0.05E+00	Y	1.50E+01	2.80E+01
MO-103	421030	0.05E+00	Y	2.40E+00	4.40E+00
MO-104	421040	0.05E+00	Y	2.50E+00	4.80E+00
TC-94	430940	0.80E+00	W	7.30E+01	1.60E+02
TC-94M	430941	0.80E+00	W	3.20E+01	6.80E+01
TC-95	430950	0.80E+00	W	6.70E+01	1.20E+02
TC-95M	430951	0.80E+00	W	6.80E+02	3.80E+02
TC-96	430960	0.80E+00	W	6.30E+02	7.30E+02
TC-96M	430961	0.80E+00	W	5.60E+00	8.50E+00
TC-97	430970	0.80E+00	W	2.30E+02	4.00E+01
TC-97M	430971	0.80E+00	W	1.10E+03	2.90E+02
TC-98	430980	0.80E+00	W	4.50E+03	1.30E+03
TC-99	430990	0.80E+00	W	2.00E+03	3.50E+02
TC-99M	430991	0.80E+00	W	8.70E+00	1.60E+01
TC-100	431000	0.80E+00	W	6.20E-01	3.70E-01
TC-101	431010	0.80E+00	W	4.20E+00	1.00E+01
TC-102	431020	0.80E+00	W	3.00E-01	1.80E-01
TC-102M	431021	0.80E+00	W	2.40E+01	1.50E+01
TC-103	431030	0.80E+00	W	1.60E+00	9.40E-01
TC-104	431040	0.80E+00	W	1.80E+01	4.50E+01
TC-105	431050	0.80E+00	W	4.00E+01	2.40E+01
TC-106	431060	0.80E+00	W	4.40E+00	2.60E+00
RU-95	440950	0.50E+00	Y	1.10E+02	1.60E+02
RU-97	440970	0.50E+00	Y	1.10E+02	1.70E+02
RU-103	441030	0.50E+00	Y	2.10E+03	7.40E+02
RU-105	441050	0.50E+00	Y	1.10E+02	2.80E+02
RU-106	441060	0.50E+00	Y	1.20E+05	5.80E+03
RU-107	441070	0.50E+00	Y	4.40E+00	6.30E+00
RU-108	441080	0.50E+00	Y	6.90E+00	9.90E+00
RU-109	441090	0.50E+00	Y	1.30E+00	1.90E+00
RU-109M	441091	0.50E+00	Y	7.90E-01	1.10E+00
RU-110	441100	0.50E+00	Y	3.60E-01	5.20E-01
RH-98	450980	0.05E+00	Y	6.90E+01	3.70E+01
RH-98M	450981	0.05E+00	Y	2.90E+01	1.60E+01
RH-99	450990	0.05E+00	Y	7.00E+02	5.50E+02
RH-99M	450991	0.05E+00	Y	2.30E+01	7.40E+01

Table E-1 (continued)

Nuclides	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Ingestion DCF (pSv/Bq)
RH-100	451000	0.05E+00	Y	3.70E+02	8.40E+02
RH-100M	451001	0.05E+00	Y	3.70E+01	1.80E+01
RH-101	451010	0.05E+00	Y	8.60E+03	6.10E+02
RH-101M	451011	0.05E+00	Y	1.80E+02	2.40E+02
RH-102	451020	0.05E+00	Y	2.30E+04	2.30E+03
RH-102M	451021	0.05E+00	Y	1.10E+04	9.50E+02
RH-103M	451031	0.05E+00	Y	1.20E+00	3.10E+00
RH-104	451040	0.05E+00	Y	1.80E+00	9.80E-01
RH-104M	451041	0.05E+00	Y	1.30E+01	6.80E+00
RH-105	451050	0.05E+00	Y	2.40E+02	3.70E+02
RH-105M	451051	0.05E+00	Y	6.90E-01	3.20E-01
RH-106	451060	0.05E+00	Y	2.10E+00	1.10E+00
RH-106M	451061	0.05E+00	Y	5.30E+01	1.60E+02
RH-107	451070	0.05E+00	Y	5.70E+00	1.40E+01
RH-108	451080	0.05E+00	Y	1.70E+00	9.10E-01
RH-108M	451081	0.05E+00	Y	4.90E+01	2.60E+01
RH-109	451090	0.05E+00	Y	5.70E+00	3.00E+00
RH-110	451100	0.05E+00	Y	3.10E-01	1.70E-01
RH-110M	451101	0.05E+00	Y	4.30E+00	2.30E+00
RH-111	451110	0.05E+00	Y	1.50E+00	7.70E-01
RH-112	451120	0.05E+00	Y	2.40E-01	1.20E-01
PD-99	460990	5.00E-03	Y	4.30E+01	6.70E+01
PD-100	461000	5.00E-03	Y	1.00E+03	1.00E+03
PD-101	461010	5.00E-03	Y	4.50E+01	1.00E+02
PD-103	461030	5.00E-03	Y	3.80E+02	1.90E+02
PD-107	461070	5.00E-03	Y	3.40E+03	3.80E+01
PD-107M	461071	5.00E-03	Y	7.90E-02	1.30E-01
PD-109	461090	5.00E-03	Y	2.90E+02	5.90E+02
PD-109M	461091	5.00E-03	Y	3.10E+00	4.90E+00
PD-111	461110	5.00E-03	Y	2.70E+01	4.00E+01
PD-111M	461111	5.00E-03	Y	5.60E+02	8.60E+02
PD-112	461120	5.00E-03	Y	2.90E+03	4.20E+03
PD-113	461130	5.00E-03	Y	4.10E+00	6.60E+00
PD-113M	461131	5.00E-03	Y	7.10E+00	1.10E+01
PD-114	461140	5.00E-03	Y	7.00E+00	1.10E+01
AG-103	471030	0.05E+00	Y	1.40E+01	3.70E+01
AG-103M	471031	0.05E+00	Y	9.30E-02	1.40E-01
AG-104	471040	0.05E+00	Y	1.90E+01	6.10E+01
AG-104M	471041	0.05E+00	Y	1.40E+01	4.10E+01
AG-105	471050	0.05E+00	Y	1.20E+03	5.20E+02
AG-105M	471051	0.05E+00	Y	5.30E-01	5.00E-01
AG-106	471060	0.05E+00	Y	7.50E+00	2.10E+01
AG-106M	471061	0.05E+00	Y	2.00E+03	1.70E+03
AG-107M	471071	0.05E+00	Y	5.70E-02	8.40E-02
AG-108	471080	0.05E+00	Y	1.20E+00	1.80E+00
AG-108M	471081	0.05E+00	Y	5.40E+04	2.00E+03
AG-109M	471091	0.05E+00	Y	4.80E-02	7.10E-02
AG-110	471100	0.05E+00	Y	4.10E-01	6.00E-01
AG-110M	471101	0.05E+00	Y	1.40E+04	2.90E+03
AG-111	471110	0.05E+00	Y	1.60E+03	1.20E+03
AG-111M	471111	0.05E+00	Y	2.20E-01	2.00E-01
AG-112	471120	0.05E+00	Y	1.70E+02	4.30E+02
AG-113	471130	0.05E+00	Y	2.20E+02	3.30E+02
AG-113M	471131	0.05E+00	Y	1.00E+00	1.50E+00
AG-114	471140	0.05E+00	Y	1.40E-01	2.00E-01
AG-114M	471141	0.05E+00	Y	7.20E+00	1.10E+01
AG-115	471150	0.05E+00	Y	1.70E+01	4.20E+01
AG-115M	471151	0.05E+00	Y	6.80E-01	9.10E-01
AG-116	471160	0.05E+00	Y	8.10E+00	1.20E+01
AG-116M	471161	0.05E+00	Y	4.40E-01	6.50E-01

Table E-1 (continued)

Nuclides	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Ingestion DCF (pSv/Bq)
CD-105	481050	0.50E+00	Y	3.80E+02	2.00E+02
CD-107	481070	0.50E+00	Y	2.70E+01	6.70E+01
CD-109	481090	0.50E+00	Y	2.80E+04	3.20E+03
CD-111M	481111	0.50E+00	Y	3.40E+01	4.40E+01
CD-113	481130	0.50E+00	Y	4.20E+05	4.30E+04
CD-113M	481131	0.50E+00	Y	3.80E+05	4.00E+04
CD-115	481150	0.50E+00	Y	1.00E+03	1.30E+03
CD-115M	481151	0.50E+00	Y	1.80E+04	4.20E+03
CD-117	481170	0.50E+00	Y	1.20E+02	2.90E+02
CD-117M	481171	0.50E+00	Y	1.10E+02	3.00E+02
CD-118	481180	0.50E+00	Y	5.00E+02	2.60E+02
CD-119	481190	0.50E+00	Y	4.10E+01	2.20E+01
CD-119M	481191	0.50E+00	Y	4.00E+01	2.10E+01
CD-120	481200	0.50E+00	Y	1.70E+01	8.90E+00
CD-121	481210	0.50E+00	Y	4.60E+00	2.40E+00
CD-121M	481211	0.50E+00	Y	3.20E+00	1.70E+00
CD-122	481220	0.50E+00	Y	1.80E+00	9.50E-01
CD-123	481230	0.50E+00	Y	1.70E+00	8.90E-01
IN-110	491100	0.02E+00	W	3.00E+01	9.90E+01
IN-110M	491101	0.02E+00	W	8.10E+01	2.70E+02
IN-111	491110	0.02E+00	W	2.10E+02	3.30E+02
IN-111M	491111	0.02E+00	W	2.90E+01	1.10E+01
IN-112	491120	0.02E+00	W	2.20E+00	5.80E+00
IN-112M	491121	0.02E+00	W	9.70E+01	4.50E+01
IN-113M	491131	0.02E+00	W	9.20E+00	2.70E+01
IN-114	491140	0.02E+00	W	2.93E+00	1.30E+00
IN-114M	491141	0.02E+00	W	2.10E+04	4.00E+03
IN-115	491150	0.02E+00	W	9.30E+05	3.80E+04
IN-115M	491151	0.02E+00	W	3.20E+01	9.10E+01
IN-116	491160	0.02E+00	W	1.00E+00	4.70E-01
IN-116M	491161	0.02E+00	W	1.70E+01	5.60E+01
IN-117	491170	0.02E+00	W	8.00E+00	2.40E+01
IN-117M	491171	0.02E+00	W	4.00E+01	1.10E+02
IN-118	491180	0.02E+00	W	5.30E-01	2.50E-01
IN-118M	491181	0.02E+00	W	4.60E+01	2.10E+01
IN-118N	491182	0.02E+00	W	1.50E+00	7.10E-01
IN-119	491190	0.02E+00	W	1.00E+01	4.80E+00
IN-119M	491191	0.02E+00	W	1.10E+01	2.70E+01
IN-120	491200	0.02E+00	W	9.00E+00	4.20E+00
IN-120M	491201	0.02E+00	W	4.30E-01	2.00E-01
IN-121	491210	0.02E+00	W	2.40E+00	1.10E+00
IN-121M	491211	0.02E+00	W	2.10E+01	9.40E+00
IN-122	491220	0.02E+00	W	2.30E-01	1.10E-01
IN-122M	491221	0.02E+00	W	2.40E+00	1.10E+00
IN-122N	491222	0.02E+00	W	2.10E+00	9.50E-01
IN-123	491230	0.02E+00	W	7.70E-01	3.50E-01
IN-123M	491231	0.02E+00	W	5.20E+00	2.40E+00
IN-124	491240	0.02E+00	W	8.00E-01	3.70E-01
IN-124M	491241	0.02E+00	W	6.80E-01	3.20E-01
IN-125	491250	0.02E+00	W	4.20E-01	1.80E-01
IN-125M	491251	0.02E+00	W	1.90E+00	8.20E-01
IN-126	491260	0.02E+00	W	4.10E-01	1.90E-01
IN-126M	491261	0.02E+00	W	4.70E-01	2.20E-01
SN-111	501110	0.02E+00	W	6.00E+00	1.90E+01
SN-113	501130	0.02E+00	W	2.40E+03	7.40E+02
SN-113M	501131	0.02E+00	W	1.60E+00	4.30E-01
SN-117M	501171	0.02E+00	W	9.30E+02	7.10E+02
SN-119M	501191	0.02E+00	W	1.40E+03	3.30E+02
SN-121	501210	0.02E+00	W	1.30E+02	2.30E+02
SN-121M	501211	0.02E+00	W	2.40E+03	3.70E+02

Table E-1 (continued)

Nuclides	ZA Number	f1	LCC	Inhalation OCF (pSv/Bq)	Ingestion OCF (pSv/Bq)
SN-123	501230	0.02E+00	W	8.10E+03	2.10E+03
SN-123M	501231	0.02E+00	W	1.10E+01	2.90E+01
SN-125	501250	0.02E+00	W	3.90E+03	3.00E+03
SN-125M	501251	0.02E+00	W	2.50E+01	1.60E+01
SN-126	501260	0.02E+00	W	2.30E+04	4.70E+03
SN-127	501270	0.02E+00	W	7.30E+01	2.00E+02
SN-127M	501271	0.02E+00	W	2.30E+01	1.30E+01
SN-128	501280	0.02E+00	W	5.00E+01	1.40E+02
SN-128M	501281	0.02E+00	W	2.40E+00	1.50E+00
SN-129	501290	0.02E+00	W	2.70E+01	1.80E+01
SN-129M	501291	0.02E+00	W	8.70E+01	5.60E+01
SN-130	501300	0.02E+00	W	4.60E+01	2.90E+01
SN-130M	501301	0.02E+00	W	2.30E+01	1.50E+01
SB-116	511160	0.01E+00	W	5.00E+00	1.50E+01
SB-116M	511161	0.01E+00	W	2.00E+01	6.60E+01
SB-117	511170	0.01E+00	W	6.20E+00	2.00E+01
SB-118	511180	0.01E+00	W	3.00E+00	7.10E+00
SB-118M	511181	0.01E+00	W	6.90E+01	2.50E+02
SB-119	511190	0.01E+00	W	5.10E+01	9.20E+01
SB-120	511200	0.01E+00	W	3.10E+00	8.20E+00
SB-120M	511201	0.01E+00	W	1.00E+03	1.40E+02
SB-122	511220	0.01E+00	W	1.30E+03	1.70E+03
SB-122M	511221	0.01E+00	W	2.10E+00	3.40E+00
SB-124	511240	0.01E+00	W	5.60E+03	2.60E+03
SB-124M	511241	0.01E+00	W	4.70E-01	9.30E-01
SB-124N	511242	0.01E+00	W	2.30E+00	5.40E+00
SB-125	511250	0.01E+00	W	2.60E+03	7.00E+02
SB-126	511260	0.01E+00	W	2.70E+03	2.70E+03
SB-126M	511261	0.01E+00	W	7.40E+00	2.00E+01
SB-126N	511262	0.01E+00	W	2.00E-01	4.70E-01
SB-127	511270	0.01E+00	W	1.50E+03	1.80E+03
SB-128	511280	0.01E+00	W	2.80E+02	8.50E+02
SB-128M	511281	0.01E+00	W	3.70E+00	1.40E+01
SB-129	511290	0.01E+00	W	1.50E+02	4.70E+02
SB-129M	511291	0.01E+00	W	2.10E+01	4.90E+01
SB-130	511300	0.01E+00	W	1.10E+01	2.60E+01
SB-130M	511301	0.01E+00	W	2.20E+01	6.90E+01
SB-131	511310	0.01E+00	W	3.40E+01	6.90E+01
SB-131M	511311	0.01E+00	W	4.70E+01	1.10E+02
SB-132	511320	0.01E+00	W	8.60E+01	1.70E+01
SB-132M	511321	0.01E+00	W	1.30E+01	2.50E+01
TE-117	521170	0.20E+00	W	1.00E+03	9.70E+02
TE-117M	521171	0.20E+00	W	3.20E-02	3.10E-02
TE-118	521180	0.20E+00	W	6.90E+04	3.50E+04
TE-119	521190	0.20E+00	W	6.70E+03	6.10E+03
TE-119M	521191	0.20E+00	W	5.70E+02	7.90E+02
TE-121	521210	0.20E+00	W	4.40E+02	4.10E+02
TE-121M	521211	0.20E+00	W	3.50E+03	1.80E+03
TE-123	521230	0.20E+00	W	2.80E+03	1.10E+03
TE-123M	521231	0.20E+00	W	2.50E+03	1.40E+03
TE-125M	521251	0.20E+00	W	1.90E+03	9.20E+02
TE-127	521270	0.20E+00	W	7.80E+01	1.80E+02
TE-127M	521271	0.20E+00	W	5.30E+03	2.20E+03
TE-129	521290	0.20E+00	W	2.10E+01	5.20E+01
TE-129M	521291	0.20E+00	W	5.50E+03	2.70E+03
TE-131	521310	0.20E+00	W	2.70E+01	5.10E+01
TE-131M	521311	0.20E+00	W	1.20E+03	1.50E+03
TE-132	521320	0.20E+00	W	1.90E+03	2.00E+03
TE-133	521330	0.20E+00	W	2.10E+01	4.10E+01
TE-133M	521331	0.20E+00	W	9.30E+01	1.80E+02

Table E-1 (continued)

Nuclides	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Ingestion DCF (pSv/Bq)
I-122	531220	1.00E+00	D	1.10E+02	3.90E+02
I-123	531230	1.00E+00	D	8.80E+01	1.20E+02
I-124	531240	1.00E+00	D	5.10E+03	8.40E+03
I-125	531250	1.00E+00	D	5.80E+03	9.20E+03
I-126	531260	1.00E+00	D	1.10E+04	1.70E+04
I-128	531280	1.00E+00	D	1.20E+01	2.30E+01
I-129	531290	1.00E+00	D	4.20E+04	6.60E+04
I-130	531300	1.00E+00	D	6.70E+02	1.20E+03
I-130M	531301	1.00E+00	D	3.60E+02	1.30E+03
I-131	531310	1.00E+00	D	8.00E+03	1.30E+04
I-132	531320	1.00E+00	D	8.50E+01	1.40E+02
I-132M	531321	1.00E+00	D	7.00E+01	1.30E+02
I-133	531330	1.00E+00	D	1.30E+03	2.50E+03
I-133M	531331	1.00E+00	D	6.10E+00	2.10E+01
I-134	531340	1.00E+00	D	2.90E+01	5.00E+01
I-134M	531341	1.00E+00	D	1.90E+02	6.90E+02
I-135	531350	1.00E+00	D	2.80E+02	4.80E+02
I-136	531360	1.00E+00	D	9.00E+01	3.20E+02
I-136M	531361	1.00E+00	D	4.70E+01	1.70E+02
CS-126	551260	1.00E+00	D	1.50E+00	3.20E+00
CS-127	551270	1.00E+00	D	1.40E+01	2.10E+01
CS-128	551280	1.00E+00	D	2.40E+00	5.00E+00
CS-129	551290	1.00E+00	D	4.00E+01	5.50E+01
CS-130	551300	1.00E+00	D	7.20E+00	1.30E+01
CS-131	551310	1.00E+00	D	4.10E+01	5.90E+01
CS-132	551320	1.00E+00	D	3.00E+02	4.70E+02
CS-134	551340	1.00E+00	D	1.10E+01	1.70E+04
CS-134M	551341	1.00E+00	D	9.60E+00	1.10E+01
CS-135	551350	1.00E+00	D	1.10E+03	1.70E+03
CS-135M	551351	1.00E+00	D	6.80E+00	1.40E+01
CS-136	551360	1.00E+00	D	1.80E+03	2.80E+03
CS-136M	551361	1.00E+00	D	1.50E-01	1.60E-01
CS-137	551370	1.00E+00	D	7.70E+03	1.20E+04
CS-138	551380	1.00E+00	D	2.40E+01	4.20E+01
CS-138M	551381	1.00E+00	D	4.70E+00	9.90E+00
CS-139	55139	1.00E+00	D	1.00E+01	2.20E+01
CS-140	551400	1.00E+00	D	1.90E+00	3.50E+00
BA-127	561270	0.10E+00	D	1.50E+01	3.70E+01
BA-128	561280	0.10E+00	D	7.60E+02	2.70E+03
BA-129	561290	0.10E+00	D	7.50E+01	1.80E+02
BA-129M	561291	0.10E+00	D	7.30E+01	1.70E+02
BA-131	561310	0.10E+00	D	1.80E+02	4.40E+02
BA-131M	561311	0.10E+00	D	1.00E+00	2.70E+00
BA-133	561330	0.10E+00	D	1.90E+03	8.50E+02
BA-133M	561331	0.10E+00	D	1.50E+02	5.30E+02
BA-135M	561351	0.10E+00	D	1.20E+02	4.20E+02
BA-136M	561361	0.10E+00	D	5.90E-03	1.50E-02
BA-137M	561371	0.10E+00	D	9.60E-01	2.40E+00
BA-139	561390	0.10E+00	D	4.40E+01	1.10E+02
BA-140	561400	0.10E+00	D	9.60E+02	2.30E+03
BA-141	561410	0.10E+00	D	2.00E+01	5.50E+01
BA-142	561420	0.10E+00	D	9.60E+00	2.80E+01
LA-132	571320	1.00E-03	W	1.40E+02	4.10E+02
LA-132M	571321	1.00E-03	W	4.60E+01	1.10E+02
LA-133	571330	1.00E-03	W	2.80E+01	7.00E+01
LA-134	571340	1.00E-03	W	5.90E+00	1.50E+01
LA-135	571350	1.00E-03	W	1.40E+01	3.60E+01
LA-136	571360	1.00E-03	W	4.40E+00	1.10E+01
LA-136M	571361	1.00E-03	W	1.00E-03	2.60E-03
LA-137	571370	1.00E-03	W	1.90E+04	1.20E+02

Table E-1 (continued)

Nuclides	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Ingestion DCF (pSv/Bq)
LA-138	571380	1.00E-03	W	3.80E+05	1.60E+03
LA-140	571400	1.00E-03	W	1.20E+03	2.10E+03
LA-141	571410	1.00E-03	W	1.50E+02	3.70E+02
LA-142	571420	1.00E-03	W	6.00E+01	1.70E+02
LA-143	571430	1.00E-03	W	1.50E+01	3.80E+01
LA-144	571440	1.00E-03	W	1.40E+00	3.60E+00
CE-133	581330	3.00E-04	Y	3.90E+03	5.10E+02
CE-133M	581331	3.00E-04	Y	1.10E+03	1.40E+02
CE-134	581340	3.00E-04	Y	2.00E+03	2.40E+03
CE-135	581350	3.00E-04	Y	3.90E+02	8.80E+02
CE-135M	581351	3.00E-04	Y	3.60E+00	4.50E-01
CE-137	581370	3.00E-04	Y	1.00E+01	2.70E+01
CE-137M	581371	3.00E-04	Y	3.40E+02	5.50E+02
CE-139	581390	3.00E-04	Y	2.00E+03	2.80E+02
CE-139M	581391	3.00E-04	Y	7.30E+00	9.60E-01
CE-141	581410	3.00E-04	Y	2.30E+03	7.00E+02
CE-142	581420	3.00E-04	Y	1.10E+07	2.70E+04
CE-143	581430	3.00E-04	Y	8.50E+02	1.10E+03
CE-144	581440	3.00E-04	Y	9.50E+04	5.40E+03
CE-145	581450	3.00E-04	Y	6.60E+01	8.70E+00
CE-146	581460	3.00E-04	Y	4.40E+02	5.70E+01
CE-147	581470	3.00E-04	Y	2.90E+01	3.70E+00
CE-148	581480	3.00E-04	Y	2.80E+01	3.70E+00
PR-137	591370	3.00E-04	Y	9.70E+00	3.60E+01
PR-138	591380	3.00E-04	Y	3.10E+00	4.80E+00
PR-138M	591381	3.00E-04	Y	3.20E+01	1.30E+02
PR-139	591390	3.00E-04	Y	1.30E+01	3.40E+01
PR-140	591400	3.00E-04	Y	4.00E+00	6.20E+00
PR-142	591420	3.00E-04	Y	7.30E+02	1.40E+03
PR-142M	591421	3.00E-04	Y	9.70E+00	1.70E+01
PR-143	591430	3.00E-04	Y	2.00E+03	1.20E+03
PR-144	591440	3.00E-04	Y	1.10E+01	3.00E+01
PR-144M	591441	3.00E-04	Y	1.00E+01	1.60E+01
PR-145	591450	3.00E-04	Y	1.70E+02	4.20E+02
PR-146	591460	3.00E-04	Y	6.70E+01	1.00E+02
PR-147	591470	3.00E-04	Y	7.40E+00	1.80E+01
PR-148	591480	3.00E-04	Y	6.10E+00	9.40E+00
PR-148M	591481	3.00E-04	Y	5.70E+00	8.90E+00
PR-149	591490	3.00E-04	Y	6.30E+00	9.30E+00
PR-150	591500	3.00E-04	Y	3.90E-01	6.10E-01
ND-138	601380	3.00E-04	Y	2.60E+02	6.80E+02
ND-139	601390	3.00E-04	Y	4.60E+00	1.50E+01
ND-139M	601391	3.00E-04	Y	9.30E+01	2.80E+02
ND-140	601400	3.00E-04	Y	1.50E+03	1.70E+03
ND-141	601410	3.00E-04	Y	2.20E+00	8.60E+00
ND-141M	601411	3.00E-04	Y	2.30E+00	9.70E-01
ND-144	601440	3.00E-04	Y	1.60E+07	3.90E+04
ND-147	601470	3.00E-04	Y	1.80E+03	1.10E+03
ND-149	601490	3.00E-04	Y	5.50E+01	1.20E+02
ND-151	601510	3.00E-04	Y	6.70E+01	2.00E+01
ND-152	601520	3.00E-04	Y	6.10E+01	2.60E+01
PM-141	611410	3.00E-04	Y	7.80E+00	2.30E+01
PM-142	611420	3.00E-04	Y	1.70E+00	2.10E+00
PM-143	611430	3.00E-04	Y	2.30E+03	2.60E+02
PM-144	611440	3.00E-04	Y	1.20E+04	1.10E+03
PM-145	611450	3.00E-04	Y	7.20E+03	1.20E+02
PM-146	611460	3.00E-04	Y	3.10E+04	8.80E+02
PM-147	611470	3.00E-04	Y	9.30E+03	2.60E+02
PM-148	611480	3.00E-04	Y	2.80E+03	2.60E+03
PM-148M	611481	3.00E-04	Y	4.70E+03	1.90E+03

Table E-1 (continued)

Nuclides	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Ingestion DCF (pSv/Bq)
PM-149	611490	3.00E-04	Y	7.60E+02	9.90E+02
PM-150	611500	3.00E-04	Y	7.80E+01	2.60E+02
PM-151	611510	3.00E-04	Y	4.40E+02	7.70E+02
PM-152	611520	3.00E-04	Y	7.00E+00	8.80E+00
PM-152M	611521	3.00E-04	Y	2.00E+01	2.50E+01
PM-152N	611522	3.00E-04	Y	5.90E+01	7.50E+01
PM-153	611530	3.00E-04	Y	6.20E+00	7.20E+00
PM-154	611540	3.00E-04	Y	5.00E+00	6.30E+00
PM-154M	611541	3.00E-04	Y	8.10E+00	1.00E+01
PM-155	611550	3.00E-04	Y	1.80E+00	2.30E+00
SM-142	621420	3.00E-04	W	5.00E+01	1.60E+02
SM-143	621430	3.00E-04	W	3.90E+01	1.10E+01
SM-143M	621431	3.00E-04	W	8.30E+00	2.30E+00
SM-145	621450	3.00E-04	W	2.70E+03	2.20E+02
SM-146	621460	3.00E-04	W	2.10E+07	5.30E+04
SM-147	621470	3.00E-04	W	1.90E+07	4.80E+04
SM-148	621480	3.00E-04	W	1.70E+07	4.20E+04
SM-149	621490	3.00E-04	W	1.50E+07	3.90E+04
SM-151	621510	3.00E-04	W	7.70E+03	9.20E+01
SM-153	621530	3.00E-04	W	4.80E+02	7.20E+02
SM-155	621550	3.00E-04	W	6.40E+00	1.80E+01
SM-156	621560	3.00E-04	W	1.50E+02	2.70E+02
SM-157	621570	3.00E-04	W	6.30E+01	1.70E+01
EU-144	631440	1.00E-04	W	4.80E-01	6.50E-01
EU-145	631450	1.00E-04	W	6.90E+02	8.60E+02
EU-146	631460	1.00E-04	W	1.00E+03	1.40E+03
EU-147	631470	1.00E-04	W	8.20E+02	4.80E+02
EU-148	631480	1.00E-04	W	3.80E+03	1.40E+03
EU-149	631490	1.00E-04	W	4.40E+02	1.10E+02
EU-150	631500	1.00E-04	W	1.60E+02	4.00E+02
EU-150M	631501	1.00E-04	W	7.30E+04	1.70E+03
EU-152	631520	1.00E-04	W	5.80E+04	1.60E+03
EU-152M	631521	1.00E-04	W	2.10E+02	5.10E+02
EU-152N	631522	1.00E-04	W	8.10E+01	1.10E+02
EU-154	631540	1.00E-04	W	6.90E+04	2.50E+03
EU-154M	631541	1.00E-04	W	6.60E+00	8.80E+00
EU-155	631550	1.00E-04	W	1.10E+04	3.70E+02
EU-156	631560	1.00E-04	W	3.00E+03	2.40E+01
EU-157	631570	1.00E-04	W	2.70E+02	6.30E+02
EU-158	631580	1.00E-04	W	2.30E+01	7.00E+01
EU-159	631590	1.00E-04	W	2.50E+01	3.40E+01
EU-160	631600	1.00E-04	W	2.50E+00	3.40E+00
GD-145	641450	3.00E-04	W	8.80E+00	2.90E+01
GD-145M	641451	3.00E-04	W	2.40E+01	5.50E+00
GD-146	641460	3.00E-04	W	1.00E+04	1.00E+03
GD-147	641470	3.00E-04	W	3.90E+02	6.90E+02
GD-148	641480	3.00E-04	W	8.90E+07	5.60E+04
GD-149	641490	3.00E-04	W	6.10E+02	5.00E+02
GD-150	641500	3.00E-04	W	8.30E+07	5.20E+04
GD-151	641510	3.00E-04	W	2.20E+03	2.10E+02
GD-152	641520	3.00E-04	W	6.60E+07	4.20E+04
GD-153	641530	3.00E-04	W	5.60E+03	2.90E+02
GD-159	641590	3.00E-04	W	2.40E+02	5.10E+02
GD-161	641610	3.00E-04	W	2.30E+01	5.20E+00
GD-162	641620	3.00E-04	W	1.20E+02	2.90E+01
GD-163	641630	3.00E-04	W	1.80E+01	4.20E+00
GD-164	641640	3.00E-04	W	3.80E-01	9.10E-02
TB-150	651500	3.00E-04	W	6.40E+01	2.60E+02
TB-150M	651501	3.00E-04	W	1.00E+01	1.70E+01
TB-151	651510	3.00E-04	W	1.50E+02	3.80E+02

Table E-1 (continued)

Nucl des	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Ingestion DCF (pSv/Bq)
TB-151M	651511	3.00E-04	W	7.90E-01	8.20E-01
TB-152	651520	3.00E-04	W	1.20E+03	1.80E+03
TB-152M	651521	3.00E-04	W	7.70E+00	1.20E+01
TB-153	651530	3.00E-04	W	1.90E+02	2.60E+02
TB-154	651540	3.00E-04	W	3.20E+02	7.80E+02
TB-154M	651541	3.00E-04	W	7.50E+02	1.20E+03
TB-154N	651542	3.00E-04	W	2.40E+03	3.50E+03
TB-155	651550	3.00E-04	W	1.80E+02	2.20E+02
TB-156	651560	3.00E-04	W	9.90E+02	1.30E+03
TB-156M	651561	3.00E-04	W	5.00E+01	8.80E+01
TB-156N	651562	3.00E-04	W	1.80E+02	1.90E+02
TB-157	651570	3.00E-04	W	2.40E+03	2.80E+01
TB-158	651580	3.00E-04	W	6.80E+04	1.10E+03
TB-158M	651581	3.00E-04	W	1.40E-02	2.20E-02
TB-160	651600	3.00E-04	W	5.90E+03	1.70E+03
TB-161	651610	3.00E-04	W	8.40E+02	7.10E+02
TB-162	651620	3.00E-04	W	9.00E+00	1.50E+01
TB-163	651630	3.00E-04	W	1.60E+01	2.60E+01
TB-164	651640	3.00E-04	W	5.90E+00	9.70E+00
TB-165	651650	3.00E-04	W	6.80E-01	1.10E+00
TB-166	651660	3.00E-04	W	2.10E+00	3.10E+00
DY-153	661530	3.00E-04	W	6.20E+02	5.60E+02
DY-154	661540	3.00E-04	W	2.30E+07	5.80E+04
DY-155	661550	3.00E-04	W	5.30E+01	1.50E+02
DY-157	661570	3.00E-04	W	2.10E+01	7.30E+01
DY-159	661590	3.00E-04	W	5.60E+02	1.10E+02
DY-165	661650	3.00E-04	W	2.90E+01	9.70E+01
DY-165M	661651	3.00E-04	W	1.10E+00	1.10E+00
DY-166	661660	3.00E-04	W	1.90E+03	1.70E+03
DY-167	661670	3.00E-04	W	1.80E+01	1.80E+01
DY-168	661680	3.00E-04	W	3.10E+02	3.10E+02
DY-169	661690	3.00E-04	W	5.20E-01	5.10E-01
DY-170	661700	3.00E-04	W	1.20E+01	1.20E+01
HO-158	671580	3.00E-04	W	2.80E+02	7.80E+01
HO-158M	671581	3.00E-04	W	5.30E+02	1.50E+02
HO-158N	671582	3.00E-04	W	8.40E+02	2.30E+02
HO-159	671590	3.00E-04	W	1.30E+00	6.30E+00
HO-159M	671591	3.00E-04	W	1.20E-01	3.50E-01
HO-160	671600	3.00E-04	W	6.60E+01	2.00E+02
HO-160M	671601	3.00E-04	W	1.10E+03	3.20E+03
HO-160N	671602	3.00E-04	W	2.00E+00	5.50E-01
HO-161	671610	3.00E-04	W	3.20E+00	1.30E+01
HO-161M	671611	3.00E-04	W	4.90E-02	1.50E-01
HO-162	671620	3.00E-04	W	5.60E-01	1.80E+00
HO-163	671630	3.00E-04	W	3.10E+02	3.60E+01
HO-163M	671631	3.00E-04	W	8.40E-02	2.30E-02
HO-164	671640	3.00E-04	W	2.20E+00	6.50E+00
HO-164M	671641	3.00E-04	W	4.50E+00	1.30E+01
HO-166	671660	3.00E-04	W	7.70E+02	1.50E+03
HO-166M	671661	3.00E-04	W	2.00E+05	2.10E+03
HO-167	671670	3.00E-04	W	2.30E+01	8.50E+01
HO-168	671680	3.00E-04	W	6.80E+00	2.00E+01
HO-169	671690	3.00E-04	W	6.80E+00	2.00E+01
HO-170	671700	3.00E-04	W	3.80E+00	1.10E+01
HO-170M	671701	3.00E-04	W	9.80E+00	2.90E+01
HO-171	671710	3.00E-04	W	2.10E+00	6.20E+00
HO-172	671720	3.00E-04	W	2.90E+00	6.10E+00
ER-160	681600	3.00E-04	W	4.00E+03	4.80E+03
ER-161	681610	3.00E-04	W	2.10E+01	9.00E+01
ER-163	681630	3.00E-04	W	3.40E+00	4.90E+00

Table E-1 (continued)

Nuclides	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Ingestion DCF (pSv/Bq)
ER-165	681650	3.00E-04	W	7.30E+00	2.10E+01
ER-167M	681671	3.00E-04	W	7.60E-03	1.10E-02
ER-169	681690	3.00E-04	W	5.40E+02	3.80E+02
ER-171	681710	3.00E-04	W	1.40E+02	3.80E+02
ER-172	681720	3.00E-04	W	9.40E+02	1.00E+03
ER-173	681730	3.00E-04	W	3.00E+00	4.20E+00
TM-163	691630	3.00E-04	W	4.10E+02	2.10E+02
TM-164	691640	3.00E-04	W	7.10E+00	3.60E+00
TM-164M	691641	3.00E-04	W	3.00E+01	1.50E+01
TM-165	691650	3.00E-04	W	3.30E+03	1.40E+03
TM-166	691660	3.00E-04	W	9.30E+01	3.20E+02
TM-167	691670	3.00E-04	W	7.10E+02	5.60E+02
TM-168	691680	3.00E-04	W	2.30E+04	5.10E+03
TM-170	691700	3.00E-04	W	6.30E+03	1.40E+03
TM-171	691710	3.00E-04	W	2.30E+03	1.10E+02
TM-172	691720	3.00E-04	W	1.20E+03	1.60E+03
TM-173	691730	3.00E-04	W	1.20E+02	3.30E+02
TM-174	691740	3.00E-04	W	3.40E+01	1.70E+01
TM-175	691750	3.00E-04	W	5.30E+00	1.50E+01
TM-176	691760	3.00E-04	W	1.50E+01	7.50E+00
YB-164	701640	3.00E-04	Y	9.10E+01	1.50E+02
YB-165	701650	3.00E-04	Y	7.70E+00	1.20E+01
YB-166	701660	3.00E-04	Y	7.40E+02	1.00E+03
YB-167	701670	3.00E-04	Y	1.90E+00	4.60E+00
YB-169	701690	3.00E-04	Y	1.90E+03	7.60E+02
YB-169M	701691	3.00E-04	Y	4.40E-02	4.40E-02
YB-175	701750	3.00E-04	Y	4.20E+02	4.30E+02
YB-176M	701761	3.00E-04	Y	1.30E-01	2.20E-01
YB-177	701770	3.00E-04	Y	3.00E+01	8.40E+01
YB-177M	701771	3.00E-04	Y	7.60E-02	1.20E-01
YB-178	701780	3.00E-04	Y	3.70E+01	1.10E+02
YB-179	701790	3.00E-04	Y	5.00E+00	8.30E+00
LU-167	711670	3.00E-04	Y	6.00E+02	1.70E+03
LU-168	711680	3.00E-04	Y	3.60E+00	1.00E+01
LU-168M	711681	3.00E-04	Y	8.00E+00	2.30E+01
LU-169	711690	3.00E-04	Y	3.30E+02	5.40E+02
LU-169M	711691	3.00E-04	Y	1.90E+01	4.20E+01
LU-170	711700	3.00E-04	Y	6.80E+02	1.20E+03
LU-170M	711701	3.00E-04	Y	1.50E-01	3.00E-01
LU-171	711710	3.00E-04	Y	7.10E+02	7.00E+02
LU-171M	711711	3.00E-04	Y	2.70E+00	4.50E+00
LU-172	711720	3.00E-04	Y	1.20E+03	1.40E+03
LU-172M	711721	3.00E-04	Y	2.10E+01	3.20E+01
LU-173	711730	3.00E-04	Y	5.00E+03	2.70E+02
LU-174	711740	3.00E-04	Y	8.50E+03	2.70E+02
LU-174M	711741	3.00E-04	Y	6.10E+03	1.00E+02
LU-176	711760	3.00E-04	Y	1.70E+05	1.80E+03
LU-176M	711761	3.00E-04	Y	5.90E+01	1.70E+02
LU-177	711770	3.00E-04	Y	6.40E+02	5.30E+02
LU-177M	711771	3.00E-04	Y	1.70E+04	1.80E+03
LU-178	711780	3.00E-04	Y	1.20E+01	3.30E+01
LU-178M	711781	3.00E-04	Y	7.90E+00	2.40E+01
LU-179	711790	3.00E-04	Y	8.60E+01	2.20E+02
LU-180	711800	3.00E-04	Y	6.80E+01	2.00E+02
LU-181	711810	3.00E-04	Y	3.00E+01	8.30E+01
LU-182	711820	3.00E-04	Y	2.10E+01	6.10E+01
HF-169	721690	2.00E-03	W	6.80E+00	7.00E+00
HF-170	721700	2.00E-03	W	3.00E+02	5.10E+02
HF-171	721710	2.00E-03	W	5.50E+02	5.30E+02
HF-172	721720	2.00E-03	W	7.20E+04	1.10E+03

Table E-1 (continued)

Nuclides	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Ingestion DCF (pSv/Bq)
HF-173	721730	2.00E-03	W	1.20E+02	2.60E+02
HF-174	721740	2.00E-03	W	7.60E+07	4.80E+04
HF-175	721750	2.00E-03	W	1.40E+03	4.40E+02
HF-177M	721771	2.00E-03	W	1.70E-02	1.90E-02
HF-177N	721772	2.00E-03	W	2.30E+01	6.90E+01
HF-178M	721781	2.00E-03	W	1.10E-01	1.30E-01
HF-178N	721782	2.00E-03	W	5.40E+05	5.40E+03
HF-179M	721791	2.00E-03	W	8.20E-02	9.40E-02
HF-179N	721792	2.00E-03	W	2.30E+03	1.30E+03
HF-180M	721801	2.00E-03	W	6.10E+01	1.90E+02
HF-181	721810	2.00E-03	W	3.40E+03	1.20E+03
HF-182	721820	2.00E-03	W	7.60E+05	3.80E+03
HF-182M	721821	2.00E-03	W	1.50E+01	3.80E+01
HF-183	721830	2.00E-03	W	2.90E+01	6.60E+01
HF-184	721840	2.00E-03	W	2.10E+02	5.70E+02
HF-185	721850	2.00E-03	W	5.80E-02	6.70E-02
TA-175	731750	1.00E-03	Y	9.20E+01	2.40E+02
TA-176	731760	1.00E-03	Y	1.10E+02	3.60E+02
TA-177	731770	1.00E-03	Y	7.70E+01	1.10E+02
TA-178	731780	1.00E-03	Y	1.90E+01	7.70E+01
TA-178M	731781	1.00E-03	Y	5.30E+02	1.80E+03
TA-179	731790	1.00E-03	Y	1.50E+03	6.60E+01
TA-180	731800	1.00E-03	Y	5.80E+04	9.00E+02
TA-180M	731801	1.00E-03	Y	2.30E+01	5.80E+01
TA-182	731820	1.00E-03	Y	9.90E+03	1.60E+03
TA-182M	731821	1.00E-03	Y	3.60E-04	6.60E-04
TA-182N	731822	1.00E-03	Y	3.30E+00	6.50E+00
TA-183	731830	1.00E-03	Y	1.30E+03	1.20E+03
TA-184	731840	1.00E-03	Y	2.80E+02	7.20E+02
TA-185	731850	1.00E-03	Y	2.10E+01	5.20E+01
TA-186	731860	1.00E-03	Y	6.10E+00	1.80E+01
TA-187	731870	1.00E-03	Y	7.70E-02	2.50E-01
TA-188	731880	1.00E-03	Y	6.50E-02	2.20E-01
W-176	741760	0.30E+00	D	2.60E+01	1.30E+02
W-177	741770	0.30E+00	D	1.60E+01	6.50E+01
W-178	741780	0.30E+00	D	7.00E+01	2.50E+02
W-179	741790	0.30E+00	D	8.00E-01	2.50E+00
W-179M	741791	0.30E+00	D	3.30E-01	1.80E+00
W-181	741810	0.30E+00	D	4.10E+01	8.30E+01
W-183M	741831	0.30E+00	D	6.10E-03	3.40E-02
W-185	741850	0.30E+00	D	2.10E+02	5.10E+02
W-185M	741851	0.30E+00	D	8.10E-02	4.40E-01
W-187	741870	0.30E+00	D	1.70E+02	7.40E+02
W-188	741880	0.30E+00	D	1.10E+03	2.50E+03
W-189	741890	0.30E+00	D	5.60E+00	3.00E+01
W-190	741900	0.30E+00	D	1.90E+01	1.10E+02
W-191	741910	0.30E+00	D	2.10E-02	1.20E-01
RE-179	751790	0.80E+00	W	2.10E+01	2.90E+01
RE-180	751800	0.80E+00	W	2.30E+00	3.20E+00
RE-181	751810	0.80E+00	W	1.60E+02	2.70E+02
RE-182	751820	0.80E+00	W	6.40E+02	9.10E+02
RE-182M	751821	0.80E+00	W	1.10E+02	2.00E+02
RE-183	751830	0.80E+00	W	1.30E+03	4.10E+02
RE-184	751840	0.80E+00	W	9.90E+02	5.80E+02
RE-184M	751841	0.80E+00	W	3.10E+03	6.50E+02
RE-186	751860	0.80E+00	W	8.10E+02	7.10E+02
RE-186M	751861	0.80E+00	W	8.90E+03	8.50E+02
RE-187	751870	0.80E+00	W	1.30E+01	2.30E+00
RE-188	751880	0.80E+00	W	5.00E+02	7.80E+02
RE-188M	751881	0.80E+00	W	1.00E+01	1.70E+01

Table E-1 (continued)

Nuclides	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Ingestion DCF (pSv/Bq)
RE-189	751890	0.80E+00	W	3.00E+02	4.10E+02
RE-190	751900	0.80E+00	W	4.50E+00	6.10E+00
RE-190M	751901	0.80E+00	W	4.50E+02	6.20E+02
RE-191	751910	0.80E+00	W	1.00E+01	1.30E+01
RE-192	751920	0.80E+00	W	5.10E-01	7.00E-01
RE-193	751930	0.80E+00	W	5.20E-02	7.00E-02
RE-194	751940	0.80E+00	W	4.70E-02	6.40E-02
OS-181	761810	0.01E+00	Y	3.20E+01	9.50E+01
OS-181M	761811	0.01E+00	Y	2.80E+00	6.20E+00
OS-182	761820	0.01E+00	Y	3.40E+02	5.90E+02
OS-183	761830	0.01E+00	Y	3.70E+02	8.30E+02
OS-183M	761831	0.01E+00	Y	4.80E+02	1.10E+03
OS-185	761850	0.01E+00	Y	2.70E+03	5.60E+02
OS-186	761860	0.01E+00	Y	8.30E+07	5.20E+04
OS-189M	761891	0.01E+00	Y	7.70E+00	1.80E+01
OS-190M	761901	0.01E+00	Y	1.30E+01	3.00E+01
OS-191	761910	0.01E+00	Y	1.00E+03	5.40E+02
OS-191M	761911	0.01E+00	Y	7.60E+01	9.60E+01
OS-192M	761921	0.01E+00	Y	1.50E-01	3.60E-01
OS-193	761930	0.01E+00	Y	5.10E+02	8.40E+02
OS-194	761940	0.01E+00	Y	1.80E+05	2.40E+03
OS-195	761950	0.01E+00	Y	8.70E+00	2.00E+01
OS-196	761960	0.01E+00	Y	5.30E+01	1.20E+02
OS-197	761970	0.01E+00	Y	1.40E-01	3.10E-01
IR-184	771840	0.01E+00	Y	5.40E+01	1.70E+02
IR-185	771850	0.01E+00	Y	1.30E+02	2.80E+02
IR-186	771860	0.01E+00	Y	2.30E+02	5.70E+02
IR-186M	771861	0.01E+00	Y	1.60E+02	2.60E+02
IR-187	771870	0.01E+00	Y	5.10E+01	1.30E+02
IR-188	771880	0.01E+00	Y	4.10E+02	7.30E+02
IR-189	771890	0.01E+00	Y	3.70E+02	2.50E+02
IR-190	771900	0.01E+00	Y	1.50E+03	1.30E+03
IR-190M	771901	0.01E+00	Y	7.00E+00	8.10E+00
IR-190N	771902	0.01E+00	Y	5.90E+02	9.60E+02
IR-191M	771911	0.01E+00	Y	1.20E-02	2.00E-02
IR-191N	771912	0.01E+00	Y	1.70E-01	2.70E-01
IR-192	771920	0.01E+00	Y	6.30E+03	1.40E+03
IR-192M	771921	0.01E+00	Y	1.60E-01	1.80E-01
IR-192N	771922	0.01E+00	Y	9.00E+04	4.20E+02
IR-193M	771931	0.01E+00	Y	4.50E+02	2.80E+02
IR-194	771940	0.01E+00	Y	7.30E+02	1.40E+03
IR-194M	771941	0.01E+00	Y	1.40E+04	2.20E+03
IR-195	771950	0.01E+00	Y	3.30E+01	9.10E+01
IR-195M	771951	0.01E+00	Y	6.10E+01	1.70E+02
IR-196	771960	0.01E+00	Y	1.10E+00	1.80E+00
IR-196M	771961	0.01E+00	Y	2.20E+02	3.60E+02
IR-197	771970	0.01E+00	Y	8.80E+00	1.40E+01
IR-197M	771971	0.01E+00	Y	1.40E+01	2.20E+01
IR-198	771980	0.01E+00	Y	3.20E-01	5.20E-01
IR-199	771990	0.01E+00	Y	2.80E+00	2.80E+00
IR-200	772000	0.01E+00	Y	4.70E-01	4.80E-01
PT-187	781870	0.01E+00	D	7.70E+01	2.40E+02
PT-188	781880	0.01E+00	D	8.30E+02	8.10E+02
PT-189	781890	0.01E+00	D	4.80E+01	1.30E+02
PT-190	781900	0.01E+00	D	3.80E+05	9.30E+03
PT-191	781910	0.01E+00	D	1.60E+02	3.60E+02
PT-193	781930	0.01E+00	D	5.70E+01	2.90E+01
PT-193M	781931	0.01E+00	D	2.30E+02	4.50E+02
PT-195M	781951	0.01E+00	D	3.10E+02	6.10E+02
PT-197	781970	0.01E+00	D	1.40E+02	4.10E+02

Table E-1 (continued)

Nuclides	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Ingestion DCF (pSv/Bq)
PT-197M	781971	0.01E+00	D	3.10E+01	8.30E+01
PT-199	781990	0.01E+00	D	9.60E+00	2.80E+01
PT-199M	781991	0.01E+00	D	1.40E-01	4.20E-01
PT-200	782000	0.01E+00	D	4.10E+02	1.20E+03
PT-201	782010	0.01E+00	D	2.60E+00	8.20E+00
AU-190	791900	0.10E+00	Y	3.10E+02	1.10E+02
AU-191	791910	0.10E+00	Y	6.30E+02	2.10E+02
AU-191M	791911	0.10E+00	Y	6.50E-02	2.20E-02
AU-192	791920	0.10E+00	Y	2.10E+03	7.70E+02
AU-192M	791921	0.10E+00	Y	2.40E-02	8.80E-03
AU-193	791930	0.10E+00	Y	7.10E+01	1.40E+02
AU-193M	791931	0.10E+00	Y	1.20E-01	4.30E-02
AU-194	791940	0.10E+00	Y	2.70E+02	4.90E+02
AU-194M	791941	0.10E+00	Y	4.10E-02	1.20E-02
AU-194N	791942	0.10E+00	Y	3.80E-02	1.20E-02
AU-195	791950	0.10E+00	Y	3.20E+03	2.50E+02
AU-195M	791951	0.10E+00	Y	5.80E-01	2.10E-01
AU-196	791960	0.10E+00	Y	3.00E+02	3.80E+02
AU-196M	791961	0.10E+00	Y	1.70E-01	4.00E-02
AU-196N	791962	0.10E+00	Y	2.00E+03	6.30E+02
AU-197M	791971	0.10E+00	Y	1.90E-01	7.00E-02
AU-198	791980	0.10E+00	Y	7.90E+02	1.10E+03
AU-198M	791981	0.10E+00	Y	1.20E+03	1.40E+03
AU-199	791990	0.10E+00	Y	3.70E+02	4.10E+02
AU-200	792000	0.10E+00	Y	2.10E+01	5.20E+01
AU-200M	792001	0.10E+00	Y	5.50E+02	1.10E+03
AU-201	792010	0.10E+00	Y	6.30E+00	1.60E+01
AU-202	792020	0.10E+00	Y	2.30E+00	8.50E-01
AU-203	792030	0.10E+00	Y	4.50E+00	1.70E+00
AU-204	792040	0.10E+00	Y	7.60E+00	2.80E+00
HG-192	801920	0.02E+00	W	5.10E+02	1.90E+03
HG-193	801930	0.02E+00	W	3.20E+01	8.70E+01
HG-193M	801931	0.02E+00	W	1.70E+02	4.30E+02
HG-194	801940	0.02E+00	W	4.70E+04	7.50E+04
HG-195	801950	0.02E+00	W	4.10E+01	1.00E+02
HG-195M	801951	0.02E+00	W	3.70E+02	5.80E+02
HG-197	801970	0.02E+00	W	1.60E+02	2.40E+02
HG-197M	801971	0.02E+00	W	2.70E+02	4.70E+02
HG-199M	801991	0.02E+00	W	9.10E+00	2.30E+01
HG-203	802030	0.02E+00	W	1.70E+03	2.70E+03
HG-205	802050	0.02E+00	W	2.10E+00	7.70E+00
HG-206	802060	0.02E+00	W	6.70E+00	2.40E+01
HG-207	802070	0.02E+00	W	6.10E+00	2.20E+01
TL-197	811970	1.00E+00	D	1.10E+01	1.90E+01
TL-197M	811971	1.00E+00	D	1.80E-03	3.10E-03
TL-198	811980	1.00E+00	D	4.40E+01	7.10E+01
TL-198M	811981	1.00E+00	D	2.50E+01	4.50E+01
TL-199	811990	1.00E+00	D	1.60E+01	2.20E+01
TL-200	812000	1.00E+00	D	1.20E+02	1.80E+02
TL-201	812010	1.00E+00	D	6.00E+01	7.80E+01
TL-202	812020	1.00E+00	D	2.60E+02	3.90E+02
TL-204	812040	1.00E+00	D	6.30E+02	8.70E+02
TL-206	812060	1.00E+00	D	3.60E-01	6.50E-01
TL-206M	812061	1.00E+00	D	1.90E+00	3.50E+00
TL-207	812070	1.00E+00	D	3.80E-01	6.80E-01
TL-207M	812071	1.00E+00	D	6.50E-03	1.20E-02
TL-208	812080	1.00E+00	D	2.00E+00	3.50E+00
TL-209	812090	1.00E+00	D	1.10E+00	1.90E+00
TL-210	812100	1.00E+00	D	7.40E-01	1.30E+00
PB-199	821990	0.20E+00	D	1.90E+01	5.80E+01

Table E-1 (continued)

Nuclides	ZA Number	f1	LCC	Inhalation DCF (pSv/Bq)	Ingestion DCF (pSv/Bq)
PB-199M	821991	0.20E+00	D	2.00E+01	4.70E+01
PB-200	822000	0.20E+00	D	2.10E+02	4.20E+02
PB-201	822010	0.20E+00	D	8.90E+01	1.80E+02
PB-201M	822011	0.20E+00	D	9.90E-01	2.20E+00
PB-202	822020	0.20E+00	D	2.60E+04	1.10E+04
PB-202M	822021	0.20E+00	D	4.60E+01	1.50E+02
PB-203	822030	0.20E+00	D	1.40E+02	2.60E+02
PB-203M	822031	0.20E+00	D	7.60E-02	1.60E-01
PB-203N	822032	0.20E+00	D	1.60E-02	3.60E-02
PB-204M	822041	0.20E+00	D	9.20E+01	2.10E+02
PB-205	822050	0.20E+00	D	1.00E+03	4.00E+02
PB-207M	822071	0.20E+00	D	1.30E-02	3.10E-02
PB-209	822090	0.20E+00	D	2.40E+01	5.50E+01
PB-210	822100	0.20E+00	D	3.40E+06	1.40E+06
PB-211	822110	0.20E+00	D	2.10E+03	1.20E+02
BI-202	832020	0.05E+00	W	3.40E+01	9.50E+01
BI-203	832030	0.05E+00	W	2.20E+02	5.70E+02
BI-204	832040	0.05E+00	W	1.00E+04	1.40E+03
BI-205	832050	0.05E+00	W	1.10E+03	1.00E+03
BI-206	832060	0.05E+00	W	1.60E+03	2.10E+03
BI-207	832070	0.05E+00	W	3.80E+03	1.30E+03
BI-207M	832071	0.05E+00	W	1.70E-05	2.30E-06
BI-208	832080	0.05E+00	W	3.30E+03	1.30E+03
BI-210	832100	0.05E+00	W	5.10E+04	1.60E+03
BI-210M	832101	0.05E+00	W	2.00E+06	2.30E+04
BI-211	832110	0.05E+00	W	8.00E+02	1.10E+02
PO-205	842050	0.10E+00	W	3.60E+01	6.40E+01
PO-206	842060	0.10E+00	W	4.50E+05	8.60E+04
PO-207	842070	0.10E+00	W	5.40E+01	1.70E+02
PO-207M	842071	0.10E+00	W	3.40E-01	1.50E-01
PO-208	842080	0.10E+00	W	2.80E+06	5.50E+05
PO-209	842090	0.10E+00	W	2.80E+01	8.20E+00
PO-210	842100	0.10E+00	W	2.20E+06	4.30E+05
PO-211	842110	0.10E+00	W	3.90E+00	1.70E+00
PO-211M	842111	0.10E+00	W	1.90E+02	8.70E+01

END

**DATE
FILMED**

6 / 4 / 92