AIIM

Association for Information and Image Management

1100 Wayne Avenue, Suite 1100
Silver Spring, Maryland 20910
301/587-8202

Centimeter

Inches

MANUFACTURED TO AIIM STANDARDS
BY APPLIED IMAGE, INC.

1 of 1

DOE/PC/90258--T11

26/89

CHARACTERIZATION & SUPPLY OF COAL-BASED FUELS

Quarterly Report for the Period
May 1, 1989 to July 31, 1989

Energy International, Inc.
135 William Pitt Way
Pittsburgh, PA 15238

September, 1989

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

Prepared For:

U.S. Department of Energy
Pittsburgh Energy Technology Center

Under Contract No. DE-AC22-86 PC90258

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

ACKNOWLEDGMENT

Contributors to this report include: Raymond M. Henry, Russell C. Maxwell, and Ronald W. Genser of Energy International, Inc.

DISCLAIMER

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Department of Energy, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness or any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, mark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

PATENT STATUS

This technical report is being transmitted in advance of DOE patent clearance and no further dissemination or publication shall be made of the report without prior approval of the DOE Patent Counsel.

TECHNICAL STATUS

This technical report is being transmitted in advance of DOE review, and no further dissemination or publication shall be made of the report without prior approval from the DOE Program/Project Manager.

CHARACTERIZATION AND SUPPLY OF COAL-BASED FUELS

Quarterly Technical Report
for the Period
May 1, 1989 to July 31, 1989

TABLE OF CONTENTS

	Page No.
1.0 INTRODUCTION & BACKGROUND	1
2.0 EXECUTIVE SUMMARY	3
3.0 OBJECTIVES AND SCOPE OF WORK	5
3.1 Contract Objectives	5
3.2 Contract Scope of Work	5
3.3 Task 1 Objectives	5
3.4 Task 2 Objectives	6
3.5 Task 3 Objectives	7
4.0 TASK 1 - ANALYSIS OF FUEL NEEDS	8
4.1 Subtask 1.1 - Project Management, Administration, and Analysis of Fuel Needs	8
5.0 TASK 2 - FUEL CHARACTERIZATION	10
5.1 Preparation of Deep Cleaned Coal for the Production of Premium Coal-Based Fuels	10
6.0 TASK 3 - FUEL SUPPLY	11
6.1 Coal Inventory	11
6.2 Fuel and Parent Coal Deliveries	11
7.0 FUTURE PLANS	14
8.0 APPENDIX	
8.1 Coal and Fuels Shipment Log	15

1.0 INTRODUCTION & BACKGROUND

Under the Department of Energy's Advanced Combustor Technology Program, approximately 14 combustor contractors are developing combustion systems (during 1987-1989) for use in residential, commercial, light industrial and industrial retrofit markets. Sufficient quantities of well-characterized, coal-based fuels possessing specific, appropriate specifications are required by the contractors for their developmental test programs. Fuels may be dry pulverized or micronized coal or coal liquid fuels. In support of these equipment development efforts, Energy International, Inc. is providing such fuels under DOE Contract DE-AC22-86PC90258 within the PETC Alternate Energy Program.

Nearly a third of the total energy use in the U.S. is in the residential, commercial, and light industrial sectors. Of this, about half of the energy is supplied by the direct consumption (not including electricity) of conventional oil and gas resources. Thus, there is a significant energy use component for which coal is not currently a viable user option.

For coal to significantly penetrate this important market sector, it must be demonstrated that:

- Premium coal-based fuels can be made, combusted, and used in low maintenance, automatic use systems to which such users are accustomed, i.e., by a direct replacement for conventional fuels and require only simple installation changes.
- Advanced coal fuel combustion systems can effectively combust coal based fuels while meeting economic, environmental, and performance standards.
- Coal fuels, combustion systems and service support are well matched, reliable, cost effective, and are anticipated to be available over the projected lifetime of the installation.

The key to the development of fuel and combustor technologies for future application to the use of premium coal-based fuels in these market sectors is to make representative coal fuels available for developmental testing. Current coal cleaning and processing technologies in early development stages offer the promise to meet the market, the performance and the environmental acceptability that are expected to be required. They are not economically competitive now and production facilities are presently limited to experimental and pilot-scale operations which do not offer the economy of scale to reduce costs to the minimum. This is not likely to change with the current plentiful supplies of relatively low cost fuels.

The developmental testing of advanced combustion equipment systems requires fuels for testing. Test experience and performance measures are needed to identify cost competitiveness in the market and specific market niches for early commercialization; and, commercial market opportunities are needed to justify and specify the development and installation of advanced fuels facilities for supplying the developmental testing needs.

The capability to produce significant quantities of coal based fuels cannot be supported in the current economic and energy use situation. Once these pieces of experience and information begin to fall into place, the market driven needs will more clearly identify the suite of coals that will satisfy the markets and the performance requirements (i.e., cost, maintenance, energy efficiency, environmental). For now, it is important to provide sufficient quantities of surrogate fuels to enable development testing to proceed. To serve as surrogate fuels, the fuels should have chemical and physical characteristics (ash, sulfur, volatiles, fusion temperature, heat content, particle size distribution, slurry formulation, etc.) that are consistent with projected performance and environmental standards. In addition, these surrogates are to be produced using readily available conventional types of cleaning and processing so as to not promote a particular fuel technology or create a reliability on an uncertain fuel technology.

While the definitions of the market and performance are not finalized nor quantitatively fixed and the eventual, economically acceptable fuel processes are not yet determined, it is possible to make use of current understanding of coal resources, markets, combustor and environmental requirements and specific available coal properties and characteristics to make reasonable selections of coals for fuels representative of future advanced fuels. With selected coals, conventional beneficiation methods can be used to prepare current versions of advanced premium coal-based fuels. The associated excessive grinding, special processing, low energy recoveries, and process economics are not expected to be acceptable for eventual commercial operations. However, these current advanced premium fuels can at this time meet the needs of developmental testing with acceptable costs.

The analysis of fuel needs, the selection of candidate coals, the characterization and supply in this contract are to be accomplished with the above in mind. The best choices of those available have been made based upon the available information, coal and processes. This will at least provide the developmental test fuels that will enable the DOE-PETC advanced combustion and fuels program to move forward. Following the fuels and combustor development activities that this supply contract will support, it is expected that additional optional candidate coals will become evident based on the new experience. In the meantime, these coal fuels will enable the program to proceed.

During the eleventh quarter of this contract (May 1, 1989 through July 31, 1989) the primary activities were involved with:

- Continuation of the coal procurement, fuel preparation and delivery activities.
- Continuation of interaction with combustion contractors to update their fuel specifications, fuel requirements and delivery schedules.
- Initiation of a formal search for existing coal deep-cleaning capabilities that can produce tonnage (1,000 lbs./hr.) quantities (i.e. a pilot-scale circuit or larger, not lab bench size) of a low ash (1.2 to 1.5%, dry) product, as a precursor to future test fuel requirements.

2.0 EXECUTIVE SUMMARY

Under the Department of Energy's Combustor Technology Program, approximately 14 combustor contractors are developing combustor systems (during 1987-1989) for use in residential, commercial, light industrial and industrial retrofit markets. Sufficient quantities of well-characterized coal based fuels possessing appropriate specifications are required by the contractors for their developmental test programs. Fuels may be dry pulverized or micronized coal or coal-water fuels. In support of these equipment development efforts, Energy International is providing such fuels under DOE Contract No. DE-AC22-86PC90258.

A complete listing of all of the fuel users to whom EI delivered fuel(s) is provided in the Appendix. Their fuel needs ranged from small sample quantities (e.g. 5 to 500 lbs.) up to 15 tons per delivery; by now some no longer need fuels.

During the eleventh quarter of this contract (May 1, 1989 through July 31, 1989) the primary activities were involved with:

- Continuation of the procurement, preparation and delivery of coal-based fuels for the combustor contractors.
- Continuation of the interaction with combustor contractors in order to update their fuel specifications, fuel requirements and delivery schedules.
- Continuation of the quality control activities to insure that fuel specifications are being met and to determine the cause of any problem which might occur.
- Preparation of a request-for-bid for deep cleaning of Upper Elkhorn #3 coal to below 2% ash level.

A brief summary of these activities follows:

A significant level of effort was expended in choosing the coals for the fuels needed by the University of Tennessee Space Institute (UTSI), by Vortec and by the Technion-Israel Institute of Technology. A physically cleaned and micronized Eagle Butte subbituminous coal both mined and prepared by Amax was selected for UTSI's use. Pulverized, washed run-of-mine Pittsburgh #8 coal from Consol's Mathies mine was selected for use by Vortec. A Pittsburgh #8 seam coal from Consol's Bailey mine was selected for the Israel Institute of Technology.

Amax completed the preparation and shipment to MTCI of 650 gallons of a utility grind coal water fuel prepared from Upper Elkhorn #3 coal. This was prepared and shipped at Amax's expense as a replacement for the out of specification slurry (high viscosity and low solids) prepared and sent to them last quarter.

A request-for-bid package for coal deep-cleaning services is being put together and will be submitted to potential vendors in August. The intent of this procurement is to confirm and identify the existence of capabilities to clean the Upper Elkhorn #3 coal to a 1.3 to 1.5% ash level for the current and future needs of PETC's advanced combustion programs.

OXCE Fuel Company finished the preparation and shipment of two coal-water fuels for Tecogen's use. One was a 630 gallon shipment of a micronized slurry prepared from the Upper Elkhorn #3 coal containing 4.6% ash, and the second was a shipment of 1200 gallons of a micronized slurry prepared from a deep-cleaned (1.3% ash) Upper Elkhorn #3 coal.

Two dry, powder fuels were shipped to Catholic University. Both fuels were prepared from deeply cleaned (1.3% ash) Upper Elkhorn #3 coal. The first fuel was 10,320 lbs of a micronized coal (9.4 micron mean volume diameter and 31 micron topsize) prepared by Minnesota Custom Processing. The second shipment was 4000 lbs of a "utility" grind fuel (99.5% < 150 microns), which was, by the way, the "as received" product size from the Dravo froth flotation cleaning unit.

3.0 OBJECTIVES AND SCOPE OF WORK

3.1 Contract Objectives

Contract objectives are as follows:

- Develop fuel specifications to serve combustor requirements.
- Select coals having appropriate compositional and quality characteristics as well as an economically attractive reserve base.
- Provide quality assurance for both the parent coals and the fuel forms.
- Deliver premium coal-based fuels to combustor developers as needed for their contract work.

3.2 Contract Scope of Work

Energy International, Inc. will perform the following:

- From information obtained Both from the combustor PRDA and from the combustor contractors, develop fuel specifications and schedule.
- Using published reports and databases, perform a market assessment and a resource assessment in order to identify acceptable coals within reasonable proximity to markets. In other words, determine the availability and applicability of a wide range of coals in order to produce premium coal-based fuels for specific markets.
- From all coal ranks and all domestic resources select coals which satisfy the requirements of combustion systems being developed.
- Procure premium coals having the ability to be processed to contain <0.8 lb ash per million Btu and <0.5 lbs sulfur per million Btu.
- Procure coals and produce coal liquid mixtures or dry pulverized coal and deliver these premium fuels to combustor contractors.

3.3 Task 1 Objectives

The objectives of Task 1, "Analysis of Fuel Needs", are as follows:

- To provide analyses, information and evaluation of coal resources, coal properties, and market opportunities to support the selection of coals for characterization, processing and supply.
- To assure that coals used in developmental testing are representative of future potential coal used in those applications and are:
 - Available as U.S. domestic resource in sufficient quantity.

- Geographically proximate to the regional markets.
- Capable of being processed into premium coal-based fuels that have the properties to satisfy the combustor needs and market constraints (such as environmental).
- To evaluate, interpret and assess the available information on coal reserves, market opportunities, performance requirements, environmental acceptability, coal properties and specific characteristics to provide guidance in the selection of candidate coals for characterization and supply for developmental testing of advanced combustors for residential, commercial and light industrial applications.
- To collect, review and evaluate information about specific, currently available coals that can be procured from existing mining operations to provide contracted quantities of development test fuels that satisfy the reserves, market, geographic, property, performance and environmental criteria.
- To recommend candidate coals and then select specific coals to be purchased, processed into coal-based premium fuels, and supplied to DOE selected users.
- To coordinate the performance requirements of combustor developers under DOE-PETC contract and in-house efforts with the selection and supply of coals.

3.4 Task 2 Objectives

The objectives of Task 2, "Characterization of Coal Based Fuels", are as follows:

- To procure representative samples of the coals selected in Task 1 and prepare them for characterization studies.
- To obtain baseline analytical data for each of the parent coals.
- To carry out bench-scale froth flotation cleaning test on each of the candidate coals to determine the yield of specification coal attainable from each.
- To carry out detailed washability studies for each coal to determine the effect of particle size reduction on mineral matter liberation as well as the coal yield as a function of the specific gravity of the separation.
- Using the available results of the characterization studies, to select a coal or suit of coals suitable for the preparation of the fuels to meet the specifications of the combustor contractors.
- To characterize the capabilities to produce coal-based fuels meeting the combustor requirements for low ash and low sulfur.

3.5 Task 3 Objectives

The objectives of Task 3, "Fuel Supply", are as follows:

- To arrange for the capability, availability, and operation of suitable deep-cleaning coal wash circuit, coal/water slurry preparation plant, and micronizing/grinding facilities.
- To purchase and arrange for the delivery of the appropriate coals for fuel preparation.
- To clean the coals to meet the specifications necessary for the specific fuel needs, i.e., quality categories, such as slagging, non-slagging, industrial retrofit, residential/commercial.
- To prepare the coal based fuels according to the specifications of the PRDA and as modified or requested by the combustor contractors.
- To deliver the fuel to the combustor contractor on schedule.
- To characterize each fuel prior to shipment to assure that the specifications are being met.

4.0 TASK 1 - ANALYSIS OF FUEL NEEDS

4.1 Subtask 1.1 - Project Management, Administration, & Analysis of Fuel Needs

In order to meet the demands and schedules of the various combustor contractors almost monthly contacts have been maintained with contractors still requiring fuel deliveries. Consequently, we maintained a list of tentative future fuel deliveries in Section 7.0, Future Plans. Although these fuel specifications and schedules are still subject to change, they serve as a guide for scheduling with the fuel suppliers.

A significant level of effort has been expended in choosing the appropriate coal for each application, especially for those applications by the University of Tennessee Space Institute (UTSI), Vortec and the Israel Institute of Technology. A lot of interactive communication has occurred to address the specific needs of these users.

Fuel for University of Tennessee Space Institute

UTSI had requested a 4-6 ton shipment of a western coal to be provided as a dry, micronized coal fuel product. The purpose is to enable UTSI to demonstrate that a western coal can be effectively used in their combustor and thus expand the potential geographic market for their unit. Specifications for the coal include low ash and low sulfur contents, and ash fusion temperatures exceeding 2500°F in a reducing atmosphere. Unfortunately, most western coals have lower ash fusion temperatures and high moisture and ash contents. Two western coals were identified which could probably be processed to meet UTSI's requirements. One was a Kemmerer subbituminous coal which could be acid-washed by methods developed at North Dakota's Energy and Minerals Research Center, and the other was a subbituminous coal from Amax Coal Company's Eagle Butte mine (in Wyoming's Powder River Basin) which could be cleaned at a 1.3 to 1.4 specific gravity in a heavy media cyclone circuit. After consultation with UTSI, it was decided to use the physically cleaned Eagle Butte coal. Therefore, a purchase order was issued to Amax Research & Development Center to prepare six tons of a physically cleaned Eagle Butte subbituminous coal. The specifications to be achieved are shown in Table 4.1.

TABLE 4.1
SPECIFICATIONS FOR PHYSICALLY CLEANED
EAGLE BUTTE SUBBITUMINOUS COAL FROM AMAX R&D CENTER
FOR THE UNIVERSITY OF TENNESSEE SPACE INSTITUTE

Ash Content = ~4-5%
Moisture Content = <25%
Ash Fusion Temperature = >2500°F
Particle Size = 100% passing 325 mesh
Mean Diameter (Volume) = ~10 micron

Fuel for Vortec

The fuel initially requested by Vortec was to be a conventionally available eastern coal, low in sulfur, moisture, and ash, and with a low iron content in the ash, as well as an ash fusion temperature less than 2500°F. Extensive searching failed to find a suitable coal currently in production. Vortec expressed a willingness to relax their specifications, and together we explored some of the options. For their initial testing requirements in July, Vortec agreed to use the Upper Elkhorn #3 coal (Taggart seam in Virginia) that had been cleaned to less than 2% ash at EPRI's Homer City Coal Cleaning Facilities. However, upon examination of the coal already "on hand", it was found to be too wet to grind. An alternate coal, a Pittsburgh #8 seam coal from Consol's Mathies mine, was identified by Energy International and agreed to by Vortec to be used initially in their test program until a coal closer to the desired specifications could be located. This coal is the same coal purchased and packaged by Penn Rillton as their Grade E-5 Seacoal. Therefore, 7,500 lbs of the E-5 Seacoal was purchased from Penn Rillton in 50 lb sacks and, for Vortec's convenience, transferred to twenty-four 55 gallon drums, set on pallets and delivered to Vortec in Harmarville, PA.

Fuel for Technion

At PETC's request, Energy International selected a coal to meet the specifications established by the Technion-Israel Institute of Technology for use in their combustor program. PETC had suggested that combustion trials using U.S. coals be carried out. The specifications requested by Technion are shown in Table 4.2.

TABLE 4.2
FUEL SPECIFICATIONS FOR
TECHNION-ISRAEL INSTITUTE OF TECHNOLOGY
COMBUSTOR TESTING PROGRAM

Type = Low Sulfur U.S. Bituminous Coal
Ash Content = <20%
Volatiles = ~30%
Heating Value = 15,500 Btu/lb
Ash Fusion Temperature (Oxidizing)
 Initial Deformation = 2241°F
 Fluid = 2690°F
Particle Size = 80% <400 microns (38 mesh)
 30% <100 microns

The coal that seemed to best meet their specifications was from the Pittsburgh #8 seam from Consol's Bailey mine in Greene County near Waynesburg, PA. Accordingly, approximately 2,500 lbs of this coal was obtained -- donated by Consol -- processed, and packaged. Shipment to Israel is expected the first week in August. Further information concerning the fuel preparation is discussed under Task 3.

5.0 TASK 2 - FUEL CHARACTERIZATION

5.1 Preparation of Deep-Cleaned Coal for the Production of Premium Coal-Based Fuels

A request-for-bid package for the procurement of coal deep-cleaning services was being prepared during July, and it will be issued to potential vendors in August. The intent of the procurement is to 1) confirm and characterize the capabilities for obtaining premium coal for PETC and their combustor contractors; 2) identify some technology and process candidates for providing the premium-quality test fuels for new commercial ventures; and 3) enable suppliers to obtain the experience base with this coal to provide reasonable scale-up and costing.

As a supplier of premium-quality fuel to many DOE combustion contractors, Energy International has a need to evaluate and assess capabilities to readily obtain premium-quality test fuels using conventional processing. We are seeking a demonstration of the capability to produce tonnage quantities of a low ash product as a precursor to future fuel requirements. Target properties are 1.2 and 1.5% ash (preferred) or a relaxed 2% ash. We shall assess yield versus ash level, and we want a demonstration at an appropriate scale of production, i.e., the use of equipment and methods typical of future production needs of the order of 10 to 30 tons; that is, the use of pilot scale (or larger) equipment and not bench or lab size.

The deadline to respond to this request-for-bid will be September 1, 1989. We plan to make awards to several vendors by September 15, 1989, limited by the budget.

6.0 TASK 3 - FUEL SUPPLY

6.1 Coal Inventory

Upper Elkhorn #3 coal is currently being stored in both a warehouse at Logans Ferry, Pennsylvania and at OXCE Fuel Company's facilities in Windsor, Connecticut, awaiting to be processed into coal-water slurry in October and November.

The total coal inventory at the end of the reporting period is listed below:

- 2,155 lbs UE3-230-DCC-E having 1.8% ash (stored in 6 drums at OXCE Fuel Company); allocated for slurry manufacture and delivery to J. Busek Company in September.
- 7,861 lbs UE3-232-DCC-E having a 1.3% ash (in 43 drums stored at OXCE Fuel Company); allocated for slurry manufacture and delivery of 1200 gallons of a micronized coal-water fuel to The Catholic University of America in Washington, D.C.
- 3,417 lbs UE3-233-DCC-E having 1.4% ash (in 18 drums stored at OXCE); allocated for slurry manufacture and delivery of 500 gallons CWF to The Catholic University in September.
- 3,150 lbs UE3-201-WRM-E having 4.6% ash, contained in 10 drums at Logans Ferry.
- 1,000 lbs UE3-206-WRM-A with 6.8% ash and 1 1/4" x 1/4" stoker size coal in three drums at Logans Ferry.
- Three tons of UE3-016-DCC-H having 1.9% ash, in 40 drums at Logans Ferry. This coal had been prepared by EPRI at their Homer City plant.
- Fourteen and one-half tons of washed run-of-mine Upper Elkhorn #3, UE3-210-WRM-A containing 2.8% ash in drums in storage at Logans Ferry.
- 1,000 lbs PGH-231-WRM-A with 6.18% ash contained in three drums at Logans Ferry.

In summary, then, at the end of this reporting period there are:

6,000 lbs deep cleaned coal at Logans Ferry;
13,433 lbs deep cleaned coal at OXCE Fuel Company;
34,150 lbs washed run-of-mine coal at Logans Ferry.

6.2 Fuel and Parent Coal Deliveries

During the eleventh quarter of this contract (May 1, 1989 to July 31, 1989) the following fuel and coal deliveries were made to the combustor contractors and the fuel makers. A complete list of all fuel and coal shipments carried out under this contract are given in Appendix 8.1, Coal & Fuels Shipment Log.

- UE3-162-DCC-E - From Energy International to OXCE in May, 7,200 lbs. (in 36 drums); deep-cleaned coal at nominal -100 mesh containing 1.3% ash; for slurry manufacture and delivery to Tecogen in June.
- UE3-201-WRM-E - From Energy International to OXCE in May, 1,900 lbs. (in 6 drums); washed run-of-mine coal at 1 1/4" by 1/4" containing 4.6% ash; for slurry manufacture and delivery to Tecogen in June.
- UE3-163-DCC-D - From Energy International to Minnesota Custom Processing, 9,600 lbs. deep-cleaned coal (in 48 drums) containing 1.3% ash; for dry micronized fuel delivery to Catholic University in June.
- UE3-225-MCO-M - From Minnesota Custom Processing to The Catholic University in June, 10,320 lbs of deeply cleaned (1.2% ash) micronized (31 microns topsize) coal contained in 52 drums.
- UE3-226-DCC-E - From Energy International to The Catholic University of America in June, 4000 lbs of a deeply cleaned (1.3% ash) coal with particle size 99.5% <100 mesh (150 microns).
- UE3-223-MCW-F - From OXCE Fuel Company to Tecogen in June, 630 gallons of a micronized coal-water slurry prepared from 4.6% ash UE3-201-WRM-E.
- UE3-224-MCW-F - From OXCE Fuel Company to Tecogen in June, 1200 gallons of a micronized grind coal-water fuel prepared from 1.3% ash UE3-162-DCC-E.
- PGH-229-PCO-P - From Penn Rillton to Vortec in June, 7500 lbs of a pulverized grind Pittsburgh #8 coal from Consol's Mathies mine in Greene County, PA.
- UE3-230-DCC-E - From Energy International to OXCE Fuel Company; 2,155 lbs (in six drums) of deeply-cleaned Upper Elkhorn #3 coal (1.8% ash) for the preparation of 300 gals of micronized coal-water fuel for J. Busek Company.
- UE3-232-DCC-E - From Energy International to OXCE Fuel Company; 7,861 lbs (in 43 drums) of deeply cleaned Upper Elkhorn #3 coal for the preparation of 1200 gals of micronized coal-water fuel (UE3-235-MCW-F) for The Catholic University.
- UE3-233-DCC-D - From Energy International to OXCE Fuel Company; 3,417 lbs (in 18 drums) of deeply-cleaned Upper Elkhorn #3 coal for the preparation of 500 gallons of a utility grind coal-water fuel (UE3-236-CWF-F) for The Catholic University.
- EBT-228-DCC-G - From Amax Research & Development Center to the University of Tennessee Space Institute; six tons of a deep-cleaned Eagle Butte subbituminous coal for combustion testing.

- PGH-231-WRM-A - From Consolidation Coal Company to Energy International in July, 4,451 lbs of washed run-of-mine Pittsburgh #8 seam coal from Consol's Bailey mine. To be used for the preparation of a dry fuel for Technion-Israel Institute of Technology.

7.0 FUTURE PLANS

Energy International will continue to respond to the fuel preparation and delivery needs of the combustor contractors. Close contact with PETC and the contractors will be maintained in order to implement any changes in the fuel quantities, delivery schedules or specifications.

Currently requested fuel deliveries have been matched with existing coal inventories to determine the need for further deep-cleaning. There is an adequate quantity of deeply-cleaned coal available to meet the needs currently known. Therefore, no further deep-cleaning is necessary. Nevertheless, an effort is being made to be aware of existing conventional facilities/processes in the event of unanticipated or sudden fuel requirements and also to be helpful to the program as other contractors move into Phase II and will be required to find their own fuel suppliers.

The planned future coal and fuel deliveries are as follows:

- Delivery by September 1 to The Catholic University 1200 gallons of a micronized slurry (100% of the coal particles less than 45 microns in diameter) from deep-cleaned Upper Elkhorn #3 coal.
- Delivery by September 1 to The Catholic University 500 gallons of a utility grind slurry (100% of the coal particle less than 149 microns in diameter) from deep-cleaned Upper Elkhorn #3 coal.
- Delivery in September to Technion-Israel Institute of Technology, 1,000 kilograms of a domestic, low sulfur, bituminous coal having <20% ash, ~30% volatiles, and 15,500 Btu/lb higher heating value. The initial deformation temperature should be around 2241°F in an oxidizing atmosphere, and a fluid ash temperature should be 2690°F.
- Delivery in September to J. Busek Company 300 gallons of a micronized coal-water fuel from deep-cleaned Upper Elkhorn #3 coal.

Other activities planned for the coming quarter are:

- Complete and issue the request-for-bid for deep cleaning coal services.
- Select for award the proposals with technical merit which support programmatic needs; initiate the coal cleaning activities.
- Request a four-month contract extension without additional funds from PETC in order to complete the anticipated fuel deliveries and to help select and evaluate the clean coal proposals.
- Prepare the final report.

8.0 APPENDIX

8.1 Coal & Fuels Shipment Log

COAL & FUELS SHIPMENT LOG

Serial Numbers 000 thru 108

Update: 17-Nov-88

filerlist4

Serial No.	Sample I.D.	Previous Sample I.D.	From	To	Quantity	Description	P.O.#	Date Shipped	Hauler
000-010	unassigned								
011	UE3-011-RON-A	ROM coal	Westmoreland Coal Co.	EPRI	~20 tons	high ash ROM coal for cleaning trials at Homer City	EL-282	10/20/87	Five Star
012	UE3-012-WRM-A	parent	Westmoreland Coal Co.	EPRI	~20 tons	cleaned coal from Wentz prep plant for cleaning trial.	EL-282	10/20/87	Five Star
013	UE3-013-WRM-H	UE3-012-WRM-A	EPRI	Dravo	small samp.	for analytical check			
014	UE3-014-WRM-H	UE3-012-WRM-A	EPRI	EL	small samp.	for analytical check			
015	UE3-015-DCC-D	UE3-011-RON-A	EPRI	EL	18 drums	cleaned coal from EPRI (stored at Logans Ferry)			
016	UE3-016-DCC-D	UE3-012-WRM-A	EPRI	EL	38 drums	cleaned coal from EPRI (stored at Logans Ferry)			
017-088	unassigned								
089	UE2-089-WRM-A	parent	Central Coal Co.	Dravo	11 tons	Off-spec, Lower Cedar Grove, Virginia Energy mine #1085	EL-125	2/19/87	
090	LEL-090-WRM-A	parent	WAPCO	Dravo	2 drums	Pond Creek Coal, Pontitki plant			
091	LEL-091-WRM-D	LEL-090-WRM-A	Dravo	E.I.	5 gal	Pond Creek Coal, Pontitki plant, 1/8x0 for washability studies			
092	CBD-092-WRM-A	parent	Westmoreland Coal	Dravo	2 drums	Colorado, Coal Bed D			
093	CBD-093-WRM-D	CBD-092-WRM-A	Dravo	E.I.	5 gal	Colorado, Coal Bed D, 1/8x0 for washability studies			
094	UE2-094-WRM-A	parent	Central Coal Co.	Dravo	11 ton	2x ash, Lower Cedar Grove, Virginia Energy mine #1085			
095-099	Unassigned								
100	UE3-100-WRM-A	parent	Westmoreland Coal	Dravo	2 drums	Taggart Seam			
101	UE3-101-WRM-D	UE3-100-WRM-A	Dravo	E.I.	5 gal	Taggart Seam, 1/8x0 for washability studies			
102	UE1-102-WRM-A	parent	Old Ben Coal Co.	Dravo	2 drums	Alma Seam			
103	UE1-103-WRM-D	UE1-102-WRM-A	Dravo	E.I.	5 gal	Alma Seam, 1/8x0 for washability studies			
104	UE2-104-WRM-A	parent	Beth Energy Coal Co.	Dravo	2 drums	Lower Cedar Grove			
105	UE2-105-WRM-D	UE2-104-WRM-A	Dravo	E.I.	5 gal	Lower Cedar Grove, 1/8x0 for washability studies			
106	UE3-106-WRM-A	parent	Westmoreland Coal	Dravo	20 ton	3.5% ash coal, Wentz plant, Taggart seam (list shipment)	EL-148	4/13/87	
107	ELC-107-WRM-F	parent				Elk Creek Coal from OICE			
108	ELC-108-CWF-F	ELC-107-WRM-F	OICE	PEIC	350 gal	Std. grind slurry	EL-151	4/16/87	

COAL & FUELS SHIPMENT LOG

Serial Numbers 109 thru 132

Update: 17-Nov-88

filelist4a

Serial No.	Sample I.D.	Previous Sample I.D.	From	To	Quantity	Description	P.O.#	Date Shipped	Hauler
109	UE3-109-WRM-A	parent	Westmoreland Coal	Dravo	23 tons	*3.5% ash, Taggart Seam, Wentz plant	EI-162	5/11/87	
110	UE3-110-WRM-A	parent	Westmoreland Coal	Dravo	26 tons	6% ash, Taggart Seam, Holton Plant	EI-167	5/7/87	
111	UE3-111-WRM-D	UE3-110-WRM-D	Dravo	DICE	26 tons	From UE3-110-WRM-A	EI-168	5/11/87	
112	UE3-112-DCC-D	UE3-106-WRM-A	Dravo	Penn Rilliton	2000 lbs	Deep cleaned UE3-106-WRM-A	Dravo	5/6/87	
113	UE3-113-PCO-C	UE3-112-DCC-D	Penn Rilliton	MICI	2000 lbs	Pulverized UE3-112-DCC-D	EI-176	5/8/87	
114	UE2-114-MCO-C	UE2-094-WRM-A	PRS	PETC	5 ton	Micronized UE2-094-WRM-A	EI-158	5/4/87	
115	UE3-115-DCC-D	UE3-106-WRM-A	Dravo	DICE	28 drums/5040 lbs	Filter cake from deep cleaned UE3-109-WRM-A	EI-179	5/13/87	
116	UE3-116-UCW-F	UE3-115-DCC-D	DICE	EER, MICI, Tec	6 drums	Ultrafine slurry from filter cake UE3-115-DCC-D	EI-175	6/22/87	
117	UE3-117-CMF-F	UE3-111-WRM-D	DICE	PETC	2000 gal	Sid grind slurry from UE3-111-WRM-D	EI-171	5/27/87	Leanan
118	UE3-118-WRM-A	parent	Westmoreland Coal	Dravo	23 tons	*3.5% ash, Taggart Seam, Wentz Plant	EI-182	5/22/87	
119	UE3-119-DCC-D	UE3-109-WRM-A	Dravo	DICE	56 drums/10865 lbs	From UE3-109-WRM-A, 1.3-1.5% ash	EI-190	5/28/87	
120	UE3-120-CMF-F	UE3-119-DCC-D	DICE	MICI/PETC	600 gal/110 gal	Sid. grind slurry, 1.2% ash, from UE3-119-DCC-D	EI-191	7/27/87	
121	UE3-121-UCW-F	UE3-119-DCC-D	DICE	MICI	600 gal/111 drums	Ultrafine slurry, 1.2% ash, from UE3-119-DCC-D	EI-192	6/23/87	
122	UE3-122-DCC-D	UE3-118-WRM-A	Dravo	PRS	15 drums	Cleaned to 1.75 to 2.25% ash, from UE3-118-WRM-A	EI-202	6/11/87	
123	UE3-123-MCO-C	UE3-122-DCC-D	PRS	MICI	24 drs/5412 lbs	From UE3-122-DCC-D	EI-231	7/22/87	Preston
124	UE2-124-WRM-D	UE2-087-WRM-A	Dravo	PRS	70 drums	From UE2-087-WRM-A	EI-194	6/1/87	
125	UE2-125-MCO-C	UE2-124-WRM-D	PRS	PETC	5 tons	From UE2-124-WRM-D	EI-211	6/24/87	Carlucci
126	UE2-126-MCO-C	UE2-094-WRM-A	PRS	PETC	39 drums/9615 lbs	From UE2-094-WRM-A	EI-205	6/11/87	Carlucci
127	UE3-127-WRM-A	parent	Westmoreland Coal	Dravo	25 tons	Stoker Coal, Taggart seam, 3.5% ash, Wentz plant	EI-195	6/3/87	Five Star
128	UE2-128-MCO-C	UE2-089-WRM-D	PRS	EER	55 gal drum	Air freighted (from UE2-089-WRM-D) same as UE2-126-MCO-C	Dravo	6/8/87	
129	UE3-129-DCC-D	UE3-118 & 127	Dravo	PRS	13 drums	Blend of deep cleaned UE3-118 & UE3-127	EI-211	6/22/87	Carlucci
130	UE3-130-DCC-D	UE3-129-DCC-D	Dravo	DICE	47 drums/8640 lbs	1.3-1.5% ash - same as UE3-129	EI-226	7/10/87	Preston
131	UE3-131-WRM-A	parent	Westmoreland Coal	Dravo	41 tons	Taggart Seam, Wentz plant	EI-212	6/26/87	Five Star
132	UE3-132-WRM-A	parent	Westmoreland Coal	Dravo	22 tons	Taggart Seam, Wentz plant	EI-212	6/25/87	Five Star

COAL & FUELS SHIPMENT LOG

Serial numbers 133 thru 155

Update: 17-Nov-80

filelist4b

Serial No.	Sample I.D.	Previous Sample I.D.	From	To	Quantity	Description	P.O.#	Date Shipped	Hauler
133	UE3-133-MCO-C	UE3-122-DCC-D	PRS	EER	55 gal drum	Micronized from UE3-122	Dravo	6/24/87	Amer Air
134	UE3-134-DCC-D	UE3-127/132	Dravo	Penn Rilton	20 drums	Deep cleaned coal	EI-228	7/15/87	Carlucci
135	UE3-135-PCO-C	UE3-134-DCC-D	Penn Rilton	NICI	20 drums/2 tons	Pulverized coal	EI-232	7/16/87	Preston
136	UE3-136-WRM-A	parent	Westmoreland Coal Co.	Dravo	23 tons	Stoker Coal (*3.5% ash), Taggart Seam, Wentz Plant	EI-233	7/20/87	Five Star
137	UE3-137-CMF-F	UE3-130-DCC-D	DICE	PETC	1870 gal	same spec as UE3-120-CMF-F, 600gal from UE3-144	EI-240	8/19/87	Leaman
138	UE3-138-CMF-F	UE3-131-WRM-A	DICE	C-E	1200 gal	heatable to 150 deg. C	EI-238	9/11/87	
139	UE3-139-MCM-F	UE3-131-WRM-A	DICE	C-E	7500 gal	heatable to 150 deg. C	EI-241	10/27/87	
140	LEL-140-MCO-E	LEL-091-WRM-A	EI	United Tech	one pound	Micronized "as received" Lower Elthorn	--	8/3/87	US Mail
141	LEL-141-MCO-E	LEL-140-MCO-E	EI	United Tech	one pound	Deep Cleaned LEL-140-MCO-E (froth flotation)	--	8/3/87	US Mail
142	UE3-142-DCC-D	UE3-132-WRM-A	Dravo	Schutz/D'Neil	46 drums/4.6 tons	Deep cleaned	EI 246	7/31/87	Salth
143(1)	UE3-143-MCO-C	UE3-142/145	Schutz/D'Neil	PETC	88 drums	Deep cleaned micronized coal	EI 265	9/1/87	Inway
143(2)	UE3-143-MCO-C	UE3-142/145	Schutz/D'Neil	PETC/EER	44 drums/1 drum	Deep cleaned micronized coal	EI 268	9/9/87	Salth
144	UE3-144-DCC-D	UE3-132-WRM-A	Dravo	DICE	21 drums	made 600 gal CMF & blended with UE3-137	EI-248	8/5/87	Salth
145	UE3-145-DCC-D	UE3-132/136	Dravo	Schutz/D'Neil	70 drums/7 tons	Deep cleaned dried filter cake	EI-251	8/24/87	Preston
146	B7P-146-WRM-N	parent	UNDERC	EI	10 gal	Western lignite coal	UNDERC	8/6/87	RPS
147	B7P-147-PCO-N	B7P-146-WRM-N	UNDERC	SAIC/EI	1 ton/5 gal	Pulverized Buelah Tap lignite coal	UNDERC	8/3/87	RPS
148	UE3-148-DCC-D	UE3-149-WRM-A	Dravo	Schutz/D'Neil	75 drums/7.5 tons	for 25 ton shipment of micronized coal for PETC	EI-267	9/8/87	Salth
149	UE3-149-WRM-A	parent	Westmoreland Coal Co.	Dravo	23 tons	Taggart Seam, Wentz plant stoker coal	EI-261	8/24/87	Five Star
150	B7P-150-RDM-N	parent	UNDERC	ANAX	*2000 lbs	Buelah-Tap lignite coal	EI 278		RPS
151	B7P-151-DCC-N	B7P-150-RDM-N	ANAX	UNDERC	*2000 lbs	Deep cleaned lignite coal	EI 278		RPS
152	UE3-152-MCO-C	UE3-148-DCC-D	Schutz/D'Neil	PETC	10,135 lbs		EI 352	1/12/88	Yellow
153	UE3-153-DCC-D	UE3-149/156	Dravo	EI	*95 drums	Light industrial grade held in storage (for micronizing)	EI-397	3/1/88	Carlucci
154	UE3-154-MCO-S	UE3-153-DCC-D	Schutz/D'Neil	Tecogen	1 drum		Dravo	9/23/87	Yellow
155	UE3-155-MCO-S	UE3-153-DCC-D	Schutz/D'Neil	EER	3 drums		Dravo	9/23/87	Yellow

COAL & FUELS SHIPMENT LOG

filelist4c

Update: 17-Nov-88

Serial Numbers 156 thru 173

Serial No.	Sample I.D.	Previous Sample I.D.	From	To	Quantity	Description	P.O.#	Date Shipped	Hauler
156	UE3-156-WRM-A	parent	Westmoreland Coal Co.	Dravo	23 tons	Dravo began using Oct 8, 1987	EI-272	9/25/87	Five Star
157	BIP-157-CMF-N	BIP-176-MCO-S	UNDERC	Avco/EI	1000 lbs/5 gal	Coal-methanol-water slurry prepared from lignite coal	EI-278	10/2/87	PCANCELEDI
158	UE3-158-MCO-S	UE3-148-DCC-D	Schutz/D'Neill	UISI	2 tons	85% minus 22 microns	EI-279	10/5/87	Yellow
159	KHR-159-RDM-N	parent	UNDERC	EI	10 gallons	western subbituminous coal	EI-282	11/16/87	
160	KHR-160-PCO-N	KHR-159-RDM-N	UNDERC	SAIC/EI	1 ton/5 gal	pulverized to 80% minus 200 mesh	EI-282	11/16/87	
161	UE3-161-WRM-A	parent	Westmoreland Coal Co.	Dravo	24 ton	Wentz plant stoker coal ~3.5% ash	EI-281	10/20/87	Five Star
162	UE3-162-DCC-D	UE3-161/164-WRM	Dravo	EI	90 drums	Residential grade coal held in storage for slurry	EI-397	3/2/89	Carlucci
163	UE3-163-DCC-D	UE3-161/164-WRM	Dravo	EI	53 drums	Residential grade coal held in storage for micronizing	EI-397	3/2/88	Carlucci
164	UE3-164-WRM-A	parent	Westmoreland Coal Co.	Dravo	25 ton	Wentz plant stoker coal ~3.5% ash	EI-285	10/27/87	Five Star
165	UE3-165-WRM-A	parent	Westmoreland Coal Co.	Dravo	25 ton	Wentz plant stoker coal ~3.5% ash	EI-297	11/3/87	Five Star
166	UE3-166-WRM-D	UE3-165-WRM-A	Dravo	AMA1	2 drums	for cleaning trials	EI-303	11/6/87	Saith
167	UE3-167-DCC-D	UE3-161/164-WRM	Dravo	Schutz/D	2 drums	for particle size reduction for AVCO	EI-312	11/17/87	Saith
168	UE3-168-DCC-D	UE3-161/164-WRM	Dravo	Schutz/D	2 drums	for particle size reduction for TECOGEN	EI-312	11/18/87	Saith
169	UE3-169-MCO-S	UE3-167-DCC-D	Schutz/D'Neill	Avco	2 drums	residential grade micronized coal	Dravo	12/18/87	Yellow
170	UE3-170-MCO-S	UE3-168-DCC-D	Schutz/D'Neill	Tecogen	2 drums	residential grade micronized coal	Dravo	12/18/87	Yellow
171	unassigned number								
172	UE3-172-DCC-D	UE3-164-WRM-A	Dravo	Cath. U.	3 drums	modeling studies for Navy	EI-369	1/25/88	ANR
173	UE3-173-DCC-D	UE3-164-WRM-A	Dravo	OICE	11 drums	for slurry prep for Tecogen	EI-374	1/9/88	Yellow
174	UE3-174-MCM-F	UE3-173-DCC-D	OICE	Tecogen/ARC	4/1 drums		EI 375	2/22/89	
175	BIP-175-DCC-N	BIP-151-DCC-N	UNDERC	Schutz/D	~2000 lbs	for micronizing for AVCO			
176	BIP-176-MCO-S	BIP-175-DCC-N	Schutz/D'Neill	UNDERC/AVCO		UNDERC methanol-water slurry prep/AVCO combustion testing	EI 278		
177	UE3-177-PCO-D	UE3-164-WRM-A	Dravo	EI	~4300 lbs	ground to 1/8" topsize, stored in drums (approx. 20)	EI-387	3/1/89	Carlucci
178	UE3-178-PCO-D	UE3-165-WRM-A	Dravo	EI	23 tons	ground to 1/8" topsize inerted under nitrogen	EI-387	3/2/89	Carlucci

COAL & FUELS SHIPMENT LOG

file: list4d

Update: 17-Nov-88

Serial Numbers 179 thru 201

Serial No.	Sample I.D.	Previous Sample I.D.	From	To	Quantity	Description	P.O.#	Date Shipped	Hauler
179	UE3-179-DCC-D	UE3-153-DCC-D	Dravo	DICE	11,279 lbs	DCC coal for slurry for MCI, 1.38% ash, residential grade	EI-397	3/1/88	Yellow
180	UE3-180-DCC-D	UE3-162-DCC-D	Dravo	DICE	5,738	DCC coal for slurry for Tecogen, 1.22% ash, residential grade	EI-397	3/1/88	Yellow
181	UE3-181-WRH-D	UE2-089-WRH-A	Dravo	EI	7 drums	minus 1/4"	EI-387	3/2/88	Carlucci
182	UE3-182-WRH-A	parent	Westmoreland Coal Co.	DICE	46 tons	Washed ROM coal, Wentz plant, *2.5% ash	EI-416	3/25/88	Five Star
183	UE3-183-MCO-S	UE3-153-DCC-D	Shultz/O'Neill	EER	7 drums/1400 lbs	micronized coal	EI-420	6/2/88	Consol Frt.
184	UE3-184-MCO-F	UE3-182/187	DICE	CE	18,000 gal	micronized coal-water fuel	EI-427	6/20/88	In house
185/186 185 and 186 were for 750 gallons each of micronized and standard grind slurry for MCI. Both were cancelled.									
187	UE3-187-WRH-A	Parent	Westmoreland Coal Co.	DICE	46 tons	washed run-of-mine nominal 2.5% ash coal	EI-470	5/29/88	Five Star
188	UE3-188-CWF-F	UE3-187-WRH-A	DICE	CE	3,500 gallons	standard grind slurry (CIE analyzed coal)	EI-475	7/8/88	In house
189	UE3-189-WRH-A	Parent	Westmoreland Coal Co.	DICE	24 tons	washed run-of-mine nominal 2.5% ash coal	EI-487	6/13/88	Five Star
190	UE3-190-PCO-E	UE3-PCO-177-D	Energy International	9/0	2 tons (18 drums)	nominal 1/8" topsize free inventory	EI-501	6/22/88	Carlucci
191	UE3-191-PCO-E	UE3-PCO-178-D	Energy International	8/0	23 tons (145 drums)	nominal 1/8" topsize free inventory	EI-501	6/22/88	Carlucci
192	UE3-192-WRH-A	Parent	Westmoreland Coal Co.	EI	25 tons	washed run-of-mine nominal 2.5% ash coal	EI-500	6/27/88	Five Star
193	UE3-193-WRH-E	UE3-192-WRH-A	Energy International	5/0	24 tons in drums	for micronization for UTSI	EI-507	6/29/87	Carlucci
194	UE3-194-MCO-S	UE3-190/191	Schultz-O'Neill	UTSI	43,185 lbs	micronized coal, 10 micron mean particle size	EI-503	7/18/88	Yellow
195	UE3-195-MCO-S	UE3-193-WRH-E	Schultz-O'Neill	UTSI	42,761 lbs	micronized coal, 10 micron mean particle size	EI-503	7/29/89	Yellow
196	UE3-196-CWF-F	UE3-189-WRH-A	DICE	CE	13800 gallons	standard grind, unstabilized slurry	EI-473	7/11/88	In house
197	UE3-197-MCO-S	UE3-194-MCO-S	Schultz-O'Neill	Catholic U.	1600 lbs (8 drums)	nominal 10 micron mean particle size	EI-514	7/15/88	Yellow
198	UE3-198-CWF-F	UE3-189-WRH-A	DICE	CE/Tecogen	700 gal/15 gal	standard grind, lightly stabilized coal-water slurry	EI-473	7/26/88	In house
199	UE3-199-CWF-F	UE3-189-WRH-A	DICE	Catholic U.	300 gal	standard grind, lightly stabilized coal-water slurry	EI-473	7/26/88	Truck(?)
200	BIP-200-DCC-H	BIP-151-DCC-H	UNDEMR	AVCO	125 lbs	2% ash lignite coal (chemically cleaned)	EI-278	4/4/88	AHR
201	UE3-201-WRH-A	Parent	Westmoreland Coal Co.	EI	24 tons	4.6% ash (CIE & EI analysis) washed run-of-mine	EI-528	8/26/88	Five Star
201A	UE3-201-WRH-E	UE3-201-WRH-A	EI	DICE/S-O	12 drums/40 drums	12 drums being stored at DICE - did not make into slurry	EI-538	8/2/89	Yellow
201B	UE3-201-WRH-E	UE3-201-WRH-E	EI	5/0	18 drums	for micronizing for MCI	EI-550	9/21/88	Yellow

COAL & FUELS SHIPMENT LOG

Update: 17-May-89										Serial Numbers 202 thru 218	
Serial	Previous	From	To	Quantity	Description	P.O.#	Date				
No.	Sample I.D.						Shipped	Hauler			
202	UE3-202-PCO-S	UE3-201-NR2-E	Shultz-O'Neill	MICI	1111 CANCELED - TOO LOW ASH VALUE FOR MICI 1111 (see UE3-209)	EI-539	--	--			
203	UE3-203-NCO-S	UE3-201-NR2-E	Shultz-O'Neill	UTSI	15,733 lbs 4.61 ash coal (all 40 drums micronized for UTSI)	EI-539	9/23/88	Yellow			
204	UE3-204-PCW-F	UE3-180-PCO-D	DICE	ARC/TEC./EEA/EI	5/200/200/5 gal slurry prepared from residential grade (1.31 ash) coal	EI-542	9/26/88	Yellow			
205	UE3-205-CMF-F	UE3-204-NR2-E	DICE	MICI/TEC./EI	600/55/5 gal std grind slurry from high ash (6.81) coal	EI-543	11/14/88	Yellow			
206	UE3-206-NR2-A	parent	Westoreland Coal Co.	EI	11.24 tons high ash coal, 6.81 ash	EI-560	9/30/88	Five Star			
206A	UE3-206-NR2-E	UE3-204-NR2-A	EI	S-O/DICE	44/16 drums for processing into fuel for MICI, Tecogen and UTSI	EI-558	10/3/88	Yellow			
207	unassigned number										
208	UE3-208-NCO-S	UE3-204-NR2-E	Shultz-O'Neill	UTSI	9096 lbs micronized (100 mean particle size) high ash (6.81) coal	EI-563	11/10/88	Yellow			
209	UE3-209-PCO-S	UE3-204-NR2-E	Shultz-O'Neill	MICI	6,000 lbs pulverized (300 mean particle size) high ash (6.81) coal	EI-563	11/10/88	Yellow			
210	UE3-210-NR2-A	parent	Westoreland Coal Co.	ARC/EI	7.65/11.7 tons nominal 2.51 ash washed R-O-N coal delivered direct from mine	EI-561	10/4/88	Seaway			
210A	UE3-210-NR2-E	UE3-210-NR2-A	EI	Storage	14.7 tons nominal 2.51 ash washed R-O-N coal delivered direct from mine	--	--	--			
210P	UE3-210-NR2-E	UE3-210-NR2-A	EI	Process Tech	1 drum/315 lbs for coal cleaning studies	EI-565	11/3/88	Yellow			
211	UE3-211-NR2-E	UE3-210-NR2-A	EI	Battelle	20 lbs as received NRM UE3 for cleaning studies	none	10/17/88	Esery			
212	UE3-212-PCO-E	UE3-210-NR2-A	EI	Pitt/Nest.	5 lbs -200 mesh coal, ground and stored under argon	none	10/21/88	Fitt Van			
213	UE3-213-MCO-S	UE3-183-PCO-E	Jacobson	Cath. U.	5465 lbs micronized fuel (25 drums UE3-153 shipped to Jacobson 11/1/88)	EI-531	11/10/88	Yellow			
214	UE3-214-MCF-F	UE3-175-PCO-D	DICE Fuel Co.	Cath. U.	300 gal micronized slurry	EI-563	11/20/88	?			
215	UE3-215-PCO-E	UE3-183-PCO-D	EI	NOL-TEC	5 drums/1150 lbs For calibration of Vortec furnace feed system (1.22 ash)	EI-591	11/15/88	Yellow			
216	UE3-216-PCO-S	UE3-202-NR2-E	Jacobson	NOL-TEC	1000 lbs For calibration of Vortec furnace feed system (42 ash)	EI-592	11/29/88	Hycan			
217	UE3-217-CMF-F	UE3-202-NR2-E	ANAI	MICI/EI	800 gal/5 gal Utility grind CMF, 4.61 ash coal	EI-620	3/13/89	--			
219	UE3-218-MCF-F	UE3-180-PCO-D	DICE Fuel Co.	Tecogen	300 gallons Micronized low (1.31) ash slurry	EI-621	3/27/89	--			
*	*	*	*	Catholic U.	700 gallons Micronized low (1.31) ash slurry	*	*	--			
*	*	*	*	EER	200 gallons Micronized low (1.31) ash slurry	*	*	--			
*	*	*	*	Purdue	55 gallons Micronized low (1.31) ash slurry	*	*	--			
*	*	*	*	EI	5 gallons Micronized low (1.31) ash slurry (EI received sample 3/27/89)	*	*	--			

COAL & FUELS SHIPMENT LOG

file:lst4f

Update: 07-Sep-89

Serial Numbers 219 thru 240

Serial No.	Sample I.D.	Previous Sample I.D.	From	To	Quantity	Description	P.O.#	Date Shipped	Carrier
219	UE3-219-WRM-A	parent	Westmoreland Coal Co.	CE	102	3.15% ash coal, shipped directly to CE	EI-623	3/9/89	Seaway
220	BTP-220-MCO-E	from UNDEHRC	Energy International	AVCO	50 lbs/2 buckets	micronized, low ash (22), nitric acid cleaned lignite	EI-644	7/31/89	Yellow
221	BTP-221-DCC-E	from UNDEHRC	Energy International	AVCO	150 lbs	as received, nitric acid cleaned (1.9% ash) lignite coal	EI-644	3/31/89	Yellow
222	UE3-222-CMF-6	UE3-201-WRM-E	AMAX	MTCI/EI	655 gal/5 gal	*62% solids slurry, low viscosity	EI-620	5/24/89	Can Frt
223	UE3-223-MCM-F	UE3-201-WRM-E	OYCE Fuel Co.	Tecogen/EI	500 gal/5 gal	Micronized CMF from 4.5% ash coal, 2550 deg F AFT	EI-660	6/9/89	Yellow
224	UE3-224-MCM-F	UE3-162-DCC-E	OYCE Fuel Co.	Tecogen/EI	1200 gal/ 5 gal	Micronized CMF from deep-cleaned coal	EI-658	6/16/89	Yellow
225	UE3-225-MCO-M	UE3-165-DCC-D	MCP	C.U./EI	10,320 lbs/5 lbs	Micronized, deep cleaned (1.2% ash) coal	EI-682	6/16/89	
226	UE3-226-DCC-E	UE3-10/153-DCC	EI	Cath. U.	4000 lbs	Dry, pulverized deep cleaned (1.4% ash) coal	EI-680	6/22/89	
227	E8T-227-RDM-S	Amex	Amex	EI			EI-668		
228a	E8T-228a-DCC-6	Amex	Amex	UTSI/EI	small sample	1.3 s.g. float Eagle Butte subbituminous coal	EI-658	6/14/89	
228b	E8T-228b-DCC-6	Amex	Amex	UTSI/EI	6 tons/~ 8lbs	1.4 s.g. float Eagle Butte subbituminous coal	EI-658	7/21/89	
229	PGH-229-PCO-P	Penn Rillton	Penn Rillton	Vortec/EI	7500 lbs	Pulverized Pittsburgh #8 seam coal, from Consol's Mathias mine	EI-681	6/25/89	Carlucci
230	UE3-230-DCC-E	UE3-015/016-DCC	EI	EI/OYCE	3979 lbs	8 drums to OYCE, 17 drums EI Logans Ferry warehouse	EI-676	9/1/89	
231	PGH-231-WRM-A	parent	Consol, Bailey Mine	EI	4451 lbs/12 drums	brought to Harraarville for grinding	EI-688	7/24/89	Carlucci
232	UE3-232-DCC-E	UE3-0/162-DCC	EI Storage	OYCE	29 drums UE3-162 and 14 drums UE3-000	for 1200 gallons slurry for Cath. U.	EI-693	8/1/89	AEF
233	UE3-233-DCC-E	UE3-0/230-DCC	EI	OYCE	16 drums UE3-000 and 2 drums UE3-230	for 500 gallons slurry for Cath. U.	EI-695	9/1/89	AEF
234	PGH-234-PCO-P	PGH-231-WRM-A	Penn Rillton	ITT	2537	special shipment to Isreal Institute of Technology	EI-692	9/3/89	AEF
235	UE3-235-MCM-F	UE3-232-DCC-E	OYCE	EI/C.U.	1 gal/1200 gal	micronized CMF prepared from deep cleaned UE3	EI-693		
236	UE3-236-CMF-F	UE3-235-DCC-E	OYCE	EI/C.U.	1 gal/500 gal	utility grind CMF prepared from deep cleaned UE3	EI-695		
237	UE3-237-MCM-F	UE3-230-DCC-E	OYCE	B. Busek	300 gal	micronized CMF prepared from deep cleaned UE3	EI-694		
238	E8T-238-PCO-6	Amex	Amex	Vortec		Amex's Eagle Butte mine Subbituminous coal			
239									
240									

**DATE
FILMED**

8 / 5 / 93

END