HLW FLOWSHEET MATERIAL BALANCE FOR DWPF RAD OPERATION WITH TANK 51 SLUDGE AND ITP CYCLE 1 PRECIPITATE (U)

April 19, 1995

Westinghouse Savannah River Company
Savannah River Site
Aiken, SC 29808

Alexander S. Choi
Defense Waste Processing Technology
Savannah River Technology Center

PREPARED FOR THE U.S. DEPARTMENT OF ENERGY UNDER CONTRACT NO. DE-AC09-89SR18035

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

WSRC-TR-95-0019
(Revision 0)

HLW FLOWSHEET MATERIAL BALANCE FOR DWPF RAD OPERATION WITH TANK 51 SLUDGE AND ITP CYCLE 1 PRECIPITATE (U)

April 19, 1995

Alexander S. Choi

**Defense Waste Processing Technology
Savannah River Technology Center
Westinghouse Savannah River Company
Aiken, SC 29808**

PREPARED FOR THE U.S. DEPARTMENT OF ENERGY UNDER CONTRACT NO. DE-AC09-89SR18035

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

This report has been reproduced directly from the best available copy.

Available to DOE and DOE contractors from the Office of Scientific and Technical Information, P.O. Box 62, Oak Ridge, TN 37831; prices available from (615) 576-8401.

Available to the public from the National Technical Information Service, U.S. Department of Commerce, 5285 Port Royal Road, Springfield, VA 22161.

**WESTINGHOUSE SAVANNAH RIVER COMPANY
SAVANNAH RIVER TECHNOLOGY CENTER**

**WSRC-TR-95-0019-TL
(Revision 0)**

RECEIVED
SEP 11 1995
OSTI

**Keywords: HLW Flowsheet, Material
Balance, DWPF, Tank 51
Sludge, ITP Cycle 1, CPES**

Retention Period: Permanent

April 19, 1995

**D. B. Amerine, Manager / DWPF
Westinghouse Savannah River Company**

Attention: S. F. Piccolo, 704-S

**HLW FLOWSHEET MATERIAL BALANCE FOR
DWPF RAD OPERATION WITH TANK 51 SLUDGE AND
ITP CYCLE 1 PRECIPITATE (U)**

A HLW flowsheet material balance was calculated for the radioactive operation of DWPF with washed Tank 51 sludge and precipitate to be produced during the first ITP cycle. The CPES integrated HLW flowsheet model used for previous DWPF material balances was updated to produce this material balance. The compositions assumed for the Tank 51 sludge and the salt/supernate feeds for ITP Cycle 1 were all based on analytical results for samples taken recently. Key simulation results include:

- When the Tank 51 sludge was washed between 8.1 and 10.7 wt% total Na on a dry basis, and 90% of the insoluble solids present in the Tank 41 saltcake were removed from the ITP feed, the resulting glass satisfied all the glass constraints currently imposed on the PCCS Version 3.0. The maximum sludge loading in glass ranged from 24.6 to 25.6 wt%, and the PHA loading was about 6.0 wt%.
- Assuming that the Tank 51 sludge is washed to 10.0 wt% total Na and coupled with precipitates of the same composition as that produced during ITP Cycle 1,
 - The total duration that ESP can support 100% DWPF attainment with the Tank 51 sludge is 1.4 years, excluding the 88,000 gallon heel in Tank 51.
 - The total number of glass canisters produced is 756.

MASTER

C. T. Randall, 704-T
Authorized Derivative Classifier

(Cont'd on the next page)

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

- 1.35×10^6 gallons of inhibited wash water is required in ESP to reach the washing endpoint of 10.0 wt% Na on a dry basis.
- The volume of DWPF liquid waste recycle generated during Tank 51 sludge processing is 7.4×10^6 gallons at 40% DWPF attainment.
- 673,000 gallons of 10 wt% precipitate and 2.0×10^6 lb of frit 202 are required to vitrify the sludge in Tank 51, excluding the heel.
- If the Tank 51 sludge were washed to 8.1 wt% Na, the number of glass canisters produced would be reduced to 747.
- ITP will produce 155,000 gallons of 10 wt% precipitate during the first cycle and, theoretically, it can support 100% DWPF attainment for 4 months.
- The Cs-137 content in the 10 wt% precipitate slurry produced during the first cycle is projected to be 9.2 Ci/gal. About 5% of tetraphenylborate precipitate is expected to be decomposed and become soluble during a two-year storage at 9.2 Ci/gal, compared to about 16% decomposition at 46 Ci/gal.
- The Saltstone Facility would produce 687,000 ft³ of grout from decontaminated supernate generated during the first ITP cycle.

Since the Batch 1 sludge material balance was issued in 1993 (WSRC-TR-93-203, Rev. 0), the CPES integrated HLW flowsheet model and its database have been continuously updated to reflect our improved understanding of the overall HLW processing operation based on the latest bench- and pilot-scale runs. Some of the significant modifications made to the model and its database are summarized in this report.

One significant change made was to allow the model to calculate the required sludge batch size to support the design basis glass production rate with an 86 hour SRAT cycle. The salt workoff rate was maximized by adding 7,900 gallons of PHA at 4.5 wt% total solids to every sludge batch. The total solids concentration in the PHA was calculated according to the current Precipitate Reactor operating mode. As before, the frit addition was minimized for a maximum waste loading in glass.

After the study was completed, the potential impact of pending changes in PCCS durability and predictability correlations was evaluated, and it was determined that in the composition range dictated by the Tank 51 sludge, there would be no impact on the results of this study. The application of PCCS to this study, however, presumes that errors in sludge sampling and analyses are like those experienced in DWPF vessels, which are the only error statistics available.

(Cont'd on the next page)

A complete listing of material balance calculation results are attached to this report for a sludge feed containing 10 wt% Na. This comprehensive HLW flowsheet material balance represents the first of its kind computed based on the actual salt and sludge processing schedules.

Finally, the entire contents of this report including the bases used and the complete material balance output were technically reviewed by SRTC and HLWE personnel in February 1995. All comments received have been dispositioned. This report satisfies a partial requirement for TAR# HLW-DWPF-TAR950016. Please address any questions about this study to A. S. Choi, 725-6429.

E. W. Holtzscheiter 5/2/95

E. W. Holtzscheiter, Manager
SRTC - DWPT Section

WESTINGHOUSE SAVANNAH RIVER COMPANY
SAVANNAH RIVER TECHNOLOGY CENTER

WSRC-TR-95-0019-TL
(Revision 0)

APPROVAL SHEET

Authored by:

A. S. Choi, 704-1T
Engineer, Process Modeling and Control Group

5/1/95
Date

Approved by:

C. T. Randall, 704-T
Manager, Process Modeling and Control Group

5/1/95
Date

E. W. Holtzscheiter, 773-A
Manager, Defense Waste Processing Technology

5/2/95
Date

Technically Reviewed by:

N. E. Bibler, 773-A
Scientist, Glass Technology Group

5/2/95
Date

R. A. Jacobs, 704-T
Engineer, Process Technology Development Group

5/1/95
Date

**WESTINGHOUSE SAVANNAH RIVER COMPANY
SAVANNAH RIVER TECHNOLOGY CENTER**

**WSRC-TR-95-0019
(Revision 0)**

**Keywords: HLW Flowsheet, Material
Balance, DWPF, Tank 51
Sludge, ITP Cycle 1, CPES**

April 19, 1995

MEMORANDUM

To: C. T. Randall, 704-T

From: A. S. Choi, 704-1T *asc*

**HLW FLOWSHEET MATERIAL BALANCE FOR
DWPF RAD OPERATION WITH TANK 51 SLUDGE AND
ITP CYCLE 1 PRECIPITATE (U)**

SUMMARY

A HLW flowsheet material balance with the Tanks 42/51 blend sludge feed was issued in 1993 (WSRC-TR-93-203, Rev. 0) to support the radioactive startup of DWPF. Recently, however, ESP revised its operating plan due to inoperable slurry pumps in Tank 42, and the new plan calls for initially feeding only the sludge in Tank 51 to DWPF for its radioactive startup. Subsequently, HLWM requested that SRTC determine the impact of this Tank 51 only sludge feed on the entire HLW processing operation including the glass quality (HLW-ITP-950058).

The basis for doing such a comprehensive study was the CPES integrated HLW flowsheet model. Since 1993, the model and its database have been continuously updated to reflect the latest results from bench- and pilot-scale runs at SRTC. The most up-to-date CPES model was used in this study to simulate the entire HLW processing operation using the Tank 51 sludge and the salt/supernate feeds for the first ITP cycle. According to the HLW System Plan Revision 4 (HLW-OVP-94-0145), 100% of the dissolved saltcake feeds for the first three ITP cycles are to be transferred from Tank 41. Preliminary calculations, however, indicated that the samples taken near the top saltcake layer in Tank 41 contain too high levels of insoluble chromium and phosphate to make acceptable glass. As a result, one of

(Cont'd on the next page)

C. T. Randall, 704-T
Authorized Derivative Classifier

SUMMARY (Cont'd)

the key assumptions made in this study was that 90% of the insoluble solids present in the Tank 41 saltcake would be removed from the feed. Furthermore, three different ESP washing scenarios were simulated in this study, resulting in 8.1, 10.0 and 10.7 wt% total Na in washed sludge feed to DWPF on a dry basis, in order to find the optimum Tank 51 sludge / ITP Cycle 1 precipitate flowsheet which would result in a minimum number of glass canisters. All the major DWPF process bases used in this simulation study are given in Section 6.1 of this report.

One of the key conclusions of this study was that based on the PCCS (Version 3) analysis, the qualities of the glasses produced for all three sludge washing cases were determined to be acceptable. It turned out that the sludge loading in glass was the highest at 25.6 wt% when the sludge was washed least to 10.7 wt% Na, and it was the lowest at 24.6 wt% when the sludge was washed most to 8.1 wt% Na. These sludge loadings are, however, somewhat misleading, since they include washable salts in the sludge feed. As the sludge was washed more from 10.7 to 8.1 wt% Na by using 300,000 gallons of additional wash water, the sludge loading in glass was decreased, but the total number of glass canisters produced was also reduced by 13.

When the sludge was washed below 8.1 wt% Na, however, one of the key DWPF process bases used in the model was exceeded, i.e., more than two precipitate batches to the PR were required for one sludge batch to the SRAT. As a result, the optimum washing endpoint for the Tank 51 sludge appears to be about 8 wt% Na on a dry basis. For all three sludge washing cases, the PCCS analysis showed that the sludge loading in glass was limited by the liquidus constraint. The calculated PHA loading in glass was constant at 6.0 wt% for all three washing cases, since the maximum 7,900 gallons of PHA was blended with every sludge batch.

Some of the simulation results for the case of a sludge feed containing 10.0 wt% Na are compared in Table 0 to the earlier flowsheet based on the Tanks 42/51 blend sludge. Since the Tanks 42/51 sludge flowsheet used a hypothetical blend salt to make the glass, cumulative quantities such as duration or total volume of precipitate produced per cycle could not be calculated. For comparison purposes, therefore, most of the ITP flows are given in Table 0 in terms of the instantaneous flow rates required to satisfy 100% DWPF attainment at a given waste loading in glass. The cumulative ITP volumes for the Tank 51/ITP Cycle 1 flowsheet can be calculated simply by multiplying these instantaneous flow rates with the duration for the Cycle 1.

One interesting point to note is that the instantaneous ITP flow rates for the Cycle 1 are seen to be somewhat higher than those for the blend salt feed case. This is mainly because more washing was required in the LWF for the Cycle 1 precipitate, thus reducing the content of soluble salts in the feed to DWPF. This is further explained later in SUMMARY.

TABLE 0. Comparison of HLW Flowsheet Material Balance Results

	Tank 51 Only	Tanks 42/51 Blend
ESP/DWPF:*		
Total Insoluble Sludge Solids ($\times 10^6$ lb)	0.833	1.405
Wash Water Added ($\times 10^6$ gallon)	1.35	0.8
Inhibitors Added (gallon)		
- 50 wt% NaOH	29,300	30,000
- 40 wt% NaNO ₂	44,900	57,800
Na Content in Washed Sludge (wt% dry)	10.0	10.5
Duration @ 100% DWPF Attainment (yr)	1.40	2.31
Total # of Glass Canisters	756	1,246
Sludge Loading in Glass (wt%)	25.6	26.4
DWPF Recycle @ 40% Attainment ($\times 10^6$ gallon)	7.4	13.0
ITP/Late Wash:**		
Salt Feed Type	ITP Cycle 1	Blend
Duration @ 100% DWPF Attainment (mo)	3.93	N/A
33.5 wt% Feed to Tank 48 (gpm)	13.2	12.7
Total Insoluble Solids Removed (lb)	62,060	0.0
10 wt% Precipitate to Tank 49 (gpm)	0.913	0.877
Decont'd Supernate to Tank 50 (gpm)	19.27	18.23
Precipitate Feed to Late Wash (gpm)	0.90	0.86
NaTPB Added (gpm)		
- ITP	0.546	0.565
- Late Wash	0.053	0.130
Total Na in Precipitate to DWPF (equiv. molar)	0.105	0.054
Saltstone Produced during ITP Cycle 1 ($\times 10^6$ ft ³)	0.687	N/A

* All cumulative volumes were calculated per the duration of the sludge feed.

** All instantaneous flow rates represent required flows to satisfy 100% DWPF attainment.

SUMMARY (Cont'd)

Table 0 also shows that at the end of ITP Cycle 1, 62,050 lb of insoluble solids would remain. These insoluble solids should be diluted with other sludges in ESP, before being fed to DWPF. By contrast, no insoluble solids remained after the processing of the blend salt, since the reconstituted blend salt solution was assumed to contain only 600 ppm of insoluble solids, compared to over 11,000 ppm measured in the Tank 41 saltcake samples.¹¹ It is also noted in Table 0 that the total Na level in the precipitate feed produced during the ITP Cycle 1 is twice as high as that for the blend salt, because about 40 wt% of the insoluble solids in the Tank 41 saltcake are due to insoluble Na.

Table 0 further shows that although the volume of supernate in Tank 51 is much less than those in Tanks 42 and 51 combined, more wash water was required to reach the same Na endpoint. This was because the supernate in Tank 42 contains much less Na than in Tank 51, so it can be used to wash the Tank 51 sludge.

In addition to the updated sludge and salt/supernate feed compositions for ESP and ITP, other significant improvements also have been made to the CPES integrated HLW flowsheet model and its database since 1993, including;

- Increased model capability to manage tank heels in both ESP and ITP.
- Improved radiolysis chemistry of TPB precipitates in Tank 49.
- Modified inhibitor addition algorithm for ESP washing.
- Improved chemistry of H₂ and NH₃ generation in CPC.

The chemistry used in the model to describe the radiolytic reactions in Tank 49 was revised by including the correlations for the net production rates of organic species and the G-values for the nitrite/nitrate consumption as a function of total dose. These correlations were developed from recent analytical results for the precipitate samples irradiated up to 510 Mrad.^{27,28} The content of Cs-137 in the precipitate to be produced during the ITP Cycle 1 is projected to be 9.2 Ci/gal, and the updated radiolysis chemistry predicts that about 5% of the first TPB precipitate would be decomposed and become soluble during a 2-year storage in Tank 49, compared to 19% decomposition at 46 Ci/gal.

The total production rates of H₂ and NH₃ in one CPC cycle were set in this study at 2.67 and 1.37 lb, respectively. These values were obtained by scaling up the rates measured during the IDMS PX-6 run. Since the actual contents of noble metals in the Tank 51 sludge are expected to be considerably lower than those present in the PX-6 feed, these total emission rates assumed in this study should be regarded as very conservative estimates.

SUMMARY (Cont'd)

One significant change made to the convergence scheme used in the model was to fix the cycle time for the SRAT at 86 hours and then to calculate the required sludge feed batch size to meet the design basis glass production rate of 228 lb/hr, while satisfying the minimum frit content in glass determined by the PCCS analysis and maximizing the salt workoff rate at the same time.

This report summarizes most of the improvements and the revisions that have been made to the CPES model and its database, and subsequently reflected in this study. Most of the sludge and salt/supernate feed compositions used in this study were developed from the latest analytical data, and they are highlighted in several tables in this report. A complete output of the CPES material balance run including the compositions of blend glass, washed sludge and the first radioactive precipitate to be produced from ITP is also attached to this report for the case of a sludge feed containing 10 wt% Na. This is the first-ever HLW flowsheet material balance to be issued using the actual salt and sludge feed compositions.

Finally, it is strongly advised that readers use caution when interpreting the numbers given in the material balance tables for any batch process; all the flow rates are given in terms of the instantaneous flow rates required to meet the design glass production rate of 228 lb/hr or 100% DWPF attainment. When the total or individual species flow rates given are summed over one cycle period of a batch operation, readers should then obtain estimates of one of the following:

- Required feed batch size for one cycle of operation to support 100% DWPF attainment.
- Required production rate from one cycle of operation to support 100% DWPF attainment.
- Total throughput of a specific stream or species during one cycle of operation.

The attached material balance does not provide information on actual instantaneous flow rates during individual batch process steps. Nevertheless, if readers know enough about each batch process, cumulative volumes during each batch step or volumes per cycle time can be estimated from this material balance. Examples are given later in this report.

This page intentionally left blank.

TABLE OF CONTENTS

	page
SUMMARY	i
1. SCOPE OF WORK	1
2. INTEGRATED HLW FLOWSHEET MODEL	
2.1. Model Scope and Structure	1
2.2. Chemical Compounds	2
2.3. Software and Hardware	2
3. STRUCTURE OF MATERIAL BALANCE TABLES	3
4. STEADY STATE MATERIAL BALANCE	4
5. WASTE COMPOSITIONS	
5.1. Tank 51 sludge	5
5.2. Salt/Supernate Feeds to ITP Cycle 1	8
5.3. Concentrate Transfer to ETF	12
6. REVISIONS MADE TO HLW FLOWSHEET MODEL	
6.1. Model Bases	14
6.2. Model Convergence Scheme	15
6.3. Extended Sludge Processing	16
6.4. In-Tank Precipitation	17
6.5. Late Wash Facility	19
6.6. Hydrogen and Ammonia Source Terms in CPC	20
6.7. Ammonia Scrubbers	22
6.8. Inhibitor Addition to Liquid Recycle/NH ₃ Release	22
6.9. Miscellaneous Revisions	23
7. SIMULATION RESULTS AND CONCLUSIONS	23
8. QUALITY ASSURANCE	28
9. ACKNOWLEDGMENT	28
10. REFERENCES	29
APPENDIX	33
ACRONYMS	40

LIST OF TABLES

	page
TABLE 0. Comparison of HLW Flowsheet Material Balance Results	iii
TABLE 1. Partitioned and Components Assumed Soluble in the HLW Flowsheet Model	35
TABLE 2. Components Assumed Insoluble in the HLW Flowsheet Model	36
TABLE 3. Composition of Group A and Group B Components	37
TABLE 4. Estimated Composition of Insoluble Sludge Solids in Tank 51	6
TABLE 5. Estimated Composition of Interstitial Supernate in Tank 51	7
TABLE 6. Feed Volumes for the First ITP Cycle	8
TABLE 7. Estimated Composition of Saltcake in Tank 41	9
TABLE 8. Estimated Composition of Insoluble Solids in Tank 41 Saltcake	10
TABLE 9. Estimated Composition of Supernate Feeds for ITP Cycle 1	11
TABLE 10. Composition of ETF Concentrate Transfer to Tank 50	13
TABLE 11. Corrosion Inhibitor Requirements for Waste Tank Farms ...	17
TABLE 12. Results of Optimization of Tank 51 Sludge Washing	24
TABLE 13. Calculated Composition of Radiolyzed Precipitate Feed to LWF	25
TABLE 14. Calculated Composition of Washed Tank 51 Sludge Feed	26
TABLE 15. Calculated Composition of Glass Made from Tank 51 Sludge and ITP Cycle 1 Precipitate	27

LIST OF FIGURES

FIGURE 1. Calculation Flowchart for Model Convergence	38
FIGURE 2. Results from PCCS Run for 10.0 wt% Na Case	39

1. SCOPE OF WORK

HLWM initially requested that SRTC evaluate the impact for Tank 51 sludge only scenario.¹ The TAR from DWPF outlines the scope of the work as follows:²

- Develop the Tank 51 sludge composition from the latest analytical data for the Tank 51 sludge samples.
- Develop the feed compositions for the ITP Cycle 1 according to the salt removal plan outlined in the HLW System Plan Revision 4.³
- Calculate the Tank 51 sludge/ITP Cycle 1 flowsheet material balance using the updated CPES integrated HLW flowsheet model.
- Optimize the ESP flowsheet by determining the sludge washing endpoint which will result in a minimum number of glass canisters.

After each simulation run is completed, the quality of the resulting glass must be checked by running the PCCS analysis. For each set of operating conditions used, it must be ensured that the glass produced indeed contains the minimum necessary amount of frit.

2. INTEGRATED HLW FLOWSHEET MODEL

All the necessary calculations for this work except the PCCS analysis were made using the CPES integrated HLW flowsheet model. A brief overview of the CPES model is given next. All the major revisions made to this model since the Tanks 42/51 flowsheet material balance was issued in 1993 are discussed later.

2.1. Model Scope and Structure

A material balance for the entire HLW processing operation at the Savannah River Site (SRS) is calculated by using the CPES integrated HLW flowsheet model which covers both DWPF and the tank farm operations.³ This steady state flowsheet model is made up of several modules each of which describes a specific phase of the HLW processing operation such as ITP and CPC in DWPF. This modular structure is reflected in the way these material balance tables are organized, as shown in Section 2. The model has many internal recycle streams and, if there are changes to be made in the waste feed compositions, all of them must be properly initialized before starting a new simulation run. Once steady state conditions are established, each module can then be run independently of one another. This makes it possible to assess immediate downstream effects promptly without having to run the entire flowsheet. The integrated HLW flowsheet model currently has nearly 1,600 process streams connecting over 650 unit operations. In addition to an extensive use of the CPES software library, the main program of the model is also supported by 45 additional user-added subroutines to describe those unit operations that are unique to the HLW processing operation.

2.2. Chemical Compounds

The actual waste currently stored in large underground tanks at SRS is a complex mixture of many different molecular species and ionic salts. The complexity and diversity make the chemical analysis of waste samples extremely difficult and time consuming. Furthermore, nonhomogeneity within these waste mixtures caused by gravity settling during storage also makes it difficult to obtain representative waste samples. Additional analytical difficulties arise from the fact that although some of the waste species are measured only in insignificantly low concentrations, most of them cannot be ignored in material balance calculations due to radioactivity. As a result, a complete physical and chemical characterization of the waste is virtually impossible at the present time.

In order to minimize the number of species that must be followed throughout the material balance calculations and still retain the key cations, anions, and molecular species identified by chemical analyses, the chemical compounds categorized in Tables 1 and 2 in Appendix were selected to represent the compositions of actual HLW waste at SRS as well as the chemistry for its processing operations. Those trace level species that have radioactive isotopes are identified as either Group A or Group B in Table 3 in Appendix. Group A consists of elements whose oxides are relatively soluble and/or volatile at the operating temperature for the glass melter. Group B consists of elements whose oxides are essentially insoluble and nonvolatile.

Currently, there are 183 chemical compounds in the model database, and species with flow rates as low as $1.0 \text{ E-}25 \text{ lb/hr}$ are tracked. Of the 183 compounds, the compositions of salts are represented by 34 compounds, and the four different types of sludge compositions identified so far require additional 46 compounds. The chemistry of salt supernate decontamination and DWPF processes requires additional 17 and 86 compounds, respectively.

The chemistry of the entire HLW processing operation is currently described by over 340 chemical reactions. It is assumed in the model that whenever present, elemental mercury forms a pure liquid phase and excluded from all vapor-liquid equilibrium (VLE) calculations. After a VLE calculation is complete, elemental mercury is split in such a way that the elemental mercury released into the vapor phase always remains conservatively high.

2.3. Software and Hardware

The integrated HLW processing model was built by using du Pont's proprietary process simulation software, Chemical Process Evaluation System (CPES).⁴ The CPES version 6.3 which runs on the VAX/VMS system can handle up to 200 components, 2,000 streams, 2,000 unit operation blocks, 1,000 chemical reactions, and 32 recycle loops. The CPES software has a library of programs for most standard chemical engineering unit operations such as nonideal VLE, extraction, heat exchanger, reactor, etc. Data entry is performed interactively.

The overall convergence scheme used in the model is described later in Section 8. The local convergence scheme used in each module is to monitor one or more recycle streams from one iteration to the next, until a specified tolerance criterion is met. For a typical run with a new feed composition, it takes over 18 hours on a dedicated VAXstationTM 4000-60 to achieve a convergence for all recycle streams within acceptable tolerance.

3. STRUCTURE OF MATERIAL BALANCE TABLES

The material balance tables attached to this report are divided into 10 sections. Of those, 3 sections are further divided into a total of 7 subsections. Section 0 is the overall summary section, which includes all major streams that are interest to most users. As shown below, Sections 1A through 9 each represent specific phases of the HLW processing operation. Due to increased complexity of the salt processing operation, the Late Wash Facility (LWF) operation was separated out from the In-Tank Precipitation (ITP) section, and all streams related to the LWF are shown in Section 1B. All streams related to the Extended Sludge Processing (ESP) are now shown in Section 1C.

Section	Representation
0	major streams in the model
1A	In-Tank Precipitation & storage
1B	re-precipitation & Late Washing
1C	Extended Sludge Processing
2	Saltstone Production (SP)
3A	precipitate hydrolysis in Salt Cell
3B	boilup to remove C ₆ H ₆ in Salt Cell
4A	adjustment and blending of melter feeds & mercury stripping
4B	frit addition & feed adjustment
5	vitrification & off-gas treatment
6	mercury purification
7	treatment of DWPF liquid waste recycle
8	canister decontamination
9	collection of cell vents and sand filter

4. STEADY STATE MATERIAL BALANCE

Prior to using the material balance tables in Appendix (Table A-1), readers should know how to interpret the information provided by the tables correctly. Nearly all of the HLW processing operations involved except vitrification and melter off-gas treatment are performed in a batch mode. Ideally, however, regardless of batch or continuous, all the processes must be scheduled and coordinated in such a way that there is always enough quality feed available for the melter to produce acceptable glass continuously at the design basis rate of 228 lb/hr. This is precisely what the CPES model attempts to demonstrate by integrating the entire HLW processing operations into one coherent continuous operation that must maintain its desired production rate.

Therefore, all the flow rates given in the material balance tables actually represent time-averaged values over one cycle period of a specific process or unit operation. Calculation of actual process variables such as batch feed rate and inert purge rate requires additional information on each process itself such as actual feeding time, cycle time, and etc.

For example, Stream 207 in Section 3A of Table A-1 represents the CO₂ purge to PR, and its rate is given as 3.62 cfm or 3.21 scfm. Based on a 43-hour PR cycle, the total CO₂ purge required during one cycle is then:

$$(3.62)(60)(43) = 9,340 \text{ cfm or } 8,280 \text{ scfm}$$

In reality, however, much of this purge is required during the periods of precipitate feeding, boilup and cooldown that last for 13 hours total. Therefore, given the baseline purge rate of 2 scfm, the actual CO₂ purge rate required during the 13-hour period is calculated as:

$$[8,280 - (2)(60)(43 - 13)] / 13 / 60 = 6 \text{ scfm.}$$

This is somewhat less than twice the time-averaged purge rate of 3.21 scfm.

Another example would be to estimate the required sludge feed batch size for the SRAT. Stream 1 in Section 0 or Section 4A. has an instantaneous flow rate of 444.6 lb/hr or 0.792 gpm. Knowing that the cycle time for the SRAT operation is 86 hours, the sludge feed batch size is then simply:

$$(0.792)(60)(86) = 4,090 \text{ gallons.}$$

When the 1,500 gallon heel is added as assumed in the model, the total volume of liquid in the vessel then becomes 5,580 gallons, which is just enough to cover the steam coils completely. It is important to recognize that this sludge feed batch size represents the actual feed volume required in every 86 hour cycle to sustain the glass production rate of 228 lb/hr and 1 wt% glass entrainment into the melter off-gas system.

For the tank farm operations that are run on much longer time scales, information useful to the production planning can be extracted from this steady state material balance in addition to the detailed chemical compositions of the final effluents. For example, the instantaneous flow rate of Stream 414 in Section 1A is given as 471.2 lb/hr or 0.9134 gpm. So, if one ITP cycle is to be completed in 3 months including the downtime, then it must produce:

$$(0.9134)(60)(24)(90) = 118,400 \text{ gallons of 10 wt\% precipitate}$$

in every 3 months with the given salt feed to support 100% DWPF attainment. In order to produce precipitate at 0.9134 gpm, the average feed rate of the Tank 41 saltcake (Stream 652) must be maintained at 1,767 lb/hr or 1.68 gpm. Since the total volume of 16 wt% Tank 41 saltcake to be fed during the ITP Cycle 1 is about 287,500 gallons, theoretically the precipitate produced during the first cycle can support 100% DWPF attainment for:

$$287,500 / 1.68 / 60 / 24 / 30 = 3.96 \text{ months.}$$

As stated earlier, the tank farm modules of the CPES integrated HLW flowsheet model can be run decoupled from the DWPF modules in order to enable one to estimate tank farm throughputs based on their actual processing scenarios.

5. WASTE COMPOSITIONS

5.1. Tank 51 Sludge

The sludge feed to ESP consists of settled sludge and supernatant in Tank 51. An Excel® spreadsheet program developed earlier was used to convert the analytical data given in terms of elemental and ionic distributions into neutral species forms available in the model. The resulting sludge compositions are given in Tables 4 and 5 for insoluble solids and unwashed interstitial supernate, respectively.

The data used to develop the composition of insoluble sludge solids given in Table 4 were obtained from the analysis done on two of the slurry samples taken from Tank 51 during the recent ESP baselining tests.^{5,6} The elemental and radionuclide analyses of these sludge samples are typically done by first washing the samples in centrifuge tubes several times and then dissolving the remaining solids by Na₂O₂ fusion and/or aqua regia for analyses by inductively coupled plasma-atomic emission spectroscopy / mass spectroscopy (ICP-AES/MS) and atomic absorption spectroscopy (AAS).⁷ For some species like Tc, Th, and noble metals, the analytical data were available only on a wt% dry solids basis. In this case, the wt% dry basis compositions were converted into those based on the wt% insoluble solids by multiplying them by an estimated conversion factor of 1.5626. Furthermore, the analytical data available for Cs in Tank 51 was only for Cs-137.⁶ As a result, the mass ratio of Cs-137 to the total Cs in Tank 42 was first estimated to be about 0.515 for both soluble and insoluble Cs using the earlier data.⁸ Then, the same mass ratio was assumed to be applicable to the Tank 51 samples and used estimating the wt% Cs₂O in Table 4.

**TABLE 4. Estimated Composition of
Insoluble Sludge Solids in Tank 51**

Species	wt %
Fe ₂ O ₃	50.3262
Al ₂ O ₃	15.3437
MnO ₂	5.8234
Na ₂ O	5.7963
CaCO ₃	4.5836
U ₃ O ₈	3.7382
Ca ₃ (PO ₄) ₂	3.7057
MgO	2.7353
SiO ₂	1.9039
NiO	0.4453
Cr ₂ O ₃	0.2923
HgO	0.2483
ZnO	0.2116
K ₂ O	0.1325
TiO ₂	0.0834
ThO ₂	0.0533
CuO	0.0376
PuO ₂	0.0177
Ag ₂ O	0.0183
RuO ₂	0.0111
RhO ₂	0.0017
PdO	0.0008
TcO ₂	0.0062
SrCO ₃	0.0368
Cs ₂ O	0.00018
BaSO ₄	0.0266
PbSO ₄	0.2287
Y ₂ (CO ₃) ₃	0.0093
Group A	0.0059
Group B	0.00027
CaSO ₄	0.0532
CaF ₂	0.0269
CaO	0.0060
CaCO ₃ (14)	2.26E-06
hyd H ₂ O	4.0896
Total	100.000
Inventory	832,900 lb 48,530 gallon

**TABLE 5. Estimated Composition of
Interstitial Supernate in Tank 51**

Species	wt %
NaNO ₂	6.4423
NaNO ₃	5.3137
NaOH	3.8611
NaAl(OH) ₄	1.2454
Na ₂ C ₂ O ₄	0.9247
Na ₂ CO ₃	0.8606
Na ₂ SO ₄	0.6804
NaF	0.1193
NaCl	0.0237
NaI	1.896E-05
Ba(OH) ₂	0.0010
Ca(OH) ₂	7.842E-05
CsOH	2.587E-05
Group A	8.842E-04
Group B	2.135E-06
KOH	0.0555
NH ₄ OH	0.0021
NaHgO(OH)	0.0009
Na ₂ CO ₃ (14)	1.057E-09
Na ₂ CrO ₄	0.0324
Na ₂ MoO ₄	0.0053
Na ₂ RhO ₄	1.353E-04
Na ₂ RuO ₄	5.783E-04
Na ₂ SiO ₃	0.0283
Na ₃ PO ₄	0.0040
NaAg(OH) ₂	0.0005
NaTcO ₄	0.0005
Na ₂ PuO ₂ (OH) ₄	3.546E-08
Pb(NO ₃) ₂	2.662E-04
Pd(NO ₃) ₂	3.078E-08
Sr(OH) ₂	1.264E-07
Tritium	3.556E-09
UO ₂ (OH) ₂	2.468E-04
Y(OH) ₃	1.274E-07
Fe ₂ O ₃ *	5.855E-04
H ₂ O (hyd) *	1.982E-04
H ₂ O	80.3951
Total	100.000
Inventory	2,933,400 lb 214,720 gallon

* assumed to exist as Fe(OH)₃, since no soluble form of Fe exists in the database.

At the time of this study, few data were available for those trace level radioactive species found in Group A or Group B. As a result, the concentrations of Group A and Group B given in Tables 4 and 5 were either estimated by extrapolating the scarce data available for only one or two species to the entire group or assumed to be identical to those in the existing model database.⁹ The concentration of water of hydration in Table 4 was adjusted to be the balance of 100%, after satisfying the required mole balances for all the elements involved.

The data used to construct the Tank 51 supernate composition in Table 5 were also obtained from the analysis done on the same slurry samples taken from Tank 51 during the ESP baselining tests.⁶ Additional soluble species were also added to the list to account for those sodium-containing species that are listed in the CPES model database for the 1988 WAPS Batch 1 sludge supernate but were not analyzed for at this time. The concentrations of these soluble species added were assumed to be the same, on a dry wt% basis, as those in the database, and are all negligibly small. It was necessary to make modest adjustments to the measured values in order to achieve the overall charge balance.

5.2. Salt/Supernate Feeds to ITP Cycle 1

According to the salt removal schedule outlined in the HLW System Plan Revision 4,¹⁰ four batches of salt and supernate feeds will be processed during the first ITP cycle lasting 450 days including the washing/concentration step and the projected 92 days of downtime. Table 6 shows the cumulative volumes of dissolved salt and supernates fed from each tank during the first cycle. The compositions of salts and insoluble solids in Tank 41 shown in Tables 7 and 8, respectively, were developed from the recent analytical data taken in 1993.¹¹ The compositions of supernates in each of the remaining feed tanks were also developed from recent analytical data and available tank history data,¹²⁻¹⁴ and they are compared in Table 9.

TABLE 6. Feed Volumes for the First ITP Cycle

Tank	Type	Volume (k gal)
41	dissolved saltcake	1,150
38	concentrated supernate	255
32	supernate	200
48	supernate (heel)	252
49	supernate (heel)	160
-	inhibited water	280
Total		2,297

TABLE 7. Estimated Composition of Saltcake in Tank 41

Species	wt %
NaNO ₃	58.770
NaNO ₂	1.221
NaOH	3.854
Na ₂ CO ₃	14.920
Na ₃ PO ₄	1.738
Na ₂ SO ₄	1.139
NaAl(OH) ₄	0.907
Na ₂ C ₂ O ₄	0.200
NaCl	0.0362
NaF	0.0182
NaI	9.294E-06
Na ₂ B ₄ O ₇	0.0033
Na ₂ CrO ₄	0.0352
Na ₂ MoO ₄	0.0016
Na ₂ RhO ₄	5.839E-04
Na ₂ RuO ₄	0.00145
Na ₂ SiO ₃	0.00169
NaTcO ₄	3.335E-04
NaAg(OH) ₂	1.768E-04
NaHgO(OH)	7.231E-06
Na ₂ PuO ₂ (OH) ₄	2.416E-07
KOH	0.0360
NH ₄ OH	0.0038
Ba(OH) ₂	3.104E-05
CsOH	3.208E-4
Group A	8.538E-04
Group B	5.505E-04
Zn(NO ₃) ₂	0.0773
Pb(NO ₃) ₂	0.0023
Ca(NO ₃) ₂	0.0020
Co(NO ₃) ₂	7.783E-04
Cu(NO ₃) ₂	1.837E-04
Ni(NO ₃) ₂	9.684E-04
Mg(NO ₃) ₂	7.613E-05
Mn(NO ₃) ₂	6.087E-05
Fe ₂ O ₃ *	3.352E-04
Li ₂ O *	1.073E-04
TiO ₂ *	1.038E-04
Sr(OH) ₂	3.939E-05
Tritium	6.250E-10
UO ₂ (OH) ₂	4.413E-04
Y(OH) ₃	5.500E-07
Other salts	0.0923
Insoluble Solids	1.170
H ₂ O	15.850
Total	100.000

* assumed to be soluble, since no soluble forms of Fe, Li and Ti exist in the database.

TABLE 8. Estimated Composition of Insoluble Solids in Tank 41 Saltcake

Species	wt %
Na ₂ O	40.28
Ca ₃ (PO ₄) ₂	22.51
Cr ₂ O ₃	10.51
CaSO ₄	7.6750
ZnO	7.9490
Fe ₂ O ₃	6.0600
Al ₂ O ₃	2.6930
SiO ₂	1.1790
K ₂ O	0.2763
MnO ₂	0.1323
RuO ₂	0.1776
MgO	0.0693
B ₂ O ₃	0.0671
CuO	0.0426
NiO	0.0417
U ₃ O ₈	0.0302
TiO ₂	0.0215
HgO	0.0149
Ag ₂ O	0.0089
Li ₂ O	0.0041
MoO ₂	0.0044
CoO	0.0041
SrCO ₃	0.00365
Cs ₂ O	0.00155
PuO ₂	0.0013
BaSO ₄	0.0294
PbSO ₄	0.1752
Group B	0.0376
Total	100.000

**TABLE 9. Estimated Compositions of Supernate Feeds for ITP Cycle 1
(wt%)**

Species	Tank 32	Tank 38	Tank 48	Tank 49
NaNO ₂	4.8576	9.8372	2.4314	4.2368
NaNO ₃	16.5920	10.7398	1.1333	4.2500
NaOH	3.4530	30.5406	0.8029	0.6314
NaAl(OH) ₄	6.9856	4.6243	0.6743	0.7246
Na ₂ C ₂ O ₄	0.0364	0.0616	0.0230	0.1411
Na ₂ CO ₃	7.6320	8.0001	3.0286	6.7877
Na ₂ SO ₄	0.5909	0.0653	0.0514	0.3364
Na ₃ PO ₄	0.0420	0.4320	0.0250	0.0000
NaF	0.0437	0.1106	0.0060	0.0000
NaCl	0.0655	0.0111	0.0612	0.0359
NaI	3.915E-05	6.287E-05	8.116E-06	1.673E-05
Ba(OH) ₂	3.992E-06	4.215E-06	4.753E-06	4.377E-06
Ca(OH) ₂	1.122E-04	1.801E-04	2.325E-05	4.793E-05
CsOH	0.0036	1.792E-04	5.927E-06	2.287E-05
Group A	9.202E-04	0.0031	0.0011	0.0010
Group B	5.602E-07	4.732E-07	6.669E-07	6.143E-07
KOH	0.0853	0.3146	0.1015	0.0935
NH ₄ OH	0.0096	0.0154	0.0020	0.0041
NaHgO(OH)	0.0084	0.0135	0.0017	0.0036
Na ₂ CO ₃ (14)	2.186E-09	3.510E-09	4.531E-10	9.341E-10
Na ₂ CrO ₄	0.0292	0.1071	0.0347	0.0320
Na ₂ MoO ₄	0.0238	0.0382	0.0049	0.0102
Na ₂ RhO ₄	2.780E-04	4.465E-04	5.763E-05	0.0001
Na ₂ RuO ₄	2.066E-03	0.0023	0.00245	0.0023
Na ₂ SiO ₃	2.086E-04	0.0573	0.0002	0.0002
NaAg(OH) ₂	2.445E-05	2.375E-05	2.911E-05	2.681E-05
NaTcO ₄	0.0017	0.0015	0.0020	0.0019
Na ₂ PuO ₂ (OH) ₄	2.161E-06	3.471E-06	4.481E-07	9.237E-07
Mn(NO ₃) ₂	7.817E-06	3.521E-05	9.306E-06	8.571E-06
Pd(NO ₃) ₂	6.367E-08	1.022E-07	1.320E-08	2.721E-08
Sr(OH) ₂	1.058E-07	1.581E-08	1.259E-07	1.160E-07
Tritium	2.976E-10	4.779E-10	6.170E-11	1.272E-10
UO ₂ (OH) ₂	5.949E-04	0.0012	0.0000	0.0000
Y(OH) ₃	2.619E-07	4.205E-07	5.429E-08	1.119E-07
Fe ₂ O ₃ *	2.288E-05	0.0005	2.723E-05	2.508E-05
H ₂ O (hyd) *	7.744E-06	0.00017	9.219E-06	8.491E-06
insoluble solids	0.0122	0.0196	0.0025	0.0052
H ₂ O	59.5233	35.002	91.6095	82.7019
Total	100.000	100.000	100.000	100.000
Sp. Gr.	1.25	1.48	1.05	1.14

* assumed to exist as Fe(OH)₃, since no soluble form of Fe exists in the database.

Table 7 shows the concentration of total insoluble solids in the Tank 41 saltcake at 1.17 wt%, which represents the average value for three saltcake samples.¹¹ As a comparison, the insoluble solids concentration in the average H-Area saltcake was estimated earlier to be 2.05 wt%,¹⁵ which is about 75% higher than that in Tank 41. Table 8 shows that besides sodium, phosphate and chromium are the most abundant insoluble species in the Tank 41 saltcake. If the insoluble phosphate and chromium are fed to the ITP at the same concentrations as shown in Table 8, they all will remain in the precipitate feed to DWPF, and the resulting glass will contain too high levels of Ca-P-O and Cr to have an acceptable quality.⁴⁷ For this reason, it was assumed in this study that 90% of the insoluble solids in the Tank 41 saltcake were removed from the ITP feed by gravity settling, and Figure 2 shows that the resulting glass would then contain phosphate and chromium well below their limits, and become acceptable.

The sources for the insoluble phosphate and chromium in Tank 41 are not clearly known at this time. As stated earlier, these high concentrations were estimated based on the latest analytical results for the samples taken near the top saltcake layer in Tank 41,¹¹ and recently there have been concerns about extrapolating these limited data to the entire tank. However, since no samples have been taken from the inner regions of Tank 41, and analyzed to verify those concerns, these limited data formed a sole basis for developing the Tank 41 saltcake composition during this study.

Since no data were available on the concentrations of insoluble solids present in the supernate feeds, it was assumed that they all contain the same amounts of insoluble solids at 0.03 wt% on a dry basis as the average H-Area concentrated supernate.¹⁵ The resulting wet-basis concentrations of insoluble solids are shown in Table 9. It was also assumed that the insoluble solids in the supernate feeds have the same composition as that shown in Table 8 for the Tank 41 saltcake. All the chemical species shown in Tables 7 to 9 were developed from the available elemental and ionic data using the neutral species forms present in the CPES model database.

5.3. Concentrate Transfer to ETF

The composition and the average transfer rate of the ETF concentrate shown in Table 10 were the same as those used in an earlier material balance.¹⁶ They were estimated based on the analytical data on the concentrate transfers made from 12/89 to 8/91 and the output of the existing ETF spreadsheet model.¹⁷⁻¹⁹ It should be noted that the concentrations of Group A and Group B in Table 10 were set solely based on the measured concentrations of Se and Co-60, respectively.

**TABLE 10. Composition of ETF Concentrate
Transfer to Tank 50**

Species	wt %
NaNO ₃	21.7301
NaNO ₂	0.0216
NaOH	5.3556
Na ₂ CO ₃	1.4391
Na ₂ C ₂ O ₄	0.3453
Na ₂ SO ₄	0.0607
NaCl	0.0724
NaF	0.0215
NaI (131)	6.48E-15
CaCO ₃	0.2418
Ca ₃ (PO ₄) ₂	0.1055
Ag ₂ O	0.0009
Al ₂ O ₃	0.0426
CuO	0.0019
Fe ₂ O ₃	0.0572
HgO	0.0005
MgO	0.0110
MnO	0.0036
NiO	0.0018
PbO	0.0009
SiO ₂	0.1971
ZnO	0.0218
BaSO ₄	0.0013
NH ₃ (aq)	0.0177
KOH	0.0111
CsOH	1.94E-09
Group A	0.0191
Group B	2.56E-09
Na ₂ CrO ₄	0.0029
Na ₂ RhO ₄	8.07E-14
Na ₂ RuO ₄	1.63E-11
Na ₂ PuO ₂ (OH) ₄	3.17E-08
Sr(OH) ₂	4.27E-10
Tritium	5.74E-10
UO ₂ (OH) ₂	0.0273
Y(OH) ₃	1.22E-13
hyd H ₂ O	0.0536
H ₂ O	70.134
Total	100.0

specific gravity = 1.265

free OH = 1.70 molar

wt% total suspended solids = 0.74

average transfer rate to Tank 50 = 0.334 gpm

6. REVISIONS MADE TO HLW FLOWSHEET MODEL

Since the material balance for the Basic Data Report (Revision 138) was issued in 1990,²⁰ several major revisions were made to the HLW processing operation bases and subsequently implemented into the CPES integrated HLW Flowsheet model. Most of those revisions reflected in the model were summarized in earlier material balances.^{9,16,21,22} In this section, only the recent revisions made since the Batch 1 sludge material balance was issued in 1993 are summarized.¹⁶

6.1. Model Bases

The primary objective for the CPES integrated HLW flowsheet model is to show the workable flowsheet that produces acceptable glass with the maximum possible waste loading at the design glass production rate of 228 lb/hr. In order to achieve this objective, the CPES model calculates internally the maximum workoff rates of given sludge and salt feeds to ESP and ITP, respectively, that will result in a glass containing just the minimum amount of frit required. While doing so, the model must satisfy numerous process and operating constraints and, finally, it calculates the instantaneous flow rates for the entire HLW flowsheet which, if integrated over a cycle period, should closely represent actual batch sizes or throughputs per cycle of specific operations involved. Listed below are the key process and model variables whose values were fixed in this study to serve as the bases for the HLW flowsheet material balance:

- Instantaneous glass production rate is 228 lb/hr, excluding 1 wt% glass entrainment into the melter off-gas.
- Sludge feed from ESP contain 15 wt% total solids.
- Minimum batch size for the sludge feed in SRAT is 4,000 gallons, excluding the 1,500 gallon heel.
- Cycle time for the CPC operation is 86 hours.
- Cycle time for the SPC operation is 1/2 of that for CPC or 43 hours.
- Precipitate products from ITP and LWF contain 10 wt% insoluble solids.
- Salt workoff rate is to be maximized by maintaining the volume of PHA fed to SRAT in one cycle as closely at 7,900 gallons as possible.

One important basis change made in this revision was to fix the cycle time of CPC at 86 hours and then calculate the required sludge batch size, instead of fixing the transfer rate of sludge feed to SRAT at 5,000 gallons per batch and calculating the required cycle time.¹⁶ The reason for this change was based on the fact that during the actual operation a lot of the cycle time will be spent on analyzing samples, so it would be much easier to control the feed batch size than the cycle time.

It should be noted that if necessary, all of these bases can assume different values. For example, if the glass production rate is set at 91 lb/hr, the instantaneous flow rates thus calculated can then be integrated to estimate the necessary batch sizes or throughputs to satisfy 40% DWPF attainment. When the total solids content in the sludge feed is set much higher than 15 wt%, the volume of PHA required to blend with a given sludge batch usually turns out to be greater than 7,900 gallons which is the maximum working volume of PRBT. One way to overcome this difficulty would be to use a concentrated PHA. For a given sludge feed and a nominal PHA, however, the salt workoff is maximized when the volume of PHA added to SRAT per CPC cycle equals 7,900 gallons. The idea of maximizing the salt workoff rate is to minimize the possibility of having to produce glass made out of salts only at the end of sludge campaign.

One key basis missing from the list shown above is that of the glass product, i.e., to minimize the frit content in glass as well as to ensure the quality of the glass produced. This is achieved outside the CPES model by iteration with the PCCS, as explained next.

6.2. Model Convergence Scheme

In order to ensure that all the pertinent glass constraints are satisfied in the material balance calculations, the minimum frit content required in glass must be known for a given set of PHA and sludge feed compositions, and this critical information is provided by the PCCS. The overall convergence scheme used in a typical CPES model run can be summarized as follows:

1. If the simulation case to be run involves waste compositions different from those used in the previous run, all recycle streams are properly initialized.
2. Given the compositions of sludge and salt/supernate feeds to ESP and ITP, initial estimates are made for the following variables:
 - ESP/ITP/LWF operating conditions such as sludge washing endpoint.
 - frit loading (wt%) in glass.
 - sludge workoff rate.
 - salt/supernate workoff rates.
3. The ESP, ITP, LWF and SPC modules are run, and the compositions as well as the instantaneous flow rates of PHA and sludge feeds to SRAT are calculated.
4. Model then checks if the difference between the total volume of PHA fed to SRAT in 86 hours and 7,900 gallons is within a specified tolerance. If not, new estimates for the salt/supernate workoff rates are found, and the calculations are repeated from Step #2 as many times as necessary, until the difference becomes smaller than the tolerance.

5. Once Step #4 is completed, the calculations are continued by blending the maximum volume of PHA with washed sludge and the right amount of frit that will result in the same frit loading in glass as assumed in Step #2, and the remaining DWPF module is run to make glass.
6. Model checks if the difference between the calculated glass production rate and the desired rate of 228 lb/hr is within a specified tolerance. If not, new estimates are found for the sludge and salt/supernate workoff rates, and the calculations are repeated from Step #2 as many times as necessary, until the difference becomes smaller than the tolerance.
7. Once Step #6 is completed, the CPES material balance calculations are converged. PCCS is next run outside CPES using the compositions and the volumes of PHA and sludge fed to SRAT in 86 hours.
8. If PCCS finds that the glass produced will not have an acceptable quality, then the CPES model is rerun from Step #2 with a new set of operating conditions for ESP/ITP/LWF, new frit loading in glass and new sludge and salt/supernate workoff rates, and the entire calculations up to Step #7 are repeated as many times as necessary, until PCCS finds that the glass will have an acceptable quality.
9. Once Step #8 is completed, PCCS then checks if the acceptable glass thus produced contains the minimum amount of frit necessary to ensure quality. If not, the CPES model is again rerun from Step #2 with a new frit loading in glass and new sludge and salt/supernate workoff rates, and the entire calculations up to Step #8 are repeated as many times as necessary, until PCCS finds that the glass indeed contains the minimum necessary amount of frit.
10. Once Step #9 is completed, a convergence between CPES and PCCS runs is achieved, and one simulation case is completed.

In typical simulation runs, the constraints on both glass quality and minimum frit requirement, i.e., Steps #8 & #9, can be satisfied simultaneously. Furthermore, the convergence between CPES and PCCS is usually achieved within 3 overall iterations from Step #2 to Step #9. A calculation flowchart for a typical model simulation run is shown in Figure 1 in Appendix.

6.3. Extended Sludge Processing

The most significant revision made to the ESP module was to expand the scope of the CPES steady state model so it can manage tank heels. This new capability was tested successfully during the preliminary CPES runs made earlier to simulate the HLW flowsheet with sludge batches 1 through 6.²³ The flow diagram for Section 1C in Table A-1 reflects this change.

The algorithm used for the addition of corrosion inhibitors during the washing was also modified to meet the Technical Standards requirements shown in Table 11.²⁴ In this study, the actual inhibitor additions were made at 120% of these minimum requirements. When the measured nitrate level falls below 1.0 molar, two options for adding inhibitors are given in Table 11. When this was the case, it was ensured that the option chosen always resulted in less total sodium in the tank than would with the other option.

TABLE 11. Corrosion Inhibitor Requirements for Waste Tank Farms
(all concentrations in molar and temperature in deg. C)

Measured [NO ₃]	Minimum [OH]	Minimum [OH] + [NO ₂]	Minimum [NO ₂]
$5.5 \leq [\text{NO}_3] < 8.5$	0.6	1.1	N/A
$2.75 \leq [\text{NO}_3] < 5.5$	0.3	1.1	N/A
$1.0 \leq [\text{NO}_3] < 2.75$	0.1* [NO ₃]	0.4* [NO ₃]	N/A
$0.02 \leq [\text{NO}_3] < 1.0$	1.0	N/A	N/A
	0.0001	or N/A	$0.038* [\text{NO}_3] * 10^{0.041T}$
[NO ₃] < 0.02	1.0	N/A	N/A
	0.0001	or N/A	$0.00076 * 10^{0.041T}$

6.4. In-Tank Precipitation

The capability of managing tank heels discussed above was also added to the ITP module, and successfully tested during recent CPES runs made to simulate the proposed ITP startup plans.²⁵ As a result, it is now possible to properly model the impact of tank heels during successive batch operations using the CPES model. For example, when a new batch of precipitate slurry is transferred to Tank 49, the model can calculate the composition of the precipitate feed to the LWF.

Since the Late Wash design basis for the Cs-137 content in Tank 49 was changed from 36 to 46 Ci/gal, experiments have been conducted to evaluate the impact of increased dose rate on the radiolysis of precipitates during storage in Tank 49. From the available data,²⁷ correlations were developed during this study that can be used to predict the net production rates of organic species during the radiolytic reactions in Tank 49 as a function of total dose. Additional G-value correlations were also developed to predict the consumption rates of nitrate and nitrite.^{27,28} The correlations thus developed and incorporated into the model include:

- $G(\text{NO}_3) = 0.3536 \exp(-0.00346 * \text{Dose})$, molecules/100 eV
- $G(\text{NO}_2) = -0.1024 + 0.1084 \ln [\text{Cs-137}]$, molecules/100 eV
- $R(\text{phenol}) = 5.1 * \text{Dose} - 0.0035 * \text{Dose}^2$, delta ppm
- $R(\text{biphenyl}) = 10.14 * \text{Dose} - 0.0045 * \text{Dose}^2$, delta ppm
- $R(\text{terphenyl}) = 0.36 * \text{Dose} + 0.0009 * \text{Dose}^2$, delta ppm
- $R(\text{PBA}) = 0.67 * \text{Dose} + 0.0014 * \text{Dose}^2$, delta ppm
- $R(\text{Oxalate}) = 4.31 * \text{Dose} - 0.0036 * \text{Dose}^2$, delta ppm
- $R(\text{ammonium}) = 0.87 * \text{Dose} - 0.0005 * \text{Dose}^2$, delta ppm
- $R(\text{phenylphenol}) = 130$, delta ppm
- $R(\text{diphenylamine}) = 20$, delta ppm

Note that in above correlations, all Dose's are in Mrads, and the concentration of Cs-137 is in Ci/gal. The net production rates given in ppm are based on the total slurry in Tank 49.

These correlations were then used in the model along with a total of 25 radiolytic reactions to describe the Tank 49 chemistry. The conversions for some of these reactions such as radiolytic dissociation of water were calculated iteratively by the model to satisfy the following as well as the desired organic product distributions:

- Total production of H_2 based on a G-value for 0.15.³⁰
- Projected pH of precipitate feed to the LWF = 11.³¹
- Final equilibrium concentration of nitrate = 0.0025 molar.²⁸

In earlier studies,^{9,16} the calculated pH of precipitate feed to the LWF was much higher than the projected values of 10-11. In the revised radiolysis chemistry, the lowering of pH to 11 was achieved by:

- assuming 100% absorption of CO_2 in purge air into Tank 49 slurry.
- allowing radiolysis products such as phenol to react with hydroxide.

It was assumed earlier that ammonium ions were produced at a rate of 460 ppm in two years from the radiolysis of TPB precipitates in Tank 49, and no ammonia was released into the atmosphere.¹⁶ Based on a recent study,²⁶ however, it was assumed in this study that:

- 99.5% of ammonium formed escapes into the vapor space at an average pH of 12-13 in the liquid phase of Tank 49.

The concentration of CO₂ in purge air was assumed to be 361 ppm.³² Compared to 100% CO₂ absorption assumed in this study, earlier data showed that on the average about 77% of CO₂ in purge air entering several waste tanks in H-Area, including Tank 49, was absorbed before exiting those tanks.³² During the process of bringing down the pH, a new compound, K₂CO₃, was added to the database as the 183rd species.

Finally, as will be shown later in this report, the rate at which the K/CsTPB solids are radiolyzed and go into solution was calculated iteratively by the model based on the actual Cs-137 content, and the converged solution must satisfy all the process bases stated above.

6.5. Late Wash Facility

In support of updating the LWF technical bases, the CPES model was run earlier using the following bases that are also reflected in this study:³³

- Precipitate is stored for 2 years in Tank 49 at the Cs-137 level expected in the actual precipitate, instead of using the LWF design basis of 46 Ci/gal.
- Cycle time for the LWF is 91 hours, assuming that the crossflow filter needs to be cleaned after every cycle.
(With no filter cleaning, cycle time is 60.5 hours.)
- Following each transfer from Tank 49 to the LWPT, the precipitate transfer line is flushed with 300 gallons of water.
- Operating heels in both the LWPT and the LWHT are 650 gallons each.
- The amount of NaTPB slurry to be added is the sum of the stoichiometric amount required to precipitate soluble K⁺, NH₄⁺ and Cs⁺ plus an excess to maintain the TPB⁻ concentration in the aqueous fraction of the total slurry in the LWPT at 0.004 M.
- The DF for Cs is determined by the following solubility product:³⁴

$$[\text{Cs}^+][\text{TPB}^-] = (0.05 + 0.014 T)^2 (10^{-8}) \exp(-1.34 [\text{Na}^+]),$$

where T = slurry temperature in °C, and [Na⁺] = molar concentration.

- The solubility product of KTPB is calculated by:³⁴

$$[\text{K}^+][\text{TPB}^-] = 4.872 (0.05 + 0.014 T)^2 (10^{-8}) \exp(-1.34 [\text{Na}^+])$$

- The insoluble solids are concentrated to 10 wt% before initiating washing.
- Wash water contains 0.004 M NaTPB and 0.005 M NaOH.
- Washing endpoint is 0.01M nitrite in the aqueous fraction.
- Total volume of flush water to be added during one filter cleaning cycle is 1,800 gallons. Of this 1,800 gallons, 775 gallons are returned to LWPT, while the remaining 1,025 gallons are returned to LWHT.
- Total volumes of 2 wt% caustic and 2 wt% oxalic acid to be added during one filter cleaning cycle are 650 and 450 gallons, respectively, and all of the spent cleaning solutions are returned to the LWHT.
- Hydroxide content in spent wash, spent flush and spent cleaning solution collected in the LWHT is adjusted to 1.2 M by adding 50 wt% NaOH before transferring it to Tank 22.
- Benzene content in spent wash is stripped into the vessel vent system until the residual benzene content is 4 ppm. The benzene content in the aqueous fraction of slurry batch from Tank 49 is projected to be 700 mg/L.
- The insoluble solids content in final precipitate slurry transferred to DWPF is 10 wt%.

6.6. Hydrogen and Ammonia Source Terms in CPC

The chemistry used in the model to describe the generation of H₂ and NH₃ during the SRAT cycle was revised to include the following reactions:

- (1) $\text{NH}_4\text{COOH} \rightarrow \text{NH}_3 + \text{HCOOH}$
- (2) $4 \text{NO} + 3 \text{O}_2 + 2 \text{H}_2\text{O} \rightarrow 4 \text{HNO}_3$
- (3) $\text{HCOOH} \rightarrow \text{H}_2 + \text{CO}_2$
- (4) $\text{NaCOOH} + \text{H}_2\text{O} \rightarrow \text{NaOH} + \text{H}_2 + \text{CO}_2$
- (5) $\text{KCOOH} + \text{H}_2\text{O} \rightarrow \text{KOH} + \text{H}_2 + \text{CO}_2$
- (6) $\text{Fe}_2\text{O}_3 + \text{H}_2\text{O (hyd)} + \text{H}_2 \rightarrow 2 \text{FeO} + 2 \text{H}_2\text{O}$
- (7) $\text{NaNO}_3 + 4 \text{H}_2 \rightarrow \text{NH}_3 + \text{NaOH} + 2 \text{H}_2\text{O}$
- (8) $2 \text{NaOH} + \text{CO}_2 \rightarrow \text{Na}_2\text{CO}_3 + \text{H}_2\text{O}$
- (9) $2 \text{KOH} + \text{CO}_2 \rightarrow \text{K}_2\text{CO}_3 + \text{H}_2\text{O}$

These reactions were allowed to take place in the order written, after all the acid/base and redox reactions were completed. The conversions for these reactions were calculated within the model so that the following bases were satisfied:

- Despite the fact that the projected noble metal content in the Tank 51 only sludge feed is lower than that in the IDMS PX6 feed at least by an order of magnitude, the total production rate of H_2 during one SRAT cycle was set at 2.67 lb which was obtained by scaling up the rates measured during the IDMS PX6 run.³⁵ This rate is 33% lower than the design basis of 4 lb.^{16,42}
- As in earlier run,¹⁶ 75% of the total H_2 produced or 2 lb was released during the SRAT cycle, and the remaining 25% or 0.67 lb was released during the SME cycle.
- Regardless of whether the PHA contains ammonium ion or not, the total production rate of NH_3 during one SRAT cycle was set at 1.74×10^{-4} lbmole per gallon of PHA added or about 23 lb for a nominal sludge feed containing 10 wt% Na.³⁵
- 60% of NH_3 thus produced was released during the SRAT cycle, while the remaining 40% stayed in the slurry as aqueous NH_3 until its release during the SME cycle.
- After completion of a SRAT cycle, the pH of the product slurry was to be 7.
- The molar ratio of CO_2 to H_2 produced during one SRAT cycle was to be between 5 and 10.
- The net production of nitric oxide after one SRAT cycle was set at 50% of nitrite contained in the sludge feed on a molar basis.
- The molar ratio of NO to NO_3 produced from nitrite was to be about 1.
- The conversion for Reaction #6 was set to give the $\text{Fe(II)} / \text{Fe(total)}$ molar ratio of 0.1.

The model database also includes the following reactions to generate nitric oxide:

In order to satisfy the nitric acid addition algorithm used for the nitrite,³⁶ it turned out that the combined conversion for Reactions #12 and 13 should be 90%, while that for Reaction #14 should be 10%, all with respect to nitrite. The last two bases stated above set the conversion for Reaction #2 at ~29%. Nitric acid formed by Reaction #2 was then used to substitute portions of formic acid in the PHA during the sludge treatment step. The excess formic acid thus formed is next decomposed to produce hydrogen by Reaction #3.

6.7. Ammonia Scrubbers

Three ammonia scrubbers were added to the CPC module earlier;¹⁶ one each downstream of the SRAT condenser and the SME condenser, and one to treat the combined vent from the MFT and the RCT. Listed below are the bases used during this study to model the overall scrubbing efficiency:

- Based on recent scrubber test data obtained during the IDMS PX7 SRAT run,³⁷ the ammonia concentration at the exit of each scrubber was fixed at 1 ppm by volume. The design basis exit concentration used earlier was 10 ppm.¹⁶ Ammonia is scrubbed as NH_4NO_3 (s).
- 90 to 95% of ammonia vented to the SRAT condenser is scrubbed out as NH_4OH .³⁸ The remaining 5 to 10% ammonia enters the scrubber.
- The design peak generation rates of ammonia are 1.2 lb/hr in the SRAT, 2.5 lb/hr in the SME, and 0.655 lb/hr in the MFT/RCT. The liquid-to-gas mass ratios in each scrubber were fixed at 6.02 for the SRAT, 12.22 for the SME, and 6.97 for the MFT/RCT scrubbers.³⁹
- The spent scrubbing solution collected in the SMECT is adjusted to pH = 2 by adding 50 wt% nitric acid.

6.8. Inhibitor Addition to Liquid Recycle/ NH_3 Release

The corrosion inhibitor level and the maximum temperature allowed in the DWPF liquid waste recycle prior to transfer to Tank 43 were set as follows:

- 50 wt% NaOH was added to the RCT to maintain the hydroxide level in the liquid recycle at 0.6 molar.⁴⁰
- 40 wt% NaNO_2 was added to the RCT to maintain the nitrite level in the liquid recycle at 0.045 molar.⁴⁰
- The temperature of the liquid recycle stream was set at 50 °C, below the Process Requirement maximum limit of 55 °C.⁴¹

- The rate of release of aqueous NH_3 from the RCT was determined by the following equation:⁴³

$$R_{\text{NH}_3(g)} = 0.15896 [\text{NH}_3]_{\text{aq}} \exp(0.04834 T),$$

where $R_{\text{NH}_3(g)}$ is the release rate in lb/hr, $[\text{NH}_3]_{\text{aq}}$ the sum of NH_3 (aq) and NH_4 in molar in the liquid phase, and T in $^{\circ}\text{C}$.

- Release of aqueous NH_3 from Tank 43 was assumed to proceed according to the vapor-liquid equilibrium. The ventilation rate for Tank 43 was set at 300 cfm of air.⁴⁴

6.9. Miscellaneous Revisions

- Based on recent data from the 1/200th scale SRAT runs,⁴⁵ any excess Hg that was steam stripped during the SRAT boilup was allowed to dissolve into the condensate up to 100 ppm. The current basis for determining the amount of strippable Hg is that in excess of 0.0045 lb per lb sludge solids.
- No Hg was allowed to be steam stripped during the SME boilup.
- Despite high acidity in the SMECT, i.e. $\text{pH} = 2$, no Hg was allowed to dissolve and be recirculated to the ammonia scrubbers or sent to the RCT.
- $\text{Cu}(\text{COOH})_2$ was replaced with $\text{Cu}(\text{NO}_3)_2$ as the new catalyst for the precipitate hydrolysis in the SPC.

7. SIMULATION RESULTS AND CONCLUSIONS

Some of the key simulation results from this study were highlighted earlier in **SUMMARY**. The major conclusions of this study include:

- The quality of glass produced from the Tank 51 sludge and the radioactive precipitate produced during the first ITP cycle can be ensured by removing 90% of the insoluble solids present in the Tank 41 saltcake.
- Assuming that the sludge feed to the SRAT is diluted from 21 to 15 wt% total solids, the optimum washing endpoint for the Tank 51 sludge appears to be about 8 wt% total Na on a dry basis.
- The total duration that ESP can support 100% DWPF attainment with the Tank 51 sludge is expected to be 1.4 years, excluding the 88,000 gallon heel, and the total number of glass canisters produced would be at least 747.
- Based on current operating modes for the SPC and the CPC in DWPF, the maximum PHA loading in glass is estimated to be about 6.0 wt%.

- ITP is expected to produce 155,000 gallons of 10 wt% precipitate during its first cycle, and it would support 100% DWPF attainment for 4 months.
- The Cs-137 content in the precipitate produced during the first ITP cycle is projected to be about 9.2 Ci/gal. At this dose rate, the model predicted that about 5% of the TPB precipitate would be decomposed and become soluble during a 2-year storage in Tank 49. As a comparison, up to 19% of TPB precipitate is expected to be decomposed at the LWF design basis Cs-137 level of 46 Ci/gal.
- At 9.2 Ci/gal, the final concentration of nitrite after a 2-year storage is expected to be 0.26 molar, compared to 0.16 molar at 46 Ci/gal. As a result, at 9.2 Ci/gal, about 20% more wash water will be required in the LWF to reach the final nitrite concentration of 0.01 molar than at 46 Ci/gal.
- The Saltstone Facility is expected to produce 687,000 ft³ of grout from the decontaminated supernate generated during the first ITP cycle.
- Due to low Hg content in the Tank 51 sludge, there was no net Hg that was steam stripped during the SRAT boilup and dissolved into the condensate.

The results of the ESP washing optimization are given in Table 12. The calculated compositions of radiolyzed precipitate slurry, washed sludge and glass are given in Tables 13, 14 and 15, respectively, for sludge feed containing 10 wt% Na. A full output of the CPES HLW flowsheet material balance is given in Table A-1.

TABLE 12. Results of Optimization of Tank 51 Sludge Washing

Washed Sludge @ 21 wt% wt% Na (dry) Volume (kgal)		Wash Water (kgal)	Duration * (hr)	Sludge Loading in Glass (wt%)	# Glass Cans
10.7	492	1,200	12,325	25.6	760
10.0	492	1,350	12,270	25.3	756
8.1	492	1,500	12,121	24.6	747

* at 100% DWPF attainment, excluding the 88,000 gallon heel in Tank 51.

TABLE 13. Calculated Composition of Radiolyzed Precipitate Feed to LWF

Species	wt %
(C ₆ H ₅) ₂	0.0707
(C ₆ H ₅) ₂ C ₆ H ₄	0.0030
(C ₆ H ₅) ₂ NH	0.0020
C ₆ H ₅ B(OH) ₂ (salt)	0.0797
C ₆ H ₅ C ₆ H ₄ OH	0.0065
C ₆ H ₅ OH (salt)	0.0373
C ₆ H ₆	0.0632
Al ₂ O ₃	0.0279
Ca ₃ (PO ₄) ₂	0.1205
CaSO ₄	0.0411
Cr ₂ O ₃	0.0562
CsOH	0.0004
CaTPB	0.0225
CuO	0.0002
Fe ₂ O ₃	0.0341
Hg(C ₆ H ₅) ₂	0.0816
K ₂ CO ₃	0.0826
KOH	0.0005
KTPB	8.7626
MgO	0.0004
MnO ₂	0.0007
NH ₃	0.0001
NH ₄ OH	0.0001
Na ₂ B ₄ O ₇	0.0594
Na ₂ C ₂ O ₄	0.0453
Na ₂ CO ₃	0.9091
Na ₂ O	0.2155
Na ₂ SO ₄	0.0063
Na ₃ PO ₄	0.0083
NaCl	0.0005
NaF	0.0005
NaNO ₂	1.7134
NaNO ₃	0.1276
NaOH	0.0034
NaTi ₂ O ₅ H	0.2104
PbSO ₄	0.0009
PuO ₂ (NaTi ₂ O ₅) ₂	2.7633-5
RuO ₂	0.0010
SiO ₂	0.0057
Sr(NaTi ₂ O ₅) ₂	8.748E-4
TiO ₂	0.0003
U ₃ O ₈	1.614E-4
Y ₂ O ₃	2.080E-4
ZnO	0.0425
H ₂ O (hyd)	0.0077
H ₂ O	87.1321
Total	99.985

TABLE 14. Calculated Composition of Washed Tank 51 Sludge Feed

Species	wt %
Ag ₂ O	0.0023
Al ₂ O ₃	1.9236
BaSO ₄	0.0033
Ca ₃ (PO ₄) ₂	0.4645
CaCO ₃	0.5747
CaF ₂	0.0034
CaO	0.0008
CaSO ₄	0.0067
Cr ₂ O ₃	0.0367
Cs ₂ O	2.29E-5
CuO	0.0047
Fe ₂ O ₃	6.3097
HgO	0.0311
K ₂ O	0.0166
KOH	0.0036
MgO	0.3428
MnO ₂	0.7300
Na ₂ C ₂ O ₄	0.0594
Na ₂ CO ₃	0.0553
Na ₂ CrO ₄	0.0021
Na ₂ MoO ₄	0.0003
Na ₂ O	0.7266
Na ₂ SO ₄	0.0437
Na ₂ SiO ₃	0.0018
Na ₃ PO ₄	0.0003
NaAl(OH) ₄	0.0800
NaCl	0.0015
NaF	0.0077
NaNO ₂	1.4517
NaNO ₃	0.0341
NaOH	0.6888
NiO	0.0558
PbSO ₄	0.0287
PdO	0.0001
PuO ₂	0.0204
RhO ₂	0.0002
RuO ₂	0.0014
SiO ₂	0.2386
SrCO ₃	0.0046
TcO ₂	0.0008
ThO ₂	0.0067
TiO ₂	0.0105
U ₃ O ₈	0.4687
Y ₂ (CO ₃) ₃	0.0012
ZnO	0.0265
H ₂ O (hyd)	0.5109
H ₂ O	84.9877
Total	99.97

**TABLE 15. Calculated Composition of Glass Made from
Tank 51 Sludge and ITP Cycle 1 Precipitate**

Species	wt %
Ag	0.0054
Al ₂ O ₃	3.8487
B ₂ O ₃	7.3246
BaSO ₄	0.0067
Ca ₃ (PO ₄) ₂	1.1342
CaO	0.6338
CaSO ₄	0.0834
Cr ₂ O ₃	0.1827
Cs ₂ O	0.0129
CuO	0.4113
Fe ₂ O ₃	11.0658
FeO	1.1061
Group A	0.0015
Group B	6.58E-5
K ₂ O	2.3886
Li ₂ O	4.8114
MgO	2.0400
MnO	1.1557
MoO ₂	0.0005
Na ₂ O	8.7281
Na ₂ SO ₄	0.0683
Na ₃ PO ₄	0.0015
NaCl	0.0026
NaF	0.0147
NiO	0.1108
PbO	0.0021
PbSO ₄	0.0545
Pd	0.00017
PuO ₂	0.0043
Rh	0.00033
Ru	0.0035
SiO ₂	53.3772
SrO	0.0067
TcO ₂	0.0016
ThO ₂	0.0130
TiO ₂	0.3425
U ₃ O ₈	0.9083
Y ₂ O ₃	0.0018
ZnO	0.1341
Total	99.99

8. QUALITY ASSURANCE

The validity of the bases and assumptions made in this study as well as the results of the material balance calculations were technically reviewed by N. E. Bibler and R. A. Jacobs of SRTC-DWPT. Additional review and comments were also made by the following HLWM & SRTC experts: N. R. Davis, H. H. Elder, J. T. Carter, W. D. Kimball, G. K. Georgetown, E. D. Lee, M. J. Plodinec, L. F. Landon, D. Lambert, M. S. Hay and D. D. Walker.

The minimum frit contents in glass used in this study were all determined from the PCCS Version 3 runs. A typical PCCS output is shown in Figure 2 in Appendix. Recently, the accuracy of the PCCS Version 3 was tested extensively;⁴⁶ the entire PCCS code originally written in LISP was rewritten in FORTRAN, and a test case was run to compare the results from the two different compiler versions.

9. ACKNOWLEDGMENT

Many of the bases and assumptions used in this study are all based on the results of experimental and theoretical investigations made by many researchers at SRS who willingly cooperated in implementing their findings into the CPES model. Special thanks are made to N. E. Bibler and M. S. Hay for providing analytical data for sludge samples, to G. K. Georgetown and D. T. Hobbs for providing data for salt/supernate samples, to D. D. Walker for providing insight as well as data for precipitate radiolysis, to P. Monson for providing analytical data for irradiated samples, to C. A. Nash and L. F. Landon for providing the design bases for LWF, to L. M. Lee for providing his calculation results on NH_3 release from Tank 49, to M. A. Baich, R. E. Eibling, C. W. Hsu, N. D. Hutson, D. Lambert, J. C. Marek and J. R. Zamecnik for helping update the bases and chemistry for the DWPF processes, and to F. G. Smith, III, and K. G. Brown for performing the PCCS analysis. Valuable comments made by all reviewers whose names were mentioned above are also greatly appreciated.

10. REFERENCES

1. Lee, E. D., "First Sludge to DWPF," **HLW-ITP-950058**, January 17, 1995.
2. Technical Assistance Request, **HLW/DWPF/TAR-950016**, January 17, 1995.
3. Choi, A. S., Fowler, J. R., Edwards, R. E. Jr., and Randall, C. T., "High Level Nuclear Waste Treatment in the Defense Waste Processing Facility - Overview and Integrated Flowsheet Model (U)," **WSRC-MS-91-401**, October 21, 1991.
4. Chemical Process Evaluation System Version 6.3, Engineering Services Division, E. I. du Pont de Nemours, Inc. (August 1988).
5. Hay, M. S., "Estimated Batch 1 Sludge Insoluble Composition Based on the Analysis of ESP Baseline Test Samples from Tank 51 (U)," **SRT-LWP-94-086**, June 15, 1994.
6. Hay, M. S., "Modeling of Batch 1 Sludge Washing Operations," **SRT-LWP-94-088**, June 17, 1994.
7. Coleman, C. J., Bibler, N. E., and Dewberry, R. A., "Analyses of High Level Radioactive Glasses and Sludges at the Savannah River Site," **Symp. Proc. Waste Management**, pp 651-657, Tucson, AZ, February 1990.
8. Bibler, N. E., "Tank 42 Slurry Composition for Batch One CPES Calculations," **SRT-GTC-93-0039**, May 21, 1993.
9. Choi, A. S., "Material Balance Tables for the DWPF Radioactive Runs with Batch One Sludge/Supernate Feed (U)," **WSRC-TR-92-211 (Revision 1)**, November 9, 1992.
10. HLW System Plan Revision 4, **HLW-OVP-94-0145**, Westinghouse Savannah River Company, November 30, 1994.
11. Hobbs, D. T., and Coleman, C. J., "Final Report: Analysis of Tank 41H Saltcake Sample #2 and Comparison to Sample #1 (U)," **WSRC-TR-94-057**, January 26, 1995.
12. Georgetown, G. K., and Pate, T. E., "Recommendations for Alternative ITP Feed (U)," **WER-CMD-93-0702**, March 17, 1993.
13. Pike, J. A., "Tank Chemistry Report, May 1993 (U)," **WER-HLE-930230**, June 28, 1993.
14. Georgetown, G. K., Electronic Mail, October 12, 1994.
15. Fowler, J. R., "Composition of H Area and SRP Soluble High-Level Waste," **DPST-82-502**, April 28, 1982.

16. Choi, A. S., "Material Balance Tables for the DWPF Coupled Feed Flowsheet with Batch One Sludge (U)," **WSRC-TR-93-203 (Revision 0)**, August 19, 1993.
17. Brown, D. F., "Periodic Update - F/H ETF Waste Concentrate Analysis Results," **NMP-WMT-910014**, January 7, 1991.
18. Smith, W. P., Memo to A. W. Wiggins on Waste Concentrate Analysis, Document Number and Date not available.
19. Brown, D. F., Unpublished Results from ETF Flowsheet Model Run, July 30, 1991.
20. Choi, A. S., and Fowler, J. R., "Material Balance Tables for the DWPF Basic Data Report (DPSP-80-1033, Revision 138) (U)," **WSRC-TR-90-93**, February 28, 1990.
21. Choi, A. S., "Preliminary Material Balance Tables for the DWPF Late Wash Flowsheet (U)," **WSRC-TR-92-211 (Revision 0)**, June 15, 1992.
22. Choi, A. S., "Material Balance Tables for the Integrated DWPF Cold Chemical Runs - Test 1 (U)," **WSRC-TR-90-408 (Revision 1)**, October 17, 1992.
23. Choi, A. S., Unpublished Results from CPES Runs made in May 1994.
24. Technical Standards, Waste Tank Farms, **DPSTS-241-5.01**, November 1988.
25. Choi, A. S., Unpublished Results from CPES Runs made in October 1994.
26. Lee, L. M., "Fate of Ammonia in Tank 49 and Late Washing Facility (U)," **WSRC-RP-95-453**, April 5, 1995.
27. Monson, P. R., and Eibling, R. E., "Composition of Irradiated KTPB Simulant (U)," **SRTC-PTD-94-0084 (Draft)**, September 20, 1994.
28. Walker, D. D., and Bibler, N. E., "Radiolytic Reactions of Nitrate and Nitrite Solutions for the Coupled In-Tank Precipitation and Late Wash Process (U)," **WSRC-RP-94-798**, August 19, 1994.
29. Walker, D. D., "Benzene Distribution in Product Streams from In-Tank Processing," **DPST-86-390**, January 15, 1987.
30. Walker, D. D., "Radiolysis of Tetraphenyl Borates - University of Florida Trip Report," **DPST-84-827**, October 18, 1984.
31. Walker, D. D., "Comments on Late Wash Material Balance," **DON'T SAY IT - WRITE IT**, July 8, 1994.

32. Hobbs, D. T., "Absorption of Carbon Dioxide in Waste Tanks," **DPST-87-596**, September 3, 1987.
33. Technical Bases - DWPF Late Washing Facility, **WSRC-RP-92-793 (Revision 4)**, July 11, 1994.
34. Walker, D. D., "Calculation of Cesium and Potassium Concentration in Late Wash Filtrate," **DON'T SAY IT - WRITE IT**, June 10, 1994.
35. Hutson, N. D., and Zamecnik, J. R., "Integrated DWPF Melter System (IDMS) Campaign Report - IDMS Purex-6 (PX6) Operation (U)," **WSRC-TR-94-0556 (Rev. 0)**, November 15, 1994.
36. Hsu, C. W., "Defense Waste Processing Facility Nitric Acid Requirement for Treating Sludge (U)," **WSRC-RP-92-1056**, September 4, 1992.
37. Lambert, D. P., "Ammonia Scrubber Testing During IDMS SRAT Processing (U)," **WSRC-TR-94-8000 (Rev. 0)**, December 21, 1994.
38. Zamecnik, J. R., "Ammonia and Hydrogen Generation in the CPC-Summary," **SRTC-LSE-93-DRAFT**, February 8, 1993.
39. Carter, J. T., Lambert, D. P., and Choi, A. S., "Revised Basis and Calculation Methods for the DWPF Ammonia Scrubbers (U)," **WSRC-TR-92-296**, June 20, 1992.
40. Zapp, P. E., "Final Report on Nitrite Inhibitor Concentrations for Washed Precipitate at Elevated Temperatures (U)," **WSRC-TR-93-198**, April 13, 1993.
41. Marra, J. E., "Process Requirements - Materials of Construction," **WSRC-IM-91-2**, November 1, 1992.
42. Ritter, J. A., Unpublished IDMS Calculations, March 1993.
43. Zamecnik, J. R., Unpublished Calculations, June 1993.
44. Georgetown, G. K., Electronic Mail, March 3, 1993.
45. Baich, M. A., Unpublished Results-1/200th Scale SRAT Runs, October 1994.
46. Brown, K. G., "DWPF PCCS Version 3.0 Test Case (U)," **WSRC-RP-94-1332 (Rev. 1)**, December 17, 1994.
47. Plodinec, M. J., Personal Communication, February 13, 1995.

This page intentionally left blank.

APPENDIX

This page intentionally left blank.

**TABLE 1. Partitioned and Components Assumed Soluble
in the HLW Flowsheet Model**

-
- Components that partition between solubles and insolubles in a stream
 - Group A, Group B, (NaNO₃, NaOH, Na₃PO₄, Na₂SO₄, etc.)**
 - Components assumed always Soluble:
 - Organics: C₆H₅B(OH)₂ (salt), C₆H₅B(OH)₂, C₆H₅OH (salt), C₆H₅OH, C₆H₆, CH₃OH, (CH₃)₂CHOH, C₆H₅NH₂, C₆H₅NO₂, NaB(C₆H₅)₄*
 - Hydroxides: Ba(OH)₂, Ca(OH)₂, CsOH, KOH, NH₄OH, Sr(OH)₂, UO₂(OH)₂, Y(OH)₃
 - Nitrates: AgNO₃, KNO₃, Hg(NO₃)₂, Pd(NO₃)₂, NH₃OHNO₃, Ca(NO₃)₂, Co(NO₃)₂, CsNO₃, Cu(NO₃)₂, Mg(NO₃)₂, Mn(NO₃)₂, NH₄NO₃, Ni(NO₃)₂, Pb(NO₃)₂, Sr(NO₃)₂, UO₂(NO₃)₂, Y(NO₃)₂, Zn(NO₃)₂
 - Formates: CsCOOH, KCOOH, NaCOOH, NH₄COOH, Ca(COOH)₂, Co(COOH)₂, Cu(COOH)₂, Mg(COOH)₂, Mn(COOH)₂, Ni(COOH)₂, Sr(COOH)₂, UO₂(COOH)₂, Y(COOH)₃, Zn(COOH)₂
 - Oxy-ions: KMnO₄, Na₂B₄O₇, Na₂CO₃, Na₂CO₃ (C-14), Na₂C₂O₄, Na₂CrO₄, NaHCO₃, Na₂MoO₄, NaNO₂, Na₂RuO₄, Na₂RhO₄, Na₂SiO₃, NaTcO₄, K₂CO₃
 - Hydroxy-ions: Na[Ag(OH)₂], Na[Al(OH)₄], Na[HgO(OH)], Na₂[PuO₂(OH)₄]
 - Acids: H₃BO₃, HCl, HCOOH, H₂C₂O₄, HF, HNO₃, H₂SO₄
 - Gases: CO, CO₂, CO₂ (C-14), H₂, I₂, N₂, N₂O, NO₂, NO, O₂, RuO₄, SO₂, SO₃, NH₃
 - Other: all semi-volatiles (8), CsCl, Tritium, water
-

* Alkali metal salts of tetraphenylborate are shown as MTPB in material balance tables (M = Cs, K, Na, NH₄).

** These Na salts are partitioned between solubles and insolubles during ESP washing only for certain sludge feeds.

TABLE 2. Components Assumed Insoluble in the HLW Flowsheet Model.

• Components assumed always Insoluble:

- organics: (C₆H₅)₂, (C₆H₅)₂C₆H₄, (C₆H₅)₂NH, C₆H₅NHCHO, C₆H₅C₆H₄OH, C₆H₅NO, (C₆H₅)₂Hg, CsB(C₆H₅)₄*, KB(C₆H₅)₄*, NH₄B(C₆H₅)₄*
 - Oxides: Ag₂O, Al₂O₃, B₂O₃, BaO, CaO, CoO, Cr₂O₃, Cs₂O, CuO, FeO, Fe₂O₃, HgO, K₂O, La₂O₃, Li₂O, MgO, MnO, MnO₂, MoO₂, Na₂O, NiO, PbO, PdO, PuO₂, RhO₂, RuO₂, SiO₂, SrO, TcO₂, ThO₂, TiO₂, U₃O₈, Y₂O₃, ZnO, ZrO₂
 - Oxy-ions: BaSO₄, CaCO₃, CaCO₃ (C-14), CaC₂O₄, Ca₃(PO₄)₂, CaSO₄, PbSO₄, NaTi₂O₅H, PbCO₃, PuO₂(NaTi₂O₅)₂, SrCO₃, Sr(NaTi₂O₅)₂, Y₂(CO₃)₃
 - Metals: Ag, Hg, Pd, Rh, Ru
 - Hg halides: HgCl₂, Hg₂Cl₂, Hg₂I₂
 - Other: CaF₂, Carbon (coal), Cement, hydrate H₂O, PbS, Zeolite
-

* Alkali metal salts of tetraphenylborate are shown as MTPB in material balance tables.
(M = Cs, K, Na, NH₄).

TABLE 3. Composition of Group A and Group B Components**• GROUP A Fission Products:**

Component	wt %	Component	wt %
Se	1.656	Rb	0.7435
Mo	83.37	Cd	0.8694
Te	13.35		

• GROUP B Fission and Activation Products:

Component	wt %	Component	wt %
Cr-51	1.98 E-23	Co-60	0.0915
Zr	30.49	Nb	3.388 E-6
Ag	0.1135	Sn	0.2785
Sb	0.07914	La	8.431
Np	0.2440	Am	0.06184
Cm	4.239 E-5	Ce	16.19
Pr	7.791	Nd	30.01
Pm	0.5126	Sm	5.226
Eu	0.4763	Tb	0.00402
Tl	7.310 E-14		

OVERALL MODEL CONVERGENCE SCHEME **FIGURE 1. Calculation Flowchart for Model Convergence**

FIGURE 2. Results from PCCS Run for 10.0 wt% Na Case

ACRONYMS

CPC	Chemical Processing Cell
CPES	Chemical Process Evaluation System
DF	Decontamination Factor
DWPF	Defense Waste Processing Technology
ESP	Extended Sludge Processing
ETF	Effluent Treatment Facility
HLW	High Level Waste
HLWM	High Level Waste Management
IDMS	Integrated DWPF Melter System
ITP	In-Tank Precipitation
LWF	Late Wash Facility
LWHT	Late Wash Hold Tank
LWPT	Late Wash Precipitate Tank
MFT	Melter Feed Tank
PCCS	Product Composition Control System
PHA	Precipitate Hydrolysis Aqueous
PR	Precipitate Reactor
PRBT	Precipitate Reactor Bottoms Tank
RCT	Recycle Collection Tank
SME	Slurry Mix Evaporator
SMECT	Slurry Mix Evaporator Condensate Tank
SPC	Salt Processing Cell
SRAT	Sludge Receipt and Adjustment Tank
SRS	Savannah River Site
SRTC	Savannah River Technology Center
TPB	Tetraphenyl Borate
VLE	Vapor-Liquid Equilibrium
WAPS	Waste Acceptance Preliminary Specifications
WSRC	Westinghouse Savannah River Company

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)

SECTION 0. MAJOR STREAMS IN THE INTEGRATED HLW FLOWSHEET MODEL

WSRC-TR-95-0019 (Revision 0)

Date: January 1995

Section 0, Page 0 of 37

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

DESCRIPTION	PAGE
-----	----
1. STREAM NUMBERS 401, 649, 402, 403, 404, 410, 420	2
2. STREAM NUMBERS 411, 407, 409, 414, 418, 457, 458	6
3. STREAM NUMBERS 417, 303, 309, 316, 306, 308, 310	10
4. STREAM NUMBERS 311, 322, 317, 318, 327, 326, 601	14
5. STREAM NUMBERS 603, 610, 615, 618, 619, 632, 620	18
6. STREAM NUMBERS 201, 657, 658, 247, 3, 678, 679	22
7. STREAM NUMBERS 1, 8, 15, 106, 250, 40, 26	26
8. STREAM NUMBERS 27, 44, 60, 69, 70, 200, 145	30
9. STREAM NUMBERS 177, 338, 348, 354, 245	34

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS -> STREAM NAME	401 Salt/SN Feed to ITP	649 Settld Salt Insolubles	402 Total Spent Wash Recycle	403 NaTPB Additions	404 NaTi2O5H Additions	410 Inhibited Wash Water	420 Spent Late Wash Recycle
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	ZERO	ZERO	0.5151E+00	0.2782E+01	ZERO	ZERO	0.3998E+00
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	ZERO	ZERO	0.1293E-03	ZERO	ZERO	ZERO	0.7436E-02
155 (CH3)2CHOH	ZERO	ZERO	0.4783E-05	ZERO	0.1762E+00	ZERO	0.1232E-08
154 (CH3OH)	ZERO	ZERO	0.3911E-06	ZERO	0.9434E-02	ZERO	0.1448E-09
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	0.2230E-03	0.1686E-02	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.6708E-01	0.5073E+00	ZERO	ZERO	ZERO	ZERO	ZERO
106 B2O3	0.1670E-02	0.1263E-01	ZERO	ZERO	ZERO	ZERO	ZERO
9 Ba(OH)2	0.7011E-03	ZERO	0.4574E-09	ZERO	ZERO	ZERO	0.1252E-14
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	0.7324E-03	0.5540E-02	ZERO	ZERO	ZERO	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.3549E-01	ZERO	0.1328E-02	ZERO	ZERO	ZERO	0.3561E-04
120 Ca(OH)2	0.3660E-02	ZERO	0.1369E-03	ZERO	ZERO	ZERO	0.3672E-05
113 Ca3(PO4)2	0.5607E+00	0.4241E+01	ZERO	ZERO	ZERO	ZERO	ZERO
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	0.1912E+00	0.1446E+01	ZERO	ZERO	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	0.1392E-01	ZERO	0.5208E-03	ZERO	ZERO	ZERO	0.1397E-04
59 CoO	0.1028E-03	0.7788E-03	ZERO	ZERO	ZERO	ZERO	ZERO
98 Cr2O3	0.2616E+00	0.1979E+01	ZERO	ZERO	ZERO	ZERO	ZERO
42 Cs2O	0.3848E-04	0.2911E-03	ZERO	ZERO	ZERO	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	0.3649E-01	ZERO	0.4669E-04	ZERO	ZERO	ZERO	0.4663E-04
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) ->	401	649	402	403	404	410	420
STREAM NAME	Salt/SN Feed to ITP	Settld Salt Insolubles	Total Spent Wash Recycle	NaTPB Additions	NaTi2O5H Additions	Inhibited Wash Water	Spent Late Wash Recycle
54 Cu(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu(NO3)2	0.3286E-02	ZERO	0.1229E-03	ZERO	ZERO	ZERO	0.3297E-05
55 CuO	0.1061E-02	0.8028E-02	ZERO	ZERO	ZERO	ZERO	ZERO
80 Fe2O3	0.1587E+00	0.1147E+01	ZERO	ZERO	ZERO	ZERO	ZERO
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	0.6316E-01	0.1375E-01	0.2362E-02	ZERO	ZERO	ZERO	0.6336E-04
103 Group B	0.1941E-02	0.1595E-01	0.7262E-04	ZERO	ZERO	ZERO	0.1948E-05
25 H2	ZERO	ZERO	0.1277E-11	ZERO	ZERO	ZERO	0.5781E-10
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg(C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	0.3719E-03	0.2813E-02	ZERO	ZERO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	0.5248E-03	ZERO	ZERO	ZERO	0.5063E-03
39 K2O	0.6882E-02	0.5205E-01	ZERO	ZERO	ZERO	ZERO	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	0.6700E+01	ZERO	0.2796E-05	ZERO	ZERO	ZERO	0.2796E-05
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	0.2948E-03	0.2507E-02	ZERO	ZERO	ZERO	ZERO	ZERO
65 Mg(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg(NO3)2	0.1361E-02	ZERO	0.5092E-04	ZERO	ZERO	ZERO	0.1366E-05
33 MgO	0.1725E-02	0.1304E-01	ZERO	ZERO	ZERO	ZERO	ZERO
60 Mn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn(NO3)2	0.1586E-02	ZERO	0.5933E-04	ZERO	ZERO	ZERO	0.1591E-05
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	0.3295E-02	0.2492E-01	ZERO	ZERO	ZERO	ZERO	ZERO
145 MoO2	0.1096E-03	0.8255E-03	ZERO	ZERO	ZERO	ZERO	ZERO
81 N2	ZERO	ZERO	0.4228E-01	ZERO	ZERO	ZERO	0.2990E-01
74 N2O	ZERO	ZERO	0.2200E-11	ZERO	ZERO	ZERO	0.8164E-09
182 NH3	0.6824E-01	ZERO	0.8766E-03	ZERO	ZERO	ZERO	0.2005E-04
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	0.3131E+00	ZERO	0.1138E-01	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

*STREAM NUMBERS (CONT'D) -> STREAM NAME	401 Salt/SN Feed to ITP	649 Settld Salt Insolubles	402 Total Spent Wash Recycle	403 NaTPB Additions	404 NaTi2O5H Additions	410 Inhibited Wash Water	420 Spent Late Wash Recycle
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na (HgO (OH))	0.2749E+00	ZERO	0.9968E-05	ZERO	ZERO	ZERO	0.3027E-09
94 Na2B4O7	0.5925E-01	ZERO	0.2783E+00	ZERO	ZERO	ZERO	0.2664E+00
109 Na2C2O4	0.2518E+01	0.3078E+01	0.1585E+01	ZERO	ZERO	ZERO	0.1441E+01
5 Na2CO3	0.4906E+03	ZERO	0.2236E+02	ZERO	ZERO	ZERO	0.4359E+01
143 Na2CO3 (C14)	0.7320E-05	ZERO	0.2738E-06	ZERO	ZERO	ZERO	0.7343E-08
89 Na2CrO4	0.2695E+01	ZERO	0.1008E+00	ZERO	ZERO	ZERO	0.2703E-02
115 Na2MoO4	0.8046E+00	ZERO	0.3009E-01	ZERO	ZERO	ZERO	0.8072E-03
32 Na2O	0.1003E+01	0.7588E+01	ZERO	ZERO	ZERO	ZERO	ZERO
71 Na2PuO2 (OH) 4	0.7467E-04	ZERO	0.8810E-07	ZERO	ZERO	ZERO	0.3374E-10
73 Na2RhO4	0.1952E-01	ZERO	0.7301E-03	ZERO	ZERO	ZERO	0.1958E-04
72 Na2RuO4	0.1028E+00	ZERO	0.3845E-02	ZERO	ZERO	ZERO	0.1031E-03
6 Na2SO4	0.2804E+02	ZERO	0.1049E+01	ZERO	ZERO	ZERO	0.2813E-01
88 Na2SiO3	0.7804E+00	ZERO	0.2919E-01	ZERO	ZERO	ZERO	0.7829E-03
87 Na3PO4	0.3724E+02	ZERO	0.1393E+01	ZERO	ZERO	ZERO	0.3736E-01
91 NaAg (OH) 2	0.4035E-02	ZERO	0.2636E-06	ZERO	ZERO	ZERO	0.1443E-10
75 NaAl (OH) 4	0.1403E+03	ZERO	0.5104E+01	ZERO	ZERO	ZERO	0.9688E-03
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	0.1976E+01	ZERO	0.1011E+00	0.2231E+00	ZERO	ZERO	0.2085E-01
69 NaF	0.2156E+01	ZERO	0.8064E-01	ZERO	ZERO	ZERO	0.2163E-02
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.1444E-02	ZERO	0.5401E-04	ZERO	ZERO	ZERO	0.1449E-05
3 NaNO2	0.2311E+03	ZERO	0.5136E+02	ZERO	0.1272E-02	0.6582E+00	0.7681E+01
2 NaNO3	0.1353E+04	ZERO	0.4978E+02	ZERO	ZERO	ZERO	0.5719E+00
4 NaOH	0.5045E+03	ZERO	0.1508E+03	0.1113E+01	0.3141E-01	0.5266E+00	0.8668E+02
149 NaTPB	ZERO	ZERO	0.3176E+01	0.4760E+02	ZERO	ZERO	0.2125E+01
160 NaTcO4	0.6478E-01	ZERO	0.2423E-02	ZERO	ZERO	ZERO	0.6498E-04
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	0.9827E+00	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni (NO3) 2	0.1732E-01	ZERO	0.6480E-03	ZERO	ZERO	ZERO	0.1738E-04
40 NiO	0.1037E-02	0.7846E-02	ZERO	ZERO	ZERO	ZERO	ZERO
82 O2	ZERO	ZERO	0.2474E-01	ZERO	ZERO	ZERO	0.1334E-02
175 Pb (NO3) 2	0.4207E-01	ZERO	0.1573E-02	ZERO	ZERO	ZERO	0.4220E-04
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.4362E-02	0.3299E-01	ZERO	ZERO	ZERO	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	0.1736E-03	ZERO	0.6494E-05	ZERO	ZERO	ZERO	0.1742E-06
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	0.3209E-04	0.2433E-03	ZERO	ZERO	ZERO	ZERO	ZERO
156 PuO2 (NaTi2O5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	0.4424E-02	0.3346E-01	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) ->	401	649	402	403	404	410	420
STREAM NAME	Salt/SN Feed to ITP	Settld Salt Insolubles	Total Spent Wash Recycle	NaTPB Additions	NaTi2O5H Additions	Inhibited Wash Water	Spent Late Wash Recycle
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.2666E-01	0.2220E+00	ZERO	ZERO	ZERO	ZERO	ZERO
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	0.1026E-02	ZERO	0.2347E-06	ZERO	ZERO	ZERO	0.1926E-10
30 SrCO3	0.9081E-04	0.6881E-03	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TcO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	0.1213E-02	0.5719E-02	ZERO	ZERO	ZERO	ZERO	ZERO
119 Tritium	0.4059E-07	ZERO	0.1492E-08	ZERO	ZERO	ZERO	0.3304E-10
17 U3O8	0.7512E-03	0.5682E-02	ZERO	ZERO	ZERO	ZERO	ZERO
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	0.2783E-01	ZERO	0.1041E-02	ZERO	ZERO	ZERO	0.2792E-04
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	0.1206E-02	ZERO	0.1095E-06	ZERO	ZERO	ZERO	0.2140E-10
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	0.1383E+01	0.8874E-07	0.5171E-01	ZERO	ZERO	ZERO	0.1387E-02
57 ZnO	0.1980E+00	0.1497E+01	ZERO	ZERO	ZERO	ZERO	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.2434E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
1 water	0.5573E+04	ZERO	0.3074E+04	0.2265E+03	0.7283E+01	0.1315E+04	0.1753E+04
TOTAL FLOW, LB/HR	0.8380E+04	0.2195E+02	0.3362E+04	0.2782E+03	0.8484E+01	0.1316E+04	0.1856E+04
TEMPERATURE, DEG C	0.2992E+02	0.3500E+02	0.3981E+02	0.3500E+02	0.3500E+02	0.2500E+02	0.3989E+02
PRESSURE, ATM	0.1000E+01	0.1000E+01	0.9656E+00	0.1000E+01	0.1000E+01	0.1000E+01	0.9656E+00
PRESSURE, PSIG	ZERO	ZERO	-0.5055E+00	ZERO	ZERO	ZERO	-0.5055E+00
PRESSURE, MM HG			0.7339E+03				0.7339E+03
ENTHALPY, PCU/HR	0.1890E+06	0.1607E+03	0.1259E+06	0.7962E+04	0.2597E+03	0.3301E+05	0.7132E+05
VAPOR FLOW, CFM							
LIQUID FLOW, GPM	0.1320E+02	0.1529E-01	0.6338E+01	0.5455E+00	0.1701E-01	0.2627E+01	0.3569E+01
DENSITY, LBS/FT3	0.7914E+02	0.1790E+03	0.6613E+02	0.6358E+02	0.6217E+02	0.6247E+02	0.6484E+02
PHASE	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS -> STREAM NAME	411 Spent Wash to Storage	407 Decon SN Proc to Storage Vnt to Atmos	409 Proc Tnk to Atmos	414 Washed Prec to Storage	418 Prec Storage Tank bottoms	457 Late Wsh H2O Adj w/NatPB	458 NatPB addn to LWPT
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	0.3293E+00	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	0.1399E-01	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	0.9313E-02	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	0.1910E-10	0.3451E+00	0.3708E+00	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	0.3026E-01	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	0.1153E+00	0.3344E+01	0.9733E-10	0.3300E-02	0.1736E+00	0.1129E+00	0.1581E+00
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	0.1109E-03	0.3374E-02	0.3553E+00	0.3173E-05	0.2941E+00	ZERO	ZERO
155 (CH3)2CHOH	0.7759E-05	0.8203E-01	0.9414E-01	0.2221E-06	0.8484E-08	ZERO	ZERO
154 (CH3OH)	0.5838E-06	0.4940E-02	0.4493E-02	0.1671E-07	0.7905E-09	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	ZERO	0.1624E-12	0.3054E-02	0.3054E-02	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	ZERO	0.3567E-11	0.6708E-01	0.1297E+00	ZERO	ZERO
106 B2O3	ZERO	ZERO	0.8883E-13	0.1670E-02	0.1670E-02	ZERO	ZERO
9 Ba(OH)2	0.4574E-09	0.1295E-07	0.3762E-18	0.1309E-10	0.1309E-10	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	ZERO	ZERO	0.9533E-13	0.1793E-02	0.1793E-02	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.2826E-04	0.7780E-03	0.3312E+00	0.8087E-06	ZERO	ZERO	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.1292E-02	0.3549E-01	ZERO	0.3698E-04	0.3698E-04	ZERO	ZERO
120 Ca(OH)2	0.1332E-03	0.3660E-02	0.1063E-12	0.3813E-05	0.3813E-05	ZERO	ZERO
113 Ca3(PO4)2	ZERO	ZERO	0.2982E-10	0.5607E+00	0.5607E+00	ZERO	ZERO
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	ZERO	ZERO	0.1017E-10	0.1912E+00	0.1912E+00	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	0.5068E-03	0.1392E-01	ZERO	0.1451E-04	0.1451E-04	ZERO	ZERO
59 CoO	ZERO	ZERO	0.5465E-14	0.1028E-03	0.1028E-03	ZERO	ZERO
98 Cr2O3	ZERO	ZERO	0.1391E-10	0.2616E+00	0.2616E+00	ZERO	ZERO
42 Cs2O	ZERO	ZERO	0.2046E-14	0.3848E-04	0.3848E-04	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	0.5975E-07	0.1653E-05	0.4801E-16	0.1710E-08	0.1740E-02	ZERO	ZERO
151 CsTPB	ZERO	ZERO	0.5859E-11	0.1102E+00	0.1049E+00	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) ->	411	407	409	414	418	457	458
STREAM NAME	Spent Wash to Storage	Decon SN to Storage	Proc Proc Tnk Vnt to Atmos	Washed Prec to Storage	Prec Storage Tank bottoms	Late Wsh H2O Adj'd w/NaTPB	NaTPB addn to LWPT
54 Cu (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu (NO3) 2	0.1196E-03	0.3286E-02	ZERO	0.3424E-05	0.3424E-05	ZERO	ZERO
55 CuO	ZERO	ZERO	0.5644E-13	0.1061E-02	0.1061E-02	ZERO	ZERO
80 Fe2O3	ZERO	ZERO	0.8441E-11	0.1587E+00	0.1587E+00	ZERO	ZERO
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	0.2299E-02	0.6315E-01	0.1835E-11	0.6580E-04	0.6580E-04	ZERO	ZERO
103 Group B	0.7067E-04	0.1941E-02	0.5640E-13	0.2023E-05	0.2023E-05	ZERO	ZERO
25 H2	0.8835E-08	0.2778E-06	0.3556E-02	0.2529E-09	0.3445E-07	ZERO	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg (C6H5) 2	ZERO	ZERO	0.2019E-10	0.3797E+00	0.3797E+00	ZERO	ZERO
135 Hg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	0.1978E-13	0.3719E-03	0.3719E-03	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	0.1841E-04	0.5058E-03	ZERO	0.5270E-06	0.3846E+00	ZERO	ZERO
39 K2O	ZERO	ZERO	0.3660E-12	0.6882E-02	0.6882E-02	ZERO	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	ZERO	ZERO	0.2124E-02	ZERO	ZERO
150 KTPB	ZERO	ZERO	0.2276E-08	0.4280E+02	0.4079E+02	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	ZERO	0.1568E-13	0.2948E-03	0.2948E-03	ZERO	ZERO
65 Mg (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg (NO3) 2	0.4956E-04	0.1361E-02	ZERO	0.1418E-05	0.1418E-05	ZERO	ZERO
33 MgO	ZERO	ZERO	0.9172E-13	0.1725E-02	0.1725E-02	ZERO	ZERO
60 Mn (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn (NO3) 2	0.5774E-04	0.1586E-02	ZERO	0.1653E-05	0.1653E-05	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	ZERO	ZERO	0.1752E-12	0.3295E-02	0.3295E-02	ZERO	ZERO
145 MoO2	ZERO	ZERO	0.5828E-14	0.1096E-03	0.1096E-03	ZERO	ZERO
81 N2	0.5117E-02	0.1409E+00	0.2207E+04	0.1465E-03	0.6005E-02	ZERO	ZERO
74 N2O	0.1174E-15	0.3232E-14	0.2197E-11	0.3360E-17	0.4579E-05	ZERO	ZERO
182 NH3	0.2264E-02	0.6220E-01	0.4593E-02	0.6480E-04	0.3882E-03	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	0.1138E-01	0.3127E+00	0.9085E-08	0.3258E-03	0.2720E-03	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) -> STREAM NAME	411 Spent Wash to Storage	407 Decon SN to Storage	409 Prc Proc Tnk Vnt to Atmos	414 Washed Prec to Storage	418 Prec Storage Tank bottoms	457 Late Wsh H2O Adj'd w/NatPB	458 NatPB addn to LWFT
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na(HgO(OH))	0.9967E-05	0.2822E-03	0.8198E-14	0.2853E-06	0.2853E-06	ZERO	ZERO
94 Na2B4O7	0.1184E-01	0.3253E+00	0.9452E-11	0.3390E-03	0.2767E+00	ZERO	ZERO
109 Na2C2O4	0.1440E+00	0.3955E+01	0.1149E-09	0.4121E-02	0.2108E+00	ZERO	ZERO
5 Na2CO3	0.1800E+02	0.4945E+03	0.1436E-07	0.5152E+00	0.4232E+01	ZERO	ZERO
143 Na2CO3 (C14)	0.2664E-06	0.7320E-05	0.2126E-15	0.7626E-08	0.7626E-08	ZERO	ZERO
89 Na2CrO4	0.9808E-01	0.2694E+01	0.7828E-10	0.2807E-02	0.2807E-02	ZERO	ZERO
115 Na2MoO4	0.2929E-01	0.8046E+00	0.2337E-10	0.8382E-03	0.8382E-03	ZERO	ZERO
32 Na2O	ZERO	ZERO	0.5336E-10	0.1003E+01	0.1003E+01	ZERO	ZERO
71 Na2PuO2(OH)4	0.8806E-07	0.1748E-05	0.5070E-16	0.2520E-08	0.2520E-08	ZERO	ZERO
73 Na2RhO4	0.7105E-03	0.1952E-01	0.5670E-12	0.2033E-04	0.2033E-04	ZERO	ZERO
72 Na2RuO4	0.3742E-02	0.1028E+00	0.2986E-11	0.1071E-03	0.1071E-03	ZERO	ZERO
6 Na2SO4	0.1021E+01	0.2804E+02	0.8146E-09	0.2921E-01	0.2921E-01	ZERO	ZERO
88 Na2SiO3	0.2841E-01	0.7803E+00	0.2267E-10	0.8130E-03	0.8130E-03	ZERO	ZERO
87 Na3PO4	0.1356E+01	0.3724E+02	0.1082E-08	0.3880E-01	0.3880E-01	ZERO	ZERO
91 NaAg(OH)2	0.2636E-06	0.7463E-05	0.2168E-15	0.7545E-08	0.7545E-08	ZERO	ZERO
75 NaAl(OH)4	0.5103E+01	0.1402E+03	0.4072E-08	0.1460E+00	0.1006E-02	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	0.8028E-01	0.2218E+01	0.6445E-10	0.2298E-02	0.2298E-02	0.9051E-02	0.1268E-01
69 NaF	0.7848E-01	0.2156E+01	0.6263E-10	0.2246E-02	0.2246E-02	ZERO	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.5257E-04	0.1444E-02	0.4195E-13	0.1504E-05	0.1504E-05	ZERO	ZERO
3 NaNO2	0.4368E+02	0.2723E+03	0.7911E-08	0.7647E+01	0.7976E+01	ZERO	ZERO
2 NaNO3	0.4921E+02	0.1352E+04	0.3927E-07	0.1408E+01	0.5939E+00	ZERO	ZERO
4 NaOH	0.5621E+02	0.6376E+03	0.1852E-07	0.2809E+01	0.1572E-01	0.3251E+00	0.6324E-01
149 NatPB	0.1051E+01	0.7767E+01	0.4984E-09	0.3008E-01	ZERO	0.1931E+01	0.2705E+01
160 NaTcO4	0.2358E-02	0.6477E-01	ZERO	0.6748E-04	0.6748E-04	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	0.7902E-10	0.9793E+00	0.9792E+00	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni(NO3)2	0.6306E-03	0.1732E-01	ZERO	0.1805E-04	0.1805E-04	ZERO	ZERO
40 NiO	ZERO	ZERO	0.5517E-13	0.1037E-02	0.1037E-02	ZERO	ZERO
82 O2	0.6117E-03	0.1684E-01	0.1362E+03	0.1751E-04	0.7141E-03	ZERO	ZERO
175 Pb(NO3)2	0.1531E-02	0.4207E-01	ZERO	0.4383E-04	0.4383E-04	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	0.2320E-12	0.4362E-02	0.4362E-02	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd(NO3)2	0.6320E-05	0.1736E-03	0.5044E-14	0.1809E-06	0.1809E-06	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	ZERO	ZERO	0.1707E-14	0.3209E-04	0.3209E-04	ZERO	ZERO
156 PuO2(NaTi2O5)2	ZERO	ZERO	0.6788E-14	0.1272E-03	0.1272E-03	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	0.2353E-12	0.4424E-02	0.4424E-02	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) ->	411	407	409	414	418	457	458
STREAM NAME	Spent Wash to Storage	Decon SN to Storage	Prc Proc Tnk Vnt to Atmos	Washed Prec to Storage	Prec Storage Tank bottoms	Late Wsh H2O Adj w/NaTPB	NaTPB addn to LWPT
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	ZERO	0.1418E-11	0.2666E-01	0.2666E-01	ZERO	ZERO
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	0.2167E-12	0.4072E-02	0.4072E-02	ZERO	ZERO
127 Sr(OH)2	0.2347E-06	0.4796E-05	0.1391E-15	0.6716E-08	0.6716E-08	ZERO	ZERO
30 SrCO3	ZERO	ZERO	0.4829E-14	0.9081E-04	0.9081E-04	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TcO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	ZERO	ZERO	0.6453E-13	0.1213E-02	0.1213E-02	ZERO	ZERO
119 Tritium	0.1465E-08	0.4026E-07	0.3193E-09	0.4194E-10	0.3525E-10	ZERO	ZERO
17 U3O8	ZERO	ZERO	0.3995E-13	0.7512E-03	0.7512E-03	ZERO	ZERO
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	0.1013E-02	0.2783E-01	0.8085E-12	0.2900E-04	0.2900E-04	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	0.1095E-06	0.5683E-05	0.1654E-15	0.3135E-08	0.3135E-08	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	0.5145E-13	0.9683E-03	0.9683E-03	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	0.5033E-01	0.1383E+01	ZERO	0.1440E-02	0.1440E-02	ZERO	ZERO
57 ZnO	ZERO	ZERO	0.1053E-10	0.1980E+00	0.1980E+00	ZERO	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	0.1417E-12	0.2665E-02	0.3589E-01	ZERO	ZERO
1 water	0.1319E+04	0.8550E+04	0.6527E+02	0.4114E+03	0.4056E+03	0.1409E+04	0.1287E+02
TOTAL FLOW, LB/HR	0.1495E+04	0.1154E+05	0.2409E+04	0.4712E+03	0.4655E+03	0.1411E+04	0.1581E+02
TEMPERATURE, DEG C	0.2619E+02	0.3000E+02	0.4000E+02	0.3000E+02	0.3846E+02	0.3500E+02	0.3500E+02
PRESSURE, ATM	0.1000E+01	0.1000E+01	0.9656E+00	0.1000E+01	0.9656E+00	0.1000E+01	0.1000E+01
PRESSURE, PSIG	ZERO	ZERO	-0.5055E+00	ZERO	-0.5055E+00	ZERO	ZERO
PRESSURE, MM HG			0.7339E+03		0.7339E+03		
ENTHALPY, PCU/HR	0.3588E+05	0.2806E+06	0.6421E+05	0.1249E+05	0.1579E+05	0.4943E+05	0.4525E+03
VAPOR FLOW, CFM			0.6155E+03				
LIQUID FLOW, GPM	0.2757E+01	0.1927E+02		0.9134E+00	0.9016E+00	0.2817E+01	0.3100E-01
DENSITY, LBS/FT3	0.6759E+02	0.7463E+02	0.6524E-01	0.6432E+02	0.6437E+02	0.6245E+02	0.6358E+02
PHASE	LIQUID	LIQUID	VAPOR	LIQUID	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model.

STREAM NUMBERS -> STREAM NAME	417 Precip Strg Vnt to Atmo	303 Unwshd A/D Sldg Slurry	309 Wsh/Aux H2O to A/D Tank	316 Makeup H2O to W/O Tank	306 Unwshd W/O Sldg Slurry	308 SN Decant frm W/O Tnk	310 50% NaOH to A/D Tank
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	0.2059E-06	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	0.8746E-08	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	0.5823E-08	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	0.2319E-09	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	0.1086E-09	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	0.5111E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
155 (CH3)2CHOH	0.2136E-06	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
154 (CH3OH)	0.1592E-07	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	0.1909E-11	ZERO	ZERO	ZERO	0.1240E-01	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.8112E-10	ZERO	ZERO	ZERO	0.1042E+02	ZERO	ZERO
106 B2O3	0.1044E-11	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
9 Ba(OH)2	0.8186E-20	ZERO	ZERO	ZERO	0.2484E-02	0.2196E-02	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	0.1121E-11	ZERO	ZERO	ZERO	0.1802E-01	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	0.2384E-14	ZERO	ZERO	ZERO	0.1875E-03	0.1657E-03	ZERO
113 Ca3(PO4)2	0.3506E-09	ZERO	ZERO	ZERO	0.2516E+01	ZERO	ZERO
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	0.3111E+01	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	0.1532E-06	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	0.1828E-01	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	0.4073E-02	ZERO	ZERO
19 CaSO4	0.1195E-09	ZERO	ZERO	ZERO	0.3611E-01	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
59 CoO	0.6426E-13	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
98 Cr2O3	0.1636E-09	ZERO	ZERO	ZERO	0.1984E+00	ZERO	ZERO
42 Cs2O	0.2406E-13	ZERO	ZERO	ZERO	0.1240E-03	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	0.1088E-11	ZERO	ZERO	ZERO	0.6185E-04	0.5467E-04	ZERO
151 CsTPB	0.6561E-10	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) ->	417	303	309	316	306	308	310
STREAM NAME	Precip Strg Vnt to Atmo	Unwshd A/D Sldg Slurry	Wsh/Aux H2O to A/D Tank	Makeup H2O to W/O Tank	Unwshd W/O Sldg Slurry	SN Decant frm W/O Tnk	50% NaOH to A/D Tank
54 Cu(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
55 CuO	0.6637E-12	ZERO	ZERO	ZERO	0.2549E-01	ZERO	ZERO
80 Fe2O3	0.9925E-10	ZERO	ZERO	ZERO	0.3416E+02	0.1237E-02	ZERO
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	0.4114E-13	ZERO	ZERO	ZERO	0.6119E-02	0.1869E-02	ZERO
103 Group B	0.1265E-14	ZERO	ZERO	ZERO	0.1884E-03	0.4512E-05	ZERO
25 H2	0.1045E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg(C6H5)2	0.2374E-09	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	0.2326E-12	ZERO	ZERO	ZERO	0.1686E+00	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	0.4304E-11	ZERO	ZERO	ZERO	0.8995E-01	ZERO	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	0.1328E-11	ZERO	ZERO	ZERO	0.1327E+00	0.1173E+00	ZERO
150 KTPB	0.2551E-07	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	0.1843E-12	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
65 Mg(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
33 MgO	0.1079E-11	ZERO	ZERO	ZERO	0.1857E+01	ZERO	ZERO
60 Mn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	0.2061E-11	ZERO	ZERO	ZERO	0.3953E+01	ZERO	ZERO
145 MoO2	0.6853E-13	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
81 N2	0.2207E+04	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
74 N2O	0.7061E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
182 NH3	0.2598E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	0.1701E-09	ZERO	ZERO	ZERO	0.5091E-02	0.4501E-02	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) ->	417	303	309	316	306	308	310
STREAM NAME	Precip Strg Vnt to Atmo	Unwshd A/D Slldg Slurry	Wsh/Aux H2O to A/D Tank	Makeup H2O to W/O Tank	Unwshd W/O Slldg Slurry	SN Decant frm W/O Tnk	50% NaOH to A/D Tank
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na (HgO (OH))	0.1784E-15	ZERO	ZERO	ZERO	0.2144E-02	0.1895E-02	ZERO
94 Na2B4O7	0.1730E-09	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	0.1318E-09	ZERO	ZERO	ZERO	0.2211E+01	0.1954E+01	ZERO
5 Na2CO3	0.2646E-08	ZERO	ZERO	ZERO	0.2057E+01	0.1819E+01	ZERO
143 Na2CO3 (C14)	0.4768E-17	ZERO	ZERO	ZERO	0.2527E-08	0.2234E-08	ZERO
89 Na2CrO4	0.1755E-11	ZERO	ZERO	ZERO	0.7738E-01	0.6840E-01	ZERO
115 Na2MoO4	0.5241E-12	ZERO	ZERO	ZERO	0.1275E-01	0.1127E-01	ZERO
32 Na2O	0.6274E-09	ZERO	ZERO	ZERO	0.3935E+01	ZERO	ZERO
71 Na2PuO2 (OH) 4	0.1576E-17	ZERO	ZERO	ZERO	0.8369E-07	0.7398E-07	ZERO
73 Na2RhO4	0.1272E-13	ZERO	ZERO	ZERO	0.3235E-03	0.2859E-03	ZERO
72 Na2RuO4	0.6696E-13	ZERO	ZERO	ZERO	0.1383E-02	0.1222E-02	ZERO
6 Na2SO4	0.1827E-10	ZERO	ZERO	ZERO	0.1627E+01	0.1438E+01	ZERO
88 Na2SiO3	0.5083E-12	ZERO	ZERO	ZERO	0.6754E-01	0.5970E-01	ZERO
87 Na3PO4	0.2426E-10	ZERO	ZERO	ZERO	0.9546E-02	0.8438E-02	ZERO
91 NaAg (OH) 2	0.4718E-17	ZERO	ZERO	ZERO	0.1219E-02	0.1078E-02	ZERO
75 NaAl (OH) 4	0.6291E-12	ZERO	ZERO	ZERO	0.2977E+01	0.2632E+01	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	0.1437E-11	ZERO	ZERO	ZERO	0.5672E-01	0.5014E-01	ZERO
69 NaF	0.1404E-11	ZERO	ZERO	ZERO	0.2853E+00	0.2521E+00	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.9407E-15	ZERO	ZERO	ZERO	0.4533E-04	0.4007E-04	ZERO
3 NaNO2	0.4987E-08	ZERO	0.4594E+00	ZERO	0.1540E+02	0.1361E+02	ZERO
2 NaNO3	0.3714E-09	ZERO	ZERO	ZERO	0.1270E+02	0.1123E+02	ZERO
4 NaOH	0.9831E-11	ZERO	0.3675E+00	ZERO	0.9231E+01	0.8159E+01	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	0.1312E-02	0.1160E-02	ZERO
152 NaTi2O5H	0.6123E-09	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
40 NiO	0.6486E-12	ZERO	ZERO	ZERO	0.3023E+00	ZERO	ZERO
82 O2	0.1351E+03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
175 Pb (NO3) 2	ZERO	ZERO	ZERO	ZERO	0.6364E-03	0.5625E-03	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.2728E-11	ZERO	ZERO	ZERO	0.1552E+00	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	0.1131E-15	ZERO	ZERO	ZERO	0.7369E-07	0.6513E-07	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	0.5466E-03	ZERO	ZERO
76 PuO2	0.2007E-13	ZERO	ZERO	ZERO	0.1203E-01	ZERO	ZERO
156 PuO2 (NaTi2O5) 2	0.7954E-13	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	0.1157E-02	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	0.2766E-11	ZERO	ZERO	ZERO	0.7507E-02	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) ->	417	303	309	316	306	308	310	
STREAM NAME	Precip Vnt to	Strg Atmo Sldg Slurry	Unwshd A/D to A/D	Wsh/Aux H2O Tank	Makeup H2O to W/O Tank	Unwshd W/O Sldg Slurry	SN Decant frm W/O Tnk to A/D	50% NaOH Tank
38 SO2		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.1667E-10	ZERO	ZERO	ZERO	ZERO	0.1292E+01	ZERO	ZERO
48 Sr(COOH)2		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	0.2546E-11	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	0.4200E-17	ZERO	ZERO	ZERO	ZERO	0.3023E-06	0.2672E-06	ZERO
30 SrCO3	0.5679E-13	ZERO	ZERO	ZERO	ZERO	0.2501E-01	ZERO	ZERO
46 SrO		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TcO2		ZERO	ZERO	ZERO	ZERO	0.4211E-02	ZERO	ZERO
92 ThO2		ZERO	ZERO	ZERO	ZERO	0.3620E-01	ZERO	ZERO
107 TiO2	0.7587E-12	ZERO	ZERO	ZERO	ZERO	0.5662E-01	ZERO	ZERO
119 Tritium	0.6692E-11	ZERO	ZERO	ZERO	ZERO	0.8558E-08	0.7565E-08	ZERO
17 U3O8	0.4697E-12	ZERO	ZERO	ZERO	ZERO	0.2538E+01	ZERO	ZERO
62 UO2(COOH)2		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	0.1813E-13	ZERO	ZERO	ZERO	ZERO	0.5900E-03	0.5215E-03	ZERO
27 Y(COOH)3		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	0.1960E-17	ZERO	ZERO	ZERO	ZERO	0.3046E-06	0.2693E-06	ZERO
31 Y2(CO3)3		ZERO	ZERO	ZERO	ZERO	0.6295E-02	ZERO	ZERO
47 Y2O3	0.6054E-12	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
100 Zeolite		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
57 ZnO	0.1238E-09	ZERO	ZERO	ZERO	ZERO	0.1436E+00	ZERO	ZERO
104 ZrO2		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.2244E-10	ZERO	ZERO	ZERO	ZERO	0.2777E+01	0.4188E-03	ZERO
1 water	0.1631E+02	ZERO	0.9180E+03	ZERO	0.1922E+03	0.1699E+03	0.1699E+03	ZERO
TOTAL FLOW, LB/HR	0.2359E+04	ZERO	0.9188E+03	ZERO	0.3069E+03	0.2113E+03		ZERO
TEMPERATURE, DEG C	0.4000E+02	0.5000E+02	0.4800E+02	0.4800E+02	0.3691E+02	0.3621E+02	0.4800E+02	
PRESSURE, ATM	0.9656E+00	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01
PRESSURE, PSIG	-0.5055E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
PRESSURE, MM HG	0.7339E+03							
ENTHALPY, PCU/HR	0.3425E+05	ZERO	0.4413E+05	ZERO	0.7939E+04	0.6543E+04		ZERO
VAPOR FLOW, CFM	0.5960E+03							
LIQUID FLOW, GPM			0.1834E+01		0.4536E+00	0.3693E+00		
DENSITY, LBS/FT3	0.6597E-01	ZERO	0.6247E+02	ZERO	0.8437E+02	0.7135E+02		ZERO
PHASE	VAPOR	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS -> STREAM NAME	311 40% NaNO2 to A/D Tank	322 Spent Wash frm W/O Tk	317 50% NaOH to W/O Tank	318 40% NaNO2 to W/O Tank	327 Radiolyzed Wshd Sludge	326 Dilution H2O addn to Sldg	601 Concentrate from ETF
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
155 (CH3)2CHOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
154 (CH3OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	0.5206E-07	ZERO	ZERO	0.1018E-01	ZERO	0.1757E-02
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	0.4374E-04	ZERO	ZERO	0.8551E+01	ZERO	0.8794E-01
106 B2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
9 Ba(OH)2	ZERO	0.2123E-02	ZERO	ZERO	0.2968E-03	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	ZERO	0.7569E-07	ZERO	ZERO	0.1480E-01	ZERO	0.2780E-02
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	0.1602E-03	ZERO	ZERO	0.2240E-04	ZERO	ZERO
113 Ca3(PO4)2	ZERO	0.1056E-04	ZERO	ZERO	0.2065E+01	ZERO	0.2178E+00
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	0.1307E-04	ZERO	ZERO	0.2554E+01	ZERO	0.4990E+00
64 CaCO3 (C14)	ZERO	0.6432E-12	ZERO	ZERO	0.1257E-06	ZERO	ZERO
78 CaF2	ZERO	0.7677E-07	ZERO	ZERO	0.1501E-01	ZERO	ZERO
41 CaO	ZERO	0.1711E-07	ZERO	ZERO	0.3344E-02	ZERO	ZERO
19 CaSO4	ZERO	0.1516E-06	ZERO	ZERO	0.2964E-01	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
59 CoO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
98 Cr2O3	ZERO	0.8334E-06	ZERO	ZERO	0.1629E+00	ZERO	ZERO
42 Cs2O	ZERO	0.5208E-09	ZERO	ZERO	0.1018E-03	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	0.5285E-04	ZERO	ZERO	0.7390E-05	ZERO	0.4011E-08
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) ->	311	322	317	318	327	326	601
STREAM NAME	40% NaNO ₂ to A/D Tank	Spent Wash frm W/O Tk	50% NaOH to W/O Tank	40% NaNO ₂ to W/O Tank	Radiolyzed Wshd Sludge	Dilution H ₂ O addn to Sldg	Concentrate from ETF
54 Cu(COOH) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu(NO ₃) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
55 CuO	ZERO	0.1071E-06	ZERO	ZERO	0.2093E-01	ZERO	0.3968E-02
80 Fe ₂ O ₃	ZERO	0.1339E-02	ZERO	ZERO	0.2805E+02	ZERO	0.1181E+00
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	ZERO	0.1806E-02	ZERO	ZERO	0.3541E-02	ZERO	0.3951E-01
103 Group B	ZERO	0.4362E-05	ZERO	ZERO	0.1511E-03	ZERO	0.5292E-08
25 H ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
158 H ₂ C ₂ O ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H ₂ SO ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H ₃ BO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg(C ₆ H ₅) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg(NO ₃) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg ₂ Cl ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg ₂ I ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	0.7080E-06	ZERO	ZERO	0.1384E+00	ZERO	0.1005E-02
97 I ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K ₂ CO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K ₂ O	ZERO	0.3778E-06	ZERO	ZERO	0.7385E-01	ZERO	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	0.1134E+00	ZERO	ZERO	0.1586E-01	ZERO	0.2293E-01
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La ₂ O ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li ₂ O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
65 Mg(COOH) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg(NO ₃) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
33 MgO	ZERO	0.7798E-05	ZERO	ZERO	0.1524E+01	ZERO	0.2271E-01
60 Mn(COOH) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn(NO ₃) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
180 Mn ₃ O ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.7533E-02
14 MnO ₂	ZERO	0.1660E-04	ZERO	ZERO	0.3245E+01	ZERO	ZERO
145 MoO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
81 N ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
74 N ₂ O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
182 NH ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.3649E-01
114 NH ₃ OHNO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH ₄ COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH ₄ NO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH ₄ OH	ZERO	0.4350E-02	ZERO	ZERO	0.6084E-03	ZERO	ZERO
148 NH ₄ TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) -> STREAM NAME	311 40% NaNO2 to A/D Tank	322 Spent Wash frm W/O Tk	317 50% NaOH to W/O Tank	318 40% NaNO2 to W/O Tank	327 Radiolyzed Wshd Sludge	326 Dilution H2O addn to Sldg	601 Concentrate from ETF
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na (HgO (OH))	ZERO	0.1832E-02	ZERO	ZERO	0.2562E-03	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	ZERO	0.1889E+01	ZERO	ZERO	0.2642E+00	ZERO	0.7128E+00
5 Na2CO3	ZERO	0.1758E+01	ZERO	ZERO	0.2458E+00	ZERO	0.2971E+01
143 Na2CO3 (C14)	ZERO	0.2159E-08	ZERO	ZERO	0.3019E-09	ZERO	ZERO
89 Na2CrO4	ZERO	0.6612E-01	ZERO	ZERO	0.9246E-02	ZERO	0.5974E-02
115 Na2MoO4	ZERO	0.1089E-01	ZERO	ZERO	0.1523E-02	ZERO	ZERO
32 Na2O	ZERO	0.1652E-04	ZERO	ZERO	0.3230E+01	ZERO	ZERO
71 Na2PuO2 (OH) 4	ZERO	0.7151E-07	ZERO	ZERO	0.1000E-07	ZERO	0.6451E-07
73 Na2RhO4	ZERO	0.2764E-03	ZERO	ZERO	0.3865E-04	ZERO	0.1665E-12
72 Na2RuO4	ZERO	0.1181E-02	ZERO	ZERO	0.1652E-03	ZERO	0.3364E-10
6 Na2SO4	ZERO	0.1390E+01	ZERO	ZERO	0.1944E+00	ZERO	0.1252E+00
88 Na2SiO3	ZERO	0.5771E-01	ZERO	ZERO	0.8070E-02	ZERO	ZERO
87 Na3PO4	ZERO	0.8157E-02	ZERO	ZERO	0.1141E-02	ZERO	ZERO
91 NaAg (OH) 2	ZERO	0.1042E-02	ZERO	ZERO	0.1457E-03	ZERO	ZERO
75 NaAl (OH) 4	ZERO	0.2544E+01	ZERO	ZERO	0.3558E+00	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	ZERO	0.4846E-01	ZERO	ZERO	0.6777E-02	ZERO	0.1494E+00
69 NaF	ZERO	0.2437E+00	ZERO	ZERO	0.3408E-01	ZERO	0.4444E-01
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	0.3873E-04	ZERO	ZERO	0.5416E-05	ZERO	0.1337E-13
3 NaNO2	ZERO	0.2590E+02	ZERO	0.1647E+02	0.6393E+01	0.6099E-01	0.4455E-01
2 NaNO3	ZERO	0.1085E+02	ZERO	ZERO	0.1518E+00	ZERO	0.4485E+02
4 NaOH	ZERO	0.2116E+02	0.1523E+02	ZERO	0.3013E+01	0.4879E-01	0.1105E+02
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	0.1121E-02	ZERO	ZERO	0.1568E-03	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
40 NiO	ZERO	0.1270E-05	ZERO	ZERO	0.2482E+00	ZERO	0.3657E-02
82 O2	ZERO	ZERO	ZERO	ZERO	0.2571E+00	ZERO	ZERO
175 Pb (NO3) 2	ZERO	0.5438E-03	ZERO	ZERO	0.7604E-04	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1762E-02
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	0.6519E-06	ZERO	ZERO	0.1274E+00	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	ZERO	0.6296E-07	ZERO	ZERO	0.8804E-08	ZERO	ZERO
110 PdO	ZERO	0.2296E-08	ZERO	ZERO	0.4488E-03	ZERO	ZERO
76 PuO2	ZERO	0.5051E-07	ZERO	ZERO	0.9873E-02	ZERO	ZERO
156 PuO2 (NaTi2O5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	0.4859E-08	ZERO	ZERO	0.9498E-03	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	0.3153E-07	ZERO	ZERO	0.6163E-02	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) -> STREAM NAME	311 40% NaNO2 to A/D Tank	322 Spent Wash frm W/O Tk	317 50% NaOH to W/O Tank	318 40% NaNO2 to W/O Tank	327 Radiolyzed Wshd Sludge	326 Dilution H2O addn to Sldg	601 Concentrate from ETF
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	0.5428E-05	ZERO	ZERO	0.1061E+01	ZERO	0.4069E+00
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	ZERO	0.2583E-06	ZERO	ZERO	0.3612E-07	ZERO	0.8811E-09
30 SrCO3	ZERO	0.1051E-06	ZERO	ZERO	0.2054E-01	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TeO2	ZERO	0.1768E-07	ZERO	ZERO	0.3457E-02	ZERO	ZERO
92 ThO2	ZERO	0.1520E-06	ZERO	ZERO	0.2972E-01	ZERO	ZERO
107 TiO2	ZERO	0.2378E-06	ZERO	ZERO	0.4648E-01	ZERO	ZERO
119 Tritium	ZERO	0.7312E-08	ZERO	ZERO	0.1023E-08	ZERO	0.1193E-08
17 U3O8	ZERO	0.1066E-04	ZERO	ZERO	0.2083E+01	ZERO	ZERO
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	0.5041E-03	ZERO	ZERO	0.7050E-04	ZERO	0.5626E-01
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	0.2603E-06	ZERO	ZERO	0.3640E-07	ZERO	0.2521E-12
31 Y2(CO3)3	ZERO	0.2644E-07	ZERO	ZERO	0.5168E-02	ZERO	ZERO
47 Y2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
57 ZnO	ZERO	0.6033E-06	ZERO	ZERO	0.1179E+00	ZERO	0.4492E-01
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	0.4165E-03	ZERO	ZERO	0.2279E+01	ZERO	0.1106E+00
1 water	ZERO	0.8384E+03	0.1523E+02	0.2471E+02	0.2559E+03	0.1219E+03	0.1448E+03
TOTAL FLOW, LB/HR	ZERO	0.9045E+03	0.3046E+02	0.4118E+02	0.3226E+03	0.1220E+03	0.2064E+03
TEMPERATURE, DEG C	0.4800E+02	0.4800E+02	0.4800E+02	0.4800E+02	0.3500E+02	0.2500E+02	0.3000E+02
PRESSURE, ATM	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01
PRESSURE, PSIG	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
PRESSURE, MM HG							
ENTHALPY, PCU/HR	ZERO	0.4113E+05	0.9707E+03	0.1371E+04	0.9383E+04	0.3059E+04	0.4841E+04
VAPOR FLOW, CFM							
LIQUID FLOW, GPM		0.1721E+01	0.3984E-01	0.6093E-01	0.5482E+00	0.2435E+00	0.3340E+00
DENSITY, LBS/FT3	ZERO	0.6553E+02	0.9533E+02	0.8426E+02	0.7336E+02	0.6247E+02	0.7705E+02
PHASE	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS -> STREAM NAME	603 Dcon Str Tk Vnt to Atm	610 LPPT SN to Mixr Fd Tk	615 Cement Pre-mix	618 Saltstone to Trench	619 Hardened Saltstone	632 Saltston Proc Stack Rels	620 Saltstone Vapor Release
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	0.2887E-10	0.3344E+01	ZERO	0.3344E+01	0.3344E+01	0.1523E-10	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	0.3267E-02	0.8805E-05	ZERO	0.7143E-07	ZERO	0.8734E-05	0.7143E-07
155 (CH3)2CHOH	0.2039E-01	0.5497E-01	ZERO	0.4456E-01	0.4456E-01	0.1041E-01	ZERO
154 (CH3OH)	0.1026E-02	0.3571E-02	ZERO	0.3018E-02	0.3018E-02	0.5533E-03	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	0.1517E-13	0.1757E-02	ZERO	0.1757E-02	0.1757E-02	0.8005E-14	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.7593E-12	0.8794E-01	ZERO	0.8794E-01	0.8794E-01	0.4006E-12	ZERO
106 B2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
9 Ba(OH)2	0.1118E-18	0.1295E-07	ZERO	0.1295E-07	0.1295E-07	0.5899E-19	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	0.2401E-13	0.2780E-02	ZERO	0.2780E-02	0.2780E-02	0.1267E-13	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.7717E-03	0.1357E-06	ZERO	0.7754E-10	0.7754E-10	0.1356E-06	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	0.3549E-01	ZERO	0.3549E-01	0.3549E-01	ZERO	ZERO
120 Ca(OH)2	0.3161E-13	0.3660E-02	ZERO	0.3660E-02	0.3660E-02	0.1667E-13	ZERO
113 Ca3(PO4)2	0.1881E-11	0.2178E+00	ZERO	0.2178E+00	0.2178E+00	0.9924E-12	ZERO
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	0.4309E-11	0.4990E+00	ZERO	0.4990E+00	0.4990E+00	0.2273E-11	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	0.1769E+05	0.1769E+05	0.1769E+05	0.2997E-07	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	0.1392E-01	ZERO	0.1392E-01	0.1392E-01	ZERO	ZERO
59 CoO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
98 Cr2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
42 Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	0.1430E-16	0.1657E-05	ZERO	0.1657E-05	0.1657E-05	0.7547E-17	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) ->	603	610	615	618	619	632	620
STREAM NAME	Dcon Str Tk Vnt to Atm	LPPT SN to Mixr Fd Tk	Cement Pre-mix	Saltstone to Trench	Hardened Saltstone	Sltston Proc Stack Rels	Saltstone Vapor Release
54 Cu(COOH) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu(NO ₃) ₂	ZERO	0.3286E-02	ZERO	0.3286E-02	0.3286E-02	ZERO	ZERO
55 CuO	0.3427E-13	0.3968E-02	ZERO	0.3968E-02	0.3968E-02	0.1808E-13	ZERO
80 Fe ₂ O ₃	0.1020E-11	0.1181E+00	ZERO	0.1181E+00	0.1181E+00	0.5382E-12	ZERO
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	0.8865E-12	0.1027E+00	ZERO	0.1027E+00	0.1027E+00	0.4677E-12	ZERO
103 Group B	0.1676E-13	0.1941E-02	ZERO	0.1941E-02	0.1941E-02	0.8844E-14	ZERO
25 H ₂	0.2777E-06	0.5537E-13	ZERO	0.3686E-19	0.3686E-19	0.5537E-13	ZERO
158 H ₂ C ₂ O ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H ₂ SO ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H ₃ BO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg(C ₆ H ₅) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg(NO ₃) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg ₂ Cl ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg ₂ I ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	0.8682E-14	0.1005E-02	ZERO	0.1005E-02	0.1005E-02	0.4581E-14	ZERO
97 I ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K ₂ CO ₃	ZERO	0.5058E-03	ZERO	0.5058E-03	0.5058E-03	ZERO	ZERO
39 K ₂ O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	0.1980E-12	0.2293E-01	ZERO	0.2293E-01	0.2293E-01	0.1045E-12	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La ₂ O ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li ₂ O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
65 Mg(COOH) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg(NO ₃) ₂	ZERO	0.1361E-02	ZERO	0.1361E-02	0.1361E-02	ZERO	ZERO
33 MgO	0.1961E-12	0.2271E-01	ZERO	0.2271E-01	0.2271E-01	0.1034E-12	ZERO
60 Mn(COOH) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn(NO ₃) ₂	ZERO	0.1586E-02	ZERO	0.1586E-02	0.1586E-02	ZERO	ZERO
180 Mn ₃ O ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	0.6505E-13	0.7533E-02	ZERO	0.7533E-02	0.7533E-02	0.3432E-13	ZERO
14 MnO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
145 MoO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
81 N ₂	0.5411E+03	0.1194E+00	ZERO	0.1201E+00	0.1201E+00	0.5411E+03	ZERO
74 N ₂ O	0.3216E-14	0.2236E-18	ZERO	0.5104E-22	0.5104E-22	0.2236E-18	ZERO
182 NH ₃	0.4543E-01	0.4056E-01	ZERO	0.2462E-01	ZERO	0.1594E-01	0.2462E-01
114 NH ₃ OHNO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH ₄ COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH ₄ NO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH ₄ OH	0.2700E-08	0.3127E+00	ZERO	0.3127E+00	0.3127E+00	0.1425E-08	ZERO
148 NH ₄ TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) ->	603	610	615	618	619	632	620
STREAM NAME	Dcon Str Tk Vnt to Atm	LPPT SN to Mixr Fd Tk	Cement Pre-mix	Saltstone to Trench	Hardened Saltstone	Sltston Proc Stack Rels	Saltstone Vapor Release
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na (HgO (OH))	0.2436E-14	0.2822E-03	ZERO	0.2822E-03	0.2822E-03	0.1285E-14	ZERO
94 Na2B4O7	0.2809E-11	0.3253E+00	ZERO	0.3253E+00	0.3253E+00	0.1482E-11	ZERO
109 Na2C2O4	0.4031E-10	0.4668E+01	ZERO	0.4668E+01	0.4668E+01	0.2127E-10	ZERO
5 Na2CO3	0.4295E-08	0.4974E+03	ZERO	0.4974E+03	0.4974E+03	0.2266E-08	ZERO
143 Na2CO3 (C14)	0.6320E-16	0.7320E-05	ZERO	0.7320E-05	0.7320E-05	0.3335E-16	ZERO
89 Na2CrO4	0.2332E-10	0.2700E+01	ZERO	0.2700E+01	0.2700E+01	0.1230E-10	ZERO
115 Na2MoO4	0.6947E-11	0.8046E+00	ZERO	0.8046E+00	0.8046E+00	0.3665E-11	ZERO
32 Na2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
71 Na2PuO2 (OH) 4	0.1565E-16	0.1813E-05	ZERO	0.1813E-05	0.1813E-05	0.8258E-17	ZERO
73 Na2RhO4	0.1685E-12	0.1952E-01	ZERO	0.1952E-01	0.1952E-01	0.8892E-13	ZERO
72 Na2RuO4	0.8875E-12	0.1028E+00	ZERO	0.1028E+00	0.1028E+00	0.4683E-12	ZERO
6 Na2SO4	0.2432E-09	0.2817E+02	ZERO	0.2817E+02	0.2817E+02	0.1283E-09	ZERO
88 Na2SiO3	0.6738E-11	0.7803E+00	ZERO	0.7803E+00	0.7803E+00	0.3555E-11	ZERO
87 Na3PO4	0.3216E-09	0.3724E+02	ZERO	0.3724E+02	0.3724E+02	0.1697E-09	ZERO
91 NaAg (OH) 2	0.6444E-16	0.7463E-05	ZERO	0.7463E-05	0.7463E-05	0.3400E-16	ZERO
75 NaAl (OH) 4	0.1210E-08	0.1402E+03	ZERO	0.1402E+03	0.1402E+03	0.6386E-09	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	0.2044E-10	0.2367E+01	ZERO	0.2367E+01	0.2367E+01	0.1078E-10	ZERO
69 NaF	0.1900E-10	0.2200E+01	ZERO	0.2200E+01	0.2200E+01	0.1002E-10	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.1247E-13	0.1444E-02	ZERO	0.1444E-02	0.1444E-02	0.6579E-14	ZERO
3 NaNO2	0.2352E-08	0.2723E+03	ZERO	0.2723E+03	0.2723E+03	0.1241E-08	ZERO
2 NaNO3	0.1206E-07	0.1397E+04	ZERO	0.1397E+04	0.1397E+04	0.6363E-08	ZERO
4 NaOH	0.5601E-08	0.6486E+03	ZERO	0.6486E+03	0.6486E+03	0.2955E-08	ZERO
149 NaTPB	0.6707E-10	0.7767E+01	ZERO	0.7767E+01	0.7767E+01	0.3538E-10	ZERO
160 NaTcO4	ZERO	0.6477E-01	ZERO	0.6477E-01	0.6477E-01	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni (NO3) 2	ZERO	0.1732E-01	ZERO	0.1732E-01	0.1732E-01	ZERO	ZERO
40 NiO	0.3158E-13	0.3657E-02	ZERO	0.3657E-02	0.3657E-02	0.1666E-13	ZERO
82 O2	0.1634E+03	0.6989E-01	ZERO	0.7031E-01	0.7031E-01	0.1634E+03	ZERO
175 Pb (NO3) 2	ZERO	0.4207E-01	ZERO	0.4207E-01	0.4207E-01	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	0.1522E-13	0.1762E-02	ZERO	0.1762E-02	0.1762E-02	0.8028E-14	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	0.1499E-14	0.1736E-03	ZERO	0.1736E-03	0.1736E-03	0.7910E-15	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
156 PuO2 (NaTi2O5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) ->	603	610	615	618	619	632	620
STREAM NAME	Dcon Str Tk Vnt to Atm	LPPT SN to Mixr Fd Tk	Cement Pre-mix	Saltstone to Trench	Hardened Saltstone	Sltston Proc Stack Reils	Saltstone Vapor Release
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.3514E-11	0.4069E+00	ZERO	0.4069E+00	0.4069E+00	0.1854E-11	ZERO
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	0.4142E-16	0.4797E-05	ZERO	0.4797E-05	0.4797E-05	0.2185E-16	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TeO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
119 Tritium	0.9473E-10	0.4132E-07	ZERO	0.4130E-07	0.4087E-07	0.1942E-10	0.4273E-09
17 U3O8	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
62 UO2 (COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2 (NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2 (OH)2	0.7262E-12	0.8410E-01	ZERO	0.8410E-01	0.8410E-01	0.3831E-12	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	0.4908E-16	0.5683E-05	ZERO	0.5683E-05	0.5683E-05	0.2589E-16	ZERO
31 Y2 (CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	ZERO	0.1383E+01	ZERO	0.1383E+01	0.1383E+01	ZERO	ZERO
57 ZnO	0.3878E-12	0.4492E-01	ZERO	0.4492E-01	0.4492E-01	0.2046E-12	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.9546E-12	0.1106E+00	ZERO	0.1106E+00	0.1106E+00	0.5036E-12	ZERO
1 water	0.1919E+02	0.8684E+04	ZERO	0.8768E+04	0.7234E+04	0.3194E+02	0.1534E+04
TOTAL FLOW, LB/HR	0.7237E+03	0.1173E+05	0.1769E+05	0.2951E+05	0.2798E+05	0.7365E+03	0.1535E+04
TEMPERATURE, DEG C	0.4000E+02	0.3992E+02	0.2500E+02	0.3873E+02	0.3873E+02	0.3836E+02	0.3873E+02
PRESSURE, ATM	0.9656E+00	0.9656E+00	0.1000E+01	0.9656E+00	0.9656E+00	0.9656E+00	0.9656E+00
PRESSURE, PSIG	-0.5055E+00	-0.5055E+00	ZERO	-0.5055E+00	-0.5055E+00	-0.5055E+00	-0.5055E+00
PRESSURE, MM HG	0.7339E+03	0.7339E+03		0.7339E+03	0.7339E+03	0.7339E+03	0.7339E+03
ENTHALPY, PCU/HR	0.2038E+05	0.3793E+06	0.8227E+05	0.4988E+06	0.4392E+06	0.2788E+05	0.9373E+06
VAPOR FLOW, CFM	0.1810E+03					0.1851E+03	0.6024E+03
LIQUID FLOW, GPM		0.1959E+02		0.3335E+02	0.3029E+02		
DENSITY, LBS/FT3	0.6664E-01	0.7467E+02	0.1622E+03	0.1103E+03	0.1151E+03	0.6633E-01	0.4246E-01
PHASE	VAPOR	LIQUID	SOLID	LIQUID	LIQUID	VAPOR	VAPOR

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS -> STREAM NAME	201 Washd Precip Feed frm LWF	657 Prec Feed Solubles	658 Prec Feed Insolubles	247 PR Bottoms to PRBT	3 Salt Cell Feed to SRAT	678 Sludge Feed Solubles	679 Sludge Feed Insolubles
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	0.3293E+00	ZERO	0.3293E+00	0.1022E-01	0.1022E-01	ZERO	ZERO
123 (C6H5)2C6H4	0.1399E-01	ZERO	0.1399E-01	0.9245E-02	0.9245E-02	ZERO	ZERO
118 (C6H5)2NH	0.9313E-02	ZERO	0.9313E-02	0.6901E-02	0.6825E-02	ZERO	ZERO
133 (C6H5B(OH)2 salt)	0.3712E+00	ZERO	0.3712E+00	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	0.3026E-01	ZERO	0.3026E-01	0.5523E-01	0.5523E-01	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	0.7364E-01	0.7162E-01	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	0.2092E+00	0.2092E+00	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	0.3406E-02	0.3406E-02	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	0.6938E-02	0.6938E-02	ZERO	ZERO
131 (C6H5OH salt)	0.4503E-01	0.4503E-01	ZERO	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO	0.9340E+00	0.9215E+00	ZERO	ZERO
121 (C6H6)	0.1091E-01	0.1091E-01	ZERO	0.1433E-01	0.3375E-03	ZERO	ZERO
155 (CH3)2CHOH	0.8591E-10	0.8591E-10	ZERO	0.8321E-10	0.8215E-10	ZERO	ZERO
154 (CH3OH)	0.9422E-11	0.9422E-11	ZERO	0.8866E-11	0.8601E-11	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	0.2843E-02	0.2843E-02	ZERO	ZERO
116 Ag2O	0.3054E-02	ZERO	0.3054E-02	ZERO	ZERO	ZERO	0.1018E-01
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.1297E+00	ZERO	0.1297E+00	0.1297E+00	0.1297E+00	ZERO	0.8551E+01
106 B2O3	0.1670E-02	ZERO	0.1670E-02	0.1670E-02	0.1670E-02	ZERO	ZERO
9 Ba(OH)2	0.4817E-16	0.4817E-16	ZERO	ZERO	ZERO	0.2968E-03	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	0.1793E-02	ZERO	0.1793E-02	0.1793E-02	0.1793E-02	ZERO	0.1480E-01
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	ZERO	0.6183E-06	0.3621E-08	ZERO	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	0.5975E-17	0.3499E-19	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.1370E-05	0.1370E-05	ZERO	0.1370E-05	0.1370E-05	ZERO	ZERO
120 Ca(OH)2	0.1413E-06	0.1413E-06	ZERO	ZERO	ZERO	0.2240E-04	ZERO
113 Ca3(PO4)2	0.5607E+00	ZERO	0.5607E+00	0.5607E+00	0.5607E+00	ZERO	0.2065E+01
20 CaC2O4	ZERO	ZERO	ZERO	0.2442E-06	0.2442E-06	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.2554E+01
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1257E-06
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1501E-01
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.3344E-02
19 CaSO4	0.1912E+00	ZERO	0.1912E+00	0.1912E+00	0.1912E+00	ZERO	0.2964E-01
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	0.1433E-03	0.1433E-03	ZERO	ZERO
168 Co(NO3)2	0.5373E-06	0.5373E-06	ZERO	0.5373E-06	0.5373E-06	ZERO	ZERO
59 CoO	0.1028E-03	ZERO	0.1028E-03	0.3069E-04	0.3069E-04	ZERO	ZERO
98 Cr2O3	0.2616E+00	ZERO	0.2616E+00	0.2617E+00	0.2617E+00	ZERO	0.1629E+00
42 Cs2O	0.3848E-04	ZERO	0.3848E-04	0.3848E-04	0.3848E-04	ZERO	0.1018E-03
53 CsCOOH	ZERO	ZERO	ZERO	0.4330E-01	0.4330E-01	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	0.1794E-05	0.1794E-05	ZERO	ZERO	ZERO	0.7390E-05	ZERO
151 CsTPB	0.1100E+00	ZERO	0.1100E+00	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) ->	201	657	658	247	3	678	679
STREAM NAME	Washd Precip Feed frm LWF	Prec Feed Solubles	Prec Feed Insolubles	PR Bottoms to PRBT	Salt Cell Feed to SRAT	Sldge Feed Solubles	Sldge Feed Insolubles
54 Cu (COOH) 2	ZERO	ZERO	ZERO	0.2061E-03	0.2061E-03	ZERO	ZERO
170 Cu (NO3) 2	0.1268E-06	0.1268E-06	ZERO	0.2179E+01	0.2179E+01	ZERO	ZERO
55 CuO	0.1061E-02	ZERO	0.1061E-02	0.9546E-03	0.9546E-03	ZERO	0.2093E-01
80 Fe2O3	0.1587E+00	ZERO	0.1587E+00	0.1587E+00	0.1587E+00	ZERO	0.2805E+02
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	0.2437E-05	ZERO	0.2437E-05	0.2437E-05	0.2437E-05	ZERO	0.3541E-02
103 Group B	0.7493E-07	ZERO	0.7493E-07	0.7493E-07	0.7493E-07	ZERO	0.1511E-03
25 H2	0.7581E-11	0.7581E-11	ZERO	0.1058E-24	TRACE	ZERO	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	0.5247E-02	0.5247E-02	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	0.7707E+01	0.7707E+01	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	0.8930E+01	0.8914E+01	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	0.3197E-01	0.3197E-01	ZERO	ZERO
129 Hg (C6H5) 2	0.3797E+00	ZERO	0.3797E+00	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	0.3719E-03	ZERO	0.3719E-03	ZERO	ZERO	ZERO	0.1384E+00
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	0.1948E-04	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	0.6882E-02	ZERO	0.6882E-02	0.6882E-02	0.6882E-02	ZERO	0.7385E-01
51 KCOOH	ZERO	ZERO	ZERO	0.1005E+02	0.1005E+02	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	0.1076E-06	0.1076E-06	ZERO	ZERO	ZERO	0.1586E-01	ZERO
150 KTPB	0.4280E+02	ZERO	0.4280E+02	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	0.2948E-03	ZERO	0.2948E-03	0.2948E-03	0.2948E-03	ZERO	ZERO
65 Mg (COOH) 2	ZERO	ZERO	ZERO	0.3918E-02	0.3918E-02	ZERO	ZERO
171 Mg (NO3) 2	0.5254E-07	0.5254E-07	ZERO	0.5254E-07	0.5254E-07	ZERO	ZERO
33 MgO	0.1725E-02	ZERO	0.1725E-02	0.3432E-03	0.3432E-03	ZERO	0.1524E+01
60 Mn (COOH) 2	ZERO	ZERO	ZERO	0.3306E-02	0.3306E-02	ZERO	ZERO
172 Mn (NO3) 2	0.6122E-07	0.6122E-07	ZERO	0.6122E-07	0.6122E-07	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	0.3295E-02	ZERO	0.3295E-02	0.1313E-02	0.1313E-02	ZERO	0.3245E+01
145 MoO2	0.1096E-03	ZERO	0.1096E-03	0.1289E-03	0.1289E-03	ZERO	ZERO
81 N2	0.3456E-03	0.3456E-03	ZERO	0.6505E-07	0.9541E-02	ZERO	ZERO
74 N2O	0.1070E-09	0.1070E-09	ZERO	0.1420E-19	0.5114E-22	ZERO	ZERO
182 NH3	0.1826E-05	0.1826E-05	ZERO	0.9713E-07	0.4404E-07	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	0.4894E-03	0.4894E-03	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	0.6084E-03	ZERO
148 NH4TPB	0.2617E-02	ZERO	0.2617E-02	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) ->	201	657	658	247	3	678	679
STREAM NAME	Washd Precip Feed from LWF	Prec Feed Solubles	Prec Feed Insolubles	PR Bottoms to PRBT	Salt Cell Feed to SRAT	Sldge Feed Solubles	Sldge Feed Insolubles
35 NO	ZERO	ZERO	ZERO	0.3469E-11	0.1771E-14	ZERO	ZERO
84 Na2O	ZERO	ZERO	ZERO	0.2756E-18	0.1407E-21	ZERO	ZERO
70 Na(HgO(OH))	0.1165E-10	0.1165E-10	ZERO	ZERO	ZERO	0.2562E-03	ZERO
94 Na2B4O7	0.1025E-01	0.1025E-01	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	0.7810E-02	0.7810E-02	ZERO	ZERO	ZERO	0.2642E+00	ZERO
5 Na2CO3	0.1677E+00	0.1677E+00	ZERO	ZERO	ZERO	0.2458E+00	ZERO
143 Na2CO3 (C14)	0.2825E-09	0.2825E-09	ZERO	ZERO	ZERO	0.3019E-09	ZERO
89 Na2CrO4	0.1040E-03	0.1040E-03	ZERO	ZERO	ZERO	0.9246E-02	ZERO
115 Na2MoO4	0.3105E-04	0.3105E-04	ZERO	ZERO	ZERO	0.1523E-02	ZERO
32 Na2O	0.1003E+01	ZERO	0.1003E+01	0.1003E+01	0.1003E+01	ZERO	0.3230E+01
71 Na2PuO2(OH)4	0.1298E-11	0.1298E-11	ZERO	ZERO	ZERO	0.1000E-07	ZERO
73 Na2RhO4	0.7533E-06	0.7533E-06	ZERO	ZERO	ZERO	0.3865E-04	ZERO
72 Na2RuO4	0.3967E-05	0.3967E-05	ZERO	ZERO	ZERO	0.1652E-03	ZERO
6 Na2SO4	0.1082E-02	0.1082E-02	ZERO	0.1082E-02	0.1082E-02	0.1944E+00	ZERO
88 Na2SiO3	0.3012E-04	0.3012E-04	ZERO	ZERO	ZERO	0.8070E-02	ZERO
87 Na3PO4	0.1437E-02	0.1437E-02	ZERO	0.1437E-02	0.1437E-02	0.1141E-02	ZERO
91 NaAg(OH)2	0.5550E-12	0.5550E-12	ZERO	ZERO	ZERO	0.1457E-03	ZERO
75 NaAl(OH)4	0.3727E-04	0.3727E-04	ZERO	ZERO	ZERO	0.3558E+00	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	0.1138E+01	0.1138E+01	ZERO	ZERO
7 NaCl	0.3180E-02	0.3180E-02	ZERO	0.3180E-02	0.3180E-02	0.6777E-02	ZERO
69 NaF	0.8321E-04	0.8321E-04	ZERO	0.8321E-04	0.8321E-04	0.3408E-01	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.5573E-07	0.5573E-07	ZERO	0.5573E-07	0.5573E-07	0.5416E-05	ZERO
3 NaNO2	0.2955E+00	0.2955E+00	ZERO	ZERO	ZERO	0.6454E+01	ZERO
2 NaNO3	0.2200E-01	0.2200E-01	ZERO	0.2200E-01	0.2200E-01	0.1518E+00	0.9896E-08
4 NaOH	0.9803E-01	0.9803E-01	ZERO	ZERO	ZERO	0.3062E+01	ZERO
149 NaTPB	0.5890E+00	0.5890E+00	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	0.2500E-05	0.2500E-05	ZERO	ZERO	ZERO	0.1568E-03	ZERO
152 NaTi2O5H	0.9792E+00	ZERO	0.9792E+00	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni(COOH)2	ZERO	ZERO	ZERO	0.4152E-03	0.4152E-03	ZERO	ZERO
174 Ni(NO3)2	0.6686E-06	0.6686E-06	ZERO	0.6686E-06	0.6686E-06	ZERO	ZERO
40 NiO	0.1037E-02	ZERO	0.1037E-02	0.8288E-03	0.8288E-03	ZERO	0.2482E+00
82 O2	0.3924E-04	0.3924E-04	ZERO	0.6751E-07	0.5537E-02	0.2571E+00	ZERO
175 Pb(NO3)2	0.1624E-05	0.1624E-05	ZERO	0.1624E-05	0.1624E-05	0.7604E-04	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.4362E-02	ZERO	0.4362E-02	0.4362E-02	0.4362E-02	ZERO	0.1274E+00
124 Pd	ZERO	ZERO	ZERO	0.3099E-08	0.3099E-08	ZERO	ZERO
112 Pd(NO3)2	0.6701E-08	0.6701E-08	ZERO	ZERO	ZERO	0.8804E-08	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.4488E-03
76 PuO2	0.3209E-04	ZERO	0.3209E-04	0.3209E-04	0.3209E-04	ZERO	0.9873E-02
156 PuO2(NaTi2O5)2	0.1272E-03	ZERO	0.1272E-03	0.1272E-03	0.1272E-03	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	0.3642E-06	0.3642E-06	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.9498E-03
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	0.4424E-02	ZERO	0.4424E-02	0.4426E-02	0.4426E-02	ZERO	0.6163E-02
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) ->	201	657	658	247	3	678	679
STREAM NAME	Washd Precip Feed frm LWF	Prec Feed Solubles	Prec Feed Insolubles	PR Bottoms to PRBT	Salt Cell Feed to SRAT	Sldge Feed Solubles	Sldge Feed Insolubles
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.2666E-01	ZERO	0.2666E-01	0.2667E-01	0.2667E-01	ZERO	0.1061E+01
48 Sr(COOH)2	ZERO	ZERO	ZERO	0.1093E-03	0.1093E-03	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	0.4072E-02	ZERO	0.4072E-02	0.4072E-02	0.4072E-02	ZERO	ZERO
127 Sr(OH)2	0.7410E-12	0.7410E-12	ZERO	ZERO	ZERO	0.3612E-07	ZERO
30 SrCO3	0.9081E-04	ZERO	0.9081E-04	ZERO	ZERO	ZERO	0.2054E-01
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TcO2	ZERO	ZERO	ZERO	0.1761E-05	0.1761E-05	ZERO	0.3457E-02
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.2972E-01
107 TiO2	0.1213E-02	ZERO	0.1213E-02	0.7844E+00	0.7844E+00	ZERO	0.4648E-01
119 Tritium	0.1282E-11	0.1282E-11	ZERO	0.1281E-11	0.1272E-11	0.1023E-08	ZERO
17 U3O8	0.7512E-03	ZERO	0.7512E-03	0.7512E-03	0.7512E-03	ZERO	0.2083E+01
62 UO2(COOH)2	ZERO	ZERO	ZERO	0.1272E-05	0.1272E-05	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	0.1074E-05	0.1074E-05	0.6751E-13	ZERO	ZERO	0.7050E-04	0.4321E-11
27 Y(COOH)3	ZERO	ZERO	ZERO	0.1317E-11	0.1317E-11	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	0.8232E-12	0.8232E-12	ZERO	ZERO	ZERO	0.3640E-07	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.5168E-02
47 Y2O3	0.9683E-03	ZERO	0.9683E-03	0.9683E-03	0.9683E-03	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	0.1139E+00	0.1139E+00	ZERO	ZERO
179 Zn(NO3)2	0.5336E-04	0.5336E-04	ZERO	0.5336E-04	0.5336E-04	ZERO	ZERO
57 ZnO	0.1980E+00	ZERO	0.1980E+00	0.1383E+00	0.1383E+00	ZERO	0.1179E+00
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.3589E-01	ZERO	0.3589E-01	0.2176E-01	0.2176E-01	ZERO	0.2279E+01
1 water	0.4274E+03	0.4274E+03	ZERO	0.7374E+03	0.7415E+03	0.3778E+03	ZERO
TOTAL FLOW, LB/HR	0.4762E+03	0.4286E+03	0.4762E+02	0.7722E+03	0.7763E+03	0.3888E+03	0.5573E+02
TEMPERATURE, DEG C	0.3619E+02	0.3619E+02	0.3619E+02	0.5000E+02	0.4566E+02	0.6000E+02	0.6000E+02
PRESSURE, ATM	0.9656E+00	0.9656E+00	0.9656E+00	0.9656E+00	0.9656E+00	0.1000E+01	0.1000E+01
PRESSURE, PSIG	-0.5055E+00	-0.5055E+00	-0.5055E+00	-0.5055E+00	-0.5055E+00	ZERO	ZERO
PRESSURE, MM HG	0.7339E+03	0.7339E+03	0.7339E+03	0.7339E+03	0.7339E+03		
ENTHALPY, PCU/HR	0.1554E+05	0.1551E+05	0.2660E+02	0.3732E+05	0.3428E+05	0.2285E+05	0.5319E+03
VAPOR FLOW, CFM							
LIQUID FLOW, GPM	0.9392E+00	0.8551E+00	0.8411E-01	0.1521E+01	0.1529E+01	0.7625E+00	0.2942E-01
DENSITY, LBS/FT3	0.6322E+02	0.6249E+02	0.7060E+02	0.6330E+02	0.6329E+02	0.6357E+02	0.2362E+03
PHASE	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS -> STREAM NAME	1 Sludge Feed to DWPF	8 50% HNO3 to SRAT	15 SRAT Trans- fer to SME	106 50% HNO3 to SMECT	250 SCVC HEME Vnt to PVVS	40 FAVC HEME Vnt to PVVS	26 Decon Frit Slurry to SME
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	0.2620E-06	ZERO	0.1905E-01	0.1019E-01	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	0.9245E-02	ZERO	0.1740E-15	0.3515E-10	ZERO
118 (C6H5)2NH	ZERO	ZERO	0.3165E-04	ZERO	0.5247E-10	0.7563E-04	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	0.5523E-01	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	0.2409E-02	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	0.2092E+00	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	0.3406E-02	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	0.6938E-02	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	ZERO	ZERO	0.8234E-15	ZERO	ZERO	0.6223E-19	ZERO
130 (C6H5OH)	ZERO	ZERO	0.1550E+00	ZERO	0.3612E-04	0.1138E-01	ZERO
121 (C6H6)	ZERO	ZERO	0.1006E-09	ZERO	0.9318E+01	0.1406E-01	ZERO
155 (CH3)2CHOH	ZERO	ZERO	0.1017E-10	ZERO	0.7606E-12	0.8066E-11	ZERO
154 (CH3OH)	ZERO	ZERO	0.3681E-12	ZERO	0.2677E-12	0.2173E-11	ZERO
45 Ag	ZERO	ZERO	0.1241E-01	ZERO	ZERO	0.1404E-18	ZERO
116 Ag2O	0.1018E-01	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.8551E+01	ZERO	0.8834E+01	ZERO	ZERO	0.3136E-14	ZERO
106 B2O3	ZERO	ZERO	0.1670E-02	ZERO	ZERO	0.1137E-14	0.8542E+00
9 Ba(OH)2	0.2968E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	0.1617E-19	ZERO	ZERO	0.1190E-23	ZERO
24 BaSO4	0.1480E-01	ZERO	0.1704E-01	ZERO	ZERO	0.6048E-17	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	0.2418E-07	ZERO	0.6810E+02	0.4331E+01	ZERO
142 CO2 (C14)	ZERO	ZERO	0.3251E-15	ZERO	0.1203E-09	0.5680E-07	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	0.4188E+01	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	0.2240E-04	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.2065E+01	ZERO	0.2626E+01	ZERO	ZERO	0.9318E-15	ZERO
20 CaC2O4	ZERO	ZERO	0.2442E-06	ZERO	ZERO	0.8649E-22	ZERO
18 CaCO3	0.2554E+01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	0.1257E-06	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	0.1501E-01	ZERO	0.1501E-01	ZERO	ZERO	0.5328E-17	ZERO
41 CaO	0.3344E-02	ZERO	0.3344E-02	ZERO	ZERO	0.1189E-17	ZERO
19 CaSO4	0.2964E-01	ZERO	0.2208E+00	ZERO	ZERO	0.7822E-16	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	0.1433E-03	ZERO	ZERO	0.5074E-19	ZERO
168 Co(NO3)2	ZERO	ZERO	0.5373E-06	ZERO	ZERO	ZERO	ZERO
59 CoO	ZERO	ZERO	0.3069E-04	ZERO	ZERO	0.1087E-19	ZERO
98 Cr2O3	0.1629E+00	ZERO	0.4289E+00	ZERO	ZERO	0.1522E-15	0.1254E-02
42 Cs2O	0.1018E-03	ZERO	0.1403E-03	ZERO	ZERO	0.4980E-19	ZERO
53 CsCOOH	ZERO	ZERO	0.4330E-01	ZERO	ZERO	0.1534E-16	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	0.9608E-05	ZERO	ZERO	ZERO	ZERO
8 CsOH	0.7390E-05	ZERO	ZERO	ZERO	ZERO	0.3890E-21	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) ->	1	8	15	106	250	40	26
STREAM NAME	Sludge Feed to DWPF	50% HNO ₃ to SRAT	SRAT Trans- fer to SME	50% HNO ₃ to SMECT	SCVC HEME Vnt to PVVS	FAVC HEME Vnt to PVVS	Decon Frit Slrry to SME
54 Cu(COOH) ₂	ZERO	ZERO	0.4430E-02	ZERO	ZERO	0.1573E-17	ZERO
170 Cu(NO ₃) ₂	ZERO	ZERO	0.2179E+01	ZERO	ZERO	ZERO	ZERO
55 CuO	0.2093E-01	ZERO	0.1969E-01	ZERO	ZERO	0.6992E-17	ZERO
80 Fe ₂ O ₃	0.2805E+02	ZERO	0.2539E+02	ZERO	ZERO	0.9013E-14	0.4880E-03
101 FeO	ZERO	ZERO	0.2538E+01	ZERO	ZERO	0.9011E-15	ZERO
102 Group A	0.3541E-02	ZERO	0.3543E-02	ZERO	ZERO	0.1258E-17	ZERO
103 Group B	0.1511E-03	ZERO	0.1512E-03	ZERO	ZERO	0.5367E-19	ZERO
25 H ₂	ZERO	ZERO	0.5285E-12	ZERO	0.7581E-11	0.3136E-01	ZERO
158 H ₂ C ₂ O ₄	ZERO	ZERO	0.1827E+00	ZERO	ZERO	0.6486E-16	ZERO
93 H ₂ SO ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H ₃ BO ₃	ZERO	ZERO	0.7707E+01	ZERO	ZERO	0.2730E-14	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	0.7601E-04	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO ₃	ZERO	0.7818E+01	0.4360E-09	0.5554E+01	ZERO	0.7276E+00	ZERO
36 Hg	ZERO	ZERO	0.1604E+00	ZERO	0.4004E-14	0.8193E-02	ZERO
129 Hg(C ₆ H ₅) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg(NO ₃) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg ₂ Cl ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg ₂ I ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	0.1384E+00	ZERO	ZERO	ZERO	ZERO	0.6994E-21	ZERO
97 I ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K ₂ CO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K ₂ O	0.7385E-01	ZERO	0.8073E-01	ZERO	ZERO	0.2866E-16	ZERO
51 KCOOH	ZERO	ZERO	0.1005E+02	ZERO	ZERO	0.3558E-14	ZERO
157 KMnO ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO ₃	ZERO	ZERO	0.2858E-01	ZERO	ZERO	0.1015E-16	ZERO
10 KOH	0.1586E-01	ZERO	ZERO	ZERO	ZERO	0.1163E-19	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La ₂ O ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li ₂ O	ZERO	ZERO	0.2948E-03	ZERO	ZERO	0.9942E-15	0.7474E+00
65 Mg(COOH) ₂	ZERO	ZERO	0.3463E+01	ZERO	ZERO	0.1230E-14	ZERO
171 Mg(NO ₃) ₂	ZERO	ZERO	0.5254E-07	ZERO	ZERO	ZERO	ZERO
33 MgO	0.1524E+01	ZERO	0.3049E+00	ZERO	ZERO	0.3923E-15	0.2135E+00
60 Mn(COOH) ₂	ZERO	ZERO	0.2169E+01	ZERO	ZERO	0.7701E-15	ZERO
172 Mn(NO ₃) ₂	ZERO	ZERO	0.6122E-07	ZERO	ZERO	ZERO	ZERO
180 Mn ₃ O ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	0.3831E-16	ZERO	ZERO	0.2818E-20	ZERO
14 MnO ₂	0.3245E+01	ZERO	0.1948E+01	ZERO	ZERO	0.6916E-15	ZERO
145 MoO ₂	ZERO	ZERO	0.1075E-02	ZERO	ZERO	0.3817E-18	ZERO
81 N ₂	ZERO	ZERO	0.9364E-08	ZERO	0.4532E+01	0.1330E+04	0.3223E-02
74 N ₂ O	ZERO	ZERO	TRACE	ZERO	0.1070E-09	0.1420E-19	ZERO
182 NH ₃	ZERO	ZERO	0.1087E+00	ZERO	0.1723E-05	0.1076E-02	ZERO
114 NH ₃ OHNO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH ₄ COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH ₄ NO ₃	ZERO	ZERO	0.1391E-02	ZERO	ZERO	ZERO	ZERO
68 NH ₄ OH	0.6084E-03	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
148 NH ₄ TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) -> STREAM NAME	1 Sludge Feed to DWPF	8 50% HNO ₃ to SRAT	15 SRAT Trans- fer to SME	106 50% HNO ₃ to SMECT	250 SCVC HEME Vnt to PVVS	40 FAVC HEME Vnt to PVVS	26 Decon Frit Slurry to SME
35 NO	ZERO	ZERO	0.1165E-09	ZERO	0.3364E-01	ZERO	ZERO
84 NO ₂	ZERO	ZERO	TRACE	ZERO	0.2673E-08	0.2184E+01	ZERO
70 Na (HgO (OH))	0.2562E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na ₂ B ₄ O ₇	ZERO	ZERO	ZERO	ZERO	ZERO	0.1304E-19	ZERO
109 Na ₂ C ₂ O ₄	0.2642E+00	ZERO	ZERO	ZERO	ZERO	0.8409E-18	ZERO
5 Na ₂ CO ₃	0.2458E+00	ZERO	0.4849E+01	ZERO	ZERO	0.1738E-14	ZERO
143 Na ₂ CO ₃ (C14)	0.3019E-09	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na ₂ CrO ₄	0.9246E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na ₂ MoO ₄	0.1523E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na ₂ O	0.3230E+01	ZERO	0.4234E+01	ZERO	ZERO	0.2259E-14	0.5687E+00
71 Na ₂ PuO ₂ (OH) 4	0.1000E-07	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na ₂ RhO ₄	0.3865E-04	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na ₂ RuO ₄	0.1652E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na ₂ SO ₄	0.1944E+00	ZERO	0.1952E+00	ZERO	ZERO	0.6930E-16	ZERO
88 Na ₂ SiO ₃	0.8070E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na ₃ PO ₄	0.1141E-02	ZERO	0.2578E-02	ZERO	ZERO	0.9140E-18	ZERO
91 NaAg (OH) 2	0.1457E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	0.3558E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	0.2740E+00	ZERO	ZERO	0.2782E-15	0.1579E+00
7 NaCl	0.6777E-02	ZERO	0.9957E-02	ZERO	ZERO	0.3532E-17	ZERO
69 NaF	0.3408E-01	ZERO	0.3417E-01	ZERO	ZERO	0.1213E-16	ZERO
11 NaHCO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.5416E-05	ZERO	0.5472E-05	ZERO	ZERO	0.1943E-20	ZERO
3 NaNO ₂	0.6454E+01	ZERO	ZERO	ZERO	ZERO	0.1051E-17	ZERO
2 NaNO ₃	0.1518E+00	ZERO	0.8943E+01	ZERO	ZERO	0.3203E-14	ZERO
4 NaOH	0.3062E+01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO ₄	0.1568E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi ₂ O ₅ H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd ₂ O ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	0.2521E-01	ZERO	ZERO	0.8949E-17	ZERO
174 Ni (NO ₃) 2	ZERO	ZERO	0.6686E-06	ZERO	ZERO	ZERO	ZERO
40 NiO	0.2482E+00	ZERO	0.2366E+00	ZERO	ZERO	0.8444E-16	0.5036E-02
82 O ₂	0.2571E+00	ZERO	0.9713E-08	ZERO	0.1369E+01	0.4007E+03	0.1916E-02
175 Pb (NO ₃) 2	0.7604E-04	ZERO	0.7767E-04	ZERO	ZERO	ZERO	ZERO
86 PbCO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	0.7084E-19	ZERO	ZERO	0.5210E-23	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO ₄	0.1274E+00	ZERO	0.1318E+00	ZERO	ZERO	0.4679E-16	ZERO
124 Pd	ZERO	ZERO	0.3903E-03	ZERO	ZERO	0.3964E-20	ZERO
112 Pd (NO ₃) 2	0.8804E-08	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	0.4488E-03	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
76 PuO ₂	0.9873E-02	ZERO	0.9905E-02	ZERO	ZERO	0.3517E-17	ZERO
156 PuO ₂ (NaTi ₂ O ₅) 2	ZERO	ZERO	0.1272E-03	ZERO	ZERO	0.4505E-19	ZERO
58 Rh	ZERO	ZERO	0.7436E-03	ZERO	ZERO	0.7554E-20	ZERO
22 RhO ₂	0.9498E-03	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
95 Ru	ZERO	ZERO	0.8125E-02	ZERO	ZERO	0.2882E-17	ZERO
79 RuO ₂	0.6163E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) -> STREAM NAME	1 Sludge Feed to DWPF	8 50% HNO3 to SRAT	15 SRAT Trans- fer to SME	106 50% HNO3 to SMECT	250 SCVC HEME Vnt to PVVS	40 FAVC HEME Vnt to PVVS	26 Decon Frit Slrry to SME
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.1061E+01	ZERO	0.1092E+01	ZERO	ZERO	0.1132E-13	0.8221E+01
48 Sr(COOH)2	ZERO	ZERO	0.1093E-03	ZERO	ZERO	0.3870E-19	ZERO
176 Sr(NO3)2	ZERO	ZERO	0.2944E-01	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	0.4072E-02	ZERO	ZERO	0.1442E-17	ZERO
127 Sr(OH)2	0.3612E-07	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	0.2054E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	0.2218E-18	ZERO	ZERO	0.1631E-22	ZERO
159 TeO2	0.3457E-02	ZERO	0.3569E-02	ZERO	ZERO	0.1267E-17	ZERO
92 ThO2	0.2972E-01	ZERO	0.2972E-01	ZERO	ZERO	0.1055E-16	ZERO
107 TiO2	0.4648E-01	ZERO	0.8309E+00	ZERO	ZERO	0.2943E-15	ZERO
119 Tritium	0.1023E-08	ZERO	0.3022E-09	ZERO	0.7056E-15	0.4173E-10	ZERO
17 U3O8	0.2083E+01	ZERO	0.2084E+01	ZERO	ZERO	0.7399E-15	ZERO
62 UO2(COOH)2	ZERO	ZERO	0.1272E-05	ZERO	ZERO	0.4505E-21	ZERO
177 UO2(NO3)2	ZERO	ZERO	0.9137E-04	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	0.7050E-04	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	0.1317E-11	ZERO	ZERO	TRACE	ZERO
178 Y(NO3)3	ZERO	ZERO	0.7940E-02	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	0.3640E-07	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	0.5168E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	0.9683E-03	ZERO	ZERO	0.3429E-18	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	0.2607E+00	ZERO	ZERO	0.9241E-16	ZERO
179 Zn(NO3)2	ZERO	ZERO	0.5336E-04	ZERO	ZERO	ZERO	ZERO
57 ZnO	0.1179E+00	ZERO	0.1794E+00	ZERO	ZERO	0.6360E-16	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.2279E+01	ZERO	0.1499E+01	ZERO	ZERO	0.5323E-15	ZERO
1 water	0.3778E+03	0.7818E+01	0.3420E+03	0.5554E+01	0.3968E+00	0.1281E+02	0.2152E+03
TOTAL FLOW, LB/HR	0.4446E+03	0.1564E+02	0.4401E+03	0.1111E+02	0.8376E+02	0.1750E+04	0.2260E+03
TEMPERATURE, DEG C	0.6000E+02	0.2500E+02	0.4959E+02	0.2500E+02	0.1000E+02	0.1000E+02	0.2980E+02
PRESSURE, ATM	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.9656E+00	0.9263E+00	0.9656E+00
PRESSURE, PSIG	ZERO	ZERO	ZERO	ZERO	-0.5055E+00	-0.1083E+01	-0.5055E+00
PRESSURE, MM HG					0.7339E+03	0.7040E+03	0.7339E+03
ENTHALPY, PCU/HR	0.2338E+05	0.2520E+03	0.1786E+05	0.1790E+03	0.5516E+04	0.1745E+05	0.6497E+04
VAPOR FLOW, CFM					0.1217E+02	0.4074E+03	
LIQUID FLOW, GPM	0.7920E+00	0.2601E-01	0.7609E+00	0.1848E-01			0.4394E+00
DENSITY, LBS/FT3	0.6998E+02	0.7495E+02	0.7212E+02	0.7495E+02	0.1148E+00	0.7161E-01	0.6412E+02
PHASE	LIQUID	LIQUID	LIQUID	LIQUID	VAPOR	VAPOR	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS -> STREAM NAME	27 Fresh Frit Slurry to SME	44 SME Concen- trate to MFT	60 Melter Feed	69 Sludge Blend Waste Glass	70 Melter Offgas	200 Stack Exhaust	145 Purified Hg from MVS
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	0.2348E-15	0.2853E-18	ZERO	ZERO	0.2924E-01	0.1893E-20
123 (C6H5)2C6H4	ZERO	0.9245E-02	0.9245E-02	ZERO	ZERO	0.3515E-10	0.3225E-19
118 (C6H5)2NH	ZERO	0.4476E-08	0.4221E-08	ZERO	ZERO	0.7563E-04	0.3347E-15
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	0.5523E-01	0.5523E-01	ZERO	ZERO	ZERO	0.9397E-24
162 (C6H5NH2)	ZERO	0.1793E-03	0.1648E-03	ZERO	ZERO	ZERO	0.3412E-20
163 (C6H5NHCHO)	ZERO	0.2092E+00	0.2092E+00	ZERO	ZERO	ZERO	0.4984E-23
165 (C6H5NO)	ZERO	0.3406E-02	0.3406E-02	ZERO	ZERO	ZERO	TRACE
164 (C6H5NO2)	ZERO	0.6938E-02	0.6938E-02	ZERO	0.3469E-03	ZERO	TRACE
131 (C6H5OH salt)	ZERO	0.8234E-15	0.8234E-15	ZERO	0.8234E-15	TRACE	TRACE
130 (C6H5OH)	ZERO	0.5070E-01	0.4876E-01	ZERO	0.2438E-02	0.1142E-01	0.3588E-16
121 (C6H6)	ZERO	0.3022E-22	0.2534E-24	ZERO	ZERO	0.9332E+01	0.6956E-22
155 (CH3)2CHOH	ZERO	0.2687E-11	0.2588E-11	ZERO	ZERO	0.8827E-11	TRACE
154 (CH3OH)	ZERO	0.4173E-13	0.3832E-13	ZERO	ZERO	0.2441E-11	TRACE
45 Ag	ZERO	0.1241E-01	0.1241E-01	0.1241E-01	ZERO	TRACE	0.8251E-14
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	TRACE
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.2443E-15
77 Al2O3	ZERO	0.8834E+01	0.8834E+01	0.8746E+01	0.8834E-01	0.3534E-13	0.3617E-20
106 B2O3	0.1181E+02	0.1266E+02	0.1266E+02	0.1675E+02	0.1692E+00	0.3243E-12	0.1311E-20
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	0.1617E-19	0.1617E-19	0.1108E-02	0.1119E-04	0.4478E-17	TRACE
24 BaSO4	ZERO	0.1704E-01	0.1704E-01	0.1518E-01	0.1533E-03	0.6134E-16	0.6975E-23
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	0.4389E-16	0.9807E-19	ZERO	0.1410E+02	0.8652E+02	ZERO
142 CO2 (C14)	ZERO	TRACE	TRACE	ZERO	TRACE	0.5692E-07	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	0.4188E+01	0.4188E+01	ZERO	ZERO	ZERO	0.1715E-20
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	0.2626E+01	0.2626E+01	0.2600E+01	0.2626E-01	0.1050E-13	0.1075E-20
20 CaC2O4	ZERO	0.2442E-06	0.2442E-06	ZERO	ZERO	TRACE	TRACE
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	0.1501E-01	0.1501E-01	ZERO	ZERO	0.3463E-23	0.6146E-23
41 CaO	ZERO	0.3344E-02	0.3344E-02	0.1440E+01	0.1454E-01	0.5818E-14	0.1371E-23
19 CaSO4	ZERO	0.2208E+00	0.2208E+00	0.1967E+00	0.1987E-02	0.7949E-15	0.9022E-22
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	0.1433E-03	0.1433E-03	ZERO	ZERO	TRACE	TRACE
168 Co(NO3)2	ZERO	0.5373E-06	0.5373E-06	ZERO	ZERO	ZERO	TRACE
59 CoO	ZERO	0.3069E-04	0.3069E-04	0.1020E-03	0.1030E-05	0.4119E-18	TRACE
98 Cr2O3	ZERO	0.4302E+00	0.4302E+00	0.4259E+00	0.4302E-02	0.2045E-14	0.1755E-21
42 Cs2O	ZERO	0.1403E-03	0.1403E-03	0.3069E-01	0.3100E-03	0.1240E-15	TRACE
53 CsCOOH	ZERO	0.4330E-01	0.4330E-01	ZERO	ZERO	0.9969E-23	0.1769E-22
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	0.5144E-11	ZERO
169 CsNO3	ZERO	0.9608E-05	0.9608E-05	ZERO	ZERO	ZERO	TRACE
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	TRACE
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) ->	27	44	60	69	70	200	145
STREAM NAME	Fresh Frit Slurry to SME	SME Concen- trate to MFT	Melter Feed	Sldge Blend Waste Glass	Melter Offgas	Stack Exhaust	Purified Hg from MVS
54 Cu(COOH) ₂	ZERO	0.4430E-02	0.4430E-02	ZERO	ZERO	0.1022E-23	0.1814E-23
170 Cu(NO ₃) ₂	ZERO	0.2179E+01	0.2179E+01	ZERO	ZERO	ZERO	0.8912E-21
55 CuO	ZERO	0.1969E-01	0.1969E-01	0.9369E+00	0.9463E-02	0.3785E-14	0.8064E-23
80 Fe ₂ O ₃	ZERO	0.2539E+02	0.2539E+02	0.2513E+02	0.2539E+00	0.1017E-12	0.1039E-19
101 FeO	ZERO	0.2538E+01	0.2538E+01	0.2513E+01	0.2538E-01	0.1015E-13	0.1039E-20
102 Group A	ZERO	0.3543E-02	0.3543E-02	0.3332E-02	0.3366E-04	0.2215E-12	0.1451E-23
103 Group B	ZERO	0.1512E-03	0.1512E-03	0.1496E-03	0.1512E-05	0.6046E-18	TRACE
25 H ₂	ZERO	0.3265E-22	TRACE	ZERO	ZERO	0.3136E-01	ZERO
158 H ₂ C ₂ O ₄	ZERO	0.1827E+00	0.1827E+00	ZERO	ZERO	0.4216E-22	0.7481E-22
93 H ₂ SO ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H ₃ BO ₃	ZERO	0.7707E+01	0.7707E+01	ZERO	ZERO	0.1774E-20	0.3148E-20
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	0.7601E-04	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	0.1242E-03	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	0.1978E-02	0.1369E-02	ZERO
49 HNO ₃	ZERO	0.1388E-09	0.1318E-09	ZERO	0.1318E-09	0.7343E+00	ZERO
36 Hg	ZERO	0.1603E+00	0.1506E+00	ZERO	0.1506E+00	0.1670E-01	0.2514E+00
129 Hg(C ₆ H ₅) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg(NO ₃) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.7297E-13
144 Hg ₂ Cl ₂	ZERO	ZERO	ZERO	ZERO	ZERO	0.5734E-14	ZERO
117 Hg ₂ I ₂	ZERO	ZERO	ZERO	ZERO	ZERO	0.4734E-19	ZERO
146 HgCl ₂	ZERO	ZERO	ZERO	ZERO	ZERO	0.4506E-24	ZERO
21 HgO	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	TRACE
97 I ₂	ZERO	ZERO	ZERO	ZERO	0.4632E-07	0.4632E-09	ZERO
183 K ₂ CO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K ₂ O	ZERO	0.8073E-01	0.8073E-01	0.5661E+01	0.5718E-01	0.2287E-13	0.3306E-22
51 KCOOH	ZERO	0.1005E+02	0.1005E+02	ZERO	ZERO	0.2312E-20	0.4103E-20
157 KMnO ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO ₃	ZERO	0.2858E-01	0.2858E-01	ZERO	ZERO	0.6596E-23	0.1170E-22
10 KOH	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	TRACE
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La ₂ O ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li ₂ O	0.1033E+02	0.1108E+02	0.1108E+02	0.1097E+02	0.1108E+00	0.2193E-12	0.1147E-20
65 Mg(COOH) ₂	ZERO	0.3463E+01	0.3463E+01	ZERO	ZERO	0.7992E-21	0.1418E-20
171 Mg(NO ₃) ₂	ZERO	0.5254E-07	0.5254E-07	ZERO	ZERO	ZERO	TRACE
33 MgO	0.2952E+01	0.3470E+01	0.3470E+01	0.4645E+01	0.4691E-01	0.7391E-13	0.4524E-21
60 Mn(COOH) ₂	ZERO	0.2169E+01	0.2169E+01	ZERO	ZERO	0.5006E-21	0.8882E-21
172 Mn(NO ₃) ₂	ZERO	0.6122E-07	0.6122E-07	ZERO	ZERO	ZERO	TRACE
180 Mn ₃ O ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	0.3831E-16	0.3831E-16	0.2624E+01	0.2651E-01	0.1060E-13	TRACE
14 MnO ₂	ZERO	0.1948E+01	0.1948E+01	ZERO	ZERO	0.4496E-21	0.7977E-21
145 MoO ₂	ZERO	0.1075E-02	0.1075E-02	0.1065E-02	0.1075E-04	0.4301E-17	0.4402E-24
81 N ₂	ZERO	0.9923E-24	0.3859E-02	ZERO	0.4619E+03	0.3655E+06	ZERO
74 N ₂ O	ZERO	ZERO	ZERO	ZERO	ZERO	0.1070E-09	ZERO
182 NH ₃	ZERO	ZERO	ZERO	ZERO	ZERO	0.1078E-02	TRACE
114 NH ₃ OHNO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH ₄ COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH ₄ NO ₃	ZERO	0.1391E-02	0.1391E-02	ZERO	ZERO	ZERO	0.1101E-15
68 NH ₄ OH	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	0.1256E-19
148 NH ₄ TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) ->	27	44	60	69	70	200	145
STREAM NAME	Fresh Frit Slrry to SME	SME Concen- trate to MFT	Melter Feed	Sldge Blend Waste Glass	Melter Offgas	Stack Exhaust	Purified Hg from MVS
35 NO	ZERO	TRACE	TRACE	ZERO	0.1395E+01	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	0.2837E+01	0.7125E+01	ZERO
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	0.1536E-09	TRACE
109 Na2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	0.5466E-24	0.9699E-24
5 Na2CO3	ZERO	0.5055E+01	0.5055E+01	ZERO	ZERO	0.1130E-20	0.2004E-20
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	0.7861E+01	0.1266E+02	0.1266E+02	0.1972E+02	0.2030E+00	0.2732E-12	0.2605E-20
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	ZERO	0.1952E+00	0.1952E+00	0.1546E+00	0.1561E-02	0.2253E-14	0.7992E-22
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	ZERO	0.2578E-02	0.2578E-02	0.2552E-02	0.2578E-04	0.1031E-16	0.1054E-23
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	0.2182E+01	0.2350E+01	0.2350E+01	ZERO	ZERO	0.4077E-13	0.3209E-21
7 NaCl	ZERO	0.9957E-02	0.9957E-02	0.4928E-02	0.4978E-04	0.1991E-16	0.4074E-23
69 NaF	ZERO	0.3417E-01	0.3417E-01	0.3337E-01	0.3371E-03	0.1557E-10	0.1399E-22
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	0.5472E-05	0.5472E-05	ZERO	ZERO	0.6771E-14	TRACE
3 NaNO2	ZERO	ZERO	ZERO	ZERO	ZERO	0.6829E-24	0.1212E-23
2 NaNO3	ZERO	0.8943E+01	0.8943E+01	ZERO	ZERO	0.2082E-20	0.3694E-20
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	0.2521E-01	0.2521E-01	ZERO	ZERO	0.5817E-23	0.1032E-22
174 Ni (NO3) 2	ZERO	0.6686E-06	0.6686E-06	ZERO	ZERO	ZERO	TRACE
40 NiO	ZERO	0.2416E+00	0.2416E+00	0.2517E+00	0.2543E-02	0.2318E-14	0.9739E-22
82 O2	ZERO	0.1112E-22	0.2226E-02	ZERO	0.1393E+03	0.1104E+06	ZERO
175 Pb (NO3) 2	ZERO	0.7766E-04	0.7766E-04	ZERO	ZERO	ZERO	TRACE
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	0.7084E-19	0.7084E-19	0.4853E-02	0.4902E-04	0.1961E-16	TRACE
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	0.1318E+00	0.1318E+00	0.1240E+00	0.1252E-02	0.5008E-15	0.5396E-22
124 Pd	ZERO	0.3903E-03	0.3903E-03	0.3903E-03	ZERO	TRACE	0.2540E-15
112 Pd (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1039E-16
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	TRACE
76 PuO2	ZERO	0.9905E-02	0.9905E-02	0.9857E-02	0.9957E-04	0.3983E-16	0.4056E-23
156 PuO2 (NaTi2O5) 2	ZERO	0.1272E-03	0.1272E-03	ZERO	ZERO	TRACE	TRACE
58 Rh	ZERO	0.7436E-03	0.7436E-03	0.7436E-03	ZERO	TRACE	0.4841E-15
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	0.1200E-16
95 Ru	ZERO	0.8125E-02	0.8125E-02	0.8125E-02	ZERO	0.1873E-23	0.3323E-23
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) ->	27	44	60	69	70	200	145
STREAM NAME	Fresh Frit Slurry to SME	SME Concen- trate to MFT	Melter Feed	Sldge Blend Waste Glass	Melter Offgas	Stack Exhaust	Purified Hg from MVS
38 SO2	ZERO	ZERO	ZERO	ZERO	0.2985E-01	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	0.4115E-02	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	0.1772E-03	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	0.1229E+00	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	0.3351E-02	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	0.1245E-01	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	0.5417E-05	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.1136E+03	0.1230E+03	0.1230E+03	0.1217E+03	0.1230E+01	0.2552E-11	0.1306E-19
48 Sr(COOH)2	ZERO	0.1093E-03	0.1093E-03	ZERO	ZERO	TRACE	TRACE
176 Sr(NO3)2	ZERO	0.2944E-01	0.2944E-01	ZERO	ZERO	ZERO	0.1205E-22
153 Sr(NaTi2O5)2	ZERO	0.4072E-02	0.4072E-02	ZERO	ZERO	0.9374E-24	0.1663E-23
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	0.2218E-18	0.2218E-18	0.1519E-01	0.1535E-03	0.6139E-16	TRACE
159 TcO2	ZERO	0.3569E-02	0.3569E-02	0.3534E-02	0.3569E-04	0.5875E-16	0.1462E-23
92 ThO2	ZERO	0.2972E-01	0.2972E-01	0.2943E-01	0.2972E-03	0.1189E-15	0.1217E-22
107 TiO2	ZERO	0.8309E+00	0.8309E+00	0.8253E+00	0.8337E-02	0.3335E-14	0.3395E-21
119 Tritium	ZERO	0.1452E-09	0.1424E-09	ZERO	0.1424E-09	0.1368E-09	TRACE
17 U3O8	ZERO	0.2084E+01	0.2084E+01	0.2063E+01	0.2084E-01	0.8336E-14	0.8534E-21
62 UO2(COOH)2	ZERO	0.1272E-05	0.1272E-05	ZERO	ZERO	TRACE	TRACE
177 UO2(NO3)2	ZERO	0.9137E-04	0.9137E-04	ZERO	ZERO	ZERO	TRACE
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	0.1317E-11	0.1317E-11	ZERO	ZERO	TRACE	TRACE
178 Y(NO3)3	ZERO	0.7940E-02	0.7940E-02	ZERO	ZERO	ZERO	0.3251E-23
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	0.9683E-03	0.9683E-03	0.4187E-02	0.4229E-04	0.1692E-16	0.3955E-24
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	0.2607E+00	0.2607E+00	ZERO	ZERO	0.6006E-22	0.1066E-21
179 Zn(NO3)2	ZERO	0.5336E-04	0.5336E-04	ZERO	ZERO	ZERO	TRACE
57 ZnO	ZERO	0.1794E+00	0.1794E+00	0.3128E+00	0.3159E-02	0.1264E-14	0.7335E-22
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	0.1499E+01	0.1499E+01	ZERO	ZERO	0.3460E-21	0.6139E-21
1 water	0.9874E+02	0.3150E+03	0.3237E+03	ZERO	0.3411E+03	0.7965E+04	ZERO
TOTAL FLOW, LB/HR	0.2475E+03	0.5724E+03	0.5811E+03	0.2280E+03	0.9632E+03	0.4840E+06	0.2514E+00
TEMPERATURE, DEG C	0.3000E+02	0.5000E+02	0.4987E+02	0.1050E+04	0.6050E+03	0.3873E+02	-0.3000E+02
PRESSURE, ATM	0.1340E+01	0.1000E+01	0.9656E+00	0.9840E+00	0.9840E+00	0.1000E+01	0.1000E+01
PRESSURE, PSIG	0.4997E+01	ZERO	-0.5055E+00	-0.2351E+00	-0.2351E+00	ZERO	ZERO
PRESSURE, MM HG			0.7339E+03	0.7478E+03	0.7478E+03		
ENTHALPY, PCU/HR	0.3866E+04	0.1826E+05	0.1865E+05	0.7043E+05	0.3967E+06	0.1056E+08	-0.2485E+00
VAPOR FLOW, CFM					0.7863E+03	0.1157E+06	
LIQUID FLOW, GPM	0.3297E+00	0.8482E+00	0.8656E+00	0.1797E+00			0.3707E-04
DENSITY, LBS/FT3	0.9360E+02	0.8413E+02	0.8369E+02	0.1582E+03	0.2042E-01	0.6972E-01	0.8457E+03
PHASE	LIQUID	LIQUID	LIQUID	LIQUID	VAPOR	VAPOR	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS -> STREAM NAME	177 Neutr Waste to Tank Farm	338 Tnk Frm Evap Aq to ETF	348 Insol frm DWPFF Recyc	354 DWPFF Recycl Salt Cake	245 Organic to Org Strg Tk
COMPONENT FLOWS, LB/HR					
122 (C6H5)2	0.3456E-05	ZERO	0.1881E-08	ZERO	0.9976E+00
123 (C6H5)2C6H4	0.3645E-06	ZERO	0.3645E-06	ZERO	0.5464E-02
118 (C6H5)2NH	0.5128E-02	ZERO	0.4560E-02	ZERO	0.7022E-01
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	0.2021E-06	ZERO	0.2021E-06	ZERO	0.1220E-01
162 (C6H5NH2)	0.5402E-01	0.4146E-01	ZERO	0.4353E-02	0.1396E-01
163 (C6H5NHCHO)	0.7661E-06	ZERO	0.7661E-06	ZERO	0.1762E-23
165 (C6H5NO)	0.8336E-08	ZERO	0.8336E-08	ZERO	0.1462E-22
164 (C6H5NO2)	0.2539E-07	0.2077E-07	ZERO	0.4619E-08	0.9755E-24
131 (C6H5OH salt)	0.6657E+00	ZERO	ZERO	0.6657E+00	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	0.1237E+00
121 (C6H6)	0.6288E-04	0.2586E-06	ZERO	0.9038E-09	0.2711E+02
155 (CH3)2CHOH	0.5514E-10	0.5098E-10	ZERO	0.1648E-12	0.1192E-11
154 (CH3OH)	0.5226E-11	0.4417E-11	ZERO	0.7988E-14	0.2038E-12
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	0.8863E-07	ZERO	0.8863E-07	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.8836E-01	ZERO	0.8836E-01	ZERO	0.6831E-24
106 B2O3	0.1692E+00	ZERO	0.1692E+00	ZERO	TRACE
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	0.1119E-04	ZERO	0.1119E-04	ZERO	ZERO
24 BaSO4	0.1534E-03	ZERO	0.1534E-03	ZERO	TRACE
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.1461E-03	0.1606E-06	ZERO	0.1387E-12	0.1302E+00
142 CO2 (C14)	0.3239E-13	0.3561E-16	ZERO	0.3074E-22	0.6747E-20
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.1535E-04	ZERO	ZERO	0.1535E-04	TRACE
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.2627E-01	ZERO	0.2627E-01	ZERO	0.2952E-23
20 CaC2O4	0.8930E-12	ZERO	0.8930E-12	ZERO	TRACE
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	0.5501E-07	ZERO	0.5501E-07	ZERO	ZERO
41 CaO	0.1454E-01	ZERO	0.1454E-01	ZERO	ZERO
19 CaSO4	0.1988E-02	ZERO	0.1988E-02	ZERO	0.1006E-23
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	TRACE
168 Co(NO3)2	0.1965E-11	ZERO	ZERO	0.1965E-11	TRACE
59 CoO	0.1030E-05	ZERO	0.1030E-05	ZERO	TRACE
98 Cr2O3	0.4303E-02	ZERO	0.4303E-02	ZERO	0.1378E-23
42 Cs2O	0.3099E-03	ZERO	0.3099E-03	ZERO	TRACE
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	0.2280E-24
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	0.3522E-10	ZERO	ZERO	0.3522E-10	ZERO
8 CsOH	0.3660E-02	ZERO	ZERO	0.3660E-02	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) ->	177	338	348	354	245
STREAM NAME	Neutr Waste to Tank Farm	Tnk Frm Evap Aq to ETF	Insol frm DWPFF Recyc	DWPFF Recycl Salt Cake	Organic to Org Strg Tk
54 Cu(COOH)2	ZERO	ZERO	ZERO	ZERO	TRACE
170 Cu(NO3)2	0.7978E-05	ZERO	ZERO	0.17978E-05	0.1148E-22
55 CuO	0.9462E-02	ZERO	0.9462E-02	ZERO	TRACE
80 Fe2O3	0.2539E+00	ZERO	0.2539E+00	ZERO	0.8357E-24
101 FeO	0.2539E-01	ZERO	0.2539E-01	ZERO	ZERO
102 Group A	0.2106E-03	ZERO	0.2106E-03	ZERO	TRACE
103 Group B	0.1512E-05	ZERO	0.1512E-05	ZERO	TRACE
25 H2	0.1693E-11	0.7632E-16	ZERO	0.6408E-23	TRACE
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	TRACE
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	0.4058E-22
34 HCOOH	ZERO	ZERO	ZERO	ZERO	0.2893E-05
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	0.6679E-01	ZERO	ZERO	ZERO	ZERO
129 Hg(C6H5)2	ZERO	ZERO	ZERO	ZERO	0.1326E-02
135 Hg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	0.6580E-02	ZERO	0.7870E-01	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	0.5718E-01	ZERO	0.5718E-01	ZERO	TRACE
51 KCOOH	ZERO	ZERO	ZERO	ZERO	0.5289E-22
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	0.1094E+00	ZERO	ZERO	0.1094E+00	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	0.1108E+00	ZERO	0.1108E+00	ZERO	TRACE
65 Mg(COOH)2	ZERO	ZERO	ZERO	ZERO	TRACE
171 Mg(NO3)2	0.1921E-12	ZERO	ZERO	0.1921E-12	TRACE
33 MgO	0.4692E-01	ZERO	0.4692E-01	ZERO	TRACE
60 Mn(COOH)2	ZERO	ZERO	ZERO	ZERO	TRACE
172 Mn(NO3)2	0.2239E-12	ZERO	ZERO	0.2239E-12	TRACE
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	0.2651E-01	ZERO	0.2651E-01	ZERO	ZERO
14 MnO2	0.1695E+00	ZERO	0.1695E+00	ZERO	TRACE
145 MoO2	0.1076E-04	ZERO	0.1076E-04	ZERO	TRACE
81 N2	0.3857E-01	0.3741E-01	ZERO	0.1857E-08	0.1541E-03
74 N2O	TRACE	TRACE	ZERO	ZERO	0.8671E-21
182 NH3	0.2033E+00	0.2688E-01	ZERO	0.2722E-05	0.5973E-08
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	TRACE
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) ->	177	338	348	354	245
STREAM NAME	Neutr Waste to Tank Farm	Tnk Frm Evap Aq to ETF	Insol frm DWPFF Recyc	DWPFF Recycl Salt Cake	Organic to Org Strg Tk
35 NO	0.7938E-07	0.8013E-11	ZERO	0.1104E-17	0.1804E-16
84 NO2	0.1553E-06	0.1567E-10	ZERO	0.2160E-17	0.1433E-23
70 Na(HgO(OH))	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	0.1227E+00	ZERO	ZERO	0.1227E+00	ZERO
109 Na2C2O4	0.7909E+01	ZERO	ZERO	0.7909E+01	ZERO
5 Na2CO3	0.1794E-04	ZERO	ZERO	0.1794E-04	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	0.2030E+00	ZERO	0.2030E+00	ZERO	0.5282E-23
71 Na2PuO2(OH)4	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.6774E-01	ZERO	ZERO	0.6774E-01	TRACE
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.2578E-04	ZERO	ZERO	0.2578E-04	TRACE
91 NaAg(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl(OH)4	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	0.5613E-04	ZERO	ZERO	0.5613E-04	0.5994E-23
7 NaCl	0.5026E-02	ZERO	ZERO	0.5026E-02	TRACE
69 NaF	0.1405E-01	ZERO	ZERO	0.1405E-01	TRACE
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.5464E-05	ZERO	ZERO	0.5464E-05	TRACE
3 NaNO2	0.9885E+01	ZERO	ZERO	0.9908E+01	ZERO
2 NaNO3	0.1292E+02	ZERO	ZERO	0.1289E+02	0.1158E-24
4 NaOH	0.7840E+02	ZERO	ZERO	0.7840E+02	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni(COOH)2	ZERO	ZERO	ZERO	ZERO	TRACE
174 Ni(NO3)2	0.2445E-11	ZERO	ZERO	0.2445E-11	TRACE
40 NiO	0.2543E-02	ZERO	0.2543E-02	ZERO	TRACE
82 O2	0.2225E-01	0.2158E-01	ZERO	0.1926E-08	0.9555E-04
175 Pb(NO3)2	0.2847E-09	ZERO	ZERO	0.2847E-09	TRACE
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	0.4902E-04	ZERO	0.4902E-04	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.1252E-02	ZERO	0.1252E-02	ZERO	TRACE
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	0.2921E-08	ZERO	0.2921E-08	ZERO	ZERO
76 PuO2	0.9959E-04	ZERO	0.9959E-04	ZERO	TRACE
156 PuO2(NaTi2O5)2	0.4651E-09	ZERO	0.4651E-09	ZERO	TRACE
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	0.6346E-08	ZERO	0.6346E-08	ZERO	ZERO
95 Ru	0.2975E-07	ZERO	0.2975E-07	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	TRACE
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 0. Major Streams in the Flowsheet Model

STREAM NUMBERS (CONT'D) ->	177	338	348	354	245
STREAM NAME	Neutr Waste to Tank Farm	Tnk Frm Evap Aq to ETF	Insol frm DWPFF Recyc	DWPFF Recycl Salt Cake	Organic to Org Strg Tk
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.1230E+01	ZERO	0.1230E+01	ZERO	0.1404E-24
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	TRACE
176 Sr(NO3)2	0.1079E-06	ZERO	ZERO	0.1079E-06	ZERO
153 Sr(NaTi2O5)2	0.1489E-07	ZERO	0.1489E-07	ZERO	TRACE
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	0.1535E-03	ZERO	0.1535E-03	ZERO	ZERO
159 TcO2	0.3570E-04	ZERO	0.3570E-04	ZERO	TRACE
92 ThO2	0.2973E-03	ZERO	0.2973E-03	ZERO	ZERO
107 TiO2	0.8338E-02	ZERO	0.8338E-02	ZERO	0.4130E-23
119 Tritium	0.7859E-09	0.7512E-09	ZERO	0.4699E-11	0.4550E-19
17 U3O8	0.2085E-01	ZERO	0.2085E-01	ZERO	TRACE
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	TRACE
177 UO2(NO3)2	0.3349E-09	ZERO	ZERO	0.3349E-09	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	TRACE
178 Y(NO3)3	0.2911E-07	ZERO	ZERO	0.2911E-07	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	0.4229E-04	ZERO	0.4229E-04	ZERO	TRACE
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	0.5999E-24
179 Zn(NO3)2	0.1951E-09	ZERO	ZERO	0.1951E-09	TRACE
57 ZnO	0.3160E-02	ZERO	0.3160E-02	ZERO	0.7282E-24
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.8616E-05	ZERO	0.8616E-05	ZERO	0.1146E-24
1 water	0.3242E+04	0.3121E+04	ZERO	0.1952E+02	0.7802E+01
TOTAL FLOW, LB/HR	0.3355E+04	0.3122E+04	0.2558E+01	0.1296E+03	0.3626E+02
TEMPERATURE, DEG C	0.4999E+02	0.1000E+03	0.6000E+02	0.1000E+03	0.5315E+01
PRESSURE, ATM	0.9656E+00	0.1000E+01	0.1000E+01	0.1000E+01	0.9656E+00
PRESSURE, PSIG	-0.5055E+00	ZERO	ZERO	ZERO	-0.5055E+00
PRESSURE, MM HG	0.7339E+03				0.7339E+03
ENTHALPY, PCU/HR	0.1639E+06	0.3124E+06	0.2929E+02	0.5308E+04	0.1037E+03
VAPOR FLOW, CFM					
LIQUID FLOW, GPM	0.6551E+01	0.6234E+01	0.1907E-02	0.1135E+00	0.7884E-01
DENSITY, LBS/FT3	0.6385E+02	0.6243E+02	0.1672E+03	0.1423E+03	0.5734E+02
PHASE	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID

SECTION 1A. IN-TANK PRECIPITATION / SALT DECONTAMINATION

WSRC-TR-95-0019 (Revision 0)

Date: January 1995

Section 1A, Page 0 of 21

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1A. In-Tank Precipitation and Salt Decontamination

DESCRIPTION	PAGE
-----	----
1. STREAM NUMBERS 652, 653, 654, 659, 651, 401, 649	2
2. STREAM NUMBERS 402, 451, 403, 404, 405, 406, 415	6
3. STREAM NUMBERS 409, 407, 408, 410, 411, 452, 453	10
4. STREAM NUMBERS 414, 454, 416, 417, 420, 672, 673	14
5. STREAM NUMBERS 412, 413, 462, 463, 418, 655, 656	18

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1A. In-Tank Precipitation and Salt Decontamination

STREAM NUMBERS -> STREAM NAME	652 Inv Saltcake Feed to ITP	653 Recycle Salt frm ESP	654 Recycle Salt frm DWPF	659 Tot SN Feed per ITP Cyc	651 Saltcake Slurry Water	401 Salt/SN Feed to ITP	649 Settld Salt Insolubles
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
155 (CH3)2CHOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
154 (CH3OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	0.1873E-03	ZERO	ZERO	0.3570E-04	ZERO	0.2230E-03	0.1686E-02
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.5637E-01	ZERO	ZERO	0.1071E-01	ZERO	0.6708E-01	0.5073E+00
106 B2O3	0.1404E-02	ZERO	ZERO	0.2667E-03	ZERO	0.1670E-02	0.1263E-01
9 Ba(OH)2	0.5546E-03	ZERO	ZERO	0.1465E-03	ZERO	0.7011E-03	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	0.6156E-03	ZERO	ZERO	0.1168E-03	ZERO	0.7324E-03	0.5540E-02
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.3549E-01	ZERO	ZERO	ZERO	ZERO	0.3549E-01	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	0.3660E-02	ZERO	0.3660E-02	ZERO
113 Ca3(PO4)2	0.4712E+00	ZERO	ZERO	0.8951E-01	ZERO	0.5607E+00	0.4241E+01
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	0.1606E+00	ZERO	ZERO	0.3052E-01	ZERO	0.1912E+00	0.1446E+01
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	0.1392E-01	ZERO	ZERO	ZERO	ZERO	0.1392E-01	ZERO
59 CoO	0.8653E-04	ZERO	ZERO	0.1623E-04	ZERO	0.1028E-03	0.7788E-03
98 Cr2O3	0.2199E+00	ZERO	ZERO	0.4178E-01	ZERO	0.2616E+00	0.1979E+01
42 Cs2O	0.3234E-04	ZERO	ZERO	0.6133E-05	ZERO	0.3848E-04	0.2911E-03
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	0.5739E-02	ZERO	ZERO	0.3075E-01	ZERO	0.3649E-01	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1A. In-Tank Precipitation and Salt Decontamination

STREAM NUMBERS (CONT'D) ->	652	653	654	659	651	401	649
STREAM NAME	Inv Saltcake Feed to ITP	Recycle Salt frm ESP	Recycle Salt frm DWPF	Tot SN Feed per ITP Cyc	Saltcake Slurry Water	Salt/SN Feed to ITP	Settld Salt Insolubles
54 Cu(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu(NO3)2	0.3286E-02	ZERO	ZERO	ZERO	ZERO	0.3286E-02	ZERO
55 CuO	0.8920E-03	ZERO	ZERO	0.1694E-03	ZERO	0.1061E-02	0.8028E-02
80 Fe2O3	0.1274E+00	ZERO	ZERO	0.3129E-01	ZERO	0.1587E+00	0.1147E+01
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	0.1527E-02	ZERO	ZERO	0.6163E-01	ZERO	0.6316E-01	0.1375E-01
103 Group B	0.1773E-02	ZERO	ZERO	0.1688E-03	ZERO	0.1941E-02	0.1595E-01
25 H2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg(C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	0.3125E-03	ZERO	ZERO	0.5940E-04	ZERO	0.3719E-03	0.2813E-02
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	0.5784E-02	ZERO	ZERO	0.1099E-02	ZERO	0.6882E-02	0.5205E-01
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	0.6439E+00	ZERO	ZERO	0.6056E+01	ZERO	0.6700E+01	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	0.2785E-03	ZERO	ZERO	0.1623E-04	ZERO	0.2948E-03	0.2507E-02
65 Mg(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg(NO3)2	0.1361E-02	ZERO	ZERO	ZERO	ZERO	0.1361E-02	ZERO
33 MgO	0.1449E-02	ZERO	ZERO	0.2754E-03	ZERO	0.1725E-02	0.1304E-01
60 Mn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn(NO3)2	0.9604E-03	ZERO	ZERO	0.6259E-03	ZERO	0.1586E-02	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	0.2769E-02	ZERO	ZERO	0.5260E-03	ZERO	0.3295E-02	0.2492E-01
145 MoO2	0.9172E-04	ZERO	ZERO	0.1787E-04	ZERO	0.1096E-03	0.8255E-03
81 N2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
74 N2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
182 NH3	0.6824E-01	ZERO	ZERO	ZERO	ZERO	0.6824E-01	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	0.3131E+00	ZERO	0.3131E+00	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1A. In-Tank Precipitation and Salt Decontamination

STREAM NUMBERS (CONT'D) ->	652	653	654	659	651	401	649
STREAM NAME	Inv Saltcake Feed to ITP	Recycle Salt from ESP	Recycle Salt from DWPF	Tot SN Feed per ITP Cyc	Saltcake Slurry Water	Salt/SN Feed to ITP	Settld Salt Insolubles
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na (HgO (OH))	0.1288E-03	ZERO	ZERO	0.2748E+00	ZERO	0.2749E+00	ZERO
94 Na2B4O7	0.5925E-01	ZERO	ZERO	ZERO	ZERO	0.5925E-01	ZERO
109 Na2C2O4	0.5034E+00	ZERO	ZERO	0.2015E+01	ZERO	0.2518E+01	0.3078E+01
5 Na2CO3	0.2669E+03	ZERO	ZERO	0.2237E+03	ZERO	0.4906E+03	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	0.7320E-05	ZERO	0.7320E-05	ZERO
89 Na2CrO4	0.6294E+00	ZERO	ZERO	0.2065E+01	ZERO	0.2695E+01	ZERO
115 Na2MoO4	0.2787E-01	ZERO	ZERO	0.7767E+00	ZERO	0.8046E+00	ZERO
32 Na2O	0.8431E+00	ZERO	ZERO	0.1602E+00	ZERO	0.1003E+01	0.7588E+01
71 Na2PuO2 (OH) 4	0.4266E-05	ZERO	ZERO	0.7041E-04	ZERO	0.7467E-04	ZERO
73 Na2RhO4	0.1045E-01	ZERO	ZERO	0.9073E-02	ZERO	0.1952E-01	ZERO
72 Na2RuO4	0.2587E-01	ZERO	ZERO	0.7692E-01	ZERO	0.1028E+00	ZERO
6 Na2SO4	0.2038E+02	ZERO	ZERO	0.7667E+01	ZERO	0.2804E+02	ZERO
88 Na2SiO3	0.3020E-01	ZERO	ZERO	0.7502E+00	ZERO	0.7804E+00	ZERO
87 Na3PO4	0.3109E+02	ZERO	ZERO	0.6149E+01	ZERO	0.3724E+02	ZERO
91 NaAg (OH) 2	0.3163E-02	ZERO	ZERO	0.8721E-03	ZERO	0.4035E-02	ZERO
75 NaAl (OH) 4	0.1623E+02	ZERO	ZERO	0.1241E+03	ZERO	0.1403E+03	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	0.6483E+00	ZERO	ZERO	0.1328E+01	ZERO	0.1976E+01	ZERO
69 NaF	0.3261E+00	ZERO	ZERO	0.1830E+01	ZERO	0.2156E+01	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.1664E-03	ZERO	ZERO	0.1278E-02	ZERO	0.1444E-02	ZERO
3 NaNO2	0.2184E+02	ZERO	ZERO	0.2077E+03	0.1606E+01	0.2311E+03	ZERO
2 NaNO3	0.1051E+04	ZERO	ZERO	0.3013E+03	ZERO	0.1353E+04	ZERO
4 NaOH	0.6895E+02	ZERO	ZERO	0.4343E+03	0.1285E+01	0.5045E+03	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	0.5966E-02	ZERO	ZERO	0.5881E-01	ZERO	0.6478E-01	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni (NO3) 2	0.1732E-01	ZERO	ZERO	ZERO	ZERO	0.1732E-01	ZERO
40 NiO	0.8718E-03	ZERO	ZERO	0.1656E-03	ZERO	0.1037E-02	0.7846E-02
82 O2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
175 Pb (NO3) 2	0.4207E-01	ZERO	ZERO	ZERO	ZERO	0.4207E-01	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.3666E-02	ZERO	ZERO	0.6969E-03	ZERO	0.4362E-02	0.3299E-01
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	ZERO	ZERO	ZERO	0.1736E-03	ZERO	0.1736E-03	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	0.2703E-04	ZERO	ZERO	0.5062E-05	ZERO	0.3209E-04	0.2433E-03
156 PuO2 (NaTi2O5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	0.3717E-02	ZERO	ZERO	0.7063E-03	ZERO	0.4424E-02	0.3346E-01
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1A. In-Tank Precipitation and Salt Decontamination

STREAM NUMBERS (CONT'D) ->	652	653	654	659	651	401	649
STREAM NAME	Inv Saltcake Feed to ITP	Recycle Salt frm ESP	Recycle Salt frm DWPF	Tot SN Feed per ITP Cyc	Saltcake Slurry Water	Salt/SN Feed to ITP	Settld Salt Insolubles
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.2467E-01	ZERO	ZERO	0.1985E-02	ZERO	0.2666E-01	0.2220E+00
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	0.7049E-03	ZERO	ZERO	0.3209E-03	ZERO	0.1026E-02	ZERO
30 SrCO3	0.7646E-04	ZERO	ZERO	0.1435E-04	ZERO	0.9081E-04	0.6881E-03
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TcO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	0.6354E-03	ZERO	ZERO	0.5780E-03	ZERO	0.1213E-02	0.5719E-02
119 Tritium	0.1126E-07	ZERO	ZERO	0.2933E-07	ZERO	0.4059E-07	ZERO
17 U3O8	0.6313E-03	ZERO	ZERO	0.1199E-03	ZERO	0.7512E-03	0.5682E-02
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	0.7895E-02	ZERO	ZERO	0.1994E-01	ZERO	0.2783E-01	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	0.9841E-05	ZERO	ZERO	0.1196E-02	ZERO	0.1206E-02	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	0.1383E+01	ZERO	ZERO	ZERO	ZERO	0.1383E+01	0.8874E-07
57 ZnO	0.1664E+00	ZERO	ZERO	0.3160E-01	ZERO	0.1980E+00	0.1497E+01
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	ZERO	0.2434E-02	ZERO	0.2434E-02	ZERO
1 water	0.2835E+03	ZERO	ZERO	0.2080E+04	0.3209E+04	0.5573E+04	ZERO
TOTAL FLOW, LB/HR	0.1767E+04	ZERO	ZERO	0.3401E+04	0.3212E+04	0.8380E+04	0.2195E+02
TEMPERATURE, DEG C	0.3500E+02	0.3500E+02	0.1000E+03	0.3500E+02	0.2500E+02	0.2992E+02	0.3500E+02
PRESSURE, ATM	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01
PRESSURE, PSIG	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
PRESSURE, MM HG							
ENTHALPY, PCU/HR	0.2317E+05	ZERO	ZERO	0.8526E+05	0.8055E+05	0.1890E+06	0.1607E+03
VAPOR FLOW, CFM							
LIQUID FLOW, GPM	0.1680E+01			0.5113E+01	0.6411E+01	0.1320E+02	0.1529E-01
DENSITY, LBS/FT3	0.1312E+03	ZERO	ZERO	0.8292E+02	0.6247E+02	0.7914E+02	0.1790E+03
PHASE	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1A. In-Tank Precipitation and Salt Decontamination

STREAM NUMBERS -> STREAM NAME	402 Total Spent Wash Recycle	451 Salt Transfr Line Flush	403 NaTPB Additions	404 NaTi2O5H Additions	405 Total Pump Leakage	406 Gas Purge In-tnk Pptn	415 Entrnd Sldge in Preci Fd
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	0.5151E+00	ZERO	0.2782E+01	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	0.1293E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
155 (CH3)2CHOH	0.4783E-05	ZERO	ZERO	0.1762E+00	ZERO	ZERO	ZERO
154 (CH3OH)	0.3911E-06	ZERO	ZERO	0.9434E-02	ZERO	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
106 B2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
9 Ba(OH)2	0.4574E-09	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	ZERO	ZERO	ZERO	0.3320E+00	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.1328E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	0.1369E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	0.5208E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
59 CoO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
98 Cr2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
42 Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	0.4669E-04	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1A. In-Tank Precipitation and Salt Decontamination

STREAM NUMBERS (CONT'D) ->	402	451	403	404	405	406	415
STREAM NAME	Total Spent Wash Recycle	Salt Transfr Line Flush	NaTPB Additions	NaTi2O5H Additions	Total Pump Leakage	Gas Purge In-tnk Pptn	Entrnd Sludge in Preci Fd
54 Cu(COOH)2		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu(NO3)2	0.1229E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
55 CuO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
80 Fe2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	0.2362E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
103 Group B	0.7262E-04	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
25 H2	0.1277E-11	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg(C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	0.5248E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	0.2796E-05	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
65 Mg(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg(NO3)2	0.5092E-04	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
33 MgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
60 Mn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn(NO3)2	0.5933E-04	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
145 MoO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
81 N2	0.4228E-01	ZERO	ZERO	ZERO	ZERO	0.2207E+04	ZERO
74 N2O	0.2200E-11	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
182 NH3	0.8766E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	0.1138E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1A. In-Tank Precipitation and Salt Decontamination

STREAM NUMBERS (CONT'D) ->	402	451	403	404	405	406	415
STREAM NAME	Total Spent Wash Recycle	Salt Transfr Line Flush	NaTPB Additions	NaTi2O5H Additions	Total Pump Leakage	Gas Purge In-tnk Pptn	Entrnd Sldge in Preci Fd
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na(HgO(OH))	0.9968E-05	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	0.2783E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	0.1585E+01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	0.2236E+02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	0.2738E-06	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	0.1008E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	0.3009E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
71 Na2PuO2(OH) 4	0.8810E-07	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	0.7301E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	0.3845E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.1049E+01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
88 Na2SiO3	0.2919E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.1393E+01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
91 NaAg(OH) 2	0.2636E-06	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl(OH) 4	0.5104E+01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	0.1011E+00	ZERO	0.2231E+00	ZERO	ZERO	ZERO	ZERO
69 NaF	0.8064E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.5401E-04	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
3 NaNO2	0.5136E+02	0.1285E-01	ZERO	0.1272E-02	ZERO	ZERO	ZERO
2 NaNO3	0.4978E+02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
4 NaOH	0.1508E+03	0.1028E-01	0.1113E+01	0.3141E-01	0.1112E-01	ZERO	ZERO
149 NaTPB	0.3176E+01	ZERO	0.4760E+02	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	0.2423E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	0.9827E+00	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni(COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni(NO3) 2	0.6480E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
40 NiO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
82 O2	0.2474E-01	ZERO	ZERO	ZERO	ZERO	0.1362E+03	ZERO
175 Pb(NO3) 2	0.1573E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd(NO3) 2	0.6494E-05	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
156 PuO2(NaTi2O5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1A. In-Tank Precipitation and Salt Decontamination

STREAM NUMBERS (CONT'D) ->	402	451	403	404	405	406	415
STREAM NAME	Total Spent Wash Recycle	Salt Transfr Line Flush	NaTPB Additions	NaTi2O5H Additions	Total Pump Leakage	Gas Purge In-tnk Pptn	Entrnd Sludge in Preci Fd
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	0.2347E-06	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TcO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
119 Tritium	0.1492E-08	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
17 U3O8	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	0.1041E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	0.1095E-06	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	0.5171E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
57 ZnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
1 water	0.3074E+04	0.2568E+02	0.2265E+03	0.7283E+01	0.1852E+02	0.9860E+01	ZERO
TOTAL FLOW, LB/HR	0.3362E+04	0.2570E+02	0.2782E+03	0.8484E+01	0.1853E+02	0.2354E+04	ZERO
TEMPERATURE, DEG C	0.3981E+02	0.2500E+02	0.3500E+02	0.3500E+02	0.2500E+02	0.3500E+02	0.6000E+02
PRESSURE, ATM	0.9656E+00	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01
PRESSURE, PSIG	-0.5055E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
PRESSURE, MM HG	0.7339E+03						
ENTHALPY, PCU/HR	0.1259E+06	0.6445E+03	0.7962E+04	0.2597E+03	0.4647E+03	0.2744E+05	ZERO
VAPOR FLOW, CFM						0.5641E+03	
LIQUID FLOW, GPM	0.6338E+01	0.5130E-01	0.5455E+00	0.1701E-01	0.3698E-01		
DENSITY, LBS/FT3	0.6613E+02	0.6247E+02	0.6358E+02	0.6217E+02	0.6246E+02	0.6954E-01	ZERO
PHASE	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	VAPOR	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1A. In-Tank Precipitation and Salt Decontamination

STREAM NUMBERS -> STREAM NAME	409 Prc Proc Tnk Vnt to Atmos	407 Decon SN to Storage	408 Precipitated Slids Slurry	410 Inhibited Wash Water	411 Spent Wash to Storage	452 NaOH add'n to TK 48	453 NaNO2 add'n to TK 48
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	0.1910E-10	ZERO	0.3451E+00	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	0.9733E-10	0.3344E+01	0.1186E+00	ZERO	0.1153E+00	ZERO	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	0.3553E+00	0.3374E-02	0.1140E-03	ZERO	0.1109E-03	ZERO	ZERO
155 (CH3)2CHOH	0.9414E-01	0.8203E-01	0.7981E-05	ZERO	0.7759E-05	ZERO	ZERO
154 (CH3OH)	0.4493E-02	0.4940E-02	0.6006E-06	ZERO	0.5838E-06	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	0.1624E-12	ZERO	0.3054E-02	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.3567E-11	ZERO	0.6708E-01	ZERO	ZERO	ZERO	ZERO
106 B2O3	0.8883E-13	ZERO	0.1670E-02	ZERO	ZERO	ZERO	ZERO
9 Ba(OH)2	0.3762E-18	0.1295E-07	0.4705E-09	ZERO	0.4574E-09	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	0.9533E-13	ZERO	0.1793E-02	ZERO	ZERO	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.3312E+00	0.7780E-03	0.2906E-04	ZERO	0.2826E-04	ZERO	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	0.3549E-01	0.1329E-02	ZERO	0.1292E-02	ZERO	ZERO
120 Ca(OH)2	0.1063E-12	0.3660E-02	0.1371E-03	ZERO	0.1332E-03	ZERO	ZERO
113 Ca3(PO4)2	0.2982E-10	ZERO	0.5607E+00	ZERO	ZERO	ZERO	ZERO
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	0.1017E-10	ZERO	0.1912E+00	ZERO	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	0.1392E-01	0.5213E-03	ZERO	0.5068E-03	ZERO	ZERO
59 CoO	0.5465E-14	ZERO	0.1028E-03	ZERO	ZERO	ZERO	ZERO
98 Cr2O3	0.1391E-10	ZERO	0.2616E+00	ZERO	ZERO	ZERO	ZERO
42 Cs2O	0.2046E-14	ZERO	0.3848E-04	ZERO	ZERO	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	0.4801E-16	0.1653E-05	0.6146E-07	ZERO	0.5975E-07	ZERO	ZERO
151 CsTPB	0.5859E-11	ZERO	0.1102E+00	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1A. In-Tank Precipitation and Salt Decontamination

STREAM NUMBERS (CONT'D) ->	409	407	408	410	411	452	453
STREAM NAME	Proc Proc Tnk Vnt to Atmos	Decon SN to Storage	Precipitated Slids Slurry	Inhibited Wash Water	Spent Wash to Storage	NaOH add'n to TK 48	NaNO2 add'n to TK 48
54 Cu(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu(NO3)2	ZERO	0.3286E-02	0.1230E-03	ZERO	0.1196E-03	ZERO	ZERO
55 CuO	0.5644E-13	ZERO	0.1061E-02	ZERO	ZERO	ZERO	ZERO
80 Fe2O3	0.8441E-11	ZERO	0.1587E+00	ZERO	ZERO	ZERO	ZERO
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	0.1835E-11	0.6315E-01	0.2365E-02	ZERO	0.2299E-02	ZERO	ZERO
103 Group B	0.5640E-13	0.1941E-02	0.7269E-04	ZERO	0.7067E-04	ZERO	ZERO
25 H2	0.3556E-02	0.2778E-06	0.9088E-08	ZERO	0.8835E-08	ZERO	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg(C6H5)2	0.2019E-10	ZERO	0.3797E+00	ZERO	ZERO	ZERO	ZERO
135 Hg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	0.1978E-13	ZERO	0.3719E-03	ZERO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	0.5058E-03	0.1894E-04	ZERO	0.1841E-04	ZERO	ZERO
39 K2O	0.3660E-12	ZERO	0.6882E-02	ZERO	ZERO	ZERO	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
150 KTPB	0.2276E-08	ZERO	0.4280E+02	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	0.1568E-13	ZERO	0.2948E-03	ZERO	ZERO	ZERO	ZERO
65 Mg(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg(NO3)2	ZERO	0.1361E-02	0.5097E-04	ZERO	0.4956E-04	ZERO	ZERO
33 MgO	0.9172E-13	ZERO	0.1725E-02	ZERO	ZERO	ZERO	ZERO
60 Mn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn(NO3)2	ZERO	0.1586E-02	0.5940E-04	ZERO	0.5774E-04	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	0.1752E-12	ZERO	0.3295E-02	ZERO	ZERO	ZERO	ZERO
145 MoO2	0.5828E-14	ZERO	0.1096E-03	ZERO	ZERO	ZERO	ZERO
81 N2	0.2207E+04	0.1409E+00	0.5264E-02	ZERO	0.5117E-02	ZERO	ZERO
74 N2O	0.2197E-11	0.3232E-14	0.1208E-15	ZERO	0.1174E-15	ZERO	ZERO
182 NH3	0.4593E-02	0.6220E-01	0.2329E-02	ZERO	0.2264E-02	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	0.9085E-08	0.3127E+00	0.1171E-01	ZERO	0.1138E-01	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1A. In-Tank Precipitation and Salt Decontamination

STREAM NUMBERS (CONT'D) ->	409	407	408	410	411	452	453
STREAM NAME	Prc Proc Tnk Vnt to Atmos	Decon SN to Storage	Precipitated Slids Slurry	Inhibited Wash Water	Spent Wash to Storage	NaOH add'n to TK 48	NaNO2 add'n to TK 48
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na (HgO(OH))	0.8198E-14	0.2822E-03	0.1025E-04	ZERO	0.9967E-05	ZERO	ZERO
94 Na2B4O7	0.9452E-11	0.3253E+00	0.1218E-01	ZERO	0.1184E-01	ZERO	ZERO
109 Na2C2O4	0.1149E-09	0.3955E+01	0.1481E+00	ZERO	0.1440E+00	ZERO	ZERO
5 Na2CO3	0.1436E-07	0.4945E+03	0.1851E+02	ZERO	0.1800E+02	ZERO	ZERO
143 Na2CO3 (C14)	0.2126E-15	0.7320E-05	0.2741E-06	ZERO	0.2664E-06	ZERO	ZERO
89 Na2CrO4	0.7828E-10	0.2694E+01	0.1009E+00	ZERO	0.9808E-01	ZERO	ZERO
115 Na2MoO4	0.2337E-10	0.8046E+00	0.3013E-01	ZERO	0.2929E-01	ZERO	ZERO
32 Na2O	0.5336E-10	ZERO	0.1003E+01	ZERO	ZERO	ZERO	ZERO
71 Na2PuO2 (OH) 4	0.5070E-16	0.1748E-05	0.9058E-07	ZERO	0.8806E-07	ZERO	ZERO
73 Na2RhO4	0.5670E-12	0.1952E-01	0.7308E-03	ZERO	0.7105E-03	ZERO	ZERO
72 Na2RuO4	0.2986E-11	0.1028E+00	0.3849E-02	ZERO	0.3742E-02	ZERO	ZERO
6 Na2SO4	0.8146E-09	0.2804E+02	0.1050E+01	ZERO	0.1021E+01	ZERO	ZERO
88 Na2SiO3	0.2267E-10	0.7803E+00	0.2922E-01	ZERO	0.2841E-01	ZERO	ZERO
87 Na3PO4	0.1082E-08	0.3724E+02	0.1394E+01	ZERO	0.1356E+01	ZERO	ZERO
91 NaAg (OH) 2	0.2168E-15	0.7463E-05	0.2712E-06	ZERO	0.2636E-06	ZERO	ZERO
75 NaAl (OH) 4	0.4072E-08	0.1402E+03	0.5249E+01	ZERO	0.5103E+01	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	0.6445E-10	0.2218E+01	0.8258E-01	ZERO	0.8028E-01	ZERO	ZERO
69 NaF	0.6263E-10	0.2156E+01	0.8072E-01	ZERO	0.7848E-01	ZERO	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.4195E-13	0.1444E-02	0.5407E-04	ZERO	0.5257E-04	ZERO	ZERO
3 NaNO2	0.7911E-08	0.2723E+03	0.1020E+02	0.6582E+00	0.4368E+02	ZERO	0.4047E+02
2 NaNO3	0.3927E-07	0.1352E+04	0.5062E+02	ZERO	0.4921E+02	ZERO	ZERO
4 NaOH	0.1852E-07	0.6376E+03	0.2387E+02	0.5266E+00	0.5621E+02	0.3462E+02	ZERO
149 NaTPB	0.4984E-09	0.7767E+01	0.1081E+01	ZERO	0.1051E+01	ZERO	ZERO
160 NaTcO4	ZERO	0.6477E-01	0.2425E-02	ZERO	0.2358E-02	ZERO	ZERO
152 NaTi2O5H	0.7902E-10	ZERO	0.9793E+00	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni (NO3) 2	ZERO	0.1732E-01	0.6487E-03	ZERO	0.6306E-03	ZERO	ZERO
40 NiO	0.5517E-13	ZERO	0.1037E-02	ZERO	ZERO	ZERO	ZERO
82 O2	0.1362E+03	0.1684E-01	0.6292E-03	ZERO	0.6117E-03	ZERO	ZERO
175 Pb (NO3) 2	ZERO	0.4207E-01	0.1575E-02	ZERO	0.1531E-02	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.2320E-12	ZERO	0.4362E-02	ZERO	ZERO	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	0.5044E-14	0.1736E-03	0.6501E-05	ZERO	0.6320E-05	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	0.1707E-14	ZERO	0.3209E-04	ZERO	ZERO	ZERO	ZERO
156 PuO2 (NaTi2O5) 2	0.6788E-14	ZERO	0.1272E-03	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	0.2353E-12	ZERO	0.4424E-02	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1A. In-Tank Precipitation and Salt Decontamination

STREAM NUMBERS (CONT'D) ->	409	407	408	410	411	452	453
STREAM NAME	Prc Proc Tnk Vnt to Atmos	Decon SN to Storage	Precipitated Slids Slurry	Inhibited Wash Water	Spent Wash to Storage	NaOH add'n to TK 48	NaNO ₂ add'n to TK 48
38 SO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs ₂ O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na ₂ B ₄ O ₇	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO ₂	0.1418E-11	ZERO	0.2666E-01	ZERO	ZERO	ZERO	ZERO
48 Sr(COOH) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO ₃) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi ₂ O ₅) ₂	0.2167E-12	ZERO	0.4072E-02	ZERO	ZERO	ZERO	ZERO
127 Sr(OH) ₂	0.1391E-15	0.4796E-05	0.2414E-06	ZERO	0.2347E-06	ZERO	ZERO
30 SrCO ₃	0.4829E-14	ZERO	0.9081E-04	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TcO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
92 ThO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO ₂	0.6453E-13	ZERO	0.1213E-02	ZERO	ZERO	ZERO	ZERO
119 Tritium	0.3193E-09	0.4026E-07	0.1507E-08	ZERO	0.1465E-08	ZERO	ZERO
17 U ₃ O ₈	0.3995E-13	ZERO	0.7512E-03	ZERO	ZERO	ZERO	ZERO
62 UO ₂ (COOH) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO ₂ (NO ₃) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO ₂ (OH) ₂	0.8085E-12	0.2783E-01	0.1042E-02	ZERO	0.1013E-02	ZERO	ZERO
27 Y(COOH) ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO ₃) ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH) ₃	0.1654E-15	0.5683E-05	0.1127E-06	ZERO	0.1095E-06	ZERO	ZERO
31 Y ₂ (CO ₃) ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y ₂ O ₃	0.5145E-13	ZERO	0.9683E-03	ZERO	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO ₃) ₂	ZERO	0.1383E+01	0.5177E-01	ZERO	0.5033E-01	ZERO	ZERO
57 ZnO	0.1053E-10	ZERO	0.1980E+00	ZERO	ZERO	ZERO	ZERO
104 ZrO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H ₂ O	0.1417E-12	ZERO	0.2665E-02	ZERO	ZERO	ZERO	ZERO
1 water	0.6527E+02	0.8550E+04	0.3194E+03	0.1315E+04	0.1319E+04	0.3462E+02	0.6071E+02
TOTAL FLOW, LB/HR	0.2409E+04	0.1154E+05	0.4792E+03	0.1316E+04	0.1495E+04	0.6924E+02	0.1012E+03
TEMPERATURE, DEG C	0.4000E+02	0.3000E+02	0.3000E+02	0.2500E+02	0.2619E+02	0.2500E+02	0.2500E+02
PRESSURE, ATM	0.9656E+00	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01
PRESSURE, PSIG	-0.5055E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
PRESSURE, MM HG	0.7339E+03						
ENTHALPY, PCU/HR	0.6421E+05	0.2806E+06	0.1050E+05	0.3301E+05	0.3588E+05	0.1150E+04	0.1757E+04
VAPOR FLOW, CFM	0.6155E+03						
LIQUID FLOW, GPM		0.1927E+02	0.8048E+00	0.2627E+01	0.2757E+01	0.9055E-01	0.1481E+00
DENSITY, LBS/FT ³	0.6524E-01	0.7463E+02	0.7423E+02	0.6247E+02	0.6759E+02	0.9533E+02	0.8519E+02
PHASE	VAPOR	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1A. In-Tank Precipitation and Salt Decontamination

STREAM NUMBERS -> STREAM NAME	414 Washed Prec to Storage	454 40% NaNO ₂ add to TK49	416 Gas Purge In-tnk Pptn	417 Precip Strg Vnt to Atmo	420 Spent Late Wash Recycle	672 Spent Late Wash Soluble	673 Spent Late Wash Insolbl
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	0.2059E-06	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	0.8746E-08	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	0.5823E-08	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	0.3451E+00	ZERO	ZERO	0.2319E-09	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	0.3300E-02	ZERO	ZERO	0.1086E-09	0.3998E+00	0.3998E+00	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	0.3173E-05	ZERO	ZERO	0.5111E+00	0.7436E-02	0.7436E-02	ZERO
155 (CH3)2CHOH	0.2221E-06	ZERO	ZERO	0.2136E-06	0.1232E-08	0.1232E-08	ZERO
154 (CH3OH)	0.1671E-07	ZERO	ZERO	0.1592E-07	0.1448E-09	0.1448E-09	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	0.3054E-02	ZERO	ZERO	0.1909E-11	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.6708E-01	ZERO	ZERO	0.8112E-10	ZERO	ZERO	ZERO
106 B2O3	0.1670E-02	ZERO	ZERO	0.1044E-11	ZERO	ZERO	ZERO
9 Ba(OH)2	0.1309E-10	ZERO	ZERO	0.8186E-20	0.1252E-14	0.1252E-14	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	0.1793E-02	ZERO	ZERO	0.1121E-11	ZERO	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.8087E-06	ZERO	0.3320E+00	ZERO	ZERO	ZERO	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.3698E-04	ZERO	ZERO	ZERO	0.3561E-04	0.3561E-04	0.2332E-11
120 Ca(OH)2	0.3813E-05	ZERO	ZERO	0.2384E-14	0.3672E-05	0.3672E-05	ZERO
113 Ca3(PO4)2	0.5607E+00	ZERO	ZERO	0.3506E-09	ZERO	ZERO	ZERO
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	0.1912E+00	ZERO	ZERO	0.1195E-09	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	0.1451E-04	ZERO	ZERO	ZERO	0.1397E-04	0.1397E-04	ZERO
59 CoO	0.1028E-03	ZERO	ZERO	0.6426E-13	ZERO	ZERO	ZERO
98 Cr2O3	0.2616E+00	ZERO	ZERO	0.1636E-09	ZERO	ZERO	ZERO
42 Cs2O	0.3848E-04	ZERO	ZERO	0.2406E-13	ZERO	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	0.1710E-08	ZERO	ZERO	0.1088E-11	0.4663E-04	0.4663E-04	ZERO
151 CsTPB	0.1102E+00	ZERO	ZERO	0.6561E-10	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1A. In-Tank Precipitation and Salt Decontamination

STREAM NUMBERS (CONT'D) ->	414	454	416	417	420	672	673
STREAM NAME	Washed Prec to Storage	40% NaNO ₂ add to TK49	Gas Purge In-tnk Pptn	Precip Strg Vnt to Atmo	Spent Late Wash Recycle	Spent Late Wash Soluble	Spent Late Wash Insolbl
54 Cu(COOH) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu(NO ₃) ₂	0.3424E-05	ZERO	ZERO	ZERO	0.3297E-05	0.3297E-05	ZERO
55 CuO	0.1061E-02	ZERO	ZERO	0.6637E-12	ZERO	ZERO	ZERO
80 Fe ₂ O ₃	0.1587E+00	ZERO	ZERO	0.9925E-10	ZERO	ZERO	ZERO
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	0.6580E-04	ZERO	ZERO	0.4114E-13	0.6336E-04	ZERO	0.6336E-04
103 Group B	0.2023E-05	ZERO	ZERO	0.1265E-14	0.1948E-05	ZERO	0.1948E-05
25 H ₂	0.2529E-09	ZERO	ZERO	0.1045E-01	0.5781E-10	0.5781E-10	ZERO
158 H ₂ C ₂ O ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H ₂ SO ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H ₃ BO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg(C ₆ H ₅) ₂	0.3797E+00	ZERO	ZERO	0.2374E-09	ZERO	ZERO	ZERO
135 Hg(NO ₃) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg ₂ C ₁₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg ₂ I ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	0.3719E-03	ZERO	ZERO	0.2326E-12	ZERO	ZERO	ZERO
97 I ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K ₂ CO ₃	0.5270E-06	ZERO	ZERO	ZERO	0.5063E-03	ZERO	ZERO
39 K ₂ O	0.6882E-02	ZERO	ZERO	0.4304E-11	ZERO	ZERO	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	ZERO	0.1328E-11	0.2796E-05	0.2796E-05	ZERO
150 KTPB	0.4280E+02	ZERO	ZERO	0.2551E-07	ZERO	ZERO	ZERO
105 La ₂ O ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li ₂ O	0.2948E-03	ZERO	ZERO	0.1843E-12	ZERO	ZERO	ZERO
65 Mg(COOH) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg(NO ₃) ₂	0.1418E-05	ZERO	ZERO	ZERO	0.1366E-05	0.1366E-05	ZERO
33 MgO	0.1725E-02	ZERO	ZERO	0.1079E-11	ZERO	ZERO	ZERO
60 Mn(COOH) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn(NO ₃) ₂	0.1653E-05	ZERO	ZERO	ZERO	0.1591E-05	0.1591E-05	ZERO
180 Mn ₃ O ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO ₂	0.3295E-02	ZERO	ZERO	0.2061E-11	ZERO	ZERO	ZERO
145 MoO ₂	0.1096E-03	ZERO	ZERO	0.6853E-13	ZERO	ZERO	ZERO
81 N ₂	0.1465E-03	ZERO	0.2207E+04	0.2207E+04	0.2990E-01	0.2990E-01	ZERO
74 N ₂ O	0.3360E-17	ZERO	ZERO	0.7061E-01	0.8164E-09	0.8164E-09	ZERO
182 NH ₃	0.6480E-04	ZERO	ZERO	0.2598E-01	0.2005E-04	0.2005E-04	ZERO
114 NH ₃ OHNO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH ₄ COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH ₄ NO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH ₄ OH	0.3258E-03	ZERO	ZERO	0.1701E-09	ZERO	ZERO	ZERO
148 NH ₄ TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1A. In-Tank Precipitation and Salt Decontamination

STREAM NUMBERS (CONT'D) ->	414	454	416	417	420	672	673
STREAM NAME	Washed Prec to Storage	40% NaNO ₂ add to TK49	Gas Purge In-tnk Pptn	Precip Strg Vnt to Atmo	Spent Late Wash Recycle	Spent Late Wash Soluble	Spent Late Wash Insolbl
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na (HgO (OH))	0.2853E-06	ZERO	ZERO	0.1784E-15	0.3027E-09	0.3027E-09	ZERO
94 Na ₂ B ₄ O ₇	0.3390E-03	ZERO	ZERO	0.1730E-09	0.2664E+00	0.2664E+00	ZERO
109 Na ₂ C ₂ O ₄	0.4121E-02	ZERO	ZERO	0.1318E-09	0.1441E+01	0.1441E+01	ZERO
5 Na ₂ CO ₃	0.5152E+00	ZERO	ZERO	0.2646E-08	0.4359E+01	0.4359E+01	ZERO
143 Na ₂ CO ₃ (C14)	0.7626E-08	ZERO	ZERO	0.4768E-17	0.7343E-08	0.7343E-08	ZERO
89 Na ₂ CrO ₄	0.2807E-02	ZERO	ZERO	0.1755E-11	0.2703E-02	0.2703E-02	ZERO
115 Na ₂ MoO ₄	0.8382E-03	ZERO	ZERO	0.5241E-12	0.8072E-03	0.8072E-03	ZERO
32 Na ₂ O	0.1003E+01	ZERO	ZERO	0.6274E-09	ZERO	ZERO	ZERO
71 Na ₂ PuO ₂ (OH) 4	0.2520E-08	ZERO	ZERO	0.1576E-17	0.3374E-10	0.3374E-10	ZERO
73 Na ₂ RhO ₄	0.2033E-04	ZERO	ZERO	0.1272E-13	0.1958E-04	0.1958E-04	ZERO
72 Na ₂ RuO ₄	0.1071E-03	ZERO	ZERO	0.6696E-13	0.1031E-03	0.1031E-03	ZERO
6 Na ₂ SO ₄	0.2921E-01	ZERO	ZERO	0.1827E-10	0.2813E-01	0.2813E-01	ZERO
88 Na ₂ SiO ₃	0.8130E-03	ZERO	ZERO	0.5083E-12	0.7829E-03	0.7829E-03	ZERO
87 Na ₃ PO ₄	0.3880E-01	ZERO	ZERO	0.2426E-10	0.3736E-01	0.3736E-01	ZERO
91 NaAg (OH) 2	0.7545E-08	ZERO	ZERO	0.4718E-17	0.1443E-10	0.1443E-10	ZERO
75 NaAl (OH) 4	0.1460E+00	ZERO	ZERO	0.6291E-12	0.9688E-03	0.9688E-03	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	0.2298E-02	ZERO	ZERO	0.1437E-11	0.2085E-01	0.2085E-01	ZERO
69 NaF	0.2246E-02	ZERO	ZERO	0.1404E-11	0.2163E-02	0.2163E-02	ZERO
11 NaHCO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.1504E-05	ZERO	ZERO	0.9407E-15	0.1449E-05	0.1449E-05	ZERO
3 NaNO ₂	0.7647E+01	ZERO	ZERO	0.4987E-08	0.7681E+01	0.7681E+01	ZERO
2 NaNO ₃	0.1408E+01	ZERO	ZERO	0.3714E-09	0.5719E+00	0.5719E+00	0.3959E-07
4 NaOH	0.2809E+01	ZERO	ZERO	0.9831E-11	0.8668E+02	0.8668E+02	ZERO
149 NaTPB	0.3008E-01	ZERO	ZERO	ZERO	0.2125E+01	0.2125E+01	ZERO
160 NaTcO ₄	0.6748E-04	ZERO	ZERO	ZERO	0.6498E-04	0.6498E-04	ZERO
152 NaTi ₂ O ₅ H	0.9793E+00	ZERO	ZERO	0.6123E-09	ZERO	ZERO	ZERO
181 Nd ₂ O ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni (NO ₃) 2	0.1805E-04	ZERO	ZERO	ZERO	0.1738E-04	0.1738E-04	0.1298E-11
40 NiO	0.1037E-02	ZERO	ZERO	0.6486E-12	ZERO	ZERO	ZERO
82 O ₂	0.1751E-04	ZERO	0.1362E+03	0.1351E+03	0.1334E-02	0.1334E-02	ZERO
175 Pb (NO ₃) 2	0.4383E-04	ZERO	ZERO	ZERO	0.4220E-04	0.4220E-04	ZERO
86 PbCO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO ₄	0.4362E-02	ZERO	ZERO	0.2728E-11	ZERO	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd (NO ₃) 2	0.1809E-06	ZERO	ZERO	0.1131E-15	0.1742E-06	0.1742E-06	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO ₂	0.3209E-04	ZERO	ZERO	0.2007E-13	ZERO	ZERO	ZERO
156 PuO ₂ (NaTi ₂ O ₅) 2	0.1272E-03	ZERO	ZERO	0.7954E-13	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO ₂	0.4424E-02	ZERO	ZERO	0.2766E-11	ZERO	ZERO	ZERO
83 RuO ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1A. In-Tank Precipitation and Salt Decontamination

STREAM NUMBERS (CONT'D) -> STREAM NAME	414 Washed Prec to Storage	454 40% NaNO ₂ add to TK49	416 Gas Purge In-tnk Pptn	417 Precip Strg Vnt to Atmo	420 Spent Late Wash Recycle	672 Spent Late Wash Soluble	673 Spent Late Wash Insolbl
38 SO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs ₂ O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na ₂ B ₄ O ₇	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO ₂	0.2666E-01	ZERO	ZERO	0.1667E-10	ZERO	ZERO	ZERO
48 Sr(COOH) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO ₃) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi ₂ O ₅) ₂	0.4072E-02	ZERO	ZERO	0.2546E-11	ZERO	ZERO	ZERO
127 Sr(OH) ₂	0.6716E-08	ZERO	ZERO	0.4200E-17	0.1926E-10	0.1926E-10	ZERO
30 SrCO ₃	0.9081E-04	ZERO	ZERO	0.5679E-13	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TeO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
92 ThO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO ₂	0.1213E-02	ZERO	ZERO	0.7587E-12	ZERO	ZERO	ZERO
119 Tritium	0.4194E-10	ZERO	ZERO	0.6692E-11	0.3304E-10	0.3304E-10	ZERO
17 U ₃ O ₈	0.7512E-03	ZERO	ZERO	0.4697E-12	ZERO	ZERO	ZERO
62 UO ₂ (COOH) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO ₂ (NO ₃) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO ₂ (OH) ₂	0.2900E-04	ZERO	ZERO	0.1813E-13	0.2792E-04	0.2792E-04	ZERO
27 Y(COOH) ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO ₃) ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH) ₃	0.3135E-08	ZERO	ZERO	0.1960E-17	0.2140E-10	0.2140E-10	ZERO
31 Y ₂ (CO ₃) ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y ₂ O ₃	0.9683E-03	ZERO	ZERO	0.6054E-12	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO ₃) ₂	0.1440E-02	ZERO	ZERO	ZERO	0.1387E-02	0.1387E-02	ZERO
57 ZnO	0.1980E+00	ZERO	ZERO	0.1238E-09	ZERO	ZERO	ZERO
104 ZrO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H ₂ O	0.2665E-02	ZERO	ZERO	0.2244E-10	ZERO	ZERO	ZERO
1 water	0.4114E+03	ZERO	0.9860E+01	0.1631E+02	0.1753E+04	0.1753E+04	ZERO
TOTAL FLOW, LB/HR	0.4712E+03	ZERO	0.2354E+04	0.2359E+04	0.1856E+04	0.1856E+04	0.6534E-04
TEMPERATURE, DEG C	0.3000E+02	0.2500E+02	0.3500E+02	0.4000E+02	0.3989E+02	0.3989E+02	0.3989E+02
PRESSURE, ATM	0.1000E+01	0.1000E+01	0.1000E+01	0.9656E+00	0.9656E+00	0.9656E+00	0.9656E+00
PRESSURE, PSIG	ZERO	ZERO	ZERO	-0.5055E+00	-0.5055E+00	-0.5055E+00	-0.5055E+00
PRESSURE, MM HG				0.7339E+03	0.7339E+03	0.7339E+03	0.7339E+03
ENTHALPY, PCU/HR	0.1249E+05	ZERO	0.2744E+05	0.3425E+05	0.7132E+05	0.7132E+05	0.1587E-03
VAPOR FLOW, CFM			0.5641E+03	0.5960E+03			
LIQUID FLOW, GPM	0.9134E+00				0.3569E+01	0.3569E+01	0.1771E-07
DENSITY, LBS/FT ³	0.6432E+02	ZERO	0.6954E-01	0.6597E-01	0.6484E+02	0.6484E+02	0.4601E+03
PHASE	LIQUID	LIQUID	VAPOR	VAPOR	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1A. In-Tank Precipitation and Salt Decontamination

STREAM NUMBERS -> STREAM NAME	412		413		462		463		418		655		656	
	Spnt Wash Strge Purge	Ppt Wsh Vnt to	Strg Atmo	50 wt% addn to	NaOH TK22	40 wt% addn to	NaNO2 TK22	Prec Tank bottoms	Storage Prec	Late Wash Soluble	Fd Prec	Late Wash Prec	Fd Insolub	
COMPONENT FLOWS, LB/HR														
122 (C6H5)2	ZERO		ZERO		ZERO		ZERO	0.3293E+00		ZERO		0.3293E+00		
123 (C6H5)2C6H4	ZERO		ZERO		ZERO		ZERO	0.1399E-01		ZERO		0.1399E-01		
118 (C6H5)2NH	ZERO		ZERO		ZERO		ZERO	0.9313E-02		ZERO		0.9313E-02		
133 (C6H5B(OH)2 salt)	ZERO		ZERO		ZERO		ZERO	0.3708E+00		ZERO		0.3708E+00		
132 (C6H5B(OH)2)	ZERO		ZERO		ZERO		ZERO	ZERO		ZERO		ZERO		
166 (C6H5C6H4OH)	ZERO		ZERO		ZERO		ZERO	0.3026E-01		ZERO		0.3026E-01		
162 (C6H5NH2)	ZERO		ZERO		ZERO		ZERO	ZERO		ZERO		ZERO		
163 (C6H5NHCHO)	ZERO		ZERO		ZERO		ZERO	ZERO		ZERO		ZERO		
165 (C6H5NO)	ZERO		ZERO		ZERO		ZERO	ZERO		ZERO		ZERO		
164 (C6H5NO2)	ZERO		ZERO		ZERO		ZERO	ZERO		ZERO		ZERO		
131 (C6H5OH salt)	ZERO	0.9168E-11			ZERO		ZERO	0.1736E+00		0.1736E+00		ZERO		
130 (C6H5OH)	ZERO		ZERO		ZERO		ZERO	ZERO		ZERO		ZERO		
121 (C6H6)	ZERO	0.7417E-02			ZERO		ZERO	0.2941E+00		0.2941E+00		ZERO		
155 (CH3)2CHOH	ZERO	0.2977E-05			ZERO		ZERO	0.8484E-08		0.8484E-08		ZERO		
154 (CH3OH)	ZERO	0.1929E-06			ZERO		ZERO	0.7905E-09		0.7905E-09		ZERO		
45 Ag	ZERO		ZERO		ZERO		ZERO	ZERO		ZERO		ZERO		
116 Ag2O	ZERO		ZERO		ZERO		ZERO	0.3054E-02		ZERO		0.3054E-02		
134 AgNO3	ZERO		ZERO		ZERO		ZERO	ZERO		ZERO		ZERO		
77 Al2O3	ZERO		ZERO		ZERO		ZERO	0.1297E+00		ZERO		0.1297E+00		
106 B2O3	ZERO		ZERO		ZERO		ZERO	0.1670E-02		ZERO		0.1670E-02		
9 Ba(OH)2	ZERO	0.8141E-20			ZERO		ZERO	0.1309E-10		0.1309E-10		ZERO		
15 BaO	ZERO		ZERO		ZERO		ZERO	ZERO		ZERO		ZERO		
24 BaSO4	ZERO		ZERO		ZERO		ZERO	0.1793E-02		ZERO		0.1793E-02		
66 CO	ZERO		ZERO		ZERO		ZERO	ZERO		ZERO		ZERO		
37 CO2	0.2656E+00	0.2645E+00			ZERO		ZERO	ZERO		ZERO		ZERO		
142 CO2 (C14)	ZERO		ZERO		ZERO		ZERO	ZERO		ZERO		ZERO		
63 Ca(COOH)2	ZERO		ZERO		ZERO		ZERO	ZERO		ZERO		ZERO		
167 Ca(NO3)2	ZERO		ZERO		ZERO		ZERO	0.3698E-04		0.3698E-04		ZERO		
120 Ca(OH)2	ZERO	0.2437E-14			ZERO		ZERO	0.3813E-05		0.3813E-05		ZERO		
113 Ca3(PO4)2	ZERO		ZERO		ZERO		ZERO	0.5607E+00		ZERO		0.5607E+00		
20 CaC2O4	ZERO		ZERO		ZERO		ZERO	ZERO		ZERO		ZERO		
18 CaCO3	ZERO		ZERO		ZERO		ZERO	ZERO		ZERO		ZERO		
64 CaCO3 (C14)	ZERO		ZERO		ZERO		ZERO	ZERO		ZERO		ZERO		
78 CaF2	ZERO		ZERO		ZERO		ZERO	ZERO		ZERO		ZERO		
41 CaO	ZERO		ZERO		ZERO		ZERO	ZERO		ZERO		ZERO		
19 CaSO4	ZERO		ZERO		ZERO		ZERO	0.1912E+00		ZERO		0.1912E+00		
29 Carbon	ZERO		ZERO		ZERO		ZERO	ZERO		ZERO		ZERO		
99 Cement	ZERO		ZERO		ZERO		ZERO	ZERO		ZERO		ZERO		
26 Co(COOH)2	ZERO		ZERO		ZERO		ZERO	ZERO		ZERO		ZERO		
168 Co(NO3)2	ZERO		ZERO		ZERO		ZERO	0.1451E-04		0.1451E-04		ZERO		
59 CoO	ZERO		ZERO		ZERO		ZERO	0.1028E-03		ZERO		0.1028E-03		
98 Cr2O3	ZERO		ZERO		ZERO		ZERO	0.2616E+00		ZERO		0.2616E+00		
42 Cs2O	ZERO		ZERO		ZERO		ZERO	0.3848E-04		ZERO		0.3848E-04		
53 CsCOOH	ZERO		ZERO		ZERO		ZERO	ZERO		ZERO		ZERO		
96 CsCl	ZERO		ZERO		ZERO		ZERO	ZERO		ZERO		ZERO		
169 CsNO3	ZERO		ZERO		ZERO		ZERO	ZERO		ZERO		ZERO		
8 CsOH	ZERO	0.8310E-15			ZERO		ZERO	0.1740E-02		0.1740E-02		ZERO		
151 CsTPB	ZERO		ZERO		ZERO		ZERO	0.1049E+00		ZERO		0.1049E+00		

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1A. In-Tank Precipitation and Salt Decontamination

STREAM NUMBERS (CONT'D) ->	412	413	462	463	418	655	656
STREAM NAME	Spnt Wash Ppt Wsh Strg 50 wt% NaOH 40 wt% NaNO2 Prec Storage Late Wash Fd Late Wash Fd	Strge Purge Vnt to Atmo addn to TK22 addn to TK22 Tank bottoms Prec Soluble Prec Insolub					
54 Cu (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu (NO3) 2	ZERO	ZERO	ZERO	ZERO	0.3424E-05	0.3424E-05	ZERO
55 CuO	ZERO	ZERO	ZERO	ZERO	0.1061E-02	ZERO	0.1061E-02
80 Fe2O3	ZERO	ZERO	ZERO	ZERO	0.1587E+00	ZERO	0.1587E+00
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	ZERO	0.4204E-13	ZERO	ZERO	0.6580E-04	ZERO	0.6580E-04
103 Group B	ZERO	0.1292E-14	ZERO	ZERO	0.2023E-05	ZERO	0.2023E-05
25 H2	ZERO	0.8891E-08	ZERO	ZERO	0.3445E-07	0.3445E-07	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg (C6H5) 2	ZERO	ZERO	ZERO	ZERO	0.3797E+00	ZERO	0.3797E+00
135 Hg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	ZERO	ZERO	0.3719E-03	ZERO	0.3719E-03
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	0.3846E+00	ZERO	ZERO
39 K2O	ZERO	ZERO	ZERO	ZERO	0.6882E-02	ZERO	0.6882E-02
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	0.4977E-16	ZERO	ZERO	0.2124E-02	0.2124E-02	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	0.4079E+02	ZERO	0.4079E+02
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	ZERO	ZERO	ZERO	0.2948E-03	ZERO	0.2948E-03
65 Mg (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg (NO3) 2	ZERO	ZERO	ZERO	ZERO	0.1418E-05	0.1418E-05	ZERO
33 MgO	ZERO	ZERO	ZERO	ZERO	0.1725E-02	ZERO	0.1725E-02
60 Mn (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn (NO3) 2	ZERO	ZERO	ZERO	ZERO	0.1653E-05	0.1653E-05	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	ZERO	ZERO	ZERO	ZERO	0.3295E-02	ZERO	0.3295E-02
145 MoO2	ZERO	ZERO	ZERO	ZERO	0.1096E-03	ZERO	0.1096E-03
81 N2	0.3606E+03	0.3606E+03	ZERO	ZERO	0.6005E-02	0.6005E-02	ZERO
74 N2O	ZERO	0.8142E-09	ZERO	ZERO	0.4579E-05	0.4579E-05	ZERO
182 NH3	ZERO	0.1408E-02	ZERO	ZERO	0.3882E-03	0.3882E-03	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	0.2026E-09	ZERO	ZERO	0.2720E-03	0.2720E-03	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1A. In-Tank Precipitation and Salt Decontamination

STREAM NUMBERS (CONT'D) ->	412	413	462	463	418	655	656
STREAM NAME	Spnt Strge	Wash Purge Vnt to Strge	50 wt% NaOH addn to TK22	40 wt% NaNO2 addn to TK22	Prec Storage Tank bottoms	Late Wash Prec Soluble	Late Wash Fd Prec Insolub
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na(HgO(OH))	ZERO	0.1774E-15	ZERO	ZERO	0.2853E-06	0.2853E-06	ZERO
94 Na2B4O7	ZERO	0.4953E-11	ZERO	ZERO	0.2767E+00	0.2767E+00	ZERO
109 Na2C2O4	ZERO	0.2822E-10	ZERO	ZERO	0.2108E+00	0.2108E+00	ZERO
5 Na2CO3	ZERO	0.3979E-09	ZERO	ZERO	0.4232E+01	0.4232E+01	ZERO
143 Na2CO3 (C14)	ZERO	0.4873E-17	ZERO	ZERO	0.7626E-08	0.7626E-08	ZERO
89 Na2CrO4	ZERO	0.1794E-11	ZERO	ZERO	0.2807E-02	0.2807E-02	ZERO
115 Na2MoO4	ZERO	0.5356E-12	ZERO	ZERO	0.8382E-03	0.8382E-03	ZERO
32 Na2O	ZERO	ZERO	ZERO	ZERO	0.1003E+01	ZERO	0.1003E+01
71 Na2PuO2(OH)4	ZERO	0.1568E-17	ZERO	ZERO	0.2520E-08	0.2520E-08	ZERO
73 Na2RhO4	ZERO	0.1299E-13	ZERO	ZERO	0.2033E-04	0.2033E-04	ZERO
72 Na2RuO4	ZERO	0.6843E-13	ZERO	ZERO	0.1071E-03	0.1071E-03	ZERO
6 Na2SO4	ZERO	0.1867E-10	ZERO	ZERO	0.2921E-01	0.2921E-01	ZERO
88 Na2SiO3	ZERO	0.5195E-12	ZERO	ZERO	0.8130E-03	0.8130E-03	0.5550E-10
87 Na3PO4	ZERO	0.2479E-10	ZERO	ZERO	0.3880E-01	0.3880E-01	ZERO
91 NaAg(OH)2	ZERO	0.4692E-17	ZERO	ZERO	0.7545E-08	0.7545E-08	ZERO
75 NaAl(OH)4	ZERO	0.9084E-10	ZERO	ZERO	0.1006E-02	0.1006E-02	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	ZERO	0.1800E-11	ZERO	ZERO	0.2298E-02	0.2298E-02	ZERO
69 NaF	ZERO	0.1435E-11	ZERO	ZERO	0.2246E-02	0.2246E-02	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	0.9614E-15	ZERO	ZERO	0.1504E-05	0.1504E-05	ZERO
3 NaNO2	ZERO	0.9142E-09	ZERO	ZERO	0.7976E+01	0.7976E+01	ZERO
2 NaNO3	ZERO	0.8860E-09	ZERO	ZERO	0.5939E+00	0.5939E+00	0.3959E-07
4 NaOH	ZERO	0.2684E-08	0.7931E+01	ZERO	0.1572E-01	0.1572E-01	ZERO
149 NaTPB	ZERO	0.5652E-10	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	0.6748E-04	0.6748E-04	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	0.9792E+00	ZERO	0.9792E+00
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni(NO3)2	ZERO	ZERO	ZERO	ZERO	0.1805E-04	0.1805E-04	ZERO
40 NiO	ZERO	ZERO	ZERO	ZERO	0.1037E-02	ZERO	0.1037E-02
82 O2	0.1089E+03	0.1089E+03	ZERO	ZERO	0.7141E-03	0.7141E-03	ZERO
175 Pb(NO3)2	ZERO	ZERO	ZERO	ZERO	0.4383E-04	0.4383E-04	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	ZERO	ZERO	0.4362E-02	ZERO	0.4362E-02
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd(NO3)2	ZERO	0.1156E-15	ZERO	ZERO	0.1809E-06	0.1809E-06	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	ZERO	ZERO	ZERO	ZERO	0.3209E-04	ZERO	0.3209E-04
156 PuO2(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	0.1272E-03	ZERO	0.1272E-03
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	0.4424E-02	ZERO	0.4424E-02
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1A. In-Tank Precipitation and Salt Decontamination

STREAM NUMBERS (CONT'D) ->	412	413	462	463	418	655	656			
STREAM NAME	Spnt Wash Strge Purge	Ppt Wash Vnt to	Strg Atmo	50 wt% addn to	NaOH TK22	40 wt% addn to	NaNO2 TK22	Prec Storage Tank bottoms	Late Wash Prec Soluble	Late Wash Fd Insolub
38 SO2	ZERO		ZERO	ZERO	ZERO		ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO		ZERO	ZERO	ZERO		ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO		ZERO	ZERO	ZERO		ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO		ZERO	ZERO	ZERO		ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO		ZERO	ZERO	ZERO		ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO		ZERO	ZERO	ZERO		ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO		ZERO	ZERO	ZERO		ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO		ZERO	ZERO	ZERO		ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO		ZERO	ZERO	ZERO		ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO		ZERO	ZERO	ZERO		ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO		ZERO	ZERO	ZERO		ZERO	0.2666E-01	ZERO	0.2666E-01
48 Sr(COOH)2	ZERO		ZERO	ZERO	ZERO		ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO		ZERO	ZERO	ZERO		ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO		ZERO	ZERO	ZERO		ZERO	0.4072E-02	ZERO	0.4072E-02
127 Sr(OH)2	ZERO	0.4177E-17		ZERO	ZERO		ZERO	0.6716E-08	0.6716E-08	ZERO
30 SrCO3	ZERO		ZERO	ZERO	ZERO		ZERO	0.9081E-04	ZERO	0.9081E-04
46 SrO	ZERO		ZERO	ZERO	ZERO		ZERO	ZERO	ZERO	ZERO
159 TeO2	ZERO		ZERO	ZERO	ZERO		ZERO	ZERO	ZERO	ZERO
92 ThO2	ZERO		ZERO	ZERO	ZERO		ZERO	ZERO	ZERO	ZERO
107 TiO2	ZERO		ZERO	ZERO	ZERO		ZERO	0.1213E-02	ZERO	0.1213E-02
119 Tritium	ZERO	0.6438E-11		ZERO	ZERO		ZERO	0.3525E-10	0.3525E-10	ZERO
17 U3O8	ZERO		ZERO	ZERO	ZERO		ZERO	0.7512E-03	ZERO	0.7512E-03
62 UO2(COOH)2	ZERO		ZERO	ZERO	ZERO		ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO		ZERO	ZERO	ZERO		ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	0.1853E-13		ZERO	ZERO		ZERO	0.2900E-04	0.2900E-04	ZERO
27 Y(COOH)3	ZERO		ZERO	ZERO	ZERO		ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO		ZERO	ZERO	ZERO		ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	0.1950E-17		ZERO	ZERO		ZERO	0.3135E-08	0.3135E-08	ZERO
31 Y2(CO3)3	ZERO		ZERO	ZERO	ZERO		ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO		ZERO	ZERO	ZERO		ZERO	0.9683E-03	ZERO	0.9683E-03
100 Zeolite	ZERO		ZERO	ZERO	ZERO		ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO		ZERO	ZERO	ZERO		ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	ZERO		ZERO	ZERO	ZERO		ZERO	0.1440E-02	0.1440E-02	0.8612E-10
57 ZnO	ZERO		ZERO	ZERO	ZERO		ZERO	0.1980E+00	ZERO	0.1980E+00
104 ZrO2	ZERO		ZERO	ZERO	ZERO		ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO		ZERO	ZERO	ZERO		ZERO	0.3589E-01	ZERO	0.3589E-01
1 water	0.7888E+01	0.1279E+02		0.7931E+01			ZERO	0.4056E+03	0.4056E+03	ZERO
TOTAL FLOW, LB/HR	0.4777E+03	0.4825E+03		0.1586E+02			ZERO	0.4655E+03	0.4195E+03	0.4561E+02
TEMPERATURE, DEG C	0.3500E+02	0.4000E+02		0.2500E+02		0.2500E+02		0.3846E+02	0.3846E+02	0.3846E+02
PRESSURE, ATM	0.1000E+01	0.9656E+00		0.1000E+01		0.1000E+01		0.9656E+00	0.9656E+00	0.9656E+00
PRESSURE, PSIG	ZERO	-0.5055E+00		ZERO		ZERO		-0.5055E+00	-0.5055E+00	-0.5055E+00
PRESSURE, MM HG		0.7339E+03						0.7339E+03	0.7339E+03	0.7339E+03
ENTHALPY, PCU/HR	0.1003E+05	0.1359E+05		0.2634E+03			ZERO	0.1579E+05	0.1576E+05	0.2821E+02
VAPOR FLOW, CFM	0.1128E+03	0.1207E+03								
LIQUID FLOW, GPM				0.2074E-01				0.9016E+00	0.8208E+00	0.8042E-01
DENSITY, LBS/FT3	0.7057E-01	0.6666E-01		0.9533E+02			ZERO	0.6437E+02	0.6372E+02	0.7071E+02
PHASE	VAPOR	VAPOR		LIQUID		LIQUID		LIQUID	LIQUID	LIQUID

SECTION 1B. RE-PRECIPITATION / LATE WASHING IN AUXILIARY PUMP PIT

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1B. Re-precipitation and Late Washing

DESCRIPTION	PAGE
-----	----
1. STREAM NUMBERS 418, 655, 656, 458, 661, 662, 663	2
2. STREAM NUMBERS 664, 665, 419, 666, 660, 457, 667	6
3. STREAM NUMBERS 455, 456, 668, 669, 670, 671, 459	10
4. STREAM NUMBERS 420, 672, 673, 201, 657, 658, 460	14
5. STREAM NUMBERS 461	18

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1B. Re-precipitation and Late Washing

STREAM NUMBERS -> STREAM NAME	418 Prec Storage Tank bottoms	655 Late Wash Fd Prec Soluble	656 Late Wash Fd Prec Insolub	458 NaTPB addn to LWPT	661 LWPT Heel	662 Precip Trnsf Line Flush	663 X-Filtr Filtr to	Tube LWPT
COMPONENT FLOWS, LB/HR								
122 (C6H5)2	0.3293E+00	ZERO	0.3293E+00	ZERO	0.4174E-01	ZERO	ZERO	
123 (C6H5)2C6H4	0.1399E-01	ZERO	0.1399E-01	ZERO	0.1773E-02	ZERO	ZERO	
118 (C6H5)2NH	0.9313E-02	ZERO	0.9313E-02	ZERO	0.1180E-02	ZERO	ZERO	
133 (C6H5B(OH)2 salt)	0.3708E+00	ZERO	0.3708E+00	ZERO	0.4705E-01	ZERO	ZERO	
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
166 (C6H5C6H4OH)	0.3026E-01	ZERO	0.3026E-01	ZERO	0.3835E-02	ZERO	ZERO	
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
131 (C6H5OH salt)	0.1736E+00	0.1736E+00	ZERO	0.1581E+00	0.5707E-02	ZERO	0.1112E-02	
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
121 (C6H6)	0.2941E+00	0.2941E+00	ZERO	ZERO	0.1383E-02	ZERO	0.7552E-03	
155 (CH3)2CHOH	0.8484E-08	0.8484E-08	ZERO	ZERO	0.1089E-10	ZERO	0.5945E-11	
154 (CH3OH)	0.7905E-09	0.7905E-09	ZERO	ZERO	0.1194E-11	ZERO	0.6521E-12	
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
116 Ag2O	0.3054E-02	ZERO	0.3054E-02	ZERO	0.3871E-03	ZERO	ZERO	
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
77 Al2O3	0.1297E+00	ZERO	0.1297E+00	ZERO	0.1644E-01	ZERO	ZERO	
106 B2O3	0.1670E-02	ZERO	0.1670E-02	ZERO	0.2117E-03	ZERO	ZERO	
9 Ba(OH)2	0.1309E-10	0.1309E-10	ZERO	ZERO	0.6105E-17	ZERO	0.3333E-17	
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
24 BaSO4	0.1793E-02	ZERO	0.1793E-02	ZERO	0.2272E-03	ZERO	ZERO	
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
37 CO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
167 Ca(NO3)2	0.3698E-04	0.3698E-04	ZERO	ZERO	0.1736E-06	ZERO	0.9480E-07	
120 Ca(OH)2	0.3813E-05	0.3813E-05	ZERO	ZERO	0.1791E-07	ZERO	0.9776E-08	
113 Ca3(PO4)2	0.5607E+00	ZERO	0.5607E+00	ZERO	0.7107E-01	ZERO	ZERO	
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
19 CaSO4	0.1912E+00	ZERO	0.1912E+00	ZERO	0.2423E-01	ZERO	ZERO	
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
168 Co(NO3)2	0.1451E-04	0.1451E-04	ZERO	ZERO	0.6811E-07	ZERO	0.3719E-07	
59 CoO	0.1028E-03	ZERO	0.1028E-03	ZERO	0.1303E-04	ZERO	ZERO	
98 Cr2O3	0.2616E+00	ZERO	0.2616E+00	ZERO	0.3316E-01	ZERO	ZERO	
42 Cs2O	0.3848E-04	ZERO	0.3848E-04	ZERO	0.4877E-05	ZERO	ZERO	
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
8 CsOH	0.1740E-02	0.1740E-02	ZERO	ZERO	0.2274E-06	ZERO	0.1242E-06	
151 CsTPB	0.1049E+00	ZERO	0.1049E+00	ZERO	0.1395E-01	ZERO	ZERO	

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1B. Re-precipitation and Late Washing

STREAM NUMBERS (CONT'D) ->	418	655	656	458	661	662	663
STREAM NAME	Prec Storage Tank bottoms	Late Wash Fd Prec Soluble	Late Wash Fd Prec Insolub	NaTPB addn to LWPT	LWPT Heel	Precip Line	Trnsf X-Filtr Tube to LWPT
54 Cu (COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu (NO3)2	0.3424E-05	0.3424E-05	ZERO	ZERO	0.1608E-07	ZERO	0.8777E-08
55 CuO	0.1061E-02	ZERO	0.1061E-02	ZERO	0.1345E-03	ZERO	ZERO
80 Fe2O3	0.1587E+00	ZERO	0.1587E+00	ZERO	0.2012E-01	ZERO	ZERO
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	0.6580E-04	ZERO	0.6580E-04	ZERO	0.3089E-06	ZERO	0.1687E-06
103 Group B	0.2023E-05	ZERO	0.2023E-05	ZERO	0.9497E-08	ZERO	0.5185E-08
25 H2	0.3445E-07	0.3445E-07	ZERO	ZERO	0.9609E-12	ZERO	0.5246E-12
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg (C6H5)2	0.3797E+00	ZERO	0.3797E+00	ZERO	0.4813E-01	ZERO	ZERO
135 Hg (NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	0.3719E-03	ZERO	0.3719E-03	ZERO	0.4714E-04	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	0.3846E+00	ZERO	ZERO	ZERO	0.2469E-05	ZERO	0.1348E-05
39 K2O	0.6882E-02	ZERO	0.6882E-02	ZERO	0.8724E-03	ZERO	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	0.2124E-02	0.2124E-02	ZERO	ZERO	0.1364E-07	ZERO	0.7445E-08
150 KTPB	0.4079E+02	ZERO	0.4079E+02	ZERO	0.5425E+01	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	0.2948E-03	ZERO	0.2948E-03	ZERO	0.3736E-04	ZERO	ZERO
65 Mg (COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg (NO3)2	0.1418E-05	0.1418E-05	ZERO	ZERO	0.6660E-08	ZERO	0.3636E-08
33 MgO	0.1725E-02	ZERO	0.1725E-02	ZERO	0.2186E-03	ZERO	ZERO
60 Mn (COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn (NO3)2	0.1653E-05	0.1653E-05	ZERO	ZERO	0.7760E-08	ZERO	0.4237E-08
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	0.3295E-02	ZERO	0.3295E-02	ZERO	0.4177E-03	ZERO	ZERO
145 MoO2	0.1096E-03	ZERO	0.1096E-03	ZERO	0.1389E-04	ZERO	ZERO
81 N2	0.6005E-02	0.6005E-02	ZERO	ZERO	0.4380E-04	ZERO	0.2392E-04
74 N2O	0.4579E-05	0.4579E-05	ZERO	ZERO	0.1356E-10	ZERO	0.7405E-11
182 NH3	0.3882E-03	0.3882E-03	ZERO	ZERO	0.2315E-06	ZERO	0.1264E-06
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	0.2720E-03	0.2720E-03	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	0.3318E-03	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1B. Re-precipitation and Late Washing

STREAM NUMBERS (CONT'D) ->	418	655	656	458	661	662	663
STREAM NAME	Prec Storage Tank bottoms	Late Wash Fd Prec Soluble	Late Wash Fd Prec Insolub	NaTPB addn to LWPT	LWPT Heel	Precip Line Flush	Trnsf X-Filtr to Tube
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na (HgO (OH))	0.2853E-06	0.2853E-06	ZERO	ZERO	0.1476E-11	ZERO	0.8060E-12
94 Na2B4O7	0.2767E+00	0.2767E+00	ZERO	ZERO	0.1299E-02	ZERO	0.7093E-03
109 Na2C2O4	0.2108E+00	0.2108E+00	ZERO	ZERO	0.9900E-03	ZERO	0.5405E-03
5 Na2CO3	0.4232E+01	0.4232E+01	ZERO	ZERO	0.2125E-01	ZERO	0.1160E-01
143 Na2CO3 (C14)	0.7626E-08	0.7626E-08	ZERO	ZERO	0.3581E-10	ZERO	0.1955E-10
89 Na2CrO4	0.2807E-02	0.2807E-02	ZERO	ZERO	0.1318E-04	ZERO	0.7197E-05
115 Na2MoO4	0.8382E-03	0.8382E-03	ZERO	ZERO	0.3936E-05	ZERO	0.2149E-05
32 Na2O	0.1003E+01	ZERO	0.1003E+01	ZERO	0.1272E+00	ZERO	ZERO
71 Na2PuO2 (OH) 4	0.2520E-08	0.2520E-08	ZERO	ZERO	0.1645E-12	ZERO	0.8982E-13
73 Na2RhO4	0.2033E-04	0.2033E-04	ZERO	ZERO	0.9548E-07	ZERO	0.5213E-07
72 Na2RuO4	0.1071E-03	0.1071E-03	ZERO	ZERO	0.5028E-06	ZERO	0.2745E-06
6 Na2SO4	0.2921E-01	0.2921E-01	ZERO	ZERO	0.1372E-03	ZERO	0.7490E-04
88 Na2SiO3	0.8130E-03	0.8130E-03	0.5550E-10	ZERO	0.3817E-05	ZERO	0.2084E-05
87 Na3PO4	0.3880E-01	0.3880E-01	ZERO	ZERO	0.1822E-03	ZERO	0.9947E-04
91 NaAg (OH) 2	0.7545E-08	0.7545E-08	ZERO	ZERO	0.7034E-13	ZERO	0.3841E-13
75 NaAl (OH) 4	0.1006E-02	0.1006E-02	ZERO	ZERO	0.4724E-05	ZERO	0.2579E-05
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	0.2298E-02	0.2298E-02	ZERO	0.1268E-01	0.4030E-03	ZERO	0.5935E-04
69 NaF	0.2246E-02	0.2246E-02	ZERO	ZERO	0.1055E-04	ZERO	0.5758E-05
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.1504E-05	0.1504E-05	ZERO	ZERO	0.7064E-08	ZERO	0.3857E-08
3 NaNO2	0.7976E+01	0.7976E+01	ZERO	ZERO	0.3745E-01	ZERO	0.2045E-01
2 NaNO3	0.5939E+00	0.5939E+00	0.3959E-07	ZERO	0.2789E-02	ZERO	0.1523E-02
4 NaOH	0.1572E-01	0.1572E-01	ZERO	0.6324E-01	0.1243E-01	0.5503E-02	0.1012E-02
149 NaTPB	ZERO	ZERO	ZERO	0.2705E+01	0.7466E-01	ZERO	0.6477E-02
160 NaTcO4	0.6748E-04	0.6748E-04	ZERO	ZERO	0.3169E-06	ZERO	0.1730E-06
152 NaTi2O5H	0.9792E+00	ZERO	0.9792E+00	ZERO	0.1241E+00	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni (NO3) 2	0.1805E-04	0.1805E-04	ZERO	ZERO	0.8475E-07	ZERO	0.4627E-07
40 NiO	0.1037E-02	ZERO	0.1037E-02	ZERO	0.1315E-03	ZERO	ZERO
82 O2	0.7141E-03	0.7141E-03	ZERO	ZERO	0.4974E-05	ZERO	0.2716E-05
175 Pb (NO3) 2	0.4383E-04	0.4383E-04	ZERO	ZERO	0.2058E-06	ZERO	0.1124E-06
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.4362E-02	ZERO	0.4362E-02	ZERO	0.5530E-03	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	0.1809E-06	0.1809E-06	ZERO	ZERO	0.8494E-09	ZERO	0.4637E-09
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	0.3209E-04	ZERO	0.3209E-04	ZERO	0.4068E-05	ZERO	ZERO
156 PuO2 (NaTi2O5) 2	0.1272E-03	ZERO	0.1272E-03	ZERO	0.1612E-04	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	0.4424E-02	ZERO	0.4424E-02	ZERO	0.5607E-03	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1B. Re-precipitation and Late Washing

STREAM NUMBERS (CONT'D) ->	418	655	656	458	661	662	663
STREAM NAME	Prec Storage Tank bottoms	Late Wash Prec	Fd Soluble	Late Wash Fd Insolub	NaTPB addn to LWPT	LWPT Precip Heel Line	Tnsf X-Filtr Tube to LWPT
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.2666E-01	ZERO	0.2666E-01	ZERO	0.3379E-02	ZERO	ZERO
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	0.4072E-02	ZERO	0.4072E-02	ZERO	0.5162E-03	ZERO	ZERO
127 Sr(OH)2	0.6716E-08	0.6716E-08	ZERO	ZERO	0.9393E-13	ZERO	0.5128E-13
30 SrCO3	0.9081E-04	ZERO	0.9081E-04	ZERO	0.1151E-04	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TcO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	0.1213E-02	ZERO	0.1213E-02	ZERO	0.1538E-03	ZERO	ZERO
119 Tritium	0.3525E-10	0.3525E-10	ZERO	ZERO	0.1625E-12	ZERO	0.8872E-13
17 U3O8	0.7512E-03	ZERO	0.7512E-03	ZERO	0.9522E-04	ZERO	ZERO
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	0.2900E-04	0.2900E-04	ZERO	ZERO	0.1362E-06	ZERO	0.7434E-07
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	0.3135E-08	0.3135E-08	ZERO	ZERO	0.1043E-12	ZERO	0.5697E-13
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	0.9683E-03	ZERO	0.9683E-03	ZERO	0.1227E-03	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	0.1440E-02	0.1440E-02	0.8612E-10	ZERO	0.6763E-05	ZERO	0.3693E-05
57 ZnO	0.1980E+00	ZERO	0.1980E+00	ZERO	0.2509E-01	ZERO	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.3589E-01	ZERO	0.3589E-01	ZERO	0.4549E-02	ZERO	ZERO
1 water	0.4056E+03	0.4056E+03	ZERO	0.1287E+02	0.5417E+02	0.2751E+02	0.4565E+01
TOTAL FLOW, LB/HR	0.4655E+03	0.4195E+03	0.4561E+02	0.1581E+02	0.6037E+02	0.2752E+02	0.4609E+01
TEMPERATURE, DEG C	0.3846E+02	0.3846E+02	0.3846E+02	0.3500E+02	0.3619E+02	0.3500E+02	0.3619E+02
PRESSURE, ATM	0.9656E+00	0.9656E+00	0.9656E+00	0.1000E+01	0.9656E+00	0.1000E+01	0.9656E+00
PRESSURE, PSIG	-0.5055E+00	-0.5055E+00	-0.5055E+00	ZERO	-0.5055E+00	ZERO	-0.5055E+00
PRESSURE, MM HG	0.7339E+03	0.7339E+03	0.7339E+03		0.7339E+03		0.7339E+03
ENTHALPY, PCU/HR	0.1579E+05	0.1576E+05	0.2821E+02	0.4525E+03	0.1969E+04	0.9653E+03	0.1659E+03
VAPOR FLOW, CFM							
LIQUID FLOW, GPM	0.9016E+00	0.8208E+00	0.8042E-01	0.3100E-01	0.1190E+00	0.5495E-01	0.9158E-02
DENSITY, LBS/FT3	0.6437E+02	0.6372E+02	0.7071E+02	0.6358E+02	0.6322E+02	0.6244E+02	0.6275E+02
PHASE	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1B. Re-precipitation and Late Washing

STREAM NUMBERS -> STREAM NAME	664 X-Filtr Tube H2O Flush	665 X-Flow Filtr H2O Inventory	419 Precip slrry b4 Late Wash	666 Permeate dur Concentrat'n	660 NaTPB add to Late Wsh H2O	457 Late Wsh H2O Adj'd w/NaTPB	667 Permeate frm Late Wash
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	0.3711E+00	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	0.1576E-01	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	0.1049E-01	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	0.4183E+00	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	0.3409E-01	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	ZERO	ZERO	0.2768E+00	0.6204E-01	0.1129E+00	0.1129E+00	0.3378E+00
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	ZERO	ZERO	0.2424E+00	0.5433E-01	ZERO	ZERO	0.2293E+00
155 (CH3)2CHOH	ZERO	ZERO	0.1908E-08	0.1557E-08	ZERO	ZERO	0.1805E-08
154 (CH3OH)	ZERO	ZERO	0.2093E-09	0.1451E-09	ZERO	ZERO	0.1980E-09
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	ZERO	0.3441E-02	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	ZERO	0.1462E+00	ZERO	ZERO	ZERO	ZERO
106 B2O3	ZERO	ZERO	0.1882E-02	ZERO	ZERO	ZERO	ZERO
9 Ba(OH)2	ZERO	ZERO	0.1070E-14	0.2398E-15	ZERO	ZERO	0.1012E-14
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	ZERO	ZERO	0.2020E-02	ZERO	ZERO	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	0.3042E-04	0.6820E-05	ZERO	ZERO	0.2879E-04
120 Ca(OH)2	ZERO	ZERO	0.3138E-05	0.7034E-06	ZERO	ZERO	0.2969E-05
113 Ca3(PO4)2	ZERO	ZERO	0.6318E+00	ZERO	ZERO	ZERO	ZERO
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	ZERO	ZERO	0.2154E+00	ZERO	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	ZERO	0.1194E-04	0.2676E-05	ZERO	ZERO	0.1129E-04
59 CoO	ZERO	ZERO	0.1158E-03	ZERO	ZERO	ZERO	ZERO
98 Cr2O3	ZERO	ZERO	0.2948E+00	ZERO	ZERO	ZERO	ZERO
42 Cs2O	ZERO	ZERO	0.4335E-04	ZERO	ZERO	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	0.3985E-04	0.8932E-05	ZERO	ZERO	0.3770E-04
151 CsTPB	ZERO	ZERO	0.1240E+00	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1B. Re-precipitation and Late Washing

STREAM NUMBERS (CONT'D) ->	664	665	419	666	660	457	667
STREAM NAME	X-Filtr Tube H2O Flush	X-Flow Filtr H2O Inventory	Precip slrry b4 Late Wash	Permeate dur Concentrat'n	NaTPB add to Late Wsh H2O	Late Wsh H2O Adj'd w/NaTPB	Permeate frm Late Wash
54 Cu(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu(NO3)2	ZERO	ZERO	0.2817E-05	0.6315E-06	ZERO	ZERO	0.2665E-05
55 CuO	ZERO	ZERO	0.1196E-02	ZERO	ZERO	ZERO	ZERO
80 Fe2O3	ZERO	ZERO	0.1788E+00	ZERO	ZERO	ZERO	ZERO
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	ZERO	ZERO	0.5414E-04	0.1214E-04	ZERO	ZERO	0.5122E-04
103 Group B	ZERO	ZERO	0.1664E-05	0.3731E-06	ZERO	ZERO	0.1575E-05
25 H2	ZERO	ZERO	0.1684E-09	0.1121E-05	ZERO	ZERO	0.1593E-09
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg(C6H5)2	ZERO	ZERO	0.4278E+00	ZERO	ZERO	ZERO	ZERO
135 Hg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	0.4191E-03	ZERO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	0.4327E-03	0.9699E-04	ZERO	ZERO	0.4094E-03
39 K2O	ZERO	ZERO	0.7755E-02	ZERO	ZERO	ZERO	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	0.2389E-05	0.5356E-06	ZERO	ZERO	0.2261E-05
150 KTPB	ZERO	ZERO	0.4822E+02	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	ZERO	0.3321E-03	ZERO	ZERO	ZERO	ZERO
65 Mg(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg(NO3)2	ZERO	ZERO	0.1167E-05	0.2616E-06	ZERO	ZERO	0.1104E-05
33 MgO	ZERO	ZERO	0.1943E-02	ZERO	ZERO	ZERO	ZERO
60 Mn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn(NO3)2	ZERO	ZERO	0.1360E-05	0.3048E-06	ZERO	ZERO	0.1287E-05
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	ZERO	ZERO	0.3713E-02	ZERO	ZERO	ZERO	ZERO
145 MoO2	ZERO	ZERO	0.1235E-03	ZERO	ZERO	ZERO	ZERO
81 N2	ZERO	ZERO	0.7676E-02	0.1112E-02	ZERO	ZERO	0.7262E-02
74 N2O	ZERO	ZERO	0.2376E-08	0.8385E-06	ZERO	ZERO	0.2249E-08
182 NH3	ZERO	ZERO	0.4057E-04	0.7116E-04	ZERO	ZERO	0.3838E-04
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	0.2949E-02	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1B. Re-precipitation and Late Washing

STREAM NUMBERS (CONT'D) ->	664	665	419	666	660	457	667
STREAM NAME	X-Filtr Tube H2O Flush	X-Flow Filtr H2O Inventory	Precip slrry b4 Late Wash	Permeate dur Concentrat'n	NaTPB add to Late Wash H2O	Late Wsh H2O Adj'd w/NaTPB	Permeate frm Late Wash
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na (HgO (OH))	ZERO	ZERO	0.2587E-09	0.5799E-10	ZERO	ZERO	0.2447E-09
94 Na2B4O7	ZERO	ZERO	0.2277E+00	0.5104E-01	ZERO	ZERO	0.2154E+00
109 Na2C2O4	ZERO	ZERO	0.1735E+00	0.3889E-01	ZERO	ZERO	0.1641E+00
5 Na2CO3	ZERO	ZERO	0.3724E+01	0.8349E+00	ZERO	ZERO	0.3524E+01
143 Na2CO3 (C14)	ZERO	ZERO	0.6275E-08	0.1407E-08	ZERO	ZERO	0.5937E-08
89 Na2CrO4	ZERO	ZERO	0.2310E-02	0.5178E-03	ZERO	ZERO	0.2185E-02
115 Na2MoO4	ZERO	ZERO	0.6897E-03	0.1546E-03	ZERO	ZERO	0.6526E-03
32 Na2O	ZERO	ZERO	0.1130E+01	ZERO	ZERO	ZERO	ZERO
71 Na2PuO2 (OH) 4	ZERO	ZERO	0.2883E-10	0.6462E-11	ZERO	ZERO	0.2728E-10
73 Na2RhO4	ZERO	ZERO	0.1673E-04	0.3751E-05	ZERO	ZERO	0.1583E-04
72 Na2RuO4	ZERO	ZERO	0.8811E-04	0.1975E-04	ZERO	ZERO	0.8337E-04
6 Na2SO4	ZERO	ZERO	0.2404E-01	0.5389E-02	ZERO	ZERO	0.2274E-01
88 Na2SiO3	ZERO	ZERO	0.6689E-03	0.1500E-03	ZERO	ZERO	0.6329E-03
87 Na3PO4	ZERO	ZERO	0.3192E-01	0.7156E-02	ZERO	ZERO	0.3020E-01
91 NaAg (OH) 2	ZERO	ZERO	0.1233E-10	0.2763E-11	ZERO	ZERO	0.1166E-10
75 NaAl (OH) 4	ZERO	ZERO	0.8278E-03	0.1856E-03	ZERO	ZERO	0.7833E-03
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	ZERO	ZERO	0.1261E-01	0.2827E-02	0.9051E-02	0.9051E-02	0.1802E-01
69 NaF	ZERO	ZERO	0.1848E-02	0.4143E-03	ZERO	ZERO	0.1749E-02
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	ZERO	0.1238E-05	0.2775E-06	ZERO	ZERO	0.1171E-05
3 NaNO2	ZERO	ZERO	0.6563E+01	0.1471E+01	ZERO	ZERO	0.6209E+01
2 NaNO3	ZERO	ZERO	0.4887E+00	0.1096E+00	ZERO	ZERO	0.4624E+00
4 NaOH	0.1422E-01	ZERO	0.9354E-01	0.2097E-01	0.4514E-01	0.3251E+00	0.3072E+00
149 NaTPB	ZERO	ZERO	0.7056E+00	0.1582E+00	0.1931E+01	0.1931E+01	0.1967E+01
160 NaTcO4	ZERO	ZERO	0.5553E-04	0.1245E-04	ZERO	ZERO	0.5254E-04
152 NaTi2O5H	ZERO	ZERO	0.1103E+01	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni (NO3) 2	ZERO	ZERO	0.1485E-04	0.3329E-05	ZERO	ZERO	0.1405E-04
40 NiO	ZERO	ZERO	0.1169E-02	ZERO	ZERO	ZERO	ZERO
82 O2	ZERO	ZERO	0.8716E-03	0.1322E-03	ZERO	ZERO	0.8247E-03
175 Pb (NO3) 2	ZERO	ZERO	0.3606E-04	0.8084E-05	ZERO	ZERO	0.3412E-04
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	0.4915E-02	ZERO	ZERO	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	ZERO	ZERO	0.1488E-06	0.3337E-07	ZERO	ZERO	0.1408E-06
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	ZERO	ZERO	0.3616E-04	ZERO	ZERO	ZERO	ZERO
156 PuO2 (NaTi2O5) 2	ZERO	ZERO	0.1433E-03	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	0.4984E-02	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1B. Re-precipitation and Late Washing

STREAM NUMBERS (CONT'D) ->	664	665	419	666	660	457	667
STREAM NAME	X-Filtr H2O Flush	Tube X-Flow Filtr H2O Inventory	Precip slrry b4 Late Wash	Permeate dur Concentrat'n	NaTPB add to Late Wash H2O	Late Wsh H2O Adj'd w/NaTPB	Permeate frm Late Wash
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	ZERO	0.3003E-01	ZERO	ZERO	ZERO	ZERO
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	0.4588E-02	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	ZERO	ZERO	0.1646E-10	0.3690E-11	ZERO	ZERO	0.1557E-10
30 SrCO3	ZERO	ZERO	0.1023E-03	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TeO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	ZERO	ZERO	0.1367E-02	ZERO	ZERO	ZERO	ZERO
119 Tritium	ZERO	ZERO	0.2847E-10	0.6501E-11	ZERO	ZERO	0.2694E-10
17 U3O8	ZERO	ZERO	0.8464E-03	ZERO	ZERO	ZERO	ZERO
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	0.2386E-04	0.5349E-05	ZERO	ZERO	0.2257E-04
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	0.1828E-10	0.4099E-11	ZERO	ZERO	0.1730E-10
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	0.1091E-02	ZERO	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	ZERO	ZERO	0.1185E-02	0.2657E-03	ZERO	ZERO	0.1121E-02
57 ZnO	ZERO	ZERO	0.2231E+00	ZERO	ZERO	ZERO	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	0.4044E-01	ZERO	ZERO	ZERO	ZERO
1 water	0.7107E+02	ZERO	0.4633E+03	0.1054E+03	0.9189E+01	0.1409E+04	0.1386E+04
TOTAL FLOW, LB/HR	0.7109E+02	ZERO	0.5296E+03	0.1083E+03	0.1129E+02	0.1411E+04	0.1400E+04
TEMPERATURE, DEG C	0.3500E+02	0.3500E+02	0.3978E+02	0.3000E+02	0.3500E+02	0.3500E+02	0.3619E+02
PRESSURE, ATM	0.1000E+01	0.1000E+01	0.9656E+00	0.1000E+01	0.1000E+01	0.1000E+01	0.9656E+00
PRESSURE, PSIG	ZERO	ZERO	-0.5055E+00	ZERO	ZERO	ZERO	-0.5055E+00
PRESSURE, MM HG			0.7339E+03				0.7339E+03
ENTHALPY, PCU/HR	0.2494E+04	ZERO	0.1861E+05	0.3192E+04	0.3230E+03	0.4943E+05	0.5038E+05
VAPOR FLOW, CFM							
LIQUID FLOW, GPM	0.1419E+00		0.1031E+01	0.2129E+00	0.2213E-01	0.2817E+01	0.2781E+01
DENSITY, LBS/FT3	0.6244E+02	ZERO	0.6406E+02	0.6339E+02	0.6358E+02	0.6245E+02	0.6275E+02
PHASE	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1B. Re-precipitation and Late Washing

STREAM NUMBERS -> STREAM NAME	455 Air/N2 Purge to LWPT	456 LWPT Vent to Stack	668	669 LWHT 2 wt% H2C2O4 Heel addn to LWHT	670 2 wt% NaOH addn to LWHT	671 X-Flow Filtr H2O Flush	459 50% NaOH to LWHT
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	0.2559E-07	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	0.1087E-08	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	0.7235E-09	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	0.2884E-10	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	ZERO	0.1908E-10	0.1334E-01	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	ZERO	0.1671E-07	0.2480E-03	ZERO	ZERO	ZERO	ZERO
155 (CH3)2CHOH	ZERO	0.5036E-08	0.4111E-10	ZERO	ZERO	ZERO	ZERO
154 (CH3OH)	ZERO	0.4380E-09	0.4829E-11	ZERO	ZERO	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	0.2372E-12	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	0.1008E-10	ZERO	ZERO	ZERO	ZERO	ZERO
106 B2O3	ZERO	0.1298E-12	ZERO	ZERO	ZERO	ZERO	ZERO
9 Ba(OH)2	ZERO	TRACE	0.4176E-16	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	ZERO	0.1393E-12	ZERO	ZERO	ZERO	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	0.1188E-05	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	0.2164E-15	0.1225E-06	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	0.4356E-10	ZERO	ZERO	ZERO	ZERO	ZERO
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	ZERO	0.1485E-10	ZERO	ZERO	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	ZERO	0.4659E-06	ZERO	ZERO	ZERO	ZERO
59 CoO	ZERO	0.7984E-14	ZERO	ZERO	ZERO	ZERO	ZERO
98 Cr2O3	ZERO	0.2033E-10	ZERO	ZERO	ZERO	ZERO	ZERO
42 Cs2O	ZERO	0.2989E-14	ZERO	ZERO	ZERO	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	0.2748E-14	0.1555E-05	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	0.8549E-11	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1B. Re-precipitation and Late Washing

STREAM NUMBERS (CONT'D) ->	455	456	668	669	670	671	459
STREAM NAME	Air/N2 Purge to LWPT	LWPT Vent to Stack	LWHT 2 wt% H2C2O4 Heel addn to LWHT	2 wt% NaOH addn to LWHT	X-Flow H2O	Filtr Flush	50% NaOH to LWHT
54 Cu (COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu (NO3)2	ZERO	ZERO	0.1100E-06	ZERO	ZERO	ZERO	ZERO
55 CuO	ZERO	0.8246E-13	ZERO	ZERO	ZERO	ZERO	ZERO
80 Fe2O3	ZERO	0.1233E-10	ZERO	ZERO	ZERO	ZERO	ZERO
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	ZERO	0.3733E-14	0.2113E-05	ZERO	ZERO	ZERO	ZERO
103 Group B	ZERO	0.1148E-15	0.6497E-07	ZERO	ZERO	ZERO	ZERO
25 H2	ZERO	0.4999E-05	0.1928E-11	ZERO	ZERO	ZERO	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	0.8320E+00	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg (C6H5)2	ZERO	0.2950E-10	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	0.2890E-13	ZERO	ZERO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	0.1689E-04	ZERO	ZERO	ZERO	ZERO
39 K2O	ZERO	0.5347E-12	ZERO	ZERO	ZERO	ZERO	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	0.1648E-15	0.9328E-07	ZERO	ZERO	ZERO	ZERO
150 KTPB	ZERO	0.3325E-08	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	0.2290E-13	ZERO	ZERO	ZERO	ZERO	ZERO
65 Mg (COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg (NO3)2	ZERO	ZERO	0.4556E-07	ZERO	ZERO	ZERO	ZERO
33 MgO	ZERO	0.1340E-12	ZERO	ZERO	ZERO	ZERO	ZERO
60 Mn (COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn (NO3)2	ZERO	ZERO	0.5308E-07	ZERO	ZERO	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	ZERO	0.2560E-12	ZERO	ZERO	ZERO	ZERO	ZERO
145 MoO2	ZERO	0.8515E-14	ZERO	ZERO	ZERO	ZERO	ZERO
81 N2	0.2789E+03	0.2789E+03	0.9974E-03	ZERO	ZERO	ZERO	ZERO
74 N2O	ZERO	0.3738E-05	0.2723E-10	ZERO	ZERO	ZERO	ZERO
182 NH3	ZERO	0.2768E-03	0.6687E-06	ZERO	ZERO	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	0.2034E-12	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1B. Re-precipitation and Late Washing

STREAM NUMBERS (CONT'D) ->	455	456	668	669	670	671	459
STREAM NAME	Air/N2 Purge to LWPT	LWPT Vent to Stack	LWHT 2 wt% H2C2O4 Heel addn to LWHT	2 wt% NaOH addn to LWHT	X-Flow Filtr H2O Flush	50% NaOH to LWHT	
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
70 Na (HgO (OH))	ZERO	0.1784E-19	0.1010E-10	ZERO	ZERO	ZERO	
94 Na2B4O7	ZERO	0.1570E-10	0.8887E-02	ZERO	ZERO	ZERO	
109 Na2C2O4	ZERO	0.1196E-10	0.4808E-01	ZERO	ZERO	ZERO	
5 Na2CO3	ZERO	0.2568E-09	0.1454E+00	ZERO	ZERO	ZERO	
143 Na2CO3 (C14)	ZERO	0.4327E-18	0.2449E-09	ZERO	ZERO	ZERO	
89 Na2CrO4	ZERO	0.1593E-12	0.9017E-04	ZERO	ZERO	ZERO	
115 Na2MoO4	ZERO	0.4756E-13	0.2692E-04	ZERO	ZERO	ZERO	
32 Na2O	ZERO	0.7795E-10	ZERO	ZERO	ZERO	ZERO	
71 Na2PuO2 (OH) 4	ZERO	0.1988E-20	0.1125E-11	ZERO	ZERO	ZERO	
73 Na2RhO4	ZERO	0.1154E-14	0.6532E-06	ZERO	ZERO	ZERO	
72 Na2RuO4	ZERO	0.6075E-14	0.3440E-05	ZERO	ZERO	ZERO	
6 Na2SO4	ZERO	0.1658E-11	0.9384E-03	ZERO	ZERO	ZERO	
88 Na2SiO3	ZERO	0.4612E-13	0.2611E-04	ZERO	ZERO	ZERO	
87 Na3PO4	ZERO	0.2201E-11	0.1246E-02	ZERO	ZERO	ZERO	
91 NaAg (OH) 2	ZERO	0.8500E-21	0.4812E-12	ZERO	ZERO	ZERO	
75 NaAl (OH) 4	ZERO	0.5708E-13	0.3232E-04	ZERO	ZERO	ZERO	
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
7 NaCl	ZERO	0.8696E-12	0.6954E-03	ZERO	ZERO	ZERO	
69 NaF	ZERO	0.1274E-12	0.7214E-04	ZERO	ZERO	ZERO	
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
12 NaI	ZERO	0.8536E-16	0.4832E-07	ZERO	ZERO	ZERO	
3 NaNO2	ZERO	0.4525E-09	0.2562E+00	ZERO	ZERO	ZERO	
2 NaNO3	ZERO	0.3370E-10	0.1908E-01	ZERO	ZERO	ZERO	
4 NaOH	ZERO	0.6450E-11	0.2891E+01	ZERO	0.1209E+01	0.8586E+02	
149 NaTPB	ZERO	0.4865E-10	0.7088E-01	ZERO	ZERO	ZERO	
160 NaTcO4	ZERO	ZERO	0.2168E-05	ZERO	ZERO	ZERO	
152 NaTi2O5H	ZERO	0.7608E-10	ZERO	ZERO	ZERO	ZERO	
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
61 Ni (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
174 Ni (NO3) 2	ZERO	ZERO	0.5797E-06	ZERO	ZERO	ZERO	
40 NiO	ZERO	0.8059E-13	ZERO	ZERO	ZERO	ZERO	
82 O2	0.1634E+02	0.1634E+02	0.4450E-04	ZERO	ZERO	ZERO	
175 Pb (NO3) 2	ZERO	ZERO	0.1408E-05	ZERO	ZERO	ZERO	
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
28 PbSO4	ZERO	0.3389E-12	ZERO	ZERO	ZERO	ZERO	
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
112 Pd (NO3) 2	ZERO	0.1026E-16	0.5810E-08	ZERO	ZERO	ZERO	
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
76 PuO2	ZERO	0.2493E-14	ZERO	ZERO	ZERO	ZERO	
156 PuO2 (NaTi2O5) 2	ZERO	0.9883E-14	ZERO	ZERO	ZERO	ZERO	
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	
79 RuO2	ZERO	0.3437E-12	ZERO	ZERO	ZERO	ZERO	
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1B. Re-precipitation and Late Washing

STREAM NUMBERS (CONT'D) ->	455	456	668	669	670	671	459
STREAM NAME	Air/N2 Purge to LWPT	LWPT Vent to Stack	LWHT Heel	2 wt% H2C2O4 addn to LWHT	2 wt% NaOH addn to LWHT	X-Flow Filtr H2O Flush	50% NaOH to LWHT
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	0.2071E-11	ZERO	ZERO	ZERO	ZERO	ZERO
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	0.3164E-12	ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	ZERO	0.1135E-20	0.6425E-12	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	0.7056E-14	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TeO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	ZERO	0.9427E-13	ZERO	ZERO	ZERO	ZERO	ZERO
119 Tritium	ZERO	0.5244E-12	0.1102E-11	ZERO	ZERO	ZERO	ZERO
17 U3O8	ZERO	0.5836E-13	ZERO	ZERO	ZERO	ZERO	ZERO
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	0.1645E-14	0.9314E-06	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	0.1261E-20	0.7137E-12	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	0.7523E-13	ZERO	ZERO	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	ZERO	ZERO	0.4627E-04	ZERO	ZERO	ZERO	ZERO
57 ZnQ	ZERO	0.1538E-10	ZERO	ZERO	ZERO	ZERO	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	0.2788E-11	ZERO	ZERO	ZERO	ZERO	ZERO
1 water	0.1184E+01	0.8228E+01	0.5846E+02	0.4077E+02	0.5924E+02	0.9400E+02	0.8586E+02
TOTAL FLOW, LB/HR	0.2965E+03	0.3035E+03	0.6192E+02	0.4160E+02	0.6045E+02	0.9402E+02	0.1717E+03
TEMPERATURE, DEG C	0.3500E+02	ZERO	0.3989E+02	0.3500E+02	0.3500E+02	0.3500E+02	0.2500E+02
PRESSURE, ATM	0.1000E+01	0.9656E+00	0.9656E+00	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01
PRESSURE, PSIG	ZERO	-0.5055E+00	-0.5055E+00	ZERO	ZERO	ZERO	ZERO
PRESSURE, MM HG		0.7339E+03	0.7339E+03				
ENTHALPY, PCU/HR	0.3409E+04	0.5090E+04	0.2379E+04	0.1438E+04	0.2092E+04	0.3298E+04	0.2852E+04
VAPOR FLOW, CFM	0.7107E+02	0.6767E+02					
LIQUID FLOW, GPM			0.1190E+00	0.8242E-01	0.1190E+00	0.1877E+00	0.2246E+00
DENSITY, LBS/FT3	0.6952E-01	0.7476E-01	0.6484E+02	0.6293E+02	0.6330E+02	0.6244E+02	0.9533E+02
PHASE	VAPOR	VAPOR	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1B. Re-precipitation and Late Washing

STREAM NUMBERS -> STREAM NAME	420 Spent Late Wash Recycle	672 Spent Late Wash Soluble	673 Spent Late Wash Insolbl	201 Washd Precip Feed frm LWF	657 Prec Feed Solubles	658 Prec Feed Insolubles	460 Air/N2 Sparg to LWHT
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	0.3293E+00	ZERO	0.3293E+00	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	0.1399E-01	ZERO	0.1399E-01	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	0.9313E-02	ZERO	0.9313E-02	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	0.3712E+00	ZERO	0.3712E+00	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	0.3026E-01	ZERO	0.3026E-01	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	0.3998E+00	0.3998E+00	ZERO	0.4503E-01	0.4503E-01	ZERO	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	0.7436E-02	0.7436E-02	ZERO	0.1091E-01	0.1091E-01	ZERO	ZERO
155 (CH3)2CHOH	0.1232E-08	0.1232E-08	ZERO	0.8591E-10	0.8591E-10	ZERO	ZERO
154 (CH3OH)	0.1448E-09	0.1448E-09	ZERO	0.9422E-11	0.9422E-11	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	ZERO	ZERO	0.3054E-02	ZERO	0.3054E-02	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	ZERO	ZERO	0.1297E+00	ZERO	0.1297E+00	ZERO
106 B2O3	ZERO	ZERO	ZERO	0.1670E-02	ZERO	0.1670E-02	ZERO
9 Ba(OH)2	0.1252E-14	0.1252E-14	ZERO	0.4817E-16	0.4817E-16	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	ZERO	ZERO	ZERO	0.1793E-02	ZERO	0.1793E-02	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.3561E-04	0.3561E-04	0.2332E-11	0.1370E-05	0.1370E-05	ZERO	ZERO
120 Ca(OH)2	0.3672E-05	0.3672E-05	ZERO	0.1413E-06	0.1413E-06	ZERO	ZERO
113 Ca3(PO4)2	ZERO	ZERO	ZERO	0.5607E+00	ZERO	0.5607E+00	ZERO
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	ZERO	ZERO	ZERO	0.1912E+00	ZERO	0.1912E+00	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	0.1397E-04	0.1397E-04	ZERO	0.5373E-06	0.5373E-06	ZERO	ZERO
59 CoO	ZERO	ZERO	ZERO	0.1028E-03	ZERO	0.1028E-03	ZERO
98 Cr2O3	ZERO	ZERO	ZERO	0.2616E+00	ZERO	0.2616E+00	ZERO
42 Cs2O	ZERO	ZERO	ZERO	0.3848E-04	ZERO	0.3848E-04	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	0.4663E-04	0.4663E-04	ZERO	0.1794E-05	0.1794E-05	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	0.1100E+00	ZERO	0.1100E+00	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1B. Re-precipitation and Late Washing

STREAM NUMBERS (CONT'D) ->	420	672	673	201	657	658	460
STREAM NAME	Spent Late	Spent Late	Spent Late	Washd Precip	Prec Feed	Prec Feed	Air/N2 Sparg
	Wash Recycle	Wash Soluble	Wash Insolbl	Feed frm LWF	Solubles	Insolubles	to LWHT
54 Cu(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu(NO3)2	0.3297E-05	0.3297E-05	ZERO	0.1268E-06	0.1268E-06	ZERO	ZERO
55 CuO	ZERO	ZERO	ZERO	0.1061E-02	ZERO	0.1061E-02	ZERO
80 Fe2O3	ZERO	ZERO	ZERO	0.1587E+00	ZERO	0.1587E+00	ZERO
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	0.6336E-04	ZERO	0.6336E-04	0.2437E-05	ZERO	0.2437E-05	ZERO
103 Group B	0.1948E-05	ZERO	0.1948E-05	0.7493E-07	ZERO	0.7493E-07	ZERO
25 H2	0.5781E-10	0.5781E-10	ZERO	0.7581E-11	0.7581E-11	ZERO	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg(C6H5)2	ZERO	ZERO	ZERO	0.3797E+00	ZERO	0.3797E+00	ZERO
135 Hg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	ZERO	0.3719E-03	ZERO	0.3719E-03	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	0.5063E-03	ZERO	ZERO	0.1948E-04	ZERO	ZERO	ZERO
39 K2O	ZERO	ZERO	ZERO	0.6882E-02	ZERO	0.6882E-02	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	0.2796E-05	0.2796E-05	ZERO	0.1076E-06	0.1076E-06	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	0.4280E+02	ZERO	0.4280E+02	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	ZERO	ZERO	0.2948E-03	ZERO	0.2948E-03	ZERO
65 Mg(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg(NO3)2	0.1366E-05	0.1366E-05	ZERO	0.5254E-07	0.5254E-07	ZERO	ZERO
33 MgO	ZERO	ZERO	ZERO	0.1725E-02	ZERO	0.1725E-02	ZERO
60 Mn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn(NO3)2	0.1591E-05	0.1591E-05	ZERO	0.6122E-07	0.6122E-07	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	ZERO	ZERO	ZERO	0.3295E-02	ZERO	0.3295E-02	ZERO
145 MoO2	ZERO	ZERO	ZERO	0.1096E-03	ZERO	0.1096E-03	ZERO
81 N2	0.2990E-01	0.2990E-01	ZERO	0.3456E-03	0.3456E-03	ZERO	0.7099E+03
74 N2O	0.8164E-09	0.8164E-09	ZERO	0.1070E-09	0.1070E-09	ZERO	ZERO
182 NH3	0.2005E-04	0.2005E-04	ZERO	0.1826E-05	0.1826E-05	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	0.2617E-02	ZERO	0.2617E-02	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1B. Re-precipitation and Late Washing

STREAM NUMBERS (CONT'D) ->	420	672	673	201	657	658	460
STREAM NAME	Spent Late Wash Recycle	Spent Late Wash Soluble	Spent Late Wash Insolbl	Washd Precip Feed frm LWF	Prec Feed Solubles	Prec Feed Insolubles	Air/N2 Sparg to LWHT
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na (HgO (OH))	0.3027E-09	0.3027E-09	ZERO	0.1165E-10	0.1165E-10	ZERO	ZERO
94 Na2B4O7	0.2664E+00	0.2664E+00	ZERO	0.1025E-01	0.1025E-01	ZERO	ZERO
109 Na2C2O4	0.1441E+01	0.1441E+01	ZERO	0.7810E-02	0.7810E-02	ZERO	ZERO
5 Na2CO3	0.4359E+01	0.4359E+01	ZERO	0.1677E+00	0.1677E+00	ZERO	ZERO
143 Na2CO3 (C14)	0.7343E-08	0.7343E-08	ZERO	0.2825E-09	0.2825E-09	ZERO	ZERO
89 Na2CrO4	0.2703E-02	0.2703E-02	ZERO	0.1040E-03	0.1040E-03	ZERO	ZERO
115 Na2MoO4	0.8072E-03	0.8072E-03	ZERO	0.3105E-04	0.3105E-04	ZERO	ZERO
32 Na2O	ZERO	ZERO	ZERO	0.1003E+01	ZERO	0.1003E+01	ZERO
71 Na2PuO2 (OH) 4	0.3374E-10	0.3374E-10	ZERO	0.1298E-11	0.1298E-11	ZERO	ZERO
73 Na2RhO4	0.1958E-04	0.1958E-04	ZERO	0.7533E-06	0.7533E-06	ZERO	ZERO
72 Na2RuO4	0.1031E-03	0.1031E-03	ZERO	0.3967E-05	0.3967E-05	ZERO	ZERO
6 Na2SO4	0.2813E-01	0.2813E-01	ZERO	0.1082E-02	0.1082E-02	ZERO	ZERO
88 Na2SiO3	0.7829E-03	0.7829E-03	ZERO	0.3012E-04	0.3012E-04	ZERO	ZERO
87 Na3PO4	0.3736E-01	0.3736E-01	ZERO	0.1437E-02	0.1437E-02	ZERO	ZERO
91 NaAg (OH) 2	0.1443E-10	0.1443E-10	ZERO	0.5550E-12	0.5550E-12	ZERO	ZERO
75 NaAl (OH) 4	0.9688E-03	0.9688E-03	ZERO	0.3727E-04	0.3727E-04	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	0.2085E-01	0.2085E-01	ZERO	0.3180E-02	0.3180E-02	ZERO	ZERO
69 NaF	0.2163E-02	0.2163E-02	ZERO	0.8321E-04	0.8321E-04	ZERO	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.1449E-05	0.1449E-05	ZERO	0.5573E-07	0.5573E-07	ZERO	ZERO
3 NaNO2	0.7681E+01	0.7681E+01	ZERO	0.2955E+00	0.2955E+00	ZERO	ZERO
2 NaNO3	0.5719E+00	0.5719E+00	0.3959E-07	0.2200E-01	0.2200E-01	ZERO	ZERO
4 NaOH	0.8668E+02	0.8668E+02	ZERO	0.9803E-01	0.9803E-01	ZERO	ZERO
149 NaTPB	0.2125E+01	0.2125E+01	ZERO	0.5890E+00	0.5890E+00	ZERO	ZERO
160 NaTcO4	0.6498E-04	0.6498E-04	ZERO	0.2500E-05	0.2500E-05	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	0.9792E+00	ZERO	0.9792E+00	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni (NO3) 2	0.1738E-04	0.1738E-04	0.1298E-11	0.6686E-06	0.6686E-06	ZERO	ZERO
40 NiO	ZERO	ZERO	ZERO	0.1037E-02	ZERO	0.1037E-02	ZERO
82 O2	0.1334E-02	0.1334E-02	ZERO	0.3924E-04	0.3924E-04	ZERO	0.1634E+02
175 Pb (NO3) 2	0.4220E-04	0.4220E-04	ZERO	0.1624E-05	0.1624E-05	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	ZERO	0.4362E-02	ZERO	0.4362E-02	ZERO
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	0.1742E-06	0.1742E-06	ZERO	0.6701E-08	0.6701E-08	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	ZERO	ZERO	ZERO	0.3209E-04	ZERO	0.3209E-04	ZERO
156 PuO2 (NaTi2O5) 2	ZERO	ZERO	ZERO	0.1272E-03	ZERO	0.1272E-03	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	0.4424E-02	ZERO	0.4424E-02	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1B. Re-precipitation and Late Washing

STREAM NUMBERS (CONT'D) -> STREAM NAME	420 Spent Late Wash Recycle	672 Spent Late Wash Soluble	673 Spent Late Wash Insolbl	201 Feed frm LWF Washd Precip	657 Prec Feed Solubles	658 Prec Feed Insolubles	460 Air/N2 Sparg to LWHT
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	ZERO	ZERO	0.2666E-01	ZERO	0.2666E-01	ZERO
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	0.4072E-02	ZERO	0.4072E-02	ZERO
127 Sr(OH)2	0.1926E-10	0.1926E-10	ZERO	0.7410E-12	0.7410E-12	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	0.9081E-04	ZERO	0.9081E-04	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TcO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	ZERO	ZERO	ZERO	0.1213E-02	ZERO	0.1213E-02	ZERO
119 Tritium	0.3304E-10	0.3304E-10	ZERO	0.1282E-11	0.1282E-11	ZERO	ZERO
17 U3O8	ZERO	ZERO	ZERO	0.7512E-03	ZERO	0.7512E-03	ZERO
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	0.2792E-04	0.2792E-04	ZERO	0.1074E-05	0.1074E-05	0.6751E-13	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	0.2140E-10	0.2140E-10	ZERO	0.8232E-12	0.8232E-12	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	ZERO	0.9683E-03	ZERO	0.9683E-03	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	0.1387E-02	0.1387E-02	ZERO	0.5336E-04	0.5336E-04	ZERO	ZERO
57 ZnO	ZERO	ZERO	ZERO	0.1980E+00	ZERO	0.1980E+00	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	ZERO	0.3589E-01	ZERO	0.3589E-01	ZERO
1 water	0.1753E+04	0.1753E+04	ZERO	0.4274E+03	0.4274E+03	ZERO	0.1184E+01
TOTAL FLOW, LB/HR	0.1856E+04	0.1856E+04	0.6534E-04	0.4762E+03	0.4286E+03	0.4762E+02	0.7274E+03
TEMPERATURE, DEG C	0.3989E+02	0.3989E+02	0.3989E+02	0.3619E+02	0.3619E+02	0.3619E+02	0.3500E+02
PRESSURE, ATM	0.9656E+00	0.9656E+00	0.9656E+00	0.9656E+00	0.9656E+00	0.9656E+00	0.1000E+01
PRESSURE, PSIG	-0.5055E+00	-0.5055E+00	-0.5055E+00	-0.5055E+00	-0.5055E+00	-0.5055E+00	ZERO
PRESSURE, MM HG	0.7339E+03	0.7339E+03	0.7339E+03	0.7339E+03	0.7339E+03	0.7339E+03	
ENTHALPY, PCU/HR	0.7132E+05	0.7132E+05	0.1587E-03	0.1554E+05	0.1551E+05	0.2660E+02	0.7065E+04
VAPOR FLOW, CFM							0.1749E+03
LIQUID FLOW, GPM	0.3569E+01	0.3569E+01	0.1771E-07	0.9392E+00	0.8551E+00	0.8411E-01	
DENSITY, LBS/FT3	0.6484E+02	0.6484E+02	0.4601E+03	0.6322E+02	0.6249E+02	0.7060E+02	0.6933E-01
PHASE	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	VAPOR

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1B. Re-precipitation and Late Washing

STREAM NUMBERS ->	461
STREAM NAME	LWHT Htr HEPA vnt
COMPONENT FLOWS, LB/HR	
122 (C6H5)2	ZERO
123 (C6H5)2C6H4	ZERO
118 (C6H5)2NH	ZERO
133 (C6H5B(OH)2 salt)	ZERO
132 (C6H5B(OH)2)	ZERO
166 (C6H5C6H4OH)	ZERO
162 (C6H5NH2)	ZERO
163 (C6H5NHCHO)	ZERO
165 (C6H5NO)	ZERO
164 (C6H5NO2)	ZERO
131 (C6H5OH salt)	0.1959E-10
130 (C6H5OH)	ZERO
121 (C6H6)	0.2762E+00
155 (CH3)2CHOH	0.2130E-08
154 (CH3OH)	0.1983E-09
45 Ag	ZERO
116 Ag2O	ZERO
134 AgNO3	ZERO
77 Al2O3	ZERO
106 B2O3	ZERO
9 Ba(OH)2	TRACE
15 BaO	ZERO
24 BaSO4	ZERO
66 CO	ZERO
37 CO2	ZERO
142 CO2 (C14)	ZERO
63 Ca(COOH)2	ZERO
167 Ca(NO3)2	ZERO
120 Ca(OH)2	0.1799E-15
113 Ca3(PO4)2	ZERO
20 CaC2O4	ZERO
18 CaCO3	ZERO
64 CaCO3 (C14)	ZERO
78 CaF2	ZERO
41 CaO	ZERO
19 CaSO4	ZERO
29 Carbon	ZERO
99 Cement	ZERO
26 Co(COOH)2	ZERO
168 Co(NO3)2	ZERO
59 CoO	ZERO
98 Cr2O3	ZERO
42 Cs2O	ZERO
53 CsCOOH	ZERO
96 CsCl	ZERO
169 CsNO3	ZERO
8 CsOH	0.2285E-14
151 CsTPB	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1B. Re-precipitation and Late Washing

STREAM NUMBERS (CONT'D) ->	461
STREAM NAME	LWHT Htr HEPA vnt
54 Cu(COOH)2	ZERO
170 Cu(NO3)2	ZERO
55 CuO	ZERO
80 Fe2O3	ZERO
101 FeO	ZERO
102 Group A	0.3104E-14
103 Group B	0.9542E-16
25 H2	0.1121E-05
158 H2C2O4	ZERO
93 H2SO4	ZERO
90 H3BO3	ZERO
34 HCOOH	ZERO
43 HCl	ZERO
85 HF	ZERO
49 HNO3	ZERO
36 Hg	ZERO
129 Hg(C6H5)2	ZERO
135 Hg(NO3)2	ZERO
144 Hg2Cl2	ZERO
117 Hg2I2	ZERO
146 HgCl2	ZERO
21 HgO	ZERO
97 I2	ZERO
183 K2CO3	ZERO
39 K2O	ZERO
51 KCOOH	ZERO
157 KMnO4	ZERO
161 KNO3	ZERO
10 KOH	0.1370E-15
150 KTPB	ZERO
105 La2O3	ZERO
108 Li2O	ZERO
65 Mg(COOH)2	ZERO
171 Mg(NO3)2	ZERO
33 MgO	ZERO
60 Mn(COOH)2	ZERO
172 Mn(NO3)2	ZERO
180 Mn3O4	ZERO
56 MnO	ZERO
14 MnO2	ZERO
145 MoO2	ZERO
81 N2	0.7098E+03
74 N2O	0.8400E-06
182 NH3	0.8949E-04
114 NH3OHNO3	ZERO
52 NH4COOH	ZERO
173 NH4NO3	ZERO
68 NH4OH	ZERO
148 NH4TPB	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1B. Re-precipitation and Late Washing

STREAM NUMBERS (CONT'D) -->	461
STREAM NAME	LWHT Htr HEPA vnt
35 NO	ZERO
84 NO2	ZERO
70 Na (HgO (OH))	0.1483E-19
94 Na2B4O7	0.1305E-10
109 Na2C2O4	0.7062E-10
5 Na2CO3	0.2135E-09
143 Na2CO3 (C14)	0.3598E-18
89 Na2CrO4	0.1324E-12
115 Na2MoO4	0.3955E-13
32 Na2O	ZERO
71 Na2PuO2 (OH) 4	0.1653E-20
73 Na2RhO4	0.9594E-15
72 Na2RuO4	0.5052E-14
6 Na2SO4	0.1378E-11
88 Na2SiO3	0.3835E-13
87 Na3PO4	0.1830E-11
91 NaAg (OH) 2	0.7068E-21
75 NaAl (OH) 4	0.4747E-13
50 NaCOOH	ZERO
7 NaCl	0.1021E-11
69 NaF	0.1060E-12
11 NaHCO3	ZERO
12 NaI	0.7098E-16
3 NaNO2	0.3763E-09
2 NaNO3	0.2802E-10
4 NaOH	0.4247E-08
149 NaTPB	0.1041E-09
160 NaTcO4	ZERO
152 NaTi2O5H	ZERO
181 Nd2O3	ZERO
61 Ni (COOH) 2	ZERO
174 Ni (NO3) 2	ZERO
40 NiO	ZERO
82 O2	0.1634E+02
175 Pb (NO3) 2	ZERO
86 PbCO3	ZERO
67 PbO	ZERO
147 PbS	ZERO
28 PbSO4	ZERO
124 Pd	ZERO
112 Pd (NO3) 2	0.8534E-17
110 PdO	ZERO
76 PuO2	ZERO
156 PuO2 (NaTi2O5) 2	ZERO
58 Rh	ZERO
22 RhO2	ZERO
95 Ru	ZERO
79 RuO2	ZERO
83 RuO4	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1B. Re-precipitation and Late Washing

STREAM NUMBERS (CONT'D) ->	461
STREAM NAME	LWHT Htr
	HEPA vnt
38 SO2	ZERO
141 SO3	ZERO
137 Semi Vol Cs2O	ZERO
136 Semi Vol CsCl	ZERO
126 Semi Vol Group A	ZERO
140 Semi Vol Na2B4O7	ZERO
138 Semi Vol NaCl	ZERO
139 Semi Vol NaF	ZERO
125 Semi Vol NaI	ZERO
23 Semi Vol RuO2	ZERO
111 SiO2	ZERO
48 Sr(COOH)2	ZERO
176 Sr(NO3)2	ZERO
153 Sr(NaTi2O5)2	ZERO
127 Sr(OH)2	0.9438E-21
30 SrCO3	ZERO
46 SrO	ZERO
159 TcO2	ZERO
92 ThO2	ZERO
107 TiO2	ZERO
119 Tritium	0.3972E-12
17 U3O8	ZERO
62 UO2(COOH)2	ZERO
177 UO2(NO3)2	ZERO
16 UO2(OH)2	0.1368E-14
27 Y(COOH)3	ZERO
178 Y(NO3)3	ZERO
128 Y(OH)3	0.1048E-20
31 Y2(CO3)3	ZERO
47 Y2O3	ZERO
100 Zeolite	ZERO
44 Zn(COOH)2	ZERO
179 Zn(NO3)2	ZERO
57 ZnO	ZERO
104 ZrO2	ZERO
13 hydrate H2O	ZERO
1 water	0.2031E+02
TOTAL FLOW, LB/HR	0.7468E+03
TEMPERATURE, DEG C	ZERO
PRESSURE, ATM	0.9656E+00
PRESSURE, PSIG	-0.5055E+00
PRESSURE, MM HG	0.7339E+03
ENTHALPY, PCU/HR	0.1228E+05
VAPOR FLOW, CFM	0.1671E+03
LIQUID FLOW, GPM	
DENSITY, LBS/FT3	0.7448E-01
PHASE	VAPOR

SECTION 1C. EXTENDED SLUDGE PROCESSING

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1C. ESP Washing of Tank 51 Sludge

DESCRIPTION	PAGE
-----	----
1. STREAM NUMBERS 301, 302, 303, 328, 304, 305, 306	2
2. STREAM NUMBERS 307, 329, 330, 309, 310, 311, 315	6
3. STREAM NUMBERS 312, 313, 331, 314, 316, 317, 318	10
4. STREAM NUMBERS 319, 320, 321, 322, 308, 323, 324	14
5. STREAM NUMBERS 325, 332, 327, 326, 1, 678, 679	18

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1C. ESP Washing of Tank 51 Sludge

STREAM NUMBERS -> STREAM NAME	301 Insolubles in A/D Tank	302 Unwshd Sldg Solbl in A/D	303 Unwshd A/D Sldg Slurry	328 A/D Tank Heel	304 Insolubles in W/O Tank	305 Unwshd Sldg Solbl in W/O	306 Unwshd W/O Sldg Slurry
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
155 (CH3)2CHOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
154 (CH3OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	ZERO	ZERO	ZERO	0.1240E-01	ZERO	0.1240E-01
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	ZERO	ZERO	ZERO	0.1042E+02	ZERO	0.1042E+02
106 B2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	0.2484E-02	0.2484E-02
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	ZERO	ZERO	ZERO	ZERO	0.1802E-01	ZERO	0.1802E-01
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	0.1875E-03	0.1875E-03
113 Ca3(PO4)2	ZERO	ZERO	ZERO	ZERO	0.2516E+01	ZERO	0.2516E+01
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	0.3111E+01	ZERO	0.3111E+01
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	0.1532E-06	ZERO	0.1532E-06
78 CaF2	ZERO	ZERO	ZERO	ZERO	0.1828E-01	ZERO	0.1828E-01
41 CaO	ZERO	ZERO	ZERO	ZERO	0.4073E-02	ZERO	0.4073E-02
19 CaSO4	ZERO	ZERO	ZERO	ZERO	0.3611E-01	ZERO	0.3611E-01
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
59 CoO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
98 Cr2O3	ZERO	ZERO	ZERO	ZERO	0.1984E+00	ZERO	0.1984E+00
42 Cs2O	ZERO	ZERO	ZERO	ZERO	0.1240E-03	ZERO	0.1240E-03
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	0.6185E-04	0.6185E-04
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1C. ESP Washing of Tank 51 Sludge

STREAM NUMBERS (CONT'D) -> STREAM NAME	301 Insolubles in A/D Tank	302 Unwshd Sldg Solbl in A/D	303 Unwshd A/D Sldg Slurry	328 A/D Tank Heel	304 Insolubles in W/O Tank	305 Unwshd Sldg Solbl in W/O	306 Unwshd W/O Sldg Slurry
54 Cu(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
55 CuO	ZERO	ZERO	ZERO	ZERO	0.2549E-01	ZERO	0.2549E-01
80 Fe2O3	ZERO	ZERO	ZERO	ZERO	0.3416E+02	0.1400E-02	0.3416E+02
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	ZERO	ZERO	ZERO	ZERO	0.4005E-02	0.2114E-02	0.6119E-02
103 Group B	ZERO	ZERO	ZERO	ZERO	0.1833E-03	0.5104E-05	0.1884E-03
25 H2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg(C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	ZERO	ZERO	0.1686E+00	ZERO	0.1686E+00
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	ZERO	ZERO	ZERO	ZERO	0.8995E-01	ZERO	0.8995E-01
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	ZERO	ZERO	ZERO	0.1327E+00	0.1327E+00
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
65 Mg(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
33 MgO	ZERO	ZERO	ZERO	ZERO	0.1857E+01	ZERO	0.1857E+01
60 Mn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	ZERO	ZERO	ZERO	ZERO	0.3953E+01	ZERO	0.3953E+01
145 MoO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
81 N2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
74 N2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
182 NH3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	0.5091E-02	0.5091E-02
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
 Section 1C. ESP Washing of Tank 51 Sludge

STREAM NUMBERS (CONT'D) -> STREAM NAME	301 Insolubles in A/D Tank	302 Unwshd Sldg Solbl in A/D	303 Unwshd A/D Sldg Slurry	328 A/D Tank Heel	304 Insolubles in W/O Tank	305 Unwshd Sldg Solbl in W/O	306 Unwshd W/O Sldg Slurry
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO	0.2144E-02	0.2144E-02
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	0.2211E+01	0.2211E+01
5 Na2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	0.2057E+01	0.2057E+01
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	0.2527E-08	0.2527E-08
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	0.7738E-01	0.7738E-01
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	0.1275E-01	0.1275E-01
32 Na2O	ZERO	ZERO	ZERO	ZERO	0.3935E+01	ZERO	0.3935E+01
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	0.8369E-07	0.8369E-07
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	0.3235E-03	0.3235E-03
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	0.1383E-02	0.1383E-02
6 Na2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	0.1627E+01	0.1627E+01
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	0.6754E-01	0.6754E-01
87 Na3PO4	ZERO	ZERO	ZERO	ZERO	ZERO	0.9546E-02	0.9546E-02
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	0.1219E-02	0.1219E-02
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	0.2977E+01	0.2977E+01
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	0.5672E-01	0.5672E-01
69 NaF	ZERO	ZERO	ZERO	ZERO	ZERO	0.2853E+00	0.2853E+00
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	ZERO	ZERO	ZERO	ZERO	0.4533E-04	0.4533E-04
3 NaNO2	ZERO	ZERO	ZERO	ZERO	ZERO	0.1540E+02	0.1540E+02
2 NaNO3	ZERO	ZERO	ZERO	ZERO	ZERO	0.1270E+02	0.1270E+02
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	0.9231E+01	0.9231E+01
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	0.1312E-02	0.1312E-02
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
40 NiO	ZERO	ZERO	ZERO	ZERO	0.3023E+00	ZERO	0.3023E+00
82 O2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
175 Pb (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	0.6364E-03	0.6364E-03
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	ZERO	ZERO	0.1552E+00	ZERO	0.1552E+00
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	0.7369E-07	0.7369E-07
110 PdO	ZERO	ZERO	ZERO	ZERO	0.5466E-03	ZERO	0.5466E-03
76 PuO2	ZERO	ZERO	ZERO	ZERO	0.1203E-01	ZERO	0.1203E-01
156 PuO2 (NaTi2O5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	0.1157E-02	ZERO	0.1157E-02
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	0.7507E-02	ZERO	0.7507E-02
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1C. ESP Washing of Tank 51 Sludge

STREAM NUMBERS (CONT'D) -> STREAM NAME	301 Insolubles in A/D Tank	302 Unwshd Sldg Solbl in A/D	303 Unwshd A/D Sldg Slurry	328 A/D Tank Heel	304 Insolubles in W/O Tank	305 Unwshd Sldg Solbl in W/O	306 Unwshd W/O Sldg Slurry
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	ZERO	ZERO	ZERO	0.1292E+01	ZERO	0.1292E+01
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	0.3023E-06	0.3023E-06
30 SrCO3	ZERO	ZERO	ZERO	ZERO	0.2501E-01	ZERO	0.2501E-01
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TcO2	ZERO	ZERO	ZERO	ZERO	0.4211E-02	ZERO	0.4211E-02
92 ThO2	ZERO	ZERO	ZERO	ZERO	0.3620E-01	ZERO	0.3620E-01
107 TiO2	ZERO	ZERO	ZERO	ZERO	0.5662E-01	ZERO	0.5662E-01
119 Tritium	ZERO	ZERO	ZERO	ZERO	ZERO	0.8558E-08	0.8558E-08
17 U3O8	ZERO	ZERO	ZERO	ZERO	0.2538E+01	ZERO	0.2538E+01
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	0.5900E-03	0.5900E-03
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	0.3046E-06	0.3046E-06
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	0.6295E-02	ZERO	0.6295E-02
47 Y2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
57 ZnO	ZERO	ZERO	ZERO	ZERO	0.1436E+00	ZERO	0.1436E+00
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	ZERO	ZERO	0.2776E+01	0.4738E-03	0.2777E+01
1 water	ZERO	ZERO	ZERO	ZERO	ZERO	0.1922E+03	0.1922E+03
TOTAL FLOW, LB/HR	ZERO	ZERO	ZERO	ZERO	0.6788E+02	0.2391E+03	0.3069E+03
TEMPERATURE, DEG C	0.5000E+02	0.3532E+02	0.5000E+02	0.4800E+02	0.5000E+02	0.3621E+02	0.3691E+02
PRESSURE, ATM	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01
PRESSURE, PSIG	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
PRESSURE, MM HG							
ENTHALPY, PCU/HR	ZERO	ZERO	ZERO	ZERO	0.5368E+03	0.7402E+04	0.7939E+04
VAPOR FLOW, CFM							
LIQUID FLOW, GPM					0.3584E-01	0.4178E+00	0.4536E+00
DENSITY, LBS/FT3	ZERO	ZERO	ZERO	ZERO	0.2362E+03	0.7135E+02	0.8437E+02
PHASE	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1C. ESP Washing of Tank 51 Sludge

STREAM NUMBERS -> STREAM NAME	307 SN Decant frm A/D Tnk	329 W/O Tank Heel	330 Hot NaOH to A/D Tank	309 Wsh/Aux H2O to A/D Tank	310 50% NaOH to A/D Tank	311 40% NaNO2 to A/D Tank	315 Spent Wash frm A/D Wsh
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
155 (CH3)2CHOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
154 (CH3OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
106 B2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
59 CoO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
98 Cr2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
42 Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1C. ESP Washing of Tank 51 Sludge

STREAM NUMBERS (CONT'D) ->	307	329	330	309	310	311	315
STREAM NAME	SN Decant frm A/D Tnk	W/O Tank Heel	Hot NaOH to A/D Tank	Wsh/Aux H2O to A/D Tank	50% NaOH to A/D Tank	40% NaNO2 to A/D Tank	Spent Wash frm A/D Wash
54 Cu (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
55 CuO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
80 Fe2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
103 Group B	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
25 H2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg (C6H5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
65 Mg (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
33 MgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
60 Mn (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
145 MoO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
81 N2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
74 N2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
182 NH3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1C. ESP Washing of Tank 51 Sludge

STREAM NUMBERS (CONT'D) -> STREAM NAME	307 SN Decant frm A/D Tnk	329 W/O Tank Heel	330 Hot to A/D Tank	309 Wsh/Aux H2O to A/D Tank	310 50% NaOH to A/D Tank	311 40% NaNO2 to A/D Tank	315 Spent Wash frm A/D Wash
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
69 NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
3 NaNO2	ZERO	ZERO	ZERO	0.4594E+00	ZERO	ZERO	0.4594E+00
2 NaNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
4 NaOH	ZERO	ZERO	ZERO	0.3675E+00	ZERO	ZERO	0.3675E+00
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
40 NiO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
82 O2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
175 Pb (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
156 PuO2 (NaTi2O5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1C. ESP Washing of Tank 51 Sludge

STREAM NUMBERS (CONT'D) -> STREAM NAME	307 SN Decant frm A/D Tnk	329 W/O Tank Heel	330 Hot NaOH to A/D Tank	309 Wsh/Aux H2O to A/D Tank	310 50% NaOH to A/D Tank	311 40% NaNO2 to A/D Tank	315 Spent Wash frm A/D Wash
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TcO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
119 Tritium	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
17 U3O8	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
57 ZnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
1 water	ZERO	ZERO	ZERO	0.9180E+03	ZERO	ZERO	0.9180E+03
TOTAL FLOW, LB/HR	ZERO	ZERO	ZERO	0.9188E+03	ZERO	ZERO	0.9188E+03
TEMPERATURE, DEG C	0.3532E+02	0.6000E+02	0.2500E+02	0.4800E+02	0.4800E+02	0.4800E+02	0.4800E+02
PRESSURE, ATM	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01
PRESSURE, PSIG	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
PRESSURE, MM HG							
ENTHALPY, PCU/HR	ZERO	ZERO	ZERO	0.4413E+05	ZERO	ZERO	0.4413E+05
VAPOR FLOW, CFM							
LIQUID FLOW, GPM				0.1834E+01			0.1834E+01
DENSITY, LBS/FT3	ZERO	ZERO	ZERO	0.6247E+02	ZERO	ZERO	0.6247E+02
PHASE	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1C. ESP Washing of Tank 51 Sludge

STREAM NUMBERS -> STREAM NAME	312 Insolubles after A/D Wash	313 Solubles after A/D Wash	331 A/D Tk Heel to next Bat	314 Wash A/D Sludge to Storage	316 Makeup H2O to W/O Tank	317 50% NaOH to W/O Tank	318 40% NaNO2 to W/O Tank
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
155 (CH3)2CHOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
154 (CH3OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
106 B2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
59 CoO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
98 Cr2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
42 Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1C. ESP Washing of Tank 51 Sludge

STREAM NUMBERS (CONT'D) ->	312	313	331	314	316	317	318
STREAM NAME	Insolubles	Solubles	A/D Tk Heel	Wsh A/D Sldg	Makeup H2O	50% NaOH	40% NaNO2
	after A/D Wsh	after A/D Wsh	to next Bat	to Storage	to W/O Tank	to W/O Tank	to W/O Tank
54 Cu (COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu (NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
55 CuO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
80 Fe2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
103 Group B	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
25 H2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
65 Mg (COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg (NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
33 MgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
60 Mn (COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn (NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
145 MoO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
81 N2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
74 N2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
182 NH3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1C. ESP Washing of Tank 51 Sludge

STREAM NUMBERS (CONT'D) ->	312	313	331	314	316	317	318
STREAM NAME	Insolubles after A/D Wsh	Solubles after A/D Wsh	A/D Tk Heel to next Bat	Wsh A/D Sldg to Storage	Makeup H2O to W/O Tank	50% NaOH to W/O Tank	40% NaNO2 to W/O Tank
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
69 NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
3 NaNO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1647E+02
2 NaNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	0.1523E+02	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
40 NiO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
82 O2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
175 Pb (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
156 PuO2 (NaTi2O5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1C. ESP Washing of Tank 51 Sludge

STREAM NUMBERS (CONT'D) -> STREAM NAME	312 Insolubles after A/D Wash	313 Solubles after A/D Wash	331 A/D Tk Heel to next Bat	314 Wsh A/D Sltdg to Storage	316 Makeup H2O to W/O Tank	317 50% NaOH to W/O Tank	318 40% NaNO2 to W/O Tank
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TeO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
119 Tritium	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
17 U3O8	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
57 ZnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
1 water	ZERO	ZERO	ZERO	ZERO	ZERO	0.1523E+02	0.2471E+02
TOTAL FLOW, LB/HR	ZERO	ZERO	ZERO	ZERO	ZERO	0.3046E+02	0.4118E+02
TEMPERATURE, DEG C	0.4800E+02	0.4800E+02	0.4800E+02	0.4800E+02	0.4800E+02	0.4800E+02	0.4800E+02
PRESSURE, ATM	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01
PRESSURE, PSIG	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
PRESSURE, MM HG							
ENTHALPY, PCU/HR	ZERO	ZERO	ZERO	ZERO	ZERO	0.9707E+03	0.1371E+04
VAPOR FLOW, CFM							
LIQUID FLOW, GPM						0.3984E-01	0.6093E-01
DENSITY, LBS/FT3	ZERO	ZERO	ZERO	ZERO	ZERO	0.9533E+02	0.8426E+02
PHASE	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1C. ESP Washing of Tank 51 Sludge

STREAM NUMBERS -> STREAM NAME	319 Insolubles after W/O Wsh	320 Solubles after W/O Wsh	321 Wsh W/O Sldg to Storage	322 Spent Wash frm W/O Tk	308 SN Decant frm W/O Tnk	323 Evap Ovrhead Rcyc frm ESP	324 85% Saltcake frm ESP Wash
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
155 (CH3)2CHOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
154 (CH3OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	0.1240E-01	0.2231E-07	0.1240E-01	0.5206E-07	ZERO	ZERO	0.5206E-07
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.1042E+02	0.1875E-04	0.1042E+02	0.4374E-04	ZERO	ZERO	0.4374E-04
106 B2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
9 Ba(OH)2	ZERO	0.3615E-03	0.3615E-03	0.2123E-02	0.2196E-02	ZERO	0.4318E-02
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	0.1802E-01	0.3245E-07	0.1802E-01	0.7569E-07	ZERO	ZERO	0.7569E-07
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	0.2729E-04	0.2729E-04	0.1602E-03	0.1657E-03	ZERO	0.3259E-03
113 Ca3(PO4)2	0.2516E+01	0.4528E-05	0.2516E+01	0.1056E-04	ZERO	ZERO	0.1056E-04
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	0.3111E+01	0.5601E-05	0.3111E+01	0.1307E-04	ZERO	ZERO	0.1307E-04
64 CaCO3 (C14)	0.1532E-06	0.2757E-12	0.1532E-06	0.6432E-12	ZERO	ZERO	0.6432E-12
78 CaF2	0.1828E-01	0.3291E-07	0.1828E-01	0.7677E-07	ZERO	ZERO	0.7677E-07
41 CaO	0.4073E-02	0.7332E-08	0.4073E-02	0.1711E-07	ZERO	ZERO	0.1711E-07
19 CaSO4	0.3611E-01	0.6500E-07	0.3611E-01	0.1516E-06	ZERO	ZERO	0.1516E-06
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
59 CoO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
98 Cr2O3	0.1984E+00	0.3572E-06	0.1984E+00	0.8334E-06	ZERO	ZERO	0.8334E-06
42 Cs2O	0.1240E-03	0.2232E-09	0.1240E-03	0.5208E-09	ZERO	ZERO	0.5208E-09
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	0.9001E-05	0.9001E-05	0.5285E-04	0.5467E-04	ZERO	0.1075E-03
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1C. ESP Washing of Tank 51 Sludge

STREAM NUMBERS (CONT'D) ->	319	320	321	322	308	323	324
STREAM NAME	Insolubles aftr W/O Wsh	Solubles aftr W/O Wsh	Wsh W/O Sldg to Storage	Spent Wash frm W/O Tk	SN Decant frm W/O Tnk	Evap Ovrhead frm ESP Rcyd	85% Saltcake frm ESP Wash
54 Cu (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
55 CuO	0.2549E-01	0.4589E-07	0.2549E-01	0.1071E-06	ZERO	ZERO	0.1071E-06
80 Fe2O3	0.3416E+02	0.2652E-03	0.3416E+02	0.1339E-02	0.1237E-02	ZERO	0.2577E-02
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	0.4005E-02	0.3077E-03	0.4313E-02	0.1806E-02	0.1869E-02	ZERO	0.3675E-02
103 Group B	0.1833E-03	0.7432E-06	0.1840E-03	0.4362E-05	0.4512E-05	ZERO	0.8874E-05
25 H2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg (C6H5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	0.1686E+00	0.3035E-06	0.1686E+00	0.7080E-06	ZERO	ZERO	0.7080E-06
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	0.8995E-01	0.1619E-06	0.8995E-01	0.3778E-06	ZERO	ZERO	0.3778E-06
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	0.1932E-01	0.1932E-01	0.1134E+00	0.1173E+00	ZERO	0.2307E+00
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
65 Mg (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
33 MgO	0.1857E+01	0.3343E-05	0.1857E+01	0.7798E-05	ZERO	ZERO	0.7798E-05
60 Mn (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	0.3953E+01	0.7116E-05	0.3953E+01	0.1660E-04	ZERO	ZERO	0.1660E-04
145 MoO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
81 N2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
74 N2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
182 NH3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	0.7410E-03	0.7410E-03	0.4350E-02	0.4501E-02	ZERO	0.8851E-02
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
 Section 1C. ESP Washing of Tank 51 Sludge

STREAM NUMBERS (CONT'D) ->	319	320	321	322	308	323	324
STREAM NAME	Insolubles after W/O Wsh	Solubles after W/O Wsh	Wsh W/O Sldg to Storage	Spent Wash frm W/O Tk	SN Decant frm W/O Tnk	Evap Ovrhead frm ESP Rcyd	85% Saltcake frm ESP Wash
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na (HgO (OH))	ZERO	0.3120E-03	0.3120E-03	0.1832E-02	0.1895E-02	ZERO	0.3727E-02
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	ZERO	0.3218E+00	0.3218E+00	0.1889E+01	0.1954E+01	ZERO	0.3843E+01
5 Na2CO3	ZERO	0.2994E+00	0.2994E+00	0.1758E+01	0.1819E+01	ZERO	0.3577E+01
143 Na2CO3 (C14)	ZERO	0.3678E-09	0.3678E-09	0.2159E-08	0.2234E-08	ZERO	0.4393E-08
89 Na2CrO4	ZERO	0.1126E-01	0.1126E-01	0.6612E-01	0.6840E-01	ZERO	0.1345E+00
115 Na2MoO4	ZERO	0.1855E-02	0.1855E-02	0.1089E-01	0.1127E-01	ZERO	0.2216E-01
32 Na2O	0.3935E+01	0.7083E-05	0.3935E+01	0.1652E-04	ZERO	ZERO	0.1652E-04
71 Na2PuO2 (OH) 4	ZERO	0.1218E-07	0.1218E-07	0.7151E-07	0.7398E-07	ZERO	0.1455E-06
73 Na2RhO4	ZERO	0.4708E-04	0.4708E-04	0.2764E-03	0.2859E-03	ZERO	0.5623E-03
72 Na2RuO4	ZERO	0.2012E-03	0.2012E-03	0.1181E-02	0.1222E-02	ZERO	0.2403E-02
6 Na2SO4	ZERO	0.2367E+00	0.2367E+00	0.1390E+01	0.1438E+01	ZERO	0.2828E+01
88 Na2SiO3	ZERO	0.9830E-02	0.9830E-02	0.5771E-01	0.5970E-01	ZERO	0.1174E+00
87 Na3PO4	ZERO	0.1389E-02	0.1389E-02	0.8157E-02	0.8438E-02	ZERO	0.1660E-01
91 NaAg (OH) 2	ZERO	0.1775E-03	0.1775E-03	0.1042E-02	0.1078E-02	ZERO	0.2120E-02
75 NaAl (OH) 4	ZERO	0.4333E+00	0.4333E+00	0.2544E+01	0.2632E+01	ZERO	0.5176E+01
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	ZERO	0.8255E-02	0.8255E-02	0.4846E-01	0.5014E-01	ZERO	0.9860E-01
69 NaF	ZERO	0.4152E-01	0.4152E-01	0.2437E+00	0.2521E+00	ZERO	0.4959E+00
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	0.6597E-05	0.6597E-05	0.3873E-04	0.4007E-04	ZERO	0.7880E-04
3 NaNO2	ZERO	0.6436E+01	0.6436E+01	0.2590E+02	0.1361E+02	ZERO	0.3951E+02
2 NaNO3	ZERO	0.1849E+01	0.1849E+01	0.1085E+02	0.1123E+02	ZERO	0.2208E+02
4 NaOH	ZERO	0.3671E+01	0.3671E+01	0.2116E+02	0.8159E+01	ZERO	0.2932E+02
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	0.1910E-03	0.1910E-03	0.1121E-02	0.1160E-02	ZERO	0.2281E-02
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
40 NiO	0.3023E+00	0.5442E-06	0.3023E+00	0.1270E-05	ZERO	ZERO	0.1270E-05
82 O2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
175 Pb (NO3) 2	ZERO	0.9262E-04	0.9262E-04	0.5438E-03	0.5625E-03	ZERO	0.1106E-02
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.1552E+00	0.2794E-06	0.1552E+00	0.6519E-06	ZERO	ZERO	0.6519E-06
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	ZERO	0.1072E-07	0.1072E-07	0.6296E-07	0.6513E-07	ZERO	0.1281E-06
110 PdO	0.5466E-03	0.9840E-09	0.5466E-03	0.2296E-08	ZERO	ZERO	0.2296E-08
76 PuO2	0.1203E-01	0.2165E-07	0.1203E-01	0.5051E-07	ZERO	ZERO	0.5051E-07
156 PuO2 (NaTi2O5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	0.1157E-02	0.2083E-08	0.1157E-02	0.4859E-08	ZERO	ZERO	0.4859E-08
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	0.7507E-02	0.1351E-07	0.7507E-02	0.3153E-07	ZERO	ZERO	0.3153E-07
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1C. ESP Washing of Tank 51 Sludge

STREAM NUMBERS (CONT'D) ->	319	320	321	322	308	323	324
STREAM NAME	Insolubles aftr W/O Wsh	Solubles aftr W/O Wsh	Wsh W/O Sldg to Storage	Spent Wash frm W/O Tk	SN Decant frm W/O Tnk	Evap Ovrhead frm ESP Rcyd	85% Saltcake frm ESP Wash
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.1292E+01	0.2327E-05	0.1292E+01	0.5428E-05	ZERO	ZERO	0.5428E-05
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	ZERO	0.4400E-07	0.4400E-07	0.2583E-06	0.2672E-06	ZERO	0.5255E-06
30 SrCO3	0.2501E-01	0.4503E-07	0.2501E-01	0.1051E-06	ZERO	ZERO	0.1051E-06
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TeO2	0.4211E-02	0.7580E-08	0.4211E-02	0.1768E-07	ZERO	ZERO	0.1768E-07
92 ThO2	0.3620E-01	0.6517E-07	0.3620E-01	0.1520E-06	ZERO	ZERO	0.1520E-06
107 TiO2	0.5661E-01	0.1019E-06	0.5662E-01	0.2378E-06	ZERO	ZERO	0.2378E-06
119 Tritium	ZERO	0.1245E-08	0.1245E-08	0.7312E-08	0.7565E-08	ZERO	0.1488E-07
17 U3O8	0.2538E+01	0.4568E-05	0.2538E+01	0.1066E-04	ZERO	ZERO	0.1066E-04
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	0.8587E-04	0.8587E-04	0.5041E-03	0.5215E-03	ZERO	0.1026E-02
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	0.4434E-07	0.4434E-07	0.2603E-06	0.2693E-06	ZERO	0.5296E-06
31 Y2(CO3)3	0.6295E-02	0.1133E-07	0.6295E-02	0.2644E-07	ZERO	ZERO	0.2644E-07
47 Y2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
57 ZnO	0.1436E+00	0.2586E-06	0.1436E+00	0.6033E-06	ZERO	ZERO	0.6033E-06
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.2776E+01	0.7396E-04	0.2776E+01	0.4165E-03	0.4188E-03	ZERO	0.8354E-03
1 water	ZERO	0.3117E+03	0.3117E+03	0.8384E+03	0.1699E+03	0.9893E+03	0.1897E+02
TOTAL FLOW, LB/HR	0.6788E+02	0.3250E+03	0.3929E+03	0.9045E+03	0.2113E+03	0.9893E+03	0.1265E+03
TEMPERATURE, DEG C	0.4800E+02	0.4800E+02	0.4800E+02	0.4800E+02	0.3621E+02	0.3500E+02	0.3500E+02
PRESSURE, ATM	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01
PRESSURE, PSIG	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
PRESSURE, MM HG							
ENTHALPY, PCU/HR	0.5147E+03	0.1515E+05	0.1566E+05	0.4113E+05	0.6543E+04	0.3471E+05	0.1636E+04
VAPOR FLOW, CFM							
LIQUID FLOW, GPM	0.3584E-01	0.6318E+00	0.6677E+00	0.1721E+01	0.3693E+00	0.1976E+01	0.1137E+00
DENSITY, LBS/FT3	0.2362E+03	0.6414E+02	0.7337E+02	0.6553E+02	0.7135E+02	0.6243E+02	0.1387E+03
PHASE	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1C. ESP Washing of Tank 51 Sludge

STREAM NUMBERS -> STREAM NAME	325 Tot Wsh Sldg to Storage	332 W/O Tk Heel to next Bat	327 Radiolyzed Wshd Sludge	326 Dilution H2O addn to Sldg	1 Sludge Feed to DWPF	678 Sldge Feed Solubles	679 Sldge Feed Insolubles
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
155 (CH3)2CHOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
154 (CH3OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	0.1240E-01	0.2219E-02	0.1018E-01	ZERO	0.1018E-01	ZERO	0.1018E-01
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.1042E+02	0.1864E+01	0.8551E+01	ZERO	0.8551E+01	ZERO	0.8551E+01
106 B2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
9 Ba(OH)2	0.3615E-03	0.6472E-04	0.2968E-03	ZERO	0.2968E-03	0.2968E-03	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	0.1802E-01	0.3226E-02	0.1480E-01	ZERO	0.1480E-01	ZERO	0.1480E-01
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	0.2729E-04	0.4884E-05	0.2240E-04	ZERO	0.2240E-04	0.2240E-04	ZERO
113 Ca3(PO4)2	0.2516E+01	0.4503E+00	0.2065E+01	ZERO	0.2065E+01	ZERO	0.2065E+01
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	0.3111E+01	0.5570E+00	0.2554E+01	ZERO	0.2554E+01	ZERO	0.2554E+01
64 CaCO3 (C14)	0.1532E-06	0.2742E-07	0.1257E-06	ZERO	0.1257E-06	ZERO	0.1257E-06
78 CaF2	0.1828E-01	0.3272E-02	0.1501E-01	ZERO	0.1501E-01	ZERO	0.1501E-01
41 CaO	0.4073E-02	0.7291E-03	0.3344E-02	ZERO	0.3344E-02	ZERO	0.3344E-02
19 CaSO4	0.3611E-01	0.6463E-02	0.2964E-01	ZERO	0.2964E-01	ZERO	0.2964E-01
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
59 CoO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
98 Cr2O3	0.1984E+00	0.3552E-01	0.1629E+00	ZERO	0.1629E+00	ZERO	0.1629E+00
42 Cs2O	0.1240E-03	0.2220E-04	0.1018E-03	ZERO	0.1018E-03	ZERO	0.1018E-03
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	0.9001E-05	0.1611E-05	0.7390E-05	ZERO	0.7390E-05	0.7390E-05	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
 Section 1C. ESP Washing of Tank 51 Sludge

STREAM NUMBERS (CONT'D) ->	325	332	327	326	1	678	679
STREAM NAME	Tot Wsh Sldg to Storage	W/O Tk Heel to next Bat	Radiolyzed Wshd Sludge	Dilution addn to Sldg	H2O Sludge Feed to DWPF	Sldge Feed Solubles	Sldge Feed Insolubles
54 Cu(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
55 CuO	0.2549E-01	0.4563E-02	0.2093E-01	ZERO	0.2093E-01	ZERO	0.2093E-01
80 Fe2O3	0.3416E+02	0.6115E+01	0.2805E+02	ZERO	0.2805E+02	ZERO	0.2805E+02
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	0.4313E-02	0.7720E-03	0.3541E-02	ZERO	0.3541E-02	ZERO	0.3541E-02
103 Group B	0.1840E-03	0.3294E-04	0.1511E-03	ZERO	0.1511E-03	ZERO	0.1511E-03
25 H2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg(C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	0.1686E+00	0.3018E-01	0.1384E+00	ZERO	0.1384E+00	ZERO	0.1384E+00
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	0.8995E-01	0.1610E-01	0.7385E-01	ZERO	0.7385E-01	ZERO	0.7385E-01
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	0.1932E-01	0.3458E-02	0.1586E-01	ZERO	0.1586E-01	0.1586E-01	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
65 Mg(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
33 MgO	0.1857E+01	0.3324E+00	0.1524E+01	ZERO	0.1524E+01	ZERO	0.1524E+01
60 Mn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	0.3953E+01	0.7076E+00	0.3245E+01	ZERO	0.3245E+01	ZERO	0.3245E+01
145 MoO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
81 N2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
74 N2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
182 NH3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	0.7410E-03	0.1326E-03	0.6084E-03	ZERO	0.6084E-03	0.6084E-03	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1C. ESP Washing of Tank 51 Sludge

STREAM NUMBERS (CONT'D) ->	325	332	327	326	1	678	679
STREAM NAME	Tot Wsh Sldg to Storage	W/O Tk Heel to next Bat	Radiolyzed Wshd Sludge	Dilution H2O addn to Sldg	Sludge Feed to DWPF	Sldge Feed Solubles	Sldge Feed Insolubles
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na(HgO(OH))	0.3120E-03	0.5586E-04	0.2562E-03	ZERO	0.2562E-03	0.2562E-03	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	0.3218E+00	0.5760E-01	0.2642E+00	ZERO	0.2642E+00	0.2642E+00	ZERO
5 Na2CO3	0.2994E+00	0.5360E-01	0.2458E+00	ZERO	0.2458E+00	0.2458E+00	ZERO
143 Na2CO3 (C14)	0.3678E-09	0.6583E-10	0.3019E-09	ZERO	0.3019E-09	0.3019E-09	ZERO
89 Na2CrO4	0.1126E-01	0.2016E-02	0.9246E-02	ZERO	0.9246E-02	0.9246E-02	ZERO
115 Na2MoO4	0.1855E-02	0.3321E-03	0.1523E-02	ZERO	0.1523E-02	0.1523E-02	ZERO
32 Na2O	0.3935E+01	0.7043E+00	0.3230E+01	ZERO	0.3230E+01	ZERO	0.3230E+01
71 Na2PuO2(OH)4	0.1218E-07	0.2180E-08	0.1000E-07	ZERO	0.1000E-07	0.1000E-07	ZERO
73 Na2RhO4	0.4708E-04	0.8427E-05	0.3865E-04	ZERO	0.3865E-04	0.3865E-04	ZERO
72 Na2RuO4	0.2012E-03	0.3602E-04	0.1652E-03	ZERO	0.1652E-03	0.1652E-03	ZERO
6 Na2SO4	0.2367E+00	0.4238E-04	0.1944E+00	ZERO	0.1944E+00	0.1944E+00	ZERO
88 Na2SiO3	0.9830E-02	0.1760E-02	0.8070E-02	ZERO	0.8070E-02	0.8070E-02	ZERO
87 Na3PO4	0.1389E-02	0.2487E-03	0.1141E-02	ZERO	0.1141E-02	0.1141E-02	ZERO
91 NaAg(OH)2	0.1775E-03	0.3177E-04	0.1457E-03	ZERO	0.1457E-03	0.1457E-03	ZERO
75 NaAl(OH)4	0.4333E+00	0.7757E-01	0.3558E+00	ZERO	0.3558E+00	0.3558E+00	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	0.8255E-02	0.1478E-02	0.6777E-02	ZERO	0.6777E-02	0.6777E-02	ZERO
69 NaF	0.4152E-01	0.7432E-02	0.3408E-01	ZERO	0.3408E-01	0.3408E-01	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.6597E-05	0.1181E-05	0.5416E-05	ZERO	0.5416E-05	0.5416E-05	ZERO
3 NaNO2	0.6436E+01	0.1394E+01	0.6393E+01	0.6099E-01	0.6454E+01	0.6454E+01	ZERO
2 NaNO3	0.1849E+01	0.3310E-01	0.1518E+00	ZERO	0.1518E+00	0.1518E+00	0.9896E-08
4 NaOH	0.3671E+01	0.6571E+00	0.3013E+01	0.4879E-01	0.3062E+01	0.3062E+01	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	0.1910E-03	0.3419E-04	0.1568E-03	ZERO	0.1568E-03	0.1568E-03	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
40 NiO	0.3023E+00	0.5411E-01	0.2482E+00	ZERO	0.2482E+00	ZERO	0.2482E+00
82 O2	ZERO	0.5606E-01	0.2571E+00	ZERO	0.2571E+00	0.2571E+00	ZERO
175 Pb(NO3)2	0.9262E-04	0.1658E-04	0.7604E-04	ZERO	0.7604E-04	0.7604E-04	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 Pbs	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.1552E+00	0.2779E-01	0.1274E+00	ZERO	0.1274E+00	ZERO	0.1274E+00
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd(NO3)2	0.1072E-07	0.1920E-08	0.8804E-08	ZERO	0.8804E-08	0.8804E-08	ZERO
110 PdO	0.5466E-03	0.9785E-04	0.4488E-03	ZERO	0.4488E-03	ZERO	0.4488E-03
76 PuO2	0.1203E-01	0.2153E-02	0.9873E-02	ZERO	0.9873E-02	ZERO	0.9873E-02
156 PuO2(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	0.1157E-02	0.2071E-03	0.9498E-03	ZERO	0.9498E-03	ZERO	0.9498E-03
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	0.7507E-02	0.1344E-02	0.6163E-02	ZERO	0.6163E-02	ZERO	0.6163E-02
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 1C. ESP Washing of Tank 51 Sludge

STREAM NUMBERS (CONT'D) ->	325	332	327	326	1	678	679
STREAM NAME	Tot Wsh Sldg to Storage	W/O Tk Heel to next Bat	Radiolyzed Wshd Sludge	Dilution H2O addn to Sldg	Sludge Feed to DWPf	Sludge Feed Solubles	Sludge Feed Insolubles
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.1292E+01	0.2313E+00	0.1061E+01	ZERO	0.1061E+01	ZERO	0.1061E+01
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	0.4400E-07	0.7876E-08	0.3612E-07	ZERO	0.3612E-07	0.3612E-07	ZERO
30 SrCO3	0.2501E-01	0.4478E-02	0.2054E-01	ZERO	0.2054E-01	ZERO	0.2054E-01
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TcO2	0.4211E-02	0.7538E-03	0.3457E-02	ZERO	0.3457E-02	ZERO	0.3457E-02
92 ThO2	0.3620E-01	0.6481E-02	0.2972E-01	ZERO	0.2972E-01	ZERO	0.2972E-01
107 TiO2	0.5662E-01	0.1013E-01	0.4648E-01	ZERO	0.4648E-01	ZERO	0.4648E-01
119 Tritium	0.1245E-08	0.2230E-09	0.1023E-08	ZERO	0.1023E-08	0.1023E-08	ZERO
17 U3O8	0.2538E+01	0.4542E+00	0.2083E+01	ZERO	0.2083E+01	ZERO	0.2083E+01
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	0.8587E-04	0.1537E-04	0.7050E-04	ZERO	0.7050E-04	0.7050E-04	0.4321E-11
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	0.4434E-07	0.7937E-08	0.3640E-07	ZERO	0.3640E-07	0.3640E-07	ZERO
31 Y2(CO3)3	0.6295E-02	0.1127E-02	0.5168E-02	ZERO	0.5168E-02	ZERO	0.5168E-02
47 Y2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
57 ZnO	0.1436E+00	0.2571E-01	0.1179E+00	ZERO	0.1179E+00	ZERO	0.1179E+00
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.2776E+01	0.4970E+00	0.2279E+01	ZERO	0.2279E+01	ZERO	0.2279E+01
1 water	0.3117E+03	0.5580E+02	0.2559E+03	0.1219E+03	0.3778E+03	0.3778E+03	ZERO
TOTAL FLOW, LB/HR	0.3929E+03	0.7034E+02	0.3226E+03	0.1220E+03	0.4446E+03	0.3888E+03	0.5573E+02
TEMPERATURE, DEG C	0.4800E+02	0.3500E+02	0.3500E+02	0.2500E+02	0.6000E+02	0.6000E+02	0.6000E+02
PRESSURE, ATM	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01
PRESSURE, PSIG	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
PRESSURE, MM HG							
ENTHALPY, PCU/HR	0.1566E+05	0.2046E+04	0.9383E+04	0.3059E+04	0.2338E+05	0.2285E+05	0.5319E+03
VAPOR FLOW, CFM							
LIQUID FLOW, GPM	0.6677E+00	0.1195E+00	0.5482E+00	0.2435E+00	0.7920E+00	0.7625E+00	0.2942E-01
DENSITY, LBS/FT3	0.7337E+02	0.7336E+02	0.7336E+02	0.6247E+02	0.6998E+02	0.6357E+02	0.2362E+03
PHASE	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID

SECTION 2. SALTSTONE PRODUCTION

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 2. Saltstone Production

DESCRIPTION	PAGE
-----	----
1. STREAM NUMBERS 407, 601, 602, 603, 605, 606, 607	2
2. STREAM NUMBERS 610, 611, 612, 613, 614, 615, 616	6
3. STREAM NUMBERS 617, 618, 619, 620, 625, 626, 627	10
4. STREAM NUMBERS 628, 629, 630, 631, 632	14

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 2. Saltstone Production

STREAM NUMBERS -> STREAM NAME	407 Decon SN to Storage	601 Concentrate from ETF	602 Dcon Strg Tank Purge	603 Dcon Str Tk Vnt to Atm	605 Dcon Sn to LP Pmp Tnk	606 LPPT Air Purge	607 LPPT Vent to Atmos
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	0.3344E+01	ZERO	ZERO	0.2887E-10	0.3344E+01	ZERO	0.1059E-10
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	0.3374E-02	ZERO	ZERO	0.3267E-02	0.1072E-03	ZERO	0.9844E-04
155 (CH3)2CHOH	0.8203E-01	ZERO	ZERO	0.2039E-01	0.6164E-01	ZERO	0.6674E-02
154 (CH3OH)	0.4940E-02	ZERO	ZERO	0.1026E-02	0.3914E-02	ZERO	0.3435E-03
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	0.1757E-02	ZERO	0.1517E-13	0.1757E-02	ZERO	0.5565E-14
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	0.8794E-01	ZERO	0.7593E-12	0.8794E-01	ZERO	0.2785E-12
106 B2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
9 Ba(OH)2	0.1295E-07	ZERO	ZERO	0.1118E-18	0.1295E-07	ZERO	0.4101E-19
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	ZERO	0.2780E-02	ZERO	0.2401E-13	0.2780E-02	ZERO	0.8804E-14
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.7780E-03	ZERO	ZERO	0.7717E-03	0.6266E-05	ZERO	0.6130E-05
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.3549E-01	ZERO	ZERO	ZERO	0.3549E-01	ZERO	ZERO
120 Ca(OH)2	0.3660E-02	ZERO	ZERO	0.3161E-13	0.3660E-02	ZERO	0.1159E-13
113 Ca3(PO4)2	ZERO	0.2178E+00	ZERO	0.1881E-11	0.2178E+00	ZERO	0.6899E-12
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	0.4990E+00	ZERO	0.4309E-11	0.4990E+00	ZERO	0.1580E-11
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	0.1392E-01	ZERO	ZERO	ZERO	0.1392E-01	ZERO	ZERO
59 CoO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
98 Cr2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
42 Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	0.1653E-05	0.4011E-08	ZERO	0.1430E-16	0.1657E-05	ZERO	0.5246E-17
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 2. Saltstone Production

STREAM NUMBERS (CONT'D) -> STREAM NAME	407 Decon SN to Storage	601 Concentrate from ETF	602 Dcon Strg Tank Purge	603 Dcon Str Tk Vnt to Atm	605 Dcon Sn to LP Pmp Tnk	606 LPPT Air Purge	607 LPPT Vent to Atmos
54 Cu (COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu (NO3)2	0.3286E-02	ZERO	ZERO	ZERO	0.3286E-02	ZERO	ZERO
55 CuO	ZERO	0.3968E-02	ZERO	0.3427E-13	0.3968E-02	ZERO	0.1257E-13
80 Fe2O3	ZERO	0.1181E+00	ZERO	0.1020E-11	0.1181E+00	ZERO	0.3742E-12
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	0.6315E-01	0.3951E-01	ZERO	0.8865E-12	0.1027E+00	ZERO	0.3251E-12
103 Group B	0.1941E-02	0.5292E-08	ZERO	0.1676E-13	0.1941E-02	ZERO	0.6148E-14
25 H2	0.2778E-06	ZERO	ZERO	0.2777E-06	0.7514E-10	ZERO	0.7508E-10
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	0.1005E-02	ZERO	0.8682E-14	0.1005E-02	ZERO	0.3184E-14
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	0.5058E-03	ZERO	ZERO	ZERO	0.5058E-03	ZERO	ZERO
39 K2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	0.2293E-01	ZERO	0.1980E-12	0.2293E-01	ZERO	0.7262E-13
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
65 Mg (COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg (NO3)2	0.1361E-02	ZERO	ZERO	ZERO	0.1361E-02	ZERO	ZERO
33 MgO	ZERO	0.2271E-01	ZERO	0.1961E-12	0.2271E-01	ZERO	0.7191E-13
60 Mn (COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn (NO3)2	0.1586E-02	ZERO	ZERO	ZERO	0.1586E-02	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	0.7533E-02	ZERO	0.6505E-13	0.7533E-02	ZERO	0.2386E-13
14 MnO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
145 MoO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
81 N2	0.1409E+00	ZERO	0.5411E+03	0.5411E+03	0.1195E+00	0.1984E+03	0.1984E+03
74 N2O	0.3232E-14	ZERO	ZERO	0.3216E-14	0.1636E-16	ZERO	0.1613E-16
182 NH3	0.6220E-01	0.3649E-01	ZERO	0.4543E-01	0.5326E-01	ZERO	0.1270E-01
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	0.3127E+00	ZERO	ZERO	0.2700E-08	0.3127E+00	ZERO	0.9904E-09
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 2. Saltstone Production

STREAM NUMBERS (CONT'D) -> STREAM NAME	407 Decon SN to Storage	601 Concentrate from ETF	602 Dcon Strg Tank Purge	603 Dcon Str Tk Vnt to Atm	605 Dcon Sn to LP Pmp Tnk	606 LPPT Air Purge	607 LPPT Vent to Atmos
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na (HgO (OH))	0.2822E-03	ZERO	ZERO	0.2436E-14	0.2822E-03	ZERO	0.8936E-15
94 Na2B4O7	0.3253E+00	ZERO	ZERO	0.2809E-11	0.3253E+00	ZERO	0.1030E-11
109 Na2C2O4	0.3955E+01	0.7128E+00	ZERO	0.4031E-10	0.4668E+01	ZERO	0.1478E-10
5 Na2CO3	0.4945E+03	0.2971E+01	ZERO	0.4295E-08	0.4974E+03	ZERO	0.1575E-08
143 Na2CO3 (C14)	0.7320E-05	ZERO	ZERO	0.6320E-16	0.7320E-05	ZERO	0.2318E-16
89 Na2CrO4	0.2694E+01	0.5974E-02	ZERO	0.2332E-10	0.2700E+01	ZERO	0.8552E-11
115 Na2MoO4	0.8046E+00	ZERO	ZERO	0.6947E-11	0.8046E+00	ZERO	0.2548E-11
32 Na2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
71 Na2PuO2 (OH) 4	0.1748E-05	0.6451E-07	ZERO	0.1565E-16	0.1813E-05	ZERO	0.5740E-17
73 Na2RhO4	0.1952E-01	0.1665E-12	ZERO	0.1685E-12	0.1952E-01	ZERO	0.6181E-13
72 Na2RuO4	0.1028E+00	0.3364E-10	ZERO	0.8875E-12	0.1028E+00	ZERO	0.3255E-12
6 Na2SO4	0.2804E+02	0.1252E+00	ZERO	0.2432E-09	0.2817E+02	ZERO	0.8920E-10
88 Na2SiO3	0.7803E+00	ZERO	ZERO	0.6738E-11	0.7803E+00	ZERO	0.2471E-11
87 Na3PO4	0.3724E+02	ZERO	ZERO	0.3216E-09	0.3724E+02	ZERO	0.1179E-09
91 NaAg (OH) 2	0.7463E-05	ZERO	ZERO	0.6444E-16	0.7463E-05	ZERO	0.2363E-16
75 NaAl (OH) 4	0.1402E+03	ZERO	ZERO	0.1210E-08	0.1402E+03	ZERO	0.4439E-09
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	0.2218E+01	0.1494E+00	ZERO	0.2044E-10	0.2367E+01	ZERO	0.7497E-11
69 NaF	0.2156E+01	0.4444E-01	ZERO	0.1900E-10	0.2200E+01	ZERO	0.6968E-11
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.1444E-02	0.1337E-13	ZERO	0.1247E-13	0.1444E-02	ZERO	0.4573E-14
3 NaNO2	0.2723E+03	0.4455E-01	ZERO	0.2352E-08	0.2723E+03	ZERO	0.8625E-09
2 NaNO3	0.1352E+04	0.4485E+02	ZERO	0.1206E-07	0.1397E+04	ZERO	0.4423E-08
4 NaOH	0.6376E+03	0.1105E+02	ZERO	0.5601E-08	0.6486E+03	ZERO	0.2054E-08
149 NaTFB	0.7767E+01	ZERO	ZERO	0.6707E-10	0.7767E+01	ZERO	0.2460E-10
160 NaTcO4	0.6477E-01	ZERO	ZERO	ZERO	0.6477E-01	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni (NO3) 2	0.1732E-01	ZERO	ZERO	ZERO	0.1732E-01	ZERO	ZERO
40 NiO	ZERO	0.3657E-02	ZERO	0.3158E-13	0.3657E-02	ZERO	0.1158E-13
82 O2	0.1684E-01	ZERO	0.1634E+03	0.1634E+03	0.6991E-01	0.5993E+02	0.5993E+02
175 Pb (NO3) 2	0.4207E-01	ZERO	ZERO	ZERO	0.4207E-01	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	0.1762E-02	ZERO	0.1522E-13	0.1762E-02	ZERO	0.5581E-14
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	0.1736E-03	ZERO	ZERO	0.1499E-14	0.1736E-03	ZERO	0.5499E-15
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
156 PuO2 (NaTi2O5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLM Flowsheet Material Balance (Tank 51/ITP Cycle 1)

Section 2. Saltstone Production

STREAM NUMBERS (CONT'D) ->	407	601	602	603	605	606	607
STREAM NAME	Decom SN	Concentrate	Decom Strg	Decom Strg Tk	LP Fmp Tnk	LPPT Air	LPPT Vent
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 semi Vol Cs20	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	0.4069E+00	ZERO	0.3514E-11	0.4069E+00	ZERO	0.1289E-11
48 St (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 St (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 St (NaTi2O5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
127 St (OH) 2	0.4796E-05	0.8811E-09	ZERO	0.4142E-16	0.4797E-05	ZERO	0.1519E-16
30 SiCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SiO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TeO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
119 TlTlTium	0.4026E-07	0.1193E-08	ZERO	0.9473E-10	0.4135E-07	ZERO	0.3472E-10
17 U3O8	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
62 UO2 (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2 (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2 (OH) 2	0.2783E-01	0.5626E-01	ZERO	0.7262E-12	0.8410E-01	ZERO	0.2663E-12
27 Y (COOH) 3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y (NO3) 3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y (OH) 3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2 (CO3) 3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn (NO3) 2	0.1383E+01	ZERO	ZERO	ZERO	0.1383E+01	ZERO	ZERO
57 ZnO	ZERO	0.4492E-01	ZERO	0.3878E-12	0.4492E-01	ZERO	0.1422E-12
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.1106E+00	0.1106E+00	ZERO	0.9546E-12	0.1106E+00	ZERO	0.3501E-12
1 water	0.8550E+04	0.1184E+03	0.1184E+02	0.1919E+02	0.8687E+04	0.4340E+01	0.7037E+01
TOTAL FLOW, LB/HR	0.1154E+05	0.2064E+03	0.7163E+03	0.7237E+03	0.1174E+05	0.2627E+03	0.2654E+03
TEMPERATURE, DEG C	0.3000E+02	0.3000E+02	0.3500E+02	0.4000E+02	0.3912E+02	0.3500E+02	0.4000E+02
PRESSURE, ATM	0.1000E+01	0.1000E+01	0.1000E+01	0.9656E+00	0.9656E+00	0.1000E+01	0.9656E+00
PRESSURE, PSIG	ZERO	ZERO	ZERO	-0.5055E+00	-0.5055E+00	ZERO	-0.5055E+00
PRESSURE, MM HG	ZERO	ZERO	ZERO	0.7339E+03	0.7339E+03	ZERO	0.7339E+03
ENTHALPY, PCU/HR	0.2806E+06	0.4841E+04	0.1502E+05	0.2038E+05	0.3718E+06	0.5509E+04	0.7473E+04
VAPOR FLOW, CFM	0.1927E+02	0.3340E+00	0.1692E+03	0.1810E+03	0.1960E+02	0.6205E+02	0.6637E+02
LIQUID FLOW, GPM	0.7463E+02	0.7705E+02	0.7055E-01	0.6664E-01	0.7467E+02	0.7055E-01	0.6664E-01
DENSITY, LBS/FT3	PHASE	LIQUID	VAPOR	VAPOR	LIQUID	VAPOR	VAPOR

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 2. Saltstone Production

STREAM NUMBERS -> STREAM NAME	610 LPPT SN to Mixr Fd Tk	611 Recycled Flush Watr	612 Feed Tank Air Purge	613 Feed Tank Vnt to HEPA	614 Aqueous Fd To Mixer	615 Cement Pre-mix	616 Mixer Air Purge
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	0.3344E+01	ZERO	ZERO	0.9568E-08	0.3344E+01	ZERO	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	0.8805E-05	ZERO	ZERO	0.8012E-05	0.7934E-06	ZERO	ZERO
155 (CH3)2CHOH	0.5497E-01	ZERO	ZERO	0.5475E-02	0.4949E-01	ZERO	ZERO
154 (CH3OH)	0.3571E-02	ZERO	ZERO	0.2882E-03	0.3283E-02	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	0.1757E-02	ZERO	ZERO	0.5028E-11	0.1757E-02	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.8794E-01	ZERO	ZERO	0.2516E-09	0.8794E-01	ZERO	ZERO
106 B2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
9 Ba(OH)2	0.1295E-07	ZERO	ZERO	0.3705E-16	0.1295E-07	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	0.2780E-02	ZERO	ZERO	0.7955E-11	0.2780E-02	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.1357E-06	ZERO	ZERO	0.1324E-06	0.3245E-08	ZERO	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.3549E-01	ZERO	ZERO	0.1016E-09	0.3549E-01	ZERO	ZERO
120 Ca(OH)2	0.3660E-02	ZERO	ZERO	0.1047E-10	0.3660E-02	ZERO	ZERO
113 Ca3(PO4)2	0.2178E+00	ZERO	ZERO	0.6233E-09	0.2178E+00	ZERO	ZERO
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	0.4990E+00	ZERO	ZERO	0.1428E-08	0.4990E+00	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	0.1769E+05	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	0.1392E-01	ZERO	ZERO	0.3984E-10	0.1392E-01	ZERO	ZERO
59 CoO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
98 Cr2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
42 Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	0.1657E-05	ZERO	ZERO	0.4740E-14	0.1657E-05	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 2. Saltstone Production

STREAM NUMBERS (CONT'D) ->	610	611	612	613	614	615	616
STREAM NAME	LPPT SN to Mixr Fd Tk	Recycled Flush Watr	Feed Tank Air Purge	Feed Tank Vnt to HEPA	Aqueous Fd To Mixer	Cement Pre-mix	Mixer Air Purge
54 Cu (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu (NO3) 2	0.3286E-02	ZERO	ZERO	0.9403E-11	0.3286E-02	ZERO	ZERO
55 CuO	0.3968E-02	ZERO	ZERO	0.1135E-10	0.3968E-02	ZERO	ZERO
80 Fe2O3	0.1181E+00	ZERO	ZERO	0.3381E-09	0.1181E+00	ZERO	ZERO
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	0.1027E+00	ZERO	ZERO	0.2938E-09	0.1027E+00	ZERO	ZERO
103 Group B	0.1941E-02	ZERO	ZERO	0.5555E-11	0.1941E-02	ZERO	ZERO
25 H2	0.5537E-13	ZERO	ZERO	0.5533E-13	0.4520E-16	ZERO	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg (C6H5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	0.1005E-02	ZERO	ZERO	0.2877E-11	0.1005E-02	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	0.5058E-03	ZERO	ZERO	0.1447E-11	0.5058E-03	ZERO	ZERO
39 K2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	0.2293E-01	ZERO	ZERO	0.6561E-10	0.2293E-01	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
65 Mg (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg (NO3) 2	0.1361E-02	ZERO	ZERO	0.3895E-11	0.1361E-02	ZERO	ZERO
33 MgO	0.2271E-01	ZERO	ZERO	0.6497E-10	0.2271E-01	ZERO	ZERO
60 Mn (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn (NO3) 2	0.1586E-02	ZERO	ZERO	0.4539E-11	0.1586E-02	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	0.7533E-02	ZERO	ZERO	0.2156E-10	0.7533E-02	ZERO	ZERO
14 MnO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
145 MoO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
81 N2	0.1194E+00	0.1000E-02	0.1804E+03	0.1804E+03	0.1202E+00	ZERO	0.1804E+03
74 N2O	0.2236E-18	ZERO	ZERO	0.2202E-18	0.3380E-20	ZERO	ZERO
182 NH3	0.4056E-01	ZERO	ZERO	0.8959E-02	0.3160E-01	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	0.3127E+00	ZERO	ZERO	0.8949E-09	0.3127E+00	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 2. Saltstone Production

STREAM NUMBERS (CONT'D) -> STREAM NAME	610 LPPT SN to Mixr Fd Tk	611 Recycled Flush Watr	612 Feed Tank Air Purge	613 Feed Tank Vnt to HEPA	614 Aqueous Fd To Mixer	615 Cement Pre-mix	616 Mixer Air Purge
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na (HgO (OH))	0.2822E-03	ZERO	ZERO	0.8073E-12	0.2822E-03	ZERO	ZERO
94 Na2B4O7	0.3253E+00	ZERO	ZERO	0.9309E-09	0.3253E+00	ZERO	ZERO
109 Na2C2O4	0.4668E+01	ZERO	ZERO	0.1336E-07	0.4668E+01	ZERO	ZERO
5 Na2CO3	0.4974E+03	ZERO	ZERO	0.1423E-05	0.4974E+03	ZERO	ZERO
143 Na2CO3 (C14)	0.7320E-05	ZERO	ZERO	0.2094E-13	0.7320E-05	ZERO	ZERO
89 Na2CrO4	0.2700E+01	ZERO	ZERO	0.7727E-08	0.2700E+01	ZERO	ZERO
115 Na2MoO4	0.8046E+00	ZERO	ZERO	0.2302E-08	0.8046E+00	ZERO	ZERO
32 Na2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
71 Na2PuO2 (OH) 4	0.1813E-05	ZERO	ZERO	0.5187E-14	0.1813E-05	ZERO	ZERO
73 Na2RhO4	0.1952E-01	ZERO	ZERO	0.5585E-10	0.1952E-01	ZERO	ZERO
72 Na2RuO4	0.1028E+00	ZERO	ZERO	0.2941E-09	0.1028E+00	ZERO	ZERO
6 Na2SO4	0.2817E+02	ZERO	ZERO	0.8060E-07	0.2817E+02	ZERO	ZERO
88 Na2SiO3	0.7803E+00	ZERO	ZERO	0.2233E-08	0.7803E+00	ZERO	ZERO
87 Na3PO4	0.3724E+02	ZERO	ZERO	0.1066E-06	0.3724E+02	ZERO	ZERO
91 NaAg (OH) 2	0.7463E-05	ZERO	ZERO	0.2135E-13	0.7463E-05	ZERO	ZERO
75 NaAl (OH) 4	0.1402E+03	ZERO	ZERO	0.4011E-06	0.1402E+03	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	0.2367E+01	ZERO	ZERO	0.6774E-08	0.2367E+01	ZERO	ZERO
69 NaF	0.2200E+01	ZERO	ZERO	0.6296E-08	0.2200E+01	ZERO	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.1444E-02	ZERO	ZERO	0.4132E-11	0.1444E-02	ZERO	ZERO
3 NaNO2	0.2723E+03	ZERO	ZERO	0.7793E-06	0.2723E+03	ZERO	ZERO
2 NaNO3	0.1397E+04	ZERO	ZERO	0.3996E-05	0.1397E+04	ZERO	ZERO
4 NaOH	0.6486E+03	ZERO	ZERO	0.1856E-05	0.6486E+03	ZERO	ZERO
149 NaTPB	0.7767E+01	ZERO	ZERO	0.2222E-07	0.7767E+01	ZERO	ZERO
160 NaTcO4	0.6477E-01	ZERO	ZERO	0.1853E-09	0.6477E-01	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni (NO3) 2	0.1732E-01	ZERO	ZERO	0.4957E-10	0.1732E-01	ZERO	ZERO
40 NiO	0.3657E-02	ZERO	ZERO	0.1046E-10	0.3657E-02	ZERO	ZERO
82 O2	0.6989E-01	0.5899E-03	0.5448E+02	0.5448E+02	0.7037E-01	ZERO	0.5448E+02
175 Pb (NO3) 2	0.4207E-01	ZERO	ZERO	0.1204E-09	0.4207E-01	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	0.1762E-02	ZERO	ZERO	0.5042E-11	0.1762E-02	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	0.1736E-03	ZERO	ZERO	0.4968E-12	0.1736E-03	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
156 PuO2 (NaTi2O5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 2. Saltstone Production

STREAM NUMBERS (CONT'D) ->	610	611	612	613	614	615	616
STREAM NAME	LPPT SN to	Recycled	Feed Tank	Feed Tank	Aqueous Fd	Cement	Mixer
	Mixr Fd Tk	Flush Watr	Air Purge	Vnt to HEPA	To Mixer	Pre-mix	Air Purge
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.4069E+00	ZERO	ZERO	0.1164E-08	0.4069E+00	ZERO	ZERO
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	0.4797E-05	ZERO	ZERO	0.1373E-13	0.4797E-05	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TeO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
119 Tritium	0.4132E-07	ZERO	ZERO	0.1182E-15	0.4132E-07	ZERO	ZERO
17 U3O8	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	0.8410E-01	ZERO	ZERO	0.2406E-09	0.8410E-01	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	0.5683E-05	ZERO	ZERO	0.1626E-13	0.5683E-05	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	0.1383E+01	ZERO	ZERO	0.3956E-08	0.1383E+01	ZERO	ZERO
57 ZnO	0.4492E-01	ZERO	ZERO	0.1285E-09	0.4492E-01	ZERO	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.1106E+00	ZERO	ZERO	0.3163E-09	0.1106E+00	ZERO	ZERO
1 water	0.8684E+04	0.6817E+02	0.3945E+01	0.1164E+02	0.8745E+04	ZERO	0.3945E+01
TOTAL FLOW, LB/HR	0.1173E+05	0.6818E+02	0.2388E+03	0.2465E+03	0.1179E+05	0.1769E+05	0.2388E+03
TEMPERATURE, DEG C	0.3992E+02	0.3500E+02	0.3500E+02	0.4000E+02	0.3999E+02	0.2500E+02	0.3500E+02
PRESSURE, ATM	0.9656E+00	0.9656E+00	0.1000E+01	0.9656E+00	0.9656E+00	0.1000E+01	0.1000E+01
PRESSURE, PSIG	-0.5055E+00	-0.5055E+00	ZERO	-0.5055E+00	-0.5055E+00	ZERO	ZERO
PRESSURE, MM HG	0.7339E+03	0.7339E+03		0.7339E+03	0.7339E+03		
ENTHALPY, PCU/HR	0.3793E+06	0.2392E+04	0.5008E+04	0.9999E+04	0.3824E+06	0.8227E+05	0.5008E+04
VAPOR FLOW, CFM			0.5641E+02	0.6240E+02			0.5641E+02
LIQUID FLOW, GPM	0.1959E+02	0.1362E+00			0.1971E+02		
DENSITY, LBS/FT3	0.7467E+02	0.6243E+02	0.7055E-01	0.6583E-01	0.7459E+02	0.1622E+03	0.7055E-01
PHASE	LIQUID	LIQUID	VAPOR	VAPOR	LIQUID	SOLID	VAPOR

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 2. Saltstone Production

STREAM NUMBERS -> STREAM NAME	617 Mixer Vent to HEPA	618 Saltstone to Trench	619 Hardened Saltstone	620 Saltstone Vapor Release	625 Mixer Feed Line Flush	626 Flush H2O to Slitston	627 Flush H2O to Hld Tnk
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	0.5665E-08	0.3344E+01	0.3344E+01	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	0.7220E-06	0.7143E-07	ZERO	0.7143E-07	ZERO	ZERO	ZERO
155 (CH3)2CHOH	0.4934E-02	0.4456E-01	0.4456E-01	ZERO	ZERO	ZERO	ZERO
154 (CH3OH)	0.2652E-03	0.3018E-02	0.3018E-02	ZERO	ZERO	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	0.2977E-11	0.1757E-02	0.1757E-02	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.1490E-09	0.8794E-01	0.8794E-01	ZERO	ZERO	ZERO	ZERO
106 B2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
9 Ba(OH)2	0.2194E-16	0.1295E-07	0.1295E-07	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	0.4710E-11	0.2780E-02	0.2780E-02	ZERO	ZERO	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.3167E-08	0.7754E-10	0.7754E-10	ZERO	ZERO	ZERO	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.6013E-10	0.3549E-01	0.3549E-01	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	0.6201E-11	0.3660E-02	0.3660E-02	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.3691E-09	0.2178E+00	0.2178E+00	ZERO	ZERO	ZERO	ZERO
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	0.8455E-09	0.4990E+00	0.4990E+00	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	0.2997E-04	0.1769E+05	0.1769E+05	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	0.2359E-10	0.1392E-01	0.1392E-01	ZERO	ZERO	ZERO	ZERO
59 CoO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
98 Cr2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
42 Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	0.2807E-14	0.1657E-05	0.1657E-05	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 2. Saltstone Production

STREAM NUMBERS (CONT'D) ->	617	618	619	620	625	626	627
STREAM NAME	Mixer Vent to HEPA	Saltstone to Trench	Hardened Saltstone	Saltstone Vapor Release	Mixer Feed Line Flush	Flush H2O to Slitston	Flush H2O to Hld Tnk
54 Cu (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu (NO3) 2	0.5568E-11	0.3286E-02	0.3286E-02	ZERO	ZERO	ZERO	ZERO
55 CuO	0.6723E-11	0.3968E-02	0.3968E-02	ZERO	ZERO	ZERO	ZERO
80 Fe2O3	0.2002E-09	0.1181E+00	0.1181E+00	ZERO	ZERO	ZERO	ZERO
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	0.1739E-09	0.1027E+00	0.1027E+00	ZERO	ZERO	ZERO	ZERO
103 Group B	0.3289E-11	0.1941E-02	0.1941E-02	ZERO	ZERO	ZERO	ZERO
25 H2	0.4516E-16	0.3686E-19	0.3686E-19	ZERO	ZERO	ZERO	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg (C6H5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	0.1704E-11	0.1005E-02	0.1005E-02	ZERO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	0.8570E-12	0.5058E-03	0.5058E-03	ZERO	ZERO	ZERO	ZERO
39 K2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	0.3885E-10	0.2293E-01	0.2293E-01	ZERO	ZERO	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
65 Mg (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg (NO3) 2	0.2307E-11	0.1361E-02	0.1361E-02	ZERO	ZERO	ZERO	ZERO
33 MgO	0.3847E-10	0.2271E-01	0.2271E-01	ZERO	ZERO	ZERO	ZERO
60 Mn (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn (NO3) 2	0.2688E-11	0.1586E-02	0.1586E-02	ZERO	ZERO	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	0.1276E-10	0.7533E-02	0.7533E-02	ZERO	ZERO	ZERO	ZERO
14 MnO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
145 MoO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
81 N2	0.1804E+03	0.1201E+00	0.1201E+00	ZERO	ZERO	ZERO	ZERO
74 N2O	0.3329E-20	0.5104E-22	0.5104E-22	ZERO	ZERO	ZERO	ZERO
182 NH3	0.6985E-02	0.2462E-01	ZERO	0.2462E-01	ZERO	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	0.5299E-09	0.3127E+00	0.3127E+00	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 2. Saltstone Production

STREAM NUMBERS (CONT'D) -> STREAM NAME	617 Mixer Vent to HEPA	618 Saltstone to Trench	619 Hardened Saltstone	620 Saltstone Vapor Release	625 Mixer Feed Line Flush	626 Flush H2O to Slitston	627 Flush H2O to Hld Tnk
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na(HgO(OH))	0.4780E-12	0.2822E-03	0.2822E-03	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	0.5512E-09	0.3253E+00	0.3253E+00	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	0.7909E-08	0.4668E+01	0.4668E+01	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	0.8428E-06	0.4974E+03	0.4974E+03	ZERO	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	0.1240E-13	0.7320E-05	0.7320E-05	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	0.4575E-08	0.2700E+01	0.2700E+01	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	0.1363E-08	0.8046E+00	0.8046E+00	ZERO	ZERO	ZERO	ZERO
32 Na2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
71 Na2PuO2(OH)4	0.3071E-14	0.1813E-05	0.1813E-05	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	0.3307E-10	0.1952E-01	0.1952E-01	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	0.1741E-09	0.1028E+00	0.1028E+00	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.4772E-07	0.2817E+02	0.2817E+02	ZERO	ZERO	ZERO	ZERO
88 Na2SiO3	0.1322E-08	0.7803E+00	0.7803E+00	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.6309E-07	0.3724E+02	0.3724E+02	ZERO	ZERO	ZERO	ZERO
91 NaAg(OH)2	0.1264E-13	0.7463E-05	0.7463E-05	ZERO	ZERO	ZERO	ZERO
75 NaAl(OH)4	0.2375E-06	0.1402E+03	0.1402E+03	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	0.4011E-08	0.2367E+01	0.2367E+01	ZERO	ZERO	ZERO	ZERO
69 NaF	0.3728E-08	0.2200E+01	0.2200E+01	ZERO	ZERO	ZERO	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.2447E-11	0.1444E-02	0.1444E-02	ZERO	ZERO	ZERO	ZERO
3 NaNO2	0.4614E-06	0.2723E+03	0.2723E+03	ZERO	ZERO	ZERO	ZERO
2 NaNO3	0.2366E-05	0.1397E+04	0.1397E+04	ZERO	ZERO	ZERO	ZERO
4 NaOH	0.1099E-05	0.6486E+03	0.6486E+03	ZERO	ZERO	ZERO	ZERO
149 NaTPB	0.1316E-07	0.7767E+01	0.7767E+01	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	0.1097E-09	0.6477E-01	0.6477E-01	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni(NO3)2	0.2935E-10	0.1732E-01	0.1732E-01	ZERO	ZERO	ZERO	ZERO
40 NiO	0.6196E-11	0.3657E-02	0.3657E-02	ZERO	ZERO	ZERO	ZERO
82 O2	0.5448E+02	0.7031E-01	0.7031E-01	ZERO	ZERO	ZERO	ZERO
175 Pb(NO3)2	0.7127E-10	0.4207E-01	0.4207E-01	ZERO	ZERO	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	0.2986E-11	0.1762E-02	0.1762E-02	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd(NO3)2	0.2942E-12	0.1736E-03	0.1736E-03	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
156 PuO2(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 2. Saltstone Production

STREAM NUMBERS (CONT'D) -> STREAM NAME	617 Mixer Vent to HEPA	618 Saltstone to Trench	619 Hardened Saltstone	620 Saltstone Vapor Release	625 Mixer Feed Line Flush	626 Flush H2O to Sitston	627 Flush H2O to Hld Tnk
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.6894E-09	0.4069E+00	0.4069E+00	ZERO	ZERO	ZERO	ZERO
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	0.8127E-14	0.4797E-05	0.4797E-05	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TeO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
119 Tritium	0.1942E-10	0.4130E-07	0.4087E-07	0.4273E-09	ZERO	ZERO	ZERO
17 U3O8	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	0.1425E-09	0.8410E-01	0.8410E-01	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	0.9629E-14	0.5683E-05	0.5683E-05	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	0.2342E-08	0.1383E+01	0.1383E+01	ZERO	ZERO	ZERO	ZERO
57 ZnO	0.7610E-10	0.4492E-01	0.4492E-01	ZERO	ZERO	ZERO	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.1873E-09	0.1106E+00	0.1106E+00	ZERO	ZERO	ZERO	ZERO
1 water	0.1164E+02	0.8768E+04	0.7234E+04	0.1534E+04	0.1041E+03	0.3124E+02	0.7289E+02
TOTAL FLOW, LB/HR	0.2465E+03	0.2951E+05	0.2798E+05	0.1535E+04	0.1041E+03	0.3124E+02	0.7289E+02
TEMPERATURE, DEG C	0.4000E+02	0.3873E+02	0.3873E+02	0.3873E+02	0.2500E+02	0.2500E+02	0.2500E+02
PRESSURE, ATM	0.9656E+00	0.9656E+00	0.9656E+00	0.9656E+00	0.1000E+01	0.1000E+01	0.1000E+01
PRESSURE, PSIG	-0.5055E+00	-0.5055E+00	-0.5055E+00	-0.5055E+00	ZERO	ZERO	ZERO
PRESSURE, MM HG	0.7339E+03	0.7339E+03	0.7339E+03	0.7339E+03			
ENTHALPY, PCU/HR	0.9998E+04	0.4988E+06	0.4392E+06	0.9373E+06	0.2613E+04	0.7838E+03	0.1829E+04
VAPOR FLOW, CFM	0.6240E+02			0.6024E+03			
LIQUID FLOW, GPM		0.3335E+02	0.3029E+02		0.2079E+00	0.6238E-01	0.1456E+00
DENSITY, LBS/FT3	0.6583E-01	0.1103E+03	0.1151E+03	0.4246E-01	0.6243E+02	0.6243E+02	0.6243E+02
PHASE	VAPOR	LIQUID	LIQUID	VAPOR	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 2. Saltstone Production

STREAM NUMBERS -> STREAM NAME	628 Flush Tnk Air Purge	629 Flush Tnk Vnt to HEPA	630 Inlet Vapr to HEPA	631 Sstone Proc HEPA Accum	632 Sltston Proc Stack Rels
COMPONENT FLOWS, LB/HR					
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	ZERO	ZERO	0.1523E-07	0.1522E-07	0.1523E-10
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	ZERO	ZERO	0.8734E-05	ZERO	0.8734E-05
155 (CH3)2CHOH	ZERO	ZERO	0.1041E-01	ZERO	0.1041E-01
154 (CH3OH)	ZERO	ZERO	0.5533E-03	ZERO	0.5533E-03
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	ZERO	0.8005E-11	0.7997E-11	0.8005E-14
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	ZERO	0.4006E-09	0.4002E-09	0.4006E-12
106 B2O3	ZERO	ZERO	ZERO	ZERO	ZERO
9 Ba(OH)2	ZERO	ZERO	0.5899E-16	0.5893E-16	0.5899E-19
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	ZERO	ZERO	0.1267E-10	0.1265E-10	0.1267E-13
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	0.1356E-06	ZERO	0.1356E-06
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	0.1617E-09	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	0.1667E-10	0.1666E-10	0.1667E-13
113 Ca3(PO4)2	ZERO	ZERO	0.9924E-09	0.9914E-09	0.9924E-12
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	0.2273E-08	0.2271E-08	0.2273E-11
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	ZERO	ZERO	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	0.2997E-04	0.2994E-04	0.2997E-07
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	ZERO	0.6343E-10	ZERO	ZERO
59 CoO	ZERO	ZERO	ZERO	ZERO	ZERO
98 Cr2O3	ZERO	ZERO	ZERO	ZERO	ZERO
42 Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	0.7547E-14	0.7539E-14	0.7547E-17
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 2. Saltstone Production

STREAM NUMBERS (CONT'D) ->	628	629	630	631	632
STREAM NAME	Flush Tnk	Flush Tnk	Inlet Vap	Sstone Proc	Slstston Proc
	Air Purge	Vnt to HEPA	to HEPA	HEPA Accum	Stack Rels
54 Cu(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu(NO3)2	ZERO	ZERO	0.1497E-10	ZERO	ZERO
55 CuO	ZERO	ZERO	0.1808E-10	0.1806E-10	0.1808E-13
80 Fe2O3	ZERO	ZERO	0.5382E-09	0.5377E-09	0.5382E-12
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	ZERO	ZERO	0.4677E-09	0.4673E-09	0.4677E-12
103 Group B	ZERO	ZERO	0.8844E-11	0.8835E-11	0.8844E-14
25 H2	ZERO	ZERO	0.5537E-13	ZERO	0.5537E-13
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg(C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	0.4581E-11	0.4576E-11	0.4581E-14
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	0.2304E-11	ZERO	ZERO
39 K2O	ZERO	ZERO	ZERO	ZERO	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	0.1045E-09	0.1044E-09	0.1045E-12
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	ZERO	ZERO	ZERO	ZERO
65 Mg(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg(NO3)2	ZERO	ZERO	0.6202E-11	ZERO	ZERO
33 MgO	ZERO	ZERO	0.1034E-09	0.1033E-09	0.1034E-12
60 Mn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn(NO3)2	ZERO	ZERO	0.7227E-11	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	0.3432E-10	0.3429E-10	0.3432E-13
14 MnO2	ZERO	ZERO	ZERO	ZERO	ZERO
145 MoO2	ZERO	ZERO	ZERO	ZERO	ZERO
81 N2	0.1804E+03	0.1804E+03	0.5411E+03	ZERO	0.5411E+03
74 N2O	ZERO	ZERO	0.2236E-18	ZERO	0.2236E-18
182 NH3	ZERO	ZERO	0.1594E-01	ZERO	0.1594E-01
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	0.1425E-08	ZERO	0.1425E-08
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 2. Saltstone Production

STREAM NUMBERS (CONT'D) ->	628	629	630	631	632
STREAM NAME	Flush Tnk Air Purge	Flush Tnk Vnt to HEPA	Inlet Vapr to HEPA	Sstone Proc HEPA Accum	Sltston Proc Stack Rels
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na(HgO(OH))	ZERO	ZERO	0.1285E-11	0.1284E-11	0.1285E-14
94 Na2B4O7	ZERO	ZERO	0.1482E-08	0.1481E-08	0.1482E-11
109 Na2C2O4	ZERO	ZERO	0.2127E-07	0.2125E-07	0.2127E-10
5 Na2CO3	ZERO	ZERO	0.2266E-05	0.2264E-05	0.2266E-08
143 Na2CO3 (C14)	ZERO	ZERO	0.3335E-13	0.3331E-13	0.3335E-16
89 Na2CrO4	ZERO	ZERO	0.1230E-07	0.1229E-07	0.1230E-10
115 Na2MoO4	ZERO	ZERO	0.3665E-08	0.3662E-08	0.3665E-11
32 Na2O	ZERO	ZERO	ZERO	ZERO	ZERO
71 Na2PuO2(OH)4	ZERO	ZERO	0.8258E-14	0.8249E-14	0.8258E-17
73 Na2RhO4	ZERO	ZERO	0.8892E-10	0.8883E-10	0.8892E-13
72 Na2RuO4	ZERO	ZERO	0.4683E-09	0.4678E-09	0.4683E-12
6 Na2SO4	ZERO	ZERO	0.1283E-06	0.1282E-06	0.1283E-09
88 Na2SiO3	ZERO	ZERO	0.3555E-08	0.3551E-08	0.3555E-11
87 Na3PO4	ZERO	ZERO	0.1697E-06	0.1695E-06	0.1697E-09
91 NaAg(OH)2	ZERO	ZERO	0.3400E-13	0.3396E-13	0.3400E-16
75 NaAl(OH)4	ZERO	ZERO	0.6386E-06	0.6380E-06	0.6386E-09
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	ZERO	ZERO	0.1078E-07	0.1077E-07	0.1078E-10
69 NaF	ZERO	ZERO	0.1002E-07	0.1001E-07	0.1002E-10
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	ZERO	0.6579E-11	0.6572E-11	0.6579E-14
3 NaNO2	ZERO	ZERO	0.1241E-05	0.1239E-05	0.1241E-08
2 NaNO3	ZERO	ZERO	0.6363E-05	0.6356E-05	0.6363E-08
4 NaOH	ZERO	ZERO	0.2955E-05	0.2952E-05	0.2955E-08
149 NaTPB	ZERO	ZERO	0.3538E-07	0.3535E-07	0.3538E-10
160 NaTcO4	ZERO	ZERO	0.2951E-09	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni(NO3)2	ZERO	ZERO	0.7892E-10	ZERO	ZERO
40 NiO	ZERO	ZERO	0.1666E-10	0.1664E-10	0.1666E-13
82 O2	0.5448E+02	0.5448E+02	0.1634E+03	ZERO	0.1634E+03
175 Pb(NO3)2	ZERO	ZERO	0.1916E-09	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	0.8028E-11	0.8020E-11	0.8028E-14
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	ZERO	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd(NO3)2	ZERO	ZERO	0.7910E-12	0.7902E-12	0.7910E-15
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	ZERO	ZERO	ZERO	ZERO	ZERO
156 PuO2(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 2. Saltstone Production

STREAM NUMBERS (CONT'D) ->	628	629	630	631	632
STREAM NAME	Flush Tnk Air Purge	Flush Tnk Vnt to HEPA	Inlet Vapr to HEPA	Sstone Proc HEPA Accum	Sltston Proc Stack Rels
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	ZERO	0.1854E-08	0.1852E-08	0.1854E-11
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	ZERO	ZERO	0.2185E-13	0.2183E-13	0.2185E-16
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TcO2	ZERO	ZERO	ZERO	ZERO	ZERO
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	ZERO	ZERO	ZERO	ZERO	ZERO
119 Tritium	ZERO	ZERO	0.1942E-10	ZERO	0.1942E-10
17 U3O8	ZERO	ZERO	ZERO	ZERO	ZERO
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	0.3831E-09	0.3827E-09	0.3831E-12
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	0.2589E-13	0.2587E-13	0.2589E-16
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	ZERO	ZERO	0.6299E-08	ZERO	ZERO
57 ZnO	ZERO	ZERO	0.2046E-09	0.2044E-09	0.2046E-12
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	0.5036E-09	0.5031E-09	0.5036E-12
1 water	0.3945E+01	0.8659E+01	0.3194E+02	ZERO	0.3194E+02
TOTAL FLOW, LB/HR	0.2388E+03	0.2435E+03	0.7365E+03	0.4381E-04	0.7365E+03
TEMPERATURE, DEG C	0.3500E+02	0.3500E+02	0.3836E+02	0.3836E+02	0.3836E+02
PRESSURE, ATM	0.1000E+01	0.9656E+00	0.9656E+00	0.9656E+00	0.9656E+00
PRESSURE, PSIG	ZERO	-0.5055E+00	-0.5055E+00	-0.5055E+00	-0.5055E+00
PRESSURE, MM HG		0.7339E+03	0.7339E+03	0.7339E+03	0.7339E+03
ENTHALPY, PCU/HR	0.5008E+04	0.7879E+04	0.2788E+05	0.3532E-03	0.2788E+05
VAPOR FLOW, CFM	0.5641E+02	0.6024E+02	0.1851E+03		0.1851E+03
LIQUID FLOW, GPM					
DENSITY, LBS/FT3	0.7055E-01	0.6736E-01	0.6633E-01	0.1644E+03	0.6633E-01
PHASE	VAPOR	VAPOR	VAPOR	SOLID	VAPOR

SECTION 3A. PRECIPITATE HYDROLYSIS IN SALT CELL

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3A. Precipitate Hydrolysis in Salt Cell

DESCRIPTION	PAGE
-----	----
1. STREAM NUMBERS 657, 658, 201, 202, 203, 204, 216	2
2. STREAM NUMBERS 205, 206, 209, 217, 220, 228, 207	6
3. STREAM NUMBERS 265, 266, 211, 215, 212, 214, 210	10
4. STREAM NUMBERS 213	14

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3A. Precipitate Hydrolysis in Salt Cell

STREAM NUMBERS -> STREAM NAME	657 Prec Feed Solubles	658 Prec Feed Insolubles	201 Washd Precip Feed frm LWF	202 PRFT CO2 Purge	203 PRFT Air Inlkg	204 PRFT vent to SCVC	216 PRFT Transfer Pump Prime
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	0.3293E+00	0.3293E+00	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	0.1399E-01	0.1399E-01	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	0.9313E-02	0.9313E-02	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	0.3712E+00	0.3712E+00	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	0.3026E-01	0.3026E-01	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	0.4503E-01	ZERO	0.4503E-01	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	0.1091E-01	ZERO	0.1091E-01	ZERO	ZERO	0.9857E-02	ZERO
155 (CH3)2CHOH	0.8591E-10	ZERO	0.8591E-10	ZERO	ZERO	0.8072E-11	ZERO
154 (CH3OH)	0.9422E-11	ZERO	0.9422E-11	ZERO	ZERO	0.7180E-12	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	0.3054E-02	0.3054E-02	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	0.1297E+00	0.1297E+00	ZERO	ZERO	ZERO	ZERO
106 B2O3	ZERO	0.1670E-02	0.1670E-02	ZERO	ZERO	ZERO	ZERO
9 Ba(OH)2	0.4817E-16	ZERO	0.4817E-16	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	ZERO	0.1793E-02	0.1793E-02	ZERO	ZERO	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	ZERO	0.1471E+02	ZERO	0.1434E+02	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.1370E-05	ZERO	0.1370E-05	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	0.1413E-06	ZERO	0.1413E-06	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	0.5607E+00	0.5607E+00	ZERO	ZERO	ZERO	ZERO
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	ZERO	0.1912E+00	0.1912E+00	ZERO	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	0.5373E-06	ZERO	0.5373E-06	ZERO	ZERO	ZERO	ZERO
59 CoO	ZERO	0.1028E-03	0.1028E-03	ZERO	ZERO	ZERO	ZERO
98 Cr2O3	ZERO	0.2616E+00	0.2616E+00	ZERO	ZERO	ZERO	ZERO
42 Cs2O	ZERO	0.3848E-04	0.3848E-04	ZERO	ZERO	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	0.1794E-05	ZERO	0.1794E-05	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	0.1100E+00	0.1100E+00	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3A. Precipitate Hydrolysis in Salt Cell

STREAM NUMBERS (CONT'D) ->	657	658	201	202	203	204	216
STREAM NAME	Prec Feed Solubles	Prec Feed Insolubles	Washd Precip Feed frm LWF	PRFT CO2 Purge	PRFT Air Inlkge	PRFT vent to SCVC	PRFT Transfer Pump Prime
54 Cu (COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu (NO3)2	0.1268E-06	ZERO	0.1268E-06	ZERO	ZERO	ZERO	ZERO
55 CuO	ZERO	0.1061E-02	0.1061E-02	ZERO	ZERO	ZERO	ZERO
80 Fe2O3	ZERO	0.1587E+00	0.1587E+00	ZERO	ZERO	ZERO	ZERO
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	ZERO	0.2437E-05	0.2437E-05	ZERO	ZERO	ZERO	ZERO
103 Group B	ZERO	0.7493E-07	0.7493E-07	ZERO	ZERO	ZERO	ZERO
25 H2	0.7581E-11	ZERO	0.7581E-11	ZERO	ZERO	0.7574E-11	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg (C6H5)2	ZERO	0.3797E+00	0.3797E+00	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	0.3719E-03	0.3719E-03	ZERO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	0.1948E-04	ZERO	ZERO	ZERO	ZERO
39 K2O	ZERO	0.6882E-02	0.6882E-02	ZERO	ZERO	ZERO	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	0.1076E-06	ZERO	0.1076E-06	ZERO	ZERO	ZERO	ZERO
150 KTPB	ZERO	0.4280E+02	0.4280E+02	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	0.2948E-03	0.2948E-03	ZERO	ZERO	ZERO	ZERO
65 Mg (COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg (NO3)2	0.5254E-07	ZERO	0.5254E-07	ZERO	ZERO	ZERO	ZERO
33 MgO	ZERO	0.1725E-02	0.1725E-02	ZERO	ZERO	ZERO	ZERO
60 Mn (COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn (NO3)2	0.6122E-07	ZERO	0.6122E-07	ZERO	ZERO	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	ZERO	0.3295E-02	0.3295E-02	ZERO	ZERO	ZERO	ZERO
145 MoO2	ZERO	0.1096E-03	0.1096E-03	ZERO	ZERO	ZERO	ZERO
81 N2	0.3456E-03	ZERO	0.3456E-03	ZERO	0.1133E+01	0.1133E+01	ZERO
74 N2O	0.1070E-09	ZERO	0.1070E-09	ZERO	ZERO	0.1053E-09	ZERO
182 NH3	0.1826E-05	ZERO	0.1826E-05	ZERO	ZERO	0.3846E-06	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	0.2617E-02	0.2617E-02	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3A. Precipitate Hydrolysis in Salt Cell

STREAM NUMBERS (CONT'D) ->	657	658	201	202	203	204	216
STREAM NAME	Prec Feed Solubles	Prec Feed Insolubles	Washd Precip Feed frm LWF	PRFT CO2 Purge	PRFT Air Inlkge	PRFT vent to SCVC	PRFT Transfer Pump Prime
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na (HgO (OH))	0.1165E-10	ZERO	0.1165E-10	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	0.1025E-01	ZERO	0.1025E-01	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	0.7810E-02	ZERO	0.7810E-02	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	0.1677E+00	ZERO	0.1677E+00	ZERO	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	0.2825E-09	ZERO	0.2825E-09	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	0.1040E-03	ZERO	0.1040E-03	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	0.3105E-04	ZERO	0.3105E-04	ZERO	ZERO	ZERO	ZERO
32 Na2O	ZERO	0.1003E+01	0.1003E+01	ZERO	ZERO	ZERO	ZERO
71 Na2PuO2 (OH) 4	0.1298E-11	ZERO	0.1298E-11	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	0.7533E-06	ZERO	0.7533E-06	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	0.3967E-05	ZERO	0.3967E-05	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.1082E-02	ZERO	0.1082E-02	ZERO	ZERO	ZERO	ZERO
88 Na2SiO3	0.3012E-04	ZERO	0.3012E-04	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.1437E-02	ZERO	0.1437E-02	ZERO	ZERO	ZERO	ZERO
91 NaAg (OH) 2	0.5550E-12	ZERO	0.5550E-12	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	0.3727E-04	ZERO	0.3727E-04	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	0.3180E-02	ZERO	0.3180E-02	ZERO	ZERO	ZERO	ZERO
69 NaF	0.8321E-04	ZERO	0.8321E-04	ZERO	ZERO	ZERO	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.5573E-07	ZERO	0.5573E-07	ZERO	ZERO	ZERO	ZERO
3 NaNO2	0.2955E+00	ZERO	0.2955E+00	ZERO	ZERO	ZERO	ZERO
2 NaNO3	0.2200E-01	ZERO	0.2200E-01	ZERO	ZERO	ZERO	ZERO
4 NaOH	0.9803E-01	ZERO	0.9803E-01	ZERO	ZERO	ZERO	ZERO
149 NaTPB	0.5890E+00	ZERO	0.5890E+00	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	0.2500E-05	ZERO	0.2500E-05	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	0.9792E+00	0.9792E+00	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni (NO3) 2	0.6686E-06	ZERO	0.6686E-06	ZERO	ZERO	ZERO	ZERO
40 Nio	ZERO	0.1037E-02	0.1037E-02	ZERO	ZERO	ZERO	ZERO
82 O2	0.3924E-04	ZERO	0.3924E-04	ZERO	0.3423E+00	0.3418E+00	ZERO
175 Pb (NO3) 2	0.1624E-05	ZERO	0.1624E-05	ZERO	ZERO	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	0.4362E-02	0.4362E-02	ZERO	ZERO	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	0.6701E-08	ZERO	0.6701E-08	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	ZERO	0.3209E-04	0.3209E-04	ZERO	ZERO	ZERO	ZERO
156 PuO2 (NaTi2O5) 2	ZERO	0.1272E-03	0.1272E-03	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	0.4424E-02	0.4424E-02	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3A. Precipitate Hydrolysis in Salt Cell

STREAM NUMBERS (CONT'D) -> STREAM NAME	657 Prec Feed Solubles	658 Prec Feed Insolubles	201 Washd Precip Feed frm LWF	202 PRFT CO2 Purge	203 PRFT Air Inlkg	204 PRFT vent to SCVC	216 PRFT Trnsfer Pump Prime
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	0.2666E-01	0.2666E-01	ZERO	ZERO	ZERO	ZERO
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	0.4072E-02	0.4072E-02	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	0.7410E-12	ZERO	0.7410E-12	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	0.9081E-04	0.9081E-04	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TeO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	ZERO	0.1213E-02	0.1213E-02	ZERO	ZERO	ZERO	ZERO
119 Tritium	0.1282E-11	ZERO	0.1282E-11	ZERO	ZERO	0.1632E-14	ZERO
17 U3O8	ZERO	0.7512E-03	0.7512E-03	ZERO	ZERO	ZERO	ZERO
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	0.1074E-05	0.6751E-13	0.1074E-05	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	0.8232E-12	ZERO	0.8232E-12	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	0.9683E-03	0.9683E-03	ZERO	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	0.5336E-04	ZERO	0.5336E-04	ZERO	ZERO	ZERO	ZERO
57 ZnO	ZERO	0.1980E+00	0.1980E+00	ZERO	ZERO	ZERO	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	0.3589E-01	0.3589E-01	ZERO	ZERO	ZERO	ZERO
1 water	0.4274E+03	ZERO	0.4274E+03	ZERO	0.2478E-01	0.5397E+00	0.3900E+01
TOTAL FLOW, LB/HR	0.4286E+03	0.4762E+02	0.4762E+03	0.1471E+02	0.1500E+01	0.1636E+02	0.3900E+01
TEMPERATURE, DEG C	0.3619E+02	0.3619E+02	0.3619E+02	0.3500E+02	0.3500E+02	0.4000E+02	0.2500E+02
PRESSURE, ATM	0.9656E+00	0.9656E+00	0.9656E+00	0.1000E+01	0.1000E+01	0.9656E+00	0.1000E+01
PRESSURE, PSIG	-0.5055E+00	-0.5055E+00	-0.5055E+00	ZERO	ZERO	-0.5055E+00	ZERO
PRESSURE, MM HG	0.7339E+03	0.7339E+03	0.7339E+03			0.7339E+03	
ENTHALPY, PCU/HR	0.1551E+05	0.2660E+02	0.1554E+05	0.9847E+03	0.3146E+02	0.1323E+04	0.9786E+02
VAPOR FLOW, CFM				0.2256E+01	0.3543E+00	0.2891E+01	
LIQUID FLOW, GPM	0.8551E+00	0.8411E-01	0.9392E+00				0.7788E-02
DENSITY, LBS/FT3	0.6249E+02	0.7060E+02	0.6322E+02	0.1087E+00	0.7055E-01	0.9434E-01	0.6243E+02
PHASE	LIQUID	LIQUID	LIQUID	VAPOR	VAPOR	VAPOR	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3A. Precipitate Hydrolysis in Salt Cell

STREAM NUMBERS -> STREAM NAME	205 Slurry frm PRFT to PR	206 Formic Acid to PR	209 PR Heel to Hydrolysis	217 H2O addn to PR	220 Cu Catalyst addn to PR	228 OE Bottoms to PR	207 PR CO2 Purge
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	0.3293E+00	ZERO	0.6510E-04	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	0.1399E-01	ZERO	0.5890E-04	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	0.9313E-02	ZERO	0.4397E-04	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	0.3712E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	0.3026E-01	ZERO	0.3519E-03	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	0.4692E-03	ZERO	ZERO	0.1320E-02	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	0.1333E-02	ZERO	ZERO	0.8373E-15	ZERO
165 (C6H5NO)	ZERO	ZERO	0.2170E-04	ZERO	ZERO	0.1363E-16	ZERO
164 (C6H5NO2)	ZERO	ZERO	0.4420E-04	ZERO	ZERO	0.2777E-16	ZERO
131 (C6H5OH salt)	0.4503E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	ZERO	ZERO	0.5950E-02	ZERO	ZERO	0.2094E-02	ZERO
121 (C6H6)	0.1055E-02	ZERO	0.9127E-04	ZERO	ZERO	0.7723E-04	ZERO
155 (CH3)2CHOH	0.7784E-10	ZERO	0.5301E-12	ZERO	ZERO	0.6213E-11	ZERO
154 (CH3OH)	0.8704E-11	ZERO	0.5648E-13	ZERO	ZERO	0.5903E-12	ZERO
45 Ag	ZERO	ZERO	0.1811E-04	ZERO	ZERO	0.1137E-16	ZERO
116 Ag2O	0.3054E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.1297E+00	ZERO	0.8266E-03	ZERO	ZERO	0.5192E-15	ZERO
106 B2O3	0.1670E-02	ZERO	0.1064E-04	ZERO	ZERO	0.6684E-17	ZERO
9 Ba(OH)2	0.4817E-16	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	0.1793E-02	ZERO	0.1142E-04	ZERO	ZERO	0.7173E-17	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.3734E+00	ZERO	0.3939E-08	ZERO	ZERO	0.4515E-06	0.2360E+02
142 CO2 (C14)	ZERO	ZERO	0.3806E-19	ZERO	ZERO	0.1086E-20	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.1370E-05	ZERO	0.8727E-08	ZERO	ZERO	0.5481E-20	ZERO
120 Ca(OH)2	0.1413E-06	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.5607E+00	ZERO	0.3572E-02	ZERO	ZERO	0.2244E-14	ZERO
20 CaC2O4	ZERO	ZERO	0.1556E-08	ZERO	ZERO	0.9773E-21	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	0.1912E+00	ZERO	0.1218E-02	ZERO	ZERO	0.7649E-15	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	0.9128E-06	ZERO	ZERO	0.5734E-18	ZERO
168 Co(NO3)2	0.5373E-06	ZERO	0.3423E-08	ZERO	ZERO	0.2150E-20	ZERO
59 CoO	0.1028E-03	ZERO	0.1955E-06	ZERO	ZERO	0.1228E-18	ZERO
98 Cr2O3	0.2616E+00	ZERO	0.1667E-02	ZERO	ZERO	0.1047E-14	ZERO
42 Cs2O	0.3848E-04	ZERO	0.2451E-06	ZERO	ZERO	0.1540E-18	ZERO
53 CsCOOH	ZERO	ZERO	0.2759E-03	ZERO	ZERO	0.1733E-15	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	0.1794E-05	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
151 CsTPB	0.1100E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3A. Precipitate Hydrolysis in Salt Cell

STREAM NUMBERS (CONT'D) ->	205	206	209	217	220	228	207
STREAM NAME	Slurry frm PRFT to PR	Formic Acid to PR	PR Heel to Hydrolysis	H2O addn to PR	Cu Catalyst addn to PR	OE Bottoms to PR	PR CO2 Purge
54 Cu (COOH)2	ZERO	ZERO	0.1313E-05	ZERO	ZERO	0.8246E-18	ZERO
170 Cu (NO3)2	0.1268E-06	ZERO	0.1388E-01	ZERO	0.2179E+01	0.8722E-14	ZERO
55 CuO	0.1061E-02	ZERO	0.6082E-05	ZERO	ZERO	0.3820E-17	ZERO
80 Fe2O3	0.1587E+00	ZERO	0.1011E-02	ZERO	ZERO	0.6352E-15	ZERO
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	0.2437E-05	ZERO	0.1553E-07	ZERO	ZERO	0.9754E-20	ZERO
103 Group B	0.7493E-07	ZERO	0.4773E-09	ZERO	ZERO	0.2998E-21	ZERO
25 H2	0.6576E-14	ZERO	TRACE	ZERO	ZERO	TRACE	ZERO
158 H2C2O4	ZERO	ZERO	0.3343E-04	ZERO	ZERO	0.2100E-16	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	0.4910E-01	ZERO	ZERO	0.3084E-13	ZERO
34 HCOOH	ZERO	0.1580E+02	0.5689E-01	ZERO	ZERO	0.3122E-02	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	0.2037E-03	ZERO	ZERO	0.1741E-06	ZERO
129 Hg (C6H5)2	0.3797E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	0.3719E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	0.1948E-04	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	0.6882E-02	ZERO	0.4385E-04	ZERO	ZERO	0.2754E-16	ZERO
51 KCOOH	ZERO	ZERO	0.6400E-01	ZERO	ZERO	0.4020E-13	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	0.1076E-06	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
150 KTPB	0.4280E+02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	0.2948E-03	ZERO	0.1878E-05	ZERO	ZERO	0.1180E-17	ZERO
65 Mg (COOH)2	ZERO	ZERO	0.2496E-04	ZERO	ZERO	0.1568E-16	ZERO
171 Mg (NO3)2	0.5254E-07	ZERO	0.3347E-09	ZERO	ZERO	0.2103E-21	ZERO
33 MgO	0.1725E-02	ZERO	0.2187E-05	ZERO	ZERO	0.1373E-17	ZERO
60 Mn (COOH)2	ZERO	ZERO	0.2106E-04	ZERO	ZERO	0.1323E-16	ZERO
172 Mn (NO3)2	0.6122E-07	ZERO	0.3900E-09	ZERO	ZERO	0.2450E-21	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	0.3295E-02	ZERO	0.8366E-05	ZERO	ZERO	0.5255E-17	ZERO
145 MoO2	0.1096E-03	ZERO	0.8211E-06	ZERO	ZERO	0.5158E-18	ZERO
81 N2	0.8024E-03	ZERO	0.4144E-09	ZERO	ZERO	0.8479E-09	ZERO
74 N2O	0.1717E-11	ZERO	0.9048E-22	ZERO	ZERO	0.1043E-21	ZERO
182 NH3	0.1442E-05	ZERO	0.6188E-09	ZERO	ZERO	0.1506E-08	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	0.3118E-05	ZERO	ZERO	0.1958E-17	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	0.2617E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3A. Precipitate Hydrolysis in Salt Cell

STREAM NUMBERS (CONT'D) -> STREAM NAME	205 Slurry frm PRFT to PR	206 Formic Acid to PR	209 PR Heel to Hydrolysis	217 H2O addn to PR	220 Cu Catalyst addn to PR	228 OE Bottoms to PR	207 PR CO2 Purge
35 NO	ZERO	ZERO	0.2210E-13	ZERO	ZERO	0.1256E-16	ZERO
84 NO2	ZERO	ZERO	0.1756E-20	ZERO	ZERO	0.9981E-24	ZERO
70 Na (HgO(OH))	0.1165E-10	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	0.1025E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	0.7810E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	0.1677E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	0.2825E-09	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	0.1040E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	0.3105E-04	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	0.1003E+01	ZERO	0.6392E-02	ZERO	ZERO	0.4015E-14	ZERO
71 Na2PuO2 (OH) 4	0.1298E-11	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	0.7533E-06	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	0.3967E-05	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.1082E-02	ZERO	0.6895E-05	ZERO	ZERO	0.4331E-17	ZERO
88 Na2SiO3	0.3012E-04	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.1437E-02	ZERO	0.9156E-05	ZERO	ZERO	0.5751E-17	ZERO
91 NaAg (OH) 2	0.5550E-12	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	0.3727E-04	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	0.7253E-02	ZERO	ZERO	0.4556E-14	ZERO
7 NaCl	0.3180E-02	ZERO	0.2026E-04	ZERO	ZERO	0.1272E-16	ZERO
69 NaF	0.8321E-04	ZERO	0.5301E-06	ZERO	ZERO	0.3330E-18	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.5573E-07	ZERO	0.3551E-09	ZERO	ZERO	0.2230E-21	ZERO
3 NaNO2	0.2955E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
2 NaNO3	0.2200E-01	ZERO	0.1402E-03	ZERO	ZERO	0.8805E-16	ZERO
4 NaOH	0.9803E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	0.5890E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	0.2500E-05	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	0.9792E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	0.2645E-05	ZERO	ZERO	0.1662E-17	ZERO
174 Ni (NO3) 2	0.6686E-06	ZERO	0.4260E-08	ZERO	ZERO	0.2676E-20	ZERO
40 NiO	0.1037E-02	ZERO	0.5280E-05	ZERO	ZERO	0.3317E-17	ZERO
82 O2	0.4692E-03	ZERO	0.4301E-09	ZERO	ZERO	0.1454E-08	ZERO
175 Pb (NO3) 2	0.1624E-05	ZERO	0.1034E-07	ZERO	ZERO	0.6497E-20	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 Pbs	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.4362E-02	ZERO	0.2779E-04	ZERO	ZERO	0.1746E-16	ZERO
124 Pd	ZERO	ZERO	0.1974E-10	ZERO	ZERO	0.1239E-22	ZERO
112 Pd (NO3) 2	0.6701E-08	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	0.3209E-04	ZERO	0.2045E-06	ZERO	ZERO	0.1284E-18	ZERO
156 PuO2 (NaTi2O5) 2	0.1272E-03	ZERO	0.8104E-06	ZERO	ZERO	0.5090E-18	ZERO
58 Rh	ZERO	ZERO	0.2320E-08	ZERO	ZERO	0.1456E-20	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	0.4424E-02	ZERO	0.2820E-04	ZERO	ZERO	0.1771E-16	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3A. Precipitate Hydrolysis in Salt Cell

STREAM NUMBERS (CONT'D) ->	205	206	209	217	220	228	207
STREAM NAME	Slurry frm PRFT to PR	Formic Acid to PR	PR Heel to Hydrolysis	H2O addn to PR	Cu Catalyst addn to PR	OE Bottoms to PR	PR CO2 Purge
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.2666E-01	ZERO	0.1699E-03	ZERO	ZERO	0.1067E-15	ZERO
48 Sr(COOH)2	ZERO	ZERO	0.6962E-06	ZERO	ZERO	0.4373E-18	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	0.4072E-02	ZERO	0.2594E-04	ZERO	ZERO	0.1630E-16	ZERO
127 Sr(OH)2	0.7410E-12	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	0.9081E-04	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TeO2	ZERO	ZERO	0.1122E-07	ZERO	ZERO	0.7046E-20	ZERO
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	0.1213E-02	ZERO	0.4998E-02	ZERO	ZERO	0.3139E-14	ZERO
119 Tritium	0.1280E-11	ZERO	0.8160E-14	ZERO	ZERO	0.4099E-14	ZERO
17 U3O8	0.7512E-03	ZERO	0.4786E-05	ZERO	ZERO	0.3006E-17	ZERO
62 UO2(COOH)2	ZERO	ZERO	0.8104E-08	ZERO	ZERO	0.5091E-20	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	0.1074E-05	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	0.8394E-14	ZERO	ZERO	TRACE	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	0.8232E-12	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	0.9683E-03	ZERO	0.6169E-05	ZERO	ZERO	0.3875E-17	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	0.7259E-03	ZERO	ZERO	0.4559E-15	ZERO
179 Zn(NO3)2	0.5336E-04	ZERO	0.3399E-06	ZERO	ZERO	0.2135E-18	ZERO
57 ZnO	0.1980E+00	ZERO	0.8812E-03	ZERO	ZERO	0.5535E-15	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.3589E-01	ZERO	0.1386E-03	ZERO	ZERO	0.8707E-16	ZERO
1 water	0.4308E+03	0.1717E+01	0.4698E+01	0.2074E+03	0.1274E+02	0.7323E+02	ZERO
TOTAL FLOW, LB/HR	0.4800E+03	0.1752E+02	0.4920E+01	0.2074E+03	0.1492E+02	0.7324E+02	0.2360E+02
TEMPERATURE, DEG C	0.3999E+02	0.2500E+02	0.5000E+02	0.3500E+02	0.2500E+02	0.5000E+02	0.3500E+02
PRESSURE, ATM	0.9656E+00	0.1000E+01	0.9656E+00	0.1000E+01	0.9690E+00	0.9656E+00	0.1000E+01
PRESSURE, PSIG	-0.5055E+00	ZERO	-0.5055E+00	ZERO	-0.4556E+00	-0.5055E+00	ZERO
PRESSURE, MM HG	0.7339E+03		0.7339E+03		0.7364E+03	0.7339E+03	
ENTHALPY, PCU/HR	0.1731E+05	0.2457E+03	0.2378E+03	0.7278E+04	0.3198E+03	0.3666E+04	0.1580E+04
VAPOR FLOW, CFM							0.3619E+01
LIQUID FLOW, GPM	0.9466E+00	0.2930E-01	0.9690E-02	0.4143E+00	0.2733E-01	0.1463E+00	
DENSITY, LBS/FT3	0.6322E+02	0.7454E+02	0.6330E+02	0.6243E+02	0.6807E+02	0.6243E+02	0.1087E+00
PHASE	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	VAPOR

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3A. Precipitate Hydrolysis in Salt Cell

STREAM NUMBERS -> STREAM NAME	265 PR Transfer Pump Prime	266 PR Sampler Pump Prime	211 Hydroly/CO2 Purge / PR	215 Hydrolys/PR vnt to SCVC	212 Hydroly/PRC Cndst to PRD	214 Hydroly/PRD Org to OE	210 Hydrolysis PRD aq to PR
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	0.9887E+00	0.1254E+00	0.8632E+00	0.8629E+00	0.3319E-03
123 (C6H5)2C6H4	ZERO	ZERO	0.1329E-07	0.1008E-14	0.1329E-07	0.7092E-09	0.1258E-07
118 (C6H5)2NH	ZERO	ZERO	0.4080E-01	0.1529E-05	0.4080E-01	0.4079E-01	0.1319E-04
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	0.2055E-01	0.1142E-02	0.1941E-01	0.1430E-01	0.5110E-02
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	ZERO	ZERO	0.1004E+00	0.4557E-02	0.9583E-01	0.5105E-01	0.4478E-01
121 (C6H6)	ZERO	ZERO	0.3632E+02	0.2720E+02	0.9123E+01	0.9029E+01	0.9449E-01
155 (CH3)2CHOH	ZERO	ZERO	0.1001E-10	0.8703E-12	0.9137E-11	0.4877E-12	0.8649E-11
154 (CH3OH)	ZERO	ZERO	0.1990E-11	0.3598E-12	0.1630E-11	0.8703E-13	0.1543E-11
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
106 B2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	0.2446E+02	0.2444E+02	0.2206E-01	0.1177E-02	0.2088E-01
142 CO2 (C14)	ZERO	ZERO	0.1202E-09	0.1201E-09	0.1084E-12	0.5787E-14	0.1026E-12
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
59 CoO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
98 Cr2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
42 Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3A. Precipitate Hydrolysis in Salt Cell

STREAM NUMBERS (CONT'D) -> STREAM NAME	265 PR Transfer Pump Prime	266 PR Sampler Pump Prime	211 Hydroly/CO2 Purge / PR	215 Hydrolys/PR vnt to SCVC	212 Hydroly/PRC Cndst to PRD	214 Hydroly/PRD Org to OE	210 Hydrolysis PRD aq to PR
54 Cu (COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu (NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
55 CuO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
80 Fe2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
103 Group B	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
25 H2	ZERO	ZERO	0.6575E-14	0.6575E-14	0.2431E-18	0.1298E-19	0.2301E-18
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	0.2297E+00	0.3410E-02	0.2263E+00	0.2652E-03	0.2261E+00
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	0.3968E-05	0.2672E-10	0.3968E-05	0.2118E-06	0.3756E-05
129 Hg (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
65 Mg (COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg (NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
33 MgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
60 Mn (COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn (NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
145 MoO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
81 N2	ZERO	ZERO	0.8024E-03	0.8023E-03	0.2275E-07	0.1215E-08	0.2154E-07
74 N2O	ZERO	ZERO	0.1716E-11	0.1715E-11	0.9351E-15	0.4992E-16	0.8852E-15
182 NH3	ZERO	ZERO	0.1292E-05	0.1148E-05	0.1435E-06	0.7662E-08	0.1359E-06
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3A. Precipitate Hydrolysis in Salt Cell

STREAM NUMBERS (CONT'D) -> STREAM NAME	265 PR Transfer Pump Prime	266 PR Sampler Pump Prime	211 Hydroly/CO2 Purge / PR	215 Hydrolys/PR vnt to SCVC	212 Hydroly/PRC Cndst to PRD	214 Hydroly/PRD Org to OE	210 Hydrolysis PRD aq to PR
35 NO	ZERO	ZERO	0.3363E-01	0.3363E-01	0.2785E-05	0.1487E-06	0.2636E-05
84 NO2	ZERO	ZERO	0.2672E-08	0.2672E-08	0.2212E-12	0.1181E-13	0.2094E-12
70 Na (HgO(OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
71 Na2PuO2(OH)4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
91 NaAg(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl(OH)4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
69 NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
3 NaNO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
2 NaNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
40 NiO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
82 O2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
175 Pb(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
156 PuO2(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3A. Precipitate Hydrolysis in Salt Cell

STREAM NUMBERS (CONT'D) -> STREAM NAME	265 PR Trnsfer Pump Prime	266 PR Sampler Pump Prime	211 Hydroly/CO2 Purge / PR	215 Hydrolys/PR vnt to SCVC	212 Hydroly/PRC Cndst to PRD	214 Hydroly/PRD Org to OE	210 Hydrolysis PRD aq to PR
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TcO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
119 Tritium	ZERO	ZERO	0.7715E-13	0.3827E-14	0.7332E-13	0.9282E-18	0.7332E-13
17 U3O8	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
57 ZnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
1 water	0.3900E+01	0.7800E+01	0.4610E+02	0.2304E+01	0.4380E+02	0.1624E-01	0.4378E+02
TOTAL FLOW, LB/HR	0.3900E+01	0.7800E+01	0.1083E+03	0.5411E+02	0.5419E+02	0.1002E+02	0.4417E+02
TEMPERATURE, DEG C	0.2500E+02	0.2500E+02	0.8380E+02	0.5000E+02	0.5000E+02	0.5000E+02	0.5000E+02
PRESSURE, ATM	0.1000E+01	0.1000E+01	0.9656E+00	0.9656E+00	0.9656E+00	0.9656E+00	0.9656E+00
PRESSURE, PSIG	ZERO	ZERO	-0.5055E+00	-0.5055E+00	-0.5055E+00	-0.5055E+00	-0.5055E+00
PRESSURE, MM HG			0.7339E+03	0.7339E+03	0.7339E+03	0.7339E+03	0.7339E+03
ENTHALPY, PCU/HR	0.9786E+02	0.1957E+03	0.3593E+05	0.6408E+04	0.2413E+04	0.2119E+03	0.2201E+04
VAPOR FLOW, CFM			0.2909E+02	0.7575E+01			
LIQUID FLOW, GPM	0.7788E-02	0.1558E-01			0.1115E+00	0.2333E-01	0.8816E-01
DENSITY, LBS/FT3	0.6243E+02	0.6243E+02	0.6205E-01	0.1191E+00	0.6060E+02	0.5352E+02	0.6247E+02
PHASE	LIQUID	LIQUID	VAPOR	VAPOR	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3A. Precipitate Hydrolysis in Salt Cell

STREAM NUMBERS ->	213
STREAM NAME	PR Liq after Rxn/CO2 Pur
COMPONENT FLOWS, LB/HR	
122 (C6H5)2	0.4002E-01
123 (C6H5)2C6H4	0.1477E-01
118 (C6H5)2NH	0.3638E-01
133 (C6H5B(OH)2 salt)	ZERO
132 (C6H5B(OH)2)	ZERO
166 (C6H5C6H4OH)	0.6779E-01
162 (C6H5NH2)	0.7438E-01
163 (C6H5NHCHO)	0.2105E+00
165 (C6H5NO)	0.3427E-02
164 (C6H5NO2)	0.6983E-02
131 (C6H5OH salt)	ZERO
130 (C6H5OH)	0.1011E+01
121 (C6H6)	0.2472E+00
155 (CH3)2CHOH	0.8384E-10
154 (CH3OH)	0.8955E-11
45 Ag	0.2861E-02
116 Ag2O	ZERO
134 AgNO3	ZERO
77 Al2O3	0.1306E+00
106 B2O3	0.1681E-02
9 Ba(OH)2	ZERO
15 BaO	ZERO
24 BaSO4	0.1804E-02
66 CO	ZERO
37 CO2	0.2297E-01
142 CO2 (C14)	0.2219E-12
63 Ca(COOH)2	ZERO
167 Ca(NO3)2	0.1378E-05
120 Ca(OH)2	ZERO
113 Ca3(PO4)2	0.5643E+00
20 CaC2O4	0.2458E-06
18 CaCO3	ZERO
64 CaCO3 (C14)	ZERO
78 CaF2	ZERO
41 CaO	ZERO
19 CaSO4	0.1924E+00
29 Carbon	ZERO
99 Cement	ZERO
26 Co(COOH)2	0.1442E-03
168 Co(NO3)2	0.5408E-06
59 CoO	0.3089E-04
98 Cr2O3	0.2634E+00
42 Cs2O	0.3872E-04
53 CsCOOH	0.4358E-01
96 CsCl	ZERO
169 CsNO3	ZERO
8 CsOH	ZERO
151 CsTPB	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3A. Precipitate Hydrolysis in Salt Cell

STREAM NUMBERS (CONT'D) ->	213
STREAM NAME	PR Liq after
	Rxn/CO2 Pur
54 Cu(COOH)2	0.2074E-03
170 Cu(NO3)2	0.2193E+01
55 CuO	0.9607E-03
80 Fe2O3	0.1597E+00
101 FeO	ZERO
102 Group A	0.2453E-05
103 Group B	0.7540E-07
25 H2	0.1012E-17
158 H2C2O4	0.5280E-02
93 H2SO4	ZERO
90 H3BO3	0.7756E+01
34 HCOOH	0.8986E+01
43 HCl	ZERO
85 HF	ZERO
49 HNO3	ZERO
36 Hg	0.2145E+00
129 Hg(C6H5)2	0.1326E-02
135 Hg(NO3)2	ZERO
144 Hg2Cl2	ZERO
117 Hg2I2	ZERO
146 HgCl2	ZERO
21 HgO	ZERO
97 I2	ZERO
183 K2CO3	ZERO
39 K2O	0.6926E-02
51 KCOOH	0.1011E+02
157 KMnO4	ZERO
161 KNO3	ZERO
10 KOH	ZERO
150 KTPB	ZERO
105 La2O3	ZERO
108 Li2O	0.2966E-03
65 Mg(COOH)2	0.3943E-02
171 Mg(NO3)2	0.5287E-07
33 MgO	0.3454E-03
60 Mn(COOH)2	0.3327E-02
172 Mn(NO3)2	0.6161E-07
180 Mn3O4	ZERO
56 MnO	ZERO
14 MnO2	0.1321E-02
145 MoO2	0.1297E-03
81 N2	0.7648E-07
74 N2O	0.1689E-14
182 NH3	0.2882E-06
114 NH3OHNO3	ZERO
52 NH4COOH	0.4925E-03
173 NH4NO3	ZERO
68 NH4OH	ZERO
148 NH4TPB	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3A. Precipitate Hydrolysis in Salt Cell

STREAM NUMBERS (CONT'D) ->	213
STREAM NAME	PR Liq after Rxn/CO2 Pur
35 NO	0.8978E-05
84 NO2	0.7133E-12
70 Na (HgO (OH))	ZERO
94 Na2B4O7	ZERO
109 Na2C2O4	ZERO
5 Na2CO3	ZERO
143 Na2CO3 (C14)	ZERO
89 Na2CrO4	ZERO
115 Na2MoO4	ZERO
32 Na2O	0.1010E+01
71 Na2PuO2 (OH) 4	ZERO
73 Na2RhO4	ZERO
72 Na2RuO4	ZERO
6 Na2SO4	0.1089E-02
88 Na2SiO3	ZERO
87 Na3PO4	0.1446E-02
91 NaAg (OH) 2	ZERO
75 NaAl (OH) 4	ZERO
50 NaCOOH	0.1146E+01
7 NaCl	0.3200E-02
69 NaF	0.8374E-04
11 NaHCO3	ZERO
12 NaI	0.5609E-07
3 NaNO2	ZERO
2 NaNO3	0.2214E-01
4 NaOH	ZERO
149 NaTPB	ZERO
160 NaTcO4	ZERO
152 NaTi2O5H	ZERO
181 Nd2O3	ZERO
61 Ni (COOH) 2	0.4179E-03
174 Ni (NO3) 2	0.6729E-06
40 NiO	0.8341E-03
82 O2	ZERO
175 Pb (NO3) 2	0.1634E-05
86 PbCO3	ZERO
67 PbO	ZERO
147 PbS	ZERO
28 PbSO4	0.4390E-02
124 Pd	0.3119E-08
112 Pd (NO3) 2	ZERO
110 PdO	ZERO
76 PuO2	0.3230E-04
156 PuO2 (NaTi2O5) 2	0.1280E-03
58 Rh	0.3665E-06
22 RhO2	ZERO
95 Ru	ZERO
79 RuO2	0.4454E-02
83 RuO4	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3A. Precipitate Hydrolysis in Salt Cell

STREAM NUMBERS (CONT'D) ->	213
STREAM NAME	PR Liq after
	Rxn/CO2 Pur
38 SO2	ZERO
141 SO3	ZERO
137 Semi Vol Cs2O	ZERO
136 Semi Vol CsCl	ZERO
126 Semi Vol Group A	ZERO
140 Semi Vol Na2B4O7	ZERO
138 Semi Vol NaCl	ZERO
139 Semi Vol NaF	ZERO
125 Semi Vol NaI	ZERO
23 Semi Vol RuO2	ZERO
111 SiO2	0.2684E-01
48 Sr(COOH)2	0.1100E-03
176 Sr(NO3)2	ZERO
153 Sr(NaTi2O5)2	0.4098E-02
127 Sr(OH)2	ZERO
30 SrCO3	ZERO
46 SrO	ZERO
159 TeO2	0.1772E-05
92 ThO2	ZERO
107 TiO2	0.7894E+00
119 Tritium	0.1289E-11
17 U3O8	0.7560E-03
62 UO2(COOH)2	0.1280E-05
177 UO2(NO3)2	ZERO
16 UO2(OH)2	ZERO
27 Y(COOH)3	0.1326E-11
178 Y(NO3)3	ZERO
128 Y(OH)3	ZERO
31 Y2(CO3)3	ZERO
47 Y2O3	0.9744E-03
100 Zeolite	ZERO
44 Zn(COOH)2	0.1147E+00
179 Zn(NO3)2	0.5370E-04
57 ZnO	0.1392E+00
104 ZrO2	ZERO
13 hydrate H2O	0.2190E-01
1 water	0.7422E+03
TOTAL FLOW, LB/HR	0.7778E+03
TEMPERATURE, DEG C	0.8999E+02
PRESSURE, ATM	0.9656E+00
PRESSURE, PSIG	-0.5055E+00
PRESSURE, MM HG	0.7339E+03
ENTHALPY, FCU/HR	0.6760E+05
VAPOR FLOW, CFM	
LIQUID FLOW, GPM	0.1532E+01
DENSITY, LBS/FT3	0.6330E+02
PHASE	LIQUID

SECTION 3B. BOILUP OF PRECIPITATE HYDROLYSIS PRODUCTS IN SALT CELL

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

DESCRIPTION	PAGE
-----	----
1. STREAM NUMBERS 204, 209, 213, 214, 215, 253, 228	2
2. STREAM NUMBERS 221, 222, 223, 224, 225, 226, 227	6
3. STREAM NUMBERS 229, 230, 231, 232, 233, 234, 235	10
4. STREAM NUMBERS 236, 237, 238, 239, 240, 241, 242	14
5. STREAM NUMBERS 243, 244, 245, 246, 247, 248, 249	18
6. STREAM NUMBERS 250, 251, 252, 260, 261, 262, 263	22
7. STREAM NUMBERS 264, 267, 268	26

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS -> STREAM NAME	204 PRFT vent to SCVC	209 PR Heel to Hydrolysis	213 PR Liq after Rxn/CO2 Pur	214 Hydroly/PRD Org to OE	215 Hydrolys/PR vnt to SCVC	253 OE Aqueous Inventory	228 OE Bottoms to PR
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	0.6510E-04	0.4002E-01	0.8629E+00	0.1254E+00	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	0.5890E-04	0.1477E-01	0.7092E-09	0.1008E-14	ZERO	ZERO
118 (C6H5)2NH	ZERO	0.4397E-04	0.3638E-01	0.4079E-01	0.1529E-05	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	0.3519E-03	0.6779E-01	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	0.4692E-03	0.7438E-01	0.1430E-01	0.1142E-02	0.1024E-01	0.1320E-02
163 (C6H5NHCHO)	ZERO	0.1333E-02	0.2105E+00	ZERO	ZERO	0.6496E-14	0.8373E-15
165 (C6H5NO)	ZERO	0.2170E-04	0.3427E-02	ZERO	ZERO	0.1057E-15	0.1363E-16
164 (C6H5NO2)	ZERO	0.4420E-04	0.6983E-02	ZERO	ZERO	0.2154E-15	0.2777E-16
131 (C6H5OH salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	ZERO	0.5950E-02	0.1011E+01	0.5105E-01	0.4557E-02	0.1625E-01	0.2094E-02
121 (C6H6)	0.9857E-02	0.9127E-04	0.2472E+00	0.9029E+01	0.2720E+02	0.5992E-03	0.7723E-04
155 (CH3)2CHOH	0.8072E-11	0.5301E-12	0.8384E-10	0.4877E-12	0.8703E-12	0.4820E-10	0.6213E-11
154 (CH3OH)	0.7180E-12	0.5648E-13	0.8955E-11	0.8703E-13	0.3598E-12	0.4580E-11	0.5903E-12
45 Ag	ZERO	0.1811E-04	0.2861E-02	ZERO	ZERO	0.8820E-16	0.1137E-16
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	0.8266E-03	0.1306E+00	ZERO	ZERO	0.4028E-14	0.5192E-15
106 B2O3	ZERO	0.1064E-04	0.1681E-02	ZERO	ZERO	0.5185E-16	0.6684E-17
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	ZERO	0.1142E-04	0.1804E-02	ZERO	ZERO	0.5565E-16	0.7173E-17
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.1434E+02	0.3939E-08	0.2297E-01	0.1177E-02	0.2444E+02	0.3502E-05	0.4515E-06
142 CO2 (C14)	ZERO	0.3806E-19	0.2219E-12	0.5787E-14	0.1201E-09	0.8421E-20	0.1086E-20
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	0.8727E-08	0.1378E-05	ZERO	ZERO	0.4252E-19	0.5481E-20
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	0.3572E-02	0.5643E+00	ZERO	ZERO	0.1741E-13	0.2244E-14
20 CaC2O4	ZERO	0.1556E-08	0.2458E-06	ZERO	ZERO	0.7581E-20	0.9773E-21
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	ZERO	0.1218E-02	0.1924E+00	ZERO	ZERO	0.5934E-14	0.7649E-15
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	0.9128E-06	0.1442E-03	ZERO	ZERO	0.4448E-17	0.5734E-18
168 Co(NO3)2	ZERO	0.3423E-08	0.5408E-06	ZERO	ZERO	0.1668E-19	0.2150E-20
59 CoO	ZERO	0.1955E-06	0.3089E-04	ZERO	ZERO	0.9528E-18	0.1228E-18
98 Cr2O3	ZERO	0.1667E-02	0.2634E+00	ZERO	ZERO	0.8124E-14	0.1047E-14
42 Cs2O	ZERO	0.2451E-06	0.3872E-04	ZERO	ZERO	0.1195E-17	0.1540E-18
53 CsCOOH	ZERO	0.2759E-03	0.4358E-01	ZERO	ZERO	0.1344E-14	0.1733E-15
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS (CONT'D) ->	204	209	213	214	215	253	228
STREAM NAME	PRFT vent to SCVC	PR Heel to Hydrolysis	PR Liq after Rxn/CO2 Pur	Hydroly/PRD Org to OE	Hydrolys/PR vnt to SCVC	OE Aqueous Inventory	OE Bottoms to PR
54 Cu (COOH) 2	ZERO	0.1313E-05	0.2074E-03	ZERO	ZERO	0.6397E-17	0.8246E-18
170 Cu (NO3) 2	ZERO	0.1388E-01	0.2193E+01	ZERO	ZERO	0.6767E-13	0.8722E-14
55 CuO	ZERO	0.6082E-05	0.9607E-03	ZERO	ZERO	0.2964E-16	0.3820E-17
80 Fe2O3	ZERO	0.1011E-02	0.1597E+00	ZERO	ZERO	0.4928E-14	0.6352E-15
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	ZERO	0.1553E-07	0.2453E-05	ZERO	ZERO	0.7567E-19	0.9754E-20
103 Group B	ZERO	0.4773E-09	0.7540E-07	ZERO	ZERO	0.2326E-20	0.2998E-21
25 H2	0.7574E-11	TRACE	0.1012E-17	0.1298E-19	0.6575E-14	TRACE	TRACE
158 H2C2O4	ZERO	0.3343E-04	0.5280E-02	ZERO	ZERO	0.1629E-15	0.2100E-16
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	0.4910E-01	0.7756E+01	ZERO	ZERO	0.2393E-12	0.3084E-13
34 HCOOH	ZERO	0.5689E-01	0.8986E+01	0.2652E-03	0.3410E-02	0.2422E-01	0.3122E-02
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	0.2037E-03	0.2145E+00	0.2118E-06	0.2672E-10	0.1350E-05	0.1741E-06
129 Hg (C6H5) 2	ZERO	ZERO	0.1326E-02	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	ZERO	0.4385E-04	0.6926E-02	ZERO	ZERO	0.2137E-15	0.2754E-16
51 KCOOH	ZERO	0.6400E-01	0.1011E+02	ZERO	ZERO	0.3118E-12	0.4020E-13
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	0.1878E-05	0.2966E-03	ZERO	ZERO	0.9151E-17	0.1180E-17
65 Mg (COOH) 2	ZERO	0.2496E-04	0.3943E-02	ZERO	ZERO	0.1216E-15	0.1568E-16
171 Mg (NO3) 2	ZERO	0.3347E-09	0.5287E-07	ZERO	ZERO	0.1631E-20	0.2103E-21
33 MgO	ZERO	0.2187E-05	0.3454E-03	ZERO	ZERO	0.1065E-16	0.1373E-17
60 Mn (COOH) 2	ZERO	0.2106E-04	0.3327E-02	ZERO	ZERO	0.1026E-15	0.1323E-16
172 Mn (NO3) 2	ZERO	0.3900E-09	0.6161E-07	ZERO	ZERO	0.1901E-20	0.2450E-21
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	ZERO	0.8366E-05	0.1321E-02	ZERO	ZERO	0.4077E-16	0.5255E-17
145 MoO2	ZERO	0.8211E-06	0.1297E-03	ZERO	ZERO	0.4001E-17	0.5158E-18
81 N2	0.1133E+01	0.4144E-09	0.7648E-07	0.1215E-08	0.8023E-03	0.6578E-08	0.8479E-09
74 N2O	0.1053E-09	0.9048E-22	0.1689E-14	0.4992E-16	0.1715E-11	0.8088E-21	0.1043E-21
182 NH3	0.3846E-06	0.6188E-09	0.2882E-06	0.7662E-08	0.1148E-05	0.1168E-07	0.1506E-08
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	0.3118E-05	0.4925E-03	ZERO	ZERO	0.1519E-16	0.1958E-17
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS (CONT'D) -> STREAM NAME	204 PRFT vent to SCVC	209 PR Heel to Hydrolysis	213 PR Liq after Rxn/CO2 Pur	214 Hydroly/PRD Org to OE	215 Hydrolys/PR vnt to SCVC	253 OE Aqueous Inventory	228 OE Bottoms to PR
35 NO	ZERO	0.2210E-13	0.8978E-05	0.1487E-06	0.3363E-01	0.9746E-16	0.1256E-16
84 NO2	ZERO	0.1756E-20	0.7133E-12	0.1181E-13	0.2672E-08	0.7743E-23	0.9981E-24
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	ZERO	0.6392E-02	0.1010E+01	ZERO	ZERO	0.3115E-13	0.4015E-14
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	ZERO	0.6895E-05	0.1089E-02	ZERO	ZERO	0.3360E-16	0.4331E-17
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	ZERO	0.9156E-05	0.1446E-02	ZERO	ZERO	0.4462E-16	0.5751E-17
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	0.7253E-02	0.1146E+01	ZERO	ZERO	0.3534E-13	0.4556E-14
7 NaCl	ZERO	0.2026E-04	0.3200E-02	ZERO	ZERO	0.9871E-16	0.1272E-16
69 NaF	ZERO	0.5301E-06	0.8374E-04	ZERO	ZERO	0.2583E-17	0.3330E-18
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	0.3551E-09	0.5609E-07	ZERO	ZERO	0.1730E-20	0.2230E-21
3 NaNO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
2 NaNO3	ZERO	0.1402E-03	0.2214E-01	ZERO	ZERO	0.6831E-15	0.8805E-16
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	0.2645E-05	0.4179E-03	ZERO	ZERO	0.1289E-16	0.1662E-17
174 Ni (NO3) 2	ZERO	0.4260E-08	0.6729E-06	ZERO	ZERO	0.2076E-19	0.2676E-20
40 NiO	ZERO	0.5280E-05	0.8341E-03	ZERO	ZERO	0.2573E-16	0.3317E-17
82 O2	0.3418E+00	0.4301E-09	ZERO	ZERO	ZERO	0.1128E-07	0.1454E-08
175 Pb (NO3) 2	ZERO	0.1034E-07	0.1634E-05	ZERO	ZERO	0.5040E-19	0.6497E-20
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	0.2779E-04	0.4390E-02	ZERO	ZERO	0.1354E-15	0.1746E-16
124 Pd	ZERO	0.1974E-10	0.3119E-08	ZERO	ZERO	0.9615E-22	0.1239E-22
112 Pd (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	ZERO	0.2045E-06	0.3230E-04	ZERO	ZERO	0.9963E-18	0.1284E-18
156 PuO2 (NaTi2O5) 2	ZERO	0.8104E-06	0.1280E-03	ZERO	ZERO	0.3949E-17	0.5090E-18
58 Rh	ZERO	0.2320E-08	0.3665E-06	ZERO	ZERO	0.1130E-19	0.1456E-20
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	0.2820E-04	0.4454E-02	ZERO	ZERO	0.1374E-15	0.1771E-16
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS (CONT'D) -> STREAM NAME	204 PRFT vent to SCVC	209 PR Heel to Hydrolysis	213 PR Liq after Rxn/CO2 Pur	214 Hydroly/PRD Org to OE	215 Hydrolys/PR vnt to SCVC	253 OE Aqueous Inventory	228 OE Bottoms to PR
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	0.1699E-03	0.2684E-01	ZERO	ZERO	0.8280E-15	0.1067E-15
48 Sr(COOH)2	ZERO	0.6962E-06	0.1100E-03	ZERO	ZERO	0.3393E-17	0.4373E-18
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	0.2594E-04	0.4098E-02	ZERO	ZERO	0.1264E-15	0.1630E-16
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TeO2	ZERO	0.1122E-07	0.1772E-05	ZERO	ZERO	0.5467E-19	0.7046E-20
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	ZERO	0.4998E-02	0.7894E+00	ZERO	ZERO	0.2435E-13	0.3139E-14
119 Tritium	0.1632E-14	0.8160E-14	0.1289E-11	0.9282E-18	0.3827E-14	0.3180E-13	0.4099E-14
17 U3O8	ZERO	0.4786E-05	0.7560E-03	ZERO	ZERO	0.2332E-16	0.3006E-17
62 UO2(COOH)2	ZERO	0.8104E-08	0.1280E-05	ZERO	ZERO	0.3949E-19	0.5091E-20
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	0.8394E-14	0.1326E-11	ZERO	ZERO	TRACE	TRACE
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	0.6169E-05	0.9744E-03	ZERO	ZERO	0.3006E-16	0.3875E-17
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	0.7259E-03	0.1147E+00	ZERO	ZERO	0.3537E-14	0.4559E-15
179 Zn(NO3)2	ZERO	0.3399E-06	0.5370E-04	ZERO	ZERO	0.1657E-17	0.2135E-18
57 ZnO	ZERO	0.8812E-03	0.1392E+00	ZERO	ZERO	0.4294E-14	0.5535E-15
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	0.1386E-03	0.2190E-01	ZERO	ZERO	0.6755E-15	0.8707E-16
1 water	0.5397E+00	0.4698E+01	0.7422E+03	0.1624E-01	0.2304E+01	0.5681E+03	0.7323E+02
TOTAL FLOW, LB/HR	0.1636E+02	0.4920E+01	0.7778E+03	0.1002E+02	0.5411E+02	0.5682E+03	0.7324E+02
TEMPERATURE, DEG C	0.4000E+02	0.5000E+02	0.8999E+02	0.5000E+02	0.5000E+02	0.5000E+02	0.5000E+02
PRESSURE, ATM	0.9656E+00	0.9656E+00	0.9656E+00	0.9656E+00	0.9656E+00	0.9656E+00	0.9656E+00
PRESSURE, PSIG	-0.5055E+00	-0.5055E+00	-0.5055E+00	-0.5055E+00	-0.5055E+00	-0.5055E+00	-0.5055E+00
PRESSURE, MM HG	0.7339E+03	0.7339E+03	0.7339E+03	0.7339E+03	0.7339E+03	0.7339E+03	0.7339E+03
ENTHALPY, PCU/HR	0.1323E+04	0.2378E+03	0.6760E+05	0.2119E+03	0.6408E+04	0.2844E+05	0.3666E+04
VAPOR FLOW, CFM	0.2891E+01				0.7575E+01		
LIQUID FLOW, GPM		0.9690E-02	0.1532E+01	0.2333E-01		0.1135E+01	0.1463E+00
DENSITY, LBS/FT3	0.9434E-01	0.6330E+02	0.6330E+02	0.5352E+02	0.1191E+00	0.6243E+02	0.6243E+02
PHASE	VAPOR	LIQUID	LIQUID	LIQUID	VAPOR	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS -> STREAM NAME	221 PRD Air Inleakage	222 PR Boilup to Cndnsr	223 PRC Cndnsr to PRD	224 PRD Aqueous to PR	225 PRD Organic to OE	226 PRD Air Inleakage	227 PRD Vent to SCVC
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	0.2974E-01	0.1385E-01	ZERO	0.1385E-01	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	0.5464E-02	0.5464E-02	ZERO	0.5464E-02	ZERO	ZERO
118 (C6H5)2NH	ZERO	0.2944E-01	0.2938E-01	ZERO	0.2938E-01	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	0.1220E-01	0.1220E-01	ZERO	0.1220E-01	ZERO	ZERO
162 (C6H5NH2)	ZERO	0.9803E-01	0.9777E-01	0.9777E-01	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	0.1261E-06	0.1261E-06	0.1261E-06	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	0.2053E-08	0.2053E-08	0.2053E-08	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	0.4182E-08	0.4182E-08	0.4182E-08	ZERO	ZERO	ZERO
131 (C6H5OH salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	ZERO	0.4669E+00	0.4664E+00	0.3964E+00	0.6996E-01	ZERO	ZERO
121 (C6H6)	ZERO	0.2909E+00	0.5808E-01	0.5808E-01	ZERO	ZERO	ZERO
155 (CH3)2CHOH	ZERO	0.5010E-10	0.5005E-10	0.5005E-10	ZERO	ZERO	ZERO
154 (CH3OH)	ZERO	0.9587E-11	0.9561E-11	0.9561E-11	ZERO	ZERO	ZERO
45 Ag	ZERO	0.1713E-08	0.1713E-08	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	0.7820E-07	0.7820E-07	0.7820E-07	ZERO	ZERO	ZERO
106 B2O3	ZERO	0.1007E-08	0.1007E-08	0.1007E-08	ZERO	ZERO	ZERO
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	ZERO	0.1080E-08	0.1080E-08	0.1080E-08	ZERO	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	0.2439E-01	0.1418E-02	0.1418E-02	ZERO	ZERO	ZERO
142 CO2 (C14)	ZERO	0.2356E-12	0.1370E-13	0.1370E-13	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	0.8256E-12	0.8256E-12	0.8256E-12	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	0.3380E-06	0.3380E-06	0.3380E-06	ZERO	ZERO	ZERO
20 CaC2O4	ZERO	0.1472E-12	0.1472E-12	0.1472E-12	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	ZERO	0.1152E-06	0.1152E-06	0.1152E-06	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	0.8636E-10	0.8636E-10	0.8636E-10	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	0.3239E-12	0.3239E-12	0.3239E-12	ZERO	ZERO	ZERO
59 CoO	ZERO	0.1850E-10	0.1850E-10	0.1850E-10	ZERO	ZERO	ZERO
98 Cr2O3	ZERO	0.1577E-06	0.1577E-06	0.1577E-06	ZERO	ZERO	ZERO
42 Cs2O	ZERO	0.2319E-10	0.2319E-10	0.2319E-10	ZERO	ZERO	ZERO
53 CsCOOH	ZERO	0.2610E-07	0.2610E-07	0.2610E-07	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS (CONT'D) ->	221	222	223	224	225	226	227
STREAM NAME	PR Air Inleakage	PR Boilup to Cndnsr	PRC Cndnste to PRD	PRD Aqueous to PR	PRD Organic to OE	PRD Air Inleakage	PRD Vent to SCVC
54 Cu(COOH)2	ZERO	0.1242E-09	0.1242E-09	0.1242E-09	ZERO	ZERO	ZERO
170 Cu(NO3)2	ZERO	0.1313E-05	0.1313E-05	0.1313E-05	ZERO	ZERO	ZERO
55 CuO	ZERO	0.5754E-09	0.5754E-09	0.5754E-09	ZERO	ZERO	ZERO
80 Fe2O3	ZERO	0.9567E-07	0.9567E-07	0.9567E-07	ZERO	ZERO	ZERO
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	ZERO	0.1469E-11	0.1469E-11	0.1469E-11	ZERO	ZERO	ZERO
103 Group B	ZERO	0.4516E-13	0.4516E-13	0.4516E-13	ZERO	ZERO	ZERO
25 H2	ZERO	0.1014E-17	0.2530E-20	0.2530E-20	ZERO	ZERO	ZERO
158 H2C2O4	ZERO	0.3162E-08	0.3162E-08	0.3162E-08	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	0.4646E-05	0.4646E-05	0.4646E-05	ZERO	ZERO	ZERO
34 HCOOH	ZERO	0.1222E+01	0.1221E+01	0.1221E+01	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	0.1823E+00	0.1823E+00	ZERO	ZERO	ZERO	ZERO
129 Hg(C6H5)2	ZERO	0.1326E-02	0.1326E-02	ZERO	0.1326E-02	ZERO	ZERO
135 Hg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	ZERO	0.4148E-08	0.4148E-08	0.4148E-08	ZERO	ZERO	ZERO
51 KCOOH	ZERO	0.6055E-05	0.6055E-05	0.6055E-05	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	0.1777E-09	0.1777E-09	0.1777E-09	ZERO	ZERO	ZERO
65 Mg(COOH)2	ZERO	0.2362E-08	0.2362E-08	0.2362E-08	ZERO	ZERO	ZERO
171 Mg(NO3)2	ZERO	0.3167E-13	0.3167E-13	0.3167E-13	ZERO	ZERO	ZERO
33 MgO	ZERO	0.2069E-09	0.2069E-09	0.2069E-09	ZERO	ZERO	ZERO
60 Mn(COOH)2	ZERO	0.1993E-08	0.1993E-08	0.1993E-08	ZERO	ZERO	ZERO
172 Mn(NO3)2	ZERO	0.3690E-13	0.3690E-13	0.3690E-13	ZERO	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	ZERO	0.7915E-09	0.7915E-09	0.7915E-09	ZERO	ZERO	ZERO
145 MoO2	ZERO	0.7769E-10	0.7769E-10	0.7769E-10	ZERO	ZERO	ZERO
81 N2	0.1133E+01	0.1136E+01	0.2620E-02	0.2620E-02	ZERO	ZERO	ZERO
74 N2O	ZERO	0.1751E-14	0.6268E-16	0.6268E-16	ZERO	ZERO	ZERO
182 NH3	ZERO	0.2084E-05	0.1894E-05	0.1894E-05	ZERO	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	0.2950E-09	0.2950E-09	0.2950E-09	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS (CONT'D) -> STREAM NAME	221 PR Air Inleakage	222 PR Boilup to Cndnsr	223 PRC Cndnsr to PRD	224 PRD Aqueous to PR	225 PRD Organic to OE	226 PRD Air Inleakage	227 PRD Vent to SCVC
35 NO	ZERO	0.9028E-05	0.5030E-07	0.5030E-07	ZERO	ZERO	ZERO
84 NO2	ZERO	0.7173E-12	0.3996E-14	0.3996E-14	ZERO	ZERO	ZERO
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	ZERO	0.6047E-06	0.6047E-06	0.6047E-06	ZERO	ZERO	ZERO
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	ZERO	0.6523E-09	0.6523E-09	0.6523E-09	ZERO	ZERO	ZERO
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	ZERO	0.8663E-09	0.8663E-09	0.8663E-09	ZERO	ZERO	ZERO
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	0.6862E-06	0.6862E-06	0.6862E-06	ZERO	ZERO	ZERO
7 NaCl	ZERO	0.1916E-08	0.1916E-08	0.1916E-08	ZERO	ZERO	ZERO
69 NaF	ZERO	0.5015E-10	0.5015E-10	0.5015E-10	ZERO	ZERO	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	0.3359E-13	0.3359E-13	0.3359E-13	ZERO	ZERO	ZERO
3 NaNO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
2 NaNO3	ZERO	0.1326E-07	0.1326E-07	0.1326E-07	ZERO	ZERO	ZERO
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	0.2503E-09	0.2503E-09	0.2503E-09	ZERO	ZERO	ZERO
174 Ni (NO3) 2	ZERO	0.4030E-12	0.4030E-12	0.4030E-12	ZERO	ZERO	ZERO
40 NiO	ZERO	0.4996E-09	0.4996E-09	0.4996E-09	ZERO	ZERO	ZERO
82 O2	0.3423E+00	0.3438E+00	0.1511E-02	0.1511E-02	ZERO	ZERO	ZERO
175 Pb (NO3) 2	ZERO	0.9785E-12	0.9785E-12	0.9785E-12	ZERO	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	0.2629E-08	0.2629E-08	0.2629E-08	ZERO	ZERO	ZERO
124 Pd	ZERO	0.1868E-14	0.1868E-14	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	ZERO	0.1934E-10	0.1934E-10	0.1934E-10	ZERO	ZERO	ZERO
156 PuO2 (NaTi2O5) 2	ZERO	0.7667E-10	0.7667E-10	0.7667E-10	ZERO	ZERO	ZERO
58 Rh	ZERO	0.2195E-12	0.2195E-12	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	0.2668E-08	0.2668E-08	0.2668E-08	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS (CONT'D) -> STREAM NAME	221 PR Air Inleakage	222 PR Boilup to Cndnsr	223 PRC Cndnste to PRD	224 PRD Aqueous to PR	225 PRD Organic to OE	226 PRD Air Inleakage	227 PRD Vent to SCVC
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	0.1607E-07	0.1607E-07	0.1607E-07	ZERO	ZERO	ZERO
48 Sr(COOH)2	ZERO	0.6587E-10	0.6587E-10	0.6587E-10	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	0.2454E-08	0.2454E-08	0.2454E-08	ZERO	ZERO	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TeO2	ZERO	0.1061E-11	0.1061E-11	0.1061E-11	ZERO	ZERO	ZERO
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	ZERO	0.4728E-06	0.4728E-06	0.4728E-06	ZERO	ZERO	ZERO
119 Tritium	ZERO	0.3875E-12	0.3873E-12	0.3873E-12	ZERO	ZERO	ZERO
17 U3O8	ZERO	0.4528E-09	0.4528E-09	0.4528E-09	ZERO	ZERO	ZERO
62 UO2(COOH)2	ZERO	0.7667E-12	0.7667E-12	0.7667E-12	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	0.7941E-18	0.7941E-18	0.7941E-18	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	0.5836E-09	0.5836E-09	0.5836E-09	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	0.6867E-07	0.6867E-07	0.6867E-07	ZERO	ZERO	ZERO
179 Zn(NO3)2	ZERO	0.3216E-10	0.3216E-10	0.3216E-10	ZERO	ZERO	ZERO
57 ZnO	ZERO	0.8337E-07	0.8337E-07	0.8337E-07	ZERO	ZERO	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	0.1311E-07	0.1311E-07	0.1311E-07	ZERO	ZERO	ZERO
1 water	0.2478E-01	0.2304E+03	0.2302E+03	0.2302E+03	ZERO	ZERO	ZERO
TOTAL FLOW, LB/HR	0.1500E+01	0.2342E+03	0.2323E+03	0.2320E+03	0.1322E+00	ZERO	ZERO
TEMPERATURE, DEG C	0.3500E+02	0.9887E+02	0.5000E+02	0.5000E+02	ZERO	0.3500E+02	ZERO
PRESSURE, ATM	0.1000E+01	0.9656E+00	0.9656E+00	0.9656E+00	0.9656E+00	0.1000E+01	0.9656E+00
PRESSURE, PSIG	ZERO	-0.5055E+00	-0.5055E+00	-0.5055E+00	-0.5055E+00	ZERO	-0.5055E+00
PRESSURE, MM HG		0.7339E+03	0.7339E+03	0.7339E+03	0.7339E+03		0.7339E+03
ENTHALPY, PCU/HR	0.3146E+02	0.1476E+06	0.1157E+05	0.1157E+05	ZERO	ZERO	ZERO
VAPOR FLOW, CFM	0.3543E+00	0.1086E+03					
LIQUID FLOW, GPM			0.4632E+00	0.4629E+00	0.2411E-03		
DENSITY, LBS/FT3	0.7055E-01	0.3594E-01	0.6254E+02	0.6249E+02	0.6836E+02	ZERO	ZERO
PHASE	VAPOR	VAPOR	LIQUID	LIQUID	LIQUID	VAPOR	VAPOR

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS -> STREAM NAME	229 PRC Vent to SCVC	230 SCVC Cndnste to OE	231 CO2 Purge to OE	232 H2O Addtn to Org Evap	233 OE Air Inleakage	234 OE CO2 Purge Vapor to OEC	235 Boilup to OE Cndnsr
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	0.1589E-01	0.1574E+00	ZERO	ZERO	ZERO	0.1614E-03	0.1033E+01
123 (C6H5)2C6H4	0.4442E-10	0.4201E-09	ZERO	ZERO	ZERO	0.7135E-11	0.5464E-02
118 (C6H5)2NH	0.5820E-04	0.1267E-03	ZERO	ZERO	ZERO	0.1996E-08	0.7029E-01
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	0.9919E-10	0.3099E-09	ZERO	ZERO	ZERO	0.6064E-08	0.1220E-01
162 (C6H5NH2)	0.2603E-03	0.1460E-02	ZERO	ZERO	ZERO	0.8781E-06	0.2148E-01
163 (C6H5NHCHO)	0.1025E-14	0.1025E-14	ZERO	ZERO	ZERO	0.2829E-20	0.4714E-20
165 (C6H5NO)	0.1669E-16	0.1788E-16	ZERO	ZERO	ZERO	0.1258E-17	0.7673E-22
164 (C6H5NO2)	0.3400E-16	0.3400E-16	ZERO	ZERO	ZERO	0.4074E-20	0.1564E-21
131 (C6H5OH salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	0.5629E-03	0.5210E-02	ZERO	ZERO	ZERO	0.5182E-05	0.1651E+00
121 (C6H6)	0.2328E+00	0.2166E+02	ZERO	ZERO	ZERO	0.9930E-01	0.3097E+02
155 (CH3)2CHOH	0.5895E-13	0.8384E-11	ZERO	ZERO	ZERO	0.1131E-12	0.3304E-10
154 (CH3OH)	0.2609E-13	0.8852E-12	ZERO	ZERO	ZERO	0.2580E-13	0.5697E-11
45 Ag	0.1393E-16	0.1393E-16	ZERO	ZERO	ZERO	ZERO	0.6401E-22
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.6357E-15	0.6357E-15	ZERO	ZERO	ZERO	ZERO	0.2923E-20
106 B2O3	0.8184E-17	0.8184E-17	ZERO	ZERO	ZERO	ZERO	0.3763E-22
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	0.8783E-17	0.8783E-17	ZERO	ZERO	ZERO	ZERO	0.4039E-22
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.2297E-01	0.1681E-01	0.1471E+02	ZERO	ZERO	0.1420E+02	0.5406E+00
142 CO2 (C14)	0.2219E-12	0.2971E-13	ZERO	ZERO	ZERO	0.3414E-13	0.1300E-14
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.6712E-20	0.6712E-20	ZERO	ZERO	ZERO	ZERO	TRACE
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.2747E-14	0.2747E-14	ZERO	ZERO	ZERO	ZERO	0.1263E-19
20 CaC2O4	0.1197E-20	0.1197E-20	ZERO	ZERO	ZERO	ZERO	TRACE
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	0.9366E-15	0.9366E-15	ZERO	ZERO	ZERO	ZERO	0.4307E-20
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	0.7020E-18	0.7020E-18	ZERO	ZERO	ZERO	ZERO	0.3228E-23
168 Co(NO3)2	0.2633E-20	0.2633E-20	ZERO	ZERO	ZERO	ZERO	TRACE
59 CoO	0.1504E-18	0.1504E-18	ZERO	ZERO	ZERO	ZERO	0.6915E-24
98 Cr2O3	0.1282E-14	0.1282E-14	ZERO	ZERO	ZERO	ZERO	0.5896E-20
42 Cs2O	0.1885E-18	0.1885E-18	ZERO	ZERO	ZERO	ZERO	0.8670E-24
53 CsCOOH	0.2122E-15	0.2122E-15	ZERO	ZERO	ZERO	ZERO	0.9757E-21
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS (CONT'D) ->	229	230	231	232	233	234	235
STREAM NAME	PRC Vent to SCVC	SCVC Cndnste to OE	CO2 Purge to OE	H2O Addtn to Org Evap	OE Air Inleakage	OE CO2 Purge Vapor to OEC	Boilup to OE Cndnsr
54 Cu (COOH) 2	0.1010E-17	0.1010E-17	ZERO	ZERO	ZERO	ZERO	0.4643E-23
170 Cu (NO3) 2	0.1068E-13	0.1068E-13	ZERO	ZERO	ZERO	ZERO	0.4911E-19
55 CuO	0.4677E-17	0.4677E-17	ZERO	ZERO	ZERO	ZERO	0.2151E-22
80 Fe2O3	0.7777E-15	0.7777E-15	ZERO	ZERO	ZERO	ZERO	0.3576E-20
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	0.1194E-19	0.1194E-19	ZERO	ZERO	ZERO	ZERO	TRACE
103 Group B	0.3671E-21	0.3671E-21	ZERO	ZERO	ZERO	ZERO	TRACE
25 H2	0.1012E-17	0.3081E-16	ZERO	ZERO	ZERO	0.3070E-16	0.4387E-19
158 H2C2O4	0.2571E-16	0.2571E-16	ZERO	ZERO	ZERO	ZERO	0.1182E-21
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	0.3776E-13	0.3776E-13	ZERO	ZERO	ZERO	ZERO	0.1737E-18
34 HCOOH	0.2143E-03	0.3563E-02	ZERO	ZERO	ZERO	0.2688E-04	0.3696E-02
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	0.1484E-08	0.1511E-08	ZERO	ZERO	ZERO	0.2087E-12	0.1661E-09
129 Hg (C6H5) 2	0.1078E-10	0.3345E-10	ZERO	ZERO	ZERO	ZERO	0.1326E-02
135 Hg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	0.3372E-16	0.3372E-16	ZERO	ZERO	ZERO	ZERO	0.1551E-21
51 KCOOH	0.4922E-13	0.4922E-13	ZERO	ZERO	ZERO	ZERO	0.2263E-18
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	0.1444E-17	0.1444E-17	ZERO	ZERO	ZERO	ZERO	0.6641E-23
65 Mg (COOH) 2	0.1920E-16	0.1920E-16	ZERO	ZERO	ZERO	ZERO	0.8828E-22
171 Mg (NO3) 2	0.2574E-21	0.2574E-21	ZERO	ZERO	ZERO	ZERO	TRACE
33 MgO	0.1682E-17	0.1682E-17	ZERO	ZERO	ZERO	ZERO	0.7733E-23
60 Mn (COOH) 2	0.1620E-16	0.1620E-16	ZERO	ZERO	ZERO	ZERO	0.7449E-22
172 Mn (NO3) 2	0.3000E-21	0.3000E-21	ZERO	ZERO	ZERO	ZERO	TRACE
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	0.6434E-17	0.6434E-17	ZERO	ZERO	ZERO	ZERO	0.2959E-22
145 MoO2	0.6315E-18	0.6315E-18	ZERO	ZERO	ZERO	ZERO	0.2904E-23
81 N2	0.1133E+01	0.1859E-04	ZERO	ZERO	0.1133E+01	0.1853E-04	0.1133E+01
74 N2O	0.1689E-14	0.1873E-13	ZERO	ZERO	ZERO	0.1831E-13	0.4231E-15
182 NH3	0.1897E-06	0.6965E-07	ZERO	ZERO	ZERO	0.1404E-07	0.3275E-06
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	0.2398E-17	0.2398E-17	ZERO	ZERO	ZERO	ZERO	0.1103E-22
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS (CONT'D) -> STREAM NAME	229 PRC Vent to SCVC	230 SCVC Cndnste to OE	231 CO2 Purge to OE	232 H2O Addtn to Org Evap	233 OE Air Inleakage	234 OE CO2 Purge Vapor to OEC	235 Boilup to OE Cndnsr
35 NO	0.8978E-05	0.4251E-06	ZERO	ZERO	ZERO	0.5708E-06	0.1875E-08
84 NO2	0.7133E-12	0.3377E-13	ZERO	ZERO	ZERO	0.4535E-13	0.1489E-15
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	0.4916E-14	0.4916E-14	ZERO	ZERO	ZERO	ZERO	0.2261E-19
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.5303E-17	0.5303E-17	ZERO	ZERO	ZERO	ZERO	0.2438E-22
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.7042E-17	0.7042E-17	ZERO	ZERO	ZERO	ZERO	0.3238E-22
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	0.5578E-14	0.5578E-14	ZERO	ZERO	ZERO	ZERO	0.2565E-19
7 NaCl	0.1558E-16	0.1558E-16	ZERO	ZERO	ZERO	ZERO	0.7164E-22
69 NaF	0.4077E-18	0.4077E-18	ZERO	ZERO	ZERO	ZERO	0.1875E-23
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.2731E-21	0.2731E-21	ZERO	ZERO	ZERO	ZERO	TRACE
3 NaNO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
2 NaNO3	0.1078E-15	0.1078E-15	ZERO	ZERO	ZERO	ZERO	0.4958E-21
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	0.2034E-17	0.2034E-17	ZERO	ZERO	ZERO	ZERO	0.9355E-23
174 Ni (NO3) 2	0.3276E-20	0.3276E-20	ZERO	ZERO	ZERO	ZERO	TRACE
40 NiO	0.4061E-17	0.4061E-17	ZERO	ZERO	ZERO	ZERO	0.1867E-22
82 O2	0.3423E+00	0.1143E-04	ZERO	ZERO	0.3423E+00	0.1138E-04	0.3425E+00
175 Pb (NO3) 2	0.7955E-20	0.7955E-20	ZERO	ZERO	ZERO	ZERO	TRACE
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.2138E-16	0.2138E-16	ZERO	ZERO	ZERO	ZERO	0.9829E-22
124 Pd	0.1518E-22	0.1518E-22	ZERO	ZERO	ZERO	ZERO	TRACE
112 Pd (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	0.1573E-18	0.1573E-18	ZERO	ZERO	ZERO	ZERO	0.7231E-24
156 PuO2 (NaTi2O5) 2	0.6233E-18	0.6233E-18	ZERO	ZERO	ZERO	ZERO	0.2866E-23
58 Rh	0.1784E-20	0.1784E-20	ZERO	ZERO	ZERO	ZERO	TRACE
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	0.2169E-16	0.2169E-16	ZERO	ZERO	ZERO	ZERO	0.9973E-22
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS (CONT'D) ->	229	230	231	232	233	234	235
STREAM NAME	PRC Vent to SCVC	SCVC Cndnste to OE	CO2 Purge to OE	H2O Addtn to Org Evap	OE Air Inleakage	OE CO2 Vapor to OEC	Purge Boilup to OE Cndnsr
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.1307E-15	0.1307E-15	ZERO	ZERO	ZERO	ZERO	0.6009E-21
48 Sr(COOH)2	0.5354E-18	0.5354E-18	ZERO	ZERO	ZERO	ZERO	0.2462E-23
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	0.1995E-16	0.1995E-16	ZERO	ZERO	ZERO	ZERO	0.9175E-22
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TcO2	0.8628E-20	0.8628E-20	ZERO	ZERO	ZERO	ZERO	TRACE
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	0.3844E-14	0.3844E-14	ZERO	ZERO	ZERO	ZERO	0.1767E-19
119 Tritium	0.2345E-15	0.5019E-14	ZERO	ZERO	ZERO	0.3757E-16	0.1117E-13
17 U3O8	0.3681E-17	0.3681E-17	ZERO	ZERO	ZERO	ZERO	0.1693E-22
62 UO2(COOH)2	0.6233E-20	0.6233E-20	ZERO	ZERO	ZERO	ZERO	TRACE
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	TRACE	TRACE	ZERO	ZERO	ZERO	ZERO	TRACE
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	0.4744E-17	0.4744E-17	ZERO	ZERO	ZERO	ZERO	0.2182E-22
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	0.5583E-15	0.5583E-15	ZERO	ZERO	ZERO	ZERO	0.2567E-20
179 Zn(NO3)2	0.2614E-18	0.2614E-18	ZERO	ZERO	ZERO	ZERO	0.1202E-23
57 ZnO	0.6777E-15	0.6777E-15	ZERO	ZERO	ZERO	ZERO	0.3117E-20
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.1066E-15	0.1066E-15	ZERO	ZERO	ZERO	ZERO	0.4902E-21
1 water	0.1407E+00	0.3216E+01	ZERO	0.8249E+02	0.2478E-01	0.6679E+00	0.1999E+03
TOTAL FLOW, LB/HR	0.1889E+01	0.2506E+02	0.1471E+02	0.8249E+02	0.1500E+01	0.1497E+02	0.2342E+03
TEMPERATURE, DEG C	0.5000E+02	0.1000E+02	0.3500E+02	0.3500E+02	0.3500E+02	0.4652E+02	0.9747E+02
PRESSURE, ATM	0.9656E+00	0.9656E+00	0.1000E+01	0.1000E+01	0.1000E+01	0.9656E+00	0.9656E+00
PRESSURE, PSIG	-0.5055E+00	-0.5055E+00	ZERO	ZERO	ZERO	-0.5055E+00	-0.5055E+00
PRESSURE, MM HG	0.7339E+03	0.7339E+03				0.7339E+03	0.7339E+03
ENTHALPY, PCU/HR	0.1398E+03	0.1216E+03	0.9847E+03	0.2894E+04	0.3146E+02	0.1405E+04	0.1320E+06
VAPOR FLOW, CFM	0.4585E+00		0.2256E+01		0.3543E+00	0.2617E+01	0.9720E+02
LIQUID FLOW, GPM		0.5543E-01		0.1647E+00			
DENSITY, LBS/FT3	0.6865E-01	0.5637E+02	0.1087E+00	0.6243E+02	0.7055E-01	0.9531E-01	0.4016E-01
PHASE	VAPOR	LIQUID	VAPOR	LIQUID	VAPOR	VAPOR	VAPOR

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS -> STREAM NAME	236 OED Aqueous to OE	237 OED Air Inleakage	238 OED Vent to SCVC	239 OEC Cndnste to OED	240 OEC Vent to SCVC	241 OED Organic to OECT	242 OECT Air Inleakage
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	0.5081E-04	0.1004E+01	0.2896E-01	0.1004E+01	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	0.9622E-13	0.5464E-02	0.9346E-10	0.5464E-02	ZERO
118 (C6H5)2NH	ZERO	ZERO	0.8983E-09	0.7022E-01	0.6695E-04	0.7022E-01	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	0.1220E-01	0.2107E-09	0.1220E-01	ZERO
162 (C6H5NH2)	0.7456E-02	ZERO	0.3896E-06	0.2142E-01	0.5922E-04	0.1396E-01	ZERO
163 (C6H5NHCHO)	0.7541E-20	ZERO	ZERO	0.7543E-20	0.7078E-24	0.1762E-23	ZERO
165 (C6H5NO)	0.6255E-19	ZERO	ZERO	0.6257E-19	0.1195E-17	0.1462E-22	ZERO
164 (C6H5NO2)	0.4174E-20	ZERO	ZERO	0.4175E-20	0.5532E-22	0.9755E-24	ZERO
131 (C6H5OH salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	0.4124E-01	ZERO	0.2218E-05	0.1650E+00	0.9094E-04	0.1237E+00	ZERO
121 (C6H6)	0.4294E+00	ZERO	0.2975E-01	0.2931E+02	0.1794E+01	0.2885E+02	ZERO
155 (CH3)2CHOH	0.3182E-10	ZERO	0.7319E-15	0.3301E-10	0.1403E-12	0.1194E-11	ZERO
154 (CH3OH)	0.5470E-11	ZERO	0.2915E-15	0.5675E-11	0.4758E-13	0.2052E-12	ZERO
45 Ag	ZERO	ZERO	ZERO	0.6401E-22	TRACE	ZERO	ZERO
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.2923E-20	ZERO	ZERO	0.2923E-20	TRACE	0.6831E-24	ZERO
106 B2O3	0.3763E-22	ZERO	ZERO	0.3763E-22	TRACE	TRACE	ZERO
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	0.4038E-22	ZERO	ZERO	0.4039E-22	TRACE	TRACE	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.8451E-02	ZERO	0.2263E-02	0.1103E-01	0.1473E+02	0.3171E-03	ZERO
142 CO2 (C14)	0.2032E-16	ZERO	0.5442E-17	0.2653E-16	0.3542E-13	0.7625E-18	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	TRACE	ZERO	ZERO	TRACE	TRACE	TRACE	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.1263E-19	ZERO	ZERO	0.1263E-19	TRACE	0.2952E-23	ZERO
20 CaC2O4	TRACE	ZERO	ZERO	TRACE	TRACE	TRACE	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	0.4306E-20	ZERO	ZERO	0.4307E-20	TRACE	0.1006E-23	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	0.3228E-23	ZERO	ZERO	0.3228E-23	TRACE	TRACE	ZERO
168 Co(NO3)2	TRACE	ZERO	ZERO	TRACE	TRACE	TRACE	ZERO
59 CoO	0.6914E-24	ZERO	ZERO	0.6915E-24	TRACE	TRACE	ZERO
98 Cr2O3	0.5895E-20	ZERO	ZERO	0.5896E-20	TRACE	0.1378E-23	ZERO
42 Cs2O	0.8668E-24	ZERO	ZERO	0.8670E-24	TRACE	TRACE	ZERO
53 CsCOOH	0.9755E-21	ZERO	ZERO	0.9757E-21	TRACE	0.2280E-24	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS (CONT'D) ->	236	237	238	239	240	241	242
STREAM NAME	OED Aqueous to OE	OED Air Inleakage	OED Vent to SCVC	OEC Cndnste to OED	OEC Vent to SCVC	OED Organic to OECT	OECT Air Inleakage
54 Cu (COOH) 2	0.4642E-23	ZERO	ZERO	0.4643E-23	TRACE	TRACE	ZERO
170 Cu (NO3) 2	0.4910E-19	ZERO	ZERO	0.4911E-19	TRACE	0.1148E-22	ZERO
55 CuO	0.2150E-22	ZERO	ZERO	0.2151E-22	TRACE	TRACE	ZERO
80 Fe2O3	0.3576E-20	ZERO	ZERO	0.3576E-20	TRACE	0.8357E-24	ZERO
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	TRACE	ZERO	ZERO	TRACE	TRACE	TRACE	ZERO
103 Group B	TRACE	ZERO	ZERO	TRACE	TRACE	TRACE	ZERO
25 H2	0.7900E-23	ZERO	0.5169E-22	0.5988E-22	0.3074E-16	0.2964E-24	ZERO
158 H2C2O4	0.1182E-21	ZERO	ZERO	0.1182E-21	TRACE	TRACE	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	0.1736E-18	ZERO	ZERO	0.1737E-18	TRACE	0.4058E-22	ZERO
34 HCOOH	0.3705E-02	ZERO	0.1268E-07	0.3708E-02	0.1444E-04	0.2897E-05	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	0.1663E-09	0.4667E-16	ZERO	ZERO
129 Hg (C6H5) 2	ZERO	ZERO	ZERO	0.1326E-02	0.2267E-10	0.1326E-02	ZERO
135 Hg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	0.1550E-21	ZERO	ZERO	0.1551E-21	TRACE	TRACE	ZERO
51 KCOOH	0.2263E-18	ZERO	ZERO	0.2263E-18	TRACE	0.5289E-22	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	0.6640E-23	ZERO	ZERO	0.6641E-23	TRACE	TRACE	ZERO
65 Mg (COOH) 2	0.8826E-22	ZERO	ZERO	0.8828E-22	TRACE	TRACE	ZERO
171 Mg (NO3) 2	TRACE	ZERO	ZERO	TRACE	TRACE	TRACE	ZERO
33 MgO	0.7731E-23	ZERO	ZERO	0.7733E-23	TRACE	TRACE	ZERO
60 Mn (COOH) 2	0.7447E-22	ZERO	ZERO	0.7449E-22	TRACE	TRACE	ZERO
172 Mn (NO3) 2	TRACE	ZERO	ZERO	TRACE	TRACE	TRACE	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	0.2958E-22	ZERO	ZERO	0.2959E-22	TRACE	TRACE	ZERO
145 MoO2	0.2903E-23	ZERO	ZERO	0.2904E-23	TRACE	TRACE	ZERO
81 N2	0.1956E-03	ZERO	0.1669E-02	0.1872E-02	0.1133E+01	0.7341E-05	0.1133E+01
74 N2O	0.3594E-17	ZERO	0.1593E-17	0.5323E-17	0.1873E-13	0.1349E-18	ZERO
182 NH3	0.2657E-06	ZERO	0.5136E-09	0.2762E-06	0.6590E-07	0.9969E-08	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	0.1102E-22	ZERO	ZERO	0.1103E-22	TRACE	TRACE	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS (CONT'D) -> STREAM NAME	236 OED Aqueous to OE	237 OED Air Inleakage	238 OED Vent to SCVC	239 OEC Cndnste to OED	240 OEC Vent to SCVC	241 OED Organic to OECT	242 OECT Air Inleakage
35 NO	0.1139E-11	ZERO	0.3328E-11	0.4510E-11	0.5726E-06	0.4275E-13	ZERO
84 NO2	0.9052E-19	ZERO	0.2644E-18	0.3583E-18	0.4550E-13	0.3397E-20	ZERO
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	0.2260E-19	ZERO	ZERO	0.2261E-19	TRACE	0.5282E-23	ZERO
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.2438E-22	ZERO	ZERO	0.2438E-22	TRACE	TRACE	ZERO
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.3238E-22	ZERO	ZERO	0.3238E-22	TRACE	TRACE	ZERO
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	0.2564E-19	ZERO	ZERO	0.2565E-19	TRACE	0.5994E-23	ZERO
7 NaCl	0.7162E-22	ZERO	ZERO	0.7164E-22	TRACE	TRACE	ZERO
69 NaF	0.1874E-23	ZERO	ZERO	0.1875E-23	TRACE	TRACE	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	TRACE	ZERO	ZERO	TRACE	TRACE	TRACE	ZERO
3 NaNO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
2 NaNO3	0.4956E-21	ZERO	ZERO	0.4958E-21	TRACE	0.1158E-24	ZERO
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	0.9353E-23	ZERO	ZERO	0.9355E-23	TRACE	TRACE	ZERO
174 Ni (NO3) 2	TRACE	ZERO	ZERO	TRACE	TRACE	TRACE	ZERO
40 NiO	0.1867E-22	ZERO	ZERO	0.1867E-22	TRACE	TRACE	ZERO
82 O2	0.1959E-03	ZERO	0.8752E-03	0.1079E-02	0.3424E+00	0.7352E-05	0.3423E+00
175 Pb (NO3) 2	TRACE	ZERO	ZERO	TRACE	TRACE	TRACE	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.9827E-22	ZERO	ZERO	0.9829E-22	TRACE	TRACE	ZERO
124 Pd	ZERO	ZERO	ZERO	TRACE	TRACE	ZERO	ZERO
112 Pd (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	0.7229E-24	ZERO	ZERO	0.7231E-24	TRACE	TRACE	ZERO
156 PuO2 (NaTi2O5) 2	0.2865E-23	ZERO	ZERO	0.2866E-23	TRACE	TRACE	ZERO
58 Rh	ZERO	ZERO	ZERO	TRACE	TRACE	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	0.9971E-22	ZERO	ZERO	0.9973E-22	TRACE	TRACE	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS (CONT'D) -> STREAM NAME	236 OED Aqueous to OE	237 OED Air Inleakage	238 OED Vent to SCVC	239 OEC Cndnste to OED	240 OEC Vent to SCVC	241 OED Organic to OECT	242 OECT Air Inleakage
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.6008E-21	ZERO	ZERO	0.6009E-21	TRACE	0.1404E-24	ZERO
48 Sr(COOH)2	0.2462E-23	ZERO	ZERO	0.2462E-23	TRACE	TRACE	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	0.9173E-22	ZERO	ZERO	0.9175E-22	TRACE	TRACE	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TeO2	TRACE	ZERO	ZERO	TRACE	TRACE	TRACE	ZERO
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	0.1767E-19	ZERO	ZERO	0.1767E-19	TRACE	0.4130E-23	ZERO
119 Tritium	0.1117E-13	ZERO	0.1337E-18	0.1117E-13	0.3155E-16	0.4584E-19	ZERO
17 U3O8	0.1692E-22	ZERO	ZERO	0.1693E-22	TRACE	TRACE	ZERO
62 UO2(COOH)2	TRACE	ZERO	ZERO	TRACE	TRACE	TRACE	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	TRACE	ZERO	ZERO	TRACE	ZERO	TRACE	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	0.2181E-22	ZERO	ZERO	0.2182E-22	TRACE	TRACE	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	0.2567E-20	ZERO	ZERO	0.2567E-20	TRACE	0.5999E-24	ZERO
179 Zn(NO3)2	0.1202E-23	ZERO	ZERO	0.1202E-23	TRACE	TRACE	ZERO
57 ZnO	0.3116E-20	ZERO	ZERO	0.3117E-20	TRACE	0.7282E-24	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.4901E-21	ZERO	ZERO	0.4902E-21	TRACE	0.1146E-24	ZERO
1 water	0.2000E+03	ZERO	0.2395E-02	0.2000E+03	0.5579E+00	0.4674E-01	0.2478E-01
TOTAL FLOW, LB/HR	0.2005E+03	ZERO	0.3701E-01	0.2306E+03	0.1859E+02	0.3012E+02	0.1500E+01
TEMPERATURE, DEG C	0.4996E+02	0.3500E+02	0.4997E+02	0.4998E+02	0.3877E+02	0.4996E+02	0.3500E+02
PRESSURE, ATM	0.9656E+00	0.1000E+01	0.9656E+00	0.9656E+00	0.9656E+00	0.9656E+00	0.1000E+01
PRESSURE, PSIG	-0.5055E+00	ZERO	-0.5055E+00	-0.5055E+00	-0.5055E+00	-0.5055E+00	ZERO
PRESSURE, MM HG	0.7339E+03		0.7339E+03	0.7339E+03	0.7339E+03	0.7339E+03	
ENTHALPY, PCU/HR	0.1001E+05	ZERO	0.5248E+01	0.1065E+05	0.1569E+04	0.6350E+03	0.1520E+02
VAPOR FLOW, CFM			0.4782E-02		0.3113E+01		
LIQUID FLOW, GPM	0.4005E+00			0.4712E+00		0.7064E-01	0.3449E-02
DENSITY, LBS/FT3	0.6241E+02	ZERO	0.1290E+00	0.6102E+02	0.9953E-01	0.5317E+02	0.5422E+02
PHASE	LIQUID	VAPOR	VAPOR	LIQUID	VAPOR	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS -> STREAM NAME	243 OECT CO2 Purge	244 OECT Vent to SCVC	245 Organic to Org Strg Tk	246 PR Bottoms bfor Trnsfr	247 PR Bottoms to PRBT	248 SCVC Vent to HEME	249 SCVC HEME Accumulatn
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	0.6137E-02	0.9976E+00	0.1028E-01	0.1022E-01	0.1905E-01	ZERO
123 (C6H5)2C6H4	ZERO	0.2822E-09	0.5464E-02	0.9304E-02	0.9245E-02	0.1740E-15	ZERO
118 (C6H5)2NH	ZERO	0.3627E-08	0.7022E-01	0.6945E-02	0.6901E-02	0.5247E-10	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	0.1220E-01	0.5559E-01	0.5523E-01	ZERO	ZERO
162 (C6H5NH2)	ZERO	0.3260E-05	0.1396E-01	0.7411E-01	0.7364E-01	0.4835E-05	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	0.1762E-23	0.2105E+00	0.2092E+00	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	0.1462E-22	0.3427E-02	0.3406E-02	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	0.9755E-24	0.6983E-02	0.6938E-02	ZERO	ZERO
131 (C6H5OH salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	ZERO	0.3574E-04	0.1237E+00	0.9400E+00	0.9340E+00	0.3612E-04	ZERO
121 (C6H6)	ZERO	0.1741E+01	0.2711E+02	0.1442E-01	0.1433E-01	0.9318E+01	ZERO
155 (CH3)2CHOH	ZERO	0.2457E-14	0.1192E-11	0.8374E-10	0.8321E-10	0.7606E-12	ZERO
154 (CH3OH)	ZERO	0.1484E-14	0.2038E-12	0.8922E-11	0.8866E-11	0.2677E-12	ZERO
45 Ag	ZERO	ZERO	ZERO	0.2861E-02	0.2843E-02	ZERO	ZERO
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	ZERO	0.6831E-24	0.1306E+00	0.1297E+00	ZERO	ZERO
106 B2O3	ZERO	ZERO	TRACE	0.1681E-02	0.1670E-02	ZERO	ZERO
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	ZERO	ZERO	TRACE	0.1804E-02	0.1793E-02	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.1471E+02	0.1458E+02	0.1302E+00	0.6223E-06	0.6183E-06	0.6810E+02	ZERO
142 CO2 (C14)	ZERO	0.7558E-18	0.6747E-20	0.6013E-17	0.5975E-17	0.1203E-09	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	TRACE	0.1378E-05	0.1370E-05	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	ZERO	0.2952E-23	0.5643E+00	0.5607E+00	ZERO	ZERO
20 CaC2O4	ZERO	ZERO	TRACE	0.2458E-06	0.2442E-06	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	ZERO	ZERO	0.1006E-23	0.1924E+00	0.1912E+00	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	TRACE	0.1442E-03	0.1433E-03	ZERO	ZERO
168 Co(NO3)2	ZERO	ZERO	TRACE	0.5408E-06	0.5373E-06	ZERO	ZERO
59 CoO	ZERO	ZERO	TRACE	0.3089E-04	0.3069E-04	ZERO	ZERO
98 Cr2O3	ZERO	ZERO	0.1378E-23	0.2634E+00	0.2617E+00	ZERO	ZERO
42 Cs2O	ZERO	ZERO	TRACE	0.3872E-04	0.3848E-04	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	0.2280E-24	0.4358E-01	0.4330E-01	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS (CONT'D) ->	243	244	245	246	247	248	249
STREAM NAME	OECT CO2	OECT Vent	Organic to	PR Bottoms	PR Bottoms	SCVC Vent	SCVC HEME
	Purge	to SCVC	Org Strg Tk	bfor Trnsfr	to PRBT	to HEME	Accumulatn
54 Cu (COOH)2	ZERO	ZERO	TRACE	0.2074E-03	0.2061E-03	ZERO	ZERO
170 Cu (NO3)2	ZERO	ZERO	0.1148E-22	0.2193E+01	0.2179E+01	ZERO	ZERO
55 CuO	ZERO	ZERO	TRACE	0.9607E-03	0.9546E-03	ZERO	ZERO
80 Fe2O3	ZERO	ZERO	0.8357E-24	0.1597E+00	0.1587E+00	ZERO	ZERO
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	ZERO	ZERO	TRACE	0.2453E-05	0.2437E-05	ZERO	ZERO
103 Group B	ZERO	ZERO	TRACE	0.7540E-07	0.7493E-07	ZERO	ZERO
25 H2	ZERO	0.2964E-24	TRACE	0.1064E-24	0.1058E-24	0.7581E-11	ZERO
158 H2C2O4	ZERO	ZERO	TRACE	0.5280E-02	0.5247E-02	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	0.4058E-22	0.7756E+01	0.7707E+01	ZERO	ZERO
34 HCOOH	ZERO	0.4456E-08	0.2893E-05	0.8987E+01	0.8930E+01	0.7601E-04	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	0.3217E-01	0.3197E-01	0.4004E-14	ZERO
129 Hg (C6H5)2	ZERO	ZERO	0.1326E-02	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	ZERO	ZERO	TRACE	0.6926E-02	0.6882E-02	ZERO	ZERO
51 KCOOH	ZERO	ZERO	0.5289E-22	0.1011E+02	0.1005E+02	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	ZERO	TRACE	0.2966E-03	0.2948E-03	ZERO	ZERO
65 Mg (COOH)2	ZERO	ZERO	TRACE	0.3943E-02	0.3918E-02	ZERO	ZERO
171 Mg (NO3)2	ZERO	ZERO	TRACE	0.5287E-07	0.5254E-07	ZERO	ZERO
33 MgO	ZERO	ZERO	TRACE	0.3454E-03	0.3432E-03	ZERO	ZERO
60 Mn (COOH)2	ZERO	ZERO	TRACE	0.3327E-02	0.3306E-02	ZERO	ZERO
172 Mn (NO3)2	ZERO	ZERO	TRACE	0.6161E-07	0.6122E-07	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	ZERO	ZERO	TRACE	0.1321E-02	0.1313E-02	ZERO	ZERO
145 MoO2	ZERO	ZERO	TRACE	0.1297E-03	0.1289E-03	ZERO	ZERO
81 N2	ZERO	0.1133E+01	0.1541E-03	0.6546E-07	0.6505E-07	0.4532E+01	ZERO
74 N2O	ZERO	0.1340E-18	0.8671E-21	0.1429E-19	0.1420E-19	0.1070E-09	ZERO
182 NH3	ZERO	0.3996E-08	0.5973E-08	0.9775E-07	0.9713E-07	0.1723E-05	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	TRACE	0.4925E-03	0.4894E-03	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS (CONT'D) ->	243	244	245	246	247	248	249
STREAM NAME	OECT CO2	OECT Vent	Organic to	PR Bottoms	PR Bottoms	SCVC Vent	SCVC HEME
	Purge	to SCVC	Org Strg Tk	bfor Trnsfr	to PRBT	to HEME	Accumulatn
35 NO	ZERO	0.4274E-13	0.1804E-16	0.3491E-11	0.3469E-11	0.3364E-01	ZERO
84 NO2	ZERO	0.3395E-20	0.1433E-23	0.2774E-18	0.2756E-18	0.2673E-08	ZERO
70 Na(HgO(OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	ZERO	ZERO	0.5282E-23	0.1010E+01	0.1003E+01	ZERO	ZERO
71 Na2PuO2(OH)4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	ZERO	ZERO	TRACE	0.1089E-02	0.1082E-02	ZERO	ZERO
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	ZERO	ZERO	TRACE	0.1446E-02	0.1437E-02	ZERO	ZERO
91 NaAg(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl(OH)4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	0.5994E-23	0.1146E+01	0.1138E+01	ZERO	ZERO
7 NaCl	ZERO	ZERO	TRACE	0.3200E-02	0.3180E-02	ZERO	ZERO
69 NaF	ZERO	ZERO	TRACE	0.8374E-04	0.8321E-04	ZERO	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	ZERO	TRACE	0.5609E-07	0.5573E-07	ZERO	ZERO
3 NaNO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
2 NaNO3	ZERO	ZERO	0.1158E-24	0.2214E-01	0.2200E-01	ZERO	ZERO
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni(COOH)2	ZERO	ZERO	TRACE	0.4179E-03	0.4152E-03	ZERO	ZERO
174 Ni(NO3)2	ZERO	ZERO	TRACE	0.6729E-06	0.6686E-06	ZERO	ZERO
40 NiO	ZERO	ZERO	TRACE	0.8341E-03	0.8288E-03	ZERO	ZERO
82 O2	ZERO	0.3422E+00	0.9555E-04	0.6794E-07	0.6751E-07	0.1369E+01	ZERO
175 Pb(NO3)2	ZERO	ZERO	TRACE	0.1634E-05	0.1624E-05	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	TRACE	0.4390E-02	0.4362E-02	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO	0.3119E-08	0.3099E-08	ZERO	ZERO
112 Pd(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	ZERO	ZERO	TRACE	0.3230E-04	0.3209E-04	ZERO	ZERO
156 PuO2(NaTi2O5)2	ZERO	ZERO	TRACE	0.1280E-03	0.1272E-03	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	0.3665E-06	0.3642E-06	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	TRACE	0.4454E-02	0.4426E-02	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS (CONT'D) -> STREAM NAME	243 OECT CO2 Purge	244 OECT Vent to SCVC	245 Organic to Org Strg Tk	246 PR Bottoms bfor Trnsfr	247 PR Bottoms to PRBT	248 SCVC Vent to HEME	249 SCVC HEME Accumulatn
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	ZERO	0.1404E-24	0.2684E-01	0.2667E-01	ZERO	ZERO
48 Sr(COOH)2	ZERO	ZERO	TRACE	0.1100E-03	0.1093E-03	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	TRACE	0.4098E-02	0.4072E-02	ZERO	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TeO2	ZERO	ZERO	TRACE	0.1772E-05	0.1761E-05	ZERO	ZERO
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	ZERO	ZERO	0.4130E-23	0.7894E+00	0.7844E+00	ZERO	ZERO
119 Tritium	ZERO	0.3359E-21	0.4550E-19	0.1289E-11	0.1281E-11	0.7056E-15	ZERO
17 U3O8	ZERO	ZERO	TRACE	0.7560E-03	0.7512E-03	ZERO	ZERO
62 UO2(COOH)2	ZERO	ZERO	TRACE	0.1280E-05	0.1272E-05	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	TRACE	0.1326E-11	0.1317E-11	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	TRACE	0.9744E-03	0.9683E-03	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	0.5999E-24	0.1147E+00	0.1139E+00	ZERO	ZERO
179 Zn(NO3)2	ZERO	ZERO	TRACE	0.5370E-04	0.5336E-04	ZERO	ZERO
57 ZnO	ZERO	ZERO	0.7282E-24	0.1392E+00	0.1383E+00	ZERO	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	0.1146E-24	0.2190E-01	0.2176E-01	ZERO	ZERO
1 water	ZERO	0.6977E-01	0.7802E+01	0.7420E+03	0.7374E+03	0.3968E+00	ZERO
TOTAL FLOW, LB/HR	0.1471E+02	0.1787E+02	0.3626E+02	0.7771E+03	0.7722E+03	0.8376E+02	ZERO
TEMPERATURE, DEG C	0.3500E+02	0.7729E+01	0.5315E+01	0.5000E+02	0.5000E+02	0.1000E+02	0.1000E+02
PRESSURE, ATM	0.1000E+01	0.9656E+00	0.9656E+00	0.9656E+00	0.9656E+00	0.9656E+00	0.9656E+00
PRESSURE, PSIG	ZERO	-0.5055E+00	-0.5055E+00	-0.5055E+00	-0.5055E+00	-0.5055E+00	-0.5055E+00
PRESSURE, MM HG		0.7339E+03	0.7339E+03	0.7339E+03	0.7339E+03	0.7339E+03	0.7339E+03
ENTHALPY, PCU/HR	0.3950E+03	0.1137E+04	0.1037E+03	0.3756E+05	0.3732E+05	0.5516E+04	ZERO
VAPOR FLOW, CFM		0.2603E+01				0.1217E+02	
LIQUID FLOW, GPM	0.2668E-01		0.7884E-01	0.1531E+01	0.1521E+01		
DENSITY, LBS/FT3	0.6874E+02	0.1144E+00	0.5734E+02	0.6330E+02	0.6330E+02	0.1148E+00	ZERO
PHASE	LIQUID	VAPOR	LIQUID	LIQUID	LIQUID	VAPOR	SOLID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS -> STREAM NAME	250 SCVC HEME Vnt to PVVS	251 Hg Accum in PRD - PR	252 Hg Accum in OED	260 N2 Purge of OWST	261 OWST Vent to HEPA	262 Incinerator Fd frm OST	263 OWS Vent to Atmosphere
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	0.1905E-01	ZERO	ZERO	ZERO	0.5230E-04	0.9975E+00	0.5230E-04
123 (C6H5)2C6H4	0.1740E-15	ZERO	ZERO	ZERO	0.1865E-11	0.5464E-02	0.1865E-11
118 (C6H5)2NH	0.5247E-10	ZERO	ZERO	ZERO	0.2397E-10	0.7022E-01	0.2397E-10
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	0.5856E-10	0.1220E-01	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	0.5302E-08	0.1396E-01	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	TRACE	0.1762E-23	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	TRACE	0.1457E-22	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	TRACE	0.9755E-24	ZERO
131 (C6H5OH salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	0.3612E-04	ZERO	ZERO	ZERO	0.1014E-06	0.1237E+00	0.1014E-06
121 (C6H6)	0.9318E+01	ZERO	ZERO	ZERO	0.4537E-02	0.2710E+02	0.4537E-02
155 (CH3)2CHOH	0.7606E-12	ZERO	ZERO	ZERO	0.6508E-16	0.1191E-11	0.6508E-16
154 (CH3OH)	0.2677E-12	ZERO	ZERO	ZERO	0.3944E-16	0.2037E-12	0.3944E-16
45 Ag	ZERO	0.1713E-08	0.6401E-22	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	ZERO	ZERO	ZERO	ZERO	0.6831E-24	ZERO
106 B2O3	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.6810E+02	ZERO	ZERO	ZERO	0.9767E-01	0.3251E-01	0.9767E-01
142 CO2 (C14)	0.1203E-09	ZERO	ZERO	ZERO	0.5062E-20	0.1685E-20	0.5062E-20
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	ZERO	ZERO	ZERO	ZERO	0.2952E-23	ZERO
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	ZERO	ZERO	ZERO	ZERO	ZERO	0.1006E-23	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
168 Co(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
59 CoO	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
98 Cr2O3	ZERO	ZERO	ZERO	ZERO	ZERO	0.1378E-23	ZERO
42 Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	0.2280E-24	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS (CONT'D) ->	250	251	252	260	261	262	263
STREAM NAME	SCVC HEME	Hg Accum	Hg Accum	N2 Purge	OWST Vent	Incinerator	OWS Vent to
	Vnt to PVVS	in PRD - PR	in OED	of OWST	to HEPA	Fd frm OST	Atmosphere
54 Cu (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
170 Cu (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	0.1148E-22	ZERO
55 CuO	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
80 Fe2O3	ZERO	ZERO	ZERO	ZERO	ZERO	0.8357E-24	ZERO
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
103 Group B	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
25 H2	0.7581E-11	ZERO	ZERO	ZERO	TRACE	TRACE	TRACE
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	0.4058E-22	ZERO
34 HCOOH	0.7601E-04	ZERO	ZERO	ZERO	0.8512E-10	0.2893E-05	0.8512E-10
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	0.4004E-14	0.1823E+00	0.1663E-09	ZERO	ZERO	ZERO	ZERO
129 Hg (C6H5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	0.1326E-02	ZERO
135 Hg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	0.5289E-22	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
65 Mg (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
171 Mg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
33 MgO	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
60 Mn (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
172 Mn (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
145 MoO2	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
81 N2	0.4532E+01	ZERO	ZERO	0.1000E-01	0.1010E-01	0.5095E-04	0.1010E-01
74 N2O	0.1070E-09	ZERO	ZERO	ZERO	0.6984E-21	0.1687E-21	0.6984E-21
182 NH3	0.1723E-05	ZERO	ZERO	ZERO	0.1051E-09	0.5868E-08	0.1051E-09
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS (CONT'D) -> STREAM NAME	250 SCVC HEME Vnt to PVVS	251 Hg Accum in PRD - PR	252 Hg Accum in OED	260 N2 Purge of OWST	261 OWST Vent to HEPA	262 Incinerator Fd firm OST	263 OWS Vent to Atmosphere
35 NO	0.3364E-01	ZERO	ZERO	ZERO	0.1776E-16	0.2781E-18	0.1776E-16
84 NO2	0.2673E-08	ZERO	ZERO	ZERO	0.1411E-23	TRACE	0.1411E-23
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	ZERO	ZERO	ZERO	ZERO	ZERO	0.5282E-23	ZERO
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	0.5994E-23	ZERO
7 NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
69 NaF	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
3 NaNO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
2 NaNO3	ZERO	ZERO	ZERO	ZERO	ZERO	0.1158E-24	ZERO
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
174 Ni (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
40 Nio	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
82 O2	0.1369E+01	ZERO	ZERO	ZERO	0.9457E-04	0.9799E-06	0.9457E-04
175 Pb (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
124 Pd	ZERO	0.1868E-14	TRACE	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
156 PuO2 (NaTi2O5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
58 Rh	ZERO	0.2195E-12	TRACE	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS (CONT'D) ->	250	251	252	260	261	262	263
STREAM NAME	SCVC HEME	Hg Accum	Hg Accum	N2 Purge	OWST Vent	Incinerator	OWS Vent to
	Vnt to PVVS	in PRD - PR	in OED	of OWST	to HEPA	Fd frm OST	Atmosphere
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	ZERO	ZERO	ZERO	ZERO	0.1404E-24	ZERO
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TcO2	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	ZERO	ZERO	ZERO	ZERO	ZERO	0.4130E-23	ZERO
119 Tritium	0.7056E-15	ZERO	ZERO	ZERO	0.1488E-23	0.4550E-19	0.1488E-23
17 U3O8	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	0.5999E-24	ZERO
179 Zn(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO
57 ZnO	ZERO	ZERO	ZERO	ZERO	ZERO	0.7282E-24	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	ZERO	ZERO	ZERO	0.1146E-24	ZERO
1 water	0.3968E+00	ZERO	ZERO	ZERO	0.2176E-03	0.7802E+01	0.2176E-03
TOTAL FLOW, LB/HR	0.8376E+02	0.1823E+00	0.1663E-09	0.1000E-01	0.1127E+00	0.3616E+02	0.1127E+00
TEMPERATURE, DEG C	0.1000E+02	0.5000E+02	0.4998E+02	0.3500E+02	0.5016E+01	0.4997E+01	0.5016E+01
PRESSURE, ATM	0.9656E+00	0.9656E+00	0.9656E+00	0.1000E+01	0.9656E+00	0.9656E+00	0.9656E+00
PRESSURE, PSIG	-0.5055E+00	-0.5055E+00	-0.5055E+00	ZERO	-0.5055E+00	-0.5055E+00	-0.5055E+00
PRESSURE, MM HG	0.7339E+03	0.7339E+03	0.7339E+03		0.7339E+03	0.7339E+03	0.7339E+03
ENTHALPY, PCU/HR	0.5516E+04	0.3004E+00	0.2738E-09	0.8482E-01	0.6602E+01	0.9715E+02	0.6602E+01
VAPOR FLOW, CFM	0.1217E+02			0.2409E-02	0.1674E-01		0.1674E-01
LIQUID FLOW, GPM		0.2688E-04	0.2452E-13			0.7863E-01	
DENSITY, LBS/FT3	0.1148E+00	0.8457E+03	0.8457E+03	0.6920E-01	0.1122E+00	0.5733E+02	0.1122E+00
PHASE	VAPOR	LIQUID	LIQUID	VAPOR	VAPOR	LIQUID	VAPOR

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS -> STREAM NAME	264 OE Transfer Pump Prime	267 OE Transfer Pump Prime	268 OE Transfer Pump Prime
COMPONENT FLOWS, LB/HR			
122 (C6H5)2	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO
131 (C6H5OH salt)	ZERO	ZERO	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO
121 (C6H6)	ZERO	ZERO	ZERO
155 (CH3)2CHOH	ZERO	ZERO	ZERO
154 (CH3OH)	ZERO	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO
116 Ag2O	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO
77 Al2O3	ZERO	ZERO	ZERO
106 B2O3	ZERO	ZERO	ZERO
9 Ba(OH)2	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO
24 BaSO4	ZERO	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	ZERO	ZERO
20 CaC2O4	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO
19 CaSO4	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	ZERO	ZERO
59 CoO	ZERO	ZERO	ZERO
98 Cr2O3	ZERO	ZERO	ZERO
42 Cs2O	ZERO	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS (CONT'D) -> STREAM NAME	264		267		268	
	OE	Trnsfer	OE	Trnsfer	OE	Trnsfer
	Pump	Prime	Pump	Prime	Pump	Prime
54 Cu (COOH) 2		ZERO		ZERO		ZERO
170 Cu (NO3) 2		ZERO		ZERO		ZERO
55 CuO		ZERO		ZERO		ZERO
80 Fe2O3		ZERO		ZERO		ZERO
101 FeO		ZERO		ZERO		ZERO
102 Group A		ZERO		ZERO		ZERO
103 Group B		ZERO		ZERO		ZERO
25 H2		ZERO		ZERO		ZERO
158 H2C2O4		ZERO		ZERO		ZERO
93 H2SO4		ZERO		ZERO		ZERO
90 H3BO3		ZERO		ZERO		ZERO
34 HCOOH		ZERO		ZERO		ZERO
43 HCl		ZERO		ZERO		ZERO
85 HF		ZERO		ZERO		ZERO
49 HNO3		ZERO		ZERO		ZERO
36 Hg		ZERO		ZERO		ZERO
129 Hg (C6H5) 2		ZERO		ZERO		ZERO
135 Hg (NO3) 2		ZERO		ZERO		ZERO
144 Hg2Cl2		ZERO		ZERO		ZERO
117 Hg2I2		ZERO		ZERO		ZERO
146 HgCl2		ZERO		ZERO		ZERO
21 HgO		ZERO		ZERO		ZERO
97 I2		ZERO		ZERO		ZERO
183 K2CO3		ZERO		ZERO		ZERO
39 K2O		ZERO		ZERO		ZERO
51 KCOOH		ZERO		ZERO		ZERO
157 KMnO4		ZERO		ZERO		ZERO
161 KNO3		ZERO		ZERO		ZERO
10 KOH		ZERO		ZERO		ZERO
150 KTPB		ZERO		ZERO		ZERO
105 La2O3		ZERO		ZERO		ZERO
108 Li2O		ZERO		ZERO		ZERO
65 Mg (COOH) 2		ZERO		ZERO		ZERO
171 Mg (NO3) 2		ZERO		ZERO		ZERO
33 MgO		ZERO		ZERO		ZERO
60 Mn (COOH) 2		ZERO		ZERO		ZERO
172 Mn (NO3) 2		ZERO		ZERO		ZERO
180 Mn3O4		ZERO		ZERO		ZERO
56 MnO		ZERO		ZERO		ZERO
14 MnO2		ZERO		ZERO		ZERO
145 MoO2		ZERO		ZERO		ZERO
81 N2		ZERO		ZERO		ZERO
74 N2O		ZERO		ZERO		ZERO
182 NH3		ZERO		ZERO		ZERO
114 NH3OHNO3		ZERO		ZERO		ZERO
52 NH4COOH		ZERO		ZERO		ZERO
173 NH4NO3		ZERO		ZERO		ZERO
68 NH4OH		ZERO		ZERO		ZERO
148 NH4TPB		ZERO		ZERO		ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS (CONT'D) -> STREAM NAME	264	267	268
	OE Transf Pump Prime	OE Transf Pump Prime	OE Transf Pump Prime
35 NO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO
70 Na (HgO (OH))	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO
109 Na2C2O4	ZERO	ZERO	ZERO
5 Na2CO3	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO
32 Na2O	ZERO	ZERO	ZERO
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO
6 Na2SO4	ZERO	ZERO	ZERO
88 Na2SiO3	ZERO	ZERO	ZERO
87 Na3PO4	ZERO	ZERO	ZERO
91 NaAg (OH) 2	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	ZERO
7 NaCl	ZERO	ZERO	ZERO
69 NaF	ZERO	ZERO	ZERO
11 NaHCO3	ZERO	ZERO	ZERO
12 NaI	ZERO	ZERO	ZERO
3 NaNO2	ZERO	ZERO	ZERO
2 NaNO3	ZERO	ZERO	ZERO
4 NaOH	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO
174 Ni (NO3) 2	ZERO	ZERO	ZERO
40 NiO	ZERO	ZERO	ZERO
82 O2	ZERO	ZERO	ZERO
175 Pb (NO3) 2	ZERO	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO
112 Pd (NO3) 2	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO
76 PuO2	ZERO	ZERO	ZERO
156 PuO2 (NaTi2O5) 2	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 3B. Boilup of Precipitate Hydrolysis Products

STREAM NUMBERS (CONT'D) ->	264	267	268
STREAM NAME	OE Trnsfer Pump Prime	OECT Trnsfer Pump Prime	OECT Sampler Pump Prime
38 SO2	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO
111 SiO2	ZERO	ZERO	ZERO
48 Sr(COOH)2	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO
159 TeO2	ZERO	ZERO	ZERO
92 ThO2	ZERO	ZERO	ZERO
107 TiO2	ZERO	ZERO	ZERO
119 Tritium	ZERO	ZERO	ZERO
17 U3O8	ZERO	ZERO	ZERO
62 UO2(COOH)2	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO
179 Zn(NO3)2	ZERO	ZERO	ZERO
57 ZnO	ZERO	ZERO	ZERO
104 ZrO2	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	ZERO
1 water	0.3900E+01	0.3900E+01	0.3900E+01
TOTAL FLOW, LB/HR	0.3900E+01	0.3900E+01	0.3900E+01
TEMPERATURE, DEG C	0.2500E+02	0.2500E+02	0.2500E+02
PRESSURE, ATM	0.1000E+01	0.1000E+01	0.1000E+01
PRESSURE, PSIG	ZERO	ZERO	ZERO
PRESSURE, MM HG			
ENTHALPY, PCU/HR	0.9786E+02	0.9786E+02	0.9786E+02
VAPOR FLOW, CFM			
LIQUID FLOW, GPM	0.7788E-02	0.7788E-02	0.7788E-02
DENSITY, LBS/FT3	0.6243E+02	0.6243E+02	0.6243E+02
PHASE	LIQUID	LIQUID	LIQUID

SECTION 4A. MELTER FEED RECEIPT, BLENDING AND ADJUSTMENT

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4A. Sludge Receipt, Blending and Adjustment

DESCRIPTION	PAGE
-----	----
1. STREAM NUMBERS 247, 2, 4, 107, 108, 3, 1	2
2. STREAM NUMBERS 6, 7, 8, 10, 11, 12, 13	6
3. STREAM NUMBERS 52, 53, 54, 14, 15, 16, 17	10
4. STREAM NUMBERS 18, 19, 20, 21, 22, 23, 24	14
5. STREAM NUMBERS 25, 50, 51	18

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4A. Sludge Receipt, Blending and Adjustment

STREAM NUMBERS -> STREAM NAME	247 PR Bottoms to PRBT	2 PRBT Air Inleakage	4 PRBT Vent to FAVC	107 PHA Solubles	108 PHA Insolubles	3 PHA Feed to SRAT	1 Sludge Feed to DWPF
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	0.1022E-01	ZERO	ZERO	ZERO	0.1022E-01	0.1022E-01	ZERO
123 (C6H5)2C6H4	0.9245E-02	ZERO	0.7022E-10	ZERO	0.9245E-02	0.9245E-02	ZERO
118 (C6H5)2NH	0.6901E-02	ZERO	0.7624E-04	ZERO	0.6825E-02	0.6825E-02	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	0.5523E-01	ZERO	ZERO	ZERO	0.5523E-01	0.5523E-01	ZERO
162 (C6H5NH2)	0.7364E-01	ZERO	0.2021E-02	0.7162E-01	ZERO	0.7162E-01	ZERO
163 (C6H5NHCHO)	0.2092E+00	ZERO	ZERO	ZERO	0.2092E+00	0.2092E+00	ZERO
165 (C6H5NO)	0.3406E-02	ZERO	ZERO	ZERO	0.3406E-02	0.3406E-02	ZERO
164 (C6H5NO2)	0.6938E-02	ZERO	ZERO	0.6938E-02	ZERO	0.6938E-02	ZERO
131 (C6H5OH salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	0.9340E+00	ZERO	0.1250E-01	0.9215E+00	ZERO	0.9215E+00	ZERO
121 (C6H6)	0.1433E-01	ZERO	0.1399E-01	0.3375E-03	ZERO	0.3375E-03	ZERO
155 (CH3)2CHOH	0.8321E-10	ZERO	0.1060E-11	0.8215E-10	ZERO	0.8215E-10	ZERO
154 (CH3OH)	0.8866E-11	ZERO	0.2651E-12	0.8601E-11	ZERO	0.8601E-11	ZERO
45 Ag	0.2843E-02	ZERO	ZERO	ZERO	0.2843E-02	0.2843E-02	ZERO
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1018E-01
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.1297E+00	ZERO	ZERO	ZERO	0.1297E+00	0.1297E+00	0.8551E+01
106 B2O3	0.1670E-02	ZERO	ZERO	ZERO	0.1670E-02	0.1670E-02	ZERO
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.2968E-03
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	0.1793E-02	ZERO	ZERO	ZERO	0.1793E-02	0.1793E-02	0.1480E-01
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.6183E-06	ZERO	0.6147E-06	0.3621E-08	ZERO	0.3621E-08	ZERO
142 CO2 (C14)	0.5975E-17	ZERO	0.5940E-17	0.3499E-19	ZERO	0.3499E-19	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.1370E-05	ZERO	ZERO	0.1370E-05	ZERO	0.1370E-05	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.2240E-04
113 Ca3(PO4)2	0.5607E+00	ZERO	ZERO	ZERO	0.5607E+00	0.5607E+00	0.2065E+01
20 CaC2O4	0.2442E-06	ZERO	ZERO	ZERO	0.2442E-06	0.2442E-06	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.2554E+01
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1257E-06
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1501E-01
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.3344E-02
19 CaSO4	0.1912E+00	ZERO	ZERO	ZERO	0.1912E+00	0.1912E+00	0.2964E-01
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	0.1433E-03	ZERO	ZERO	0.1433E-03	ZERO	0.1433E-03	ZERO
168 Co(NO3)2	0.5373E-06	ZERO	ZERO	0.5373E-06	ZERO	0.5373E-06	ZERO
59 CoO	0.3069E-04	ZERO	ZERO	ZERO	0.3069E-04	0.3069E-04	ZERO
98 Cr2O3	0.2617E+00	ZERO	ZERO	ZERO	0.2617E+00	0.2617E+00	0.1629E+00
42 Cs2O	0.3848E-04	ZERO	ZERO	ZERO	0.3848E-04	0.3848E-04	0.1018E-03
53 CsCOOH	0.4330E-01	ZERO	ZERO	0.4330E-01	ZERO	0.4330E-01	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.7390E-05
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4A. Sludge Receipt, Blending and Adjustment

STREAM NUMBERS (CONT'D) ->	247	2	4	107	108	3	1
STREAM NAME	PR Bottoms to PRBT	PRBT Air Inleakage	PRBT Vent to FAVC	PHA Solubles	PHA Insolubles	PHA Feed to SRAT	Sludge Feed to DWPF
54 Cu (COOH)2	0.2061E-03	ZERO	ZERO	0.2061E-03	ZERO	0.2061E-03	ZERO
170 Cu (NO3)2	0.2179E+01	ZERO	ZERO	0.2179E+01	ZERO	0.2179E+01	ZERO
55 CuO	0.9546E-03	ZERO	ZERO	ZERO	0.9546E-03	0.9546E-03	0.2093E-01
80 Fe2O3	0.1587E+00	ZERO	ZERO	ZERO	0.1587E+00	0.1587E+00	0.2805E+02
101 FeO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	0.2437E-05	ZERO	ZERO	ZERO	0.2437E-05	0.2437E-05	0.3541E-02
103 Group B	0.7493E-07	ZERO	ZERO	ZERO	0.7493E-07	0.7493E-07	0.1511E-03
25 H2	0.1058E-24	ZERO	0.1057E-24	TRACE	ZERO	TRACE	ZERO
158 H2C2O4	0.5247E-02	ZERO	ZERO	0.5247E-02	ZERO	0.5247E-02	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	0.7707E+01	ZERO	ZERO	0.7707E+01	ZERO	0.7707E+01	ZERO
34 HCOOH	0.8930E+01	ZERO	0.1619E-01	0.8914E+01	ZERO	0.8914E+01	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	0.3197E-01	ZERO	0.2660E-07	ZERO	0.3197E-01	0.3197E-01	ZERO
129 Hg (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1384E+00
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	0.6882E-02	ZERO	ZERO	ZERO	0.6882E-02	0.6882E-02	0.7385E-01
51 KCOOH	0.1005E+02	ZERO	ZERO	0.1005E+02	ZERO	0.1005E+02	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1586E-01
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	0.2948E-03	ZERO	ZERO	ZERO	0.2948E-03	0.2948E-03	ZERO
65 Mg (COOH)2	0.3918E-02	ZERO	ZERO	0.3918E-02	0.4160E-09	0.3918E-02	ZERO
171 Mg (NO3)2	0.5254E-07	ZERO	ZERO	0.5254E-07	ZERO	0.5254E-07	ZERO
33 MgO	0.3432E-03	ZERO	ZERO	ZERO	0.3432E-03	0.3432E-03	0.1524E+01
60 Mn (COOH)2	0.3306E-02	ZERO	ZERO	0.3306E-02	ZERO	0.3306E-02	ZERO
172 Mn (NO3)2	0.6122E-07	ZERO	ZERO	0.6122E-07	ZERO	0.6122E-07	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	0.1313E-02	ZERO	ZERO	ZERO	0.1313E-02	0.1313E-02	0.3245E+01
145 MoO2	0.1289E-03	ZERO	ZERO	ZERO	0.1289E-03	0.1289E-03	ZERO
81 N2	0.6505E-07	0.5484E+02	0.5483E+02	0.9541E-02	ZERO	0.9541E-02	ZERO
74 N2O	0.1420E-19	ZERO	0.1415E-19	0.5114E-22	ZERO	0.5114E-22	ZERO
182 NH3	0.9713E-07	ZERO	0.5309E-07	0.4404E-07	ZERO	0.4404E-07	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	0.4894E-03	ZERO	ZERO	0.4894E-03	ZERO	0.4894E-03	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.6084E-03
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4A. Sludge Receipt, Blending and Adjustment

STREAM NUMBERS (CONT'D) -> STREAM NAME	247 PR Bottoms to PRBT	2 PRBT Air Inleakage	4 PRBT Vent to FAVC	107 PHA Solubles	108 PHA Insolubles	3 PHA Feed to SRAT	1 Sludge Feed to DWPF
35 NO	0.3469E-11	ZERO	0.3467E-11	0.1771E-14	ZERO	0.1771E-14	ZERO
84 NO2	0.2756E-18	ZERO	0.2755E-18	0.1407E-21	ZERO	0.1407E-21	ZERO
70 Na (HgO(OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.2562E-03
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.2642E+00
5 Na2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.2458E+00
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.3019E-09
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.9246E-02
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1523E-02
32 Na2O	0.1003E+01	ZERO	ZERO	ZERO	0.1003E+01	0.1003E+01	0.3230E+01
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1000E-07
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.3865E-04
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1652E-03
6 Na2SO4	0.1082E-02	ZERO	ZERO	0.1082E-02	ZERO	0.1082E-02	0.1944E+00
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.8070E-02
87 Na3PO4	0.1437E-02	ZERO	ZERO	0.1437E-02	ZERO	0.1437E-02	0.1141E-02
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1457E-03
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.3558E+00
50 NaCOOH	0.1138E+01	ZERO	ZERO	0.1138E+01	ZERO	0.1138E+01	ZERO
7 NaCl	0.3180E-02	ZERO	ZERO	0.3180E-02	ZERO	0.3180E-02	0.6777E-02
69 NaF	0.8321E-04	ZERO	ZERO	0.8321E-04	ZERO	0.8321E-04	0.3408E-01
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.5573E-07	ZERO	ZERO	0.5573E-07	ZERO	0.5573E-07	0.5416E-05
3 NaNO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.6454E+01
2 NaNO3	0.2200E-01	ZERO	ZERO	0.2200E-01	ZERO	0.2200E-01	0.1518E+00
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.3062E+01
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1568E-03
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	0.4152E-03	ZERO	ZERO	0.4152E-03	ZERO	0.4152E-03	ZERO
174 Ni (NO3) 2	0.6686E-06	ZERO	ZERO	0.6686E-06	ZERO	0.6686E-06	ZERO
40 NiO	0.8288E-03	ZERO	ZERO	ZERO	0.8288E-03	0.8288E-03	0.2482E+00
82 O2	0.6751E-07	0.1656E+02	0.1656E+02	0.5537E-02	ZERO	0.5537E-02	0.2571E+00
175 Pb (NO3) 2	0.1624E-05	ZERO	ZERO	0.1624E-05	ZERO	0.1624E-05	0.7604E-04
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.4362E-02	ZERO	ZERO	ZERO	0.4362E-02	0.4362E-02	0.1274E+00
124 Pd	0.3099E-08	ZERO	ZERO	ZERO	0.3099E-08	0.3099E-08	ZERO
112 Pd (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.8804E-08
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.4488E-03
76 PuO2	0.3209E-04	ZERO	ZERO	ZERO	0.3209E-04	0.3209E-04	0.9873E-02
156 PuO2 (NaTi2O5) 2	0.1272E-03	ZERO	ZERO	ZERO	0.1272E-03	0.1272E-03	ZERO
58 Rh	0.3642E-06	ZERO	ZERO	ZERO	0.3642E-06	0.3642E-06	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.9498E-03
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	0.4426E-02	ZERO	ZERO	ZERO	0.4426E-02	0.4426E-02	0.6163E-02
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4A. Sludge Receipt, Blending and Adjustment

STREAM NUMBERS (CONT'D) -> STREAM NAME	247 PR Bottoms to PRBT	2 PRBT Air Inleakage	4 PRBT Vent to FAVC	107 PHA Solubles	108 PHA Insolubles	3 PHA Feed to SRAT	1 Sludge Feed to DWPF
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.2667E-01	ZERO	ZERO	ZERO	0.2667E-01	0.2667E-01	0.1061E+01
48 Sr(COOH)2	0.1093E-03	ZERO	ZERO	0.1093E-03	ZERO	0.1093E-03	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	0.4072E-02	ZERO	ZERO	ZERO	0.4072E-02	0.4072E-02	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.3612E-07
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.2054E-01
46 SrO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TeO2	0.1761E-05	ZERO	ZERO	ZERO	0.1761E-05	0.1761E-05	0.3457E-02
92 ThO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.2972E-01
107 TiO2	0.7844E+00	ZERO	ZERO	ZERO	0.7844E+00	0.7844E+00	0.4648E-01
119 Tritium	0.1281E-11	ZERO	0.8298E-14	0.1272E-11	ZERO	0.1272E-11	0.1023E-08
17 U3O8	0.7512E-03	ZERO	ZERO	ZERO	0.7512E-03	0.7512E-03	0.2083E+01
62 UO2(COOH)2	0.1272E-05	ZERO	ZERO	0.1272E-05	ZERO	0.1272E-05	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.7050E-04
27 Y(COOH)3	0.1317E-11	ZERO	ZERO	0.1317E-11	ZERO	0.1317E-11	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.3640E-07
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.5168E-02
47 Y2O3	0.9683E-03	ZERO	ZERO	ZERO	0.9683E-03	0.9683E-03	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	0.1139E+00	ZERO	ZERO	0.1139E+00	ZERO	0.1139E+00	ZERO
179 Zn(NO3)2	0.5336E-04	ZERO	ZERO	0.5336E-04	ZERO	0.5336E-04	ZERO
57 ZnO	0.1383E+00	ZERO	ZERO	ZERO	0.1383E+00	0.1383E+00	0.1179E+00
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.2176E-01	ZERO	ZERO	ZERO	0.2176E-01	0.2176E-01	0.2279E+01
1 water	0.7374E+03	0.1200E+01	0.4886E+01	0.7415E+03	ZERO	0.7415E+03	0.3778E+03
TOTAL FLOW, LB/HR	0.7722E+03	0.7260E+02	0.7632E+02	0.7727E+03	0.3635E+01	0.7763E+03	0.4446E+03
TEMPERATURE, DEG C	0.5000E+02	0.3500E+02	0.4564E+02	0.4566E+02	0.4566E+02	0.4566E+02	0.6000E+02
PRESSURE, ATM	0.9656E+00	0.1000E+01	0.9656E+00	0.9656E+00	0.9656E+00	0.9656E+00	0.1000E+01
PRESSURE, PSIG	-0.5055E+00	ZERO	-0.5055E+00	-0.5055E+00	-0.5055E+00	-0.5055E+00	ZERO
PRESSURE, MM HG	0.7339E+03	0.7339E+03	0.7339E+03	0.7339E+03	0.7339E+03	0.7339E+03	0.7339E+03
ENTHALPY, PCU/HR	0.3732E+05	0.7358E+03	0.3975E+04	0.3424E+05	0.3512E+02	0.3428E+05	0.2338E+05
VAPOR FLOW, CFM			0.1985E+02				
LIQUID FLOW, GPM	0.1521E+01	0.1670E+00		0.1526E+01	0.2667E-02	0.1529E+01	0.7920E+00
DENSITY, LBS/FT3	0.6330E+02	0.5422E+02	0.6406E-01	0.6311E+02	0.1699E+03	0.6329E+02	0.6998E+02
PHASE	LIQUID	LIQUID	VAPOR	LIQUID	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4A. Sludge Receipt, Blending and Adjustment

STREAM NUMBERS -> STREAM NAME	6 SRAT Trnsfer Pump Prime	7 SRAT Sample Pump Prime	8 50% HNO3 to SRAT	10 SRAT Air Inleakage	11 MWWT Spent Wsh to SRAT	12 SRAT Recycle Condensate	13 SRAT Cndste to MWWT
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	0.4224E-09	0.3578E-03	0.1094E-02
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	0.5464E-12	0.1481E-06	0.4530E-06
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	0.7726E-08	0.3298E-02	0.1008E-01
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	0.3030E-12	0.9568E-07	0.2926E-06
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	0.8025E-07	0.2377E-01	0.7268E-01
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	0.1148E-11	0.3624E-06	0.1108E-05
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	0.1204E-13	0.5900E-08	0.1804E-07
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	0.3804E-13	0.1202E-07	0.3676E-07
131 (C6H5OH salt)	ZERO	ZERO	ZERO	ZERO	0.9630E-15	0.1426E-20	0.4362E-20
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	0.9841E-06	0.3107E+00	0.9501E+00
121 (C6H6)	ZERO	ZERO	ZERO	ZERO	0.7271E-09	0.7039E-06	0.2153E-05
155 (CH3)2CHOH	ZERO	ZERO	ZERO	ZERO	0.7840E-16	0.2732E-10	0.8354E-10
154 (CH3OH)	ZERO	ZERO	ZERO	ZERO	0.7146E-17	0.2418E-11	0.7394E-11
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.6575E-07
116 Ag2O	ZERO	ZERO	ZERO	ZERO	0.1459E-21	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	ZERO	ZERO	ZERO	0.4854E-10	0.1530E-04	0.4680E-04
106 B2O3	ZERO	ZERO	ZERO	ZERO	0.1759E-10	0.2893E-08	0.8848E-08
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	0.1841E-19	TRACE	TRACE
24 BaSO4	ZERO	ZERO	ZERO	ZERO	0.9359E-13	0.2951E-07	0.9026E-07
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	ZERO	ZERO	0.4841E-12	0.6075E-03	0.1858E-02
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	0.6247E-20	0.8169E-11	0.2498E-10
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO	ZERO	0.2301E-10	0.7254E-05	0.2218E-04
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	ZERO	ZERO	ZERO	0.1442E-10	0.4549E-05	0.1391E-04
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	0.1338E-17	0.4230E-12	0.1294E-11
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	0.8246E-13	0.2600E-07	0.7950E-07
41 CaO	ZERO	ZERO	ZERO	ZERO	0.1840E-13	0.5792E-08	0.1771E-07
19 CaSO4	ZERO	ZERO	ZERO	ZERO	0.1211E-11	0.3825E-06	0.1170E-05
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	0.7853E-15	0.2482E-09	0.7590E-09
168 Co(NO3)2	ZERO	ZERO	ZERO	ZERO	0.2945E-17	0.9308E-12	0.2847E-11
59 CoO	ZERO	ZERO	ZERO	ZERO	0.1682E-15	0.5317E-10	0.1626E-09
98 Cr2O3	ZERO	ZERO	ZERO	ZERO	0.2355E-11	0.7430E-06	0.2272E-05
42 Cs2O	ZERO	ZERO	ZERO	ZERO	0.7707E-15	0.2430E-09	0.7431E-09
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	0.2373E-12	0.7501E-07	0.2294E-06
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	0.5279E-16	0.1664E-10	0.5090E-10
8 CsOH	ZERO	ZERO	ZERO	ZERO	0.6020E-17	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4A. Sludge Receipt, Blending and Adjustment

STREAM NUMBERS (CONT'D) -> STREAM NAME	6 SRAT Transfer Pump Prime	7 SRAT Sample Pump Prime	8 50% HNO3 to SRAT	10 SRAT Air Inleakage	11 MWWT Spent Wsh to SRAT	12 SRAT Recycle Condensate	13 SRATC Cndste to MWWT
54 Cu(COOH)2	ZERO	ZERO	ZERO	ZERO	0.2434E-13	0.7674E-08	0.2347E-07
170 Cu(NO3)2	ZERO	ZERO	ZERO	ZERO	0.1196E-10	0.3774E-05	0.1154E-04
55 CuO	ZERO	ZERO	ZERO	ZERO	0.1082E-12	0.3411E-07	0.1043E-06
80 Fe2O3	ZERO	ZERO	ZERO	ZERO	0.1395E-09	0.4397E-04	0.1345E-03
101 FeO	ZERO	ZERO	ZERO	ZERO	0.1394E-10	0.4396E-05	0.1344E-04
102 Group A	ZERO	ZERO	ZERO	ZERO	0.1947E-13	0.6137E-08	0.1877E-07
103 Group B	ZERO	ZERO	ZERO	ZERO	0.8305E-15	0.2618E-09	0.8007E-09
25 H2	ZERO	ZERO	ZERO	ZERO	0.3206E-18	0.1386E-06	0.4238E-06
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	0.1004E-11	0.3165E-06	0.9679E-06
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	0.4224E-10	0.1335E-04	0.4083E-04
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	0.7818E+01	ZERO	0.5594E-08	0.3921E-09	0.1199E-08
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.8494E-06
129 Hg(C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	ZERO	ZERO	0.1082E-16	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	ZERO	ZERO	ZERO	ZERO	0.4436E-12	0.1398E-06	0.4277E-06
51 KCOOH	ZERO	ZERO	ZERO	ZERO	0.5506E-10	0.1740E-04	0.5321E-04
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	0.1570E-12	0.4951E-07	0.1514E-06
10 KOH	ZERO	ZERO	ZERO	ZERO	0.1801E-15	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	ZERO	ZERO	ZERO	0.1539E-10	0.5106E-09	0.1561E-08
65 Mg(COOH)2	ZERO	ZERO	ZERO	ZERO	0.1903E-10	0.5999E-05	0.1835E-04
171 Mg(NO3)2	ZERO	ZERO	ZERO	ZERO	0.2880E-18	0.9101E-13	0.2783E-12
33 MgO	ZERO	ZERO	ZERO	ZERO	0.6071E-11	0.5282E-06	0.1615E-05
60 Mn(COOH)2	ZERO	ZERO	ZERO	ZERO	0.1192E-10	0.3758E-05	0.1149E-04
172 Mn(NO3)2	ZERO	ZERO	ZERO	ZERO	0.3355E-18	0.1060E-12	0.3243E-12
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	0.4360E-16	0.6635E-22	0.2029E-21
14 MnO2	ZERO	ZERO	ZERO	ZERO	0.1070E-10	0.3374E-05	0.1032E-04
145 MoO2	ZERO	ZERO	ZERO	ZERO	0.5906E-14	0.1863E-08	0.5696E-08
81 N2	ZERO	ZERO	ZERO	0.8857E+03	0.7403E-06	0.4135E-02	0.1264E-01
74 N2O	ZERO	ZERO	ZERO	ZERO	TRACE	TRACE	TRACE
182 NH3	ZERO	ZERO	ZERO	ZERO	0.1968E-10	0.1884E-06	0.5761E-06
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	0.1477E-05	0.2409E-08	0.7367E-08
68 NH4OH	ZERO	ZERO	ZERO	ZERO	0.1702E-12	ZERO	0.3022E+00
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4A. Sludge Receipt, Blending and Adjustment

STREAM NUMBERS (CONT'D) -> STREAM NAME	6 SRAT Transfer Pump Prime	7 SRAT Sample Pump Prime	8 50% HNO3 to SRAT	10 SRAT Air Inleakage	11 MWWT Spent Wsh to SRAT	12 SRAT Recycle Condensate	13 SRATC Cndste to MWWT
35 NO	ZERO	ZERO	ZERO	ZERO	0.1273E-15	0.1852E-04	0.5664E-04
84 NO2	ZERO	ZERO	ZERO	ZERO	TRACE	TRACE	TRACE
70 Na(HgO(OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	0.2019E-15	ZERO	ZERO
109 Na2C2O4	ZERO	ZERO	ZERO	ZERO	0.1301E-13	ZERO	ZERO
5 Na2CO3	ZERO	ZERO	ZERO	ZERO	0.2690E-10	0.8400E-05	0.2569E-04
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	ZERO	ZERO	ZERO	ZERO	0.3495E-10	0.7334E-05	0.2243E-04
71 Na2PuO2(OH)4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	ZERO	ZERO	ZERO	ZERO	0.1072E-11	0.3381E-06	0.1034E-05
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	ZERO	ZERO	ZERO	ZERO	0.1414E-13	0.4466E-08	0.1366E-07
91 NaAg(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl(OH)4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	0.4306E-11	0.4746E-06	0.1451E-05
7 NaCl	ZERO	ZERO	ZERO	ZERO	0.5466E-13	0.1725E-07	0.5274E-07
69 NaF	ZERO	ZERO	ZERO	ZERO	0.1878E-12	0.5919E-07	0.1810E-06
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	ZERO	ZERO	ZERO	0.3007E-16	0.9478E-11	0.2899E-10
3 NaNO2	ZERO	ZERO	ZERO	ZERO	0.1626E-13	ZERO	ZERO
2 NaNO3	ZERO	ZERO	ZERO	ZERO	0.4957E-10	0.1549E-04	0.4738E-04
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni(COOH)2	ZERO	ZERO	ZERO	ZERO	0.1385E-12	0.4366E-07	0.1335E-06
174 Ni(NO3)2	ZERO	ZERO	ZERO	ZERO	0.3665E-17	0.1158E-11	0.3542E-11
40 NiO	ZERO	ZERO	ZERO	ZERO	0.1307E-11	0.4098E-06	0.1253E-05
82 O2	ZERO	ZERO	ZERO	0.2675E+03	0.4271E-06	0.2384E-02	0.7290E-02
175 Pb(NO3)2	ZERO	ZERO	ZERO	ZERO	0.4267E-15	0.1345E-09	0.4114E-09
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	0.8063E-19	0.1227E-24	0.3752E-24
147 Pbs	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	ZERO	ZERO	0.7241E-12	0.2283E-06	0.6982E-06
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.2067E-08
112 Pd(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 Pdo	ZERO	ZERO	ZERO	ZERO	0.4807E-23	ZERO	ZERO
76 PuO2	ZERO	ZERO	ZERO	ZERO	0.5442E-13	0.1716E-07	0.5247E-07
156 PuO2(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	0.6972E-15	0.2203E-09	0.6738E-09
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.3939E-08
22 RhO2	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	0.4459E-13	0.1407E-07	0.4304E-07
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4A. Sludge Receipt, Blending and Adjustment

STREAM NUMBERS (CONT'D) -> STREAM NAME	6 SRAT Transfer Pump Prime	7 SRAT Sample Pump Prime	8 50% HNO3 to SRAT	10 SRAT Air Inleakage	11 MWWT Spent Wsh to SRAT	12 SRAT Recycle Condensate	13 SRATC Cndste to MWWT
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	ZERO	ZERO	ZERO	0.1752E-09	0.1891E-05	0.5783E-05
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	0.5989E-15	0.1893E-09	0.5789E-09
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	0.1617E-12	0.5099E-07	0.1559E-06
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	0.2232E-13	0.7054E-08	0.2157E-07
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	0.2524E-18	0.3842E-24	0.1175E-23
159 TeO2	ZERO	ZERO	ZERO	ZERO	0.1961E-13	0.6183E-08	0.1891E-07
92 ThO2	ZERO	ZERO	ZERO	ZERO	0.1633E-12	0.5149E-07	0.1575E-06
107 TiO2	ZERO	ZERO	ZERO	ZERO	0.4555E-11	0.1439E-05	0.4402E-05
119 Tritium	ZERO	ZERO	ZERO	ZERO	0.9347E-15	0.3072E-09	0.9394E-09
17 U3O8	ZERO	ZERO	ZERO	ZERO	0.1145E-10	0.3610E-05	0.1104E-04
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	0.6972E-17	0.2204E-11	0.6739E-11
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	0.5020E-15	0.1583E-09	0.4840E-09
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	0.7221E-23	0.2282E-17	0.6979E-17
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	0.4363E-13	0.1375E-07	0.4206E-07
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	ZERO	ZERO	0.5307E-14	0.1677E-08	0.5129E-08
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	0.1430E-11	0.4517E-06	0.1381E-05
179 Zn(NO3)2	ZERO	ZERO	ZERO	ZERO	0.2925E-15	0.9243E-10	0.2827E-09
57 ZnO	ZERO	ZERO	ZERO	ZERO	0.9842E-12	0.3107E-06	0.9502E-06
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	ZERO	ZERO	0.8237E-11	0.2597E-05	0.7942E-05
1 water	0.1950E+01	0.3890E+01	0.7818E+01	0.1937E+02	0.4154E-01	0.3469E+03	0.1061E+04
TOTAL FLOW, LB/HR	0.1950E+01	0.3890E+01	0.1564E+02	0.1173E+04	0.4154E-01	0.3473E+03	0.1062E+04
TEMPERATURE, DEG C	0.2500E+02	0.2500E+02	0.2500E+02	0.3500E+02	0.3500E+02	0.5000E+02	0.5000E+02
PRESSURE, ATM	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.9656E+00	0.9656E+00
PRESSURE, PSIG	ZERO	ZERO	ZERO	ZERO	ZERO	-0.5055E+00	-0.5055E+00
PRESSURE, MM HG						0.7339E+03	0.7339E+03
ENTHALPY, PCU/HR	0.4893E+02	0.9761E+02	0.2520E+03	0.2459E+05	0.1457E+01	0.1737E+05	0.5313E+05
VAPOR FLOW, CFM				0.2770E+03			
LIQUID FLOW, GPM	0.3894E-02	0.7768E-02	0.2601E-01		0.8296E-04	0.6934E+00	0.2121E+01
DENSITY, LBS/FT3	0.6243E+02	0.6243E+02	0.7495E+02	0.7055E-01	0.6243E+02	0.6243E+02	0.6244E+02
PHASE	LIQUID	LIQUID	LIQUID	VAPOR	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4A. Sludge Receipt, Blending and Adjustment

STREAM NUMBERS -> STREAM NAME	52 SRATC Vent to Scrubber	53 Liquid to SRAT Scrubbr	54 Spnt Liq frm SRAT Scrubbr	14 SRAT Scrubbr Vent to FAVC	15 SRAT Trans- fer to SME	16 MWWT Vent to SMECT	17 MWWT Air Purge
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	0.9482E-02	0.1877E-02	0.1133E-01	0.1826E-04	0.2620E-06	0.1727E-10	ZERO
123 (C6H5)2C6H4	0.5373E-12	0.2336E-05	0.2268E-05	0.4628E-13	0.9245E-02	0.5615E-17	ZERO
118 (C6H5)2NH	0.6541E-05	0.3306E-01	0.3204E-01	0.1551E-07	0.3165E-04	0.6828E-11	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	0.3470E-12	0.1295E-05	0.1258E-05	0.8321E-11	0.5523E-01	0.7119E-17	ZERO
162 (C6H5NH2)	0.2029E-01	0.3492E+00	0.3587E+00	0.1626E-03	0.2409E-02	0.1495E-08	ZERO
163 (C6H5NHCHO)	0.1314E-11	0.4910E-05	0.4768E-05	0.2540E-10	0.2092E+00	0.2245E-16	ZERO
165 (C6H5NO)	0.2140E-13	0.5342E-07	0.4757E-07	0.5168E-08	0.3406E-02	0.4769E-15	ZERO
164 (C6H5NO2)	0.4359E-13	0.1627E-06	0.1580E-06	0.3414E-10	0.6938E-02	0.1847E-16	ZERO
131 (C6H5OH salt)	TRACE	0.4118E-08	0.3482E-08	ZERO	0.8234E-15	0.9786E-20	ZERO
130 (C6H5OH)	0.1272E+00	0.4250E+01	0.4248E+01	0.1939E-02	0.1550E+00	0.1041E-07	ZERO
121 (C6H6)	0.3361E-03	0.5172E-02	0.5266E-02	0.2018E-03	0.1006E-09	0.5040E-09	ZERO
155 (CH3)2CHOH	0.1575E-10	0.3547E-09	0.3510E-09	0.8995E-11	0.1017E-10	0.4770E-17	ZERO
154 (CH3OH)	0.3255E-11	0.3379E-10	0.3417E-10	0.2029E-11	0.3681E-12	0.7912E-18	ZERO
45 Ag	0.7799E-13	ZERO	0.7799E-13	ZERO	0.1241E-01	0.7971E-12	ZERO
116 Ag2O	ZERO	0.6236E-15	0.5418E-15	ZERO	ZERO	TRACE	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.5551E-10	0.2075E-03	0.2016E-03	ZERO	0.8834E+01	0.4939E-15	ZERO
106 B2O3	0.1049E-13	0.7521E-04	0.7301E-04	ZERO	0.1670E-02	0.1790E-15	ZERO
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	TRACE	0.7872E-13	0.6839E-13	ZERO	0.1617E-19	0.1872E-24	ZERO
24 BaSO4	0.1071E-12	0.4002E-06	0.3887E-06	ZERO	0.1704E-01	0.9524E-18	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.4223E+01	0.7346E-03	0.1412E-01	0.4209E+01	0.2418E-07	0.1790E-09	ZERO
142 CO2 (C14)	0.5678E-07	0.9480E-11	0.1899E-09	0.5660E-07	0.3251E-15	0.2309E-17	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.2631E-10	0.9838E-04	0.9556E-04	ZERO	0.4188E+01	0.2342E-15	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.1650E-10	0.6166E-04	0.5988E-04	ZERO	0.2626E+01	0.1467E-15	ZERO
20 CaC2O4	0.1534E-17	0.5723E-11	0.5557E-11	ZERO	0.2442E-06	0.1362E-22	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	0.9430E-13	0.3526E-06	0.3425E-06	ZERO	0.1501E-01	0.8391E-18	ZERO
41 CaO	0.2101E-13	0.7866E-07	0.7639E-07	ZERO	0.3344E-02	0.1872E-18	ZERO
19 CaSO4	0.1387E-11	0.5176E-05	0.5026E-05	ZERO	0.2208E+00	0.1232E-16	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	0.9002E-15	0.3358E-08	0.3260E-08	ZERO	0.1433E-03	0.7991E-20	ZERO
168 Co(NO3)2	0.3376E-17	0.1259E-10	0.1223E-10	ZERO	0.5373E-06	0.2997E-22	ZERO
59 CoO	0.1928E-15	0.7193E-09	0.6984E-09	ZERO	0.3069E-04	0.1712E-20	ZERO
98 Cr2O3	0.2695E-11	0.1007E-04	0.9778E-05	ZERO	0.4289E+00	0.2396E-16	ZERO
42 Cs2O	0.8814E-15	0.3295E-08	0.3200E-08	ZERO	0.1403E-03	0.7843E-20	ZERO
53 CsCOOH	0.2721E-12	0.1015E-05	0.9853E-06	ZERO	0.4330E-01	0.2415E-17	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	0.6036E-16	0.2257E-09	0.2192E-09	ZERO	0.9608E-05	0.5372E-21	ZERO
8 CsOH	ZERO	0.2574E-10	0.2236E-10	ZERO	ZERO	0.6119E-22	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4A. Sludge Receipt, Blending and Adjustment

STREAM NUMBERS (CONT'D) -> STREAM NAME	52 SRATC Vent to Scrubber	53 Liquid to SRAT Scrubbr	54 Spnt Liq frm SRAT Scrubbr	14 SRAT Scrubbr Vent to FAVC	15 SRAT Trans- fer to SME	16 MWWT Vent to SMECT	17 MWWT Air Purge
54 Cu(COOH)2	0.2784E-13	0.1041E-06	0.1011E-06	ZERO	0.4430E-02	0.2477E-18	ZERO
170 Cu(NO3)2	0.1369E-10	0.5113E-04	0.4965E-04	ZERO	0.2179E+01	0.1217E-15	ZERO
55 CuO	0.1237E-12	0.4627E-06	0.4494E-06	ZERO	0.1969E-01	0.1101E-17	ZERO
80 Fe2O3	0.1595E-09	0.5964E-03	0.5792E-03	ZERO	0.2539E+02	0.1419E-14	ZERO
101 FeO	0.1595E-10	0.5962E-04	0.5791E-04	ZERO	0.2538E+01	0.1419E-15	ZERO
102 Group A	0.2226E-13	0.8324E-07	0.8085E-07	ZERO	0.3543E-02	0.1981E-18	ZERO
103 Group B	0.9497E-15	0.3551E-08	0.3449E-08	ZERO	0.1512E-03	0.8451E-20	ZERO
25 H2	0.2352E-01	0.1184E-07	0.3231E-05	0.2351E-01	0.5285E-12	0.2893E-14	ZERO
158 H2C2O4	0.1148E-11	0.4292E-05	0.4169E-05	ZERO	0.1827E+00	0.1021E-16	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	0.4843E-10	0.1806E-03	0.1754E-03	ZERO	0.7707E+01	0.4299E-15	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	0.3118E-09	0.2408E+02	0.2320E+02	0.8203E+00	0.4360E-09	0.5877E-05	ZERO
36 Hg	0.1007E-11	ZERO	0.1007E-11	0.1825E-17	0.1604E+00	0.4802E-04	ZERO
129 Hg(C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	0.4628E-10	0.4021E-10	ZERO	ZERO	0.1100E-21	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	0.5072E-12	0.1897E-05	0.1842E-05	ZERO	0.8073E-01	0.4514E-17	ZERO
51 KCOOH	0.6311E-10	0.2354E-03	0.2286E-03	ZERO	0.1005E+02	0.5602E-15	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	0.1796E-12	0.6715E-06	0.6522E-06	ZERO	0.2858E-01	0.1598E-17	ZERO
10 KOH	ZERO	0.7699E-09	0.6689E-09	ZERO	ZERO	0.1830E-20	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	0.1852E-14	0.6578E-04	0.6386E-04	ZERO	0.2948E-03	0.1566E-15	ZERO
65 Mg(COOH)2	0.2176E-10	0.8136E-04	0.7902E-04	ZERO	0.3463E+01	0.1936E-15	ZERO
171 Mg(NO3)2	0.3301E-18	0.1231E-11	0.1196E-11	ZERO	0.5254E-07	0.2930E-23	ZERO
33 MgO	0.1916E-11	0.2596E-04	0.2520E-04	ZERO	0.3049E+00	0.6178E-16	ZERO
60 Mn(COOH)2	0.1363E-10	0.5096E-04	0.4950E-04	ZERO	0.2169E+01	0.1213E-15	ZERO
172 Mn(NO3)2	0.3846E-18	0.1435E-11	0.1393E-11	ZERO	0.6122E-07	0.3415E-23	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	TRACE	0.1864E-09	0.1620E-09	ZERO	0.3831E-16	0.4432E-21	ZERO
14 MnO2	0.1224E-10	0.4577E-04	0.4445E-04	ZERO	0.1948E+01	0.1089E-15	ZERO
145 MoO2	0.6756E-14	0.2525E-07	0.2453E-07	ZERO	0.1075E-02	0.6010E-19	ZERO
81 N2	0.8857E+03	0.9021E-01	0.9336E-01	0.8857E+03	0.9364E-08	0.3618E+01	0.3607E+01
74 N2O	0.5113E-22	TRACE	0.1034E-24	0.5105E-22	TRACE	TRACE	ZERO
182 NH3	0.1631E-01	0.3026E-03	0.3545E-03	0.7631E-03	0.1087E+00	0.5338E-10	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	0.8738E-14	0.6315E+01	0.6196E+01	ZERO	0.1391E-02	0.1503E-10	ZERO
68 NH4OH	0.3584E-06	0.9502E-18	0.3584E-06	ZERO	ZERO	0.1732E-17	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4A. Sludge Receipt, Blending and Adjustment

STREAM NUMBERS (CONT'D) -> STREAM NAME	52 SRATC Vent to Scrubber	53 Liquid to SRAT Scrubbr	54 Spnt Liq frm SRAT Scrubbr	14 SRAT Scrubbr Vent to FAVC	15 SRAT Trans- fer to SME	16 MWWT Vent to SMECT	17 MWWT Air Purge
35 NO	0.1403E+01	0.2100E-05	0.4318E-03	0.1403E+01	0.1165E-09	0.5130E-12	ZERO
84 NO2	0.1407E-21	0.2987E-07	0.9191E-11	0.2986E-07	TRACE	0.7298E-14	ZERO
70 Na (HgO(OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	0.8631E-09	0.7499E-09	ZERO	ZERO	0.2052E-20	ZERO
109 Na2C2O4	ZERO	0.5565E-07	0.4835E-07	ZERO	ZERO	0.1323E-18	ZERO
5 Na2CO3	0.3047E-10	0.1150E-03	0.1117E-03	ZERO	0.4849E+01	0.2737E-15	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	0.2660E-10	0.1494E-03	0.1451E-03	ZERO	0.4234E+01	0.3557E-15	ZERO
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.1226E-11	0.4585E-05	0.4454E-05	ZERO	0.1952E+00	0.1091E-16	ZERO
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.1620E-13	0.6048E-07	0.5873E-07	ZERO	0.2578E-02	0.1439E-18	ZERO
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	0.1721E-11	0.1841E-04	0.1783E-04	ZERO	0.2740E+00	0.4382E-16	ZERO
7 NaCl	0.6256E-13	0.2337E-06	0.2270E-06	ZERO	0.9957E-02	0.5563E-18	ZERO
69 NaF	0.2147E-12	0.8028E-06	0.7797E-06	ZERO	0.3417E-01	0.1911E-17	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.3438E-16	0.1286E-09	0.1249E-09	ZERO	0.5472E-05	0.3060E-21	ZERO
3 NaNO2	ZERO	0.6952E-07	0.6039E-07	ZERO	ZERO	0.1653E-18	ZERO
2 NaNO3	0.5619E-10	0.2119E-03	0.2058E-03	ZERO	0.8943E+01	0.5044E-15	ZERO
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	0.1584E-12	0.5921E-06	0.5751E-06	ZERO	0.2521E-01	0.1409E-17	ZERO
174 Ni (NO3) 2	0.4201E-17	0.1567E-10	0.1521E-10	ZERO	0.6686E-06	0.3729E-22	ZERO
40 NiO	0.1486E-11	0.5587E-05	0.5427E-05	ZERO	0.2366E+00	0.1330E-16	ZERO
82 O2	0.2674E+03	0.5205E-01	0.5382E-01	0.2674E+03	0.9713E-08	0.1093E+01	0.1090E+01
175 Pb (NO3) 2	0.4880E-15	0.1824E-08	0.1772E-08	ZERO	0.7767E-04	0.4342E-20	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	TRACE	0.3448E-12	0.2995E-12	ZERO	0.7084E-19	0.8196E-24	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.8281E-12	0.3096E-05	0.3007E-05	ZERO	0.1318E+00	0.7368E-17	ZERO
124 Pd	0.2452E-14	ZERO	0.2452E-14	ZERO	0.3903E-03	0.2454E-13	ZERO
112 Pd (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	0.2056E-16	0.1786E-16	ZERO	ZERO	TRACE	ZERO
76 PuO2	0.6223E-13	0.2327E-06	0.2260E-06	ZERO	0.9905E-02	0.5538E-18	ZERO
156 PuO2 (NaTi2O5) 2	0.7992E-15	0.2981E-08	0.2894E-08	ZERO	0.1272E-03	0.7094E-20	ZERO
58 Rh	0.4672E-14	ZERO	0.4672E-14	ZERO	0.7436E-03	0.4676E-13	ZERO
22 RhO2	ZERO	0.4465E-16	0.3879E-16	ZERO	ZERO	0.1091E-22	ZERO
95 Ru	0.5105E-13	0.1907E-06	0.1852E-06	ZERO	0.8125E-02	0.4538E-18	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4A. Sludge Receipt, Blending and Adjustment

STREAM NUMBERS (CONT'D) -> STREAM NAME	52 SRATC Vent to Scrubber	53 Liquid to SRAT Scrubbr	54 Spnt Liq frm SRAT Scrubbr	14 SRAT Scrubbr Vent to FAVC	15 SRAT Trans- fer to SME	16 MWWT Vent to SMECT	17 MWWT Air Purge
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.6859E-11	0.7492E-03	0.7273E-03	ZERO	0.1092E+01	0.1783E-14	ZERO
48 Sr(COOH)2	0.6866E-15	0.2561E-08	0.2487E-08	ZERO	0.1093E-03	0.6095E-20	ZERO
176 Sr(NO3)2	0.1850E-12	0.6916E-06	0.6717E-06	ZERO	0.2944E-01	0.1646E-17	ZERO
153 Sr(NaTi2O5)2	0.2559E-13	0.9543E-07	0.9266E-07	ZERO	0.4072E-02	0.2271E-18	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	TRACE	0.1079E-11	0.9377E-12	ZERO	0.2218E-18	0.2566E-23	ZERO
159 TaO2	0.2243E-13	0.8385E-07	0.8144E-07	ZERO	0.3569E-02	0.1996E-18	ZERO
92 ThO2	0.1867E-12	0.6983E-06	0.6782E-06	ZERO	0.2972E-01	0.1662E-17	ZERO
107 TiO2	0.5221E-11	0.1948E-04	0.1891E-04	ZERO	0.8309E+00	0.4635E-16	ZERO
119 Tritium	0.8940E-10	0.4141E-08	0.4060E-08	0.5284E-10	0.3022E-09	0.3537E-16	ZERO
17 U3O8	0.1309E-10	0.4896E-04	0.4755E-04	ZERO	0.2084E+01	0.1165E-15	ZERO
62 UO2(COOH)2	0.7992E-17	0.2981E-10	0.2895E-10	ZERO	0.1272E-05	0.7095E-22	ZERO
177 UO2(NO3)2	0.5741E-15	0.2146E-08	0.2085E-08	ZERO	0.9137E-04	0.5109E-20	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	0.8278E-23	0.3087E-16	0.2998E-16	ZERO	0.1317E-11	TRACE	ZERO
178 Y(NO3)3	0.4989E-13	0.1865E-06	0.1812E-06	ZERO	0.7940E-02	0.4440E-18	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	0.6084E-14	0.2269E-07	0.2203E-07	ZERO	0.9683E-03	0.5400E-19	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	0.1638E-11	0.6114E-05	0.5937E-05	ZERO	0.2607E+00	0.1455E-16	ZERO
179 Zn(NO3)2	0.3353E-15	0.1250E-08	0.1214E-08	ZERO	0.5336E-04	0.2976E-20	ZERO
57 ZnO	0.1127E-11	0.4208E-05	0.4087E-05	ZERO	0.1794E+00	0.1002E-16	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.9419E-11	0.3522E-04	0.3421E-04	ZERO	0.1499E+01	0.8382E-16	ZERO
1 water	0.1010E+03	0.7549E+04	0.7552E+04	0.9829E+02	0.3420E+03	0.9516E-01	0.7891E-01
TOTAL FLOW, LB/HR	0.1260E+04	0.7584E+04	0.7586E+04	0.1258E+04	0.4401E+03	0.4807E+01	0.4776E+01
TEMPERATURE, DEG C	0.5062E+02	0.4900E+02	0.5000E+02	0.5000E+02	0.4959E+02	0.3500E+02	0.3500E+02
PRESSURE, ATM	0.9656E+00	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01
PRESSURE, PSIG	-0.5055E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
PRESSURE, MM HG	0.7339E+03						
ENTHALPY, PCU/HR	0.7956E+05	0.3709E+06	0.3786E+06	0.7777E+05	0.1786E+05	0.1102E+03	0.1002E+03
VAPOR FLOW, CFM	0.3358E+03			0.3226E+03		0.1138E+01	0.1128E+01
LIQUID FLOW, GPM		0.1513E+02	0.1513E+02		0.7609E+00		
DENSITY, LBS/FT3	0.6253E-01	0.6251E+02	0.6251E+02	0.6498E-01	0.7212E+02	0.7042E-01	0.7055E-01
PHASE	VAPOR	LIQUID	LIQUID	VAPOR	LIQUID	VAPOR	VAPOR

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4A. Sludge Receipt, Blending and Adjustment

STREAM NUMBERS -> STREAM NAME	18 Air Sparge to MWWT	19 Hg Cell Vent to MWWT	20 Water Wash to MWWT	21 Water for MWWT Hg Pump	22 SRAT Hg Accumulation	23 Cond fr MWWT to SMECT	24 SMECT Hg to MWWT
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	0.1610E-10	ZERO	ZERO	ZERO	0.7364E-03	0.4585E-09
123 (C6H5)2C6H4	ZERO	0.1040E-18	ZERO	ZERO	ZERO	0.3049E-06	0.5707E-12
118 (C6H5)2NH	ZERO	0.6994E-11	ZERO	ZERO	ZERO	0.6787E-02	0.8077E-08
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	0.4215E-17	ZERO	ZERO	ZERO	0.1969E-06	0.3165E-12
162 (C6H5NH2)	ZERO	0.1120E-08	ZERO	ZERO	ZERO	0.4892E-01	0.8531E-07
163 (C6H5NHCHO)	ZERO	0.1128E-16	ZERO	ZERO	ZERO	0.7458E-06	0.1199E-11
165 (C6H5NO)	ZERO	0.4965E-15	ZERO	ZERO	ZERO	0.1214E-07	0.1305E-13
164 (C6H5NO2)	ZERO	0.1874E-16	ZERO	ZERO	ZERO	0.2474E-07	0.3976E-13
131 (C6H5OH salt)	ZERO	0.1074E-21	ZERO	ZERO	ZERO	0.2935E-20	0.1006E-14
130 (C6H5OH)	ZERO	0.8602E-08	ZERO	ZERO	ZERO	0.6394E+00	0.1038E-05
121 (C6H6)	ZERO	0.3236E-10	ZERO	ZERO	ZERO	0.1449E-05	0.1263E-08
155 (CH3)2CHOH	ZERO	0.2399E-17	ZERO	ZERO	ZERO	0.5622E-10	0.8666E-16
154 (CH3OH)	ZERO	0.2787E-18	ZERO	ZERO	ZERO	0.4976E-11	0.8255E-17
45 Ag	ZERO	0.1794E-14	ZERO	ZERO	ZERO	ZERO	0.1676E-07
116 Ag2O	ZERO	TRACE	ZERO	ZERO	ZERO	ZERO	0.1523E-21
134 AgNO3	ZERO	0.3206E-12	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	0.5412E-17	ZERO	ZERO	ZERO	0.3150E-04	0.5070E-10
106 B2O3	ZERO	0.1961E-17	ZERO	ZERO	ZERO	0.5955E-08	0.1837E-10
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	TRACE	ZERO	ZERO	ZERO	TRACE	0.1923E-19
24 BaSO4	ZERO	0.1044E-19	ZERO	ZERO	ZERO	0.6074E-07	0.9776E-13
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	0.2156E-13	ZERO	ZERO	ZERO	0.1250E-02	0.1795E-09
142 CO2 (C14)	ZERO	0.2782E-21	ZERO	ZERO	ZERO	0.1681E-10	0.2316E-17
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	0.2566E-17	ZERO	ZERO	ZERO	0.1493E-04	0.2403E-10
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	0.1608E-17	ZERO	ZERO	ZERO	0.9362E-05	0.1506E-10
20 CaC2O4	ZERO	0.1492E-24	ZERO	ZERO	ZERO	0.8706E-12	0.1398E-17
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	0.9195E-20	ZERO	ZERO	ZERO	0.5351E-07	0.8613E-13
41 CaO	ZERO	0.2051E-20	ZERO	ZERO	ZERO	0.1192E-07	0.1922E-13
19 CaSO4	ZERO	0.1350E-18	ZERO	ZERO	ZERO	0.7872E-06	0.1264E-11
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	0.8756E-22	ZERO	ZERO	ZERO	0.5108E-09	0.8203E-15
168 Co(NO3)2	ZERO	0.3284E-24	ZERO	ZERO	ZERO	0.1916E-11	0.3076E-17
59 CoO	ZERO	0.1876E-22	ZERO	ZERO	ZERO	0.1094E-09	0.1757E-15
98 Cr2O3	ZERO	0.2626E-18	ZERO	ZERO	ZERO	0.1529E-05	0.2460E-11
42 Cs2O	ZERO	0.8594E-22	ZERO	ZERO	ZERO	0.5001E-09	0.8051E-15
53 CsCOOH	ZERO	0.2646E-19	ZERO	ZERO	ZERO	0.1544E-06	0.2479E-12
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	0.5886E-23	ZERO	ZERO	ZERO	0.3425E-10	0.5514E-16
8 CsOH	ZERO	0.6713E-24	ZERO	ZERO	ZERO	ZERO	0.6288E-17
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4A. Sludge Receipt, Blending and Adjustment

STREAM NUMBERS (CONT'D) -> STREAM NAME	18 Air Sparge to MWWT	19 Hg Cell Vent to MWWT	20 Water Wash to MWWT	21 Water for MWWT Hg Pump	22 SRAT Hg Accumulation	23 Cond fr MWWT to SMECT	24 SMECT Hg to MWWT
54 Cu (COOH) 2	ZERO	0.2714E-20	ZERO	ZERO	ZERO	0.1579E-07	0.2542E-13
170 Cu (NO3) 2	ZERO	0.1333E-17	ZERO	ZERO	ZERO	0.7768E-05	0.1249E-10
55 CuO	ZERO	0.1207E-19	ZERO	ZERO	ZERO	0.7021E-07	0.1130E-12
80 Fe2O3	ZERO	0.1555E-16	ZERO	ZERO	ZERO	0.9050E-04	0.1457E-09
101 FeO	ZERO	0.1555E-17	ZERO	ZERO	ZERO	0.9048E-05	0.1457E-10
102 Group A	ZERO	0.2171E-20	ZERO	ZERO	ZERO	0.1263E-07	0.2033E-13
103 Group B	ZERO	0.9261E-22	ZERO	ZERO	ZERO	0.5389E-09	0.8675E-15
25 H2	ZERO	0.1428E-19	ZERO	ZERO	ZERO	0.2852E-06	0.2893E-14
158 H2C2O4	ZERO	0.1119E-18	ZERO	ZERO	ZERO	0.6514E-06	0.1049E-11
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	0.4710E-17	ZERO	ZERO	ZERO	0.2748E-04	0.4412E-10
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	0.5648E-02	ZERO	ZERO	ZERO	0.8070E-09	0.5883E-05
36 Hg	ZERO	0.4599E-04	ZERO	ZERO	ZERO	ZERO	0.2515E+00
129 Hg (C6H5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3) 2	ZERO	0.8246E-11	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	0.1207E-23	ZERO	ZERO	ZERO	ZERO	0.1131E-16
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	ZERO	0.4946E-19	ZERO	ZERO	ZERO	0.2878E-06	0.4633E-12
51 KCOOH	ZERO	0.6139E-17	ZERO	ZERO	ZERO	0.3581E-04	0.5751E-10
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	0.1751E-19	ZERO	ZERO	ZERO	0.1019E-06	0.1640E-12
10 KOH	ZERO	0.2008E-22	ZERO	ZERO	ZERO	ZERO	0.1881E-15
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	0.1716E-17	ZERO	ZERO	ZERO	0.1051E-08	0.1607E-10
65 Mg (COOH) 2	ZERO	0.2122E-17	ZERO	ZERO	ZERO	0.1235E-04	0.1988E-10
171 Mg (NO3) 2	ZERO	TRACE	ZERO	ZERO	ZERO	0.1873E-12	0.3008E-18
33 MgO	ZERO	0.6769E-18	ZERO	ZERO	ZERO	0.1087E-05	0.6341E-11
60 Mn (COOH) 2	ZERO	0.1329E-17	ZERO	ZERO	ZERO	0.7734E-05	0.1245E-10
172 Mn (NO3) 2	ZERO	TRACE	ZERO	ZERO	ZERO	0.2183E-12	0.3505E-18
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	0.4862E-23	ZERO	ZERO	ZERO	0.1366E-21	0.4555E-16
14 MnO2	ZERO	0.1193E-17	ZERO	ZERO	ZERO	0.6945E-05	0.1118E-10
145 MoO2	ZERO	0.6586E-21	ZERO	ZERO	ZERO	0.3834E-08	0.6170E-14
81 N2	0.1134E-01	0.1093E+01	ZERO	ZERO	ZERO	0.8510E-02	0.2204E-07
74 N2O	ZERO	TRACE	ZERO	ZERO	ZERO	TRACE	TRACE
182 NH3	ZERO	0.8761E-12	ZERO	ZERO	ZERO	0.3877E-06	0.7393E-10
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	0.1647E-12	ZERO	ZERO	ZERO	0.4958E-08	0.1543E-05
68 NH4OH	ZERO	0.1898E-19	ZERO	ZERO	ZERO	0.3022E+00	0.2321E-24
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4A. Sludge Receipt, Blending and Adjustment

STREAM NUMBERS (CONT'D) -> STREAM NAME	18 Air Sparge to MWWT	19 Hg Cell Vent to MWWT	20 Water Wash to MWWT	21 Water for MWWT Hg Pump	22 SRAT Hg Accumulation	23 Cond fr MWWT to SMECT	24 SMECT Hg to MWWT
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	0.3812E-04	0.5131E-12
84 NO2	ZERO	0.1759E-05	ZERO	ZERO	ZERO	TRACE	0.7298E-14
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	0.2251E-22	ZERO	ZERO	ZERO	ZERO	0.2109E-15
109 Na2C2O4	ZERO	0.1451E-20	ZERO	ZERO	ZERO	ZERO	0.1359E-13
5 Na2CO3	ZERO	0.2999E-17	ZERO	ZERO	ZERO	0.1729E-04	0.2809E-10
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	ZERO	0.3897E-17	ZERO	ZERO	ZERO	0.1509E-04	0.3651E-10
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	ZERO	0.1196E-18	ZERO	ZERO	ZERO	0.6958E-06	0.1120E-11
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	ZERO	0.1577E-20	ZERO	ZERO	ZERO	0.9191E-08	0.1477E-13
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	0.4801E-18	ZERO	ZERO	ZERO	0.9767E-06	0.4498E-11
7 NaCl	ZERO	0.6095E-20	ZERO	ZERO	ZERO	0.3550E-07	0.5710E-13
69 NaF	ZERO	0.2094E-19	ZERO	ZERO	ZERO	0.1218E-06	0.1961E-12
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	0.3353E-23	ZERO	ZERO	ZERO	0.1951E-10	0.3141E-16
3 NaNO2	ZERO	0.1813E-20	ZERO	ZERO	ZERO	ZERO	0.1698E-13
2 NaNO3	ZERO	0.5527E-17	ZERO	ZERO	ZERO	0.3188E-04	0.5178E-10
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	0.1544E-19	ZERO	ZERO	ZERO	0.8986E-07	0.1447E-12
174 Ni (NO3) 2	ZERO	0.4086E-24	ZERO	ZERO	ZERO	0.2384E-11	0.3828E-17
40 NiO	ZERO	0.1457E-18	ZERO	ZERO	ZERO	0.8434E-06	0.1365E-11
82 O2	0.3426E-02	0.3303E+00	ZERO	ZERO	ZERO	0.4906E-02	0.1272E-07
175 Pb (NO3) 2	ZERO	0.4758E-22	ZERO	ZERO	ZERO	0.2769E-09	0.4457E-15
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	TRACE	ZERO	ZERO	ZERO	0.2525E-24	0.8422E-19
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	0.8074E-19	ZERO	ZERO	ZERO	0.4699E-06	0.7563E-12
124 Pd	ZERO	0.5525E-16	ZERO	ZERO	ZERO	ZERO	0.4731E-09
112 Pd (NO3) 2	ZERO	0.1364E-13	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	TRACE	ZERO	ZERO	ZERO	ZERO	0.5022E-23
76 PuO2	ZERO	0.6068E-20	ZERO	ZERO	ZERO	0.3531E-07	0.5685E-13
156 PuO2 (NaTi2O5) 2	ZERO	0.7774E-22	ZERO	ZERO	ZERO	0.4535E-09	0.7282E-15
58 Rh	ZERO	0.1053E-15	ZERO	ZERO	ZERO	ZERO	0.9017E-09
22 RhO2	ZERO	0.1575E-13	ZERO	ZERO	ZERO	ZERO	0.1091E-22
95 Ru	ZERO	0.4973E-20	ZERO	ZERO	ZERO	0.2897E-07	0.4658E-13
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4A. Sludge Receipt, Blending and Adjustment

STREAM NUMBERS (CONT'D) -> STREAM NAME	18 Air Sparge to MWWT	19 Hg Cell Vent to MWWT	20 Water Wash to MWWT	21 Water for MWWT Hg Pump	22 SRAT Hg Accumulation	23 Cond fr MWWT to SPECT	24 SPECT Hg to MWWT
38 SO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs ₂ O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na ₂ B ₄ O ₇	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO ₂	ZERO	0.1954E-16	ZERO	ZERO	ZERO	0.3892E-05	0.1830E-09
48 Sr(COOH) ₂	ZERO	0.6678E-22	ZERO	ZERO	ZERO	0.3896E-09	0.6256E-15
176 Sr(NO ₃) ₂	ZERO	0.1803E-19	ZERO	ZERO	ZERO	0.1049E-06	0.1689E-12
153 Sr(NaTi ₂ O ₅) ₂	ZERO	0.2489E-20	ZERO	ZERO	ZERO	0.1452E-07	0.2331E-13
127 Sr(OH) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	TRACE	ZERO	ZERO	ZERO	0.7906E-24	0.2637E-18
159 TeO ₂	ZERO	0.2187E-20	ZERO	ZERO	ZERO	0.1273E-07	0.2048E-13
92 ThO ₂	ZERO	0.1821E-19	ZERO	ZERO	ZERO	0.1060E-06	0.1706E-12
107 TiO ₂	ZERO	0.5079E-18	ZERO	ZERO	ZERO	0.2962E-05	0.4758E-11
119 Tritium	ZERO	0.2125E-16	ZERO	ZERO	ZERO	0.6322E-09	0.1012E-14
17 U ₃ O ₈	ZERO	0.1277E-17	ZERO	ZERO	ZERO	0.7430E-05	0.1196E-10
62 UO ₂ (COOH) ₂	ZERO	0.7774E-24	ZERO	ZERO	ZERO	0.4535E-11	0.7283E-17
177 UO ₂ (NO ₃) ₂	ZERO	0.5598E-22	ZERO	ZERO	ZERO	0.3257E-09	0.5244E-15
16 UO ₂ (OH) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH) ₃	ZERO	TRACE	ZERO	ZERO	ZERO	0.4697E-17	0.7543E-23
178 Y(NO ₃) ₃	ZERO	0.4865E-20	ZERO	ZERO	ZERO	0.2831E-07	0.4557E-13
128 Y(OH) ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y ₂ (CO ₃) ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y ₂ O ₃	ZERO	0.5917E-21	ZERO	ZERO	ZERO	0.3452E-08	0.5543E-14
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH) ₂	ZERO	0.1595E-18	ZERO	ZERO	ZERO	0.9296E-06	0.1494E-11
179 Zn(NO ₃) ₂	ZERO	0.3261E-22	ZERO	ZERO	ZERO	0.1902E-09	0.3055E-15
57 ZnO	ZERO	0.1097E-18	ZERO	ZERO	ZERO	0.6395E-06	0.1028E-11
104 ZrO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H ₂ O	ZERO	0.9185E-18	ZERO	ZERO	ZERO	0.5345E-05	0.8604E-11
1 water	0.2481E-03	0.4899E-01	0.5551E-01	0.2041E-02	ZERO	0.7140E+03	0.3886E-02
TOTAL FLOW, LB/HR	0.1502E-01	0.1478E+01	0.5551E-01	0.2041E-02	ZERO	0.7150E+03	0.2554E+00
TEMPERATURE, DEG C	0.3500E+02	0.3800E+02	0.2500E+02	0.3500E+02	0.5000E+02	0.5000E+02	0.4666E+02
PRESSURE, ATM	0.1000E+01	0.9950E+00	0.1000E+01	0.1000E+01	0.1000E+01	0.9656E+00	0.1000E+01
PRESSURE, PSIG	ZERO	-0.7348E-01	ZERO	ZERO	ZERO	-0.5055E+00	ZERO
PRESSURE, MM HG		0.7562E+03				0.7339E+03	
ENTHALPY, PCU/HR	0.3150E+00	0.4745E+02	0.1393E+01	0.7162E-01	ZERO	0.3576E+05	0.5683E+00
VAPOR FLOW, CFM	0.3547E-02	0.3572E+00					
LIQUID FLOW, GPM			0.1109E-03	0.4077E-05		0.1428E+01	0.4485E-04
DENSITY, LBS/FT ³	0.7055E-01	0.6899E-01	0.6243E+02	0.6243E+02	ZERO	0.6244E+02	0.7100E+03
PHASE	VAPOR	VAPOR	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4A. Sludge Receipt, Blending and Adjustment

STREAM NUMBERS -> STREAM NAME	25 Hg frm MWWT to MAWT	50 PRBT Trnsfer Pump Prime	51 PRBT Sampler Pump Prime
COMPONENT FLOWS, LB/HR			
122 (C6H5)2	0.1881E-10	ZERO	ZERO
123 (C6H5)2C6H4	0.2433E-13	ZERO	ZERO
118 (C6H5)2NH	0.3441E-09	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	0.1349E-13	ZERO	ZERO
162 (C6H5NH2)	0.3574E-08	ZERO	ZERO
163 (C6H5NHCHO)	0.5113E-13	ZERO	ZERO
165 (C6H5NO)	0.5361E-15	ZERO	ZERO
164 (C6H5NO2)	0.1694E-14	ZERO	ZERO
131 (C6H5OH salt)	0.4289E-16	ZERO	ZERO
130 (C6H5OH)	0.4383E-07	ZERO	ZERO
121 (C6H6)	0.3238E-10	ZERO	ZERO
155 (CH3)2CHOH	0.3491E-17	ZERO	ZERO
154 (CH3OH)	0.3182E-18	ZERO	ZERO
45 Ag	0.8251E-07	ZERO	ZERO
116 Ag2O	0.6495E-23	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO
77 Al2O3	0.2162E-11	ZERO	ZERO
106 B2O3	0.7834E-12	ZERO	ZERO
9 Ba(OH)2	ZERO	ZERO	ZERO
15 BaO	0.8199E-21	ZERO	ZERO
24 BaSO4	0.4168E-14	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO
37 CO2	0.2156E-13	ZERO	ZERO
142 CO2 (C14)	0.2782E-21	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.1025E-11	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.6422E-12	ZERO	ZERO
20 CaC2O4	0.5961E-19	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO
78 CaF2	0.3672E-14	ZERO	ZERO
41 CaO	0.8192E-15	ZERO	ZERO
19 CaSO4	0.5391E-13	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO
26 Co(COOH)2	0.3497E-16	ZERO	ZERO
168 Co(NO3)2	0.1312E-18	ZERO	ZERO
59 CoO	0.7491E-17	ZERO	ZERO
98 Cr2O3	0.1049E-12	ZERO	ZERO
42 Cs2O	0.3432E-16	ZERO	ZERO
53 CsCOOH	0.1057E-13	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO
169 CsNO3	0.2351E-17	ZERO	ZERO
8 CsOH	0.2681E-18	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4A. Sludge Receipt, Blending and Adjustment

STREAM NUMBERS (CONT'D) ->	25	50	51
STREAM NAME	Hg frm MWWT to MAWT	PRBT Transfer Pump Prime	PRBT Sampler Pump Prime
54 Cu(COOH)2	0.1084E-14	ZERO	ZERO
170 Cu(NO3)2	0.5325E-12	ZERO	ZERO
55 CuO	0.4819E-14	ZERO	ZERO
80 Fe2O3	0.6211E-11	ZERO	ZERO
101 FeO	0.6210E-12	ZERO	ZERO
102 Group A	0.8669E-15	ZERO	ZERO
103 Group B	0.3699E-16	ZERO	ZERO
25 H2	0.1428E-19	ZERO	ZERO
158 H2C2O4	0.4470E-13	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO
90 H3BO3	0.1881E-11	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO
49 HNO3	0.2491E-09	ZERO	ZERO
36 Hg	0.2515E+00	ZERO	ZERO
129 Hg(C6H5)2	ZERO	ZERO	ZERO
135 Hg(NO3)2	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO
21 HgO	0.4820E-18	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO
39 K2O	0.1975E-13	ZERO	ZERO
51 KCOOH	0.2452E-11	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO
161 KNO3	0.6993E-14	ZERO	ZERO
10 KOH	0.8018E-17	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO
108 Li2O	0.6851E-12	ZERO	ZERO
65 Mg(COOH)2	0.8474E-12	ZERO	ZERO
171 Mg(NO3)2	0.1282E-19	ZERO	ZERO
33 MgO	0.2704E-12	ZERO	ZERO
60 Mn(COOH)2	0.5308E-12	ZERO	ZERO
172 Mn(NO3)2	0.1494E-19	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO
56 MnO	0.1942E-17	ZERO	ZERO
14 MnO2	0.4767E-12	ZERO	ZERO
145 MoO2	0.2630E-15	ZERO	ZERO
81 N2	0.3297E-07	ZERO	ZERO
74 N2O	TRACE	ZERO	ZERO
182 NH3	0.8763E-12	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO
173 NH4NO3	0.6577E-07	ZERO	ZERO
68 NH4OH	0.7579E-14	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4A. Sludge Receipt, Blending and Adjustment

STREAM NUMBERS (CONT'D) ->	25	50	51
STREAM NAME	Hg frm MWWT to MAWT	PRBT Transfer Pump Prime	PRBT Sampler Pump Prime
35 NO	0.5671E-17	ZERO	ZERO
84 NO2	TRACE	ZERO	ZERO
70 Na (HgO (OH))	ZERO	ZERO	ZERO
94 Na2B4O7	0.8990E-17	ZERO	ZERO
109 Na2C2O4	0.5796E-15	ZERO	ZERO
5 Na2CO3	0.1198E-11	ZERO	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO
32 Na2O	0.1557E-11	ZERO	ZERO
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO
6 Na2SO4	0.4776E-13	ZERO	ZERO
88 Na2SiO3	ZERO	ZERO	ZERO
87 Na3PO4	0.6299E-15	ZERO	ZERO
91 NaAg (OH) 2	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO
50 NaCOOH	0.1918E-12	ZERO	ZERO
7 NaCl	0.2434E-14	ZERO	ZERO
69 NaF	0.8361E-14	ZERO	ZERO
11 NaHCO3	ZERO	ZERO	ZERO
12 NaI	0.1339E-17	ZERO	ZERO
3 NaNO2	0.7240E-15	ZERO	ZERO
2 NaNO3	0.2207E-11	ZERO	ZERO
4 NaOH	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO
61 Ni (COOH) 2	0.6167E-14	ZERO	ZERO
174 Ni (NO3) 2	0.1632E-18	ZERO	ZERO
40 NiO	0.5819E-13	ZERO	ZERO
82 O2	0.1902E-07	ZERO	ZERO
175 Pb (NO3) 2	0.1900E-16	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO
67 PbO	0.3591E-20	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO
28 PbSO4	0.3225E-13	ZERO	ZERO
124 Pd	0.2540E-08	ZERO	ZERO
112 Pd (NO3) 2	ZERO	ZERO	ZERO
110 PdO	0.2141E-24	ZERO	ZERO
76 PuO2	0.2424E-14	ZERO	ZERO
156 PuO2 (NaTi2O5) 2	0.3105E-16	ZERO	ZERO
58 Rh	0.4841E-08	ZERO	ZERO
22 RhO2	TRACE	ZERO	ZERO
95 Ru	0.1986E-14	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4A. Sludge Receipt, Blending and Adjustment

STREAM NUMBERS (CONT'D) ->	25	50	51
STREAM NAME	Hg frm MWWT to MAWT	PRBT Trnsfer Pump Prime	PRBT Sampler Pump Prime
38 SO2	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO
111 SiO2	0.7803E-11	ZERO	ZERO
48 Sr(COOH)2	0.2667E-16	ZERO	ZERO
176 Sr(NO3)2	0.7203E-14	ZERO	ZERO
153 Sr(NaTi2O5)2	0.9939E-15	ZERO	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO
46 SrO	0.1124E-19	ZERO	ZERO
159 TcO2	0.8733E-15	ZERO	ZERO
92 ThO2	0.7273E-14	ZERO	ZERO
107 TiO2	0.2029E-12	ZERO	ZERO
119 Tritium	0.4162E-16	ZERO	ZERO
17 U3O8	0.5099E-12	ZERO	ZERO
62 UO2(COOH)2	0.3105E-18	ZERO	ZERO
177 UO2(NO3)2	0.2236E-16	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO
27 Y(COOH)3	0.3216E-24	ZERO	ZERO
178 Y(NO3)3	0.1943E-14	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO
47 Y2O3	0.2363E-15	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO
44 Zn(COOH)2	0.6368E-13	ZERO	ZERO
179 Zn(NO3)2	0.1302E-16	ZERO	ZERO
57 ZnO	0.4383E-13	ZERO	ZERO
104 ZrO2	ZERO	ZERO	ZERO
13 hydrate H2O	0.3668E-12	ZERO	ZERO
1 water	0.3891E-02	0.3900E+01	0.3900E+01
TOTAL FLOW, LB/HR	0.2554E+00	0.3900E+01	0.3900E+01
TEMPERATURE, DEG C	0.3500E+02	0.2500E+02	0.2500E+02
PRESSURE, ATM	0.1000E+01	0.1000E+01	0.1000E+01
PRESSURE, PSIG	ZERO	ZERO	ZERO
PRESSURE, MM HG			
ENTHALPY, PCU/HR	0.4265E+00	0.9786E+02	0.9786E+02
VAPOR FLOW, CFM			
LIQUID FLOW, GPM	0.4484E-04	0.7788E-02	0.7788E-02
DENSITY, LBS/FT3	0.7099E+03	0.6243E+02	0.6243E+02
PHASE	LIQUID	LIQUID	LIQUID

SECTION 4B. FRIT ADJUSTMENT OF MELTER FEED

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

DESCRIPTION	PAGE
-----	----
1. STREAM NUMBERS 4, 14, 105, 15, 26, 27, 28	2
2. STREAM NUMBERS 29, 30, 55, 32, 33, 39, 152	6
3. STREAM NUMBERS 56, 57, 53, 54, 153, 34, 35	10
4. STREAM NUMBERS 36, 37, 251, 16, 23, 42, 106	14
5. STREAM NUMBERS 38, 40, 41, 43, 122, 123, 24	18
6. STREAM NUMBERS 44, 45, 46, 47, 48, 49, 60	22
7. STREAM NUMBERS 58, 59	26

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS -> STREAM NAME	4 PRBT Vent to FAVC	14 SRAT Scrubbr Vent to FAVC	105 MFT Scrubber Vent to FAVC	15 SRAT Trans- fer to SME	26 Decon Frit Slrry to SME	27 Fresh Frit Slrry to SME	28 SME Air Inleakage
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	0.1826E-04	0.7707E-06	0.2620E-06	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	0.7022E-10	0.4628E-13	0.5716E-14	0.9245E-02	ZERO	ZERO	ZERO
118 (C6H5)2NH	0.7624E-04	0.1551E-07	0.1925E-08	0.3165E-04	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	0.8321E-11	0.1032E-11	0.5523E-01	ZERO	ZERO	ZERO
162 (C6H5NH2)	0.2021E-02	0.1626E-03	0.1911E-04	0.2409E-02	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	0.2540E-10	0.3152E-11	0.2092E+00	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	0.5168E-08	0.6519E-09	0.3406E-02	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	0.3414E-10	0.4237E-11	0.6938E-02	ZERO	ZERO	ZERO
131 (C6H5OH salt)	ZERO	ZERO	ZERO	0.8234E-15	ZERO	ZERO	ZERO
130 (C6H5OH)	0.1250E-01	0.1939E-02	0.2328E-03	0.1550E+00	ZERO	ZERO	ZERO
121 (C6H6)	0.1399E-01	0.2018E-03	0.4710E-04	0.1006E-09	ZERO	ZERO	ZERO
155 (CH3)2CHOH	0.1060E-11	0.8995E-11	0.1071E-11	0.1017E-10	ZERO	ZERO	ZERO
154 (CH3OH)	0.2651E-12	0.2029E-11	0.2318E-12	0.3681E-12	ZERO	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	0.1241E-01	ZERO	ZERO	ZERO
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	ZERO	ZERO	0.8834E+01	ZERO	ZERO	ZERO
106 B2O3	ZERO	ZERO	ZERO	0.1670E-02	0.8542E+00	0.1181E+02	ZERO
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	0.1617E-19	ZERO	ZERO	ZERO
24 BaSO4	ZERO	ZERO	ZERO	0.1704E-01	ZERO	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.6147E-06	0.4209E+01	0.6607E-02	0.2418E-07	ZERO	ZERO	ZERO
142 CO2 (C14)	0.5940E-17	0.5660E-07	0.2791E-11	0.3251E-15	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO	0.4188E+01	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	ZERO	ZERO	0.2626E+01	ZERO	ZERO	ZERO
20 CaC2O4	ZERO	ZERO	ZERO	0.2442E-06	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	0.1501E-01	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	0.3344E-02	ZERO	ZERO	ZERO
19 CaSO4	ZERO	ZERO	ZERO	0.2208E+00	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	0.1433E-03	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	ZERO	ZERO	0.5373E-06	ZERO	ZERO	ZERO
59 CoO	ZERO	ZERO	ZERO	0.3069E-04	ZERO	ZERO	ZERO
98 Cr2O3	ZERO	ZERO	ZERO	0.4289E+00	0.1254E-02	ZERO	ZERO
42 Cs2O	ZERO	ZERO	ZERO	0.1403E-03	ZERO	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	0.4330E-01	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	0.9608E-05	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS (CONT'D) -> STREAM NAME	4 PRBT Vent to FAVC	14 SRAT Scrubbr Vent to FAVC	105 MFT Scrubber Vent to FAVC	15 SRAT Trans- fer to SME	26 Decon Frit Slrry to SME	27 Fresh Frit Slrry to SME	28 SME Air Inleakage
54 Cu(COOH)2	ZERO	ZERO	ZERO	0.4430E-02	ZERO	ZERO	ZERO
170 Cu(NO3)2	ZERO	ZERO	ZERO	0.2179E+01	ZERO	ZERO	ZERO
55 CuO	ZERO	ZERO	ZERO	0.1969E-01	ZERO	ZERO	ZERO
80 Fe2O3	ZERO	ZERO	ZERO	0.2539E+02	0.4880E-03	ZERO	ZERO
101 FeO	ZERO	ZERO	ZERO	0.2538E+01	ZERO	ZERO	ZERO
102 Group A	ZERO	ZERO	ZERO	0.3543E-02	ZERO	ZERO	ZERO
103 Group B	ZERO	ZERO	ZERO	0.1512E-03	ZERO	ZERO	ZERO
25 H2	0.1057E-24	0.2351E-01	0.3539E-08	0.5285E-12	ZERO	ZERO	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	0.1827E+00	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	0.7707E+01	ZERO	ZERO	ZERO
34 HCOOH	0.1619E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	0.8203E+00	0.1012E+00	0.4360E-09	ZERO	ZERO	ZERO
36 Hg	0.2660E-07	0.1825E-17	0.1208E-06	0.1604E+00	ZERO	ZERO	ZERO
129 Hg(C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	ZERO	ZERO	ZERO	0.8073E-01	ZERO	ZERO	ZERO
51 KCOOH	ZERO	ZERO	ZERO	0.1005E+02	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	0.2858E-01	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	ZERO	ZERO	0.2948E-03	0.7474E+00	0.1033E+02	ZERO
65 Mg(COOH)2	ZERO	ZERO	ZERO	0.3463E+01	ZERO	ZERO	ZERO
171 Mg(NO3)2	ZERO	ZERO	ZERO	0.5254E-07	ZERO	ZERO	ZERO
33 MgO	ZERO	ZERO	ZERO	0.3049E+00	0.2135E+00	0.2952E+01	ZERO
60 Mn(COOH)2	ZERO	ZERO	ZERO	0.2169E+01	ZERO	ZERO	ZERO
172 Mn(NO3)2	ZERO	ZERO	ZERO	0.6122E-07	ZERO	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	0.3831E-16	ZERO	ZERO	ZERO
14 MnO2	ZERO	ZERO	ZERO	0.1948E+01	ZERO	ZERO	ZERO
145 MoO2	ZERO	ZERO	ZERO	0.1075E-02	ZERO	ZERO	ZERO
81 N2	0.5483E+02	0.8857E+03	0.1097E+03	0.9364E-08	0.3223E-02	ZERO	0.2210E+03
74 N2O	0.1415E-19	0.5105E-22	TRACE	TRACE	ZERO	ZERO	ZERO
182 NH3	0.5309E-07	0.7631E-03	0.9381E-04	0.1087E+00	ZERO	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	0.1391E-02	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS (CONT'D) -> STREAM NAME	4 PRBT Vent to FAVC	14 SRAT Scrubbr Vent to FAVC	105 MFT Scrubber Vent to FAVC	15 SRAT Trans- fer to SME	26 Decon Frit Slrry to SME	27 Fresh Frit Slrry to SME	28 SME Air Inleakage
35 NO	0.3467E-11	0.1403E+01	0.3892E-04	0.1165E-09	ZERO	ZERO	ZERO
84 NO2	0.2755E-18	0.2986E-07	0.7556E-04	TRACE	ZERO	ZERO	ZERO
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	ZERO	ZERO	ZERO	0.4849E+01	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	ZERO	ZERO	ZERO	0.4234E+01	0.5687E+00	0.7861E+01	ZERO
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	ZERO	ZERO	ZERO	0.1952E+00	ZERO	ZERO	ZERO
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	ZERO	ZERO	ZERO	0.2578E-02	ZERO	ZERO	ZERO
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	0.2740E+00	0.1579E+00	0.2182E+01	ZERO
7 NaCl	ZERO	ZERO	ZERO	0.9957E-02	ZERO	ZERO	ZERO
69 NaF	ZERO	ZERO	ZERO	0.3417E-01	ZERO	ZERO	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	ZERO	ZERO	0.5472E-05	ZERO	ZERO	ZERO
3 NaNO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
2 NaNO3	ZERO	ZERO	ZERO	0.8943E+01	ZERO	ZERO	ZERO
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	0.2521E-01	ZERO	ZERO	ZERO
174 Ni (NO3) 2	ZERO	ZERO	ZERO	0.6686E-06	ZERO	ZERO	ZERO
40 NiO	ZERO	ZERO	ZERO	0.2366E+00	0.5036E-02	ZERO	ZERO
82 O2	0.1656E+02	0.2674E+03	0.3313E+02	0.9713E-08	0.1916E-02	ZERO	0.6676E+02
175 Pb (NO3) 2	ZERO	ZERO	ZERO	0.7767E-04	ZERO	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	0.7084E-19	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	ZERO	0.1318E+00	ZERO	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO	0.3903E-03	ZERO	ZERO	ZERO
112 Pd (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	ZERO	ZERO	ZERO	0.9905E-02	ZERO	ZERO	ZERO
156 PuO2 (NaTi2O5) 2	ZERO	ZERO	ZERO	0.1272E-03	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	0.7436E-03	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	0.8125E-02	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS (CONT'D) -> STREAM NAME	4 PRBT Vent to FAVC	14 SRAT Scrubbr Vent to FAVC	105 MFT Scrubber Vent to FAVC	15 SRAT Trans- fer to SME	26 Decon Frit Slrry to SME	27 Fresh Frit Slrry to SME	28 SME Air Inleakage
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	ZERO	ZERO	0.1092E+01	0.8221E+01	0.1136E+03	ZERO
48 Sr(COOH)2	ZERO	ZERO	ZERO	0.1093E-03	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	0.2944E-01	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	0.4072E-02	ZERO	ZERO	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	0.2218E-18	ZERO	ZERO	ZERO
159 TeO2	ZERO	ZERO	ZERO	0.3569E-02	ZERO	ZERO	ZERO
92 ThO2	ZERO	ZERO	ZERO	0.2972E-01	ZERO	ZERO	ZERO
107 TiO2	ZERO	ZERO	ZERO	0.8309E+00	ZERO	ZERO	ZERO
119 Tritium	0.8298E-14	0.5284E-10	0.6434E-11	0.3022E-09	ZERO	ZERO	ZERO
17 U3O8	ZERO	ZERO	ZERO	0.2084E+01	ZERO	ZERO	ZERO
62 UO2(COOH)2	ZERO	ZERO	ZERO	0.1272E-05	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	0.9137E-04	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	0.1317E-11	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	0.7940E-02	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	ZERO	0.9683E-03	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	0.2607E+00	ZERO	ZERO	ZERO
179 Zn(NO3)2	ZERO	ZERO	ZERO	0.5336E-04	ZERO	ZERO	ZERO
57 ZnO	ZERO	ZERO	ZERO	0.1794E+00	ZERO	ZERO	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	ZERO	0.1499E+01	ZERO	ZERO	ZERO
1 water	0.4886E+01	0.9829E+02	0.1212E+02	0.3420E+03	0.2152E+03	0.9874E+02	0.4834E+01
TOTAL FLOW, LB/HR	0.7632E+02	0.1258E+04	0.1550E+03	0.4401E+03	0.2260E+03	0.2475E+03	0.2926E+03
TEMPERATURE, DEG C	0.4564E+02	0.5000E+02	0.5000E+02	0.4959E+02	0.2980E+02	0.3000E+02	0.3500E+02
PRESSURE, ATM	0.9656E+00	0.1000E+01	0.1000E+01	0.1000E+01	0.9656E+00	0.1340E+01	0.1000E+01
PRESSURE, PSIG	-0.5055E+00	ZERO	ZERO	ZERO	-0.5055E+00	0.4997E+01	ZERO
PRESSURE, MM HG	0.7339E+03				0.7339E+03		
ENTHALPY, PCU/HR	0.3975E+04	0.7777E+05	0.9563E+04	0.1786E+05	0.6497E+04	0.3866E+04	0.6137E+04
VAPOR FLOW, CFM	0.1985E+02	0.3226E+03	0.3980E+02				0.6912E+02
LIQUID FLOW, GPM				0.7609E+00	0.4394E+00	0.3297E+00	
DENSITY, LBS/FT3	0.6406E-01	0.6498E-01	0.6492E-01	0.7212E+02	0.6412E+02	0.9360E+02	0.7055E-01
PHASE	VAPOR	VAPOR	VAPOR	LIQUID	LIQUID	LIQUID	VAPOR

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS -> STREAM NAME	29 SME Sample Pump Prime	30 SME Transfer Pump Prime	55 SMEC Vent to Scrubber	32 SMEC Cndnste to SMECT	33 SME Scrubber Vent to FAVC	39 Inlet Vapor to FAVC	152 Liquid to MFT Scrubber
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	0.2619E-06	0.8989E-10	0.7484E-06	0.1833E-01	0.2682E-03
123 (C6H5)2C6H4	ZERO	ZERO	0.1873E-12	0.1712E-06	0.1151E-13	0.7029E-10	0.3339E-06
118 (C6H5)2NH	ZERO	ZERO	0.6208E-05	0.2544E-04	0.3859E-08	0.1513E-03	0.4725E-02
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	0.6439E-13	0.6586E-07	0.2070E-11	0.1142E-10	0.1851E-06
162 (C6H5NH2)	ZERO	ZERO	0.5886E-03	0.1641E-02	0.3830E-04	0.3620E-02	0.4991E-01
163 (C6H5NHCHO)	ZERO	ZERO	0.2439E-12	0.2495E-06	0.6319E-11	0.3488E-10	0.7017E-06
165 (C6H5NO)	ZERO	ZERO	0.3971E-14	0.4061E-08	0.1353E-08	0.7173E-08	0.7635E-08
164 (C6H5NO2)	ZERO	ZERO	0.8089E-14	0.8274E-08	0.8495E-11	0.4687E-10	0.2326E-07
131 (C6H5OH salt)	ZERO	ZERO	TRACE	0.9818E-21	ZERO	0.4978E-17	0.5885E-09
130 (C6H5OH)	ZERO	ZERO	0.1458E-01	0.8967E-01	0.4713E-03	0.2270E-01	0.6075E+00
121 (C6H6)	ZERO	ZERO	0.1004E-09	0.2078E-12	0.4801E-04	0.4102E-01	0.7392E-03
155 (CH3)2CHOH	ZERO	ZERO	0.1012E-11	0.6467E-11	0.2180E-11	0.1393E-10	0.5070E-10
154 (CH3OH)	ZERO	ZERO	0.8688E-13	0.2395E-12	0.4752E-12	0.3138E-11	0.4830E-11
45 Ag	ZERO	ZERO	0.1447E-13	0.1480E-07	ZERO	0.1123E-16	ZERO
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	0.7540E-24	0.8913E-16
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	ZERO	0.1030E-10	0.1053E-04	ZERO	0.2509E-12	0.2966E-04
106 B2O3	ZERO	ZERO	0.1476E-10	0.1510E-04	ZERO	0.9093E-13	0.1075E-04
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	TRACE	TRACE	ZERO	0.9518E-22	0.1125E-13
24 BaSO4	ZERO	ZERO	0.1986E-13	0.2032E-07	ZERO	0.4838E-15	0.5720E-07
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	0.8535E-01	0.4659E-04	0.8514E-01	0.4332E+01	0.1050E-03
142 CO2 (C14)	ZERO	ZERO	0.3249E-15	0.1774E-18	0.4754E-11	0.5680E-07	0.1355E-11
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	0.4882E-11	0.4994E-05	ZERO	0.1189E-12	0.1406E-04
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	ZERO	0.3061E-11	0.3131E-05	ZERO	0.7454E-13	0.8813E-05
20 CaC2O4	ZERO	ZERO	0.2847E-18	0.2912E-12	ZERO	0.6919E-20	0.8180E-12
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	0.1750E-13	0.1790E-07	ZERO	0.4263E-15	0.5039E+07
41 CaO	ZERO	ZERO	0.3898E-14	0.3987E-08	ZERO	0.9510E-16	0.1124E-07
19 CaSO4	ZERO	ZERO	0.2574E-12	0.2633E-06	ZERO	0.6258E-14	0.7398E-06
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	0.1670E-15	0.1709E-09	ZERO	0.4059E-17	0.4799E-09
168 Co(NO3)2	ZERO	ZERO	0.6265E-18	0.6408E-12	ZERO	0.1522E-19	0.1800E-11
59 CoO	ZERO	ZERO	0.3578E-16	0.3660E-10	ZERO	0.8696E-18	0.1028E-09
98 Cr2O3	ZERO	ZERO	0.5015E-12	0.5130E-06	ZERO	0.1217E-13	0.1439E-05
42 Cs2O	ZERO	ZERO	0.1635E-15	0.1673E-09	ZERO	0.3984E-17	0.4710E-09
53 CsCOOH	ZERO	ZERO	0.5048E-13	0.5164E-07	ZERO	0.1227E-14	0.1450E-06
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	0.1120E-16	0.1146E-10	ZERO	0.2729E-18	0.3226E-10
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	0.3112E-19	0.3679E-11
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS (CONT'D) -> STREAM NAME	29 SME Sample Pump Prime	30 SME Transfer Pump Prime	55 SMEC Vent to Scrubber	32 SMEC Cndnste to SMECT	33 SME Scrubber Vent to FAVC	39 Inlet Vapor to FAVC	152 Liquid to MFT Scrubber
54 Cu(COOH)2	ZERO	ZERO	0.5165E-14	0.5283E-08	ZERO	0.1258E-15	0.1487E-07
170 Cu(NO3)2	ZERO	ZERO	0.2540E-11	0.2598E-05	ZERO	0.6181E-13	0.7308E-05
55 CuO	ZERO	ZERO	0.2296E-13	0.2348E-07	ZERO	0.5594E-15	0.6613E-07
80 Fe2O3	ZERO	ZERO	0.2960E-10	0.3027E-04	ZERO	0.7210E-12	0.8524E-04
101 FeO	ZERO	ZERO	0.2959E-11	0.3026E-05	ZERO	0.7209E-13	0.8522E-05
102 Group A	ZERO	ZERO	0.4131E-14	0.4225E-08	ZERO	0.1006E-15	0.1190E-07
103 Group B	ZERO	ZERO	0.1762E-15	0.1802E-09	ZERO	0.4293E-17	0.5075E-09
25 H2	ZERO	ZERO	0.7839E-02	0.1753E-06	0.7837E-02	0.3136E-01	0.1693E-08
158 H2C2O4	ZERO	ZERO	0.2130E-12	0.2179E-06	ZERO	0.5189E-14	0.6135E-06
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	0.8986E-11	0.9191E-05	ZERO	0.2184E-12	0.2582E-04
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	0.5277E-10	0.2445E-09	0.2078E+00	0.1143E+01	0.3442E+01
36 Hg	ZERO	ZERO	0.1869E-12	0.1912E-06	0.1669E-18	0.9521E-01	ZERO
129 Hg(C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	ZERO	ZERO	ZERO	0.5595E-19	0.6615E-11
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	ZERO	ZERO	0.9412E-13	0.9626E-07	ZERO	0.2293E-14	0.2711E-06
51 KCOOH	ZERO	ZERO	0.1171E-10	0.1198E-04	ZERO	0.2846E-12	0.3365E-04
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	0.3332E-13	0.3408E-07	ZERO	0.8118E-15	0.9597E-07
10 KOH	ZERO	ZERO	ZERO	ZERO	ZERO	0.9308E-18	0.1100E-09
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	ZERO	0.1292E-10	0.1321E-04	ZERO	0.7953E-13	0.9402E-05
65 Mg(COOH)2	ZERO	ZERO	0.4038E-11	0.4130E-05	ZERO	0.9837E-13	0.1163E-04
171 Mg(NO3)2	ZERO	ZERO	0.6125E-19	0.6265E-13	ZERO	0.1489E-20	0.1760E-12
33 MgO	ZERO	ZERO	0.4046E-11	0.4138E-05	ZERO	0.3138E-13	0.3710E-05
60 Mn(COOH)2	ZERO	ZERO	0.2529E-11	0.2587E-05	ZERO	0.6161E-13	0.7284E-05
172 Mn(NO3)2	ZERO	ZERO	0.7137E-19	0.7300E-13	ZERO	0.1735E-20	0.2051E-12
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	TRACE	0.4568E-22	ZERO	0.2254E-18	0.2665E-10
14 MnO2	ZERO	ZERO	0.2271E-11	0.2323E-05	ZERO	0.5533E-13	0.6541E-05
145 MoO2	ZERO	ZERO	0.1254E-14	0.1282E-08	ZERO	0.3053E-16	0.3610E-08
81 N2	ZERO	ZERO	0.2210E+03	0.3816E-02	0.2210E+03	0.1330E+04	0.1289E-01
74 N2O	ZERO	ZERO	TRACE	TRACE	TRACE	0.1420E-19	TRACE
182 NH3	ZERO	ZERO	0.5437E-02	ZERO	0.1853E-03	0.1087E-02	0.4325E-04
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	0.1621E-14	0.1658E-08	ZERO	0.7635E-08	0.9026E+00
68 NH4OH	ZERO	ZERO	0.2079E-06	0.2126E+00	ZERO	TRACE	0.1358E-18
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS (CONT'D) -> STREAM NAME	29 SME Sample Pump Prime	30 SME Transfer Pump Prime	55 SMEC Vent to Scrubber	32 SMEC Cndnste to SMECT	33 SME Scrubber Vent to FAVC	39 Inlet Vapor to FAVC	152 Liquid to MFT Scrubber
35 NO	ZERO	ZERO	0.1165E-09	0.5835E-14	0.1060E-05	ZERO	0.3002E-06
84 NO2	ZERO	ZERO	TRACE	TRACE	0.1507E-07	0.2184E+01	0.4270E-08
70 Na(HgO(OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	0.1044E-17	0.1234E-09
109 Na2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	0.6728E-16	0.7953E-08
5 Na2CO3	ZERO	ZERO	0.5893E-11	0.6028E-05	ZERO	0.1390E-12	0.1644E-04
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	ZERO	ZERO	0.1476E-10	0.1510E-04	ZERO	0.1807E-12	0.2136E-04
71 Na2PuO2(OH)4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	ZERO	ZERO	0.2275E-12	0.2327E-06	ZERO	0.5544E-14	0.6554E-06
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	ZERO	ZERO	0.3005E-14	0.3074E-08	ZERO	0.7312E-16	0.8644E-08
91 NaAg(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl(OH)4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	0.2740E-11	0.2802E-05	ZERO	0.2226E-13	0.2632E-05
7 NaCl	ZERO	ZERO	0.1161E-13	0.1187E-07	ZERO	0.2826E-15	0.3341E-07
69 NaF	ZERO	ZERO	0.3983E-13	0.4074E-07	ZERO	0.9706E-15	0.1147E-06
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	ZERO	0.6379E-17	0.6525E-11	ZERO	0.1555E-18	0.1838E-10
3 NaNO2	ZERO	ZERO	ZERO	ZERO	ZERO	0.8404E-16	0.9936E-08
2 NaNO3	ZERO	ZERO	0.1043E-10	0.1066E-04	ZERO	0.2562E-12	0.3029E-04
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni(COOH)2	ZERO	ZERO	0.2939E-13	0.3006E-07	ZERO	0.7159E-15	0.8463E-07
174 Ni(NO3)2	ZERO	ZERO	0.7795E-18	0.7973E-12	ZERO	0.1894E-19	0.2239E-11
40 NiO	ZERO	ZERO	0.2817E-12	0.2881E-06	ZERO	0.6755E-14	0.7986E-06
82 O2	ZERO	ZERO	0.6676E+02	0.2202E-02	0.6676E+02	0.4007E+03	0.7439E-02
175 Pb(NO3)2	ZERO	ZERO	0.9054E-16	0.9261E-10	ZERO	0.2206E-17	0.2608E+09
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	TRACE	TRACE	ZERO	0.4168E-21	0.4928E-13
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	0.1537E-12	0.1572E-06	ZERO	0.3743E-14	0.4425E-06
124 Pd	ZERO	ZERO	0.4550E-15	0.4654E-09	ZERO	0.3171E-18	ZERO
112 Pd(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	0.2938E-17
76 PuO2	ZERO	ZERO	0.1155E-13	0.1181E-07	ZERO	0.2813E-15	0.3326E-07
156 PuO2(NaTi2O5)2	ZERO	ZERO	0.1483E-15	0.1517E-09	ZERO	0.3604E-17	0.4261E-09
58 Rh	ZERO	ZERO	0.8669E-15	0.8867E-09	ZERO	0.6044E-18	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	0.6381E-17
95 Ru	ZERO	ZERO	0.9472E-14	0.9688E-08	ZERO	0.2305E-15	0.2725E-07
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS (CONT'D) -> STREAM NAME	29 SME Sample Pump Prime	30 SME Transfer Pump Prime	55 SMEC Vent to Scrubber	32 SMEC Cndnste to SMECT	33 SME Scrubber Vent to FAVC	39 Inlet Vapor to FAVC	152 Liquid to MFT Scrubber
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	ZERO	0.1434E-09	0.1466E-03	ZERO	0.9058E-12	0.1071E-03
48 Sr(COOH)2	ZERO	ZERO	0.1274E-15	0.1303E-09	ZERO	0.3096E-17	0.3660E-09
176 Sr(NO3)2	ZERO	ZERO	0.3432E-13	0.3510E-07	ZERO	0.8361E-15	0.9884E-07
153 Sr(NaTi2O5)2	ZERO	ZERO	0.4748E-14	0.4856E-08	ZERO	0.1154E-15	0.1364E-07
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	TRACE	0.2644E-24	ZERO	0.1305E-20	0.1543E-12
159 TcO2	ZERO	ZERO	0.4161E-14	0.4256E-08	ZERO	0.1014E-15	0.1198E-07
92 ThO2	ZERO	ZERO	0.3465E-13	0.3544E-07	ZERO	0.8442E-15	0.9980E-07
107 TiO2	ZERO	ZERO	0.9687E-12	0.9908E-06	ZERO	0.2355E-13	0.2784E-05
119 Tritium	ZERO	ZERO	0.1157E-10	0.1454E-09	0.1302E-10	0.7599E-10	0.5919E-09
17 U3O8	ZERO	ZERO	0.2430E-11	0.2485E-05	ZERO	0.5919E-13	0.6998E-05
62 UO2(COOH)2	ZERO	ZERO	0.1483E-17	0.1517E-11	ZERO	0.3604E-19	0.4261E-11
177 UO2(NO3)2	ZERO	ZERO	0.1065E-15	0.1090E-09	ZERO	0.2595E-17	0.3068E-09
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	0.1536E-23	0.1571E-17	ZERO	TRACE	0.4413E-17
178 Y(NO3)3	ZERO	ZERO	0.9257E-14	0.9468E-08	ZERO	0.2255E-15	0.2666E-07
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	0.1129E-14	0.1155E-08	ZERO	0.2743E-16	0.3243E-08
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	0.3040E-12	0.3109E-06	ZERO	0.7392E-14	0.8739E-06
179 Zn(NO3)2	ZERO	ZERO	0.6221E-16	0.6363E-10	ZERO	0.1512E-17	0.1787E-09
57 ZnO	ZERO	ZERO	0.2091E-12	0.2139E-06	ZERO	0.5088E-14	0.6015E-06
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	0.1748E-11	0.1788E-05	ZERO	0.4258E-13	0.5034E-05
1 water	0.1950E+01	0.1950E+01	0.2548E+02	0.3202E+03	0.2445E+02	0.1465E+03	0.1079E+04
TOTAL FLOW, LB/HR	0.1950E+01	0.1950E+01	0.3134E+03	0.3205E+03	0.3125E+03	0.1885E+04	0.1084E+04
TEMPERATURE, DEG C	0.2500E+02	0.2500E+02	0.5000E+02	0.5000E+02	0.5000E+02	0.4934E+02	0.4900E+02
PRESSURE, ATM	0.1000E+01	0.1000E+01	0.9656E+00	0.9656E+00	0.1000E+01	0.9607E+00	0.1000E+01
PRESSURE, PSIG	ZERO	ZERO	-0.5055E+00	-0.5055E+00	ZERO	-0.5776E+00	ZERO
PRESSURE, MM HG			0.7339E+03	0.7339E+03		0.7301E+03	
ENTHALPY, PCU/HR	0.4893E+02	0.4893E+02	0.1990E+05	0.1603E+05	0.1929E+05	0.1159E+06	0.5301E+05
VAPOR FLOW, CFM			0.8351E+02		0.8025E+02	0.5020E+03	
LIQUID FLOW, GPM	0.3894E-02	0.3894E-02		0.6400E+00			0.2162E+01
DENSITY, LBS/FT3	0.6243E+02	0.6243E+02	0.6254E-01	0.6244E+02	0.6490E-01	0.6257E-01	0.6251E+02
PHASE	LIQUID	LIQUID	VAPOR	LIQUID	VAPOR	VAPOR	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS -> STREAM NAME	56 Liquid to SME Scrubber	57 Spnt Liq frm SME Scrubber	53 Liquid to SRAT Scrubber	54 Spnt Liq frm SRAT Scrubber	153 Spnt Liq frm MFT Scrubber	34 SMECT Sample Pump Prime	35 SMECT Trnsfr Pump Prime
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	0.9475E-03	0.9427E-03	0.1877E-02	0.1133E-01	0.5543E-03	ZERO	ZERO
123 (C6H5)2C6H4	0.1179E-05	0.1145E-05	0.2336E-05	0.2268E-05	0.3246E-06	ZERO	ZERO
118 (C6H5)2NH	0.1669E-01	0.1618E-01	0.3306E-01	0.3204E-01	0.4609E-02	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	0.6540E-06	0.6351E-06	0.1295E-05	0.1258E-05	0.1809E-06	ZERO	ZERO
162 (C6H5NH2)	0.1763E+00	0.1715E+00	0.3492E+00	0.3587E+00	0.4884E-01	ZERO	ZERO
163 (C6H5NHCHO)	0.2479E-05	0.2407E-05	0.4910E-05	0.4768E-05	0.6856E-06	ZERO	ZERO
165 (C6H5NO)	0.2697E-07	0.2527E-07	0.5342E-07	0.4757E-07	0.6953E-08	ZERO	ZERO
164 (C6H5NO2)	0.8217E-07	0.7979E-07	0.1627E-06	0.1580E-06	0.2272E-07	ZERO	ZERO
131 (C6H5OH salt)	0.2079E-08	0.1758E-08	0.4118E-08	0.3482E-08	0.2188E-08	ZERO	ZERO
130 (C6H5OH)	0.2146E+01	0.2096E+01	0.4250E+01	0.4248E+01	0.5910E+00	ZERO	ZERO
121 (C6H6)	0.2611E-02	0.2543E-02	0.5172E-02	0.5266E-02	0.1425E-02	ZERO	ZERO
155 (CH3)2CHOH	0.1791E-09	0.1726E-09	0.3547E-09	0.3510E-09	0.4844E-10	ZERO	ZERO
154 (CH3OH)	0.1706E-10	0.1624E-10	0.3379E-10	0.3417E-10	0.4525E-11	ZERO	ZERO
45 Ag	ZERO	0.1447E-13	ZERO	0.7799E-13	0.2459E-09	ZERO	ZERO
116 Ag2O	0.3149E-15	0.2736E-15	0.6236E-15	0.5418E-15	0.3095E-15	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.1048E-03	0.1018E-03	0.2075E-03	0.2016E-03	0.2899E-04	ZERO	ZERO
106 B2O3	0.3797E-04	0.3686E-04	0.7521E-04	0.7301E-04	0.1069E-04	ZERO	ZERO
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	0.3975E-13	0.3453E-13	0.7872E-13	0.6839E-13	0.3908E-13	ZERO	ZERO
24 BaSO4	0.2020E-06	0.1962E-06	0.4002E-06	0.3887E-06	0.5589E-07	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.3709E-03	0.5797E-03	0.7346E-03	0.1412E-01	0.2569E-04	ZERO	ZERO
142 CO2 (C14)	0.4786E-11	0.3237E-13	0.9480E-11	0.1899E-09	0.1085E-13	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.4967E-04	0.4825E-04	0.9838E-04	0.9556E-04	0.1374E-04	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.3113E-04	0.3023E-04	0.6166E-04	0.5988E-04	0.8611E-05	ZERO	ZERO
20 CaC2O4	0.2889E-11	0.2806E-11	0.5723E-11	0.5557E-11	0.7991E-12	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	0.1780E-06	0.1729E-06	0.3526E-06	0.3425E-06	0.4924E-07	ZERO	ZERO
41 CaO	0.3971E-07	0.3857E-07	0.7866E-07	0.7639E-07	0.1102E-07	ZERO	ZERO
19 CaSO4	0.2613E-05	0.2538E-05	0.5176E-05	0.5026E-05	0.7227E-06	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	0.1695E-08	0.1646E-08	0.3358E-08	0.3260E-08	0.4688E-09	ZERO	ZERO
168 Co(NO3)2	0.6358E-11	0.6173E-11	0.1259E-10	0.1223E-10	0.1758E-11	ZERO	ZERO
59 CoO	0.3631E-09	0.3526E-09	0.7193E-09	0.6984E-09	0.1004E-09	ZERO	ZERO
98 Cr2O3	0.5084E-05	0.4937E-05	0.1007E-04	0.9778E-05	0.1406E-05	ZERO	ZERO
42 Cs2O	0.1664E-08	0.1616E-08	0.3295E-08	0.3200E-08	0.4610E-09	ZERO	ZERO
53 CsCOOH	0.5124E-06	0.4975E-06	0.1015E-05	0.9853E-06	0.1417E-06	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	0.1140E-09	0.1107E-09	0.2257E-09	0.2192E-09	0.3152E-10	ZERO	ZERO
8 CsOH	0.1300E-10	0.1129E-10	0.2574E-10	0.2236E-10	0.1278E-10	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS (CONT'D) ->	56	57	53	54	153	34	35
STREAM NAME	Liquid to SME Scrubber	Spnt Liq frm SME Scrubber	Liquid to SRAT Scrubber	Spnt Liq frm SRAT Scrubber	MFT Scrubber	SMECT Sample Pump Prime	SMECT Transfr Pump Prime
54 Cu(COOH)2	0.5254E-07	0.5103E-07	0.1041E-06	0.1011E-06	0.1453E-07	ZERO	ZERO
170 Cu(NO3)2	0.2581E-04	0.2507E-04	0.5113E-04	0.4965E-04	0.7140E-05	ZERO	ZERO
55 CuO	0.2336E-06	0.2269E-06	0.4627E-06	0.4494E-06	0.6464E-07	ZERO	ZERO
80 Fe2O3	0.3011E-03	0.2924E-03	0.5964E-03	0.5792E-03	0.8329E-04	ZERO	ZERO
101 FeO	0.3010E-04	0.2924E-04	0.5962E-04	0.5791E-04	0.8327E-05	ZERO	ZERO
102 Group A	0.4203E-07	0.4082E-07	0.8324E-07	0.8085E-07	0.1163E-07	ZERO	ZERO
103 Group B	0.1793E-08	0.1741E-08	0.3551E-08	0.3449E-08	0.4960E-09	ZERO	ZERO
25 H2	0.5980E-08	0.2186E-05	0.1184E-07	0.3231E-05	0.5635E-12	ZERO	ZERO
158 H2C2O4	0.2167E-05	0.2105E-05	0.4292E-05	0.4169E-05	0.5995E-06	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	0.9119E-04	0.8854E-04	0.1806E-03	0.1754E-03	0.2522E-04	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	0.1216E+02	0.1193E+02	0.2408E+02	0.2320E+02	0.3318E+01	ZERO	ZERO
36 Hg	ZERO	0.1869E-12	ZERO	0.1007E-11	0.7726E-01	ZERO	ZERO
129 Hg(C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	0.2337E-10	0.2030E-10	0.4628E-10	0.4021E-10	0.2298E-10	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	0.9575E-06	0.9300E-06	0.1897E-05	0.1842E-05	0.2650E-06	ZERO	ZERO
51 KCOOH	0.1189E-03	0.1154E-03	0.2354E-03	0.2286E-03	0.3287E-04	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	0.3390E-06	0.3293E-06	0.6715E-06	0.6522E-06	0.9378E-07	ZERO	ZERO
10 KOH	0.3887E-09	0.3377E-09	0.7699E-09	0.6689E-09	0.3821E-09	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	0.3321E-04	0.3224E-04	0.6578E-04	0.6386E-04	0.9347E-05	ZERO	ZERO
65 Mg(COOH)2	0.4108E-04	0.3990E-04	0.8136E-04	0.7902E-04	0.1136E-04	ZERO	ZERO
171 Mg(NO3)2	0.6216E-12	0.6036E-12	0.1231E-11	0.1196E-11	0.1719E-12	ZERO	ZERO
33 MgO	0.1311E-04	0.1272E-04	0.2596E-04	0.2520E-04	0.3671E-05	ZERO	ZERO
60 Mn(COOH)2	0.2573E-04	0.2499E-04	0.5096E-04	0.4950E-04	0.7118E-05	ZERO	ZERO
172 Mn(NO3)2	0.7244E-12	0.7033E-12	0.1435E-11	0.1393E-11	0.2003E-12	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	0.9413E-10	0.8178E-10	0.1864E-09	0.1620E-09	0.9255E-10	ZERO	ZERO
14 MnO2	0.2311E-04	0.2244E-04	0.4577E-04	0.4445E-04	0.6392E-05	ZERO	ZERO
145 MoO2	0.1275E-07	0.1238E-07	0.2525E-07	0.2453E-07	0.3527E-08	ZERO	ZERO
81 N2	0.4555E-01	0.4728E-01	0.9021E-01	0.9336E-01	0.1340E-01	ZERO	ZERO
74 N2O	TRACE	TRACE	TRACE	0.1034E-24	TRACE	ZERO	ZERO
182 NH3	0.1528E-03	0.1748E-03	0.3026E-03	0.3545E-03	0.5051E-04	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	0.3188E+01	0.3116E+01	0.6315E+01	0.6196E+01	0.9038E+00	ZERO	ZERO
68 NH4OH	0.4798E-18	0.2079E-06	0.9502E-18	0.3584E-06	0.1383E-18	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS (CONT'D) ->	56	57	53	54	153	34	35
STREAM NAME	Liquid to SME Scrubber	Spt Liq frm SME Scrubber	Liquid to SRAT Scrubbr	Spt Liq frm SRAT Scrubbr	Spt Liq frm MFT Scrubber	SMECT Sample Pump Prime	SMECT Trnsfr Pump Prime
35 NO	0.1060E-05	0.6621E-09	0.2100E-05	0.4318E-03	0.1388E-07	ZERO	ZERO
84 NO2	0.1508E-07	0.9415E-11	0.2987E-07	0.9191E-11	0.2695E-07	ZERO	ZERO
70 Na (HgO(OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	0.4358E-09	0.3786E-09	0.8631E-09	0.7499E-09	0.4285E-09	ZERO	ZERO
109 Na2C2O4	0.2809E-07	0.2441E-07	0.5565E-07	0.4835E-07	0.2762E-07	ZERO	ZERO
5 Na2CO3	0.5806E-04	0.5638E-04	0.1150E-03	0.1117E-03	0.1606E-04	ZERO	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	0.7545E-04	0.7327E-04	0.1494E-03	0.1451E-03	0.2099E-04	ZERO	ZERO
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.2315E-05	0.2249E-05	0.4585E-05	0.4454E-05	0.6406E-06	ZERO	ZERO
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.3053E-07	0.2965E-07	0.6048E-07	0.5873E-07	0.8446E-08	ZERO	ZERO
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	0.9296E-05	0.9004E-05	0.1841E-04	0.1783E-04	0.2595E-05	ZERO	ZERO
7 NaCl	0.1180E-06	0.1146E-06	0.2337E-06	0.2270E-06	0.3265E-07	ZERO	ZERO
69 NaF	0.4053E-06	0.3937E-06	0.8028E-06	0.7797E-06	0.1122E-06	ZERO	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.6492E-10	0.6305E-10	0.1286E-09	0.1249E-09	0.1797E-10	ZERO	ZERO
3 NaNO2	0.3510E-07	0.3049E-07	0.6952E-07	0.6039E-07	0.3451E-07	ZERO	ZERO
2 NaNO3	0.1070E-03	0.1039E-03	0.2119E-03	0.2058E-03	0.2963E-04	ZERO	ZERO
4 NaOH	ZERO	ZERO	ZERO	ZERO	0.2053E-06	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	0.2990E-06	0.2904E-06	0.5921E-06	0.5751E-06	0.8270E-07	ZERO	ZERO
174 Ni (NO3) 2	0.7911E-11	0.7681E-11	0.1567E-10	0.1521E-10	0.2188E-11	ZERO	ZERO
40 NiO	0.2821E-05	0.2740E-05	0.5587E-05	0.5427E-05	0.7804E-06	ZERO	ZERO
82 O2	0.2628E-01	0.2727E-01	0.5205E-01	0.5382E-01	0.7728E-02	ZERO	ZERO
175 Pb (NO3) 2	0.9211E-09	0.8947E-09	0.1824E-08	0.1772E-08	0.2548E-09	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	0.1741E-12	0.1512E-12	0.3448E-12	0.2995E-12	0.1711E-12	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.1563E-05	0.1518E-05	0.3096E-05	0.3007E-05	0.4324E-06	ZERO	ZERO
124 Pd	ZERO	0.4550E-15	ZERO	0.2452E-14	0.7732E-11	ZERO	ZERO
112 Pd (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	0.1038E-16	0.9017E-17	0.2056E-16	0.1786E-16	0.1020E-16	ZERO	ZERO
76 PuO2	0.1175E-06	0.1141E-06	0.2327E-06	0.2260E-06	0.3250E-07	ZERO	ZERO
156 PuO2 (NaTi2O5) 2	0.1505E-08	0.1461E-08	0.2981E-08	0.2894E-08	0.4162E-09	ZERO	ZERO
58 Rh	ZERO	0.8669E-15	ZERO	0.4672E-14	0.1473E-10	ZERO	ZERO
22 RhO2	0.2254E-16	0.1959E-16	0.4465E-16	0.3879E-16	0.2216E-16	ZERO	ZERO
95 Ru	0.9627E-07	0.9349E-07	0.1907E-06	0.1852E-06	0.2663E-07	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS (CONT'D) -> STREAM NAME	56 Liquid to SME Scrubber	57 Spnt Liq frm SME Scrubber	53 Liquid to SRAT Scrubber	54 Spnt Liq frm SRAT Scrubber	153 SMT Scrubber	34 SMECT Sample Pump Prime	35 SMECT Transfr Pump Prime
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.3782E-03	0.3672E-03	0.7492E-03	0.7273E-03	0.1064E-03	ZERO	ZERO
48 Sr(COOH)2	0.1293E-08	0.1255E-08	0.2561E-08	0.2487E-08	0.3576E-09	ZERO	ZERO
176 Sr(NO3)2	0.3492E-06	0.3391E-06	0.6916E-06	0.6717E-06	0.9659E-07	ZERO	ZERO
153 Sr(NaTi2O5)2	0.4818E-07	0.4678E-07	0.9543E-07	0.9266E-07	0.1332E-07	ZERO	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	0.5450E-12	0.4734E-12	0.1079E-11	0.9377E-12	0.5358E-12	ZERO	ZERO
159 TcO2	0.4234E-07	0.4112E-07	0.8385E-07	0.8144E-07	0.1171E-07	ZERO	ZERO
92 ThO2	0.3525E-06	0.3424E-06	0.6983E-06	0.6782E-06	0.9753E-07	ZERO	ZERO
107 TiO2	0.9833E-05	0.9548E-05	0.1948E-04	0.1891E-04	0.2719E-05	ZERO	ZERO
119 Tritium	0.2091E-08	0.2030E-08	0.4141E-08	0.4060E-08	0.5729E-09	ZERO	ZERO
17 U3O8	0.2472E-04	0.2401E-04	0.4896E-04	0.4755E-04	0.6838E-05	ZERO	ZERO
62 UO2(COOH)2	0.1505E-10	0.1461E-10	0.2981E-10	0.2895E-10	0.4162E-11	ZERO	ZERO
177 UO2(NO3)2	0.1084E-08	0.1053E-08	0.2146E-08	0.2085E-08	0.2998E-09	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	0.1559E-16	0.1514E-16	0.3087E-16	0.2998E-16	0.4311E-17	ZERO	ZERO
178 Y(NO3)3	0.9418E-07	0.9148E-07	0.1865E-06	0.1812E-06	0.2605E-07	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	0.1146E-07	0.1112E-07	0.2269E-07	0.2203E-07	0.3168E-08	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	0.3087E-05	0.2998E-05	0.6114E-05	0.5937E-05	0.8538E-06	ZERO	ZERO
179 Zn(NO3)2	0.6313E-09	0.6130E-09	0.1250E-08	0.1214E-08	0.1746E-09	ZERO	ZERO
57 ZnO	0.2125E-05	0.2063E-05	0.4208E-05	0.4087E-05	0.5877E-06	ZERO	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.1778E-04	0.1727E-04	0.3522E-04	0.3421E-04	0.4919E-05	ZERO	ZERO
1 water	0.3811E+04	0.3813E+04	0.7549E+04	0.7552E+04	0.1080E+04	0.3890E+01	0.9800E+00
TOTAL FLOW, LB/HR	0.3829E+04	0.3830E+04	0.7584E+04	0.7586E+04	0.1085E+04	0.3890E+01	0.9800E+00
TEMPERATURE, DEG C	0.4900E+02	0.5000E+02	0.4900E+02	0.5000E+02	0.5000E+02	0.2500E+02	0.2500E+02
PRESSURE, ATM	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01
PRESSURE, PSIG	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
PRESSURE, MM HG							
ENTHALPY, PCU/HR	0.1873E+06	0.1911E+06	0.3709E+06	0.3786E+06	0.5412E+05	0.9761E+02	0.2459E+02
VAPOR FLOW, CFM							
LIQUID FLOW, GPM	0.7637E+01	0.7639E+01	0.1513E+02	0.1513E+02	0.2163E+01	0.7768E-02	0.1957E-02
DENSITY, LBS/FT3	0.6251E+02	0.6251E+02	0.6251E+02	0.6251E+02	0.6251E+02	0.6243E+02	0.6243E+02
PHASE	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS -> STREAM NAME	36 SMECT Hg Pump Water	37 SMECT Air Inleakage	251 Hg Accum in PRD - PR	16 MWWT Vent to SMECT	23 Cond fr MWWT to SMECT	42 FAVC Condensate	106 50% HNO3 to SMECT
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	0.1727E-10	0.7364E-03	0.8137E-02	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	0.5615E-17	0.3049E-06	0.3515E-10	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	0.6828E-11	0.6787E-02	0.7563E-04	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	0.7119E-17	0.1969E-06	0.5712E-11	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	0.1495E-08	0.4892E-01	0.1807E-02	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	0.2245E-16	0.7458E-06	0.1744E-10	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	0.4769E-15	0.1214E-07	0.3767E-09	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	0.1847E-16	0.2474E-07	0.2342E-10	ZERO
131 (C6H5OH salt)	ZERO	ZERO	ZERO	0.9786E-20	0.2935E-20	0.2489E-17	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO	0.1041E-07	0.6394E+00	0.1132E-01	ZERO
121 (C6H6)	ZERO	ZERO	ZERO	0.5040E-09	0.1449E-05	0.2696E-01	ZERO
155 (CH3)2CHOH	ZERO	ZERO	ZERO	0.4770E-17	0.5622E-10	0.5861E-11	ZERO
154 (CH3OH)	ZERO	ZERO	ZERO	0.7912E-18	0.4976E-11	0.9643E-12	ZERO
45 Ag	ZERO	ZERO	0.1713E-08	0.7971E-12	ZERO	0.5617E-17	ZERO
116 Ag2O	ZERO	ZERO	ZERO	TRACE	ZERO	0.3770E-24	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	ZERO	ZERO	0.4939E-15	0.3150E-04	0.1255E-12	ZERO
106 B2O3	ZERO	ZERO	ZERO	0.1790E-15	0.5955E-08	0.4547E-13	ZERO
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	0.1872E-24	TRACE	0.4759E-22	ZERO
24 BaSO4	ZERO	ZERO	ZERO	0.9524E-18	0.6074E-07	0.2419E-15	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	ZERO	0.1790E-09	0.1250E-02	0.2579E-03	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	0.2309E-17	0.1681E-10	0.3381E-11	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO	0.2342E-15	0.1493E-04	0.5947E-13	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	ZERO	ZERO	0.1467E-15	0.9362E-05	0.3727E-13	ZERO
20 CaC2O4	ZERO	ZERO	ZERO	0.1362E-22	0.8706E-12	0.3460E-20	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	0.8391E-18	0.5351E-07	0.2131E-15	ZERO
41 CaO	ZERO	ZERO	ZERO	0.1872E-18	0.1192E-07	0.4755E-16	ZERO
19 CaSO4	ZERO	ZERO	ZERO	0.1232E-16	0.7872E-06	0.3129E-14	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	0.7991E-20	0.5108E-09	0.2030E-17	ZERO
168 Co(NO3)2	ZERO	ZERO	ZERO	0.2997E-22	0.1916E-11	0.7612E-20	ZERO
59 CoO	ZERO	ZERO	ZERO	0.1712E-20	0.1094E-09	0.4348E-18	ZERO
98 Cr2O3	ZERO	ZERO	ZERO	0.2396E-16	0.1529E-05	0.6087E-14	ZERO
42 Cs2O	ZERO	ZERO	ZERO	0.7843E-20	0.5001E-09	0.1992E-17	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	0.2415E-17	0.1544E-06	0.6134E-15	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	0.5372E-21	0.3425E-10	0.1364E-18	ZERO
8 CsOH	ZERO	ZERO	ZERO	0.6119E-22	ZERO	0.1556E-19	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS (CONT'D) -> STREAM NAME	36 SMECT Hg Pump Water	37 SMECT Air Inleakage	251 Hg Accum in PRD - PR	16 MWWT Vent to SMECT	23 Cond fr MWWT to SMECT	42 FAVC Condensate	106 50% HNO3 to SMECT
54 Cu(COOH)2	ZERO	ZERO	ZERO	0.2477E-18	0.1579E-07	0.6290E-16	ZERO
170 Cu(NO3)2	ZERO	ZERO	ZERO	0.1217E-15	0.7768E-05	0.3091E-13	ZERO
55 CuO	ZERO	ZERO	ZERO	0.1101E-17	0.7021E-07	0.2797E-15	ZERO
80 Fe2O3	ZERO	ZERO	ZERO	0.1419E-14	0.9050E-04	0.3605E-12	ZERO
101 FeO	ZERO	ZERO	ZERO	0.1419E-15	0.9048E-05	0.3604E-13	ZERO
102 Group A	ZERO	ZERO	ZERO	0.1981E-18	0.1263E-07	0.5032E-16	ZERO
103 Group B	ZERO	ZERO	ZERO	0.8451E-20	0.5389E-09	0.2147E-17	ZERO
25 H2	ZERO	ZERO	ZERO	0.2893E-14	0.2852E-06	0.3074E-07	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	0.1021E-16	0.6514E-06	0.2595E-14	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	0.4299E-15	0.2748E-04	0.1092E-12	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	0.5877E-05	0.8070E-09	0.4156E+00	0.5554E+01
36 Hg	ZERO	ZERO	0.1823E+00	0.4802E-04	ZERO	0.8701E-01	ZERO
129 Hg(C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	ZERO	0.1100E-21	ZERO	0.2798E-19	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	ZERO	ZERO	ZERO	0.4514E-17	0.2878E-06	0.1146E-14	ZERO
51 KCOOH	ZERO	ZERO	ZERO	0.5602E-15	0.3581E-04	0.1423E-12	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	0.1598E-17	0.1019E-06	0.4059E-15	ZERO
10 KOH	ZERO	ZERO	ZERO	0.1830E-20	ZERO	0.4654E-18	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	ZERO	ZERO	0.1566E-15	0.1051E-08	0.3977E-13	ZERO
65 Mg(COOH)2	ZERO	ZERO	ZERO	0.1936E-15	0.1235E-04	0.4918E-13	ZERO
171 Mg(NO3)2	ZERO	ZERO	ZERO	0.2930E-23	0.1873E-12	0.7443E-21	ZERO
33 MgO	ZERO	ZERO	ZERO	0.6178E-16	0.1087E-05	0.1569E-13	ZERO
60 Mn(COOH)2	ZERO	ZERO	ZERO	0.1213E-15	0.7734E-05	0.3081E-13	ZERO
172 Mn(NO3)2	ZERO	ZERO	ZERO	0.3415E-23	0.2183E-12	0.8673E-21	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	0.4432E-21	0.1366E-21	0.1127E-18	ZERO
14 MnO2	ZERO	ZERO	ZERO	0.1089E-15	0.6945E-05	0.2767E-13	ZERO
145 MoO2	ZERO	ZERO	ZERO	0.6010E-19	0.3834E-08	0.1527E-16	ZERO
81 N2	ZERO	0.5484E+02	ZERO	0.3618E+01	0.8510E-02	0.1315E-02	ZERO
74 N2O	ZERO	ZERO	ZERO	TRACE	TRACE	0.5996E-24	ZERO
182 NH3	ZERO	ZERO	ZERO	0.5338E-10	0.3877E-06	0.1039E-04	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	0.1503E-10	0.4958E-08	0.3817E-08	ZERO
68 NH4OH	ZERO	ZERO	ZERO	0.1732E-17	0.3022E+00	TRACE	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS (CONT'D) -> STREAM NAME	36 SMECT Hg Pump Water	37 SMECT Air Inleakage	251 Hg Accum in PRD - PR	16 MWWT Vent to SMECT	23 Cond fr MWWT to SMECT	42 FAVC Condensate	106 50% HNO3 to SMECT
35 NO	ZERO	ZERO	ZERO	0.5130E-12	0.3812E-04	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	0.7298E-14	TRACE	0.6656E-05	ZERO
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO	0.2052E-20	ZERO	0.5218E-18	ZERO
109 Na2C2O4	ZERO	ZERO	ZERO	0.1323E-18	ZERO	0.3364E-16	ZERO
5 Na2CO3	ZERO	ZERO	ZERO	0.2737E-15	0.1729E-04	0.6952E-13	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	ZERO	ZERO	ZERO	0.3557E-15	0.1509E-04	0.9034E-13	ZERO
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	ZERO	ZERO	ZERO	0.1091E-16	0.6958E-06	0.2772E-14	ZERO
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	ZERO	ZERO	ZERO	0.1439E-18	0.9191E-08	0.3656E-16	ZERO
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	0.4382E-16	0.9767E-06	0.1113E-13	ZERO
7 NaCl	ZERO	ZERO	ZERO	0.5563E-18	0.3550E-07	0.1413E-15	ZERO
69 NaF	ZERO	ZERO	ZERO	0.1911E-17	0.1218E-06	0.4853E-15	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	ZERO	ZERO	0.3060E-21	0.1951E-10	0.7773E-19	ZERO
3 NaNO2	ZERO	ZERO	ZERO	0.1653E-18	ZERO	0.4202E-16	ZERO
2 NaNO3	ZERO	ZERO	ZERO	0.5044E-15	0.3188E-04	0.1281E-12	ZERO
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	0.1409E-17	0.8986E-07	0.3579E-15	ZERO
174 Ni (NO3) 2	ZERO	ZERO	ZERO	0.3729E-22	0.2384E-11	0.9472E-20	ZERO
40 NiO	ZERO	ZERO	ZERO	0.1330E-16	0.8434E-06	0.3378E-14	ZERO
82 O2	ZERO	0.1656E+02	ZERO	0.1093E+01	0.4906E-02	0.8069E-03	ZERO
175 Pb (NO3) 2	ZERO	ZERO	ZERO	0.4342E-20	0.2769E-09	0.1103E-17	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	0.8196E-24	0.2525E-24	0.2084E-21	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	ZERO	0.7368E-17	0.4699E-06	0.1872E-14	ZERO
124 Pd	ZERO	ZERO	0.1868E-14	0.2454E-13	ZERO	0.1586E-18	ZERO
112 Pd (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	TRACE	ZERO	TRACE	ZERO
76 PuO2	ZERO	ZERO	ZERO	0.5538E-18	0.3531E-07	0.1407E-15	ZERO
156 PuO2 (NaTi2O5) 2	ZERO	ZERO	ZERO	0.7094E-20	0.4535E-09	0.1802E-17	ZERO
58 Rh	ZERO	ZERO	0.2195E-12	0.4676E-13	ZERO	0.3022E-18	ZERO
22 RhO2	ZERO	ZERO	ZERO	0.1091E-22	ZERO	TRACE	ZERO
95 Ru	ZERO	ZERO	ZERO	0.4538E-18	0.2897E-07	0.1153E-15	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS (CONT'D) -> STREAM NAME	36 SMECT Hg Pump Water	37 SMECT Air Inleakage	251 Hg Accum in PRD - PR	16 MWWT Vent to SMECT	23 Cond fr MWWT to SMECT	42 FAVC Condensate	106 50% HNO3 to SMECT
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	ZERO	ZERO	0.1783E-14	0.3892E-05	0.4529E-12	ZERO
48 Sr(COOH)2	ZERO	ZERO	ZERO	0.6095E-20	0.3896E-09	0.1548E-17	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	0.1646E-17	0.1049E-06	0.4181E-15	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	0.2271E-18	0.1452E-07	0.5769E-16	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	0.2566E-23	0.7906E-24	0.6525E-21	ZERO
159 TeO2	ZERO	ZERO	ZERO	0.1996E-18	0.1273E-07	0.5069E-16	ZERO
92 ThO2	ZERO	ZERO	ZERO	0.1662E-17	0.1060E-06	0.4221E-15	ZERO
107 TiO2	ZERO	ZERO	ZERO	0.4635E-16	0.2962E-05	0.1177E-13	ZERO
119 Tritium	ZERO	ZERO	ZERO	0.3537E-16	0.6322E-09	0.3426E-10	ZERO
17 U3O8	ZERO	ZERO	ZERO	0.1165E-15	0.7430E-05	0.2960E-13	ZERO
62 UO2(COOH)2	ZERO	ZERO	ZERO	0.7095E-22	0.4535E-11	0.1802E-19	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	0.5109E-20	0.3257E-09	0.1298E-17	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	TRACE	0.4697E-17	TRACE	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	0.4440E-18	0.2831E-07	0.1128E-15	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	ZERO	0.5400E-19	0.3452E-08	0.1372E-16	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	0.1455E-16	0.9296E-06	0.3696E-14	ZERO
179 Zn(NO3)2	ZERO	ZERO	ZERO	0.2976E-20	0.1902E-09	0.7559E-18	ZERO
57 ZnO	ZERO	ZERO	ZERO	0.1002E-16	0.6395E-06	0.2544E-14	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	ZERO	0.8382E-16	0.5345E-05	0.2129E-13	ZERO
1 water	0.2042E-02	0.1200E+01	ZERO	0.9516E-01	0.7140E+03	0.1337E+03	0.5554E+01
TOTAL FLOW, LB/HR	0.2042E-02	0.7260E+02	0.1823E+00	0.4807E+01	0.7150E+03	0.1342E+03	0.1111E+02
TEMPERATURE, DEG C	0.3500E+02	0.3500E+02	0.5000E+02	0.3500E+02	0.5000E+02	0.1000E+02	0.2500E+02
PRESSURE, ATM	0.1000E+01	0.1000E+01	0.9656E+00	0.1000E+01	0.9656E+00	0.9607E+00	0.1000E+01
PRESSURE, PSIG	ZERO	ZERO	-0.5055E+00	ZERO	-0.5055E+00	-0.5776E+00	ZERO
PRESSURE, MM HG			0.7339E+03		0.7339E+03	0.7301E+03	
ENTHALPY, PCU/HR	0.7163E-01	0.1523E+04	0.3004E+00	0.1102E+03	0.3576E+05	0.1346E+04	0.1790E+03
VAPOR FLOW, CFM		0.1715E+02		0.1138E+01			
LIQUID FLOW, GPM	0.4077E-05		0.2688E-04		0.1428E+01	0.2676E+00	0.1848E-01
DENSITY, LBS/FT3	0.6243E+02	0.7055E-01	0.8457E+03	0.7042E-01	0.6244E+02	0.6253E+02	0.7495E+02
PHASE	LIQUID	VAPOR	LIQUID	VAPOR	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS -> STREAM NAME	38 SMECT Vent to FAVC	40 FAVC HEME Vnt to PVVS	41 FAVC HEME Accumulatn	43 SMECT Liq to RCT	122 SMECT Liq Solubles	123 SMECT Liq Insolubles	24 SMECT Hg to MWWT
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	0.1831E-01	0.1019E-01	ZERO	0.2928E-03	ZERO	0.2928E-03	0.4585E-09
123 (C6H5)2C6H4	0.6080E-14	0.3515E-10	ZERO	0.3645E-06	ZERO	0.3645E-06	0.5707E-12
118 (C6H5)2NH	0.7500E-04	0.7563E-04	ZERO	0.5159E-02	ZERO	0.5159E-02	0.8077E-08
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	0.1566E-14	ZERO	ZERO	0.2021E-06	ZERO	0.2021E-06	0.3165E-12
162 (C6H5NH2)	0.1379E-02	ZERO	ZERO	0.5449E-01	0.5449E-01	ZERO	0.8531E-07
163 (C6H5NHCHO)	0.5936E-14	ZERO	ZERO	0.7661E-06	ZERO	0.7661E-06	0.1199E-11
165 (C6H5NO)	0.6459E-16	ZERO	ZERO	0.8336E-08	ZERO	0.8336E-08	0.1305E-13
164 (C6H5NO2)	0.1968E-15	ZERO	ZERO	0.2539E-07	0.2539E-07	ZERO	0.3976E-13
131 (C6H5OH salt)	0.4978E-17	0.6223E-19	0.2427E-17	0.6425E-09	0.6425E-09	ZERO	0.1006E-14
130 (C6H5OH)	0.7561E-02	0.1138E-01	ZERO	0.6632E+00	0.6632E+00	ZERO	0.1038E-05
121 (C6H6)	0.2674E-01	0.1406E-01	ZERO	0.8070E-03	0.8070E-03	ZERO	0.1263E-08
155 (CH3)2CHOH	0.6209E-12	0.8066E-11	ZERO	0.5535E-10	0.5535E-10	ZERO	0.8666E-16
154 (CH3OH)	0.1370E-12	0.2173E-11	ZERO	0.5273E-11	0.5273E-11	ZERO	0.8255E-17
45 Ag	0.1123E-16	0.1404E-18	0.5477E-17	ZERO	ZERO	ZERO	0.1676E-07
116 Ag2O	0.7540E-24	TRACE	0.3676E-24	0.9731E-16	ZERO	0.9731E-16	0.1523E-21
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.2509E-12	0.3136E-14	0.1223E-12	0.3238E-04	ZERO	0.3238E-04	0.5070E-10
106 B2O3	0.9093E-13	0.1137E-14	0.4433E-13	0.1174E-04	ZERO	0.1174E-04	0.1837E-10
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	0.9518E-22	0.1190E-23	0.4640E-22	0.1228E-13	ZERO	0.1228E-13	0.1923E-19
24 BaSO4	0.4838E-15	0.6048E-17	0.2359E-15	0.6244E-07	ZERO	0.6244E-07	0.9776E-13
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.1496E-01	0.4331E+01	ZERO	0.1146E-03	0.1146E-03	ZERO	0.1795E-09
142 CO2 (C14)	0.1930E-09	0.5680E-07	ZERO	0.1479E-11	0.1479E-11	ZERO	0.2316E-17
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.1189E-12	ZERO	ZERO	0.1535E-04	0.1535E-04	0.1166E-11	0.2403E-10
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.7454E-13	0.9318E-15	0.3634E-13	0.9621E-05	ZERO	0.9621E-05	0.1506E-10
20 CaC2O4	0.6919E-20	0.8649E-22	0.3373E-20	0.8930E-12	ZERO	0.8930E-12	0.1398E-17
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	0.4263E-15	0.5328E-17	0.2078E-15	0.5501E-07	ZERO	0.5501E-07	0.8613E+13
41 CaO	0.9510E-16	0.1189E-17	0.4636E-16	0.1227E-07	ZERO	0.1227E-07	0.1922E-13
19 CaSO4	0.6258E-14	0.7822E-16	0.3051E-14	0.8076E-06	ZERO	0.8076E-06	0.1264E-11
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	0.4059E-17	0.5074E-19	0.1979E-17	0.5239E-09	0.5239E-09	ZERO	0.8203E-15
168 Co(NO3)2	0.1522E-19	ZERO	ZERO	0.1965E-11	0.1965E-11	ZERO	0.3076E-17
59 CoO	0.8696E-18	0.1087E-19	0.4239E-18	0.1122E-09	ZERO	0.1122E-09	0.1757E-15
98 Cr2O3	0.1217E-13	0.1522E-15	0.5935E-14	0.1571E-05	ZERO	0.1571E-05	0.2460E-11
42 Cs2O	0.3984E-17	0.4980E-19	0.1942E-17	0.5142E-09	ZERO	0.5142E-09	0.8051E-15
53 CsCOOH	0.1227E-14	0.1534E-16	0.5981E-15	0.1583E-06	0.1583E-06	ZERO	0.2479E-12
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	0.2729E-18	ZERO	ZERO	0.3522E-10	0.3522E-10	ZERO	0.5514E-16
8 CsOH	0.3112E-19	0.3890E-21	0.1517E-19	0.4016E-11	0.4016E-11	ZERO	0.6288E-17
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS (CONT'D) -> STREAM NAME	38 SMECT Vent to FAVC	40 FAVC HEME Vnt to PVVS	41 FAVC HEME Accumulatn	43 SMECT Liq to RCT	122 SMECT Liq Solubles	123 SMECT Liq Insolubles	24 SMECT Hg to MWWT
54 Cu (COOH) 2	0.1258E-15	0.1573E-17	0.6133E-16	0.1624E-07	0.1624E-07	ZERO	0.2542E-13
170 Cu (NO3) 2	0.6181E-13	ZERO	ZERO	0.7978E-05	0.7978E-05	ZERO	0.1249E-10
55 CuO	0.5594E-15	0.6992E-17	0.2727E-15	0.7219E-07	ZERO	0.7219E-07	0.1130E-12
80 Fe2O3	0.7210E-12	0.9013E-14	0.3515E-12	0.9305E-04	ZERO	0.9305E-04	0.1457E-09
101 FeO	0.7209E-13	0.9011E-15	0.3514E-13	0.9303E-05	ZERO	0.9303E-05	0.1457E-10
102 Group A	0.1006E-15	0.1258E-17	0.4906E-16	0.1299E-07	ZERO	0.1299E-07	0.2033E-13
103 Group B	0.4293E-17	0.5367E-19	0.2093E-17	0.5541E-09	ZERO	0.5541E-09	0.8675E-15
25 H2	0.5887E-05	0.3136E-01	ZERO	0.1848E-08	0.1848E-08	ZERO	0.2893E-14
158 H2C2O4	0.5189E-14	0.6486E-16	0.2530E-14	0.6697E-06	0.6697E-06	ZERO	0.1049E-11
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	0.2184E-12	0.2730E-14	0.1065E-12	0.2818E-04	0.2818E-04	ZERO	0.4412E-10
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	0.5815E-01	0.7276E+00	ZERO	0.3758E+01	0.3758E+01	ZERO	0.5883E-05
36 Hg	0.9521E-01	0.8193E-02	ZERO	ZERO	ZERO	ZERO	0.2515E+00
129 Hg (C6H5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	0.5595E-19	0.6994E-21	0.2728E-19	0.7222E-11	ZERO	0.7222E-11	0.1131E-16
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	0.2293E-14	0.2866E-16	0.1118E-14	0.2959E-06	ZERO	0.2959E-06	0.4633E-12
51 KCOOH	0.2846E-12	0.3558E-14	0.1387E-12	0.3673E-04	0.3673E-04	ZERO	0.5751E-10
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	0.8118E-15	0.1015E-16	0.3958E-15	0.1048E-06	0.1048E-06	ZERO	0.1640E-12
10 KOH	0.9308E-18	0.1163E-19	0.4537E-18	0.1201E-09	0.1201E-09	ZERO	0.1881E-15
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	0.7953E-13	0.9942E-15	0.3877E-13	0.1026E-04	ZERO	0.1026E-04	0.1607E-10
65 Mg (COOH) 2	0.9837E-13	0.1230E-14	0.4795E-13	0.1270E-04	0.1270E-04	ZERO	0.1988E-10
171 Mg (NO3) 2	0.1489E-20	ZERO	ZERO	0.1921E-12	0.1921E-12	ZERO	0.3008E-18
33 MgO	0.3138E-13	0.3923E-15	0.1530E-13	0.4050E-05	ZERO	0.4050E-05	0.6341E+11
60 Mn (COOH) 2	0.6161E-13	0.7701E-15	0.3004E-13	0.7952E-05	0.7952E-05	ZERO	0.1245E-10
172 Mn (NO3) 2	0.1735E-20	ZERO	ZERO	0.2239E-12	0.2239E-12	ZERO	0.3505E-18
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	0.2254E-18	0.2818E-20	0.1099E-18	0.2909E-10	ZERO	0.2909E-10	0.4555E-16
14 MnO2	0.5533E-13	0.6916E-15	0.2697E-13	0.7141E-05	ZERO	0.7141E-05	0.1118E-10
145 MoO2	0.3053E-16	0.3817E-18	0.1488E-16	0.3941E-08	ZERO	0.3941E-08	0.6170E-14
81 N2	0.5846E+02	0.1330E+04	ZERO	0.1408E-01	0.1408E-01	ZERO	0.2204E-07
74 N2O	0.6761E-24	0.1420E-19	ZERO	TRACE	TRACE	ZERO	TRACE
182 NH3	0.4449E-04	0.1076E-02	ZERO	0.4722E-04	0.4722E-04	ZERO	0.7393E-10
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	0.7635E-08	ZERO	ZERO	0.9853E+00	0.9853E+00	ZERO	0.1543E-05
68 NH4OH	TRACE	TRACE	ZERO	0.1483E-18	0.1483E-18	ZERO	0.2321E-24
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
 Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS (CONT'D) -> STREAM NAME	38 SMECT Vent to FAVC	40 FAVC HEME Vnt to PVVS	41 FAVC HEME Accumulatn	43 SMECT Liq to RCT	122 SMECT Liq Solubles	123 SMECT Liq Insolubles	24 SMECT Hg to MWWT
35 NO	0.4661E-03	ZERO	ZERO	0.3277E-06	0.3277E-06	ZERO	0.5131E-12
84 NO2	0.6629E-05	0.2184E+01	ZERO	0.4661E-08	0.4661E-08	ZERO	0.7298E-14
70 Na(HgO(OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	0.1044E-17	0.1304E-19	0.5087E-18	0.1347E-09	0.1347E-09	ZERO	0.2109E-15
109 Na2C2O4	0.6728E-16	0.8409E-18	0.3280E-16	0.8683E-08	0.8683E-08	ZERO	0.1359E-13
5 Na2CO3	0.1390E-12	0.1738E-14	0.6778E-13	0.1794E-04	0.1794E-04	ZERO	0.2809E-10
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	0.1807E-12	0.2259E-14	0.8808E-13	0.2332E-04	ZERO	0.2332E-04	0.3651E-10
71 Na2PuO2(OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.5544E-14	0.6930E-16	0.2703E-14	0.7155E-06	0.7155E-06	ZERO	0.1120E-11
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.7312E-16	0.9140E-18	0.3565E-16	0.9437E-08	0.9437E-08	ZERO	0.1477E-13
91 NaAg(OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl(OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	0.2226E-13	0.2782E-15	0.1085E-13	0.2873E-05	0.2873E-05	ZERO	0.4498E-11
7 NaCl	0.2826E-15	0.3532E-17	0.1378E-15	0.3647E-07	0.3647E-07	ZERO	0.5710E-13
69 NaF	0.9706E-15	0.1213E-16	0.4732E-15	0.1253E-06	0.1253E-06	0.9326E-14	0.1961E-12
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.1555E-18	0.1943E-20	0.7579E-19	0.2006E-10	0.2006E-10	ZERO	0.3141E-16
3 NaNO2	0.8404E-16	0.1051E-17	0.4097E-16	0.1085E-07	0.1085E-07	ZERO	0.1698E-13
2 NaNO3	0.2562E-12	0.3203E-14	0.1249E-12	0.3307E-04	0.3307E-04	ZERO	0.5178E-10
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni(COOH) 2	0.7159E-15	0.8949E-17	0.3490E-15	0.9239E-07	0.9239E-07	ZERO	0.1447E-12
174 Ni(NO3) 2	0.1894E-19	ZERO	ZERO	0.2445E-11	0.2445E-11	ZERO	0.3828E-17
40 Nio	0.6755E-14	0.8444E-16	0.3293E-14	0.8718E-06	ZERO	0.8718E-06	0.1365E-11
82 O2	0.1766E+02	0.4007E+03	ZERO	0.8121E-02	0.8121E-02	ZERO	0.1272E-07
175 Pb(NO3) 2	0.2206E-17	ZERO	ZERO	0.2847E-09	0.2847E-09	ZERO	0.4457E+15
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	0.4168E-21	0.5210E-23	0.2032E-21	0.5380E-13	ZERO	0.5380E-13	0.8422E-19
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.3743E-14	0.4679E-16	0.1825E-14	0.4831E-06	ZERO	0.4831E-06	0.7563E-12
124 Pd	0.3171E-18	0.3964E-20	0.1546E-18	ZERO	ZERO	ZERO	0.4731E-09
112 Pd(NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	TRACE	TRACE	TRACE	0.3207E-17	ZERO	0.3207E-17	0.5022E-23
76 PuO2	0.2813E-15	0.3517E-17	0.1371E-15	0.3631E-07	ZERO	0.3631E-07	0.5685E-13
156 PuO2 (NaTi2O5) 2	0.3604E-17	0.4505E-19	0.1757E-17	0.4651E-09	ZERO	0.4651E-09	0.7282E-15
58 Rh	0.6044E-18	0.7554E-20	0.2946E-18	ZERO	ZERO	ZERO	0.9017E-09
22 RhO2	TRACE	TRACE	TRACE	0.6966E-17	ZERO	0.6966E-17	0.1091E-22
95 Ru	0.2305E-15	0.2882E-17	0.1124E-15	0.2975E-07	ZERO	0.2975E-07	0.4658E-13
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS (CONT'D) -> STREAM NAME	38 SMECT Vent to FAVC	40 FAVC HEME Vnt to PVVS	41 FAVC HEME Accumulatn	43 SMECT Liq to RCT	122 SMECT Liq Solubles	123 SMECT Liq Insolubles	24 SMECT Hg to MWWT
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.9058E-12	0.1132E-13	0.4416E-12	0.1169E-03	ZERO	0.1169E-03	0.1830E-09
48 Sr(COOH)2	0.3096E-17	0.3870E-19	0.1509E-17	0.3996E-09	0.3996E-09	ZERO	0.6256E-15
176 Sr(NO3)2	0.8361E-15	ZERO	ZERO	0.1079E-06	0.1079E-06	ZERO	0.1689E-12
153 Sr(NaTi2O5)2	0.1154E-15	0.1442E-17	0.5625E-16	0.1489E-07	ZERO	0.1489E-07	0.2331E-13
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	0.1305E-20	0.1631E-22	0.6362E-21	0.1684E-12	ZERO	0.1684E-12	0.2637E-18
159 TcO2	0.1014E-15	0.1267E-17	0.4942E-16	0.1308E-07	ZERO	0.1308E-07	0.2048E-13
92 ThO2	0.8442E-15	0.1055E-16	0.4116E-15	0.1090E-06	ZERO	0.1090E-06	0.1706E-12
107 TiO2	0.2355E-13	0.2943E-15	0.1148E-13	0.3039E-05	ZERO	0.3039E-05	0.4758E-11
119 Tritium	0.3691E-11	0.4173E-10	ZERO	0.6462E-09	0.6462E-09	ZERO	0.1012E-14
17 U3O8	0.5919E-13	0.7399E-15	0.2886E-13	0.7639E-05	ZERO	0.7639E-05	0.1196E-10
62 UO2(COOH)2	0.3604E-19	0.4505E-21	0.1757E-19	0.4652E-11	0.4652E-11	ZERO	0.7283E-17
177 UO2(NO3)2	0.2595E-17	ZERO	ZERO	0.3349E-09	0.3349E-09	ZERO	0.5244E-15
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	TRACE	TRACE	TRACE	0.4818E-17	0.4818E-17	ZERO	0.7543E-23
178 Y(NO3)3	0.2255E-15	ZERO	ZERO	0.2911E-07	0.2911E-07	ZERO	0.4557E-13
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	0.2743E-16	0.3429E-18	0.1337E-16	0.3541E-08	ZERO	0.3541E-08	0.5543E-14
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	0.7392E-14	0.9241E-16	0.3604E-14	0.9541E-06	0.9541E-06	ZERO	0.1494E-11
179 Zn(NO3)2	0.1512E-17	ZERO	ZERO	0.1951E-09	0.1951E-09	ZERO	0.3055E-15
57 ZnO	0.5088E-14	0.6360E-16	0.2480E-14	0.6566E-06	ZERO	0.6566E-06	0.1028E-11
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.4258E-13	0.5323E-15	0.2076E-13	0.5495E-05	ZERO	0.5495E-05	0.8604E-11
1 water	0.6729E+01	0.1281E+02	ZERO	0.1178E+04	0.1178E+04	ZERO	0.3886E-02
TOTAL FLOW, LB/HR	0.8307E+02	0.1750E+04	0.1818E-11	0.1183E+04	0.1183E+04	0.5792E-02	0.2554E+00
TEMPERATURE, DEG C	0.4900E+02	0.1000E+02	0.1000E+02	0.4900E+02	0.4900E+02	0.4900E+02	0.4666E+02
PRESSURE, ATM	0.1000E+01	0.9263E+00	0.9263E+00	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01
PRESSURE, PSIG	ZERO	-0.1083E+01	-0.1083E+01	ZERO	ZERO	ZERO	ZERO
PRESSURE, MM HG		0.7040E+03	0.7040E+03				
ENTHALPY, PCU/HR	0.5257E+04	0.1745E+05	0.3230E-11	0.5787E+05	0.5787E+05	0.1356E+00	0.5683E+00
VAPOR FLOW, CFM	0.2126E+02	0.4074E+03					
LIQUID FLOW, GPM				0.2360E+01	0.2360E+01	0.9726E-05	0.4485E-04
DENSITY, LBS/FT3	0.6511E-01	0.7161E-01	0.1527E+03	0.6251E+02	0.6251E+02	0.7425E+02	0.7100E+03
PHASE	VAPOR	VAPOR	SOLID	LIQUID	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS -> STREAM NAME	44 SME Concen- trate to MFT	45 Melter Loop Water Flush	46 MFT Sample Pump Prime	47 MFT Air Inleakage	48 MFT Vent to Scrubber	49 Mltr Fd tube H2O Flush	60 Melter Feed
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	0.2348E-15	ZERO	ZERO	ZERO	0.2345E-15	ZERO	0.2853E-18
123 (C6H5)2C6H4	0.9245E-02	ZERO	ZERO	ZERO	0.4657E-09	ZERO	0.9245E-02
118 (C6H5)2NH	0.4476E-08	ZERO	ZERO	ZERO	0.2552E-09	ZERO	0.4221E-08
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	0.5523E-01	ZERO	ZERO	ZERO	0.1094E-08	ZERO	0.5523E-01
162 (C6H5NH2)	0.1793E-03	ZERO	ZERO	ZERO	0.1449E-04	ZERO	0.1648E-03
163 (C6H5NHCHO)	0.2092E+00	ZERO	ZERO	ZERO	0.4145E-08	ZERO	0.2092E+00
165 (C6H5NO)	0.3406E-02	ZERO	ZERO	ZERO	0.6748E-10	ZERO	0.3406E-02
164 (C6H5NO2)	0.6938E-02	ZERO	ZERO	ZERO	0.1375E-09	ZERO	0.6938E-02
131 (C6H5OH salt)	0.8234E-15	ZERO	ZERO	ZERO	0.1631E-22	ZERO	0.8234E-15
130 (C6H5OH)	0.5070E-01	ZERO	ZERO	ZERO	0.1945E-02	ZERO	0.4876E-01
121 (C6H6)	0.3022E-22	ZERO	ZERO	ZERO	0.2997E-22	ZERO	0.2534E-24
155 (CH3)2CHOH	0.2687E-11	ZERO	ZERO	ZERO	0.9932E-13	ZERO	0.2588E-11
154 (CH3OH)	0.4173E-13	ZERO	ZERO	ZERO	0.3408E-14	ZERO	0.3832E-13
45 Ag	0.1241E-01	ZERO	ZERO	ZERO	0.2459E-09	ZERO	0.1241E-01
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.8834E+01	ZERO	ZERO	ZERO	0.1750E-06	ZERO	0.8834E+01
106 B2O3	0.1266E+02	ZERO	ZERO	ZERO	0.2509E-06	ZERO	0.1266E+02
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	0.1617E-19	ZERO	ZERO	ZERO	TRACE	ZERO	0.1617E-19
24 BaSO4	0.1704E-01	ZERO	ZERO	ZERO	0.3376E-09	ZERO	0.1704E-01
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.4389E-16	ZERO	ZERO	ZERO	0.4379E-16	ZERO	0.9807E-19
142 CO2 (C14)	TRACE	ZERO	ZERO	ZERO	TRACE	ZERO	TRACE
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.4188E+01	ZERO	ZERO	ZERO	0.8297E-07	ZERO	0.4188E+01
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.2626E+01	ZERO	ZERO	ZERO	0.5203E-07	ZERO	0.2626E+01
20 CaC2O4	0.2442E-06	ZERO	ZERO	ZERO	0.4838E-14	ZERO	0.2442E-06
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	0.1501E-01	ZERO	ZERO	ZERO	0.2973E-09	ZERO	0.1501E-01
41 CaO	0.3344E-02	ZERO	ZERO	ZERO	0.6625E-10	ZERO	0.3344E-02
19 CaSO4	0.2208E+00	ZERO	ZERO	ZERO	0.4375E-08	ZERO	0.2208E+00
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	0.1433E-03	ZERO	ZERO	ZERO	0.2839E-11	ZERO	0.1433E-03
168 Co(NO3)2	0.5373E-06	ZERO	ZERO	ZERO	0.1065E-13	ZERO	0.5373E-06
59 CoO	0.3069E-04	ZERO	ZERO	ZERO	0.6081E-12	ZERO	0.3069E-04
98 Cr2O3	0.4302E+00	ZERO	ZERO	ZERO	0.8523E-08	ZERO	0.4302E+00
42 Cs2O	0.1403E-03	ZERO	ZERO	ZERO	0.2779E-11	ZERO	0.1403E-03
53 CsCOOH	0.4330E-01	ZERO	ZERO	ZERO	0.8580E-09	ZERO	0.4330E-01
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	0.9608E-05	ZERO	ZERO	ZERO	0.1904E-12	ZERO	0.9608E-05
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS (CONT'D) -> STREAM NAME	44 SME Concen- trate to MFT	45 Melter Loop Water Flush	46 MFT Sample Pump Prime	47 MFT Air Inleakage	48 MFT Vent to Scrubber	49 Mltr Fd tube H2O Flush	60 Melter Feed
54 Cu (COOH) 2	0.4430E-02	ZERO	ZERO	ZERO	0.8778E-10	ZERO	0.4430E-02
170 Cu (NO3) 2	0.2179E+01	ZERO	ZERO	ZERO	0.4317E-07	ZERO	0.2179E+01
55 CuO	0.1969E-01	ZERO	ZERO	ZERO	0.3902E-09	ZERO	0.1969E-01
80 Fe2O3	0.2539E+02	ZERO	ZERO	ZERO	0.5030E-06	ZERO	0.2539E+02
101 FeO	0.2538E+01	ZERO	ZERO	ZERO	0.5028E-07	ZERO	0.2538E+01
102 Group A	0.3543E-02	ZERO	ZERO	ZERO	0.7020E-10	ZERO	0.3543E-02
103 Group B	0.1512E-03	ZERO	ZERO	ZERO	0.2995E-11	ZERO	0.1512E-03
25 H2	0.3265E-22	ZERO	ZERO	ZERO	0.3265E-22	ZERO	TRACE
158 H2C2O4	0.1827E+00	ZERO	ZERO	ZERO	0.3620E-08	ZERO	0.1827E+00
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	0.7707E+01	ZERO	ZERO	ZERO	0.1527E-06	ZERO	0.7707E+01
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	0.1388E-09	ZERO	ZERO	ZERO	0.6978E-11	ZERO	0.1318E-09
36 Hg	0.1603E+00	ZERO	ZERO	ZERO	0.9784E-02	ZERO	0.1506E+00
129 Hg (C6H5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	0.8073E-01	ZERO	ZERO	ZERO	0.1599E-08	ZERO	0.8073E-01
51 KCOOH	0.1005E+02	ZERO	ZERO	ZERO	0.1990E-06	ZERO	0.1005E+02
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	0.2858E-01	ZERO	ZERO	ZERO	0.5663E-09	ZERO	0.2858E-01
10 KOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	0.1108E+02	ZERO	ZERO	ZERO	0.2195E-06	ZERO	0.1108E+02
65 Mg (COOH) 2	0.3463E+01	ZERO	ZERO	ZERO	0.6862E-07	ZERO	0.3463E+01
171 Mg (NO3) 2	0.5254E-07	ZERO	ZERO	ZERO	0.1041E-14	ZERO	0.5254E-07
33 MgO	0.3470E+01	ZERO	ZERO	ZERO	0.6876E-07	ZERO	0.3470E+01
60 Mn (COOH) 2	0.2169E+01	ZERO	ZERO	ZERO	0.4298E-07	ZERO	0.2169E+01
172 Mn (NO3) 2	0.6122E-07	ZERO	ZERO	ZERO	0.1213E-14	ZERO	0.6122E-07
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	0.3831E-16	ZERO	ZERO	ZERO	0.7589E-24	ZERO	0.3831E-16
14 MnO2	0.1948E+01	ZERO	ZERO	ZERO	0.3860E-07	ZERO	0.1948E+01
145 MoO2	0.1075E-02	ZERO	ZERO	ZERO	0.2130E-10	ZERO	0.1075E-02
81 N2	0.9923E-24	ZERO	ZERO	0.5484E+02	0.5483E+02	ZERO	0.3859E-02
74 N2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
182 NH3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	0.1391E-02	ZERO	ZERO	ZERO	0.2755E-10	ZERO	0.1391E-02
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS (CONT'D) -> STREAM NAME	44 SME Concen- trate to MFT	45 Melter Loop Water Flush	46 MFT Sample Pump Prime	47 MFT Air Inleakage	48 MFT Vent to Scrubber	49 Mltr Fd tube H2O Flush	60 Melter Feed
35 NO	TRACE	ZERO	ZERO	ZERO	TRACE	ZERO	TRACE
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na(HgO(OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	0.5055E+01	ZERO	ZERO	ZERO	0.1002E-06	ZERO	0.5055E+01
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	0.1266E+02	ZERO	ZERO	ZERO	0.2509E-06	ZERO	0.1266E+02
71 Na2PuO2(OH)4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.1952E+00	ZERO	ZERO	ZERO	0.3867E-08	ZERO	0.1952E+00
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.2578E-02	ZERO	ZERO	ZERO	0.5107E-10	ZERO	0.2578E-02
91 NaAg(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl(OH)4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	0.2350E+01	ZERO	ZERO	ZERO	0.4656E-07	ZERO	0.2350E+01
7 NaCl	0.9957E-02	ZERO	ZERO	ZERO	0.1973E-09	ZERO	0.9957E-02
69 NaF	0.3417E-01	ZERO	ZERO	ZERO	0.6769E-09	ZERO	0.3417E-01
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.5472E-05	ZERO	ZERO	ZERO	0.1084E-12	ZERO	0.5472E-05
3 NaNO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
2 NaNO3	0.8943E+01	ZERO	ZERO	ZERO	0.1772E-06	ZERO	0.8943E+01
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni(COOH)2	0.2521E-01	ZERO	ZERO	ZERO	0.4994E-09	ZERO	0.2521E-01
174 Ni(NO3)2	0.6686E-06	ZERO	ZERO	ZERO	0.1325E-13	ZERO	0.6686E-06
40 NiO	0.2416E+00	ZERO	ZERO	ZERO	0.4787E-08	ZERO	0.2416E+00
82 O2	0.1112E-22	ZERO	ZERO	0.1656E+02	0.1656E+02	ZERO	0.2226E-02
175 Pb(NO3)2	0.7766E-04	ZERO	ZERO	ZERO	0.1539E-11	ZERO	0.7766E+04
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	0.7084E-19	ZERO	ZERO	ZERO	TRACE	ZERO	0.7084E-19
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.1318E+00	ZERO	ZERO	ZERO	0.2611E-08	ZERO	0.1318E+00
124 Pd	0.3903E-03	ZERO	ZERO	ZERO	0.7732E-11	ZERO	0.3903E-03
112 Pd(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	0.9905E-02	ZERO	ZERO	ZERO	0.1962E-09	ZERO	0.9905E-02
156 PuO2(NaTi2O5)2	0.1272E-03	ZERO	ZERO	ZERO	0.2520E-11	ZERO	0.1272E-03
58 Rh	0.7436E-03	ZERO	ZERO	ZERO	0.1473E-10	ZERO	0.7436E-03
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	0.8125E-02	ZERO	ZERO	ZERO	0.1610E-09	ZERO	0.8125E-02
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS (CONT'D) ->	44	45	46	47	48	49	60
STREAM NAME	SME Concen- trate to MFT	Melter Loop Water Flush	MFT Sample Pump Prime	MFT Air Inleakage	MFT Vent to Scrubber	Mltr Fd tube H2O Flush	Melter Feed
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.1230E+03	ZERO	ZERO	ZERO	0.2436E-05	ZERO	0.1230E+03
48 Sr(COOH)2	0.1093E-03	ZERO	ZERO	ZERO	0.2165E-11	ZERO	0.1093E-03
176 Sr(NO3)2	0.2944E-01	ZERO	ZERO	ZERO	0.5832E-09	ZERO	0.2944E-01
153 Sr(NaTi2O5)2	0.4072E-02	ZERO	ZERO	ZERO	0.8068E-10	ZERO	0.4072E-02
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	0.2218E-18	ZERO	ZERO	ZERO	TRACE	ZERO	0.2218E-18
159 TcO2	0.3569E-02	ZERO	ZERO	ZERO	0.7072E-10	ZERO	0.3569E-02
92 ThO2	0.2972E-01	ZERO	ZERO	ZERO	0.5889E-09	ZERO	0.2972E-01
107 TiO2	0.8309E+00	ZERO	ZERO	ZERO	0.1646E-07	ZERO	0.8309E+00
119 Tritium	0.1452E-09	ZERO	ZERO	ZERO	0.2778E-11	ZERO	0.1424E-09
17 U3O8	0.2084E+01	ZERO	ZERO	ZERO	0.4129E-07	ZERO	0.2084E+01
62 UO2(COOH)2	0.1272E-05	ZERO	ZERO	ZERO	0.2520E-13	ZERO	0.1272E-05
177 UO2(NO3)2	0.9137E-04	ZERO	ZERO	ZERO	0.1810E-11	ZERO	0.9137E-04
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	0.1317E-11	ZERO	ZERO	ZERO	0.2610E-19	ZERO	0.1317E-11
178 Y(NO3)3	0.7940E-02	ZERO	ZERO	ZERO	0.1573E-09	ZERO	0.7940E-02
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	0.9683E-03	ZERO	ZERO	ZERO	0.1918E-10	ZERO	0.9683E-03
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	0.2607E+00	ZERO	ZERO	ZERO	0.5166E-08	ZERO	0.2607E+00
179 Zn(NO3)2	0.5336E-04	ZERO	ZERO	ZERO	0.1057E-11	ZERO	0.5336E-04
57 ZnO	0.1794E+00	ZERO	ZERO	ZERO	0.3554E-08	ZERO	0.1794E+00
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.1499E+01	ZERO	ZERO	ZERO	0.2970E-07	ZERO	0.1499E+01
1 water	0.3150E+03	0.6960E+01	0.1950E+01	0.1200E+01	0.6313E+01	0.1000E+01	0.3237E+03
TOTAL FLOW, LB/HR	0.5724E+03	0.6960E+01	0.1950E+01	0.7260E+02	0.7772E+02	0.1000E+01	0.5811E+03
TEMPERATURE, DEG C	0.5000E+02	0.2500E+02	0.2500E+02	0.3500E+02	0.5000E+02	0.2500E+02	0.4987E+02
PRESSURE, ATM	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.9656E+00	0.1000E+01	0.9656E+00
PRESSURE, PSIG	ZERO	ZERO	ZERO	ZERO	-0.5055E+00	ZERO	-0.5055E+00
PRESSURE, MM HG					0.7339E+03		0.7339E+03
ENTHALPY, PCU/HR	0.1826E+05	0.1746E+03	0.4893E+02	0.1523E+04	0.4931E+04	0.2509E+02	0.1865E+05
VAPOR FLOW, CFM				0.1715E+02	0.2070E+02		
LIQUID FLOW, GPM	0.8482E+00	0.1390E-01	0.3894E-02			0.1997E-02	0.8656E+00
DENSITY, LBS/FT3	0.8413E+02	0.6243E+02	0.6243E+02	0.7055E-01	0.6256E-01	0.6243E+02	0.8369E+02
PHASE	LIQUID	LIQUID	LIQUID	VAPOR	VAPOR	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS ->	58	59
STREAM NAME	Melter Feed	Melter Feed
	Solubles	Insolubles
COMPONENT FLOWS, LB/HR		
122 (C6H5)2	ZERO	0.2853E-18
123 (C6H5)2C6H4	ZERO	0.9245E-02
118 (C6H5)2NH	ZERO	0.4221E-08
133 (C6H5B(OH)2 salt)	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	0.5523E-01
162 (C6H5NH2)	0.1648E-03	ZERO
163 (C6H5NHCHO)	ZERO	0.2092E+00
165 (C6H5NO)	ZERO	0.3406E-02
164 (C6H5NO2)	0.6938E-02	ZERO
131 (C6H5OH salt)	0.8234E-15	ZERO
130 (C6H5OH)	0.4876E-01	ZERO
121 (C6H6)	0.2534E-24	ZERO
155 (CH3)2CHOH	0.2588E-11	ZERO
154 (CH3OH)	0.3832E-13	ZERO
45 Ag	ZERO	0.1241E-01
116 Ag2O	ZERO	ZERO
134 AgNO3	ZERO	ZERO
77 Al2O3	ZERO	0.8834E+01
106 B2O3	ZERO	0.1266E+02
9 Ba(OH)2	ZERO	ZERO
15 BaO	ZERO	0.1617E-19
24 BaSO4	ZERO	0.1704E-01
66 CO	ZERO	ZERO
37 CO2	0.9807E-19	ZERO
142 CO2 (C14)	TRACE	ZERO
63 Ca(COOH)2	ZERO	ZERO
167 Ca(NO3)2	0.4188E+01	ZERO
120 Ca(OH)2	ZERO	ZERO
113 Ca3(PO4)2	ZERO	0.2626E+01
20 CaC2O4	ZERO	0.2442E-06
18 CaCO3	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO
78 CaF2	ZERO	0.1501E-01
41 CaO	ZERO	0.3344E-02
19 CaSO4	ZERO	0.2208E+00
29 Carbon	ZERO	ZERO
99 Cement	ZERO	ZERO
26 Co(COOH)2	0.1433E-03	ZERO
168 Co(NO3)2	0.5373E-06	ZERO
59 CoO	ZERO	0.3069E-04
98 Cr2O3	ZERO	0.4302E+00
42 Cs2O	ZERO	0.1403E-03
53 CsCOOH	0.4330E-01	0.2589E-08
96 CsCl	ZERO	ZERO
169 CsNO3	0.9608E-05	ZERO
8 CsOH	ZERO	ZERO
151 CsTPB	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS (CONT'D) -> STREAM NAME	58	59
	Melter Feed Solubles	Melter Feed Insolubles
54 Cu (COOH)2	0.4430E-02	0.2794E-09
170 Cu (NO3)2	0.2179E+01	ZERO
55 CuO	ZERO	0.1969E-01
80 Fe2O3	ZERO	0.2539E+02
101 FeO	ZERO	0.2538E+01
102 Group A	ZERO	0.3543E-02
103 Group B	ZERO	0.1512E-03
25 H2	TRACE	ZERO
158 H2C2O4	0.1827E+00	ZERO
93 H2SO4	ZERO	ZERO
90 H3BO3	0.7707E+01	ZERO
34 HCOOH	ZERO	ZERO
43 HCl	ZERO	ZERO
85 HF	ZERO	ZERO
49 HNO3	0.1318E-09	ZERO
36 Hg	ZERO	0.1506E+00
129 Hg (C6H5)2	ZERO	ZERO
135 Hg (NO3)2	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO
117 Hg2I2	ZERO	ZERO
146 HgCl2	ZERO	ZERO
21 HgO	ZERO	ZERO
97 I2	ZERO	ZERO
183 K2CO3	ZERO	ZERO
39 K2O	ZERO	0.8073E-01
51 KCOOH	0.1005E+02	ZERO
157 KMnO4	ZERO	ZERO
161 KNO3	0.2858E-01	ZERO
10 KOH	ZERO	ZERO
150 KTPB	ZERO	ZERO
105 La2O3	ZERO	ZERO
108 Li2O	ZERO	0.1108E+02
65 Mg (COOH)2	0.3463E+01	ZERO
171 Mg (NO3)2	0.5254E-07	ZERO
33 MgO	ZERO	0.3470E+01
60 Mn (COOH)2	0.2169E+01	ZERO
172 Mn (NO3)2	0.6122E-07	ZERO
180 Mn3O4	ZERO	ZERO
56 MnO	ZERO	0.3831E-16
14 MnO2	ZERO	0.1948E+01
145 MoO2	ZERO	0.1075E-02
81 N2	0.3859E-02	ZERO
74 N2O	ZERO	ZERO
182 NH3	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO
52 NH4COOH	ZERO	ZERO
173 NH4NO3	0.1391E-02	ZERO
68 NH4OH	ZERO	ZERO
148 NH4TPB	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS (CONT'D) -> STREAM NAME	58	59
	Melter Feed Solubles	Melter Feed Insolubles
35 NO	TRACE	ZERO
84 NO2	ZERO	ZERO
70 Na(HgO(OH))	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO
109 Na2C2O4	ZERO	ZERO
5 Na2CO3	0.5055E+01	ZERO
143 Na2CO3 (Cl4)	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO
32 Na2O	ZERO	0.1266E+02
71 Na2PuO2(OH)4	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO
6 Na2SO4	0.1952E+00	ZERO
88 Na2SiO3	ZERO	ZERO
87 Na3PO4	0.2578E-02	ZERO
91 NaAg(OH)2	ZERO	ZERO
75 NaAl(OH)4	ZERO	ZERO
50 NaCOOH	0.2350E+01	ZERO
7 NaCl	0.9957E-02	ZERO
69 NaF	0.3417E-01	ZERO
11 NaHCO3	ZERO	ZERO
12 NaI	0.5472E-05	ZERO
3 NaNO2	ZERO	ZERO
2 NaNO3	0.8943E+01	ZERO
4 NaOH	ZERO	ZERO
149 NaTPB	ZERO	ZERO
160 NaTcO4	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO
181 Nd2O3	ZERO	ZERO
61 Ni(COOH)2	0.2521E-01	ZERO
174 Ni(NO3)2	0.6686E-06	ZERO
40 NiO	ZERO	0.2416E+00
82 O2	0.2226E-02	ZERO
175 Pb(NO3)2	0.7766E-04	ZERO
86 PbCO3	ZERO	ZERO
67 PbO	ZERO	0.7084E-19
147 PbS	ZERO	ZERO
28 PbSO4	ZERO	0.1318E+00
124 Pd	ZERO	0.3903E-03
112 Pd(NO3)2	ZERO	ZERO
110 PdO	ZERO	ZERO
76 PuO2	ZERO	0.9905E-02
156 PuO2(NaTi2O5)2	ZERO	0.1272E-03
58 Rh	ZERO	0.7436E-03
22 RhO2	ZERO	ZERO
95 Ru	ZERO	0.8125E-02
79 RuO2	ZERO	ZERO
83 RuO4	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 4B. Frit Adjustment of Melter Feed

STREAM NUMBERS (CONT'D) ->	58	59
STREAM NAME	Melter Feed	Melter Feed
	Solubles	Insolubles
38 SO2	ZERO	ZERO
141 SO3	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO
111 SiO2	ZERO	0.1230E+03
48 Sr(COOH)2	0.1093E-03	ZERO
176 Sr(NO3)2	0.2944E-01	ZERO
153 Sr(NaTi2O5)2	ZERO	0.4072E-02
127 Sr(OH)2	ZERO	ZERO
30 SrCO3	ZERO	ZERO
46 SrO	ZERO	0.2218E-18
159 TcO2	ZERO	0.3569E-02
92 ThO2	ZERO	0.2972E-01
107 TiO2	ZERO	0.8309E+00
119 Tritium	0.1424E-09	ZERO
17 U3O8	ZERO	0.2084E+01
62 UO2(COOH)2	0.1272E-05	ZERO
177 UO2(NO3)2	0.9137E-04	0.5600E-11
16 UO2(OH)2	ZERO	ZERO
27 Y(COOH)3	0.1317E-11	ZERO
178 Y(NO3)3	0.7940E-02	ZERO
128 Y(OH)3	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO
47 Y2O3	ZERO	0.9683E-03
100 Zeolite	ZERO	ZERO
44 Zn(COOH)2	0.2607E+00	ZERO
179 Zn(NO3)2	0.5336E-04	ZERO
57 ZnO	ZERO	0.1794E+00
104 ZrO2	ZERO	ZERO
13 hydrate H2O	ZERO	0.1499E+01
1 water	0.3237E+03	ZERO
TOTAL FLOW, LB/HR	0.3706E+03	0.2104E+03
TEMPERATURE, DEG C	0.4987E+02	0.4987E+02
PRESSURE, ATM	0.9656E+00	0.9656E+00
PRESSURE, PSIG	-0.5055E+00	-0.5055E+00
PRESSURE, MM HG	0.7339E+03	0.7339E+03
ENTHALPY, PCU/HR	0.1663E+05	0.2018E+04
VAPOR FLOW, CFM		
LIQUID FLOW, GPM	0.6986E+00	0.1670E+00
DENSITY, LBS/FT3	0.6615E+02	0.1571E+03
PHASE	LIQUID	LIQUID

SECTION 5. VITRIFICATION AND MELTER OFF-GAS TREATMENT

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

DESCRIPTION	PAGE
-----	----
1. STREAM NUMBERS 60, 61, 62, 63, 64, 65, 66	2
2. STREAM NUMBERS 67, 68, 69, 70, 71, 72, 73	6
3. STREAM NUMBERS 74, 75, 76, 77, 78, 79, 80	10
4. STREAM NUMBERS 81, 82, 83, 84, 85, 86, 87	14
5. STREAM NUMBERS 88, 89, 90, 91, 92, 93, 94	18
6. STREAM NUMBERS 95, 96, 97, 98, 99, 100, 101	22
7. STREAM NUMBERS 102, 103, 104, 110, 111, 112, 113	26
8. STREAM NUMBERS 114, 115, 116, 117, 118, 119, 120	30
9. STREAM NUMBERS 121	34

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS -> STREAM NAME	60 Melter Feed	61 Backup Film Cooler Flow	62 Melter CCTV Lens Purges	63 Melter Air Inleakage	64 Seal Pot Purge	65 Melter Bubbler	66 Dump Can Air Inleakage
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	0.2853E-18	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	0.9245E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	0.4221E-08	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	0.5523E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	0.1648E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	0.2092E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	0.3406E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	0.6938E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	0.8234E-15	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	0.4876E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	0.2534E-24	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
155 (CH3)2CHOH	0.2588E-11	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
154 (CH3OH)	0.3832E-13	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
45 Ag	0.1241E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.8834E+01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
106 B2O3	0.1266E+02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	0.1617E-19	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	0.1704E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.9807E-19	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
142 CO2 (C14)	TRACE	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.4188E+01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.2626E+01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
20 CaC2O4	0.2442E-06	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	0.1501E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	0.3344E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	0.2208E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	0.1433E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	0.5373E-06	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
59 CoO	0.3069E-04	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
98 Cr2O3	0.4302E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
42 Cs2O	0.1403E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
53 CsCOOH	0.4330E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	0.9608E-05	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) -> STREAM NAME	60 Melter Feed	61 Backup Film Cooler Flow	62 Melter CCTV Lens Purges	63 Melter Air Inleakage	64 Seal Pot Purge	65 Melter Bubbler	66 Dump Can Air Inleakage
54 Cu(COOH)2	0.4430E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu(NO3)2	0.2179E+01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
55 CuO	0.1969E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
80 Fe2O3	0.2539E+02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
101 FeO	0.2538E+01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	0.3543E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
103 Group B	0.1512E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
25 H2	TRACE	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
158 H2C2O4	0.1827E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	0.7707E+01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	0.1318E-09	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	0.1506E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg(C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	0.8073E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
51 KCOOH	0.1005E+02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	0.2858E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	0.1108E+02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
65 Mg(COOH)2	0.3463E+01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg(NO3)2	0.5254E-07	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
33 MgO	0.3470E+01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
60 Mn(COOH)2	0.2169E+01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn(NO3)2	0.6122E-07	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	0.3831E-16	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	0.1948E+01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
145 MoO2	0.1075E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
81 N2	0.3859E-02	0.3248E+03	0.4532E+02	0.7553E+02	0.1511E+02	0.1500E+00	ZERO
74 N2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
182 NH3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	0.1391E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) -->	60	61	62	63	64	65	66
STREAM NAME	Melter Feed	Backup Cooler Flow	Film Flow	Melter CCTV Lens Purges	Melter Air Inleakage	Seal Pot Purge	Melter Bubbler Inleakage
35 NO	TRACE		ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
70 Na(HgO(OH))	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	0.5055E+01		ZERO	ZERO	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	0.1266E+02		ZERO	ZERO	ZERO	ZERO	ZERO
71 Na2PuO2(OH)4	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.1952E+00		ZERO	ZERO	ZERO	ZERO	ZERO
88 Na2SiO3	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.2578E-02		ZERO	ZERO	ZERO	ZERO	ZERO
91 NaAg(OH)2	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl(OH)4	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	0.2350E+01		ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	0.9957E-02		ZERO	ZERO	ZERO	ZERO	ZERO
69 NaF	0.3417E-01		ZERO	ZERO	ZERO	ZERO	ZERO
11 NaHCO3	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.5472E-05		ZERO	ZERO	ZERO	ZERO	ZERO
3 NaNO2	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
2 NaNO3	0.8943E+01		ZERO	ZERO	ZERO	ZERO	ZERO
4 NaOH	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni(COOH)2	0.2521E-01		ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni(NO3)2	0.6686E-06		ZERO	ZERO	ZERO	ZERO	ZERO
40 NiO	0.2416E+00		ZERO	ZERO	ZERO	ZERO	ZERO
82 O2	0.2226E-02	0.9811E+02	0.1369E+02	0.2282E+02	0.4563E+01	ZERO	ZERO
175 Pb(NO3)2	0.7766E-04	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
86 PbCO3	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	0.7084E-19		ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.1318E+00		ZERO	ZERO	ZERO	ZERO	ZERO
124 Pd	0.3903E-03		ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd(NO3)2	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	0.9905E-02		ZERO	ZERO	ZERO	ZERO	ZERO
156 PuO2(NaTi2O5)2	0.1272E-03		ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	0.7436E-03		ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	0.8125E-02		ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO		ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) -> STREAM NAME	60 Melter Feed	61 Backup Cooler	62 Film Flow	62 Melter Lens	63 CCTV Purges	63 Melter Air Inleakage	64 Seal Pot Purge	65 Melter Bubbler	66 Dump Can Air Inleakage
38 SO2	ZERO		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.1230E+03		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
48 Sr(COOH)2	0.1093E-03		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	0.2944E-01		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	0.4072E-02		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	ZERO		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	0.2218E-18		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
159 TcO2	0.3569E-02		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
92 ThO2	0.2972E-01		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	0.8309E+00		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
119 Tritium	0.1424E-09		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
17 U3O8	0.2084E+01		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
62 UO2(COOH)2	0.1272E-05		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	0.9137E-04		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	0.1317E-11		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	0.7940E-02		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	0.9683E-03		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
100 Zeolite	ZERO		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	0.2607E+00		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	0.5336E-04		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
57 ZnO	0.1794E+00		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
104 ZrO2	ZERO		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.1499E+01		ZERO		ZERO	ZERO	ZERO	ZERO	ZERO
1 water	0.3237E+03	0.7105E+01		0.9913E+00		0.1652E+01	0.3304E+00	ZERO	ZERO
TOTAL FLOW, LB/HR	0.5811E+03	0.4300E+03		0.6000E+02		0.1000E+03	0.2000E+02	0.1500E+00	ZERO
TEMPERATURE, DEG C	0.4987E+02	0.3500E+02		0.3500E+02		0.3500E+02	0.3500E+02	0.3500E+02	0.3500E+02
PRESSURE, ATM	0.9656E+00	0.1000E+01		0.1000E+01		0.1000E+01	0.1000E+01	0.1000E+01	0.9632E+00
PRESSURE, PSIG	-0.5055E+00	ZERO		ZERO		ZERO	ZERO	ZERO	-0.5408E+00
PRESSURE, MM HG	0.7339E+03								0.7320E+03
ENTHALPY, PCU/HR	0.1865E+05	0.9018E+04		0.1258E+04		0.2097E+04	0.4195E+03	0.1272E+01	ZERO
VAPOR FLOW, CFM		0.1016E+03		0.1417E+02		0.2362E+02	0.4725E+01	0.3613E-01	
LIQUID FLOW, GPM	0.8656E+00								
DENSITY, LBS/FT3	0.8369E+02	0.7055E-01		0.7055E-01		0.7055E-01	0.7055E-01	0.6920E-01	ZERO
PHASE	LIQUID	VAPOR		VAPOR		VAPOR	VAPOR	VAPOR	VAPOR

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS -> STREAM NAME	67 Canister Air Inleakage	68 Pour Spout Siphon Break	69 Sludge Blend Waste Glass	70 Melter Offgas	71 Cooling Air to OGFC	72 Off-Gas Steam Spray	73 Dilution Air to OGFC
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	0.3469E-03	ZERO	ZERO	ZERO
131 (C6H5OH salt)	ZERO	ZERO	ZERO	0.8234E-15	ZERO	ZERO	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO	0.2438E-02	ZERO	ZERO	ZERO
121 (C6H6)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
155 (CH3)2CHOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
154 (CH3OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
45 Ag	ZERO	ZERO	0.1241E-01	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	ZERO	0.8746E+01	0.8834E-01	ZERO	ZERO	ZERO
106 B2O3	ZERO	ZERO	0.1675E+02	0.1692E+00	ZERO	ZERO	ZERO
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	0.1108E-02	0.1119E-04	ZERO	ZERO	ZERO
24 BaSO4	ZERO	ZERO	0.1518E-01	0.1533E-03	ZERO	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	ZERO	0.1410E+02	ZERO	ZERO	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	TRACE	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	ZERO	0.2600E+01	0.2626E-01	ZERO	ZERO	ZERO
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	0.1440E+01	0.1454E-01	ZERO	ZERO	ZERO
19 CaSO4	ZERO	ZERO	0.1967E+00	0.1987E-02	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
59 CoO	ZERO	ZERO	0.1020E-03	0.1030E-05	ZERO	ZERO	ZERO
98 Cr2O3	ZERO	ZERO	0.4259E+00	0.4302E-02	ZERO	ZERO	ZERO
42 Cs2O	ZERO	ZERO	0.3069E-01	0.3100E-03	ZERO	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) ->	67	68	69	70	71	72	73
STREAM NAME	Canister Air Inleakage	Pour Spout Siphon Break	Sldge Blend Waste Glass	Melter Offgas	Cooling Air to OGFC	Off-Gas Steam Spray	Dilution Air to OGFC
54 Cu (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
55 CuO	ZERO	ZERO	0.9369E+00	0.9463E-02	ZERO	ZERO	ZERO
80 Fe2O3	ZERO	ZERO	0.2513E+02	0.2539E+00	ZERO	ZERO	ZERO
101 FeO	ZERO	ZERO	0.2513E+01	0.2538E-01	ZERO	ZERO	ZERO
102 Group A	ZERO	ZERO	0.3332E-02	0.3366E-04	ZERO	ZERO	ZERO
103 Group B	ZERO	ZERO	0.1496E-03	0.1512E-05	ZERO	ZERO	ZERO
25 H2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	0.1242E-03	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	0.1978E-02	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	0.1318E-09	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	0.1506E+00	ZERO	ZERO	ZERO
129 Hg (C6H5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	0.4632E-07	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	ZERO	ZERO	0.5661E+01	0.5718E-01	ZERO	ZERO	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	ZERO	0.1097E+02	0.1108E+00	ZERO	ZERO	ZERO
65 Mg (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
33 MgO	ZERO	ZERO	0.4645E+01	0.4691E-01	ZERO	ZERO	ZERO
60 Mn (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	0.2624E+01	0.2651E-01	ZERO	ZERO	ZERO
14 MnO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
145 MoO2	ZERO	ZERO	0.1065E-02	0.1075E-04	ZERO	ZERO	ZERO
81 N2	0.3021E+02	0.1500E+00	ZERO	0.4619E+03	0.4154E+03	ZERO	0.7680E-03
74 N2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
182 NH3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) ->	67	68	69	70	71	72	73
STREAM NAME	Canister Air Inleakage	Pour Spout Siphon Break	Sldge Blend Waste Glass	Melter Offgas	Cooling Air to OGFC	Off-Gas Steam Spray	Dilution Air to OGFC
35 NO	ZERO	ZERO	ZERO	0.1395E+01	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	0.2837E+01	ZERO	ZERO	ZERO
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	ZERO	ZERO	0.1972E+02	0.2030E+00	ZERO	ZERO	ZERO
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	ZERO	ZERO	0.1546E+00	0.1561E-02	ZERO	ZERO	ZERO
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	ZERO	ZERO	0.2552E-02	0.2578E-04	ZERO	ZERO	ZERO
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	ZERO	ZERO	0.4928E-02	0.4978E-04	ZERO	ZERO	ZERO
69 NaF	ZERO	ZERO	0.3337E-01	0.3371E-03	ZERO	ZERO	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
3 NaNO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
2 NaNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
40 NiO	ZERO	ZERO	0.2517E+00	0.2543E-02	ZERO	ZERO	ZERO
82 O2	0.9127E+01	ZERO	ZERO	0.1393E+03	0.1255E+03	ZERO	0.2320E-03
175 Pb (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	0.4853E-02	0.4902E-04	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	0.1240E+00	0.1252E-02	ZERO	ZERO	ZERO
124 Pd	ZERO	ZERO	0.3903E-03	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	ZERO	ZERO	0.9857E-02	0.9957E-04	ZERO	ZERO	ZERO
156 PuO2 (NaTi2O5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	0.7436E-03	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	0.8125E-02	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) ->	67	68	69	70	71	72	73
STREAM NAME	Canister Air Inleakage	Pour Spout Siphon Break	Sidge Blend Waste Glass	Melter Offgas	Cooling Air to OGFC	Off-Gas Steam Spray	Dilution Air to OGFC
38 SO2	ZERO	ZERO	ZERO	0.2985E-01	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	0.4115E-02	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	0.1772E-03	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	0.1229E+00	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	0.3351E-02	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	0.1245E-01	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	0.5417E-05	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	ZERO	0.1217E+03	0.1230E+01	ZERO	ZERO	ZERO
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	0.1519E-01	0.1535E-03	ZERO	ZERO	ZERO
159 TeO2	ZERO	ZERO	0.3534E-02	0.3569E-04	ZERO	ZERO	ZERO
92 ThO2	ZERO	ZERO	0.2943E-01	0.2972E-03	ZERO	ZERO	ZERO
107 TiO2	ZERO	ZERO	0.8253E+00	0.8337E-02	ZERO	ZERO	ZERO
119 Tritium	ZERO	ZERO	ZERO	0.1424E-09	ZERO	ZERO	ZERO
17 U3O8	ZERO	ZERO	0.2063E+01	0.2084E-01	ZERO	ZERO	ZERO
62 UO2 (COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2 (NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2 (OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2 (CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	0.4187E-02	0.4229E-04	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
57 ZnO	ZERO	ZERO	0.3128E+00	0.3159E-02	ZERO	ZERO	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
1 water	0.6609E+00	ZERO	ZERO	0.3411E+03	0.9087E+01	0.4800E+03	0.1680E-04
TOTAL FLOW, LB/HR	0.4000E+02	0.1500E+00	0.2280E+03	0.9632E+03	0.5500E+03	0.4800E+03	0.1017E-02
TEMPERATURE, DEG C	0.3500E+02	0.3500E+02	0.1050E+04	0.6050E+03	0.3500E+02	0.1643E+03	0.3500E+02
PRESSURE, ATM	0.9632E+00	0.1000E+01	0.9840E+00	0.9840E+00	0.3720E+01	0.6784E+01	0.3720E+01
PRESSURE, PSIG	-0.5408E+00	ZERO	-0.2351E+00	-0.2351E+00	0.3997E+02	0.8500E+02	0.3997E+02
PRESSURE, MM HG	0.7320E+03		0.7478E+03	0.7478E+03			
ENTHALPY, PCU/HR	0.8389E+03	0.1272E+01	0.7043E+05	0.3967E+06	0.1154E+05	0.3215E+06	0.2133E-01
VAPOR FLOW, CFM	0.9810E+01	0.3613E-01		0.7863E+03	0.3493E+02	0.3762E+02	0.6457E-04
LIQUID FLOW, GPM			0.1797E+00				
DENSITY, LBS/FT3	0.6796E-01	0.6920E-01	0.1582E+03	0.2042E-01	0.2625E+00	0.2127E+00	0.2625E+00
PHASE	VAPOR	VAPOR	LIQUID	VAPOR	VAPOR	VAPOR	VAPOR

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS -> STREAM NAME	74 Cooled Offgas	75 Melter Con- trol Air	76 Control Air to Ejector	77 Inlet Air to Ejector	78 Scrub Liquid to Ejector	79 Ejector Exit Vapor	80 Ejector Exit Liquid
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	0.3469E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	0.8234E-15	ZERO	ZERO	ZERO	0.8377E-14	ZERO	0.8219E-14
130 (C6H5OH)	0.2438E-02	ZERO	ZERO	ZERO	0.5595E-01	0.2102E-06	0.5595E-01
121 (C6H6)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
155 (CH3)2CHOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
154 (CH3OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.8834E-01	ZERO	ZERO	ZERO	0.2027E+01	ZERO	0.2027E+01
106 B2O3	0.1692E+00	ZERO	ZERO	ZERO	0.3882E+01	ZERO	0.3882E+01
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	0.1119E-04	ZERO	ZERO	ZERO	0.2569E-03	ZERO	0.2569E-03
24 BaSO4	0.1533E-03	ZERO	ZERO	ZERO	0.3519E-02	ZERO	0.3519E-02
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.1410E+02	ZERO	ZERO	ZERO	0.1008E+00	0.7820E-01	0.2264E-01
142 CO2 (C14)	TRACE	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.2626E-01	ZERO	ZERO	ZERO	0.6025E+00	ZERO	0.6026E+00
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	0.1454E-01	ZERO	ZERO	ZERO	0.3337E+00	ZERO	0.3338E+00
19 CaSO4	0.1987E-02	ZERO	ZERO	ZERO	0.4560E-01	ZERO	0.4560E-01
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
59 CoO	0.1030E-05	ZERO	ZERO	ZERO	0.2363E-04	ZERO	0.2363E-04
98 Cr2O3	0.4302E-02	ZERO	ZERO	ZERO	0.9871E-01	ZERO	0.9871E-01
42 Cs2O	0.3100E-03	ZERO	ZERO	ZERO	0.7112E-02	ZERO	0.7112E-02
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	0.9431E-01	ZERO	0.9434E-01
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) ->	74	75	76	77	78	79	80
STREAM NAME	Cooled Offgas	Melter Control Air	Control Air to Ejector	Inlet Air to Ejector	Scrub Liquid to Ejector	Ejector Exit Vapor	Ejector Exit Liquid
54 Cu (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
55 CuO	0.9463E-02	ZERO	ZERO	ZERO	0.2171E+00	ZERO	0.2172E+00
80 Fe2O3	0.2539E+00	ZERO	ZERO	ZERO	0.5825E+01	ZERO	0.5825E+01
101 FeO	0.2538E-01	ZERO	ZERO	ZERO	0.5824E+00	ZERO	0.5824E+00
102 Group A	0.3366E-04	ZERO	ZERO	ZERO	0.4833E-02	ZERO	0.4834E-02
103 Group B	0.1512E-05	ZERO	ZERO	ZERO	0.3468E-04	ZERO	0.3468E-04
25 H2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	0.4289E-01	ZERO	ZERO	ZERO	0.1073E+01	ZERO	0.1073E+01
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	0.1978E-02	ZERO	ZERO	ZERO	0.1396E-01	0.4222E-04	0.1391E-01
49 HNO3	0.1318E-09	ZERO	ZERO	ZERO	0.2417E+01	0.8178E-03	0.2416E+01
36 Hg	0.1384E+00	ZERO	ZERO	ZERO	0.2980E+01	0.5153E-02	0.2975E+01
129 Hg (C6H5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	0.1434E-01	ZERO	ZERO	ZERO	0.3289E+00	ZERO	0.3289E+00
117 Hg2I2	0.1183E-06	ZERO	ZERO	ZERO	0.2716E-05	ZERO	0.2716E-05
146 HgCl2	ZERO	ZERO	ZERO	ZERO	0.1262E-11	0.3493E-17	0.1281E-11
21 HgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
97 I2	0.4632E-09	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	0.5718E-01	ZERO	ZERO	ZERO	0.1312E+01	ZERO	0.1312E+01
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	0.1108E+00	ZERO	ZERO	ZERO	0.2542E+01	ZERO	0.2542E+01
65 Mg (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
33 MgO	0.4691E-01	ZERO	ZERO	ZERO	0.1077E+01	ZERO	0.1077E+01
60 Mn (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	0.2651E-01	ZERO	ZERO	ZERO	0.6082E+00	ZERO	0.6083E+00
14 MnO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
145 MoO2	0.1075E-04	ZERO	ZERO	ZERO	0.2467E-03	ZERO	0.2467E-03
81 N2	0.8773E+03	0.3777E+03	0.3021E+02	0.6057E+02	0.4388E+00	0.6054E+02	0.4765E+00
74 N2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
182 NH3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) -> STREAM NAME	74 Cooled Offgas	75 Melter Con- trol Air	76 Control Air to Ejector	77 Inlet Air to Ejector	78 Scrub Liquid to Ejector	79 Ejector Exit Vapor	80 Ejector Exit Liquid
35 NO	0.1395E+01	ZERO	ZERO	ZERO	0.8811E-03	0.8611E-03	0.2003E-04
84 NO2	0.2837E+01	ZERO	ZERO	ZERO	0.1738E-02	0.1699E-02	0.3952E-04
70 Na(HgO(OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	0.2816E+01	ZERO	0.2817E+01
109 Na2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	0.2030E+00	ZERO	ZERO	ZERO	0.4658E+01	ZERO	0.4658E+01
71 Na2PuO2(OH)4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.5633E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.2578E-04	ZERO	ZERO	ZERO	0.5915E-03	ZERO	0.5915E-03
91 NaAg(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl(OH)4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	0.4978E-04	ZERO	ZERO	ZERO	0.1142E-02	ZERO	0.1142E-02
69 NaF	0.3371E-03	ZERO	ZERO	ZERO	0.2931E+00	ZERO	0.2932E+00
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	ZERO	ZERO	ZERO	0.1242E-03	ZERO	0.1242E-03
3 NaNO2	ZERO	ZERO	ZERO	ZERO	0.8175E-01	ZERO	0.8173E-01
2 NaNO3	ZERO	ZERO	ZERO	ZERO	0.5080E-01	ZERO	0.5078E-01
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
40 NiO	0.2543E-02	ZERO	ZERO	ZERO	0.5834E-01	ZERO	0.5834E-01
82 O2	0.2648E+03	0.1141E+03	0.9127E+01	0.1825E+02	0.2535E+00	0.1823E+02	0.2780E+00
175 Pb(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	0.4902E-04	ZERO	ZERO	ZERO	0.1125E-02	ZERO	0.1125E-02
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.1252E-02	ZERO	ZERO	ZERO	0.2873E-01	ZERO	0.2873E-01
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	0.9957E-04	ZERO	ZERO	ZERO	0.2285E-02	ZERO	0.2285E-02
156 PuO2(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) -> STREAM NAME	74	75	76	77	78	79	80
	Cooled Offgas	Melter Con- trol Air	Control Air to Ejector	Inlet Air to Ejector	Scrub Liquid to Ejector	Ejector Exit Vapor	Ejector Exit Liquid
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	0.4115E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	0.1772E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	0.1229E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	0.1245E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	0.5417E-05	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.1230E+01	ZERO	ZERO	ZERO	0.2821E+02	ZERO	0.2821E+02
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	0.1535E-03	ZERO	ZERO	ZERO	0.3522E-02	ZERO	0.3522E-02
159 TcO2	0.3569E-04	ZERO	ZERO	ZERO	0.8190E-03	ZERO	0.8190E-03
92 ThO2	0.2972E-03	ZERO	ZERO	ZERO	0.6820E-02	ZERO	0.6820E-02
107 TiO2	0.8337E-02	ZERO	ZERO	ZERO	0.1913E+00	ZERO	0.1913E+00
119 Tritium	0.1424E-09	ZERO	ZERO	ZERO	0.3242E-08	0.3711E-12	0.3242E-08
17 U3O8	0.2084E-01	ZERO	ZERO	ZERO	0.4782E+00	ZERO	0.4782E+00
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	0.4229E-04	ZERO	ZERO	ZERO	0.9704E-03	ZERO	0.9705E-03
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
57 ZnO	0.3159E-02	ZERO	ZERO	ZERO	0.7249E-01	ZERO	0.7249E-01
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
1 water	0.8301E+03	0.8261E+01	0.6609E+00	0.1322E+01	0.3653E+05	0.4110E+01	0.3653E+05
TOTAL FLOW, LB/HR	0.1993E+04	0.5000E+03	0.4000E+02	0.8015E+02	0.3659E+05	0.8296E+02	0.3659E+05
TEMPERATURE, DEG C	0.3480E+03	0.3500E+02	0.3500E+02	0.3500E+02	0.4000E+02	0.3995E+02	0.3995E+02
PRESSURE, ATM	0.9827E+00	0.3720E+01	0.9632E+00	0.9190E+00	0.3720E+01	0.9190E+00	0.9190E+00
PRESSURE, PSIG	-0.2542E+00	0.3997E+02	-0.5408E+00	-0.1190E+01	0.3997E+02	-0.1190E+01	-0.1190E+01
PRESSURE, MM HG	0.7469E+03		0.7320E+03	0.6984E+03		0.6984E+03	0.6984E+03
ENTHALPY, PCU/HR	0.7297E+06	0.1049E+05	0.8389E+03	0.1679E+04	0.1464E+07	0.3482E+04	0.1463E+07
VAPOR FLOW, CFM	0.1192E+04	0.3175E+02	0.9810E+01	0.2060E+02		0.2209E+02	
LIQUID FLOW, GPM					0.7300E+02		0.7299E+02
DENSITY, LBS/FT3	0.2786E-01	0.2625E+00	0.6796E-01	0.6484E-01	0.6249E+02	0.6260E-01	0.6249E+02
PHASE	VAPOR	VAPOR	VAPOR	VAPOR	LIQUID	VAPOR	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vittrification and Melter Off-Gas Treatment

STREAM NUMBERS -> STREAM NAME	81 Inlet Gas to Quencher	82 Liquid to Quencher	83 Quencher Exit Liquid	84 Quencher Exit Vapor	85 Offgas to Scrubbers	86 Liquid to Scrbbr Noz's	87 Liquid to Scrbbr Noz 1
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	0.3469E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	0.8234E-15	0.1205E-13	0.1256E-13	0.8234E-16	0.8234E-16	0.3780E-14	0.1890E-14
130 (C6H5OH)	0.2438E-02	0.8047E-01	0.8290E-01	0.8326E-05	0.8494E-05	0.2525E-01	0.1262E-01
121 (C6H6)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
155 (CH3)2CHOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
154 (CH3OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.8834E-01	0.2916E+01	0.2995E+01	0.8834E-02	0.8834E-02	0.9148E+00	0.4574E+00
106 B2O3	0.1692E+00	0.5584E+01	0.5736E+01	0.1692E-01	0.1692E-01	0.1752E+01	0.8760E+00
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	0.1119E-04	0.3695E-03	0.3795E-03	0.1119E-05	0.1119E-05	0.1159E-03	0.5796E-04
24 BaSO4	0.1533E-03	0.5061E-02	0.5199E-02	0.1533E-04	0.1533E-04	0.1588E-02	0.7939E-03
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.1410E+02	0.1450E+00	0.2222E+00	0.1402E+02	0.1410E+02	0.4550E-01	0.2275E-01
142 CO2 (C14)	TRACE	ZERO	ZERO	TRACE	TRACE	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.2626E-01	0.8667E+00	0.8903E+00	0.2626E-02	0.2626E-02	0.2719E+00	0.1360E+00
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	0.1454E-01	0.4800E+00	0.4931E+00	0.1454E-02	0.1454E-02	0.1506E+00	0.7531E-01
19 CaSO4	0.1987E-02	0.6558E-01	0.6738E-01	0.1987E-03	0.1987E-03	0.2058E-01	0.1029E-01
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
59 CoO	0.1030E-05	0.3399E-04	0.3492E-04	0.1030E-06	0.1030E-06	0.1066E-04	0.5332E-05
98 Cr2O3	0.4302E-02	0.1420E+00	0.1459E+00	0.4302E-03	0.4302E-03	0.4455E-01	0.2227E-01
42 Cs2O	0.3100E-03	0.1023E-01	0.1051E-01	0.3100E-04	0.3100E-04	0.3210E-02	0.1605E-02
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	0.1357E+00	0.1357E+00	ZERO	ZERO	0.4256E-01	0.2128E-01
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) -> STREAM NAME	81 Inlet Gas to Quencher	82 Liquid to Quencher	83 Quencher Exit Liquid	84 Quencher Exit Vapor	85 Offgas to Scrubbers	86 Liquid to Scrbbr Noz's	87 Liquid to Scrbbr Noz 1
54 Cu (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
55 CuO	0.9463E-02	0.3123E+00	0.3209E+00	0.9463E-03	0.9463E-03	0.9799E-01	0.4900E-01
80 Fe2O3	0.2539E+00	0.8378E+01	0.8607E+01	0.2539E-01	0.2539E-01	0.2629E+01	0.1314E+01
101 FeO	0.2538E-01	0.8377E+00	0.8605E+00	0.2538E-02	0.2538E-02	0.2628E+00	0.1314E+00
102 Group A	0.3366E-04	0.6951E-02	0.6983E-02	0.3366E-05	0.3366E-05	0.2181E-02	0.1090E-02
103 Group B	0.1512E-05	0.4989E-04	0.5125E-04	0.1512E-06	0.1512E-06	0.1565E-04	0.7826E-05
25 H2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	0.4289E-01	0.1544E+01	0.1590E+01	ZERO	ZERO	0.4844E+00	0.2422E+00
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	0.1978E-02	0.2007E-01	0.2078E-01	0.1271E-02	0.1313E-02	0.6298E-02	0.3149E-02
49 HNO3	0.1318E-09	0.3476E+01	0.3562E+01	0.2721E-01	0.2802E-01	0.1091E+01	0.5454E+00
36 Hg	0.1384E+00	0.4287E+01	0.4185E+01	0.2406E+00	0.2452E+00	0.1345E+01	0.6725E+00
129 Hg (C6H5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	0.1434E-01	0.4731E+00	0.4860E+00	0.1434E-02	0.1434E-02	0.1484E+00	0.7422E-01
117 Hg2I2	0.1183E-06	0.3906E-05	0.4013E-05	0.1183E-07	0.1183E-07	0.1225E-05	0.6127E-06
146 HgCl2	ZERO	0.1816E-11	0.1843E-11	0.1222E-15	0.1267E-15	0.5696E-12	0.2848E-12
21 HgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
97 I2	0.4632E-09	ZERO	ZERO	0.4632E-09	0.4632E-09	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	0.5718E-01	0.1887E+01	0.1939E+01	0.5718E-02	0.5718E-02	0.5922E+00	0.2961E+00
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	0.1108E+00	0.3657E+01	0.3756E+01	0.1108E-01	0.1108E-01	0.1147E+01	0.5736E+00
65 Mg (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
33 MgO	0.4691E-01	0.1548E+01	0.1591E+01	0.4691E-02	0.4691E-02	0.4858E+00	0.2429E+00
60 Mn (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	0.2651E-01	0.8749E+00	0.8987E+00	0.2651E-02	0.2651E-02	0.2745E+00	0.1372E+00
14 MnO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
145 MoO2	0.1075E-04	0.3549E-03	0.3646E-03	0.1075E-05	0.1075E-05	0.1113E-03	0.5567E-04
81 N2	0.1255E+04	0.6311E+00	0.6352E+00	0.1255E+04	0.1395E+04	0.1980E+00	0.9901E-01
74 N2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
182 NH3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) -> STREAM NAME	81 Inlet Gas to Quencher	82 Liquid to Quencher	83 Quencher Exit Liquid	84 Quencher Exit Vapor	85 Offgas to Scrubbers	86 Liquid to Scrbbr Noz's	87 Liquid to Scrbbr Noz 1
35 NO	0.1395E+01	0.1267E-02	0.2057E-02	0.1394E+01	0.1395E+01	0.3976E-03	0.1988E-03
84 NO2	0.2837E+01	0.2500E-02	0.4059E-02	0.2750E+01	0.2752E+01	0.7844E-03	0.3922E-03
70 Na(HgO(OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	0.4050E+01	0.4051E+01	ZERO	ZERO	0.1271E+01	0.6354E+00
109 Na2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	0.2030E+00	0.6700E+01	0.6883E+01	0.2030E-01	0.2030E-01	0.2102E+01	0.1051E+01
71 Na2PuO2(OH)4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.5633E-02	ZERO	ZERO	0.5633E-03	0.5633E-03	ZERO	ZERO
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.2578E-04	0.8508E-03	0.8740E-03	0.2578E-05	0.2578E-05	0.2669E-03	0.1335E-03
91 NaAg(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl(OH)4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	0.4978E-04	0.1643E-02	0.1688E-02	0.4978E-05	0.4978E-05	0.5155E-03	0.2578E-03
69 NaF	0.3371E-03	0.4216E+00	0.4221E+00	0.3371E-04	0.3371E-04	0.1323E+00	0.6614E-01
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	0.1786E-03	0.1786E-03	ZERO	ZERO	0.5603E-04	0.2801E-04
3 NaNO2	ZERO	0.1176E+00	0.1212E+00	ZERO	ZERO	0.3689E-01	0.1845E-01
2 NaNO3	ZERO	0.7306E-01	0.7464E-01	ZERO	ZERO	0.2292E-01	0.1146E-01
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
40 NiO	0.2543E-02	0.8391E-01	0.8620E-01	0.2543E-03	0.2543E-03	0.2633E-01	0.1316E-01
82 O2	0.3788E+03	0.3646E+00	0.3656E+00	0.3788E+03	0.4210E+03	0.1144E+00	0.5719E-01
175 Pb(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	0.4902E-04	0.1618E-02	0.1662E-02	0.4902E-05	0.4902E-05	0.5077E-03	0.2538E-03
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.1252E-02	0.4132E-01	0.4245E-01	0.1252E-03	0.1252E-03	0.1297E-01	0.6483E-02
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	0.9957E-04	0.3286E-02	0.3376E-02	0.9957E-05	0.9957E-05	0.1031E-02	0.5155E-03
156 PuO2(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) -> STREAM NAME	81 Inlet Gas to Quencher	82 Liquid to Quencher	83 Quencher Exit Liquid	84 Quencher Exit Vapor	85 Offgas to Scrubbers	86 Liquid to Scrbbr Noz's	87 Liquid to Scrbbr Noz 1
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	0.4115E-02	ZERO	ZERO	0.4115E-02	0.4115E-02	ZERO	ZERO
126 Semi Vol Group A	0.1772E-03	ZERO	ZERO	0.1772E-03	0.1772E-03	ZERO	ZERO
140 Semi Vol Na2B4O7	0.1229E+00	ZERO	ZERO	0.1229E+00	0.1229E+00	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	0.1245E-01	ZERO	ZERO	0.1245E-01	0.1245E-01	ZERO	ZERO
125 Semi Vol NaI	0.5417E-05	ZERO	ZERO	0.5417E-05	0.5417E-05	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.1230E+01	0.4058E+02	0.4169E+02	0.1230E+00	0.1230E+00	0.1273E+02	0.6366E+01
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	0.1535E-03	0.5066E-02	0.5204E-02	0.1535E-04	0.1535E-04	0.1589E-02	0.7947E-03
159 TcO2	0.3569E-04	0.1178E-02	0.1209E-02	0.5175E-05	0.5175E-05	0.3696E-03	0.1848E-03
92 ThO2	0.2972E-03	0.9810E-02	0.1008E-01	0.2972E-04	0.2972E-04	0.3078E-02	0.1539E-02
107 TiO2	0.8337E-02	0.2751E+00	0.2827E+00	0.8337E-03	0.8337E-03	0.8633E-01	0.4316E-01
119 Tritium	0.1424E-09	0.4663E-08	0.4792E-08	0.1362E-10	0.1399E-10	0.1463E-08	0.7316E-09
17 U3O8	0.2084E-01	0.6878E+00	0.7066E+00	0.2084E-02	0.2084E-02	0.2158E+00	0.1079E+00
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	0.4229E-04	0.1396E-02	0.1434E-02	0.4229E-05	0.4229E-05	0.4379E-03	0.2190E-03
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
57 ZnO	0.3159E-02	0.1043E+00	0.1071E+00	0.3159E-03	0.3159E-03	0.3271E-01	0.1636E-01
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
1 water	0.8384E+03	0.5254E+05	0.5323E+05	0.1515E+03	0.1573E+03	0.1648E+05	0.8242E+04
TOTAL FLOW, LB/HR	0.2493E+04	0.5263E+05	0.5332E+05	0.1804E+04	0.1992E+04	0.1651E+05	0.8257E+04
TEMPERATURE, DEG C	0.3014E+03	0.4000E+02	0.5118E+02	0.5122E+02	0.4999E+02	0.4000E+02	0.4000E+02
PRESSURE, ATM	0.9754E+00	0.3720E+01	0.9890E+00	0.9754E+00	0.9866E+00	0.3180E+01	0.3180E+01
PRESSURE, PSIG	-0.3615E+00	0.3997E+02	-0.1617E+00	-0.3615E+00	-0.1969E+00	0.3204E+02	0.3204E+02
PRESSURE, MM HG	0.7413E+03		0.7516E+03	0.7413E+03	0.7498E+03		
ENTHALPY, PCU/HR	0.7402E+06	0.2106E+07	0.2727E+07	0.1190E+06	0.1247E+06	0.6608E+06	0.3304E+06
VAPOR FLOW, CFM	0.1337E+04			0.4768E+03	0.5172E+03		
LIQUID FLOW, GPM		0.1050E+03	0.1064E+03			0.3294E+02	0.1647E+02
DENSITY, LBS/FT3	0.3109E-01	0.6249E+02	0.6250E+02	0.6306E-01	0.6420E-01	0.6249E+02	0.6249E+02
PHASE	VAPOR	LIQUID	LIQUID	VAPOR	VAPOR	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS -> STREAM NAME	88 Steam Flow to SAS 1	89 Liquid to Scribbler Noz 2	90 Steam Flow to SAS 2	91 SAS 1 & 2 Drain Liquid	92 SAS 2 Exit Gas	93 OGCTC Condensate	94 Exit Gas From OGCTC
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	ZERO	0.1890E-14	ZERO	0.3790E-14	0.1647E-17	ZERO	0.1647E-17
130 (C6H5OH)	ZERO	0.1262E-01	ZERO	0.2524E-01	0.1837E-04	0.1835E-04	0.2284E-07
121 (C6H6)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
155 (CH3)2CHOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
154 (CH3OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	0.4574E+00	ZERO	0.9235E+00	0.1767E-03	ZERO	0.1767E-03
106 B2O3	ZERO	0.8760E+00	ZERO	0.1769E+01	0.3384E-03	ZERO	0.3384E-03
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	0.5796E-04	ZERO	0.1170E-03	0.2239E-07	ZERO	0.2239E-07
24 BaSO4	ZERO	0.7939E-03	ZERO	0.1603E-02	0.3067E-06	ZERO	0.3067E-06
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	0.2275E-01	ZERO	0.4703E-01	0.1410E+02	0.3843E-02	0.1410E+02
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO	TRACE
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	0.1360E+00	ZERO	0.2745E+00	0.5252E-04	ZERO	0.5252E-04
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	0.7531E-01	ZERO	0.1520E+00	0.2909E-04	ZERO	0.2909E-04
19 CaSO4	ZERO	0.1029E-01	ZERO	0.2077E-01	0.3974E-05	ZERO	0.3974E-05
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
59 CoO	ZERO	0.5332E-05	ZERO	0.1077E-04	0.2060E-08	ZERO	0.2060E-08
98 Cr2O3	ZERO	0.2227E-01	ZERO	0.4497E-01	0.8604E-05	ZERO	0.8604E-05
42 Cs2O	ZERO	0.1605E-02	ZERO	0.3240E-02	0.6199E-06	ZERO	0.6199E-06
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	0.2128E-01	ZERO	0.4661E-01	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) -> STREAM NAME	88 Steam Flow to SAS 1	89 Liquid to Scrbbr Noz 2	90 Steam Flow to SAS 2	91 SAS 1 & 2 Drain Liquid	92 SAS 2 Exit Gas	93 OGCTC Condensate	94 Exit Gas From OGCTC
54 Cu (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
55 CuO	ZERO	0.4900E-01	ZERO	0.9892E-01	0.1893E-04	ZERO	0.1893E-04
80 Fe2O3	ZERO	0.1314E+01	ZERO	0.2654E+01	0.5077E-03	ZERO	0.5077E-03
101 FeO	ZERO	0.1314E+00	ZERO	0.2653E+00	0.5076E-04	ZERO	0.5076E-04
102 Group A	ZERO	0.1090E-02	ZERO	0.2358E-02	0.6732E-07	ZERO	0.6732E-07
103 Group B	ZERO	0.7826E-05	ZERO	0.1580E-04	0.3023E-08	ZERO	0.3023E-08
25 H2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	0.2422E+00	ZERO	0.4844E+00	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	0.3149E-02	ZERO	0.5671E-02	0.1940E-02	0.5677E-03	0.1372E-02
49 HNO3	ZERO	0.5454E+00	ZERO	0.1069E+01	0.4971E-01	0.4271E-01	0.7001E-02
36 Hg	ZERO	0.6725E+00	ZERO	0.9264E+00	0.6639E+00	0.6554E+00	0.8511E-02
129 Hg (C6H5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	0.7422E-01	ZERO	0.1499E+00	0.2867E-04	ZERO	0.2867E-04
117 Hg2I2	ZERO	0.6127E-06	ZERO	0.1237E-05	0.2367E-09	ZERO	0.2367E-09
146 HgCl2	ZERO	0.2848E-12	ZERO	0.5781E-12	0.2953E-15	ZERO	0.2953E-15
21 HgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	0.4632E-09	ZERO	0.4632E-09
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	ZERO	0.2961E+00	ZERO	0.5978E+00	0.1144E-03	ZERO	0.1144E-03
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	0.5736E+00	ZERO	0.1158E+01	0.2216E-03	ZERO	0.2216E-03
65 Mg (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
33 MgO	ZERO	0.2429E+00	ZERO	0.4904E+00	0.9383E-04	ZERO	0.9383E+04
60 Mn (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	0.1372E+00	ZERO	0.2771E+00	0.5301E-04	ZERO	0.5301E-04
14 MnO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
145 MoO2	ZERO	0.5567E-04	ZERO	0.1124E-03	0.2151E-07	ZERO	0.2151E-07
81 N2	ZERO	0.9901E-01	ZERO	0.1690E+00	0.1395E+04	0.6319E-02	0.1395E+04
74 N2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
182 NH3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) -> STREAM NAME	88 Steam Flow to SAS 1	89 Liquid to Scrbbr Noz 2	90 Steam Flow to SAS 2	91 SAS 1 & 2 Drain Liquid	92 SAS 2 Exit Gas	93 OGCTC Condensate	94 Exit Gas From OGCTC
35 NO	ZERO	0.1988E-03	ZERO	0.4875E-03	0.1395E+01	0.1947E-04	0.1395E+01
84 NO2	ZERO	0.3922E-03	ZERO	0.9618E-03	0.2751E+01	0.3840E-04	0.2751E+01
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	0.6354E+00	ZERO	0.1391E+01	ZERO	ZERO	ZERO
109 Na2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	ZERO	0.1051E+01	ZERO	0.2122E+01	0.4060E-03	ZERO	0.4060E-03
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	ZERO	ZERO	ZERO	0.5520E-03	0.1127E-04	ZERO	0.1127E-04
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	ZERO	0.1335E-03	ZERO	0.2695E-03	0.5156E-07	ZERO	0.5156E-07
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	ZERO	0.2578E-03	ZERO	0.5204E-03	0.9957E-07	ZERO	0.9957E-07
69 NaF	ZERO	0.6614E-01	ZERO	0.1446E+00	0.6742E-06	ZERO	0.6742E-06
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	0.2801E-04	ZERO	0.6135E-04	ZERO	ZERO	ZERO
3 NaNO2	ZERO	0.1845E-01	ZERO	0.3689E-01	ZERO	ZERO	ZERO
2 NaNO3	ZERO	0.1146E-01	ZERO	0.2292E-01	ZERO	ZERO	ZERO
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
40 Nio	ZERO	0.1316E-01	ZERO	0.2658E-01	0.5085E-05	ZERO	0.5085E-05
82 O2	ZERO	0.5719E-01	ZERO	0.9602E-01	0.4210E+03	0.3883E-02	0.4210E+03
175 Pb (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	0.2538E-03	ZERO	0.5125E-03	0.9805E-07	ZERO	0.9805E-07
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	0.6483E-02	ZERO	0.1309E-01	0.2504E-05	ZERO	0.2504E-05
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	ZERO	0.5155E-03	ZERO	0.1041E-02	0.1991E-06	ZERO	0.1991E-06
156 PuO2 (NaTi2O5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLM Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) ->	STREAM NAME	88	89	90	91	92	93	94
38 SO2	to SAS 1 scrubbr Noz 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 semi Vol Cs20	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 semi Vol CsCl	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 semi Vol group A	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 semi Vol Na2B4O7	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 semi Vol NaCl	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 semi Vol NaF	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 semi Vol NaI	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 semi Vol RuO2	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
48 Sr (COOH)2	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr (NO3)2	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr (Na2SiO5)2	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr (OH)2	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TeO2	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
92 ThO2	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TlO2	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
119 Tl2O3	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
17 U3O8	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
62 UO2 (COOH)2	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2 (NO3)2	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2 (OH)2	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y (COOH)3	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y (NO3)3	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y (OH)3	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2 (CO3)3	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
100 Zeolite	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn (COOH)2	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn (NO3)2	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
57 ZnO	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
104 ZnO2	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
1 water	LIQUID to	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
TOTAL FLOW, LB/HR		0.3670E+03	0.8242E+04	0.3670E+03	0.1704E+05	0.3319E+03	0.3186E+03	0.1333E+02
TEMPERATURE, DEG C		0.1643E+03	0.4000E+02	0.1643E+03	0.6083E+02	0.6259E+02	0.1000E+02	0.1000E+02
PRESSURE, ATM		0.6784E+01	0.3180E+01	0.6784E+01	0.9743E+00	0.9743E+00	0.9743E+00	0.9743E+00
PRESSURE, PSIG		0.8500E+02	0.3204E+02	0.8500E+02	-0.3777E+00	-0.3777E+00	-0.3777E+00	-0.3777E+00
PRESSURE, MM HG		0.2458E+06	0.3304E+06	0.2458E+06	0.1038E+07	0.2396E+06	0.3206E+04	0.1879E+05
ENTHALPY, BCU/HR		0.2876E+02	0.2876E+02	0.2876E+02	0.1038E+07	0.2396E+06	0.3206E+04	0.1879E+05
VAPOR FLOW, CFM		0.2876E+02	0.2876E+02	0.2876E+02	0.1038E+07	0.2396E+06	0.3206E+04	0.1879E+05
LIQUID FLOW, GPM		0.1647E+02	0.6249E+02	0.1647E+02	0.3406E+02	0.6249E+02	0.6364E+00	0.6364E+00
DENSITY, LBS/FT3		0.2127E+00	0.2127E+00	0.2127E+00	0.6249E+02	0.6249E+02	0.6249E+02	0.6249E+02
PHASE		VAPOR	LIQUID	VAPOR	LIQUID	VAPOR	LIQUID	VAPOR

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS -> STREAM NAME	95 Water Flush to HEME	96 Atomizing Air to HEME	97 HEME Solids Accumulation	98 HEME Exit Liquid	99 HEME Exit Vapor	100 OGCT Liquid to RCT	101 OGCT Sample Pump Prime
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	ZERO	ZERO	ZERO	ZERO	0.4117E-19	0.3650E-15	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	0.4250E-08	0.2438E-02	ZERO
121 (C6H6)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
155 (CH3)2CHOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
154 (CH3OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	ZERO	ZERO	ZERO	0.4417E-05	0.8833E-01	ZERO
106 B2O3	ZERO	ZERO	ZERO	ZERO	0.8459E-05	0.1692E+00	ZERO
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	0.5597E-09	0.1119E-04	ZERO
24 BaSO4	ZERO	ZERO	ZERO	ZERO	0.7667E-08	0.1533E-03	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	ZERO	ZERO	0.1410E+02	0.4394E-02	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	TRACE	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	ZERO	ZERO	ZERO	0.1313E-05	0.2626E-01	ZERO
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	ZERO	0.7272E-06	0.1454E-01	ZERO
19 CaSO4	ZERO	ZERO	ZERO	ZERO	0.9936E-07	0.1987E-02	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
59 CoO	ZERO	ZERO	ZERO	ZERO	0.5149E-10	0.1030E-05	ZERO
98 Cr2O3	ZERO	ZERO	ZERO	ZERO	0.2151E-06	0.4301E-02	ZERO
42 Cs2O	ZERO	ZERO	ZERO	ZERO	0.1550E-07	0.3099E-03	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	0.4110E-02	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) -> STREAM NAME	95 Water Flush to HEME	96 Atomizing Air to HEME	97 HEME Solids Accumulation	98 HEME Exit Liquid	99 HEME Exit Vapor	100 OGCT Liquid to RCT	101 OGCT Sample Pump Prime
54 Cu (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
55 CuO	ZERO	ZERO	ZERO	ZERO	0.4732E-06	0.9462E-02	ZERO
80 Fe2O3	ZERO	ZERO	ZERO	ZERO	0.1269E-04	0.2538E+00	ZERO
101 FeO	ZERO	ZERO	ZERO	ZERO	0.1269E-05	0.2538E-01	ZERO
102 Group A	ZERO	ZERO	ZERO	ZERO	0.1683E-08	0.2106E-03	ZERO
103 Group B	ZERO	ZERO	ZERO	ZERO	0.7558E-10	0.1511E-05	ZERO
25 H2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	0.4677E-01	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	0.1369E-02	0.6081E-03	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	0.6776E-02	0.1053E+00	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	0.8511E-02	0.1299E+00	ZERO
129 Hg (C6H5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	0.7168E-06	0.1433E-01	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	0.5917E-11	0.1183E-06	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	0.5633E-16	0.5500E-13	ZERO
21 HgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	0.4632E-09	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	ZERO	ZERO	ZERO	ZERO	0.2859E-05	0.5718E-01	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	ZERO	ZERO	ZERO	0.5540E-05	0.1108E+00	ZERO
65 Mg (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
33 MgO	ZERO	ZERO	ZERO	ZERO	0.2346E-05	0.4691E-01	ZERO
60 Mn (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	ZERO	0.1325E-05	0.2650E-01	ZERO
14 MnO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
145 MoO2	ZERO	ZERO	ZERO	ZERO	0.5377E-09	0.1075E-04	ZERO
81 N2	ZERO	0.1751E+00	ZERO	ZERO	0.1395E+04	0.1912E-01	ZERO
74 N2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
182 NH3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) -> STREAM NAME	95 Water Flush to HEME	96 Atomizing Air to HEME	97 HEME Solids Accumulation	98 HEME Exit Liquid	99 HEME Exit Vapor	100 OGCT Liquid to RCT	101 OGCT Sample Pump Prime
35 NO	ZERO	ZERO	ZERO	ZERO	0.1395E+01	0.3839E-04	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	0.2751E+01	0.7574E-04	ZERO
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	0.1227E+00	ZERO
109 Na2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	ZERO	ZERO	ZERO	ZERO	0.1015E-04	0.2030E+00	ZERO
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	ZERO	ZERO	ZERO	ZERO	0.2816E-06	ZERO	ZERO
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	ZERO	ZERO	ZERO	ZERO	0.1289E-08	0.2578E-04	ZERO
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	ZERO	ZERO	ZERO	ZERO	0.2489E-08	0.4978E-04	ZERO
69 NaF	ZERO	ZERO	ZERO	ZERO	0.1685E-07	0.1277E-01	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	ZERO	ZERO	ZERO	ZERO	0.5410E-05	ZERO
3 NaNO2	ZERO	ZERO	ZERO	ZERO	ZERO	0.3562E-02	ZERO
2 NaNO3	ZERO	ZERO	ZERO	ZERO	ZERO	0.2213E-02	ZERO
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
40 NiO	ZERO	ZERO	ZERO	ZERO	0.1271E-06	0.2542E-02	ZERO
82 O2	ZERO	0.5291E-01	ZERO	ZERO	0.4211E+03	0.1104E-01	ZERO
175 Pb (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	0.2451E-08	0.4902E-04	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	ZERO	ZERO	0.6260E-07	0.1252E-02	ZERO
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	ZERO	ZERO	ZERO	ZERO	0.4978E-08	0.9956E-04	ZERO
156 PuO2 (NaTi2O5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) -> STREAM NAME	95 Water Flush to HEME	96 Atomizing Air to HEME	97 HEME Solids Accumulation	98 HEME Exit Liquid	99 HEME Exit Vapor	100 OGCT Liquid to RCT	101 OGCT Sample Pump Prime
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	0.2058E-05	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	0.8858E-07	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	0.6143E-04	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	0.6226E-05	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	0.2709E-08	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	ZERO	ZERO	ZERO	0.6148E-04	0.1229E+01	ZERO
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	ZERO	0.7674E-08	0.1535E-03	ZERO
159 TcO2	ZERO	ZERO	ZERO	ZERO	0.2588E-08	0.3569E-04	ZERO
92 ThO2	ZERO	ZERO	ZERO	ZERO	0.1486E-07	0.2972E-03	ZERO
107 TiO2	ZERO	ZERO	ZERO	ZERO	0.4168E-06	0.8335E-02	ZERO
119 Tritium	ZERO	ZERO	ZERO	ZERO	0.1137E-11	0.1413E-09	ZERO
17 U3O8	ZERO	ZERO	ZERO	ZERO	0.1042E-05	0.2084E-01	ZERO
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	ZERO	ZERO	0.2115E-08	0.4229E-04	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
57 ZnO	ZERO	ZERO	ZERO	ZERO	0.1580E-06	0.3159E-02	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
1 water	0.2695E+01	0.3831E-02	ZERO	0.1847E+01	0.1418E+02	0.1592E+04	0.6940E+01
TOTAL FLOW, LB/HR	0.2695E+01	0.2319E+00	ZERO	0.1847E+01	0.1849E+04	0.1594E+04	0.6940E+01
TEMPERATURE, DEG C	0.4000E+02	0.3500E+02	0.1000E+02	0.1000E+02	0.1000E+02	0.4000E+02	0.2500E+02
PRESSURE, ATM	0.3180E+01	0.3720E+01	0.9165E+00	0.9165E+00	0.9165E+00	0.9650E+00	0.1000E+01
PRESSURE, PSIG	0.3204E+02	0.3997E+02	-0.1227E+01	-0.1227E+01	-0.1227E+01	-0.5144E+00	ZERO
PRESSURE, MM HG			0.6965E+03	0.6965E+03	0.6965E+03	0.7334E+03	
ENTHALPY, PCU/HR	0.1080E+03	0.4863E+01	ZERO	0.1858E+02	0.1930E+05	0.6381E+05	0.1741E+03
VAPOR FLOW, CFM		0.1472E-01			0.4341E+03		
LIQUID FLOW, GPM	0.5383E-02			0.3688E-02		0.3181E+01	0.1386E-01
DENSITY, LBS/FT3	0.6243E+02	0.2625E+00	ZERO	0.6243E+02	0.7097E-01	0.6249E+02	0.6243E+02
PHASE	LIQUID	VAPOR	SOLID	LIQUID	VAPOR	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS -> STREAM NAME	102 OGCT Trnsfr Pump Prime	103 OGCT Air Inleakage	104 NaOH Add'n to OGCT	110 Prim HEPA#1 Gas Feed	111 Prim HEPA#1 Accumulation	112 Prim HEPA#2 Gas Feed	113 Prim HEPA#2 Accumulation
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	ZERO	ZERO	ZERO	0.4117E-19	0.4109E-19	0.8234E-22	0.8069E-22
130 (C6H5OH)	ZERO	ZERO	ZERO	0.4250E-08	ZERO	0.4250E-08	ZERO
121 (C6H6)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
155 (CH3)2CHOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
154 (CH3OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	ZERO	ZERO	0.4417E-05	0.4408E-05	0.8834E-08	0.8658E-08
106 B2O3	ZERO	ZERO	ZERO	0.8459E-05	0.8442E-05	0.1692E-07	0.1658E-07
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	0.5597E-09	0.5586E-09	0.1119E-11	0.1097E-11
24 BaSO4	ZERO	ZERO	ZERO	0.7667E-08	0.7652E-08	0.1533E-10	0.1503E-10
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	ZERO	0.1410E+02	ZERO	0.1410E+02	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	TRACE	ZERO	TRACE	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	ZERO	ZERO	0.1313E-05	0.1310E-05	0.2626E-08	0.2573E-08
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO	0.7272E-06	0.7258E-06	0.1454E-08	0.1425E-08
19 CaSO4	ZERO	ZERO	ZERO	0.9936E-07	0.9916E-07	0.1987E-09	0.1947E-09
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
59 CoO	ZERO	ZERO	ZERO	0.5149E-10	0.5139E-10	0.1030E-12	0.1009E-12
98 Cr2O3	ZERO	ZERO	ZERO	0.2151E-06	0.2147E-06	0.4302E-09	0.4216E-09
42 Cs2O	ZERO	ZERO	ZERO	0.1550E-07	0.1547E-07	0.3100E-10	0.3038E-10
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) ->	102	103	104	110	111	112	113
STREAM NAME	OGCT Trnsfr Pump Prime	OGCT Air Inleakage	NaOH Add'n to OGCT	Prim HEPA#1 Gas Feed	Prim HEPA#1 Accumulation	Prim HEPA#2 Gas Feed	Prim HEPA#2 Accumulation
54 Cu(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
55 CuO	ZERO	ZERO	ZERO	0.4732E-06	0.4722E-06	0.9463E-09	0.9274E-09
80 Fe2O3	ZERO	ZERO	ZERO	0.1269E-04	0.1267E-04	0.2539E-07	0.2488E-07
101 FeO	ZERO	ZERO	ZERO	0.1269E-05	0.1266E-05	0.2538E-08	0.2487E-08
102 Group A	ZERO	ZERO	ZERO	0.1683E-08	0.1680E-08	0.3366E-11	0.3299E-11
103 Group B	ZERO	ZERO	ZERO	0.7558E-10	0.7543E-10	0.1512E-12	0.1481E-12
25 H2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	0.1369E-02	ZERO	0.1369E-02	ZERO
49 HNO3	ZERO	ZERO	ZERO	0.6776E-02	ZERO	0.6776E-02	ZERO
36 Hg	ZERO	ZERO	ZERO	0.8511E-02	ZERO	0.8511E-02	ZERO
129 Hg(C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	0.7168E-06	0.7153E-06	0.1434E-08	0.1405E-08
117 Hg2I2	ZERO	ZERO	ZERO	0.5917E-11	0.5905E-11	0.1183E-13	0.1160E-13
146 HgCl2	ZERO	ZERO	ZERO	0.5633E-16	0.5621E-16	0.1127E-18	0.1104E-18
21 HgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	0.4632E-09	ZERO	0.4632E-09	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	ZERO	ZERO	ZERO	0.2859E-05	0.2854E-05	0.5718E-08	0.5604E-08
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	ZERO	ZERO	0.5540E-05	0.5529E-05	0.1108E-07	0.1086E-07
65 Mg(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
33 MgO	ZERO	ZERO	ZERO	0.2346E-05	0.2341E-05	0.4691E-08	0.4598E-08
60 Mn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO	0.1325E-05	0.1323E-05	0.2651E-08	0.2598E-08
14 MnO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
145 MoO2	ZERO	ZERO	ZERO	0.5377E-09	0.5366E-09	0.1075E-11	0.1054E-11
81 N2	ZERO	0.7936E+02	ZERO	0.1395E+04	ZERO	0.1395E+04	ZERO
74 N2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
182 NH3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) -> STREAM NAME	102 OGCT Trnsfr Pump Prime	103 OGCT Air Inleakage	104 NaOH Add'n to OGCT	110 Prim HEPA#1 Gas Feed	111 Prim HEPA#1 Accumulation	112 Prim HEPA#2 Gas Feed	113 Prim HEPA#2 Accumultion
35 NO	ZERO	ZERO	ZERO	0.1395E+01	ZERO	0.1395E+01	ZERO
84 NO2	ZERO	ZERO	ZERO	0.2751E+01	ZERO	0.2751E+01	ZERO
70 Na(HgO(OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	ZERO	ZERO	ZERO	0.1015E-04	0.1013E-04	0.2030E-07	0.1990E-07
71 Na2PuO2(OH)4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	ZERO	ZERO	ZERO	0.2816E-06	0.2811E-06	0.5633E-09	0.5520E-09
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	ZERO	ZERO	ZERO	0.1289E-08	0.1286E-08	0.2578E-11	0.2526E-11
91 NaAg(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl(OH)4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	ZERO	ZERO	ZERO	0.2489E-08	0.2484E-08	0.4978E-11	0.4879E-11
69 NaF	ZERO	ZERO	ZERO	0.1685E-07	0.1682E-07	0.3371E-10	0.3304E-10
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
3 NaNO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
2 NaNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
40 NiO	ZERO	ZERO	ZERO	0.1271E-06	0.1269E-06	0.2543E-09	0.2492E-09
82 O2	ZERO	0.2397E+02	ZERO	0.4211E+03	ZERO	0.4211E+03	ZERO
175 Pb(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	0.2451E-08	0.2446E-08	0.4902E-11	0.4804E-11
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	ZERO	0.6260E-07	0.6248E-07	0.1252E-09	0.1227E-09
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	ZERO	ZERO	ZERO	0.4978E-08	0.4968E-08	0.9957E-11	0.9758E-11
156 PuO2(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) -> STREAM NAME	102 OGCT Trnsfr Pump Prime	103 OGCT Air Inleakage	104 NaOH Add'n to OGCT	110 Prim HEPA#1 Gas Feed	111 Prim HEPA#1 Accumulation	112 Prim HEPA#2 Gas Feed	113 Prim HEPA#2 Accumulation
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	0.2058E-05	0.2047E-05	0.1029E-07	0.9259E-08
126 Semi Vol Group A	ZERO	ZERO	ZERO	0.8858E-07	0.8813E-07	0.4429E-09	0.3986E-09
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	0.6143E-04	0.6112E-04	0.3071E-06	0.2764E-06
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	0.6226E-05	0.6195E-05	0.3113E-07	0.2802E-07
125 Semi Vol NaI	ZERO	ZERO	ZERO	0.2709E-08	0.2695E-08	0.1354E-10	0.1219E-10
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	ZERO	ZERO	0.6148E-04	0.6136E-04	0.1230E-06	0.1205E-06
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO	0.7674E-08	0.7659E-08	0.1535E-10	0.1504E-10
159 TeO2	ZERO	ZERO	ZERO	0.2588E-08	0.2582E-08	0.5564E-11	0.5430E-11
92 ThO2	ZERO	ZERO	ZERO	0.1486E-07	0.1483E-07	0.2972E-10	0.2913E-10
107 TiO2	ZERO	ZERO	ZERO	0.4168E-06	0.4160E-06	0.8337E-09	0.8170E-09
119 Tritium	ZERO	ZERO	ZERO	0.1137E-11	ZERO	0.1137E-11	ZERO
17 U3O8	ZERO	ZERO	ZERO	0.1042E-05	0.1040E-05	0.2084E-08	0.2042E-08
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	ZERO	0.2115E-08	0.2110E-08	0.4229E-11	0.4145E-11
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
57 ZnO	ZERO	ZERO	ZERO	0.1580E-06	0.1576E-06	0.3159E-09	0.3096E-09
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
1 water	0.2090E+02	0.1736E+01	ZERO	0.1418E+02	ZERO	0.1418E+02	ZERO
TOTAL FLOW, LB/HR	0.2090E+02	0.1051E+03	ZERO	0.1849E+04	0.1855E-03	0.1849E+04	0.5420E-06
TEMPERATURE, DEG C	0.2500E+02	0.3500E+02	0.2500E+02	0.2000E+02	0.2000E+02	0.2000E+02	0.2000E+02
PRESSURE, ATM	0.1000E+01	0.1000E+01	0.1000E+01	0.9263E+00	0.9263E+00	0.9263E+00	0.9263E+00
PRESSURE, PSIG	ZERO	ZERO	ZERO	-0.1083E+01	-0.1083E+01	-0.1083E+01	-0.1083E+01
PRESSURE, MM HG				0.7040E+03	0.7040E+03	0.7040E+03	0.7040E+03
ENTHALPY, PCU/HR	0.5244E+03	0.2204E+04	ZERO	0.2359E+05	0.7709E-03	0.2359E+05	0.2351E-05
VAPOR FLOW, CFM		0.2482E+02		0.4447E+03		0.4447E+03	
LIQUID FLOW, GPM	0.4174E-01						
DENSITY, LBS/FT3	0.6243E+02	0.7055E-01	ZERO	0.6928E-01	0.1561E+03	0.6928E-01	0.1546E+03
PHASE	LIQUID	VAPOR	LIQUID	VAPOR	SOLID	VAPOR	SOLID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS -> STREAM NAME	114 Prim HEPA#2 Exit Gas	115 Prim Exhstr Gas to Tunnl	116 Bckup Qunchr Inlet Air	117 BUOGCT Air Inleakge	118 Air to Backup HEME	119 Water to Backup HEME	120 Backup OGCT Liq to RCT
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	0.1647E-23	0.1647E-23	ZERO	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	0.4250E-08	0.4250E-08	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
155 (CH3)2CHOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
154 (CH3OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.1767E-09	0.1767E-09	ZERO	ZERO	ZERO	ZERO	ZERO
106 B2O3	0.3384E-09	0.3384E-09	ZERO	ZERO	ZERO	ZERO	ZERO
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	0.2239E-13	0.2239E-13	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	0.3067E-12	0.3067E-12	ZERO	ZERO	ZERO	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.1410E+02	0.1410E+02	ZERO	ZERO	ZERO	ZERO	ZERO
142 CO2 (C14)	TRACE	TRACE	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.5252E-10	0.5252E-10	ZERO	ZERO	ZERO	ZERO	ZERO
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	0.2909E-10	0.2909E-10	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	0.3974E-11	0.3974E-11	ZERO	ZERO	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
59 CoO	0.2060E-14	0.2060E-14	ZERO	ZERO	ZERO	ZERO	ZERO
98 Cr2O3	0.8604E-11	0.8604E-11	ZERO	ZERO	ZERO	ZERO	ZERO
42 Cs2O	0.6199E-12	0.6199E-12	ZERO	ZERO	ZERO	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) -> STREAM NAME	114 Prim HEPA#2 Exit Gas	115 Prim Exhstr Gas to Tunnl	116 Bckup Qunchr Inlet Air	117 BUOGCT Air Inleakge	118 Air to Backup HEME	119 Water to Backup HEME	120 Backup OGCT Liq to RCT
54 Cu (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
55 CuO	0.1893E-10	0.1893E-10	ZERO	ZERO	ZERO	ZERO	ZERO
80 Fe2O3	0.5077E-09	0.5077E-09	ZERO	ZERO	ZERO	ZERO	ZERO
101 FeO	0.5076E-10	0.5076E-10	ZERO	ZERO	ZERO	ZERO	ZERO
102 Group A	0.6732E-13	0.6732E-13	ZERO	ZERO	ZERO	ZERO	ZERO
103 Group B	0.3023E-14	0.3023E-14	ZERO	ZERO	ZERO	ZERO	ZERO
25 H2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	0.1369E-02	0.1369E-02	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	0.6776E-02	0.6776E-02	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	0.8511E-02	0.8511E-02	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg (C6H5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	0.2867E-10	0.2867E-10	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	0.2367E-15	0.2367E-15	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	0.2253E-20	0.2253E-20	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
97 I2	0.4632E-09	0.4632E-09	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	0.1144E-09	0.1144E-09	ZERO	ZERO	ZERO	ZERO	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	0.2216E-09	0.2216E-09	ZERO	ZERO	ZERO	ZERO	ZERO
65 Mg (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
33 MgO	0.9383E-10	0.9383E-10	ZERO	ZERO	ZERO	ZERO	ZERO
60 Mn (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	0.5301E-10	0.5301E-10	ZERO	ZERO	ZERO	ZERO	ZERO
14 MnO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
145 MoO2	0.2151E-13	0.2151E-13	ZERO	ZERO	ZERO	ZERO	ZERO
81 N2	0.1395E+04	0.1395E+04	0.6042E+03	0.7936E+02	0.3023E-02	ZERO	0.1359E-03
74 N2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
182 NH3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) -> STREAM NAME	114 Prim HEPA#2 Exit Gas	115 Prim Exhstr Gas to Tunnl	116 Bckup Qunchr Inlet Air	117 BUOGCT Air Inleakge	118 Air to Backup HEME	119 Water to Backup HEME	120 Backup OGCT Liq to RCT
35 NO	0.1395E+01	0.1395E+01	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	0.2751E+01	0.2751E+01	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na(HgO(OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	0.4060E-09	0.4060E-09	ZERO	ZERO	ZERO	ZERO	ZERO
71 Na2PuO2(OH)4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.1127E-10	0.1127E-10	ZERO	ZERO	ZERO	ZERO	ZERO
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.5156E-13	0.5156E-13	ZERO	ZERO	ZERO	ZERO	ZERO
91 NaAg(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl(OH)4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	0.9957E-13	0.9957E-13	ZERO	ZERO	ZERO	ZERO	ZERO
69 NaF	0.6742E-12	0.6742E-12	ZERO	ZERO	ZERO	ZERO	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
3 NaNO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
2 NaNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
40 NiO	0.5085E-11	0.5085E-11	ZERO	ZERO	ZERO	ZERO	ZERO
82 O2	0.4211E+03	0.4211E+03	0.1825E+03	0.2397E+02	0.9132E-03	ZERO	0.7959E-04
175 Pb(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	0.9805E-13	0.9805E-13	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.2504E-11	0.2504E-11	ZERO	ZERO	ZERO	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	0.1991E-12	0.1991E-12	ZERO	ZERO	ZERO	ZERO	ZERO
156 PuO2(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) ->	114	115	116	117	118	119	120
STREAM NAME	Prim HEPA#2 Exit Gas	Prim Exhstr Gas to Tunnel	Bckup Qunchr Inlet Air	BUOGCT Air Inleakge	Air to Backup HEME	Water to Backup HEME	Backup OGCT Liq to RCT
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	0.1029E-08	0.1029E-08	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	0.4429E-10	0.4429E-10	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	0.3071E-07	0.3071E-07	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	0.3113E-08	0.3113E-08	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	0.1354E-11	0.1354E-11	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.2459E-08	0.2459E-08	ZERO	ZERO	ZERO	ZERO	ZERO
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	0.3070E-12	0.3070E-12	ZERO	ZERO	ZERO	ZERO	ZERO
159 TcO2	0.1335E-12	0.1335E-12	ZERO	ZERO	ZERO	ZERO	ZERO
92 ThO2	0.5944E-12	0.5944E-12	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	0.1667E-10	0.1667E-10	ZERO	ZERO	ZERO	ZERO	ZERO
119 Tritium	0.1137E-11	0.1137E-11	ZERO	ZERO	ZERO	ZERO	ZERO
17 U3O8	0.4168E-10	0.4168E-10	ZERO	ZERO	ZERO	ZERO	ZERO
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	0.8458E-13	0.8458E-13	ZERO	ZERO	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
57 ZnO	0.6319E-11	0.6319E-11	ZERO	ZERO	ZERO	ZERO	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
1 water	0.1418E+02	0.1418E+02	0.1322E+02	0.1736E+01	0.6613E-04	0.1329E+01	0.9646E+01
TOTAL FLOW, LB/HR	0.1849E+04	0.1849E+04	0.8000E+03	0.1051E+03	0.4003E-02	0.1329E+01	0.9646E+01
TEMPERATURE, DEG C	0.2000E+02	0.2762E+02	0.3500E+02	0.3500E+02	0.3500E+02	0.4000E+02	0.4000E+02
PRESSURE, ATM	0.9263E+00	0.9928E+00	0.9853E+00	0.1000E+01	0.3720E+01	0.3180E+01	0.1000E+01
PRESSURE, PSIG	-0.1083E+01	-0.1058E+00	-0.2160E+00	ZERO	0.3997E+02	0.3204E+02	ZERO
PRESSURE, MM HG	0.7040E+03	0.7545E+03	0.7488E+03				
ENTHALPY, PCU/HR	0.2359E+05	0.2686E+05	0.1678E+05	0.2204E+04	0.8395E-01	0.5327E+02	0.3866E+03
VAPOR FLOW, CFM	0.4447E+03	0.4257E+03	0.1918E+03	0.2482E+02	0.2542E-03		
LIQUID FLOW, GPM						0.2655E-02	0.1926E-01
DENSITY, LBS/FT3	0.6928E-01	0.7237E-01	0.6952E-01	0.7055E-01	0.2625E+00	0.6243E+02	0.6243E+02
PHASE	VAPOR	VAPOR	VAPOR	VAPOR	VAPOR	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS ->	121
STREAM NAME	Bkup Exhstr Gas to Tunnl
COMPONENT FLOWS, LB/HR	
122 (C6H5)2	ZERO
123 (C6H5)2C6H4	ZERO
118 (C6H5)2NH	ZERO
133 (C6H5B(OH)2 salt)	ZERO
132 (C6H5B(OH)2)	ZERO
166 (C6H5C6H4OH)	ZERO
162 (C6H5NH2)	ZERO
163 (C6H5NHCHO)	ZERO
165 (C6H5NO)	ZERO
164 (C6H5NO2)	ZERO
131 (C6H5OH salt)	ZERO
130 (C6H5OH)	ZERO
121 (C6H6)	ZERO
155 (CH3)2CHOH	ZERO
154 (CH3OH)	ZERO
45 Ag	ZERO
116 Ag2O	ZERO
134 AgNO3	ZERO
77 Al2O3	ZERO
106 B2O3	ZERO
9 Ba(OH)2	ZERO
15 BaO	ZERO
24 BaSO4	ZERO
66 CO	ZERO
37 CO2	ZERO
142 CO2 (C14)	ZERO
63 Ca(COOH)2	ZERO
167 Ca(NO3)2	ZERO
120 Ca(OH)2	ZERO
113 Ca3(PO4)2	ZERO
20 CaC2O4	ZERO
18 CaCO3	ZERO
64 CaCO3 (C14)	ZERO
78 CaF2	ZERO
41 CaO	ZERO
19 CaSO4	ZERO
29 Carbon	ZERO
99 Cement	ZERO
26 Co(COOH)2	ZERO
168 Co(NO3)2	ZERO
59 CoO	ZERO
98 Cr2O3	ZERO
42 Cs2O	ZERO
53 CsCOOH	ZERO
96 CsCl	ZERO
169 CsNO3	ZERO
8 CsOH	ZERO
151 CsTPB	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) ->	121
STREAM NAME	Bkup Exhstr Gas to Tunnl
54 Cu(COOH)2	ZERO
170 Cu(NO3)2	ZERO
55 CuO	ZERO
80 Fe2O3	ZERO
101 FeO	ZERO
102 Group A	ZERO
103 Group B	ZERO
25 H2	ZERO
158 H2C2O4	ZERO
93 H2SO4	ZERO
90 H3BO3	ZERO
34 HCOOH	ZERO
43 HCl	ZERO
85 HF	ZERO
49 HNO3	ZERO
36 Hg	ZERO
129 Hg(C6H5)2	ZERO
135 Hg(NO3)2	ZERO
144 Hg2Cl2	ZERO
117 Hg2I2	ZERO
146 HgCl2	ZERO
21 HgO	ZERO
97 I2	ZERO
183 K2CO3	ZERO
39 K2O	ZERO
51 KCOOH	ZERO
157 KMnO4	ZERO
161 KNO3	ZERO
10 KOH	ZERO
150 KTPB	ZERO
105 La2O3	ZERO
108 Li2O	ZERO
65 Mg(COOH)2	ZERO
171 Mg(NO3)2	ZERO
33 MgO	ZERO
60 Mn(COOH)2	ZERO
172 Mn(NO3)2	ZERO
180 Mn3O4	ZERO
56 MnO	ZERO
14 MnO2	ZERO
145 MoO2	ZERO
81 N2	0.6836E+03
74 N2O	ZERO
182 NH3	ZERO
114 NH3OHNO3	ZERO
52 NH4COOH	ZERO
173 NH4NO3	ZERO
68 NH4OH	ZERO
148 NH4TPB	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) ->	121
STREAM NAME	Bkup Exhstr Gas to Tunnel
35 NO	ZERO
84 NO2	ZERO
70 Na (HgO (OH))	ZERO
94 Na2B4O7	ZERO
109 Na2C2O4	ZERO
5 Na2CO3	ZERO
143 Na2CO3 (C14)	ZERO
89 Na2CrO4	ZERO
115 Na2MoO4	ZERO
32 Na2O	ZERO
71 Na2PuO2 (OH) 4	ZERO
73 Na2RhO4	ZERO
72 Na2RuO4	ZERO
6 Na2SO4	ZERO
88 Na2SiO3	ZERO
87 Na3PO4	ZERO
91 NaAg (OH) 2	ZERO
75 NaAl (OH) 4	ZERO
50 NaCOOH	ZERO
7 NaCl	ZERO
69 NaF	ZERO
11 NaHCO3	ZERO
12 NaI	ZERO
3 NaNO2	ZERO
2 NaNO3	ZERO
4 NaOH	ZERO
149 NaTPB	ZERO
160 NaTcO4	ZERO
152 NaTi2O5H	ZERO
181 Nd2O3	ZERO
61 Ni (COOH) 2	ZERO
174 Ni (NO3) 2	ZERO
40 NiO	ZERO
82 O2	0.2065E+03
175 Pb (NO3) 2	ZERO
86 PbCO3	ZERO
67 PbO	ZERO
147 PbS	ZERO
28 PbSO4	ZERO
124 Pd	ZERO
112 Pd (NO3) 2	ZERO
110 PdO	ZERO
76 PuO2	ZERO
156 PuO2 (NaTi2O5) 2	ZERO
58 Rh	ZERO
22 RhO2	ZERO
95 Ru	ZERO
79 RuO2	ZERO
83 RuO4	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 5. Vitrification and Melter Off-Gas Treatment

STREAM NUMBERS (CONT'D) ->	121
STREAM NAME	Bkup Exhstr Gas to Tunnl
38 SO2	ZERO
141 SO3	ZERO
137 Semi Vol Cs2O	ZERO
136 Semi Vol CsCl	ZERO
126 Semi Vol Group A	ZERO
140 Semi Vol Na2B4O7	ZERO
138 Semi Vol NaCl	ZERO
139 Semi Vol NaF	ZERO
125 Semi Vol NaI	ZERO
23 Semi Vol RuO2	ZERO
111 SiO2	ZERO
48 Sr(COOH)2	ZERO
176 Sr(NO3)2	ZERO
153 Sr(NaTi2O5)2	ZERO
127 Sr(OH)2	ZERO
30 SrCO3	ZERO
46 SrO	ZERO
159 TcO2	ZERO
92 ThO2	ZERO
107 TiO2	ZERO
119 Tritium	ZERO
17 U3O8	ZERO
62 UO2(COOH)2	ZERO
177 UO2(NO3)2	ZERO
16 UO2(OH)2	ZERO
27 Y(COOH)3	ZERO
178 Y(NO3)3	ZERO
128 Y(OH)3	ZERO
31 Y2(CO3)3	ZERO
47 Y2O3	ZERO
100 Zeolite	ZERO
44 Zn(COOH)2	ZERO
179 Zn(NO3)2	ZERO
57 ZnO	ZERO
104 ZrO2	ZERO
13 hydrate H2O	ZERO
1 water	0.6641E+01
TOTAL FLOW, LB/HR	0.8968E+03
TEMPERATURE, DEG C	0.2515E+02
PRESSURE, ATM	0.9928E+00
PRESSURE, PSIG	-0.1058E+00
PRESSURE, MM HG	0.7545E+03
ENTHALPY, PCU/HR	0.1186E+05
VAPOR FLOW, CFM	0.2054E+03
LIQUID FLOW, GPM	
DENSITY, LBS/FT3	0.7275E-01
PHASE	VAPOR

SECTION 6. MERCURY PURIFICATION CELL

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 6. Mercury Purification Cell

DESCRIPTION	PAGE
-----	----
1. STREAM NUMBERS 19, 25, 126, 127, 128, 129, 130	2
2. STREAM NUMBERS 131, 132, 133, 134, 135, 136, 137	6
3. STREAM NUMBERS 138, 139, 140, 141, 142, 143, 144	10
4. STREAM NUMBERS 145, 146, 147, 148, 149, 150, 151	14

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 6. Mercury Purification Cell

STREAM NUMBERS --> STREAM NAME	19 Hg Cell Vent to MAWT	25 Hg frm MAWT to MAWT	126 HNO3 Wash to MAWT	127 MAWT Air Purge	128 Air Sparge to MAWT	129 HNO3 Wash frm MAWT to SWT	130 MAWT Vent
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	0.1610E-10	0.1881E-10	ZERO	ZERO	ZERO	0.1474E-10	0.2951E-11
123 (C6H5)2C6H4	0.1040E-18	0.2433E-13	ZERO	ZERO	ZERO	0.2261E-13	0.8329E-19
118 (C6H5)2NH	0.6994E-11	0.3441E-09	ZERO	ZERO	ZERO	0.3198E-09	0.3920E-14
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	0.4215E-17	0.1349E-13	ZERO	ZERO	ZERO	0.1253E-13	0.4189E-17
162 (C6H5NH2)	0.1120E-08	0.3574E-08	ZERO	ZERO	ZERO	0.3247E-08	0.8019E-10
163 (C6H5NHCHO)	0.1128E-16	0.5113E-13	ZERO	ZERO	ZERO	0.4751E-13	0.1118E-16
165 (C6H5NO)	0.4965E-15	0.5361E-15	ZERO	ZERO	ZERO	0.3678E-16	0.4965E-15
164 (C6H5NO2)	0.1874E-16	0.1694E-14	ZERO	ZERO	ZERO	0.1557E-14	0.1874E-16
131 (C6H5OH salt)	0.1074E-21	0.4289E-16	ZERO	ZERO	ZERO	0.3986E-16	0.9326E-22
130 (C6H5OH)	0.8602E-08	0.4383E-07	ZERO	ZERO	ZERO	0.3968E-07	0.1128E-08
121 (C6H6)	0.3236E-10	0.3238E-10	ZERO	ZERO	ZERO	0.8016E-11	0.2375E-10
155 (CH3)2CHOH	0.2399E-17	0.3491E-17	ZERO	ZERO	ZERO	0.1260E-17	0.2135E-17
154 (CH3OH)	0.2787E-18	0.3182E-18	ZERO	ZERO	ZERO	0.5926E-19	0.2545E-18
45 Ag	0.1794E-14	0.8251E-07	ZERO	ZERO	ZERO	ZERO	0.1794E-14
116 Ag2O	TRACE	0.6495E-23	ZERO	ZERO	ZERO	0.6036E-23	TRACE
134 AgNO3	0.3206E-12	ZERO	ZERO	ZERO	ZERO	0.1189E-06	0.2781E-12
77 Al2O3	0.5412E-17	0.2162E-11	ZERO	ZERO	ZERO	0.2009E-11	0.4701E-17
106 B2O3	0.1961E-17	0.7834E-12	ZERO	ZERO	ZERO	0.7280E-12	0.1704E-17
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	TRACE	0.8199E-21	ZERO	ZERO	ZERO	0.7620E-21	TRACE
24 BaSO4	0.1044E-19	0.4168E-14	ZERO	ZERO	ZERO	0.3873E-14	0.9064E-20
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.2156E-13	0.2156E-13	ZERO	ZERO	ZERO	0.7697E-18	0.2156E-13
142 CO2 (C14)	0.2782E-21	0.2782E-21	ZERO	ZERO	ZERO	TRACE	0.2782E-21
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.2566E-17	0.1025E-11	ZERO	ZERO	ZERO	0.9523E-12	0.2228E-17
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.1608E-17	0.6422E-12	ZERO	ZERO	ZERO	0.5968E-12	0.1397E-17
20 CaC2O4	0.1492E-24	0.5961E-19	ZERO	ZERO	ZERO	0.5540E-19	0.1296E-24
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	0.9195E-20	0.3672E-14	ZERO	ZERO	ZERO	0.3413E-14	0.7986E-20
41 CaO	0.2051E-20	0.8192E-15	ZERO	ZERO	ZERO	0.7614E-15	0.1782E-20
19 CaSO4	0.1350E-18	0.5391E-13	ZERO	ZERO	ZERO	0.5010E-13	0.1172E-18
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	0.8756E-22	0.3497E-16	ZERO	ZERO	ZERO	0.3250E-16	0.7605E-22
168 Co(NO3)2	0.3284E-24	0.1312E-18	ZERO	ZERO	ZERO	0.1219E-18	0.2852E-24
59 CoO	0.1876E-22	0.7491E-17	ZERO	ZERO	ZERO	0.6962E-17	0.1629E-22
98 Cr2O3	0.2626E-18	0.1049E-12	ZERO	ZERO	ZERO	0.9746E-13	0.2281E-18
42 Cs2O	0.8594E-22	0.3432E-16	ZERO	ZERO	ZERO	0.3190E-16	0.7464E-22
53 CsCOOH	0.2646E-19	0.1057E-13	ZERO	ZERO	ZERO	0.9823E-14	0.2298E-19
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	0.5886E-23	0.2351E-17	ZERO	ZERO	ZERO	0.2185E-17	0.5112E-23
8 CsOH	0.6713E-24	0.2681E-18	ZERO	ZERO	ZERO	0.2492E-18	0.5830E-24
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

STREAM NUMBERS (CONT'D) ->	19	25	126	127	128	129	130
STREAM NAME	Hg Cell Vent to MWWT	Hg frm MWWT to MAWT	HNO3 Wash to MAWT	MAWT Air Purge	Air Sparge to MAWT	HNO3 Wash frm MAWT to SWT	MAWT Vent
54 Cu (COOH) 2	0.2714E-20	0.1084E-14	ZERO	ZERO	ZERO	0.1007E-14	0.2357E-20
170 Cu (NO3) 2	0.1333E-17	0.5325E-12	ZERO	ZERO	ZERO	0.4949E-12	0.1158E-17
55 CuO	0.1207E-19	0.4819E-14	ZERO	ZERO	ZERO	0.4478E-14	0.1048E-19
80 Fe2O3	0.1555E-16	0.6211E-11	ZERO	ZERO	ZERO	0.5772E-11	0.1351E-16
101 FeO	0.1555E-17	0.6210E-12	ZERO	ZERO	ZERO	0.5771E-12	0.1350E-17
102 Group A	0.2171E-20	0.8669E-15	ZERO	ZERO	ZERO	0.8057E-15	0.1885E-20
103 Group B	0.9261E-22	0.3699E-16	ZERO	ZERO	ZERO	0.3437E-16	0.8043E-22
25 H2	0.1428E-19	0.1428E-19	ZERO	ZERO	ZERO	TRACE	0.1428E-19
158 H2C2O4	0.1119E-18	0.4470E-13	ZERO	ZERO	ZERO	0.4155E-13	0.9721E-19
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	0.4710E-17	0.1881E-11	ZERO	ZERO	ZERO	0.1748E-11	0.4091E-17
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	0.5648E-02	0.2491E-09	0.4626E-02	ZERO	ZERO	0.1246E-02	0.3283E-02
36 Hg	0.4599E-04	0.2515E+00	ZERO	ZERO	ZERO	ZERO	0.2491E-04
129 Hg (C6H5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3) 2	0.8246E-11	ZERO	ZERO	ZERO	ZERO	0.2674E-05	0.6257E-11
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	0.1207E-23	0.4820E-18	ZERO	ZERO	ZERO	0.4480E-18	0.1048E-23
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	0.4946E-19	0.1975E-13	ZERO	ZERO	ZERO	0.1836E-13	0.4296E-19
51 KCOOH	0.6139E-17	0.2452E-11	ZERO	ZERO	ZERO	0.2279E-11	0.5332E-17
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	0.1751E-19	0.6993E-14	ZERO	ZERO	ZERO	0.6499E-14	0.1521E-19
10 KOH	0.2008E-22	0.8018E-17	ZERO	ZERO	ZERO	0.7452E-17	0.1744E-22
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	0.1716E-17	0.6851E-12	ZERO	ZERO	ZERO	0.6367E-12	0.1490E-17
65 Mg (COOH) 2	0.2122E-17	0.8474E-12	ZERO	ZERO	ZERO	0.7875E-12	0.1843E-17
171 Mg (NO3) 2	TRACE	0.1282E-19	ZERO	ZERO	ZERO	0.1192E-19	TRACE
33 MgO	0.6769E-18	0.2704E-12	ZERO	ZERO	ZERO	0.2513E-12	0.5879E+18
60 Mn (COOH) 2	0.1329E-17	0.5308E-12	ZERO	ZERO	ZERO	0.4933E-12	0.1154E-17
172 Mn (NO3) 2	TRACE	0.1494E-19	ZERO	ZERO	ZERO	0.1389E-19	TRACE
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	0.4862E-23	0.1942E-17	ZERO	ZERO	ZERO	0.1805E-17	0.4223E-23
14 MnO2	0.1193E-17	0.4767E-12	ZERO	ZERO	ZERO	0.4430E-12	0.1037E-17
145 MoO2	0.6586E-21	0.2630E-15	ZERO	ZERO	ZERO	0.2444E-15	0.5720E-21
81 N2	0.1093E+01	0.3297E-07	ZERO	0.3607E+00	0.1134E-01	0.3508E-06	0.3721E+00
74 N2O	TRACE	TRACE	ZERO	ZERO	ZERO	ZERO	TRACE
182 NH3	0.8761E-12	0.8763E-12	ZERO	ZERO	ZERO	0.4515E-14	0.8714E-12
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	0.1647E-12	0.6577E-07	ZERO	ZERO	ZERO	0.6113E-07	0.1430E-12
68 NH4OH	0.1898E-19	0.7579E-14	ZERO	ZERO	ZERO	0.7044E-14	0.1648E-19
148 NH4TPB	ZERO						

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 6. Mercury Purification Cell

STREAM NUMBERS (CONT'D) -> STREAM NAME	19 Hg Cell Vent to MWWT	25 Hg frm MWWT to MAWT	126 HNO3 Wash to MAWT	127 MAWT Air Purge	128 Air Sparge to MAWT	129 HNO3 Wash frm MAWT to SWT	130 MAWT Vent
35 NO	ZERO	0.5671E-17	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	0.1759E-05	TRACE	ZERO	ZERO	ZERO	0.2406E-11	0.8613E-06
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	0.2251E-22	0.8990E-17	ZERO	ZERO	ZERO	0.8355E-17	0.1955E-22
109 Na2C2O4	0.1451E-20	0.5796E-15	ZERO	ZERO	ZERO	0.5386E-15	0.1260E-20
5 Na2CO3	0.2999E-17	0.1198E-11	ZERO	ZERO	ZERO	0.1113E-11	0.2605E-17
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	0.3897E-17	0.1557E-11	ZERO	ZERO	ZERO	0.1447E-11	0.3385E-17
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.1196E-18	0.4776E-13	ZERO	ZERO	ZERO	0.4438E-13	0.1039E-18
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.1577E-20	0.6299E-15	ZERO	ZERO	ZERO	0.5854E-15	0.1370E-20
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	0.4801E-18	0.1918E-12	ZERO	ZERO	ZERO	0.1782E-12	0.4170E-18
7 NaCl	0.6095E-20	0.2434E-14	ZERO	ZERO	ZERO	0.2262E-14	0.5294E-20
69 NaF	0.2094E-19	0.8361E-14	ZERO	ZERO	ZERO	0.7770E-14	0.1818E-19
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.3353E-23	0.1339E-17	ZERO	ZERO	ZERO	0.1245E-17	0.2912E-23
3 NaNO2	0.1813E-20	0.7240E-15	ZERO	ZERO	ZERO	0.6729E-15	0.1575E-20
2 NaNO3	0.5527E-17	0.2207E-11	ZERO	ZERO	ZERO	0.2052E-11	0.4800E-17
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	0.1544E-19	0.6167E-14	ZERO	ZERO	ZERO	0.5732E-14	0.1341E-19
174 Ni (NO3) 2	0.4086E-24	0.1632E-18	ZERO	ZERO	ZERO	0.1517E-18	0.3549E-24
40 NiO	0.1457E-18	0.5819E-13	ZERO	ZERO	ZERO	0.5408E-13	0.1265E-18
82 O2	0.3303E+00	0.1902E-07	ZERO	0.1090E+00	0.3426E-02	0.2059E-06	0.1124E+00
175 Pb (NO3) 2	0.4758E-22	0.1900E-16	ZERO	ZERO	ZERO	0.1766E-16	0.4132E+22
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	TRACE	0.3591E-20	ZERO	ZERO	ZERO	0.3337E-20	TRACE
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.8074E-19	0.3225E-13	ZERO	ZERO	ZERO	0.2997E-13	0.7012E-19
124 Pd	0.5525E-16	0.2540E-08	ZERO	ZERO	ZERO	ZERO	0.5525E-16
112 Pd (NO3) 2	0.1364E-13	ZERO	ZERO	ZERO	ZERO	0.5054E-08	0.1183E-13
110 PdO	TRACE	0.2141E-24	ZERO	ZERO	ZERO	0.1990E-24	TRACE
76 PuO2	0.6068E-20	0.2424E-14	ZERO	ZERO	ZERO	0.2252E-14	0.5270E-20
156 PuO2 (NaTi2O5) 2	0.7774E-22	0.3105E-16	ZERO	ZERO	ZERO	0.2885E-16	0.6752E-22
58 Rh	0.1053E-15	0.4841E-08	ZERO	ZERO	ZERO	ZERO	0.1053E-15
22 RhO2	0.1575E-13	TRACE	ZERO	ZERO	ZERO	0.5838E-08	0.1366E-13
95 Ru	0.4973E-20	0.1986E-14	ZERO	ZERO	ZERO	0.1846E-14	0.4319E-20
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 6. Mercury Purification Cell

STREAM NUMBERS (CONT'D) ->	19	25	126	127	128	129	130
STREAM NAME	Hg Cell Vent to MWWT	Hg frm MWWT to MAWT	HNO3 Wash to MAWT	MAWT Air Purge	Air Sparge to MAWT	HNO3 Wash frm MAWT to SWT	MAWT Vent
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.1954E-16	0.7803E-11	ZERO	ZERO	ZERO	0.7252E-11	0.1697E-16
48 Sr(COOH)2	0.6678E-22	0.2667E-16	ZERO	ZERO	ZERO	0.2479E-16	0.5800E-22
176 Sr(NO3)2	0.1803E-19	0.7203E-14	ZERO	ZERO	ZERO	0.6694E-14	0.1566E-19
153 Sr(NaTi2O5)2	0.2489E-20	0.9939E-15	ZERO	ZERO	ZERO	0.9237E-15	0.2161E-20
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	TRACE	0.1124E-19	ZERO	ZERO	ZERO	0.1045E-19	TRACE
159 TcO2	0.2187E-20	0.8733E-15	ZERO	ZERO	ZERO	0.8117E-15	0.1899E-20
92 ThO2	0.1821E-19	0.7273E-14	ZERO	ZERO	ZERO	0.6759E-14	0.1582E-19
107 TiO2	0.5079E-18	0.2029E-12	ZERO	ZERO	ZERO	0.1885E-12	0.4411E-18
119 Tritium	0.2125E-16	0.4162E-16	ZERO	ZERO	ZERO	0.2130E-16	0.1870E-16
17 U3O8	0.1277E-17	0.5099E-12	ZERO	ZERO	ZERO	0.4739E-12	0.1109E-17
62 UO2(COOH)2	0.7774E-24	0.3105E-18	ZERO	ZERO	ZERO	0.2886E-18	0.6752E-24
177 UO2(NO3)2	0.5598E-22	0.2236E-16	ZERO	ZERO	ZERO	0.2078E-16	0.4862E-22
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	TRACE	0.3216E-24	ZERO	ZERO	ZERO	0.2989E-24	TRACE
178 Y(NO3)3	0.4865E-20	0.1943E-14	ZERO	ZERO	ZERO	0.1806E-14	0.4225E-20
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	0.5917E-21	0.2363E-15	ZERO	ZERO	ZERO	0.2196E-15	0.5139E-21
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	0.1595E-18	0.6368E-13	ZERO	ZERO	ZERO	0.5919E-13	0.1385E-18
179 Zn(NO3)2	0.3261E-22	0.1302E-16	ZERO	ZERO	ZERO	0.1210E-16	0.2832E-22
57 ZnO	0.1097E-18	0.4383E-13	ZERO	ZERO	ZERO	0.4073E-13	0.9532E-19
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.9185E-18	0.3668E-12	ZERO	ZERO	ZERO	0.3409E-12	0.7977E-18
1 water	0.4899E-01	0.3891E-02	0.3392E-01	0.7891E-02	0.2481E-03	0.2375E-01	0.2041E-01
TOTAL FLOW, LB/HR	0.1478E+01	0.2554E+00	0.3855E-01	0.4776E+00	0.1501E-01	0.2500E-01	0.5082E+00
TEMPERATURE, DEG C	0.3800E+02	0.3500E+02	0.2500E+02	0.3500E+02	0.3500E+02	0.3800E+02	0.3800E+02
PRESSURE, ATM	0.9950E+00	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01	0.9950E+00	0.9950E+00
PRESSURE, PSIG	-0.7348E-01	ZERO	ZERO	ZERO	ZERO	-0.7348E-01	-0.7348E-01
PRESSURE, MM HG	0.7562E+03					0.7562E+03	0.7562E+03
ENTHALPY, PCU/HR	0.4745E+02	0.4265E+00	0.8842E+00	0.1002E+02	0.3149E+00	0.9181E+00	0.1861E+02
VAPOR FLOW, CFM	0.3572E+00			0.1128E+00	0.3547E-02		0.1231E+00
LIQUID FLOW, GPM		0.4484E-04	0.7389E-04			0.4910E-04	
DENSITY, LBS/FT3	0.6899E-01	0.7099E+03	0.6504E+02	0.7055E-01	0.7055E-01	0.6349E+02	0.6880E-01
PHASE	VAPOR	LIQUID	LIQUID	VAPOR	VAPOR	LIQUID	VAPOR

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 6. Mercury Purification Cell

STREAM NUMBERS -> STREAM NAME	131 Hg Feed to MASC	132 HNO3 Wash to MASCFT	133 HNO3 Wash from MASC	134 Hg Feed to MWVC	135 Water Wash to MWVC	136 Water Wash from MWVC	137 Washed Hg from MWVC
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	0.1120E-11	ZERO	0.1115E-11	0.5335E-14	ZERO	0.5308E-14	0.2654E-16
123 (C6H5)2C6H4	0.1719E-14	ZERO	0.1711E-14	0.8184E-17	ZERO	0.8144E-17	0.4072E-19
118 (C6H5)2NH	0.2430E-10	ZERO	0.2419E-10	0.1157E-12	ZERO	0.1152E-12	0.5758E-15
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	0.9527E-15	ZERO	0.9482E-15	0.4537E-17	ZERO	0.4514E-17	0.2257E-19
162 (C6H5NH2)	0.2468E-09	ZERO	0.2456E-09	0.1175E-11	ZERO	0.1169E-11	0.5846E-14
163 (C6H5NHCHO)	0.3611E-14	ZERO	0.3594E-14	0.1720E-16	ZERO	0.1711E-16	0.8555E-19
165 (C6H5NO)	0.2795E-17	ZERO	0.2782E-17	0.1331E-19	ZERO	0.1324E-19	0.6622E-22
164 (C6H5NO2)	0.1184E-15	ZERO	0.1178E-15	0.5636E-18	ZERO	0.5608E-18	0.2804E-20
131 (C6H5OH salt)	0.3029E-17	ZERO	0.3015E-17	0.1443E-19	ZERO	0.1435E-19	0.7177E-22
130 (C6H5OH)	0.3016E-08	ZERO	0.3002E-08	0.1436E-10	ZERO	0.1429E-10	0.7145E-13
121 (C6H6)	0.6093E-12	ZERO	0.6064E-12	0.2901E-14	ZERO	0.2887E-14	0.1443E-16
155 (CH3)2CHOH	0.9578E-19	ZERO	0.9532E-19	0.4561E-21	ZERO	0.4538E-21	0.2269E-23
154 (CH3OH)	0.4505E-20	ZERO	0.4483E-20	0.2145E-22	ZERO	0.2134E-22	0.1067E-24
45 Ag	0.8251E-09	ZERO	ZERO	0.8251E-11	ZERO	ZERO	0.8251E-11
116 Ag2O	0.4588E-24	ZERO	0.4566E-24	TRACE	ZERO	TRACE	TRACE
134 AgNO3	0.9034E-08	ZERO	0.1026E-07	0.4911E-10	ZERO	0.4886E-10	0.2443E-12
77 Al2O3	0.1527E-12	ZERO	0.1520E-12	0.7271E-15	ZERO	0.7235E-15	0.3617E-17
106 B2O3	0.5534E-13	ZERO	0.5507E-13	0.2635E-15	ZERO	0.2622E-15	0.1311E-17
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	0.5792E-22	ZERO	0.5764E-22	0.2758E-24	ZERO	0.2744E-24	TRACE
24 BaSO4	0.2944E-15	ZERO	0.2930E-15	0.1402E-17	ZERO	0.1395E-17	0.6975E-20
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.5851E-19	ZERO	0.5823E-19	0.2786E-21	ZERO	0.2772E-21	0.1386E-23
142 CO2 (C14)	TRACE	ZERO	TRACE	TRACE	ZERO	TRACE	TRACE
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.7238E-13	ZERO	0.7204E-13	0.3447E-15	ZERO	0.3430E-15	0.1715E-17
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.4536E-13	ZERO	0.4515E-13	0.2160E-15	ZERO	0.2149E-15	0.1075E-17
20 CaC2O4	0.4211E-20	ZERO	0.4191E-20	0.2005E-22	ZERO	0.1995E-22	TRACE
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	0.2594E-15	ZERO	0.2582E-15	0.1235E-17	ZERO	0.1229E-17	0.6146E+20
41 CaO	0.5787E-16	ZERO	0.5759E-16	0.2756E-18	ZERO	0.2742E-18	0.1371E-20
19 CaSO4	0.3808E-14	ZERO	0.3790E-14	0.1813E-16	ZERO	0.1804E-16	0.9022E-19
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	0.2470E-17	ZERO	0.2459E-17	0.1176E-19	ZERO	0.1170E-19	0.5852E-22
168 Co(NO3)2	0.9265E-20	ZERO	0.9221E-20	0.4412E-22	ZERO	0.4390E-22	0.2195E-24
59 CoO	0.5292E-18	ZERO	0.5267E-18	0.2520E-20	ZERO	0.2507E-20	0.1254E-22
98 Cr2O3	0.7408E-14	ZERO	0.7373E-14	0.3528E-16	ZERO	0.3510E-16	0.1755E-18
42 Cs2O	0.2425E-17	ZERO	0.2413E-17	0.1155E-19	ZERO	0.1149E-19	0.5744E-22
53 CsCOOH	0.7466E-15	ZERO	0.7431E-15	0.3555E-17	ZERO	0.3538E-17	0.1769E-19
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	0.1661E-18	ZERO	0.1653E-18	0.7908E-21	ZERO	0.7868E-21	0.3934E-23
8 CsOH	0.1894E-19	ZERO	0.1885E-19	0.9018E-22	ZERO	0.8973E-22	0.4487E-24
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

STREAM NAME	131 Hg Feed to MASC	132 HNO3 Wash to MASCFT	133 HNO3 Wash from MASC	134 Hg Feed to MWWC	135 Water Wash to MWWC	136 Water Wash from MWWC	137 Washed Hg from MWWC
54 Cu(COOH)2	0.7656E-16	ZERO	0.7619E-16	0.3646E-18	ZERO	0.3627E-18	0.1814E-20
170 Cu(NO3)2	0.3762E-13	ZERO	0.3744E-13	0.1791E-15	ZERO	0.1782E-15	0.8912E-18
55 CuO	0.3404E-15	ZERO	0.3388E-15	0.1621E-17	ZERO	0.1613E-17	0.8064E-20
80 Fe2O3	0.4388E-12	ZERO	0.4367E-12	0.2089E-14	ZERO	0.2079E-14	0.1039E-16
101 FeO	0.4387E-13	ZERO	0.4366E-13	0.2089E-15	ZERO	0.2078E-15	0.1039E-17
102 Group A	0.6124E-16	ZERO	0.6095E-16	0.2916E-18	ZERO	0.2902E-18	0.1451E-20
103 Group B	0.2613E-17	ZERO	0.2600E-17	0.1244E-19	ZERO	0.1238E-19	0.6190E-22
25 H2	TRACE	ZERO	TRACE	TRACE	ZERO	TRACE	TRACE
158 H2C2O4	0.3158E-14	ZERO	0.3143E-14	0.1504E-16	ZERO	0.1496E-16	0.7481E-19
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	0.1329E-12	ZERO	0.1323E-12	0.6328E-15	ZERO	0.6296E-15	0.3148E-17
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	0.9470E-04	0.4672E-02	0.4742E-02	0.2269E-04	ZERO	0.2258E-04	0.1129E-06
36 Hg	0.2540E+00	ZERO	ZERO	0.2540E+00	ZERO	ZERO	0.2540E+00
129 Hg(C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg(NO3)2	0.2033E-06	ZERO	0.3065E-05	0.1467E-07	ZERO	0.1459E-07	0.7297E-10
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	0.3405E-19	ZERO	0.3389E-19	0.1621E-21	ZERO	0.1613E-21	0.8067E-24
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	0.1395E-14	ZERO	0.1389E-14	0.6644E-17	ZERO	0.6611E-17	0.3306E-19
51 KCOOH	0.1732E-12	ZERO	0.1724E-12	0.8247E-15	ZERO	0.8206E-15	0.4103E-17
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	0.4940E-15	ZERO	0.4917E-15	0.2352E-17	ZERO	0.2341E-17	0.1170E-19
10 KOH	0.5664E-18	ZERO	0.5637E-18	0.2697E-20	ZERO	0.2684E-20	0.1342E-22
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	0.4840E-13	ZERO	0.4817E-13	0.2305E-15	ZERO	0.2293E-15	0.1147E-17
65 Mg(COOH)2	0.5986E-13	ZERO	0.5958E-13	0.2850E-15	ZERO	0.2836E-15	0.1418E-17
171 Mg(NO3)2	0.9059E-21	ZERO	0.9016E-21	0.4314E-23	ZERO	0.4292E-23	TRACE
33 MgO	0.1910E-13	ZERO	0.1901E-13	0.9094E-16	ZERO	0.9049E-16	0.4524E+18
60 Mn(COOH)2	0.3749E-13	ZERO	0.3731E-13	0.1785E-15	ZERO	0.1776E-15	0.8882E-18
172 Mn(NO3)2	0.1056E-20	ZERO	0.1051E-20	0.5026E-23	ZERO	0.5001E-23	TRACE
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	0.1372E-18	ZERO	0.1365E-18	0.6532E-21	ZERO	0.6499E-21	0.3250E-23
14 MnO2	0.3367E-13	ZERO	0.3351E-13	0.1603E-15	ZERO	0.1595E-15	0.7977E-18
145 MoO2	0.1858E-16	ZERO	0.1849E-16	0.8848E-19	ZERO	0.8804E-19	0.4402E-21
81 N2	0.2666E-07	ZERO	0.2653E-07	0.1270E-09	ZERO	0.1263E-09	0.6316E-12
74 N2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
182 NH3	0.3432E-15	ZERO	0.3415E-15	0.1634E-17	ZERO	0.1626E-17	0.8130E-20
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	0.4646E-08	ZERO	0.				

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 6. Mercury Purification Cell

STREAM NUMBERS (CONT'D) ->	131	132	133	134	135	136	137
STREAM NAME	Hg Feed to	HNO3 Wash	HNO3 Wash	Hg Feed	Water Wash	Water Wash	Washed Hg
	MASC	to MASCFT	from MASC	to MWWC	to MWWC	from MWWC	from MWWC
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	0.1829E-12	ZERO	0.8122E-06	0.3886E-08	ZERO	0.3867E-08	0.1933E-10
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	0.6350E-18	ZERO	0.6320E-18	0.3024E-20	ZERO	0.3009E-20	0.1504E-22
109 Na2C2O4	0.4094E-16	ZERO	0.4074E-16	0.1949E-18	ZERO	0.1940E-18	0.9699E-21
5 Na2CO3	0.8461E-13	ZERO	0.8421E-13	0.4029E-15	ZERO	0.4009E-15	0.2004E-17
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	0.1100E-12	ZERO	0.1094E-12	0.5236E-15	ZERO	0.5210E-15	0.2605E-17
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.3374E-14	ZERO	0.3358E-14	0.1606E-16	ZERO	0.1598E-16	0.7992E-19
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.4450E-16	ZERO	0.4428E-16	0.2119E-18	ZERO	0.2108E-18	0.1054E-20
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	0.1355E-13	ZERO	0.1348E-13	0.6450E-16	ZERO	0.6418E-16	0.3209E-18
7 NaCl	0.1720E-15	ZERO	0.1711E-15	0.8189E-18	ZERO	0.8148E-18	0.4074E-20
69 NaF	0.5906E-15	ZERO	0.5878E-15	0.2812E-17	ZERO	0.2798E-17	0.1399E-19
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.9460E-19	ZERO	0.9415E-19	0.4505E-21	ZERO	0.4482E-21	0.2241E-23
3 NaNO2	0.5114E-16	ZERO	0.5090E-16	0.2435E-18	ZERO	0.2423E-18	0.1212E-20
2 NaNO3	0.1559E-12	ZERO	0.1552E-12	0.7425E-15	ZERO	0.7388E-15	0.3694E-17
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	0.4356E-15	ZERO	0.4336E-15	0.2074E-17	ZERO	0.2064E-17	0.1032E-19
174 Ni (NO3) 2	0.1153E-19	ZERO	0.1147E-19	0.5489E-22	ZERO	0.5462E-22	0.2731E-24
40 NiO	0.4111E-14	ZERO	0.4091E-14	0.1957E-16	ZERO	0.1948E-16	0.9739E-19
82 O2	0.1565E-07	ZERO	0.1558E-07	0.7453E-10	ZERO	0.7416E-10	0.3708E-12
175 Pb (NO3) 2	0.1342E-17	ZERO	0.1336E-17	0.6392E-20	ZERO	0.6360E-20	0.3180E+22
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	0.2537E-21	ZERO	0.2524E-21	0.1208E-23	ZERO	0.1202E-23	TRACE
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.2278E-14	ZERO	0.2267E-14	0.1085E-16	ZERO	0.1079E-16	0.5396E-19
124 Pd	0.2540E-10	ZERO	ZERO	0.2540E-12	ZERO	ZERO	0.2540E-12
112 Pd (NO3) 2	0.3842E-09	ZERO	0.4365E-09	0.2088E-11	ZERO	0.2078E-11	0.1039E-13
110 PdO	TRACE	ZERO	TRACE	TRACE	ZERO	TRACE	TRACE
76 PuO2	0.1712E-15	ZERO	0.1704E-15	0.8152E-18	ZERO	0.8112E-18	0.4056E-20
156 PuO2 (NaTi2O5) 2	0.2193E-17	ZERO	0.2183E-17	0.1044E-19	ZERO	0.1039E-19	0.5196E-22
58 Rh	0.4841E-10	ZERO	ZERO	0.4841E-12	ZERO	ZERO	0.4841E-12
22 RhO2	0.4438E-09	ZERO	0.5042E-09	0.2412E-11	ZERO	0.2400E-11	0.1200E-13
95 Ru	0.1403E-15	ZERO	0.1396E-15	0.6680E-18	ZERO	0.6647E-18	0.3323E-20
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

STREAM NUMBERS (CONT'D) ->	131	132	133	134	135	136	137
STREAM NAME	Hg Feed to MASC	HNO3 Wash to MASCFT	HNO3 Wash from MASC	Hg Feed to MWVC	Water Wash to MWVC	Water Wash from MWVC	Washed Hg from MWVC
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.5512E-12	ZERO	0.5486E-12	0.2625E-14	ZERO	0.2612E-14	0.1306E-16
48 Sr(COOH)2	0.1884E-17	ZERO	0.1875E-17	0.8972E-20	ZERO	0.8927E-20	0.4464E-22
176 Sr(NO3)2	0.5088E-15	ZERO	0.5064E-15	0.2423E-17	ZERO	0.2411E-17	0.1205E-19
153 Sr(NaTi2O5)2	0.7021E-16	ZERO	0.6988E-16	0.3343E-18	ZERO	0.3327E-18	0.1663E-20
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	0.7941E-21	ZERO	0.7903E-21	0.3781E-23	ZERO	0.3763E-23	TRACE
159 TcO2	0.6169E-16	ZERO	0.6140E-16	0.2938E-18	ZERO	0.2923E-18	0.1462E-20
92 ThO2	0.5137E-15	ZERO	0.5113E-15	0.2446E-17	ZERO	0.2434E-17	0.1217E-19
107 TiO2	0.1433E-13	ZERO	0.1426E-13	0.6823E-16	ZERO	0.6789E-16	0.3395E-18
119 Tritium	0.1619E-17	ZERO	0.1612E-17	0.7711E-20	ZERO	0.7672E-20	0.3836E-22
17 U3O8	0.3602E-13	ZERO	0.3585E-13	0.1715E-15	ZERO	0.1707E-15	0.8534E-18
62 UO2(COOH)2	0.2193E-19	ZERO	0.2183E-19	0.1044E-21	ZERO	0.1039E-21	0.5196E-24
177 UO2(NO3)2	0.1579E-17	ZERO	0.1572E-17	0.7520E-20	ZERO	0.7483E-20	0.3741E-22
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	TRACE	ZERO	TRACE	TRACE	ZERO	TRACE	TRACE
178 Y(NO3)3	0.1372E-15	ZERO	0.1366E-15	0.6535E-18	ZERO	0.6503E-18	0.3251E-20
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	0.1669E-16	ZERO	0.1661E-16	0.7950E-19	ZERO	0.7910E-19	0.3955E-21
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	0.4499E-14	ZERO	0.4477E-14	0.2142E-16	ZERO	0.2132E-16	0.1066E-18
179 Zn(NO3)2	0.9200E-18	ZERO	0.9156E-18	0.4381E-20	ZERO	0.4359E-20	0.2180E-22
57 ZnO	0.3096E-14	ZERO	0.3081E-14	0.1474E-16	ZERO	0.1467E-16	0.7335E-19
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.2591E-13	ZERO	0.2579E-13	0.1234E-15	ZERO	0.1228E-15	0.6139E-18
1 water	0.1806E-02	0.3426E-01	0.3590E-01	0.1718E-03	0.3737E-01	0.3736E-01	0.1868E-03
TOTAL FLOW, LB/HR	0.2559E+00	0.3894E-01	0.4064E-01	0.2542E+00	0.3737E-01	0.3738E-01	0.2542E+00
TEMPERATURE, DEG C	0.3800E+02	0.2500E+02	0.3800E+02	0.3800E+02	0.2500E+02	0.2742E+02	0.2742E+02
PRESSURE, ATM	0.9950E+00	0.1000E+01	0.1000E+01	0.1000E+01	0.1340E+01	0.1000E+01	0.1000E+01
PRESSURE, PSIG	-0.7348E-01	ZERO	ZERO	ZERO	0.4997E+01	ZERO	ZERO
PRESSURE, MM HG	0.7562E+03						
ENTHALPY, PCU/HR	0.3878E+00	0.8931E+00	0.1418E+01	0.3248E+00	0.9378E+00	0.1028E+01	0.2346E+00
VAPOR FLOW, CFM							
LIQUID FLOW, GPM	0.4118E-04	0.7464E-04	0.7800E-04	0.3782E-04	0.7464E-04	0.7464E-04	0.3782E-04
DENSITY, LBS/FT3	0.7748E+03	0.6504E+02	0.6497E+02	0.8380E+03			

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 6. Mercury Purification Cell

STREAM NUMBERS -> STREAM NAME	138 MHT Air Purge	139 Hg Hold Tank Vent	140 Washed Hg to MFF	141 Water Rinse to MFF	142 HNO3 Rinse to MFF	143 MFF Rinses to SWT	144 MFF Bottoms to MAWT
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	0.2654E-16	0.1912E-20	ZERO	ZERO	0.1912E-22	TRACE
123 (C6H5)2C6H4	ZERO	0.8144E-20	0.3257E-19	ZERO	ZERO	0.3257E-21	TRACE
118 (C6H5)2NH	ZERO	0.2377E-15	0.3381E-15	ZERO	ZERO	0.3380E-17	0.7451E-21
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	0.2163E-19	0.9397E-21	ZERO	ZERO	0.9385E-21	0.2069E-24
162 (C6H5NH2)	ZERO	0.5843E-14	0.3412E-17	ZERO	ZERO	0.3408E-17	0.7512E-21
163 (C6H5NHCHO)	ZERO	0.8057E-19	0.4984E-20	ZERO	ZERO	0.4978E-20	0.1097E-23
165 (C6H5NO)	ZERO	0.6622E-22	TRACE	ZERO	ZERO	TRACE	TRACE
164 (C6H5NO2)	ZERO	0.2801E-20	0.3358E-23	ZERO	ZERO	0.3354E-23	TRACE
131 (C6H5OH salt)	ZERO	ZERO	0.7177E-22	ZERO	ZERO	0.7168E-22	TRACE
130 (C6H5OH)	ZERO	0.7142E-13	0.3624E-16	ZERO	ZERO	0.3623E-18	0.7987E-22
121 (C6H6)	ZERO	0.1443E-16	0.7026E-22	ZERO	ZERO	0.7025E-24	TRACE
155 (CH3)2CHOH	ZERO	0.2269E-23	TRACE	ZERO	ZERO	TRACE	TRACE
154 (CH3OH)	ZERO	0.1067E-24	TRACE	ZERO	ZERO	TRACE	TRACE
45 Ag	ZERO	ZERO	0.8251E-11	ZERO	ZERO	ZERO	0.8243E-13
116 Ag2O	ZERO	ZERO	TRACE	ZERO	ZERO	TRACE	TRACE
134 AgNO3	ZERO	ZERO	0.2443E-12	ZERO	ZERO	0.1302E-10	0.2869E-14
77 Al2O3	ZERO	ZERO	0.3617E-17	ZERO	ZERO	0.3613E-17	0.7964E-21
106 B2O3	ZERO	ZERO	0.1311E-17	ZERO	ZERO	0.1309E-17	0.2886E-21
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	TRACE	ZERO	ZERO	TRACE	TRACE
24 BaSO4	ZERO	ZERO	0.6975E-20	ZERO	ZERO	0.6966E-20	0.1536E-23
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	0.1386E-23	TRACE	ZERO	ZERO	TRACE	ZERO
142 CO2 (C14)	ZERO	TRACE	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	0.1715E-17	ZERO	ZERO	0.1713E-17	0.3775E-21
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	ZERO	0.1075E-17	ZERO	ZERO	0.1073E-17	0.2366E-21
20 CaC2O4	ZERO	ZERO	TRACE	ZERO	ZERO	TRACE	TRACE
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	0.6146E-20	ZERO	ZERO	0.6138E-20	0.1353E+23
41 CaO	ZERO	ZERO	0.1371E-20	ZERO	ZERO	0.1369E-20	0.3018E-24
19 CaSO4	ZERO	ZERO	0.9022E-19	ZERO	ZERO	0.9011E-19	0.1986E-22
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	0.5852E-22	ZERO	ZERO	0.5845E-22	TRACE
168 Co(NO3)2	ZERO	ZERO	0.2195E-24	ZERO	ZERO	0.2192E-24	TRACE
59 CoO	ZERO	ZERO	0.1254E-22	ZERO	ZERO	0.1252E-22	TRACE
98 Cr2O3	ZERO	ZERO	0.1755E-18	ZERO	ZERO	0.1753E-18	0.3864E-22
42 Cs2O	ZERO	ZERO	0.5744E-22	ZERO	ZERO	0.5737E-22	TRACE
53 CsCOOH	ZERO	ZERO	0.1769E-19	ZERO	ZERO	0.1767E-19	0.3894E-23
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	0.3934E-23	ZERO	ZERO	0.3929E-23	TRACE
8 CsOH	ZERO	ZERO	0.4487E-24	ZERO	ZERO	0.4481E-24	TRACE
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

[illegible]

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 6. Mercury Purification Cell

STREAM NUMBERS (CONT'D) ->	138	139	140	141	142	143	144
STREAM NAME	MHT Air Purge	Hg Hold Tank Vent	Washed Hg to MFF	Water Rinse to MFF	HNO3 Rinse to MFF	MFF Rinses to SWT	MFF Bottoms to MAWT
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	0.1933E-10	0.7790E-21	ZERO	ZERO	0.8154E-07	0.1797E-10
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	0.1504E-22	ZERO	ZERO	0.1503E-22	TRACE
109 Na2C2O4	ZERO	ZERO	0.9699E-21	ZERO	ZERO	0.9687E-21	0.2135E-24
5 Na2CO3	ZERO	ZERO	0.2004E-17	ZERO	ZERO	0.2002E-17	0.4413E-21
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	ZERO	ZERO	0.2605E-17	ZERO	ZERO	0.2602E-17	0.5735E-21
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	ZERO	ZERO	0.7992E-19	ZERO	ZERO	0.7983E-19	0.1759E-22
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	ZERO	ZERO	0.1054E-20	ZERO	ZERO	0.1053E-20	0.2321E-24
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	0.3209E-18	ZERO	ZERO	0.3205E-18	0.7065E-22
7 NaCl	ZERO	ZERO	0.4074E-20	ZERO	ZERO	0.4069E-20	0.8969E-24
69 NaF	ZERO	ZERO	0.1399E-19	ZERO	ZERO	0.1398E-19	0.3080E-23
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	ZERO	0.2241E-23	ZERO	ZERO	0.2238E-23	TRACE
3 NaNO2	ZERO	ZERO	0.1212E-20	ZERO	ZERO	0.1210E-20	0.2667E-24
2 NaNO3	ZERO	ZERO	0.3694E-17	ZERO	ZERO	0.3690E-17	0.8133E-21
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTFB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	0.1032E-19	ZERO	ZERO	0.1031E-19	0.2272E-23
174 Ni (NO3) 2	ZERO	ZERO	0.2731E-24	ZERO	ZERO	0.2728E-24	TRACE
40 NiO	ZERO	ZERO	0.9739E-19	ZERO	ZERO	0.9727E-19	0.2144E-22
82 O2	0.1090E+00	0.1090E+00	0.2880E-11	ZERO	ZERO	0.2879E-13	0.6346E-17
175 Pb (NO3) 2	ZERO	ZERO	0.3180E-22	ZERO	ZERO	0.3176E-22	TRACE
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	TRACE	ZERO	ZERO	TRACE	TRACE
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	0.5396E-19	ZERO	ZERO	0.5390E-19	0.1188E-22
124 Pd	ZERO	ZERO	0.2540E-12	ZERO	ZERO	ZERO	0.2538E-14
112 Pd (NO3) 2	ZERO	ZERO	0.1039E-13	ZERO	ZERO	0.5535E-12	0.1220E-15
110 PdO	ZERO	ZERO	TRACE	ZERO	ZERO	TRACE	TRACE
76 PuO2	ZERO	ZERO	0.4056E-20	ZERO	ZERO	0.4051E-20	0.8929E-24
156 PuO2 (NaTi2O5) 2	ZERO	ZERO	0.5196E-22	ZERO	ZERO	0.5189E-22	TRACE
58 Rh	ZERO	ZERO	0.4841E-12	ZERO	ZERO	ZERO	0.4836E-14
22 RhO2	ZERO	ZERO	0.1200E-13	ZERO	ZERO	0.6394E-12	0.1409E-15
95 Ru	ZERO	ZERO	0.3323E-20	ZERO	ZERO	0.3319E-20	0.7317E-24
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 6. Mercury Purification Cell

STREAM NUMBERS (CONT'D) -> STREAM NAME	138 MHT Air Purge	139 Hg Hold Tank Vent	140 Washed Hg to MFF	141 Water Rinse to MFF	142 HNO3 Rinse to MFF	143 MFF Rinses to SWT	144 MFF Bottoms to MAWT
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	ZERO	0.1306E-16	ZERO	ZERO	0.1304E-16	0.2875E-20
48 Sr(COOH)2	ZERO	ZERO	0.4464E-22	ZERO	ZERO	0.4458E-22	TRACE
176 Sr(NO3)2	ZERO	ZERO	0.1205E-19	ZERO	ZERO	0.1204E-19	0.2654E-23
153 Sr(NaTi2O5)2	ZERO	ZERO	0.1663E-20	ZERO	ZERO	0.1661E-20	0.3662E-24
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	TRACE	ZERO	ZERO	TRACE	TRACE
159 TcO2	ZERO	ZERO	0.1462E-20	ZERO	ZERO	0.1460E-20	0.3218E-24
92 ThO2	ZERO	ZERO	0.1217E-19	ZERO	ZERO	0.1216E-19	0.2679E-23
107 TiO2	ZERO	ZERO	0.3395E-18	ZERO	ZERO	0.3391E-18	0.7473E-22
119 Tritium	ZERO	0.3836E-22	TRACE	ZERO	ZERO	TRACE	TRACE
17 U3O8	ZERO	ZERO	0.8534E-18	ZERO	ZERO	0.8523E-18	0.1879E-21
62 UO2(COOH)2	ZERO	ZERO	0.5196E-24	ZERO	ZERO	0.5190E-24	TRACE
177 UO2(NO3)2	ZERO	ZERO	0.3741E-22	ZERO	ZERO	0.3737E-22	TRACE
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	TRACE	ZERO	ZERO	TRACE	TRACE
178 Y(NO3)3	ZERO	ZERO	0.3251E-20	ZERO	ZERO	0.3247E-20	0.7158E-24
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	0.3955E-21	ZERO	ZERO	0.3950E-21	TRACE
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	0.1066E-18	ZERO	ZERO	0.1064E-18	0.2346E-22
179 Zn(NO3)2	ZERO	ZERO	0.2180E-22	ZERO	ZERO	0.2177E-22	TRACE
57 ZnO	ZERO	ZERO	0.7335E-19	ZERO	ZERO	0.7326E-19	0.1615E-22
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	0.6139E-18	ZERO	ZERO	0.6131E-18	0.1351E-21
1 water	0.7891E-02	0.8077E-02	0.1356E-06	0.6359E-01	0.1943E-01	0.8300E-01	0.1830E-04
TOTAL FLOW, LB/HR	0.4776E+00	0.4778E+00	0.2540E+00	0.6359E-01	0.2208E-01	0.8565E-01	0.2559E-02
TEMPERATURE, DEG C	0.3500E+02	0.3800E+02	0.3800E+02	0.2500E+02	0.2500E+02	0.3800E+02	0.3800E+02
PRESSURE, ATM	0.1000E+01	0.9950E+00	0.9950E+00	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01
PRESSURE, PSIG	ZERO	-0.7348E-01	-0.7348E-01	ZERO	ZERO	ZERO	ZERO
PRESSURE, MM HG		0.7562E+03	0.7562E+03				
ENTHALPY, PCU/HR	0.1002E+02	0.1047E+02	0.3180E+00	0.1596E+01	0.5065E+00	0.3190E+01	0.3883E-02
VAPOR FLOW, CFM	0.1128E+00	0.1146E+00					
LIQUID FLOW, GPM			0.3744E-04	0.1270E-03	0.4233E-04	0.1693E-03	0.4117E-06
DENSITY, LBS/FT3	0.7055E-01	0.6951E-01	0.8457E+03	0.6243E+02	0.6504E+02	0.6308E+02	0.7748E+03
PHASE	VAPOR	VAPOR	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 6. Mercury Purification Cell

STREAM NUMBERS -> STREAM NAME	145 Purified Hg from MVS	146 MVS Vent to Vacuum Pump	147 Hg Accum at Vacuum Pump	148 MVS Vacuum Pump Exhaust	149 SWT Air Purge	150 SWT Vent	151 SWT Hg Wash to DWTT
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	0.1893E-20	ZERO	ZERO	ZERO	ZERO	0.1315E-10	0.2713E-11
123 (C6H5)2C6H4	0.3225E-19	ZERO	ZERO	ZERO	ZERO	0.1253E-19	0.2433E-13
118 (C6H5)2NH	0.3347E-15	ZERO	ZERO	ZERO	ZERO	0.6990E-11	0.3371E-09
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	0.9397E-24	ZERO	ZERO	ZERO	ZERO	0.4440E-20	0.1349E-13
162 (C6H5NH2)	0.3412E-20	ZERO	ZERO	ZERO	ZERO	0.1040E-08	0.2453E-08
163 (C6H5NHCHO)	0.4984E-23	ZERO	ZERO	ZERO	ZERO	0.1683E-19	0.5112E-13
165 (C6H5NO)	TRACE	ZERO	ZERO	ZERO	ZERO	0.1303E-22	0.3957E-16
164 (C6H5NO2)	TRACE	ZERO	ZERO	ZERO	ZERO	0.5516E-21	0.1675E-14
131 (C6H5OH salt)	TRACE	ZERO	ZERO	ZERO	ZERO	0.1412E-22	0.4289E-16
130 (C6H5OH)	0.3588E-16	ZERO	ZERO	ZERO	ZERO	0.7474E-08	0.3522E-07
121 (C6H6)	0.6956E-22	ZERO	ZERO	ZERO	ZERO	0.8611E-11	0.1442E-13
155 (CH3)2CHOH	TRACE	ZERO	ZERO	ZERO	ZERO	0.2639E-18	0.1092E-17
154 (CH3OH)	TRACE	ZERO	ZERO	ZERO	ZERO	0.2422E-19	0.3955E-19
45 Ag	0.8251E-14	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	TRACE	ZERO	ZERO	ZERO	ZERO	TRACE	0.6495E-23
134 AgNO3	0.2443E-15	ZERO	ZERO	ZERO	ZERO	0.4253E-13	0.1292E-06
77 Al2O3	0.3617E-20	ZERO	ZERO	ZERO	ZERO	0.7116E-18	0.2162E-11
106 B2O3	0.1311E-20	ZERO	ZERO	ZERO	ZERO	0.2579E-18	0.7833E-12
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	TRACE	ZERO	ZERO	ZERO	ZERO	TRACE	0.8199E-21
24 BaSO4	0.6975E-23	ZERO	ZERO	ZERO	ZERO	0.1372E-20	0.4168E-14
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	TRACE	ZERO	TRACE	ZERO	0.8280E-18	0.2074E-21
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE	TRACE
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.1715E-20	ZERO	ZERO	ZERO	ZERO	0.3373E-18	0.1025E-11
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.1075E-20	ZERO	ZERO	ZERO	ZERO	0.2114E-18	0.6422E-12
20 CaC2O4	TRACE	ZERO	ZERO	ZERO	ZERO	TRACE	0.5961E-19
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	0.6146E-23	ZERO	ZERO	ZERO	ZERO	0.1209E-20	0.3672E-14
41 CaO	0.1371E-23	ZERO	ZERO	ZERO	ZERO	0.2697E-21	0.8192E-15
19 CaSO4	0.9022E-22	ZERO	ZERO	ZERO	ZERO	0.1775E-19	0.5391E-13
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	TRACE	ZERO	ZERO	ZERO	ZERO	0.1151E-22	0.3497E-16
168 Co(NO3)2	TRACE	ZERO	ZERO	ZERO	ZERO	TRACE	0.1312E-18
59 CoO	TRACE	ZERO	ZERO	ZERO	ZERO	0.2466E-23	0.7491E-17
98 Cr2O3	0.1755E-21	ZERO	ZERO	ZERO	ZERO	0.3452E-19	0.1049E-12
42 Cs2O	TRACE	ZERO	ZERO	ZERO	ZERO	0.1130E-22	0.3432E-16
53 CsCOOH	0.1769E-22	ZERO	ZERO	ZERO	ZERO	0.3479E-20	0.1057E-13
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	TRACE	ZERO	ZERO	ZERO	ZERO	0.7739E-24	0.2351E-17
8 CsOH	TRACE	ZERO	ZERO	ZERO	ZERO	TRACE	0.2681E-18
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

[illegible]

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 6. Mercury Purification Cell

STREAM NUMBERS (CONT'D) -> STREAM NAME	145 Purified Hg from MVS	146 MVS Vent to Vacuum Pump	147 Hg Accum at Vacuum Pump	148 MVS Vacuum Pump Exhst	149 SWT Air Purge	150 SWT Vent	151 SWT Hg Wash to DWTT
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	0.7712E-21	ZERO	0.7712E-21	ZERO	0.8976E-06	0.1759E-10
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	TRACE	ZERO	ZERO	ZERO	ZERO	0.2960E-23	0.8990E-17
109 Na2C2O4	0.9699E-24	ZERO	ZERO	ZERO	ZERO	0.1908E-21	0.5796E-15
5 Na2CO3	0.2004E-20	ZERO	ZERO	ZERO	ZERO	0.3943E-18	0.1198E-11
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	0.2605E-20	ZERO	ZERO	ZERO	ZERO	0.5124E-18	0.1557E-11
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.7992E-22	ZERO	ZERO	ZERO	ZERO	0.1572E-19	0.4776E-13
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.1054E-23	ZERO	ZERO	ZERO	ZERO	0.2074E-21	0.6299E-15
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	0.3209E-21	ZERO	ZERO	ZERO	ZERO	0.6313E-19	0.1918E-12
7 NaCl	0.4074E-23	ZERO	ZERO	ZERO	ZERO	0.8014E-21	0.2434E-14
69 NaF	0.1399E-22	ZERO	ZERO	ZERO	ZERO	0.2753E-20	0.8361E-14
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	TRACE	ZERO	ZERO	ZERO	ZERO	0.4409E-24	0.1339E-17
3 NaNO2	0.1212E-23	ZERO	ZERO	ZERO	ZERO	0.2384E-21	0.7240E-15
2 NaNO3	0.3694E-20	ZERO	ZERO	ZERO	ZERO	0.7267E-18	0.2207E-11
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTFB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	0.1032E-22	ZERO	ZERO	ZERO	ZERO	0.2030E-20	0.6167E-14
174 Ni (NO3) 2	TRACE	ZERO	ZERO	ZERO	ZERO	TRACE	0.1632E-18
40 NiO	0.9739E-22	ZERO	ZERO	ZERO	ZERO	0.1916E-19	0.5819E-13
82 O2	ZERO	0.2851E-11	ZERO	0.2851E-11	0.1090E+00	0.1090E+00	0.1400E-05
175 Pb (NO3) 2	TRACE	ZERO	ZERO	ZERO	ZERO	0.6256E-23	0.1900E+16
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	TRACE	ZERO	ZERO	ZERO	ZERO	TRACE	0.3591E-20
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.5396E-22	ZERO	ZERO	ZERO	ZERO	0.1062E-19	0.3225E-13
124 Pd	0.2540E-15	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	0.1039E-16	ZERO	ZERO	ZERO	ZERO	0.1808E-14	0.5493E-08
110 PdO	TRACE	ZERO	ZERO	ZERO	ZERO	TRACE	0.2141E-24
76 PuO2	0.4056E-23	ZERO	ZERO	ZERO	ZERO	0.7979E-21	0.2424E-14
156 PuO2 (NaTi2O5) 2	TRACE	ZERO	ZERO	ZERO	ZERO	0.1022E-22	0.3105E-16
58 Rh	0.4841E-15	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	0.1200E-16	ZERO	ZERO	ZERO	ZERO	0.2089E-14	0.6346E-08
95 Ru	0.3323E-23	ZERO	ZERO	ZERO	ZERO	0.6538E-21	0.1986E-14
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 6. Mercury Purification Cell

STREAM NUMBERS (CONT'D) -> STREAM NAME	145 Purified Hg from MVS	146 MVS Vent to Vacuum Pump	147 Hg Accum at Vacuum Pump	148 MVS Vacuum Pump Exhst	149 SWT Air Purge	150 SWT Vent	151 SWT Hg Wash to DWT
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.1306E-19	ZERO	ZERO	ZERO	ZERO	0.2569E-17	0.7803E-11
48 Sr(COOH)2	TRACE	ZERO	ZERO	ZERO	ZERO	0.8781E-23	0.2667E-16
176 Sr(NO3)2	0.1205E-22	ZERO	ZERO	ZERO	ZERO	0.2371E-20	0.7203E-14
153 Sr(NaTi2O5)2	0.1663E-23	ZERO	ZERO	ZERO	ZERO	0.3272E-21	0.9939E-15
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	TRACE	ZERO	ZERO	ZERO	ZERO	TRACE	0.1124E-19
159 TcO2	0.1462E-23	ZERO	ZERO	ZERO	ZERO	0.2875E-21	0.8733E-15
92 ThO2	0.1217E-22	ZERO	ZERO	ZERO	ZERO	0.2394E-20	0.7273E-14
107 TiO2	0.3395E-21	ZERO	ZERO	ZERO	ZERO	0.6678E-19	0.2029E-12
119 Tritium	TRACE	ZERO	ZERO	ZERO	ZERO	0.2550E-17	0.2037E-16
17 U3O8	0.8534E-21	ZERO	ZERO	ZERO	ZERO	0.1679E-18	0.5099E-12
62 UO2(COOH)2	TRACE	ZERO	ZERO	ZERO	ZERO	0.1022E-24	0.3105E-18
177 UO2(NO3)2	TRACE	ZERO	ZERO	ZERO	ZERO	0.7360E-23	0.2236E-16
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	TRACE	ZERO	ZERO	ZERO	ZERO	TRACE	0.3216E-24
178 Y(NO3)3	0.3251E-23	ZERO	ZERO	ZERO	ZERO	0.6396E-21	0.1943E-14
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	0.3955E-24	ZERO	ZERO	ZERO	ZERO	0.7780E-22	0.2363E-15
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	0.1066E-21	ZERO	ZERO	ZERO	ZERO	0.2097E-19	0.6368E-13
179 Zn(NO3)2	TRACE	ZERO	ZERO	ZERO	ZERO	0.4288E-23	0.1302E-16
57 ZnO	0.7335E-22	ZERO	ZERO	ZERO	ZERO	0.1443E-19	0.4383E-13
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.6139E-21	ZERO	ZERO	ZERO	ZERO	0.1208E-18	0.3668E-12
1 water	ZERO	ZERO	ZERO	ZERO	0.7891E-02	0.2051E-01	0.1674E+00
TOTAL FLOW, LB/HR	0.2514E+00	0.2415E-04	0.2415E-04	0.7707E-11	0.4776E+00	0.4925E+00	0.1737E+00
TEMPERATURE, DEG C	-0.3000E+02	-0.3000E+02	-0.3000E+02	-0.3000E+02	0.3500E+02	0.3800E+02	0.3800E+02
PRESSURE, ATM	0.1000E+01	0.6579E-04	0.9950E+00	0.9950E+00	0.1000E+01	0.9656E+00	0.9656E+00
PRESSURE, PSIG	ZERO	-0.1470E+02	-0.7348E-01	-0.7348E-01	ZERO	-0.5055E+00	-0.5055E+00
PRESSURE, MM HG		0.5000E-01	0.7562E+03	0.7562E+03		0.7339E+03	0.7339E+03
ENTHALPY, PCU/HR	-0.2485E+00	0.1736E-02	ZERO	-0.1439E-10	0.1002E+02	0.1837E+02	0.6443E+01
VAPOR FLOW, CFM		0.9743E-02		0.1404E-11	0.1128E+00	0.1232E+00	
LIQUID FLOW, GPM	0.3707E-04						0.3427E-03
DENSITY, LBS/FT3	0.8457E+03	0.4131E-04	ZERO	0.9147E-01	0.7055E-01	0.6665E-01	0.6320E+02
PHASE	LIQUID	VAPOR	N/A	VAPOR	VAPOR	VAPOR	LIQUID

SECTION 7. COLLECTION AND TREATMENT OF WASTE STREAMS

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 7. Collection and Treatment of Waste Streams

DESCRIPTION	PAGE
-----	----
1. STREAM NUMBERS 151, 160, 161, 162, 163, 164, 165	2
2. STREAM NUMBERS 166, 167, 43, 100, 120, 170, 171	6
3. STREAM NUMBERS 173, 174, 175, 196, 199, 172, 48	10
4. STREAM NUMBERS 176, 168, 105, 152, 153, 177, 186	14
5. STREAM NUMBERS 339, 348, 340, 338, 354	18

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 7. Collection and Treatment of Waste Streams

STREAM NUMBERS -> STREAM NAME	151 SWT Hg Wash to DWTT	160 Warm Decon Hdr to DWTT	161 Hot Decon Hdr to DWTT	162 DWTT Sample Pump Prime	163 DWTT Transfer Pump Prime	164 DWTT Air Inleakage	165 50 Wt% NaOH to DWTT
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	0.2713E-11	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	0.2433E-13	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	0.3371E-09	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	0.1349E-13	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	0.2453E-08	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	0.5112E-13	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	0.3957E-16	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	0.1675E-14	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	0.4289E-16	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	0.3522E-07	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	0.1442E-13	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
155 (CH3)2CHOH	0.1092E-17	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
154 (CH3OH)	0.3955E-19	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	0.6495E-23	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	0.1292E-06	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.2162E-11	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
106 B2O3	0.7833E-12	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	0.8199E-21	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	0.4168E-14	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.2074E-21	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
142 CO2 (C14)	TRACE	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.1025E-11	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.6422E-12	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
20 CaC2O4	0.5961E-19	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	0.3672E-14	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	0.8192E-15	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	0.5391E-13	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	0.3497E-16	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	0.1312E-18	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
59 CoO	0.7491E-17	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
98 Cr2O3	0.1049E-12	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
42 Cs2O	0.3432E-16	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
53 CsCOOH	0.1057E-13	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	0.2351E-17	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	0.2681E-18	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

[illegible]

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 7. Collection and Treatment of Waste Streams

STREAM NUMBERS (CONT'D) -> STREAM NAME	151 SWT Hg Wash to DWTT	160 Warm Decon Hdr to DWTT	161 Hot Decon Hdr to DWTT	162 DWTT Sample Pump Prime	163 DWTT Trnsfer Pump Prime	164 DWTT Air Inleakage	165 50 Wt% NaOH to DWTT
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	0.1759E-10	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	0.8990E-17	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	0.5796E-15	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	0.1198E-11	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	0.1557E-11	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.4776E-13	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.6299E-15	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	0.1918E-12	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	0.2434E-14	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
69 NaF	0.8361E-14	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.1339E-17	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
3 NaNO2	0.7240E-15	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
2 NaNO3	0.2207E-11	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.8250E+01
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	0.6167E-14	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni (NO3) 2	0.1632E-18	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
40 NiO	0.5819E-13	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
82 O2	0.1400E-05	ZERO	ZERO	ZERO	ZERO	0.1656E+02	ZERO
175 Pb (NO3) 2	0.1900E-16	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	0.3591E-20	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.3225E-13	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	0.5493E-08	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	0.2141E-24	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	0.2424E-14	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
156 PuO2 (NaTi2O5) 2	0.3105E-16	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	0.6346E-08	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	0.1986E-14	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 7. Collection and Treatment of Waste Streams

[illegible]

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 7. Collection and Treatment of Waste Streams

STREAM NUMBERS -> STREAM NAME	166 DWTC Vent to PVVS	167 DWT Liquid to RCT	43 SMECT Liq to RCT	100 OGCT Liquid to RCT	120 Backup OGCT Liq to RCT	170 RCT Sample Pump Prime	171 RCT Transfer Pump Prime
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	0.5665E-14	0.2707E-11	0.2928E-03	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	0.5369E-20	0.2433E-13	0.3645E-06	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	0.7438E-16	0.3371E-09	0.5159E-02	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	0.1579E-19	0.1349E-13	0.2021E-06	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	0.1887E-12	0.2453E-08	0.5449E-01	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	0.3818E-19	0.5112E-13	0.7661E-06	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	0.4894E-17	0.3468E-16	0.8336E-08	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	0.6601E-19	0.1675E-14	0.2539E-07	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	0.7293E-14	0.3523E-07	0.6425E-09	0.3650E-15	ZERO	ZERO	ZERO
130 (C6H5OH)	ZERO	ZERO	0.6632E+00	0.2438E-02	ZERO	ZERO	ZERO
121 (C6H6)	0.2240E-15	0.1420E-13	0.8070E-03	ZERO	ZERO	ZERO	ZERO
155 (CH3)2CHOH	0.7726E-20	0.1084E-17	0.5535E-10	ZERO	ZERO	ZERO	ZERO
154 (CH3OH)	0.8037E-21	0.3875E-19	0.5273E-11	ZERO	ZERO	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	0.1835E-13	0.8863E-07	0.9731E-16	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.4475E-18	0.2162E-11	0.3238E-04	0.8833E-01	ZERO	ZERO	ZERO
106 B2O3	0.1622E-18	0.7833E-12	0.1174E-04	0.1692E+00	ZERO	ZERO	ZERO
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	TRACE	0.8199E-21	0.1228E-13	0.1119E-04	ZERO	ZERO	ZERO
24 BaSO4	0.8629E-21	0.4168E-14	0.6244E-07	0.1533E-03	ZERO	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.4269E+00	0.2164E-02	0.1146E-03	0.4394E-02	ZERO	ZERO	ZERO
142 CO2 (C14)	TRACE	TRACE	0.1479E-11	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.2122E-18	0.1025E-11	0.1535E-04	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.1330E-18	0.6422E-12	0.9621E-05	0.2626E-01	ZERO	ZERO	ZERO
20 CaC2O4	TRACE	0.5961E-19	0.8930E-12	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	0.7603E-21	0.3672E-14	0.5501E-07	ZERO	ZERO	ZERO	ZERO
41 CaO	0.1696E-21	0.8192E-15	0.1227E-07	0.1454E-01	ZERO	ZERO	ZERO
19 CaSO4	0.1116E-19	0.5391E-13	0.8076E-06	0.1987E-02	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	0.5239E-09	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	TRACE	0.1312E-18	0.1965E-11	ZERO	ZERO	ZERO	ZERO
59 CoO	0.5193E-23	0.2508E-16	0.1122E-09	0.1030E-05	ZERO	ZERO	ZERO
98 Cr2O3	0.2171E-19	0.1049E-12	0.1571E-05	0.4301E-02	ZERO	ZERO	ZERO
42 Cs2O	0.7106E-23	0.3432E-16	0.5142E-09	0.3099E-03	ZERO	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	0.1583E-06	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	0.4110E-02	ZERO	ZERO	ZERO
169 CsNO3	0.4867E-24	0.2351E-17	0.3522E-10	ZERO	ZERO	ZERO	ZERO
8 CsOH	0.1844E-20	0.8906E-14	0.4016E-11	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

[illegible]

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 7. Collection and Treatment of Waste Streams

STREAM NUMBERS (CONT'D) -> STREAM NAME	166 DWTC Vent to PVVS	167 DWTT Liquid to RCT	43 SMECT Liq to RCT	100 OGCT Liquid to RCT	120 Backup OGCT Liq to RCT	170 RCT Sample Pump Prime	171 RCT Transfer Pump Prime
35 NO	ZERO	ZERO	0.3277E-06	0.3839E-04	ZERO	ZERO	ZERO
84 NO2	0.1758E-10	0.5568E-14	0.4661E-08	0.7574E-04	ZERO	ZERO	ZERO
70 Na(HgO(OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	0.3170E-18	0.1531E-11	0.1347E-09	0.1227E+00	ZERO	ZERO	ZERO
109 Na2C2O4	0.1637E-05	0.7909E+01	0.8683E-08	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	0.2480E-18	0.1198E-11	0.1794E-04	ZERO	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	0.3223E-18	0.1557E-11	0.2332E-04	0.2030E+00	ZERO	ZERO	ZERO
71 Na2PuO2(OH)4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.9888E-20	0.4776E-13	0.7155E-06	ZERO	ZERO	ZERO	ZERO
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.1304E-21	0.6299E-15	0.9437E-08	0.2578E-04	ZERO	ZERO	ZERO
91 NaAg(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl(OH)4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	0.7757E-18	0.3747E-11	0.2873E-05	ZERO	ZERO	ZERO	ZERO
7 NaCl	0.5040E-21	0.2434E-14	0.3647E-07	0.4978E-04	ZERO	ZERO	ZERO
69 NaF	0.1731E-20	0.8361E-14	0.1253E-06	0.1277E-01	ZERO	ZERO	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.2773E-24	0.1339E-17	0.2006E-10	0.5410E-05	ZERO	ZERO	ZERO
3 NaNO2	0.1499E-21	0.7240E-15	0.1085E-07	0.3562E-02	ZERO	ZERO	ZERO
2 NaNO3	0.1379E-05	0.6661E+01	0.3307E-04	0.2213E-02	ZERO	ZERO	ZERO
4 NaOH	0.8178E-07	0.3950E+00	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni(COOH)2	ZERO	ZERO	0.9239E-07	ZERO	ZERO	ZERO	ZERO
174 Ni(NO3)2	TRACE	0.1632E-18	0.2445E-11	ZERO	ZERO	ZERO	ZERO
40 NiO	0.1269E-19	0.6129E-13	0.8718E-06	0.2542E-02	ZERO	ZERO	ZERO
82 O2	0.1653E+02	0.3447E-02	0.8121E-02	0.1104E-01	0.7959E-04	ZERO	ZERO
175 Pb(NO3)2	0.3934E-23	0.1900E-16	0.2847E-09	ZERO	ZERO	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	TRACE	0.3591E-20	0.5380E-13	0.4902E-04	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.6676E-20	0.3225E-13	0.4831E-06	0.1252E-02	ZERO	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	0.6049E-15	0.2921E-08	0.3207E-17	ZERO	ZERO	ZERO	ZERO
76 PuO2	0.5018E-21	0.2424E-14	0.3631E-07	0.9956E-04	ZERO	ZERO	ZERO
156 PuO2(NaTi2O5)2	0.6428E-23	0.3105E-16	0.4651E-09	ZERO	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	0.1314E-14	0.6346E-08	0.6966E-17	ZERO	ZERO	ZERO	ZERO
95 Ru	0.4112E-21	0.1986E-14	0.2975E-07	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 7. Collection and Treatment of Waste Streams

STREAM NUMBERS (CONT'D) -> STREAM NAME	166 DWTC Vent to PVVS	167 DWTT Liquid to RCT	43 SMECT Liq to RCT	100 OGCT Liquid to RCT	120 Backup OGCT Liq to RCT	170 RCT Sample Pump Prime	171 RCT Transfer Pump Prime
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.1616E-17	0.7803E-11	0.1169E-03	0.1229E+01	ZERO	ZERO	ZERO
48 Sr(COOH)2	ZERO	ZERO	0.3996E-09	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	0.1491E-20	0.7203E-14	0.1079E-06	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	0.2058E-21	0.9939E-15	0.1489E-07	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	0.3224E-23	0.1557E-16	0.1684E-12	0.1535E-03	ZERO	ZERO	ZERO
159 TcO2	0.1808E-21	0.8733E-15	0.1308E-07	0.3569E-04	ZERO	ZERO	ZERO
92 ThO2	0.1506E-20	0.7273E-14	0.1090E-06	0.2972E-03	ZERO	ZERO	ZERO
107 TiO2	0.4200E-19	0.2029E-12	0.3039E-05	0.8335E-02	ZERO	ZERO	ZERO
119 Tritium	0.7863E-19	0.2029E-16	0.6462E-09	0.1413E-09	ZERO	ZERO	ZERO
17 U3O8	0.1056E-18	0.5099E-12	0.7639E-05	0.2084E-01	ZERO	ZERO	ZERO
62 UO2(COOH)2	ZERO	ZERO	0.4652E-11	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	0.4629E-23	0.2236E-16	0.3349E-09	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	0.4818E-17	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	0.4023E-21	0.1943E-14	0.2911E-07	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	0.4893E-22	0.2363E-15	0.3541E-08	0.4229E-04	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	0.9541E-06	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	0.2697E-23	0.1302E-16	0.1951E-09	ZERO	ZERO	ZERO	ZERO
57 ZnO	0.1598E-19	0.7718E-13	0.6566E-06	0.3159E-02	ZERO	ZERO	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.1516E-14	0.7321E-08	0.5495E-05	ZERO	ZERO	ZERO	ZERO
1 water	0.1220E+01	0.3374E+03	0.1178E+04	0.1592E+04	0.9646E+01	0.4180E+01	0.2090E+01
TOTAL FLOW, LB/HR	0.7301E+02	0.3526E+03	0.1183E+04	0.1594E+04	0.9646E+01	0.4180E+01	0.2090E+01
TEMPERATURE, DEG C	0.2250E+02	0.2250E+02	0.4900E+02	0.4000E+02	0.4000E+02	0.2500E+02	0.2500E+02
PRESSURE, ATM	0.9656E+00	0.9656E+00	0.1000E+01	0.9650E+00	0.1000E+01	0.1000E+01	0.1000E+01
PRESSURE, PSIG	-0.5055E+00	-0.5055E+00	ZERO	-0.5144E+00	ZERO	ZERO	ZERO
PRESSURE, MM HG	0.7339E+03	0.7339E+03	0.7339E+03	0.7334E+03	0.7334E+03	0.7334E+03	0.7334E+03
ENTHALPY, PCU/HR	0.1348E+04	0.7700E+04	0.5787E+05	0.6381E+05	0.3866E+03	0.1049E+03	0.5244E+02
VAPOR FLOW, CFM	0.1710E+02						
LIQUID FLOW, GPM		0.6859E+00	0.2360E+01	0.3181E+01	0.1926E-01	0.8348E-02	0.4174E-02
DENSITY, LBS/FT3	0.7114E-01	0.6410E+02	0.6251E+02	0.6249E+02	0.6243E+02	0.6243E+02	0.6243E+02
PHASE	VAPOR	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 7. Collection and Treatment of Waste Streams

STREAM NUMBERS -> STREAM NAME	173 40 wt% NaNO ₂ to RCT	174 50 wt% NaOH to RCT	175 Formic Acid Hdr to RCT	196 Sand Filter Inlet Sump	199 Sand Filter Exit Sump	172 RCT Air Inleakage	48 MFT Vent to Scrubber
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.2345E-15
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.4657E-09
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.2552E-09
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1094E-08
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1449E-04
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.4145E-08
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.6748E-10
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1375E-09
131 (C6H5OH salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1631E-22
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1945E-02
121 (C6H6)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.2997E-22
155 (CH3)2CHOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.9932E-13
154 (CH3OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.3408E-14
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.2459E-09
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1750E-06
106 B2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.2509E-06
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE
24 BaSO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.3376E-09
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.4379E-16
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.8297E-07
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.5203E-07
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.4838E-14
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.2973E+09
41 CaO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.6625E-10
19 CaSO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.4375E-08
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.2839E-11
168 Co(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1065E-13
59 CoO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.6081E-12
98 Cr2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.8523E-08
42 Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.2779E-11
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.8580E-09
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1904E-12
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

[illegible]

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 7. Collection and Treatment of Waste Streams

STREAM NUMBERS (CONT'D) ->	173	174	175	196	199	172	48
STREAM NAME	40 wt% NaNO ₂ to RCT	50 wt% NaOH to RCT	Formic Acid Hdr to RCT	Sand Filter Inlet Sump	Sand Filter Exit Sump	RCT Air Inleakage	MFT Vent to Scrubber
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE
84 NO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na(HgO(OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na ₂ B ₄ O ₇	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na ₂ C ₂ O ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
5 Na ₂ CO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1002E-06
143 Na ₂ CO ₃ (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na ₂ CrO ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na ₂ MoO ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na ₂ O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.2509E-06
71 Na ₂ PuO ₂ (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na ₂ RhO ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na ₂ RuO ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na ₂ SO ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.3867E-08
88 Na ₂ SiO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na ₃ PO ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.5107E-10
91 NaAg(OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl(OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.4656E-07
7 NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1973E-09
69 NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.6769E-09
11 NaHCO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1084E-12
3 NaNO ₂	0.9881E+01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
2 NaNO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1772E-06
4 NaOH	ZERO	0.8100E+02	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi ₂ O ₅ H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd ₂ O ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni(COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.4994E-09
174 Ni(NO ₃) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1325E-13
40 NiO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.4787E-08
82 O ₂	ZERO	ZERO	ZERO	ZERO	ZERO	0.1656E+02	0.1656E+02
175 Pb(NO ₃) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1539E+11
86 PbCO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	TRACE
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.2611E-08
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.7732E-11
112 Pd(NO ₃) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1962E-09
156 PuO ₂ (NaTi ₂ O ₅) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.2520E-11
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1473E-10
22 RhO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	0.1610E-09
79 RuO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO ₄	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

[illegible]

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 7. Collection and Treatment of Waste Streams

STREAM NUMBERS -> STREAM NAME	176 RCT Vent to Scrubber	168 MFT/RCT Vent to Scrubber	105 MFT Scrubber Vent to FAVC	152 Liquid to MFT Scrubber	153 Spnt Liq frm MFT Scrubber	177 Neutr Waste to Tank Farm	186 Air Purge to Recyc Hld Tk
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	0.2894E-03	0.2881E-03	0.7707E-06	0.2682E-03	0.5543E-03	0.3456E-05	ZERO
123 (C6H5)2C6H4	0.2069E-14	0.4657E-09	0.5716E-14	0.3339E-06	0.3246E-06	0.3645E-06	ZERO
118 (C6H5)2NH	0.3109E-04	0.3013E-04	0.1925E-08	0.4725E-02	0.4609E-02	0.5128E-02	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	0.5292E-15	0.1094E-08	0.1032E-11	0.1851E-06	0.1809E-06	0.2021E-06	ZERO
162 (C6H5NH2)	0.4753E-03	0.4752E-03	0.1911E-04	0.4991E-01	0.4884E-01	0.5402E-01	ZERO
163 (C6H5NHCHO)	0.2006E-14	0.4145E-08	0.3152E-11	0.7017E-06	0.6856E-06	0.7661E-06	ZERO
165 (C6H5NO)	0.2182E-16	0.6748E-10	0.6519E-09	0.7635E-08	0.6953E-08	0.8336E-08	ZERO
164 (C6H5NO2)	0.6648E-16	0.1375E-09	0.4237E-11	0.2326E-07	0.2272E-07	0.2539E-07	ZERO
131 (C6H5OH salt)	0.1743E-08	0.1691E-08	ZERO	0.5885E-09	0.2188E-08	0.6657E+00	ZERO
130 (C6H5OH)	ZERO	0.1945E-02	0.2328E-03	0.6075E+00	0.5910E+00	ZERO	ZERO
121 (C6H6)	0.7441E-03	0.7383E-03	0.4710E-04	0.7392E-03	0.1425E-02	0.6288E-04	ZERO
155 (CH3)2CHOH	0.2117E-12	0.3048E-12	0.1071E-11	0.5070E-10	0.4844E-10	0.5514E-10	ZERO
154 (CH3OH)	0.4649E-13	0.4873E-13	0.2318E-12	0.4830E-11	0.4525E-11	0.5226E-11	ZERO
45 Ag	ZERO	0.2459E-09	ZERO	ZERO	0.2459E-09	ZERO	ZERO
116 Ag2O	0.2320E-15	0.2321E-15	ZERO	0.8913E-16	0.3095E-15	0.8863E-07	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.2313E-09	0.1753E-06	ZERO	0.2966E-04	0.2899E-04	0.8836E-01	ZERO
106 B2O3	0.4429E-09	0.2513E-06	ZERO	0.1075E-04	0.1069E-04	0.1692E+00	ZERO
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	0.2930E-13	0.2930E-13	ZERO	0.1125E-13	0.3908E-13	0.1119E-04	ZERO
24 BaSO4	0.4016E-12	0.3380E-09	ZERO	0.5720E-07	0.5589E-07	0.1534E-03	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.6526E-02	0.6527E-02	0.6607E-02	0.1050E-03	0.2569E-04	0.1461E-03	ZERO
142 CO2 (C14)	0.1447E-11	0.1447E-11	0.2791E-11	0.1355E-11	0.1085E-13	0.3239E-13	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	0.4019E-13	0.8297E-07	ZERO	0.1406E-04	0.1374E-04	0.1535E-04	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.6876E-10	0.5210E-07	ZERO	0.8813E-05	0.8611E-05	0.2627E-01	ZERO
20 CaC2O4	0.2338E-20	0.4838E-14	ZERO	0.8180E-12	0.7991E-12	0.8930E-12	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	0.1440E-15	0.2973E-09	ZERO	0.5039E-07	0.4924E-07	0.5501E-07	ZERO
41 CaO	0.3807E-10	0.1043E-09	ZERO	0.1124E-07	0.1102E-07	0.1454E-01	ZERO
19 CaSO4	0.5204E-11	0.4380E-08	ZERO	0.7398E-06	0.7227E-06	0.1988E-02	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	0.2839E-11	ZERO	0.4799E-09	0.4688E-09	ZERO	ZERO
168 Co(NO3)2	0.5144E-20	0.1065E-13	ZERO	0.1800E-11	0.1758E-11	0.1965E-11	ZERO
59 CoO	0.2697E-14	0.6108E-12	ZERO	0.1028E-09	0.1004E-09	0.1030E-05	ZERO
98 Cr2O3	0.1127E-10	0.8535E-08	ZERO	0.1439E-05	0.1406E-05	0.4303E-02	ZERO
42 Cs2O	0.8114E-12	0.3591E-11	ZERO	0.4710E-09	0.4610E-09	0.3099E-03	ZERO
53 CsCOOH	ZERO	0.8580E-09	ZERO	0.1450E-06	0.1417E-06	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	0.9220E-19	0.1904E-12	ZERO	0.3226E-10	0.3152E-10	0.3522E-10	ZERO
8 CsOH	0.9581E-11	0.9582E-11	ZERO	0.3679E-11	0.1278E-10	0.3660E-02	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 7. Collection and Treatment of Waste Streams

STREAM NUMBERS (CONT'D) ->	176	168	105	152	153	177	186
STREAM NAME	RCT Vent to Scrubber	MFT/RCT Vent to Scrubber	MFT Scrubber Vent to FAVC	Liquid to MFT Scrubber	Sptnt Liq frm MFT Scrubber	Neutr Waste to Tank Farm	Air Purge to Recyc Hld Tk
54 Cu (COOH) 2	ZERO	0.8778E-10	ZERO	0.1487E-07	0.1453E-07	ZERO	ZERO
170 Cu (NO3) 2	0.2089E-13	0.4317E-07	ZERO	0.7308E-05	0.7140E-05	0.7978E-05	ZERO
55 CuO	0.2477E-10	0.4150E-09	ZERO	0.6613E-07	0.6464E-07	0.9462E-02	ZERO
80 Fe2O3	0.6648E-09	0.5036E-06	ZERO	0.8524E-04	0.8329E-04	0.2539E+00	ZERO
101 FeO	0.6646E-10	0.5035E-07	ZERO	0.8522E-05	0.8327E-05	0.2539E-01	ZERO
102 Group A	0.5514E-12	0.7075E-10	ZERO	0.1190E-07	0.1163E-07	0.2106E-03	ZERO
103 Group B	0.3958E-14	0.2999E-11	ZERO	0.5075E-09	0.4960E-09	0.1512E-05	ZERO
25 H2	0.1846E-08	0.1846E-08	0.3539E-08	0.1693E-08	0.5635E-12	0.1693E-11	ZERO
158 H2C2O4	ZERO	0.3620E-08	ZERO	0.6135E-06	0.5995E-06	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	0.1527E-06	ZERO	0.2582E-04	0.2522E-04	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	0.6978E-11	0.1012E+00	0.3442E+01	0.3318E+01	ZERO	ZERO
36 Hg	0.6917E-01	0.7726E-01	0.1208E-06	ZERO	0.7726E-01	0.6679E-01	ZERO
129 Hg (C6H5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	0.1723E-10	0.1723E-10	ZERO	0.6615E-11	0.2298E-10	0.6580E-02	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	0.1497E-09	0.1749E-08	ZERO	0.2711E-06	0.2650E-06	0.5718E-01	ZERO
51 KCOOH	ZERO	0.1990E-06	ZERO	0.3365E-04	0.3287E-04	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	0.5663E-09	ZERO	0.9597E-07	0.9378E-07	ZERO	ZERO
10 KOH	0.2865E-09	0.2865E-09	ZERO	0.1100E-09	0.3821E-09	0.1094E+00	ZERO
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	0.2900E-09	0.2198E-06	ZERO	0.9402E-05	0.9347E-05	0.1108E+00	ZERO
65 Mg (COOH) 2	ZERO	0.6862E-07	ZERO	0.1163E-04	0.1136E-04	ZERO	ZERO
171 Mg (NO3) 2	0.5030E-21	0.1041E-14	ZERO	0.1760E-12	0.1719E-12	0.1921E-12	ZERO
33 MgO	0.1228E-09	0.6888E-07	ZERO	0.3710E-05	0.3671E-05	0.4692E-01	ZERO
60 Mn (COOH) 2	ZERO	0.4298E-07	ZERO	0.7284E-05	0.7118E-05	ZERO	ZERO
172 Mn (NO3) 2	0.5861E-21	0.1213E-14	ZERO	0.2051E-12	0.2003E-12	0.2239E-12	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	0.6940E-10	0.6940E-10	ZERO	0.2665E-10	0.9255E-10	0.2651E-01	ZERO
14 MnO2	0.4438E-09	0.3904E-07	ZERO	0.6541E-05	0.6392E-05	0.1695E+00	ZERO
145 MoO2	0.2816E-13	0.2133E-10	ZERO	0.3610E-08	0.3527E-08	0.1076E-04	ZERO
81 N2	0.5484E+02	0.1097E+03	0.1097E+03	0.1289E-01	0.1340E-01	0.3857E-01	0.1082E+04
74 N2O	TRACE	TRACE	TRACE	TRACE	TRACE	TRACE	ZERO
182 NH3	0.6390E-02	0.6196E-02	0.9381E-04	0.4325E-04	0.5051E-04	0.2033E+00	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	0.2755E-10	ZERO	0.9026E+00	0.9038E+00	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	0.1358E-18	0.1383E-18	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 7. Collection and Treatment of Waste Streams

STREAM NUMBERS (CONT'D) ->	176	168	105	152	153	177	186
STREAM NAME	RCT Vent to Scrubber	MFT/RCT Vent to Scrubber	MFT Scrubber Vent to FAVC	Liquid to MFT Scrubber	Spnt Liq frm MFT Scrubber	Neutr Waste to Tank Farm	Air Purge to Recyc Hld Tk
35 NO	0.3864E-04	0.3863E-04	0.3892E-04	0.3002E-06	0.1388E-07	0.7938E-07	ZERO
84 NO2	0.7559E-04	0.7558E-04	0.7556E-04	0.4270E-08	0.2695E-07	0.1553E-06	ZERO
70 Na(HgO(OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	0.3213E-09	0.3213E-09	ZERO	0.1234E-09	0.4285E-09	0.1227E+00	ZERO
109 Na2C2O4	0.2071E-07	0.2071E-07	ZERO	0.7953E-08	0.2762E-07	0.7909E+01	ZERO
5 Na2CO3	0.4698E-13	0.1002E-06	ZERO	0.1644E-04	0.1606E-04	0.1794E-04	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	0.5315E-09	0.2514E-06	ZERO	0.2136E-04	0.2099E-04	0.2030E+00	ZERO
71 Na2PuO2(OH)4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.1774E-09	0.4044E-08	ZERO	0.6554E-06	0.6406E-06	0.6774E-01	ZERO
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.6751E-13	0.5114E-10	ZERO	0.8644E-08	0.8446E-08	0.2578E-04	ZERO
91 NaAg(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl(OH)4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	0.1470E-12	0.4656E-07	ZERO	0.2632E-05	0.2595E-05	0.5613E-04	ZERO
7 NaCl	0.1316E-10	0.2104E-09	ZERO	0.3341E-07	0.3265E-07	0.5026E-02	ZERO
69 NaF	0.3678E-10	0.7137E-09	ZERO	0.1147E-06	0.1122E-06	0.1405E-01	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.1431E-13	0.1227E-12	ZERO	0.1838E-10	0.1797E-10	0.5464E-05	ZERO
3 NaNO2	0.2588E-07	0.2588E-07	ZERO	0.9936E-08	0.3451E-07	0.9885E+01	ZERO
2 NaNO3	0.3383E-07	0.2109E-06	ZERO	0.3029E-04	0.2963E-04	0.1292E+02	ZERO
4 NaOH	0.2053E-06	0.2053E-06	ZERO	ZERO	0.2053E-06	0.7840E+02	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni(COOH)2	ZERO	0.4994E-09	ZERO	0.8463E-07	0.8270E-07	ZERO	ZERO
174 Ni(NO3)2	0.6401E-20	0.1325E-13	ZERO	0.2239E-11	0.2188E-11	0.2445E-11	ZERO
40 NiO	0.6658E-11	0.4793E-08	ZERO	0.7986E-06	0.7804E-06	0.2543E-02	ZERO
82 O2	0.1657E+02	0.3313E+02	0.3313E+02	0.7439E-02	0.7728E-02	0.2225E-01	0.3269E+03
175 Pb(NO3)2	0.7453E-18	0.1539E-11	ZERO	0.2608E-09	0.2548E-09	0.2847E-09	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	0.1283E-12	0.1283E-12	ZERO	0.4928E-13	0.1711E-12	0.4902E-04	ZERO
147 Pbs	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.3279E-11	0.2614E-08	ZERO	0.4425E-06	0.4324E-06	0.1252E-02	ZERO
124 Pd	ZERO	0.7732E-11	ZERO	ZERO	0.7732E-11	ZERO	ZERO
112 Pd(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	0.7648E-17	0.7649E-17	ZERO	0.2938E-17	0.1020E-16	0.2921E-08	ZERO
76 PuO2	0.2607E-12	0.1965E-09	ZERO	0.3326E-07	0.3250E-07	0.9959E-04	ZERO
156 PuO2(NaTi2O5)2	0.1218E-17	0.2520E-11	ZERO	0.4261E-09	0.4162E-09	0.4651E-09	ZERO
58 Rh	ZERO	0.1473E-10	ZERO	ZERO	0.1473E-10	ZERO	ZERO
22 RhO2	0.1661E-16	0.1661E-16	ZERO	0.6381E-17	0.2216E-16	0.6346E-08	ZERO
95 Ru	0.7789E-16	0.1610E-09	ZERO	0.2725E-07	0.2663E-07	0.2975E-07	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 7. Collection and Treatment of Waste Streams

STREAM NUMBERS (CONT'D) -> STREAM NAME	176 RCT Vent to Scrubber	168 MFT/RCT Vent to Scrubber	105 MFT Scrubber Vent to FAVC	152 Liquid to Spnt MFT Scrubber	153 Liq frm MFT Scrubber	177 Neutr Waste to Tank Farm	186 Air Recyc Hld Tk
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.3219E-08	0.2439E-05	ZERO	0.1071E-03	0.1064E-03	0.1230E+01	ZERO
48 Sr(COOH)2	ZERO	0.2165E-11	ZERO	0.3660E-09	0.3576E-09	ZERO	ZERO
176 Sr(NO3)2	0.2825E-15	0.5832E-09	ZERO	0.9884E-07	0.9659E-07	0.1079E-06	ZERO
153 Sr(NaTi2O5)2	0.3898E-16	0.8068E-10	ZERO	0.1364E-07	0.1332E-07	0.1489E-07	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	0.4018E-12	0.4018E-12	ZERO	0.1543E-12	0.5358E-12	0.1535E-03	ZERO
159 TcO2	0.9346E-13	0.7081E-10	ZERO	0.1198E-07	0.1171E-07	0.3570E-04	ZERO
92 ThO2	0.7783E-12	0.5897E-09	ZERO	0.9980E-07	0.9753E-07	0.2973E-03	ZERO
107 TiO2	0.2183E-10	0.1648E-07	ZERO	0.2784E-05	0.2719E-05	0.8338E-02	ZERO
119 Tritium	0.1533E-11	0.4275E-11	0.6434E-11	0.5919E-09	0.5729E-09	0.7859E-09	ZERO
17 U3O8	0.5458E-10	0.4135E-07	ZERO	0.6998E-05	0.6838E-05	0.2085E-01	ZERO
62 UO2(COOH)2	ZERO	0.2520E-13	ZERO	0.4261E-11	0.4162E-11	ZERO	ZERO
177 UO2(NO3)2	0.8769E-18	0.1810E-11	ZERO	0.3068E-09	0.2998E-09	0.3349E-09	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	0.2610E-19	ZERO	0.4413E-17	0.4311E-17	ZERO	ZERO
178 Y(NO3)3	0.7620E-16	0.1573E-09	ZERO	0.2666E-07	0.2605E-07	0.2911E-07	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	0.1107E-12	0.1929E-10	ZERO	0.3243E-08	0.3168E-08	0.4229E-04	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	0.5166E-08	ZERO	0.8739E-06	0.8538E-06	ZERO	ZERO
179 Zn(NO3)2	0.5108E-18	0.1057E-11	ZERO	0.1787E-09	0.1746E-09	0.1951E-09	ZERO
57 ZnO	0.8273E-11	0.3562E-08	ZERO	0.6015E-06	0.5877E-06	0.3160E-02	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.2256E-13	0.2970E-07	ZERO	0.5034E-05	0.4919E-05	0.8616E-05	ZERO
1 water	0.6323E+01	0.1264E+02	0.1212E+02	0.1079E+04	0.1080E+04	0.3242E+04	0.2367E+02
TOTAL FLOW, LB/HR	0.7781E+02	0.1555E+03	0.1550E+03	0.1084E+04	0.1085E+04	0.3355E+04	0.1433E+04
TEMPERATURE, DEG C	0.5000E+02	0.5000E+02	0.5000E+02	0.4900E+02	0.5000E+02	0.4999E+02	0.3500E+02
PRESSURE, ATM	0.9656E+00	0.9656E+00	0.1000E+01	0.1000E+01	0.1000E+01	0.9656E+00	0.1000E+01
PRESSURE, PSIG	-0.5055E+00	-0.5055E+00	ZERO	ZERO	ZERO	-0.5055E+00	ZERO
PRESSURE, MM HG	0.7339E+03	0.7339E+03				0.7339E+03	
ENTHALPY, PCU/HR	0.4943E+04	0.9873E+04	0.9563E+04	0.5301E+05	0.5412E+05	0.1639E+06	0.3005E+05
VAPOR FLOW, CFM	0.2072E+02	0.4142E+02	0.3980E+02				0.3384E+03
LIQUID FLOW, GPM				0.2162E+01	0.2163E+01	0.6551E+01	
DENSITY, LBS/FT3	0.6260E-01	0.6258E-01	0.6492E-01	0.6251E+02	0.6251E+02	0.6385E+02	0.7055E-01
PHASE	VAPOR	VAPOR	VAPOR	LIQUID	LIQUID	LIQUID	VAPOR

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 7. Collection and Treatment of Waste Streams

STREAM NUMBERS -> STREAM NAME	339 Vent from Recyc Hld Tk	348 Insol frm Recyc DWWF Recyc	340 Recy Soln to Tnk Frm Evap	338 Tnk Frm Evap Aq to ETF	354 DWWF Recycl Salt Cake
COMPONENT FLOWS, LB/HR					
122 (C6H5)2	0.3454E-05	0.1881E-08	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	0.2267E-13	0.3645E-06	ZERO	ZERO	ZERO
118 (C6H5)2NH	0.5680E-03	0.4560E-02	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	0.2021E-06	ZERO	ZERO	ZERO
162 (C6H5NH2)	0.8206E-02	ZERO	0.4581E-01	0.4146E-01	0.4353E-02
163 (C6H5NHCHO)	ZERO	0.7661E-06	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	0.8336E-08	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	0.2539E-07	0.2077E-07	0.4619E-08
131 (C6H5OH salt)	ZERO	ZERO	0.6657E+00	ZERO	0.6657E+00
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	0.6262E-04	ZERO	0.2595E-06	0.2586E-06	0.9038E-09
155 (CH3)2CHOH	0.3996E-11	ZERO	0.5114E-10	0.5098E-10	0.1648E-12
154 (CH3OH)	0.8010E-12	ZERO	0.4425E-11	0.4417E-11	0.7988E-14
45 Ag	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	0.8863E-07	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	ZERO	0.8836E-01	ZERO	ZERO	ZERO
106 B2O3	ZERO	0.1692E+00	ZERO	ZERO	ZERO
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	ZERO	0.1119E-04	ZERO	ZERO	ZERO
24 BaSO4	ZERO	0.1534E-03	ZERO	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.1459E-03	ZERO	0.1606E-06	0.1606E-06	0.1387E-12
142 CO2 (C14)	0.3236E-13	ZERO	0.3561E-16	0.3561E-16	0.3074E-22
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	0.1535E-04	ZERO	0.1535E-04
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	0.2627E-01	ZERO	ZERO	ZERO
20 CaC2O4	ZERO	0.8930E-12	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	0.5501E-07	ZERO	ZERO	ZERO
41 CaO	ZERO	0.1454E-01	ZERO	ZERO	ZERO
19 CaSO4	ZERO	0.1988E-02	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	ZERO	0.1965E-11	ZERO	0.1965E-11
59 CoO	ZERO	0.1030E-05	ZERO	ZERO	ZERO
98 Cr2O3	ZERO	0.4303E-02	ZERO	ZERO	ZERO
42 Cs2O	ZERO	0.3099E-03	ZERO	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	0.3522E-10	ZERO	0.3522E-10
8 CsOH	ZERO	ZERO	0.3660E-02	ZERO	0.3660E-02
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 7. Collection and Treatment of Waste Streams

STREAM NUMBERS (CONT'D) ->	339	348	340	338	354
STREAM NAME	Vent from Recyc Hld Tk	Insol firm DWPFF Recyc	Recy Soln to Tnk Firm Evap	Tnk Firm Evap Aq to ETF	DWPFF Recycl Salt Cake
54 Cu (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO
170 Cu (NO3) 2	ZERO	ZERO	0.7978E-05	ZERO	0.7978E-05
55 CuO	ZERO	0.9462E-02	ZERO	ZERO	ZERO
80 Fe2O3	ZERO	0.2539E+00	ZERO	ZERO	ZERO
101 FeO	ZERO	0.2539E-01	ZERO	ZERO	ZERO
102 Group A	ZERO	0.2106E-03	ZERO	ZERO	ZERO
103 Group B	ZERO	0.1512E-05	ZERO	ZERO	ZERO
25 H2	0.1693E-11	ZERO	0.7632E-16	0.7632E-16	0.6408E-23
158 H2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO	ZERO	ZERO
129 Hg (C6H5) 2	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO	ZERO	0.7870E-01	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	ZERO	0.5718E-01	ZERO	ZERO	ZERO
51 KCOOH	ZERO	ZERO	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	0.1094E+00	ZERO	0.1094E+00
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	ZERO	0.1108E+00	ZERO	ZERO	ZERO
65 Mg (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO
171 Mg (NO3) 2	ZERO	ZERO	0.1921E-12	ZERO	0.1921E-12
33 MgO	ZERO	0.4692E-01	ZERO	ZERO	ZERO
60 Mn (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO
172 Mn (NO3) 2	ZERO	ZERO	0.2239E-12	ZERO	0.2239E-12
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	ZERO	0.2651E-01	ZERO	ZERO	ZERO
14 MnO2	ZERO	0.1695E+00	ZERO	ZERO	ZERO
145 MoO2	ZERO	0.1076E-04	ZERO	ZERO	ZERO
81 N2	0.1082E+04	ZERO	0.3741E-01	0.3741E-01	0.1857E-08
74 N2O	TRACE	ZERO	TRACE	TRACE	ZERO
182 NH3	0.1764E+00	ZERO	0.2689E-01	0.2688E-01	0.2722E-05
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 7. Collection and Treatment of Waste Streams

STREAM NUMBERS (CONT'D) ->	339	348	340	338	354
STREAM NAME	Vent from Recyc Hld Tk	Insol frm DWPf Recyc	Recy Soln to Tnk Frm Evap	Tnk Frm Evap Aq to ETF	DWPf Recycl Salt Cake
35 NO	0.7937E-07	ZERO	0.8013E-11	0.8013E-11	0.1104E-17
84 NO2	0.1553E-06	ZERO	0.1567E-10	0.1567E-10	0.2160E-17
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	0.1227E+00	ZERO	0.1227E+00
109 Na2C2O4	ZERO	ZERO	0.7909E+01	ZERO	0.7909E+01
5 Na2CO3	ZERO	ZERO	0.1794E-04	ZERO	0.1794E-04
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	ZERO	0.2030E+00	ZERO	ZERO	ZERO
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	ZERO	ZERO	0.6774E-01	ZERO	0.6774E-01
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	ZERO	ZERO	0.2578E-04	ZERO	0.2578E-04
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	ZERO	0.5613E-04	ZERO	0.5613E-04
7 NaCl	ZERO	ZERO	0.5026E-02	ZERO	0.5026E-02
69 NaF	ZERO	ZERO	0.1405E-01	ZERO	0.1405E-01
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	ZERO	0.5464E-05	ZERO	0.5464E-05
3 NaNO2	ZERO	ZERO	0.9908E+01	ZERO	0.9908E+01
2 NaNO3	ZERO	ZERO	0.1289E+02	ZERO	0.1289E+02
4 NaOH	ZERO	ZERO	0.7840E+02	ZERO	0.7840E+02
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni (NO3) 2	ZERO	ZERO	0.2445E-11	ZERO	0.2445E-11
40 NiO	ZERO	0.2543E-02	ZERO	ZERO	ZERO
82 O2	0.3269E+03	ZERO	0.2158E-01	0.2158E-01	0.1926E-08
175 Pb (NO3) 2	ZERO	ZERO	0.2847E-09	ZERO	0.2847E-09
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	ZERO	0.4902E-04	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	ZERO	0.1252E-02	ZERO	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	0.2921E-08	ZERO	ZERO	ZERO
76 PuO2	ZERO	0.9959E-04	ZERO	ZERO	ZERO
156 PuO2 (NaTi2O5) 2	ZERO	0.4651E-09	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	0.6346E-08	ZERO	ZERO	ZERO
95 Ru	ZERO	0.2975E-07	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 7. Collection and Treatment of Waste Streams

STREAM NUMBERS (CONT'D) -> STREAM NAME	339 Vent from Recyc Hld Tk	348 Insol frm DWPF Recyc	340 Recy Soln to Tnk Frm Evap	338 Tnk Frm Evap Aq to ETF	354 DWPF Recycl Salt Cake
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	ZERO	0.1230E+01	ZERO	ZERO	ZERO
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	0.1079E-06	ZERO	0.1079E-06
153 Sr(NaTi2O5)2	ZERO	0.1489E-07	ZERO	ZERO	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	ZERO	0.1535E-03	ZERO	ZERO	ZERO
159 TaO2	ZERO	0.3570E-04	ZERO	ZERO	ZERO
92 ThO2	ZERO	0.2973E-03	ZERO	ZERO	ZERO
107 TiO2	ZERO	0.8338E-02	ZERO	ZERO	ZERO
119 Tritium	0.2999E-10	ZERO	0.7559E-09	0.7512E-09	0.4699E-11
17 U3O8	ZERO	0.2085E-01	ZERO	ZERO	ZERO
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	0.3349E-09	ZERO	0.3349E-09
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	0.2911E-07	ZERO	0.2911E-07
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	ZERO	0.4229E-04	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	ZERO	ZERO	0.1951E-09	ZERO	0.1951E-09
57 ZnO	ZERO	0.3160E-02	ZERO	ZERO	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	0.8616E-05	ZERO	ZERO	ZERO
1 water	0.1246E+03	ZERO	0.3141E+04	0.3121E+04	0.1952E+02
TOTAL FLOW, LB/HR	0.1534E+04	0.2558E+01	0.3251E+04	0.3122E+04	0.1296E+03
TEMPERATURE, DEG C	0.5000E+02	0.6000E+02	0.6000E+02	0.1000E+03	0.1000E+03
PRESSURE, ATM	0.9656E+00	0.1000E+01	0.1000E+01	0.1000E+01	0.1000E+01
PRESSURE, PSIG	-0.5055E+00	ZERO	ZERO	ZERO	ZERO
PRESSURE, MM HG	0.7339E+03				
ENTHALPY, PCU/HR	0.9737E+05	0.2929E+02	0.1905E+06	0.3124E+06	0.5308E+04
VAPOR FLOW, CFM	0.4087E+03				
LIQUID FLOW, GPM		0.1907E-02	0.6347E+01	0.6234E+01	0.1135E+00
DENSITY, LBS/FT3	0.6255E-01	0.1672E+03	0.6387E+02	0.6243E+02	0.1423E+03
PHASE	VAPOR	LIQUID	LIQUID	LIQUID	LIQUID

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 8. Canister Decontamination

DESCRIPTION	PAGE
-----	----
1. STREAM NUMBERS 69, 178, 179, 180, 181, 182, 183	2
2. STREAM NUMBERS 184, 185, 26	6

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 8. Canister Decontamination

STREAM NUMBERS -> STREAM NAME	69 Sludge Blend Waste Glass	178 Frit Slry to Can Decon	179 Atomzg Air to Can Decon	180 Spray Chambr Water Rinse	181 Oxide from Can Cleaning	182 Rinse H2O to Can Decon	183 Atomzg Air to Can Rinse
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
121 (C6H6)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
155 (CH3)2CHOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
154 (CH3OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
45 Ag	0.1241E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
116 Ag2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.8746E+01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
106 B2O3	0.1675E+02	0.8542E+00	ZERO	ZERO	ZERO	ZERO	ZERO
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	0.1108E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
24 BaSO4	0.1518E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.2600E+01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
20 CaC2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
41 CaO	0.1440E+01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
19 CaSO4	0.1967E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
59 CoO	0.1020E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
98 Cr2O3	0.4259E+00	ZERO	ZERO	ZERO	0.1254E-02	ZERO	ZERO
42 Cs2O	0.3069E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

[illegible]

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 8. Canister Decontamination

STREAM NUMBERS (CONT'D) ->	69	178	179	180	181	182	183
STREAM NAME	Sldge Blend Waste Glass	Frit Slry to Can Decon	Atomzg Air to Can Decon	Spray Chambr Water Rinse	Oxide from Can Cleaning	Rinse H2O to Can Decon	Atomzg Air to Can Rinse
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
109 Na2C2O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
5 Na2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	0.1972E+02	0.5687E+00	ZERO	ZERO	ZERO	ZERO	ZERO
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.1546E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.2552E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	0.1579E+00	ZERO	ZERO	ZERO	ZERO	ZERO
7 NaCl	0.4928E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
69 NaF	0.3337E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
3 NaNO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
2 NaNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
174 Ni (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
40 NiO	0.2517E+00	ZERO	ZERO	ZERO	0.5036E-02	ZERO	ZERO
82 O2	ZERO	ZERO	0.4303E+02	ZERO	ZERO	ZERO	0.4166E+01
175 Pb (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	0.4853E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
147 Pbs	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.1240E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
124 Pd	0.3903E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
112 Pd (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
76 PuO2	0.9857E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
156 PuO2 (NaTi2O5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
58 Rh	0.7436E-03	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
95 Ru	0.8125E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 8. Canister Decontamination

STREAM NUMBERS (CONT'D) -> STREAM NAME	69 Sludge Blend Waste Glass	178 Frit Slry to Can Decon	179 Atomzg Air to Can Decon	180 Spray Chambr Water Rinse	181 Oxide from Can Cleaning	182 Rinse H2O to Can Decon	183 Atomzg Air to Can Rinse
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.1217E+03	0.8221E+01	ZERO	ZERO	ZERO	ZERO	ZERO
48 Sr(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	0.1519E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
159 TcO2	0.3534E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
92 ThO2	0.2943E-01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
107 TiO2	0.8253E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
119 Tritium	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
17 U3O8	0.2063E+01	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
62 UO2(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	0.4187E-02	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
179 Zn(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
57 ZnO	0.3128E+00	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
1 water	ZERO	0.1081E+03	0.3116E+01	0.1286E+02	ZERO	0.9257E+02	0.3017E+00
TOTAL FLOW, LB/HR	0.2280E+03	0.1188E+03	0.1886E+03	0.1286E+02	0.6778E-02	0.9257E+02	0.1826E+02
TEMPERATURE, DEG C	0.1050E+04	0.3000E+02	0.3000E+02	0.3000E+02	0.3000E+02	0.3000E+02	0.3500E+02
PRESSURE, ATM	0.9840E+00	0.4060E+01	0.6780E+01	0.4060E+01	0.9656E+00	0.4060E+01	0.6780E+01
PRESSURE, PSIG	-0.2351E+00	0.4497E+02	0.8494E+02	0.4497E+02	-0.5055E+00	0.4497E+02	0.8494E+02
PRESSURE, MM HG	0.7478E+03				0.7339E+03		
ENTHALPY, PCU/HR	0.7043E+05	0.3317E+04	0.3733E+04	0.3869E+03	0.3302E-01	0.2785E+04	0.3830E+03
VAPOR FLOW, CFM			0.6464E+01				0.6362E+00
LIQUID FLOW, GPM	0.1797E+00	0.2254E+00		0.2568E-01	0.2017E-05	0.1849E+00	
DENSITY, LBS/FT3	0.1582E+03	0.6573E+02	0.4862E+00	0.6243E+02	0.4189E+03	0.6243E+02	0.4784E+00
PHASE	LIQUID	LIQUID	VAPOR	LIQUID	LIQUID	LIQUID	VAPOR

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 8. Canister Decontamination

STREAM NUMBERS -> STREAM NAME	184 FCT Air Inleakage	185 FCT Vent to PVVS	26 Decon Frit Slrry to SME
COMPONENT FLOWS, LB/HR			
122 (C6H5)2	ZERO	ZERO	ZERO
123 (C6H5)2C6H4	ZERO	ZERO	ZERO
118 (C6H5)2NH	ZERO	ZERO	ZERO
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO
131 (C6H5OH salt)	ZERO	ZERO	ZERO
130 (C6H5OH)	ZERO	ZERO	ZERO
121 (C6H6)	ZERO	ZERO	ZERO
155 (CH3)2CHOH	ZERO	ZERO	ZERO
154 (CH3OH)	ZERO	ZERO	ZERO
45 Ag	ZERO	ZERO	ZERO
116 Ag2O	ZERO	ZERO	ZERO
134 AgNO3	ZERO	ZERO	ZERO
77 Al2O3	ZERO	ZERO	ZERO
106 B2O3	ZERO	0.2284E-06	0.8542E+00
9 Ba(OH)2	ZERO	ZERO	ZERO
15 BaO	ZERO	ZERO	ZERO
24 BaSO4	ZERO	ZERO	ZERO
66 CO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	ZERO
142 CO2 (C14)	ZERO	ZERO	ZERO
63 Ca(COOH)2	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO
113 Ca3(PO4)2	ZERO	ZERO	ZERO
20 CaC2O4	ZERO	ZERO	ZERO
18 CaCO3	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO
78 CaF2	ZERO	ZERO	ZERO
41 CaO	ZERO	ZERO	ZERO
19 CaSO4	ZERO	ZERO	ZERO
29 Carbon	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO
26 Co(COOH)2	ZERO	ZERO	ZERO
168 Co(NO3)2	ZERO	ZERO	ZERO
59 CoO	ZERO	ZERO	ZERO
98 Cr2O3	ZERO	0.3353E-09	0.1254E-02
42 Cs2O	ZERO	ZERO	ZERO
53 CsCOOH	ZERO	ZERO	ZERO
96 CsCl	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO
8 CsOH	ZERO	ZERO	ZERO
151 CsTPB	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 8. Canister Decontamination

STREAM NUMBERS (CONT'D) ->	184	185	26
STREAM NAME	FCT Air Inleakage	FCT Vent to PVVS	Decon Frit Slrry to SME
54 Cu (COOH) 2	ZERO	ZERO	ZERO
170 Cu (NO3) 2	ZERO	ZERO	ZERO
55 CuO	ZERO	ZERO	ZERO
80 Fe2O3	ZERO	0.1305E-09	0.4880E-03
101 FeO	ZERO	ZERO	ZERO
102 Group A	ZERO	ZERO	ZERO
103 Group B	ZERO	ZERO	ZERO
25 H2	ZERO	ZERO	ZERO
158 H2C2O4	ZERO	ZERO	ZERO
93 H2SO4	ZERO	ZERO	ZERO
90 H3BO3	ZERO	ZERO	ZERO
34 HCOOH	ZERO	ZERO	ZERO
43 HCl	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO
49 HNO3	ZERO	ZERO	ZERO
36 Hg	ZERO	ZERO	ZERO
129 Hg (C6H5) 2	ZERO	ZERO	ZERO
135 Hg (NO3) 2	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO
117 Hg2I2	ZERO	ZERO	ZERO
146 HgCl2	ZERO	ZERO	ZERO
21 HgO	ZERO	ZERO	ZERO
97 I2	ZERO	ZERO	ZERO
183 K2CO3	ZERO	ZERO	ZERO
39 K2O	ZERO	ZERO	ZERO
51 KCOOH	ZERO	ZERO	ZERO
157 KMnO4	ZERO	ZERO	ZERO
161 KNO3	ZERO	ZERO	ZERO
10 KOH	ZERO	ZERO	ZERO
150 KTPB	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO
108 Li2O	ZERO	0.1998E-06	0.7474E+00
65 Mg (COOH) 2	ZERO	ZERO	ZERO
171 Mg (NO3) 2	ZERO	ZERO	ZERO
33 MgO	ZERO	0.5710E-07	0.2135E+00
60 Mn (COOH) 2	ZERO	ZERO	ZERO
172 Mn (NO3) 2	ZERO	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO
56 MnO	ZERO	ZERO	ZERO
14 MnO2	ZERO	ZERO	ZERO
145 MoO2	ZERO	ZERO	ZERO
81 N2	0.3607E+03	0.5169E+03	0.3223E-02
74 N2O	ZERO	ZERO	ZERO
182 NH3	ZERO	ZERO	ZERO
114 NH3OHNO3	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	ZERO
148 NH4TPB	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 8. Canister Decontamination

STREAM NUMBERS (CONT'D) ->	184	185	26
STREAM NAME	FCT Air Inleakage	FCT Vent to PVVS	Decon Frit Slrry to SME
35 NO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	ZERO
70 Na (HgO (OH))	ZERO	ZERO	ZERO
94 Na2B4O7	ZERO	ZERO	ZERO
109 Na2C2O4	ZERO	ZERO	ZERO
5 Na2CO3	ZERO	ZERO	ZERO
143 Na2CO3 (C14)	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO
32 Na2O	ZERO	0.1521E-06	0.5687E+00
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO
6 Na2SO4	ZERO	ZERO	ZERO
88 Na2SiO3	ZERO	ZERO	ZERO
87 Na3PO4	ZERO	ZERO	ZERO
91 NaAg (OH) 2	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO
50 NaCOOH	ZERO	0.4221E-07	0.1579E+00
7 NaCl	ZERO	ZERO	ZERO
69 NaF	ZERO	ZERO	ZERO
11 NaHCO3	ZERO	ZERO	ZERO
12 NaI	ZERO	ZERO	ZERO
3 NaNO2	ZERO	ZERO	ZERO
2 NaNO3	ZERO	ZERO	ZERO
4 NaOH	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO
61 Ni (COOH) 2	ZERO	ZERO	ZERO
174 Ni (NO3) 2	ZERO	ZERO	ZERO
40 NiO	ZERO	0.1347E-08	0.5036E-02
82 O2	0.1090E+03	0.1562E+03	0.1916E-02
175 Pb (NO3) 2	ZERO	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO
67 PbO	ZERO	ZERO	ZERO
147 PbS	ZERO	ZERO	ZERO
28 PbSO4	ZERO	ZERO	ZERO
124 Pd	ZERO	ZERO	ZERO
112 Pd (NO3) 2	ZERO	ZERO	ZERO
110 PdO	ZERO	ZERO	ZERO
76 PuO2	ZERO	ZERO	ZERO
156 PuO2 (NaTi2O5) 2	ZERO	ZERO	ZERO
58 Rh	ZERO	ZERO	ZERO
22 RhO2	ZERO	ZERO	ZERO
95 Ru	ZERO	ZERO	ZERO
79 RuO2	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 8. Canister Decontamination

STREAM NUMBERS (CONT'D) ->	184	185	26
STREAM NAME	FCT Air Inleakage	FCT Vent to PVVS	Decon Frit Slrry to SME
38 SO2	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO
126 Semi Vol Group A	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO
125 Semi Vol NaI	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO
111 SiO2	ZERO	0.2198E-05	0.8221E+01
48 Sr(COOH)2	ZERO	ZERO	ZERO
176 Sr(NO3)2	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	ZERO	ZERO	ZERO
127 Sr(OH)2	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO
46 SrO	ZERO	ZERO	ZERO
159 TcO2	ZERO	ZERO	ZERO
92 ThO2	ZERO	ZERO	ZERO
107 TiO2	ZERO	ZERO	ZERO
119 Tritium	ZERO	ZERO	ZERO
17 U3O8	ZERO	ZERO	ZERO
62 UO2(COOH)2	ZERO	ZERO	ZERO
177 UO2(NO3)2	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO
27 Y(COOH)3	ZERO	ZERO	ZERO
178 Y(NO3)3	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO
47 Y2O3	ZERO	ZERO	ZERO
100 Zeolite	ZERO	ZERO	ZERO
44 Zn(COOH)2	ZERO	ZERO	ZERO
179 Zn(NO3)2	ZERO	ZERO	ZERO
57 ZnO	ZERO	ZERO	ZERO
104 ZrO2	ZERO	ZERO	ZERO
13 hydrate H2O	ZERO	ZERO	ZERO
1 water	0.7891E+01	0.1834E+02	0.2152E+03
TOTAL FLOW, LB/HR	0.4776E+03	0.6914E+03	0.2260E+03
TEMPERATURE, DEG C	0.3500E+02	0.3000E+02	0.2980E+02
PRESSURE, ATM	0.1000E+01	0.9656E+00	0.9656E+00
PRESSURE, PSIG	ZERO	-0.5055E+00	-0.5055E+00
PRESSURE, MM HG		0.7339E+03	0.7339E+03
ENTHALPY, PCU/HR	0.1002E+05	0.1781E+05	0.6497E+04
VAPOR FLOW, CFM	0.1128E+03	0.1674E+03	
LIQUID FLOW, GPM			0.4394E+00
DENSITY, LBS/FT3	0.7055E-01	0.6884E-01	0.6412E+02
PHASE	VAPOR	VAPOR	LIQUID

SECTION 9. COLLECTION OF CELL VENTS AND SAND FILTER

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 9. Collection of Cell Vents and Sand Filter

DESCRIPTION	PAGE
-----	----
1. STREAM NUMBERS 40, 166, 185, 187, 250, 188, 189	2
2. STREAM NUMBERS 190, 191, 192, 193, 115, 121, 194	6
3. STREAM NUMBERS 195, 196, 197, 198, 199, 200	10

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 9. Collection of Cell Vents and Sand Filter

STREAM NUMBERS -> STREAM NAME	40 FAVC HEME Vnt to PVVS	166 DWTC Vent to PVVS	185 FCT Vent to PVVS	187 Dil Air frm Crane Decon	250 SCVC HEME Vnt to PVVS	188 Tot Vsl Vnt to PVVH	189 PVVH Exit Gas
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	0.1019E-01	0.5665E-14	ZERO	ZERO	0.1905E-01	0.2924E-01	0.2924E-01
123 (C6H5)2C6H4	0.3515E-10	0.5369E-20	ZERO	ZERO	0.1740E-15	0.3515E-10	0.3515E-10
118 (C6H5)2NH	0.7563E-04	0.7438E-16	ZERO	ZERO	0.5247E-10	0.7563E-04	0.7563E-04
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	0.1579E-19	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	0.1887E-12	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	0.3818E-19	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	0.4894E-17	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	0.6601E-19	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	0.6223E-19	0.7293E-14	ZERO	ZERO	ZERO	0.6223E-19	0.6223E-19
130 (C6H5OH)	0.1138E-01	ZERO	ZERO	ZERO	0.3612E-04	0.1142E-01	0.1142E-01
121 (C6H6)	0.1406E-01	0.2240E-15	ZERO	ZERO	0.9318E+01	0.9332E+01	0.9332E+01
155 (CH3)2CHOH	0.8066E-11	0.7726E-20	ZERO	ZERO	0.7606E-12	0.8827E-11	0.8827E-11
154 (CH3OH)	0.2173E-11	0.8037E-21	ZERO	ZERO	0.2677E-12	0.2441E-11	0.2441E-11
45 Ag	0.1404E-18	ZERO	ZERO	ZERO	ZERO	0.1404E-18	0.1404E-18
116 Ag2O	TRACE	0.1835E-13	ZERO	ZERO	ZERO	TRACE	TRACE
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.3136E-14	0.4475E-18	ZERO	ZERO	ZERO	0.3136E-14	0.3136E-14
106 B2O3	0.1137E-14	0.1622E-18	0.2284E-06	ZERO	ZERO	0.3949E-06	0.3949E-06
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	0.1190E-23	TRACE	ZERO	ZERO	ZERO	0.1190E-23	0.1190E-23
24 BaSO4	0.6048E-17	0.8629E-21	ZERO	ZERO	ZERO	0.6048E-17	0.6048E-17
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	0.4331E+01	0.4269E+00	ZERO	ZERO	0.6810E+02	0.7243E+02	0.7243E+02
142 CO2 (C14)	0.5680E-07	TRACE	ZERO	ZERO	0.1203E-09	0.5692E-07	0.5692E-07
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	0.2122E-18	ZERO	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.9318E-15	0.1330E-18	ZERO	ZERO	ZERO	0.9318E-15	0.9318E-15
20 CaC2O4	0.8649E-22	TRACE	ZERO	ZERO	ZERO	0.8649E-22	0.8649E-22
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	0.5328E-17	0.7603E-21	ZERO	ZERO	ZERO	0.5328E-17	0.5328E+17
41 CaO	0.1189E-17	0.1696E-21	ZERO	ZERO	ZERO	0.1189E-17	0.1189E-17
19 CaSO4	0.7822E-16	0.1116E-19	ZERO	ZERO	ZERO	0.7822E-16	0.7822E-16
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	0.5074E-19	ZERO	ZERO	ZERO	ZERO	0.5074E-19	0.5074E-19
168 Co(NO3)2	ZERO	TRACE	ZERO	ZERO	ZERO	ZERO	ZERO
59 CoO	0.1087E-19	0.5193E-23	ZERO	ZERO	ZERO	0.1087E-19	0.1087E-19
98 Cr2O3	0.1522E-15	0.2171E-19	0.3353E-09	ZERO	ZERO	0.4982E-09	0.4982E-09
42 Cs2O	0.4980E-19	0.7106E-23	ZERO	ZERO	ZERO	0.4980E-19	0.4980E-19
53 CsCOOH	0.1534E-16	ZERO	ZERO	ZERO	ZERO	0.1534E-16	0.1534E-16
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	0.4867E-24	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	0.3890E-21	0.1844E-20	ZERO	ZERO	ZERO	0.3890E-21	0.3890E-21
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

STREAM NUMBERS STREAM NAME	(CONT'D) ->	40 FAVC HEME Vnt to PVVS	166 DWTC Vent to P VVS	185 FCT Vent to P VVS	187 Dil Air frm Crane Decon	250 SCVC HEME Vnt to PVVS	188 Tot Vs1 Vnt to PVVH	189 PVVH Exit Gas
54 Cu(COOH)2		0.1573E-17	ZERO	ZERO	ZERO	ZERO	0.1573E-17	0.1573E-17
170 Cu(NO3)2		ZERO	0.1103E-18	ZERO	ZERO	ZERO	ZERO	ZERO
55 CuO		0.6992E-17	0.1114E-20	ZERO	ZERO	ZERO	0.6992E-17	0.6992E-17
80 Fe2O3		0.9013E-14	0.1286E-17	0.1305E-09	ZERO	ZERO	0.1939E-09	0.1939E-09
101 FeO		0.9011E-15	0.1286E-18	ZERO	ZERO	ZERO	0.9011E-15	0.9011E-15
102 Group A		0.1258E-17	0.1795E-21	ZERO	ZERO	ZERO	0.1258E-17	0.1258E-17
103 Group B		0.5367E-19	0.7658E-23	ZERO	ZERO	ZERO	0.5367E-19	0.5367E-19
25 H2		0.3136E-01	TRACE	ZERO	ZERO	0.7581E-11	0.3136E-01	0.3136E-01
158 H2C2O4		0.6486E-16	ZERO	ZERO	ZERO	ZERO	0.6486E-16	0.6486E-16
93 H2SO4		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3		0.2730E-14	ZERO	ZERO	ZERO	ZERO	0.2730E-14	0.2730E-14
34 HCOOH		ZERO	ZERO	ZERO	ZERO	0.7601E-04	0.7601E-04	0.7601E-04
43 HCl		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
49 HNO3		0.7276E+00	ZERO	ZERO	ZERO	ZERO	0.7276E+00	0.7276E+00
36 Hg		0.8193E-02	ZERO	ZERO	ZERO	0.4004E-14	0.8193E-02	0.8193E-02
129 Hg(C6H5)2		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg(NO3)2		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
117 Hg2I2		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
146 HgCl2		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
21 HgO		0.6994E-21	0.8348E-12	ZERO	ZERO	ZERO	0.6994E-21	0.6994E-21
97 I2		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
183 K2CO3		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O		0.2866E-16	0.4090E-20	ZERO	ZERO	ZERO	0.2866E-16	0.2866E-16
51 KCOOH		0.3558E-14	ZERO	ZERO	ZERO	ZERO	0.3558E-14	0.3558E-14
157 KMnO4		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3		0.1015E-16	0.1448E-20	ZERO	ZERO	ZERO	0.1015E-16	0.1015E-16
10 KOH		0.1163E-19	0.2265E-07	ZERO	ZERO	ZERO	0.1163E-19	0.1163E-19
150 KTPB		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O		0.9942E-15	0.1419E-18	0.1998E-06	ZERO	ZERO	0.2692E-06	0.2692E-06
65 Mg(COOH)2		0.1230E-14	ZERO	ZERO	ZERO	ZERO	0.1230E-14	0.1230E-14
171 Mg(NO3)2		ZERO	TRACE	ZERO	ZERO	ZERO	ZERO	ZERO
33 MgO		0.3923E-15	0.1178E-18	0.5710E-07	ZERO	ZERO	0.8484E-07	0.8484E-07
60 Mn(COOH)2		0.7701E-15	ZERO	ZERO	ZERO	ZERO	0.7701E-15	0.7701E-15
172 Mn(NO3)2		ZERO	TRACE	ZERO	ZERO	ZERO	ZERO	ZERO
180 Mn3O4		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO		0.2818E-20	0.5376E-19	ZERO	ZERO	ZERO	0.2818E-20	0.2818E-20
14 MnO2		0.6916E-15	0.3510E-07	ZERO	ZERO	ZERO	0.6916E-15	0.6916E-15
145 MoO2		0.3817E-18	0.5446E-22	ZERO	ZERO	ZERO	0.3817E-18	0.3817E-18
81 N2		0.1330E+04	0.5483E+02	0.5169E+03	0.6941E+03	0.4532E+01	0.2744E+04	0.2744E+04
74 N2O		0.1420E-19	ZERO	ZERO	ZERO	0.1070E-09	0.1070E-09	0.1070E-09
182 NH3		0.1076E-02	0.9544E-16	ZERO	ZERO	0.1723E-05	0.1078E-02	0.1078E-02
114 NH3OHNO3		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH		ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3		ZERO	0.1362E-13	ZERO				

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 9. Collection of Cell Vents and Sand Filter

STREAM NUMBERS (CONT'D) ->	40	166	185	187	250	188	189
STREAM NAME	FAVC HEME Vnt to PVVS	DWTC Vent to PVVS	FCT Vent to PVVS	Dil Air frm Crane Decon	SCVC HEME Vnt to PVVS	Tot Vsl Vnt to PVVH	PVVH Exit Gas
35 NO	ZERO	ZERO	ZERO	ZERO	0.3364E-01	ZERO	ZERO
84 NO2	0.2184E+01	0.1758E-10	ZERO	ZERO	0.2673E-08	0.2235E+01	0.2235E+01
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	0.1304E-19	0.3170E-18	ZERO	ZERO	ZERO	0.1304E-19	0.1304E-19
109 Na2C2O4	0.8409E-18	0.1637E-05	ZERO	ZERO	ZERO	0.8409E-18	0.8409E-18
5 Na2CO3	0.1738E-14	0.2480E-18	ZERO	ZERO	ZERO	0.1738E-14	0.1738E-14
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	0.2259E-14	0.3223E-18	0.1521E-06	ZERO	ZERO	0.2953E-06	0.2953E-06
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.6930E-16	0.9888E-20	ZERO	ZERO	ZERO	0.6930E-16	0.6930E-16
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.9140E-18	0.1304E-21	ZERO	ZERO	ZERO	0.9140E-18	0.9140E-18
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	0.2782E-15	0.7757E-18	0.4221E-07	ZERO	ZERO	0.6272E-07	0.6272E-07
7 NaCl	0.3532E-17	0.5040E-21	ZERO	ZERO	ZERO	0.3532E-17	0.3532E-17
69 NaF	0.1213E-16	0.1731E-20	ZERO	ZERO	ZERO	0.1213E-16	0.1213E-16
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.1943E-20	0.2773E-24	ZERO	ZERO	ZERO	0.1943E-20	0.1943E-20
3 NaNO2	0.1051E-17	0.1499E-21	ZERO	ZERO	ZERO	0.1051E-17	0.1051E-17
2 NaNO3	0.3203E-14	0.1379E-05	ZERO	ZERO	ZERO	0.3203E-14	0.3203E-14
4 NaOH	ZERO	0.8178E-07	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	0.8949E-17	ZERO	ZERO	ZERO	ZERO	0.8949E-17	0.8949E-17
174 Ni (NO3) 2	ZERO	TRACE	ZERO	ZERO	ZERO	ZERO	ZERO
40 NiO	0.8444E-16	0.1269E-19	0.1347E-08	ZERO	ZERO	0.2001E-08	0.2001E-08
82 O2	0.4007E+03	0.1653E+02	0.1562E+03	0.2097E+03	0.1369E+01	0.8278E+03	0.8278E+03
175 Pb (NO3) 2	ZERO	0.3934E-23	ZERO	ZERO	ZERO	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	0.5210E-23	TRACE	ZERO	ZERO	ZERO	0.5210E-23	0.5210E-23
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.4679E-16	0.6676E-20	ZERO	ZERO	ZERO	0.4679E-16	0.4679E-16
124 Pd	0.3964E-20	ZERO	ZERO	ZERO	ZERO	0.3964E-20	0.3964E-20
112 Pd (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	TRACE	0.6049E-15	ZERO	ZERO	ZERO	TRACE	TRACE
76 PuO2	0.3517E-17	0.5018E-21	ZERO	ZERO	ZERO	0.3517E-17	0.3517E-17
156 PuO2 (NaTi2O5) 2	0.4505E-19	0.6428E-23	ZERO	ZERO	ZERO	0.4505E-19	0.4505E-19
58 Rh	0.7554E-20	ZERO	ZERO	ZERO	ZERO	0.7554E-20	0.7554E-20
22 RhO2	TRACE	0.1314E-14	ZERO	ZERO	ZERO	TRACE	TRACE
95 Ru	0.2882E-17	0.4112E-21	ZERO	ZERO	ZERO	0.2882E-17	0.2882E-17
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

[illegible]

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 9. Collection of Cell Vents and Sand Filter

STREAM NUMBERS -> STREAM NAME	190 PVVF Accumulation	191 PVVF Exit Gas	192 PVVF Exhst to Tunnel	193 Proces Cell Exh to Tunnl	115 Prim Exhstr Gas to Tunnl	121 Bkup Exhstr Gas to Tunnl	194 Inlet Gas to Sand Filter
COMPONENT FLOWS, LB/HR							
122 (C6H5)2	ZERO	0.2924E-01	0.2924E-01	ZERO	ZERO	ZERO	0.2924E-01
123 (C6H5)2C6H4	ZERO	0.3515E-10	0.3515E-10	ZERO	ZERO	ZERO	0.3515E-10
118 (C6H5)2NH	ZERO	0.7563E-04	0.7563E-04	ZERO	ZERO	ZERO	0.7563E-04
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	0.6217E-19	0.6223E-22	0.6223E-22	ZERO	0.1647E-23	ZERO	0.6387E-22
130 (C6H5OH)	ZERO	0.1142E-01	0.1142E-01	ZERO	0.4250E-08	ZERO	0.1142E-01
121 (C6H6)	ZERO	0.9332E+01	0.9332E+01	ZERO	ZERO	ZERO	0.9332E+01
155 (CH3)2CHOH	ZERO	0.8827E-11	0.8827E-11	ZERO	ZERO	ZERO	0.8827E-11
154 (CH3OH)	ZERO	0.2441E-11	0.2441E-11	ZERO	ZERO	ZERO	0.2441E-11
45 Ag	0.1403E-18	0.1404E-21	0.1404E-21	0.3160E-21	ZERO	ZERO	0.4564E-21
116 Ag2O	TRACE	TRACE	TRACE	TRACE	ZERO	ZERO	TRACE
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.3133E-14	0.3136E-17	0.3136E-17	0.7057E-17	0.1767E-09	ZERO	0.1767E-09
106 B2O3	0.3945E-06	0.3949E-09	0.3949E-09	0.8885E-09	0.3384E-09	ZERO	0.1622E-08
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	0.1189E-23	TRACE	TRACE	TRACE	0.2239E-13	ZERO	0.2239E-13
24 BaSO4	0.6042E-17	0.6048E-20	0.6048E-20	0.1361E-19	0.3067E-12	ZERO	0.3067E-12
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	0.7243E+02	0.7243E+02	ZERO	0.1410E+02	ZERO	0.8652E+02
142 CO2 (C14)	ZERO	0.5692E-07	0.5692E-07	ZERO	TRACE	ZERO	0.5692E-07
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.9309E-15	0.9318E-18	0.9318E-18	0.2097E-17	0.5252E-10	ZERO	0.5252E-10
20 CaC2O4	0.8640E-22	TRACE	TRACE	0.1946E-24	ZERO	ZERO	0.2811E-24
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	0.5323E-17	0.5328E-20	0.5328E-20	0.1199E-19	ZERO	ZERO	0.1732E+19
41 CaO	0.1188E-17	0.1189E-20	0.1189E-20	0.2675E-20	0.2909E-10	ZERO	0.2909E-10
19 CaSO4	0.7814E-16	0.7822E-19	0.7822E-19	0.1760E-18	0.3974E-11	ZERO	0.3974E-11
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	0.5069E-19	0.5074E-22	0.5074E-22	0.1142E-21	ZERO	ZERO	0.1649E-21
168 Co(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
59 CoO	0.1086E-19	0.1087E-22	0.1087E-22	0.2446E-22	0.2060E-14	ZERO	0.2060E-14
98 Cr2O3	0.4977E-09	0.4982E-12	0.4982E-12	0.1121E-11	0.8604E-11	ZERO	0.1022E-10
42 Cs2O	0.4975E-19	0.4980E-22	0.4980E-22	0.1121E-21	0.6199E-12	ZERO	0.6199E-12
53 CsCOOH	0.1532E-16	0.1534E-19	0.1534E-19	0.3451E-19	ZERO	ZERO	0.4984E-19
96 CsCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	0.3886E-21	0.3890E-24	0.3890E-24	0.8753E-24	ZERO	ZERO	0.1264E-23
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

1)

STREAM NAME	190 PVVF Accumulation	191 PVVF Exit Gas	192 PVVF Exhst to Tunnel	193 Proces Cell Exh to Tunnl	115 Prim Exhstr Gas to Tunnl	121 Bkup Exhstr Gas to Tunnl	194 Inlet Gas to Sand Filter
54 Cu (COOH) 2	0.1571E-17	0.1573E-20	0.1573E-20	0.3538E-20	ZERO	ZERO	0.5111E-20
170 Cu (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
55 CuO	0.6985E-17	0.6992E-20	0.6992E-20	0.1573E-19	0.1893E-10	ZERO	0.1893E-10
80 Fe2O3	0.1937E-09	0.1939E-12	0.1939E-12	0.4363E-12	0.5077E-09	ZERO	0.5083E-09
101 FeO	0.9002E-15	0.9011E-18	0.9011E-18	0.2027E-17	0.5076E-10	ZERO	0.5076E-10
102 Group A	0.1257E-17	0.1258E-20	0.1258E-20	0.2830E-20	0.6732E-13	ZERO	0.6732E-13
103 Group B	0.5361E-19	0.5367E-22	0.5367E-22	0.1207E-21	0.3023E-14	ZERO	0.3023E-14
25 H2	ZERO	0.3136E-01	0.3136E-01	ZERO	ZERO	ZERO	0.3136E-01
158 H2C2O4	0.6480E-16	0.6486E-19	0.6486E-19	0.1459E-18	ZERO	ZERO	0.2108E-18
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	0.2727E-14	0.2730E-17	0.2730E-17	0.6142E-17	ZERO	ZERO	0.8871E-17
34 HCOOH	ZERO	0.7601E-04	0.7601E-04	ZERO	ZERO	ZERO	0.7601E-04
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	ZERO	ZERO	0.1369E-02	ZERO	0.1369E-02
49 HNO3	ZERO	0.7276E+00	0.7276E+00	ZERO	0.6776E-02	ZERO	0.7343E+00
36 Hg	ZERO	0.8193E-02	0.8193E-02	ZERO	0.8511E-02	ZERO	0.1670E-01
129 Hg (C6H5) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	ZERO	ZERO	ZERO	ZERO	0.2867E-10	ZERO	0.2867E-10
117 Hg2I2	ZERO	ZERO	ZERO	ZERO	0.2367E-15	ZERO	0.2367E-15
146 HgCl2	ZERO	ZERO	ZERO	ZERO	0.2253E-20	ZERO	0.2253E-20
21 HgO	0.6959E-21	0.3497E-23	0.3497E-23	0.7869E-23	ZERO	ZERO	0.1137E-22
97 I2	ZERO	ZERO	ZERO	ZERO	0.4632E-09	ZERO	0.4632E-09
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	0.2863E-16	0.2866E-19	0.2866E-19	0.6449E-19	0.1144E-09	ZERO	0.1144E-09
51 KCOOH	0.3554E-14	0.3558E-17	0.3558E-17	0.8004E-17	ZERO	ZERO	0.1156E-16
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	0.1014E-16	0.1015E-19	0.1015E-19	0.2283E-19	ZERO	ZERO	0.3298E-19
10 KOH	0.1162E-19	0.1163E-22	0.1163E-22	0.2618E-22	ZERO	ZERO	0.3781E-22
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	0.2689E-06	0.2692E-09	0.2692E-09	0.6057E-09	0.2216E-09	ZERO	0.1097E-08
65 Mg (COOH) 2	0.1228E-14	0.1230E-17	0.1230E-17	0.2767E-17	ZERO	ZERO	0.3996E-17
171 Mg (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
33 MgO	0.8476E-07	0.8484E-10	0.8484E-10	0.1909E-09	0.9383E-10	ZERO	0.3696E-09
60 Mn (COOH) 2	0.7694E-15	0.7701E-18	0.7701E-18	0.1733E-17	ZERO	ZERO	0.2503E-17
172 Mn (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	0.2815E-20	0.2818E-23	0.2818E-23	0.6340E-23	0.5301E-10	ZERO	0.5301E-10
14 MnO2	0.6909E-15	0.6916E-18	0.6916E-18	0.1556E-17	ZERO	ZERO	0.2248E-17
145 MoO2	0.3813E-18	0.3817E-21	0.3817E-21	0.8587E-21	0.2151E-13	ZERO	0.2151E-13
81 N2	ZERO	0.2744E+04	0.2744E+04	0.3607E+06	0.1395E+04	0.6836E+03	0.3655E+06
74 N2O	ZERO	0.1070E-09	0.1070E-09	ZERO	ZERO	ZERO	0.1070E-09
182 NH3	ZERO	0.1078E-02	0.1078E-02	ZERO	ZERO	ZERO	0.1078E-02
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	TRACE	TRACE	ZERO	ZERO	ZERO	TRACE
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 9. Collection of Cell Vents and Sand Filter

STREAM NUMBERS (CONT'D) ->	190	191	192	193	115	121	194
STREAM NAME	PVVF Accumulation	PVVF Exit Gas	PVVF Exhst to Tunnel	Proces Cell Exh to Tunnel	Prim Exhstr Gas to Tunnel	Bkup Exhstr Gas to Tunnel	Inlet Gas to Sand Filter
35 NO	ZERO	ZERO	ZERO	ZERO	0.1395E+01	ZERO	0.1395E+01
84 NO2	ZERO	0.2235E+01	0.2235E+01	ZERO	0.2751E+01	ZERO	0.4987E+01
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	0.1303E-19	0.1304E-22	0.1304E-22	0.2935E-22	ZERO	ZERO	0.4239E-22
109 Na2C2O4	0.8401E-18	0.8409E-21	0.8409E-21	0.1892E-20	ZERO	ZERO	0.2733E-20
5 Na2CO3	0.1736E-14	0.1738E-17	0.1738E-17	0.3910E-17	ZERO	ZERO	0.5648E-17
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	0.2950E-06	0.2953E-09	0.2953E-09	0.6645E-09	0.4060E-09	ZERO	0.1366E-08
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.6923E-16	0.6930E-19	0.6930E-19	0.1559E-18	0.1127E-10	ZERO	0.1127E-10
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.9131E-18	0.9140E-21	0.9140E-21	0.2056E-20	0.5156E-13	ZERO	0.5156E-13
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	0.6266E-07	0.6272E-10	0.6272E-10	0.1411E-09	ZERO	ZERO	0.2038E-09
7 NaCl	0.3529E-17	0.3532E-20	0.3532E-20	0.7948E-20	0.9957E-13	ZERO	0.9957E-13
69 NaF	0.1212E-16	0.1213E-19	0.1213E-19	0.2730E-19	0.6742E-12	ZERO	0.6742E-12
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.1941E-20	0.1943E-23	0.1943E-23	0.4372E-23	ZERO	ZERO	0.6315E-23
3 NaNO2	0.1050E-17	0.1051E-20	0.1051E-20	0.2364E-20	ZERO	ZERO	0.3414E-20
2 NaNO3	0.3200E-14	0.3203E-17	0.3203E-17	0.7207E-17	ZERO	ZERO	0.1041E-16
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	0.8940E-17	0.8949E-20	0.8949E-20	0.2013E-19	ZERO	ZERO	0.2908E-19
174 Ni (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
40 NiO	0.1999E-08	0.2001E-11	0.2001E-11	0.4502E-11	0.5085E-11	ZERO	0.1159E-10
82 O2	ZERO	0.8278E+03	0.8278E+03	0.1090E+06	0.4211E+03	0.2065E+03	0.1104E+06
175 Pb (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	0.5205E-23	TRACE	TRACE	TRACE	0.9805E-13	ZERO	0.9805E-13
147 Pbs	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.4674E-16	0.4679E-19	0.4679E-19	0.1053E-18	0.2504E-11	ZERO	0.2504E-11
124 Pd	0.3960E-20	0.3964E-23	0.3964E-23	0.8919E-23	ZERO	ZERO	0.1288E-22
112 Pd (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	TRACE	TRACE	TRACE	TRACE	ZERO	ZERO	TRACE
76 PuO2	0.3513E-17	0.3517E-20	0.3517E-20	0.7912E-20	0.1991E-12	ZERO	0.1991E-12
156 PuO2 (NaTi2O5) 2	0.4500E-19	0.4505E-22	0.4505E-22	0.1014E-21	ZERO	ZERO	0.1464E-21
58 Rh	0.7547E-20	0.7554E-23	0.7554E-23	0.1700E-22	ZERO	ZERO	0.2455E-22
22 RhO2	TRACE	TRACE	TRACE	TRACE	ZERO	ZERO	TRACE
95 Ru	0.2879E-17	0.2882E-20	0.2882E-20	0.6484E-20	ZERO	ZERO	0.9365E-20
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 9. Collection of Cell Vents and Sand Filter

STREAM NUMBERS (CONT'D) -> STREAM NAME	190 PVVF Accumulation	191 PVVF Exit Gas	192 PVVF Exhst to Tunnel	193 Proces Cell Exh to Tunnel	115 Prim Exhstr Gas to Tunnel	121 Bkup Exhstr Gas to Tunnel	194 Inlet Gas to Sand Filter
38 SO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs ₂ O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	ZERO	ZERO	ZERO	ZERO	0.1029E-08	ZERO	0.1029E-08
126 Semi Vol Group A	ZERO	ZERO	ZERO	ZERO	0.4429E-10	ZERO	0.4429E-10
140 Semi Vol Na ₂ B ₄ O ₇	ZERO	ZERO	ZERO	ZERO	0.3071E-07	ZERO	0.3071E-07
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	ZERO	ZERO	ZERO	ZERO	0.3113E-08	ZERO	0.3113E-08
125 Semi Vol NaI	ZERO	ZERO	ZERO	ZERO	0.1354E-11	ZERO	0.1354E-11
23 Semi Vol RuO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO ₂	0.3166E-05	0.3169E-08	0.3169E-08	0.7131E-08	0.2459E-08	ZERO	0.1276E-07
48 Sr(COOH) ₂	0.3866E-19	0.3870E-22	0.3870E-22	0.8708E-22	ZERO	ZERO	0.1258E-21
176 Sr(NO ₃) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi ₂ O ₅) ₂	0.1441E-17	0.1442E-20	0.1442E-20	0.3245E-20	ZERO	ZERO	0.4687E-20
127 Sr(OH) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	0.1630E-22	TRACE	TRACE	TRACE	0.3070E-12	ZERO	0.3070E-12
159 TeO ₂	0.1266E-17	0.1521E-20	0.1521E-20	0.3422E-20	0.1335E-12	ZERO	0.1335E-12
92 ThO ₂	0.1054E-16	0.1055E-19	0.1055E-19	0.2374E-19	0.5944E-12	ZERO	0.5944E-12
107 TiO ₂	0.2940E-15	0.2943E-18	0.2943E-18	0.6623E-18	0.1667E-10	ZERO	0.1667E-10
119 Tritium	ZERO	0.4173E-10	0.4173E-10	0.9389E-10	0.1137E-11	ZERO	0.1368E-09
17 U ₃ O ₈	0.7392E-15	0.7399E-18	0.7399E-18	0.1665E-17	0.4168E-10	ZERO	0.4168E-10
62 UO ₂ (COOH) ₂	0.4501E-21	0.4505E-24	0.4505E-24	0.1014E-23	ZERO	ZERO	0.1464E-23
177 UO ₂ (NO ₃) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO ₂ (OH) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH) ₃	TRACE	TRACE	TRACE	TRACE	ZERO	ZERO	TRACE
178 Y(NO ₃) ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH) ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y ₂ (CO ₃) ₃	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y ₂ O ₃	0.3426E-18	0.3429E-21	0.3429E-21	0.7716E-21	0.8458E-13	ZERO	0.8458E-13
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH) ₂	0.9231E-16	0.9241E-19	0.9241E-19	0.2079E-18	ZERO	ZERO	0.3003E-18
179 Zn(NO ₃) ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
57 ZnO	0.6354E-16	0.6360E-19	0.6360E-19	0.1431E-18	0.6319E-11	ZERO	0.6319E-11
104 ZrO ₂	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H ₂ O	0.5317E-15	0.5323E-18	0.5323E-18	0.1198E-17	ZERO	ZERO	0.1730E-17
1 water	ZERO	0.5376E+02	0.5376E+02	0.7891E+04	0.1418E+02	0.6641E+01	0.7965E+04
TOTAL FLOW, LB/HR	0.4275E-05	0.3710E+04	0.3710E+04	0.4776E+06	0.1849E+04	0.8968E+03	0.4840E+06
TEMPERATURE, DEG C	0.3146E+02	0.3146E+02	0.4238E+02	0.3500E+02	0.2762E+02	0.2515E+02	0.3501E+02
PRESSURE, ATM	0.9165E+00	0.9018E+00	0.9928E+00	0.9928E+00	0.9928E+00	0.9928E+00	0.9926E+00
PRESSURE, PSIG	-0.1227E+01	-0.1443E+01	-0.1058E+00	-0.1058E+00	-0.1058E+00	-0.1058E+00	-0.1088E+00
PRESSURE, MM HG	0.6965E+03	0.6854E+03	0.7545E+03	0.7545E+03	0.7545E+03	0.7545E+03	0.7544E+03
ENTHALPY, PCU/HR	0.2705E-04	0.7556E+05	0.8505E+05	0.1002E+08	0.2686E+05	0.1186E+05	0.1014E+08
VAPOR FLOW, CFM		0.9514E+03	0.8952E+03	0.1136E+06	0.4257E+03	0.2054E+03	0.1152E+06
LIQUID FLOW, GPM							
DENSITY, LBS/FT ³	0.1397E+03	0.6499E-01	0.6907E-01	0.7005E-01	0.7237E-01	0.7275E-01	0.7004E-01
PHASE	SOLID	VAPOR	VAPOR	VAPOR	VAPOR	VAPOR	VAPOR

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 9. Collection of Cell Vents and Sand Filter

STREAM NUMBERS -> STREAM NAME	195 Sand Filter Accumulation	196 Sand Filter Inlet Sump	197 Sand Filter after SV rem	198 Fan Exhaust to Stack	199 Sand Filter Exit Sump	200 Stack Exhaust
COMPONENT FLOWS, LB/HR						
122 (C6H5)2	ZERO	ZERO	0.2924E-01	0.2924E-01	ZERO	0.2924E-01
123 (C6H5)2C6H4	ZERO	ZERO	0.3515E-10	0.3515E-10	ZERO	0.3515E-10
118 (C6H5)2NH	ZERO	ZERO	0.7563E-04	0.7563E-04	ZERO	0.7563E-04
133 (C6H5B(OH)2 salt)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
132 (C6H5B(OH)2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
166 (C6H5C6H4OH)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
162 (C6H5NH2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
163 (C6H5NHCHO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
165 (C6H5NO)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
164 (C6H5NO2)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
131 (C6H5OH salt)	0.6386E-22	ZERO	TRACE	TRACE	ZERO	TRACE
130 (C6H5OH)	ZERO	ZERO	0.1142E-01	0.1142E-01	ZERO	0.1142E-01
121 (C6H6)	ZERO	ZERO	0.9332E+01	0.9332E+01	ZERO	0.9332E+01
155 (CH3)2CHOH	ZERO	ZERO	0.8827E-11	0.8827E-11	ZERO	0.8827E-11
154 (CH3OH)	ZERO	ZERO	0.2441E-11	0.2441E-11	ZERO	0.2441E-11
45 Ag	0.4563E-21	ZERO	TRACE	TRACE	ZERO	TRACE
116 Ag2O	TRACE	ZERO	TRACE	TRACE	ZERO	TRACE
134 AgNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
77 Al2O3	0.1767E-09	ZERO	0.3534E-13	0.3534E-13	ZERO	0.3534E-13
106 B2O3	0.1621E-08	ZERO	0.3243E-12	0.3243E-12	ZERO	0.3243E-12
9 Ba(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
15 BaO	0.2238E-13	ZERO	0.4478E-17	0.4478E-17	ZERO	0.4478E-17
24 BaSO4	0.3066E-12	ZERO	0.6134E-16	0.6134E-16	ZERO	0.6134E-16
66 CO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
37 CO2	ZERO	ZERO	0.8652E+02	0.8652E+02	ZERO	0.8652E+02
142 CO2 (C14)	ZERO	ZERO	0.5692E-07	0.5692E-07	ZERO	0.5692E-07
63 Ca(COOH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
167 Ca(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
120 Ca(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
113 Ca3(PO4)2	0.5251E-10	ZERO	0.1050E-13	0.1050E-13	ZERO	0.1050E-13
20 CaC2O4	0.2810E-24	ZERO	TRACE	TRACE	ZERO	TRACE
18 CaCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
64 CaCO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
78 CaF2	0.1731E-19	ZERO	0.3463E-23	0.3463E-23	ZERO	0.3463E-23
41 CaO	0.2908E-10	ZERO	0.5818E-14	0.5818E-14	ZERO	0.5818E-14
19 CaSO4	0.3974E-11	ZERO	0.7949E-15	0.7949E-15	ZERO	0.7949E-15
29 Carbon	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
99 Cement	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
26 Co(COOH)2	0.1649E-21	ZERO	TRACE	TRACE	ZERO	TRACE
168 Co(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
59 CoO	0.2059E-14	ZERO	0.4119E-18	0.4119E-18	ZERO	0.4119E-18
98 Cr2O3	0.1022E-10	ZERO	0.2045E-14	0.2045E-14	ZERO	0.2045E-14
42 Cs2O	0.6198E-12	ZERO	0.1240E-15	0.1240E-15	ZERO	0.1240E-15
53 CsCOOH	0.4983E-19	ZERO	0.9969E-23	0.9969E-23	ZERO	0.9969E-23
96 CsCl	ZERO	ZERO	0.5144E-11	0.5144E-11	ZERO	0.5144E-11
169 CsNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
8 CsOH	0.1264E-23	ZERO	TRACE	TRACE	ZERO	TRACE
151 CsTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 9. Collection of Cell Vents and Sand Filter

STREAM NUMBERS (CONT'D) ->	195	196	197	198	199	200
STREAM NAME	Sand Filter Accumulation	Sand Filter Inlet Sump	Sand Filter after SV rem	Fan Exhaust to Stack	Sand Filter Exit Sump	Stack Exhaust
54 Cu(COOH)2	0.5110E-20	ZERO	0.1022E-23	0.1022E-23	ZERO	0.1022E-23
170 Cu(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
55 CuO	0.1892E-10	ZERO	0.3785E-14	0.3785E-14	ZERO	0.3785E-14
80 Fe2O3	0.5082E-09	ZERO	0.1017E-12	0.1017E-12	ZERO	0.1017E-12
101 FeO	0.5075E-10	ZERO	0.1015E-13	0.1015E-13	ZERO	0.1015E-13
102 Group A	0.6730E-13	ZERO	0.2215E-12	0.2215E-12	ZERO	0.2215E-12
103 Group B	0.3023E-14	ZERO	0.6046E-18	0.6046E-18	ZERO	0.6046E-18
25 H2	ZERO	ZERO	0.3136E-01	0.3136E-01	ZERO	0.3136E-01
158 H2C2O4	0.2108E-18	ZERO	0.4216E-22	0.4216E-22	ZERO	0.4216E-22
93 H2SO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
90 H3BO3	0.8869E-17	ZERO	0.1774E-20	0.1774E-20	ZERO	0.1774E-20
34 HCOOH	ZERO	ZERO	0.7601E-04	0.7601E-04	ZERO	0.7601E-04
43 HCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
85 HF	ZERO	ZERO	0.1369E-02	0.1369E-02	ZERO	0.1369E-02
49 HNO3	ZERO	ZERO	0.7343E+00	0.7343E+00	ZERO	0.7343E+00
36 Hg	ZERO	ZERO	0.1670E-01	0.1670E-01	ZERO	0.1670E-01
129 Hg(C6H5)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
135 Hg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
144 Hg2Cl2	0.2866E-10	ZERO	0.5734E-14	0.5734E-14	ZERO	0.5734E-14
117 Hg2I2	0.2366E-15	ZERO	0.4734E-19	0.4734E-19	ZERO	0.4734E-19
146 HgCl2	0.2253E-20	ZERO	0.4506E-24	0.4506E-24	ZERO	0.4506E-24
21 HgO	0.1131E-22	ZERO	TRACE	TRACE	ZERO	TRACE
97 I2	ZERO	ZERO	0.4632E-09	0.4632E-09	ZERO	0.4632E-09
183 K2CO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
39 K2O	0.1143E-09	ZERO	0.2287E-13	0.2287E-13	ZERO	0.2287E-13
51 KCOOH	0.1156E-16	ZERO	0.2312E-20	0.2312E-20	ZERO	0.2312E-20
157 KMnO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
161 KNO3	0.3297E-19	ZERO	0.6596E-23	0.6596E-23	ZERO	0.6596E-23
10 KOH	0.3780E-22	ZERO	TRACE	TRACE	ZERO	TRACE
150 KTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
105 La2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
108 Li2O	0.1096E-08	ZERO	0.2193E-12	0.2193E-12	ZERO	0.2193E-12
65 Mg(COOH)2	0.3995E-17	ZERO	0.7992E-21	0.7992E-21	ZERO	0.7992E-21
171 Mg(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
33 MgO	0.3695E-09	ZERO	0.7391E-13	0.7391E-13	ZERO	0.7391E-13
60 Mn(COOH)2	0.2502E-17	ZERO	0.5006E-21	0.5006E-21	ZERO	0.5006E-21
172 Mn(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
180 Mn3O4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
56 MnO	0.5300E-10	ZERO	0.1060E-13	0.1060E-13	ZERO	0.1060E-13
14 MnO2	0.2247E-17	ZERO	0.4496E-21	0.4496E-21	ZERO	0.4496E-21
145 MoO2	0.2150E-13	ZERO	0.4301E-17	0.4301E-17	ZERO	0.4301E-17
81 N2	ZERO	ZERO	0.3655E+06	0.3655E+06	ZERO	0.3655E+06
74 N2O	ZERO	ZERO	0.1070E-09	0.1070E-09	ZERO	0.1070E-09
182 NH3	ZERO	ZERO	0.1078E-02	0.1078E-02	ZERO	0.1078E-02
114 NH3OHNO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
52 NH4COOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
173 NH4NO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
68 NH4OH	ZERO	ZERO	TRACE	TRACE	ZERO	TRACE
148 NH4TPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 9. Collection of Cell Vents and Sand Filter

STREAM NUMBERS (CONT'D) ->	195	196	197	198	199	200
STREAM NAME	Sand Filter Accumulation	Sand Filter Inlet Sump	Sand Filter aftr SV rem	Fan Exhaust to Stack	Sand Filter Exit Sump	Stack Exhaust
35 NO	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
84 NO2	ZERO	ZERO	0.7125E+01	0.7125E+01	ZERO	0.7125E+01
70 Na (HgO (OH))	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
94 Na2B4O7	0.4239E-22	ZERO	0.1536E-09	0.1536E-09	ZERO	0.1536E-09
109 Na2C2O4	0.2733E-20	ZERO	0.5466E-24	0.5466E-24	ZERO	0.5466E-24
5 Na2CO3	0.5647E-17	ZERO	0.1130E-20	0.1130E-20	ZERO	0.1130E-20
143 Na2CO3 (C14)	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
89 Na2CrO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
115 Na2MoO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
32 Na2O	0.1366E-08	ZERO	0.2732E-12	0.2732E-12	ZERO	0.2732E-12
71 Na2PuO2 (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
73 Na2RhO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
72 Na2RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
6 Na2SO4	0.1126E-10	ZERO	0.2253E-14	0.2253E-14	ZERO	0.2253E-14
88 Na2SiO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
87 Na3PO4	0.5155E-13	ZERO	0.1031E-16	0.1031E-16	ZERO	0.1031E-16
91 NaAg (OH) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
75 NaAl (OH) 4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
50 NaCOOH	0.2038E-09	ZERO	0.4077E-13	0.4077E-13	ZERO	0.4077E-13
7 NaCl	0.9955E-13	ZERO	0.1991E-16	0.1991E-16	ZERO	0.1991E-16
69 NaF	0.6741E-12	ZERO	0.1557E-10	0.1557E-10	ZERO	0.1557E-10
11 NaHCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
12 NaI	0.6314E-23	ZERO	0.6771E-14	0.6771E-14	ZERO	0.6771E-14
3 NaNO2	0.3414E-20	ZERO	0.6829E-24	0.6829E-24	ZERO	0.6829E-24
2 NaNO3	0.1041E-16	ZERO	0.2082E-20	0.2082E-20	ZERO	0.2082E-20
4 NaOH	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
149 NaTPB	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
160 NaTcO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
152 NaTi2O5H	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
181 Nd2O3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
61 Ni (COOH) 2	0.2908E-19	ZERO	0.5817E-23	0.5817E-23	ZERO	0.5817E-23
174 Ni (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
40 NiO	0.1159E-10	ZERO	0.2318E-14	0.2318E-14	ZERO	0.2318E-14
82 O2	ZERO	ZERO	0.1104E+06	0.1104E+06	ZERO	0.1104E+06
175 Pb (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
86 PbCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
67 PbO	0.9803E-13	ZERO	0.1961E-16	0.1961E-16	ZERO	0.1961E-16
147 PbS	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
28 PbSO4	0.2504E-11	ZERO	0.5008E-15	0.5008E-15	ZERO	0.5008E-15
124 Pd	0.1288E-22	ZERO	TRACE	TRACE	ZERO	TRACE
112 Pd (NO3) 2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
110 PdO	TRACE	ZERO	TRACE	TRACE	ZERO	TRACE
76 PuO2	0.1991E-12	ZERO	0.3983E-16	0.3983E-16	ZERO	0.3983E-16
156 PuO2 (NaTi2O5) 2	0.1464E-21	ZERO	TRACE	TRACE	ZERO	TRACE
58 Rh	0.2455E-22	ZERO	TRACE	TRACE	ZERO	TRACE
22 RhO2	TRACE	ZERO	TRACE	TRACE	ZERO	TRACE
95 Ru	0.9363E-20	ZERO	0.1873E-23	0.1873E-23	ZERO	0.1873E-23
79 RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
83 RuO4	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO

Table A-1. HLW Flowsheet Material Balance (Tank 51/ITP Cycle 1)
Section 9. Collection of Cell Vents and Sand Filter

STREAM NUMBERS (CONT'D) -> STREAM NAME	195 Sand Filter Accumulation	196 Sand Filter Inlet Sump	197 Sand Filter after SV rem	198 Fan Exhaust to Stack	199 Sand Filter Exit Sump	200 Stack Exhaust
38 SO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
141 SO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
137 Semi Vol Cs2O	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
136 Semi Vol CsCl	0.1024E-08	ZERO	ZERO	ZERO	ZERO	ZERO
126 Semi Vol Group A	0.4407E-10	ZERO	ZERO	ZERO	ZERO	ZERO
140 Semi Vol Na2B4O7	0.3056E-07	ZERO	ZERO	ZERO	ZERO	ZERO
138 Semi Vol NaCl	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
139 Semi Vol NaF	0.3098E-08	ZERO	ZERO	ZERO	ZERO	ZERO
125 Semi Vol NaI	0.1347E-11	ZERO	ZERO	ZERO	ZERO	ZERO
23 Semi Vol RuO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
111 SiO2	0.1276E-07	ZERO	0.2552E-11	0.2552E-11	ZERO	0.2552E-11
48 Sr(COOH)2	0.1258E-21	ZERO	TRACE	TRACE	ZERO	TRACE
176 Sr(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
153 Sr(NaTi2O5)2	0.4686E-20	ZERO	0.9374E-24	0.9374E-24	ZERO	0.9374E-24
127 Sr(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
30 SrCO3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
46 SrO	0.3069E-12	ZERO	0.6139E-16	0.6139E-16	ZERO	0.6139E-16
159 TcO2	0.1335E-12	ZERO	0.5875E-16	0.5875E-16	ZERO	0.5875E-16
92 ThO2	0.5943E-12	ZERO	0.1189E-15	0.1189E-15	ZERO	0.1189E-15
107 TiO2	0.1667E-10	ZERO	0.3335E-14	0.3335E-14	ZERO	0.3335E-14
119 Tritium	ZERO	ZERO	0.1368E-09	0.1368E-09	ZERO	0.1368E-09
17 U3O8	0.4167E-10	ZERO	0.8336E-14	0.8336E-14	ZERO	0.8336E-14
62 UO2(COOH)2	0.1464E-23	ZERO	TRACE	TRACE	ZERO	TRACE
177 UO2(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
16 UO2(OH)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
27 Y(COOH)3	TRACE	ZERO	TRACE	TRACE	ZERO	TRACE
178 Y(NO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
128 Y(OH)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
31 Y2(CO3)3	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
47 Y2O3	0.8457E-13	ZERO	0.1692E-16	0.1692E-16	ZERO	0.1692E-16
100 Zeolite	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
44 Zn(COOH)2	0.3003E-18	ZERO	0.6006E-22	0.6006E-22	ZERO	0.6006E-22
179 Zn(NO3)2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
57 ZnO	0.6317E-11	ZERO	0.1264E-14	0.1264E-14	ZERO	0.1264E-14
104 ZrO2	ZERO	ZERO	ZERO	ZERO	ZERO	ZERO
13 hydrate H2O	0.1730E-17	ZERO	0.3460E-21	0.3460E-21	ZERO	0.3460E-21
1 water	ZERO	0.4750E+00	0.7965E+04	0.7965E+04	0.4750E+00	0.7965E+04
TOTAL FLOW, LB/HR	0.5328E-07	0.4750E+00	0.4840E+06	0.4840E+06	0.4750E+00	0.4840E+06
TEMPERATURE, DEG C	0.3501E+02	0.3500E+02	0.3501E+02	0.3873E+02	0.3500E+02	0.3873E+02
PRESSURE, ATM	0.9926E+00	0.1000E+01	0.9680E+00	0.1000E+01	0.1000E+01	0.1000E+01
PRESSURE, PSIG	-0.1088E+00	ZERO	-0.4703E+00	ZERO	ZERO	ZERO
PRESSURE, MM HG	0.7544E+03		0.7357E+03			
ENTHALPY, PCU/HR	0.4161E-06	0.1667E+02	0.1014E+08	0.1056E+08	0.1667E+02	0.1056E+08
VAPOR FLOW, CFM			0.1181E+06	0.1157E+06		0.1157E+06
LIQUID FLOW, GPM		0.9486E-03			0.9486E-03	
DENSITY, LBS/FT3	0.1490E+03	0.6243E+02	0.6830E-01	0.6972E-01	0.6243E+02	0.6972E-01
PHASE	SOLID	LIQUID	VAPOR	VAPOR	LIQUID	VAPOR

WSRC-TR-95-0019-TL
WSRC-TR-95-0019

April 19, 1995

HLW FLOWSHEET MATERIAL BALANCE FOR
DWPF RADIOACTIVE OPERATION WITH
TANK 51 SLUDGE AND ITP CYCLE PRECIPITATE (U)

Distribution:

HLWM-ENG

S. F. Piccolo, 704-S
J. F. Ortaldo, 704-S (5)
H. H. Elder, 704-S
S. R. Wilson, 704-S
R. D. Reeves, 704-15S
J. T. Carter, 704-25S
R. E. Edwards, 704-25S
D. H. McGuire, 704-27S
W. A. Wagner, 704-27S
J. M. Gillam, 704-27S
J. E. Owen, 704-30S
R. W. Wilson, 724-2G
J. E. Marra, 703-H
G. K. Georgetown, 703-H
T. E. Pate, 703-H
E. D. Lee, 241-152H
W. B. Van Pelt, 241-152H
J. R. Fowler, 704-Z

HLWM-PM

N. R. Davis, 719-4A
J. N. Brooke, 719-4A
M. N. Wells, 719-4A

SRTC

L. M. Papouchado, 773-A
E. W. Holtzscheiter, 773-A
W. L. Tamosaitis, 773-A
M. J. Plodinec, 773-A
S. D. Fink, 773-A
N. E. Bibler, 773-A
M. S. Hay, 773-A
D. D. Walker, 773-A
L. F. Landon, 704-T
C. T. Randall, 704-T
R. A. Jacobs, 704-T
N. H. Kuehn, 704-T
L. M. Lee, 704-T
D. A. Crowley, 704-1T
F. G. Smith, 704-1T
A. S. Choi, 704-1T (15)
TIM, 703-43A, Rm. 26 (4)

E&PD

R. P. Blundy, 730-B