C-A/AP/#458

July 2012

Attempted transverse impedance measurement in RHIC

**M. Blaskiewicz
C. Montag**

**Collider-Accelerator Department
Brookhaven National Laboratory
Upton, NY 11973**

Notice: This document has been authorized by employees of Brookhaven Science Associates, LLC under Contract No. DE-AC02-98CH10886 with the U.S. Department of Energy. The United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this document, or allow others to do so, for United States Government purposes.

Attempted Transverse Impedance Measurement in RHIC

M. Blaskiewicz

C. Montag

July 20, 2012

1 Results

An attempt was made to improve earlier measurements of transverse impedance in RHIC¹. Measurement with protons at injection were made on March 7, 2012. Data were taken in the yellow ring with the current as a function of time shown in Figure 1. We used the RHICBTF application with varying numbers of bunches. The measured beam transfer functions are shown in Figures 2 and 3. The two indices parameterizing each curve are the peak current and the number of bunches in the symmetric fill. For the horizontal data in Fig 1 the two blue curves for 8A peak current with 28 bunches have a larger measured tune difference than the green curve with 5A peak current and 6 bunches or the magenta curve with 4A peak current and 28 bunches. The expected tune shift for a transverse impedance of $4M\Omega/m$ and 4 amps is 0.0012. This is comparable to the measured vertical tune shift when changing from 8 to 28 bunches. The RHIC impedance is broadband so any change in tune with bunch number is an instrumental effect. We conclude that another measurement technique is needed to obtain reliable results.

¹“Transverse Impedance Measurements at the RHIC” S.Y. Zhang, H. Huang, P. Cameron, A. Drees, R. Fliller, T. Satogata, EPAC02, p1112, (2002)

Figure 1: yellow beam current during the experiment

Figure 2: Horizontal BTFs for a range of intensities and fill patterns

Figure 3: Vertical BTFs for a range of intensities and fill patterns