2010 AWARDS

IR HOT WAVE™

AN INFRARED (IR) HEAT TREATMENT FURNACE
FOR METALS AND METAL ALLOYS

DISCLAIMER

This work of authorship and those incorporated herein were prepared by Contractor as accounts of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor Contractor, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, use made, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency or Contractor thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency or Contractor thereof.

Y-12 NATIONAL SECURITY COMPLEX

IR Hot Wave™

R&D 100 Awards

April 2010

Prepared by
Y-12 National Security Complex
P.O. Box 2009
Oak Ridge, Tennessee 37831-8169

Managed by
Babcock & Wilcox Technical Services Y-12, LLC
for the
U.S. Department of Energy
under contract DE-AC05-00OR22800

TABLE OF CONTENTS

1. Submitting Information	1
2. Product Name	3
3. Description	4
4. When Available	5
5. Inventor/Primary Developer	6
6. Product Price	9
7. Patent/Patent Pending	9
8. Product Primary Function	10
9. Product Primary Competition	14
10. Product Application	19
11. Summary	20
12. Affirmation	21
Appendix A: Photos	22
Appendix B: Media Coverage	26
Appendix C: Testimonials	34

1. SUBMITTING INFORMATION

1A. SUBMITTING ORGANIZATION

Organization Name

Y-12 National Security Complex

Submitter's Name

Tammy Graham
Director of Technology Transfer
Office of Technology Transfer

Address

Y-12 National Security Complex
P.O. Box 2009, MS 8091

City/State

Oak Ridge, TN

Zip/Postal Code

37831-8091

Country

USA

Phone

(865) 574-2214

Fax

(865) 241-4614

Email

grahamtb@y12.doe.gov

1B. CONTACT PERSON

Name

Gina Davis
Director of Marketing and Commercialization

Organization Name

Office of Technology Transfer

Address

Y-12 National Security Complex
P.O. Box 2009, MS 8112

City/State

Oak Ridge, TN

Zip/Postal Code

37831-8112

Country

USA

Phone

(865) 576-0181

Fax

(865) 241-3892

Email

davisgk@y12.doe.gov

1C. JOINT ENTRY

Not Applicable

2. PRODUCT NAME

IR HOT WAVE™

*Fig. 1. Schematic of the
IR Hot Wave™ heat treatment
furnace.*

3. DESCRIPTION

The IR Hot Wave™ furnace is a breakthrough heat treatment system for manufacturing metal components. Near-infrared (IR) radiant energy combines with IR convective heating for heat treating.

Fig. 2. Inside view of the IR Hot Wave™ heat treatment furnace.

4. WHEN AVAILABLE

The technology was available for licensing in 2009. A company has been collaborating with Y-12 in the technology maturation for a specific application with potential for licensing. Y-12 has signed a Memorandum of Understanding agreement with a vendor who will build the furnace for the potential licensee.

5. INVENTOR/PRINCIPAL DEVELOPER

Principal Developer

Roland D. Seals, Ph.D., FASM (Fellow, ASM International)

Position

Senior Staff, R&D Scientist/Consultant

Organization

Science, Technology & Partnerships

Address

Y-12 National Security Complex
P.O. Box 2009, MS 8097
Oak Ridge, TN 37831-8097

Phone

(865) 574-0936

FAX

(865) 574-2582

E-Mail

sealsrd@y12.doe.gov

Dr. Roland D. Seals, working as a scientist, engineer, and team leader in Y-12's Applied Technologies Division, leads, performs, and guides technology-development and problem-solving activities in materials and manufacturing. His work includes scale-up and prototype demonstrations; materials deposition processing and post-treatment technologies; materials development and applications providing functional surfaces; microanalytical techniques; surface analysis processes; and chemistry. He has also contributed to the development of miniature spectrometer systems, in-process spectrometric systems; nanostructured and nanostructure-reinforced materials; and advanced high-heat-flux infrared heating and melting processes.

A Y-12 scientist for 32 years, Seals holds 12 U.S. patents, has an additional six patents pending, and was a corecipient of a 2008 R&D 100 Award for the discovery of an innovative process for the production of high-purity carbon nanotubes. He has received numerous other awards as well.

Seals obtained a B.S. in chemistry from Millsaps College in Jackson, Mississippi, and a Ph.D. in chemistry from the Virginia Polytechnic Institute and State University in Blacksburg, Virginia.

5B. ADDITIONAL INVENTORS/DEVELOPERS

Name (2)

Jeffrey G. Parrott

Position

Sr. Technical Staff Member, Electrical Engineer

Organization

Science, Technology and Partnerships

Address

Y-12 National Security Complex
P.O. Box 2009, MS 8084
Oak Ridge, TN 37831-8084

Phone

(865) 576-4047

FAX

(865) 576-5925

E-Mail

parrottjg@y12.doe.gov

Name (3)

Paul D. DeMint

Position

Sr. Technical Staff Member, Electrical Engineer

Organization

Science, Technology and Partnerships

Address

Y-12 National Security Complex
P.O. Box 2009, MS 8204
Oak Ridge, TN 37831-8204

Phone

(865) 576-7418

FAX

(865) 576-7649

E-Mail

demintpd@y12.doe.gov

5B. ADDITIONAL INVENTORS/DEVELOPERS

Name (4)

Kevin R. Finney

Position

Sr. Director & Chief Technology Officer

Organization

Science, Technology and Partnerships

Address

Y-12 National Security Complex
P.O. Box 2009, MS 8005
Oak Ridge, TN 37831-8005

Phone

(865) 574-1736

FAX

(865) 241-6256

E-Mail

finneykr@y12.doe.gov

6. PRODUCT PRICE

The IR Hot Wave™ furnace is priced between \$40,000 and \$200,000, depending upon features and component sizes. The price could be lower for the manufacture of large quantities of specific metals and metal alloys.

7. PATENT/PATENT PENDING

Oak Ridge Y-12 National Security Complex Invention Disclosure 2129
Patent Pending: U.S. Provisional Patent Application 61/323,986, filing date 4/14/10, B&W Y-12.

8. PRODUCT PRIMARY FUNCTION

Heat treatment—an essential process in manufacturing most components—is the controlled heating and cooling of a metal or metal alloy to alter its physical, mechanical, and sometimes chemical properties without changing the object's shape. In the process a metal or alloy in the solid state undergoes a combination of heating and cooling operations to obtain desired conditions or properties. The overall process includes a number of steps, depending on the metal and the desired results.

The IR Hot Wave™ infrared (IR) heat treatment furnace incorporates a new technological development that offers a simple, fast, efficient, cost-effective, small-footprint operation for heat treating metals and metal alloys.

The novelty of the IR Hot Wave™ furnace is in its simplicity and flexibility, inherent radiant/convective heating, component transport (conveyance), and degree of control over component temperature.

The furnace (Fig. 3) provides quality, high-volume-throughput heat treating—unlike gas-fired furnaces, in which a large number of parts can be trapped in a 20- to 30-hour manufacturing bottleneck. **The IR Hot Wave™ unit allows for fast, continuous manufacturing and avoids creating a backlog of parts on the factory floor.**

The IR Hot Wave™ furnace combines near-infrared radiant energy and IR convective heating for heat treatments, annealing, outgassing, alloying, thermal dehydration,

Fig. 3. Schematic of IR Hot Wave™ furnace.

distillation, melting, recovery, purification, and casting. **The furnace allows precise control and quick, efficient changes of set-point temperatures, heating rates, and hold times at a selected temperature.**

Simple, efficient, and cost-effective, the IR Hot Wave™ furnace can be constructed in many configurations that can include different-size IR lamps, various control zones, and multiple power ratings.

Fig. 4. Cross-sectional schematic of the IR Hot Wave™ radiant/convective furnace.

The advantage of joint radiant and convective heating is designed into the IR Hot Wave™ furnace (Fig. 4). The gas for convective heating can be air, an inert gas for oxygen-sensitive materials, or a reactive gas for surface engineering.

The innovative furnace provides precise temperature control and temperature-profile uniformity for parts in the process chamber. Heat transfer rates are faster than those achieved in gas furnaces. Either batch or in-line heat treatment is plausible with the IR Hot Wave™ furnace.

The furnace can be designed with IR lamps either along all four sides of a rectangular chamber, along the top and bottom sides, along the left and right sides, along just one side or any three sides, or along the circumference of a cylindrical shape. Because horizontal lamp alignment is desirable, the IR lamps would preferably align across the top and bottom sides, along the axis of any chamber for the left and right sides, or along the axis of the cylindrical-shaped chamber, as Figs. 5, and 6 show.

The IR Hot Wave™ furnace can include a pre-section to remove cores from cast parts before the solution heat treatment process begins in a later furnace section (Figs. 5 and 6). The pre-section can be designed to oxidize, vaporize, or melt components of the core. Equipment for collection and control can be integrated into the furnace section. That equipment can collect (1) core solids (by vacuuming and packaging) for disposal in trays or other devices, and/or (2) vapors or sublimed materials.

Fig. 5. An IR Hot Wave™ furnace design for right- and left-side heating with core removal.

Fig. 6 An IR Hot Wave™ furnace design for top- and bottom-side heating with core removal.

The IR Hot Wave™ furnace's preheating chamber allows parts to attain a uniform equilibrium temperature before they enter the heat treatment chamber. This enables the components to move directly from casting operations to heat treatment—no cooling necessary. **The IR Hot Wave™ furnace generates parts that display better mechanical properties than parts heated by other methods that had to be cooled to room temperature before heat treatment.**

All heat treatment processes and processing steps typically used for metals and metal alloys—including steels, stainless steels, aluminum alloys, copper alloys, titanium alloys, other metal alloys, and other materials—can be accomplished by the application of IR heating, including homogenization, annealing, stress relieving, hardening, tempering, outgassing, and surfacing (carburizing, nitriding, carbonitriding, and nitrocarburizing). Benefits include lower costs, increased throughput, smaller footprint, better temperature control, and more uniform thermal profiles for furnace and part.

Advanced heat-treated alloys are in automobiles, aircraft—countless products. Although heat treatment, quenching, and aging are essential in developing desired properties for many alloys, costly production lag times typically occur. **The IR Hot Wave™ furnace reduces the time and energy requirements of the heat treatment cycle.** The small footprint of the new furnace, integrated into the manufacturing process, appears in Fig. 7.

Fig. 7. The IR Hot Wave™ furnace integrated into the manufacturing process.

9. PRODUCT PRIMARY COMPETITORS

9A. PRODUCT'S COMPETITORS

Today the most common method of heat treating parts is the gas-furnace method, an inherently inefficient process for transferring energy to components, which results in long cycle times. Data comparisons between a typical gas furnace (Fig. 8) and the IR Hot Wave™ radiant/convective furnace (Fig. 9) reveal the latter's advantages for aluminum brake drum parts.

Fig. 8a (top) and 8b. Typical gas furnace heating rate (2-4 hours, fixed) heating uniformity (nonuniform, $\pm 50^{\circ}\text{F}$) and thermal profile (nonuniform).

There are 24 thermocouples embedded in the brake drum part from top to bottom. Note that although the part's thermal profile requires that the part temperature reach 1,000°F in 2 hours, the gas furnace does not attain the target temperature even after 4 hours. In the IR Hot Wave™ furnace the temperature is achieved in less than 15 minutes. The part undergoing argon convective heating reaches the actual target temperature in about 60 minutes (Fig. 9); the part undergoing air convective heating attains the temperature in about 15 minutes. The part temperature uniformity of $\pm 1^\circ\text{F}$ allows the target temperature to be raised to a value closer to the solidus temperature, whereby the metal alloy part obtains better mechanical properties.

To diminish the problems with gas furnaces, batch-mode operations are used, which generates significant time delays as parts from casting wait on the factory floor. Further delays in batch-mode operations result from difficulties with nonuniform heating, different heating profiles, and convection-air-flow patterns.

The IR Hot Wave™ furnace provides flexibility and varied heating rates (Fig. 10a-b). Figure 11 shows the furnace's ability to quickly and efficiently change the target temperature. Figure 12 presents the change in heating rate.

Fig. 9. In comparison with Fig. 6a-b, the IR Hot Wave™ furnace heating rate is less than 20 minutes, adjustable. The furnace's heating uniformity is excellent, $\pm 1^\circ\text{F}$; and its thermal profile is to heat treatment specifications (selectable, uniform or controllable profile).

Fig. 10a (above) and 10b.
Operation of the IR Hot Wave™
furnace showing one set-point
and two set-point operations.

Fig. 11. Operation of the IR Hot Wave™ furnace showing flexibility of quick changes in target temperatures.

Fig. 12. Effect on heating rate for the IR Hot Wave™ furnace.

9B. KEY FEATURE COMPARISONS

Key Feature	IR Hot Wave™ Furnace	Gas Furnace	Electrically Heated Furnace	Fluidized Bed Furnace	Salt Bath	IR Hot Wave™ Furnace Advantage
Process	Simple design, flexible temperature operations, small footprint, batch or continuous	Fixed temperature, large-size, typically batch operations	Fixed temperature, large size, typically batch operations	Fixed temperature, large size, typically batch operations	Fixed temperature, large size, typically batch operations	Overall simplicity and flexibility
Furnace Heating Rate	Less than 20 minutes, adjustable	2 to 4 hours, fixed	2 to 4 hours, fixed	> 2 hours, fixed	Maintained at temperature 24/7	Very fast, adjustable
Furnace Thermal Profile	To heat treatment specifications; selectable, uniform or controllable profile	Nonuniform	Nonuniform	Uniform, not controllable	Uniform, not controllable	Excellent uniformity, and profile has variable control
Furnace Thermal Uniformity	Uniform, $\pm 1^\circ\text{F}$	Nonuniform, $\pm 50^\circ\text{F}$	Nonuniform, $\pm 50^\circ\text{F}$	Nonuniform, $\pm 10^\circ\text{F}$	Nonuniform, $\pm 10^\circ\text{F}$	Excellent overall uniformity and fast response
Part Heating Rate	Very fast	Relatively slow	Relatively slow	Relatively slow	Relatively slow	Fastest
Part Thermal Profile Uniformity	Uniform, $\pm 1^\circ\text{F}$	Nonuniform, $\pm 10^\circ\text{F}$	Nonuniform, $\pm 10^\circ\text{F}$	Nonuniform, $\pm 5^\circ\text{F}$	Uniform, $\pm 1^\circ\text{F}$	Best within a part and from part to part
Clean/Green	Yes	No	No	No	No	Only Green solution
Furnace Heating Efficiency	Approaching 90%	25-30%	30-40%	30-40%	Less than 50%	At least 3x better
Control	Excellent	Good	Good	Good	Good	Overall best
Radiant-Convective Heating	Directed IR radiant energy + IR-heated convective inert or air gas	Convection, not uniform and not controllable	Convection, not uniform and not controllable	Conduction	Conduction	Most effective
Preheating Equilibration	Yes, allows heat treating part directly from caster	Possible, not typical	Possible, not typical	Possible, not typical	No	Best, enhances part mechanical properties
Process Control	Quick, responsive, tight	Slow, not very responsive	Slow, not very responsive	Slow, not very responsive	Very little, set point fixed	Best, excellent flexibility
Product Quality	Enhanced by part temperature control uniformity, closer to solidus	Good, but must stay significantly below solidus	Good, but must stay significantly below solidus	Good, but must stay significantly below solidus	Good, but dependent on salt eutectic and control	Overall best with much improvement
Part Costs	\$0.04 to \$0.10 per part	\$0.10 to \$0.50 per part	\$0.10 to \$0.50 per part	\$0.10 to \$0.50 per part	\$0.10 to \$0.50 per part	Overall best

10. PRODUCT APPLICATION

10A. PRINCIPAL APPLICATION OF PRODUCT

In light of its advantages over other heat treatment options, the IR Hot Wave™ furnace is preferred for heat treating objects made of metal and metal alloys.

10B. ADDITIONAL APPLICATIONS

Among other manufacturing applications, the IR Hot Wave™ furnace could be used for aluminum brake components, various metal alloys for bellows components, steel parts hardware, and weapon metal alloy components.

11. SUMMARY

Heat treatment is an essential process in the manufacture of most components. The controlled heating and cooling of a metal or metal alloy alters its physical, mechanical, and sometimes chemical properties without changing the object's shape.

The IR Hot Wave™ furnace offers the simplest, quickest, most efficient, and cost-effective heat treatment option for metals and metal alloys. Compared with other heat treatment alternatives, the IR Hot Wave™ system:

- is 3 to 15 times faster,
- is 2 to 3 times more energy efficient,
- is 20% to 50% more cost-effective,
- has a $\pm 1^\circ\text{C}$ thermal profile compared to a $\pm 10^\circ\text{C}$ thermal profile for conventional gas furnaces, and
- has a 25% to 50% smaller footprint.

12. AFFIRMATION

I affirm that all information submitted as part of, or supplemental to, this entry is a fair and accurate representation of this project.

Submitter's signature: _____

Roland D. Seely

APPENDIX A — PHOTOS

Heat-treated metal billet exiting the IR Hot Wave™ furnace.

A metal billet that contains thermocouple instruments inside the IR Hot Wave™ furnace.

The IR Hot Wave™ furnace before installation into the production process.

The IR Hot Wave™ furnace after installation into the production process.

IR Hot Wave™ furnace design with heating along the axis of a cylindrical-shaped quartz chamber.

Real-time data displayed during the IR Hot Wave™ furnace heat treatment of a metal alloy billet.

APPENDIX B — MEDIA COVERAGE

YSOURCE
APIus
WebWhos
SendPage
SAP
Cafeteria
Index
This Site
Search

Plant Directed Research,
Development and Demonstration

Home / Technologies / Infrared heating /

Introduction
About PDRD
Technologies
Proposals
Forms
Guidelines
PI Responsibilities
Contacts

Infrared heating

Infrared heating, normally a rather mundane technology that keeps french fries warm in fast food restaurants, is being evaluated for unique, highly technical applications at Y-12.

Infrared heating, used to keep french fries warm in fast food restaurants, is being evaluated for highly technical applications.

Y-12 researchers are developing infrared furnaces that can be used for heating metal ingots, melting metal and performing heat treatments of metals. The furnaces will take high-intensity infrared radiation and focus that energy directly on the target material for processing that is more efficient, more cost effective and safer than current methods.

Infrared radiation is the part of the electromagnetic spectrum between visible light and microwaves. It produces no heat until its energy is absorbed by a material. The infrared radiant energy vibrates and rotates atoms in the absorbing material, which causes the temperature of the material to rise. (The same thing happens in a microwave oven — only the food gets hot, not the air in the oven.) The amount of heat produced is dependent on the particular wavelength of infrared and the characteristics of the absorbing material.

Industry has found a variety of applications for low-temperature infrared radiation. [View](#) the list.

The infrared applications of interest at Y-12 require extremely high temperatures and a portion of the infrared spectrum that is even more intense than that of the sun. Two furnace technologies hold promise:

1. high-intensity quartz heat lamps or tungsten-halogen lamps, which generate temperatures as high as 2200°C (4000°F), and
2. infrared plasma arc lamps, which generate temperatures above 10,000°C, high enough to melt virtually any material.

The relatively compact size of the lamp units allows the heating to be done near the metal processing site. The heating approach is also appropriate for use in a vacuum or an inert atmosphere. The application of infrared radiation for processing metals at Y-12 could potentially eliminate the need for molten (high temperature) salt baths for preheating, large ovens for annealing and stress relief and inefficient approaches to melting. As a result, infrared heating is safer, more efficient, easier to use, produces virtually no waste streams and appears to enhance the overall processing of material.

Y-12 researchers have spent the past several years comparing the outcomes from our current processes with the outcomes from using infrared heating. The transition of this technology into use at Y-12 is an example of technology investment through the PDRD program supporting modernization.

Y-12 Public | YSO Internal | NNSA | ORNL | Top of page

Security Notice: Use of this system constitutes consent to security monitoring and testing. All activity is logged with your host name and IP address.

NATIONAL NUCLEAR SECURITY ADMINISTRATION

Infrared Heating Technologies

 Roland Seals
 BWV Y-12
 P.O. Box 2009
 Oak Ridge, TN 37831
 865.574.0936
 865.574.1809 (fax)
 sealsrdy12.doe.gov

Plant Directed Research, Development, and Demonstration (PDRD) at Y-12 is investigating infrared heating technologies for melting high-temperature scrap materials, creating new furnace designs, and improving heat treating processes. Research on replacing traditional heat treatment technologies with infrared heating is also being conducted.

500 kW Infrared
 Plasma Arc Lamp
 0.2–1.4 μm

Energy density: 140–170 W/cm^2 at 20 cm focal length

Tantalum shown in successive states of infrared melting at 3000°C

Transmitted Energy

Infrared Energy

BENEFITS

- Provides a cost-effective and efficient method for uniform heating
- Creates a safe, non-contact work environment
- Uses a simple, fast, uniform method for heating and melting a variety of materials
- Generates enough energy to melt or vaporize any material

Energy Density vs. Time to Melt at 1300°C for Various Metal Thicknesses
 (Gray body, MP = 1300°C, $\epsilon = 0.5$)

Y12

National Security Complex

Infrared Heating

Infrared heating is a new, innovative approach for heating metal alloys and other materials during processing and is being investigated by Y-12. In addition to significant costs savings and reduced or eliminated safety problems, IR heating would revolutionize the metal foundry industry and production metal processing operations.

Y-12 engineers inspect the infrared oven used in the research and development of infrared heating of materials.

Y-12 is investigating a new, innovative approach for heating metal alloys and other various materials during materials processing. Processes include heat treating, annealing, stress relief, preheating, vacuum outgassing, surface modification, zone refining, melting and/or casting, or consolidation of materials during production operations. In addition, this approach can be used for heating the tooling used in such applications and, more particularly, to the application of infrared (IR) radiant heat for the heating, melting and/or casting of materials and tooling.

IR radiant energy is the basis of a new family type of furnaces with unique features, characteristics and capabilities. The major goals are to provide safe, effi-

cient and controllable heating technology concepts for advanced foundry processing of materials and to develop process parameters, equipment design for production and a technology base for significant improvements in production foundry operations.

Use of IR heating technology is being evaluated for preheating of metal billets prior to rolling/forming and post-process annealing of metal products to eliminate the usage of salt baths. The IR system,

designed specifically to fit into the conveyor rollers feeding a rolling mill, has been installed. A formal sampling plan and a detailed schedule for the evaluations were developed and are in the process of being executed. Thermal profiles and heating rates of metal billets were measured during heating by IR and salt bath systems.

BENEFITS

The application of IR furnace designs, based on controlled high heat flux IR heating methods, reduces or eliminates significant cost and safety problems associated with present industrial safety, fire protection, material recovery challenges, quality concerns relative to carbon and other impurities and large footprint space requirements.

Infrared Heating

Metal billet exiting the IR furnace before rolling operations.

APPLICATIONS

Advanced, high-heat flux infrared heating technology would revolutionize the U.S. metal foundry industry and production metal processing operations. The most energy-intensive process in metal processing is the heating and, more specifically, melting of metal, which consumes approximately 55 percent of total energy costs. A search of industry-wide activities to improve the efficiency of energy use within this industry finds no novel technological advances. More than 90 percent of all manufactured goods and capital equipment in America use metal foundry products as engineered components or rely on these products for their manufacture. The U.S. metal foundry industry purchased an estimated annual energy consumption in 1998 for all metal foundries approximately 330 trillion BTUs, or roughly \$2.25 billion.

For more information, contact

Dennis Miller
millerdb@y12.doe.gov
865-241-9590

Roland Seals
sealsrd@y12.doe.gov
865-574-0936

Y-12 National Security Complex
P.O. Box 2009
Oak Ridge, TN 37831

Visit us on the web at www.y12.doe.gov

YGG 05-0459R2

Go red for women

Feb. 5

Join your co-workers and wear red on Feb. 5 to recognize heart disease in women.

Contact Mary Benton
576-7251

P.O. Box 2009
Oak Ridge, TN 37831-8245

PRSRT
STD
PAID
U. S. Postage

Permit #36
Powell, TN

From Y-12's 'factory' to the marketplace

"Applied Technologies isn't just a bunch of PhDs playing in their laboratories," said AT's Kevin Finney. "These folks are working every day to improve Y-12's production areas in terms of safety, security and productivity."

Applied Technologies' (AT's) research is at the center of many of Y-12's R&D 100 Awards, licensing agreements, invention disclosures and patents, so it is no surprise AT's technology transfer efforts will expand in 2009.

"We don't invent stuff for the sake of invention," said Kevin Finney, senior director of AT. "Our folks have good ideas, so we'll continue to seek patents and tech transfer opportunities. Most of these innovations come out of work we do to support the factory [Y-12's production areas]."

As an example, Finney noted that researcher Ron Simandl developed SIMWYPES™ cleaning cloths so that surfaces and components could be decontaminated more quickly, easily and effectively. "As it turns out, there's a lot of commercial interest in the cleaning cloths," he said. He added that both Simandl and researcher Roland Seals have been promoting infrared heating for several production applications.

"We're also working on a cooperative research and development agreement with a commercial supplier of brake parts for big rig trucks to test the technology in their factory because it will save them time and money," Finney said.

Pushing Y-12 technologies into the marketplace is good business, he continued. "We're pursuing more areas to get Y-12 technologies out into the world because once a technology is commercialized, we can buy what we need on the open market, and we can learn from people who use it to make implementation smoother here.

"In many ways," he concluded, "AT is helping to define what the Y-12 of the future will look like and what missions will be done here."

Inside Y-12's think tank

Robot builder. Magician. Woodworker. Cotton farmer. Dive instructor. As individuals, Lee Bzorgi, Ed Ripley, Ron Simandl, Roland Seals and Rusty Hallman have varied backgrounds and interests. Together, they are some of the brightest minds and problem solvers at Y-12. Their inventions stem from viewing problems as opportunities, having unfettered childlike imaginations, persevering with an innate stick-to-itiveness and scouting out solutions as part of a uniquely talented team. These innovators' creative, novel approaches to meeting Y-12's special needs have led to inventions that benefit the Nuclear Weapons Complex and industry.

	Invention Disclosures	Patent Applications	Issued Patents
Bzorgi	11	3	3
Hallman	7	5	2
Ripley	22	10	1
Seals	22	16	6
Simandl	14	15	9

Lee Bzorgi
Mechanical engineer
Research: robotics, electronics, chemical agents, sensors

As a child, he built his first robot modeled after the one in *Lost in Space*. In his 20s, he built robots to scout the reactor basement at Three Mile Island.

Now Bzorgi is thinking of even bigger things. "Y-12 always needs products that aren't available on the market," he said. "We have special needs and unique problems. As long as there's a need for innovative products or a need for improving existing products, my work will be important. I've done hundreds of designs throughout my career."

Bzorgi noted that one of the advantages of working at Y-12 is not only the team approach to assessing a problem and designing a solution but also the ability to fabricate a product. "Y-12's great team of craftspeople and engineers turns ideas into solutions that work," he said. "Seeing an idea turned into a product that works as intended is gratifying—no doubt about it."

Ed Ripley
Nuclear/metallurgical engineer
Research: heat treating, nanostructures, sintering/bonding

As a jewelry maker, magician and inventor, Ripley has more than a few tricks up his sleeve and readily admits that sometimes he feels as if he's got "a head full of think."

"I can't solve everybody's problem," he said, "but when a few of us get together who want to find a solution, we can usually come up with a simple, elegant solution to a complex, technical problem."

He said he approaches problems not as an engineer but as an artist would. "My background allows me to combine a number of problem-solving methods," Ripley noted. "I like to take ideas from multiple disciplines and bring them together. I like to chip away at a problem from different directions until we make some headway."

He said that the technologies and capabilities he helps invent "provide people on the shop floor with the tools they need to do what they do best. I like to find better ways of doing things."

Ron Simandl*Research chemist**Research: materials, carbons, solvent blends, microcellular foams*

Simandl is a self-described Type A personality. "I like to push things to the extreme," he said. "I'm like a bloodhound once I'm onto something, and at the end of the work, I like to see a product." He said he likes the mental game of going for the patent challenge. "I don't go for the exotic, boutique patents that only rub the ego. It's got to be marketable."

With nine patents and counting, Simandl has had his share of marketable ideas. General Motors bought the license for his process to clean fuel injectors to help prevent engine failure.

To what does he attribute his success? "Perseverance is the key," he answered. "The world is full of smart people. Putting smart and perseverance together is what you've got to do—follow things to their logical conclusion. Don't be afraid of falling down and don't give up. Perseverance—that's the trait I want to pass to my grandchildren."

Roland Seals*Chemist/materials scientist**Research: coatings, infrared heating, nanostructures, surface chemistry*

Having grown up on a cotton plantation in southern Mississippi, Seals knows the definition of hard work, but the 30-year company veteran simply describes his Y-12 work as fun. "I've always had fun here," he said. "I've had the opportunity to work with bright, creative people on exciting research and development projects."

Seals said that working with engineers, scientists, design agencies and others has been a highlight of his career. "Everyone has a unique viewpoint and contribution," he explained. "I appreciate the depth of the team."

He prefers mathematically based science that builds on fundamentals, and he is especially interested in nanostructures. "Nanometer-size structures have changed our whole perception of materials and what we can do with material properties," he said. "With nanostructures, we can increase the toughness of a material and make better tools to precision machine a part."

Rusty Hallman*Chemical/materials science engineer**Research: instrumentation, machine development, nanostructures*

Telling Hallman no only fuels his creative juices. "From the time I was a kid, I would do things that others said couldn't be done," he said. "I've never wanted to be trapped inside a box. Contending with problems and naysayers is what I do. Problems are fertile ground for work. Without them, I wouldn't have a job."

One aspect of his job he particularly enjoys is learning the intricate workings of equipment and instrumentation in his laboratory. Hallman likens this work to pulling back the curtain in *The Wizard of Oz*. "I like to take worn-out equipment apart and see how the machine functions. The machine teaches me something, and with that self-education, I can apply it to new uses."

Working with his colleagues is another job perk for Hallman. "I work with profoundly talented people at Y-12," he said. "Everybody's contributions add to the validity of the work."

APPENDIX C — TESTIMONIAL

Testimonial

Introductory note from Roland D. Seals: The Oak Ridge Y-12 National Security Complex has worked with Thomas Muth, director of Engineering and Metals Technology, EnergySolutions, to demonstrate the IR Hot Wave™ furnace and integrate it into production operations at their Manufacturing Sciences Corporation facility for heat treating, preheating, and annealing processes. The product quality was found to be equivalent to or better than product resulting from the salt bath heat treatment process. Mr. Muth developed full confidence in the IR Hot Wave™ technology and reported the following:

“...What is attractive with IR is it is a clean, precise thermal preheating and heat treating tool....IR is a universal tool: It can be used for hot rolling, warm rolling, and heat treating in a clean (inert) precise temperature range up to melting. It has a low thermal mass allowing the electrical energy to heat product inside and not heat the heating medium. It is on during operations and off when not in use. It is compact. It is easy to maintain. It is multi-alloy applicable.”

—Thomas Muth, Director of Engineering and Metals Technology, EnergySolutions

Infrared Heating Technologies, LLC

Infrared Heating Technologies, LLC
2010 HWY 58, Suite 2120
Oak Ridge, TN 37830

phone: 865.574.9784 • fax: 865.574.9793 • e-mail: info@infraredheating.com • web: www.infraredheating.com

DATE: Tuesday, April 06, 2010

TO: Mr. Tim Studt, Program Chairman
R&D 100 Awards
2000 Clearwater Drive
Oak Brook, IL 60523

FROM: Charles T. Blue, President
Infrared Heating Technologies, LLC

SUBJECT: R&D 100 Award Endorsement Letter

Sir,

Infrared Heating Technologies, LLC is pleased to endorse the submission of "IR Hot Wave™" for an R&D 100 Award. For the past thirteen (13) years, Infrared Heating Technologies, LLC has been involved in the design, development, and manufacture of electric and gas infrared thermal processing systems for a broad range of industrial and laboratory applications. The IR Hot Wave™ system has been developed for pre-heating billets prior to hot rolling; and consists of an in-line thermal processing technique that utilizes the benefits of short-wave radiant heating which allows for faster heating and better temperature control than conventional billet pre-heating technologies. Field test results have demonstrated increased production rates and large energy savings using this unique system. This approach of rapid and efficient radiant in-line heating is unique to the industry, and can also be implemented for hot rolling, warm rolling, and heat treating in an inert atmosphere with precise control of temperature. We believe that this system is widely adaptable to other materials and thermo-mechanical processes and we look forward to its commercialization in near future.

Sincerely,

Charles T. Blue