UNCLASSIFIED

OAK RIDGE NATIONAL LABORATORY
 Operated By
 UNION CARBIDE NUCLEAR COMPANY

ORNL

POST OFFICE BOX P
 OAK RIDGE, TENNESSEE

External Transmittal
 Authorized

ORNL
CENTRAL FILES NUMBER

CF-57-11-44

DATE: November 4, 1957

SUBJECT: Bibliography on Maintenance, Maintenance
 Equipment and Closures

TO: Distribution

FROM: B. D. Draper

COPY NO. 65

DISTRIBUTION

1. HRP Director's Office	20. S. I. Kaplan	39. I. Spiewak
2. G. M. Adamson	21. P. R. Kasten	40. R. W. Stoughton
3. S. E. Beall	22. R. B. Korschmeier	41. J. A. Swartout
4. E. G. Bohlmann	23. K. A. Kraus	42. E. H. Taylor
5. F. R. Bruce	24. R. E. Leuze	43. D. G. Thomas
6. W. D. Burch	25. R. B. Lindauer	44. D. S. Toomb
7. R. D. Cheverton	26. M. I. Lundin	45. W. E. Unger
8. E. L. Compere	27. R. N. Lyon	46. R. Van Winkle
9. J. S. Culver	28. J. P. McBride	47. C. E. Winters
10. B. D. Draper	29. H. F. McDuffie	48. F. C. Zapp
11. H. L. Falkenberry	30. H. M. McLeod	49. ORNL Doc. Ref. Library, Y-12
12. D. E. Ferguson	31. R. A. McNeess	50. Central Reserach Library
13. C. H. Gabbard	32. E. C. Miller	51.-52. REED Library (2)
14. W. R. Gall	33. E. O. Nurmi	53.-55. Laboratory Records (3)
15. J. C. Griess	34. L. F. Parsly	56. F. C. Moesel, AEC
16. P. H. Harley	35. R. C. Robertson	57. M. J. Skinner
17. P. N. Haubenreich	36. A. M. Rom	58.-64. Westinghouse PAR Project (7)
18. J. W. Hill	37. H. C. Savage	65.-79. TISE-AEC (15)
19. G. H. Jenks	38. C. L. Segaser	

NOTICE

This document contains information of a preliminary nature and was prepared primarily for internal use at the Oak Ridge National Laboratory. It is subject to revision or correction and therefore does not represent a final report.

UNCLASSIFIED

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

LEGAL NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

- A. Makes any warranty or representation, express or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or
- B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission to the extent that such employee or contractor prepares, handles or distributes, or provides access to, any information pursuant to his employment or contract with the Commission.

MAINTENANCE

1. BAW-2, 1955 (Confidential).
2. NPG-111, 1955 (Confidential).
3. TID-10117, 1955 (Confidential).
4. WAPD-157, 1956 (Confidential).
5. REFUELING SYSTEMS FOR BOILING-WATER REACTORS, ASME 57-SA-79, 1957 (Unclassified).
6. J. R. Wolcott, V. A. Elliott, E. P. Peabody, G. M. Roy, J. L. Shanz and G. Sege, A DESIGN DESCRIPTION OF THE DRESDEN NUCLEAR POWER STATION, GER-1301, 1956 (Unclassified)(Fuel handling system described).
7. ORNL-1613, 1955 (Secret).
8. WIAP-13, 1955 (Confidential).
9. WAPD-112, 1954 (Secret).
10. APDA-102, 1955 (Confidential).
11. ENRICO FERMI FAST BREEDER REACTOR PLANT, APDA-115, 1956 (Unclassified).
12. DCDE-100, 1953 (Secret).
13. J. E. Seward and C. R. Nash, FUEL HANDLING SYSTEM FOR A FAST BREEDER REACTOR, 57-NESC-123, 1957 (Unclassified) (Fuel handling system for the Enrico Fermi Atomic Power Plant is described).
14. WCAP-313, 1956 (Confidential).
15. PAR QUARTERLY PROGRESS REPORT, WCAP-400, 1956 (Unclassified) (Maintenance philosophy of the PAR discussed).
16. PAR QUARTERLY PROGRESS REPORT, WCAP-445, 1957 (Unclassified) (Further discussion of the maintenance of the PAR).
17. A. C. Etzel, Jr., PAR MAINTENANCE, WCAP-160, 1956 (Unclassified).
18. ANL-5588, 1957 (Confidential).
19. NPG-112, 1955 (Confidential).
20. ORNL-CF-56-8-208, 1956 (Secret).
21. RHM (56)/121, 1956 (Confidential).
22. MECHANICAL ENGINEERING ASPECTS OF CALDER HALL, Atomic Engineering and Technology, Vol. 7, No. 10, October, 1956 (Unclassified).
23. WORLD'S LARGEST ATOMIC POWER STATION HUNTERSTON, Atomic and Nuclear Energy, Vol. 8, No. 1, January, 1957 (Unclassified).

24. CALDER HALL CHARGE AND DISCHARGE GEAR, Nuclear Engineering, Vol. 1, No. 7, October, 1956 (Unclassified).
25. EIGHT MONTHS OPERATION AT CALDER HALL, Nuclear Power, Vol. 2, No. 11, March, 1957 (Unclassified).
26. HUNTERSTON-ON LOADING FUELING, HOW THE NEW STATIONS COMPARE, Nuclear Power, Vol. 2, No. 10, February 1957 (Unclassified).

DECONTAMINATION

27. ORNL-1242, 1952 (Confidential).
28. ORNL-1608, 1954 (Confidential).
29. ORNL-1826, 1955 (Confidential).
30. D. O. Campbell, DECONTAMINATION OF THE HRE, ORNL-1839, 1956 (Unclassified) (After shutdown, the HRE system was decontaminated in about one month, without descaling, from an activity level of 1000 r/hr to 5-200 r/hr. This was sufficient to permit dismantling. The treatment consisted in washing twice with each of the reagents 5% nitric acid, 35% nitric acid, and 10% sodium hydroxide-1.5% sodium tartrate-1.5% hydrogen peroxide and numerous times with water. Overall decontamination factors were 22-25, including decay. Decontamination factors with a single reagent were between 1 and 2.25. More than 2000 curies each of cerium and zirconium, more than 1000 curies each of barium, strontium, and lanthanum, and large amounts of niobium, ruthenium, and iodine were removed. The significant contaminants remaining were niobium and zirconium. These could have been removed only by descaling the system, which laboratory experiments indicated would have given a further decontamination factor of about 100).
31. K. H. McCorkle and W. R. Winsbro, DECONTAMINATION OF THE ORNL THOREX PILOT PLANT, ORNL-2058, 1956 (Unclassified) (Decontamination of the Thorex Pilot Plant is described. Twenty-four major pieces of highly contaminated stainless-steel processing equipment were decontaminated in 19 days to safe working levels by alternate treatments with 20% sodium hydroxide-2% sodium tartrate and 20% nitric acid. Oxalic acid or citric acid were substituted for tartaric acid in about one half of the treatments. The average cost per treatment was \$222; the total cost was \$36,000. The radiation levels of the equipment before decontamination ranged from greater than 100 r/hr to 2 r/hr at contact).
32. ORNL-2169, 1956 (Confidential).
33. L. E. Kattner, DECONTAMINATION OF STAINLESS STEEL BY SANDBLAST, HW-29576, 1953 (Unclassified).
34. J. B. Huff, ELECTRODECONTAMINATION OF METALS, IDO-14352, 1955 (Unclassified).
35. IDO-26081 (Secret).
36. ANL-HLH-13, (Secret).

37. C. M. Unruh, DECONTAMINATION OF PORTABLE INSTRUMENTS, HW-28431, 1953 (Unclassified) (The following decontamination procedure is recommended for the decontamination of portable instruments. The reagents are to be used in the order given and the area surveyed for remaining contamination after the application and removal of each reagent; (1) Wash carefully with Aerosol O.T. 25% solution, (2) Wash carefully with saturated oxalic acid solution, (3) Wet with sodium hypochlorite solution and then while still wet, add a small amount of the oxalic acid solution, and (4) If the instrument is disassembled scrub the contaminated areas with Aerosol O.T. 25% solution or duponol. Wash the suds off in running water if possible).

PIPE JOINTS AND CLOSURES

38. F. J. Mehringer, TORQUING OF BOLTS FOR NUCLEAR REACTORS, KAPL-1645, 1956 (Unclassified).
39. J. K. Hayes, DEVELOPMENT OF CLOSURE MECHANISMS FOR S3G REACTOR VESSEL COMBUSTION ENGINEERING - CHATTANOOGA, TENNESSEE, CENC-1008, 1957 (Unclassified).
40. B&W 5034, 1951 (Confidential).
41. CEPS-1129, 1953 (Secret).
42. FEASIBILITY STUDY OF PRESSURE VESSELS FOR NUCLEAR POWER GENERATING REACTORS, AECU-3062, 1955 (Unclassified).
43. DESIGN OF A HEAD AND KEYED CLOSURE FOR A NUCLEAR REACTOR PRESSURE VESSEL, NPG-9(AECL), 1956 (Unclassified).
44. DETAILED PROJECT STATUS REPORT JAW TYPE REMOTE CONNECTORS, KLX-63, 1949 (Unclassified) (4-inch quick disconnect coupling using teflon gasket for 100 psig use).
45. DETAILED PROJECT STATUS REPORT REMOTELY OPERATED THOMPSON DISCONNECT, KLX-68 1949 (Unclassified) (1 1/2-inch quick disconnect to operate at 212°F and 100 psi using teflon or Kel-F seal. For nitric acid or hexone).
46. L. C. Lemon and W. R. Smith, JOINT DESIGN FOR MAKING ROOT PASS WELDS WITHOUT FILLER MATERIAL, HW-44245, 1956 (Unclassified) (Design of the "G.E." type weld joint).
47. WELDED JOINT DESIGNS, MIL-STD-22a, 1956 (Unclassified).
48. M. Mueller and E. Hecker, A REMOTELY CONTROLLED WELDING DEVICE FOR JOINING STAINLESS STEEL TUBES, NAA-SR-1014, 1954 (Unclassified).
49. ARGONARC WELDING MACHINE FOR THE ROOT-RUN IN THREE INCH STAINLESS STEEL PIPELINES, R & D B (W) 166, (Unclassified).
50. SMALL BORE ARGON ARC PIPE WELDING MACHINE FOR THE ROOT RUN IN NB-STABILIZED STAINLESS STEEL, R & D B (W) 181, 1955 (Unclassified).

51. R. A. Gahr, DEVELOPMENT OF A NEW PROCESS FOR CUTTING STAINLESS STEEL, KAPL-1774, 1957 (Unclassified) (The primary objective of this program was threefold; first, to develop a new procedure to cut certain thicknesses of stainless steel with exceptional speed and edge characteristics by use of the new Linde heliarc cutting torch; second, to provide a portable remotely controlled automatic jig to carry the torch or other light tools around fixed or open-end pipe; and third, to construct a main control panel to enable the operator to use the same torch and equipment both manually and automatically).
52. C. L. Segaser, ZIRCALOY-TO-STAINLESS STEEL TRANSITION PIPE JOINT DESIGN STUDY, ORNL-CF-55-12-72, 1955 (Unclassified).

MAINTENANCE EQUIPMENT AND TECHNIQUES

53. HW-25333, 1952 (Secret).
54. WAPD-MRD-54, (Confidential).
55. WAPD-MRD-55, (Confidential).
56. WAPD-MRD-56, (Confidential).
57. WAPD-MRD-57, (Confidential).
58. E. L. White, P. D. Miller and R. S. Peoples, REPORT ON ANTIGALLING COATINGS AND LUBRICANTS FOR TITANIUM, TML Report No. 34, 1956 (Unclassified) (A survey of methods of reducing the galling type of wear of titanium and its alloys indicated that bare titanium and its alloys cannot be satisfactorily lubricated. The most acceptable lubricants thus far tested are of the fluorocarbon type. However, satisfactory wear performance, for many operations, can be obtained by the use of coatings of various kinds on titanium surfaces plus suitable lubricants. The wear resistance of the metal can be improved by oxide, nitride, and carbide case hardening and coatings).
59. KLX-10007, 1955 (Secret).
60. REPORT OF INSTRUMENT AND MECHANICAL DEVELOPMENT DEPARTMENT ON REMOTE CONTROLS SYSTEMS AND OPTICAL SYSTEMS FOR MAINTENANCE CRANE, AECD-3813, 1949 (Unclassified).
61. L. C. Lemon, A CUTTING TORCH FOR SLITTING LONG TUBES FROM THE INTERIOR, HW-41307, 1956 (Unclassified) (Cutting torch to slit Al tubes in graphite matrix without damaging graphite).
62. R. C. Robinson, NON-DESTRUCTIVE TEST FOR INTERGRANULAR CORROSION IN STAINLESS STEEL TUBING, DP-153 (Unclassified) (An instrument that indicates the relative intergranular corrosion of austenitic stainless steel by using eddy currents to determine their effective electrical resistivity).
63. R. E. Aven, RADIATION PROBLEM IN REMOVING RUPTURE DISC ASSEMBLY AFTER OPERATION OF THE HRT, ORNL-CR-56-9-35, 1956 (Unclassified).
64. A. Smaardyk, SUMMARY OF SHAFT SEAL TESTS FOR HIGH-TEMPERATURE, HIGH-PRESSURE WATER APPLICATION, ANL-5220, 1954 (Unclassified).

65. HW-40212, 1955 (Secret).
66. HDC-1630, 1950 (Secret).
67. ORNL-1982, 1955 (Confidential).
68. REMOTE HANDLING EQUIPMENT, Nuclear Engineering, Vol. 2, No. 14, May 1957, p. 201.
69. IDO-14327, 1954 (Secret).
70. IDO-14038, 1954 (Secret).
71. R. A. Jaross, 60-CYCLE INDUCATION HEATING OF SODIUM SYSTEMS, 57-NESC-97, 1957 (Unclassified).
72. D. I. Sinizer, J. R. Foltz, K. L. Mattern, and E. E. Motta, PRE QUARTERLY PROGRESS REPORT (PYROPROCESSING-REFABRICATION EXPERIMENT), NAA-SR-1855, 1956 (Data on remote tooling and equipment).
73. HW-39433, 1955 (Confidential).
74. CHEMICAL PROCESSING PLANT MAINTENANCE MANUAL, IDO-14165 (Unclassified).
75. REACTOR ENGINEERING DIVISION QUARTERLY REPORT, ANL-5571, 1956
(A description is given of a fuel assembly retrieving tool and a fuel assembly shear).
76. IDO-14334, 1955 (Secret).
77. HW-42374, 1956 (Confidential).
78. J. M. Holeman, OPTICAL INSTRUMENTS FOR THE ATOMIC INDUSTRY, HW-13134, 1949 (Unclassified).
79. R. O. Bolt, J. G. Carroll, and J. R. Wright, RADIATION RESISTANT LUBRICANTS--THEIR DEVELOPMENT AND STATUS, TID-5186 (DEL), 1954 (Unclassified).
80. A. A. Abbatiello, CARTRIDGE ACTUATED SEALANT INJECTOR FOR RADIOACTIVE PIPES, ORNL-CF-57-5-59, 1957 (Unclassified).

1-6