-1-

The Inventory of
ELECTROMAGNETICALLY ENRICHED ISOTOPES

October 31, 1953

38517

C. P. Keim
C. E. Normand
Boyd Weaver

Date Issued

NOV 18 1953

This document is
PUBLICLY RELEASABLE

Hugh Keim
Authorizing Official

Date: 8/5/08

ISOTOPE RESEARCH AND PRODUCTION DIVISION
C. P. Keim, Director

OAK RIDGE NATIONAL LABORATORY

Operated by

CARBIDE AND CARBON CHEMICALS COMPANY
A DIVISION OF UNION CARBIDE AND CARBON CORPORATION
Oak Ridge, Tennessee

Contract No. W-7405-eng-26

2

1. The first of these is the
fact that the system is not
self-sufficient. It is
dependent on the outside world
for its raw materials and
for its markets.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

INTERNAL DISTRIBUTION

1. C. E. Center	29. M. T. Kelley
2. Biology Library	30. G. H. Clewett
3. Health Physics Library	31. A. S. Householder
4-5. Central Research Library	32. C. S. Harrill
6. Reactor Experimental Engineering Library	33. C. E. Winters
7-12. Laboratory Records Dept.	34. D. W. Cardwell
13. Laboratory Records Dept., ORNL R.C.	35. E. M. King
14. C. E. Larson	36. A. J. Miller
15. W. B. Humes (K-25)	37. D. D. Cowen
16. L. B. Emlet (Y-12)	38-56. C. P. Keim
17. A. M. Weinberg	57. C. E. Normand
18. E. H. Taylor	58. Boyd Weaver
19. E. D. Shipley	59. M. J. Skinner
20. R. C. Briant	60. J. R. McNally, Jr.
21. F. C. VonderLage	61. Russell Baldock
22. J. A. Swartout	62. L. O. Love
23. S. C. Lind	63. L. E. Burkhart
24. F. L. Culler	64. B. L. Cohen
25. J. H. Frye, Jr.	65. P. S. Baker
26. R. S. Livingston	66. H. M. Roth
27. A. H. Snell	67. R. R. Bryden
28. A. Hollaender	68. E. J. Murphy
	69. C. D. Susano, Sr.

EXTERNAL DISTRIBUTION

70. D. B. Benedict, C and CCC, South Charleston
71. R. F. Bacher, California Institute of Technology, Pasadena
72. Air Force Cambridge Research Center, 230 Albany Street, Cambridge, Massachusetts (Radiological Unit)
73. Bartol Research Foundation, Whittier Place, Swarthmore, Pennsylvania (Nuclear Physics)
74. Bausch and Lomb Optical Company, Rochester 2, New York (Scientific Bureau)
75. Bell Telephone Laboratories, Murray Hill, New Jersey (Chemical Physics Research)
76. Baird Associates, Inc., 33 University Road, Cambridge 38, Massachusetts (Research and Development Department)
77. University of Buffalo, Main Street Campus, Buffalo, New York (Department of Physics)
78. University of Southern California, University Park, Los Angeles 7, California (Physics Department)
79. California Institute of Technology, 1201 East California Street, Pasadena, California (Mechanical Engineering)
80. Carnegie Institute of Technology, Pittsburgh 13, Pennsylvania (Attn: Dr. Truman P. Kohman, Department of Chemistry)
81. Carnegie Institution of Washington, Geophysical Laboratory, 2801 Upton Street, N. W., Washington 8, D. C.
82. Case Institute of Technology, 10900 Euclid Avenue, Cleveland, Ohio (Physics Department)
83. University of Chicago, Institute of Nuclear Studies, Chicago 37, Illinois (Physics Department)
84. Columbia University, Lamont Geological Observatory, Torrey Cliff, Palisades, New York (Attn: D. R. Carr, Research Associate Dept. of Geology)

85. Duke University, Durham, North Carolina (Physics Department)
86. Fisher Scientific Company, 711 Forbes Street, Pittsburgh 19, Pennsylvania (Development Department)
87. Florida State University, Tallahassee, Florida (Department of Physics)
88. Georgia Institute of Technology, Atlanta, Georgia (Chemistry Dept.)
89. B. F. Goodrich Research Center, Brecksville, Ohio (Physical Research)
90. Harvard University, Cyclotron Laboratory, Cambridge 38, Massachusetts (Physics Department)
91. Harvard University Medical School, 25 Shattuck Street, Boston 15, Massachusetts
92. Illinois Institute of Technology, Technology Center, Chicago 16, Illinois (Department of Chemistry)
93. University of Illinois, Urbana, Illinois (Physics Department)
94. Indiana University, Bloomington, Indiana (Physics Department)
95. State University of Iowa, Iowa City, Iowa (Physics Department)
96. Johns Hopkins University, Baltimore 18, Maryland (Physics Department)
97. Kansas State College, Manhattan, Kansas (Department of Physics)
98. University of Michigan, Ann Arbor, Michigan (Chemistry and Physics Departments)
99. Michigan State College, East Lansing, Michigan (Physics and Astronomy)
100. University of Minnesota, Minneapolis, Minnesota (Physics Department)
101. National Naval Medical Center, Bethesda 14, Maryland (Biochemistry Div.)
102. Northwestern University, Evanston, Illinois (Department of Physics)
103. University of Notre Dame, Notre Dame, Indiana (Physics Department)
104. Oak Ridge Institute of Nuclear Studies, Oak Ridge, Tennessee
105. Ohio State University, Columbus 10, Ohio (Chemistry and Physics Departments)
106. University of Pennsylvania, Philadelphia 4, Pennsylvania (Physics Dept.)
107. University of Pittsburgh, Pittsburgh 13, Pennsylvania (Radiation Lab.)
108. The Presbyterian Hospital, 51 North 39th Street, Philadelphia 4, Pennsylvania (Medical)
109. Princeton University, Palmer Physical Laboratory, Princeton, New Jersey
110. Purdue University, Lafayette, Indiana (Physics Department)
111. Reed College, Portland, Oregon (Physics Department)
112. Rice Institute, P. O. Box 1892, Houston, Texas (Physics Department)
113. Rutgers University, New Brunswick, New Jersey (Physics Department)
114. Stanford University, Stanford, California (Microwave Laboratory)
115. University of Tennessee, Knoxville, Tennessee (Physics Department)
116. Vanderbilt University, Nashville, Tennessee (Physics)
117. University of Utah, Salt Lake City, Utah (Physics Department)
118. University of Washington, Seattle 5, Washington (Physics Department)
119. Washington University, St. Louis 5, Missouri (Chemistry)
120. Washington University School of Medicine, St. Louis 10, Missouri (Department of Medicine)
121. State College of Washington, Pullman, Washington (Chemistry)
122. Wayne University, Detroit, Michigan (Chemistry Department)
123. Wesleyan University, Middletown, Connecticut (Physics Department)
124. University of Wisconsin, Madison 6, Wisconsin (Physics)
125. A and M College of Texas, Physics Department, College Station, Texas
126. Louisiana State University, Physics Department, Baton Rouge, Louisiana
127. Dr. David B. Langmuir, U. S. Liaison Officer, c/o Atomic Energy Commission, Canada Limited, Chalk River, Ontario, Canada
- 128-385. Given distribution as shown in TID 4500 under Physics Category.

UNCLASSIFIED

ABSTRACT

This inventory lists the isotopes which have been concentrated electromagnetically, along with their enriched abundances, the element weights, and product forms available in milligram quantities to users on Atomic Energy Commission projects and in university and industrial laboratories. Occasional isotope lots are listed which have been exhausted but their enriched isotopic abundance indicates what may be expected on inventory replenishment.

UNCLASSIFIED

UNCLASSIFIED

TABLE OF CONTENTS

		<u>Page No.</u>
Introduction		7-8
Summary of Production and Shipments.		9
Stable Isotopes:		
<u>Element</u>	<u>Page No.</u>	<u>Element</u>
Antimony	32-33	Neodymium 36-37
Barium	34-35	Nickel 20
Boron	10	Palladium 27-28
Bromine.	24	Platinum 41
Cadmium	28-29	Potassium 13-14
Calcium	14-15	Rhenium 40
Carbon	11	Rubidium 24
Cerium	35-36	Samarium 37-38
Chlorine	13	Selenium 22-24
Chromium	16	Silicon 11-12
Copper	20-21	Silver 28
Gadolinium	39	Strontium 25
Gallium	22	Sulfur 12
Germanium.	22	Tellurium 33-34
Hafnium	39	Thallium 43
Indium	29-30	Tin 30-32
Iridium	40	Titanium 15-16
Iron	16-19	Tungsten 39-40
Lanthanum.	35	Vanadium 16
Lead	44-45	Zinc 21
Lithium	10	Zirconium 25-26
Magnesium.	11	
Mercury	41-43	
Molybdenum	26-27	

THE INVENTORY

This report of electromagnetically enriched isotopes is revised frequently to include all isotopes which are available for use, or have been enriched and are in the process of chemical refinement. The isotopic abundance of each enriched sample and the amount of each isotope in the inventory are also listed. The list also includes some isotopes which have been concentrated but are not available at present.

All weights listed are elements weights converted from compound weights by standard gravimetric factors.

Isotopic abundance data not in this report, such as concentrations of other isotopes in the lot or chemical purity, will be submitted upon request. Spectrographic analyses and complete isotopic abundance data will be forwarded with all shipments or as soon as available.

REQUESTS FOR ALLOCATION

Isotopes produced by the electromagnetic process are available in milligram quantities for distribution on loan and may be requested by using Form AEC-100. Copies of this form may be obtained from the Isotopes Division, U. S. Atomic Energy Commission, P. O. Box E, Oak Ridge, Tennessee.

The completed forms should be returned to the AEC Isotopes Division, Oak Ridge, Tennessee, who pass on all requests for allocation. If the requester wishes to mail the request forms and purchase order at one time to the Stable Isotope Research and Production Division they will forward the request forms to the AEC for approval.

PURCHASE ORDERS

All purchase orders are to be sent to Stable Isotope Research and Production Division, Attention: Dr. C. P. Keim, Oak Ridge National Laboratory, P. O. Box P, Oak Ridge, Tennessee. One copy of the approved Form AEC-100 must accompany the purchase order or have been forwarded to the supplier by the AEC Isotopes Division.

SHIPPING

Packaging and shipping of electromagnetically enriched isotopes by the supplier are done on Wednesday of each week in order that shipments may be processed most expeditiously.

LOAN PERIODS

Users of stable isotopes who need extensions of their loan periods should write the AEC Isotopes Division, Oak Ridge, Tennessee

RETURNED ISOTOPES

All electromagnetically enriched isotopes are to be returned to the supplier when the user has completed his need for them. All unused and uncontaminated portions of the original shipment will be replaced in the inventory. If it is possible and economical to do so the supplier will recover enriched isotopes from products returned by the user.

Returned shipments are to be sent to Stable Isotope Research and Production Division, Attention: Dr. C. P. Keim, Oak Ridge National Laboratory, P. O. Box P, Oak Ridge, Tennessee. An outline of the treatment the isotopes have received should accompany the shipment to aid in chemical recovery of the isotopes.

SPECIAL SERVICES

All isotopes will be shipped in the product form listed in this inventory unless special arrangements are made with the supplier for further chemical processing; an estimate of the cost for additional chemistry will be furnished by the supplier if requested.

If isotopic abundance analysis services are needed by users they should contact the Isotope Research and Production Division, Oak Ridge National Laboratory, regarding their specific needs; an estimate of the cost will be furnished if requested.

The user is invited to contact the Stable Isotope Research and Production Division, ORNL, regarding the latest inventory quantities of electromagnetically enriched stable isotopes and their isotopic and chemical analyses; the Division is also ready to assist in technical problems relative to stable isotope uses.

SUMMARY OF PRODUCTION AND SHIPMENTS

<u>Atomic No.</u>	<u>Element</u>	<u>Production Completed</u>	<u>No. of Lots Now Available For Shipment</u>	<u>No. of Individual Shipments and Transfers Made</u>
51	Antimony	4	4	29
56	Barium	19	15	32
4	Beryllium	2	0	2
5	Boron	5	7	6
35	Bromine	2	2	6
48	Cadmium	19	15	78
20	Calcium	39	18	61
6	Carbon	3	2	3
58	Cerium	14	12	35
17	Chlorine	7	6	9
24	Chromium	14	9	66
29	Copper	13	11	32
31	Gallium	2	2	18
64	Gadolinium	7	1	0
32	Germanium	11	10	37
72	Hafnium	6	0	41
49	Indium	12	9	26
77	Iridium	2	0	0
26	Iron	79	60	81
57	Lanthanum	2	2	6
82	Lead	29	25	63
3	Lithium	24	10	117
12	Magnesium	17	14	46
80	Mercury	40	33	95
42	Molybdenum	31	26	92
60	Neodymium	21	17	59
28	Nickel	26	14	68
8	Oxygen	2	0	0
46	Palladium	6	0	4
78	Platinum	8	8	3
19	Potassium	31	23	58
75	Rhenium	2	2	16
37	Rubidium	2	2	12
62	Samarium	21	13	72
34	Selenium	47	43	64
14	Silicon	9	10	25
47	Silver	8	8	18
38	Strontium	14	9	33
16	Sulfur	9	6	16
52	Tellurium	42	34	90
81	Thallium	16	12	29
50	Tin	63	55	130
22	Titanium	14	9	64
74	Tungsten	18	17	50
23	Vanadium	3	3	7
30	Zinc	16	10	63
40	Zirconium	27	22	71
	TOTAL	808	610	1,933

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES					
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Lithium					
Li 6	7.43	95.2	ED 537(a)	50	Li ₂ SO ₄
Li 6	7.43	95.5	ED 537(b)	15	Li ₂ SO ₄
Li 6	7.43	88.22	EZ 627(e)	12	Li ₂ SO ₄
Li 6	7.43	94.07	FI 667(a)	25	Li ₂ SO ₄
Li 6	7.43	91.6	FY 745(b)	25	Li ₂ SO ₄
Li 6	7.43	97.028	FY 745(c)	175	Li ₂ SO ₄
Li 6	7.43	99.78	GD 764(e)	250	Li ₂ SO ₄
Li 7	92.57	99.91	I 26(a)	10	Li ₂ SO ₄
Li 7	92.57	99.5	AR 140(a)	711	Li ₂ SO ₄
Li 7	92.57	99.8	BQ 265(ar)	710	Li ₂ SO ₄
Li 7	92.57	98.4	CU 379(a)	4,546	Li ₂ SO ₄
Li 7	92.57	99.86	EZ 628(e)	3,563	Li ₂ SO ₄
Li 7	92.57	ca 99.99	GE 767(j)	1,000	Li ₂ SO ₄
Boron					
B 10	19.57	86.78	DP 481(a)	40	H ₃ BO ₃
B 10	19.57	*	FV 734(a)	1,679	H ₃ BO ₃
B 10	19.57	*	GF 768(a)	550	H ₃ BO ₃
B 11	80.43	*	BM 250(a)	10	H ₃ BO ₃
B 11	80.43	*	DP 482(a)	200	H ₃ BO ₃
B 11	80.43	97.77	FV 735(a)	195	H ₃ BO ₃
B 11	80.43	*	GF 769(a)	870	H ₃ BO ₃

* - Analysis incomplete
 ** - Refinement incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES					
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Carbon					
C 12	98.91	99.96	FD 638(ah)	1,140	C
C 12	98.91	99.94	FD 638(aj)	9,950	C
Magnesium					
Mg 24	78.98	99.5	P 47(a)	1,570	MgO
Mg 24	78.98	98.36	Q 50(a)	192	MgO
Mg 24	78.98	99.52	BZ 288(a)	24	MgO
Mg 24	78.98	99.2	BZ 288(b)	132	MgO
Mg 24	78.98	99.5	BZ 288(c)	2,251	MgO
Mg 24	78.98	99.4	BZ 288(d)	1,786	MgO
Mg 24	78.98	99.59	DZ 519(a)	3,274	MgO
Mg 25	10.03	62.59	Q 51(a)	20	MgO
Mg 25	10.03	65.67	Q 51(b)	14	MgO
Mg 25	10.03	86.8	BZ 289(a)	220	MgO
Mg 25	10.03	92.33	DZ 520(a)	1,270	MgO
Mg 26	10.99	96.16	P 49(a)	416	MgO
Mg 26	10.99	95.91	BZ 290(a)	213	MgO
Mg 26	10.99	98.12	DZ 521(a)	0	MgO
Silicon					
Si 28	92.17	99.4	AI-AJ 103-106(a)	1,796	SiO ₂
Si 28	92.17	98.1	BW 280(a)	7,510	SiO ₂

* - Analysis Imcomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Silicon (Cont'd)					
Si 28	92.17	99.16	EB 524(a)	9,041	SiO ₂
Si 28	92.17	*	GC 761(a)	9,550	SiO ₂
Si 29	4.71	68.62	EB 525(a)	90	SiO ₂
Si 29	4.71	*	GC 762(a)	870	SiO ₂
Si 30	3.12	63.9	AI-AJ 105-108(a)	50	SiO ₂
Si 30	3.12	49.6	BW 282(a)	350	SiO ₂
Si 30	3.12	64.04	EB 526(a)	48	SiO ₂
Si 30	3.12	*	GC 763(a)	690	SiO ₂

Sulfur

S 32	94.89	97.90	CX 391(a)	215	S
S 32	94.89	98.45	ES 596(a)	7,463	CdS
S 32	94.89	*	GB 757(a)	2,200	CdS
S 33	0.80	5.54	CX 392(a)	25	S
S 33	0.80	9.8	ES 597(a)	0	
S 33	0.80	*	GB 758(a)	350	CdS
S 34	4.29	20.65	CX 393(a)	0	
S 34	4.29	5.38	CX 393(b)	59	S
S 34	4.29	14.92	ES 598(a)	997	CdS
S 34	4.29	*	GB 759(a)	1,400	CdS
S 36	0.02	0.08	ES 599(a)	24	CdS
S 36	0.02	*	GB 760(a)	10	CdS

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPEs					
Element and Isotope	ISOTOPIc ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Chlorine					
Cl 35	75.4	79.5	AV 161(c1)	18	AgCl
Cl 35	75.4	92.4	DH 436(a)	0	
Cl 35	75.4	*	FW 736(a)	16,903	NaCl
C 35	75.4	*	FW 736(b)	8,824	NaCl
Cl 37	24.6	65.6	DH 438(a)	220	AgCl
Cl 37	24.6	*	FW 737(a)	72	NaCl
Cl 37	24.6	*	FW 737(b)	4,777	NaCl
Potassium					
K 39	93.25	99.5	BJ 237(a)	1,592	KClO ₄
K 39	93.25	99.9	CM 346(a)	110	KCl
K 39	93.25	99.9	CM 346(ar)	9,920	KCl
K 39	93.25	99.94	DA 407(a)	19,225	KCl
K 39	93.25	99.74	DB 410(a)	5,659	KCl
K 39	93.25	99.89	DT 494(a)	9,384	KCl
K 39	93.25	99.96	EX 621(g)	18,470	KCl
K 39	93.25	99.94	EY 624(i)	24,977	KCl
K 39	93.25	99.83	FA 629(a)	10,473	KCl
K 40	0.011	7.75	EY 625(t)	0	
K 41	6.74	92.9	BJ 239(a)	65	KClO ₄
K 41	6.74	86.8	CM 348(a)	37	KCl
K 41	6.74	98.94	DT 496(a)	450	KCl
K 41	6.74	98.94	DT 496(ar)	65	KCl

* - Analysis Imcomplete
 ** - Refinement Imcomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES					
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Potassium (Cont'd)					
K 41	6.74	99.21	EY 626(e)	609	KCl
K 41	6.74	99.21	EY 626(er)	35	KCl
K 41	6.74	87.75	FA 631(a)	239	KCl
Calcium					
Ca 40	96.96	98.6	V 61(b)	114	CaO
Ca 40	96.96	99.97	X 70(a)	1,060	CaO
Ca 40	96.96	98.9	BN 251(a)	5,825	CaCO ₃
Ca 40	96.96	99.83	DI 441(d)	35,259	CaCO ₃
Ca 40	96.96	99.98	EV 613 (a)	28,733	CaCO ₃
Ca 40	96.96	99.98	FF 648(a)	44,756	CaCO ₃
Ca 40	96.96	*	FO 689(a)	97,500	CaCO ₃
Ca 42	0.64	28.3	DI 442(b)	393	CaCO ₃
Ca 42	0.64	82.52	EV 614(a)	140	CaCO ₃
Ca 42	0.64	64.17	FF 649(a)	355	CaCO ₃
Ca 42	0.64	**	FO 690(a)		-
Ca 43	0.145	37.56	DI 443(b)	43	CaCO ₃
Ca 43	0.145	72.13	EV 615(a)	0	
Ca 43	0.145	67.95	FO 691(a)	295	CaCO ₃
Ca 44	2.06	85.4	BN 254(a)	40	CaCO ₃
Ca 44	2.06	96.2	CS 373(a)	0	
Ca 44	2.06	97.90	EV 616(a)	488	CaCO ₃

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES					
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Calcium (Cont'd)					
Ca 44	2.06	97.99	FF 651(a)	555	CaCO ₃
Ca 44	2.06	**	FO 692(a)		
Ca 46	0.0033	10.16	FF 652(a)	0	
Ca 48	0.185	84.28	FO 694(a)	0	
Ca 48	0.185	7.49	FF 653(a)	10	CaCO ₃
Titanium					
Ti 46	7.97	84.26	BF 215(a)	100	TiO ₂
Ti 46	7.97	84.26	BF 215(ar)	83	TiO ₂
Ti 46	7.97	82.68	EN 576(a)	309	TiO ₂
Ti 46	7.97	82.68	EN 576(ar)	490	TiO ₂
Ti 46	7.97	**	GA 752(a)		
Ti 47	7.41	82.05	BF 216(a)	85	TiO ₂
Ti 47	7.41	63.11	EN 577(a)	444	TiO ₂
Ti 47	7.41	**	GA 753(a)		
Ti 48	73.50	99.23	BF 217(a)	50	TiO ₂
Ti 48	73.50	98.90	EN 578(a)	14,856	TiO ₂
Ti 48	73.50	98.90	EN 578(ar)	3,200	TiO ₂
Ti 48	73.50	**	GA 754(a)		
Ti 49	5.64	77.62	BF 218(a)	37	TiO ₂
Ti 49	5.64	77.62	BF 218(ar)	45	TiO ₂
Ti 49	5.64	**	GA 755(a)		
Ti 50	5.48	84.69	BF 219(a)	0	

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES					
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Titanium (Cont'd)					
Ti 50	5.48	81.44	EN 580(a)	28	TiO ₂
Ti 50	5.48	**	GA 756(a)		
Vanadium					
V 50	0.28	22.83	FM 683(b)	0	
V 51	99.72	>99.95	FB 633(a)	2,516	V ₂ O ₅
V 51	99.72	>99.98	FM 684(a)	26,265	V ₂ O ₅
Chromium					
Cr 50	4.40	88.3	EU 609(a)	393	Cr ₂ O ₃
Cr 52	83.73	99.14	D 11(a)	510	Cr ₂ O ₃
Cr 52	83.73	99.14	D 11(ar)	140	Cr ₂ O ₃
Cr 52	83.73	99.1	CD 310(a)	3,057	Cr ₂ O ₃
Cr 52	83.73	97.1	EU 610(a)	23,140	Cr ₂ O ₃
Cr 53	9.49	88.59	D 12(a)	56	Cr ₂ O ₃
Cr 53	9.49	92.1	CD 311(a)	14	Cr ₂ O ₃
Cr 53	9.49	90.06	EU 611(a)	6	Cr ₂ O ₃
Cr 54	2.38	83.1	CD 312(a)	145	Cr ₂ O ₃
Cr 54	2.38	88.95	EU 612(a)	0	
Iron					
Fe 54	5.90	55.47	V 3(a)	57	Fe ₂ O ₃

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES						
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT		Product Form
	Natural	Enriched		Element Weight (milligrams)		
Iron (Cont'd)						
Fe 54	5.90	39.0	B 3(f)	268		Fe ₂ O ₃
Fe 54	5.90	81.06	E 14(a)	335		Fe ₂ O ₃
Fe 54	5.90	83.03	F 18(a)	32		Fe ₂ O ₃
Fe 54	5.90	49.2	AM 122(a)	343		Fe ₂ O ₃
Fe 54	5.90	93.27	AZ 183(a)	16		Fe ₂ O ₃
Fe 54	5.90	87.9	BA 187(a)	10		Fe ₂ O ₃
Fe 54	5.90	87.9	BA 187(ar)	50		Fe ₂ O ₃
Fe 54	5.90	87.4	BB 194(a)	69		Fe ₂ O ₃
Fe 54	5.90	84.3	CI 328(a)	41		Fe ₂ O ₃
Fe 54	5.90	34.47	DO 477(a)	65,250		Fe ₂ O ₃
Fe 54	5.90	93.06	FC 634(a)	14		Fe ₂ O ₃
Fe 54	5.90	**	FN 685(a)			
Fe 54	5.90	**	FN 685(b)			
Fe 56	91.52	98.41	B 4(a)	4,270		Fe ₂ O ₃
Fe 56	91.52	98.5	B 4(e)	901		Fe ₂ O ₃
Fe 56	91.52	98.62	E 15(a)	10,403		Fe ₂ O ₃
Fe 56	91.52	97.42	F 19(a)	1,120		Fe ₂ O ₃
Fe 56	91.52	98.9	AM 123(a)	2,627		Fe ₂ O ₃
Fe 56	91.52	99.0	AZ 184(a)	12,451		Fe ₂ O ₃
Fe 56	91.52	98.5	BA 188(a)	35,471		Fe ₂ O ₃
Fe 56	91.52	98.3	BB 192(a)	9,818		Fe ₂ O ₃
Fe 56	91.52	96.5	CI 329(a)	51,056		Fe ₂ O ₃
Fe 56	91.52	99.84	CZ 404(f)	8,190		Fe ₂ O ₃

* - Analysis Incomplete
 ** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Iron (Cont'd)					
Fe 56	91.52	99.70	DO 478(a)	242,643	Fe ₂ O ₃
Fe 56	91.52	99.70	DO 478(ar)	76,218	Fe ₂ O ₃
Fe 56	91.52	99.70	DO 478(as)	27,594	Fe
Fe 56	91.52	*	FC 635(a)	18,171	Fe ₂ O ₃
Fe 56	91.52	*	FN 686(a)	304,226	Fe ₂ O ₃
Fe 56	91.52	**	FN 686(b)		
Fe 57	2.24	21.10	B 5(a)	62	Fe ₂ O ₃
Fe 57	2.24	30.5	B 5(f)	81	Fe ₂ O ₃
Fe 57	2.24	69.63	F 20(a)	15	Fe ₂ O ₃
Fe 57	2.24	33.2	AM 124(a)	69	Fe ₂ O ₃
Fe 57	2.24	77.6	BB 193(a)	65	Fe ₂ O ₃
Fe 57	2.24	51.91	CZ 405(f)	509	Fe ₂ O ₃
Fe 57	2.24	79.43	DK 449(a)	232	Fe ₂ O ₃
Fe 57	2.24	62.38	DL 453(a)	830	Fe ₂ O ₃
Fe 57	2.24	59.31	DL 453(d)	381	Fe ₂ O ₃
Fe 57	2.24	31.9	DL 453(e)	1,245	Fe ₂ O ₃
Fe 57	2.24	59.3	DL 453(f)	1,122	Fe ₂ O ₃
Fe 57	2.24	43.45	DL 453(j)	2,571	Fe ₂ O ₃
Fe 57	2.24	74.6	DM 459(a)	172	Fe ₂ O ₃
Fe 57	2.24	40.61	DL 463(a)	1,687	Fe ₂ O ₃
Fe 57	2.24	45.43	DL 463(b)	1,018	Fe ₂ O ₃
Fe 57	2.24	67.3	DL 463(e)	278	Fe ₂ O ₃
Fe 57	2.24	53.53	DL 463(j)	184	Fe ₂ O ₃

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPEs

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES					
Element and Isotope	ISOTOPIc ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Iron (Cont'd)					
Fe 57	2.24	54.23	DL 463(k)	1,766	Fe ₂ O ₃
Fe 57	2.24	63.1	DL 467(c)	165	Fe ₂ O ₃
Fe 57	2.24	87.29	DN 475(a)	0	
Fe 57	2.24	83.44	FC 636(a)	22	Fe ₂ O ₃
Fe 57	2.24	**	FN 687(a)		
Fe 57	2.24	**	FN 687(b)		
Fe 58	0.34	22.0	C 8(b)	15	Fe ₂ O ₃
Fe 58	0.34	10.3	AM 125(a)	44	Fe ₂ O ₃
Fe 58	0.34	23.4	DL 454(f)	39	Fe ₂ O ₃
Fe 58	0.34	71.7	DL 454(m)	92	Fe ₂ O ₃
Fe 58	0.34	79.8	DL 464(1)	0	
Fe 58	0.34	75.7	DO 480(a)	117	Fe ₂ O ₃
Fe 58	0.34	42.0	DO 480(b)	183	Fe ₂ O ₃
Fe 58	0.34	34.8	DO 480(c)	37	Fe ₂ O ₃
Fe 58	0.34	74.20	FN 688(b)	37	Fe ₂ O ₃
Fe 58	0.34	59.65	FN 688(c)	104	Fe ₂ O ₃
Fe 58	0.34	55.74	FN 688(d)	72	Fe ₂ O ₃
Fe 58	0.34	57.31	FN 688(f)	197	Fe ₂ O ₃
Fe 58	0.34	65.85	FN 688(g)	82	Fe ₂ O ₃
Fe 58	0.34	78.66	FN 688(i)	82	Fe ₂ O ₃
Fe 58	0.34	78.02	FN 688(j)	86	Fe ₂ O ₃

* - Analysis Imcomplete

** - Refinement Imcomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES						
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT		
	Natural	Enriched		Element Weight (milligrams)	Product Form	
Nickel						
Ni 58	67.4	98.51	K 33(a)	12	NiO	
Ni 58	67.4	99.3	AS-AT 141-147(a)	34	NiO	
Ni 58	67.4	98.36	DF 422(a)	5,484	NiO	
Ni 58	67.4	*	FJ 669(a)	36,817	NiO	
Ni 60	26.7	94.4	J 28(a)	18	NiO	
Ni 60	26.7	94.4	J 28(ar)	190	NiO	
Ni 60	26.7	87.10	K 34(a)	680	NiO	
Ni 60	26.7	97.7	AS-AT 142-148(a)	0		
Ni 60	26.7	*	FJ 670(a)	13,430	NiO	
Ni 61	1.2	34.42	K 35(a)	28	NiO	
Ni 61	1.2	80.9	AS-AT 143-149(a)	0		
Ni 61	1.2	*	FJ 671(a)	315	NiO	
Ni 62	3.8	67.99	K 36(a)	50	NiO	
Ni 62	3.8	94.7	AS-AT 144-150(a)	0		
Ni 62	3.8	*	DF 425(br)	30	Ni	
Ni 62	3.8	*	FJ 672(a)	1,462	NiO	
Ni 64	0.88	85.10	J 32(a)	10	NiO	
Ni 64	0.88	97.4	AS-AT 146-152(a)	0		
Ni 64	0.88	*	FJ 674(a)	0		
Copper						
Cu 63	69.09	97.0	A 1(a)	650	CuO	
Cu 63	69.09	97.0	A 1(ar)	960	CuO	

* - Analysis incomplete

** - Refinement incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPEs

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Copper (Cont'd)					
Cu 63	69.09	99.35	J-K 31-37(a)	730	CuO
Cu 63	69.09	98.2	AV 161(cu)	100	CuO
Cu 63	69.09	99.11	DF 426(a)	3,351	CuO
Cu 63	69.09	96.12	DL 455(a)	578	CuO
Cu 63	69.09	99.40	DU 497(a)	5,638	CuO
Cu 63	69.09	*	FJ 673(a)	9,035	CuO
Cu 65	30.91	93.81	A 2(ar)	461	CuO
Cu 65	30.91	90.6	AV 162(cu)	14	CuO
Cu 65	30.91	98.16	DU 498(a)	3,403	CuO
Zinc					
Zn 64	49.18	83.8	AG 97(a)	394	ZnO
Zn 64	49.18	93.12	EK 556(a)	1,965	ZnO
Zn 66	27.76	78.4	AH 100(a)	712	ZnO
Zn 66	27.76	93.79	EK 557(a)	5,200	ZnO
Zn 67	4.05	56.0	BK 242(a)	102	ZnO
Zn 67	4.05	60.46	EK 558(a)	146	ZnO
Zn 68	18.40	95.47	EK 559(a)	3,827	ZnO
Zn 70	0.61	32.9	AH 102(a)	20	ZnO
Zn 70	0.61	32.0	BK 244(a)	39	ZnO
Zn 70	0.61	48.40	EK 560(a)	100	ZnO

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES					
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Gallium					
Ga 69	60.00	98.42	EI 554(a)	3,850	Ga ₂ O ₃
Ga 71	40.00	98.08	EI 555(a)	625	Ga ₂ O ₃
Germanium					
Ge 70	20.63	88.1	BD-BE 205-210(a)	29	GeO ₂
Ge 70	20.63	91.38	FZ 747(a)	10,210	GeO ₂
Ge 72	27.41	89.2	BD-BE 206-211(a)	860	GeO ₂
Ge 72	27.41	94.86	FZ 748(a)	15,537	GeO ₂
Ge 73	7.84	68.9	BD-BE 207-212(a)	86	GeO ₂
Ge 73	7.84	78.04	FZ 749(a)	3,654	GeO ₂
Ge 74	36.37	95.2	BD-BE 208-213(a)	1,360	GeO ₂
Ge 74	36.37	95.80	FZ 750(a)	17,620	GeO ₂
Ge 76	7.75	81.02	FZ 751(a)	4,697	GeO ₂
Ge 76	7.75	79.3	BD-BE 209-214(a)	122	GeO ₂
Selenium					
Se 74	0.84	6.5	AK 109(a)	10	Se
Se 74	0.84	12.3	CY 397(ar)	255	Se
Se 74	0.84	12.08	DY 513(a)	229	Se
Se 74	0.84	33.06	FG 654(b)	0	
Se 76	9.15	43.5	AN 126(a)	10	Se
Se 76	9.15	41.5	BS 269(a)	600	Se

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPEs

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Selenium (Cont'd)					
Se 76	9.15	54.8	CY 398(a)	542	Se
Se 76	9.15	54.8	CY 398(ar)	390	Se
Se 76	9.15	57.40	DY 514(a)	174	Se
Se 76	9.15	74.20	FG 655(a)	374	Se
Se 76	9.15	88.51	FG 655(b)	148	Se
Se 77	7.53	50.1	AK 110(a)	99	Se
Se 77	7.53	53.6	BS 270(a)	143	Se
Se 77	7.53	53.6	BS 270(ar)	500	Se
Se 77	7.53	49.4	CY 399(a)	565	Se
Se 77	7.53	58.40	DY 515(a)	302	Se
Se 77	7.53	74.22	FG 656(c)	203	Se
Se 77	7.53	83.16	FG 656(d)	10	Se
Se 77	7.53	86.58	FG 656(e)	10	Se
Se 77	7.53	91.73	FG 656(f)	25	Se
Se 77	7.53	86.00	FG 656(g)	8	Se
Se 78	23.62	79.3	AN 127(a)	68	Se
Se 78	23.62	79.3	AN 127(ar)	104	Se
Se 78	23.62	72.7	BS 271(a)	1,853	Se
Se 78	23.62	81.7	CY 400(a)	707	Se
Se 78	23.62	81.7	CY 400(ar)	1,026	Se
Se 78	23.62	82.56	DY 516(a)	69	Se
Se 78	23.62	90.24	FG 657(b)	376	Se
Se 78	23.62	96.55	FG 657(d)	145	Se

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPEs

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Selenium (Cont'd)					
Se 80	49.97	86.7	AK 111(a)	281	Se
Se 80	49.97	94.6	BS 272(a)	1,520	Se
Se 80	49.97	94.6	BS 272(ar)	257	Se
Se 80	49.97	91.7	CY 401(a)	1,136	Se
Se 80	49.97	93.76	DY 517(a)	41	Se
Se 80	49.97	96.94	FG 658(a)	454	Se
Se 80	49.97	98.39	FG 658(b)	851	Se
Se 82	8.89	49.6	AN 128(a)	96	Se
Se 82	8.89	44.4	BS 273(ar)	1,087	Se
Se 82	8.89	51.6	CY 402(a)	314	Se
Se 82	8.89	51.6	CY 402(ar)	260	Se
Se 82	8.89	52.36	DY 518(a)	1,081	Se
Se 82	8.89	75.74	FG 659(a)	460	Se
Se 82	8.89	89.87	FG 659(b)	109	Se
Bromine					
Br 79	50.57	86.96	EJ 552(a)	190	AgBr
Br 81	49.43	96.81	EJ 553(a)	217	AgBr
Rubidium					
Rb 85	72.27	95.97	EW 619(a)	257	RbCl
Rb 87	27.73	89.62	EW 620(a)	680	RbCl

* - Analysis Incomplete
 ** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES					
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Strontium					
Sr 84	0.56	63.68	EH 548(a)	0	
Sr 84	0.56	45.95	FL 679(a)	80	SrCO ₃
Sr 86	9.86	69.9	Z 78(a)	60	SrO
Sr 86	9.86	69.9	Z 78(ar)	470	SrO
Sr 86	9.86	89.02	EH 549(a)	23	Sr(NO ₃) ₂
Sr 86	9.86	83.44	FL 680(a)	1,380	SrCO ₃
Sr 87	7.02	60.03	EH 550(a)	0	
Sr 87	7.02	42.82	FL 681(a)	1,460	SrCO ₃
Sr 88	82.6	98.9	Z 79(a)	1,049	SrO
Sr 88	82.6	99.5	BL 248(a)	322	SrSO ₄
Sr 88	82.6	99.67	EH 551(a)	39	Sr(NO ₃) ₂
Sr 88	82.6	99.63	FL 682(a)	13,480	SrCO ₃
Zirconium					
Zr 90	50.83	91.7	AA 80(a)	18	ZrO ₂
Zr 90	50.83	91.7	AA 80(ar)	460	ZrO ₂
Zr 90	50.83	98.0	CK 334(a)	7,045	ZrO ₂
Zr 90	50.83	98.0	CK 334(ar)	1,878	ZrO ₂
Zr 90	50.83	95.6	CV 381(a)	3,612	ZrO ₂
Zr 90	50.83	98.66	EE 539(a)	9,800	ZrO ₂
Zr 91	11.21	54.4	AA 81(a)	50	ZrO ₂
Zr 91	11.21	54.4	AA 81(ar)	100	ZrO ₂

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES					
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Zirconium (Cont'd)					
Zr 91	11.21	86.6	CK 335(a)	33	ZrO ₂
Zr 91	11.21	86.6	CK 335(ar)	1,235	ZrO ₂
Zr 91	11.21	75.1	CV 382(a)	839	ZrO ₂
Zr 92	17.18	92.7	CK 336(a)	281	ZrO ₂
Zr 92	17.18	92.7	CK 336(ar)	2,149	ZrO ₂
Zr 92	17.18	89.8	CV 383(a)	96	ZrO ₂
Zr 92	17.18	95.38	EE 541(a)	5,461	ZrO ₂
Zr 94	17.79	82.1	AA 83(a)	94	ZrO ₂
Zr 94	17.79	82.1	AA 83(ar)	40	ZrO ₂
Zr 94	17.79	92.8	CK 337(a)	68	ZrO ₂
Zr 94	17.79	92.8	CK 337(ar)	1,786	ZrO ₂
Zr 94	17.79	80.9	CV 384(a)	861	ZrO ₂
Zr 94	17.79	80.9	CV 384(ar)	188	ZrO ₂
Zr 94	17.79	97.92	EE 542(a)	5,068	ZrO ₂
Zr 96	2.99	74.6	CK 338(a)	0	
Zr 96	2.99	89.48	EE 543(a)	0	
Molybdenum					
Mo 92	15.04	92.07	R-T 53(a)	48	MoO ₃
Mo 92	15.04	95.5	AW 163(ar)	20	MoO ₃
Mo 92	15.04	87.57	FP 695(a)	144	MoO ₃
Mo 94	9.35	79.1	AW 164(a)	111	MoO ₃

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element		ISOTOPIC ABUNDANCE		AVAILABLE FOR SHIPMENT		
Isotope	Natural	Enriched	Lot	Weight (milligrams)	Product Form	
Molybdenum (Cont'd)						
Mo 94	9.35	99.84	FP 696(a)	136	MoO ₃	
Mo 95	15.78	99.80	SR-T 55(a)	21.8	MoO ₃	
Mo 95	15.78	99.88	AW 165(a)	121	MoO ₃	
Mo 95	15.78	99.86	FP 697(a)	21.4	MoO ₃	
Mo 95	15.78	99.91	FP 697(b)	105	MoO ₃	
Mo 96	16.56	85.94	R-T 56(a)	2,797	MoO ₃	
Mo 96	16.56	90.6	AW 166(a)	81	MoO ₃	
Mo 96	16.56	92.0	FP 698(a)	110	MoO ₃	
Mo 97	9.60	77.97	R-T 57(a)	474	MoO ₃	
Mo 97	9.60	77.97	R-T 57(ar)	374	MoO ₃	
Mo 97	9.60	75.4	AW 167(a)	510	MoO ₃	
Mo 97	9.60	73.45	FP 699(a)	82	MoO ₃	
Mo 97	9.60	89.63	FP 699(b)	119	MoO ₃	
Mo 98	24.00	95.0	R-T 58(a)	486	MoO ₃	
Mo 98	24.00	89.9	R-T 58(b)	393	MoO ₃	
Mo 98	24.00	96.3	AW 168(a)	287	MoO ₃	
Mo 98	24.00	95.15	FP 700(a)	545	MoO ₃	
Mo 100	9.67	90.20	R-T 59(b)	40	MoO ₃	
Mo 100	9.67	93.0	AW 169(a)	25	MoO ₃	
Mo 100	9.67	86.65	FP 701(a)	25	MoO ₃	
Palladium						
Pd 102	0.8	*	GG 770(a)	280	Pd	

* - Analysis Incomplete
 ** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES					
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Palladium (Cont'd)					
Pd 104	9.3	*	GG 771(a)	1,790	Pd
Pd 105	22.6	78.19	GG 772(a)	520	Pd
Pd 106	27.1	*	GG 773(a)	2,925	Pd
Pd 108	26.7	94.19	GG 774(a)	3,995	Pd
Pd 110	13.5	*	GG 775(a)	1,700	Pd
Silver					
Ag 107	51.86	98.96	N 41(a)	39	AgCl
Ag 107	51.86	90.26	S-U 41(b)	115	AgCl
Ag 107	51.86	90.26	S-U 41(br)	2,143	Ag
Ag 107	51.86	96.10	EA 522(a)	1,030	AgCl
Ag 109	48.14	95.88	N 42(a)	31	AgCl
Ag 109	48.14	92.16	S-U 42(b)	22	AgCl
Ag 109	48.14	92.16	S-U 42(br)	1,644	Ag
Ag 109	48.14	99.54	EA 523(a)	1,135	AgCl
Cadmium					
Cd 106	1.22	19.94	AC 88(a)	44	CdO
Cd 106	1.22	32.9	CE 314(a)	80	CdO
Cd 108	0.89	14.2	AX 170(a)	98	CdO
Cd 108	0.89	24.8	CE 315(a)	0	
Cd 110	12.43	55.8	AX 171(a)	2,027	CdO

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Cadmium (Cont'd)					
Cd 110	12.43	70.0	CE 316(a)	1,766	CdO
Cd 111	12.86	53.3	AC 89(a)	295	CdO
Cd 111	12.86	64.5	CE 317(a)	3,045	CdO
Cd 112	23.79	79.3	AX 172(a)	1,890	CdO
Cd 112	23.79	83.5	CE 318(a)	3,425	CdO
Cd 113	12.34	25.5	AB 86(a)	376	CdO
Cd 113	12.34	54.1	CE 319(a)	1,818	CdO
Cd 114	28.81	79.52	AC 90(a)	772	CdO
Cd 114	28.81	94.2	CE 320(a)	2,945	CdO
Cd 114	28.81	94.2	CE 320(ar)	316	CdO
Cd 116	7.66	71.2	CE 321(a)	115	CdO
Cd 116	7.66	71.2	CE 321(ar)	10	CdO

Indium

In 113	4.22	22.8	BH 225(a)	83	In ₂ O ₃
In 113	4.22	16.8	CO 354(a)	290	In ₂ O ₃
In 113	4.22	65.4	CQ 358(a)	0	
In 113	4.22	14.2	DE 419(a)	734	In ₂ O ₃
In 113	4.22	59.58	ER 594(a)	316	In ₂ O ₃
In 115	95.78	99.56	AD 92(a)	964	In ₂ O ₃
In 115	95.78	99.6	BH 226(a)	856	In ₂ O ₃
In 115	95.78	99.6	BH 226(ar)	470	In ₂ O ₃

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES					
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Indium (Cont'd)					
In 115	95.78	99.9	CO 355(a)	14,563	In ₂ O ₃
In 115	95.78	99.94	ER 595(a)	30,900	In ₂ O ₃
In 115	95.78	99.94	ER 595(ar)	11,000	In ₂ O ₃
Tin					
Sn 112	1.00	72.49	EC 527(a)	0	
Sn 112	1.00	58.88	FS 710(a)	187	SnO ₂
Sn 114	0.68	50.03	EC 528(a)	138	SnO ₂
Sn 114	0.68	45.10	FS 711(a)	82	SnO ₂
Sn 115	0.44	4.5	BI 229(a)	28	SnO ₂
Sn 115	0.44	14.0	EC 529(a)	535	SnO ₂
Sn 115	0.44	17.64	FS 712(a)	0	
Sn 115	0.44	*	FS 712(b)	90	SnO ₂
Sn 116	14.40	74.5	AY 176(a)	116	SnO ₂
Sn 116	14.40	74.5	AY 176(as)	49	Sn
Sn 116	14.40	58.4	BC 198(a)	388	SnO ₂
Sn 116	14.40	43.2	BI 230(a)	304	SnO ₂
Sn 116	14.40	89.57	CR 363(a)	4,144	SnO ₂
Sn 116	14.40	92.64	EC 530(a)	6,260	SnO ₂
Sn 116	14.40	90.89	FS 713(a)	4,425	SnO ₂
Sn 116	14.40	*	FS 713(b)	2,913	SnO ₂
Sn 117	7.68	75.3	BI 231(b)	288	SnO ₂
Sn 117	7.68	75.3	BI 231(bs)	182	Sn

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

ELECTROMAGNETICALLY CONCENTRATED ISOTOPEs					
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Tin (Cont'd)					
Sn 117	7.68	73.93	CR 364(a)	4,748	SnO ₂
Sn 117	7.68	77.07	EC 531(a)	1,981	SnO ₂
Sn 117	7.68	61.83	FS 714(a)	2,607	SnO ₂
Sn 117	7.68	*	FS 714(b)	1,437	SnO ₂
Sn 118	24.07	69.3	AL 117(a)	918	SnO ₂
Sn 118	24.07	90.1	AY 178(a)	1,014	SnO ₂
Sn 118	24.07	90.1	AY 178(as)	346	Sn
Sn 118	24.07	91.8	BC 200(a)	63	SnO ₂
Sn 118	24.07	84.6	BI 232(a)	1,020	SnO ₂
Sn 118	24.07	93.26	CR 365(a)	8,510	SnO ₂
Sn 118	24.07	94.91	EC 532(a)	13,126	SnO ₂
Sn 118	24.07	95.86	FS 715(a)	11,804	SnO ₂
Sn 118	24.07	*	FS 715(b)	4,970	SnO ₂
Sn 119	8.63	77.1	AY 179(a)	93	SnO ₂
Sn 119	8.63	77.1	AY 179(as)	48	Sn
Sn 119	8.63	64.4	BC 201(a)	382	SnO ₂
Sn 119	8.63	78.5	BI 233(a)	166	SnO ₂
Sn 119	8.63	78.25	CR 366(a)	5,024	SnO ₂
Sn 119	8.63	79.82	EC 533(a)	16,556	SnO ₂
Sn 119	8.63	*	FS 716(a)	4,400	SnO ₂
Sn 119	8.63	*	FS 716(b)	1,730	SnO ₂
Sn 120	32.53	93.5	AL 119(a)	420	SnO ₂
Sn 120	32.53	95.4	AY 180(a)	1,588	SnO ₂

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

ELECTROMAGNETICALLY CONCENTRATED ISOTOPEs					
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Tin (Cont'd)					
Sn 120	32.53	95.4	AY 180(as)	464	Sn
Sn 120	32.53	72.6	BC 202(a)	3,155	SnO ₂
Sn 120	32.53	53.6	BI 234(a)	1,760	SnO ₂
Sn 120	32.53	97.01	CR 367(a)	18,120	SnO ₂
Sn 120	32.53	98.14	EC 534(a)	17,976	SnO ₂
Sn 120	32.53	98.21	FS 717(a)	16,592	SnO ₂
Sn 120	32.53	*	FS 717(b)	6,177	SnO ₂
Sn 122	4.68	45.8	BI 235(a)	13	SnO ₂
Sn 122	4.68	83.66	CR 368(a)	2,545	SnO ₂
Sn 122	4.68	88.92	EC 535(a)	1,984	SnO ₂
Sn 122	4.68	88.92	EC 535(au)	241	Sn
Sn 122	4.68	84.62	FS 718(a)	497	SnO ₂
Sn 122	4.68	*	FS 718(b)	955	SnO ₂
Sn 124	5.89	71.0	BI 236(ar)	125	SnO ₂
Sn 124	5.89	83.1	CR 369(au)	49	Sn
Sn 124	5.89	95.04	EC 536(a)	10	SnO ₂
Sn 124	5.89	95.04	EC 536(as)	1,350	Sn
Sn 124	5.89	90.26	FS 719(a)	526	SnO ₂
Sn 124	5.89	*	FS 719(b)	900	SnO ₂
Antimony					
Sb 121	57.25	99.4	AE 93(a)	0	
Sb 121	57.25	99.4	AE 93(ar)	244	Sb

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPEs

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES					
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Antimony (Cont'd)					
Sb 121	57.25	97.7	BT 274(a)	50	Sb
Sb 123	42.75	96.7	AE 94(a)	0	
Sb 123	42.75	96.7	AE 94(ar)	372	Sb
Sb 123	42.75	95.6	BT 275(a)	377	Sb
Tellurium					
Te 120	0.094	22.3	DX 505(a)	0	
Te 120	0.094	19.90	FE 640(a)	0	
Te 122	2.46	77.8	AU 154(a)	19	Te
Te 122	2.46	86.24	DX 506(a)	50	Te
Te 122	2.46	81.72	FE 641(a)	93	Te
Te 123	0.86	34.9	AU 155(a)	7	Te
Te 123	0.86	60.91	DX 507(a)	67	Te
Te 123	0.86	48.58	FE 642(a)	114	Te
Te 124	4.67	72.5	AU 156(a)	56	Te
Te 124	4.67	83.9	CA 295(a)	22	Te
Te 124	4.67	21.8	CA 295(b)	0	
Te 124	4.67	76.47	DX 508(a)	555	Te
Te 124	4.67	81.34	FE 643(a)	548	Te
Te 125	6.97	81.1	AU 157(a)	38	Te
Te 125	6.97	87.9	CA 296(ar)	2,130	Te
Te 125	6.97	40.5	CA 296(b)	264	Te
Te 125	6.97	81.65	DX 509(a)	200	Te

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

ELECTROMAGNETICALLY CONCENTRATED ISOTOPEs					
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Tellurium (Cont'd)					
Te 125	6.97	80.53	FE 644(a)	1,262	Te
Te 126	18.69	93.2	AU 158(a)	1,496	Te
Te 126	18.69	95.4	CA 297(a)	1,547	Te
Te 126	18.69	95.4	CA 297(ar)	943	Te
Te 126	18.69	79.0	CA 297(b)	914	Te
Te 126	18.69	89.68	DX 510(b)	4,411	Te
Te 126	18.69	93.46	FE 645(a)	3,261	Te
Te 128	31.81	93.5	AU 159(a)	1,156	Te
Te 128	31.81	94.4	CA 298(a)	8,795	Te
Te 128	31.81	94.4	CA 298(ar)	714	Te
Te 128	31.81	91.8	CA 298(b)	1,594	Te
Te 128	31.81	94.0	CA 298(c)	111	Te
Te 128	31.81	82.32	DX 511(a)	5,760	Te
Te 128	31.81	96.47	FE 646(a)	4,881	Te
Te 130	34.44	93.0	AU 160(a)	630	Te
Te 130	34.44	97.4	CA 299(a)	7,605	Te
Te 130	34.44	93.5	CA 299(br)	950	Te
Te 130	34.44	78.23	DX 512(a)	4,734	Te
Te 130	34.44	97.78	FE 647(a)	4,412	Te
Barium					
Ba 130	0.103	27.50	FT 720(a)	10	BaCO ₃
Ba 130	0.103	23.31	FU 727(a)	75	BaCO ₃

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES					
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Barium (Cont'd)					
Ba 132	0.096	6.69	FT 721(a)	792	BaCO ₃
Ba 132	0.096	12.01	FU 728(a)	275	BaCO ₃
Ba 134	2.39	15.41	FT 722(a)	4,995	BaCO ₃
Ba 134	2.39	50.82	FU 729(a)	1,969	BaCO ₃
Ba 135	6.55	67.32	DG 432(a)	350	BaCO ₃
Ba 135	6.55	58.22	FU 730(a)	5,314	BaCO ₃
Ba 136	7.79	39.22	FT 724(a)	5,200	BaCO ₃
Ba 136	7.79	48.72	FU 731(a)	7,752	BaCO ₃
Ba 137	11.25	39.98	DG 434(a)	1,116	BaCO ₃
Ba 137	11.25	43.56	FU 732(a)	9,660	BaCO ₃
Ba 138	71.83	98.04	DG 435(a)	380	BaCO ₃
Ba 138	71.83	96.73	FT 726(a)	37,220	BaCO ₃
Ba 138	71.83	97.41	FU 733(a)	34,830	BaCO ₃
Lanthanum					
La 138	0.087	0.597	EF 544(a)	349	La ₂ O ₃
La 139	99.913	99.96	EF 545(a)	8,640	La ₂ O ₃
Cerium					
Ce 136	0.195	29.97	FR 706(a)	198	CeO ₂
Ce 138	0.265	4.42	DW 502(a)	415	CeO ₂
Ce 138	0.265	10.22	FK 676(a)	195	CeO ₂

* - Analysis Incomplete
 ** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES					
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Cerium (Cont'd)					
Ce 138	0.265	13.10	FR 707(a)	580	CeO ₂
Ce 140	88.44	98.5	CW 389(a)	3,786	CeO ₂
Ce 140	88.44	98.7	DD 417(a)	8,397	CeO ₂
Ce 140	88.44	98.7	DD 417(ar)	4,350	CeO ₂
Ce 140	88.44	99.25	DW 503(ar)	8,450	CeO ₂
Ce 140	88.44	99.55	FK 677(a)	6,263	CeO ₂
Ce 140	88.44	99.65	FR 708(a)	22,478	CeO ₂
Ce 142	11.10	87.4	DD 418(b)	29	CeO ₂
Ce 142	11.10	87.4	DD 418(br)	800	CeO ₂
Ce 142	11.10	84.42	DW 504(a)	1,330	CeO ₂
Ce 142	11.10	88.84	FK 678(a)	826	CeO ₂
Ce 142	11.10	90.08	FR 709(a)	5,863	CeO ₂
Neodymium					
Nd 142	26.83	93.00	EQ 587(a)	20	Nd ₂ O ₃
Nd 142	26.83	93.00	EQ 587(ar)	1,830	Nd ₂ O ₃
Nd 142	26.83	*	FX 738(a)	498	Nd ₂ O ₃
Nd 142	26.83	*	FX 738(b)	1,280	Nd ₂ O ₃
Nd 142	26.83	*	GI 783(a)	24,250	Nd ₂ O ₃
Nd 143	12.10	83.93	EQ 588(a)	102	Nd ₂ O ₃
Nd 143	12.10	*	FX 739(a)	290	Nd ₂ O ₃
Nd 143	12.10	*	FX 739(b)	478	Nd ₂ O ₃
Nd 143	12.10	*	GI 784(a)	10,750	Nd ₂ O ₃

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES					
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Neodymium (Cont'd)					
Nd 144	23.95	93.45	EQ 589(a)	91	Nd ₂ O ₃
Nd 144	23.95	93.45	EQ 589(ar)	1,850	Nd ₂ O ₃
Nd 144	23.95	*	FX 740(a)	348	Nd ₂ O ₃
Nd 144	23.95	*	FX 740(b)	413	Nd ₂ O ₃
Nd 144	23.95	**	GI 785(a)		
Nd 145	8.36	78.60	EQ 590(a)	187	Nd ₂ O ₃
Nd 145	8.36	78.60	EQ 590(ar)	87	Nd ₂ O ₃
Nd 145	8.36	*	FX 741(a)	432	Nd ₂ O ₃
Nd 145	8.36	**	GI 786(a)		
Nd 146	17.29	95.60	EQ 591(a)	21	Nd ₂ O ₃
Nd 146	17.29	95.60	EQ 591(ar)	1,000	Nd ₂ O ₃
Nd 146	17.29	*	FX 742(a)	440	Nd ₂ O ₃
Nd 146	17.29	**	GI 787(a)		
Nd 148	5.80	89.85	EQ 592(ar)	69	Nd ₂ O ₃
Nd 148	5.80	*	FX 743(a)	70	Nd ₂ O ₃
Nd 148	5.80	*	FX 743(b)	30	Nd ₂ O ₃
Nd 148	5.80	*	GI 788(a)	3,080	Nd ₂ O ₃
Nd 150	5.67	94.76	EQ 593(ar)	155	Nd ₂ O ₃
Nd 150	5.67	*	FX 744(a)	70	Nd ₂ O ₃
Nd 150	5.67	*	GI 789(a)	2,050	Nd ₂ O ₃
Samarium					
Sm 144	3.13	72.13	EM 567(a)	0	

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES					
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Samarium (Cont'd)					
Sm 144	3.13	58.93	FH 660(a)	14	Sm ₂ O ₃
Sm 144	3.13	**	GM 813(a)		
Sm 147	15.12	78.35	FH 661(a)	345	Sm ₂ O ₃
Sm 147	15.12	81.63	EM 569(a)	14	Sm ₂ O ₃
Sm 147	15.12	**	GM 814(a)		
Sm 148	11.29	76.01	EM 570(a)	178	Sm ₂ O ₃
Sm 148	11.29	62.40	FH 662(a)	649	Sm ₂ O ₃
Sm 148	11.29	**	GM 815(a)		
Sm 149	13.87	71.53	EM 571(a)	34	Sm ₂ O ₃
Sm 149	13.87	73.01	FH 663(a)	423	Sm ₂ O ₃
Sm 149	13.87	**	GM 816(a)		
Sm 150	7.38	74.09	EM 572(a)	48	Sm ₂ O ₃
Sm 150	7.38	68.04	FH 664(a)	907	Sm ₂ O ₃
Sm 150	7.38	**	GM 817(a)		
Sm 152	26.59	89.90	EM 573(a)	2,386	Sm ₂ O ₃
Sm 152	26.59	93.92	FH 665(a)	138	Sm ₂ O ₃
Sm 152	26.59	93.92	FH 665(ar)	4,700	Sm ₂ O ₃
Sm 152	26.59	**	GM 818(a)		
Sm 154	22.62	92.10	EM 574(a)	2,528	Sm ₂ O ₃
Sm 154	22.62	96.05	FH 666(a)	230	Sm ₂ O ₃
Sm 154	22.62	96.05	FH 666(ar)	2,150	Sm ₂ O ₃
Sm 154	22.62	**	GM 819(a)		
Sm 154	22.62	**	GM 819(b)		

* - Analysis Incomplete
 ** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPEs

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Gadolinium					
Gd 152	0.20	**	GK 798(a)		
Gd 154	2.15	**	GK 799(a)		
Gd 155	14.73	**	GK 800(a)		
Gd 156	20.47	**	GK 801(a)	11,450	Ga ₂ O ₃
Gd 157	15.68	**	GK 802(a)		
Gd 158	24.87	**	GK 803(a)		
Gd 160	21.90	**	GK 804(a)		
Hafnium					
Hf 174	0.17	7.85	ET 602(a)	0	
Hf 176	5.22	48.46	ET 603(a)	0	
Hf 177	18.53	61.71	ET 604(a)	0	
Hf 178	27.25	80.91	ET 605(a)	0	
Hf 179	13.67	46.57	ET 606(a)	0	
Hf 180	35.16	93.96	ET 607(a)	0	
Tungsten					
W 180	0.16	9.00	BG 220(a)	0	
W 180	0.16	4.95	CL 340(a)	41	WO ₃
W 180	0.16	4.95	CL 340(ar)	54	WO ₃
W 180	0.16	6.95	EL 561(a)	194	WO ₃
W 182	26.21	94.25	BG 221(a)	46	WO ₃

* - Analysis Imcomplete
 ** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES					
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Tungsten (Cont'd)					
W 182	26.21	91.58	CL 341(a)	1,639	WO ₃
W 182	26.21	92.33	EL 562(a)	10,990	WO ₃
W 183	14.33	86.21	BG 222(a)	217	WO ₃
W 183	14.33	82.01	CL 342(a)	745	WO ₃
W 183	14.33	82.63	EL 563(a)	5,664	WO ₃
W 184	30.61	95.72	BG 223(a)	390	WO ₃
W 184	30.61	91.14	CL 343(a)	106	WO ₃
W 184	30.61	91.14	CL 343(ar)	2,579	WO ₃
W 184	30.61	95.06	EL 564(a)	10,974	WO ₃
W 186	28.69	97.94	BG 224(a)	92	WO ₃
W 186	28.69	97.17	CL 344(a)	810	WO ₃
W 186	28.69	97.17	CL 344(ar)	372	WO ₃
W 186	28.69	97.54	EL 565(a)	10,367	WO ₃
Rhenium					
Re 185	37.31	85.38	CP 356(a)	2,241	Re
Re 187	62.69	98.22	CP 357(a)	245	Re
Iridium					
Ir 191	38.5	**	GL 810(a)		
Ir 193	61.5	**	GL 811(a)		

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES					
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Platinum					
Pt 190	0.012	*	GH 776(a)	270	Pt
Pt 192	0.78	*	GH 777(a)	215	Pt
Pt 192	0.78	*	GH 777(b)	875	Pt
Pt 194	32.8	*	GH 778(a)	11,945	Pt
Pt 195	33.7	*	GH 779(a)	3,185	Pt
Pt 196	25.4	*	GH 780(a)	6,960	Pt
Pt 198	7.23	*	GH 781(a)	465	Pt
Pt 198	7.23	*	GH 781(b)	1,010	Pt
Mercury					

Hg 196	0.16	8.44	DR 485(a)	0	
Hg 196	0.16	1.46	DR 485(c)	297	Hg(NO ₃) ₂
Hg 198	10.02	79.11	DR 486(a)	27	Hg(NO ₃) ₂
Hg 198	10.02	66.11	DR 486(b)	375	Hg(NO ₃) ₂
Hg 198	10.02	53.37	DR 486(c)	853	Hg(NO ₃) ₂
Hg 198	10.02	54.35	DR 486(d)	2,930	Hg(NO ₃) ₂
Hg 199	16.90	73.09	DR 487(a)	0	
Hg 199	16.90	73.09	DR 487(as)	51	Hg
Hg 199	16.90	72.1	DR 487(b)	28	Hg(NO ₃) ₂
Hg 199	16.90	65.45	DR 487(d)	43	Hg(NO ₃) ₂
Hg 199	16.90	65.45	DR 487(ds)	507	Hg
Hg 200	23.10	91.39	DR 488(a)	44	Hg(NO ₃) ₂
Hg 200	23.10	86.45	DR 488(b)	75	Hg(NO ₃) ₂

- * - Analysis Incomplete
- ** - Refinement Incomplete
- *** - Hg(NO₃)₂ is in Aqueous Solution

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Mercury (Cont'd)					***
Hg 200	23.10	86.45	DR 488(bs)	505	Hg
Hg 200	23.10	80.85	DR 488(c)	749	Hg(NO ₃) ₂
Hg 200	23.10	74.90	DR 488(d)	3,478	Hg(NO ₃) ₂
Hg 200	23.10	64.66	DR 488(e)	1,420	Hg(NO ₃) ₂
Hg 200	23.10	76.28	DR 488(f)	489	Hg(NO ₃) ₂
Hg 201	13.20	71.8	DR 489(a)	26	Hg(NO ₃) ₂
Hg 201	13.20	71.8	DR 489(as)	80	Hg
Hg 201	13.20	62.48	DR 489(b)	38	Hg(NO ₃) ₂
Hg 201	13.20	62.48	DR 489(bs)	206	Hg
Hg 202	29.76	98.3	DR 490(a)	36	Hg(NO ₃) ₂
Hg 202	29.76	98.06	DR 490(b)	20	Hg(NO ₃) ₂
Hg 202	29.76	96.45	DR 490(d)	122	Hg(NO ₃) ₂
Hg 202	29.76	96.45	DR 490(ds)	105	Hg
Hg 202	29.76	95.13	DR 490(e)	329	Hg(NO ₃) ₂
Hg 202	29.76	91.46	DR 490(f)	25	Hg(NO ₃) ₂
Hg 202	29.76	91.46	DR 490(fs)	120	Hg
Hg 202	29.76	87.87	DR 490(g)	354	Hg(NO ₃) ₂
Hg 202	29.76	80.27	DR 490(h)	4,334	Hg(NO ₃) ₂
Hg 202	29.76	75.75	DR 490(i)	825	Hg(NO ₃) ₂
Hg 204	6.86	89.17	DR 491(a)	0	
Hg 204	6.86	77.61	DR 491(b)	138	Hg(NO ₃) ₂
Hg 204	6.86	69.80	DR 491(cs)	280	Hg
Hg 204	6.86	62.78	DR 491(d)	129	Hg(NO ₃) ₂

* - Analysis Incomplete

** - Refinement Incomplete

*** - Hg(NO₃)₂ is in Aqueous Solution

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Mercury (Cont'd)				***	
Hg 204	6.86	49.66	DR 491(e)	344	Hg(NO ₃) ₂
Hg 204	6.86	49.66	DR 491(es)	147	Hg
Hg 204	6.86	42.91	DR 491(f)	662	Hg(NO ₃) ₂
Hg 204	6.86	30.07	DR 491(g)	363	Hg(NO ₃) ₂
Hg 204	6.86	72.34	DR 491(h)	93	Hg(NO ₃) ₂
Hg 204	6.86	72.34	DR 491(hs)	143	Hg
Thallium					
Tl 203	29.51	75.6	BV-3 278(a)	119	Tl ₂ O ₃
Tl 203	29.51	47.9	BY-3 286(a)	320	Tl ₂ O ₃
Tl 203	29.51	58.8	CC-3 307(a)	404	Tl ₂ O ₃
Tl 203	29.51	86.0	CF-3 322(a)	416	Tl ₂ O ₃
Tl 203	29.51	34.1	CG-3 324(a)	83	Tl ₂ O ₃
Tl 205	70.49	89.5	BR-3 267(a)	1,261	Tl ₂ O ₃
Tl 205	70.49	95.2	BV-3 279(a)	919	Tl ₂ O ₃
Tl 205	70.49	98.7	BX 285(a)	229	Tl ₂ O ₃
Tl 205	70.49	86.1	CG-3 308(a)	444	Tl ₂ O ₃
Tl 205	70.49	95.6	CF-3 323(a)	107	Tl ₂ O ₃
Tl 205	70.49	91.8	CH-3 327(a)	1,615	Tl ₂ O ₃
Tl 205	70.49	90.5	CJ-3 333(a)	1,715	Tl ₂ O ₃

- * - Analysis Incomplete
- ** - Refinement Incomplete
- *** - Hg(NO₃)₂ is in Aqueous Solution

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Lead					
Pb 204	1.37	7.8	O 43(a)	87	PbCrO ₄
Pb 204	1.37	16.69	AQ 135(ar)	38	PbCrO ₄
Pb 204	1.37	23.4	BO 257(a)	13	PbCrO ₄
Pb 204	1.37	27.0	CN 349(ar)	355	PbO
Pb 204	1.37	25.70	EO 581(a)	1,170	PbO
Pb 204	1.37	5.30	FQ 702(a)	3,170	PbO
Pb 206	26.26	75.67	O 44(a)	278	PbCrO ₄
Pb 206	26.26	77.9	AQ 136(a)	255	PbCrO ₄
Pb 206	26.26	71.3	BO 258(a)	238	PbCrO ₄
Pb 206	26.26	71.3	BO 258(ar)	1,018	PbCrO ₄
Pb 206	26.26	81.0	CN 350(a)	0	
Pb 206	26.26	64.93	EO 582(a)	3,156	PbO
Pb 206	26.26	35.02	FQ 703(a)	8,726	PbO
Pb 207	20.82	61.55	O 45(a)	181	PbCrO ₄
Pb 207	20.82	48.2	AQ 137(a)	553	PbCrO ₄
Pb 207	20.82	48.2	AQ 137(ar)	512	PbCrO ₄
Pb 207	20.82	66.8	BO 259(a)	1,300	PbCrO ₄
Pb 207	20.82	66.8	BO 259(ar)	529	PbCrO ₄
Pb 207	20.82	61.06	EO 583(a)	4,609	PbO
Pb 207	20.82	26.81	FQ 704(a)	8,802	PbO
Pb 208	51.51	92.1	O 46(a)	33	PbCrO ₄
Pb 208	51.51	92.1	O 46(ar)	160	PbCrO ₄
Pb 208	51.51	82.10	AQ 138(a)	846	PbCrO ₄

* - Analysis incomplete

** - Refinement incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPEs

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Lot	AVAILABLE FOR SHIPMENT	
	Natural	Enriched		Element Weight (milligrams)	Product Form
Lead (Cont'd)					
Pb 208	51.51	96.6	BO 260(a)	160	PbO
Pb 208	51.51	95.8	CN 352(ar)	166	PbSO ₄
Pb 208	51.51	87.97	EO 584(a)	4,345	PbO
Pb 208	51.51	75.41	FQ 705(a)	9,090	PbO

* - Analysis Incomplete
** - Refinement Incomplete

6
x
h
p

1
AP
D