UNCLASSIFIED

ORNL 1568

WO-35811

- 1 - This document consists of 44 pages.

Copy 67 of 351 copies. Series A.

ELECTROMAGNETICALLY ENRICHED ISOTOPES

Inventory, May 31, 1953

C. P. Keim
C. E. Normand
Boyd Weaver

Date Issued

JUL 20 1953

This document is
PUBLICLY RELEASABLE

Hugh Kinner
Authorizing Official

Date: 8/5/68

ISOTOPE RESEARCH AND PRODUCTION DIVISION
C. P. Keim, Director

OAK RIDGE NATIONAL LABORATORY

Operated by

CARBIDE AND CARBON CHEMICALS COMPANY
A DIVISION OF UNION CARBIDE AND CARBON CORPORATION
Oak Ridge, Tennessee

Contract No. W-7405-eng-26

UNCLASSIFIED

2

THE
HALL OF RECORDS
OF THE
NATIONAL ARCHIVES
WASHINGTON, D. C.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

INTERNAL DISTRIBUTION

1. C. E. Center	29. M. T. Kelley
2. Biology Library	30. G. H. Clewett
3. Health Physics Library	31. A. S. Householder
4-5. Central Research Library	32. C. S. Harrill
6. Reactor Experimental Engineering Library	33. C. E. Winters
7-12. Central Files	34. D. W. Cardwell
13. Central Files, ORNL R. C.	35. E. M. King
14. C. E. Larson	36. A. J. Miller
15. W. B. Humes (K-25)	37. D. D. Cowen
16. L. B. Emlet (Y-12)	38-47. C. P. Keim
17. A. M. Weinberg	48. C. E. Normand
18. E. H. Taylor	49-58. Boyd Weaver
19. E. D. Shipley	59. M. J. Skinner
20. R. C. Briant	60. J. R. McNally, Jr.
21. F. C. VonderLage	61. Russell Baldock
22. J. A. Swartout	62. L. O. Love
23. S. C. Lind	63. L. E. Burkhart
24. F. L. Culler	64. B. L. Cohen
25. J. H. Frye, Jr.	65. P. S. Baker
26. R. S. Livingston	66. H. M. Roth
27. A. H. Snell	67. P. F. Dunn
28. A. Hollaender	68. E. J. Murphy
	69. C. D. Susano, Sr.

EXTERNAL DISTRIBUTION

70. D. B. Benedict, C&CCC, South Charleston
71. R. F. Bacher, California Institute of Technology, Pasadena
72. Air Force Cambridge Research Center, 230 Albany Street, Cambridge, Massachusetts (Radiological Unit)
73. Bartol Research Foundation, Whittier Place, Swarthmore, Pennsylvania (Nuclear Physics)
74. Bausch and Lomb Optical Company, Rochester 2, New York (Scientific Bureau)
75. Bell Telephone Laboratories, Murray Hill, New Jersey (Chemical Physics Research)
76. Baird Associates, Inc., 33 University Road, Cambridge 38, Massachusetts (Research and Development Department)
77. University of Buffalo, Main Street Campus, Buffalo, New York (Department of Physics)
78. University of Southern California, University Park, Los Angeles 7, California (Physics Department)
79. California Institute of Technology, 1201 East California Street, Pasadena, California (Mechanical Engineering)
80. University of Chicago, Institute of Nuclear Studies, Chicago 37, Illinois (Physics Department)
81. Duke University, Durham, North Carolina (Physics Department)
82. Fisher Scientific Company, 711 Forbes Street, Pittsburgh 19, Pennsylvania (Development Department)

83. Florida State University, Tallahassee, Florida (Department of Physics)
84. Georgia Institute of Technology, Atlanta, Georgia (Chemistry Dept.)
85. B. F. Goodrich Research Center, Brecksville, Ohio (Physical Research)
86. Harvard University, Cyclotron Laboratory, Cambridge 38, Massachusetts (Physics Department)
87. Harvard University Medical School, 25 Shattuck Street, Boston 15, Massachusetts
88. Illinois Institute of Technology, Technology Center, Chicago 16, Illinois (Department of Chemistry)
89. University of Illinois, Urbana, Illinois (Physics Department)
90. Indiana University, Bloomington, Indiana (Physics Department)
91. State University of Iowa, Iowa City, Iowa (Physics Department)
92. Kansas State College, Manhattan, Kansas (Department of Physics)
93. University of Michigan, Ann Arbor, Michigan (Chemistry and Physics Departments)
94. Michigan State College, East Lansing, Michigan (Physics and Astronomy)
95. University of Minnesota, Minneapolis, Minnesota (Physics Department)
96. National Naval Medical Center, Bethesda 14, Maryland (Biochemistry Div.)
97. Northwestern University, Evanston, Illinois (Department of Physics)
98. University of Notre Dame, Notre Dame, Indiana (Physics Department)
99. Ohio State University, Columbus 10, Ohio (Chemistry Department)
100. University of Pennsylvania, Philadelphia 4, Pennsylvania (Physics Dept.)
101. University of Pittsburgh, Pittsburgh 13, Pennsylvania (Radiation Lab.)
102. The Presbyterian Hospital, 51 North 39th Street, Philadelphia 4, Pennsylvania (Medical)
103. Purdue University, Lafayette, Indiana (Physics Department)
104. Reed College, Portland, Oregon (Physics Department)
105. Rice Institute, P. O. Box 1892, Houston, Texas (Physics Division)
106. Rutgers University, New Brunswick, New Jersey (Physics Department)
107. Stanford University, Stanford, California (Microwave Laboratory)
108. Vanderbilt University, Nashville, Tennessee (Physics)
109. Washington University, St. Louis 5, Missouri (Chemistry)
110. Washington University School of Medicine, St. Louis 10, Missouri (Department of Medicine)
111. State College of Washington, Pullman, Washington (Chemistry)
112. University of Wisconsin, Madison 6, Wisconsin (Physics)
113. A and M College of Texas, Physics Department, College Station, Texas
114. Louisiana State University, Physics Department, Baton Rouge, Louisiana
- 115-351. Given distribution as shown in TID 4500 under Physics Category

DISTRIBUTION PAGE TO BE REMOVED IF REPORT IS GIVEN PUBLIC DISTRIBUTION

UNCLASSIFIED

ABSTRACT

This inventory lists the isotopes which have been concentrated electromagnetically, along with the completed information on their enriched abundances, and the element weights and product forms available in milligram quantities to users on Atomic Energy Commission projects and in university and industrial laboratories.

UNCLASSIFIED

UNCLASSIFIED

TABLE OF CONTENTS

		<u>Page No.</u>
Introduction		7-8
Summary of Production and Shipments		9
Stable Isotopes:		
<u>Element</u>	<u>Page No.</u>	<u>Element</u>
Antimony	33	Neodymium
Barium	35-36	Nickel
Boron	10	Palladium
Bromine	25	Potassium
Cadmium	29-30	Rhenium
Calcium	14-15	Rubidium
Carbon	11	Samarium
Cerium	36-37	Selenium
Chlorine	13	Silicon
Chromine	16-17	Silver
Copper	21	Strontium
Gallium	22	Sulfur
Germanium	22-23	Tellurium
Hafnium	39	Thallium
Indium	30	Tin
Iron	17-20	Titanium
Lanthanum	36	Tungsten
Lead	42-44	Vanadium
Lithium	10	Zinc
Magnesium	11	Zirconium
Mercury	40-42	
Molybdenum	27-28	

UNCLASSIFIED

INTRODUCTION

This report of electromagnetically enriched isotopes is revised frequently to include all isotopes which are available for use, or are in the process of chemical refinement. The most recent information on the isotopic abundance of each enriched sample and the amount of each isotope in the inventory is also listed. The list also includes those isotopes which have been concentrated but are not available at present.

All weights reported are element weights converted from compound weights by standard gravimetric factors.

On all shipments material will be shipped in the product form shown unless special arrangements are made for further chemical processing.

Isotopic abundance data not in this report, such as concentrations of other isotopes in the sample, will be submitted upon request. Spectrographic analyses and complete isotopic abundance data will be forwarded with all shipments or as soon as available.

Any users of isotopes who need mass analysis services should check with the Isotopes Division of the A. E. C. regarding their specific needs.

Isotopes produced by the electromagnetic process are available in milligram quantities for distribution on loan within and outside of the Atomic Energy Commission and may be requested by using A. E. C. form 100. Copies of this form may be obtained from the Isotopes Division, U. S. Atomic Energy Commission, P. O. Box "E", Oak Ridge, Tennessee.

UNCLASSIFIED

Users of Stable Isotopes who need extensions of their loan periods should write The Isotopes Division, Atomic Energy Commission, Oak Ridge, Tennessee.

All purchase orders are to be sent to Dr. C. P. Keim, Oak Ridge National Laboratory, Y-12 Area, Oak Ridge, Tennessee.

SUMMARY OF PRODUCTION AND SHIPMENTS

<u>Atomic No.</u>	<u>Element</u>	<u>Production Completed</u>	<u>No. of Samples Now Available For Shipment</u>	<u>No. of Individual Shipments and Transfers Made</u>
51	Antimony	4	4	26
56	Barium	19	15	32
4	Beryllium	2	0	2
5	Boron	5	5	3
35	Bromine	2	2	4
48	Cadmium	19	15	75
20	Calcium	39	17	61
6	Carbon	3	2	3
58	Cerium	14	12	32
17	Chlorine	7	6	7
24	Chromium	14	9	66
29	Copper	13	11	29
31	Gallium	2	2	16
32	Germanium	11	10	36
72	Hafnium	6	2	39
49	Indium	12	9	25
26	Iron	79	60	74
57	Lanthanum	2	2	4
82	Lead	29	25	63
3	Lithium	24	10	103
12	Magnesium	17	14	44
80	Mercury	40	34	87
42	Molybdenum	31	26	88
60	Neodymium	14	15	57
28	Nickel	26	14	65
8	Oxygen	2	0	0
46	Palladium	6	0	0
19	Potassium	31	23	55
75	Rhenium	2	2	16
37	Rubidium	2	2	11
62	Samarium	14	13	68
34	Selenium	47	43	62
14	Silicon	9	7	24
47	Silver	8	8	18
38	Strontium	14	9	33
16	Sulfur	9	6	16
52	Tellurium	42	34	85
81	Thallium	16	12	29
50	Tin	63	55	120
22	Titanium	14	10	61
74	Tungsten	18	17	50
23	Vanadium	3	3	6
30	Zinc	16	10	60
40	Zirconium	27	22	70
TOTAL		777	597	1825

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Lithium						
Li 6	7.43	95.2	ED	537 (a)	7	Li ₂ SO ₄
Li 6	7.43	95.5	ED	537 (b)	15	Li ₂ SO ₄
Li 6	7.43	88.22	EZ	627 (e)	12	Li ₂ SO ₄
Li 6	7.43	94.07	FI	667 (a)	25	Li ₂ SO ₄
Li 6	7.45	ca 95	FY	745 (b)	1,000	Li ₂ SO ₄
Li 7	92.57	99.91	I	26 (a)	10	Li ₂ SO ₄
Li 7	92.57	99.5	AR	140 (a)	711	Li ₂ SO ₄
Li 7	92.57	99.8	BQ	265 (ar)	710	Li ₂ SO ₄
Li 7	92.57	98.4	CU	379 (a)	4,546	Li ₂ SO ₄
Li 7	92.57	99.86	EZ	628 (e)	5,064	Li ₂ SO ₄
Li 7	92.57	ca 99.99	GE	767 (j)	1,000	Li ₂ SO ₄
Boron						
B 10	19.57	86.78	DP	481 (a)	40	H ₃ BO ₃
B 10	19.57	*	FV	734 (a)	2,179	H ₃ BO ₃
B 10	19.57	**	GF	768 (a)		
B 11	80.43	*	BM	250 (a)	10	H ₃ BO ₃
B 11	80.43	*	DP	482 (a)	200	H ₃ BO ₃
B 11	80.43	97.77	FV	735 (a)	1,890	H ₃ BO ₃
B 11	80.43	**	GF	769 (a)		

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Carbon						
C 12	98.91	99.96	FD	638 (ah)	1,140	C
C 12	98.91	99.94	FD	638 (aj)	9,950	C
Magnesium						
Mg 24	78.98	99.5	P	47 (a)	1,570	MgO
Mg 24	78.98	98.36	Q	50 (a)	192	MgO
Mg 24	78.98	99.52	BZ	288 (a)	2,527	MgO
Mg 24	78.98	99.2	BZ	288 (b)	132	MgO
Mg 24	78.98	99.5	BZ	288 (c)	2,251	MgO
Mg 24	78.98	99.4	BZ	288 (d)	1,786	MgO
Mg 24	78.98	99.59	DZ	519 (a)	1,804	MgO
Mg 25	10.03	62.59	Q	51 (a)	20	MgO
Mg 25	10.03	65.67	Q	51 (b)	14	MgO
Mg 25	10.03	86.8	BZ	289 (a)	220	MgO
Mg 25	10.03	92.33	DZ	520 (a)	1,270	MgO
Mg 26	10.99	96.16	P	49 (a)	416	MgO
Mg 26	10.99	95.91	BZ	290 (a)	213	MgO
Mg 26	10.99	98.12	DZ	521 (a)	583	MgO
Silicon						
Si 28	92.17	99.4	AI-AJ	103-106 (a)	1,796	SiO ₂
Si 28	92.17	98.1	BW	280 (a)	7,510	SiO ₂

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Silicon (Cont'd)						
Si 28	92.17	99.16	EB	524 (a)	9,041	SiO ₂
Si 28	92.17	**	GC	761 (a)		
Si 29	4.71	68.62	EB	525 (a)	90	SiO ₂
Si 29	4.71	**	GC	762 (a)		
Si 30	3.12	63.9	AI-AJ	105-108 (a)	100	SiO ₂
Si 30	3.12	49.6	BW	282 (a)	350	SiO ₂
Si 30	3.12	64.04	EB	526 (a)	48	SiO ₂
Si 30	3.12	**	GC	763 (a)		
Sulfur						
S 32	94.89	97.90	CX	391 (a)	215	S
S 32	94.89	98.45	ES	596 (a)	7,463	CdS
S 32	94.89	**	GB	757 (a)		
S 33	0.80	5.54	CX	392 (a)	25	S
S 33	0.80	9.8	ES	597 (a)	0	
S 33	0.80	**	GB	758 (a)		
S 34	4.29	20.65	CX	393 (a)	0	
S 34	4.29	5.38	CX	393 (b)	59	S
S 34	4.29	14.92	ES	598 (a)	997	CdS
S 34	4.29	**	GB	759 (a)		
S 36	0.02	0.88	ES	599 (a)	24	CdS
S 36	0.02	**	GB	760 (a)		

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Chlorine						
Cl 35	75.4	79.5	AV	161 (cl)	18	AgCl
Cl 35	75.4	92.4	DH	436 (a)	0	AgCl
Cl 35	75.4	*	FW	736 (a)	17,603	NaCl
Cl 35	75.4	*	FW	736 (b)	8,824	NaCl
Cl 37	24.6	65.6	DH	438 (a)	97	AgCl
Cl 37	24.6	*	FW	737 (a)	672	NaCl
Cl 37	24.6	*	FW	737 (b)	4,777	NaCl
Potassium						
K 39	93.25	99.5	BJ	237 (a)	1,592	KClO ₄
K 39	93.25	99.9	CM	346 (a)	35	KCl
K 39	93.25	99.9	CM	346 (ar)	9,920	KCl
K 39	93.25	99.94	DA	407 (a)	19,225	KCl
K 39	93.25	99.74	DB	410 (a)	5,659	KCl
K 39	93.25	99.89	DT	494 (a)	9,384	KCl
K 39	93.25	99.96	EX	621 (g)	18,470	KCl
K 39	93.25	99.94	EY	624 (i)	24,977	KCl
K 39	93.25	99.83	FA	629 (a)	10,473	KCl
K 40	0.011	1.31	DA	408 (a)	10	KCl
K 40	0.011	0.40	DB	411 (a)	150	KCl
K 40	0.011	0.40	DB	411 (ar)	318	KCl
K 40	0.011	7.13	DT	495 (a)	0	

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Potassium (Cont'd)						
K 40	0.011	3.64	EX	622 (u)	7	KCl
K 40	0.011	7.75	EY	625 (t)	10	K ₂ SO ₄
K 40	0.011	0.978	FA	630 (a)	33	KCl
K 41	6.74	92.9	BJ	239 (a)	65	KClO ₄
K 41	6.74	86.8	CM	348 (a)	37	KCl
K 41	6.74	98.94	DT	496 (a)	100	KCl
K 41	6.74	98.94	DT	496 (ar)	65	KCl
K 41	6.74	99.20	EX	623 (e)	69	KCl
K 41	6.74	99.21	EY	626 (e)	650	KCl
K 41	6.74	99.21	EY	626 (er)	988	KCl
K 41	6.74	87.75	FA	631 (a)	540	KCl
Calcium						
Ca 40	96.96	98.6	V	61 (b)	114	CaO
Ca 40	96.96	99.97	X	70 (a)	1,048	CaO
Ca 40	96.96	98.9	BN	251 (a)	5,825	CaCO ₃
Ca 40	96.96	99.83	DI	441 (d)	35,259	CaCO ₃
Ca 40	96.96	99.98	EV	613 (a)	28,733	CaCO ₃
Ca 40	96.96	99.98	FF	648 (a)	44,756	CaCO ₃
Ca 40	96.96	**	FO	689 (a)		
Ca 42	0.64	28.3	DI	442 (b)	393	CaCO ₃
Ca 42	0.64	82.52	EV	614 (a)	140	CaCO ₃

* -Analysis Incomplete

** -Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Calcium (Cont'd)						
Ca 42	0.64	64.17	FF	649 (a)	355	CaCO ₃
Ca 42	0.64	**	FO	690 (a)		
Ca 43	0.145	37.56	DI	443 (b)	43	CaCO ₃
Ca 43	0.145	72.13	EV	615 (a)	0	
Ca 43	0.145	67.95	FO	691 (a)	295	CaCO ₃
Ca 44	2.06	85.4	BN	254 (a)	40	CaCO ₃
Ca 44	2.06	96.2	CS	373 (a)	0	
Ca 44	2.06	97.90	EV	616 (a)	488	CaCO ₃
Ca 44	2.06	97.99	FF	651 (a)	555	CaCO ₃
Ca 44	2.06	**	FO	692 (a)		
Ca 46	0.0033	10.16	FF	652 (a)	0	
Ca 48	0.185	84.28	FO	694 (a)	0	
Ca 48	0.185	7.49	FF	653 (a)	10	CaCO ₃
Titanium						
Ti 46	7.97	84.26	BF	215 (ar)	83	TiO ₂
Ti 46	7.97	82.68	EN	576 (a)	309	TiO ₂
Ti 46	7.97	**	GA	752 (a)		
Ti 47	7.41	82.05	BF	216 (a)	28	TiO ₂
Ti 47	7.41	82.05	BF	216 (ar)	99	TiO ₂
Ti 47	7.41	63.11	EN	577 (a)	444	TiO ₂
Ti 47	7.41	**	GA	753 (a)		

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES						
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Titanium (Cont'd)						
Ti 48	73.50	99.23	BF	217 (a)	50	TiO ₂
Ti 48	73.50	98.90	EN	578 (a)	14,856	TiO ₂
Ti 48	73.50	**	GA	754 (a)		
Ti 49	5.64	77.62	BF	218 (a)	37	TiO ₂
Ti 49	5.64	77.62	BF	218 (ar)	45	TiO ₂
Ti 49	5.64	**	GA	755 (a)		
Ti 50	5.48	84.69	BF	219 (a)	0	
Ti 50	5.48	81.44	EN	580 (a)	139	TiO ₂
Ti 50	5.48	**	GA	756 (a)		
Vanadium						
V 50	0.28	22.83	FM	683 (b)	36	V ₂ O ₅
V 51	99.72	>99.95	FB	633 (a)	2,516	V ₂ O ₅
V 51	99.72	>99.98	FM	684 (a)	26,265	V ₂ O ₅
Chromium						
Cr 50	4.40	88.3	EU	609 (a)	393	Cr ₂ O ₃
Cr 52	83.73	99.14	D	11 (a)	510	Cr ₂ O ₃
Cr 52	83.73	99.14	D	11 (ar)	140	Cr ₂ O ₃
Cr 52	83.73	99.1	CD	310 (a)	3,057	Cr ₂ O ₃
Cr 52	83.73	97.1	EU	610 (a)	23,140	Cr ₂ O ₃
Cr 53	9.49	88.59	D	12 (a)	56	Cr ₂ O ₃

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES						
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Chromium (Cont'd)						
Cr 53	9.49	92.1	CD	311 (a)	14	Cr ₂ O ₃
Cr 53	9.49	90.06	EU	611 (a)	6	Cr ₂ O ₃
Cr 54	2.38	88.95	EU	612 (a)	0	
Iron						
Fe 54	5.90	55.47	V	3 (a)	57	Fe ₂ O ₃
Fe 54	5.90	39.0	B	3 (f)	268	Fe ₂ O ₃
Fe 54	5.90	81.06	E	14 (a)	17	Fe ₂ O ₃
Fe 54	5.90	83.03	F	18 (a)	32	Fe ₂ O ₃
Fe 54	5.90	49.2	AM	122 (a)	343	Fe ₂ O ₃
Fe 54	5.90	93.27	AZ	183 (a)	16	Fe ₂ O ₃
Fe 54	5.90	87.9	BA	187 (a)	10	Fe ₂ O ₃
Fe 54	5.90	87.4	BB	194 (a)	69	Fe ₂ O ₃
Fe 54	5.90	84.3	CI	328 (a)	41	Fe ₂ O ₃
Fe 54	5.90	34.47	DO	477 (a)	67,252	Fe ₂ O ₃
Fe 54	5.90	93.06	FC	634 (a)	340	Fe ₂ O ₃
Fe 54	5.90	**	FN	685 (a)		
Fe 54	5.90	**	FN	685 (b)		
Fe 56	91.52	98.41	B	4 (a)	3,235	Fe ₂ O ₃
Fe 56	91.52	98.5	B	4 (e)	901	Fe ₂ O ₃
Fe 56	91.52	98.62	E	15 (a)	10,403	Fe ₂ O ₃
Fe 56	91.52	97.42	F	19 (a)	1,120	Fe ₂ O ₃

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Iron (Cont'd)						
Fe 56	91.52	98.9	AM	123 (a)	2,627	Fe ₂ O ₃
Fe 56	91.52	99.0	AZ	184 (a)	12,451	Fe ₂ O ₃
Fe 56	91.52	98.5	BA	188 (a)	35,471	Fe ₂ O ₃
Fe 56	91.52	98.3	BB	192 (a)	9,818	Fe ₂ O ₃
Fe 56	91.52	96.5	CI	329 (a)	51,056	Fe ₂ O ₃
Fe 56	91.52	99.84	CZ	404 (f)	10,690	Fe ₂ O ₃
Fe 56	91.52	99.70	DO	478 (a)	242,643	Fe ₂ O ₃
Fe 56	91.52	99.70	DO	478 (ar)	76,218	Fe ₂ O ₃
Fe 56	91.52	99.70	DO	478 (as)	27,594	Fe
Fe 56	91.52	*	FC	635 (a)	18,171	Fe ₂ O ₃
Fe 56	91.52	*	FN	686 (a)	304,226	Fe ₂ O ₃
Fe 56	91.52	**	FN	686 (b)		
Fe 57	2.24	21.10	B	5 (a)	62	Fe ₂ O ₃
Fe 57	2.24	30.5	B	5 (f)	81	Fe ₂ O ₃
Fe 57	2.24	69.63	F	20 (a)	15	Fe ₂ O ₃
Fe 57	2.24	33.2	AM	124 (a)	69	Fe ₂ O ₃
Fe 57	2.24	77.6	BB	193 (a)	24	Fe ₂ O ₃
Fe 57	2.24	51.91	CZ	405 (f)	509	Fe ₂ O ₃
Fe 57	2.24	79.43	DK	449 (a)	232	Fe ₂ O ₃
Fe 57	2.24	62.38	DL	453 (a)	830	Fe ₂ O ₃
Fe 57	2.24	59.31	DL	453 (d)	381	Fe ₂ O ₃
Fe 57	2.24	31.9	DL	453 (e)	1,245	Fe ₂ O ₃

* - Analysis Incomplete
 ** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Iron (Cont'd)						
Fe 57	2.24	59.3	DL	453 (f)	1,122	Fe ₂ O ₃
Fe 57	2.24	43.45	DL	453 (j)	2,571	Fe ₂ O ₃
Fe 57	2.24	74.6	DM	459 (a)	172	Fe ₂ O ₃
Fe 57	2.24	40.61	DL	463 (a)	1,687	Fe ₂ O ₃
Fe 57	2.24	45.43	DL	463 (b)	1,018	Fe ₂ O ₃
Fe 57	2.24	67.3	DL	463 (e)	278	Fe ₂ O ₃
Fe 57	2.24	53.53	DL	463 (j)	184	Fe ₂ O ₃
Fe 57	2.24	54.23	DL	463 (k)	1,766	Fe ₂ O ₃
Fe 57	2.24	63.1	DL	467 (c)	165	Fe ₂ O ₃
Fe 57	2.24	87.29	DN	475 (a)	0	
Fe 57	2.24	83.44	FC	636 (a)	1,024	Fe ₂ O ₃
Fe 57	2.24	**	FN	687 (a)		
Fe 57	2.24	**	FN	687 (b)		
Fe 58	0.34	22.0	C	8 (b)	15	Fe ₂ O ₃
Fe 58	0.34	10.3	AM	125 (a)	44	Fe ₂ O ₃
Fe 58	0.34	23.4	DL	454 (f)	39	Fe ₂ O ₃
Fe 58	0.34	71.7	DL	454 (m)	92	Fe ₂ O ₃
Fe 58	0.34	79.8	DL	464 (l)	0	
Fe 58	0.34	75.7	DO	480 (a)	117	Fe ₂ O ₃
Fe 58	0.34	42.0	DO	480 (b)	484	Fe ₂ O ₃
Fe 58	0.34	34.8	DO	480 (c)	37	Fe ₂ O ₃
Fe 58	0.34	74.20	FN	688 (b)	37	Fe ₂ O ₃

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Iron (Cont'd)						
Fe 58	0.34	59.65	FN	688 (c)	104	Fe ₂ O ₃
Fe 58	0.34	55.74	FN	688 (d)	372	Fe ₂ O ₃
Fe 58	0.34	57.31	FN	688 (f)	197	Fe ₂ O ₃
Fe 58	0.34	65.85	FN	688 (g)	82	Fe ₂ O ₃
Fe 58	0.34	78.66	FN	688 (i)	82	Fe ₂ O ₃
Fe 58	0.34	78.02	FN	688 (j)	86	Fe ₂ O ₃
Nickel						
Ni 58	67.4	98.51	K	33 (a)	12	NiO
Ni 58	67.4	99.3	AS-AT	141-147 (a)	34	NiO
Ni 58	67.4	98.36	DF	422 (a)	5,485	NiO
Ni 58	67.4	*	FJ	669 (a)	36,817	NiO
Ni 60	26.7	94.4	J	28 (a)	18	NiO
Ni 60	26.7	94.4	J	28 (ar)	190	NiO
Ni 60	26.7	87.10	K	34 (a)	680	NiO
Ni 60	26.7	97.7	AS-AT	142-148 (a)	0	
Ni 60	26.7	*	FJ	670 (a)	13,430	NiO
Ni 61	1.2	34.42	K	35 (a)	28	NiO
Ni 61	1.2	80.9	AS-AT	143-149 (a)	0	
Ni 61	1.2	*	FJ	671 (a)	570	NiO
Ni 62	3.8	67.99	K	36 (a)	50	NiO
Ni 62	3.8	94.7	AS-AT	144-150 (a)	0	

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Nickel (Cont'd)						
Ni 62	3.8	*	DF	425 (br)	30	Ni
Ni 62	3.8	*	FJ	672 (a)	1,462	NiO
Ni 64	0.88	85.10	J	32 (a)	10	NiO
Ni 64	0.88	97.4	AS-AT	146-152 (a)	0	
Ni 64	0.88	*	FJ	674 (a)	0	
Copper						
Cu 63	69.09	97.0	A	1 (a)	650	CuO
Cu 63	69.09	97.0	A	1 (ar)	960	CuO
Cu 63	69.09	99.35	J-K	31-37 (a)	730	CuO
Cu 63	69.09	98.2	AV	161 (cu)	100	CuO
Cu 63	69.09	99.11	DF	426 (a)	3,351	CuO
Cu 63	69.09	96.12	DL	455 (a)	578	CuO
Cu 63	69.09	99.40	DU	497 (a)	5,140	CuO
Cu 63	69.09	*	FJ	673 (a)	9,426	CuO
Cu 65	30.91	93.81	A	2 (ar)	461	CuO
Cu 65	30.91	90.6	AV	162 (cu)	14	CuO
Cu 65	30.91	98.16	DU	498 (a)	3,850	CuO
Zinc						
Zn 64	49.18	83.8	AG	97 (a)	394	ZnO
Zn 64	49.18	93.12	EK	556 (a)	4,470	ZnO

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES						
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Zinc						
Zn 66	27.76	78.4	AH	100 (a)	712	ZnO
Zn 66	27.76	93.79	EK	557 (a)	5,200	ZnO
Zn 67	4.05	56.0	BK	242 (a)	102	ZnO
Zn 67	4.05	60.46	EK	558 (a)	146	ZnO
Zn 68	18.40	95.47	EK	559 (a)	3,786	ZnO
Zn 70	0.61	32.9	AH	102 (a)	20	ZnO
Zn 70	0.61	32.0	BK	244 (a)	39	ZnO
Zn 70	0.61	48.40	EK	560 (a)	151	ZnO
Gallium						
Ga 69	60.00	98.42	EI	554 (a)	3,900	Ga ₂ O ₃
Ga 71	40.00	98.08	EI	555 (a)	978	Ga ₂ O ₃
Germanium						
Ge 70	20.63	88.1	BD-BE	205-210 (a)	29	GeO ₂
Ge 70	20.63	91.38	FZ	747 (a)	10,210	GeO ₂
Ge 72	27.41	89.2	BD-BE	206-211 (a)	860	GeO ₂
Ge 72	27.41	94.86	FZ	748 (a)	15,537	GeO ₂
Ge 73	7.84	68.9	BD-BE	207-212 (a)	86	GeO ₂
Ge 73	7.84	78.04	FZ	749 (a)	3,654	GeO ₂
Ge 74	36.37	95.2	BD-BE	208-213 (a)	1,360	GeO ₂
Ge 74	36.37	95.80	FZ	750 (a)	17,640	GeO ₂

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES						
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Germanium (Cont'd)						
Ge 76	7.75	81.02	FZ	751 (a)	4,897	GeO ₂
Ge 76	7.75	79.3	BD-BE	209-214 (a)	122	GeO ₂
Selenium						
Se 74	0.84	6.5	AK	109 (a)	10	Se
Se 74	0.84	12.3	CY	397 (ar)	255	Se
Se 74	0.84	12.08	DY	513 (a)	143	Se
Se 74	0.84	18.02	FG	654 (a)	90	Se
Se 74	0.84	33.06	FG	654 (b)	0	
Se 76	9.15	43.5	AN	126 (a)	10	Se
Se 76	9.15	41.5	BS	269 (a)	600	Se
Se 76	9.15	54.8	CY	398 (a)	542	Se
Se 76	9.15	54.8	CY	398 (ar)	390	Se
Se 76	9.15	57.40	DY	514 (a)	89	Se
Se 76	9.15	74.20	FG	655 (a)	374	Se
Se 76	9.15	88.51	FG	655 (b)	148	Se
Se 77	7.53	50.1	AK	110 (a)	99	Se
Se 77	7.53	53.6	BS	270 (a)	143	Se
Se 77	7.53	53.6	BS	270 (ar)	500	Se
Se 77	7.53	49.4	CY	399 (a)	107	Se
Se 77	7.53	58.40	DY	515 (a)	302	Se
Se 77	7.53	74.22	FG	656 (c)	203	Se
Se 77	7.53	83.16	FG	656 (d)	10	Se

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Selenium (Cont'd)						
Se 77	7.53	86.58	FG	656 (e)	10	Se
Se 77	7.53	91.73	FG	656 (f)	25	Se
Se 77	7.53	86.00	FG	656 (g)	8	Se
Se 78	23.62	79.3	AN	127 (a)	68	Se
Se 78	23.62	79.3	AN	127 (ar)	104	Se
Se 78	23.62	72.7	BS	271 (a)	1,853	Se
Se 78	23.62	81.7	CY	400 (a)	707	Se
Se 78	23.62	81.7	CY	400 (ar)	1,026	Se
Se 78	23.62	82.56	DY	516 (a)	69	Se
Se 78	23.62	90.24	FG	657 (b)	376	Se
Se 78	23.62	96.55	FG	657 (d)	145	Se
Se 80	49.97	86.7	AK	111 (a)	281	Se
Se 80	49.97	94.6	BS	272 (a)	1,520	Se
Se 80	49.97	94.6	BS	272 (ar)	257	Se
Se 80	49.97	91.7	CY	401 (a)	1,136	Se
Se 80	49.97	93.76	DY	517 (a)	41	Se
Se 80	49.97	96.94	FG	658 (a)	454	Se
Se 80	49.97	98.39	FG	658 (b)	851	Se
Se 82	8.89	49.6	AN	128 (a)	96	Se
Se 82	8.89	44.4	BS	273 (ar)	1,087	Se
Se 82	8.89	51.6	CY	402 (a)	314	Se
Se 82	8.89	51.6	CY	402 (ar)	260	Se

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES						
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Selenium (Cont'd)						
Se 82	8.89	52.36	DY	518 (a)	1,081	Se
Se 82	8.89	75.74	FG	659 (a)	460	Se
Se 82	8.89	89.87	FG	659 (b)	109	Se
Bromine						
Br 79	50.57	86.96	EJ	552 (a)	240	AgBr
Br 81	49.43	96.81	EJ	553 (a)	268	AgBr
Rubidium						
Rb 85	72.27	95.97	EW	619 (a)	257	RbCl
Rb 87	27.73	89.62	EW	620 (a)	763	RbCl
Strontium						
Sr 84	0.56	63.68	EH	548 (a)	0	
Sr 84	0.56	45.95	FL	679 (a)	80	SrCO ₃
Sr 86	9.86	69.9	Z	78 (ar)	290	SrO
Sr 86	9.86	89.02	EH	549 (a)	23	Sr(NO ₃) ₂
Sr 86	9.86	83.44	FL	680 (a)	1,380	SrCO ₃
Sr 87	7.02	60.03	EH	550 (a)	0	
Sr 87	7.02	42.82	FL	681 (a)	1,460	SrCO ₃
Sr 88	82.6	98.9	Z	79 (a)	1,049	SrO
Sr 88	82.6	99.5	BL	248 (a)	322	SrSO ₄

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES						
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Strontium (Cont'd)						
Sr 88	82.6	99.67	EH	551 (a)	39	Sr (NO ₃) ₂
Sr 88	82.6	99.63	FL	682 (a)	13,480	SrCO ₃
Zirconium						
Zr 90	50.83	91.7	AA	80 (a)	18	ZrO ₂
Zr 90	50.83	91.7	AA	80 (ar)	460	ZrO ₂
Zr 90	50.83	98.0	CK	334 (a)	7,045	ZrO ₂
Zr 90	50.83	98.0	CK	334 (ar)	1,878	ZrO ₂
Zr 90	50.83	95.6	CV	381 (a)	3,612	ZrO ₂
Zr 90	50.83	98.66	EE	539 (a)	11,815	ZrO ₂
Zr 91	11.21	54.4	AA	81 (a)	50	ZrO ₂
Zr 91	11.21	54.4	AA	81 (ar)	100	ZrO ₂
Zr 91	11.21	86.6	CK	335 (a)	33	ZrO ₂
Zr 91	11.21	86.6	CK	335 (ar)	1,837	ZrO ₂
Zr 91	11.21	75.1	CV	382 (a)	839	ZrO ₂
Zr 92	17.18	92.7	CK	336 (a)	281	ZrO ₂
Zr 92	17.18	92.7	CK	336 (ar)	2,149	ZrO ₂
Zr 92	17.18	89.8	CV	383 (a)	96	ZrO ₂
Zr 92	17.18	95.38	EE	541 (a)	5,461	ZrO ₂
Zr 94	17.79	82.1	AA	83 (a)	94	ZrO ₂
Zr 94	17.79	82.1	AA	83 (ar)	40	ZrO ₂
Zr 94	17.79	92.8	CK	337 (a)	68	ZrO ₂

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Zirconium (Cont'd)						
Zr 94	17.79	92.8	CK	337 (ar)	1,786	ZrO ₂
Zr 94	17.79	80.9	CV	384 (a)	861	ZrO ₂
Zr 94	17.79	80.9	CV	384 (ar)	188	ZrO ₂
Zr 94	17.79	97.92	EE	542 (a)	5,068	ZrO ₂
Zr 96	2.99	74.6	CK	338 (a)	0	
Zr 96	2.99	74.6	CK	388 (ar)	0	
Zr 96	2.99	89.48	EE	543 (a)	0	
Molybdenum						
Mo 92	15.04	92.07	R-T	53 (a)	48	MoO ₃
Mo 92	15.04	95.5	AW	163 (ar)	20	MoO ₃
Mo 92	15.04	87.57	FP	695 (a)	194	MoO ₃
Mo 94	9.35	79.1	AW	164 (a)	111	MoO ₃
Mo 94	9.35	84.91	FP	696 (a)	128	MoO ₃
Mo 95	15.78	80.75	R-T	55 (a)	804	MoO ₃
Mo 95	15.78	88.0	AW	165 (a)	121	MoO ₃
Mo 95	15.78	86.70	FP	697 (a)	156	MoO ₃
Mo 95	15.78	91.27	FP	697 (b)	105	MoO ₃
Mo 96	16.56	85.94	R-T	56 (a)	2,797	MoO ₃
Mo 96	16.56	90.6	AW	166 (a)	81	MoO ₃
Mo 96	16.56	92.0	FP	698 (a)	210	MoO ₃
Mo 97	9.60	77.97	R-T	57 (a)	474	MoO ₃

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Molybdenum (Cont'd)						
Mo 97	9.60	77.97	R-T	57 (ar)	284	MoO ₃
Mo 97	9.60	75.4	AW	167 (a)	510	MoO ₃
Mo 97	9.60	73.45	FP	699 (a)	74	MoO ₃
Mo 97	9.60	89.63	FP	699 (b)	119	MoO ₃
Mo 98	24.00	95.0	R-T	58 (a)	486	MoO ₃
Mo 98	24.00	89.9	R-T	58 (b)	393	MoO ₃
Mo 98	24.00	96.3	AW	168 (a)	487	MoO ₃
Mo 98	24.00	95.15	FP	700 (a)	536	MoO ₃
Mo 100	9.67	90.20	R-T	59 (b)	40	MoO ₃
Mo 100	9.67	93.0	AW	169 (a)	25	MoO ₃
Mo 100	9.67	86.65	FP	701 (a)	25	MoO ₃
Palladium						
Pd 102	0.8	**	GG	770 (a)		
Pd 104	9.3	**	GG	771 (a)		
Pd 105	22.6	**	GG	772 (a)		
Pd 106	27.1	**	GG	773 (a)		
Pd 108	26.7	**	GG	774 (a)		
Pd 110	13.5	**	GG	775 (a)		
Silver						
Ag 107	51.86	98.96	N	41 (a)	39	AgCl

* - Analysis Incomplete
 ** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES						
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Silver						
Ag 107	51.86	90.26	S-U	41 (b)	115	AgCl
Ag 107	51.86	90.26	S-U	41 (br)	2,143	Ag
Ag 107	51.86	96.10	EA	522 (a)	1,030	AgCl
Ag 109	48.14	95.88	N	42 (a)	31	AgCl
Ag 109	48.14	92.16	S-U	42 (b)	22	AgCl
Ag 109	48.14	92.16	S-U	42 (br)	1,644	Ag
Ag 109	48.14	99.54	EA	523 (a)	1,135	AgCl
Cadmium						
Cd 106	1.22	19.94	AC	88 (a)	44	CdO
Cd 106	1.22	32.9	CE	314 (a)	0	
Cd 108	0.89	14.2	AX	170 (a)	98	CdO
Cd 108	0.89	24.8	CE	315 (a)	0	
Cd 110	12.43	55.8	AX	171 (a)	2,027	CdO
Cd 110	12.43	70.0	CE	316 (a)	1,867	CdO
Cd 111	12.86	53.3	AC	89 (a)	295	CdO
Cd 111	12.86	64.5	CE	317 (a)	2,941	CdO
Cd 112	23.79	79.3	AX	172 (a)	1,890	CdO
Cd 112	23.79	83.5	CE	318 (a)	3,414	CdO
Cd 113	12.34	25.5	AB	86 (a)	376	CdO
Cd 113	12.34	54.1	CE	319 (a)	1,818	CdO
Cd 114	28.81	79.52	AC	90 (a)	772	CdO

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Cadmium						
Cd 114	28.81	94.2	CE	320 (a)	2,767	CdO
Cd 114	28.81	94.2	CE	320 (ar)	316	CdO
Cd 116	7.66	71.2	CE	321 (a)	31	CdO
Cd 116	7.66	71.2	CE	321 (ar)	10	CdO
Indium						
In 113	4.22	16.8	CO	354 (a)	415	In ₂ O ₃
In 113	4.22	65.4	CQ	358 (a)	0	
In 113	4.22	14.2	DE	419 (a)	1,735	In ₂ O ₃
In 113	4.22	59.58	ER	594 (a)	316	In ₂ O ₃
In 115	95.78	99.56	AD	92 (a)	964	In ₂ O ₃
In 115	95.78	99.6	BH	226 (a)	856	In ₂ O ₃
In 115	95.78	99.6	BH	226 (ar)	470	In ₂ O ₃
In 115	95.78	99.9	CO	355 (a)	14,563	In ₂ O ₃
In 115	95.78	99.94	ER	595 (a)	30,900	In ₂ O ₃
In 115	95.78	99.94	ER	595 (ar)	11,000	In ₂ O ₃
Tin						
Sn 112	1.00	72.49	EC	527 (au)	84	Sn
Sn 112	1.00	58.88	FS	710 (a)	187	SnO ₂
Sn 114	0.68	50.03	EC	528 (a)	138	SnO ₂
Sn 114	0.68	45.10	FS	711 (a)	82	SnO ₂

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES						
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Tin (Cont'd)						
Sn 115	0.44	4.5	BI	229 (a)	28	SnO ₂
Sn 115	0.44	14.0	EC	529 (a)	535	SnO ₂
Sn 115	0.44	17.64	FS	712 (a)	63	SnO ₂
Sn 115	0.44	*	FS	712 (b)	90	SnO ₂
Sn 116	14.40	74.5	AY	176 (a)	116	SnO ₂
Sn 116	14.40	74.5	AY	176 (as)	49	Sn
Sn 116	14.40	58.4	BC	198 (a)	388	SnO ₂
Sn 116	14.40	43.2	BI	230 (a)	304	SnO ₂
Sn 116	14.40	89.57	CR	363 (a)	4,144	SnO ₂
Sn 116	14.40	92.64	EC	530 (a)	7,284	SnO ₂
Sn 116	14.40	90.89	FS	713 (a)	4,425	SnO ₂
Sn 116	14.40	*	FS	713 (b)	2,913	SnO ₂
Sn 117	7.68	75.3	BI	231 (b)	288	SnO ₂
Sn 117	7.68	75.3	BI	231 (bs)	182	Sn
Sn 117	7.68	73.93	CR	364 (a)	4,748	SnO ₂
Sn 117	7.68	77.07	EC	531 (a)	4,482	SnO ₂
Sn 117	7.68	61.83	FS	714 (a)	2,607	SnO ₂
Sn 117	7.68	*	FS	714 (b)	1,457	SnO ₂
Sn 118	24.07	69.3	AL	117 (a)	918	SnO ₂
Sn 118	24.07	90.1	AY	178 (a)	1,014	SnO ₂
Sn 118	24.07	90.1	AY	178 (as)	346	Sn
Sn 118	24.07	91.8	BC	200 (a)	63	SnO ₂

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Tin (Cont'd)						
Sn 118	24.07	84.6	BI	232 (a)	1,020	SnO ₂
Sn 118	24.07	93.26	CR	365 (a)	8,510	SnO ₂
Sn 118	24.07	94.91	EC	532 (a)	13,126	SnO ₂
Sn 118	24.07	95.86	FS	715 (a)	11,804	SnO ₂
Sn 118	24.07	*	FS	715 (b)	4,970	SnO ₂
Sn 119	8.63	77.1	AY	179 (a)	93	SnO ₂
Sn 119	8.63	77.1	AY	179 (as)	48	Sn
Sn 119	8.63	64.4	BC	201 (a)	382	SnO ₂
Sn 119	8.63	78.5	BI	233 (a)	166	SnO ₂
Sn 119	8.63	78.25	CR	366 (a)	5,024	SnO ₂
Sn 119	8.63	79.82	EC	533 (a)	18,057	SnO ₂
Sn 119	8.63	*	FS	716 (a)	4,400	SnO ₂
Sn 119	8.63	*	FS	716 (b)	1,730	SnO ₂
Sn 120	32.53	93.5	AL	119 (a)	420	SnO ₂
Sn 120	32.53	95.4	AY	180 (a)	1,588	SnO ₂
Sn 120	32.53	95.4	AY	180 (as)	464	Sn
Sn 120	32.53	72.6	BC	202 (a)	3,155	SnO ₂
Sn 120	32.53	53.6	BI	234 (a)	1,760	SnO ₂
Sn 120	32.53	97.01	CR	367 (a)	18,120	SnO ₂
Sn 120	32.53	98.14	EC	534 (a)	17,976	SnO ₂
Sn 120	32.53	98.21	FS	717 (a)	16,592	SnO ₂

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Tin (Cont'd)						
Sn 120	32.53	*	FS	717 (b)	6,177	SnO ₂
Sn 122	4.68	45.8	BI	235 (a)	13	SnO ₂
Sn 122	4.68	83.66	CR	368 (a)	2,545	SnO ₂
Sn 122	4.68	88.92	EC	535 (a)	2,235	SnO ₂
Sn 122	4.68	88.92	EC	535 (au)	241	Sn
Sn 122	4.68	84.62	FS	718 (a)	497	SnO ₂
Sn 122	4.68	*	FS	718 (b)	955	SnO ₂
Sn 124	5.89	71.0	BI	236 (ar)	125	SnO ₂
Sn 124	5.89	83.1	CR	369 (au)	49	Sn
Sn 124	5.89	95.04	EC	536 (a)	40	SnO ₂
Sn 124	5.89	95.04	EC	536 (as)	958	Sn
Sn 124	5.89	90.26	FS	719 (a)	526	SnO ₂
Sn 124	5.89	*	FS	719 (b)	900	SnO ₂
Antimony						
Sb 121	57.25	99.4	AE	93 (a)	0	
Sb 121	57.25	99.4	AE	93 (ar)	355	Sb
Sb 121	57.25	97.7	BT	274 (a)	50	Sb
Sb 123	42.75	96.7	AE	94 (a)	0	
Sb 123	42.75	96.7	AE	94 (ar)	372	Sb
Sb 123	42.75	95.6	BT	275 (a)	377	Sb

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Tellurium						
Te 120	0.094	22.3	DX	505 (a)	0	
Te 120	0.094	19.90	FE	640 (a)	0	
Te 122	2.46	77.8	AU	154 (a)	19	Te
Te 122	2.46	86.24	DX	506 (a)	140	Te
Te 122	2.46	81.72	FE	641 (a)	240	Te
Te 123	0.86	34.9	AU	155 (a)	7	Te
Te 123	0.86	60.91	DX	507 (a)	67	Te
Te 123	0.86	48.58	FE	642 (a)	114	Te
Te 124	4.67	72.5	AU	156 (a)	56	Te
Te 124	4.67	83.9	CA	295 (a)	198	Te
Te 124	4.67	21.8	CA	295 (b)	225	Te
Te 124	4.67	76.47	DX	508 (a)	555	Te
Te 124	4.67	81.34	FE	643 (a)	650	Te
Te 125	6.97	81.1	AU	157 (a)	38	Te
Te 125	6.97	87.9	CA	296 (ar)	2,130	Te
Te 125	6.97	40.5	CA	296 (b)	264	Te
Te 125	6.97	80.53	FE	644 (a)	1,262	Te
Te 126	18.69	93.2	AU	158 (a)	1,496	Te
Te 126	18.69	95.4	CA	297 (a)	1,547	Te
Te 126	18.69	95.4	CA	297 (ar)	943	Te
Te 126	18.69	79.0	CA	297 (b)	914	Te
Te 126	18.69	89.68	DX	510 (b)	4,411	Te
Te 126	18.69	93.46	FE	645 (a)	3,261	Te

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Tellurium						
Te 128	31.81	93.5	AU	159 (a)	1,156	Te
Te 128	31.81	94.4	CA	298 (a)	8,795	Te
Te 128	31.81	94.4	CA	298 (ar)	714	Te
Te 128	31.81	91.8	CA	298 (b)	1,594	Te
Te 128	31.81	94.0	CA	298 (c)	111	Te
Te 128	31.81	82.32	DX	511 (a)	5,760	Te
Te 128	31.81	96.47	FE	646 (a)	4,881	Te
Te 130	34.44	93.0	AU	160 (a)	630	Te
Te 130	34.44	97.4	CA	299 (a)	7,605	Te
Te 130	34.44	93.5	CA	299 (br)	950	Te
Te 130	34.44	78.23	DX	512 (a)	4,936	Te
Te 130	34.44	97.78	FE	647 (a)	4,412	Te
Barium						
Ba 130	0.103	27.50	FT	720 (a)	0	
Ba 130	0.103	23.31	FU	727 (a)	85	BaCO ₃
Ba 132	0.096	6.69	FT	721 (a)	792	BaCO ₃
Ba 132	0.096	12.01	FU	728 (a)	275	BaCO ₃
Ba 134	2.39	51.39	DG	431 (a)	0	
Ba 134	2.39	15.41	FT	722 (a)	4,995	BaCO ₃
Ba 134	2.39	50.82	FU	729 (a)	1,969	BaCO ₃
Ba 135	6.55	67.32	DG	432 (a)	350	BaCO ₃

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES						
Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Barium						
Ba 135	6.55	58.22	FU	730 (a)	5,314	BaCO ₃
Ba 136	7.79	50.02	DG	433 (a)	0	
Ba 136	7.79	39.22	FT	724 (a)	5,200	BaCO ₃
Ba 136	7.79	48.72	FU	731 (a)	7,752	BaCO ₃
Ba 137	11.25	38.98	DG	434 (a)	1,116	BaCO ₃
Ba 137	11.25	43.56	FU	732 (a)	9,660	BaCO ₃
Ba 138	71.83	98.04	DG	435 (a)	380	BaCO ₃
Ba 138	71.83	96.73	FT	726 (a)	37,220	BaCO ₃
Ba 138	71.83	97.41	FU	733 (a)	34,830	BaCO ₃
Lanthanum						
La 138	0.087	0.597	EF	544 (a)	850	La ₂ O ₃
La 139	99.913	99.96	EF	545 (a)	16,641	La ₂ O ₃
Cerium						
Ce 136	0.195	29.97	FR	706 (a)	249	CeO ₂
Ce 138	0.265	4.42	DW	502 (a)	290	CeO ₂
Ce 138	0.265	10.22	FK	676 (a)	195	CeO ₂
Ce 138	0.265	13.10	FR	707 (a)	657	CeO ₂
Ce 140	88.44	98.5	CW	389 (a)	3,786	CeO ₂
Ce 140	88.44	98.7	DD	417 (a)	8,397	CeO ₂
Ce 140	88.44	99.55	FK	677 (a)	6,263	CeO ₂

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Cerium (Cont'd)						
Ce 140	88.44	99.65	FR	708 (a)	22,478	CeO ₂
Ce 142	11.10	87.4	DD	418 (ab)	29	CeO ₂
Ce 142	11.10	84.42	DW	504 (a)	1,330	CeO ₂
Ce 142	11.10	88.84	FK	678 (a)	926	CeO ₂
Ce 142	11.10	90.08	FR	709 (a)	5,863	CeO ₂
Neodymium						
Nd 142	26.83	93.00	EQ	587 (a)	70	Nd ₂ O ₃
Nd 142	26.83	*	FX	738 (a)	498	Nd ₂ O ₃
Nd 142	26.83	*	FX	738 (b)	1,280	Nd ₂ O ₃
Nd 143	12.10	83.93	EQ	588 (a)	102	Nd ₂ O ₃
Nd 143	12.10	*	FX	739 (a)	290	Nd ₂ O ₃
Nd 143	12.10	*	FX	739 (b)	478	Nd ₂ O ₃
Nd 144	23.95	93.45	EQ	589 (a)	91	Nd ₂ O ₃
Nd 144	23.95	*	FX	740 (a)	348	Nd ₂ O ₃
Nd 144	23.95	*	FX	740 (b)	913	Nd ₂ O ₃
Nd 145	8.36	78.60	EQ	590 (a)	187	Nd ₂ O ₃
Nd 145	8.36	78.60	EQ	590 (ar)	87	Nd ₂ O ₃
Nd 145	8.36	*	FX	741 (a)	432	Nd ₂ O ₃
Nd 146	17.29	95.60	EQ	591 (a)	21	Nd ₂ O ₃
Nd 146	17.29	**	FX	742 (a)		
Nd 148	5.80	89.85	EQ	592 (a)	0	

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Neodymium (Cont'd)						
Nd 148	5.80	89.85	EQ	592 (ar)	69	Nd ₂ O ₃
Nd 148	5.80	**	FX	743 (a)		
Nd 150	5.67	94.76	EQ	593 (a)	0	
Nd 150	5.67	94.76	EQ	593 (ar)	155	Nd ₂ O ₃
Nd 150	5.67	**	FX	744 (a)		
Samarium						
Sm 144	3.13	72.13	EM	567 (a)	0	
Sm 144	3.13	58.93	FH	660 (a)	14	Sm ₂ O ₃
Sm 147	15.12	78.35	FH	661 (a)	496	Sm ₂ O ₃
Sm 147	15.12	81.63	EM	569 (a)	14	Sm ₂ O ₃
Sm 148	11.29	76.01	EM	570 (a)	178	Sm ₂ O ₃
Sm 148	11.29	62.40	FH	662 (a)	649	Sm ₂ O ₃
Sm 149	13.87	71.53	EM	571 (a)	34	Sm ₂ O ₃
Sm 149	13.87	73.01	FH	663 (a)	423	Sm ₂ O ₃
Sm 150	7.38	74.09	EM	572 (a)	48	Sm ₂ O ₃
Sm 150	7.38	68.04	FH	664 (a)	907	Sm ₂ O ₃
Sm 152	26.59	89.90	EM	573 (a)	3,261	Sm ₂ O ₃
Sm 152	26.59	93.92	FH	665 (a)	138	Sm ₂ O ₃
Sm 154	22.62	92.10	EM	574 (a)	2,528	Sm ₂ O ₃
Sm 154	22.62	96.05	FH	666 (a)	430	Sm ₂ O ₃

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Hafnium						
Hf 174	0.17	7.85	ET	602 (a)	12	HfO ₂
Hf 176	5.22	48.46	ET	603 (a)	67	HfO ₂
Hf 177	18.53	61.71	ET	604 (a)	0	
Hf 178	27.25	80.91	ET	605 (a)	0	
Hf 179	13.67	46.57	ET	606 (a)	0	
Hf 180	35.16	93.96	ET	607 (a)	0	
Tungsten						
W 180	0.16	9.00	BG	220 (a)	0	
W 180	0.16	4.95	CL	340 (a)	41	WO ₃
W 180	0.16	4.95	CL	340 (ar)	54	WO ₃
W 180	0.16	6.95	EL	561 (a)	175	WO ₃
W 182	26.21	94.25	BG	221 (a)	46	WO ₃
W 182	26.21	91.58	CL	341 (a)	1,639	WO ₃
W 182	26.21	92.33	EL	562 (a)	10,990	WO ₃
W 183	14.33	86.21	BG	222 (a)	217	WO ₃
W 183	14.33	82.01	CL	342 (a)	745	WO ₃
W 183	14.33	82.63	EL	563 (a)	5,664	WO ₃
W 184	30.61	95.72	BG	223 (a)	390	WO ₃
W 184	30.61	91.14	CL	343 (a)	106	WO ₃
W 184	30.61	91.14	CL	343 (ar)	2,579	WO ₃
W 184	30.61	95.06	EL	564 (a)	10,974	WO ₃

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Tungsten (Cont'd)						
W 186	28.69	97.94	BG	224 (a)	92	WO ₃
W 186	28.69	97.17	CL	344 (a)	616	WO ₃
W 186	28.69	97.17	CL	344 (ar)	372	WO ₃
W 186	28.69	97.54	EL	565 (a)	10,367	WO ₃
Rhenium						
Re 185	37.31	85.38	CP	356 (a)	2,241	Re
Re 187	62.69	98.22	CP	357 (a)	245	Re
Mercury						
Hg 196	0.16	8.44	DR	485 (a)	0	***
Hg 196	0.16	1.46	DR	485 (c)	347	Hg(NO ₃) ₂
Hg 198	10.02	79.11	DR	486 (a)	78	Hg(NO ₃) ₂
Hg 198	10.02	66.11	DR	486 (b)	375	Hg(NO ₃) ₂
Hg 198	10.02	53.37	DR	486 (c)	853	Hg(NO ₃) ₂
Hg 198	10.02	54.35	DR	486 (d)	2,930	Hg(NO ₃) ₂
Hg 199	16.90	73.09	DR	487 (a)	45	Hg(NO ₃) ₂
Hg 199	16.90	72.1	DR	487 (b)	28	Hg(NO ₃) ₂
Hg 199	16.90	65.45	DR	487 (d)	43	Hg(NO ₃) ₂
Hg 199	16.90	62.51	DR	487 (e)	0	
Hg 200	23.10	91.39	DR	488 (a)	97	Hg(NO ₃) ₂
Hg 200	23.10	86.45	DR	488 (b)	119	Hg(NO ₃) ₂

* - Analysis Incomplete

** - Refinement Incomplete

***- Hg(NO₃)₂ is in Aqueous Solution

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Mercury (Cont'd)						

Hg 200	23.10	80.85	DR	488 (c)	749	Hg(NO ₃) ₂
Hg 200	23.10	74.90	DR	488 (d)	3,478	Hg(NO ₃) ₂
Hg 200	23.10	64.66	DR	488 (e)	1,420	Hg(NO ₃) ₂
Hg 200	23.10	76.28	DR	488 (f)	489	Hg(NO ₃) ₂
Hg 201	13.20	71.8	DR	489 (a)	26	Hg(NO ₃) ₂
Hg 201	13.20	62.48	DR	489 (b)	90	Hg(NO ₃) ₂
Hg 202	29.76	98.3	DR	490 (a)	36	Hg(NO ₃) ₂
Hg 202	29.76	98.06	DR	490 (b)	20	Hg(NO ₃) ₂
Hg 202	29.76	97.33	DR	490 (c)	55	Hg(NO ₃) ₂
Hg 202	29.76	96.45	DR	490 (d)	122	Hg(NO ₃) ₂
Hg 202	29.76	95.13	DR	490 (e)	329	Hg(NO ₃) ₂
Hg 202	29.76	91.46	DR	490 (f)	25	Hg(NO ₃) ₂
Hg 202	29.76	91.46	DR	490 (fs)	120	Hg
Hg 202	29.76	87.87	DR	490 (g)	354	Hg(NO ₃) ₂
Hg 202	29.76	80.27	DR	490 (h)	4,334	Hg(NO ₃) ₂
Hg 202	29.76	75.75	DR	490 (i)	825	Hg(NO ₃) ₂
Hg 204	6.86	89.17	DR	491 (a)	0	
Hg 204	6.86	77.61	DR	491 (b)	189	Hg(NO ₃) ₂
Hg 204	6.86	62.78	DR	491 (d)	129	Hg(NO ₃) ₂
Hg 204	6.86	49.66	DR	491 (e)	344	Hg(NO ₃) ₂
Hg 204	6.86	49.66	DR	491 (es)	147	Hg
Hg 204	6.86	42.91	DR	491 (f)	662	Hg(NO ₃) ₂

* - Analysis Incomplete

** - Refinement Incomplete

*** - Hg(NO₃)₂ is in Aqueous Solution

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Mercury (Cont'd)						

Hg 204	6.86	30.07	DR	491 (g)	363	Hg(NO ₃) ₂
Hg 204	6.86	72.34	DR	491 (h)	93	Hg(NO ₃) ₂
Hg 204	6.86	72.34	DR	491 (hs)	143	Hg
Thallium						
Tl 203	29.51	75.6	BV-3	278 (a)	119	Tl ₂ O ₃
Tl 203	29.51	47.9	BY-3	286 (a)	320	Tl ₂ O ₃
Tl 203	29.51	58.8	CC-3	307 (a)	404	Tl ₂ O ₃
Tl 203	29.51	86.0	CF-3	322 (a)	416	Tl ₂ O ₃
Tl 203	29.51	34.1	CG-3	324 (a)	83	Tl ₂ O ₃
Tl 205	70.49	89.5	BR-3	267 (a)	1,261	Tl ₂ O ₃
Tl 205	70.49	95.2	BV-3	279 (a)	919	Tl ₂ O ₃
Tl 205	70.49	98.7	BX	285 (a)	229	Tl ₂ O ₃
Tl 205	70.49	86.1	CC-3	308 (a)	444	Tl ₂ O ₃
Tl 205	70.49	95.6	CF-3	323 (a)	107	Tl ₂ O ₃
Tl 205	70.49	91.8	CH-3	327 (a)	1,615	Tl ₂ O ₃
Tl 205	70.49	90.5	CJ-3	333 (a)	1,715	Tl ₂ O ₃
Lead						
Pb 204	1.37	7.8	O	43 (a)	87	PbCrO ₄
Pb 204	1.37	16.69	AQ	135 (ar)	38	PbCrO ₄
Pb 204	1.37	23.4	BO	257 (a)	13	PbCrO ₄

* - Analysis Incomplete

** - Refinement Incomplete

*** - Hg(NO₃)₂ is in Aqueous Solution

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Lead (Cont'd)						
Pb 204	1.37	27.0	CN	349 (ar)	355	PbO
Pb 204	1.37	25.70	EO	581 (a)	673	PbO
Pb 204	1.37	5.30	FQ	702 (a)	3,170	PbO
Pb 206	26.26	75.67	O	44 (a)	278	PbCrO ₄
Pb 206	26.26	77.9	AQ	136 (a)	255	PbCrO ₄
Pb 206	26.26	71.3	BO	258 (a)	238	PbCrO ₄
Pb 206	26.26	71.3	BO	258 (ar)	1,018	PbCrO ₄
Pb 206	26.26	81.0	CN	350 (a)	0	
Pb 206	26.26	64.93	EO	582 (a)	3,156	PbO
Pb 206	26.26	35.02	FQ	703 (a)	8,726	PbO
Pb 207	20.82	61.55	O	45 (a)	181	PbCrO ₄
Pb 207	20.82	48.2	AQ	137 (a)	553	PbCrO ₄
Pb 207	20.82	48.2	AQ	137 (ar)	512	PbCrO ₄
Pb 207	20.82	66.8	BO	259 (a)	998	PbCrO ₄
Pb 207	20.82	66.8	BO	259 (ar)	529	PbCrO ₄
Pb 207	20.82	61.06	EO	583 (a)	4,609	PbO
Pb 207	20.82	26.81	FQ	704 (a)	8,802	PbO
Pb 208	51.51	92.1	O	46 (a)	33	PbCrO ₄
Pb 208	51.51	92.1	O	46 (ar)	160	PbCrO ₄
Pb 208	51.51	82.10	AQ	138 (a)	846	PbCrO ₄
Pb 208	51.51	96.6	BO	260 (a)	234	PbO
Pb 208	51.51	95.8	CN	352 (ar)	166	PbSO ₄

* - Analysis Incomplete

** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent)		Series	Sample	AVAILABLE FOR SHIPMENT	
	Natural	Enriched			Element Weight (milligrams)	Product Form
Lead (Cont'd)						
Pb 208	51.51	87.97	EO	584 (a)	4,345	PbO
Pb 208	51.51	75.41	FQ	705 (a)	9,090	PbO

* - Analysis Incomplete
** - Refinement Incomplete