3018

AT(11-1)
1811

RECEIVED BY TIC SEP 25 1972

AEC Report No.

COO-1811-3

Title

Measurement of the Lamb-Shift
In a Hydrogen-Like Atom of Nuclear
Charge $Z \geq 3$.

Final Report

Personal Author

C. Y. Fan

Contractor's Name
and Address

University of Arizona
Tucson, Arizona

AEC Sponsorship and
AEC Contract Number

Prepared for the U.S. Atomic Energy
Commission under Contract No.
AT(11-1)-1811

NOTICE

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Atomic Energy Commission, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights.

There is no objection from the patent standpoint to the publication or dissemination of this document.

California Patent Office USAEC

By

[Signature]
Sept 20 1972

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

[Signature]

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

Under the AEC contract AT(11-1)-1811, apparatus was constructed at the University of Arizona to measure the Lamb-shift in a hydrogen-like atom of nuclear charge $Z \geq 3$. It was hoped that the knowledge of the shift, when compared with theoretical results, may uncover some fundamental defect in quantum electrodynamics.

The experiments were performed with the tandem accelerator at the Los Alamos Scientific Laboratory. Dr. George Lawrence of the laboratory and Professor Stanley Bashkin of the University of Arizona were invited to join me as co-experimenters.

The ion species chosen for the study was $^{16}\text{O}^{7+}$. This choice was made by considering the following four factors:

- (1) An oxygen beam of a reasonable intensity was readily available from the tandem accelerator.
- (2) The nuclear charge of ^{16}O is sufficiently large that, in the (αZ) -power series expansion of the perturbation calculation of the Lamb-shift, the contribution of higher order terms becomes significantly important.
- (3) The nuclear charge, on the other hand, is not too large to make the correction for the destruction of the $2S_{1/2}$ -state atoms by two-photon decay, which is proportional to Z^6 , an important factor.
- (4) The atomic energy levels of $^{16}\text{O}^{7+}$ do not have hyperfine structure because of its zero nuclear spin.

Also for these reasons, we did not make attempts to extend the measurement of the shift in other species after the completion of the experiments reported here.

Some 10-20 nA of momentum-analyzed ions of $^{16}\text{O}^{8+}$ generated by the tandem accelerator was brought into the Lamb-shift apparatus, (shown in Figure 1 of the reprint enclosed). Some of the ions were converted to $^{16}\text{O}^{7+}$ in the $2\text{S}_{1/2}$ -state on passage through 10 cm oxygen gas. The decay of the $2\text{S}_{1/2}$ -state atoms in a homogeneous magnetic field was then measured. From the measured decay constant, the Lamb-shift was calculated.

Alltogether, eight complete runs were made, at two different energies (36 and 42 MeV) in two different magnetic fields of two different polarities. [The averaged Lamb-shift calculated from the measured decay constants is 2215.6 ± 7.5 GHz.] Compared with Erickson's QED calculation, 2205.17 ± 1.51 GHz, it appears that there is a small discrepancy. However, since neither the experimental nor the theoretical results are final, the discrepancy may soon disappear.

The experimental uncertainty came mainly from the statistical fluctuation in the data points and in the background counts. In our experiments, we required about 50 data points to complete one run. With a normal 10 nA analyzed beam current, it usually took us about 10 hours of machine time to obtain one complete set of points with a statistical accuracy of each point better than 0.5%. That was the amount of machine time we were able to get in two to three shifts.

The preliminary results were reported in the APS 1972 June meeting in Albuquerque and published in the Physical Review Letters. Presently, we are calibrating the dial indicator for the distance measurement and making refined calculation of the trajectories of the ion beam in the magnetic fields. As soon as these tasks are completed, the final results will be written up for publication.

The contract period began on June 1, 1968 and will end, after one year no-fund extension, on August 31, 1972. The total support received was \$82,532. (Six copies of reprints are enclosed.)