MAR 17 1957

MASTER

IS-1523

RELEASED FOR ANNOUNCEMENT
IN NUCLEAR SCIENCE ABSTRACTS

IOWA STATE UNIVERSITY

SURVEY OF ENVIRONMENTAL
RADIOACTIVITY

by

Milo D Voss

AMES LABORATORY

RESEARCH AND
DEVELOPMENT
REPORT

U.S.A.E.C.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

CFSTI PRICES

H.Q. \$ 3.00; MN .65

IS-1523

Health and Safety (UC-41)
TID-4500, September 1, 1966

UNITED STATES ATOMIC ENERGY COMMISSION

Research and Development Report

SURVEY OF ENVIRONMENTAL
RADIOACTIVITY

by

Milo D. Voss

LEGAL NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights, or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

RELEASED FOR ANNOUNCEMENT
IN NUCLEAR SCIENCE ABSTRACTS

January, 1967

Ames Laboratory

at

Iowa State University of Science and Technology

F. H. Spedding, Director

Contract W-7405 eng-82

IS-1523

This report is distributed according to the category Health and Safety (UC-41) as listed in TID-4500, September 1, 1966.

LEGAL NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

- A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or
- B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

Printed in the United States of America
Available from
Clearinghouse for Federal Scientific and Technical Information
National Bureau of Standards, U. S. Department of Commerce
Springfield, Virginia 22151
Price: Printed Copy \$3.00; Microfiche \$0.65

IS-1523

TABLE OF CONTENTS

	Page
I. SUMMARY	1
II. SAMPLE INFORMATION	2
A. Air Samples	2
B. Soil Samples	3
C. Vegetation	3
D. River Water Samples	4
E. ALRR Outfall (Site No. 2-DD-D)	5
F. Bottom Sediment	6
G. Precipitation Samples	6
H. Well Water Samples	7
I. Pond Water Samples	7
J. Detection Limits	7
III. ENVIRONMENTAL RADIOACTIVITY DATA	8
A. Air	9
B. Soil	10
C. Vegetation	11
D. River Water	12
E. ALRR Outfall (Site No. 2-DD-D)	25
F. Bottom Sediment	26
G. Precipitation	29
H. Well Water	30
I. Pond Water	34
IV. MAPS	37

IS-1523

Previous research reports in this series are:

TID-20369

IS-1098

IS-1320

IS-1523

SURVEY OF ENVIRONMENTAL RADIOACTIVITY

Milo D. Voss[†]

I. SUMMARY

This is the environmental monitoring program of the Ames Laboratory of the USAEC for the Ames Laboratory Research Reactor (ALRR).

The environmental program consists of gross alpha and beta determinations of air, soil, vegetation, river water, ALRR outfall, bottom sediment, precipitation, well water, and pond samples.

The ALRR reached full power as of 7/12/65. As of 12/31/65 the ALRR had generated 899.6310 megawatts of heat. A total of 11,027.1761 megawatts of heat was generated in 1966.

The data indicate that the ALRR has not contributed a significant amount of radioactivity to the environment in the Ames area. The conclusion is reached that radioactivity levels recorded for environmental samples represent background conditions from atmospheric fallout and naturally occurring radioactivity.

The following average levels of radioactivity were recorded for 1966:

Sample Media	Individual Samples	Beta Activity	Alpha Activity
Air	274	$0.15 \mu\mu\text{c}/\text{M}^3$	$0.0025 \mu\mu\text{c}/\text{M}^3$
Soil	25	$15.01 \mu\mu\text{c}/\text{g}$	$0.68 \mu\mu\text{c}/\text{g}$
Vegetation	13	$34.00 \mu\mu\text{c}/\text{g}$	$0.13 \mu\mu\text{c}/\text{g}$
River Water	305	$16.03 \mu\mu\text{c}/\text{l}$	$1.02 \mu\mu\text{c}/\text{l}$
ALRR Outfall (Site No. 2-DD-D)	247	$12.25 \mu\mu\text{c}/\text{l}$	$0.061 \mu\mu\text{c}/\text{l}$
Bottom Sediment	52	$13.75 \mu\mu\text{c}/\text{g}$	$0.85 \mu\mu\text{c}/\text{g}$
Precipitation	38	$217.15 \mu\mu\text{c}/\text{l}$	$9.21 \mu\mu\text{c}/\text{l}$
Well Water	36	$6.93 \mu\mu\text{c}/\text{l}$	$1.14 \mu\mu\text{c}/\text{l}$
Pond Water	33	$16.30 \mu\mu\text{c}/\text{l}$	$0.86 \mu\mu\text{c}/\text{l}$

II. SAMPLE INFORMATION

A. Air Samples

Daily air samples are taken at a location on top of the Ames Laboratory Research Building. Samples are collected on Whatman #41 filter paper with a Gast pump at the flow rate of 3.75 cfm. The filter samples are held for seven days to allow short-lived activities to decay. The samples are then placed directly in a Sharp Low Beta-Matic three-inch system and counted for gross alpha and beta activity.

Beta Activity Range ($\mu\mu\text{c}/\text{M}^3$)

	<u>1962</u>	<u>1963</u>	<u>1964</u>	<u>1965</u>	<u>1966</u>
Average	3.40	3.86	1.26	0.30	0.15
High	22.40	13.50	5.95	1.50	2.34
Low	0.50	0.21	0.05	0.01	0.01

Alpha Activity Range ($\mu\mu\text{c}/\text{M}^3$)

	<u>1962</u>	<u>1963</u>	<u>1964</u>	<u>1965</u>	<u>1966</u>
Average	0.05	0.11	0.0139	0.0068	0.0025
High	0.40	0.73	0.1135	0.0760	0.030
Low	0.01	0.10	0.0004	0.00012	0.001

B. Soil Samples

Soil samples are collected once each year. Circles surrounding the ALRR site were divided into quadrants on the basis of wind frequencies. The annuli were chosen on the basis of simplicity for defining sampling area. One sample was taken in each sector of each annulus (see maps #1 and #2). Reference samples were collected at Fort Dodge, Iowa. The number-letter designations on the data sheets are our Codes for sample locations. One-quart samples are collected from the 0-2 inches of top soil. The samples are dried thoroughly in a 100°C drying oven, mixed thoroughly, with large stones and roots being removed. A 3-4 gram counting sample is made from the dried soil, placed in a 3-inch aluminum planchet, and counted directly in the Sharp System for gross alpha and beta activity.

Beta Activity Range ($\mu\text{uc/g}$)

	<u>1962</u>	<u>1963</u>	<u>1964</u>	<u>1965</u>	<u>1966</u>
Average	7.57	9.45	19.97	14.45	15.01
High	9.40	14.00	32.00	20.50	35.30
Low	5.20	7.80	13.00	3.26	11.00

Alpha Activity Range ($\mu\text{uc/g}$)

	<u>1962</u>	<u>1963</u>	<u>1964</u>	<u>1965</u>	<u>1966</u>
Average	0.26	0.56	0.94	0.86	0.68
High	0.60	1.08	1.31	1.20	1.20
Low	0.11	0.19	0.53	0.56	0.22

C. Vegetation

Vegetation samples are collected once each year. Samples are obtained from the same location as soil samples. Date of collection is correlated to maximum growth period which is July to August for this

area. Samples are not collected directly after precipitation of any kind to minimize surface contamination. The type of vegetation is confined to grasses and none of the root system is included in the sample.

Samples are dried, ground to a fine powder, and made into 3-4 gram counting samples on 3-inch aluminum planchets. Samples are counted for gross alpha and beta activity in the Sharp System.

Beta Activity Range ($\mu\text{c/g}$)

	<u>1962</u>	<u>1963</u>	<u>1964</u>	<u>1965</u>	<u>1966</u>
Average	117.30	87.50	73.26	32.49	34.00
High	181.00	186.00	125.00	43.00	90.00
Low	10.80	10.50	51.00	26.00	20.00

Alpha Activity Range ($\mu\text{c/g}$)

	<u>1962</u>	<u>1963</u>	<u>1964</u>	<u>1965</u>	<u>1966</u>
Average	1.62	0.96	1.27	0.38	0.13
High	4.00	4.10	3.24	1.06	0.77
Low	0.11	0.15	0.35	0.07	0.27

D. River Water Samples

River water samples are collected weekly and analyzed for gross alpha and beta activity. One liter samples are filtered and counted separately as soluble and insoluble fractions. Samples are obtained from each river or creek in the flow route of the ALRR drainage system. In addition, two samples are obtained from streams outside the ALRR flow route. These constitute control samples and are numbers nine and ten in the data. Samples are obtained at each site until the creeks go dry in late summer and until the rivers are frozen solid in winter. If water is flowing under ice, a sample is obtained by chopping

through the filter. The insoluble portion of the sample is prepared by igniting the filter paper directly on a planchet. The soluble portion is evaporated to near dryness and transferred to a planchet. The planchets are placed directly in the Sharp System for counting.

Beta Activity Range ($\mu\text{uc}/\text{l}$)

	<u>1962</u>	<u>1963</u>	<u>1964</u>	<u>1965</u>	<u>1966</u>
Average	18.09	55.94	18.26	18.12	16.03
High	118.00	2270.00	273.00	51.97	76.58
Low	4.50	0.80	0.39	4.68	7.07

Alpha Activity Range ($\mu\text{uc}/\text{l}$)

	<u>1962</u>	<u>1963</u>	<u>1964</u>	<u>1965</u>	<u>1966</u>
Average	1.01	2.09	0.893	0.83	1.02
High	9.60	108.00	3.80	1.93	2.06
Low	0.25	0.06	0.046	0.33	0.57

E. ALRR Outfall (Site No. 2-DD-D)

Site No. 2-DD-D in the river water sampling system is now being written up separately as most of the water comes directly from the ALRR.

One liter samples are collected daily from this site and analyzed for gross beta and alpha content. The samples are filtered and counted as soluble and insoluble fractions.

	Beta Activity $\mu\text{uc}/\text{l}$		Alpha Activity $\mu\text{uc}/\text{l}$	
	Soluble	Insoluble	Soluble	Insoluble
Average	11.28	0.97	0.35	0.26
High	20.07	3.19	1.15	0.48
Low	5.27	0.35	0.12	0.06

F. Bottom Sediment

Bottom sediment samples are obtained at or near the river water sites on a quarterly basis. Samples are analyzed for gross alpha and beta activity. A one-quart sample is obtained from the top 2-3 inches of bottom sediment in a semiquiescent area. The sample is mixed thoroughly and a 3-4 gram counting sample is prepared. The counting samples are dried thoroughly in an oven and then counted directly in the Sharp System.

Beta Activity Range ($\mu\mu\text{c/g}$)

	<u>1962</u>	<u>1963</u>	<u>1964</u>	<u>1965</u>	<u>1966</u>
Average	9.88	10.65	11.13	14.64	13.75
High	22.70	51.00	54.00	34.00	31.70
Low	0.60	3.90	4.50	7.00	5.50

Alpha Activity Range ($\mu\mu\text{c/g}$)

	<u>1962</u>	<u>1963</u>	<u>1964</u>	<u>1965</u>	<u>1966</u>
Average	0.25	0.61	0.47	0.89	0.85
High	0.94	8.00	3.10	6.70	2.74
Low	0.09	0.01	0.096	0.08	0.06

G. Precipitation Samples

Precipitation samples are collected on an "as it happens basis" and analyzed for gross alpha and beta activity. The sampling site is the weather observation tower near the ALRR. The samples are filtered and prepared in the same manner as the river water samples.

Beta Activity Range ($\mu\mu\text{c/l}$)

	<u>1962</u>	<u>1963</u>	<u>1964</u>	<u>1965</u>	<u>1966</u>
Average	2018.17	1360.00	366.23	714.94	217.15
High	4288.00	7000.00	2520.00	19500.00	3240.00
Low	922.00	20.00	20.00	8.70	4.30

Alpha Activity Range ($\mu\text{uc}/\text{l}$)

	<u>1962</u>	<u>1963</u>	<u>1964</u>	<u>1965</u>	<u>1966</u>
Average	65.90	39.20	12.67	3.95	9.21
High	97.00	234.00	53.00	32.80	55.00
Low	13.50	0.28	3.50	0.17	0.15

H. Well Water Samples

Well water samples are obtained monthly from City of Ames wells, Iowa State University (ISU) campus wells, and from a personal farm well at a location two miles north of the ALRR. The sample size is one liter and is filtered and prepared for counting in the same manner as the river water samples.

Beta Activity Range ($\mu\text{uc}/\text{l}$)

	<u>1962</u>	<u>1963</u>	<u>1964</u>	<u>1965</u>	<u>1966</u>
Average	4.01	4.78	6.83	6.80	6.93
High	6.78	16.40	12.90	22.80	13.00
Low	2.75	1.18	2.60	2.04	2.30

Alpha Activity Range ($\mu\text{uc}/\text{l}$)

	<u>1962</u>	<u>1963</u>	<u>1964</u>	<u>1965</u>	<u>1966</u>
Average	0.31	1.04	1.42	1.08	1.14
High	0.90	5.69	20.90	5.20	4.00
Low	0.17	0.10	0.046	0.12	0.18

I. Pond Water

Pond water samples are collected monthly from three sites: the George Todd site three miles northeast of the ALRR; the Izaak Walton League site three miles east of the ALRR; and the Kelly site five miles south of the ALRR. The sample size is one liter and is filtered and counted as soluble and insoluble fractions.

J. Detection Limits

Detection limits are by definition only.

III

ENVIRONMENTAL
RADIOACTIVITY
DATA

Air Samples ($\mu\mu\text{c}/\text{M}^3$)

1966

<u>Date</u>	<u>Beta Conc.</u>	<u>Alpha Conc.</u>
January (25)	0.10	0.003
February (22)	0.09	0.002
March (27)	0.12	0.002
April (24)	0.10	0.003
May (24)	0.19	0.002
June (25)	0.30	0.003
July (22)	0.20	0.003
August (25)	0.09	0.001
September (20)	0.07	0.003
October (20)	0.05	0.002
November (22)	0.38	0.004
December (18)	0.12	0.003
Average	0.15	0.0025
Individual High	2.34	0.030
Individual Low	0.01	0.001

Detection Limit - $0.0066 \mu\mu\text{c}/\text{M}^3 \beta$

$0.0026 \mu\mu\text{c}/\text{M}^3 \alpha$

SOIL SAMPLES

 $\mu\mu\text{c/g}$

Location	Date	Beta Conc.	Alpha Conc.
1S-SE1	8-10-66	18.30	0.41
2S-SW1	"	13.40	0.54
3S-NW1	"	13.30	0.39
4S-NE1	"	11.50	0.45
5S-SE2	"	14.30	0.22
6S-SW2	"	14.40	0.84
7S-NW2	"	12.80	0.39
8S-NE2	"	13.30	0.86
9SV-SE3	"	15.20	0.55
10SV-SW3	"	14.00	1.08
11SV-NW3	"	11.00	0.23
12SV-NE3	"	15.80	0.72
13SV-SE4	"	35.30	1.16
14S-SW4	"	15.50	0.87
15SV-NW4	"	13.00	0.54
16S-NE4	"	14.30	0.37
17SV-NE5	"	12.70	0.88
18S-SW5	"	12.00	0.57
19SV-NW5	"	14.60	0.75
20S-NE5	"	12.20	0.77
21SV-SE6	"	11.10	0.72
22SV-SW6	"	16.00	1.02
23S-NW6	"	16.70	0.76
24SV-NE6	"	16.10	0.78
Ft. Dodge	"	18.50	1.20
Average		15.01	0.68
High		35.30	1.20
Low		11.00	0.22

Detection Limit 0.25 $\mu\mu\text{c/g } \beta$

0.10 $\mu\text{uc/g } \alpha$

VEGETATION SAMPLES

 $\mu\text{uc/g}$

Location	Date	Beta Conc.	Alpha Conc.
3SV-NW1	8-10-66	33.00	Not Detectable
9SV-SE3	"	33.00	Not Detectable
10SV-SW3	"	31.00	Not Detectable
11SV-NW3	"	24.00	Not Detectable
12SV-NE3	"	27.00	Not Detectable
13SV-SE4	"	33.00	0.27
15SV-NW4	"	20.00	Not Detectable
17SV-NE5	"	90.00	Not Detectable
19SV-NW5	"	28.00	0.77
21SV-SE6	"	23.00	0.30
22SV-SW6	"	21.00	0.41
24SV-	"	33.00	Not Detectable
Ft. Dodge	"	46.00	Not Detectable
Average		34.00	0.13
High		90.00	0.77
Low		20.00	0.27
Detection Limit	2.07 $\mu\text{uc/g } \beta$		
	0.78 $\mu\text{uc/g } \alpha$		

River Water Samples ($\mu\mu\text{c/l}$)

January 1966

<u>Location</u>	Beta Activity		Alpha Activity	
	<u>Soluble</u>	<u>Insoluble</u>	<u>Soluble</u>	<u>Insoluble</u>
1-DD-U	No Samples	-----	-----	-----
3-On-U	No Samples	-----	-----	-----
4-On-D	No Samples	-----	-----	-----
5-Sq-U	No Samples	-----	-----	-----
6-Sq-D	No Samples	-----	-----	-----
7-Sk-U	No Samples	-----	-----	-----
9-CC	No Samples	-----	-----	-----
10-DM	No Samples	-----	-----	-----
11-Sk-S	15.11	0.96	0.24	0.33
Average	15.11	0.96	0.24	0.33
High	15.11	0.96	0.24	0.33
Low	15.11	0.96	0.24	0.33
Detection Limit - 1.00 $\mu\mu\text{c/l } \beta$ 0.39 $\mu\mu\text{c/l } \alpha$				

River Water Samples $\mu\mu\text{c/l}$

February 1966

<u>Location</u>	Beta Activity		Alpha Activity	
	<u>Soluble</u>	<u>Insoluble</u>	<u>Soluble</u>	<u>Insoluble</u>
1-DD-U	No Samples	-----		
3-On-U	5.20	Not Detectable	0.34	Not Detectable
4-On-D	No Samples	-----		
5-Sq-U	2.90	Not Detectable	0.45	Not Detectable
6-Sq-D	5.90	Not Detectable	0.68	0.23
7-Sk-U	6.10	Not Detectable	1.20	Not Detectable
9-CC	2.70	Not Detectable	0.45	Not Detectable
10-DM	12.85	0.54	1.95	0.12
11-Sk-S	16.10	0.25	0.30	0.23
Average	7.39	0.11	0.77	0.08
High	16.10	0.54	1.95	0.23
Low	2.70	0.25	0.30	0.12

Detection Limit: $1.00 \mu\mu\text{c/l } \beta$ $0.39 \mu\mu\text{c/l } \alpha$

River Water Samples ($\mu\mu\text{c}/\text{l}$,

March 1966

<u>Location</u>	Beta Activity		Alpha Activity	
	<u>Soluble</u>	<u>Insoluble</u>	<u>Soluble</u>	<u>Insoluble</u>
1-DD-U	6.25	Not Detectable	Not Detectable	0.12
3-On-U	5.96	0.24	0.59	0.09
4-On-D	5.00	Not Detectable	0.45	Not Detectable
5-Sq-U	5.38	0.64	0.54	Not Detectable
6-Sq-D	4.34	0.33	0.18	0.23
7-Sk-U	6.46	0.18	0.45	0.09
9-CC	3.90	0.15	0.58	0.17
10-DM	11.68	0.24	1.13	0.05
11-Sk-S	15.00	0.86	0.41	0.36
Average	7.11	0.29	0.48	0.12
High	15.00	0.86	1.13	0.36
Low	3.90	0.18	0.18	0.05

Detection Limit - $1.00 \mu\mu\text{c}/\beta$ $0.39 \mu\mu\text{c}/1 \alpha$

River Water Samples ($\mu\mu\text{c/l}$)

April 1966

<u>Location</u>	Beta Activity		Alpha Activity	
	<u>Soluble</u>	<u>Insoluble</u>	<u>Soluble</u>	<u>Insoluble</u>
1-DD-U	6.47	1.47	0.44	0.30
3-On-U	5.83	1.04	1.08	0.06
4-On-D	7.20	1.80	0.67	0.34
5-Sq-U	5.28	2.00	0.68	0.11
6-Sq-D	8.48	1.14	0.80	0.28
7-Sk-U	51.93	0.90	1.03	0.17
9-CC	5.10	0.23	0.73	0.06
10-DM	7.20	2.03	0.83	0.06
11-Sk-S	17.07	1.57	0.15	0.38
Average	12.73	1.35	0.71	0.20
High	51.93	2.03	1.08	0.36
Low	5.10	0.23	0.15	0.06

Detection Limit - $1.00 \mu\mu\text{c/l } \beta$ $0.39 \mu\mu\text{c/l } \alpha$

River Water Samples ($\mu\mu\text{c/l}$)

May 1966

<u>Location</u>	<u>Beta Activity</u>		<u>Alpha Activity</u>	
	<u>Soluble</u>	<u>Insoluble</u>	<u>Soluble</u>	<u>Insoluble</u>
1-DD-U	23.74	5.12	0.31	0.32
3-On-U	29.72	128.11	1.46	1.91
4-On-D	3.53	0.57	0.43	0.15
5-Sq-U	47.60	6.12	1.61	0.95
6-Sq-D	59.16	16.52	1.74	1.03
7-Sk-U	10.08	6.15	0.98	0.77
9-CC	67.82	220.57	1.97	2.19
10-DM	18.32	29.72	1.23	0.83
11-SK-S	15.80	0.60	0.15	0.49
Average	30.64	45.94	1.10	0.96
High	67.82	220.57	1.97	2.19
Low	3.53	0.57	0.15	0.15

Detection Limit - $1.00 \mu\mu\text{c/l } \beta$ $0.39 \mu\mu\text{c/l } \alpha$

River Water Samples ($\mu\mu\text{c}/\text{l}$)

June 1966

<u>Location</u>	Beta Activity		Alpha Activity	
	<u>Soluble</u>	<u>Insoluble</u>	<u>Soluble</u>	<u>Insoluble</u>
1-DD-U	6.37	5.70	0.75	0.82
3-On-U	9.90	2.63	0.57	0.51
4-On-D	6.33	1.53	1.20	0.53
5-Sq-U	9.50	2.09	1.08	0.45
6-Sq-D	9.93	1.01	1.25	0.40
7-Sk-U	10.30	2.18	1.18	0.28
9-CC	10.60	1.55	1.21	0.40
10-DM	9.63	4.35	1.70	0.58
11-Sk-S	12.58	0.60	0.50	0.74
Average	9.46	2.40	1.05	0.52
High	12.58	5.70	1.70	0.82
Low	6.37	0.60	0.57	0.28

Detection Limit - $1.00 \mu\mu\text{c}/\text{l} \beta$ $0.39 \mu\mu\text{c}/\text{l} \alpha$

River Water Samples ($\mu\mu\text{c}/\text{l}$)

July 1966

<u>Location</u>	Beta Activity		Alpha Activity	
	<u>Soluble</u>	<u>Insoluble</u>	<u>Soluble</u>	<u>Insoluble</u>
1-DD-U	4.35	3.05	0.09	0.97
3-On-U	4.00	1.44	0.78	0.27
4-On-D	3.10	1.26	0.55	0.61
5-Sq-U	5.90	1.35	0.55	0.23
6-Sq-D	3.56	1.14	0.50	0.46
7-Sk-U	4.48	1.49	0.56	0.41
9-CC	4.20	1.09	0.59	0.41
10-DM	7.68	2.73	1.10	0.78
11-Sk-S	11.63	1.24	0.29	0.27
Average	5.43	1.64	0.55	0.49
High	11.63	3.05	1.10	0.97
Low	3.10	1.09	0.09	0.23

Detection Limit - $1.00 \mu\mu\text{c}/\text{l} \beta$ $0.39 \mu\mu\text{c}/\text{l} \alpha$

River Water Samples ($\mu\mu\text{c/l}$)

August 1966

<u>Location</u>	Beta Activity		Alpha Activity	
	<u>Soluble</u>	<u>Insoluble</u>	<u>Soluble</u>	<u>Insoluble</u>
1-DD-U	No Samples	-----		
3-On-U	7.08	0.99	0.86	0.77
4-On-D	4.63	0.35	0.52	0.55
5-Sq-U	6.70	1.36	0.67	0.70
6-Sq-D	5.44	1.04	0.56	0.54
7-Sk-U	8.10	5.24	0.81	0.52
9-CC	7.56	1.81	0.52	0.44
10-DM	8.36	3.14	1.20	0.77
11-Sk-S	13.00	1.16	0.47	0.57
Average	7.60	1.88	0.70	0.61
High	13.00	5.24	1.20	0.77
Low	4.63	0.35	0.47	0.44

Detection Limit - 1.00 $\mu\mu\text{c/l}\beta$ 0.39 $\mu\mu\text{c/l}\alpha$

River Water Samples ($\mu\mu$ /l)

September 1966

<u>Location</u>	<u>Beta Activity</u>		<u>Alpha Activity</u>	
	<u>Soluble</u>	<u>Insoluble</u>	<u>Soluble</u>	<u>Insoluble</u>
1-DD-U	No Samples	-----	-----	-----
3-On-U	7.00	0.95	0.54	Not Detectable
4-On-D	No Samples	-----	-----	-----
5-Sq-U	No Samples	-----	-----	-----
6-Sq-D	No Samples	-----	-----	-----
7-Sk-U	4.45	0.31	0.45	0.23
9-CC	6.57	0.32	0.49	0.37
10-DM	6.45	2.68	0.41	0.72
11-Sk-S	13.56	0.64	0.68	0.45
Average	7.61	0.98	0.51	0.35
High	13.56	2.68	0.68	0.72
Low	4.45	0.31	0.41	0.23

Detection Limit - $1.00 \mu\mu\text{c/l } \beta$ $0.39 \mu\mu\text{c/l } \alpha$

River Water Samples ($\mu\mu\text{c}/\text{l}$)

October 1966

<u>Location</u>	<u>Beta Activity</u>		<u>Alpha Activity</u>	
	<u>Soluble</u>	<u>Insoluble</u>	<u>Soluble</u>	<u>Insoluble</u>
1-DD-U	No Samples	-----	-----	-----
3-On-U	No Samples	-----	-----	-----
4-On-D	No Samples	-----	-----	-----
5-Sq-U	No Samples	-----	-----	-----
6-Sq-D	No Samples	-----	-----	-----
7-Sk-U	7.80	Not Detectable	Not Detectable	0.09
9-CC	7.62	0.08	0.66	0.34
10-DM	6.42	0.46	0.43	0.47
11-Sk-S	16.52	0.30	0.32	0.38
Average	9.59	0.21	0.35	0.32
High	16.52	0.46	0.66	0.47
Low	6.42	0.08	0.32	0.09
Detection Limit - 1.00 $\mu\mu\text{c}/\text{l}$ β 0.39 $\mu\mu\text{c}/\text{l}$ α				

River Water Samples ($\mu\mu\text{c}/\text{l}$)

November 1966

<u>Location</u>	Beta Activity		Alpha Activity	
	<u>Soluble</u>	<u>Insoluble</u>	<u>Soluble</u>	<u>Insoluble</u>
1-DD-U	No Samples	-----		
3-On-U	No Samples	-----		
4-On-D	No Samples	-----		
5-Sq-U	10.70	5.86	0.55	0.18
6-Sq-D	7.40	7.40	0.90	0.36
7-Sk-U	7.43	1.29	0.54	0.65
9-CC	9.35	0.13	0.76	0.38
10-DM	7.75	3.80	0.81	0.45
11-Sk-S	19.50	0.53	0.45	0.44
Average	10.35	3.17	0.67	0.41
High	19.50	7.40	0.90	0.65
Low	7.40	0.13	0.45	0.18

Detection Limit - $1.00 \mu\mu\text{c}/\text{l} \beta$ $0.39 \mu\mu\text{c}/\text{l} \alpha$

River Water Samples ($\mu\mu\text{c/l}$)

December 1966

<u>Location</u>	Beta Activity		Alpha Activity	
	<u>Soluble</u>	<u>Insoluble</u>	<u>Soluble</u>	<u>Insoluble</u>
1-DD-U	No Samples	-----	-----	-----
3-On-U	No Samples	-----	-----	-----
4-On-D	No Samples	-----	-----	-----
5-Sq-U	4.57	0.76	0.36	0.06
6-Sq-D	No Samples	-----	-----	-----
7-Sk-U	8.03	0.89	0.54	0.43
9-CC	5.53	2.04	0.24	Not Detectable
10-DM	7.53	1.53	0.55	0.06
11-Sk-S	21.00	0.18	0.77	0.37
Average	9.33	1.08	0.49	0.18
High	21.00	2.04	0.77	0.43
Low	4.57	0.18	0.24	0.06

Detection Limit - 1.00 $\mu\mu\text{c/l}$ β 0.39 $\mu\mu\text{c/l}$ α

River Water Samples ($\mu\text{uc}/\text{l}$)

1966 Yearly Averages of Months

	Beta Activity		Alpha Activity	
	<u>Soluble</u>	<u>Insoluble</u>	<u>Soluble</u>	<u>Insoluble</u>
Average	11.03	5.00	0.64	0.38
High	30.64	45.94	1.10	0.96
Low	5.43	0.11	0.24	0.08

Detection Limit - $1.00 \mu\text{uc}/\text{l} \beta$ $0.39 \mu\text{uc}/\text{l} \alpha$

ALRR Outfall Samples (Site No. 2-DD-D)

1966

(uuc/l)

<u>Date</u>	<u>Beta Activity</u>		<u>Alpha Activity</u>	
	<u>Soluble</u>	<u>Insoluble</u>	<u>Soluble</u>	<u>Insoluble</u>
January	8.31	0.62	0.21	0.25
February	6.97	0.35	0.14	0.06
March	8.25	0.64	0.12	0.18
April	15.62	0.93	0.18	0.14
May	20.07	1.18	0.28	0.22
June	19.25	3.19	1.15	0.48
July	5.27	0.61	0.38	0.21
August	9.33	1.06	0.28	0.35
September	8.66	0.59	0.42	0.29
October	9.82	0.50	0.27	0.17
November	12.26	1.03	0.49	0.34
December	11.51	0.88	0.30	0.39
Average	11.28	0.97	0.35	0.26
High	20.07	3.19	1.15	0.48
Low	5.27	0.35	0.12	0.06

Bottom Sediment Samples ($\mu\text{c/g}$)

<u>Location</u>	<u>Date</u>	<u>Beta Concentration</u>	<u>Alpha Concentration</u>
1-DD-U	3-11-66	17.70	0.64
	6-27-66	9.60	0.74
	9-27-66	10.10	0.31
	11-23-66	10.30	0.34
	Average	11.93	0.51
2-DD-D	3-11-66	9.10	0.16
	6-27-66	12.00	0.33
	9-27-66	9.16	Not Detectable
	11-23-66	18.60	1.43
	Average	12.22	0.48
3-On-U	3-11-66	14.50	0.67
	6-27-66	8.60	0.38
	9-27-66	10.40	0.74
	11-23-66	10.10	0.09
	Average	10.90	0.47
4-On-D	3-11-66	8.00	0.23
	6-27-66	6.80	0.52
	9-27-66	7.20	0.06
	11-23-66	5.50	0.26
	Average	6.88	0.27
5-Sq-U	3-11-66	11.00	0.67
	6-27-66	19.00	1.00
	9-27-66	7.60	0.35
	11-23-66	14.90	1.38
	Average		
6-Sq-D	3-11-66	9.80	0.24
	6-27-66	8.20	0.72
	9-27-66	13.70	0.60
	11-23-66	12.20	0.65
	Average	10.98	0.55

Bottom Sediment Samples ($\mu\mu\text{c/g}$)

<u>Location</u>	<u>Date</u>	<u>Beta Concentration</u>	<u>Alpha Concentration</u>
7-Sk-U	3-11-66	11.20	0.91
	6-27-66	14.00	1.80
	9-27-66	7.90	0.28
	11-23-66	8.60	0.25
	Average	10.43	0.81
9-CC	3-11-66	9.10	0.34
	6-27-66	5.50	0.57
	9-27-66	10.00	0.17
	11-23-66	11.40	0.46
	Average	9.00	0.39
10-DM	3-11-66	13.60	Not Detectable
	6-27-66	15.00	2.10
	9-27-66	14.00	0.38
	11-23-66	13.80	1.22
	Average	14.10	0.93
11-Sk-S	3-11-66	11.00	0.73
	6-27-66	12.00	Not Detectable
	9-27-66	19.80	2.74
	11-23-66	15.00	2.10
	Average	14.45	1.39
Todd Pond	3-11-66	31.70	1.67
	6-27-66	24.00	1.60
	9-27-66	21.80	2.07
	11-23-66	26.20	2.66
	Average	25.93	2.00
Izaak Walton League Pond	3-11-66	17.80	0.71
	6-27-66	15.00	0.74
	9-27-66	12.20	0.37
	11-23-66	31.00	2.24
	Average	19.00	1.02

Bottom Sediment Samples ($\mu\mu\text{c/g}$)

<u>Location</u>	<u>Date</u>	<u>Beta Concentration</u>	<u>Alpha Concentration</u>
Kelley Pond	3-11-66	18.30	1.84
	6-27-66	19.00	1.30
	9-27-66	16.20	0.81
	11-23-66	25.80	1.41
	Average	19.83	1.34
Average for 52 Samples (1966)		13.75	0.85
High		31.70	2.74
Low		5.50	0.06
Detection Limit - $0.25 \mu\mu\text{c/g } \beta$			
$0.10 \mu\mu\text{c/g } \alpha$			

Precipitation Samples ($\mu\mu\text{c}/\text{l}$)

<u>Date</u>	<u>Beta Activity</u>		<u>Alpha Activity</u>	
	<u>Soluble</u>	<u>Insoluble</u>	<u>Soluble</u>	<u>Insoluble</u>
January	14.40	10.30	1.20	1.50
February	32.00	48.00	1.80	2.70
March	25.00	38.00	0.46	4.00
April	62.83	28.80	0.54	1.00
May	786.67	406.50	11.73	7.70
June	360.29	128.24	6.57	3.90
July	44.67	16.01	2.98	1.55
August	18.88	7.73	1.37	1.53
September	16.50	14.20	0.96	0.88
October	4.65	0.95	2.73	0.36
November	364.67	150.00	10.00	39.27
December	22.50	18.50	3.95	1.85
Average	144.88	72.27	3.69	5.52
Individual High	1,550.00	1,690.00	30.00	25.00
Individual Low	2.40	0.34	0.15	0.70

Detection Limit - $1.00 \mu\mu\text{c}/\text{l} \beta$ $0.39 \mu\mu\text{c}/\text{l} \alpha$

Well Water Samples ($\mu\mu\text{c}/\text{l}$)

<u>Location</u>	<u>Date</u>	<u>Beta Activity</u>		<u>Alpha Activity</u>	
		<u>Soluble</u>	<u>Insoluble</u>	<u>Soluble</u>	<u>Insoluble</u>
City of Ames	2-07-66	2.30	Not Detectable	0.68	Not Detectable
	3-01-66	5.70	Not Detectable	1.60	1.60
	4-01-66	2.60	1.20	0.68	Not Detectable
	5-02-66	4.20	0.32	0.23	0.16
	5-31-66	3.60	Not Detectable	1.10	0.68
	6-27-66	6.30	2.30	0.90	0.68
	7-29-66	5.50	0.81	1.10	0.09
	9-06-66	4.10	1.60	0.36	Not Detectable
	10-03-66	4.20	Not Detectable	1.50	0.27
	11-07-66	5.40	0.68	1.40	0.18
	12-05-66	5.50	Not Detectable	0.72	0.90
	12-27-66	5.00	1.10	0.36	Not Detectable
	Average	4.53	0.67	0.89	0.38
	High	6.30	2.30	1.60	1.60
	Low	2.30	0.32	0.23	0.09

Detection Limit - $1.00 \mu\mu\text{c}/\text{l} \beta$

$0.39 \mu\mu\text{c}/\text{l} \alpha$

Well Water Samples ($\mu\mu\text{c}/\text{l}$)

<u>Location</u>	<u>Date</u>	Beta Activity		Alpha Activity	
		<u>Soluble</u>	<u>Insoluble</u>	<u>Soluble</u>	<u>Insoluble</u>
Iowa State University	2-07-66	7.10	Not Detectable	0.45	Not Detectable
	3-01-66	8.00	0.14	Not Detectable	Not Detectable
	4-01-66	8.60	Not Detectable	0.90	0.45
	5-02-66	7.00	Not Detectable	0.68	0.23
	5-31-66	5.40	Not Detectable	1.40	0.45
	6-27-66	10.70	2.30	2.70	0.45
	7-29-66	5.90	1.80	1.70	0.27
	9-06-66	6.90	0.27	1.40	Not Detectable
	10-3-66	6.50	Not Detectable	0.81	0.27
	11-07-66	5.80	0.41	0.90	1.30
	12-05-66	5.10	0.27	1.30	Not Detectable
	12-27-66	8.80	Not Detectable	1.10	0.72
	Average	7.15	0.43	1.11	0.35
	High	10.70	2.30	2.70	1.30
	Low	5.10	0.14	0.45	0.23

Detection Limit - $1.00 \mu\mu\text{c}/\text{l}$ - β
 $0.39 \mu\mu\text{c}/\text{l}$ - α

Well Water Samples ($\mu\mu\text{c}/\text{l}$)

<u>Location</u>	<u>Date</u>	<u>Beta Activity</u>		<u>Alpha Activity</u>	
		<u>Soluble</u>	<u>Insoluble</u>	<u>Soluble</u>	<u>Insoluble</u>
Arland Martin Acreage	2-07-66	7.20	Not Detectable	0.68	Not Detectable
	3-01-66	6.90	Not Detectable	Not Detectable	Not Detectable
	4-01-66	10.10	2.10	1.60	Not Detectable
	5-02-66	7.20	1.20	0.45	0.16
	5-31-66	8.00	Not Detectable	0.45	0.23
	6-27-66	8.60	1.50	0.90	Not Detectable
	7-29-66	7.30	Not Detectable	0.45	0.63
	9-06-66	7.00	Not Detectable	0.18	Not Detectable
	10-03-66	6.50	0.41	0.63	Not Detectable
	11-07-66	5.40	1.80	0.90	Not Detectable
	12-05-66	7.70	0.81	0.72	Not Detectable
	12-27-66	6.50	Not Detectable	0.54	Not Detectable
	Average	7.37	0.65	0.63	0.09
	High	10.10	2.10	1.60	0.63
	Low	5.40	0.41	0.18	0.16

Detection Limits - $1.00 \mu\mu\text{c}/\text{l} \beta$ $0.39 \mu\mu\text{c}/\text{l} \alpha$

	Beta Activity		Alpha Activity	
	<u>Soluble</u>	<u>Insoluble</u>	<u>Soluble</u>	<u>Insoluble</u>
Average for 36 Samples	6.36	0.58	0.87	0.27
High for 36 Samples	10.70	2.30	2.70	1.60
Low for 36 Samples	2.30	0.14	0.18	0.09
Detection Limit - 1.00 $\mu\mu\text{c}/1 \beta$				
0.39 $\mu\mu\text{c}/1 \alpha$				

Pond Water ($\mu\mu\text{c}/\text{l}$)

<u>Location</u>	<u>Date</u>	Beta Activity		Alpha Activity	
		<u>Soluble</u>	<u>Insoluble</u>	<u>Soluble</u>	<u>Insoluble</u>
Geo. Todd Pond	1-26-66	7.50	1.20	Not Detectable	Not Detectable
	2-28-66	10.70	0.30	Not Detectable	Not Detectable
	3-31-66	5.10	Not Detectable	0.45	Not Detectable
	5-02-66	5.10	0.30	0.09	Not Detectable
	5-31-66	7.50	Not Detectable	1.10	Not Detectable
	6-27-66	8.00	1.70	1.10	0.68
	7-29-66	7.60	2.30	Not Detectable	0.81
	9-06-66	12.20	1.20	Not Detectable	0.72
	10-03-66	16.10	6.60	0.27	0.63
	11-07-66	Pond Dry			
	12-05-66	Pond Dry			
	12-27-66	Pond Dry			
	Average	8.87	1.51	0.33	0.32
	High	16.10	6.60	1.10	0.81
	Low	5.10	0.30	0.09	0.63

Detection Limits - $1.00 \mu\mu\text{c}/\text{l} \beta$

$0.39 \mu\mu\text{c}/\text{l} \alpha$

Pond Water Samples ($\mu\mu\text{c}/\text{l}$)

<u>Location</u>	<u>Date</u>	Beta Activity		Alpha Activity	
		<u>Soluble</u>	<u>Insoluble</u>	<u>Soluble</u>	<u>Insoluble</u>
Izaak Walton League Pond	1-26-66	29.30	0.45	0.45	Not Detectable
	2-28-66	14.30	1.20	Not Detectable	Not Detectable
	3-31-66	17.00	0.77	Not Detectable	0.45
	5-02-66	16.80	1.00	Not Detectable	0.16
	5-31-66	25.00	1.80	1.10	1.10
	6-27-66	28.00	2.40	1.60	0.68
	7-29-66	17.60	1.20	0.09	0.63
	9-06-66	19.20	1.50	Not Detectable	0.18
	10-03-66	19.60	Not Detectable	0.45	0.09
	11-07-66	25.60	3.60	1.80	0.18
	12-05-66	21.90	1.10	1.80	Not Detectable
	12-27-66	19.90	0.95	0.36	Not Detectable
	Average	21.18	1.33	0.64	0.29
	High	29.30	3.60	1.80	1.10
	Low	14.30	0.45	0.09	0.09

Detection Limit - $1.00 \mu\mu\text{c}/\text{l} \beta$ $0.39 \mu\mu\text{c}/\text{l} \alpha$

Pond Water Samples ($\mu\mu\text{c}/\text{l}$)

<u>Location</u>	<u>Date</u>	<u>Beta Activity</u>		<u>Alpha Activity</u>	
		<u>Soluble</u>	<u>Insoluble</u>	<u>Soluble</u>	<u>Insoluble</u>
Kelly Pond	1-26-66	13.80	Not Detectable	0.45	Not Detectable
	2-28-66	13.90	1.00	Not Detectable	Not Detectable
	3-31-66	10.20	1.00	1.80	Not Detectable
	5-02-66	12.60	1.40	0.09	Not Detectable
	5-31-66	17.90	1.90	2.50	Not Detectable
	6-27-66	17.00	2.70	0.90	0.23
	7-29-66	10.70	1.80	Not Detectable	0.27
	9-06-66	6.60	0.95	Not Detectable	Not Detectable
	10-03-66	11.00	Not Detectable	0.27	0.27
	11-07-66	23.50	2.80	0.36	1.40
	12-05-66	11.20	1.10	1.30	Not Detectable
	12-27-66	10.90	0.95	0.54	Not Detectable
	Average	13.28	1.30	0.68	0.18
	High	23.50	2.80	2.50	1.40
	Low	6.60	0.95	0.09	0.23
Average for 33 Samples		14.93	1.37	0.57	0.26
High for 33 Samples		29.30	6.60	2.50	1.40
Low for 33 Samples		5.10	0.30	0.09	0.09
Detection Limit - $1.00 \mu\mu\text{c}/\text{l} \beta$					
0.39 $\mu\mu\text{c}/\text{l} \alpha$

MAP 1

40

MAP 3

†ACKNOWLEDGMENTS

We wish to express our thanks to the following individuals and organizations for their cooperation and assistance.

City of Ames - Water Department - Sewage Treatment Department

City of Fort Dodge - Water Department

Iowa State University - Physical Plant

Individuals who permitted and helped us to obtain samples

Program and Report Preparation

Theodore L. Schneider - Jr. Chemist

Carl C. Grilli - Senior Technician

Lowell K. Mathison - Jr. Physicist

Program Assistants

Robert P. Staggs - Jr. Physicist

Stanley R. Ball - Senior Technician

Harry Vaughan - Associate