REGULATIONS AND CONTROL FOR RADIATION PROTECTION

By

MASTER

Milo D. Voss
Associate Physicist
Radiological Advisor

Ames Laboratory of the U. S. Atomic Energy Commission
and Iowa State University
Ames, Iowa

For Presentation at the 1964 Winter Meeting
AMERICAN SOCIETY OF AGRICULTURAL ENGINEERS

New Orleans, Louisiana
December 8 - 11

LEGAL NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights, or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

Regulations and Control for Radiation Protection

Radioisotopes and radiation producing machinery are useful in a number of ways to experimenters and processors. Radioactivity may be used to determine the blood volume in humans or animals and the amount and movement of moisture in the soil. Radiation may be used to effect the sterilization of a product, to change physical and chemical characteristics of materials, to control quality of a process, and to produce power. Six presentations are scheduled for this session concerning general and specific applications of radioisotopes in measuring or determining some characteristic of materials or the environment.

The use of radioisotopes and radiation has become commonly accepted. Practical and sound techniques are in daily use. Some impractical and unreasonable demands are placed on tracer and radiation techniques. Applied with care and judgment, tracer and radiation techniques offer methods of investigation of unequalled sensitivity and speed.

With the benefits to be derived from the use of radiation and radioisotopes the user must accept the responsibility for the safe handling of these radioactive materials and radiation machines. That radiation is useful has been amply documented; that radiation can be harmful has been equally well recorded.

What are the harmful effects of radiation? Massive radiation exposures can cause death; lesser exposures may cause sickness or injury. Tissues and organs may be damaged by radiation, and certain diseases may be produced usually with a relatively long latent period. Genetic effects may be produced which in general are deleterious. Life shortening, an ageing process, is a consequence of radiation exposures.

These harmful effects are of concern as they apply to people using radiation and radioactive materials. They are of equal or greater concern when considered as effects on the general population. The isotope user is generally an adult, in good health, and under medical and radiation surveillance. Members of the population at large range in age from conception to the eldest, may be in various degrees of physical well being, and generally are not under a program of radiation and medical surveillance. Exposures of the general population may allow a much longer period of exposure and that exposure may occur over a period of greater susceptibility to the effects of radiation with less discerning medical and radiation control.

Another aspect of the harmful effects of radiation appears when one undertakes tracer level experiments which may involve very low levels of radioactive materials. Care must be exercised so that cross-contamination, which would invalidate the results of a series of investigations does not occur. The level of radiation background must be kept low and contamination of one experiment by radioactive materials from another source or from the same

series must be guarded against.

An important point needs to be made at this time lest pessimism be developed. It is possible and not inconvenient to carry out experiments and processes using radiation and radioactive materials with complete safety to the user and to the general population. At Iowa State University radioactive materials and radioisotopes are used in Home Economics, Agronomy, Sanitary Engineering, Engineering Extension, Veterinary Medicine, Chemistry, Nuclear Engineering, Physics, Dairy and Animal Husbandry, Botany, Poultry Husbandry, Civil Defense, Radiochemistry, Horticulture, Bacteriology and, of course, in many areas of the Ames Laboratory of the Atomic Energy Commission and Agricultural Engineering. Radioelements used include tritium (hydrogen-3) to plutonium and some transuranium elements. The materials handled have ranged from a few microcuries of carbon-14 to 10,000 curies of cobalt-60. Neutron generators, X-ray machines, a synchrotron, a training reactor, several cobalt and iridium and thulium irradiation machines, and a sub-critical pile are included in radiation producing machinery at Iowa State University and the Ames Laboratory of the U. S. Atomic Energy Commission.

With this variety in kind and quantity of radiation and radioactive materials, radiation exposures have been kept consistently low. Whole body exposures at Iowa State have been maintained at less than one rem per year for the past several years. This is less than 1/5 the recommended

guide values for radiation exposure of persons classed as radiation workers. The exposure of the general population as a result of our operations should be essentially zero.

Up to this point I have tried to establish that radiation can be useful, that radiation can be harmful and that radiation can be used in a number of disciplines in an entirely safe manner. The purpose of regulations and control measures is to assure that the user can handle the radioactive material or radiation machines safely. His experience and his facilities must be suitable for the work he intends to do, and the impact of his work on the environment around his facility must be light or non-existent.

If one could depend upon the individual to be safety conscious, to be aware of existing hazards, and to conduct himself so that neither he nor his neighbors could be adversely affected by his operations, regulations would not be needed. This is too much to expect, and so regulations have been promulgated by a number of agencies and institutions.

Regulations may be instituted where jurisdiction has been granted, either public or private. Among Federal Agencies which put forth regulations are the Interstate Commerce Commission, Bureau of Explosives, U. S. Public Health Service, U. S. Atomic Energy Commission, Post Office Department and various other agencies for their use. The U. S. Atomic Energy Commission has in effect two sets of regulations, one based on direct contract work for the A. E. C. where the facility is owned by and

operated for the A. E. C. , and the other is a set of regulations applicable to all others who utilize materials included under sections of the Atomic Energy Act of 1954, as amended, and who are licensed by the Atomic Energy Commission through its Division of Licensing and Regulation.

The Ames Laboratory of the U. S. Atomic Energy Commission is a contract laboratory where no license is required and the regulations are set forth in A. E. C. Manual Chapters. This laboratory is run by Iowa State University. All other operations at Iowa State University where radioactive materials are used are under license by the A. E. C. The regulations for licensees are published in the Federal Register. The regulation basic to radiation protection is known as 10-CFR-20, Standards for Protection Against Radiation. A longer title for this is: Title 10-Atomic Energy, Chapter 1-Atomic Energy Commission, Part 20-Standards for Protection Against Radiation. The standards, to the effect of controlling radiation exposures to certain limits, are identical.

Another section of the regulation for licensees is 10-CFR-30, Licensing of Byproduct Material. This document says several things of interest:

(1) Two types of license are issued, a general license and a specific license. The general license allows the procurement of limited quantities of radioactive materials without requiring that the individual hold a formal license - no application to the A. E. C. is necessary. These allowed quantities may be sufficient to carry out tracer experiments and demonstrations. The

provisions of 10-CFR-20 are in effect for this "license." The specific license may be issued to a named individual for a particular isotope and purpose, or it may be issued to an individual or institution covering a wide range of isotopes and general research and development activities. Iowa State holds both types of specific licenses. Again the licensee is subject to the provisions of 10-CFR-20, Standards for Protection Against Radiation.

(2) A limit is placed upon the types of materials covered in a license by the definition of Byproduct Material, i. e., any radioactive material (except special nuclear material) yielded in or made radioactive by exposure to the radiation incident to the process of producing or utilizing special nuclear material.

Radium and radium beryllium sources are not subject to license, nor are cyclotron produced radioactive materials. The 10-CFR-20 standards then do not apply to these materials, nor are they subject to license by the AEC. X-ray machines and some neutron generators are not subject to A. E. C. license or regulations.

(3) Requirements are listed which must be met by the applicant for a license to use byproduct material.

Unless other regulations are in effect there is a considerable gap in regulatory control of radiation exposures. I have found no statutes in the state of Iowa which provide for this control; however, this is not quite as serious as it might be. The provision of adequate radiation protection in

some instances may be effectively encouraged by an insurance company or a lawyer. Most radiologists are well aware of the recommendations of the National Committee on Radiation Protection. While these recommendations, put forth in a series of booklets, do not have the effect of law, I would not like to be in the position of grossly ignoring them. These recommendations of the NCRP provide much of the basic for the standards provided in 10-CFR-20. The Federal Radiation Council has now made five publication or radiation protection guides. These guides are being used now to provide standards as used in 10-CFR-20. The differences are largely in approach not in basic content.

If one accepts the standards of 10-CFR-20 as a sound and reasonable approach to radiation protection, then one encounters little difficulty in applying these standards to the "gap" areas. As an example, we use the same exposure standards for X-ray diffraction apparatus, diagnostic X-ray facilities, X-ray therapy facilities and electron microscope facilities as we do for isotope facilities.

The application of 10-CFR-20 standards, or Federal Radiation Council Guides, or NCRP recommendations by an individual or institution represents another sort of regulation and control for radiation protection. This will be a local regulation, a self-imposed regulation when applied to those areas not covered by legal requirement. An institution may well have its own radiation protection program and I would like to raise a word of caution at

this point. More restrictive requirements may be laid down for operational purposes and this may be good, but extreme care should be used in the wording of local regulations so that no implication of hazard or damage is made for exposures slightly in excess of any locally applied limits which are more restrictive than limits as stated in 10-CFR-20.

Certain states, called agreement states, have taken over licensing and regulation functions from the A. E. C. and have as a result established state standards for radiation protection. This can provide an opportunity to make radiation protection standards all inclusive rather than limited to certain materials. Before the A. E. C. transfers its responsibility to the state, the state must show its capability to handle licensing and compliance functions and must have as legal regulations standards equal to those cited in 10-CFR-20.

If this appears as a somewhat confusing mixture of radiation regulations, this is understandable. The A. E. C. is in the process of getting out of the licensing, regulation, and compliance functions by entering into appropriate agreements with states to take over these functions. When this has been accomplished, it should be easier to operate locally; however, this remains to be seen. Certainly some agency will be needed to work out appropriate guides and standards. Probably the National Committee on Radiation Protection and the Federal Radiation Council will serve this purpose.

We find then that various federal and state agencies establish regulations

for the purpose of providing radiation protection. Individuals and institutions establish radiation protection programs in conformance with various applicable legal codes. Other agencies, such as the New York Port Authority and turnpike commissions, may establish requirements within their particular jurisdiction.

As basic source material on radiation protection recommendations and regulations, the National Bureau of Standards Handbooks containing recommendations of the National Committee on Radiation Protection and the Staff reports of the Federal Radiation Council are available from the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C. , 20402, at prices ranging from 15 to 50 cents and 10-CFR-20, Standards for Protection against Radiation and 10-CFR-30, Licensing of Byproduct Material with amendments and license application forms 313 are available from the Division of Licensing and Regulation, U. S. Atomic Energy Commission, Washington, D. C. at no charge. Information on agreement states can be secured from the same source in the A. E. C.

I have stated that radiation can be harmful and that radiation and radioisotopes can be used safely. Many of the measures used to control radiation hazards are common to the control of other hazards. Radiation protection measures were in use long before the advent of nuclear weapons, nuclear power, and the mass production of radioactive materials. Techniques and knowledge have been broadened and refined but basic principles remain

unchanged. Emphasis has shifted some to include concern for non-occupationally exposed persons.

The harmful effects of radiation arise from the destruction or damage to tissues and cells when radiation such as X-rays or gamma rays interact with cellular constituents. Some radiations penetrate tissues readily, others penetrate little or to only a slight degree. X and gamma rays are very penetrating, beta radiation less penetrating and alpha rays travel only a very short distance in tissue, the passive layers of skin are sufficient to stop most alpha rays.

Radioisotopes present hazards in two ways. Since penetrating radiation are emitted, most commonly beta and gamma rays, these may represent a source of external exposure. In this case the source of radiation is outside the body. Radiation machines also are sources of external exposure. If radioisotopes are inhaled or ingested, they become sources of internal exposure. The radioisotopes may concentrate in particular organs or tissues and contribute to the radiation exposure while held in the tissue.

Control measures used in reducing external radiation exposure are commonly referred to as time, distance, and shielding. If the time of working with radiation is decreased, the exposure is decreased; if one increases the distance between himself and a source of radiation, the exposure is decreased. Some materials are good absorbers of radiation and can be used effectively as shields to reduce the radiation exposure.

Work procedures may be developed and practiced which will reduce the time needed to handle radioisotopes. Distance may be increased by the use of appropriate equipment, manipulators and tongs for handling operations. Beta radiation may be shielded with sheets of plastic or glass. Appropriate thickness of lead may be used to reduce gamma ray exposures to low levels.

The internal deposition of radioactive materials can be controlled by limitation on the quantities of radioisotopes used, by use of closed systems, by using techniques causing the least dust and aerosol formation, and by the use of fume hoods with adequate room ventilation.

Careful and clean work and the use of gloves, laboratory coats and other protective gear such as safety glasses are helpful in avoiding direct contact with radioactive materials.

For many tracer applications where very small amounts of radioactivity are used, relatively limited control measures are needed and safe handling may be accomplished at little expense. Laboratory bench operations with spill tray protection may be adequate. A simple survey meter of the geiger-mueller type is sufficient to use for detecting radiation and locating material which may have been spread. The use of personnel monitoring in the form of film badges or pocket chambers to provide radiation exposure information may be optional, probably not required since radiation levels will be very low.

Some tracer experiments may require the use of relatively large amounts of radioactive materials or handling of larger quantities may be required at certain points. As the quantities of materials to be handled increases, the protective measures will have to be strengthened. An example of increasing control is the movement of an experiment from bench to fume hood to enclosed glove box to remote cell operation.

For the operations we have been considering normal peacetime conditions are assumed and emergency or accident conditions are given special considerations. Many tracer applications are forgiving of accidents, but this is no excuse for sloppy work.

I have avoided as much as possible the use of terminology unique to radiation and radioisotopes. Several terms have come into use recently and I would like to consider two of these to provide some perspective.

The terms Radiation Protection Guide and Radioactivity Concentration Guide have been adopted by the Federal Radiation Council. The unit of the Radiation Protection Guide is the Rem, Roentgen equivalent man, which is an amount of absorbed radiation energy modified by certain quality factors. For whole body exposure an accumulated lifetime exposure concept is used as the Radiation Protection Guide with additional restrictions placed on yearly and quarterly totals. $5(N-18)$ Rem is used for occupational exposure for lifetime accumulation limits. The N represents the attained age of the individual radiation worker. Thus at age 19, 5 Rems may have

been acceptably accumulated without exceeding the Radiation Protection Guide. There is no implication that 6 Rem is harmful, but it does represent some loss of control. Acceptable non-occupational exposure is 1/10 of the occupational Radiation Protection Guide; thus 0.5 Rem is allowed to accumulate at age 19. The values are set so that there is little likelihood of any hindrance to any normal activity of an individual over his lifetime.

To place some perspective on this level of non-occupational exposure the following example is used. It is recommended that an operational concept be used so that the average exposure to members of a population group is 1/3 of the RPG which reduced to a weekly level is slightly less than 3.3 millirems. Comparing this to an average normal background level to which we are all exposed, we find that the two are approximately equal; 3.36 millirems per week is a reasonable figure. As a contrast, 25 rem in a short exposure will cause no ill effects and is only detectable by refined techniques of cell examination. It is not expected that exposures at occupational levels will cause any demonstrable ill effects on radiation workers.

The unit of the Radiation Concentration Guide is the microcurie per cubic centimeter, or possibly an appropriate multiple. Allowable levels have been set for air and water and for occupational and non-occupational exposure. In the case of the concentration guides, ranges have been established for some isotopes which may require actions from routine

surveillance to the institution of control measures to reduce the intake of these materials. The guide numbers are not the same since isotopes have different characteristics and present different degrees of hazard.

As an example, scandium-46 with a half life of 84 days has a nonoccupational Radiation Concentration Guide of 8×10^{-10} microcuries per cubic centimeter in air and 4×10^{-5} microcuries per cubic centimeter in water. In terms of scandium-46 only this is 2.4×10^{-14} micrograms/cubic centimeter in air and 1.2×10^{-9} micrograms/cubic centimeter in water. In the case of the Radiation Concentration Guides yearly averages may be used. These are extremely low levels, but may be measured by suitable sampling and detection techniques.

Controls are necessary and regulatory control is provided by 10-CFR-30, Licensing of Byproduct Material and 10-CFR-20, Standards for Protection Against Radiation. An application for a license under 10-CFR-30 will state the experience and training of the individual user, or of the members of the isotope committee and the radiation protection officer, the facilities and instrumentation of the user will be described. The kinds and quantities of radioisotopes to be possessed will be specified. Information on health physics procedures and control practices is required and additional information covering specific problems may be required. Some justification as to use, either specific experimentation or research and development activities will be needed. Some control is then instituted immediately in

terms of possession limits on materials.

After a license has been granted the user must observe the requirements of 10-CFR-20 and any special restrictions which may be placed on the license. 10-CFR-20 presents a considerable number of standards to be met, but it does not specify how these are to be met. You must develop methods and equipment so that you do meet the requirements. Radiation exposure limits, radioactivity exposure limits, radiation and contamination surveys, personnel monitoring, bioassay, signs, labels, signals and labeling, storage, disposal, records, reports, and notifications are all subjects of 10-CFR-20.

Meeting the requirements of 10-CFR-20 is accomplished by providing active Health Physics Services. At Iowa State University the following actions are taken to assure radiological safety.

(1) An isotope committee is established to provide policy, guidance, and review.

(2) Proposals by experimenters are reviewed with concern for possible hazards, adequate training of the user, and adequate facilities to handle the radioactive material. Procedures from procurement to waste disposal are considered.

(3) All isotope orders are processed by the Radiological Services Group. Radiation machinery specifications are examined and notification of intent to purchase is submitted to Radiological Services Group for

approval.

(3) Facility surveys are made at various intervals including radiation and contamination measurements. Hoods are checked for adequate air handling.

(4) Personnel monitoring is specified as needed. Exposure records are maintained and bioassay to determine internal exposures is done as needed.

(5) Environmental monitoring is done covering air sampling, soil sampling, well water and river water sampling, precipitation analysis, and vegetation sampling.

(6) Consultation is provided for all aspects of radiation and radio-isotope experiments to staff members.

(7) All sources are leak tested at regular intervals.

(8) Labels and signs are specified and placed as needed.

(9) All shipments of radioactive materials are handled by Radiological Services Group.

(10) An isotope storage area and dispensing operation are handled by R. S. G. Only that amount required for immediate use is issued to the experimenter.

(11) Radiation Protection instrumentation is procured, maintained and calibrated by R. S. G.

(12) Waste disposal methods are specified by R. S. G.

(13) Decontamination operations, when needed, are supervised by R. S. G.

(14) and others.

Training in the use of radioactive materials and radiochemistry is provided by various courses offered by the University. Acceptable training and experience may be acquired in this way or by training within a group already qualified to handle radioactive materials.

As much as possible is done to make the use of radiation and radioactivity a relatively simple matter for the individual user. He is relieved of many burdens by the Health Physicist, but he must take individual responsibility for the safe handling of radioactive materials.

The use of radioactivity is accompanied by many regulations and controls. Where these regulations can be relaxed the AEC is removing red tape and restrictions. The fact is that the radiation industry including all types of radiation workers has achieved one of the best records of safe operations that has ever been known. It is interesting to reflect then on daily risks that are accepted with little or no concern, and how little attention is paid to many toxic and disease vectors in our environment; air, soil and water. Radiation and radioactivity, treated with respect and care, provide much that has been and will be beneficial to our lives. Inconsiderate and immoderate statements and views on radiation and radioisotopes are completely out of place. The safety record, the regulations and controls,

the efforts of so many careful workers and investigators speak for themselves.