JAN 22 1963

UNCLASSIFIED

CLASSIFICATION LEVEL

(S, C, OR U)

ATOMICS INTERNATIONAL

A Division of North American Aviation, Inc.

MASTER

NAA-SR-MEMO-7789

14

This document contains _____ pages

This is copy _____ of _____ series _____

Do not remove
this sheet

Facsimile Price \$

Microfilm Price \$

Available from the
Office of Technical Services
Department of Commerce
Washington 25, D. C.

CLASSIFICATION TYPE

(RD OR DI)

*NAA-SR-MEMOs are working papers and may be expanded,
modified, or withdrawn at any time,
and are intended for internal use only.*

This report may not be published without the approval of the Patent Branch, AEC.

LEGAL NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, express or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission to the extent that such employee or contractor prepares, handles or distributes, or provides access to, any information pursuant to his employment or contract with the Commission.

UNCLASSIFIED

CLASSIFICATION LEVEL

(S, C, OR U)

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

10998

ATOMICS INTERNATIONAL A Division of North American Aviation, Inc.		NAA-SR TDR NO 7789	APPROVALS
TECHNICAL DATA RECORD		PAGE 1 OF 14	
AUTHOR B. W. Colston	DEPT & GROUP NO. 721-13	DATE 10-11-62	
		GO NO. 7569	
TITLE Four Group Cross Sections		S/A NO. 2001	RECOMMENDED FOR OUTSIDE DISTRIBUTION
		TWR	
PROGRAM Supporting R & D	SUBACCOUNT TITLE Basic Nuclear Analysis		☒ YES ☐ NO <i>J. Miller</i> SIGNATURE
DISTRIBUTION USE AN ASTERISK (*) TO INDICATE THOSE WHO ARE TO RECEIVE COMPLETE COPIES	STATEMENT OF PROBLEM To develop four group cross sections for use in two dimensional calculation or transport calculations of SNAP 2 and SNAP 8 cores.		
	ABSTRACT: At the present, due to the amount of computer time required, sixteen and twenty three energy group calculations are impractical for two dimensional diffusion or transport calculation or for one dimensional transport survey calculations. For this reason a set of four group cross sections have been obtained for cores with a spectrum characteristic of SNAP 2 or SNAP 8. The results of calculations using these cross sections are compared with the results using a twenty three group set. The comparison is satisfactory for the values predicted for k eff and for the power distributions. The method for obtaining the cross sections is also presented and because of the ease of obtaining new sets, it is expected that many refinements in the present set and computation of new sets for cases requiring a different spectrum will be made at the discretion of the user.		
	<div style="border: 1px solid black; padding: 5px; text-align: center;"><p><i>Uncl.</i></p><p>CLASSIFICATION</p><p><i>J. Miller</i></p><p>SIGNATURE</p><p>RD / DI</p><p><i>10/11/62</i></p><p>DATE</p><p>AUTHORIZED CLASSIFIER</p></div>		

ATOMICS INTERNATIONAL

A Division of North American Aviation, Inc.

NO. NAA-SR TDR 7789

DATE 10-11-62

PAGE 2 OF 14

A preliminary investigation of four group cross sections for use in SNAP 2 and SNAP 8 cores has been completed. It is expected that these cross sections will be most useful in two dimensional calculations or in one dimensional transport calculations.

The method for obtaining the four group cross sections presented in this report consisted of flux averaging the twenty three group ULCER cross sections over a spectrum characteristic of the SNAP 2 and SNAP 8 cores.

The spectrum was computed by the spatially independent diffusion code, QUICKIE. The flux averaging was done by hand and later an option was written into QUICKIE which will do the averaging on the 7090.

The comparisons between the k eff computed by a consistent diffusion calculation using twenty three and four energy groups for various cases is presented in Table I. The comparisons between the power distributions are presented in Figures 1 through 5.

Although the results presented above appear most promising, it is felt that for cases where greater accuracy is desired, the cross sections should be spatially dependent. This, of course, depends entirely on the spatial variation of the spectrum. This would indeed be a tedious computation. Again, however, a program is in the process of being checked out which will do this calculation on the 7090. Also in some instances it may be desired to increase the number of groups. Table 3 demonstrates the insensitivity of the spectrum to the choice of buckling in the QUICKIE spectrum calculation.

It should be noted in the cross sections listed below that for a particular energy group σ_g is the total transport cross section obtained by averaging the corresponding cross section from the twenty three group ULCER tape. $(1/3D)_g$ is also the total transport cross section, the difference being, the former is averaged as $(1/3 \sigma_{tr})$. Which cross section is used depends entirely upon the equation being solved, transport or diffusion.

It should also be pointed out that while σ_{gg} plays no part in diffusion calculations, it is used in transport theory. This cross section is defined in such a way that the correct absorption cross section is used in the transport calculation.

ATOMICS INTERNATIONAL

A Division of North American Aviation, Inc.

NO. NAA-SR-TDR 7789

DATE 10-11-62

PAGE 3 OF 14

The equations used for the flux averaging procedure are:

$$\bar{\sigma}_g = \frac{\sum_g \sigma_g \phi_g \Delta \mu_g}{\sum_g \phi_g \Delta \mu_g}$$

$$\bar{\sigma}_{g \rightarrow g'} = \frac{\sum_g \sum_{g'} \sigma_{g \rightarrow g'} \phi_g \Delta \mu_g}{\sum_g \phi_g \Delta \mu_g}$$

Table II gives the energy break down of the groups and the X's for each group.

ATOMICS INTERNATIONAL

A Division of North American Aviation, Inc.

NO. NAA-SR TDR 7789
DATE 10-11-62
PAGE 4 OF 14

Table I

Reactor	Description of Assembly	K eff(23 grp)	K eff(4 grp)
SNAP 2	SNAP 2 reactor with three inch Be reflector, no prepoison.	1.0795	1.069 *
	SNAP 2 reactor with six inch water reflector, no prepoison.	1.0402	1.0341*
	SNAP 2 reactor with six inch Be reflector, no prepoison.	1.1915	1.1861
SNAP 8	SNAP 8 reactor with three inch Be reflector, prepoison	1.053	1.042
SNAP 6	SNAP 8 core with one inch natural boron immediately outside the interface followed by six inches Be and six inches of stainless steel,	0.895	0.894
	SNAP 8 core with six inches Be immediately outside the interface followed by one inch natural boron and six inches stainless steel.	1.125	1.113

* The water cross sections used in this case were obtained by weighting over a pure water spectrum.

Table II

Group	E _{max}	E _{min}	X
1	10 Mev	17 Kev	1.0
2	17 Kev	100 ev	0.0
3	100 ev	0.45ev	0.0
4	0.45ev	0.005ev	0.0

ATOMICS INTERNATIONAL

A Division of North American Aviation, Inc.

NO. NAA-SR-TDR 7789

DATE 10-11-62

PAGE 5 OF 14

Table III

Core Macroscopic Cross Section	$B_T^2 = 0.0$	$B_T^2 = 0.022$	$B_T^2 = 0.03$
$\sqrt{\sigma_{f1}}$	0.0044215	0.004408	0.004404
σ_1	0.338429	0.339422	0.339521
σ_{a1}	0.0020415	0.002037	0.002035
σ_{12}	0.065348	0.064635	0.064295
σ_{13}	0.0003817	0.000377	0.000375
σ_{14}	0.0000014	0.0000014	0.0000014
$\sqrt{\sigma_{f2}}$	0.027963	0.0277467	0.027669
σ_2	0.632675	0.632709	0.632721
σ_{a2}	0.017841	0.0176961	0.017644
σ_{23}	0.199376	0.196575	0.195576
σ_{24}	0.0008801	0.000867	0.000863
$\sqrt{\sigma_{f3}}$	0.130773	0.1307202	0.130702
σ_3	0.687706	0.687692	0.687687
σ_{a3}	0.085092	0.085163	0.085188
σ_{34}	0.1859882	0.183398	0.1824735
$\sqrt{\sigma_{f4}}$	0.845865	0.845809	0.845787
σ_4	1.39480	1.394897	1.39493
σ_{a4}	0.430066	0.43005	0.43004

CROSS SECTIONS:

<u>Nb</u>	$\sigma_1 = 6.6146106$	$\sigma_2 = 8.1694139$	$\sigma_3 = 6.451348$	$\sigma_4 = 6.973992$
	$\sigma_{a1} = 0.0679071$	$\sigma_{a2} = 1.597367$	$\sigma_{a3} = 0.1493804$	$\sigma_{a4} = 0.489182$
	$\sigma_{12} = 0.013521$	$\sigma_{23} = 0.024042$	$\sigma_{34} = 0.0203526$	
	$\sigma_{11} = 6.5331825$	$\sigma_{22} = 6.5480049$	$\sigma_{33} = 6.281615$	$\sigma_{44} = 6.48481$
	$(\frac{1}{3D})_1 = 5.7999$	$(\frac{1}{3D})_2 = 8.11089$	$(\frac{1}{3D})_3 = 6.4518$	$(\frac{1}{3D})_4 = 6.90846$

<u>Cr</u>	$\sigma_1 = 3.15825$	$\sigma_2 = 5.658136$	$\sigma_3 = 4.365823$	$\sigma_4 = 5.738153$
	$\sigma_{a1} = 0$	$\sigma_{a2} = 0.0169938$	$\sigma_{a3} = 0.237543$	$\sigma_{a4} = 1.685437$
	$\sigma_{12} = 0.0149146$	$\sigma_{23} = 0.0298991$	$\sigma_{34} = 0.0231968$	
	$\sigma_{11} = 3.1433354$	$\sigma_{22} = 5.6112431$	$\sigma_{33} = 4.1050832$	$\sigma_{44} = 4.052716$
	$(\frac{1}{3D})_1 = 3.0653$	$(\frac{1}{3D})_2 = 5.1473$	$(\frac{1}{3D})_3 = 4.36249$	$(\frac{1}{3D})_4 = 5.65086$

<u>U-235</u>	$\sigma_1 = 6.3343819$	$\sigma_2 = 23.391625$	$\sigma_3 = 75.433919$	$\sigma_4 = 353.95916$
	$\sigma_{a1} = 1.631242$	$\sigma_{a2} = 13.534759$	$\sigma_{a3} = 65.434253$	$\sigma_{a4} = 343.95609$
	$\sigma_{12} = 0.006969$	$\sigma_{23} = 0.0154118$	$\sigma_{34} = 0.014221$	
	$\sigma_{11} = 4.6961709$	$\sigma_{22} = 9.8414542$	$\sigma_{33} = 9.985445$	$\sigma_{44} = 10.00307$
	$\sqrt{\sigma_{f1}} = 3.656799$	$\sqrt{\sigma_{f2}} = 23.361124$	$\sqrt{\sigma_{f3}} = 109.25047$	$\sqrt{\sigma_{f4}} = 706.65442$
	$(\frac{1}{3D})_1 = 5.54391$	$(\frac{1}{3D})_2 = 20.75$	$(\frac{1}{3D})_3 = 72.385$	$(\frac{1}{3D})_4 = 299.4908$

<u>U-238</u>	$\sigma_1 = 6.266752$	$\sigma_2 = 16.799832$	$\sigma_3 = 57.746845$	$\sigma_4 = 9.908123$
	$\sigma_{a1} = 0.344374$	$\sigma_{a2} = 4.3089575$	$\sigma_{a3} = 48.833034$	$\sigma_{a4} = 1.608121$
	$\sigma_{12} = 0.0139389$	$\sigma_{23} = 0.0154118$	$\sigma_{34} = 0.0118139$	
	$\sigma_{11} = 5.908439$	$\sigma_{22} = 12.4754627$	$\sigma_{33} = 8.9019971$	$\sigma_{44} = 8.300002$
	$\sqrt{\sigma_{f1}} = 0.5222659$			
	$(\frac{1}{3D})_1 = 5.4465$	$(\frac{1}{3D})_2 = 16.799$	$(\frac{1}{3D})_3 = 23.4791$	$(\frac{1}{3D})_4 = 9.8944$

<u>HZRB</u>	$\sigma_1 = 2.0853018$	$\sigma_2 = 6.5466926$	$\sigma_3 = 6.801272$	$\sigma_4 = 13.588382$
	$\sigma_{a1} = 0$	$\sigma_{a2} = 0.0015668$	$\sigma_{a3} = 0.026913$	$\sigma_{a4} = 0.1814295$
	$\sigma_{12} = 1.1916868$	$\sigma_{23} = 3.648124$	$\sigma_{34} = 3.406113$	
	$\sigma_{13} = 0.00701967$	$\sigma_{24} = 0.0161837$		
	$\sigma_{14} = 0.0000255$			
	$\sigma_{11} = 0.88656983$	$\sigma_{22} = 2.8808181$	$\sigma_{33} = 3.368246$	$\sigma_{44} = 13.4069525$
	$(\frac{1}{3D})_1 = 1.3447$	$(\frac{1}{3D})_2 = 6.5438$	$(\frac{1}{3D})_3 = 6.79717$	$(\frac{1}{3D})_4 = 11.2925$

$\sigma_1 = 6.7801616$	$\sigma_2 = 6.8800756$	$\sigma_3 = 6.164755$	$\sigma_4 = 6.298476$
$\sigma_{a1} = 0$	$\sigma_{a2} = 0.000796$	$\sigma_{a3} = 0.0126954$	$\sigma_{a4} = 0.098368$
$\sigma_{12} = 0.014914$	$\sigma_{23} = 0.024967$	$\sigma_{34} = 0.0182965$	
$\sigma_{11} = 6.7652476$	$\sigma_{22} = 6.8543126$	$\sigma_{33} = 6.1337631$	$\sigma_{44} = 6.200108$
$(\frac{1}{3D})_1 = 6.04664$	$(\frac{1}{3D})_2 = 6.8352$	$(\frac{1}{3D})_3 = 6.1662$	$(\frac{1}{3D})_4 = 6.2977$

Boron

$\sigma_1 = 2.4572285$	$\sigma_2 = 7.6080108$	$\sigma_3 = 61.006016$	$\sigma_4 = 414.54822$
$\sigma_{a1} = 0.17327017$	$\sigma_{a2} = 4.138011$	$\sigma_{a3} = 57.536016$	$\sigma_{a4} = 411.0788$
$\sigma_{12} = 0.05018005$	$\sigma_{23} = 0.11713039$	$\sigma_{34} = 0.09899302$	
$\sigma_{11} = 2.233778$	$\sigma_{22} = 3.352869$	$\sigma_{33} = 3.371007$	$\sigma_{44} = 3.46942$
$(\frac{1}{3D})_1 = 2.22187$	$(\frac{1}{3D})_2 = 6.780718$	$(\frac{1}{3D})_3 = 37.973722$	$(\frac{1}{3D})_4 = 353.107341$

Al

$\sigma_1 = 2.6814184$	$\sigma_2 = 1.4003759$	$\sigma_3 = 1.3783718$	$\sigma_4 = 1.609965$
$\sigma_{a1} = 0.0033589$	$\sigma_{a2} = 0.00197431$	$\sigma_{a3} = 0.0189042$	$\sigma_{a4} = 0.124712$
$\sigma_{12} = 0.0171448$	$\sigma_{23} = 0.018494$	$\sigma_{34} = 0.0152798$	
$\sigma_{11} = 2.660915$	$\sigma_{22} = 1.379907$	$\sigma_{33} = 1.344188$	$\sigma_{44} = 1.485253$
$(\frac{1}{3D})_1 = 2.5860$	$(\frac{1}{3D})_2 = 1.39896$	$(\frac{1}{3D})_3 = 1.3782$	$(\frac{1}{3D})_4 = 1.5957$

Be

$\sigma_1 = 2.869546$	$\sigma_2 = 5.35321$	$\sigma_3 = 5.5018626$	$\sigma_4 = 5.671726$
$\sigma_{a1} = 0.0604213$	$\sigma_{a2} = 0$	$\sigma_{a3} = 0.0004222$	$\sigma_{a4} = 0.0055451$
$\sigma_{12} = 0.0912998$	$\sigma_{23} = 0.2188488$	$\sigma_{34} = 0.186585$	
$\sigma_{11} = 2.838668$	$\sigma_{22} = 5.134361$	$\sigma_{33} = 5.314855$	$\sigma_{44} = 5.666181$
$(\frac{1}{3D})_1 = 2.25644$	$(\frac{1}{3D})_2 = 5.353$	$(\frac{1}{3D})_3 = 5.4996$	$(\frac{1}{3D})_4 = 5.5372$

H₂O -
Over
Water
Spectrum

$\sigma_1 = 0.221045$	$\sigma_2 = 0.5586855$	$\sigma_3 = 0.581205$	$\sigma_4 = 2.3783789$
$\sigma_{a1} = 0.0001883$	$\sigma_{a2} = 0.0001087$	$\sigma_{a3} = 0.0019100$	$\sigma_{a4} = 0.0185721$
$\sigma_{12} = 0.0765861$	$\sigma_{23} = 0.256133$	$\sigma_{34} = 0.252003$	
$\sigma_{13} = 0.00041988$	$\sigma_{24} = 0.0009336$		
$\sigma_{11} = 0.143851$	$\sigma_{22} = 0.301510$	$\sigma_{33} = 0.327292$	$\sigma_{44} = 2.359807$
$(\frac{1}{3D})_1 = 0.15817$	$(\frac{1}{3D})_2 = 0.55844$	$(\frac{1}{3D})_3 = 0.58052$	$(\frac{1}{3D})_4 = 2.08855$

$\sigma_1 = 3.146382$	$\sigma_2 = 4.62435$	$\sigma_3 = 3.0842$	$\sigma_4 = 3.516015$
$\sigma_{a1} = 0.004265$	$\sigma_{a2} = 0.002233$	$\sigma_{a3} = 0.03646$	$\sigma_{a4} = 0.275975$
$\sigma_{12} = 0.030310$	$\sigma_{23} = 0.047777$	$\sigma_{34} = 0.04223$	
$\sigma_{11} = 3.111807$	$\sigma_{22} = 4.57434$	$\sigma_{33} = 3.00551$	$\sigma_{44} = 3.24004$
$(\frac{1}{3D})_1 = 2.817004$	$(\frac{1}{3D})_2 = 4.261812$	$(\frac{1}{3D})_3 = 3.081085$	$(\frac{1}{3D})_4 = 3.511544$

K

$\sigma_1 = 1.972066$	$\sigma_2 = 1.542490$	$\sigma_3 = 2.104158$	$\sigma_4 = 3.297234$
$\sigma_{a1} = 0.000139$	$\sigma_{a2} = 0.008985$	$\sigma_{a3} = 0.139534$	$\sigma_{a4} = 1.131336$
$\sigma_{12} = 0.007387$	$\sigma_{23} = 0.0154119$	$\sigma_{34} = 0.017041$	
$\sigma_{11} = 1.96454$	$\sigma_{22} = 1.518093$	$\sigma_{33} = 1.947583$	$\sigma_{44} = 2.165898$
$(\frac{1}{3D})_1 = 1.955734$	$(\frac{1}{3D})_2 = 1.534486$	$(\frac{1}{3D})_3 = 2.081096$	$(\frac{1}{3D})_4 = 3.228035$

Fe

$\sigma_1 = 2.929262$	$\sigma_2 = 7.881494$	$\sigma_3 = 11.381934$	$\sigma_4 = 12.383422$
$\sigma_{a1} = 0.000845$	$\sigma_{a2} = 0.013748$	$\sigma_{a3} = 0.190991$	$\sigma_{a4} = 1.3832594$
$\sigma_{12} = 0.0124056$	$\sigma_{23} = 0.0718194$	$\sigma_{34} = 0.061218$	$\sigma_{44} = 11.0001626$
$\sigma_{13} = 0.0$	$\sigma_{24} = 0.0$	$\sigma_{33} = 11.129725$	
$\sigma_{14} = 0.0$	$\sigma_{22} = 7.7959266$		
$\sigma_{11} = 2.9160114$			
$(\frac{1}{3D})_1 = 2.81553$	$(\frac{1}{3D})_2 = 7.3908$	$(\frac{1}{3D})_3 = 11.3863$	$(\frac{1}{3D})_4 = 12.3539$

Ni

$\sigma_1 = 4.8076177$	$\sigma_2 = 19.119686$	$\sigma_3 = 17.658572$	$\sigma_4 = 19.91117$
$\sigma_{a1} = 0.0190924$	$\sigma_{a2} = 0.312699$	$\sigma_{a3} = 0.357802$	$\sigma_{a4} = 2.61065$
$\sigma_{12} = 0.0406179$	$\sigma_{23} = 0.103722$	$\sigma_{34} = 0.0926274$	$\sigma_{44} = 17.30052$
$\sigma_{11} = 4.7479074$	$\sigma_{22} = 18.703265$	$\sigma_{33} = 17.2081426$	
$(\frac{1}{3D})_1 = 3.1937$	$(\frac{1}{3D})_2 = 18.773$	$(\frac{1}{3D})_3 = 17.6544$	$(\frac{1}{3D})_4 = 19.8472$

O

$\sigma_1 = 2.884540$	$\sigma_2 = 3.607155$	$\sigma_3 = 3.64$	$\sigma_4 = 3.64$
$\sigma_{a1} = 0.001417$	$\sigma_{a2} = 0.0$	$\sigma_{a3} = 0$	$\sigma_{a4} = 0$
$\sigma_{12} = 0.076878$	$\sigma_{23} = 0.079132$	$\sigma_{34} = 0.279798$	
$\sigma_{11} = 2.806245$	$\sigma_{24} = 0.012576$	$\sigma_{33} = 3.360202$	$\sigma_{44} = 3.64$
	$\sigma_{22} = 3.515447$		
$(\frac{1}{3D})_1 = 2.334858$	$(\frac{1}{3D})_2 = 3.606631$	$(\frac{1}{3D})_3 = 3.64$	$(\frac{1}{3D})_4 = 3.64$

Hast N

$\sigma_1 = 0.417862$	$\sigma_2 = 1.485707$	$\sigma_3 = 1.276301$	$\sigma_4 = 1.439235$
$\sigma_{a1} = 0.001819$	$\sigma_{a2} = 0.032506$	$\sigma_{a3} = 0.017525$	$\sigma_{a4} = 0.186748$
$\sigma_{12} = 0.001829$	$\sigma_{23} = 0.001807$	$\sigma_{34} = 0.001103$	
$\sigma_{11} = 0.414214$	$\sigma_{22} = 1.451394$	$\sigma_{33} = 1.257673$	$\sigma_{44} = 1.252487$
$(\frac{1}{3D})_1 = 0.3507954$	$(\frac{1}{3D})_2 = 1.464035$	$(\frac{1}{3D})_3 = 1.276216$	$(\frac{1}{3D})_4 = 1.434485$

Hast C

$\sigma_1 = 0.392223$	$\sigma_2 = 1.2943$	$\sigma_3 = 1.094281$	$\sigma_4 = 1.235436$
$\sigma_{a1} = 0.001632$	$\sigma_{a2} = 0.0298002$	$\sigma_{a3} = 0.05625$	$\sigma_{a4} = 0.207099$
$\sigma_{12} = 0.001632$	$\sigma_{23} = 0.00098$	$\sigma_{34} = 0.000257$	
$\sigma_{11} = 0.388959$	$\sigma_{22} = 1.263520$	$\sigma_{33} = 1.037774$	$\sigma_{44} = 1.028337$
$(\frac{1}{3D})_1 = 0.341348$	$(\frac{1}{3D})_2 = 1.273915$	$(\frac{1}{3D})_3 = 1.094252$	$(\frac{1}{3D})_4 = 1.231133$

FIG. 1

FIG. 2

FIG. 3

FIG. 4

RADIAL POWER

SNAP 8 WITH 3 INCH Be REFL.

KEFF (FAIM) = 1.042
KEFF (ULCER) = 1.053

--- FAIM
— ULCER

FIG. 5