DTIC
MASTER

July 26, 1971

Elliot S. Pierce, Director, Division of
Nuclear Education and Training, HQ

CONTRACT NO. AT(11-1)-1560, UNIVERSITY OF WISCONSIN

Attached is the annual report from Dr. Max W. Carbon
summarizing reactor-related activities under the subject
contract for FY-71 as you requested by your memorandum of
May 24, 1971.

Harold N. Miller, Director
Contracts Division

CON:TEK

Enclosure:
Annual Report

cc: Patent Division - w/enclosure

✓ Division of Technical Information Extension, Oak Ridge, Tenn.,
(THRU CH PATENT DIVISION) - w/enclosure. 427 will be forwarded
upon receipt.

CON

CON

CON

Katish/lw

Krupa

Miller

7/26/71

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

RECEIVED BY DTIC AUG 3 1971

The University of Wisconsin

NUCLEAR ENGINEERING DEPARTMENT
PHONE 262-3391, AREA CODE 608

ADDRESS
MECHANICAL ENGINEERING BUILDING
MADISON, WISCONSIN 53706

Report COO-1560-4
July 1971

Harold N. Miller, Director
Contracts Division
U. S. Atomic Energy Commission
Chicago Operations Office
9800 S. Cass Avenue
Argonne, Illinois 60439

ANNUAL REPORT

University of Wisconsin Nuclear Reactor (UWNR)
Contract AT(11-1)-1560
Fiscal Year 1970-71

The subject report is attached.

Max W. Carbon
Reactor Director

MWC:RJC:eh

1. OPERATING TIME AND FUEL EXPOSURE

The reactor was started up 201 times during the year. It was critical for 628 hours, accumulating a fuel exposure of 407,000 kWh. (Total fuel exposure on the TRIGA core as of June 30, 1971 was 2,400,580 kWh.) The reactor was pulsed 140 times during the year. We have continued to satisfy all isotope production customers with two eight-hour full power runs per week. The present core has adequate excess reactivity to continue this schedule for 9-11 months.

2. REACTOR USE

A. Instructional

In addition to our lab courses using the reactor (N.E. 421 and 721, enrollments of 27 and 2 during the year), the Reactor Lab was included for at least one lab section of courses from the following departments: Biochemistry (60 students); Chemistry (20 students); Botany (10 students); Geology (30 students) and Radiology (30 students).

In cooperation with NUS Corporation, a Reactor Operator Training Program was conducted for trainees of the Kewaunee Nuclear Power Plant. A total of twelve trainees received two to three weeks of demonstrations, practical exercises, and operating practice on the UWNR. For a first effort the program was quite successful. We believe we presented too fast a pace for some of the trainees, since their academic background was considerably inferior to that of the students we normally encounter.

A proposal (to the AEC Division of Nuclear Education and Training) was submitted to fund use of our facilities by participants from eight colleges and universities in Wisconsin. Although funds were not provided until late spring, the Reactor Sharing Program was started during the spring semester. Professor James Blair and a group of nine advanced chemistry students from Milton College came for ten 3-hour sessions designed to equip them to use neutron activation analysis (NAA). This program was quite successful, and several of the same students will be working on projects during the fall semester of 1971. In addition, preliminary discussions and irradiations were performed for Professor Robert Arnot and one of his students at Oshkosh State University. The remaining six institutions have been informed that funding

is available, and we will expect to begin work with these groups in the fall.

Although not part of formal instruction programs, tours of the Reactor Laboratory have continued to be conducted. This is perhaps one of our most efficient ways of increasing public knowledge and acceptance of nuclear power, and also serves as an excellent means of interesting young people in careers in Nuclear Engineering. Tour groups during the year ranged from 6th grade Science clubs to Youth and the Atom conferences. In addition, during the biennial Engineering Exposition, thousands of visitors viewed the laboratory and special exhibits.

B. Research

During the fiscal year 70-71, samples were irradiated for various groups. The users are listed by department, with the total number of samples for the department, a short description of the object of each research effort, and an indication of the number of staff and students involved for each group.

Bacteriology Department

17 samples

NAA performed for Professor R. S. Hanson -- Studies of metal content vs heat resistance of spores of mutants of *Bacillus Cereus* that lack dipicolinic acid and are heat resistant. It has long been held that calcium dipicolinate is essential for heat resistance, but this study (funded by the American Cancer Society) has indicated this contention to be incorrect.

Biochemistry Department

16 samples

Professor John Suttie and 5 graduate students -- Production of F^{18} for use in studies of fluorine metabolism in biological systems.

Botany Department

8 samples

Professor J. F. Stauffer and 8 graduate students -- Study of inhibition of germination by radiation in lettuce seeds.

Chemistry Department

256 samples

Professor J. E. Willard and Postdoctoral Fellow
Dr. David Shooter -- Study of mechanisms of chemical reactions
caused by neutron captures and isomeric transitions.

Professor L. Haskin and 14 graduate students -- Use of
NAA for determination of rare earth distributions in rocks
and lunar samples. Studies include classification of origin
and mode of formation of various samples.

Department of Natural Resources (State Agency) 7 samples

A study of applying NAA to pollution problems.
This program of cooperation with DNR has just begun, and has
been concerned with measurement of leaching of toxic
materials from ash basins at fossil-fueled power plants.
Measurements of toxic material levels in fish and sediment
samples and in public water supplies are beginning to establish
the utility of NAA for these routine environmental surveys.

Forest Products Laboratory (A U.S. Government laboratory)
75 samples

Use of NAA to measure retention of wood preservatives.

Geology Department/Marine Laboratory 359 samples

Professor J. R. Moore and 5 graduate students -- Use of
NAA for sediment and flora samples for determination of
mineral abundances and establishing more effective surveying
methods.

Hamlin, Inc. 15 samples

NAA performed to determine origin of particulate material
causing defects in magnetic reed switches. This work
performed in cooperation with the University-Industry Research
Program.

Metallurgical and Minerals Engineering
Department 128 samples

Professor R. A. Moll and 1 graduate student -- Use of
thermal neutron bombardment-cellulose acetate film technique
to image boron distribution in low-carbon steel welds.

Professor R. A. Dodd and 1 graduate student -- Use of NAA to determine corrosion rate of stainless steel in high-chloride solutions and to determine whether selective dissolution of alloy elements is a feature of chloride stress corrosion in austenitic stainless steels.

Molecular Biology

50 samples

Professor R. A. Bock and 4 graduate students -- NAA service provided for studies of structure of RNA by determination of numbers of metallic ions attached to the molecule.

Nuclear Engineering Department

726 samples

In addition to samples irradiated for laboratory course sections and those used in various calibrations, this number of samples includes those irradiated in experiments described below.

Professor W. F. Vogelsang and 1 graduate student -- Neutron diffraction studies on materials subjected to high pressures.

Professor W. K. Foell and 2 graduate students -- Measurements of heating effects on Doppler confinement in UO_2 fuel samples at high temperatures by a pulsed activation method.

Professor W. K. Foell and 1 graduate student -- Two-region Doppler coefficient experiment.

Physiology Department

11 samples

Professor E. E. Bittar and 5 graduate students -- Production of Na^{24} and other isotopes for use in study of ion transport in single cells.

Radiology Department (University Hospitals
Isotope Service)

198 samples

J. A. Sorenson, Clark Palmer, and 2 graduate students -- Developing preparation methods of Na^{24} and K^{42} for routine diagnostic use for patients.

Clark Palmer and 2 graduate students -- Use of NAA service for measurement of ionic contamination in radioisotopes produced from commercial "cows" and intended for routine use in diagnosis and therapy.

Reactor Sharing Program

Samples irradiated for:

University of Chicago	(28 samples)
Milton College	(42 samples)
Oshkosh State University	(1 sample)

C. Publications, Presentations, and Theses based in part
on Reactor Use

Bacteriology - Publications

"Dipicolinic Acid Deficient Thermoresistant Spores of
Bacillus Cereus", Curry, M. and Hanson, R. S., Bacteriological
Proceedings, p. 46 (1971)

- Theses

"Dipicolinic Acid and Thermoresistance in Spores of Bacillus
Cereus", Muriel Curry, 1971 (M.S.)

Biochemistry - Publications

"Development of Fluoride Resistant Strain of L Cells--
Membrane and Metabolic Characteristics", D. O. Quissell,
N. P. Drescher and J. W. Suttie, Federation Proceedings, Vol. 30,
p. 462 (1971).

Chemistry - Publications

"Gadolinium: Distribution between Aqueous and Silicate Phases",
Robert L. Cullers, L. Gordon Medaris, Jr., Larry A. Haskin,
Science, Vol. 169, pp 580-583.

"Rare earths and other trace elements in Apollo 11 lunar
samples", Larry A. Haskin, Ralph O. Allen, Philip A. Helmke,
Ted P. Paster, Mike R. Anderson, Randy L. Koretev and
Kathy A. Zweifel. Accepted Feb. 25, Proceedings of Apollo 11
Lunar Science Conference, Vol. 2, p. 1213-1231.

"Analysis for the Rare-Earth Elements by Neutron Activation
and Ge(Li) Spectrometry", E. B. Denechaud, P. A. Helmke,
L. A. Haskin, Journal of Radioanalytical Chemistry, Vol. 6,
p. 97-113.

"Neutron Activation Analysis for 39 Elements in Small or Precious Geologic Samples", R. O. Allen, L. A. Haskin, M. R. Anderson, O. Muller; Journal of Radioanalytical Chemistry, Vol. 6, pp. 115-137.

"Rare-Earth Abundances in Some Ultramafic Rocks", Frederick A. Frey, Larry A. Haskin and Mary A. Haskin; Journal of Geophysical Research, Vol. 76, #8, pp 2057-2070.

- Theses

"The Partitioning of the Rare-Earth Elements among Rock Forming Silicate Phases and Water", Robert Lee Cullers, 1971.

"The Rare-Earth Elements in the Steens Mountain Basalts", Philip August Helmke.

Nuclear Engineering - Publications (Papers and Reports)

"Biocidal Effects of Silver", D. O. Oliver, W. K. Foell and J. M. Goepfert, Quarterly Technical Report, NASA Contract NAS 9-9300, August 1970.

Same as above, November 1970.

Same as above, Final Report, February 1971.

"Simulation of Sample-Core Interaction with a Two-Region Doppler Sample", (submitted for presentation at 1971 Winter Meeting of American Nuclear Society) K. H. Liebelt and W. K. Foell.

"Pulsed High Temperature Doppler Measurements", W. K. Foell, Quarterly Progress Report, AEC Contract No. AT(11-1)-2052, November 1970.

- Theses

"Measurement of the Nuclear Doppler Effect with a Two-Region Sample", K. H. Liebelt, January 1971. (Ph.D.)

Radiology - Publications (Papers)

"Analysis of Contaminants in Molybdenum 99-Techneium 99M--Generator Eluates by Neutron Activation", Clark Palmer, Jack Hall, Ian Tyson. Presented July 2 at Society of Nuclear Medicine Meeting.

3. REFUELLING PLAN

Work is currently in progress on proposal preparation and preliminary safety analysis directed toward use of FLIP fuel for the next fuel addition. Our present operational core loading is a 6 x 5 array of bundles (119 elements). We would prefer to be able to reduce the core size to 5 x 5 as a part of the inclusion of FLIP fuel in the core. Our preferred method of approach in adding fuel is:

- A. Plan to reduce the core to a 5 x 5 array;
- B. Add FLIP fuel bundles, (preferably 15) as the center section of the core (a 3 x 5 array of FLIP fuel filling the section of the grid between the two control blade shrouds) and with standard TRIGA fuel added to the rows outside the shrouds as required.

The alternate approach would be to load FLIP fuel bundles as the center 3 x 3 grid spaces of the core, one of which will contain the transient rod guide tube. Both of these alternatives are costly but, assuming the proportion of FLIP fuel is large enough to eliminate the problems caused by excessive power peaking, they would offer the following advantages:

- A. FLIP fuel would be in its most reactive positions, and a loading mistake would give a lower core reactivity than the planned loading;
- B. The standard TRIGA fuel would be near the perimeter of the core, with the resultant softer spectrum in locations used for sample irradiations and driving the beam ports;
- C. Such an arrangement would enable increased burnup of standard fuel bundles;
- D. Spectrum in center section would be harder and (perhaps) more suitable for pulsed activation Doppler test series.

One dimensional diffusion theory code analysis have indicated our fuel storage pit will not accommodate existing fuel plus the FLIP fuel addition without use of poison in the rack structure. We have made an offer to Lockheed for three surplus fuel storage baskets to eliminate this problem.

4. MODIFICATIONS AND IMPROVEMENTS

A new hydraulic transfer system for large samples has been installed and is now in routine use. Samples in any of the approved outer containers can be placed into irradiation position and retrieved during full power operation. This system replaces the previously used irradiation baskets and offers the advantage of reducing radiation exposure to persons loading and unloading samples. The radiation baskets themselves were highly radioactive, and they had to be raised to within three feet of the pool surface to load and unload samples. In the new hydraulic systems called "whale tubes" the facility remains in place and only the sample itself must be manipulated.

Please File in Mueller

U.S. ATOMIC ENERGY COMMISSION
UNIVERSITY-TYPE CONTRACTOR'S RECOMMENDATION FOR
DISPOSITION OF SCIENTIFIC AND TECHNICAL DOCUMENT

(See Instructions on Reverse Side)

1. AEC REPORT NO.

COO-1560-4

2. TITLE Annual Report

University of Wisconsin Nuclear Reactor (UWNR)
Contract AT(11-1)-1560 Fiscal Year 1970-1971

3. TYPE OF DOCUMENT (Check one):

☐ a. Scientific and technical report

☐ b. Conference paper not to be published in a journal:

Title of conference _____

Date of conference _____

Exact location of conference _____

Sponsoring organization _____

☒ c. Other (Specify) Annual Operations Summary

4. RECOMMENDED ANNOUNCEMENT AND DISTRIBUTION (Check one):

☒ a. AEC's normal announcement and distribution procedures may be followed.

☐ b. Make available only within AEC and to AEC contractors and other U.S. Government agencies and their contractors.

☐ c. Make no announcement or distribution.

5. REASON FOR RECOMMENDED RESTRICTIONS:

6. SUBMITTED BY: NAME AND POSITION (Please print or type)

Max W. Carbon, Reactor Director

Organization

University of Wisconsin, Nuclear Engineering Department
Madison, Wisconsin

Signature

Max W. Carbon

Date 8/2/71

FOR AEC USE ONLY

7. AEC CONTRACT ADMINISTRATOR'S COMMENTS, IF ANY, ON ABOVE ANNOUNCEMENT AND DISTRIBUTION RECOMMENDATION:

8. PATENT CLEARANCE:

☒ a. AEC patent clearance has been granted by responsible AEC patent group.

☐ b. Report has been sent to responsible AEC patent group for clearance.

☐ c. Patent clearance not required.

Drawn for G.H. LEE
8-10-71

INSTRUCTIONS

Who uses this Form: AEC contract administrators will designate the AEC contractors who are to use this Form. Generally speaking, it will be used by educational institutions and other "not for profit" institutions. AEC National Laboratories and other major contractors will generally use the longer Form AEC-426.

When to use this Form: AEC contractors are required under their contracts to transmit specified types of documents to the AEC. Some, but not all, of these are transmitted by AEC contract administrators to AEC's Division of Technical Information Extension (DTIE) and may be incorporated into AEC's technical information documentation system. Types of documents which will be transmitted to DTIE are identified in instructions which the contractor receives from his contract administrator. Each such document is to be accompanied by one copy of this transmittal Form recommending to DTIE appropriate announcement and distribution of the document. Documents which the contractor may be required to submit to the AEC under his contract but which are not of the type to be transmitted to DTIE, e.g., contract proposals, should not be accompanied by a copy of this transmittal Form.

Where to send this Form: Send the document and the attached Form AEC-427 to the AEC contract administrator for transmittal to DTIE unless the AEC contract administrator specifies otherwise.

Item instructions:

- Item 1.** The first element in the number shall be an AEC-approved code. This may be a code which is unique to the contractor, e.g., MIT, or it may be the code of the AEC operations office, i.e., NYO, COO, ORO, IDO, SRO, SAN, ALO, RLO, NVO. The contract administrator will specify the code which is to be used.

The code shall be followed by a sequential number, or by a contract number plus a sequential number, as follows: (a) Contractors with unique codes may complete the report number by adding a sequential number to the code, e.g., MIT-101, MIT-102, etc.; or they may add the identifying portion of the contract number and a sequential number, e.g., ABC-2105-1, ABC-2105-2, etc.; (b) Contractors

using the operations office code shall complete the report number by adding the identifying portion of the contract number and a sequential number, e.g., NYO-2200-1, NYO-2200-2, etc. Subcontractor reports shall be identified with the code used by the prime contractor.

- Item 2.** Give title exactly as on the document itself.
- Item 3.** If box c is checked, indicate type of item being sent, e.g., thesis, translation, etc.
- Item 4.** The "normal announcement and distribution procedures" for unclassified documents may include abstracting in "Nuclear Science Abstracts" (NSA); and distribution to appropriate TID-4500 ("Standard Distribution for Unclassified Scientific and Technical Reports") addressees, to libraries which through purchase of microfiche maintain collections of AEC reports, and to the Clearinghouse for Federal Scientific and Technical Information for sale to the public. Check 4b or 4c if there is need for limiting announcement and distribution procedures described above. The normal expectation is that there should seldom be a necessity to check 4c.
- Item 5.** If 4b or 4c is checked, give reason for recommending announcement or distribution restrictions, e.g., "preliminary information", "prepared primarily for internal use", etc.
- Item 6.** Enter name of person to whom inquiries concerning the recommendations on this Form may be addressed.
- Item 7.** AEC contract administrators may use this space to show concurrence or nonconcurrence with the recommendation in item 4 and to make other recommendations.
- Item 8.** AEC contract administrator or patent group representative should check a, b, or c, and forward this Form and the document to:

USAEC - DTIE
P. O. Box 62
Oak Ridge, TN 37830