LA-3883-MS

210
6-3-68

LOS ALAMOS SCIENTIFIC LABORATORY
of the
University of California
LOS ALAMOS • NEW MEXICO

Critical Dimensions of Homogeneous Spheres
Containing ^{235}U , ^{238}U , and Carbon for
Various C/ ^{235}U Ratios and ^{235}U Enrichments

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

LEGAL NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

This report expresses the opinions of the author or authors and does not necessarily reflect the opinions or views of the Los Alamos Scientific Laboratory.

Printed in the United States of America. Available from
Clearinghouse for Federal Scientific and Technical Information
National Bureau of Standards, U. S. Department of Commerce
Springfield, Virginia 22151

Price: Printed Copy \$3.00; Microfiche \$0.65

LOS ALAMOS SCIENTIFIC LABORATORY
of the
University of California
LOS ALAMOS • NEW MEXICO

Report written: December 15, 1967

Report distributed: May 15, 1968

Critical Dimensions of Homogeneous Spheres
Containing ^{235}U , ^{238}U , and Carbon for
Various C/ ^{235}U Ratios and ^{235}U Enrichments

by

L. B. Engle
W. R. Stratton

**THIS PAGE
WAS INTENTIONALLY
LEFT BLANK**

CRITICAL DIMENSIONS OF HOMOGENEOUS SPHERES CONTAINING ^{235}U , ^{238}U , AND CARBON FOR VARIOUS $\text{C}/^{235}\text{U}$ RATIOS AND ^{235}U ENRICHMENTS

by

L. B. Engle and W. R. Stratton

ABSTRACT

The critical dimensions of homogeneous spheres containing ^{235}U , ^{238}U , and carbon at various $\text{C}/^{235}\text{U}$ moderating ratios and ^{235}U enrichments are presented. Some values of k_{∞} for these mixtures are included.

A parametric study of the radii of bare homogeneous spheres containing ^{235}U , ^{238}U , and carbon in various mixtures is presented. Critical radii were computed by utilizing the DTF code⁽¹⁾ and the Hansen-Roach 16-group cross sections.⁽²⁾

A given uranium-graphite mixture was created by assuming that graphite density ($\rho_c = 1.90 \text{ g/cm}^3$) was reduced by the volume occupied by the uranium. For this purpose the density of uranium enriched to 93.5% ^{235}U was taken to be 18.83 g/cm^3 . With these assumptions the relationship between ^{235}U density: ^{235}U enrichment, E ; and $\text{C}/^{235}\text{U}$ atomic ratio is

$$\rho \text{ } ^{235}\text{U} = 37.208 / (\text{C}/^{235}\text{U} + 1.976 E) .$$

Critical radii were computed for $\text{C}/^{235}\text{U}$ values ranging from 10^0 to 10^5 and for various ^{235}U enrichments. The results of this survey are presented in Figs. 1 through 4 and in Table I. (Critical radii for $E = 93.5\%$ were taken from Ref. 3.)

Because of the critically unbounded region for $\text{C}/^{235}\text{U}$ ratios between 10^2 and 10^3 and for low ^{235}U enrichments, special effort was expended to fill in this region through the computation of critical radii at closely spaced intervals and of k_{∞} values. These latter data are presented in Fig. 5 and Table II. Interpolations for $k_{\infty} = 1.0$ were obtained as shown in Fig. 5, and the enrichment for $k_{\infty} = 1.0$ is plotted in Fig. 6 as a function of the $\text{C}/^{235}\text{U}$ atom ratio. The minimum critical enrichment for the metal end point is calculated to be 5.694%. (This value can be compared with experimental values of 5.5%⁽⁴⁾ and 5.3%⁽⁵⁾)

A comparable study was completed by Safanov⁽⁶⁾ in 1952. Comparisons of critical radii show considerable differences, especially in the $\text{C}/^{235}\text{U}$ atom ratio between 10^2 and 10^3 . These discrepancies are attributed primarily to Safanov's use of an extremely small plateau value of 0.8 barn for the ^{238}U capture cross section in the resonance region.

Acknowledgments

We appreciate the helpful discussions and suggestions of G. E. Hansen and H. C. Paxton, and Laura Stone's assistance with the digital computer calculations.

References

1. B. Carlson, J. Worlton, W. Guber, and M. Shapiro, *The DTF Users Manual*, United Nuclear Corp., Phys/Math 3321, Vols. 1 and 2, 1963. (A FORTRAN version of the DSN and DTK Neutron Transport Codes.)
2. G. E. Hansen and W. H. Roach, "Six- and Sixteen-Group Cross Sections for Fast and Intermediate Critical Assemblies," Los Alamos Scientific Laboratory report LAMS-2543, 1961.
3. W. R. Stratton, "Criticality Data and Factors Affecting Criticality for Single Homogeneous Units," Los Alamos Scientific Laboratory report LA-3612, July 1964.
4. J. J. Neuer, and C. B. Stewart, "Preliminary Survey of Uranium Metal Exponential Columns," Los Alamos Scientific Laboratory report LA-2023, 1956.
5. R. G. Steinke, private communication, December 1967.
6. G. Safanov, "Notes on Multi-Group Techniques for the Investigation of Neutron Diffusion," Rand report R-233, 1952.

Fig. 1. Critical radii of homogeneous spheres containing ${}^{235}\text{U}$, ${}^{238}\text{U}$, and carbon vs $C / {}^{235}\text{U}$ atom ratios for various ${}^{235}\text{U}$ enrichments.

Fig. 2. Critical mass (kg ^{235}U) of homogeneous spheres containing ^{235}U , ^{238}U , and carbon vs ^{235}U density for various ^{235}U enrichments.

Fig. 3. Critical radii of homogeneous spheres containing ^{235}U , ^{238}U , and carbon vs ^{235}U enrichment for various C/ ^{235}U atom ratios.

Fig. 4. Critical radii of homogeneous spheres containing ^{235}U , ^{238}U , and carbon vs ^{235}U enrichment for various C/ ^{235}U atom ratios.

Fig. 5. Values of k_{∞} vs $C/^{235}\text{U}$ atom ratios for low ^{235}U enrichments.

Fig. 6. Values of $k_\infty = 1.00$ for a given ^{235}U enrichment vs $\text{C}/^{235}\text{U}$ atom ratio.

TABLE I
Criticality Data for ^{235}U , ^{238}U , and Carbon Homogeneous Spheres

$C/^{235}\text{U}$	^{235}U Density (g/cm ³)	Critical Radius (cm)	Critical Mass (kg ^{235}U)	$C/^{235}\text{U}$	^{235}U Density (g/cm ³)	Critical Radius (cm)	Critical Mass (kg ^{235}U)
93.5% ^{235}U Enrichment				18.0% ^{235}U Enrichment			
0.00+0	1.760+1	8.652+0	4.774+1	1.00+1	1.774+0	3.266+1	2.588+2
9.40-1	1.220+1	1.122+1	7.216+1	5.00+1	6.102-1	5.242+1	3.680+2
2.85+0	7.480+0	1.514+1	1.088+2	1.00+2	3.353-1	7.082+1	4.989+2
7.83+0	3.740+0	2.180+1	1.623+2	1.70+2	2.056-1	9.044+1	6.369+2
1.00+1	3.070+0	2.378+1	1.729+2	2.50+2	1.426-1	1.037+2	6.630+2
1.78+1	1.870+0	2.926+1	1.963+2	3.50+2	1.031-1	1.079+2	5.424+2
3.77+1	9.350-1	3.699+1	1.983+2	5.00+2	7.282-2	1.042+2	3.446+2
7.75+1	4.680-1	4.472+1	1.753+2	1.00+3	3.680-2	8.788+1	1.046+2
1.00+2	3.642-1	4.754+1	1.638+2	16.0% ^{235}U Enrichment			
1.57+2	2.340-1	5.118+1	1.314+2	0.00+0	3.013+0	2.545+1	2.080+2
3.16+2	1.170-1	5.546+1	8.355+1	1.00+1	1.665+0	3.468+1	2.908+2
6.95+2	5.840-2	5.721+1	4.581+1	5.00+1	5.968-1	5.496+1	4.149+2
1.00+3	3.711-2	5.819+1	3.062+1	1.00+2	3.312-1	7.522+1	5.903+2
1.27+3	2.920-2	5.819+1	2.410+1	1.70+2	2.041-1	9.892+1	8.272+2
2.54+3	1.460-2	5.973+1	1.303+1	2.50+2	1.418-1	1.174+2	9.600+2
5.09+3	7.300-3	6.352+1	7.836+0	3.50+2	1.027-1	1.216+2	7.729+2
1.00+4	3.711-3	7.043+1	5.429+0	5.00+2	7.266-2	1.161+2	4.756+2
1.02+4	3.650-3	7.075+1	5.415+0	1.00+3	3.675-2	9.360+1	1.262+2
2.04+4	1.830-3	8.301+1	4.383+0	3.00+3	1.235-2	7.575+1	2.248+2
4.07+4	9.130-4	1.055+2	4.490+0	14.0% ^{235}U Enrichment			
8.15+4	4.570-4	1.529+2	6.842+0	0.00+0	2.636+0	2.822+1	2.481+2
1.00+5	3.718-4	1.759+2	8.483+0	1.00+1	1.543+0	3.761+1	3.438+2
1.63+5	2.280-4	4.256+2	7.330+1	5.00+1	5.803-1	5.878+1	4.936+2
30.0% ^{235}U Enrichment				1.00+2	3.261-1	8.168+1	7.444+2
0.00+0	5.649+0	1.685+1	1.130+2	1.70+2	2.021-1	1.140+2	1.254+3
1.00+0	4.904+0	1.826+1	1.250+2	2.50+2	1.409-1	1.454+2	1.814+3
1.00+1	2.243+0	2.688+1	1.820+2	3.00+2	1.185-1	1.503+2	1.603+3
5.00+1	6.575-1	4.508+1	2.520+2	3.50+2	1.022-1	1.496+2	1.432+3
1.00+2	3.491-1	5.893+1	2.990+2	5.00+2	7.237-2	1.377+2	7.914+2
1.70+2	2.107-1	7.003+1	3.030+2	1.00+3	3.669-2	1.015+2	1.609+2
2.50+2	1.450-1	7.655+1	2.724+2	3.00+3	1.235-2	7.669+1	2.332+1
3.50+2	1.044-1	7.890+1	2.147+2	13.0% ^{235}U Enrichment			
1.00+3	3.697-2	7.263+1	5.930+1	1.00+2	3.230-1	8.665+1	8.649+2
3.00+3	1.238-2	6.368+1	1.338+0	1.70+2	2.009-1	1.274+2	1.739+3
1.00+4	3.718-3	7.383+1	6.270+0	2.50+2	1.403-1	1.692+2	2.847+3
20.0% ^{235}U Enrichment				3.00+2	1.181-1	1.832+2	3.040+3
0.00+0	3.766+0	2.176+1	1.624+2	3.50+2	1.019-1	1.797+2	2.475+3
1.00+0	3.420+0	2.294+1	1.728+2	5.00+2	7.222-2	1.555+2	1.137+3
1.00+1	1.872+0	3.117+1	2.374+2	1.00+3	3.665-2	1.076+2	1.911+2
5.00+1	6.214-1	5.061+1	3.373+2	12.0% ^{235}U Enrichment			
1.00+2	3.386-1	6.726+1	4.315+2	0.00+0	2.260+0	3.223+1	3.169+2
1.70+2	2.069-1	8.491+1	5.303+2	1.00+0	2.130+0	3.341+1	3.327+2
2.50+2	1.432-1	9.466+1	5.085+2	1.00+1	1.406+0	4.224+1	4.437+2
3.50+2	1.034-1	9.919+1	4.225+2	5.00+1	5.598-1	6.477+1	6.369+2
5.00+2	7.298-2	9.689+1	2.780+2	1.00+2	3.195-1	9.345+1	1.092+3
1.00+3	3.684-2	8.331+1	8.920+1				
2.00+3	1.851-2	7.042+1	2.710+1				
1.00+4	3.717-3	7.677+1	7.052+0				

TABLE I (Continued)
Criticality Data for ^{235}U , ^{238}U , and Carbon Homogeneous Spheres

$C/^{235}\text{U}$	^{235}U Density (g/cm ³)	Critical Radius (cm)	Critical Mass (kg ^{235}U)	$C/^{235}\text{U}$	^{235}U Density (g/cm ³)	Critical Radius (cm)	Critical Mass (kg ^{235}U)
12.0% ^{235}U Enrichment				10.0% ^{235}U Enrichment			
1.70+2	1.995-1	1.505+2	2.848+3	0.00+0	1.883+0	3.874+1	4.570+2
2.50+2	1.396-1	2.207+2	6.289+3	1.00+1	1.792+0	4.013+1	4.850+2
3.00+2	1.176-1	2.662+2	9.285+3	1.00+1	1.250+0	5.089+1	6.860+2
3.50+2	1.015-1	2.489+2	6.552+3	4.00+1	6.226-1	7.055+1	9.740+2
5.00+2	7.204-2	1.868+2	1.966+3	8.00+1	3.730-1	1.013+2	1.619+3
1.00+3	3.661-2	1.162+2	2.402+2	1.00+2	3.107-1	1.217+2	2.345+3
3.00+3	1.234-2	8.174+1	2.821+1	1.10+2	2.868-1	1.349+2	2.949+3
1.00+4	3.715-3	8.140+1	8.392+0	1.30+2	2.485-1	1.698+2	5.092+3
11.5% ^{235}U Enrichment				1.50+2	2.192-1	2.320+2	1.146+4
2.00+2	1.713-1	2.060+2	6.272+3	1.75+2	1.911-1	6.741+2	2.451+5
2.50+2	1.393-1	2.796+2	1.275+4	1.79+2	1.872-1	1.913+3	5.490+6
3.00+2	1.173-1	4.020+2	3.191+4	5.50+2	6.531-2	7.301+2	1.064+5
3.25+2	1.087-1	4.411+2	3.908+4	6.00+2	6.004-2	3.568+2	1.142+4
3.50+2	1.013-1	3.835+2	2.394+4	7.00+2	5.170-2	2.362+2	2.853+3
5.00+2	7.194-2	2.163+2	3.049+3	9.00+2	4.045-2	1.623+2	7.247+2
11.25% ^{235}U Enrichment				1.00+3	3.649-2	1.457+2	4.720+2
2.50+2	1.391-1	3.476+2	2.446+4	3.00+3	1.232-2	8.662+1	3.354+1
3.00+2	1.172-1	6.485+2	1.338+5	6.00+3	6.181-3	8.147+1	1.399+1
3.25+2	1.086-1	1.234+3	8.554+5	1.00+4	3.714-3	8.354+1	9.070+0
3.50+2	1.012-1	6.290+2	1.055+5	2.00+4	1.859-3	9.313+1	6.288+0
4.00+2	8.911-2	3.815+2	2.071+4	4.00+4	9.298-4	1.145+2	5.847+0
11.125% ^{235}U Enrichment				6.00+4	6.199-4	1.370+2	6.680+0
3.00+2	1.171-1	1.274+3	1.016+6	8.00+4	4.650-4	1.621+2	8.294+0
3.25+2	1.086-1	3.190+3	1.475+7	1.00+5	3.720-4	1.914+2	1.092+1
3.75+2	9.474-2	7.596+2	1.739+5	1.10+5	3.382-4	2.083+2	1.280+1
11.0% ^{235}U Enrichment				1.30+5	2.862-4	2.498+2	1.729+1
0.00+0	2.071+0	3.502+1	3.725+2	9.0% ^{235}U Enrichment			
1.00+1	1.331+0	4.576+1	5.340+2	0.00+0	1.695+0	4.407+1	6.076+2
5.00+1	5.475-1	6.959+1	7.727+2	1.00+0	1.621+0	4.572+1	6.488+2
1.00+2	3.154-1	1.039+2	1.482+3	9.00+0	1.202+0	5.761+1	9.625+2
1.70+2	1.980-1	2.038+2	7.014+3	2.455+1	8.001-1	7.210+1	1.256+3
2.50+2	1.389-1	4.855+2	6.664+4	5.00+1	5.171-1	8.965+1	1.560+3
2.75+2	1.270-1	9.752+2	4.933+5	1.00+2	3.051-1	1.634+2	3.572+3
2.92+2	1.120-1	4.348+3	3.858+7	7.50+2	4.820-2	4.270+2	1.572+4
3.67+2	9.655-2	4.518+3	3.733+7	8.00+2	4.527-2	3.147+2	5.908+3
4.00+2	8.902-2	6.707+2	1.125+5	2.00+3	1.840-2	1.043+2	8.743+1
4.50+2	7.951-2	3.407+2	1.317+4	8.0% ^{235}U Enrichment			
4.75+2	7.548-2	2.988+2	8.435+3	0.00+0	1.506+0	5.263+1	9.196+2
5.00+2	7.184-2	2.693+2	5.872+3	1.00+0	1.448+0	5.487+1	1.002+3
1.00+3	3.655-2	1.286+2	3.257+2	6.00+0	1.212+0	6.613+2	1.468+3
10.5% ^{235}U Enrichment				1.20+1	1.014+0	7.804+2	2.018+3
2.00+2	1.700-1	5.971+2	1.516+5	3.50+1	6.233-1	1.042+2	2.951+3
2.155+2	1.588-1	3.502+3	2.855+7	5.00+1	4.901-1	1.189+2	3.508+3
4.500+2	7.937-2	4.611+3	3.259+7	1.30+3	2.809-2	1.757+2	6.380+2
4.75+2	7.535-2	9.209+2	2.465+5	7.00% ^{235}U Enrichment			
				0.00+0	1.318+0	6.985+1	1.882+3
				1.00+0	1.273+0	7.476+1	2.228+3
				4.00+0	1.155+0	8.863+1	3.366+3
				1.00+1	9.733-1	1.248+2	7.931+3
				3.00+1	6.390-1	2.659+2	5.031+4

TABLE I (Continued)
Criticality Data for ^{235}U , ^{238}U , and Carbon Homogeneous Spheres

$C/^{235}\text{U}$	^{235}U Density (g/cm ³)	Critical Radius (cm)	Critical Mass (kg ^{235}U)	$C/^{235}\text{U}$	^{235}U Density (g/cm ³)	Critical Radius (cm)	Critical Mass (kg ^{235}U)
7.00% ^{235}U Enrichment				6.00% ^{235}U Enrichment			
1.50+3	2.435-2	1.843+2	6.382+2	0.00+0	1.130+0	1.455+2	1.457+4
3.00+3	1.229-2	1.044+2	5.855+1				
1.00+4	3.710-3	8.920+1	1.101+1				
				5.00% ^{235}U Enrichment			
				3.00+3	1.224-2	1.444+2	1.544+2
				1.00+4	3.706-3	9.729+1	1.430+1

TABLE II
 k_{∞} for a Given $C/^{235}\text{U}$ Ratio and Enrichment

$C/^{235}\text{U}$	^{235}U Density (g/cm ³)	k_{∞}	$C/^{235}\text{U}$	^{235}U Density (g/cm ³)	k_{∞}
11.25% ^{235}U Enrichment			10.0% ^{235}U Enrichment		
3.00+2	1.172-1	1.006+0	3.00+2	1.164-1	9.7270-1
3.25+2	1.086-1	1.0036+0	3.25+2	1.087-1	9.7100-1
3.50+2	1.012-1	1.0058+0	3.50+2	1.006-1	9.6996-1
3.75+2	9.478-2	1.0098+0	3.75+2	9.426-2	9.6949-1
			4.00+2	8.864-2	9.7370-1
11.125% ^{235}U Enrichment			9.0% ^{235}U Enrichment		
3.00+2	1.172-1	1.0029+0	5.50+2	6.531-2	1.0051+0
3.25+2	1.086-1	1.0006+0	6.00+2	6.004-2	1.0159+0
3.32+2	1.064-1	1.0000+0			
3.50+2	1.012-1	1.0019+0			
3.75+2	9.474-2	1.0060+0			
11.0% ^{235}U Enrichment			8.0% ^{235}U Enrichment		
			1.00+2	3.051-1	1.0411+0
			1.50+2	2.164-1	9.9439-1
			1.75+2	1.889-1	9.7635-1
2.75+2	1.279-1	1.0031+0	6.50+2	5.537-2	9.9147-1
3.00+2	1.170-1	9.9991-1	7.50+2	4.820-2	1.0129+0
3.25+2	1.085-1	9.9749-1	8.00+2	4.527-2	1.0220+0
3.50+2	1.011-1	9.9800-1			
3.75+2	9.469-2	1.0022+0			
4.00+2	8.902-2	1.0064+0	8.00+1	3.554-1	1.0257+0
10.5% ^{235}U Enrichment			9.00+1	3.244-1	1.0136+0
			1.05+2	2.869-1	9.9785-1
			0.50+2	4.254-1	9.9360-1
2.00+2	1.700-1	1.0063+0			
2.25+2	1.526-1	9.9921-1	1.00+3	3.631-2	1.0227+0
4.25+2	8.304-2	9.9572-1	1.15+3	3.168-2	1.0546+0
4.50+2	7.937-2	1.0005+0	1.30+3	2.809-2	1.0743+0
10.0% ^{235}U Enrichment			7.5% ^{235}U Enrichment		
1.50+2	2.192-1	1.0243+0	4.20+1	5.444-1	1.0365+0
1.75+2	1.911-1	1.0044+0	5.00+1	4.874-1	1.0322+0
1.87+2	1.800-1	9.9580-1	6.00+1	4.309-1	1.0241+0
2.00+2	1.700-1	9.9080-1			
2.50+2	1.379-1	9.7910-1	7.00+1	3.862-1	1.0146+0
			8.00+1	3.499-1	1.0042+0
			9.00+1	3.198-1	9.9317-1

TABLE II (Continued)
 k_{∞} for a Given C/ ^{235}U Ratio and Enrichment

C/ ^{235}U	^{235}U Density (g/cm ³)	k_{∞}	C/ ^{235}U	^{235}U Density (g/cm ³)	k_{∞}
7.125% ^{235}U Enrichment			5.8% ^{235}U Enrichment		
2.00+1	7.795-1	1.0235+0	1.00+0	1.061+0	9.9960-1
3.00+1	6.445-1	1.0185+0	6.00+0	9.286-1	9.6780-1
5.00+1	4.787-1	1.0114+0			
7.00% ^{235}U Enrichment			5.75% ^{235}U Enrichment		
2.00+1	7.715-1	1.0156+0	4.00-1	1.070+0	1.0009+0
3.00+1	6.390-1	1.0108+0	1.00+0	1.052+0	9.9560-1
4.20+1	5.298-1	1.0072+0			
5.00+1	4.756-1	1.0042+0			
6.00+1	4.217-1	9.9820-1			
7.00+1	3.788-1	9.8998-1	1.00-1	1.072+0	1.0004+0
1.00+3	3.619-2	9.7751-1	6.00-2	1.073+0	1.0007+0
1.20+3	3.029-2	1.0148+0			
1.30+3	2.801-2	1.0341+0			
1.40+3	2.605-2	1.0521+0	1.00-1	1.071+0	1.0000+0
1.65+3	2.217-2	1.0911+0	6.00-2	1.072+0	1.0004+0
6.9% ^{235}U Enrichment			5.70% ^{235}U Enrichment		
4.00+1	5.421-1	1.0018+0	4.00-2	1.072+0	1.0002+0
6.00+1	4.198-1	9.9280-1	5.75-2	1.072+0	9.9999-1
			6.00-2	1.072+0	9.9997-1
			1.00-1	1.070+0	9.9956-1
6.8% ^{235}U Enrichment			5.695% ^{235}U Enrichment		
2.00+1	7.584-1	1.0028+0			
4.00+1	5.388-1	9.9560-1	0.00+0	1.072+0	1.0001+0
			5.00-3	1.072+0	1.0000+0
6.7% ^{235}U Enrichment			7.00-3	1.072+0	1.0000+0
1.50+1	8.363-1	1.0030+0	1.00-2	1.072+0	9.9997-1
2.50+1	6.828-1	9.9310-1	1.50-2	1.071+0	9.9996-1
			3.00-2	1.071+0	9.9982-1
6.6% ^{235}U Enrichment			4.00-2	1.071+0	9.9971-1
1.15+1	8.979-1	9.9460-1			
1.60+1	8.099-1	1.0042+0			
6.5% ^{235}U Enrichment			1.00-2	1.069+0	9.9873-1
			1.35-2	1.069+0	9.9873-1
9.00+0	9.444-1	1.0055+0			
1.00+1	9.210-1	1.0019+0			
6.4% ^{235}U Enrichment			5.60% ^{235}U Enrichment		
			4.00-2	1.053+0	9.9190-1
			1.00-1	1.052+0	9.9130-1
			5.00-1	1.039+0	9.8770-1
5.00+0	1.037+0	1.0167+0	1.00+0	1.025+0	9.8350-1
1.00+1	9.102-1	9.9310-1			
6.2% ^{235}U Enrichment			5.00% ^{235}U Enrichment		
1.00+0	1.132+0	1.0309+0	1.65+3	2.202-2	9.64870-1
1.00+1	8.887-1	9.8100-1	1.75+3	2.079-2	9.8078-1
			1.95+3	1.8702-2	1.0094+0
6.0% ^{235}U Enrichment			3.0% ^{235}U Enrichment		
1.00+0	1.097+0	1.0155+0	2.85+3	1.276-2	9.0560-1
1.00+1	8.667-1	9.6710-1	4.40+3	8.332-3	1.0231+0
			4.65+3	7.924-3	1.0382+0
			7.00+3	5.266-3	1.1450+0