OCT 1 6 1964

UCRL-11648

UNIVERSITY OF CALIFORNIA

Lawrence Radiation Laboratory
Berkeley, California

AEC Contract No. W-7405-eng-48

MASTER

LEGAL NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

A FORTRAN PROGRAM FOR
CALCULATING KINEMATICAL AND DYNAMICAL QUANTITIES
OF PARTICLE INTERACTIONS AND DECAYS

W. Peter Trower

September 3, 1964

~~NOT FOR PUBLIC RELEASE - OFFICIAL~~

~~DISTRIBUTION MAY BE MADE. OFFICIAL~~

~~REQUESTS MAY BE FILLED. REPORT~~

~~CONTAINS NOTHING OF PATENT INTEREST~~

~~PROCEDURES ON FILE IN RECEIVING
SECTION.~~

RELEASED FOR ANNOUNCEMENT
IN NUCLEAR SCIENCE ABSTRACTS

RELEASED FOR ANNOUNCEMENT
IN NUCLEAR SCIENCE ABSTRACTS

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

**A FORTRAN Program for
Calculating Kinematical and Dynamical Quantities
of Particle Interactions and Decays***

W. Peter Trower†

**Lawrence Radiation Laboratory
University of California
Berkeley, California**

September 3, 1964

The application of special relativity to particle interactions is in general a straightforward but often tedious affair. This report describes a computer program that calculates relativistic kinematics and dynamics of particle interactions and allows the physicist a wide latitude in his choice of input variables and an extensive output that should cover most of his normal needs.

Symbolically the interaction for which this program KINE is constructed can be written as $1+2 \rightarrow 3+4$, where particle 2 is assumed to be at rest in the laboratory frame. The user specifies his problem by stating the masses of the particles in the reaction. Decays are specified by setting the mass of particle 2 equal to zero. For photoproduction the mass of particle 1 is set to zero. In three-dimensional space, each particle may be described by three variables (for example, P_x, P_y, P_z), making a total of nine variables for the reaction, since particle 2 is at rest. But in the reaction plane, each particle can be characterized by a pair of variables, so the number of variables is thus reduced to six. We further have three conservation equations, two in momentum and one in energy, and can arbitrarily specify the direction of particle 1, leaving only two variables that are necessary to specify this system. KINE has seven subroutines that allow the user to specify

the most useful combinations of two variables out of two of three pairs of particle variables: momentum or kinetic energy of 1 in the laboratory or in the center-of-mass frame, momentum or kinetic energy of 3 in either frame, and angle of 3 in either frame.

KINE essentially generates tables of kinematic and dynamic variables. Depending on the input, its output consists of the kinetic energies, momenta, and angles of particles 3 and 4 in both frames, as well as their η, β , and $\frac{d\Omega_{\text{LAB}}}{d\Omega_{\text{c.m.}}}$. In addition, the η, β , and γ of the center of mass; the relative velocity, phase space, and total opening angle of the final-state particles; and the threshold energy and momentum of the incident particle are calculated.

This program is available in deck form from the author and a full write-up has been prepared.¹

*Work performed under the auspices of the U. S. Atomic Energy Commission.

[†]Present address: Physics Department, University of Illinois, Urbana.

¹W. P. Trower, FORTRAN Program KINE: Calculating Kinematical and Dynamical Quantities for Particle Interactions and Decays, Lawrence Radiation Laboratory Report UCRL-11650, September 1964 (unpublished).