214

ANL-7485

1/17/69

612

ANL-7485

MASTER

Argonne National Laboratory

BUILDUP OF RADIOACTIVE PRODUCTS IN THERMAL REACTORS

II. ^{226}Ra Targets

by

D. C. Stewart, E. S. Macias,
L. J. Basile, and J. Milsted

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

The facilities of Argonne National Laboratory are owned by the United States Government. Under the terms of a contract (W-31-109-Eng-38) between the U. S. Atomic Energy Commission, Argonne Universities Association and The University of Chicago, the University employs the staff and operates the Laboratory in accordance with policies and programs formulated, approved and reviewed by the Association.

MEMBERS OF ARGONNE UNIVERSITIES ASSOCIATION

The University of Arizona	Kansas State University	The Ohio State University
Carnegie-Mellon University	The University of Kansas	Ohio University
Case Western Reserve University	Loyola University	The Pennsylvania State University
The University of Chicago	Marquette University	Purdue University
University of Cincinnati	Michigan State University	Saint Louis University
Illinois Institute of Technology	The University of Michigan	Southern Illinois University
University of Illinois	University of Minnesota	University of Texas
Indiana University	University of Missouri	Washington University
Iowa State University	Northwestern University	Wayne State University
The University of Iowa	University of Notre Dame	The University of Wisconsin

LEGAL NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

Printed in the United States of America

Available from

Clearinghouse for Federal Scientific and Technical Information
National Bureau of Standards, U. S. Department of Commerce
Springfield, Virginia 22151

Price: Printed Copy \$3.00; Microfiche \$0.65

ARGONNE NATIONAL LABORATORY
9700 South Cass Avenue
Argonne, Illinois 60439

BUILDUP OF RADIOACTIVE PRODUCTS
IN THERMAL REACTORS

II. ^{226}Ra Targets

by

D. C. Stewart, E. S. Macias,
L. J. Basile, and J. Milsted

Chemistry Division

September 1968

LEGAL NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this report.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

BUILDUP OF RADIOACTIVE PRODUCTS IN THERMAL REACTORS

II. ^{226}Ra Targets

by

D. C. Stewart, E. S. Macias,
L. J. Basile, and J. Milsted

This report continues a series describing the buildup of isotopic products obtained when heavy-element targets are irradiated in thermal-neutron fluxes at various levels. References are given in its immediate predecessor¹ to reports where the calculation techniques used are described in detail.

Since there is possibly less than 100 g of purified radium in existence, it would seem at first glance that this element is an odd choice as a candidate for a target in a production-type reactor irradiation. The justifi-

Fig. 1. Assumed Reaction Scheme for ^{226}Ra Target

cation for such an irradiation, however, is that it is the most direct way of obtaining the still rarer element, actinium, a species whose chemistry has still received relatively little study. From Fig. 1, it will be seen that the most abundant actinium isotope produced from radium irradiation is ^{227}Ac , the longest-lived isotope of the element, and therefore the one of most interest to the research chemist anxious to work with the least radioactive material possible.

Other than radium irradiation, the only practicable source of ^{227}Ac is by laborious processing of uranium ore residues to recover the minute amount of the nuclide present in nature.

^{227}Ac is also of some interest as a possible heat source, since it acts as the parent of a chain of alpha emitters. This application, however, will probably always be restricted in view of the difficulty of obtaining the nuclide in any quantity. There are also several intense gamma emitters among the daughters in the decay chain of the nuclide. These would present some problems in handling the material for heat source applications.

Grove, Russell, and Orr² calculated the buildup of ^{227}Ac and ^{228}Th from radium irradiated in fluxes ranging from 10^{13} to 5×10^{14} n/cm²-sec. In these calculations, they used a destruction cross section for ^{227}Ac of 493 b, substantially less than the 830 b now recommended.³ Hanson,⁴ also

calculated yields of ^{227}Ac for conditions in the Materials Testing Reactor-- a thermal flux of 2×10^{14} and a fast flux of 1×10^{14} n/cm²-sec. He also used the lower destruction cross section for ^{227}Ac . More recently, Foster⁵ has examined ^{227}Ac as a possible heat source and calculated yields of actinium from radium irradiated at four different fluxes. He did not consider the associated buildup of any side products.

The buildup scheme and the products considered in the present work are given in Fig. 1, and the nuclear data used are presented in Table I. During any long irradiation, substantial amounts of daughter activities will also arise from the ^{227}Ac as it is formed. The only one considered here was the ^{227}Th formed by the 98.8% beta-decay branching of ^{227}Ac . The subsequent buildup of the balance of the actinium series has been presented elsewhere.⁶

TABLE I. Nuclear Data Used for ^{226}Ra Irradiation

Nuclide	Half-life ^(a)	Cross Sections				Destruction, b	Specific Activity, dis/sec-μg
		Capture		Fission			
		b	Ref	b	Ref		
²²³ Ra	11.435 day	130	(b)	-	-	130	1.89 x 10 ⁹
²²⁴ Ra	3.64 day	12	(b)	-	-	12	6.93 x 10 ⁹
²²⁵ Ra	14.8 day	-	-	-	-	-	1.45 x 10 ⁹
²²⁶ Ra	1602 yr	20	(b)	-	-	20	36400
²²⁷ Ra	41.2 min	-	-	-	-	-	7.44 x 10 ¹¹
²²⁵ Ac	10.0 day	-	-	-	-	-	2.14 x 10 ⁹
²²⁷ Ac	21.6 yr	830	(c)	-	-	830	2.69 x 10 ⁶
²²⁸ Ac	6.13 hr	-	-	-	-	-	8.30 x 10 ¹⁰
²²⁷ Th	18.2 day	-	-	1500	(a)	1500	1.17 x 10 ⁹
²²⁸ Th	1.910 yr	120	(b)	<0.3	(a)	120	3.04 x 10 ⁷
²²⁹ Th	7340 yr	-	-	32	(c)	32	7850

(a) C. M. Lederer, J. M. Holland, and I. Perlman, Table of Isotopes, 6th Ed., John Wiley & Sons, Inc., New York (1967).

(b) D. T. Goldman and J. R. Roesser, Chart of the Nuclides, 9th Ed., Rev. to July 1966, Knolls Atomic Power Laboratory.

(c) J. R. Stehn et al., Neutron Cross Sections, Vol. III, Z = 88 to 98, BNL-325, 2nd Ed., Suppl. 2 (Feb 1965).

The results of the present calculations are given at the end of this report in Tables III-IX in the form of reproductions of the computer sheets. Time is expressed in units of 10^6 sec, and a notation in the data of "1.30-02" should be read as meaning that 0.013 atom of that particular product per original atom of target is present at the indicated time. "Comb 1" refers to the total amount of mass-227 products, i.e., ^{227}Ra plus ^{227}Ac .

The situation has been considered for seven different flux levels. The graphed data are rather uniform, the chief difference being in the time needed to reach the maximum point on the various curves (this time is roughly inversely proportional to the flux). Those short-lived products (^{227}Ra and ^{228}Ac) coming into rapid equilibrium with long-lived target nuclides reach maxima directly proportional to the flux. Figure 2 graphs the yield curves for a flux of 7×10^{13} n/cm²-sec, and Fig. 3 the radioactivity buildup for a flux of 3×10^{14} as examples. ^{227}Ra and ^{228}Ac dominate in the latter, but substantial quantities of ^{228}Th and ^{224}Ra activity are also present in a long irradiation. An interesting point in the yield curves of Fig. 2 is the fact that two higher-order products, ^{228}Th and ^{229}Th , eventually attain greater concentrations than the essentially first-order ^{227}Ac , in spite of the latter's relatively long half-life. This comes about, of course, because of the very high capture cross section of ^{227}Ac .

Fig. 2. Relative Yields for ^{226}Ra Target in a Flux of 7×10^{13} n/cm²-sec

Fig. 3. Radioactivity Buildup for ^{226}Ra Target in a Flux of 3×10^{14} n/cm²-sec

In evaluating maximum yields of ^{227}Ac , it is necessary to add in the small amount of the 41-min ^{227}Ra parent present, since this obviously will decay completely in the interval between removal from the reactor and beginning of any large-scale chemical processing. The situation at the point of maximum yield of the mass-227 chain is summarized in Table II. From this table, it will be observed that varying the flux level by a factor of over 300 has relatively little effect on the maximum amount of radium that can be transmuted to actinium. The dynamics of the system are such that

the maximum yield for the mass-227 chain obtainable in a single irradiation is slightly over 2 atoms per 100 atoms of original ^{226}Ra , the process of reaching this maximum quite uniformly involving the loss of about 8 out of 100 target atoms. Foster⁵ made a similar observation. He also showed that for maximum efficiency (greatest total production of atoms of actinium per atom of radium consumed) the radium should be cycled through short irradiations at higher fluxes, the ^{227}Ac product being removed from the target well before the time of reaching maximum yield.

TABLE II. Maximum Obtainable Yields of the Mass-227 Chain

Flux, n/cm ² -sec	Time Needed, sec	At Point of Maximum Yield			^{226}Ra Remaining in Target
		As ^{277}Ra	As ^{277}Ac	Total	
3×10^{13}	1.3×10^8	1.98×10^{-6}	0.0211	0.0211	0.923
7×10^{13}	6×10^7	4.59×10^{-6}	0.0216	0.0216	0.919
3×10^{14}	1.4×10^7	1.97×10^{-5}	0.0219	0.0219	0.919
7×10^{14}	6×10^6	4.59×10^{-5}	0.0219	0.0220	0.919
2×10^{15}	2.2×10^6	1.31×10^{-4}	0.0219	0.0221	0.919
5×10^{15}	9×10^5	3.26×10^{-4}	0.0220	0.0223	0.914
1×10^{16}	4×10^5	6.59×10^{-4}	0.0219	0.0226	0.923

The amount of radioactivity present for any given time-flux situation can be readily calculated from the data of Tables III-IX and the specific activities given in Table I.

TABLE III

TARGET= RA226
DATA TYPE= YIELD ATOMS PER ATOM TARGET
FLUX= 3.0+013
TIME SPAN= 0-150

TIME	0.00500	0.01000	0.05000	0.10000	0.50000	0.80000
FLUX= 3.0+013	TARGET=RA226	TARGET=RA226	TARGET=RA226	TARGET=RA226	TARGET=RA226	TARGET=RA226
RA226	1.00+000	1.00+000	1.00+000	1.00+000	1.00+000	1.00+000
RA227	1.73-006	2.06-006	2.14-006	2.14-006	2.14-006	2.14-006
AC227	1.76-006	4.52-006	2.84-005	5.84-005	2.97-004	4.73-004
AC228	1.08-010	4.92-010	1.11-008	3.23-008	2.21-007	3.61-007
TH227	4.56-012	2.17-011	6.98-010	2.88-009	6.96-008	1.70-007
TH228	7.21-012	5.66-011	6.44-009	4.03-008	1.63-006	4.36-006
TH229	4.87-017	6.19-016	3.14-013	4.08-012	9.24-010	4.04-009
RA223	4.24-015	3.45-014	5.07-012	4.16-011	4.78-009	1.80-008
RA224	1.55-016	1.97-015	9.82-013	1.25-011	2.32-009	8.88-009
RA225	9.61-023	1.88-021	3.85-018	9.87-017	9.91-014	6.12-013
AC225	8.37-026	2.44-024	1.90-020	9.65-019	5.01-015	4.94-014
COMB1	3.48-006	6.58-006	3.06-005	6.05-005	2.99-004	4.76-004

TIME	1.00000	1.10000	1.20000	1.40000	1.60000	1.80000
FLUX= 3.0+013	TARGET=RA226	TARGET=RA226	TARGET=RA226	TARGET=RA226	TARGET=RA226	TARGET=RA226
RA226	9.99-001	9.99-001	9.99-001	9.99-001	9.99-001	9.99-001
RA227	2.14-006	2.14-006	2.14-006	2.14-006	2.14-006	2.14-006
AC227	5.91-004	6.49-004	7.07-004	8.23-004	9.38-004	1.05-003
AC228	4.54-007	5.00-007	5.46-007	6.38-007	7.30-007	8.21-007
TH227	2.58-007	3.07-007	3.60-007	4.75-007	6.02-007	7.40-007
TH228	6.90-006	8.39-006	1.00-005	1.37-005	1.80-005	2.28-005
TH229	8.06-009	1.08-008	1.41-008	2.26-008	3.40-008	4.86-008
RA223	3.32-008	4.30-008	5.43-008	8.15-008	1.15-007	1.55-007
RA224	1.63-008	2.10-008	2.64-008	3.93-008	5.50-008	7.36-008
RA225	1.40-012	1.98-012	2.71-012	4.68-012	7.43-012	1.11-011
AC225	1.40-013	2.18-013	3.23-013	6.43-013	1.15-012	1.91-012
COMB1	5.93-004	6.51-004	7.09-004	8.25-004	9.41-004	1.06-003

TABLE III (Contd.)

TIME	2.00000	2.20000	2.50000	3.00000	3.20000	3.50000
FLUX=	3.0+013	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.99-001	9.99-001	9.98-001	9.98-001	9.98-001	9.98-001
RA227	2.14-006	2.14-006	2.14-006	2.14-006	2.14-006	2.14-006
AC227	1.17-003	1.28-003	1.45-003	1.73-003	1.84-003	2.00-003
AC228	9.11-007	1.00-006	1.14-006	1.36-006	1.44-006	1.58-006
TH227	8.87-007	1.04-006	1.29-006	1.73-006	1.92-006	2.20-006
TH228	2.81-005	3.41-005	4.39-005	6.31-005	7.17-005	8.56-005
TH229	6.69-008	8.93-008	1.31-007	2.27-007	2.76-007	3.60-007
RA223	2.02-007	2.55-007	3.46-007	5.25-007	6.06-007	7.37-007
RA224	9.52-008	1.20-007	1.62-007	2.46-007	2.85-007	3.48-007
RA225	1.57-011	2.15-011	3.24-011	5.71-011	6.95-011	9.09-011
AC225	2.97-012	4.39-012	7.35-012	1.49-011	1.91-011	2.66-011
COMB1	1.17-003	1.28-003	1.45-003	1.73-003	1.84-003	2.01-003
TIME	4.00000	4.50000	5.00000	6.00000	7.00000	8.00000
FLUX=	3.0+013	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.98-001	9.97-001	9.97-001	9.96-001	9.96-001	9.95-001
RA227	2.13-006	2.13-006	2.13-006	2.13-006	2.13-006	2.13-006
AC227	2.28-003	2.54-003	2.81-003	3.33-003	3.83-003	4.32-003
AC228	1.79-006	2.00-006	2.21-006	2.62-006	3.03-006	3.42-006
TH227	2.70-006	3.21-006	3.72-006	4.78-006	5.84-006	6.89-006
TH228	1.11-004	1.40-004	1.72-004	2.45-004	3.29-004	4.25-004
TH229	5.37-007	7.62-007	1.04-006	1.79-006	2.82-006	4.17-006
RA223	9.76-007	1.24-006	1.52-006	2.11-006	2.74-006	3.39-006
RA224	4.67-007	6.03-007	7.55-007	1.11-006	1.52-006	2.00-006
RA225	1.34-010	1.88-010	2.52-010	4.12-010	6.14-010	8.59-010
AC225	4.31-011	6.51-011	9.30-011	1.68-010	2.70-010	4.01-010
COMB1	2.28-003	2.55-003	2.81-003	3.33-003	3.83-003	4.33-003
TIME	9.00000	10.00000	12.00000	14.00000	16.00000	18.00000
FLUX=	3.0+013	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.94-001	9.94-001	9.93-001	9.91-001	9.90-001	9.89-001
RA227	2.13-006	2.13-006	2.12-006	2.12-006	2.12-006	2.12-006
AC227	4.80-003	5.27-003	6.16-003	7.01-003	7.82-003	8.58-003
AC228	3.79-006	4.16-006	4.88-006	5.55-006	6.19-006	6.79-006
TH227	7.93-006	8.95-006	1.09-005	1.28-005	1.46-005	1.63-005
TH228	5.31-004	6.47-004	9.08-004	1.20-003	1.53-003	1.89-003
TH229	5.88-006	7.99-006	1.35-005	2.11-005	3.09-005	4.31-005
RA223	4.04-006	4.69-006	5.95-006	7.16-006	8.31-006	9.41-006
RA224	2.52-006	3.11-006	4.43-006	5.93-006	7.61-006	9.43-006
RA225	1.14-009	1.47-009	2.24-009	3.15-009	4.20-009	5.37-009
AC225	5.59-010	7.45-010	1.20-009	1.75-009	2.40-009	3.14-009
COMB1	4.80-003	5.27-003	6.17-003	7.01-003	7.82-003	8.58-003
TIME	20.00000	22.00000	25.00000	30.00000	32.00000	35.00000
FLUX=	3.0+013	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.88-001	9.87-001	9.85-001	9.82-001	9.81-001	9.79-001
RA227	2.11-006	2.11-006	2.11-006	2.10-006	2.10-006	2.09-006
AC227	9.30-003	9.99-003	1.09-002	1.24-002	1.29-002	1.36-002
AC228	7.37-006	7.91-006	8.67-006	9.81-006	1.02-005	1.08-005
TH227	1.79-005	1.94-005	2.15-005	2.47-005	2.59-005	2.75-005
TH228	2.27-003	2.67-003	3.32-003	4.48-003	4.97-003	5.72-003
TH229	5.80-005	7.56-005	1.08-004	1.77-004	2.11-004	2.68-004
RA223	1.05-005	1.14-005	1.28-005	1.49-005	1.56-005	1.67-005
RA224	1.14-005	1.35-005	1.68-005	2.28-005	2.54-005	2.93-005
RA225	6.65-009	8.05-009	1.03-008	1.45-008	1.63-008	1.91-008
AC225	3.96-009	4.86-009	6.33-009	9.08-009	1.03-008	1.21-008
COMB1	9.30-003	9.99-003	1.09-002	1.24-002	1.29-002	1.36-002
TIME	40.00000	45.00000	50.00000	60.00000	70.00000	80.00000
FLUX=	3.0+013	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.76-001	9.73-001	9.70-001	9.64-001	9.58-001	9.52-001
RA227	2.09-006	2.08-006	2.08-006	2.06-006	2.05-006	2.04-006
AC227	1.47-002	1.57-002	1.65-002	1.78-002	1.89-002	1.96-002
AC228	1.17-005	1.24-005	1.31-005	1.41-005	1.49-005	1.55-005
TH227	2.99-005	3.20-005	3.38-005	3.68-005	3.91-005	4.07-005
TH228	7.00-003	8.32-003	9.64-003	1.23-002	1.48-002	1.72-002
TH229	3.81-004	5.16-004	6.75-004	1.06-003	1.54-003	2.10-003
RA223	1.83-005	1.96-005	2.08-005	2.28-005	2.42-005	2.53-005
RA224	3.59-005	4.28-005	4.97-005	6.34-005	7.67-005	8.91-005
RA225	2.41-008	2.93-008	3.47-008	4.59-008	5.73-008	6.87-008
AC225	1.54-008	1.89-008	2.25-008	3.01-008	3.78-008	4.54-008
COMB1	1.47-002	1.57-002	1.65-002	1.78-002	1.89-002	1.96-002

TABLE III (Contd.)

TIME	90.00000	100.00000	110.00000	120.00000	130.00000	150.00000
FLUX=	3.0+013	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.46-001	9.40-001	9.35-001	9.29-001	9.23-001	9.12-001
RA227	2.02-006	2.01-006	2.00-006	1.99-006	1.98-006	1.95-006
AC227	2.01-002	2.05-002	2.08-002	2.10-002	2.11-002	2.11-002
AC228	1.60-005	1.63-005	1.65-005	1.66-005	1.67-005	1.68-005
TH227	4.19-005	4.28-005	4.34-005	4.38-005	4.41-005	4.42-005
TH228	1.94-002	2.14-002	2.31-002	2.47-002	2.61-002	2.84-002
TH229	2.73-003	3.43-003	4.20-003	5.02-003	5.88-003	7.72-003
RA223	2.61-005	2.67-005	2.71-005	2.74-005	2.75-005	2.77-005
RA224	1.01-004	1.11-004	1.20-004	1.29-004	1.36-004	1.48-004
RA225	7.98-008	9.07-008	1.01-007	1.11-007	1.21-007	1.39-007
AC225	5.30-008	6.04-008	6.75-008	7.44-008	8.10-008	9.33-008
COMB1	2.01-002	2.05-002	2.08-002	2.10-002	2.11-002	2.11-002

TABLE IV

TARGET= RA226
 DATA TYPE= YIELD-ATOMS PER ATOM TARGET
 FLUX= 7.0+013
 TIME SPAN= 0- 150

TIME	0.00500	0.01000	0.05000	0.10000	0.50000	0.80000
FLUX=	7.0+013	TARGET=RA226		DATA TYPE=YIELD		
RA226	1.00+000	1.00+000	1.00+000	1.00+000	9.99-001	9.99-001
RA227	4.03-006	4.81-006	4.99-006	4.99-006	4.99-006	4.99-006
AC227	4.10-006	1.05-005	6.63-005	1.36-004	6.86-004	1.09-003
AC228	5.88-010	2.68-009	6.06-008	1.76-007	1.19-006	1.94-006
TH227	1.06-011	5.07-011	1.63-009	6.70-009	1.60-007	3.88-007
TH228	3.93-011	3.08-010	3.50-008	2.19-007	8.80-006	2.35-005
TH229	6.18-016	7.86-015	3.99-012	5.18-011	1.17-008	5.09-008
RA223	9.90-015	8.04-014	1.18-011	9.69-011	1.10-008	4.12-008
RA224	8.45-016	1.07-014	5.35-012	6.78-011	1.26-008	4.80-008
RA225	1.22-021	2.39-020	4.89-017	1.25-015	1.25-012	7.72-012
AC225	1.06-024	3.10-023	2.42-019	1.23-017	6.34-014	6.24-013
COMB1	8.13-006	1.53-005	7.13-005	1.41-004	6.91-004	1.09-003

TIME	1.00000	1.10000	1.20000	1.40000	1.60000	1.80000
FLUX=	7.0+013	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.99-001	9.98-001	9.98-001	9.98-001	9.98-001	9.97-001
RA227	4.99-006	4.99-006	4.98-006	4.98-006	4.98-006	4.98-006
AC227	1.36-003	1.49-003	1.62-003	1.88-003	2.13-003	2.38-003
AC228	2.43-006	2.67-006	2.92-006	3.40-006	3.87-006	4.34-006
TH227	5.84-007	6.93-007	8.10-007	1.06-006	1.34-006	1.64-006
TH228	3.71-005	4.50-005	5.37-005	7.33-005	9.58-005	1.21-004
TH229	1.01-007	1.36-007	1.77-007	2.84-007	4.25-007	6.07-007
RA223	7.57-008	9.77-008	1.23-007	1.84-007	2.59-007	3.47-007
RA224	8.78-008	1.13-007	1.42-007	2.11-007	2.94-007	3.93-007
RA225	1.77-011	2.50-011	3.41-011	5.88-011	9.31-011	1.39-010
AC225	1.77-012	2.74-012	4.07-012	8.09-012	1.45-011	2.39-011
COMB1	1.36-003	1.49-003	1.62-003	1.88-003	2.14-003	2.39-003

TIME	2.00000	2.20000	2.50000	3.00000	3.20000	3.50000
FLUX=	7.0+013	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.97-001	9.97-001	9.96-001	9.96-001	9.95-001	9.95-001
RA227	4.98-006	4.98-006	4.98-006	4.97-006	4.97-006	4.97-006
AC227	2.63-003	2.88-003	3.24-003	3.84-003	4.07-003	4.41-003
AC228	4.80-006	5.26-006	5.93-006	7.03-006	7.46-006	8.10-006
TH227	1.95-006	2.28-006	2.80-006	3.71-006	4.09-006	4.67-006
TH228	1.49-004	1.80-004	2.32-004	3.31-004	3.75-004	4.46-004
TH229	8.34-007	1.11-006	1.63-006	2.80-006	3.39-006	4.42-006
RA223	4.49-007	5.64-007	7.59-007	1.14-006	1.31-006	1.58-006
RA224	5.07-007	6.35-007	8.56-007	1.29-006	1.49-006	1.82-006
RA225	1.96-010	2.68-010	4.02-010	7.06-010	8.58-010	1.12-009
AC225	3.71-011	5.49-011	9.16-011	1.86-010	2.36-010	3.29-010
COMB1	2.64-003	2.89-003	3.25-003	3.84-003	4.07-003	4.42-003

TABLE IV (Contd.)

TIME	4.00000	4.50000	5.00000	6.00000	7.00000	8.00000
FLUX=	7.0+013	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.94-001	9.94-001	9.93-001	9.92-001	9.90-001	9.89-001
RA227	4.96-006	4.96-006	4.96-006	4.95-006	4.94-006	4.94-006
AC227	4.97-003	5.51-003	6.04-003	7.04-003	7.98-003	8.87-003
AC228	9.13-006	1.01-005	1.11-005	1.30-005	1.47-005	1.64-005
TH227	5.65-006	6.64-006	7.63-006	9.58-006	1.15-005	1.33-005
TH228	5.76-004	7.21-004	8.80-004	1.24-003	1.64-003	2.09-003
TH229	6.56-006	9.27-006	1.26-005	2.14-005	3.34-005	4.90-005
RA223	2.07-006	2.60-006	3.15-006	4.30-006	5.47-006	6.63-006
RA224	2.43-006	3.11-006	3.88-006	5.62-006	7.63-006	9.88-006
RA225	1.64-009	2.29-009	3.05-009	4.93-009	7.27-009	1.01-008
AC225	5.31-010	7.97-010	1.13-009	2.03-009	3.23-009	4.73-009
COMB1	4.97-003	5.52-003	6.04-003	7.04-003	7.99-003	8.87-003
TIME	9.00000	10.00000	12.00000	14.00000	16.00000	18.00000
FLUX=	7.0+013	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.87-001	9.86-001	9.83-001	9.80-001	9.78-001	9.75-001
RA227	4.93-006	4.92-006	4.91-006	4.90-006	4.88-006	4.87-006
AC227	9.70-003	1.05-002	1.19-002	1.32-002	1.43-002	1.53-002
AC228	1.79-005	1.94-005	2.20-005	2.43-005	2.64-005	2.82-005
TH227	1.50-005	1.66-005	1.96-005	2.23-005	2.46-005	2.67-005
TH228	2.59-003	3.11-003	4.27-003	5.53-003	6.88-003	8.30-003
TH229	6.85-005	9.23-005	1.54-004	2.35-004	3.38-004	4.63-004
RA223	7.76-006	8.84-006	1.08-005	1.26-005	1.42-005	1.56-005
RA224	1.24-005	1.50-005	2.09-005	2.74-005	3.43-005	4.16-005
RA225	1.33-008	1.68-008	2.51-008	3.45-008	4.50-008	5.63-008
AC225	6.53-009	8.62-009	1.36-008	1.94-008	2.61-008	3.33-008
COMB1	9.71-003	1.05-002	1.19-002	1.32-002	1.43-002	1.53-002
TIME	20.00000	22.00000	25.00000	30.00000	32.00000	35.00000
FLUX=	7.0+013	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.72-001	9.69-001	9.65-001	9.58-001	9.56-001	9.52-001
RA227	4.85-006	4.84-006	4.82-006	4.79-006	4.77-006	4.75-006
AC227	1.61-002	1.69-002	1.79-002	1.91-002	1.95-002	2.00-002
AC228	2.98-005	3.13-005	3.31-005	3.54-005	3.61-005	3.70-005
TH227	2.85-005	3.01-005	3.22-005	3.48-005	3.57-005	3.67-005
TH228	9.76-003	1.13-002	1.36-002	1.74-002	1.89-002	2.12-002
TH229	6.13-004	7.86-004	1.09-003	1.73-003	2.02-003	2.51-003
RA223	1.69-005	1.80-005	1.94-005	2.12-005	2.18-005	2.25-005
RA224	4.92-005	5.70-005	6.90-005	8.90-005	9.70-005	1.09-004
RA225	6.83-008	8.09-008	1.01-007	1.35-007	1.49-007	1.70-007
AC225	4.12-008	4.94-008	6.24-008	8.52-008	9.46-008	1.09-007
COMB1	1.62-002	1.69-002	1.79-002	1.91-002	1.95-002	2.00-002
TIME	40.00000	45.00000	50.00000	60.00000	70.00000	80.00000
FLUX=	7.0+013	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.45-001	9.38-001	9.32-001	9.19-001	9.06-001	8.93-001
RA227	4.72-006	4.69-006	4.65-006	4.59-006	4.52-006	4.46-006
AC227	2.06-002	2.11-002	2.13-002	2.16-002	2.16-002	2.15-002
AC228	3.82-005	3.90-005	3.95-005	3.99-005	3.99-005	3.97-005
TH227	3.81-005	3.90-005	3.96-005	4.02-005	4.02-005	4.00-005
TH228	2.48-002	2.82-002	3.14-002	3.71-002	4.18-002	4.56-002
TH229	3.45-003	4.52-003	5.71-003	8.44-003	1.15-002	1.49-002
RA223	2.34-005	2.40-005	2.45-005	2.49-005	2.50-005	2.49-005
RA224	1.28-004	1.46-004	1.62-004	1.92-004	2.17-004	2.37-004
RA225	2.04-007	2.38-007	2.71-007	3.34-007	3.90-007	4.41-007
AC225	1.32-007	1.55-007	1.78-007	2.20-007	2.59-007	2.94-007
COMB1	2.07-002	2.11-002	2.13-002	2.16-002	2.16-002	2.15-002
TIME	90.00000	100.00000	110.00000	120.00000	130.00000	150.00000
FLUX=	7.0+013	TARGET=RA226		DATA TYPE=YIELD		
RA226	8.81-001	8.68-001	8.56-001	8.44-001	8.32-001	8.09-001
RA227	4.40-006	4.33-006	4.27-006	4.21-006	4.15-006	4.04-006
AC227	2.12-002	2.10-002	2.07-002	2.05-002	2.02-002	1.96-002
AC228	3.93-005	3.88-005	3.83-005	3.78-005	3.73-005	3.63-005
TH227	3.97-005	3.92-005	3.87-005	3.82-005	3.77-005	3.67-005
TH228	4.86-002	5.10-002	5.28-002	5.41-002	5.50-002	5.60-002
TH229	1.85-002	2.22-002	2.60-002	2.99-002	3.38-002	4.14-002
RA223	2.46-005	2.44-005	2.41-005	2.38-005	2.34-005	2.28-005
RA224	2.53-004	2.65-004	2.75-004	2.82-004	2.87-004	2.92-004
RA225	4.86-007	5.27-007	5.63-007	5.96-007	6.26-007	6.77-007
AC225	3.25-007	3.53-007	3.78-007	4.00-007	4.20-007	4.56-007
COMB1	2.12-002	2.10-002	2.07-002	2.05-002	2.02-002	1.96-002

TABLE V

TARGET= RA226
 DATA TYPE= YIELD-ATOMS PER ATOM TARGET
 FLUX= 3.0+014
 TIME SPAN= 0- 100

TIME	0.05000	0.10000	0.20000	0.30000	0.40000	0.50000
FLUX=	3.0+014	TARGET=RA226		DATA TYPE=YIELD		
RA226	1.00+000	9.99-001	9.99-001	9.98-001	9.98-001	9.97-001
RA227	2.14-005	2.14-005	2.14-005	2.14-005	2.13-005	2.13-005
AC227	2.83-004	5.77-004	1.16-003	1.72-003	2.27-003	2.80-003
AC228	1.11-006	3.20-006	7.76-006	1.23-005	1.66-005	2.09-005
TH227	6.91-009	2.82-006	1.11-007	2.42-007	4.16-007	6.28-007
TH228	6.42-007	4.01-006	2.12-005	5.26-005	9.77-005	1.56-004
TH229	3.13-010	4.06-009	4.55-008	1.75-007	4.42-007	8.95-007
RA223	5.03-011	4.10-010	3.20-009	1.04-008	2.36-008	4.41-008
RA224	9.80-011	1.24-009	1.32-008	4.83-008	1.16-007	2.25-007
RA225	3.84-015	9.83-014	2.17-012	1.21-011	3.96-011	9.65-011
AC225	1.90-017	9.61-016	4.30-014	3.66-013	1.60-012	4.90-012
COMB1	3.04-004	5.99-004	1.18-003	1.74-003	2.29-003	2.82-003
TIME	0.60000	0.80000	1.00000	1.20000	1.40000	1.60000
FLUX=	3.0+014	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.96-001	9.95-001	9.94-001	9.93-001	9.92-001	9.90-001
RA227	2.13-005	2.13-005	2.13-005	2.12-005	2.12-005	2.12-005
AC227	3.32-003	4.33-003	5.28-003	6.19-003	7.05-003	7.86-003
AC228	2.51-005	3.31-005	4.07-005	4.80-005	5.48-005	6.13-005
TH227	8.74-007	1.45-006	2.11-006	2.84-006	3.61-006	4.41-006
TH228	2.28-004	4.08-004	6.35-004	9.07-004	1.22-003	1.57-003
TH229	1.58-006	3.84-006	7.56-006	1.31-005	2.07-005	3.07-005
RA223	7.28-008	1.58-007	2.82-007	4.47-007	6.50-007	8.91-007
RA224	3.79-007	8.41-007	1.52-006	2.43-006	3.56-006	4.91-006
RA225	1.97-010	5.86-010	1.33-009	2.54-009	4.33-009	6.79-009
AC225	1.20-011	4.76-011	1.34-010	3.06-010	6.02-010	1.07-009
COMB1	3.35-003	4.35-003	5.30-003	6.21-003	7.07-003	7.88-003
TIME	1.80000	2.00000	2.20000	2.50000	3.00000	3.50000
FLUX=	3.0+014	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.89-001	9.88-001	9.87-001	9.85-001	9.82-001	9.79-001
RA227	2.12-005	2.11-005	2.11-005	2.11-005	2.10-005	2.10-005
AC227	8.64-003	9.37-003	1.01-002	1.11-002	1.25-002	1.38-002
AC228	6.75-005	7.34-005	7.90-005	8.69-005	9.86-005	1.09-004
TH227	5.23-006	6.06-006	6.89-006	8.11-006	1.01-005	1.19-005
TH228	1.96-003	2.38-003	2.84-003	3.57-003	4.93-003	6.43-003
TH229	4.33-005	5.88-005	7.75-005	1.12-004	1.87-004	2.88-004
RA223	1.16-006	1.47-006	1.80-006	2.33-006	3.30-006	4.31-006
RA224	6.47-006	8.23-006	1.02-005	1.35-005	1.97-005	2.68-005
RA225	9.99-009	1.40-008	1.89-008	2.79-008	4.77-008	7.35-008
AC225	1.75-009	2.69-009	3.94-009	6.49-009	1.28-008	2.22-008
COMB1	8.66-003	9.39-003	1.01-002	1.11-002	1.26-002	1.38-002
TIME	4.00000	5.00000	6.00000	7.00000	8.00000	9.00000
FLUX=	3.0+014	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.76-001	9.70-001	9.65-001	9.59-001	9.53-001	9.47-001
RA227	2.09-005	2.08-005	2.06-005	2.05-005	2.04-005	2.03-005
AC227	1.50-002	1.68-002	1.82-002	1.93-002	2.01-002	2.07-002
AC228	1.18-004	1.33-004	1.44-004	1.53-004	1.59-004	1.64-004
TH227	1.35-005	1.64-005	1.86-005	2.03-005	2.17-005	2.27-005
TH228	8.04-003	1.15-002	1.53-002	1.91-002	2.30-002	2.69-002
TH229	4.17-004	7.63-004	1.23-003	1.84-003	2.58-003	3.45-003
RA223	5.33-006	7.27-006	8.97-006	1.04-005	1.15-005	1.24-005
RA224	3.46-005	5.19-005	7.08-005	9.06-005	1.11-004	1.31-004
RA225	1.05-007	1.85-007	2.82-007	3.95-007	5.17-007	6.47-007
AC225	3.50-008	7.10-008	1.21-007	1.83-007	2.55-007	3.34-007
COMB1	1.50-002	1.68-002	1.83-002	1.93-002	2.01-002	2.07-002
TIME	10.00000	12.00000	14.00000	16.00000	18.00000	20.00000
FLUX=	3.0+014	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.42-001	9.30-001	9.19-001	9.08-001	8.97-001	8.87-001
RA227	2.01-005	1.99-005	1.97-005	1.94-005	1.92-005	1.90-005
AC227	2.11-002	2.17-002	2.19-002	2.19-002	2.18-002	2.16-002
AC228	1.67-004	1.72-004	1.73-004	1.73-004	1.73-004	1.72-004
TH227	2.34-005	2.43-005	2.48-005	2.50-005	2.49-005	2.48-005
TH228	3.07-002	3.81-002	4.50-002	5.13-002	5.71-002	6.22-002
TH229	4.45-003	6.82-003	9.66-003	1.29-002	1.65-002	2.05-002
RA223	1.31-005	1.40-005	1.45-005	1.48-005	1.48-005	1.48-005
RA224	1.51-004	1.90-004	2.27-004	2.60-004	2.91-004	3.18-004
RA225	7.81-007	1.05-006	1.32-006	1.57-006	1.81-006	2.03-006
AC225	4.19-007	5.98-007	7.79-007	9.56-007	1.12-006	1.28-006
COMB1	2.12-002	2.17-002	2.19-002	2.19-002	2.18-002	2.17-002

TABLE V (Contd.)

TIME	22.00000	24.00000	26.00000	30.00000	35.00000	40.00000
FLUX=	3.0+014	TARGET=RA226		DATA TYPE=YIELD		
RA226	8.76-001	8.66-001	8.55-001	8.35-001	8.10-001	7.86-001
RA227	1.87-005	1.85-005	1.83-005	1.79-005	1.73-005	1.68-005
AC227	2.14-002	2.12-002	2.10-002	2.05-002	1.99-002	1.93-002
AC228	1.70-004	1.68-004	1.66-004	1.63-004	1.58-004	1.53-004
TH227	2.46-005	2.44-005	2.41-005	2.36-005	2.29-005	2.22-005
TH228	6.68-002	7.09-002	7.45-002	8.04-002	8.58-002	8.94-002
TH229	2.47-002	2.91-002	3.38-002	4.35-002	5.61-002	6.89-002
RA223	1.47-005	1.46-005	1.45-005	1.41-005	1.37-005	1.33-005
RA224	3.43-004	3.65-004	3.84-004	4.16-004	4.45-004	4.65-004
RA225	2.24-006	2.42-006	2.59-006	2.88-006	3.17-006	3.39-006
AC225	1.42-006	1.56-006	1.68-006	1.89-006	2.10-006	2.26-006
COMB1	2.15-002	2.12-002	2.10-002	2.05-002	1.99-002	1.93-002

TIME	45.00000	50.00000	55.00000	60.00000	65.00000	70.00000
FLUX=	3.0+014	TARGET=RA226		DATA TYPE=YIELD		
RA226	7.63-001	7.40-001	7.18-001	6.97-001	6.76-001	6.56-001
RA227	1.63-005	1.58-005	1.54-005	1.49-005	1.45-005	1.40-005
AC227	1.88-002	1.82-002	1.77-002	1.71-002	1.66-002	1.61-002
AC228	1.49-004	1.44-004	1.40-004	1.36-004	1.32-004	1.28-004
TH227	2.16-005	2.09-005	2.03-005	1.97-005	1.91-005	1.85-005
TH228	9.16-002	9.27-002	9.30-002	9.26-002	9.17-002	9.05-002
TH229	8.16-002	9.40-002	1.06-001	1.17-001	1.28-001	1.38-001
RA223	1.29-005	1.26-005	1.22-005	1.18-005	1.15-005	1.11-005
RA224	4.77-004	4.83-004	4.85-004	4.83-004	4.79-004	4.72-004
RA225	3.56-006	3.69-006	3.78-006	3.84-006	3.87-006	3.89-006
AC225	2.38-006	2.47-006	2.54-006	2.58-006	2.61-006	2.63-006
COMB1	1.88-002	1.82-002	1.77-002	1.72-002	1.66-002	1.62-002

TIME	75.00000	80.00000	85.00000	90.00000	95.00000	100.00000
FLUX=	3.0+014	TARGET=RA226		DATA TYPE=YIELD		
RA226	6.37-001	6.18-001	6.00-001	5.82-001	5.65-001	5.48-001
RA227	1.36-005	1.32-005	1.28-005	1.25-005	1.21-005	1.17-005
AC227	1.57-002	1.52-002	1.47-002	1.43-002	1.39-002	1.35-002
AC228	1.24-004	1.21-004	1.17-004	1.13-004	1.10-004	1.07-004
TH227	1.80-005	1.75-005	1.69-005	1.64-005	1.60-005	1.55-005
TH228	8.90-002	8.73-002	8.54-002	8.34-002	8.14-002	7.94-002
TH229	1.47-001	1.56-001	1.64-001	1.71-001	1.77-001	1.83-001
RA223	1.08-005	1.05-005	1.02-005	9.87-006	9.58-006	9.30-006
RA224	4.64-004	4.56-004	4.46-004	4.36-004	4.25-004	4.15-004
RA225	3.90-006	3.89-006	3.87-006	3.85-006	3.82-006	3.78-006
AC225	2.63-006	2.63-006	2.62-006	2.60-006	2.58-006	2.56-006
COMB1	1.57-002	1.52-002	1.48-002	1.43-002	1.39-002	1.35-002

TABLE VI

TARGET= RA226
 DATA TYPE= YIELD-ATOMS PER ATOM TARGET
 FLUX= 7.0+014
 TIME SPAN= 0- 80

TIME	0.05000	0.10000	0.20000	0.30000	0.40000	0.50000
FLUX=	7.0+014	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.99-001	9.99-001	9.97-001	9.96-001	9.94-001	9.93-001
RA227	4.99-005	4.99-005	4.98-005	4.97-005	4.97-005	4.96-005
AC227	6.55-004	1.33-003	2.61-003	3.82-003	4.95-003	6.03-003
AC228	6.00-006	1.72-005	4.10-005	6.38-005	8.52-005	1.05-004
TH227	1.59-008	6.39-008	2.44-007	5.16-007	8.62-007	1.26-006
TH228	3.48-006	2.16-005	1.13-004	2.76-004	5.07-004	8.01-004
TH229	3.97-009	5.12-008	5.68-007	2.16-006	5.41-006	1.09-005
RA223	1.16-010	9.33-010	7.11-009	2.25-008	4.99-008	9.12-008
RA224	5.31-010	6.70-009	7.07-008	2.56-007	6.10-007	1.17-006
RA225	4.86-014	1.24-012	2.71-011	1.51-010	4.88-010	1.18-009
AC225	2.40-016	1.21-014	5.40-013	4.56-012	1.98-011	6.03-011
COMB1	7.05-004	1.38-003	2.66-003	3.87-003	5.00-003	6.08-003

TABLE VI (Contd.)

TIME	0.60000	0.80000	1.00000	1.20000	1.40000	1.60000
FLUX=	7.0+014	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.92-001	9.89-001	9.86-001	9.83-001	9.81-001	9.78-001
RA227	4.95-005	4.94-005	4.92-005	4.91-005	4.90-005	4.88-005
AC227	7.04-003	8.88-003	1.05-002	1.20-002	1.32-002	1.44-002
AC228	1.24-004	1.59-004	1.90-004	2.17-004	2.41-004	2.63-004
TH227	1.71-006	2.68-006	3.71-006	4.74-006	5.74-006	6.70-006
TH228	1.15-003	2.02-003	3.07-003	4.28-003	5.63-003	7.09-003
TH229	1.90-005	4.53-005	8.75-005	1.49-004	2.31-004	3.36-004
RA223	1.47-007	3.05-007	5.22-007	7.91-007	1.10-006	1.45-006
RA224	1.95-006	4.24-006	7.51-006	1.17-005	1.68-005	2.28-005
RA225	2.39-009	7.00-009	1.56-008	2.93-008	4.92-008	7.58-008
AC225	1.47-010	5.74-010	1.60-009	3.59-009	6.96-009	1.22-008
COMB1	7.08-003	8.93-003	1.06-002	1.20-002	1.33-002	1.44-002
TIME	1.80000	2.00000	2.20000	2.50000	3.00000	3.50000
FLUX=	7.0+014	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.75-001	9.72-001	9.70-001	9.66-001	9.59-001	9.52-001
RA227	4.87-005	4.86-005	4.84-005	4.82-005	4.79-005	4.75-005
AC227	1.54-002	1.63-002	1.70-002	1.80-002	1.93-002	2.03-002
AC228	2.82-004	2.98-004	3.13-004	3.32-004	3.56-004	3.74-004
TH227	7.59-006	8.42-006	9.19-006	1.02-005	1.16-005	1.26-005
TH228	8.66-003	1.03-002	1.20-002	1.47-002	1.93-002	2.40-002
TH229	4.67-004	6.24-004	8.08-004	1.14-003	1.83-003	2.72-003
RA223	1.82-006	2.21-006	2.61-006	3.20-006	4.15-006	5.01-006
RA224	2.94-005	3.66-005	4.44-005	5.69-005	7.94-005	1.03-004
RA225	1.10-007	1.51-007	2.01-007	2.90-007	4.75-007	7.03-007
AC225	1.97-008	2.98-008	4.31-008	6.94-008	1.32-007	2.21-007
COMB1	1.54-002	1.63-002	1.71-002	1.81-002	1.94-002	2.03-002
TIME	4.00000	5.00000	6.00000	7.00000	8.00000	9.00000
FLUX=	7.0+014	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.45-001	9.32-001	9.19-001	9.07-001	8.94-001	8.82-001
RA227	4.72-005	4.66-005	4.59-005	4.53-005	4.46-005	4.40-005
AC227	2.09-002	2.16-002	2.19-002	2.19-002	2.18-002	2.16-002
AC228	3.86-004	4.00-004	4.05-004	4.06-004	4.03-004	4.00-004
TH227	1.34-005	1.43-005	1.48-005	1.49-005	1.49-005	1.48-005
TH228	2.87-002	3.79-002	4.65-002	5.44-002	6.16-002	6.80-002
TH229	3.79-003	6.47-003	9.84-003	1.38-002	1.83-002	2.33-002
RA223	5.74-006	6.85-006	7.55-006	7.95-006	8.14-006	8.21-006
RA224	1.27-004	1.76-004	2.22-004	2.65-004	3.04-004	3.39-004
RA225	9.66-007	1.57-006	2.24-006	2.92-006	3.59-006	4.23-006
AC225	3.36-007	6.36-007	1.01-006	1.43-006	1.87-006	2.32-006
COMB1	2.09-002	2.17-002	2.20-002	2.20-002	2.18-002	2.16-002
TIME	10.00000	12.00000	14.00000	16.00000	18.00000	20.00000
FLUX=	7.0+014	TARGET=RA226		DATA TYPE=YIELD		
RA226	8.69-001	8.45-001	8.22-001	7.99-001	7.77-001	7.56-001
RA227	4.34-005	4.22-005	4.10-005	3.99-005	3.88-005	3.77-005
AC227	2.14-002	2.08-002	2.03-002	1.97-002	1.92-002	1.86-002
AC228	3.95-004	3.85-004	3.75-004	3.64-004	3.54-004	3.45-004
TH227	1.47-005	1.43-005	1.39-005	1.36-005	1.32-005	1.28-005
TH228	7.37-002	8.32-002	9.05-002	9.59-002	9.97-002	1.02-001
TH229	2.87-002	4.04-002	5.29-002	6.59-002	7.91-002	9.23-002
RA223	8.20-006	8.07-006	7.88-006	7.68-006	7.47-006	7.26-006
RA224	3.70-004	4.22-004	4.63-004	4.93-004	5.15-004	5.30-004
RA225	4.83-006	5.89-006	6.75-006	7.44-006	7.98-006	8.39-006
AC225	2.74-006	3.53-006	4.19-006	4.73-006	5.15-006	5.49-006
COMB1	2.14-002	2.09-002	2.03-002	1.97-002	1.92-002	1.87-002
TIME	25.00000	30.00000	35.00000	40.00000	45.00000	50.00000
FLUX=	7.0+014	TARGET=RA226		DATA TYPE=YIELD		
RA226	7.04-001	6.57-001	6.12-001	5.71-001	5.32-001	4.96-001
RA227	3.52-005	3.28-005	3.06-005	2.85-005	2.66-005	2.48-005
AC227	1.74-002	1.62-002	1.51-002	1.41-002	1.31-002	1.22-002
AC228	3.21-004	3.00-004	2.79-004	2.60-004	2.43-004	2.26-004
TH227	1.20-005	1.11-005	1.04-005	9.69-006	9.03-006	8.42-006
TH228	1.05-001	1.04-001	1.00-001	9.59-002	9.08-002	8.55-002
TH229	1.24-001	1.52-001	1.77-001	1.97-001	2.13-001	2.26-001
RA223	6.77-006	6.31-006	5.89-006	5.49-006	5.12-006	4.77-006
RA224	5.45-004	5.41-004	5.24-004	5.01-004	4.74-004	4.47-004
RA225	9.00-006	9.20-006	9.15-006	8.94-006	8.65-006	8.31-006
AC225	6.00-006	6.19-006	6.20-006	6.08-006	5.90-006	5.67-006
COMB1	1.74-002	1.62-002	1.51-002	1.41-002	1.31-002	1.23-002

TABLE VI (Contd.)

TIME	55.00000	60.00000	65.00000	70.00000	75.00000	80.00000
FLUX=	7.0+014	TARGET=RA226	DATA TYPE=YIELD			
RA226	4.63-001	4.31-001	4.02-001	3.75-001	3.50-001	3.26-001
RA227	2.31-005	2.15-005	2.01-005	1.87-005	1.75-005	1.63-005
AC227	1.14-002	1.06-002	9.91-003	9.24-003	8.62-003	8.03-003
AC228	2.11-004	1.97-004	1.83-004	1.71-004	1.59-004	1.49-004
TH227	7.85-006	7.32-006	6.82-006	6.36-006	5.93-006	5.53-006
TH228	8.03-002	7.52-002	7.03-002	6.57-002	6.13-002	5.72-002
TH229	2.35-001	2.41-001	2.44-001	2.45-001	2.44-001	2.42-001
RA223	4.45-006	4.15-006	3.87-006	3.60-006	3.36-006	3.13-006
RA224	4.20-004	3.93-004	3.68-004	3.44-004	3.21-004	2.99-004
RA225	7.94-006	7.56-006	7.18-006	6.81-006	6.45-006	6.10-006
AC225	5.43-006	5.17-006	4.92-006	4.67-006	4.42-006	4.18-006
COMB1	1.14-002	1.07-002	9.93-003	9.26-003	8.63-003	8.05-003

TABLE VII

TARGET= RA226
 DATA TYPE= YIELD-ATOMS PER ATOM TARGET
 FLUX= 2.0+015
 TIME SPAN= 0- 5

TIME	0.00500	0.00800	0.01000	0.05000	0.08000	0.10000
FLUX=	2.0+015	TARGET=RA226	DATA TYPE=YIELD			
RA226	1.00+000	1.00+000	1.00+000	9.98-001	9.97-001	9.96-001
RA227	1.11-004	1.30-004	1.36-004	1.42-004	1.42-004	1.42-004
AC227	1.04-004	2.07-004	2.81-004	1.80-003	2.89-003	3.58-003
AC228	3.66-007	1.12-006	1.87-006	4.67-005	9.72-005	1.33-004
TH227	2.32-010	7.26-010	1.23-009	4.20-008	1.07-007	1.63-007
TH228	2.00-008	9.23-008	1.91-007	2.63-005	9.36-005	1.65-004
TH229	7.01-012	4.74-011	1.20-010	8.28-008	4.90-007	1.11-006
RA223	1.76-013	8.29-013	1.74-012	3.01-010	1.24-009	2.40-009
RA224	3.35-013	2.27-012	5.71-012	3.89-009	2.27-008	5.07-008
RA225	1.04-017	1.00-016	3.04-016	9.71-013	9.27-012	2.63-011
AC225	6.60-021	8.86-020	3.20-019	4.55-015	7.02-014	2.51-013
COMB1	2.15-004	3.37-004	4.17-004	1.95-003	3.03-003	3.72-003

TIME	0.20000	0.30000	0.40000	0.50000	0.60000	0.70000
FLUX=	2.0+015	TARGET=RA226	DATA TYPE=YIELD			
RA226	9.92-001	9.88-001	9.84-001	9.80-001	9.76-001	9.72-001
RA227	1.42-004	1.41-004	1.40-004	1.40-004	1.39-004	1.39-004
AC227	6.69-003	9.32-003	1.15-002	1.34-002	1.49-002	1.62-002
AC228	3.04-004	4.50-004	5.74-004	6.78-004	7.65-004	8.38-004
TH227	5.70-007	1.10-006	1.69-006	2.28-006	2.84-006	3.36-006
TH228	8.47-004	2.00-003	3.55-003	5.41-003	7.52-003	9.82-003
TH229	1.22-005	4.55-005	1.11-004	2.17-004	3.70-004	5.75-004
RA223	1.71-008	5.07-008	1.05-007	1.79-007	2.70-007	3.76-007
RA224	5.33-007	1.88-006	4.38-006	8.14-006	1.32-005	1.96-005
RA225	5.83-010	3.21-009	1.02-008	2.41-008	4.77-008	8.35-008
AC225	1.15-011	9.71-011	4.17-010	1.25-009	2.99-009	6.13-009
COMB1	6.83-003	9.46-003	1.17-002	1.35-002	1.51-002	1.64-002

TIME	0.80000	0.90000	1.00000	1.10000	1.20000	1.30000
FLUX=	2.0+015	TARGET=RA226	DATA TYPE=YIELD			
RA226	9.68-001	9.65-001	9.61-001	9.57-001	9.53-001	9.49-001
RA227	1.38-004	1.38-004	1.37-004	1.37-004	1.36-004	1.35-004
AC227	1.73-002	1.82-002	1.90-002	1.96-002	2.01-002	2.06-002
AC228	8.99-004	9.50-004	9.92-004	1.03-003	1.06-003	1.08-003
TH227	3.83-006	4.25-006	4.62-006	4.94-006	5.21-006	5.45-006
TH228	1.23-002	1.48-002	1.75-002	2.02-002	2.29-002	2.57-002
TH229	8.35-004	1.15-003	1.53-003	1.97-003	2.48-003	3.04-003
RA223	4.93-007	6.18-007	7.48-007	8.81-007	1.01-006	1.15-006
RA224	2.71-005	3.57-005	4.53-005	5.58-005	6.69-005	7.87-005
RA225	1.34-007	2.00-007	2.85-007	3.88-007	5.12-007	6.56-007
AC225	1.13-008	1.91-008	3.02-008	4.53-008	6.53-008	9.06-008
COMB1	1.75-002	1.84-002	1.91-002	1.98-002	2.03-002	2.07-002

TABLE VII (Contd.)

TIME	1.40000	1.50000	1.60000	1.70000	1.80000	1.90000
FLUX=	2.0+015	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.46-001	9.42-001	9.38-001	9.34-001	9.31-001	9.27-001
RA227	1.35-004	1.34-004	1.34-004	1.33-004	1.33-004	1.32-004
AC227	2.09-002	2.12-002	2.14-002	2.16-002	2.17-002	2.18-002
AC228	1.10-003	1.12-003	1.13-003	1.14-003	1.15-003	1.15-003
TH227	5.65-006	5.82-006	5.96-006	6.07-006	6.17-006	6.25-006
TH228	2.84-002	3.11-002	3.38-002	3.65-002	3.92-002	4.17-002
TH229	3.67-003	4.36-003	5.11-003	5.92-003	6.79-003	7.71-003
RA223	1.27-006	1.40-006	1.52-006	1.63-006	1.74-006	1.84-006
RA224	9.09-005	1.04-004	1.16-004	1.30-004	1.43-004	1.56-004
RA225	8.20-007	1.01-006	1.21-006	1.44-006	1.68-006	1.94-006
AC225	1.22-007	1.60-007	2.06-007	2.59-007	3.20-007	3.90-007
COMB1	2.10-002	2.13-002	2.15-002	2.17-002	2.19-002	2.19-002
TIME	2.00000	2.10000	2.20000	2.30000	2.40000	2.50000
FLUX=	2.0+015	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.23-001	9.19-001	9.16-001	9.12-001	9.08-001	9.05-001
RA227	1.32-004	1.31-004	1.31-004	1.30-004	1.30-004	1.29-004
AC227	2.19-002	2.19-002	2.20-002	2.20-002	2.20-002	2.19-002
AC228	1.16-003	1.16-003	1.16-003	1.16-003	1.16-003	1.16-003
TH227	6.31-006	6.36-006	6.39-006	6.42-006	6.44-006	6.46-006
TH228	4.43-002	4.68-002	4.92-002	5.16-002	5.39-002	5.62-002
TH229	8.69-003	9.73-003	1.08-002	1.19-002	1.31-002	1.44-002
RA223	1.94-006	2.02-006	2.11-006	2.18-006	2.25-006	2.32-006
RA224	1.69-004	1.83-004	1.96-004	2.09-004	2.21-004	2.34-004
RA225	2.22-006	2.52-006	2.83-006	3.16-006	3.50-006	3.85-006
AC225	4.68-007	5.56-007	6.53-007	7.59-007	8.74-007	9.98-007
COMB1	2.20-002	2.21-002	2.21-002	2.21-002	2.21-002	2.21-002
TIME	2.60000	2.70000	2.80000	2.90000	3.00000	3.10000
FLUX=	2.0+015	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.01-001	8.98-001	8.94-001	8.90-001	8.87-001	8.83-001
RA227	1.29-004	1.28-004	1.28-004	1.27-004	1.27-004	1.26-004
AC227	2.19-002	2.19-002	2.18-002	2.18-002	2.17-002	2.17-002
AC228	1.16-003	1.16-003	1.15-003	1.15-003	1.15-003	1.15-003
TH227	6.46-006	6.46-006	6.46-006	6.46-006	6.45-006	6.44-006
TH228	5.84-002	6.05-002	6.26-002	6.46-002	6.66-002	6.85-002
TH229	1.56-002	1.70-002	1.83-002	1.97-002	2.12-002	2.27-002
RA223	2.38-006	2.43-006	2.48-006	2.52-006	2.56-006	2.60-006
RA224	2.47-004	2.59-004	2.71-004	2.82-004	2.94-004	3.05-004
RA225	4.21-006	4.59-006	4.97-006	5.36-006	5.75-006	6.16-006
AC225	1.13-006	1.27-006	1.42-006	1.58-006	1.75-006	1.93-006
COMB1	2.20-002	2.20-002	2.20-002	2.19-002	2.18-002	2.18-002
TIME	3.20000	3.30000	3.40000	3.50000	3.60000	3.80000
FLUX=	2.0+015	TARGET=RA226		DATA TYPE=YIELD		
RA226	8.80-001	8.76-001	8.73-001	8.69-001	8.66-001	8.59-001
RA227	1.26-004	1.25-004	1.25-004	1.24-004	1.24-004	1.23-004
AC227	2.16-002	2.15-002	2.15-002	2.14-002	2.13-002	2.12-002
AC228	1.14-003	1.14-003	1.13-003	1.13-003	1.13-003	1.12-003
TH227	6.42-006	6.41-006	6.39-006	6.37-006	6.35-006	6.31-006
TH228	7.03-002	7.21-002	7.39-002	7.55-002	7.72-002	8.03-002
TH229	2.42-002	2.57-002	2.73-002	2.89-002	3.06-002	3.39-002
RA223	2.63-006	2.66-006	2.69-006	2.71-006	2.73-006	2.76-006
RA224	3.15-004	3.26-004	3.36-004	3.46-004	3.56-004	3.74-004
RA225	6.56-006	6.97-006	7.39-006	7.80-006	8.22-006	9.06-006
AC225	2.11-006	2.30-006	2.50-006	2.70-006	2.91-006	3.34-006
COMB1	2.17-002	2.16-002	2.16-002	2.15-002	2.14-002	2.13-002
TIME	4.00000	4.20000	4.40000	4.60000	4.80000	5.00000
FLUX=	2.0+015	TARGET=RA226		DATA TYPE=YIELD		
RA226	8.52-001	8.45-001	8.39-001	8.32-001	8.25-001	8.19-001
RA227	1.22-004	1.21-004	1.20-004	1.19-004	1.18-004	1.17-004
AC227	2.10-002	2.08-002	2.07-002	2.05-002	2.04-002	2.02-002
AC228	1.11-003	1.10-003	1.09-003	1.09-003	1.08-003	1.07-003
TH227	6.27-006	6.22-006	6.18-006	6.13-006	6.08-006	6.04-006
TH228	8.32-002	8.59-002	8.84-002	9.07-002	9.29-002	9.49-002
TH229	3.74-002	4.10-002	4.46-002	4.83-002	5.21-002	5.59-002
RA223	2.78-006	2.79-006	2.80-006	2.81-006	2.81-006	2.80-006
RA224	3.92-004	4.08-004	4.23-004	4.38-004	4.51-004	4.63-004
RA225	9.89-006	1.07-005	1.15-005	1.23-005	1.31-005	1.39-005
AC225	3.80-006	4.27-006	4.75-006	5.24-006	5.74-006	6.24-006
COMB1	2.11-002	2.10-002	2.08-002	2.06-002	2.05-002	2.03-002

TABLE VIII

TARGET= RA226
 DATA TYPE= YIELD-ATOMS PER ATOM TARGET
 FLUX= 5.0+015
 TIME SPAN= 0- 5

TIME	0.00500	0.00800	0.01000	0.05000	0.08000	0.10000
FLUX=	5.0+015	TARGET=RA226		DATA TYPE=YIELD		
RA226	1.00+000	9.99-001	9.99-001	9.95-001	9.92-001	9.90-001
RA227	2.78-004	3.25-004	3.39-004	3.55-004	3.54-004	3.53-004
AC227	2.59-004	5.14-004	6.97-004	4.26-003	6.56-003	7.94-003
AC228	2.28-006	6.95-006	1.16-005	2.79-004	5.64-004	7.55-004
TH227	5.75-010	1.79-009	3.03-009	9.43-008	2.24-007	3.28-007
TH228	1.24-007	5.74-007	1.19-006	1.59-004	5.51-004	9.58-004
TH229	1.09-010	7.38-010	1.86-009	1.26-006	7.29-006	1.63-005
RA223	4.37-013	2.05-012	4.28-012	6.91-010	2.70-009	5.04-009
RA224	2.09-012	1.41-011	3.55-011	2.36-008	1.35-007	2.98-007
RA225	1.62-016	1.56-015	4.72-015	1.48-011	1.39-010	3.91-010
AC225	1.03-019	1.38-018	4.98-018	6.97-014	1.06-012	3.76-012
COMB1	5.37-004	8.39-004	1.04-003	4.61-003	6.92-003	8.30-003
TIME	0.20000	0.30000	0.40000	0.50000	0.60000	0.70000
FLUX=	5.0+015	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.80-001	9.70-001	9.61-001	9.51-001	9.42-001	9.32-001
RA227	3.50-004	3.46-004	3.43-004	3.39-004	3.36-004	3.33-004
AC227	1.33-002	1.68-002	1.90-002	2.04-002	2.12-002	2.17-002
AC228	1.55-003	2.08-003	2.42-003	2.64-003	2.77-003	2.84-003
TH227	9.34-007	1.50-006	1.95-006	2.27-006	2.49-006	2.63-006
TH228	4.51-003	9.86-003	1.62-002	2.30-002	2.99-002	3.67-002
TH229	1.68-004	5.88-004	1.35-003	2.50-003	4.03-003	5.95-003
RA223	3.06-008	7.77-008	1.40-007	2.10-007	2.82-007	3.52-007
RA224	2.94-006	9.75-006	2.13-005	3.73-005	5.71-005	7.99-005
RA225	8.23-009	4.30-008	1.30-007	2.93-007	5.53-007	9.25-007
AC225	1.65-010	1.33-009	5.49-009	1.58-008	3.63-008	7.16-008
COMB1	1.37-002	1.71-002	1.93-002	2.07-002	2.15-002	2.20-002
TIME	0.80000	0.90000	1.00000	1.10000	1.20000	1.30000
FLUX=	5.0+015	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.23-001	9.14-001	9.05-001	8.96-001	8.87-001	8.78-001
RA227	3.29-004	3.26-004	3.23-004	3.20-004	3.16-004	3.13-004
AC227	2.19-002	2.20-002	2.19-002	2.19-002	2.17-002	2.16-002
AC228	2.88-003	2.90-003	2.90-003	2.89-003	2.88-003	2.86-003
TH227	2.72-006	2.77-006	2.79-006	2.80-006	2.79-006	2.78-006
TH228	4.32-002	4.95-002	5.54-002	6.09-002	6.61-002	7.09-002
TH229	8.23-003	1.09-002	1.38-002	1.71-002	2.06-002	2.43-002
RA223	4.18-007	4.79-007	5.33-007	5.81-007	6.23-007	6.59-007
RA224	1.05-004	1.32-004	1.59-004	1.87-004	2.15-004	2.42-004
RA225	1.42-006	2.04-006	2.78-006	3.65-006	4.64-006	5.74-006
AC225	1.27-007	2.07-007	3.16-007	4.60-007	6.40-007	8.61-007
COMB1	2.22-002	2.23-002	2.23-002	2.22-002	2.20-002	2.19-002
TIME	1.40000	1.50000	1.60000	1.70000	1.80000	1.90000
FLUX=	5.0+015	TARGET=RA226		DATA TYPE=YIELD		
RA226	8.69-001	8.61-001	8.52-001	8.44-001	8.35-001	8.27-001
RA227	3.10-004	3.07-004	3.04-004	3.01-004	2.98-004	2.95-004
AC227	2.14-002	2.12-002	2.10-002	2.08-002	2.06-002	2.04-002
AC228	2.83-003	2.81-003	2.78-003	2.76-003	2.73-003	2.70-003
TH227	2.76-006	2.74-006	2.72-006	2.70-006	2.67-006	2.65-006
TH228	7.54-002	7.95-002	8.33-002	8.68-002	9.00-002	9.30-002
TH229	2.83-002	3.25-002	3.68-002	4.13-002	4.59-002	5.06-002
RA223	6.90-007	7.17-007	7.39-007	7.57-007	7.72-007	7.84-007
RA224	2.68-004	2.94-004	3.18-004	3.41-004	3.63-004	3.84-004
RA225	6.93-006	8.22-006	9.58-006	1.10-005	1.25-005	1.40-005
AC225	1.12-006	1.43-006	1.79-006	2.19-006	2.63-006	3.12-006
COMB1	2.17-002	2.15-002	2.13-002	2.11-002	2.09-002	2.07-002
TIME	2.00000	2.10000	2.20000	2.30000	2.40000	2.50000
FLUX=	5.0+015	TARGET=RA226		DATA TYPE=YIELD		
RA226	8.19-001	8.11-001	8.02-001	7.95-001	7.87-001	7.79-001
RA227	2.92-004	2.89-004	2.86-004	2.83-004	2.81-004	2.78-004
AC227	2.02-002	2.00-002	1.98-002	1.96-002	1.94-002	1.92-002
AC228	2.68-003	2.65-003	2.63-003	2.60-003	2.57-003	2.55-003
TH227	2.62-006	2.59-006	2.57-006	2.54-006	2.52-006	2.49-006
TH228	9.57-002	9.81-002	1.00-001	1.02-001	1.04-001	1.06-001
TH229	5.54-002	6.03-002	6.53-002	7.03-002	7.53-002	8.03-002
RA223	7.93-007	8.01-007	8.06-007	8.09-007	8.11-007	8.12-007
RA224	4.03-004	4.21-004	4.38-004	4.54-004	4.68-004	4.81-004
RA225	1.56-005	1.72-005	1.88-005	2.05-005	2.21-005	2.37-005
AC225	3.65-006	4.23-006	4.84-006	5.49-006	6.18-006	6.90-006
COMB1	2.05-002	2.03-002	2.01-002	1.99-002	1.97-002	1.95-002

TABLE VIII (Contd.)

TIME	2.60000	2.70000	2.80000	2.90000	3.00000	3.10000
FLUX=	5.0+015	TARGET=RA226		DATA TYPE=YIELD		
RA226	7.71-001	7.63-001	7.56-001	7.48-001	7.41-001	7.33-001
RA227	2.75-004	2.72-004	2.70-004	2.67-004	2.64-004	2.62-004
AC227	1.90-002	1.88-002	1.87-002	1.85-002	1.83-002	1.81-002
AC228	2.52-003	2.50-003	2.47-003	2.45-003	2.42-003	2.40-003
TH227	2.47-006	2.44-006	2.42-006	2.40-006	2.37-006	2.35-006
TH228	1.07-001	1.09-001	1.10-001	1.11-001	1.11-001	1.12-001
TH229	8.54-002	9.05-002	9.55-002	1.01-001	1.06-001	1.11-001
RA223	8.12-007	8.10-007	8.08-007	8.05-007	8.02-007	7.98-007
RA224	4.94-004	5.05-004	5.15-004	5.24-004	5.32-004	5.40-004
RA225	2.54-005	2.70-005	2.86-005	3.01-005	3.16-005	3.31-005
AC225	7.65-006	8.42-006	9.22-006	1.00-005	1.09-005	1.17-005
COMB1	1.93-002	1.91-002	1.89-002	1.87-002	1.86-002	1.84-002

TIME	3.20000	3.30000	3.40000	3.50000	3.60000	3.80000
FLUX=	5.0+015	TARGET=RA226		DATA TYPE=YIELD		
RA226	7.26-001	7.19-001	7.12-001	7.05-001	6.98-001	6.84-001
RA227	2.59-004	2.56-004	2.54-004	2.51-004	2.49-004	2.44-004
AC227	1.79-002	1.78-002	1.76-002	1.74-002	1.72-002	1.69-002
AC228	2.38-003	2.35-003	2.33-003	2.31-003	2.28-003	2.24-003
TH227	2.32-006	2.30-006	2.28-006	2.26-006	2.23-006	2.19-006
TH228	1.13-001	1.13-001	1.14-001	1.14-001	1.14-001	1.15-001
TH229	1.16-001	1.20-001	1.25-001	1.30-001	1.35-001	1.44-001
RA223	7.93-007	7.88-007	7.83-007	7.78-007	7.72-007	7.60-007
RA224	5.46-004	5.52-004	5.57-004	5.61-004	5.65-004	5.71-004
RA225	3.46-005	3.60-005	3.74-005	3.87-005	4.00-005	4.24-005
AC225	1.26-005	1.35-005	1.43-005	1.52-005	1.61-005	1.78-005
COMB1	1.82-002	1.80-002	1.78-002	1.77-002	1.75-002	1.71-002

TIME	4.00000	4.20000	4.40000	4.60000	4.80000	5.00000
FLUX=	5.0+015	TARGET=RA226		DATA TYPE=YIELD		
RA226	6.70-001	6.57-001	6.44-001	6.31-001	6.19-001	6.06-001
RA227	2.39-004	2.34-004	2.30-004	2.25-004	2.21-004	2.16-004
AC227	1.66-002	1.62-002	1.59-002	1.56-002	1.53-002	1.50-002
AC228	2.19-003	2.15-003	2.11-003	2.07-003	2.02-003	1.98-003
TH227	2.15-006	2.10-006	2.06-006	2.02-006	1.98-006	1.94-006
TH228	1.14-001	1.14-001	1.14-001	1.13-001	1.12-001	1.11-001
TH229	1.53-001	1.62-001	1.70-001	1.78-001	1.86-001	1.93-001
RA223	7.47-007	7.34-007	7.21-007	7.08-007	6.95-007	6.82-007
RA224	5.75-004	5.77-004	5.77-004	5.77-004	5.74-004	5.71-004
RA225	4.47-005	4.67-005	4.86-005	5.03-005	5.17-005	5.30-005
AC225	1.96-005	2.12-005	2.29-005	2.44-005	2.59-005	2.73-005
COMB1	1.68-002	1.65-002	1.61-002	1.58-002	1.55-002	1.52-002

TABLE IX

TARGET= RA226
 DATA TYPE= YIELD-ATOMS PER ATOM TARGET
 FLUX= 1.0+016
 TIME SPAN= 0- 2

TIME	0.00100	0.00500	0.00800	0.01000	0.05000	0.10000
FLUX=	1.0+016	TARGET=RA226		DATA TYPE=YIELD		
RA226	1.00+000	9.99-001	9.98-001	9.98-001	9.90-001	9.80-001
RA227	1.86-004	5.55-004	6.49-004	6.77-004	7.07-004	7.00-004
AC227	4.00-005	5.15-004	1.02-003	1.37-003	7.74-003	1.32-002
AC228	2.23-007	9.08-006	2.76-005	4.60-005	1.04-003	2.60-003
TH227	2.74-011	1.13-009	3.49-009	5.87-009	1.58-007	4.65-007
TH228	4.42-009	4.96-007	2.28-006	4.70-006	5.99-004	3.39-003
TH229	3.20-012	8.71-010	5.87-009	1.47-008	9.58-006	1.18-004
RA223	7.61-015	8.64-013	4.01-012	8.34-012	1.20-009	7.64-009
RA224	3.07-014	8.33-012	5.61-011	1.41-010	9.00-008	1.08-006
RA225	2.16-018	1.29-015	1.24-014	3.75-014	1.14-010	2.89-009
AC225	6.71-022	8.21-019	1.10-017	3.96-017	5.39-013	2.81-011
COMB1	2.26-004	1.07-003	1.66-003	2.05-003	8.45-003	1.39-002

TABLE IX (Contd.)

TIME	0.15000	0.20000	0.25000	0.30000	0.35000	0.40000
FLUX=	1.0+016	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.70-001	9.61-001	9.51-001	9.42-001	9.32-001	9.23-001
RA227	6.93-004	6.86-004	6.79-004	6.72-004	6.65-004	6.59-004
AC227	1.67-002	1.89-002	2.03-002	2.12-002	2.17-002	2.19-002
AC228	3.79-003	4.60-003	5.12-003	5.44-003	5.63-003	5.74-003
TH227	7.58-007	9.90-007	1.16-006	1.27-006	1.35-006	1.40-006
TH228	8.14-003	1.41-002	2.07-002	2.76-002	3.44-002	4.11-002
TH229	4.53-004	1.11-003	2.13-003	3.53-003	5.32-003	7.49-003
RA223	1.99-008	3.65-008	5.57-008	7.61-008	9.64-008	1.16-007
RA224	4.06-006	9.67-006	1.81-005	2.93-005	4.30-005	5.88-005
RA225	1.70-008	5.62-008	1.36-007	2.72-007	4.79-007	7.68-007
AC225	2.56-010	1.15-009	3.57-009	8.75-009	1.83-008	3.40-008
COMB1	1.74-002	1.96-002	2.10-002	2.18-002	2.23-002	2.26-002
TIME	0.45000	0.50000	0.55000	0.60000	0.65000	0.70000
FLUX=	1.0+016	TARGET=RA226		DATA TYPE=YIELD		
RA226	9.14-001	9.05-001	8.96-001	8.87-001	8.78-001	8.69-001
RA227	6.52-004	6.46-004	6.39-004	6.33-004	6.27-004	6.20-004
AC227	2.20-002	2.20-002	2.19-002	2.17-002	2.16-002	2.14-002
AC228	5.79-003	5.80-003	5.79-003	5.76-003	5.73-003	5.68-003
TH227	1.42-006	1.44-006	1.44-006	1.44-006	1.43-006	1.42-006
TH228	4.74-002	5.35-002	5.92-002	6.45-002	6.95-002	7.41-002
TH229	1.00-002	1.29-002	1.60-002	1.94-002	2.31-002	2.70-002
RA223	1.35-007	1.52-007	1.68-007	1.82-007	1.95-007	2.06-007
RA224	7.65-005	9.55-005	1.16-004	1.37-004	1.58-004	1.80-004
RA225	1.15-006	1.63-006	2.21-006	2.90-006	3.70-006	4.61-006
AC225	5.80-008	9.25-008	1.40-007	2.02-007	2.82-007	3.81-007
COMB1	2.26-002	2.26-002	2.25-002	2.24-002	2.22-002	2.20-002
TIME	0.75000	0.80000	0.85000	0.90000	0.95000	1.00000
FLUX=	1.0+016	TARGET=RA226		DATA TYPE=YIELD		
RA226	8.61-001	8.52-001	8.44-001	8.35-001	8.27-001	8.19-001
RA227	6.14-004	6.08-004	6.02-004	5.96-004	5.90-004	5.84-004
AC227	2.12-002	2.10-002	2.08-002	2.06-002	2.04-002	2.02-002
AC228	5.64-003	5.59-003	5.53-003	5.48-003	5.43-003	5.38-003
TH227	1.41-006	1.40-006	1.39-006	1.37-006	1.36-006	1.35-006
TH228	7.84-002	8.23-002	8.59-002	8.93-002	9.23-002	9.51-002
TH229	3.11-002	3.54-002	3.99-002	4.45-002	4.92-002	5.40-002
RA223	2.16-007	2.25-007	2.33-007	2.40-007	2.45-007	2.50-007
RA224	2.02-004	2.23-004	2.44-004	2.65-004	2.85-004	3.05-004
RA225	5.62-006	6.73-006	7.94-006	9.25-006	1.06-005	1.21-005
AC225	5.02-007	6.47-007	8.16-007	1.01-006	1.24-006	1.49-006
COMB1	2.18-002	2.16-002	2.14-002	2.12-002	2.10-002	2.08-002
TIME	1.05000	1.10000	1.15000	1.20000	1.25000	1.30000
FLUX=	1.0+016	TARGET=RA226		DATA TYPE=YIELD		
RA226	8.11-001	8.02-001	7.95-001	7.87-001	7.79-001	7.71-001
RA227	5.79-004	5.73-004	5.67-004	5.61-004	5.56-004	5.50-004
AC227	2.00-002	1.98-002	1.96-002	1.94-002	1.92-002	1.90-002
AC228	5.32-003	5.27-003	5.22-003	5.17-003	5.12-003	5.06-003
TH227	1.34-006	1.32-006	1.31-006	1.30-006	1.28-006	1.27-006
TH228	9.77-002	1.00-001	1.02-001	1.04-001	1.06-001	1.07-001
TH229	5.89-002	6.38-002	6.88-002	7.39-002	7.89-002	8.40-002
RA223	2.55-007	2.58-007	2.61-007	2.64-007	2.66-007	2.67-007
RA224	3.24-004	3.42-004	3.60-004	3.76-004	3.92-004	4.07-004
RA225	1.37-005	1.53-005	1.70-005	1.87-005	2.05-005	2.23-005
AC225	1.77-006	2.09-006	2.44-006	2.81-006	3.22-006	3.67-006
COMB1	2.06-002	2.04-002	2.02-002	2.00-002	1.98-002	1.96-002
TIME	1.35000	1.40000	1.45000	1.50000	1.55000	1.60000
FLUX=	1.0+016	TARGET=RA226		DATA TYPE=YIELD		
RA226	7.63-001	7.56-001	7.48-001	7.41-001	7.33-001	7.26-001
RA227	5.45-004	5.39-004	5.34-004	5.29-004	5.23-004	5.18-004
AC227	1.89-002	1.87-002	1.85-002	1.83-002	1.81-002	1.79-002
AC228	5.01-003	4.96-003	4.91-003	4.87-003	4.82-003	4.77-003
TH227	1.26-006	1.25-006	1.23-006	1.22-006	1.21-006	1.20-006
TH228	1.09-001	1.10-001	1.11-001	1.12-001	1.13-001	1.13-001
TH229	8.91-002	9.42-002	9.93-002	1.04-001	1.09-001	1.14-001
RA223	2.68-007	2.69-007	2.69-007	2.69-007	2.69-007	2.69-007
RA224	4.21-004	4.34-004	4.46-004	4.58-004	4.69-004	4.79-004
RA225	2.42-005	2.61-005	2.80-005	2.99-005	3.19-005	3.39-005
AC225	4.14-006	4.64-006	5.18-006	5.75-006	6.34-006	6.97-006
COMB1	1.94-002	1.92-002	1.90-002	1.88-002	1.86-002	1.85-002

TABLE IX (Contd.)

TIME	1.65000	1.70000	1.75000	1.80000	1.90000	2.00000
FLUX=	1.0+016	TARGET=RA226		DATA TYPE=YIELD		
RA226	7.19-001	7.12-001	7.05-001	6.98-001	6.84-001	6.70-001
RA227	5.13-004	5.08-004	5.03-004	4.98-004	4.88-004	4.78-004
AC227	1.78-002	1.76-002	1.74-002	1.72-002	1.69-002	1.66-002
AC228	4.72-003	4.67-003	4.63-003	4.58-003	4.49-003	4.40-003
TH227	1.18-006	1.17-006	1.16-006	1.15-006	1.13-006	1.10-006
TH228	1.14-001	1.14-001	1.15-001	1.15-001	1.15-001	1.15-001
TH229	1.19-001	1.24-001	1.29-001	1.34-001	1.43-001	1.52-001
RA223	2.68-007	2.67-007	2.66-007	2.65-007	2.63-007	2.60-007
RA224	4.88-004	4.96-004	5.04-004	5.11-004	5.23-004	5.33-004
RA225	3.58-005	3.78-005	3.98-005	4.17-005	4.56-005	4.94-005
AC225	7.62-006	8.30-006	9.00-006	9.73-006	1.13-005	1.29-005
COMB1	1.83-002	1.81-002	1.79-002	1.77-002	1.74-002	1.70-002

REFERENCES

1. D. C. Stewart, E. S. Macias, L. J. Basile, and J. Milsted, Buildup of Radioactive Products in Thermal Reactors. I. ^{237}Np Targets, ANL-7484 (Aug 1968).
2. G. R. Grove, L. N. Russell, and S. R. Orr, ^{227}Ac and ^{228}Th Production as a Function of Time for Various Values of Neutron Flux, MLM-747 (Aug. 28, 1952).
3. J. R. Stehn, M. D. Goldberg, R. Wiener-Chasman, S. F. Mughabghab, B. A. Magurno, and V. M. May, Neutron Cross Sections, Volume III, Z = 88 to 98, BNL-325, 2d Ed., Suppl. 2 (Feb 1965).
4. H. Hanson, Irradiation of Radium in MTR, IDO-16033 (Nov. 10, 1952).
5. K. W. Foster, Radioisotopes for Heat Sources. II. Calculations for Preparation of ^{227}Ac by Neutron Irradiation of ^{227}Ra , MLM-1297 (Feb. 11, 1966).
6. D. C. Stewart, E. S. Macias, L. J. Basile, and J. Milsted, Daughter Growth in Freshly Separated ^{226}Ra , ^{227}Ac and ^{232}U , ANL-7205 (May 1966). Partially reproduced in Radiochim. Acta 5, 237-238 (July 1966).