DOE/PC/79997--T6

PROJECT STATUS REPORT

April 19, 1989
Period Covered 1/9/89-4/8/89

CONTRACT TITLE: Establishment and Maintenance of a Coal Sample Bank and Data Base

CONTRACT NUMBER: DE-RP22-87PC79997

CONTRACTOR NAME: The Pennsylvania State University
517 Deike Building
University Park, PA 16802

DOE/PC/79997--T6

DE92 015517

CONTRACT PERIOD: April 1988 to April 1991

1. Contract Objective: No change
2. Technical Approach Changes: None
3. Contract Tasks:

Task 1-B: Storage of Coal Samples

Analysis of Head Space Oxygen in Primary and Secondary Containers

For each sample, one 30-gallon drum containing approximately 200 lb of coal at -1 inch was designated for long-term oxygen monitoring at six-month intervals. The first set of analyses was completed late in 1988 and is reported in Table 1. Several samples have no oxygen values because the containers had been opened or because no -1" sample remained. This analysis program is separate from the -1/4 inch, 90-lb subsample oxygen analysis discussed in the last quarterly report. The oxygen contents of the -1" 200-lb drums are generally lower than those of the -1/4" 90-lb drums.

Documentation of Sample Quality and Deterioration

One primary sub-sample container of each coal sample was opened and coal was split out for the required analyses. An oxygen analyzer reading of the container gas was obtained before opening the container. Appendix A shows the results of analyses available to date. Columns labelled 'analysis sample' contain values from samples submitted for Coal Data Base analytical data. There may be more than one such column because a second sample was occasionally submitted to verify questionable data from the first sample.

For coals which originally exhibited fluidity, a sample from a #2 can was used for Gieseler fluidity and alkali extraction determinations at the same time the primary subsample re-analysis was performed. This allowed a comparison of condition due to container type for samples with the same storage time. Columns of data for such samples are labelled '#2 can'.

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

y22

In the columns ('30 gal') of primary sub-sample reanalysis data, calorific values for certain samples are not yet available. Also, some sulfur forms and proximate analysis noted as 'PSU MCL' are tentative results only and will be repeated. For some samples, Gieseler fluidity and alkali extraction no longer yield results and have been discontinued.

Task 1-C: Collection of Replacement Samples

Based on a compilation of available quality data and sample depletion rates, the following samples are being considered for re-collection:

Primary Recommendations:

<u>PSOC #</u>	<u>Seam</u>	<u>State</u>	<u>Rank</u>
1451	Pittsburgh	PA	hvAb
1475	Elkhorn #3	KY	hvAb
1492	Illinois #5	IL	hvCb
1493	Illinois #6	IL	hvCb
1494	Kentucky #9	KY	hvBb
1508	Pocahontas #3	WV	lvb

Alternative Possibilities:

<u>PSOC #</u>	<u>Seam</u>	<u>State</u>	<u>Rank</u>
1446	New Mexico #8	NM	hvCb
1470	Pratt	AL	hvAb
1471	Pee Wee	TN	hvAb
1474	Splashdam	VA	mvb
1491	Indiana #6	IN	hvCb
1495	Bevier-Wheeler	MO	hvCb
1518	Ohio #6	OH	hvBb
1519	Pittsburgh	WV	hvAb

Task 1-E: Distribution of Samples to Users

During the current reporting period a total of 139 samples (46 DOE Sample Bank samples and 93 other Penn State samples) of various sizes were distributed. Sixty-three of the samples were distributed to DOE or its contractors; 76 were distributed to other agencies.

Task 2: Operation of the DOE Coal Data Base

- 1) During the current reporting period a total of 88 data printouts were distributed. In addition, seven special data requests were fulfilled by either search/sort and printout or creation of a data disk. Several preliminary requests for Sample Bank and Data Base information have also been handled.

18 copies of the 83-page booklet, "The Penn State Coal Sample Bank and Data Base" were distributed.

2) Agencies supplied with coal samples and/or data include:

Air Products Corp.
Alcoa Research Lab
Allied Coal Testing
Amoco Research Center (2)
ARCO
Babcock & Wilcox
Calgon Carbon Corp.
Colorado School of Mines, CEPR Dept. (2)
Consolidation Coal Co.
Consortium for Fossil Fuel Liquefaction Science
Duke University Medical Center
Fossil Energy Research Co.
Grambling State University, Chemistry Dept.
Louisiana Tech
National Refractories and Minerals Corp.
Pennsylvania State University, Fuel Science Department (2)
Pennsylvania State University, Geosciences Department (2)
Pennsylvania State University, Materials Research Lab (2)
Pennsylvania State University, Mineral Processing Section (2)
Pennsylvania State University, Polymer Science Dept. (3)
RLN Co.
Southern Illinois University, Geology Dept. (2)
W. Spackman, consultant
Texas A&M University
U.S. Department of Energy, PETC
University of Illinois, Dept. of Mechanical Engineering
University of North Dakota, Energy & Minerals Research Center
University of Pittsburgh, Dept. of Chemical Engineering
University of Utah, Fuels Engineering Dept. (2)
West Virginia University, Dept. of Chemistry
Zycor, Inc.

The numbers in parentheses are multiple requests which were separately processed.

Alan Davis
Principal Investigator

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Table 1. Headspace Oxygen Content of Primary (30-gal, -1") Containers Designated for Oxygen Monitoring (Phase II, Fall 1988).

PSOC #	Seam Name	Rank	Designated Drum	Oxygen Date '88	% Head Oxygen
1107	King Cannel	subA			
1442	Darco	ligA	1 of 3 -1"	8 / 17	4.5
1443	unnamed	ligA			
1444	unnamed	ligA			
1445	Blue #1	hvCb			
1446	New Mexico #8	hvCb	1 of 3	8 / 23	7.5
1447	Red	hvCb	1 of 3 -1"	9 / 01	8.0
1448	York Canyon	hvAb	1 of 3 -1"	8 / 29	15.1
1451	Pittsburgh	hvAb	1 of 3 -1"		10.7
1461	Mammoth	an			
1468	Buck Mountain	an			
1469	Mary Lee	hvBb	1 of 3 -1"	8 / 29	12.3
1470	Pratt	hvBb	1 of 2 -1"	8 / 29	6.6
1471	Pee Wee	hvAb	2 of 3 -1"	8 / 30	12.8
1474	Splashdam	mvb	3 of 3 -1"	8 / 30	8.1
1475	Elkhorn #3	hvAb	4 of 4 -1"	9 / 01	12.0
1482	Hagel	ligA			
1485	Rosebud	subB	1 of 3 -1"	9 / 26	1.8
1486	Big Dirty	subB	2 of 3 -1"	9 / 26	4.1
1487	Adaville #1	subA	3 of 4 -1"	10 / 06	2.6
1488	Dietz	subB	2 of 4 -1"	10 / 06	3.1
1489	Pust	ligA	3 of 4 -1"	10 / 06	9.0
1490	Brazil Block	hvCb	2 of 3 -1"	10 / 06	13.0
1491	Indiana #6	hvCb	2 of 3 -1"	10 / 14	1.0
1492	Illinois #5	hvCb	3 of 3 -1"	10 / 14	4.2
1493	Illinois #6	hvCb	3 of 4 -1"	10 / 14	5.8
1494	Kentucky #9	hvBb	2 of 3 -1"	10 / 14	5.1
1495	Bevier-Wheeler	hvCb	3 of 3 -1"	10 / 14	1.0
1496	Tebo	hvCb	2 of 3 -1"	10 / 14	12.0
1497	Illinois #2	hvCb	3 of 3 -1"	10 / 14	3.6
1498	Wadge	hvCb	2 of 3 -1"	10 / 14	6.3
1499	Colorado B	hvBb	1 of 4 -1"	10 / 14	11.4
1500	Basin B	mvb	3 of 4 -1"	10 / 19	17.9
1501	Juanita C	hvBb	1 of 3 -1"	10 / 19	9.1
1502	Hiawatha	hvCb	3 of 4 -1"	10 / 19	13.8
1503	Blind Canyon	hvCb	1 of 4 -1"	10 / 19	9.7
1504	U. Sunnyside	hvBb	2 of 4 -1"	10 / 28	18.2
1506	Banner	hvAb	2 of 3 -1"	10 / 28	18.0
1507	Beulah	ligA	2 of 3 -1"	10 / 28	3.1
1508	Pocahontas #3	lvb	5 of 6 -1/4"	10 / 28	20.3
1515	Pa. Anthracite C	sa	3 of 4 -1"	10 / 28	19.8
1516	L. Kittanning	lvb	3 of 4 -1"	10 / 28	19.3
1517	L. Kittanning	hvBb			
1518	M. Kittanning	hvBb	1 of 3 -1"	10 / 28	17.1
1519	Pittsburgh	hvBb			
1520	Smith-Roland	subC	2 of 5 -1"		2.6
1521	L. Hartshorne	lvb	2 of 3 -1"	10 / 28	17.3
1522	Sewell	mvb	1 of 3 -1"	10 / 28	19.1
1523	#5 Block	hvBb	2 of 3 -1"	11 / 16	18.0
1524	U. Kittanning	hvAb	2 of 3 -1"	11 / 16	18.4
1532	#4 Usibelli	subB	1 of 2 -1"	11 / 16	8.6
1533	#3 Usibelli	ligA	1 of 2 -1"	11 / 16	15.0
1534	Waterfall	subC	1 of 2 -1"	11 / 16	11.6
1535	Deadfall Syncline #4	subA	1 of 2 -1"	11 / 16	20.1

APPENDIX A

Reanalysis of DOE Sample Suite Coals
to Evaluate Sample Equivalence and Sample Integrity
through April 8, 1989

PSOC-1107 KING CANNEL subA, Ro max = 0.55 collection date: 08/08/78				
Split ID size: % oxygen: note: date sealed	analysis sample 1	# 2 can 15 of 23 - 20mesh a 06/12/84	30 gal. 1 of 1 - 1/4" --- a	
PROXIMATE % moisture % ash (dry) analysis date	7.7 19.2 11/04/83	14.2 19.4 06/13/88	11.2 19.2 3/07/89	
SULFUR FORMS (dry %) total sulfur sulfate pyritic organic analysis date	2.16 0.92 0.43 0.81 11/04/83		1.71 0.80 0.45 0.46 3/07/89	
CALORIFIC VALUE (dry) BTU/lb analysis date	10012 11/04/83		9736 3/07/89	
ALKALI EXTRACTION % transmission analysis date		0.2 06/13/88	discon- tinued	

notes: a) Sample dry (dusty), visible yellow & white sulfates iron stained, resealed in poly drum 11/16/88.

PSOC-1442		DARCO	11gA, Ro max = 0.44	
collection date:		03/28/85		
Split ID	analysis sample 1 - 20mesh	30 gal. 3 of 3 - 1/4" 3.16 a		
size:				
% oxygen:				
note:				
date sealed:				
PROXIMATE				
% moisture	32.6	30.5		
% ash (dry)	11.3	9.4		
analysis date	06/11/85	09/14/88		
SULFUR FORMS (dry %)				
total sulfur	0.78	1.05		
sulfate	0.02	0.11		
pyritic	0.11	0.10		
organic	0.65	0.84		
analysis date	06/11/85	09/22/88		
CALORIFIC VALUE (dry)				
BTU/lb	11375			
analysis date	06/11/85			

notes: a) Sample moist, good condition, container resealed 08/17/88.
PSU MCL ash, moisture, sulfur forms.

PSOC-1443 UNNAMED (Lower Wilcox) ligA, Ro max = 0.44 collection date: 03/29/85				
Split ID size: % head oxygen: note: date sealed:	analysis sample 1 - 20mesh	30 gal. 3 of 4 -1" 3.84 a		
PROXIMATE % moisture % ash (dry) analysis date	28.5 21.4 06/11/85	29.2 19.5 09/14/88		
SULFUR FORMS (dry %) total sulfur sulfate pyritic organic analysis date	0.75 0.01 0.09 0.64 06/11/85	0.99 0.03 0.02 0.94 09/22/88		
CALORIFIC VALUE (dry) BTU/lb analysis date	9882 06/11/85			

notes: a) Good condition, moist, sample crushed to -1/4"
and resealed on 8/22/88. PSU MCL ash, moisture,
sulfur forms.

PSOC-1444 UNNAMED (U. Calvert Bl.) 11gA, Ro max = 0.45 collection date: 03/30/85				
Split ID size: % head oxygen: note: date sealed:	analysis sample 1 - 20mesh	analysis sample 2	30 gal 3 of 3 -1" 1.35 a	
PROXIMATE % moisture % ash (dry) analysis date	31.2 16.5 06/11/85	31.9 16.8 03/27/86	28.2 16.1 09/14/88	
SULFUR FORMS (dry %) total sulfur sulfate pyritic organic analysis date	0.96 0.01 0.05 0.90 06/11/85	1.17 03/27/86	1.19 0.07 0.19 0.93 09/22/88	
CALORIFIC VALUE (dry) BTU/lb analysis date	10694 06/11/85	10817 03/27/86		

notes: a) Trace of visible sulfates, moist, sample was crushed to -1/4" and resealed on 8/18/88.
PSU MCL ash, moisture, sulfur forms.

PSOC-1445		BLUE #1	hvCb, Ro max = 0.57	
collection date:		04/02/85		
Split ID	analysis sample 1 - 20mesh	# 2 can 15 of 19 -20 mesh	30 gal 2 of 3 -1" 5.72 a	
size:				
% head oxygen:				
note:				
date sealed:		05/02/85		
PROXIMATE				
% moisture	12.2	13.8	10.6	
% ash (dry)	4.6	4.2	4.8	
analysis date	06/11/85	06/13/88	09/14/88	
SULFUR FORMS (dry %)				
total sulfur	0.73		0.88	
sulfate	0.01		0.17	
pyritic	0.16		0.12	
organic	0.55		0.49	
analysis date	06/11/85		09/22/88	
CALORIFIC VALUE (dry)				
BTU/lb	13179			
analysis date	06/11/85			
ALKALI EXTRACTION				
% transmission		15.7	16.1	
analysis date		06/13/88	09/22/88	

notes: a) Good condition, moist, sample crushed to -1/4" and resealed on 08/22/88. PSU MCL ash, moisture, sulfur forms.

PSOC-1446 NEW MEXICO #8 hvCb, Ro max = 0.59 collection date: 04/03/85				
Split ID size: % head oxygen: note: date sealed:	analysis sample 1 - 20mesh	# 2 can 15 of 22 -20 mesh 05/03/85	30 gal. 3 of 3 -1/4" 12.3 a	5 gal. 3 of 3 -1/4" 20.6 b
PROXIMATE % moisture % ash (dry) analysis date	11.2 20.8 06/10/85	12.9 19.9 06/13/88	9.7 20.9 09/14/88	9.2 21.2 09/14/88
SULFUR FORMS (dry %) total sulfur sulfate pyritic organic analysis date	0.85 0.01 0.45 0.39 06/10/85		1.03 0.18 0.16 0.69 09/22/88	1.00 0.17 0.17 0.66 09/22/88
CALORIFIC VALUE (dry) BTU/lb analysis date	10940 06/10/85			
ALKALI EXTRACTION % transmission analysis date		38.3 06/14/88	37.1 09/22/88	

notes: a) Good condition, resealed 08/23/88 (split 1).
PSU MCL ash, moisture, sulfur forms.
b) white sulfate crystals visible on top surface.
resealed on 08/23/88 (split 2). PSU MCL ash,
moisture, sulfur forms.

PSOC-1447		RED	hvCb, Ro max = 0.54	
collection date: 04/04/85				
Split ID	analysis sample 1 - 60mesh	# 2 can 15 of 19 -20 mesh	30 gal. 3 of 3 -1/4" 13.0 a	
size:				
% head oxygen:				
note:		05/03/85		
date sealed				
PROXIMATE				
% moisture	10.1	12.3	10.1	
% ash (dry)	5.7	5.1	5.8	
analysis date	06/10/85	06/13/88	10/12/88	
SULFUR FORMS (dry %)				
total sulfur	0.41		0.39	
sulfate	0.01		0.01	
pyritic	0.23		0.04	
organic	0.18		0.34	
analysis date	06/10/85		01/17/89	
CALORIFIC VALUE (dry)				
BTU/lb	12983			
analysis date	06/10/85			
ALKALI EXTRACTION				
% transmission		5.6	4.5	
analysis date		06/14/88	10/05/88	

notes: Good condition, sample dry and dusty, lids loose on secondary buckets, sample resealed on 09/01/88.
PSU MCL ash, moisture. PSU MCL sulfur forms (revised analysis report).

PSOC-1448 YORK CANYON hvAb, Ro max = 0.77 collection date: 04/08/85				
Split ID size: % head oxygen: note: date sealed:	analysis sample 1 - 20mesh	# 2 can 8 of 29 -20 mesh 05/07/85	30 gal. 3 of 3 -1/4" 18.7 a	
PROXIMATE % moisture % ash (dry) analysis date	1.6 11.4 06/10/85	2.2 11.1 04/04/88	1.1 11.3 09/19/88	
GIESELER FLUIDITY max. ddpm fluid range analysis date	5632 72 06/03/85	2661 89 04/04/88	659 74 09/08/88	
SULFUR FORMS (dry %) total sulfur sulfate pyritic organic analysis date	0.46 0.01 0.04 0.41 06/10/85		0.49 0.02 0.05 0.42 01/17/89	
CALORIFIC VALUE (dry) BTU/lb analysis date	13467 06/10/85			
ALKALI EXTRACTION % transmission analysis date		100.1 06/01/88	97.7 09/23/88	

notes: a) PSU MCL ash, moisture. PSU MCL sulfur forms (revised analysis report).

PSOC-1451 PITTSBURGH hvAb, Ro max = 0.77 collection date: 05/01/85					
Split ID note: date sealed:	analysis sample 1	analysis sample 2	analysis sample 3	# 2 can 1 of ? 11/03/87	5 gal. a
PROXIMATE % moisture % ash (dry) analysis date	2.6 14.2 06/11/85	2.5 13.7 02/14/86	2.5 13.9 02/18/86	3.6 13.9 04/06/88	1.8 13.4 09/14/88
GIESELER FLUIDITY max. ddpm fluid range analysis date	8525 80 05/29/85			59 62 04/06/88	225 63 08/17/88
SULFUR FORMS (dry %) total sulfur sulfate pyritic organic analysis date	1.36 0.01 0.82 0.53 06/10/85	1.37 02/12/86	1.38 02/18/86		1.39 0.15 0.40 0.84 09/22/88
CALORIFIC VALUE (dry) BTU/lb analysis date	12863 06/10/85	12855 02/12/86	12893 02/18/86		
ALKALI EXTRACTION % transmission analysis date				99.5 06/02/88	

notes: a) Sample used for restocking, entire sample ground to
-20 mesh. PSU MCL ash, moisture, sulfur forms.

PSOC-1461		MAMMOTH	an,	Ro max = 5.72	
collection date:		05/24/85			
Split ID	analysis	30 gal			
size:	sample 1	3 of 3			
% head oxygen:	- 60mesh	-1/4"			
note:		19.7			
date sealed:		a			
		08/07/85			
PROXIMATE					
% moisture	3.1	3.0			
% ash (dry)	24.2	21.6			
analysis date	10/08/85	10/12/88			
SULFUR FORMS (dry %)					
total sulfur	0.74	0.64			
sulfate	0.02	0.04			
pyritic	0.36	0.26			
organic	0.37	0.34			
analysis date	10/08/85	01/17/89			
CALORIFIC VALUE (dry)					
BTU/lb	10860				
analysis date	10/08/85				

notes: a) Good condition, sample dry. PSU MCL ash, moisture.
PSU MCL sulfur forms (revised analysis report).

PSOC-1468 BUCK MOUNTAIN an, Ro max = 5.45 collection date: 06/03/85				
Split ID size: % head oxygen: note: date sealed:	analysis sample 1 - 60mesh	30 gal 1 of 3 -1/4" 17.8 a 08/07/85		
PROXIMATE % moisture % ash (dry) analysis date	4.5 6.8 10/08/85	3.5 6.6 10/12/88		
SULFUR FORMS (dry %) total sulfur sulfate pyritic organic analysis date	0.49 0.01 0.11 0.37 10/08/85	0.43 0.01 0.07 0.35 01/17/89		
CALORIFIC VALUE (dry) BTU/lb analysis date	13748 10/08/85			

notes: a) Sample dry, good condition. PSU MCL ash, moisture.
PSU MCL sulfur forms (revised analysis report).

PSOC-1469		MARY LEE	hvBb, Ro max = 1.12	
collection date: 06/10/85				
Split ID	analysis sample 1 - 60mesh	# 2 can 26 of 31 -20 mesh	30 gal. 3 of 3 -1/4" 15.0 a	
size:				
% head oxygen:				
note:				
date sealed:		10/01/85		
PROXIMATE				
% moisture	1.9	1.9	1.3	
% ash (dry)	21.0	21.1	20.7	
analysis date	10/08/85	04/08/88	09/19/88	
GIESELER FLUIDITY				
max. ddpm	659	189	21	
fluid range	73	71	64	
analysis date	09/11/85	04/07/88	09/09/88	
SULFUR FORMS (dry %)				
total sulfur	0.80		0.84	
sulfate	0.02		0.06	
pyritic	0.26		0.14	
organic	0.52		0.64	
analysis date	10/08/85		01/17/89	
CALORIFIC VALUE (dry)				
BTU/lb	11838			
analysis date	10/08/85			
ALKALI EXTRACTION				
% transmission		99.8	95.5	
analysis date		06/02/88	09/23/88	

notes: a) Good condition, sample dry. PSU MCL ash, moisture.
PSU MCL sulfur forms (revised analysis report).

PSOC-1470		PRATT		hvBb, Ro max = 0.89	
collection date:		06/12/85			
Split ID	analysis sample 1 - 60mesh	# 2 can 19 of 33 -20 mesh	30 gal. 2 of 2 -1"	5 gal. 2 of 4 -1/4"	
size:			-1"	-1/4"	
% head oxygen:			8.6	17.9	
note:			a	b	
date sealed:		10/29/85			
PROXIMATE					
% moisture	2.9	3.0	2.5	3.1	
% ash (dry)	20.6	21.0	20.5	20.3	
analysis date	10/08/85	04/14/88	09/19/88	09/19/88	
GIESELER FLUIDITY					
max. ddpm	487	3	55		
fluid range	66	33	56		
analysis date	10/11/85	04/14/88	09/12/88		
SULFUR FORMS (dry %)					
total sulfur	2.50		2.56	2.58	
sulfate	0.04		0.37	0.62	
pyritic	1.88		1.16	0.96	
organic	0.58		1.03	1.00	
analysis date	10/08/85		01/17/89	01/17/89	
CALORIFIC VALUE (dry)					
BTU/lb	11599				
analysis date	10/08/85				
ALKALI EXTRACTION					
% transmission		98.8	95.8		
analysis date		06/03/88	09/32/88		

notes: a) Sample moist, trace of yellow sulfate on top surface
sample was crushed to -1" and then split,
plastometer data fluid range estimated.
PSU MCL ash, moisture. PSU MCL sulfur forms
(revised analysis report).

b) white fibrous sulfate visible on surface.
PSU MCL ash, moisture. PSU MCL sulfur forms
(revised analysis report).

PSOC-1471		PEE WEE		hvAb, Ro max = 0.94	
collection date:		06/13/85			
Split ID	analysis sample 1 - 60mesh	# 2 can 20 of 37 -20 mesh	30 gal. 1 of 3 -1/4" 15.7 a		
size:					
% head oxygen:					
note:					
date sealed:		10/29/85	08/21/85		
PROXIMATE					
% moisture	2.5	2.7	2.2		
% ash (dry)	8.0	7.7	7.9		
analysis date	10/08/85	04/15/88	10/12/88		
GIESELER FLUIDITY					
max. ddpm	90	116	3		
fluid range	60	66	39		
analysis date	10/16/85	04/15/88	10/14/88		
SULFUR FORMS (dry %)					
total sulfur	1.04		1.01		
sulfate	0.03		0.10		
pyritic	0.22		0.13		
organic	0.79		0.78		
analysis date	10/08/85		01/17/89		
CALORIFIC VALUE (dry)					
BTU/lb	13715				
analysis date	10/08/85				
ALKALI EXTRACTION					
% transmission		94.7	97.2		
analysis date		06/03/88	10/05/88		

notes: a) Dry, good condition. PSU MCL ash, moisture.
PSU MCL sulfur forms (revised analysis report).

PSOC-1474		SPLASHDAM	mvb, Ro max = 1.13	
collection date: 06/17/85				
Split ID	analysis sample 1 - 60mesh	# 2 can 26 of 33 -20 mesh	30 gal. 3 of 3 -1/4" 16.3 a	
size:				
% head oxygen:				
note:				
date sealed		10/29/85	08/27/85	
PROXIMATE				
% moisture	1.6	1.1	1.2	
% ash (dry)	12.4	13.4	12.3	
analysis date	10/22/85	04/18/88	10/12/88	
GIESELER FLUIDITY				
max. ddpm	14490	743	556	
fluid range	99	83	84	
analysis date	09/17/85	04/18/88	10/18/88	
SULFUR FORMS (dry %)				
total sulfur	0.73		0.70	
sulfate	0.01		0.05	
pyritic	0.16		0.11	
organic	0.56		0.54	
analysis date	10/22/85		01/17/89	
CALORIFIC VALUE (dry)				
BTU/lb	13588			
analysis date	10/22/85			
ALKALI EXTRACTION				
% transmission		98.5	98.9	
analysis date		06/03/88	10/05/88	

notes: a) Dry, good condition. PSU MCL ash, moisture.
PSU MCL sulfur forms (revised analysis report).

PSOC-1475 Elkhorn #3 hvAb, Ro max = 0.97 collection date: 06/18/85				
Split ID size: % head oxygen: note: date sealed	analysis sample 1 - 60mesh	# 2 can 27 of 33 -20 mesh 10/29/85	30 gal. 4 of 4 -1/4" 9.5 a 08/28/88	
PROXIMATE % moisture % ash (dry) analysis date	3.4 3.3 10/23/85	4.3 1.5 04/19/88	2.9 2.9 10/12/88	
GIESELER FLUIDITY max. ddpm fluid range analysis date	177 59 09/18/85	15 59 04/19/88	3 33 10/20/88	
SULFUR FORMS (dry %) total sulfur sulfate pyritic organic analysis date	0.98 0.02 0.32 0.64 10/23/85		0.93 0.06 0.22 0.65 01/17/89	
CALORIFIC VALUE (dry) BTU/lb analysis date	14540 10/23/85			
ALKALI EXTRACTION % transmission analysis date		95.9 06/03/88	97.4 10/05/88	

note: a) Sample discrepancy with ash analysis. PSU MCL ash, moisture. PSU MCL sulfur forms (revised analysis report).

PSOC-1482		HAGEL	11gA, Ro max = 0.39	
collection date:		07/01/85		
Split ID	analysis sample 1 - 60mesh	analysis sample 2 -20 mesh	30 gal. 1 of 3 -1/4" 1.6 a 08/29/85	
size:				
% head oxygen:				
note:				
date sealed				
PROXIMATE				
% moisture	34.7	34.5	32.9	
% ash (dry)	9.0	8.5	7.4	
analysis date	10/24/85	12/11/86	10/12/88	
SULFUR FORMS (dry %)				
total sulfur	0.86	0.72	0.82	
sulfate	0.02		0.14	
pyritic	0.09		0.22	
organic	0.75		0.46	
analysis date	10/24/85	12/11/86	01/17/89	
CALORIFIC VALUE (dry)				
BTU/lb	11118			
analysis date	10/24/85			

notes: a) Sample moist, trace yellow & white sulfates.
 PSU MCL ash, moisture. PSU MCL sulfur forms
 (revised analysis report).

PSOC-1485		ROSEBUD		subB, Ro max = 0.51	
collection date:		07/05/86			
Split ID	analysis	# 2 can	30 gal.		
size:	sample 1	15 of 31	3 of 3		
% head oxygen:	- 60mesh	-20 mesh	-1/4"		
note:			8.1		
date sealed		04/01/86	a		
			03/25/86		
PROXIMATE					
% moisture	25.4	25.0	21.9		
% ash (dry)	11.4	10.7	10.4		
analysis date	04/24/86	06/13/88	10/12/88		
SULFUR FORMS (dry %)					
total sulfur	0.88		0.86		
sulfate	0.00		0.08		
pyritic	0.02		0.23		
organic	0.86		0.55		
analysis date	04/24/86		01/17/89		
CALORIFIC VALUE (dry)					
BTU/lb	11620				
analysis date	04/24/86				
ALKALI EXTRACTION					
% transmission		0.2	0.4		
analysis date		06/15/88	10/06/88		

notes: a) Sample moist, good condition. PSU MCL ash, moisture.
PSU MCL sulfur forms (revised analysis report).

PSOC-1486		BIG DIRTY		subB, Ro max = 0.38	
collection date: 07/09/85					
Split ID	analysis sample 1	# 2 can	30 gal.		
size:	- 60mesh	17 of 31	3 of 3		
% head oxygen:		-20 mesh	-1/4"		
note:			4.3		
date sealed		04/02/86	a 03/26/86		
PROXIMATE					
% moisture	20.1	18.8	17.3		
% ash (dry)	19.4	18.7	17.2		
analysis date	04/24/86	06/14/88	10/12/88		
SULFUR FORMS (dry %)					
total sulfur	0.94		0.91		
sulfate	0.01		0.17		
pyritic	0.25		0.16		
organic	0.68		0.58		
analysis date	04/24/86		01/17/89		
CALORIFIC VALUE (dry)					
BTU/lb	10447				
analysis date	04/24/86				
ALKALI EXTRACTION					
% transmission		0.0	0.0		
analysis date		06/15/88	10/06/88		

notes: Sample dry, trace yellow sulfate. PSU MCL ash, moisture.
PSU MCL sulfur forms (revised analysis report).

PSOC-1487 ADAVILLE #1 subA, Ro max = 0.48 collection date: 07/15/85				
Split ID size: % head oxygen: note: date sealed	analysis sample 1 - 60mesh	# 2 can 15 of 31 -20 mesh 04/03/86	30 gal. 4 of 4 -1/4" 13.4 a 03/26/86	
PROXIMATE % moisture % ash (dry) analysis date	19.0 5.6 04/24/86	18.1 5.5 06/13/88	11.5 5.3 11/09/88	
SULFUR FORMS (dry %) total sulfur sulfate pyritic organic analysis date	1.31 0.01 0.03 1.27 04/24/86		1.37 0.18 0.08 1.11 01/17/89	
CALORIFIC VALUE (dry) BTU/lb analysis date	12589 04/24/86			
ALKALI EXTRACTION % transmission analysis date		1.7 06/15/88	discon- tinued	

notes: Sample dry, trace yellow sulfate. PSU MCL sulfur forms (revised analysis report).

PSOC-1488		DIETZ	subB, Ro max = 0.47	
collection date: 07/17/85				
Split ID	analysis	30 gal.		
size:	sample 1	3 of 4		
% head oxygen:	- 60mesh	-1/4"		
note:		3.4		
date sealed		a		
		03/27/86		
PROXIMATE				
% moisture	23.7	14.6		
% ash (dry)	5.4	4.6		
analysis date	04/25/86	11/09/88		
SULFUR FORMS (dry %)				
total sulfur	0.50	0.61		
sulfate	0.00	0.06		
pyritic	0.02	0.08		
organic	0.48	0.47		
analysis date	04/25/86	01/17/89		
CALORIFIC VALUE (dry)				
BTU/lb	12519			
analysis date	04/25/86			

notes: a) Sample moist, good condition. PSU MCL sulfur forms (revised analysis report).

PSOC-1489		PUST	11gA, Ro max = 0.34	
collection date:		07/19/85		
Split ID	analysis	30 gal.		
size:	sample 1	4 of 4		
% head oxygen:	- 60mesh	-1/4"		
note:		10.6		
date sealed		a		
PROXIMATE				
% moisture	37.2	20.1		
% ash (dry)	11.0	10.5		
analysis date	04/25/86	11/09/88		
SULFUR FORMS (dry %)				
total sulfur	0.77	0.77		
sulfate	0.00	0.26		
pyritic	0.02	0.25		
organic	0.75	0.26		
analysis date	04/25/86	01/17/89		
CALORIFIC VALUE (dry)				
BTU/lb	10668			
analysis date	04/25/86			

notes: a) Sample moist, trace yellow and white sulfate.
PSU MCL sulfur forms (revised analysis report).

PSOC-1490 BRAZIL BLOCK hvCb, Ro max = 0.45 collection date: 7/29 85				
Split ID size: % head oxygen: note: date sealed	analysis sample 1 - 60mesh	analysis sample 2 - 60mesh	# 2 can 15 of 24 -20 mesh 10/30/85	30 gal. 3 of 3 -1/4" 16.4 a 10/22/85
PROXIMATE % moisture % ash (dry) analysis date	15.1 5.4 12/23/85	15.2 5.3 05/30/86	15.5 5.2 06/14/88	9.1 5.2 11/09/88
GIESELER FLUIDITY max. ddpm fluid range analysis date	0 0			
SULFUR FORMS total sulfur sulfate pyritic organic analysis date	0.71 0.01 0.09 0.61 12/23/85	0.73 05/30/86		0.76 0.03 0.11 0.62 01/17/89
CALORIFIC VALUE (dry) BTU/lb analysis date	13960 12/23/85	13966 05/30/86		
ALKALI EXTRACTION % transmission analysis date			95.9 06/15/88	

notes: a) Sample moist, good condition. PSU MCL sulfur forms (revised analysis report).

PSOC-1491 INDIANA # 6 hvCb, Ro max = 0.43 collection date: 07/29/85				
Split ID size: % head oxygen: note: date sealed	analysis sample 1 - 60mesh	analysis sample 2	# 2 can 10 of 29 - 20mesh 10/30/85	30 gal. 1 of 3 - 1/4" 15.0 a
PROXIMATE % moisture (a.d) % ash (dry) analysis date	11.5 15.8 05/28/86	11.5 15.2 05/30/86	9.9 14.2 3/10/88	9.6 14.9 02/01/89
GIESELER FLUIDITY max. ddpm fluid range analysis date	28 61 11/27/85		0 0 3/21/88	0 0 11/21/88
SULFUR FORMS (dry) total sulfur sulfate pyritic organic analysis date	2.82 0.02 2.22 0.57 12/23/85	2.85 05/30/86		
CALORIFIC VALUE (dry) BTU/lb analysis date	12134 12/23/85	12292 05/30/86		
ALKALI EXTRACTION % transmission analysis date			95.1 06/07/88	93.6 12/09/88

notes: a) Sample moist, good condition. PSU MCL ash, moisture.

PSOC-1492 ILLINOIS #5 hvCb, Ro max = 0.62 collection date: 08/01/85				
split ID size: % head oxygen: note: date sealed	analysis sample 1 - 60mesh	analysis sample 2	# 2 can 31 of 31 - 20mesh 11/14/85	30 gal. 1 of 3 - 1/4" 16.1 a
PROXIMATE % moisture (a.d) % ash (dry) analysis date	9.6 10.6 12/23/85	9.5 10.5 05/29/86	9.2 9.9 03/14/88	8.0 10.2 02/01/89
GIESELER FLUIDITY max. ddpm fluid range analysis date	6 56 11/29/85		5 58 03/14/88	0 0 11/21/88
SULFUR FORMS (dry) total sulfur (3.90) sulfate (0.03) pyritic (1.82) organic (2.05) analysis date	3.90 0.03 1.82 2.05 12/23/85	4.35 05/29/86		
CALORIFIC VALUE (dry) BTU/lb analysis date	12758 12/23/85	12722 05/29/86		
ALKALI EXTRACTION % transmission analysis date			86.9 06/07/88	93.4 12/09/88

notes: a) Sample dry, good condition. PSU MCL ash, moisture.

PSOC-1493 ILLINOIS #6 hvCb, Ro max = 0.53 collection date: 08/01/85				
split ID size: % head oxygen: note: date sealed	analysis sample 1 - 60mesh	analysis sample 2	# 2 can 19 of 31 - 20mesh 11/19/85	30 gal. 2 of 4 - 1/4" 3.0 a
PROXIMATE % moisture % ash (dry) analysis date	9.5 15.2 12/23/85	9.4 15.2 05/29/86	9.8 14.3 03/17/88	8.8 14.6 02/01/89
GIESELER FLUIDITY max. ddpm fluid range analysis date	6 47 12/05/85		6 51 03/17/88	0 0 11/23/88
SULFUR FORMS (dry) total sulfur sulfate pyritic organic analysis date	4.23 0.04 2.61 1.57 12/23/85	4.98 05/29/86		
CALORIFIC VALUE (dry) BTU/lb analysis date	11989 12/23/85	11963 05/29/86		
ALKALI EXTRACTION % transmission analysis date			93.2 06/08/88	94.5 12/12/88

notes: a) Sample moist, trace yellow sulfate. PSU MCL ash, moisture.

PSOC-1494 KENTUCKY #9 hvBb, Ro max = 0.61 collection date: 08/02/85				
split ID size: % head oxygen: note: date sealed	analysis sample 1 - 60mesh	# 2 can 8 of 31 - 20mesh 11/19/85	30 gal. 1 of 3 - 1/4" 13.7 a	
PROXIMATE % moisture (a.d) % ash (dry) analysis date	7.1 11.8 12/23/85	7.1 11.4 03/21/88	6.7 10.7 02/01/89	
GIESELER FLUIDITY max. ddpm fluid range analysis date	48 60 12/03/85	175 84 03/21/88	0 0 11/30/88	
SULFUR FORMS (dry) total sulfur sulfate pyritic organic analysis date	4.85 0.02 3.14 1.69 12/23/85			
CALORIFIC VALUE (dry) BTU/lb analysis date	12851 12/23/85			
ALKALI EXTRACTION % transmission analysis date		98.4 06/08/88	94.7 12/12/88	

notes: a) Sample dry, iron stained. PSU MCL ash, moisture.

PSOC-1495 BEVIER-WHEELER hvCb, Ro max = 0.62 collection date: 08/05/85				
split ID size: % head oxygen: note: date sealed	analysis sample 1 - 60mesh	analysis sample 2 - 60mesh	# 2 can 23 of 31 - 20mesh 11/21/85	30 gal. 3 of 3 -1" 15.8 a
PROXIMATE % moisture (a.d) % ash (dry) analysis date	13.4 16.1 12/30/85	13.3 16.1 05/30/86	10.2 14.9 03/22/88	11.0 15.1 02/01/89
GIESELER FLUIDITY max. ddpm fluid range analysis date	2 45 12/04/85		0 0 03/22/88	0 0 12/02/88
SULFUR FORMS (dry) total sulfur sulfate pyritic organic analysis date	6.04 0.03 3.77 2.24 12/30/85	7.02 0.22 3.43 3.37 06/18/86		
CALORIFIC VALUE (dry) BTU/lb analysis date	14218 12/20/85	14143 05/30/86		
ALKALI EXTRACTION % transmission analysis date			87.4 06/07/88	93.0 12/12/88

notes: a) PSU MCL ash, moisture.

PSOC-1496		TEBO	hvCb, Ro max = 0.57	
collection date: 08/05/85				
Split ID	analysis sample 1 - 60mesh	# 2 Can 13 of 30 - 20mesh	30 gal. 3 of 3 - 1/4"	
size:			12.8	
% head oxygen:			a	
note:		11/27/85		
date sealed				
PROXIMATE				
% moisture (a.d)	7.9	7.3	6.3	
% ash (dry)	29.4	29.5	27.4	
analysis date	12/23/85	03/28/88	02/01/89	
GIESELER FLUIDITY				
max. ddpm	6	6	0	
fluid range	44	39	0	
analysis date	12/04/85	03/28/88	12/02/88	
SULFUR FORMS (dry %)				
total sulfur	6.04			
sulfate	0.03			
pyritic	3.31			
organic	2.69			
analysis date	12/23/85			
CALORIFIC VALUE (dry)				
BTU/lb	9881			
analysis date	12/23/85			
ALKALI EXTRACTION				
% transmission		94.4	94.7	
analysis date		06/30/88	12/12/88	

notes: a) Sample dry, trace white sulfate. PSU MCL ash, moisture (low ash may be due to lab not sample split).

PSOC-1497 ILLINOIS #2 hvCb, Ro max = 0.40 collection date: 08/08/85				
Split ID size: % head oxygen: note: date sealed	analysis sample 1 - 60mesh	analysis sample 2	# 2 can 13 of 30 - 20mesh 12/03/85	30 gal. 1 of 3 - 1/4" 11.9 a
PROXIMATE % moisture (a.d) % ash (dry) analysis date	13.5 12.0 12/23/85	13.4 11.7 05/30/86	14.6 12.3 03/29/88	12.1 10.8 02/01/88
GIESELER FLUIDITY max. ddpm fluid range analysis date	83 85 12/06/85		146 87 03/29/87	0 0 12/05/88
SULFUR FORMS (dry %) total sulfur sulfate pyritic organic analysis date	5.04 0.02 4.00 1.02 12/23/85	5.93 0.35 3.51 2.06 06/18/86		
CALORIFIC VALUE (dry) BTU/lb analysis date	12823 12/23/85	12778 05/30/86		
ALKALI EXTRACTION % transmission analysis date			96.3 06/08/88	93.5 12/14/88

notes: a) Sample dry, visible white sulfate. PSU MCL ash, moisture.

PSOC-1498		WADGE	hvCb, Ro max = 0.60	
collection date: 09/24/85				
Split ID	analysis sample 1 - 60mesh	# 2 Can 15 of 31 - 20mesh	30 gal. 3 of 3 - 1/4" 15.6 a	
size:				
% head oxygen:				
note:				
date sealed		12/13/85		
PROXIMATE				
% moisture	9.6	9.6	9.8	
% ash (dry)	7.1	7.3	6.6	
analysis date	03/13/86	06/14/88	02/01/89	
SULFUR FORMS (dry %)				
total sulfur	0.52			
sulfate	0.00			
pyritic	0.03			
organic	0.48			
analysis date	03/13/86			
CALORIFIC VALUE (dry)				
BTU/lb	12762			
analysis date	03/13/86			
ALKALI EXTRACTION				
% transmission		23.5	38.8	
analysis date		06/16/88	12/14/88	

notes: a) Sample dry (dusty), good condition. PSU MCL ash, moisture.

PSOC-1499		COLORADO B		hvBb, Ro max = 0.75	
collection date:		09/26/85			
Split ID	analysis	# 2 can	30 gal.		
size:	sample 1	15 of 31	3 of 4		
% head oxygen:	- 60mesh	- 20mesh	- 1/4"		
note:			17.1		
date sealed		12/17/85	a		
PROXIMATE					
% moisture	3.4	4.2	3.7		
% ash (dry)	5.9	4.4	5.3		
analysis date	03/13/86	04/22/88	02/03/89		
GIESELER FLUIDITY					
max. ddpm	4	4	2		
fluid range	43	44	36		
analysis date	12/17/85	04/22/88	12/05/88		
SULFUR FORMS (dry %)					
total sulfur	0.67				
sulfate	0.00				
pyritic	0.02				
organic	0.65				
analysis date	03/13/86				
CALORIFIC VALUE (dry)					
BTU/lb	13780				
analysis date	03/13/86				
ALKALI EXTRACTION					
% transmission		98.7			
analysis date		06/06/88			

notes: a) Sample dry (dusty), good condition. PSU MCL ash, moisture.

PSOC-1500		BASIN B		mvp, Ro max = 1.45	
collection date:		09/26/85			
Split ID	analysis sample 1 - 60mesh	# 2 can 15 of 31 - 20mesh	30 gal. 2 of 4 - 1/4"		
size:			19.7		
% head oxygen:			a		
note:		02/11/86			
date sealed					
PROXIMATE					
% moisture	4.4	2.2	1.6		
% ash (dry)	23.4	21.8	24.2		
analysis date	03/13/86	04/25/88	02/03/89		
GIESELER FLUIDITY					
max. ddpm	267	284	30		
fluid range	83	84	70		
analysis date	03/13/86	04/25/88	01/17/89		
SULFUR FORMS (dry %)					
total sulfur	0.76				
sulfate	0.00				
pyritic	0.32				
organic	0.44				
analysis date	03/13/86				
CALORIFIC VALUE (dry)					
BTU/lb	11986				
analysis date	03/13/86				
ALKALI EXTRACTION					
% transmission		99.0			
analysis date		06/06/88			

notes: a) Sample moist, good condition. PSU MCL ash, moisture.

PSOC-1501		JUANITA C	hvBb, Ro max = 0.73	
collection date: 09/27/85				
Split ID	analysis sample 1 - 60mesh	# 2 can 16 of 29 - 20mesh	30 gal. 3 of 3 - 1/4" 16.4	
size:				
% head oxygen:				
note:				
date sealed		03/03/86		
PROXIMATE				
% moisture	5.8	6.8	6.0	
% ash (dry)	5.6	5.4	5.5	
analysis date	03/13/86	04/26/88	02/10/89	
GIESELER FLUIDITY				
max. ddpm	1	1	0	
fluid range	24	25	0	
analysis date	03/20/86	04/26/88	02/02/89	
SULFUR FORMS (dry %)				
total sulfur	0.64		0.57	
sulfate	0.00		0.02	
pyritic	0.02		0.03	
organic	0.62		0.53	
analysis date	03/13/86		02/10/89	
CALORIFIC VALUE (dry)				
BTU/lb	13579		13368	
analysis date	03/13/86		02/10/89	
ALKALI EXTRACTION				
% transmission		94.3	90.9	
analysis date		06/06/88	02/10/89	

PSOC-1502		HIAWATHA	hvCb, Ro max = 0.54	
collection date: 09/30/85				
Split ID	analysis sample 1 - 60mesh	# 2 Can 14 of 29 - 20mesh	30 gal. 2 of 4 -1" 6.2	
size:				
% head oxygen:				
note:				
date sealed		03/03/86		
PROXIMATE				
% moisture	8.7	8.4	8.4	
% ash (dry)	9.0	8.9	9.0	
analysis date	03/13/86	06/14/88	02/10/89	
GIESELER FLUIDITY				
max. ddpm	0	discon-		
fluid range	0	tinued		
analysis date	03/21/86			
SULFUR FORMS (dry %)				
total sulfur	0.51		0.43	
sulfate	0.00		0.02	
pyritic	0.15		0.13	
organic	0.35		0.28	
analysis date	03/13/86		02/10/89	
CALORIFIC VALUE (dry)				
BTU/lb	12650		12576	
analysis date	03/13/86		02/10/89	
ALKALI EXTRACTION				
% transmission		54.6	80.6	
analysis date		06/15/88	11/10/89	

PSOC-1503 BLIND CANYON hvCb, Ro max = 0.62 collection date: 10/01/85				
Split ID size: % head oxygen: note: date sealed	analysis sample 1 - 60mesh	# 2 can 15 of 31 - 20mesh 03/20/86	30 gal. 3 of 4 -1" 16.9	
PROXIMATE % moisture % ash (dry) analysis date	10.4 3.9 04/25/86	5.1 4.0 04/26/88	5.2 4.0 02/10/89	
GIESELER FLUIDITY max. ddpm fluid range analysis date	2 39 03/24/86	0 0 04/26/88	discon- tinued	
SULFUR FORMS (dry %) total sulfur sulfate pyritic organic analysis date	0.54 0.00 0.02 0.52 04/25/86		0.47 0.01 0.17 0.29 02/10/89	
CALORIFIC VALUE (dry) BTU/lb analysis date	14069 04/25/86		13984 02/10/89	
ALKALI EXTRACTION % transmission analysis date		94.5 06/06/88	86.1 02/10/89	

PSOC-1504 UPPER SUNNYSIDE hvBb, Ro max = 0.80 collection date: 10/02/85				
Split ID size: % head oxygen: note: date sealed	analysis sample 1 - 60mesh	# 2 can 15 of 31 - 20mesh 03/21/86	30 gal. 4 of 4 - 1/4" 18.7 a 03/18/86	
PROXIMATE % moisture % ash (dry) analysis date	3.4 7.5 04/25/86	2.8 7.9 05/04/88	2.6 7.3 02/10/89	
GIESELER FLUIDITY max. ddpm fluid range analysis date	17 51 03/24/86	13 58 05/04/88	0 0 02/02/89	
SULFUR FORMS (dry %) total sulfur sulfate pyritic organic analysis date	0.77 0.02 0.04 0.71 04/24/86		0.73 0.01 0.29 0.43 02/10/89	
CALORIFIC VALUE (dry) BTU/lb analysis date	13640 04/24/86		13612 02/10/89	
ALKALI EXTRACTION % transmission analysis date		97.2 06/07/88	91.8 02/10/89	

notes: a) Sample dry, good condition.

PSOC-1506 collection date: 06/14/85		BANNER 06/14/85		hvAb, Ro max = 0.96	
Split ID	analysis sample 1 - 60mesh	# 2 can 15 of 31 - 20mesh	30 gal. 3 of 3 - 1/4"		
size:			19.4		
% head oxygen:			a		
note:		04/24/86	04/22/86		
date sealed					
PROXIMATE					
% moisture	1.3	1.8	1.1		
% ash (dry)	13.6	14.0	14.7		
analysis date	10/04/85	05/05/88	02/10/89		
GIESELER FLUIDITY					
max. ddpm	29881	6645	4889		
fluid range	90	89	79		
analysis date	04/25/86	05/05/88	02/02/89		
SULFUR FORMS (dry %)					
total sulfur	0.70		0.62		
sulfate	0.02		0.01		
pyritic	0.14		0.32		
organic	0.54		0.28		
analysis date	10/05/85		02/10/89		
CALORIFIC VALUE					
BTU/lb dry	13325		13024		
daf			15272		
analysis date	10/05/85		02/10/89		
ALKALI EXTRACTION					
% transmission		98.8	95.4		
analysis date		06/08/88	02/13/89		

notes: a) Sample dry, good condition.

PSOC-1507		BEULAH	11gA, Ro max = 0.37	
collection date: 07/02/85				
Split ID	analysis sample 1	30 gal.		
size:	- 60mesh	1 of 3		
% head oxygen:		-1"		
note:		6.7		
date sealed		a		
		04/10/86		
PROXIMATE				
% moisture	35.6	32.8		
% ash (dry)	12.5	12.5		
analysis date		02/10/89		
SULFUR FORMS (dry %)				
total sulfur	1.43	1.16		
sulfate	0.01	0.02		
pyritic	0.02	0.42		
organic	1.40	0.72		
analysis date		02/10/89		
CALORIFIC VALUE (dry)				
BTU/lb	10627	10585		
analysis date		02/10/89		

notes: a) Sample moist, trace white and yellow sulfate.

PSOC-1508 POCAHONTAS #3 1vb, Ro max = 1.85 collection date: 11/05/85				
Split ID size: % head oxygen: note: date sealed	analysis sample 1 - 60mesh	# 2 can 15 of 31 - 20mesh 12/04/85	30 gal. 6 of 6 - 1/4" 20.7 a 11/14/85	
PROXIMATE % moisture % ash (dry) analysis date	1.1 7.4 12/23/85	1.9 7.1 05/06/88	1.4 7.4 02/10/89	
GIESELER FLUIDITY max. ddpm fluid range analysis date	10 44 12/07/85	3 41 05/06/88	0 0 02/02/89	
SULFUR FORMS (dry %) total sulfur sulfate pyritic organic analysis date	0.64 0.00 0.14 0.50 12/23/85		0.57 0.02 0.24 0.31 02/10/89	
CALORIFIC VALUE (dry) BTU/lb analysis date	14542 12/23/85		14489 02/10/89	
ALKALI EXTRACTION % transmission analysis date		100.2 06/09/88	96.9 02/13/89	

notes: a) Sample dry, good condition.

PSOC-1515		PENNSYLVANIA C	sa, Ro max = 2.80	
collection date: 05/08/86				
Split ID	analysis	30 gal.		
size:	sample 1	4 of 4		
% head oxygen:	- 60mesh	- 1/4"		
note:		19.8		
date sealed		a		
		08/08/86		
PROXIMATE				
% moisture	2.4	2.2		
% ash (dry)	29.2	28.3		
analysis date	09/25/86	02/10/89		
SULFUR FORMS (dry %)				
total sulfur	0.58	0.58		
sulfate	0.00	0.01		
pyritic	0.10	0.20		
organic	0.49	0.37		
analysis date	09/25/86	02/10/89		
CALORIFIC VALUE (dry)				
BTU/lb	10642	10677		
analysis date	09/16/86	02/10/89		

notes: a) Sample moist, good condition.

PSOC-1516 LOWER KITTANNING 1vb, Ro max = 1.73 collection date: 05/29/86				
Split ID size: % head oxygen: note: date sealed	analysis sample 1 - 60mesh	# 2 can 15 of 31 - 20mesh 08/20/86	30 gal. 4 of 4 - 1/4" 20.5 a 08/08/86	
PROXIMATE % moisture % ash (dry) analysis date	2.0 10.3 09/25/86	2.1 9.4 05/09/88	2.1 10.3 02/10/89	
GIESELER FLUIDITY max. ddpm fluid range analysis date	53 69 08/20/86	2 25 05/09/88	2 nd 02/06/89	
SULFUR FORMS (dry %) total sulfur sulfate pyritic organic analysis date	1.40 0.01 0.61 0.78 09/25/86		1.33 0.01 0.81 0.50 02/10/89	
CALORIFIC VALUE (dry) BTU/lb analysis date	14025 09/25/86		13822 02/10/89	
ALKALI EXTRACTION % transmission analysis date		99.9 06/08/88	95.9 02/15/89	

notes: a) Sample dry, good condition.

PSOC-1517		OHIO #5	hvBb, Ro max = 0.86	
collection date:		06/09/86		
Split ID	analysis sample 1 - 60mesh	# 2 can 16 of 31 - 20mesh	30 gal. 2 of 3 -1" 16.4 a	
size:				
% head oxygen:				
note:				
date sealed		08/22/86	08/07/86	
PROXIMATE				
% moisture	4.2	4.0	4.3	
% ash (dry)	4.8	4.7	5.8	
analysis date	09/25/86	05/10/88	02/10/89	
GIESELER FLUIDITY				
max. ddpm	1509	13	77	
fluid range	75	50	60	
analysis date	09/03/86	05/10/88	02/06/89	
SULFUR FORMS (dry %)				
total sulfur	1.92		2.09	
sulfate	0.01		0.01	
pyritic	0.70		0.98	
organic	1.21		1.10	
analysis date	09/25/86		02/10/89	
CALORIFIC VALUE (dry)				
BTU/lb	14258		13933	
analysis date	09/25/86		02/10/89	
ALKALI EXTRACTION				
% transmission		98.0	98.1	
analysis date		06/09/88	02/15/89	

notes: a) Sample dry, good condition.

PSOC-1518 M. KITTANNING (OHIO #6) hvBb, Ro max = 0.69 collection date: 06/10/86				
Split ID size: % head oxygen: note: date sealed	analysis sample 1 - 60mesh	# 2 can 15 of 31 - 20mesh 08/26/86	30 gal. 3 of 3 - 1/4" 18.5 a 08/07/86	
PROXIMATE % moisture % ash (dry) analysis date	5.3 9.9 09/25/86	5.0 9.3 05/11/88	5.8 9.6 03/07/89	
GIESELER FLUIDITY max. ddpm fluid range analysis date	113 62 09/04/86	118 66 05/11/88		
SULFUR FORMS (dry %) total sulfur sulfate pyritic organic analysis date	3.86 0.12 2.26 1.48 09/25/86		3.44 0.91 1.05 1.48 03/07/89	
CALORIFIC VALUE (dry) BTU/lb analysis date	13074 09/25/86		12258 03/07/89	
ALKALI EXTRACTION % transmission analysis date		97.4 06/09/88	94.8 03/06/89	

notes: a) Sample dry, large visible white sulfate crystals.

PSOC-1519		PITTSBURGH	hvBb, Ro max = 0.87	
collection date: 06/19/86				
Split ID	analysis sample 1 - 60mesh	# 2 can 15 of 31 -20 mesh	30 gal. 1 of 3 -1/4" 18.3 a	
size:				
% head oxygen:				
note:		08/29/86	08/06/86	
date sealed				
PROXIMATE				
% moisture	3.1	3.5	1.5	
% ash (dry)	10.5	9.8	10.2	
analysis date	09/25/86	05/12/88	10/12/88	
GIESELER FLUIDITY				
max. ddpm	3548	1409	800	
fluid range	77	80	67	
analysis date	12/15/86	05/12/88	10/21/88	
SULFUR FORMS (dry %)				
total sulfur	1.94		1.93	
sulfate	0.10		0.47	
pyritic	0.02		0.60	
organic	1.82		0.86	
analysis date	09/25/86		09/17/89	
CALORIFIC VALUE (dry)				
BTU/lb	13382			
analysis date	09/25/86			
ALKALI EXTRACTION				
% transmission		81.4	85.0	
analysis date		06/09/88	10/06/88	

notes: a) PSU MCL ash, moisture.

PSOC-1520 SMITH ROLAND subC, Ro max = 0.43 collection date: 08/18/86				
Split ID size: % head oxygen: note: date sealed	analysis sample 1 - 60mesh	analysis sample 2 -60 mesh	5 gal. -1/4" a	
PROXIMATE % moisture % ash (dry) analysis date	29.7 12.4 09/16/86	26.7 12.6 10/05/87	24.8 10.5 09/14/88	
SULFUR FORMS (dry %) total sulfur sulfate pyritic organic analysis date	1.21 0.01 0.05 1.15 09/16/86	1.22 10/05/87	1.24 0.34 0.14 0.76 09/22/88	
CALORIFIC VALUE (dry) BTU/lb analysis date	11291 09/16/86			

notes: a) Entire sample used for restocking #2 cans.
 PSU MCL ash, moisture, sulfur forms.

PSOC-1521 L. HARTSHORNE 1vb, Ro max = 1.61 collection date: 08/22/86				
Split ID size: % head oxygen: note: date sealed	analysis sample 1 - 60mesh	# 2 can 15 of 31 - 20mesh 08/29/86	30 gal. 3 of 3 - 1/4" 18.8 a 08/07/86	
PROXIMATE % moisture % ash (dry) analysis date	2.7 11.2 09/26/86	2.1 10.0 05/13/88	2.5 11.4 03/07/89	
GIESELER FLUIDITY max. ddpm fluid range analysis date	4 38 09/15/86	0 0 05/13/88	discon- tinued	
SULFUR FORMS (dry %) total sulfur sulfate pyritic organic analysis date	0.80 0.00 0.02 0.77 09/26/86		0.79 0.19 0.16 0.43 03/07/89	
CALORIFIC VALUE (dry) BTU/lb analysis date	13612 09/26/86		13538 03/07/89	
ALKALI EXTRACTION % transmission analysis date		99.5 06/10/88	96.1 03/06/89	

notes: a) Sample moist, good condition.

PSOC-1522		SEWELL	mvb, Ro max = 1.28	
collection date: 08/05/86				
Split ID	analysis sample 1 - 60mesh	# 2 can 15 of 31 - 20mesh	30 gal. 3 of 3 - 1/4"	
size:			19.1	
% head oxygen:			a	
note:		09/06/86	08/11/86	
date sealed				
PROXIMATE				
% moisture	2.5	1.3	2.4	
% ash (dry)	18.8	18.9	17.9	
analysis date	09/16/86	05/25/88	03/07/89	
GIESELER FLUIDITY				
max. ddpm	223	6	4	
fluid range	72	50	45	
analysis date	09/17/86	05/25/88	03/03/89	
SULFUR FORMS (dry %)				
total sulfur	1.17		1.05	
sulfate	0.10		0.43	
pyritic	0.42		0.16	
organic	0.66		0.45	
analysis date	09/17/86		03/07/89	
CALORIFIC VALUE (dry)				
BTU/lb	12355		12229	
analysis date	09/17/86		03/07/89	
ALKALI EXTRACTION				
% transmission		98.2	98.9	
analysis date		06/10/88	03/06/89	

notes: a) Sample dry, good condition.

PSOC-1523		#5 BLOCK	hvBb, Ro max = 0.92	
collection date: 08/06/86				
Split ID	analysis sample 1 - 60mesh	# 2 can 15 of 31 - 20mesh	30 gal. 3 of 3 - 1/4" 20.1 a	
size: % head oxygen: note: date sealed		09/08/86		
PROXIMATE				
% moisture	2.6	2.7	2.5	
% ash (dry)	16.1	14.5	15.6	
analysis date	09/25/86	05/26/88	03/07/89	
GIESELER FLUIDITY				
max. ddpm	415	10	5	
fluid range	58	49	33	
analysis date	09/18/86	05/26/88	03/01/89	
SULFUR FORMS (dry %)				
total sulfur	0.71		0.68	
sulfate	0.00		0.06	
pyritic	0.02		0.04	
organic	0.69		0.57	
analysis date	09/25/86		03/07/89	
CALORIFIC VALUE (dry)				
BTU/lb	12425		12391	
analysis date	09/25/86		03/07/89	
ALKALI EXTRACTION				
% transmission		96.3	95.5	
analysis date		06/10/88	03/06/89	

notes: a) Sample dry, good condition.

PSOC-1524 UPPER KITTANNING hvAb, Ro max = 1.06 collection date: 10/23/86				
Split ID size: % head oxygen: note: date sealed	analysis sample 1 - 60mesh	# 2 Can 15 of 30 - 20mesh 11/04/86	30 gal. 3 of 3 - 1/4" 20.3 a	
PROXIMATE % moisture % ash (dry) analysis date	1.6 11.0 11/25/86	1.5 11.5 05/31/88	1.8 10.9 03/07/89	
GIESELER FLUIDITY max. ddpm fluid range analysis date	30000 110 03/17/87	4589 91 05/31/88	3907 88 03/03/89	
SULFUR FORMS (dry %) total sulfur sulfate pyritic organic analysis date	1.85 0.02 1.39 0.44 11/25/86		1.76 0.18 1.08 0.51 03/07/89	
CALORIFIC VALUE (dry) BTU/lb analysis date	13656 11/17/86		13469 03/07/89	
ALKALI EXTRACTION % transmission analysis date		98.3 06/10/88	98.2 03/08/89	

notes: a) Sample dry, good condition.

PSOC-1532 #4 (Usibelli) subC, Ro max = 0.33 collection date: 09/11/87				
Split ID size: % head oxygen: note: date sealed	analysis sample 1 - 60mesh	30 gal. 2 of 2 - 1/4" 15.7 a		
PROXIMATE % moisture % ash (dry) analysis date	23.7 9.5 11/12/87	24.3 9.2 03/08/89		
SULFUR FORMS (dry %) total sulfur sulfate pyritic organic analysis date	0.22 0.02 0.05 0.16 11/12/87	0.17 0.01 0.03 0.13 03/08/89		
CALORIFIC VALUE (dry) BTU/lb analysis date	10867 11/12/87	10705 03/08/89		

notes: a) Sample moist, good condition

PSOC-1533 #3 (Usibelli) 11gA, Ro max = 0.35 collection date: 09/11/87				
Split ID size: % head oxygen: note: date sealed	analysis sample 1 - 60mesh	30 gal. 2 of 2 - 1/4" 17.2 a		
PROXIMATE % moisture % ash (dry) analysis date	26.4 8.3 12/11/87	26.4 8.3 03/07/89		
SULFUR FORMS (dry %) total sulfur sulfate pyritic organic analysis date	0.16 0.02 0.05 0.09 12/11/87	0.10 0.01 0.03 0.05 03/07/89		
CALORIFIC VALUE (dry) BTU/lb analysis date	10620 12/11/87	10523 03/07/89		

notes: a) Sample moist, good condition.

PSOC-1534		WATERFALL	subC, Ro max = 0.28	
collection date:		09/14/87		
Split ID	analysis	30 gal.		
size:	sample 1	2 of 2		
% head oxygen:	- 60mesh	- 1/4"		
note:		13.6		
date sealed		a		
PROXIMATE				
% moisture	21.8	23.1		
% ash (dry)	11.1	10.8		
analysis date	11/12/87			
SULFUR FORMS (dry %)				
total sulfur	0.15	0.13		
sulfate	0.01	0.02		
pyritic	0.05	0.01		
organic	0.09	0.10		
analysis date	11/12/87	03/07/89		
CALORIFIC VALUE (dry)				
BTU/lb	11082			
analysis date	11/12/87			

notes: a) Sample moist, good condition.

PSOC-1535 DEADFALL SYNCLINE #4 subA, Ro max = 0.73 collection date: 10/08/87				
Split ID size: % head oxygen: note: date sealed	analysis sample 1 - 60mesh	# 2 Can xx of xx - 20mesh 12/14/87	30 gal. 2 of 2 - 1/4" 20.8 a	
PROXIMATE % moisture % ash (dry) analysis date	10.1 3.3 12/23/87	10.2 3.4 06/14/88	10.1 3.4 03/07/89	
GIESELER FLUIDITY max. ddpm fluid range analysis date	0 0	discon- tinued		
SULFUR FORMS (dry %) total sulfur sulfate pyritic organic analysis date	1.46 0.02 0.10 1.35 12/23/87			
CALORIFIC VALUE (dry) BTU/lb analysis date	12107 12/23/87		12085 03/07/89	
ALKALI EXTRACTION % transmission analysis date		0.1 06/16/88	discon- tinued	

notes: a) Sample dry, good condition.

**DATE
FILMED
8/26/92**