Progress Report: Network Based High Performance Concurrent Computing DE92 011939

V. S. Sunderam, Emory University

The overall objectives of this project are to investigate research issues pertaining to programming tools and efficiency issues in network based concurrent computing systems. The basis for these efforts is the PVM project that evolved during my visits to Oak Ridge Laboratories under the DoE Faculty Research Participation program; I continue to collaborate with researchers at Oak Ridge on some portions of the project.

General Comments:

The PVM system has continued to increase in use and adoption by external institutions, and the indications are that it is becoming a *de-facto* standard for heterogeneous distributed computing. Several institutions as well as one or two manufacturers have adopted or are considering adoption of PVM as the preferred platform for production applications. Internally, PVM is the basis for the HeNCE project - a graphical programming toolkit being jointly developed by ORNL, University of Tennessee, and Emory University. Notable milestones with respect to the PVM system itself include (1) the incorporation of stream based communications that has improved performance by 40-70%, (2) support for new architectures, (3) standardized user interfaces with error recovery facilities, and (4) enhanced administrative options. Papers on experiences with PVM and critical issues in heterogeneous network computing have been accepted for publication. In addition, an invited paper discussing the use of cluster environments for scientific computing has been written

Programming Tools:

Work in this area has progressed along two fronts. The first is the HeNCE project; HeNCE (Heterogeneous Network Computing Environment) is an X-window based software environment designed to assist scientists in developing parallel programs that run on a network of computers. HeNCE provides the programmer with a high level abstraction for specifying parallelism. HeNCE is based on a parallel programming paradigm where an application program can be described by a graph. HeNCE graphs are variants of directed acyclic graphs, or DAGS. Nodes of the graph represent subroutines and the arcs represent data dependencies. Individual nodes are executed under PVM. HeNCE is composed of integrated graphical tools for creating, compiling, executing, and analyzing HeNCE programs. The first version of HeNCE was released in February 1992.

The second project concerning programming tools for PVM is the Shared Object system, by the PI and Charles Hartley, a graduate student supported by this award. This project supports unified address-space programming in PVM, using the object oriented model. The work addresses issues of consistency semantics, language extensions and support,

MASTER
DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

and system level design to support shared object facilities. In the SOPVM system, facilities are provided that can reduce the overheads associated with sharing objects across a distributed environment. Some of these are mechanisms by which the granularity of sharing can be controlled, integral support for scheduling, problem partitioning, and provisions for implementing function and agenda-parallelism. A paper describing this work has been submitted to OOPSLA '92, and has evoked interest from various external institutions including MCC Austin, Sandia Labs, and the University of Mainz.

Efficiency Aspects:

One approach that we have adopted in this regard has been aimed at communication protocols that support heterogeneous network computing. Particularly with the imminent advent of gigabit networks, protocols will be a crucial factor in enabling effective network computing. We propose design and implementation strategies for providing general purpose distributed computing primitives on computer networks. This suite of primitives is intended to be a framework within which distributed and concurrent applications may be built in networked environments, in the absence of a distributed operating system. An experimental version of these primitives has been implemented, and performance increases of 20-35% have been attained. Detailed descriptions and results are reported in a paper submitted to the International Communications and Computing Conference.

On a different front, the PI and Brian Schmidt (an Emory graduate student partially supported under this award) are investigating partitioning and scheduling techniques for increasing efficiency in network based concurrent systems. Preliminary findings indicate that load imbalance and task allocation contain the greatest potential for improved overall performance. We propose a new structuring technique, based on domain-specific libraries and load to resource-need matching that is aimed at obtaining optimal performance under PVM. We expect to be able to report our results during summer 1992.

Conferences and Invited Presentations:

As part of my work on this project, a workshop on Heterogeneous Network Based Concurrent Computing was organized jointly with Dennis Duke of SCRI at Florida State University. Over 60 participants from universities and research laboratories attended, and 24 presentations and demonstrations were given. The workshop was very well received, and resulted in a valuable exchange of ideas as well as the emergence of critical areas that need to be addressed in the field. We are planning to organize the workshop again during Fall 1992.

This work has also led to several invited talks and contributed presentations:

- Design Issues in Heterogeneous Concurrent Systems (invited keynote speaker), 6th Intl. Parallel Processing Symposium, Los Angeles, March 1992.

- Trends and Issues in Heterogeneous Network Computing (invited keynote speaker), *Parallel and Distributed Workstation Systems Workshop*, Florence, September 1991.
- Cluster Environments for Scientific Computing, *Workshop on Computer Simulations in Condensed Matter Physics*, University of Georgia, February 1992.
- Message Passing Standards for Heterogeneous Network Computing, *European RAPS Workshop*, Bonn, May 1992.
- Concurrent Stochastic Simulation: Experiments with Eclipse, *Intl. Conf. on the Performance of Distributed Systems and Communication Networks*, Kyoto, September 1991.
- A Rapid Prototyping Tool for Distributed Memory Parallel Programs, *Parallel Computing Conference*, London, September 1991.

Publications:

- V. S. Sunderam, Heterogeneous Environments for Network Concurrent Computing, accepted, to appear in *Journal of Future Generation Computer Systems*, 1992.
- G. A. Geist and V. S. Sunderam, Network Based Concurrent Computing on the PVM System, accepted, to appear in *Concurrency: Practice and Experience*, 1992.
- V. S. Sunderam, On the Effectiveness of Cluster Environments for Scientific Computing, invited paper, to appear in *Computer Simulations in Condensed Matter Physics V*, D.Landau, K. Mon, H. Schuttler (eds), Springer Verlag, 1992.
- A. Beguelin, J. Dongarra, G. Geist, R. Manchek, and V. S. Sunderam, Graphical Development Tools for Network-Based Concurrent Supercomputing, *Proc. of ACM Supercomputing 1991*, pp. 435-444, November 1991.
- V. Rego and V. S. Sunderam, Experiments in Concurrent Stochastic Simulation: The ECLIPSE Paradigm *Journal of Parallel and Distributed Computing*, Vol. 14, No. 1, pp. 66-84, January 1992.
- C. Hartley and V. S. Sunderam, Distributed Object Computing in Networked Environments, submitted to *Object Oriented Programming Systems and Languages*, February 1992.
- A. Benzoni, V. S. Sunderam, and R. van de Geijn, Matrix Factorization on a RISC Workstation Network, *High Performance Computing II*, M. Durand and F. El

Dabaghi (eds.), pp. 207-218, October 1991.

- V. S. Sunderam, General Purpose Distributed Computing Primitives for Networked Environments, submitted to *4th International Conference on Computing and Information*, January 1992.

Project Plans(9/92-8/93): Network Based High Performance Concurrent Computing

V. S. Sunderam, Emory University

Our experiences with network based concurrent computing in general, and the PVM system in particular, have demonstrated that this is a highly effective approach to high-performance concurrent computing. In the next project period, we intend to concentrate on efficiency and fault-tolerance aspects that will enhance the viability of PVM for large scale scientific computing in networked environments. This work will be carried out at the PI's institution by the PI and two graduate students - Grant Wyckoff who will receive full support from this award, and Scott White who will receive partial support. We propose to pursue the research projects outlined below:

Efficiency and Scalability of Network Computing Systems

In this aspect of our work, we will continue to investigate mechanisms for enhancing performance of large scale applications in networked environments. We will investigate protocol architectures for supporting network concurrency, since this has significant impact on overall efficiency. We believe that this issue is of particular interest because of imminent fiber networks that make large scale heterogeneous network processing very attractive. We wish to experiment with enhanced protocol support and alternative layering strategies, focusing on eliminating overheads in environments based on fiber networks. Essentially, we propose a suite of high level distributed computing primitives, including broadcast, barriers, consensus, distributed mutex, polling, and distributed fetch-and-op, that will be implemented directly over the network interface. This will avoid much of the network and transport layer overheads, and at the same time will provide high level communications abstractions for use by PVM. For the experimental portions of this work, we have access to IBM serial link adapter networks both at Oak Ridge Labs, as well as the Emerson Center at Emory University. During the initial phase of this work, we propose the design of service primitives and the lower level interface, followed by experimentation with various implementation strategies. The approach adopted will be an iterative one; with feedback from experiences and analyses contributing to revisions in both the protocol specification and the implementations. The second phase will concentrate upon (1) evaluating the unconventional structuring scheme and a session layer user interface, with specific regard to the requirements of PVM; (2) analyzing the

implementation strategies to determine the most effective options, as a function of host architecture and operating system support; and (3) developing mechanisms for the session protocol to interoperate with existing protocol suites.

Another thrust of our work will be aimed at scaling network based concurrent computing to hundreds of processing elements. Thus far, most of our experiments with PVM have been limited to 30-50 processing elements, and we have not yet encountered scaling bottlenecks. By using "collections of clusters" (i.e. groups of locally networked machines interconnected by wide area networks), we propose to observe scaling problems if any, and investigate methods for attenuating their effects. Initial work has indicated that distributed functions such as broadcast and barriers are the main source of degradation when scaled to hundreds of processors; we propose multilevel hierarchical algorithms as a means of overcoming these obstacles. On a related front, we will also investigate the possibility of problem partitioning in a manner that permits localized interactions. In other words, we propose methodologies for hierarchical partitioning, so that results from many small groups of processors can be combined as an approach to high volume scaling.

Failure Resilience and Load Balancing

A facility that is becoming increasingly required in PVM is the ability to tolerate failures of some subset of the processors in any given virtual machine. Especially with the projected large scale use of the system, providing resilience to failures will become critical. In this aspect of the proposed work, we intend to investigate and develop strategies for enabling applications to run to completion, in the presence of hardware, system software, or network faults. We will pursue the following approaches:

(1) Checkpointing and restart: Our plans in this regard are based on the belief that checkpoint/restart is an effective means of providing large-grained fault tolerance to applications. However, in a concurrent environment, especially when an application is distributed over a network, obtaining a snapshot of process state in a consistent manner can be very difficult. We propose a solution based on the insertion of synchronization points into the application; at each synchronization point, interactions between components will be temporarily suspended (thereby freezing global state) and a snapshot obtained. Synchronization points will be forced by the PVM system in a manner transparent to applications, and their frequency will be dynamically adjusted based on measurements of application resource utilization and inter-process communication.

(2) Shadow execution: An alternative mechanism to provide failure resilience is to replicate some or all components of a concurrent application. This is expensive but may be advantageous in terms of ease of implementation and reduced overheads. We will investigate this approach and measure quantitatively the costs of replication for several representative classes of applications. When shadow execution is applied uniformly to all components of a concurrent application, it is perhaps straightforward to implement. However, when selective shadowing is desired, a number of problems arise. For

example, messages sent to component instances must also be delivered to all shadow copies, but messages sent by a replicated component should be delivered only once. The rates of execution of the original instance and shadow copies may need to be controlled, in order to maintain consistency.

(3) Process migration: Components of long-running concurrent applications will also benefit from the existence of a process migration facility. Migration is useful when it is desired to preempt anticipated shutdowns, or for load balancing. We propose to investigate mechanisms for process migration in a networked concurrent computing environment and in particular, focus on strategies for migration among a heterogeneous collection of machines. Almost by definition, this implies migration at well defined execution points within the application source code, since architecture incompatibilities usually preclude dynamic movement of executing processes at arbitrary points. One approach is to extend the checkpoint/restart scheme described above, so that a component may be restarted on a machine with a different architecture, thus achieving the effect of migration.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

END

**DATE
FILMED**

6/09/92