INTERPRETATION OF RESULTS

WSRC-OS--89-94-3

DE92 013097

This toxicity test was conducted to determine if the effluent affects the survival or reproduction of the test organisms during a seven day period. The test involved exposing the test organisms to a series of dilutions of the effluent. At each dilution the survival and reproduction of ten test organisms was recorded. Each effluent dilution was compared to a control set of test organisms. Survival data were analyzed by Fisher's Exact Test and Probit Analysis to determine the effluent concentration necessary to cause statistically significant ($p=0.05$) mortality. Reproduction data was analyzed for normality, homogeneity of variance and equality of replicates among dilutions to determine the appropriate statistical test for analysis of statistical differences in reproduction among dilutions. Results are summarized as follows:

Acute Toxicity:

Probit Analysis

		Lower	Upper
LC1=	6.81 % Effluent	0.58	14.06 % Effluent
LC5=	11.01 % Effluent	1.78	19.82 % Effluent
LC10=	14.23 % Effluent	3.19	24.11 % Effluent
LC50=	35.17 % Effluent	19.38	61.9 % Effluent

Fisher's Exact Test

NOEC=	30.0% Effluent
LOEC=	100.0% Effluent

Chronic Toxicity

Wilcoxin's Rank Sum Test.

(NOEC) No Observed Effect Conc.:	30.0%
(LOEC) Lowest Observed Effect Conc.:	100.0%
Chronic Value:	54.77%
	($p=0.05$)

Ceriodaphnia SURVIVAL/REPRODUCTION TEST

Sample Identification: H/F Area ETF Effluent

Client: Westinghouse-Savannah River Site
Location: Aiken, South Carolina

Test Date: December 28, 1989

WSRC-OS-89-94-3

Derivative Classifier DB Moore - Shedrow
D. B. Moore-Shedrow, Section Manager
Authorized Derivative Classifier

F/H AREA ETF EFFLUENT (H-016 OUTFALL)
CERIODAPHNIA SURVIVAL/REPRODUCTION TEST,
TEST DATE: DECEMBER 28, 1989 (U)

WSRC Technical Representative: W. L. Specht

Approved by : DB Moore - Shedrow
D. B. Moore-Shedrow, Section Manager
Environmental Sciences Section
Savannah River Laboratory

Publication Date: August 1991

WESTINGHOUSE SAVANNAH RIVER COMPANY
SAVANNAH RIVER SITE
AIKEN, SC 29808

Prepared for the U.S. Department of Energy under Contract No.
DE-AC09-89SR13035

**F/H AREA ETF EFFLUENT (H-016 OUTFALL) CERIODAPHNIA
SURVIVAL/REPRODUCTION TEST, TEST DATE: DECEMBER 28,
1989 (U)**

by

W. L. Specht, et al.

Westinghouse Savannah River Company
Savannah River Laboratory
Aiken, South Carolina 29808

This is a Technical Report proposed for approval

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

This manual was prepared in connection with work done under Contract No. DE-AC09-89SR18035 with the U.S. Department of Energy. By acceptance of this paper, the publisher and/or recipient acknowledges the U.S. Government's right to retain a nonexclusive, royalty-free license in and to any copyright covering this paper, along with the right to reproduce and to authorize others to reproduce all or part of the copyrighted paper.

MASTER

1992

SP

TEST SYSTEM

Client: Westinghouse-Savannah River Site
Start Date: December 28, 1989

Test Type: 7 Day Chronic Toxicity - Reproduction Test
Test Location: Enwright Environmental Consulting Laboratories

Test Organism: Ceriodaphnia dubia Source: Enwright
Age: <24 hrs

Test Procedure: Short-Term Methods for Estimating the Chronic Toxicity
of Effluents and Receiving Waters to Freshwater Organisms.
2nd Edition. EPA 600/4-89/001 Method 1002

Test vessels: 20 ml plastic beakers
Amount Test Soln: 15 ml / replicate
Replicates/Concentration: 10 (test vessels randomized)
Test Organisms/Replicate: 1

of Test Concentrations Used (excluding control): 5
Test Solution Renewal: Daily

Food Source: 1 drop Selenastrum and 1 drop YCT daily / test vessel

Test Set By: Joel Stephens - Biologist

Joel A. Stephens

Test Results Checked By: Robert W. Kelley, Ph.D
Biology Laboratory Manager

Robert W. Kelley

SAMPLING INFORMATION

Three effluent samples were collected by and transported to Enwright Environmental Consulting Laboratories. Samples were collected in 4-1 L plastic cubitainers.

Client: Westinghouse-Savannah River Site
Sample Identification: H/F Area ETF Effluent
Start Date: December 28, 1989

	Sample #1	Sample #2	Sample #3
Lab #	BIO346	BIO347	BIO348
Type	grab	grab	grab
Date sampled	12/27/89	12/29/89	1/2/90
Time sampled	2PM	10AM	2PM
Days of use	0,1	2,3,4,5	6
Maximum hold time:	48 hr	72 hr	24 hr

Effluent Field Parameters	Sample #1	Sample #2	Sample #3
D.O. (ppm)	9.9	7.0	7.3
pH	6.6	--	--
Temp (C)	15.9	17.0	19.0
Res Cl (ppm)	0.05*	--	--

*Lab Reading

RESULTS

Client: Westinghouse-Savannah River Site
 Sample Identification: H/F Area ETF Effluent
 Start Date: December 28, 1989

SURVIVAL DATA (At Test Termination)

	Effluent Concentration					
	0.0%	1.0%	3.0%	10.0%	30.0%	100.0%
Survival	10 100%	10 100%	10 100%	9 90%	9 90%	0 0%
Mortality (7 day)	0 0%	0 0%	0 0%	1 10%	1 10%	10 100%
# Males	2	2	2	2	3	0

SURVIVAL - DATA ANALYSIS

Probit Analysis

		Lower	Upper
LC1=	6.81 % Effluent	0.58	14.06 % Effluent
LC5=	11.01 % Effluent	1.78	19.82 % Effluent
LC10=	14.23 % Effluent	3.19	24.11 % Effluent
LC50=	35.17 % Effluent	19.38	61.90 % Effluent

Fisher's Exact Test

NOEC= 30.0% Effluent
 LOEC= 100% Effluent

RESULTS

Client: Westinghouse-Savannah River Site
Sample Identification: H/F Area ETF Effluent
Start Date: December 28, 1989

CHRONIC TOXICITY - Daily Reproduction Totals

	Rep	Day 4	Day 5	Day 6	Day 7	Total
Control	A	3	2	5	5	15
	B				male	
	C	4	0	7	9	20
	D	5	0	6	8	19
	E	4	0	7	3	14
	F	0	4	4	3	11
	G	3	0	7	2	12
	H	4	7	0	5	16
	I	2	0	7	7	16
	J				male	
	Total	25	13	43	42	123
1.0% Effluent	A	4	6	0	7	17
	B	4	0	7	8	19
	C	4	6	0	8	18
	D	6	0	5	8	19
	E	4	5	0	6	15
	F	0	7	0	8	15
	G	3	8	0	9	20
	H				male	
	I	0	4	6	3	13
	J				male	
	Total	25	36	18	57	136
3.0% Effluent	A	4	8	0	8	20
	B	3	0	8	7	18
	C	5	7	0	3	15
	D	5	0	6	7	18
	E	3	0	3	8	14
	F	5	0	7	7	19
	G				male	
	H	0	0	6	6	12
	I	1	10	7	5	23
	J				male	
	Total	26	25	37	51	139

RESULTS

Client: Westinghouse-Savannah River Site
 Sample Identification: H/F Area ETF Effluent
 Start Date: December 28, 1989

CHRONIC TOXICITY - Daily Reproduction Totals

	Rep	Day 4	Day 5	Day 6	Day 7	Total
10.0% Effluent	A	X	X	X	X	0
	B				male	
	C	6	0	8	9	23
	D	3	0	6	7	16
	E	4	0	6	8	18
	F	5	7	0	3	15
	G	4	5	0	0	9
	H	4	0	6	0	10
	I				male	
	J	4	4	0	0	8
	Total	30	16	26	27	99
30.0% Effluent	A	4	0	9	3	16
	B				male	
	C	6	0	5	X	11
	D	5	0	4	7	16
	E	4	4	0	4	12
	F	1	5	0	0	6
	G				male	
	H	4	0	6	5	15
	I	3	1	6	2	12
	J				male	
	Total	27	10	30	21	88
100.0% Effluent	A	X	X	X	X	0
	B	X	X	X	X	0
	C	X	X	X	X	0
	D	X	X	X	X	0
	E	X	X	X	X	0
	F	X	X	X	X	0
	G	X	X	X	X	0
	H	X	X	X	X	0
	I	X	X	X	X	0
	J	X	X	X	X	0
	Total	0	0	0	0	0

X represents the mortality of the test organism.

RESULTS

Client: Westinghouse-Savannah River Site
Sample Identification: H/F Area ETF Effluent
Start Date: December 28, 1989

CHRONIC TOXICITY - Statistical Analysis

ANOVA and Bonferroni's t Test: (Assumes Data is Normally Distributed)

Conc.	0.0%	1.0%	3.0%	10.0%	30.0%	100.0%
Average Young/ Female	15.4	17.0	17.4	12.4	12.6	0.0
"t" Value		N/A	N/A	N/A	N/A	
Reproduction significantly less than control? (95% confidence)		N/A	N/A	N/A	N/A	

95% conf.

(NOEC) No Observed Effect Conc.: N/A
(LOEC) Lowest Observed Effect Conc.: N/A
Chronic Value: N/A

The data are not normally distributed.
The data are homogenous in variance.
The number of replicates in each concentration is not equal.
The appropriate statistical test is Wilcoxin's Rank Sum Test.

RESULTS

Client: Westinghouse-Savannah River Site
Sample Identification: H/F Area ETF Effluent
Start Date: December 28, 1989

CHRONIC TOXICITY - Statistical Analysis

Wilcoxon's Rank Sum Test (A Non-Parametric Procedure)

Conc.	0.0%	1.0%	3.0%	10.0%	30.0%	100.0%
Average Young/ Female	15.4	17.0	17.4	12.4	12.6	0.0
Rank Sum		75.5	77.5	50.5	37.5	
Reproduction significantly less than control? (95% confidence)		no	no	no	no	
Critical Value for Rank Sum:		46	46	36	27	

If the rank sum is less than the critical value, the reproduction
is significantly reduced.

95% confidence

(NOEC) No Observed Effect Conc.:	30.0%
(LOEC) Lowest Observed Effect Conc.:	100.0%
Chronic Value:	54.77%

WATER CHEMISTRY ANALYSIS

Client: Westinghouse-Savannah River Site
Sample Identification: H/F Area ETF Effluent
Start Date: December 28, 1989

Dilution Water

ID: Upper Three Runs Creek (collected 12/22/89)
Preparation: pH adjusted (using NaHCO₃)
 filtered (37 micron net)

Temperature Measurements (C)

Day 0	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
24.0	25.7	25.7	25.8	25.1	25.0	24.1	25.1

Effluent Conductivity Measurements (umhos)

Sample 1	190
Sample 2	150
Sample 3	180

WATER CHEMISTRY ANALYSIS

Client: Westinghouse-Savannah River Site
 Sample Identification: H/F Area ETF Effluent
 Start Date: December 28, 1989

Test Solutions

	pH	D.O. (mg/L)	D.O. (%)	Alkal. (mg/L)	Hardness (mg/L)	Conduct. (umhos)
CONTROL						
Initial	7.5	8.5	104%	94	6	330
Day 1 (old)	8.3	8.3	105%			
Day 1 (new)	7.5	8.1	103%			
Day 2 (old)	6.8	7.7	97%			
Day 2 (new)	7.4	7.6	96%			
Day 3 (old)	7.0	8.0	101%			
Day 3 (new)	7.5	8.1	103%			
Day 4 (old)	7.5	7.8	98%			
Day 4 (new)	7.6	7.8	98%			
Day 5 (old)	8.6	8.0	100%			
Day 5 (new)	7.5	7.9	99%			
Day 6 (old)	7.8	7.7	94%			
Day 6 (new)	7.7	8.0	98%			
Final	7.3	7.7	96%			

	D.O. (mg/L)	D.O. (%)	pH
1.0% Effluent			
Initial	8.6	105%	7.5
Day 1 (old)	8.1	103%	8.2
Day 1 (new)	8.1	103%	7.6
Day 2 (old)	7.7	97%	7.5
Day 2 (new)	7.6	96%	7.1
Day 3 (old)	7.8	99%	7.0
Day 3 (new)	8.1	103%	7.5
Day 4 (old)	7.4	93%	7.6
Day 4 (new)	7.2	90%	7.6
Day 5 (old)	8.0	100%	8.5
Day 5 (new)	8.0	100%	7.7
Day 6 (old)	7.7	94%	7.8
Day 6 (new)	8.0	98%	7.7
Final	7.7	96%	7.5

WATER CHEMISTRY ANALYSIS

Client: Westinghouse-Savannah River Site
Sample Identification: H/F Area ETF Effluent
Start Date: December 28, 1989

	D.O. (ppm)	D.O. (%)	pH
3.0% Effluent			
Initial	8.6	105%	7.9
Day 1 (old)	8.1	103%	8.2
Day 1 (new)	8.1	103%	7.6
Day 2 (old)	7.8	99%	7.6
Day 2 (new)	7.6	96%	7.0
Day 3 (old)	7.9	100%	7.1
Day 3 (new)	7.9	100%	7.8
Day 4 (old)	7.5	94%	7.6
Day 4 (new)	7.6	95%	7.7
Day 5 (old)	7.9	99%	8.5
Day 5 (new)	8.0	100%	7.7
Day 6 (old)	7.8	95%	7.8
Day 6 (new)	8.1	99%	7.7
Final	7.7	96%	7.5

	D.O. (ppm)	D.O. (%)	pH
10.0% Effluent			
Initial	8.7	106%	7.9
Day 1 (old)	8.1	103%	8.2
Day 1 (new)	8.2	104%	7.6
Day 2 (old)	7.8	99%	7.5
Day 2 (new)	7.8	99%	6.9
Day 3 (old)	7.8	99%	7.2
Day 3 (new)	8.4	106%	7.6
Day 4 (old)	7.6	95%	7.7
Day 4 (new)	7.3	91%	7.7
Day 5 (old)	7.8	98%	8.5
Day 5 (new)	8.0	100%	7.7
Day 6 (old)	7.7	94%	7.8
Day 6 (new)	8.1	99%	7.7
Final	7.6	95%	7.5

QUALITY CONTROL

Client: Westinghouse-Savannah River Site
Sample Identification: H/F Area ETF Effluent
Start Date: December 28, 1989

Culture Health:

Sensitivity: Culture organisms were exposed to NaCl as a reference toxicant.

Current LC50: 0.68 g/L
Date: 1/4/90
Central Tendency: 0.81 g/L
Standard Dev.: 0.43
Upper Limit: 1.67 g/L (+2 std. dev.)
Lower Limit: 0 g/L (-2 std. dev.)
Current LC50 is 0.30 standard deviation units below normal.

Reproduction: Control test organisms

Reproduction: 15.4 (young/female)
Central Tendency: 17.5 (young/female)
Standard Dev.: 2.7
Upper Limit: 22.9 g/L (+2 std. dev.)
Lower Limit: 15.0 g/L (-2 std. dev.)
Current LC50 is 0.79 standard deviation units below normal.

Test Precision:

Mean Significant Difference (MSD):

The MSD for this test was 7.366 young.
This is the least difference in the number of young produced by the control organisms vs. the number of young produced by any effluent treatment organisms which can be detected as statistically significant.

The ratio of the MSD to the control mean (percent reduction) for this data is 47.91 percent.

WATER CHEMISTRY ANALYSIS

Client: Westinghouse-Savannah River Site
 Sample Identification: H/F Area ETF Effluent
 Start Date: December 28, 1989

	D.O. (ppm)	D.O. (%)	pH
30.0% Effluent			
Initial	8.6	105%	7.4
Day 1 (old)	8.1	103%	8.1
Day 1 (new)	8.3	105%	7.6
Day 2 (old)	7.7	97%	7.5
Day 2 (new)	7.8	99%	7.2
Day 3 (old)	7.9	100%	7.2
Day 3 (new)	8.4	106%	8.0
Day 4 (old)	7.7	96%	7.7
Day 4 (new)	7.2	90%	7.7
Day 5 (old)	7.9	99%	8.4
Day 5 (new)	8.2	103%	7.7
Day 6 (old)	7.7	94%	7.8
Day 6 (new)	8.1	99%	7.7
Final	7.6	95%	7.5

	pH	D.O. (mg/L)	D.O. (%)	Alkal. (mg/L)	Hardness (mg/L)	Res Cl. (mg/L)
100.0% Effluent						
Initial	6.9	8.5	104%	47	0.6	<0.05
Day 1 (old)	7.9	7.8	99%			
Day 1 (new)	7.6	8.5	108%			
Day 2 (old)	7.5	7.7	97%			
Day 2 (new)				48	0.2	<0.05
Day 3 (old)						
Day 3 (new)						
Day 4 (old)						
Day 4 (new)						
Day 5 (old)						
Day 5 (new)				61	0.6	<0.05
Day 6 (old)						
Day 6 (new)						
Final						

END

**DATE
FILMED**

6/17/92