WSRC-OS--89-94-2

DE92 011373

**F/H AREA ETF EFFLUENT (H-016 OUTFALL) CERIODAPHNIA
SURVIVAL/REPRODUCTION TEST,
TEST DATE: SEPTEMBER 21, 1989 (U)**

by

WSRC Contact: W. L. Specht

Westinghouse Savannah River Company
Savannah River Laboratory
Aiken, South Carolina 29808

APR 06 1992

This is a technical report being sent to OSTI and for distribution to the general public.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

The information contained in this article was developed during the course of work done under Contract No. DE-AC09-89SR18035 with the U.S. Department of Energy. By acceptance of this paper, the publisher and/or recipient acknowledges the U.S. Government's right to retain a nonexclusive, royalty-free license in and to any copyright covering this paper, along with the right to reproduce and to authorize others to reproduce all or part of the copyrighted paper.

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

Derivative Classifier *D. B. Moore-Shedrow*
D. B. Moore-Shedrow, Section Manager
Authorized Derivative Classifier

F/H AREA ETF EFFLUENT (H-016 OUTFALL)
CERIODAPHNIA SURVIVAL/REPRODUCTION TEST,
TEST DATE: SEPTEMBER 21, 1989 (U)

WSRC Technical Representative: W. L. Specht

Approved by : *D. B. Moore-Shedrow*
D. B. Moore-Shedrow, Section Manager
Environmental Sciences Section
Savannah River Laboratory

Publication Date: August 1991

WESTINGHOUSE SAVANNAH RIVER COMPANY
SAVANNAH RIVER SITE
AIKEN, SC 29808

Prepared for the U.S. Department of Energy under Contract No.
DE-AC09-88SR18035

89
need full disclaimer

Ceriodaphnia SURVIVAL/REPRODUCTION TEST

Sample Identification: F/H Area ETF Effluent

Client: Westinghouse Savannah River Company
Location: Aiken, South Carolina

Test Date: September 21, 1989

INTERPRETATION OF RESULTS

This toxicity test was conducted to determine if the effluent causes death (acute toxicity) or reduction in the reproduction of the test organisms (chronic toxicity) during a seven day period. A series of dilutions of the effluent are set to determine how much the effluent must be diluted before toxic effects are no longer noted. Acute toxicity is checked by statistically analyzing whether significantly more organisms die in the effluent dilutions than in the control treatment, and, if significantly more die, how much the effluent must be diluted so as to kill only 50% of the test organisms (the LC50). Chronic toxicity is checked by statistically analyzing whether significantly fewer young are produced by test organisms exposed to the effluent dilutions. Results indicate the lowest effluent concentration which shows a toxic effect (the LOEC) and the highest effluent concentration which does not demonstrate an effect (NOEC). Results are summarized as follows:

Acute Toxicity:

Significant acute toxicity was present down to a concentration of 100.0% effluent (by Fisher's Exact Test).

		95% conf. int.	
		lower	upper
Probit Analysis	LC1= 0.16% effluent	0	3.49
	LC5= 0.21% effluent		
	LC10= 0.29% effluent		
	LC50= 21.25% effluent	0	inf.
Fisher's Exact Test	NOEC= 30% effluent		
	LOEC= 100% effluent		

Chronic Toxicity:

Results based upon Bonferroni's "t" Test are as follows:
(95% confidence interval)

(NOEC) No Observed Effect Concentration:	30.0% effluent
(LOEC) Lowest Observed Effect Concentration:	100.0% effluent
Chronic Value:	54.8% effluent

TEST SYSTEM

Client: Westinghouse Savannah River Company
Start Date: September 21, 1989

Test Type: 7 Day Chronic Toxicity - Reproduction Test
Test Location: Enwright Environmental Consulting Laboratories

Test Organism: Ceriodaphnia dubia Source: Enwright
Age: <24 hrs

Test Procedure: Short-Term Methods for Estimating the Chronic Toxicity
of Effluents and Receiving Waters to Freshwater Organisms.
2nd Edition. EPA 600/4-89/001 Method 1002

Test vessels: 20 ml plastic beakers
Amount Test Soln: 15 ml / replicate
Replicates/Concentration: 10 (test vessels randomized)
Test Organisms/Replicate: 1

of Test Concentrations Used (excluding control): 5
Test Solution Renewal: Daily

Food Source: 1 drop Selenastrum and 1 drop YCT daily / test vessel

Test Set By: Joel Stephens - Biologist

Joel A. Stephens

Test Results Checked By: Robert W. Kelley, Ph.D
Biology Laboratory Manager

Robert W. Kelley

SAMPLING INFORMATION

Three effluent samples were collected by and transported to Enwright Environmental Consulting Laboratories by Enwright personnel. Samples were collected in 1 L plastic cubitainers and chilled during shipping.

Client: Westinghouse Savannah River Company
 Sample Identification: F/H Area ETF Effluent
 Start Date: September 21, 1989

	Sample #1	Sample #2	Sample #3
Lab #	BIO-259	BIO-260	BIO-261
Type	grab	grab	grab
Date sampled	Sept 20	Sept 21	Sept 25
Time sampled			
Days of use	0	1,2,3	4,5,6
Maximum hold time:	24 hr	72 hr	48 hr

Effluent Field Parameters	Sample #1	Sample #2	Sample #3
D.O. (ppm)	No Data		9.0
pH	Provided		7.0
Temp (C)			21.0
Res Cl (ppm)			

RESULTS

Client: Westinghouse Savannah River Company
Sample Identification: F/H Area ETF Effluent
Start Date: September 21, 1989

ACUTE TOXICITY (Effects on Survival)

Conc.	0.0%	1.0%	3.0%	10.0%	30.0%	100.0%
Mortality (7 day)	0.0%	20.0%	10.0%	30.0%	30.0%	100.0%
# Males	1	1	2	0	0	0

Significant acute toxicity was present down to a concentration of 100.0% effluent (by Fisher's Exact Test).

RESULTS

Client: Westinghouse Savannah River Company
 Sample Identification: F/H Area ETF Effluent
 Start Date: September 21, 1989

CHRONIC TOXICITY - Daily Reproduction Totals

	Rep	Day 4	Day 5	Day 6	Day 7	Total
Control	A	0	1	9	7	17
	B	2	0	2	8	12
	C	2	0	6	11	19
	D	male				0
	E	2	0	2	10	14
	F	0	0	0	2	2
	G	2	5	8	9	24
	H	0	0	2	2	4
	I	4	5	5	9	23
	J	2	6	5	8	21
	Total	14	17	39	66	136
1.0% Effluent	A	4	0	6	7	17
	B	2	0	8	9	19
	C	1	4	5	7	17
	D	1	4	0	9	14
	E	2	X	X	X	2
	F	0	0	5	8	13
	G	1	3	3	8	15
	H	0	2	X	X	2
	I	male				0
	J	4	0	5	3	12
	Total	15	13	32	51	111
3.0% Effluent	A	2	4	5	9	20
	B	3	X	X	X	3
	C	1	6	0	6	13
	D	2	0	4	0	6
	E	male				0
	F	3	6	0	11	20
	G	3	1	1	9	14
	H	2	0	0	9	11
	I	male				0
	J	2	0	0	7	9
	Total	18	17	10	51	96

Note: Some control and effluent dilution organisms had fungal growth inhibiting reproduction.

RESULTS

Client: Westinghouse Savannah River Company
 Sample Identification: F/H Area ETF Effluent
 Start Date: September 21, 1989

CHRONIC TOXICITY - Daily Reproduction Totals

	Rep	Day 4	Day 5	Day 6	Day 7	Total
10.0% Effluent	A	2	0	2	8	12
	B	4	0	7	9	20
	C	3	3	0	11	17
	D	3	0	0	5	8
	E	2	3	2	X	7
	F	2	1	6	10	19
	G	2	3	7	8	20
	H	4	6	6	7	23
	I	2	0	X	X	2
	J	4	5	X	X	9
	Total	28	21	30	58	137
30.0% Effluent	A	3	2	5	7	17
	B	3	0	14	8	25
	C	1	0	7	5	13
	D	1	3	0	6	10
	E	2	0	0	10	12
	F	2	4	9	7	22
	G	2	6	9	9	26
	H	0	X	X	X	0
	I	X	X	X	X	0
	J	X	X	X	X	0
	Total	14	15	44	52	125
100.0% Effluent	A	X	X	X	X	0
	B	X	X	X	X	0
	C	X	X	X	X	0
	D	X	X	X	X	0
	E	X	X	X	X	0
	F	X	X	X	X	0
	G	X	X	X	X	0
	H	X	X	X	X	0
	I	X	X	X	X	0
	J	X	X	X	X	0
	Total	0	0	0	0	0

X represents the mortality of the test organism.

Note: The 100% effluent had 100% mortality on Day 1.

Note: Some control and effluent dilution organisms had fungal growth inhibiting reproduction.

RESULTS

Client: Westinghouse Savannah River Company
Sample Identification: F/H Area ETF Effluent
Start Date: September 21, 1989

CHRONIC TOXICITY - Statistical Analysis

ANOVA and Bonferroni's t Test: (Assumes Data is Normally Distributed)

Conc.	0.0%	1.0%	3.0%	10.0%	30.0%	100.0%
Average Young/ Female	15.1	12.3	12.0	13.7	12.5	0.0
"t" Value		0.60	0.65	0.31	0.61	
Reproduction significantly less than control? (95% confidence)		no	no	no	no	

95% conf.

(NOEC) No Observed Effect Conc.: 30.0%
(LOEC) Lowest Observed Effect Conc.: 100.0%
Chronic Value: 54.8%

The data are normally distributed.
The data are homogenous in variance.
The number of replicates in each concentration is not equal.
The appropriate statistical procedure is Bonferroni's t Test.

WATER CHEMISTRY ANALYSIS

Client: Westinghouse Savannah River Company
Sample Identification: F/H Area ETF Effluent
Start Date: September 21, 1989

Dilution Water

ID: Upper Three Runs Creek (collected 9/21/89)
Preparation: Filtered (37 micron net)
Conductivity: 20 umhos
Hardness:
Alkalinity:

Effluent

ID:	H/F Area ATF Area Effluent		
Preparation:	Filtered (37 micron net)		
	Sample 1	Sample 2	Sample 3
Hardness			
Alkalinity			
Conductivity	350	300	200
Res. Cl			

WATER CHEMISTRY ANALYSIS

Client: Westinghouse Savannah River Company
Sample Identification: F/H Area ATF Effluent
Start Date: September 21, 1989

Dilution Water

ID: Upper Three Runs Creek
Preparation: Filtered (37 micron net)
Conductivity: 20 umhos
Hardness: 6
Alkalinit 4

Effluent

ID:	H/F Area ATF Area Effluent		
Preparation:	Filtered (37 micron net)		
	Sample 1	Sample 2	Sample 3
Hardness	41	58	42
Alkalinity	2	2	2
Conductivity	350	300	200
Res. Cl	<0.05	<0.05	<0.05

WATER CHEMISTRY ANALYSIS

Client: Westinghouse Savannah River Company
Sample Identification: F/H Area ETF Effluent
Start Date: September 21, 1989

Test Solutions

	D.O. (ppm)	D.O. (% sat.)	Temp (C)	pH
CONTROL				
Initial	8.3	101%	24.2	7.3
Day 1 (old)	8.2	100%		
Day 1 (new)	8.4	102%	24.0	7.4
Day 2 (old)	7.6	93%		
Day 2 (new)	7.4	90%	24.0	7.7
Day 3 (old)	7.8	95%		
Day 3 (new)	7.4	94%	25.6	6.7
Day 4 (old)	7.5	94%		
Day 4 (new)	7.6	95%	25.1	7.5
Day 5 (old)	7.5	94%		
Day 5 (new)	7.6	95%	25.1	7.5
Day 6 (old)	6.8	85%		
Day 6 (new)	7.5	95%	25.7	7.7
Final	7.5	94%	25.0	7.5
1.0% Effluent				
Initial	8.3	101%	24.2	7.3
Day 1 (old)	8.0	98%		
Day 1 (new)	8.6	105%	24.0	7.3
Day 2 (old)	7.6	93%		
Day 2 (new)	7.2	88%	24.0	7.7
Day 3 (old)	7.7	94%		
Day 3 (new)	7.7	97%	25.6	6.7
Day 4 (old)	7.5	94%		
Day 4 (new)	7.0	88%	25.1	7.5
Day 5 (old)	7.5	94%		
Day 5 (new)	7.0	88%	25.1	7.5
Day 6 (old)	6.8	85%		
Day 6 (new)	7.5	95%	25.7	7.1
Final	7.4	93%	25.0	7.5

WATER CHEMISTRY ANALYSIS

Client: Westinghouse Savannah River Company
Sample Identification: F/H Area ETF Effluent
Start Date: September 21, 1989

	D.O. (ppm)	D.O. (% sat.)	Temp (C)	pH
3.0% Effluent				
Initial	8.3	101%	24.2	7.3
Day 1 (old)	7.8	95%		
Day 1 (new)	8.6	105%	24.0	7.3
Day 2 (old)	7.6	93%		
Day 2 (new)	7.7	94%	24.0	7.6
Day 3 (old)	7.7	94%		
Day 3 (new)	7.8	99%	25.6	6.9
Day 4 (old)	7.4	93%		
Day 4 (new)	7.6	95%	25.1	7.4
Day 5 (old)	7.4	93%		
Day 5 (new)	7.6	95%	25.1	7.4
Day 6 (old)	6.8	85%		
Day 6 (new)	7.5	95%	25.7	7.1
Final	7.3	91%	25.0	7.5

	D.O. (ppm)	D.O. (% sat.)	Temp (C)	pH
10.0% Effluent				
Initial	8.3	101%	24.2	7.3
Day 1 (old)	8.0	98%		
Day 1 (new)	8.6	105%	24.0	7.3
Day 2 (old)	7.6	93%		
Day 2 (new)	7.2	88%	24.0	8.1
Day 3 (old)	7.5	91%		
Day 3 (new)	7.8	99%	25.6	7.5
Day 4 (old)	7.4	93%		
Day 4 (new)	7.6	95%	25.1	7.4
Day 5 (old)	7.4	93%		
Day 5 (new)	7.6	95%	25.1	7.4
Day 6 (old)	7.0	88%		
Day 6 (new)	7.5	95%	25.7	7.2
Final	7.3	91%	25.0	7.5

WATER CHEMISTRY ANALYSIS

Client: Westinghouse Savannah River Company
Sample Identification: F/H Area ETF Effluent
Start Date: September 21, 1989

	D.O. (ppm)	D.O. (% sat.)	Temp (C)	pH
<hr/>				
30.0% Effluent				
Initial	8.3	101%	24.2	7.4
Day 1 (old)	8.0	98%		
Day 1 (new)	8.4	102%	24.0	7.4
Day 2 (old)	7.6	93%		
Day 2 (new)	7.4	90%	24.0	7.9
Day 3 (old)	7.6	93%		
Day 3 (new)	8.0	101%	25.6	7.6
Day 4 (old)	7.5	94%		
Day 4 (new)	7.0	88%	25.1	7.4
Day 5 (old)	7.5	94%		
Day 5 (new)	7.0	88%	25.1	7.4
Day 6 (old)	7.0	88%		
Day 6 (new)	7.5	95%	25.7	7.3
Final	7.3	91%	25.0	7.6

	D.O. (ppm)	D.O. (% sat.)	Temp (C)	pH
<hr/>				
100.0% Effluent				
Initial	8.3	101%	24.2	8.0
Day 1 (old)	8.4	102%	24.0	7.6
Day 1 (new)				
Day 2 (old)				
Day 2 (new)				
Day 3 (old)				
Day 3 (new)				
Day 4 (old)				
Day 4 (new)				
Day 5 (old)				
Day 5 (new)				
Day 6 (old)				
Day 6 (new)				
Final				

QUALITY CONTROL

Client: Westinghouse Savannah River Company
Sample Identification: F/H Area ETF Effluent
Start Date: September 21, 1989

Culture Health:

Sensitivity: Culture organisms were exposed to NaCl as a reference toxicant.

The 48 Hour LC50 for this test was 1.78 g/L

The mean LC50 value at this laboratory for NaCl as a toxicant is 2.04 g/L $\pm$ 0.25. The current LC50 of the culture organisms is 1.04 standard deviation units below the mean. This suggests the test organisms were slightly below the normal range.

Reproduction: The control test organisms produced a mean of 15.1 young over the 7 day test period. The mean number of young produced at this laboratory for Upper Three Runs Creek control tests is 17.0 ($\pm$ 3.5) young/female. Reproduction levels for this test were 0.54 standard deviation units below normal.

Test Precision:

Mean Significant Difference (MSD):

The MSD for this test was 8.601 young.
This is the least difference in the number of young produced by the control organisms vs. the number of young produced by any effluent treatment organisms which can be detected as statistically significant.

END

**DATE
FILMED
5/20/92**