ANALYSIS OF THE LOW-LEVEL WASTE RADIONUCLIDE INVENTORY FOR THE RADIOACTIVE WASTE MANAGEMENT COMPLEX PERFORMANCE ASSESSMENT

L. E. Plansky and S. A. Hoiland

Published February 1992

**Idaho National Engineering Laboratory
EG&G Idaho, Inc.
Idaho Falls, Idaho 83415**

**Prepared for the
U.S. Department of Energy
Waste Management Operations Technical Support
Under DOE Contract No. DE-AC07-76ID01570**

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

MASTER

ABSTRACT

This report summarizes the results of a study to improve the estimates of the radionuclides in the low-level radioactive waste (LLW) inventory which is buried in the Idaho National Engineering Laboratory (INEL) Radioactive Waste Management Complex (RWMC) Subsurface Disposal Area (SDA). The work is done to support the RWMC draft performance assessment (PA). Improved radionuclide inventory estimates are provided for the INEL LLW generators. Engineering, environmental assessment or other research areas may find use for the information in this report. It may also serve as a LLW inventory baseline for data quality assurance. The individual INEL LLW generators, their history and their activities are also described in detail.

EXECUTIVE SUMMARY

DOE Order 5820.2A, Chapter III (DOE 1988) addresses the management of low-level radioactive wastes and establishes the requirements for performance assessments of low-level waste (LLW) disposal sites such as the Subsurface Disposal Area located at the Radioactive Waste Management Complex at the Idaho National Engineering Laboratory. A draft performance assessment (PA) has been completed which indicates that the SDA conforms to these requirements (Maheras et al 1990).

This report summarizes the results of a study to improve the estimates of the radionuclides in the LLW inventory which is buried in the Idaho National Engineering Laboratory Radioactive Waste Management Complex Subsurface Disposal Area. The work is done to support the RWMC draft PA. Improved radionuclide inventory estimates are provided for the INEL LLW generators. Engineering, environmental assessment or other research areas may find use for the information in this report. It may also serve as a LLW inventory baseline for data quality assurance. The individual INEL LLW generators, their history and their activities are also described in detail. The offsite generators of the Interim Burial Ground (IBG) period (1961 to 1963) and Rocky Flats Operations (RFO) are not included. The IBG period wastes constitute 6000 cubic meters in volume with limited radionuclide identification and associated activity data available. Current plans and proposals for the buried RFO transuranic wastes (TRU) are that they will be retrieved or remediated.

LLW generated at the INEL consists primarily of protective clothing, paper, rags, packing material, glassware, tubing and other general use items (EG&G 1984). Also included are contaminated equipment (such as glove boxes and ventilation ducts), process wastes (such as filter cartridges and sludges), and fuel hardware scrap. These materials are either contaminated with fission products or activation products from nuclear reactions.

Prior to 1971, developing disposal procedures, assay methodologies, lack of waste characterization requirements, and limited record keeping are responsible for uncertainties in the radionuclides contained in the low-level radioactive waste that was disposed up to that time. The uncertainty affects determination of the radionuclides and the amounts disposed (including Curies and mass) during the time period 1952 to 1971. During this period the disposal of LLW at the RWMC SDA was not subject to the same strict disposal guidelines as today. Formal disposal procedures, record keeping and practices were set in place only in 1961 (Rodgers 1985). Little information was recorded on the radionuclides present in the LLW until 1971. Radionuclide inventory information has been required before disposal since 1971. It is of primary importance to improve the LLW inventory estimates of the waste buried in the RWMC SDA. Exact knowledge of the radionuclides is also required. Such data are the basis for performance assessment. They are also important in compliance, health effects and risk assessment evaluations.

The LLW inventory that the present PA uses as its source term is the Radioactive Waste Management Information System (RWMIS) data for the years 1964 to 1988. The starting year of 1964 was chosen while waste disposed before that time was primarily TRU waste from RFO which is planned for retrieval or remediation. The latest RWMIS annual report, which includes the year 1990, was released in August 1991 (Litteer 1991). The RWMIS is described in Appendix A. A listing of the radionuclides in the 1989 RWMIS database is given in Appendix B.

A series of tasks needed to obtain information and data for this study was identified and undertaken. The tasks comprising this study include:

- Determine the sources of information and data
- Compare the RWMC PA LLW inventory to that given in the RWMIS
- Determine the significant generators using the RWMIS database
- Develop and send a questionnaire to INEL generators and analyze generator response
- Corroboration of what is reported by staff or available records
- Reviews of records and staff familiar with disposal operations at the RWMC
- Coordination with related programs in progress such as the Environmental Restoration Program (ERP)
- Peer review of the results obtained

The primary sources of information for this report have been the 1989 RWMIS^a annual report (Litteer 1990), the performance assessment data verification work given in (Plansky 1991), the INEL Site Development Plan (DOE-ID 1990), the draft performance assessment (Maheras 1990), and the RWMC History Report (Rodgers et al. 1985).

a. The differences up to 1990 in the latest inventory data reported in the 1990 RWMIS report (Litteer 1991) and the 1989 RWMIS report (Litteer 1990) used in this report are an 11 cubic meter volume increase for the year 1988 by ANL-W, and the inclusion of the SMC LLW of 124 cubic meters of volume and an activity of less than 1 Curie for the years 1986 to 1990.

Summary of Results

LLW Considered by the PA

The LLW disposed during the years 1964 to 1988 is used as the source term in the PA. This LLW represents a volume of approximately 105,000 cubic meters and 10 million Curies (Maheras 1990). The radionuclides considered by the PA are mostly beta-gamma emitters (Maheras 1990). The LLW inventory of the RWMIS database for the year 1988 (Litteer 1989) was the baseline data used. This database contained the disposed LLW data up to and including the year 1988.

In addition to the INEL LLW generated and disposed at the RWMIS SDA from 1964 to 1988, the present PA includes radioactive wastes from: Argonne National Laboratory East (ANL-E) (1980 to 1988); RFO (minor amounts--1971 to 1973); and, the waste stored on Pad-A (1972 to 1978). Other minor generators of LLW included are the off site generators Brookhaven National Laboratory (BNL) and Bendix Field Engineering (BEN) (minor amounts--1983 and 1986). LLW from the decommissioned, INEL Organic Moderated Research Experiment (OMRE) is also included for the years 1964 and 1965. The Curie discrepancies between the PA and the RWMIS (circa 14,000 Ci) noted by Plansky (1991) have been resolved. The differences are generator changes present in the latest RWMIS database but which post-date the PA. Other than the noted discrepancies, the PA agrees with the 1988 RWMIS annual report (Litteer 1989) in volume and total Curies for the years considered to the degree of accuracy given in the RWMIS annual reports.

Key LLW Generators

The largest INEL generators of solid LLW are presently ANL-W, CPP, NRF, and TRA. They have also been the largest generators of LLW in the past along with TAN.

Generator Agreement with RWMIS

For the disposed LLW data entered in the RWMIS database, the INEL generators indicate that the disposed LLW data generally agree with the RWMIS data for the period 1971 to present.

The pre-1971 RWMIS data entries which the RWMIS reports were obtained from available reports and site-wide annual totals summarized by generators. These data include generator, volume and activity information, but no radionuclide information. The LLW disposal information kept before 1971 did not require radionuclide characterization. Disposal location entries were provided for on the waste shipping manifests, but they were often not filled out sufficiently. Disposal location was not recorded in the RWMIS database for pre-1971 LLW. These data have been required for LLW shipments since 1971. The RWMIS contains the burial location and radionuclide information since 1971.

Little or no radionuclide information is available for the pre-1961 disposed LLW. Some 300 pre-1960 shipping manifests have been found that have never been recorded. These are to be examined by ERP staff for possible inclusion in the RWMIS database.

Generic Radionuclides

A total volume of approximately 194,000 cubic meters and 11.6 million Curies of low-level radioactive waste from INEL and offsite generators has been disposed in trenches, pits and soil vaults at the RWMC SDA from 1952 to 1989 (Plansky 1991).

For the time period 1971 to 1989, less than 2% of the activity was assigned a generic radionuclide classification, that is: as being mixed activation products (MAP), mixed fission products (MFP), or unidentified beta gamma or alpha emitting radionuclides UI-BG or UI-Alpha).

Approximately 4.6 million Curies of LLW were disposed in the RWMC SDA before 1971 which were assigned a generic radionuclide classification of UI-BG (Plansky 1991). This is about 1/3 of the total LLW buried since 1952. Generator based improvements for the radionuclide estimates assigned to these generic radionuclide classifications are an important source of improved radionuclide information. The generic assignments used in the RWMIS and the PA are:^a

Unidentified-Beta-Gamma (UI-BG)	100% Fe-59
Unidentified-Alpha (UI-ALPHA)	100% Po-210
Mixed Activation Products (MAP)	100% Co-60
Mixed Fission Products (MFP)	100% Cs-137.

The generators and their approximate Curies of generic classified LLW disposed from 1952 to 1989 include:

TRA:	1,392,000 Ci UI-BG and 84,500 Ci of MAP/MFP radionuclides
NRF:	3,100,000 Ci of UI-BG radionuclides
CPP:	100,000 Ci of UI-BG and 25,000 Ci of MAP/MFP radionuclides
ANL-W:	50,000 Ci of UI-BG and 1,500 Ci of MAP/MFP radionuclides
TAN:	83,000 Ci of UI-BG radionuclides
RWMC:	61,000 Ci of UI-BG radionuclides.

Maheras and Rood (1991) give analyses for the improvement of these generic classified radionuclides. They suggest that Niobium-94 be used as the predominant UI-BG radionuclide instead of Fe-59. The present PA has does include the high, Ni-63 content shipments from NRF made since the beginning of the 1970's. For CPP and NRF, indications are that the radionuclide mix in the disposed LLW has not changed appreciably from what is generated today.

a. Most of the UI-BG LLW is from the pre-1971 time period. Most MAP/MFP LLW was reported after 1970. There was very little LLW classified as UI-ALPHA.

Inventory Improvement

Improvements to the estimates of the disposed LLW are summarized immediately below. They are discussed in the individual generator sections in this report below. Details on their implementation are given in the last section of this report.

Improvements which can immediately be implemented by the PA are:

- The annual changes to the RWMIS since 1988
- Generator supplied changes to the RWMIS by CPP, TAN and LOFT/CTF present in the RWMIS but not included in the PA (those noted above which caused the discrepancy between the PA and RWMIS)
- Generator supplied recommendations from TAN for MFP and TAN generic radionuclides.
- Generator supplied recommendations from ANL-W and ANL-W generic radionuclides.
- Generator supplied recommendations from CPP and CPP generic radionuclides.
- The allocation of RWMC generic LLW to other INEL generators.
- The exclusion of the LLW in Pad-A. Pad-A is planned for remediation.

Improvements which require analysis and cooperation between other INEL staff before they can be considered further or implemented in the PA are:

- Obtain generator response from TRA and NRF
- Develop an improved radionuclide breakdown for the generic radionuclides in LLW disposals for which the generic radionuclide classification can not be resolved. This work has been started (Maheras and Rood 1991).
- Estimate TRA and NRF radionuclide improvements based on the improved radionuclide breakdown
- Reduced waste weights could be used. Shielded container weights were entered as the waste weights in many instances by NRF up to 1970. The RWMIS records containing these entries need to be identified and assessed for the potential improvement they may give.
- NRF and TRA Curies could be decreased for the shipment records for which liberal Curie estimating rules were used during the 1960s. Time away from core and Curie estimates due to shielding were conservative estimates. The RWMIS records containing these entries need to be identified and assessed for the potential improvement they may give.

- RWMIS data entries - outlier analysis. The historical shipping manifests and RWMIS best available data file contain approximately 45 records having some 5 million Curies of LLW. These records are suspect and could potentially reduce the total disposed LLW activity.
- The exclusion of the LLW in Pit-9. Pit-9 is planned for remediation. The LLW may be reburied in the pit, however.

Changes Due to Inventory Related Findings of the Environmental Restoration Program (ERP)

Staff of ERP have been examining the available pre-1971 shipping manifests which were obtained from the Federal Repository in Seattle, Washington. After examination of the pre-1971 archives is completed, they plan on examining the post-1971 archives. One goal of their work is to suggest improvements to the RWMIS database.

The examination of the shipping archives will require the analysis of the findings. Specific issues may arise from such an examination. A statistical analysis of the pre-1971 shipping manifests against the RWMIS best available data file (the RWMIS BAD-File) is also being done.

Data input errors in pre-1971 shipping manifests have been found by ERP and Waste Management staff. Additionally, approximately 300 pre-1960 shipping records have been found for the generators CPP, SPERT and TRA which are not included in the RWMIS BAD-File. Present plans of ERP call for sub-contracting a detailed analyses of the shipping manifests and the identification of these and other questionable records for inclusion in the RWMIS database. A risk assessment effort which addresses the LLW by burial location is also planned as part of the ERP work.

CONTENTS

ABSTRACT.....	iii
EXECUTIVE SUMMARY	v
ACRONYMS	xix
INTRODUCTION.....	1
DISCUSSION AND METHODOLOGY	7
Performance Assessment.....	7
The Waste Generators	7
The RWMC SDA	8
The Present PA.....	8
Methodology, Sources of Information, and Radionuclide Inventory Improvements.....	9
Determine Sources of Information and Data.....	10
Compare the RWMC PA LLW Inventory to that Given in the RWMIS.....	10
Using the RWMIS, Determine the Significant Generators	10
Develop and Send a Questionnaire to Operating INEL Generators and Analyze Generator Response.....	12
Corroboration of What is Reported by Staff or Available Records.....	12
Historical Review	12
Coordination with the Environmental Restoration Program (ERP).....	12
Peer Review of the Results Obtained.....	13
SOURCES OF INFORMATION AND GENERATOR ANALYSIS	14
Radioactive Waste Information System (RWMIS) Changes.....	14
Recommendations	15
Preliminary Findings of the ERP RWMIS Database Analysis.....	15
Recommendations	17
GENERATOR: Radioactive Waste Management Complex (RWMC/WMC).....	18
Description and Historical Summary.....	18
Operations Performed, Processes and Experiments.....	18
Affecting/Affected Facilities.....	20
Products	20
Radioactive Wastes and RWMIS Information.....	20
Questionnaire Response.....	20
Library Search Information.....	20

Other Sources of Information.....	21
D&D Plans	21
Error Sources and Specific Areas for Improving Information.....	21
Justification of Improvements or Changes to the PA Inventory	21
Recommendations	21
GENERATOR: Decontamination and Decommissioning (D&D).....	22
Description.....	22
Operations Performed, Processes and Experiments.....	22
Safe Storage	22
Entombment/In Place Stabilization.....	22
Decontamination for Reuse.....	22
Dismantlement.....	24
Affecting/Affected Facilities.....	24
Products	24
Radioactive Wastes and RWMIS Information.....	24
Questionnaire Response.....	25
Library Search Information.....	25
Other Sources of Information - Decontamination and Decommissioning Files.....	25
D&D Plans	26
Error Sources and Specific Areas for Improving Information.....	26
Justification of Improvements or Changes to the PA Inventory	26
Recommendations	26
GENERATOR: Argonne National Laboratory-West (ANL-W)	27
Description.....	27
Operations Performed, Processes and Experiments.....	27
Affecting/Affected Facilities.....	29
Products	29
Radioactive Wastes and RWMIS Information.....	29
Questionnaire Response.....	29
Other Sources of Information.....	30
D&D Plans	30
Error Sources and Specific Areas for Improving Information.....	30
Justification of Improvements or Changes to the PA Inventory	30
Recommendations	30
GENERATOR: Argonne National Laboratory-East (ANL-E).....	31

Recommendations	31
GENERATOR: Central Facilities Area (CFA)/	
Auxiliary Reactor Area (ARA).....	33
Description.....	33
Operations Performed, Processes and Experiments.....	33
Affecting/Affected Facilities.....	36
Products	36
Radioactive Wastes and RWMIS Information.....	36
Questionnaire Response	37
Other Sources of Information.....	37
D&D Plans	37
Error Sources and Specific Areas for Improving Information.....	37
Justification of Improvements or Changes to the PA Inventory	38
Recommendations	38
GENERATOR: Chemical Processing Plant (CPP).....	39
Description.....	39
Operations Performed, Processes and Experiments.....	39
Affecting/Affected Facilities.....	39
Products	39
Radioactive Wastes and RWMIS Information.....	39
Questionnaire Response	41
Other Sources of Information.....	41
D&D Plans	41
Error Sources and Specific Areas for Improving Information.....	42
Justification of Improvements or Changes to the PA Inventory	42
Recommendations	42
GENERATOR: Naval Reactor Facility (NRF).....	43
Description.....	43
Operations Performed, Processes and Experiments.....	43
Affecting/Affected Facilities.....	43
Products	43
Radioactive Wastes and RWMIS Information.....	43
Questionnaire Response	45
Other Sources of Information.....	45
D&D Plans	45
Error Sources and Specific Areas for Improving Information	45

Justification of Improvements or Changes to the PA Inventory	45
Recommendations	45
GENERATOR: Power Burst Facility (PBF).....	46
Description.....	46
Operations Performed, Processes and Experiments.....	46
Affecting/Affected Facilities.....	49
Products	49
Radioactive Wastes and RWMIS Information.....	49
Questionnaire Response.....	49
Library Search Information.....	50
Other Sources of Information.....	50
D&D Plans	50
Error Sources and Specific Areas for Improving Information.....	50
Justification of Improvements or Changes to the PA Inventory	50
Recommendations	50
GENERATOR: Waste Experimental Reduction Facility (WERF).....	51
Description.....	51
Operations Performed, Processes and Experiments.....	51
Affecting/Affected Facilities.....	51
Products	51
Radioactive Wastes and RWMIS Information.....	51
Questionnaire Response.....	52
Library Search Information.....	52
Other Sources of Information.....	52
D&D Plans	52
Error Sources and Specific Areas for Improving Information.....	52
Justification of Improvements or Changes to the PA Inventory	52
Recommendations	52
GENERATOR: Test Area North (TAN)	53
Description.....	53
Operations Performed, Processes and Experiments.....	53
Products	53
Radioactive Wastes and RWMIS Information.....	55
Questionnaire Response.....	55
Other Sources of Information.....	55
D&D Plans	55

Error Sources and Specific Areas for Improving Information.....	56
Justification of Improvements or Changes to the PA Inventory	56
Recommendations	56
GENERATOR: Loss-of-Fluids Test (LOFT) Facility/ Containment Test Facility (CTF).....	57
Description.....	57
Operations Performed, Processes and Experiments.....	57
Affecting/Affected Facilities.....	57
Products	57
Radioactive Wastes and RWMIS Information.....	57
Questionnaire Response.....	57
Other Sources of Information.....	58
D&D Plans	58
Error Sources and Specific Areas for Improving Information.....	58
Justification of Improvements or Changes to the PA Inventory	58
Recommendations	58
GENERATOR: Test Reactor Area (TRA).....	59
Description.....	59
Operations Performed, Processes and Experiments.....	59
Affecting/Affected Facilities.....	59
Products	59
Radioactive Wastes and RWMIS Information.....	61
Questionnaire Response.....	61
Other Sources of Information.....	61
D&D Plans	61
Error Sources and Specific Areas for Improving Information.....	61
Justification of Improvements or Changes to the PA Inventor	61
Recommendations	62
RADIONUCLIDE INVENTORY CHANGES FOR THE PA	63
Revised Radionuclide Inventory for the PA.....	63
Changes Due to Inventory Related Findings of the Environmental Restoration Program (ERP).....	64
Changes not Requiring Interface with Other INEL Areas	66
Annual Changes to the RWMIS since 1988.....	66
Generator Changes to the RWMIS by CPP, TAN and LOFT/CTF Present in the RWMIS but not Included in the PA	66

Generator Recommendations from TAN.....	66
Generator Supplied Recommendations from ANL-W and ANL-W Generic Radionuclides	67
Generator Supplied Recommendations from CPP and CPP Generic Radionuclides.....	67
The Allocation of RWMC Generic LLW to Other INEL Generators	68
The Exclusion of Pad-A Radionuclides.....	68
REFERENCES.....	69
APPENDIX A--A BRIEF HISTORY OF THE RADIOACTIVE WASTE MANAGEMENT DATABASE (RWMIS)	A-1
APPENDIX B--RWMIS INVENTORY DATA.....	B-1
APPENDIX C--GENERATORS DISPOSING LLW IN THE RWMC SDA	C-1
APPENDIX D--THE TRENCH AND PIT DISPOSAL LOCATIONS IN THE RWMC SDA.....	D-1
APPENDIX E--THE GENERATOR QUESTIONNAIRE.....	E-1
APPENDIX F--ANALYSIS OF THE GENERIC RADIONUCLIDES.....	F-1
APPENDIX G--STAFF CONTACTS, REVIEWERS AND SOURCES OF INFORMATION.....	G-1

FIGURES

1. Overview of INEL, RWMC and the SDA	2
2. RWMC SDA disposal history since 1961.....	4
3. Disposed volume history for LLW generators	5
4. Disposed activity history for LLW generators.....	6
5. RWMIS recorded disposal history for RWMC	19
6. RWMIS recorded disposal history for D&D	23
7. RWMIS recorded disposal history for ANL-W	28

8. RWMIS recorded disposal history for ANL-E.....	32
9. RWMIS recorded disposal history for CFA	34
10. RWMIS recorded disposal history for ARA.....	35
11. RWMIS recorded disposal history for CPP.....	40
12. RWMIS recorded disposal history for NRF	44
13. RWMIS recorded disposal history for PBF.....	47
14. RWMIS recorded disposal history for SPERT	48
15. RWMIS recorded disposal history for TAN.....	54
16. RWMIS recorded disposal history for TRA.....	60

ACRONYMS

ANL-W	Argonne National Laboratory-West
ANL-E	Argonne National Laboratory-East
ANP	Aircraft Nuclear Propulsion
ARA	Auxiliary Reactor Areas
Ci	Curie, a unit of measurement
CFA	Central Facilities Area
CPP	Idaho Chemical Processing Plant
D&D	Decontamination and Decommissioning
ERP	Environmental Restoration Program
g or gr	Gram, a unit of mass
h or hr	Hour, a unit of time
IBG	Interim Burial Ground Period
IET	Initial Engine Test
INEL	Idaho National Engineering Laboratory
LLW	Low-Level Waste
LOFT or CTF	Containment of Fluids, or LOFT - Loss of Fluid Test
NA or DNA	Not Applicable or Does Not Apply
nCi	NanoCurie(s), nano (10 ⁻⁹) Curies
NRF	Naval Reactor Facility
PA	Performance Assessment
PBF	Power Burst Facility
PER or SPERT	Special Power Excursion Test Reactor
RFO	Rocky Flats Operations
SDA	Subsurface Disposal Area
SL-1	U.S. Army Stationary Low Power Reactor
RWMC or WMC	Radioactive Waste Management Complex
RWMIS	Radioactive Waste Management Information System
TAN	Test Area North
TRA	Test Reactor Area
TRU	Transuranic Nuclide Contaminated Waste
WAC	Waste Acceptance Criteria
WERF	Waste Experimental Reduction Facility

ANALYSIS OF THE LOW-LEVEL WASTE RADIONUCLIDE INVENTORY FOR THE RADIOACTIVE WASTE MANAGEMENT COMPLEX PERFORMANCE ASSESSMENT

INTRODUCTION

The INEL was established in 1949 as the National Reactor Testing Station (NRTS), a location where the U.S. Atomic Energy Commission (AEC) could build, test, and operate different types of nuclear reactors, support facilities, and equipment with maximum safety. As of October 1980, 52 reactors were built at the INEL of which 17 were operating or operable. Several service and support buildings have been constructed over the years. The RWMC SDA was opened in the southwestern corner of the INEL in 1952. The SDA is a controlled 96 acre area on the western part of the RWMC.

The INEL is located along the northwestern edge of the eastern Snake River Plain in southeastern Idaho (Figure 1). Lying at the foot of the Lost River, Lemhi, and Bitterroot Mountain ranges, the INEL comprises some contiguous 2305 square kilometers of the Snake River Plain. Portions of the area were once used by the military as a gunnery range. The INEL includes all the former military area and a large adjacent area withdrawn from the public domain for use by the DOE. Most of the land withdrawn from public domain lies in Butte County, Idaho, although it extends into Bingham, Bonneville, Jefferson, and Clark Counties.

Developing disposal procedures, assay methodologies, lack of waste characterization requirements, and limited record keeping in the early years (1952 to 1970) are responsible for uncertainties in the radioactive waste inventory that has been disposed at the RWMC SDA. Compounding this was the classified nature of some of the wastes buried. During the early years (1952 to 1970 inclusive) little or no information was recorded about what radionuclides were present in the LLW. Formal, documented procedures and record keeping of the waste shipments were not implemented until 1960-1961 (Rodgers 1985). Non-classified waste shipments were observed and witnessed by health physics personnel starting in 1962. For many of the classified waste shipments, unauthorized personnel were not permitted to observe or record the waste burials. Characterization of the radionuclides present in the LLW disposed at the RWMC SDA was not required prior to 1971. Good characterization methods for the waste were not available at that time. Regular monitoring, characterization and recording of the radionuclides in the waste shipments was started in 1971. An unknown number of pre-1971 LLW shipping records were destroyed because the records retention time was exceeded. The shipping weights, volumes and activities were often rough estimates. In some instances the shipping weight of the waste container was taken as the waste weight, giving inflated values for the weight, or mass, of the actual waste.

LLW received at the SDA from 1952 to 1957 was disposed in trenches. No upper limit was established for the radiation level of the wastes which could be buried until 1957 (Rodgers 1985). The first trench was opened in July 1952 for burial of INEL generated waste. Trenches 1 through 10 were used between 1952 and 1957. These trenches were dug in the overburden down to the beginning of the basalt bedrock. LLW disposed in trenches typically had an activity of 500 mR or more at 0.9 meters from the surface of the waste container (Rodgers 1985). Pits were used starting in 1957 while trenches continued to be used for RFO waste and on site generated LLW. INEL generated LLW disposed in pits generally had an activity of less than 500 mR/h at 0.9 meters from the surface of the waste container. For trench and pit burial starting in 1970, the radioactivity

Radioactive Waste Management Complex

Figure 1. Overview of the INEL, RWMC and the SDA.

concentration of transuranic radionuclides (TRU) was limited to less than 10 nCi per gram (Rodgers 1985). Wastes from RFO usually exceeded this limit. INEL LLW was normally placed in cardboard boxes and sealed. The sealed boxes were placed in metal Dempster Dumpsters, labeled as radioactive waste and disposed. Large items were buried without size reduction.

Presently, LLW containing transuranic isotopes with an activity of less than 10 nCi per-gram is disposed. Two types of disposal locations are in use: pits and soil vaults. The former are for contact handled (CH) LLW which has radiation levels less than 500 mR/h at 0.9 meters from the surface of the waste container. The latter are for remote handled (RH) LLW that has radiation levels more than 500 mR/h at 0.9 meters from the surface of the waste container. Figures 2, 3 and 4 show the volume and activity disposal history of the INEL generators disposing LLW in the RWMC SDA from 1960 to 1989. Appendix D gives a summary of the LLW burial history.

Figure 2. RWMC SDA disposal history since 1961.

Volume by Year
(cubic meters)

Figure 3. Disposed volume history for LLW generators.

Curies by Year

Figure 4. Disposed activity history for LLW generators.

DISCUSSION AND METHODOLOGY

Performance Assessment

Performance assessment is determining a measure of how well a system or facility performs its objective of isolating radionuclides and preventing their release into the biosphere. Performance assessment may be required to satisfy constraints or regulations. For a low-level radioactive waste disposal facility, a working definition of performance assessment is (Case 1988 and 1989):

A systematic analysis of a low-level radioactive waste disposal facility and its environs for the purpose of demonstrating compliance with specific radiological performance objectives (or regulations). The assessment addresses the current status of the facility and projects future conditions for as long as a potential for significant radiological impact exists.

The U.S. DOE (1988) defines performance assessment as:

A systematic analysis of the potential risks posed by waste management systems to the public and environment, and a comparison of those risks to established performance objectives.

Performance assessment is an iterative process which requires the repeated application of identifying data needs, data collection, analyses and modeling. A performance assessment is undertaken to demonstrate the safety of a disposal facility after operations cease and after the facility is closed. A performance assessment must frequently be done with available, incomplete information about a disposal facility, its design, its environment, and its buried waste.

Radionuclide behavior and transport are governed by the site characteristics, the waste, the waste containers, and the disposal system or facility in which the LLW is placed. Areas important to performance assessment for low-level radioactive waste disposal systems include the: geo-hydrologic character of the site; waste inventory; waste transport behavior; and, the disposal facility design including closure designs and actual closure. Site characterization is important in the near field, the area in the immediate vicinity of the waste and waste containers. The waste contains the radionuclides of the inventory. Final disposal facility design includes the determination of facility structure, geometry, materials, engineered barriers, covers, and in place monitoring systems. Waste containers, container failure, and the dynamics of radionuclide release from the containers into the biosphere are also key factors in a performance assessment.

The Waste Generators

The INEL LLW generators which are currently operating are described in this report. Each generator has its own individual section together with any ancillary LLW generators related to them (such as ARA, which is described in its relation to CFA).

The waste generators which have disposed radioactive waste in the RWMC SDA from 1952 to present are given in Appendix C. This includes INEL generators which are disposing LLW and those which are no longer in operation that have disposed LLW in the RWMC SDA. Some of the INEL facilities are closed and decontamination and decommissioning is underway or has been completed. When applicable, this is noted in Appendix C as well as any prior names a generator or facility has had during its history.

The primary off site generator has been the DOE operation at Rocky Flats, CO (RFO). RFO has disposed of some 63,352 cubic meters and 255,979 Ci of predominantly transuranic (TRU) waste in the period 1954 to 1970. Small RFO LLW shipments, approximately 1400 cubic meters and 90 Ci, were received and disposed in the RWMC SDA during 1971, 1972 and 1973. The RWMC PA includes these latter RFO shipments (Plansky 1991).

The RWMC SDA

The RWMC SDA is a controlled 96 acre area on the western part of the RWMC. Within the SDA are trenches, pits, soil vaults, and storage pad Pad-A. Support facilities are external to the SDA itself. Table D-1 of Appendix D summarizes the waste burial history in these disposal locations in the SDA. Table D-2 of Appendix D gives the opening and closing dates of the trenches, pits, soil vaults, and storage pad, Pad-A.

Burial trenches were used between 1952 and 1981. Fifty-eight trenches were excavated. As one was filled and covered, another was prepared for continued disposal operations. They were dug along predetermined centerlines and were separated from adjacent trench centerlines by at most 4.9 meters. This allowed maximum use of available burial space without disturbing previously disposed waste. The width of the trenches was approximately 3.1 meters (those with collapsing walls were wider). The depth of a trench was approximately 4 meters and varied according to the depth of the basalt bedrock. Their length varied as the amount of usable free-run available (the dimensions given may vary from trench to trench as well as over the burial history). Much of the high Curie count, remote handled LLW from ANL-W, CPP and NRF was disposed in the trenches before the soil vault rows were opened in 1977.

Pits have been used from 1957 to the present. They are used for the disposal of beta-gamma contaminated LLW with radiation levels below 500 mR/h at 0.9 m. Eighteen pits exist today - from Pit #1 to Pit #18. Pits 19 and 20 have also been identified for future waste disposal. Pits 1 through 16 have been closed. Pits are approximately 5 meters deep and 30 meters wide and vary in length.

Soil vaults are used to dispose of beta-gamma contaminated LLW with radiation levels greater than 500 mR/h at 0.9 meters. The soil vaults are cylindrical holes bored in the overburden. They are of varying depth and diameter between 0.4 meters and 2 meters arranged along a common centerline(s). The soil vaults are separated from previously disposed waste by a minimum of 0.6 meters.

Pad-A was used as an interim, above ground disposal pad for wastes of uranium and nitrate salts. These wastes were not TRU by current definition, but did contain more than 0.1 nCi/gram but less than 10 nCi/gram of TRU nuclides and had radiation levels less than 200 mR/h at the waste container surface. Pad-A was open from 1972 to 1978. The radioactive waste inventory presently reported for Pad-A is 70 Ci and 10,400-cubic meters.

The Present PA

The PA includes in its inventory the low-level waste disposed since 1964 in the pits, trenches, soil vaults, and Pad-A. The PA uses the reported RWMIS database (Plansky 1991; Litteer 1989) for the years 1964 to 1988 as its inventory. This was the baseline at the time the original PA was done

(in the 1988 to 1989 time frame). The LLW in the inventory is divided into waste from two separate time periods for performance assessment: from 1964 through 1970; and, from 1971 to present (Maheras 1990). The first period is the period where little radionuclide information exists. The second period is the post 1970 period when radionuclide data was required prior to disposal and data entry in the RWMIS database.

In addition to the INEL LLW generators, the present PA includes wastes shipped from Argonne National Laboratory East (ANL-E) (1980 to 1988), RFO (minor amounts - 1971 to 1973), and the wastes stored on Pad A (1972 to 1978 and 1983). Other sources include the off site generators Brookhaven National Laboratory (BNL) and Bendix Field Engineering (BEN) (minor amounts - 1983 and 1986), and the closed, INEL Organic Modulated Research Reactor (OMRR) (565 cubic meters and 2,031 Ci are included for the years 1964 to 1965).

A volume of approximately 105,000 cubic meters and 10 million Curies is included in the PA. The radionuclides considered are mostly beta-gamma emitters (Maheras 1990). The fission and activation radionuclides present in the time period 1964 to 1970 were estimated in the PA using the known radionuclides in the period 1971 to 1980. The alpha emitting radionuclides in this period were estimated using the known alpha emitting radionuclides in the period 1979 to 1980. For the time period 1971 to 1988, less than 2% of the activity was declared as being mixed activation products, mixed fission products, or unidentified alpha or beta gamma emitting radionuclides. Approximately 1/3 of the LLW buried before 1971 was classified as unidentified beta-gamma.

Methodology, Sources of Information, and Radionuclide Inventory Improvements

The methodology used for this study included:

- Determine sources of information and data
- Compare the RWMC PA LLW inventory to that given in the RWMIS
- Using the RWMIS, determine the significant generators
- Develop and send a questionnaire to operating INEL generators and analyze generator response
- Corroboration of what is reported by staff or available records
- Historical reviews of records and interviews with available staff familiar with disposal operations at the RWMC
- Coordination with related programs in progress such as the Environmental Restoration Program (ERP)
- Peer review of the results obtained
- Documentation of the results.

Determine Sources of Information and Data

The most useful sources of information are: the present PA; the RWMIS database and the RWMIS annual report (RWMIS is taken as the baseline for comparison) including its radionuclide data; generator response to prepared questionnaire; available historical records and documents, including records of the ERP Program; and interviews with staff of the RWMC, ERP, and generators. These sources of information are described in this report.

Compare the RWMC PA LLW Inventory to that Given in the RWMIS

A detailed comparison of the present PA LLW inventory with that of the RWMIS is documented by Plansky (1991). This analysis shows that the present PA uses the inventory data of the RWMIS with the exception of revisions to activity values by the generators CPP, TAN, SMC and LOFT. These revisions post-dated the PA. The volumes match the RWMIS volumes well; six of the 25 years the PA covers have had the disposed Curies revised, primarily by CPP.

Generic classifications were assigned to radionuclides by RWMIS which were not identified by the shipper. The PA presently uses the following assignment for these radionuclide classifications:

- Unidentified-Beta-Gamma (UI-BG) 100% Fe-59
- Unidentified-Alpha (UI-ALPHA) 100% Po-210
- Mixed Activation Products (MAP) 100% Co-60
- Mixed Fission Products (MFP) 100% Cs-137

Maheras and Rood (1991, summarized in Appendix F of this report) suggest a more conservative breakdown for the radionuclides of these generic classifications.

The original estimates of Curies and volume for LLW shipments to the RWMC SDA were done by the generators. In some cases (primarily in the 1960s with some cases of continual use through 1980s by other generators) shielded wastes were assigned a Curie value depending on the thickness of the lead shielding - times 10 for every inch of lead. For example, if a cask was evaluated as having 20 Ci at 1 meter (circa 3 feet) from the cask and had four inches of shielding, the reported Curies were 20,000. In other instances, the estimation of Curies was done assuming that the LLW to be disposed had been removed from the core for only one month, when it may have been in storage at the generator longer. Both practices can be a cause for overestimating Curies.

Using the RWMIS, Determine the Significant Generators

Based on the inventory volume and Curie data as recorded in RWMIS, several facilities had peak years when comparatively large volumes of waste were shipped to the RWMC (Plansky 1991). Several facilities had peak years when large LLW volumes and/or Curie quantities were contained in the waste disposed in the RWMC SDA:

Volume

- NRF: 1961-1973
- CPP: 1974-1979, 1982-1985
- TAN: 1963-1970, 1976-1980
- TRA: 1961-1970, 1974-1976, 1985-1986
- WMC: 1960

Curies

- NRF: 1965-1971, 1976-1980, 1983-1985
- CPP: 1966-1969, 1973-1976, 1978-1982
- TRA: 1961-1965, 1968-1972, 1976-1978, 1982
- WMC: 1960
- ANL-W: 1966-1971, 1977-1989

Using this information, the work in this report was prioritized relative to these significant LLW generators. High priority is given to the generators that had large shipment volumes or high number of Curies in the 1952 to 1971 time period (it may be possible that some high volume peaks could be caused by generator initiated D&D efforts before the D&D program began, this is true in the 1960s for CFA). The priority generators are:

- NRF: 1961-1973 (high volume quantities 1961-1973; high Curie quantities 1965-1971)
- TAN: 1962-1970 (high volume quantities)
- TRA: 1961-1972 (high volume quantities 1961-1970; high Curie quantity 1961-1965 and 1968-1972)
- WMC: 1960 - high volume and high Curies (these are totals from all INEL generator records from earlier years)
- ANL-W: 1966-1971 - high Curie quantities
- CPP: 1966-1971 - high Curie quantities

Develop and Send a Questionnaire to Operating INEL Generators and Analyze Generator Response

A questionnaire was developed and sent to the presently operating LLW INEL generators for current and historical inventory review and response. An example of this questionnaire is given in Appendix E. Included in the questionnaire are questions relating to past processes, disposed wastes, radionuclides, activities and weights as well as the existence of other sources of information or disposal records. If differences in disposal data were reported between the generator and the RWMIS database, the RWMIS database was taken as the standard for comparison. The responses received from the generators reported good agreement with the RWMIS database.

Corroboration of What is Reported by Staff or Available Records

To a limited extent, it may be possible to corroborate the information obtained from the various sources. This means identifying and examining available information independently to verify or support the information obtained from RWMIS, the generators or INEL staff. Information gathered should support existing information as well as the generator responses to the questionnaire. Specific information areas to examine would relate to the generators, projects, reactors, and experiments. Sources of information for this were: reports and technical papers available through the INEL library; and, available D&D characterization reports.

Library search for a selection of INEL generators was done. A large, active generator, a large, inoperational generator, a small generator and the D&D program were selected for examination to see what type of information could be found. (These were: TRA (including MTR, ETR and ATR); PBF and the SPERT reactors; and, the ARA reactors.) Little radionuclide specific information was found in reports or technical papers. Library search was subsequently used only to address specific questions. The D&D characterization reports for the generators were examined. The D&D characterization reports confirmed the reported radionuclides for the D&D program.

Historical Review

A review was performed of historical sources of information including: INEL Site Development Plan (DOE-ID 1990); the examination of old shipping records; and interviews with personnel with hands on experience with the RWMIS database, the generators or waste disposal at the RWMC. This provided background information. Generator specific information is contained within the individual generator sections of this report.

Coordination with the Environmental Restoration Program (ERP)

Staff of ERP are examining the pre-1971 LLW shipping records (manifests) available from the federal repository in Seattle, WA. The time frame is from 1952 to and including 1970. One goal of the work is to verify data entries for the disposed volumes and Curies against the RWMIS BAD-File. The shipping manifests for the pre-1971 period were also examined by Waste Management Department staff. The examinations underway may provide adjustments to the present RWMIS database and PA inventory data. Records for post-1971 may be examined by ERP staff after the present work is done. Interim results are discussed in the write up for the ERP in this report.

Peer Review of the Results Obtained

The results and analyses of this report will undergo successive peer reviews. The individual generator descriptions and analyses have also been reviewed by the individual generators or staff familiar with the generator operations.

SOURCES OF INFORMATION AND GENERATOR ANALYSIS

This section describes the sources of information for improving the RWMC SDA LLW inventory data. In addition to generator interviews and/or their response to the questionnaire, these are:

- Regular updates to the quarterly and annual disposed LLW added to RWMIS data.
- Generator updates and corrections to the RWMIS data as they occur, these changes usually originate at the generator(s).
- Inventory related findings obtained from examining the ERP waste shipment archives.
- Interviews with available staff who have a close working knowledge of early disposal operations and the original RWMIS database.
- The radio-chemical facility characterization reports issued by the D&D Program prior to facility decontamination and decommissioning.
- Obtaining an improved breakdown for the generic radionuclide classifications used by RWMIS.

These areas are discussed in the following sections. The RWMIS and ERP information are discussed first. This is followed by a summary for each LLW generator. RWMC and D&D precede the INEL generators, which are given thereafter in alphabetical order. Results from interviews and library search are included within the individual discussions. A library search was made to address specific issues or questions as they arose. For the most part, the reports and papers in the library files addressed very specific research or facility areas. Only in a few instances were the radionuclides present in experiments reported in the literature. The RWMIS data used are those data which were available for the latest full calendar year which ended in 1989. These data are summarized in Litteer (1990) and are given in detail in Appendix B. The time period of the RWMIS data used is the time period from 1961 to 1989 unless otherwise noted. The differences in the latest inventory data reported in the 1990 RWMIS annual report (Litteer 1991) and the 1989 RWMIS annual report (Litteer 1990) used in this report are an 11 cubic meter volume increase for the year 1988 by ANLW and the inclusion of the SMC LLW of 124 cubic meters of volume and an activity of less than 1 Curie for the years 1986 to 1990.

Radioactive Waste Information System (RWMIS) Changes

Improvements in the PA inventory due to changes in the RWMIS are given in the table below. NVC, indicates that no volume change took place. An entry indicates the revised, new total(s) for Curies and/or volume. The first two entries for 1989 and 1990 are for the years not included in the PA since it was originally done in 1989. The 1971 to 1988 changes for CPP are changes in Curies only. An additional 14,237 Ci were reported by CPP for these years over what had previously been reported. The present PA includes Pad-A wastes. The LLW of Pad-A can be considered for removal from the PA assessment, as Pad-A is planned for remediation. The last two entries (marked "**") for LOFT/CTF and TAN are small changes in Curies (+3 for LOFT/CTF, and +33 for TAN over what was

reported in 1988 as the PA was started). The differences in the latest inventory data reported in the 1990 RWMIS annual report (Litteer 1991) and the 1989 RWMIS annual report (Litteer 1990) used in this report are an 11 cubic meter volume increase for the year 1988 by ANLW, and the inclusion of the SMC LLW of 124 cubic meters of volume and an activity of less than 1 Curie for the years 1986 to 1990.

<u>Year(s)</u>	<u>Generator</u>	<u>Curies</u>	<u>Volume (cu/m)</u>
1989	All INEL	590065	1342
1990	All INEL	207540	1762
1971-1988	CPP	614483	NVC
1972-1983	Pad-A	70	10,700
1967-1969	Pit-9	13	1132
1986	LOFT/CTF*	277	NVC
PRE-1980	TAN*	101380	NVC

Recommendations

An update to the PA must include the radionuclide changes for the last two years as well as the approximately 14,200 Ci changes to CPP disposed LLW from pre-1988. These changes are included in the latest RWMIS database (Litteer 1991). The RWMIS data for 1991 should also be included. The data for 1991 should be ready for use by mid-1992. Consideration should be given to omitting the Pad-A inventory from the present PA. Pit-9 is also being considered for remediation and the same considerations may apply to it.

Preliminary Findings of the ERP RWMIS Database Analysis

Staff of the ERP have been examining the original LLW shipping manifests retrieved from the federal repository for the period 1952 to 1970. An assessment of the accuracy and completeness of the shipping records contained in the RWMIS database for this time period is also being done. Goals for the assessment are to estimate: the accuracy of the RWMIS electronic records relative to the original hard copy shipping records; the internal consistency of the RWMIS electronic records; the completeness of the RWMIS electronic database; and, characterization of the RWMIS electronic database.

The examination being done may generate issues to be resolved as well as provide adjustments to the present RWMIS and PA inventory data when the results become available. The pre-1971 RWMIS data reported was obtained from annual summaries provided by the generators as well as available publications. The pre-1971 shipping manifests were not used to develop the summary data which the RWMIS regularly reports (Litteer 1991, for example). The pre-1971 shipping manifests were entered into an electronic database known as the RWMIS Best-Available -

Data file (BAD-File). Indications are that the pre-1971 shipping manifest data and the BAD-File can be improved and the two files brought more in agreement with the present RWMIS data. This will increase the overall credibility of both databases - the RWMIS, and the pre-1971 shipping manifests (Barnard 1991).

The pre-1971 shipping manifests for the LLW disposed in the RWMC SDA trenches and pits have been examined by the authors. Observations noted include:

- The radionuclides present in the LLW were not always entered on the shipping manifests, the nuclides noted most were Co-60, U-238, U-235, Cs-137, and Sr-90
- LLW weights were entered as the weight of the shipping cask by NRF in the 1960s
- Fuel rods (spent and prototype) are contained in some of the LLW shipments (at least fifteen have been noted) as well as fuel samples for testing
- Some disposed shipments contain 10 to 50 gram amounts of U-235
- Order of magnitude errors in data entry have been found
- Records were found for which the Acid Pit was noted as their disposal location
- Buried scrap from the SL-1 accident
- Buried reactor vessels, piping, shielding, resin columns, resin tanks, core reflectors, control rods and hardware
- Buried, contaminated jet engines and delivery vehicles
- A buried gasoline tank which is noted to possibly contain gasoline
- Approximately 300 previously unrecorded records from pre-1960 were found
- Wastes were disposed which are now considered hazardous, for example: powdered zirconium metal; zirconium cladding; iridium; lead; asbestos; batteries; acids; cyanide; cadmium; nickel; and, mercury.

It is not possible at this time to identify definite changes to the radionuclide inventory pending completion of the ERP work. Preliminary observations of interest to the PA work are:

- Data input errors in transcribing from the shipping manifests to the RWMIS electronic database were found.
- Shipping cask weights were entered on the shipping manifests as the waste weight by NRF up to 1970.
- Pre-1960 shipping records have been found (approximately 300) for CPP, SPERT and TRA, which have never been recorded.

- Approximately 45 LLW shipments of high Curie value (above 50,000 Ci) exist in the BAD-File which may be errors or overestimation results, if this is true and the data was used in the RWMIS reported data, perhaps 2 to 3 million Curies could be reduced from the present total disposed LLW inventory of 11.6 million Curies.

Recommendations

The pre-1971 archives being examined are an good source of information, data and issues for further resolution. This also applies to the post-1971 archives. These files are being examined by staff of ERP. Work is concentrating on the pre-1971 files. This is being done on a burial location basis for the pre-1971 shipping manifests. Performance assessment staff need to keep appraised of this work. Review of the ERP work and its findings should be done and applicable results should be incorporated in the PA.

GENERATOR: Radioactive Waste Management Complex (RWMC/WMC)

Description and Historical Summary

The Radioactive Waste Management Complex (RWMC) at INEL is responsible for the disposal of INEL generated LLW in accordance with DOE Order 5820.2A (U.S. DOE 1988), the INEL LLW Acceptance Criteria (LLW WAC) and safety requirements. Interim storage of TRU waste is also done at the RWMC. The RWMC charter includes the definition, cooperative development and application of technologies for waste management as well as participating in remediation activities.

The RWMC was established for LLW disposal in 1952. Many of the waste shipment records prior to 1960 were destroyed because of records retention practices. The RWMC itself is a minor generator of LLW. The LLW disposal history for the RWMC is shown in Figure 5. The data for the year 1960 are summary data for all INEL generated LLW disposed from 1952 to 1960 that were credited to the RWMC.

Operations Performed, Processes and Experiments

Excluding administrative work, data entry and information processing, the operations performed at the RWMC are: receipt inspection/examination of waste shipments, followed by acceptance or rejection of shipments; temporary storage of TRU waste; handling of waste shipments; and, LLW disposal. Waste package recovery and monitoring experiments are also performed.

LLW contaminated with transuranic isotopes of activity less than 100 nCi per gram but greater than 10 nCi per-gram is currently excluded from disposal in the SDA and is placed in interim storage at the RWMC. LLW contaminated with transuranic isotopes of less than or equal to 10 nCi per gram is disposed at the RWMC. Two types of disposal methods are presently in operation - pits and soil vaults. Pits are used to dispose of contact handled (CH) LLW, which has activity levels less than 500 mR/h at 0.9 meters from contact with the waste container. Soil vaults are used to dispose of remote handled (RH) LLW, which has radiation levels of greater than 500 mR/h at 0.9 meters from contact with the waste container.

TRU waste is no longer disposed at the RWMC. Since 1971 TRU waste has been stored on above-grade, asphalt pads. This TRU waste is to be characterized, certified, repackaged and transported for disposal at the Waste Isolation Pilot Plant (WIPP) Facility. A limited amount of LLW waste is produced at the RWMC. This is generated by cleanup as well as waste retrieval tests. Chemical waste produced at the RWMC originates from cleaning materials. None of this waste is presently hazardous. Low-level waste may be generated at the Stored Waste Examination Pilot Plant (SWEPP). These wastes could be generated by the waste examination and assaying performed at SWEPP.

Figure 5. RWMS recorded disposal history for RWMC.

Affecting/Affected Facilities

The RWMC supports all INEL facilities in the disposal and interim storage of LLW. It also works with other INEL technical groups in the definition, preparation and implementation of waste acceptance criteria and procedures for low-level and TRU waste management.

Products

NA.

Radioactive Wastes and RWMIS Information

Wastes generated at the RWMC are a result of the recovery or cleanup of contamination removed from the exterior of waste packages, decontamination of transport vehicles, or the decontamination of facilities, soils, or storage pads at the RWMC caused by leakage from a waste package. A small amount of LLW may result from testing and experiments. Examples of these are waste package retrieval, and the Vapor Vacuum Extraction Demonstration experiments which have been performed at the RWMC.

The RWMIS records include 6 Ci and 1085 cubic meters of LLW which were disposed in the RWMC SDA since 1971. The radionuclides present in the RWMC LLW are reported by RWMIS to be mostly Cs-137 and Sr-90. Minor amounts of actinides are reported. The RWMC was also "credited" with an INEL overall cumulative LLW generation of 60920 Ci and 18460 cubic meters in the year 1960. This LLW is classified as unidentified beta-gamma. Records for this data do not exist. The data are an overall INEL summary record for wastes disposed between 1952 and 1960. MFP and MAP are represented by an activity of approximately 0.2 Ci of the total 6 Ci reported by the RWMIS. The radionuclides in the RWMC LLW are given in Appendix B.

Questionnaire Response

The generator response to the questionnaire indicates that the LLW disposed in the RWMC SDA agrees with the records contained in the RWMIS. The primary wastes at the RWMC have come directly from RWMC-external generators. Wastes generated at the RWMC are a result of the recovery or cleanup of contamination removed from the exterior of waste packages, decontamination of transport vehicles, or the decontamination of facilities at the RWMC caused by leakage from a waste package. Contaminated soil and asphalt as well as amounts of wood, steel and decontamination materials have been generated.

Library Search Information

There have been numerous studies dealing with the buried waste inventory. A library search of available documents was completed. No significant references were found which address specific radionuclides in addition to those already used in this report.

Other Sources of Information

Interviews and peer reviews of the present report have been done with available INEL personnel who are familiar with past operations at the INEL, the RWMC SDA and the RWMIS.

D&D Plans

The RWMC is planned to provide waste management capability to the INEL at least through the year 2000. Remediation plans for various aspects of the RWMC are presently being defined. To date, Pits 1-10 and Trenches 1-10 are planned to undergo remediation. The TRU waste at the RWMC is planned for removal and disposal at WIPP.

Error Sources and Specific Areas for Improving Information

The RWMC was credited with 60920 Ci and 18460 cubic meters of LLW in 1960. This is a summary record accredited to the RWMC for LLW from all INEL generators for years prior to 1961. Records for 1960 and before are reported to have been destroyed. The LLW is classified as unidentified beta-gamma. This is the most significant source of error for the RWMC. It is a potential source of improving radionuclide information if information can be found.

Justification of Improvements or Changes to the PA Inventory

As a LLW generator, the RWMC has produced a small percentage of the total INEL LLW, adjustments to the RWMC generated LLW are not necessary.

Recommendations

Allocate the RWMC generic radionuclides to the INEL generators. Classify it as 50% Cs-137 and 50% Sr-90.

GENERATOR: Decontamination and Decommissioning (D&D)

Description

The Decontamination and Decommissioning (D&D) program at the INEL is responsible for implementing the Surplus Facilities Management program (SFMP) and the Defense Facilities Decommissioning Program (DFDP) for the DOE-ID office. The D&D program is administered by the Environmental Restoration Program of EG&G Idaho. The D&D program started formally in 1978 and continues to the present. The first shipments of LLW to the RWMC SDA from D&D were in 1978. This is during the period where improved records were kept for the disposed LLW. As a LLW generator D&D has produced a small percentage of the total LLW which has been disposed in the RWMC SDA. The D&D program, due to its nature, could produce significant amounts of volume of varied radionuclide activity (due to decay) in its future operations. The LLW disposal history for the D&D program is shown in Figure 6.

Operations Performed, Processes and Experiments

The activities of the D&D program are: radiological, chemical and physical characterization; analyses to determine the selection of preferred D&D alternatives; D&D project planning, engineering and disposition; and the establishment and maintenance of D&D project data files. Surveillance and maintenance of contaminated, excess facilities are also performed. Through 1990, 25 facilities have been completed; another 45 remain to be decontaminated and decommissioned.

Four types of facility decommissioning alternatives exist when performing D&D work:

Safe Storage

Leave the facility in place. Loose contamination is removed, temporary physical barriers and protective systems are installed and surveillance is performed. An exclusion area is maintained around the immediate site. The site is unavailable for other uses.

Entombment/In Place Stabilization

The facility is left in place. Loose contamination is removed, permanent physical barriers and protective systems are installed and surveillance is performed. An exclusion area is maintained around the immediate site. Unrestricted use of most of site is permitted.

Decontamination for Reuse

The facility is left in place. Contamination is completely removed from facility areas which may possibly be reused. Permanent physical barriers are provided for the remaining contaminated areas. Surveillance is performed until a new tenant moves into the area. An exclusion area is maintained around the immediate site. Unrestricted use of decontaminated areas is permitted.

Figure 6. RWMS recorded disposal history for D&D.

Dismantlement

Fully decontaminate or remove facility. Contamination is reduced to the unrestricted level, no surveillance is performed and unrestricted use is permitted.

All work is done according to EPA RCRA, CERCLA and SARA requirements. Rigid quality assurance requirements exist for D&D work. Included in the satisfactory completion of a D&D project are the: initial characterization and decision analysis; decontamination and decommissioning plan; decommissioning operations description; regulatory documentation; and, final compiled information and data package. D&D work for NRF and ANL-W facilities is not included in the present EG&G D&D long range plan (Sekot 1990). Only a few reports are on file for CPP facilities. These latter two facilities managed by other INEL contractors.

Affecting/Affected Facilities

The D&D program affects most INEL programs which have existed or are in planning. D&D plans are now a requirement in the design of new nuclear facilities and systems.

Radioactively contaminated facilities for which decommissioning has been completed are presented in the D&D long range plan (Sekot 1990). The INEL Site Development Plan (DOE-ID 1990) lists the following facilities as undergoing decontamination and decommissioning: BORAX-V, in progress; EBR-1 NaK coolant; SL-1 demolition equipment; MTR cleanup; TAN-607 DECON SHOP cleanup; and ICCP cleanup. Facilities for which decontamination and decommissioning is planned are: MTR-611 plug storage facility; BORAX-V reactor facility; ARA-II cleanup; WRRTF hot waste tank cleanup and remediation; ARA-I cleanup; TTAF cleanup; and ETR cleanup.

Products

The products of the D&D program are used, scrap material which can go to a sanitary landfill; decontamination liquids (consolidated at ICCP before disposal); reactor fuels which are reprocessed at the ICCP; low-level radioactive waste for reduction and/or disposal (scrap material, equipment, contaminated soil); a limited amount of TRU waste (e.g., plutonium present in the NaK coolant) for eventual disposal at WIPP; and, salvage materials, facilities, and equipment for resale or reuse. No hazardous wastes have been disposed by the D&D program at the RWMC SDA.

Radioactive Wastes and RWMIS Information

The RWMIS records include 5693 Ci and 2530 cubic meters of LLW which were disposed in the RWMC SDA from 1978 to 1989. These data are shown in Figure 6 by year. The radionuclides present in the D&D LLW are reported to be predominantly: Co-60; Cs-137; Mn-54; Fe-55; Sr-90; Nb-95; Ni-59; Ni-63. Minor amounts of actinides are also reported. MFP, MAP and UI-BG are represented by an activity of circa 8 Ci of the total 5693 Ci reported by the RWMIS. A detailed list of the radionuclides disposed by D&D in the RWMC SDA is given in Appendix B.

Questionnaire Response

Generator response to the questionnaire indicates that LLW disposed in the RWMC SDA from D&D work agrees with the records contained in the RWMIS. Final reports and project information files are kept as records in the D&D program office. The D&D program is confident radionuclides reported in RWMIS are correct.

Reported wastes include: steel pipe; concrete and steel structural materials; soil; small amounts of solidified sludge; and, reactor vessels. No chemicals have been disposed at the RWMC SDA. Except for large components which cannot be reduced, the wastes are shipped to the RWMC SDA in 4x4x4 foot, 2x4x8 foot, or 4x4x8 foot metal boxes. Shielding is rarely used. Concrete grouting is used when necessary for radiation protection. The radionuclides present are mostly Co-60 and Cs-137 with small amounts of radionuclides of silver, europium, and strontium.

Library Search Information

Many of the reports done by the D&D program are available in the INEL Technical Library. However, the best source for these reports is the D&D program itself. Some files were reported to be available from personnel still in the program, other files exist in personal staff records. The D&D program is subject to comprehensive, structured documentation requirements.

Other Sources of Information - Decontamination and Decommissioning Files

The decontamination and decommissioning (D&D) files for INEL LLW generators were examined. Major focus was on Test Area North (TAN) and the Test Reactor Area (TRA). D&D reports for less significant areas such as BORAX, the Auxiliary Reactor Area (ARA), SPERT, and the Idaho Chemical Processing Plant (ICPP) were also examined.

Examination of D&D characterization reports for TAN show that Cs-137, Co-60, Sr-90, Mn-54, Fe-55, Ni-63, and Ni-59 are present in significant amounts. Other radionuclides detected in minor amounts include U-235, Cs-134, Eu-152, Eu-154, Eu-155, Ra-226, Th-228, Pu-238, Pu-239, Pu-240 and Am-241.

D&D characterization reports for TRA, including the decontamination and decommissioning of the Materials Testing Reactor and the Engineering Test Reactor, show significant amounts of Cs-137, Co-60, and Sr-90. Minor amounts of Cs-134, Po-210, Zr-95, Ru-103, Cr-51, Ce-141, Ce-144, Be-10, C-14, Ra-226, Th-228, H-3, Na-24, U-235, Mn-54, Pu-238, Pu-239, Pu-240, Am-241, Ag-108, Nb-95, Sb-125, and Hf-181 are also reported.

Radionuclides reported within D&D reports for the BORAX facility include Cs-137, Co-60, U-235, Cs-134, Sr-90, Pu-238, Pu-239, Pu-240, U-238, U-235, and U-234.

Examination of the D&D reports for areas within ARA show Cs-137 and Co-60 to be major radionuclides. Small amounts of Eu-154, U-235, Sr-90, Ag-108, Pu-238, Pu-239, Pu-240, U-238, U-234, U-233, U-235, and U-236 are reported as well.

Major radionuclides reported within the SPERT D&D documents include both Cs-137 and Co-60. Radionuclides detected in negligible amounts include U-235, Sr-90, Pu-238, Pu-239, Pu-240, U-238, and U-234.

D&D reports for CPP show that Cs-137, Co-60, Eu-155, Eu-154, and Eu-152 are present in significant amounts, with Eu activity levels exceeding Cs levels in some areas. Also reported at CPP are Sr-90, Cs-134, Sb-125, Ce-144, Mn-54, Nb-95, Ru-106, Zr-95, Co-57, Pu-238, Pu-239, Pu-240, U-233, U-234, U-235, U-236, U-238, and Am-241.

The information found in the examined D&D reports agrees with the data reported in the RWMIS.

D&D Plans

NA.

Error Sources and Specific Areas for Improving Information

Prior to the D&D of a facility, detailed radio-chemical analyses of the prospective D&D materials are conducted. The results of these analyses are reported in the initial decision and characterization documents required by the D&D program before D&D work is started. Very early D&D projects were developing the documentation requirements and D&D procedures. It may be that some of the early D&D work was not reported to the degree of detail as later work. Potassium-40 was reported as a significant natural background emitter in the INEL region.

Justification of Improvements or Changes to the PA Inventory

Adjustments to the LLW inventory adjustments for D&D are not necessary. As a LLW generator, D&D has produced a small percentage of the INEL total LLW. The D&D program, due to its nature, could produce significant amounts of both volume and activity in future work.

Recommendations

The D&D files should be examined by performance assessment staff (not solely waste management staff) who are familiar with radiation contamination, reactors and fuels. Nuclear engineering and health physics staff may gain additional information.

GENERATOR: Argonne National Laboratory-West (ANL-W)

Description

Argonne National Laboratory West (ANL-W) is an INEL complex which provides basic support for the Integral Fast Reactor (IFR) research and development program. ANL-W is and has been a significant LLW generator. Volumes of LLW generated at ANL-W since 1960 have remained fairly constant, with an average of approximately 280 cubic meters/yr. The annually disposed Curies have varied widely, however, with some stabilization occurring after 1977. From 1960 to 1989, Curies have ranged from 3 Ci reported in 1963 to 463321 Ci reported in 1989. The LLW disposal history for ANL-W is shown in Figure 7.

Operations Performed, Processes and Experiments

ANL-W operates four major facilities at the INEL in support of the IFR. They include the Experimental Breeder Reactor II (EBR-II), the Transient Reactor Test Facility (TREAT), the Zero Power Physics Reactor (ZPPR), and the Hot Fuel Examination Facilities (HFEF). A fifth facility, the Fuel Cycle Facility (FCF), will soon be operable.

EBR-II consists of a sodium-cooled reactor, an intermediate closed loop of secondary sodium, and a steam plant that produces electrical power. The original emphasis in the design and operation of EBR-II was to demonstrate a complete breeder reactor power plant with on-site reprocessing of metallic fuel. After 1969, the emphasis at EBR-II was then shifted to irradiation testing of fuels and materials for larger liquid metal reactors. EBR-II is now a central part of the Integral Fast Reactor Program (IFR). It also is a power producer for the INEL (it is connected to the North West power grid).

TREAT is a uranium-oxide-fueled, graphite-moderated, air-cooled reactor designed to produce short controlled bursts of nuclear energy. The purpose is to simulate accident conditions leading to fuel damage, while leaving the reactor's driver fuel undamaged.

ZPPR is the national facility for testing physics properties of advanced fast-spectrum reactors, large breeder reactors, space reactors, or gas-cooled fast reactors. Testing is achieved by assembling and operating a reactor that closely resembles the particular design that is under consideration. The ZPPR critical assembly is put together from rectangular building blocks of fuel, coolant, and structural materials. ZPPR is operated at very low power, the materials therefore do not become highly radioactive and can be used over and over again.

HFEF and the Fuel Cycle Facility (FCF) consist of two large buildings, each containing an air atmosphere and an argon-gas-atmosphere hot cell. The argon gas cells are utilized for work involving exposure of materials such as sodium and plutonium that would react chemically with air. FCF was originally the Fuel Cycle Facility for EBR-II. During operations at EBR-II, it contained a remotely operated production line for the reprocessing, fabrication and recycling of spent fuel. This project was discontinued in 1969. The facility was subsequently used for the examination of fuels and materials irradiation experiments and other support for EBR-II and TREAT reactors. The facility is now being modified for use in demonstrating the new remote reprocessing and fabrication

Figure 7. RWMIS recorded disposal history for ANL-W.

fuel cycle process for the IFR program. HFEF began operations in 1975. It has several features well suited for examining irradiation experiments. The argon-gas-atmosphere hot cell is designed for containment of any plutonium contamination released during experiments. The main cell is arranged for vertical handling, examination and cutup of long fuel elements. Much of the in-cell examination equipment for fuel elements is automated or semi-automated.

Several support facilities also exist at ANL-W. The Fuel Manufacturing Facility (FMF) contains the entire operation of manufacturing metallic fuel elements and complete fuel subassemblies for EBR-II within a single building. The Sodium Process Facility (SPF) is a facility designed and built to convert elemental sodium to 50% sodium hydroxide. The Radioactive Scrap and Waste Facility (RSWF) operates as a mixed waste storage facility. The Radioactive Liquid Waste Treatment Facility (RLWTF) is used to evaporate all liquid waste suspected of containing radioactivity.

Affecting/Affected Facilities

NA.

Products

NA.

Radioactive Wastes and RWMIS Information

The RWMIS records include 2225866 Ci and 8233 cubic meters of LLW which were disposed by ANL-W in the RWMC SDA since 1961. A wide variety of radionuclides are contained in ANL-W LLW. The primary radionuclides include: Cs-137, Sb-125, Co-60, Cs-134, Cr-51, Fe-59, Mn-54, Ta-182, Ce-144, Ce-141, Co-58, Sr-90, and H-3. Other radionuclides are present in minor amounts. UI-BG and UI-ALPHA constitute approximately 49360 Ci. MAP is represented by an activity of approximately 420 Ci and MFP is represented by an activity of approximately 1080 Ci. Known radionuclides in the ANL-W LLW are given in Appendix B.

Questionnaire Response

Generator response indicates that the ANL-W inventory agrees with what is reported in the RWMIS. Log books and records exist at some ANL-W facilities. EBR-II eliminated the classification MAP/MFP radionuclides and reported the actual radionuclides for each year since 1971. HFEF-FCF gave specific radionuclides for the MAP/MFP radionuclides of: 40% MAP; 60% MFP; MAP, Co-58 (50%) and Mn-54 (50%); and, MFP, Cs-137 (20%), Ce-144 (50%), Sr-90 (20%) and Cs-134 (10%). This distribution is to be applied for all years. RLWTF gave specific nuclides likely to be present in MAP and MFP of: Na-22; Mn-54; Co-58; Co-60; Cs-134; Cs-137; Ce-144; Eu-154; and, Eu-155. ZPPR reports minor amounts of MFP as U-238 and U-235 and minor amounts MAP being Fe-59 and Al-28.

Other Sources of Information

Additional sources of information are: past INEL and RWMC staff familiar with ANL-W operations and low-level wastes; INEL Library; the historical records contained in the files of the ERP, which are presently being examined.

D&D Plans

Experimental Breeder Reactor 1 (EBR-1) has been decontaminated and decommissioned, as has Zero Power Reactor 3 (ZPR-III), and the Heat Transfer Reactor Experiment Dolly (HTRE-CTF and HTRE-P-102). No other information on D&D plans for ANL-W facilities was available.

Error Sources and Specific Areas for Improving Information

The most significant source of error and area for improving the radionuclide inventory is the present breakdown of UI-BG and MAP/MFP.

Justification of Improvements or Changes to the PA Inventory

With the exception of the UI-BG and MAP/MFP radionuclides the data from ANL-W appear to be good. Generator recommended a breakdown for ANL-W generic radionuclides.

Recommendations

The approximate 50,000 Ci of pre-1971 UI-BG LLW and the 1,500 Curies of post-70 MAP/MFP radionuclides should be split as 40% MAP and 60% MFP. The MAP should be Co-58 (50%) and Mn-54 (50%). The MFP should be Cs-137 (20%), Ce-144 (50%), Sr-90 (20%) and Cs-134 (10%).

GENERATOR: Argonne National Laboratory-East (ANL-E)

Argonne National Laboratory East (ANL-E) is a facility external to the INEL. No information or generator response has been obtained to date. ANL-E is a minor generator of LLW. The LLW disposal history for ANL-E is shown in Figure 8.

The RWMIS records include 1446 Ci and 5001 cubic meters of LLW which were disposed in the RWMC SDA since 1980. A variety of radionuclides are contained in ANL-E waste, the predominant ones (in small concentrations) being Co-60, Co-57, Mn-54, Cs-137, Sr-90, Ra-226, H-3 (120 Ci) and Th-228 (9 Ci). ANL-E LLW has been buried since the improved RWMIS has been used. The RWMIS and PA radionuclide information can assumed to be correct.

Recommendations

None.

Figure 8. RWMS recorded disposal history for ANL-E.

GENERATOR: Central Facilities Area (CFA)/ Auxiliary Reactor Area (ARA)

Description

The Central Facilities Area (CFA) is an INEL location providing centralized support services for programmatic and non-programmatic efforts of INEL contractors. The Auxiliary Reactor Area (ARA), previously known as the Army Reactor Area, was established as a working area to develop a compact power reactor capable of being moved with a minimal amount of time between shutdown and start-up. ARA has supported materials testing, environmental monitoring and hot cell operations. Most of the ARA facilities have been decontaminated and decommissioned. Minor amounts of LLW have been generated by CFA and ARA. The LLW disposal history for CFA and ARA is shown in Figures 9 and 10.

Operations Performed, Processes and Experiments

The original facilities at CFA were built in the 1940s and 1950s. The facilities were initially used to house Naval Gunnery Range personnel and, later, National Reactor Testing Station personnel. The facilities have been modified over the past 30 years to fit the needs of the INEL. CFA now provides four major types of functional space: craft, office, services, and laboratory. Included at CFA are administrative offices, craft shops, warehouses, transportation facilities, hazardous waste storage facilities, and site service staging areas, as well as facilities for the Radiological and Environmental Sciences Laboratory and the United States Geological Survey. The security, fire protection, medical, laundry, and cafeteria services at CFA, together with services at other areas, combine to provide self-sufficiency at the INEL.

The ARA encompasses four satellite areas: ARA-I, ARA-II, ARA-III, and Reactive Storage and Treatment Area (RSTA, formerly ARA-IV). These facilities were constructed in 1957 to test U.S. Army portable power reactors. In 1965, the Army Reactor Program was phased out and all reactors have since been removed. Use of the ARA is being discontinued due to the lack of mission activity in the area. Remote location and the high operating costs associated are credited with its closure. Since 1966, work at ARA has included a variety of technical support services for INEL research and development programs that use the metallurgy laboratory, the instrument development laboratory, and the hot cell facility.

Specific work reported at ARA-I included designing, testing, and treating materials as well as making fatigue measurements on irradiated materials, studying thermonuclear reactor design and feasibility, applying crystal growth processes related to geothermal research, and studying neutron irradiation effects.

The decontamination and decommissioning assessment has been completed at ARA-I and the hot cell project is idle. ARA-II originally housed the Stationary Low Power Reactor-1 (SL-1), an Army-operated reactor that was accidentally destroyed during shutdown in 1961. Following the accident, the three main buildings were converted to offices and a welding shop. The reactor has been dismantled at ARA-II and decontamination and decommissioning is scheduled for FY 1991.

Figure 9. RWMIS recorded disposal history for CFA.

Figure 10. RWMIS recorded disposal history for ARA.

The SL-1 surplus area is located about 4.5 miles north of the southern INEL boundary. The area contains most of the SL-1 dismantled reactor building, contaminated equipment, contaminated dirt and gravel, and decontamination waste.

ARA-III originally housed the Army Gas Cooled Reactor Experiment, a water-moderated, nitrogen-cooled, direct- and closed-cycle reactor generating heat, but no electricity. This project was the forerunner of the Mobile Low Power Plant-1 Program which was eventually phased-out in 1965. The reactor has been removed from ARA-III and is ready for decontamination and decommissioning.

The Reactive Treatment and Storage Area (RSTA) of the ARA complex housed the Nuclear Effects Reactor used to test the performance of new detection instruments being developed for reactor control purposes. Following the program phase-out and reactor transfer to Lawrence Livermore National Laboratory in 1970, all utilities were terminated and the tanks, machinery, and electrical equipment were either abandoned or moved to other facilities. The facility was characterized in FY1983 and decontaminated and decommissioned in FY1988. Currently, RSTA is not occupied by personnel but is used for remote testing.

The Experimental Organic Cooled Reactor (EOCR) and the Organic Moderated Reactor Experiment (OMRE), now known as the Security Training Facility (STF), is located approximately 2.5 miles east of CFA. The STF was originally built to house the organic reactor program, which addressed coolant and fuel element technology for advanced organic reactor concepts. Work was halted at this area September 1962 and the physical facilities were declared excess. Facility reactors were never used. Since 1979 the facility has been used for material storage, for security force practice maneuvers and occasional destructive testing of reactor components or hazardous materials. Decontamination and decommissioning has been completed at OMRE.

Affecting/Affected Facilities

NA.

Products

NA.

Radioactive Wastes and RWMIS Information

The RWMIS records include 385 Ci and 2504 cubic meters of LLW generated at CFA which were disposed in the RWMC SDA since 1961. CFA LLW predominantly consists of UI-BG and Co-60. UI-BG constitutes approximately 190 Ci of the total 385 Ci reported for CFA. Co-60 is represented by an activity of approximately 160 Ci. Minor amounts of Cs-137, Ba-133, H-3, Na-22, Fe-59, Ra226, U-235, U-238, Ta-182 and UI-ALPHA are also reported. Activity levels for MFP and MAP are negligible for CFA.

Radioactive wastes from operations conducted at ARA include 4025 Ci and 442 cubic meters of LLW which were disposed in the RWMC SDA since 1961. The LLW is primarily characterized as UI-BG, which is represented by an activity of approximately 3400 Ci of the total 4034 Ci reported

for ARA. Co-60 and Cr-51 are present with activity greater than 50 Ci. Small amounts of Ag-110, Mn-54, Zn-65, Cs-137, U-235, U-238, Ce-141, Zr-95, Nb-95, Am-241, Fe-59, Ni-59, Pu-239, Ce-144, Cs-134, and Pu-240 are also reported. Activity levels for MFP, MAP, and UI-ALPHA are negligible.

The RWMIS records include 2434 Ci and 1364 cubic meters of LLW generated at EOCR/OMRE/STF and disposed in the RWMC SDA from 1961 to 1965. The greater part of the activity occurs in 1965. The LLW is identified as UI-BG.

The RWMIS records for SL-1 include 599 Ci and 2319 cubic meters of LLW which were disposed in the RWMC SDA in 1961 and 1962. The LLW generated at SL-1 is identified as UI-BG.

Known radionuclides in the LLW generated by CFA, ARA, EOCR/OMRE/STF, and SL-1 are given in Appendix B.

Questionnaire Response

Waste generated at the ARA reactors from 1980 to the present was noted to contain Cs, Co, I, Sr, Zn, Pu, U, Pb, and silver zeolite. Some of the RWMIS data for CFA/ARA MFP waste was noted as containing all of the isotopes associated with the fission of fuel. Chemicals included in waste packages shipped from ARA to the RWMC include Turco, Radiac wash, and alcohol. Wastes disposed in the past in the RWMC SDA include buried resin columns used to decontaminate warm waste. Most of these latter wastes are presently considered as hazardous wastes and burial would not be permitted at the RWMC SDA today.

Other Sources of Information

Additional sources of information are: past INEL and RWMC staff familiar with CFA and ARA operations and low-level wastes; INEL Library; historical record contained in the files of the ERP which are presently being examined; and, records currently stored in Records Storage.

D&D Plans

Reactors at ARA-I and ARA-III have been removed and the areas are ready for decontamination and decommissioning. The reactor at ARA-II has been dismantled and decontamination and decommissioning is scheduled for FY 1991. Decontamination and decommissioning was completed at RSTA in FY 1988. EOCR and OMRE were never used. The reactors have been dismantled. The LLW disposed at the RWMC SDA following early D&D operations at CFA were apparently entered into the RWMC database as waste generated by CFA and not by the D&D program.

Error Sources and Specific Areas for Improving Information

The most obvious source of improvement is to examine the fuel(s) used in the reactor operations. The fission product distributions for fuels are normally known. This indicates that the fuels used in the ARA reactors could be determined and a radionuclide summary be made. Verification of information gathered from the generator response may be attained by locating records currently stored in Records Storage. Past INEL and RWMC staff familiar with CFA and ARA

operations and their LLW can be interviewed. The historical record contained in the files of the ERP which are presently being examined is also a source of information.

Justification of Improvements or Changes to the PA Inventory

Since the CFA and ARA facilities did not produce large amounts of LLW, adjustments to the LLW inventory are not necessary at this time.

Recommendations

None.

GENERATOR: Chemical Processing Plant (CPP)

Description

The Idaho Chemical Processing Plant (ICPP) is an INEL facility for processing fuel, receiving and storing fuel, and managing radioactive and hazardous wastes. ICPP is and has been a significant LLW generator. The volumes of LLW from ICPP vary widely between 207 and 3111 cubic meters per year since 1960. The annually disposed Curies have also varied widely between 37 and 326260 Ci per year. High LLW Curie production occurred during the years 1973 and 1982. The LLW disposal history for CPP is shown in Figure 11.

Operations Performed, Processes and Experiments

In 1953, the ICPP began operation and has served as an engineering-scale demonstration facility to process highly enriched spent reactor fuel for the recovery of uranium and krypton gas. The first successful processing of stainless steel-clad fuels took place at ICPP. Processing of zirconium and stainless steel alloy fuels has subsequently become the principal production responsibility. Excluding administrative work, data entry and information processing, other operations performed at CPP include:

- Reprocessing Naval fuel
- Receiving, storing and reprocessing other DOE assigned fuels
- Recovering high-enriched uranium and special isotopes
- Managing radioactive and hazardous wastes.

Affecting/Affected Facilities

NA, not applicable for this generator.

Products

NA, not applicable for this generator.

Radioactive Wastes and RWMIS Information

The RWMIS records include 614739 Ci and 31712 cubic meters of LLW which were disposed in the RWMC SDA since 1961. The CPP LLW contains a wide variety of radionuclides, including: Ce-144, Cs-137, Nb-95, Pr-144, Rh-106, Ru-106, Sb-125, Sr-90, Y-90, Sr-95, Zr-95, Nb-95, Ce-141, Co-58, Co-60, Cs-134, Eu-152, Eu-154, Eu-155, Mn-54, Cr-51, Fe-59, Fe-55, and Mn-56. MFP is represented by an activity of approximately 1860 Ci and MAP is represented by an activity of 23070 Ci. UI-BG constitutes approximately 99790 Ci. Known radionuclides in the CPP LLW are given in Appendix B.

Figure 11. RWMISS recorded disposal history for CPP.

Questionnaire Response

Process history, which includes the processing of aluminum fuel, zirconium fuel, graphite, and stainless steel clad fuel, has shown almost the same radionuclide breakdown and concentrations throughout operations. Isotopic breakdowns are performed in each process run to ensure consistency in the process. Differences may occur in the years 1981 and 1982 where the concentrations increased for CPP-603 waste (due to sludge removal from the basins). The isotopes, however, are believed to be the same.

Most waste is in combustible or compactible form and is packaged in cardboard boxes for further reduction at WERF. Non-compactible waste is primarily structural steel from demolition, glass, soils, and concrete, packaged in wood boxes.

The generator response indicates that no chemicals, explosives, or explosive mixtures have been shipped to RWMC. Aerosol cans and batteries may have been sent to the RWMC in the past.

The generic LLW includes approximately 100,000 Ci identified as UI-BG radionuclides and 25,000 Ci identified as MAP/MFP radionuclides. The UI-BG radionuclides are from the pre-1971 time period. The MAP/MFP radionuclides are from the time period since 1971. These generic radionuclides represent approximately 20% of the total activity disposed at the RWMC SDA by CPP. CPP staff have provided a standard radionuclide breakdown for the LLW of: Sr-90 (10%); Y-90 (10%); Zr-95 (3.1%); Nb-95 (3.1%); Cs-137 (10%); Ce-144 (19.7%); Pr-144 m(19.7%); Sb-125 (4.4%); Ru-106 (10%); and, Rh-106 (10%). This radionuclide breakdown for the 100,000 Ci of UI-BG or the 25,000 Ci of MAP/MFP radionuclides is to be used for all years. The CPP response notes that the radionuclide mix in the disposed LLW has not changed appreciably since 1952.

Other Sources of Information

Additional sources of information are: past INEL and RWMC staff familiar with CPP operations and low-level wastes; INEL Library; documents located at CPP-608 and CPP-666; and the historical records contained in the files of the ERP which are presently being examined.

D&D Plans

Completed decontamination and decommissioning projects at ICPP include the CPP BIF Filter Room (1984), CPP Cells A, B, C, D, and L (1984), CPP 631 Radioactive Lanthanum-140 (RALA) Off-Gas Cell (1986), and the CPP 633 (NaK) Furnace (1983).

Facilities at ICPP that are scheduled to be decommissioned include the Fuel Element Cutting Facility (FECF), the Waste Calcining Facility (WCF), RALA Off-Gas Vault and High Vacuum Cell (equipment removed during previous D&D work), the Stored Fuel Exterior Waste Tank and Vault, the Electrolytic Dissolution System, the ROVER Graphite Fuel Processing System, and areas within CPP-603. Surplus facilities at ICPP for which decontamination and decommissioning has not been completed include CPP-603 FECF, CPP-740 Basin Filter System, CPP-603 SFE-20 Waste Tank and CPP-633 WCF.

Error Sources and Specific Areas for Improving Information

Past INEL and RWMC staff familiar with CPP operations and low-level wastes can be interviewed. Documents located at CPP-609 and CPP-666 can be reviewed for pertinent information. The historical record contained in the files of the ERP which are presently being examined is also a source of information.

Justification of Improvements or Changes to the PA Inventory

Adjustments to the LLW inventory can be made at this time. These changes are based upon generator changes to the RWMIS for the years 1971 through 1990 and generator recommendations for allocating their disposed generic radionuclides.

Recommendations

As per the generator response, the 125,000 Curies of generic classified LLW should be split as being: Sr-90 (10%), Y-90 (10%), Zr-95 (3.1%), Nb-95 (3.1%), Cs-137 (10%), Ce-144 (19.7%), Pr-144 (19.7%), Sb-125 (4.4%), Ru-106 (10%), and Rh-106 (10%).

GENERATOR: Naval Reactor Facility (NRF)

Description

The Naval Reactor Facility (NRF) at the INEL is a reactor development and training facility for the NAVY, operated by Westinghouse Electric Company (WEC). Information about the work performed at NRF is limited. Reactor research, testing, and development are done at various nuclear facilities at the INEL in support of NRF. This includes the design of advanced propulsion systems, new systems for present nuclear systems, and the design of advanced equipment for future use. The Extended Core Facility (ECF) is part of the NRF. NRF also has special training simulator systems in place for training members of the Navy Nuclear Fleets. NRF is and has been a significant LLW generator. The volume of LLW from NRF has varied around approximately 500 cubic meters per year since 1960. The annual disposed Curies have varied widely between 10000 and 1,000,000 Ci per year. There have been six periods of high LLW Curie production, two pre-1974 and four post-1974. The LLW disposal history for NRF is shown in Figure 12.

Operations Performed, Processes and Experiments

NRF was established in the late 1940s. It was constructed to support the Navy in developing nuclear power systems for naval weapons systems. Research and development began at the NRF in 1951.

Affecting/Affected Facilities

NRF uses the capabilities and facilities of various INEL generators. Two major facilities are used to support NRF, they are: TRA for components and fuel development; and, the CPP for fuel reprocessing of the spent fuel reactor systems.

Products

Reactor power systems including training in their use.

Radioactive Wastes and RWMIS Information

The RWMIS records include 4356556 Ci and 21140 cubic meters of LLW which were disposed in the RWMC SDA since 1961. The NRF LLW contains a wide variety of radionuclides. The majority of radionuclides are: Co-58; Co-60; Fe-55; Cs-134; Cs-137; Sr-89; Sr-90; Ni-59; Ni-63; Sb-125; Sn-119; Zr-95; Mn-54. Minor amounts of actinides are present in the LLW. MFP, MAP and UI-ALPHA are present in minimal amounts. UI-BG constitutes some 3,100,000 Ci for the period 1961 to 1970, approximately 3/4 (71%) of the total reported NRF Curies. Known radionuclides reported in the RWMIS for NRF LLW are given in Appendix B.

Figure 12. RWMIS recorded disposal history for NRF.

Questionnaire Response

To date, no generator response has been received from NRF.

Other Sources of Information

Additional sources of information may be: past INEL and RWMC staff familiar with NRF operations and low-level wastes; and, the historical records contained in the files of the ERP.

D&D Plans

Unknown. NRF facilities are not reported in the EG&G Site Development Plans or the INEL D&D plan.

Error Sources and Specific Areas for Improving Information

To date, the generator has not responded to the questionnaire. Library material for NRF that identifies specific radionuclides is not available. Fission product distributions for fuels are normally available in published tables. The fuels used in the NRF reactors could possibly be analyzed to obtain improved radionuclide data.

Justification of Improvements or Changes to the PA Inventory

Adjustments to the LLW inventory cannot be made at this time. Generator assistance is needed for specific radionuclide identification. The NRF LLW is reported to have approximately 3,100,000 Ci of UI-BG LLW.

Recommendations

Obtain generator response to the questionnaire. Indications are that the processes have not changed significantly for NRF. Radionuclides generated and disposed in the 1960 (or earlier) to 1971 time period could possibly be estimated by those produced since 1970. Generator review is needed with such an assumption. Obtain additional background information from NRF if possible.

GENERATOR: Power Burst Facility (PBF)

Description

The Power Burst Facility (PBF) is and has been a minor LLW generator. The PBF reactor is presently in standby mode. Funding for research is expected in 1992. Its charter currently includes the Boron Neutron Capture Therapy (BNCT) program, the development of waste management technologies, waste process research, waste reduction, and the storage of radioactive, mixed wastes. It also participates in identifying cleanup and remediation tasks. The earlier SPERT (Special Power Excursion Reactor Test) reactor facilities in the present PBF area produced LLW which was disposed before 1971 and were not required to report the radionuclides in the LLW. The waste reported for PBF and the SPERT program facilities are, respectively: 573 Ci and 950 cubic meters; and, 24 Ci and 509 cubic meters of LLW. The LLW disposal history for PBF and SPERT are shown in Figures 13 and 14.

Operations Performed, Processes and Experiments

The Power Burst Facility (PBF) at the INEL currently provides facilities for research and development for waste reduction programs and the BNCT program. The PBF was originally constructed for the SPERT (the SPERT 1 to 4 reactor installations) in the late 1950s. It presently includes five unique operations: PBF Control Center Area; PBF Reactor Area, which is the only operational reactor in the PBF area; Waste Engineering Development Facility (WEDF), which was the SPERT-2 facility; Waste Experimental Reduction Facility (WERF), at SPERT-3; and, the Radioactive Mixed Waste Storage Facility (RMWSF), at SPERT-4. The reactor at the PBF facility is in standby status. Upon receipt of funding, it is to start up for use by the BNCT program. The WEDF is an engineering and development center for waste technology applications. The WERF is a LLW processing and reduction facility (WERF is discussed separately in this report). It processes approximately 60% of the LLW from the INEL generators and produces relatively high volumes of very low activity LLW for disposal in the RWMC SDA. The RMWSF is a Resource Conservation and Recovery Act (RCRA) storage facility for radioactive mixed waste.

The reactors of the four original SPERT programs have been decontaminated and decommissioned. The earlier SPERT facilities were involved in research and experiments in the areas:

- Thermal fuels behavior
- Severe fuel damage
- Reactor safety
- Reactor transients
- Alternative moderators
- Flow, temperature and pressure transients
- Alternative reactor core designs.

Figure 13. RWMISS recorded disposal history for PBF.

Figure 14. RWMIS recorded disposal history for SPERT.

Excluding administrative work, data entry and information processing, the operations performed at the present PBF facility are:

- Engineering and development for waste technology applications
- Waste processing and reduction facility (WERF)
- Radioactive mixed waste storage
- BNCT research.

Affecting/Affected Facilities

NA.

Products

NA. The present PBF facility is used for irradiation, no products are produced.

Radioactive Wastes and RWMIS Information

Radioactive wastes from operations and experiments done at the PBF and its predecessor SPERT facilities include: Cs-134; Cs-137; Co-60; Noble gasses; I-129; I-131; Te-127. Minor amounts of actinides and lanthanides are reported. MFP and MAP are represented by an activity of approximately 192 Ci of the total 573 Ci reported for the PBF. The radionuclides for PBF and the SPERT facilities are given in Appendix B. The RWMIS records for PBF include 573 Ci and 950 cubic meters of LLW which were disposed in the RWMC SDA since 1975. The earlier SPERT reactor facilities include 24 Ci and 509 cubic meters for the period 1960 to 1989 (most is from the period 1960 to 1977).

Questionnaire Response

Formal record keeping requirements were not in place at the PBF or its predecessor facilities during its early years of operation. Best estimates of the LLW that was disposed in the RWMC SDA were made by staff familiar with the PBF/SPERT work. Some of the RWMIS data for MFP waste is noted as most likely being Cs-137 (circa 175 Curies). Wastes disposed in the RWMC SDA include: acetone; alcohol; lead; cadmium; dry-cell batteries; aerosol cans; and, cleaning agents. These are now considered hazardous. The generator response to the questionnaire indicates that the LLW disposed in the RWMC SDA should be reconstructible from, or agree with, the records contained in the RWMIS.

Library Search Information

Available documents and papers agree with the radionuclides noted in RWMIS and the generator response.

Other Sources of Information

Noted above.

D&D Plans

The majority of the earlier SPERT facilities and their reactors have been decontaminated and decommissioned. The PBF will start up upon receipt of funding for its BNCT program; BNCT work and research is to continue indefinitely.

Error Sources and Specific Areas for Improving Information

Although large LLW volumes and activity were/are not generated by the PBF and its predecessor facilities, a large percentage of what they did generate was reported as MFP-MAP LLW.

Justification of Improvements or Changes to the PA Inventory

The PBF and its predecessor facilities have been minor generators. Further refinement of the radionuclide data is a low priority. Adjustments to the LLW inventory are not necessary at this time.

Recommendations

None.

GENERATOR: Waste Experimental Reduction Facility (WERF)

Description

WERF is and has been a minor LLW generator. It has been reducing the volume of LLW produced by INEL generators since 1985. It is a conversion of the old SPERT-3 facility. The amounts of disposed LLW reported for WERF are 1.1 Ci and 1246 cubic meters from 1985 to 1989.

Operations Performed, Processes and Experiments

WERF is part of the Waste Reduction Operations Complex (WROC) at the INEL which provides facilities for research and development for waste reduction programs and waste technology. WERF is a waste processing and reduction facility. It processes approximately 60% of the volume of low activity LLW from the INEL generators for disposal in the RWMC SDA. It also participates in identifying cleanup and remediation tasks. No reactors are present at WERF.

Excluding administrative work, data entry and information processing, the operations performed at the present WERF facility are the following:

- Size reduction of wastes, via mechanical (compaction, crushing, sawing), melting and casting, or incineration
- Incineration of hazardous mixed wastes to eliminate the hazardous characteristic or components
- Packaging and transport to the RWMC SDA.

A variety of WERF improvement studies are being done or planned.

Affecting/Affected Facilities

WERF processes LLW from all INEL generators. Only LLW which meets the WERF waste acceptance criteria can be processed by the facility.

Products

The LLW which is reduced or processed by WERF, upon meeting the RWMC Waste Acceptance Criteria, is shipped for disposal in the RWMC SDA.

Radioactive Wastes and RWMIS Information

Radioactive wastes from operations at WERF are reported all as being MFP and MAP. The RWMIS records include 1.1 Ci and 1246 cubic meters of this MAP/MFP LLW which were disposed in the RWMC SDA since 1985.

Questionnaire Response

WERF classifies its LLW as MFP/MAP. Radionuclides present in the waste from INEL generators may have been characterized by the generators before shipping to WERF. WERF processing began after improved RWMIS information requirements were established. This means that the waste shipment Curies and volumes should be accurately reflected in the RWMIS.

Library Search Information

NA.

Other Sources of Information

NA.

D&D Plans

NA.

Error Sources and Specific Areas for Improving Information

NA.

Justification of Improvements or Changes to the PA Inventory

Adjustments to the LLW inventory are not necessary.

Recommendations

None.

GENERATOR: Test Area North (TAN)

Description

Test Area North (TAN) is an INEL location for the support of research and development programs. TAN presently generates a small amount of LLW. The volumes from TAN have remained fairly constant over time--approximately 300 cubic meters per year since 1960. The annually disposed Curies, however, have varied widely, circa: 10 Ci per year since 1980; 1000 Ci per year for 1964 to 1979; and 10000 Ci per year during the period 1961 to 1963. The LLW disposal history for TAN is shown in Figure 15.

Operations Performed, Processes and Experiments

TAN was established in 1954, with sustained growth during 1961. TAN was originally built to support the Aircraft Nuclear Propulsion Program (ANP). TAN presently includes one major facility, the Technical Support Facility (TSF). TAN has three primary satellite areas: the Initial Engine Test Facility (IET), the old ANP facility; the Containment Test Facility (CTF); and, the Water Reactor Research Test Facility (WRRTF). The Process Experimental Pilot Plant (PREPP), for waste volume reduction, is being phased out. The Special Manufacturing Capabilities (SMC) is located in the old aircraft hanger complex of TAN which was the main LOFT facility. The Loss of Containment Test Program (LOFT or CTF) uses the remaining portions of the previous LOFT facility (LOFT is written up separately in this report). PREPP, SMC and CTF/LOFT are contained within the TAN satellite areas.

Activities at TAN are expected to increase in the future due to dry storage of TMI core debris and other NRC fuel assemblies. TAN also participates in identifying cleanup and remediation tasks. LOFT/CTF are discussed separately in this report. The Process Experimental Pilot Plant (PREPP) was placed in standby in 1991 and is planned to be closed. Included under the spent fuel work are a variety of programs dealing with casks and transportation systems, cask testing and monitoring; and, rod consolidation. Excluding administrative work, data entry and information processing, the facilities or development programs active at TAN are:

- Management of TMI-2 core debris
- TAN Hot Shop
- Spent Fuel Programs (various programs are active)
- Containment Test Facility (CTF)
- Water Reactor Research Test Facility (WRRTF)
- Special Manufacturing Capabilities (SMC).

Products

The SMC within TAN is a production facility for the U.S. ARMY.

Figure 15. RWMIS recorded disposal history for TAN.

Radioactive Wastes and RWMIS Information

The RWMIS records include 101915 Ci and 9020 cubic meters of LLW which were disposed in the RWMC SDA since 1961. The greater part of the activity is pre-1980. The radionuclides present in the LLW are Co-60, Co-58, Fe-59, Ni-59, Rb-86, Cs-134, Cs-137, Sr-90, Ce-144, Rh-106, Ru-106, Y-90, Hf-181. Minor amounts of Mn, Ra, Cm, and actinides are reported. MFP and MAP are represented by an activity of approximately 500 Ci of the total 101915 Ci reported for TAN. UI-BG are approximately 82700 Ci. The generic radionuclides represent approximately 2% of the total generic radionuclides for all INEL LLW disposed at the RWMC SDA. Known radionuclides in the TAN LLW are given in Appendix B. SMC LLW consists of 124 cubic meters volume and an activity of less than 1 Curie for the years 1986 to 1990.

Questionnaire Response

Generator response indicates that the radionuclides listed in the RWMIS as MAP were Co-57 and Co-60 (mostly Co-60) while those listed as MFP were Cs-137 and Sr-90 (70% Cs-137). The RWMIS radionuclide data since 1987 agree with TAN records. No indication of agreement prior to 1987 was given in the generator response. TAN staff have provided a radionuclide breakdown for the MAP/MFP radionuclides of: MAP, mostly Co-60 (100%); and, MFP, 70% Cs-137 and 30% Sr-90. The 82,700 Ci of pre-1971 UI-BG radionuclides are reported to be Cs-137.

Other wastes disposed by TAN in the RWMC SDA include: combustible material (wood, paper); asbestos blankets, tiles and pipe wrapping; radioactively contaminated mercury, boron and PCBs; batteries, lead sheets, shot and bricks; zirconium and cladding. Also reported were cleaning agents such as alcohol, Tri-Chlor, and Meta-Chlor and aerosol cans.

Specific work reported at TAN-607 includes: testing and evaluation of SL-1 material damage, 1961 to 1963; characterization / examination of the PM-2A tanks and the Greenland Reactor; 1963 to 1965; storage of spent fuel assemblies, 1975 to 1986; characterization/examination of the TMI-2 core and core materials including resin liners, 1982 to 1990; and, rod consolidation studies for the DRCT (Dry Rod Consolidation Technology) program, in 1987.

Other Sources of Information

Generator response notes log books at TAN and the presence of staff from earlier years who are still working at the INEL.

D&D Plans

The original facilities of the ANP and IET have been decontaminated and decommissioned. The ANP reactors, HTRE-2 and HTRE-3 are scheduled for decontamination and decommissioning. Most of the LOFT program facilities have also been decontaminated and decommissioned. Activities at TAN are expected to decrease in the future, with a significant percent of its facilities to be decontaminated and decommissioned. IET is being considered for potential use in new programs. The D&D Long Range Plan (Sekot 1990) and the INEL Site Development Plan (DOE-ID 1991) describe the D&D plans for TAN.

Error Sources and Specific Areas for Improving Information

As with most INEL generators, formal record keeping was not done in the earlier time periods. Logbooks are reported to exist at TAN. Shipping data from 1983 are reported to be available.

Justification of Improvements or Changes to the PA Inventory

Changes have been suggested by TAN staff.

Recommendations

Adjustments to the LLW inventory for use in the PA can be made at this time. These changes are based upon generator response. All TAN MAP radionuclides should be considered as being Co-60 (this requires no change from what is presently done). All TAN MFP radionuclides should be split: 70% Cs-137 and 30% Sr-90. All TAN UI-BG radionuclides should be assigned as being 70% Cs-137 and 30% Sr-90. Changes lowering the reported Curies for the years 1983 to 1987 are also possible. The Curies for these years have been reduced up to 50%.

GENERATOR: Loss-of-Fluids Test (LOFT) Facility/ Containment Test Facility (CTF)

Description

The Containment Test Facility (CTF), formerly known as the Loss-of-Fluids Test (LOFT) Facility is one of three satellite areas within the complex of Test Area North (TAN). The LOFT/CTF is an INEL facility used to perform loss-of-coolant experiments (LOCes) that simulate loss-of-coolant accidents (LOCAs) as part of the nation's power water reactor program. The LOFT/CTF generates minor amounts of LLW.

Operations Performed, Processes and Experiments

The LOFT/CTF was established in the mid-1960's. LOFT/CTF was originally built to support the Power Water Reactor Program. The LOFT/CTF area includes the CTF Containment and Service Building (TAN-650), the CTF Containment Vessel, the CTF Reactor Control and Equipment Building (TAN-630), an aircraft hangar, and support facilities. Most of the LOFT/CTF program facilities have been decontaminated and decommissioned. The present LOFT/CTF activities also include cleanup and remediation work.

Excluding administrative work and data entry and information processing, the operations, research and development program at LOFT/CTF is the Augmented Operator Capability (AOC) Program. The AOC program includes elements to improve the ability of LOFT/CTF and commercial reactor operations personnel to recognize and correctly respond to emergency conditions in light water reactors.

Affecting/Affected Facilities

NA.

Products

None.

Radioactive Wastes and RWMIS Information

The RWMIS records include 305 Ci and 1157 cubic meters of LLW which were disposed in the RWMC SDA since 1981. The greater part of the activity occurs from 1985 to 1987. The primary radionuclides present in the LLW include Co-58 and Co-60. Minor amounts of Ag-110, Cr-51, Mn-54, and Cs-137 are also reported. Activity levels for MFP and MAP are negligible for LOFT/CTF. Known radionuclides in the LOFT/CTF LLW are given in Appendix B.

Questionnaire Response

No generator response has been received to date from LOFT/CTF.

Other Sources of Information

Staff personnel of LOFT/CTF who are still working at the INEL.

D&D Plans

Most of the LOFT/CTF facilities have been decontaminated and decommissioned. The INEL Site Development Plan (DOE-ID 1990) and the D&D Program Long Range Plan (Sekot 1990) describe the D&D plans for the remaining facilities.

Error Sources and Specific Areas for Improving Information

NA.

Justification of Improvements or Changes to the PA Inventory

LOFT/CTF LLW shipments began in 1981. This was after the inauguration of the improved RWMIS data input requirements. Unless present or past staff of the LOFT/CTF project can show gross errors in the RWMIS data, no changes are indicated. The small quantities of LLW also support this.

Recommendations

None, the LOFT/CTF radionuclide data can be assumed accurate.

GENERATOR: Test Reactor Area (TRA)

Description

Test Reactor Area (TRA) is an INEL location for the support of research and development programs dealing with reactor fuels, materials used in nuclear environments, and electronic systems. TRA is and has been a significant LLW generator. The volumes from TRA have been fairly constant over time -- approximately 500 cubic meters/yr, since 1960. The annually disposed Curies have varied widely between 100 and 100,000 Ci per year. There have been four periods of high LLW Curie production, two pre-1974 and two post-1974. The LLW disposal history for TRA is shown in Figure 16.

Operations Performed, Processes, and Experiments

TRA was established in 1952. It was constructed to support government and private agencies in conducting experiments associated with development, testing, and analysis of materials and fuels used in nuclear reactor applications. TRA presently includes one major facility and reactor, the Advanced Test Reactor (ATR). Support functions located at TRA include the: TRA hot cells; Advanced Reactivity Measurement Facility/Coupled Fast Reactivity Measurement Facility (ARMF/CFRMF); Hydraulic Test Facility; Neutron Radiography Facility; Radiation Measurements Laboratory (RML); Chemistry and Physics Laboratory; TRA Warm Waste Treatment Facility (TRA-WWTF); New Production Reactor (NPR) instruments and fabrication; and Test Train Assembly Facility (TTAF). Other research done at the TRA involves environmental restoration and tritium research.

The Materials Test Reactor (MTR) and the Engineering Test Reactor (ETR) facilities are not in operation. Portions of the MTR/ETR facilities have been decontaminated and decommissioned (decontamination and decommissioning still continues for these facilities). Some 25 structures and facilities at TRA have been identified for D&D.

Activity at the TRA is expected to increase over the next five years. New research is planned in the chemical and physical sciences. TRA also participates in identifying cleanup and remediation tasks. There is a Sanitary Waste and Radioactive Effluent Zone, a Low-Level Liquid Radioactive Waste Retention Basin, a sewage plant, and a canal at ATR for the interim storage of radioactive wastes. Solid low-level wastes are sent to WERF and the RWMC SDA for reduction and/or disposal. High level waste from reactor fuel change-outs is sent to the CPP for reprocessing (other wastes resulting from this reprocessing may also be produced at CPP).

Affecting/Affected Facilities

NA.

Products

NA.

Figure 16. RWMS recorded disposal history for TRA.

Radioactive Wastes and RWMIS Information

The RWMIS records include 3883667 Ci and 15973 cubic meters of LLW which were disposed in the RWMC SDA since 1961. The TRA LLW contains a wide variety of radionuclides. The majority of radionuclides are: Cs-134; Cs-137; Co-60; Fe-59; Ni-59; Mn-54; Mn-56; Cr-51; Zn-65; Ce-141; Ce-144; W-187; Ba-140; La-140; Nb-95; Zr-95; Sc-46; Hf-181; I-131; Ag-110. MFP and MAP are represented by an activity of approximately 84500 Ci of the total 3883667 Ci reported for TRA (2%). UI-BG constitutes some 1392000 Ci, approximately 1/3 (36%) of the total reported TRA Curies. Known radionuclides reported in the RWMIS for the TRA LLW are given in Appendix B.

Questionnaire Response

To date, no generator response has been received from TRA.

Other Sources of Information

Additional sources of information are: past INEL and RWMC staff familiar with TRA operations and low-level wastes; INEL Library; and the historical record contained in the files of the ERP which are presently being examined.

D&D Plans

The Materials Test Reactor (MTR) and the Engineering Test Reactor (ETR) facilities are inoperative and decontamination and decommissioning is in progress. Approximately 25 TRA structures or facilities have been identified for decontamination and decommissioning. The INEL Site Development Plan (DOE-ID 1991) and the D&D Long Range Plan (Sekot 1990) describe the D&D plans for TKA.

Error Sources and Specific Areas for Improving Information

To date, the generator has not responded to the questionnaire. The primary source of improvement is to determine the breakdown in the approximately 1 million Curies of UI-BG radionuclides. An additional source of information is to examine the fuel(s) used in the reactor operations. The fission product distributions for fuels are normally known.

Justification of Improvements or Changes to the PA Inventor

The primary area of improvement for TRA is to determine the breakdown of the UI-BG radionuclides disposed from 1960 through 1970. Adjustments to the LLW inventory cannot be made at this time without this.

Recommendations

Obtain a generator response to the questionnaire and get their assistance in improving the radionuclide breakdown of the UI-BG and MAP/MFP LLW. Radionuclides generated and disposed in the 1960 (or earlier) to 1971 time period may possibly be represented by those produced since 1970. Generator review is needed with such an assumption. Significant TRA canal shipments are expected to be disposed at the RWMC SDA in 1991 and 1992. PA staff should include estimates of these planned shipments.

RADIONUCLIDE INVENTORY CHANGES FOR THE PA

Revised Radionuclide Inventory for the PA

Improvements to the estimates of the disposed LLW are summarized immediately below. Details on the implementation of those which can be immediately incorporated are given in the next section. Changes which are not the result of RWMIS updates or generator recommendations will require generator concurrence.

Improvements which can immediately be implemented by the PA are:

- The annual changes to the RWMIS since 1988
- Generator supplied changes to the RWMIS by CPP, TAN and LOFT/CTF present in the RWMIS but not included in the PA (those noted above which caused the discrepancy between the PA and RWMIS)
- Generator supplied recommendations from TAN for MFP and TAN generic radionuclides.
- Generator supplied recommendations from ANL-W and ANL-W generic radionuclides.
- Generator supplied recommendations from CPP and CPP generic radionuclides.
- The allocation of RWMC generic LLW to other INEL generators.
- The exclusion of the LLW in Pad-A. Pad-A is planned for remediation.

Improvements which require analysis and cooperation between other INEL staff before they can be considered further or implemented in the PA are:

- Obtain generator response from TRA and NRF
- Develop an improved radionuclide breakdown for the generic radionuclides in LLW disposals for which the generic radionuclide classification can not be resolved. This work has been started (Maheras and Rood 1991).
- Estimate TRA and NRF radionuclide improvements based on the improved radionuclide breakdown
- Reduced waste weights could be used. Shielded container weights were entered as the waste weights in many instances by NRF up to 1970. The RWMIS records containing these entries need to be identified and assessed for the potential improvement they may give.
- NRF and TRA Curies could possibly be decreased for the shipment records for which liberal Curie estimating rules were used during the 1960s. Time away from core and Curie estimates due to shielding were conservative estimates. The RWMIS records containing these entries need to be identified and assessed for the potential improvement they may give.
- Significant TRA canal shipments are expected to be disposed at the RWMC SDA in 1991, 1992, and later. PA staff should keep abreast of include estimates of these planned shipments in the LLW forecasts used in the PA.
- RWMIS data entries - outlier analysis. The historical shipping manifests and RWMIS best available data file contain approximately 45 records having some 5 million Curies of LLW. These records are suspect and could potentially reduce the total disposed LLW activity.
- The exclusion of the LLW in Pit-9. Pit-9 is planned for remediation. The LLW may be reburied in the pit, however.

Changes Due to Inventory Related Findings of the Environmental Restoration Program (ERP)

Staff of ERP have been examining the available pre-1971 shipping manifests which were obtained from the Federal Repository in Seattle, Washington. After examination of the pre-1971 archives is completed, they plan on examining the post-1971 archives. One goal of their work is to suggest improvements to the RWMIS database.

The examination of the shipping archives will require the analysis of the findings. Specific issues may arise from such an examination. A statistical analysis of the pre-1971 shipping manifests against the RWMIS best available data file (the RWMIS BAD-File) is also being done.

Data input errors in pre-1971 shipping manifests have been found by ERP and Waste Management staff. Additionally, approximately 300 pre-1960 shipping records have been found for the generators CPP, SPERT and TRA which are not included in the RWMIS BAD-File. Present plans of ERP call for sub-contracting a detailed analyses of the shipping manifests and the identification of these and other questionable records for inclusion in the RWMIS database. A risk assessment effort which addresses the LLW burial locations is also planned as part of the ERP work.

Changes not Requiring Interface with Other INEL Areas

Changes which can immediately be implemented by the PA are:

Annual Changes to the RWMIS since 1988

Update to the PA must include the radionuclide changes for the years 1989 and 1990 as well as the approximately 14,200 Ci changes to CPP disposed LLW from pre-1988. These latter changes are included in the latest RWMIS database (Litteer 1991). The RWMIS data for 1991 should also be included. The data for 1991 should be ready for use by mid-1992.

Generator Changes to the RWMIS by CPP, TAN and LOFT/CTF Present in the RWMIS but not Included in the PA

The changes for CPP, TAN and LOFT are also included in the latest RWMIS for all years. These changes affect only the reported Curies. No changes in volume are to be made, the volumes have remained the same.

Generator Recommendations from TAN

Generator response to the questionnaire resulted in a revised breakdown for the generic radionuclides. These changes are:

All TAN MAP radionuclides should be classified as Co-60 (this is no change from what is presently done).

All TAN MFP radionuclides should be split: 70% Cs-137 and 30% Sr-90.

All TAN UI-BG radionuclides should be assigned as 70 % Cs-137 and 30% Sr-90.

Changes to the reported Curies (no volume changes) for the years 1983 to 1987 were reported for building TAN 607. These changes have not been included in the RWMIS. The revised data are (a 0.0 increment indicates no change):

<u>Year</u>	<u>Nuclides</u>	<u>Increment</u>	<u>New Total Curies</u>
1983	Rh-106	0.0	0.150
	Ru-106	0.0	0.150
	Y-90	0.0	0.150
	Cs-134	0.0	0.601
	Cs-137	-22.21	7.800
	Sr-90	+3.20	3.350
	MFP	-5.35	0.0

		Total	12.20

<u>Year</u>	<u>Nuclides</u>	<u>Increment</u>	<u>New Total Curies</u>
1984	Cs-137	+1.446	1.446
	Sr-90	+0.620	0.620
	MFP	-2.085	0.0

	Total		2.065

<u>Year</u>	<u>Nuclides</u>	<u>Increment</u>	<u>New Total Curies</u>
1985	Cs-137	+10.91	10.91
	Sr-90	+ 4.68	4.68
	MFP	- 16.62	0.0

	Total		15.59

<u>Year</u>	<u>Nuclides</u>	<u>Increment</u>	<u>New Total Curies</u>
1986	Cs-137	+ 2.51	2.51
	Sr-90	+ 1.08	1.08
	Co-60	0.0	0.29
	MFP	-14.09	0.0

	Total		3.88

<u>Year</u>	<u>Nuclides</u>	<u>Increment</u>	<u>New Total Curies</u>
1987	Cs-137	+28.78	34.12
	Sr-90	+12.42	12.42
	Co-60	-4.994	1.285
	U-235	-1.5*10 ⁻⁶	5*10 ⁻⁶
	U-238	0.0	5.22*10 ⁻⁴
	MFP	-346.1	0.0
	MAP	-0.1269	0.0

	Total		47.81

Generator Supplied Recommendations from ANL-W and ANL-W Generic Radionuclides.

The approximate 50,000 Ci of pre-1971 UI-BG LLW and the 1,500 Curies of post-70 MAP/MFP radionuclides should be split as 40% MAP and 60% MFP. The MAP should be Co-58 (50%) and Mn-54 (50%). The MFP should be Cs-137 (20%), Ce-144 (50%), Sr-90 (20%) and Cs-134 (10%).

Generator Supplied Recommendations from CPP and CPP Generic Radionuclides.

As per generator recommendations, all of the approximate 125,000 Curies of generic classified LLW (MAP, MFP and UI-BG) disposed since 1952 should be allocated as:

Sr-90 (10%)
Y-90 (10%)

Zr-95 (3.1%)
Nb-95 (3.1%)
Cs-137 (10%)
Ce-144 (19.7%)
Pr-144 (19.7%)
Sb-125 (4.4%)
Ru-106 (10%)
Rh-106 (10%).
and,

The Allocation of RWMC Generic LLW to Other INEL Generators.

The approximate 61,000 Curies of UI-BG generic LLW attributed to the RWMC should be allocated to the major INEL generators in operation up to 1961. The generators are: TAN, CPP, ANL-W, TRA, and NRF. Assignment should be done according to the generators' percent of their reported UI-BG and their recommendations for radionuclide assignments as described in this report above.

The Exclusion of Pad-A Radionuclides

The radionuclide inventory of Pad-A is included in the PA. Pad-A is to be remediated, therefore consider excluding its inventory of LLW from the PA. (Remediation is also planned for Pit-9 and the same may apply to the Pit-9 LLW radionuclides. Present Pit-9 remediation plans may result in the Pit-9 LLW being left in place, however).

Pad-A is classified as disposed LLW for reporting purposes and in the RWMIS database. Pad-A has some 10,400 cubic meters and 70 Ci of radioactive wastes stored upon it. (Comparisons of disposed waste using the RWMIS annual report data often lead to these Pad-A differences in volume and Curies. The RWMIS annual report includes them as disposed LLW without noting it.)

REFERENCES

US-DOE, "Radioactive Waste Management," DOE Order 5820.2A, September 26, 1988.

DOE-ID, INEL Site Development Plan, April 1990.

DOE-ID, INEL Low-Level Radioactive Waste Acceptance Criteria, DOE/ID-10112, Rev. 4, October 1991.

Barnard, C., Radioactive Waste Management Information System and Accuracy Assessment Sampling Design Letter Report, EG&G, Internal Memo CJB-12-91, from Cathy Barnard to Yusef Noorani, June 17, 1991.

Card, D. H., History of Buried Transuranic Waste at INEL, EG&G Idaho Inc., WMP 77-3, March 1977.

Case, M. J., and Otis, M. D., Guidelines for Radiological Assessment of DOE Low-level Radioactive Waste Disposal Sites, DOE/LLW-62T, July 1988.

Case, M. J. et. al., Recommended Format and Content for DOE Low-Level Waste Disposal Facility Radiological Performance Assessment Reports, DOE/LLW-81, April 1989.

Litteer, D. L. et al., Radioactive Waste Management Information for 1988 and Record-to-Date, DOE-ID-10054(88), July 1989.

Litteer, D. L. et al., Radioactive Waste Management Information for 1989 and Record-to-Date, DOE-ID-10054(89), June 1990.

Litteer, D. L. et al., Radioactive Waste Management Information for 1990 and Record-to-Date, DOE-ID-10054(91), July 1991.

Maheras, S. J. et al., Draft Radioactive Waste Management Complex Performance Assessment, EGG-WM-8773, June 1990.

Maheras, S. J. and Rood, A. S., "Intruder Dose Calculations for Mixed Fission Products and Mixed Activation Products Disposed of at the Radioactive Waste Management Complex," May 1991. (Attached in part as Appendix F in this report.)

Maheras, S. J. and Rood, A. S., "Intruder Dose Calculations for Unidentified Alpha Radionuclides Disposed of at the Radioactive Waste Management Complex," May 1991. (Attached as Appendix F in this report.)

Plansky, L. E., "Radioactive Waste Management Complex Low-Level Waste Inventory for Performance Assessment: Volume and Curie Verification," EG&G Internal Memo LEP-03-91, from L. E. Plansky to Distribution, March 4, 1991.

Plansky, L. E., "Low-Level Waste Radionuclide Inventory Analysis for Performance Assessment," Engineering Design File #504, EG&G Waste Management, February 1992.

Rodgers, A. D. et al. A History of the Radioactive Waste Management Complex at the Idaho National Engineering Laboratory, WM-F1-81-003, Rev. 3, July 1985.

Schmalz, B. L., Radionuclide Distribution in Soil Mantle of the Lithosphere as a Consequence of Waste Disposal at the National Reactor Test Station. IDO-10049, October 1972.

Sekot, M., Idaho National Engineering Laboratory Decontamination and Decommissioning Long-Range Plan. Draft PR-W-79-005, Rev. 8, September 1990.

Anon. Environmental and Other Evaluations of Low-Level Waste at the Radioactive Waste Management Complex. EGG-WM-6527, 1984.

APPENDIX A
A BRIEF HISTORY OF THE RADIOACTIVE
WASTE MANAGEMENT DATABASE (RWMIS)

APPENDIX A

A BRIEF HISTORY OF THE RADIOACTIVE WASTE MANAGEMENT DATABASE (RWMIS)

The RWMIS was implemented in January 1971. At that time, 1952 to 1970 data was placed into the database. These data that were input into RWMIS were based on records kept at the RWMC. During 1971 - 1986 RWMIS data was input on a shipment basis (allowing more than one container per shipment). Since 1986, RWMIS data has been input on a container basis. The information given below apply to the official data the RWMIS reports (Litteer, 1989, 1990, and 1991) unless otherwise noted.

For the period 1952 to 1970, the RWMIS data may be summarized as follows:

Summary data based on RWMC records

- Annual volume disposed by area
- Annual curies disposed by area
- Details on nuclides limited (mostly unidentified beta-gamma)

The confidence of data accuracy, that records in RWMIS reflect what is actually disposed at the RWMC for the period 1952 to 1970 is:

- Disposed volume - 70% (only data source RWMC logbooks and records)
- Disposed curies - 70% (only data source RWMC logbooks and records)
- Specific nuclides - 10% (not recorded)
- Specific locations - 0% (not recorded)

For the period 1971 to 1984, the RWMIS is more detailed and may be summarized as:

- Generator area and building
- Shipment total volume
- Shipment total weight
- Shipment total curies
- Nuclides in shipment (curies and grams of each nuclide)
- Generic shipment description
- Type of containers in shipment
- Number of each type of container in shipment (generic description of contents by type of container)

- Disposal location and date

The confidence of data accuracy, that records in RWMIS reflect what is actually disposed at the RWMC for the period 1971 to 1984 is:

- Disposed volume - 85%
- Disposed curies - 85%
- Specific nuclides - 75% (MFP, MAP, unidentified beta-gamma, unidentified alpha)
- Specific locations - 50%

The above confidence bands are based on expert judgement. The lack of formal quality assurance procedures, shipment observation and recording errors, and shipment characterization errors are responsible for the uncertainty in the RWMIS data for the years prior to 1984.

In 1984, the RWMIS underwent revision to enhance the data. The shipment numbers were included instead of generic descriptions. The containers were listed individually and information included:

- Container number
- Content code instead of generic waste description
- Dose rate at contact
- Volume percent metal
- Volume percent combustible
- Disposal location and date
- Container basis

The RWMIS data is taken as the standard in this report. All comparisons are made against the RWMIS. The RWMIS has two LLW data files within it. The first is the file of reported data which has been entered according to established RWMIS procedures. The second is the "best-available" data file, also called the BAD-FILE. This latter file contains records of questionable value.

APPENDIX B
RWMIS INVENTORY DATA

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR ALE

PAGE 1

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ALE	306	86	1.359E+01	4.720E+06	2.372E-01	AM-241	2.618E-05
						AM-243	1.868E-05
						C-14	2.000E-06
						CD-109	1.000E-06
						CO-60	1.530E-05
						EU-152	6.000E-06
						EU-154	2.000E-06
						K-40	1.670E-07
						MAP	1.038E-05
						MFP	2.360E-01
						NA-22	3.041E-04
						NP-237	7.050E-10
						PU-239	6.846E-04
						PU-240	9.560E-05
						RA-226	1.600E-08
						TC-99	1.000E-06
						U-235	7.597E-06
						U-238	1.173E-05
		*					2.372E-01
	*						2.372E-01
	317	80	1.621E+03	7.204E+08	1.596E+02	CO-60	3.754E+00
						MFP	1.557E+02
						MN-54	1.461E-01
		*					1.596E+02
		81	5.506E+02	2.575E+08	6.907E+01	CO-57	4.570E-01
						CO-60	7.448E+00
						CS-137	1.000E-03
						EU-152	2.500E-03
						I-125	2.000E-02
						MFP	4.324E+01
						MN-54	1.725E+01
						NA-22	2.180E-04
						PU-239	1.325E-02
						PU-240	5.962E-03
						TH-232	1.090E-15
						U-233	3.788E-05
						U-235	1.891E-04
						U-238	1.378E-02
						ZN-65	6.100E-01
		*					6.907E+01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ALE

PAGE 2

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ALE	317	82	6.766E+02	3.069E+08	1.852E+02	AQ-110	1.250E-02
						AM-241	1.329E-02
						BE-7	3.511E-01
						C-14	1.607E-03
						CD-104	1.500E-07
						CD-109	1.747E-04
						CE-144	8.000E-06
						CM-244	1.000E-06
						CO-57	4.314E+00
						CO-58	1.310E-04
						CO-60	4.414E+01
						CR-51	7.600E-02
						CS-134	3.050E-04
						CS-137	2.547E-03
						EU-152	1.650E-03
						EU-154	4.500E-04
						FE-59	7.431E-03
						H-3	1.195E-02
						I-125	9.300E-03
						MFP	4.232E+01
						MN-53	1.000E-03
						MN-54	9.208E+01
						NA-22	7.018E-03
						NI-63	2.500E-04
						NP-237	7.355E-05
						PB-210	9.100E-06
						PB-212	2.000E-05
						PU-238	3.043E-05
						PU-239	4.472E-02
						PU-240	1.836E-02
						PU-242	9.498E-06
						RA-226	4.785E-03
						S-35	2.050E-02
						SR-90	2.000E-06
						TC-99	2.000E-06
						TH-232	2.107E-04
						U-233	2.983E-06
						U-235	1.126E-02
						U-238	1.770E+00
						ZN-65	8.601E-03
							1.852E+02
		83	2.990E+02	1.366E+08	2.389E+01	BE-7	3.320E-05
						C-14	4.000E-06
						CD-109	1.370E-03

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR ALE

PAGE 3

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ALE	317	83				CO-57	1.002E-04
						CO-58	1.840E-07
						CO-60	5.470E-02
						CS-134	1.000E-09
						CS-137	2.100E-04
						EU-152	1.000E-03
						FE-59	3.000E-02
						H-3	4.513E+00
						MFP	1.871E+01
						MN-54	2.330E-01
						NA-22	2.500E-02
						NP-237	7.755E-04
						PU-238	5.063E-09
						PU-239	9.336E-02
						PU-240	2.020E-01
						RA-225	2.000E-06
						SR-90	1.100E-05
						TH-232	3.088E-05
						U-233	4.735E-09
						U-235	1.691E-03
						U-238	2.007E-02
		*					2.389E+01
		84	4.422E+02	2.301E+08	3.677E+01	AM-241	6.045E-06
						AM-243	9.250E-07
						C-14	2.434E-04
						CD-109	1.120E-03
						CF-252	9.945E-11
						CO-60	1.104E-01
						CS-137	8.048E-02
						EU-152	1.000E-05
						FE-59	1.001E-02
						H-3	2.589E-02
						MFP	3.625E+01
						MN-54	1.006E-02
						NA-22	2.001E-02
						NP-237	1.346E-05
						P-32	1.000E-03
						PA-231	4.720E-03
						PM-147	6.000E-03
						PU-238	1.740E-02
						PU-239	5.218E-02
						PU-240	2.031E-02
						PU-242	9.922E-07
						RA-226	1.426E-04

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ALE

PAGE 4

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ALE	317	84				RA-228	1.000E-03
						RN-222	1.000E-06
						SR-90	3.282E-04
						TH-232	3.581E-03
						U-233	1.360E-05
						U-235	9.484E-04
						U-238	1.363E-01
						V-48	2.501E-02
		*					3.677E+01
		85	5.924E+02	4.080E+08	7.074E+01	N/A	0.000E+00
						AM-241	1.091E-01
						AM-243	1.297E-03
						BA-133	1.000E-06
						BK-249	1.700E-02
						C-14	5.000E-07
						CF-249	2.055E-04
						CF-252	4.296E-04
						CM-244	9.991E-08
						CO-60	6.400E+00
						CS-134	1.330E-01
						CS-137	1.993E+01
						EU-152	1.175E-03
						EU-154	2.570E-01
						FE-59	3.511E-01
						H-3	2.097E+01
						K-40	1.000E-06
						MFP	1.908E+01
						MN-54	3.200E+00
						NP-237	5.133E-04
						NP-239	1.000E-06
						P-32	7.500E-03
						PB-212	4.000E-03
						PU-236	1.012E-07
						PU-238	1.796E-05
						PU-239	6.153E-02
						PU-240	5.583E-03
						PU-242	2.104E-04
						RA-226	1.849E-04
						RN-222	1.000E-03
						RU-106	5.000E-07
						SR-90	1.000E-07
						TH-228	1.003E-03
						TH-232	2.708E-03
						U-233	1.820E-03

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR ALE

PAGE 5

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ALE	317	85				U-235	1.696E-04
						U-236	4.167E-16
						U-238	1.997E-01
		*					7.074E+01
		86	2.922E+02	1.157E+08	9.887E+00	AC-227	1.593E-02
						AG-110	1.314E-06
						AG-110M	1.259E-06
						AM-241	5.269E-02
						AM-243	2.055E-04
						BE-7	6.584E-04
						BK-249	2.366E-08
						C-14	1.083E-03
						CD-109	5.841E-04
						CF-249	4.091E-06
						CF-250	1.080E-04
						CF-252	2.505E-05
						CM-243	5.000E-07
						CO-56	7.822E-06
						CO-57	1.250E-05
						CO-60	1.347E+00
						CR-51	2.215E-03
						CS-137	1.801E-02
						EU-152	1.000E-01
						EU-154	1.000E-05
						FE-59	8.143E-06
						H-3	2.277E-02
						HG-203	1.000E-06
						K-40	2.116E-05
						MFP	6.216E+00
						MN-54	7.881E-04
						NA-22	1.485E-05
						NP-237	7.578E-04
						P-32	5.000E-05
						PB-210	1.000E-06
						PB-212	3.000E-06
						PU-236	1.141E-06
						PU-238	1.358E-05
						PU-239	6.666E-02
						PU-240	6.995E-04
						PU-241	1.550E-04
						PU-242	5.953E-05
						RA-225	1.500E-06
						RA-226	1.000E+00
						RA-228	2.000E-06

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR ALE

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ALE	317	86				RB-86	3.000E-05
						S-35	1.202E-04
						SB-124	3.848E-06
						SB-125	3.840E-07
						SC-46	8.030E-06
						SR-90	1.000E+00
						TA-182	1.400E-06
						TC-99	3.870E-05
						TH-228	1.353E-02
						TH-229	2.129E-06
						TH-230	2.003E-05
						TH-232	2.048E-04
						TH-234	2.000E-06
						U-232	2.090E-04
						U-233	4.025E-04
						U-234	2.931E-05
						U-235	2.966E-03
						U-238	2.331E-02
						ZN-65	3.156E-05

		*					9.887E+00
		87	3.092E+02	1.639E+08	8.404E+02	AC-227	1.460E-01
						AG-110	5.104E-02
						AM-241	8.819E-04
						AM-243	1.850E-05
						C-14	7.623E-03
						CD-109	5.483E-04
						CF-249	8.180E-10
						CO-57	3.605E-05
						CO-60	9.212E-01
						CS-137	2.514E+00
						EU-152	2.035E-03
						H-3	8.252E+02
						I-125	1.155E-03
						MFP	3.139E+00
						MN-54	4.299E-03
						NA-22	3.814E-05
						NI-63	2.002E-03
						NP-237	3.751E-04
						PB-210	1.000E-05
						PU-236	1.961E-06
						PU-238	3.913E-04
						PU-239	2.639E-02
						PU-240	4.272E-03
						PU-241	6.581E-02

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ALE

PAGE 7

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ALE	317	87				PU-242	2.588E-05
						RA-226	6.998E-03
						RA-228	1.000E-07
						S-35	1.000E-05
						TC-99	1.110E-05
						TH-228	8.230E+00
						TH-230	8.788E-06
						TH-232	2.916E-03
						U-232	2.090E-04
						U-233	7.415E-04
						U-234	3.403E-04
						U-235	6.864E-04
						U-238	4.215E-02
						ZN-65	2.565E-05
						ZR-95	2.400E-10
		*					8.404E+02
		88	2.039E+02	9.535E+07	4.980E+01	AG-110	1.430E-06
						AM-241	3.501E-03
					1.445E+03	AM-243	2.040E-04
						C-14	1.211E-02
					1.446E+03	CA-45	1.015E-03
						CD-109	1.700E-05
					1.446E+03	CO-60	1.169E-02
						CS-137	5.910E-03
						EU-152	1.000E-05
						H-3	4.694E+01
						MFP	1.223E-01
						MN-54	9.200E-09
						NP-237	4.900E-05
						PU-238	2.114E-04
						PU-239	1.456E-02
						PU-240	1.441E-03
						PU-241	2.127E-02
						PU-242	4.087E-05
						RA-226	1.005E-01
						SR-90	3.000E-06
						TC-99	1.000E-06
						TH-228	1.000E-05
						TH-232	1.824E-04
						U-232	2.218E+00
						U-234	3.630E-04
						U-235	3.458E-05
						U-238	3.459E-01
						ZN-65	1.306E-03

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR ANL

PAGE 9

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ANL	NONE	71	3.211E+01	1.178E+07	5.385E+01	BE-10	4.290E+00
						CS-137	3.051E+01
						MFP	5.770E-03
						PO-210	1.100E-01
						SB-125	1.610E+01
						U-235	1.485E-04
						U-238	9.181E-04
						UN-ID-B+G	2.834E+00
		*					5.385E+01
	*						5.385E+01
	000	61	6.000E+01	0.000E+00	7.900E+01	UN-ID-B+G	7.900E+01
		62	3.900E+01	0.000E+00	4.540E+02	UN-ID-B+G	4.540E+02
		63	6.200E+01	0.000E+00	3.000E+00	UN-ID-B+G	3.000E+00
		64	7.600E+01	0.000E+00	4.150E+02	UN-ID-B+G	4.150E+02
		65	2.460E+02	0.000E+00	3.890E+02	UN-ID-B+G	3.890E+02
		66	3.820E+02	0.000E+00	4.159E+03	UN-ID-B+G	4.159E+03
		67	5.550E+02	0.000E+00	1.102E+04	UN-ID-B+G	1.102E+04
		68	4.800E+02	0.000E+00	2.079E+04	UN-ID-B+G	2.079E+04
		69	4.380E+02	0.000E+00	7.000E+03	UN-ID-B+G	7.000E+03
		70	3.490E+02	0.000E+00	2.122E+03	UN-ID-B+G	2.122E+03
	*				4.643E+04		4.643E+04
	601	71	3.625E+00	1.814E+05	1.000E-03	MFP	1.000E-03
	704	87	6.937E+00	1.871E+06	1.437E-02	PU-239	8.289E-04
						PU-240	5.683E-04
						U-235	1.157E-02
						U-238	1.406E-03
	*						1.437E-02
		88	2.823E+01	6.835E+06	2.202E-02	PU-239	1.040E-04
						PU-240	7.288E-05

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ANL

PAGE 10

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ANL	704	88				U-235	1.613E-02
						U-238	5.712E-03
		*					2.202E-02
		89	6.003E+00	1.594E+06	7.817E-03	U-235	4.548E-03
	*				4.421E-02	U-238	3.269E-03
	*						7.817E-03
	*						4.421E-02
	717	71	2.067E+01	2.948E+06	2.105E+00	CO-60	1.890E+00
						MAP	1.000E-04
						MFP	5.000E-03
						UN-ID-B+G	2.100E-01
		*					2.105E+00
	*						2.105E+00
	720	74	7.137E-01	2.835E+05	2.630E-03	MAP	1.052E-03
						MFP	1.576E-03
						PU-239	2.128E-06
		*					2.630E-03
		75	1.493E+01	7.541E+06	1.459E-01	CS-137	1.650E-06
						MAP	1.340E-01
						MFP	1.188E-02
						PU-239	9.160E-06
		*					1.459E-01
		76	2.549E+00	3.634E+06	1.231E-01	MAP	1.230E-01
						U-235	3.298E-05
						U-238	8.232E-05
		*					1.231E-01
		77	1.104E+00	3.402E+05	1.204E-01	MAP	1.200E-01
						TH-232	2.180E-05
						U-235	3.683E-04
						U-238	3.463E-05
		*					1.204E-01

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ANL

PAGE 11

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ANL	720	80	9.062E+00	1.497E+06	5.572E-02	CO-60	1.429E-02
						CS-137	2.143E-02
						MAP	8.000E-03
						MFP	1.200E-02
		*					5.572E-02
		81	4.531E+00	1.542E+06	9.592E-01	MAP	3.834E-01
						MFP	5.714E-01
						NP-237	4.371E-03
		*					9.592E-01
		82	1.812E+00	1.814E+05	1.737E-02	MAP	6.680E-03
						MFP	1.002E-02
						U-235	6.600E-04
						U-238	7.700E-06
		*					1.737E-02
		83	4.418E+00	8.168E+05	6.060E-02	MAP	2.510E-02
						MFP	3.550E-02
		*					6.060E-02
		85	7.250E+00	3.768E+06	2.063E+00	CS-134	1.580E-01
						CS-137	3.570E-01
						MAP	6.190E-01
						MFP	9.286E-01
		*					2.063E+00
		87	5.437E+00	1.249E+06	1.429E+01	MAP	1.429E+01
		88	9.062E+00	3.711E+06	2.595E-01	MAP	1.038E-01
						MFP	1.557E-01
	*				1.810E+01		
	*						2.595E-01
	*						1.810E+01
	721	78	3.001E+00	4.990E+05	6.050E+00	CO-60	1.200E+00
						CR-51	2.000E-01
						FE-59	2.000E-01
						MAP	1.000E-01
						MFP	1.500E-01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ANL

PAGE 12

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ANL	721	78				MN-54	2.000E-01
						TA-182	4.000E+00
						U-238	3.300E-07
		*					6.050E+00
		79	3.624E+00	1.633E+06	4.100E-01	CO-60	2.050E-01
*					6.460E+00	FE-59	2.050E-01
		*					4.100E-01
*							6.460E+00
	746	75	6.881E+01	1.237E+08	3.096E-04	CE-144	4.950E-05
						CS-137	2.601E-04
		*					3.096E-04
		76	5.799E+01	5.034E+07	8.280E-03	CE-144	1.560E-03
*					8.590E-03	CS-137	6.720E-03
		*					8.280E-03
*							8.590E-03
	750	71	1.328E+02	3.758E+07	2.912E+03	CE-144	5.000E-01
						CS-137	5.483E+01
						MFP	3.880E+00
						TH-232	1.090E-04
						U-235	3.131E-03
						U-238	7.089E-04
						UN-ID-B+G	2.851E+03
						ZR-NB-95	1.500E+00
		*					2.912E+03
*							2.912E+03
	752	71	1.957E+01	3.898E+07	2.490E+02	CE-141	2.050E+01
						CE-144	3.574E+00
						CO-58	4.000E-01
						CO-60	7.500E+00
						CR-51	4.000E+00
						CS-137	1.836E+02
						MAP	1.100E+00
						MFP	2.110E+01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ANL

PAGE 13

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ANL	752	71				MN-54	4.000E-01
						NB-95	3.724E+00
						UN-ID-B+G	1.148E+00
						ZR-NB-95	2.000E+00
		*					2.490E+02
		72	5.778E+00	9.026E+05	6.893E+00	MAP	3.551E+00
						MFP	3.340E+00
						U-235	1.369E-04
						U-238	1.707E-03
		*					6.893E+00
		73	3.175E+01	2.225E+07	4.090E+01	CE-144	2.560E+00
						CO-58	1.716E-01
						CO-60	7.080E-01
						CS-134	2.240E+00
						CS-137	2.888E+01
						MAP	1.213E+00
						MFP	1.685E+00
						MN-54	7.440E-02
						U-235	7.239E-04
						U-238	2.922E-04
						UN-ID-ALPHA	3.500E-02
						UN-ID-B+G	3.331E+00
		*					4.090E+01
		74	1.672E+01	7.609E+06	5.325E+02	CE-144	5.625E+00
						CS-137	7.876E+00
						MAP	2.452E-01
						MFP	3.709E+02
						SR-90	1.479E+02
						U-235	8.802E-04
						U-238	7.712E-05
		*					5.325E+02
		75	9.103E+01	3.170E+07	1.202E+02	AM-241	1.850E-07
						CE-144	2.844E+01
						CO-60	4.910E-09
						CS-137	3.984E+01
						MAP	3.289E+00
						MFP	8.702E+00
						PU-239	8.782E-02

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ANL

PAGE 14

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ANL	752	75				RA-226	3.382E-08
						SR-90	3.984E+01
						TH-230	5.405E-09
						U-235	2.603E-03
						U-238	3.422E-04
		*					1.202E+02
		76	3.648E+01	1.317E+07	2.296E+02	BA-133	4.000E-07
						BI-210	3.930E-08
						C-14	2.870E-07
						CE-144	6.044E+01
						CL-36	3.970E-08
						CO-60	6.000E+00
						CS-137	7.718E+01
						MAP	3.237E-01
						MFP	1.351E+01
						PU-239	6.614E-04
						RA-226	2.001E-01
						SR-90	7.197E+01
						U-235	1.165E-03
						U-238	1.516E-04
		*					2.296E+02
		77	4.673E+01	1.755E+07	1.886E+02	CD-109	1.180E-06
						CE-144	4.711E+01
						CO-57	1.110E-06
						CO-60	1.220E-06
						CS-134	2.300E+00
						CS-137	6.492E+01
						MAP	6.088E-01
						MFP	1.056E+01
						MN-54	9.800E-07
						NA-22	1.150E-06
						PU-239	5.599E-04
						PU-240	5.999E-05
						SR-90	6.310E+01
						U-235	6.992E-04
						U-238	1.041E-02
		*					1.886E+02
		78	8.946E+01	1.716E+07	3.398E+01	CE-144	6.406E+00
						CO-58	1.500E+00
						CS-134	2.688E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR ANL

PAGE 15

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ANL	752	78				CS-137	7.419E+00
						MAP	3.031E+00
						MFP	6.015E+00
						MN-54	1.500E+00
						PU-239	1.106E-03
						PU-240	2.160E-04
						SR-90	5.419E+00
						U-235	2.834E-05
						U-238	1.492E-04
		*					3.398E+01
		79	4.556E+01	1.531E+07	4.745E+01	CE-144	4.450E+00
						CO-58	4.300E+00
						CR-51	2.500E-01
						CS-134	2.290E+00
						CS-137	6.580E+00
						FE-59	2.500E-01
						H-3	2.000E-03
						MAP	7.080E+00
						MFP	1.137E+01
						MN-54	4.300E+00
						PU-239	1.036E-03
						PU-240	1.258E-04
						SR-90	6.580E+00
						U-235	3.164E-05
						U-238	8.193E-07
		*					4.745E+01
		80	3.198E+01	7.586E+06	2.871E+01	CE-144	1.000E+00
						CO-58	4.500E+00
						CS-137	4.500E+00
						MAP	5.305E+00
						MFP	6.406E+00
						MN-54	4.500E+00
						PU-239	3.128E-04
						PU-240	6.214E-06
						SR-90	2.500E+00
						U-235	1.783E-05
						U-238	3.550E-05
		*					2.871E+01
		81	1.634E+01	9.067E+06	9.195E+00	CD-109	4.000E-08
						CO-58	4.000E-01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ANL

PAGE 16

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ANL	752	81				CO-60	1.320E-05
						CS-137	1.000E+00
						H-3	1.100E+00
						MAP	2.358E+00
						MFP	3.537E+00
						MN-54	3.000E-01
						PU-239	1.101E-04
						PU-240	2.200E-06
						RA-226	1.000E-06
						SR-90	5.000E-01
						TH-228	9.999E-09
						U-235	1.560E-04
						U-238	2.187E-05
		*					9.195E+00
		82	1.790E+01	1.186E+07	1.311E+01	CS-137	2.381E-04
						MAP	5.243E+00
						MFP	7.864E+00
						PU-239	2.600E-04
						PU-240	5.000E-06
						U-235	7.943E-04
						U-238	1.707E-04
		*					1.311E+01
		83	3.868E+01	2.886E+07	1.449E+01	CS-137	2.850E-03
						H-3	1.200E+01
						MAP	9.950E-01
						MFP	1.494E+00
						PU-239	1.148E-03
						PU-240	1.932E-05
						U-235	7.853E-04
						U-238	3.301E-04
		*					1.449E+01
		84	1.518E+01	3.734E+06	5.381E+00	H-3	2.210E+00
						MAP	5.909E-01
						MFP	2.553E+00
						PU-239	1.137E-08
						PU-240	2.223E-10
						U-235	1.554E-03
						U-238	2.550E-02
		*					5.381E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR ANL

PAGE 17

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ANL	752	85	1.535E+01	3.769E+06	1.664E+02	MAP	3.686E+01
						MFP	1.296E+02
						PU-239	6.140E-03
						PU-240	1.195E-04
						U-235	2.592E-04
						U-238	1.923E-04
		*					1.664E+02
		86	1.899E+01	8.238E+06	4.069E+01	MAP	1.605E+01
						MFP	2.464E+01
						PU-239	8.767E-05
						PU-240	1.432E-06
						U-235	3.672E-04
						U-238	1.922E-05
		*					4.069E+01
		87	7.391E+00	1.539E+06	4.207E+01	CE-144	1.214E+00
						CS-134	5.952E-01
						CS-137	9.532E+00
						MAP	1.205E+01
						MFP	1.807E+01
						NB-95	8.231E-03
						PU-239	3.330E-05
						PU-240	6.481E-07
						U-235	1.950E-04
						U-238	6.009E-05
						ZR-NB-95	5.952E-01
						ZR-95	4.852E-03
		*					4.207E+01
		88	2.775E+00	9.557E+05	6.370E-01	AM-241	7.000E-09
						CE-144	6.831E-03
						CS-137	2.299E-03
						MAP	2.486E-01
						MFP	3.729E-01
						NB-95	2.354E-03
						PU-239	7.887E-04
						PU-240	1.441E-05
						U-235	1.492E-03
						U-238	3.198E-04
						ZR-95	1.414E-03
		*					6.370E-01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ANL

PAGE 18

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ANL	752	89	2.367E+01	1.693E+07	3.971E+01	CE-144	5.833E-01
					-----	CO-58	5.169E-03
	*				1.810E+03	CO-60	1.130E-02
						CS-134	5.108E-02
						CS-137	5.040E-01
						EU-155	1.765E-02
						MAP	1.528E+01
						MFP	2.292E+01
						MN-54	1.117E-01
						NB-95	2.281E-02
						PU-239	6.550E-03
						RH-106	7.600E-05
						RU-106	1.809E-01
						SB-125	7.906E-03
						U-235	6.456E-04
						U-238	1.331E-04
						ZR-95	9.674E-03
		*					3.971E+01
	*						1.810E+03
	764	82	7.249E+00	7.257E+05	4.800E-04	MAP	2.000E-04
						MFP	2.800E-04
		*					4.800E-04
		83	1.812E+00	3.629E+05	2.400E-04	MAP	1.000E-04
					-----	MFP	1.400E-04
	*				7.200E-04		
	*						2.400E-04
	*						7.200E-04
	765	71	1.984E+02	4.070E+07	9.239E+01	CE-141	1.376E+00
						CE-141-144	3.000E+00
						CE-144	3.350E+01
						CO-60	4.128E+00
						CR-51	2.202E+00
						CS-137	3.850E+01
						MAP	1.701E-01
						MFP	9.235E+00
						MN-54	2.752E-01
						U-235	2.397E-05
						U-238	1.001E-05

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR ANL

PAGE 19

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
		*					9.239E+01
ANL	765	72	2.870E+02	2.752E+07	3.333E+01	CE-141	7.000E-01
						CO-58	8.060E-01
						CO-60	8.813E+00
						CR-51	2.685E+00
						CS-137	7.300E+00
						MAP	1.846E+00
						MFP	9.152E+00
						MN-54	4.600E-01
						PU-239	6.140E-04
						U-235	1.647E-05
						U-238	1.166E-03
						UN-ID-ALPHA	2.000E-01
						UN-ID-B+G	1.366E+00
		*					3.333E+01
		73	2.832E+02	2.641E+07	8.088E+02	CE-144	3.619E+01
						CO-60	9.000E+00
						CS-134	4.928E+01
						CS-137	6.200E+02
						H-3	2.300E-01
						MAP	9.239E+00
						MFP	9.291E+00
						MN-54	5.000E+00
						PU-239	9.990E-03
						U-235	4.386E-04
						U-238	5.028E-05
						UN-ID-ALPHA	4.011E-01
						UN-ID-B+G	7.013E+01
		*					8.088E+02
		74	2.027E+02	1.673E+07	1.749E+02	CS-137	4.500E-05
						MAP	8.832E+01
						MFP	8.660E+01
						PU-239	2.470E-04
						U-235	2.000E-06
		*					1.749E+02
		75	1.193E+02	2.264E+07	1.191E+00	MAP	4.774E-01
						MFP	7.133E-01
						PU-239	7.429E-04

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ANL

PAGE 20

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
		*					1.191E+00
ANL	765	76	3.110E+02	6.048E+07	1.769E+02	BA-140	3.500E+00
						CE-144	2.342E+01
						CO-58	2.831E+01
						CS-137	3.433E+01
						LA-140	3.500E+00
						MAP	6.490E+00
						MFP	1.511E+01
						MN-54	2.831E+01
						PU-239	2.163E-03
						SR-90	3.393E+01
						U-235	2.714E-05
						U-238	3.325E-06
		*					1.769E+02
		77	2.760E+02	6.590E+07	1.838E+05	CE-144	4.370E+00
						CO-58	1.006E+05
						CO-60	1.494E+03
						CR-51	1.198E+04
						CS-137	6.640E+00
						FE-59	1.171E+03
						MAP	1.553E+01
						MFP	1.201E+01
						MN-54	6.848E+04
						PU-239	8.659E-03
						PU-240	1.440E-03
						SR-90	5.640E+00
						U-235	1.028E-04
						U-238	5.736E-06
		*					1.838E+05
		78	2.796E+02	1.201E+08	8.361E+04	CE-144	7.300E+01
						CO-58	4.578E+04
						CO-60	6.330E+02
						CR-51	4.420E+03
						CS-134	7.802E+01
						CS-137	9.444E+01
						FE-59	4.670E+02
						MAP	6.439E+00
						MFP	2.404E+01
						MN-54	3.195E+04
						PU-239	1.056E-02

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR ANL

PAGE 21

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ANL	765	78				PU-240	2.127E-03
						SR-90	8.000E+01
						U-235	4.656E-04
						U-238	5.347E-05
		*					8.361E+04
		79	1.482E+02	5.878E+07	1.565E+05	CE-144	5.150E+01
						CO-58	8.420E+04
						CO-60	1.480E+03
						CR-51	6.357E+03
						CS-134	9.600E+00
						CS-137	2.450E+01
						FE-59	7.330E+02
						MAP	7.054E+00
						MFP	9.686E+00
						MN-54	6.364E+04
						PU-239	7.251E-03
						PU-240	3.945E-04
						SR-90	2.150E+01
						U-235	4.325E-05
						U-238	6.334E-06
		*					1.565E+05
		80	1.775E+02	6.680E+07	1.006E+05	CO-58	5.498E+04
						CO-60	3.892E+03
						CR-51	5.846E+03
						CS-137	2.825E+00
						FE-59	6.010E+02
						KR-85	1.500E-01
						MAP	4.984E+00
						MFP	6.924E+00
						MN-54	3.522E+04
						PU-239	3.837E-03
						PU-240	6.929E-05
						U-235	1.298E-05
						U-238	1.177E-06
		*					1.006E+05
		81	1.524E+02	5.220E+07	5.277E+04	CE-144	1.000E+00
						CO-58	2.929E+04
						CO-60	1.533E+03
						CR-51	1.099E+03
						CS-137	4.000E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ANL

PAGE 22

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ANL	765	81				FE-59	1.647E+02
						MAP	6.527E+00
						MFP	9.288E+00
						MN-54	2.066E+04
						PU-239	1.948E-03
						PU-240	3.805E-05
						U-235	4.059E-06
						U-238	3.999E-05
		*					5.277E+04
		82	1.064E+02	3.528E+07	1.138E+05	CE-144	3.000E+00
						CO-57	3.510E-04
						CO-58	6.333E+04
						CO-60	1.109E+04
						CR-51	2.907E+03
						CS-134	6.000E-01
						CS-137	1.203E+00
						EU-155	9.630E-04
						FE-59	3.520E+02
						H-3	1.944E-01
						MAP	3.194E+01
						MFP	4.803E+01
						MN-54	3.601E+04
						PU-239	6.747E-04
						PU-240	1.324E-05
						SR-90	1.200E+00
						U-235	4.673E-08
						U-238	4.299E-05
		*					1.138E+05
		83	7.275E+01	2.600E+07	3.955E+04	CO-58	2.035E+04
						CO-60	3.916E+03
						CR-51	7.040E+02
						FE-59	1.190E+02
						MAP	1.894E+00
						MFP	2.835E+00
						MN-54	1.446E+04
						NP-237	2.115E-05
						PU-239	1.541E-03
						PU-240	5.445E-05
						U-235	5.877E-08
						U-238	2.661E-06
		*					3.955E+04

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR ANL

PAGE 23

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ANL	765	84	6.625E+01	3.272E+07	1.003E+05	CE-144	7.850E+00
						CO-58	4.723E+04
						CO-60	1.494E+04
						CR-51	1.771E+03
						CS-134	1.570E+00
						CS-137	3.140E+00
						FE-59	2.830E+02
						MAP	1.371E+00
						MFP	2.058E+00
						MN-54	3.608E+04
						PU-239	7.950E-04
						PU-240	5.753E-05
						SR-90	3.140E+00
						U-235	2.351E-05
						U-238	1.827E-06
		*					1.003E+05
		85	5.592E+01	2.974E+08	1.023E+05	CO-58	4.540E+04
						CO-60	2.030E+04
						CR-51	2.254E+03
						FE-59	3.320E+02
						MAP	8.600E-01
						MFP	1.289E+00
						MN-54	3.396E+04
						PU-239	2.134E-04
						PU-240	3.989E-06
						U-235	2.906E-06
						U-238	4.499E-08
		*					1.023E+05
		86	8.439E+01	3.913E+07	3.387E+04	CO-58	1.557E+04
						CO-60	4.043E+03
						CR-51	4.210E+02
						FE-59	9.300E+01
						MAP	3.105E+00
						MFP	4.657E+00
						MN-54	1.374E+04
						PU-239	1.453E-04
						PU-240	2.828E-06
						U-235	3.585E-06
						U-238	4.848E-08
		*					3.387E+04

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ANL

PAGE 24

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ANL	765	87	5.858E+01	4.955E+07	1.685E+05	CO-58	7.675E+04
						CO-60	2.873E+04
						CR-51	3.083E+03
						FE-59	5.181E+02
						MAP	5.581E-01
						MFP	8.373E-01
						MN-54	5.932E+04
						PU-239	1.997E-04
						PU-240	3.908E-06
						SB-124	1.800E-01
						TA-182	7.800E+01
						U-235	5.689E-05
						U-238	1.574E-04
		*					1.685E+05
		88	4.059E+02	3.206E+08	6.830E+04	CE-144	3.000E+00
						CO-58	4.114E+04
						CO-60	1.768E+03
						CR-51	1.084E+03
						CS-134	6.000E-01
						CS-137	1.200E+00
						FE-59	1.570E+02
						MAP	4.175E+01
						MFP	6.263E+01
						MN-54	2.404E+04
						PU-239	2.078E-03
						PU-240	3.793E-05
						SR-90	1.200E+00
						TA-182	1.000E+00
						U-235	1.219E-05
						U-238	1.116E-06
		*					6.830E+04
		89	1.195E+02	8.548E+07	3.172E+04	CE-144	1.010E+01
					-----	CO-58	1.100E-01
				1.237E+06		CO-60	3.169E+04
						CS-134	1.020E+00
						CS-137	6.740E+00
						EU-155	3.500E-01
						MAP	3.414E+00
						MFP	5.122E+00
						MN-54	2.230E+00
						NB-95	1.100E-01
						PU-239	1.911E-04

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR ANL

PAGE 25

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ANL	765	89				PU-240	2.903E-05
						RU-106	3.610E+00
						SB-125	1.600E-01
		*					3.172E+04
	*						1.237E+06
	767	71	2.011E+00	8.619E+05	1.510E+00	CO-58	6.010E-02
						CO-60	8.865E-01
						CR-51	4.688E-01
						CS-137	2.000E-03
						MAP	4.075E-02
						MFP	5.350E-03
						MN-54	4.660E-02
		*					1.510E+00
		72	4.220E+00	5.443E+05	1.500E-02	MAP	3.000E-03
						MFP	1.200E-02
		*					1.500E-02
		73	4.333E+00	4.082E+05	3.100E-02	MAP	2.325E-02
						MFP	7.750E-03
		*					3.100E-02
		75	1.340E+01	1.769E+06	5.880E-01	MAP	2.350E-01
						MFP	3.530E-01
						PU-239	1.362E-06
		*					5.880E-01
		76	1.039E+01	7.183E+06	1.411E+00	CE-144	1.700E-01
						CO-60	1.480E-02
						CS-137	2.400E-01
						MAP	5.718E-01
						MFP	1.726E-01
						RA-226	2.000E-03
						SR-90	2.400E-01
						U-235	5.933E-05
						U-238	7.159E-07
		*					1.411E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ANL

PAGE 26

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ANL	767	77	1.402E+01	1.815E+06	2.250E-01	MAP	1.650E-01
						MFP	6.000E-02
						PU-239	6.000E-06
		*					2.250E-01
		79	3.625E+00	2.268E+05	1.000E-01	CS-137	1.000E-01
		83	1.586E+00	1.089E+06	4.405E-03	MAP	1.760E-03
						MFP	2.640E-03
						PU-239	5.000E-06
						PU-240	9.600E-08
		*					4.405E-03
		86	1.982E-01	4.540E+04	1.000E-02	MAP	4.000E-03
						MFP	6.000E-03
*					3.895E+00		
		*					1.000E-02
*							3.895E+00
	768	73	4.984E+00	2.359E+05	6.460E-02	MAP	5.814E-02
						MFP	6.459E-03
						PU-239	8.154E-07
		*					6.460E-02
		74	6.230E+00	3.220E+05	1.450E-02	MAP	1.305E-02
						MFP	1.450E-03
		*					1.450E-02
		77	2.832E-01	2.835E+05	2.690E-01	CO-60	2.690E-01
		78	8.156E+00	5.670E+05	2.120E-01	CS-137	1.000E-01
						MAP	1.000E-01
						U-235	3.030E-04
						U-238	1.174E-02
		*					2.120E-01
		80	7.249E+00	1.043E+07	5.341E-01	MAP	3.100E-01
						MFP	2.150E-01
						U-235	1.070E-04
						U-238	9.041E-03

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR ANL

PAGE 27

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
		*					5.341E-01
ANL	768	81	9.062E-01	2.268E+05	7.143E-01	MAP MFP U-235	2.857E-01 4.286E-01 3.210E-07
		*					7.143E-01
		83	9.911E+00	3.125E+06	3.458E-01	MAP MFP	1.383E-01 2.075E-01
		*					3.458E-01
		84	3.568E+00	1.060E+06	2.091E-01	MAP MFP	8.311E-02 1.260E-01
	*				2.364E+00		2.091E-01
	*						2.364E+00
	770	73	5.777E+00	3.447E+05	2.320E-01	MAP MFP PU-239	9.280E-02 1.392E-01 8.154E-07
		*					2.320E-01
		74	5.466E+00	1.610E+06	2.814E-03	MAP MFP	1.125E-03 1.689E-03
		*					2.814E-03
		77	2.889E+00	4.083E+05	8.000E-03	MAP MFP	1.000E-03 7.000E-03
		*					8.000E-03
		79	8.971E+01	6.177E+07	6.125E-01	CO-60 CS-137 NA-22	1.276E-02 5.180E-01 8.176E-02
		*					6.125E-01
		80	2.900E+01	5.443E+06	2.000E-01	CS-137 NA-22	1.000E-01 1.000E-01
	*				1.055E+00		

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ANL

PAGE 28

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
		*					2.000E-01
	*						1.055E+00
ANL	771	75	4.814E-01	9.072E+05	2.080E-03	MFP PU-239	2.078E-03 1.890E-06
		*					2.080E-03
		76	1.252E+01	2.359E+07	6.191E+00	CE-144 CS-137 MFP SR-90 U-235 U-238	1.180E+00 1.260E+00 3.250E+00 5.000E-01 4.601E-04 7.206E-05
		*					6.191E+00
		83	5.947E-01	5.897E+05	5.790E-06	CO-60 CS-137	1.150E-06 4.640E-06
		*					5.790E-06
		89	9.170E+00	2.702E+06	1.501E+00	CS-137	1.501E+00
	*				7.694E+00		7.694E+00
	772	79	1.812E+00	1.361E+05	1.000E-01	MAP MFP	4.000E-02 6.000E-02
		*					1.000E-01
		81	3.625E+00	6.129E+05	2.400E-04	MAP MFP	1.000E-04 1.400E-04
		*					2.400E-04
		82	3.625E+00	6.804E+05	4.800E-03	MAP MFP	1.920E-03 2.880E-03
	*				1.050E-01		4.800E-03
	*						1.050E-01
	774	71	6.117E+00	5.443E+05	1.000E-03	MFP	1.000E-03

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR ANL

PAGE 29

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ANL	774	72	1.172E+01	1.077E+06	9.524E-02	MFP	5.010E-02
						U-235	6.206E-04
						U-238	4.452E-02
		*					9.524E-02
		73	4.078E+00	3.629E+05	2.000E-03	MAP	1.900E-03
						MFP	1.000E-04
		*					2.000E-03
		74	3.738E+00	1.497E+05	2.000E-06	MAP	1.000E-06
						MFP	1.000E-06
		*					2.000E-06
		79	5.437E+00	1.817E+06	8.531E-02	MAP	2.060E-03
						TH-232	3.270E-09
						U-235	2.340E-07
						U-238	8.325E-02
		*					8.531E-02
		80	1.812E+00	1.361E+05	2.400E-04	CE-144	8.000E-05
						CS-137	8.000E-05
						SB-125	8.000E-05
		*					2.400E-04
		81	9.062E-01	7.031E+05	9.992E-06	U-234	9.601E-06
						U-235	3.400E-07
						U-236	4.800E-08
						U-238	3.300E-09
		*					9.992E-06
		82	7.930E-01	5.443E+05	2.400E-04	MAP	9.600E-05
						MFP	1.440E-04
		*					2.400E-04
		83	7.929E-01	8.165E+05	3.750E-05	MAP	1.500E-05
						MFP	2.250E-05
		*			1.841E-01		3.750E-05

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ANL

PAGE 30

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
	*						1.841E-01
ANL	775	72	5.437E+00	5.443E+05	1.000E-05	MFP	1.000E-05
		79	1.982E-01	1.134E+05	1.245E-02	TH-232	1.090E-06
	*				1.246E-02	U-235	1.770E-04
						U-238	1.227E-02
	*						1.245E-02
	*						1.246E-02
	776	71	5.777E+00	3.629E+05	1.000E-04	U-238	1.000E-04
		72	5.777E+00	5.443E+05	1.000E-03	MFP	1.000E-03
		74	7.930E-01	3.062E+05	6.250E-05	MAP	3.125E-05
						MFP	3.125E-05
	*						6.250E-05
		75	9.912E-01	3.130E+05	1.250E-04	MAP	5.000E-05
						MFP	7.500E-05
	*						1.250E-04
		76	9.346E-01	6.278E+05	4.310E-02	MAP	2.500E-05
						MFP	3.800E-05
						U-235	6.070E-04
						U-238	4.243E-02
	*						4.310E-02
		77	1.643E+00	1.170E+06	2.098E-02	MAP	8.000E-04
						MFP	1.200E-03
						TH-232	1.000E-06
						U-235	2.645E-04
						U-238	1.871E-02
	*						2.098E-02
		79	1.982E-01	2.540E+05	6.444E-02	U-235	8.988E-04
						U-238	6.354E-02
	*						6.444E-02

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR ANL

PAGE 31

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ANL	776	86	1.982E-01	3.632E+04	2.000E-05	MAP	8.000E-06
	*	*			1.298E-01	MFP	1.200E-05
	*	*					2.000E-05
	*						1.298E-01
	777	73	5.777E+00	2.313E+05	2.000E-03	MFP	2.000E-03
		83	3.625E+00	2.633E+06	2.402E-02	MAP	1.000E-02
	*				2.602E-02	MFP	1.400E-02
						U-235	1.900E-05
						U-238	2.200E-07
	*	*					2.402E-02
	*						2.602E-02
	781	71	1.699E-01	3.629E+05	1.000E-03	MAP	1.000E-03
		77	3.568E+00	4.536E+05	1.000E-03	MFP	1.000E-03
	*				2.000E-03		2.000E-03
	783	72	2.272E+01	1.537E+07	1.350E-01	MAP	1.650E-02
						MFP	1.185E-01
	*	*					1.350E-01
		74	2.353E+01	5.884E+06	4.569E-01	MAP	1.828E-01
						MFP	2.740E-01
						PU-239	9.245E-05
	*	*					4.569E-01
		75	1.127E+01	2.924E+06	4.697E-02	MAP	1.560E-02
						MFP	3.135E-02
						PU-239	2.172E-05
	*	*					4.697E-02
		76	1.999E+01	3.085E+06	1.135E-01	MAP	4.532E-02
						MFP	6.798E-02
						PU-239	1.600E-04
						U-235	4.965E-06

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ANL

PAGE 32

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
		*					1.135E-01
ANL	783	77	1.699E-01	1.814E+05	2.000E-02	MAP MFP	8.000E-03 1.200E-02
		*					2.000E-02
		79	1.920E+01	3.312E+06	3.300E-01	MAP MFP	1.320E-01 1.980E-01
		*					3.300E-01
		80	5.024E+01	1.968E+07	8.033E-01	MAP MFP	3.233E-01 4.784E-01
	*				1.906E+00	PU-239 U-235 U-238	1.500E-03 1.600E-07 6.660E-06
		*					8.033E-01
	*						1.906E+00
	784	83	3.625E+00	9.072E+05	4.454E-02	MAP U-235 U-238	6.000E-03 5.400E-04 3.800E-02
		*					4.454E-02
		86	3.625E+00	7.264E+05	1.235E-03	MAP U-235 U-238	1.193E-03 5.885E-07 4.153E-05
		*					1.235E-03
		87	5.946E-01	2.157E+05	4.581E-02	MAP MFP	1.486E-02 8.571E-04
	*				9.158E-02	U-235 U-238	1.119E-04 2.998E-02
		*					4.581E-02
	*						9.158E-02
	785	74	5.098E-01	1.814E+05	2.005E-04	U-235 U-238	1.862E-04 1.432E-05

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ANL

PAGE 33

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
		*					2.005E-04
ANL	785	75	1.136E+01	2.486E+06	1.321E-02	MAP	5.279E-03
						MFP	7.919E-03
						PU-239	6.809E-06
		*					1.321E-02
		76	1.912E+01	1.130E+07	1.052E+01	CE-144	2.800E+00
						CS-137	3.300E+00
						MAP	1.671E-01
						MFP	1.351E+00
						PU-239	2.700E-05
						SR-90	2.900E+00
						U-235	1.596E-04
		*					1.052E+01
		77	3.673E+01	8.680E+06	1.023E+04	CO-58	4.875E+03
						CO-60	8.000E+01
						CR-51	3.870E+02
						FE-59	5.200E+01
						MAP	5.576E-01
						MFP	2.119E+00
						MN-54	4.832E+03
						PU-239	2.910E-05
						PU-240	3.549E-06
						U-235	1.926E-08
		*					1.023E+04
		78	2.424E+01	7.187E+06	9.393E+04	CE-144	7.000E+00
						CO-58	4.592E+04
						CO-60	8.396E+02
						CR-51	2.763E+03
						CS-134	5.000E+00
						CS-137	1.400E+01
						FE-59	5.731E+02
						MAP	4.201E+00
						MFP	6.036E+00
						MN-54	4.380E+04
						PU-239	1.833E-04
						PU-240	1.815E-05
						SR-90	3.000E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ANL

PAGE 34

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
		*					9.393E+04
ANL	785	79	2.529E+01	1.525E+08	7.780E+04	CE-144	4.000E+00
						CO-58	4.601E+04
						CO-60	5.460E+02
						CR-51	5.242E+03
						CS-134	6.000E-01
						CS-137	3.200E+00
						FE-59	4.150E+02
						MAP	2.555E+00
						MFP	3.592E+00
						MN-54	2.557E+04
						PU-239	2.413E-04
						PU-240	1.340E-05
						SR-90	2.200E+00
		*					7.780E+04
		80	1.600E+01	9.925E+06	3.153E+04	CE-144	4.000E+00
						CO-58	1.535E+04
						CO-60	4.700E+02
						CR-51	1.746E+03
						CS-134	1.000E+00
						CS-137	1.100E+01
						FE-59	2.300E+02
						MAP	6.476E+00
						MFP	6.804E+00
						MN-54	1.370E+04
						PU-239	6.425E-04
						PU-240	1.304E-05
						SR-90	4.000E+00
		*					3.153E+04
		81	1.976E+01	7.322E+06	5.374E+04	CE-144	7.500E+00
						CO-58	3.302E+04
						CO-60	1.265E+03
						CR-51	1.462E+03
						CS-134	5.500E+00
						CS-137	1.290E+01
						FE-59	1.940E+02
						MAP	6.391E+00
						MFP	9.576E+00
						MN-54	1.775E+04
						PU-239	2.624E-03

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR ANL

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ANL	785	81				PU-240	1.572E-04
						RA-226	4.000E-08
						SR-90	5.500E+00
						TC-99	3.230E-08
						U-235	9.300E-06
						U-238	9.001E-07
		*					5.374E+04
		82	1.739E+01	1.237E+07	5.372E+04	CE-144	1.800E+01
						CO-58	2.541E+04
						CO-60	6.093E+03
						CR-51	6.560E+02
						CS-134	3.600E+00
						CS-137	7.200E+00
						FE-59	1.530E+02
						MAP	3.353E+00
						MFP	5.317E+00
						MN-54	2.136E+04
						PU-239	2.600E-03
						PU-240	5.309E-05
						SR-90	7.200E+00
						TA-182	4.000E+00
						U-235	7.230E-06
						U-238	1.120E-06
		*					5.372E+04
		83	4.398E+01	1.302E+07	8.176E+03	CE-144	5.085E+02
						CO-58	3.563E+03
						CO-60	8.850E+02
						CR-51	9.500E+C1
						CS-134	1.017E+02
						CS-137	2.034E+02
						FE-59	2.600E+01
						MAP	1.046E+01
						MFP	1.668E+01
						MN-54	2.563E+03
						PU-239	1.026E-02
						PU-240	2.635E-03
						SR-90	2.034E+02
						U-235	3.685E-04
						U-238	8.408E-03
		*					8.176E+03

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ANL

PAGE 36

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ANL	785	84	1.288E+01	4.804E+06	1.895E+04	CE-144	3.906E+02
						CO-58	7.589E+03
						CO-60	2.343E+03
						CR-51	1.710E+02
						CS-134	7.812E+01
						CS-137	1.562E+02
						FE-59	6.300E+01
						MAP	4.748E+00
						MFP	7.121E+00
						MN-54	7.938E+03
						PU-239	8.001E-03
						PU-240	1.477E-04
						SR-90	1.562E+02
						TA-182	5.700E+01
						U-235	1.571E-04
						U-238	3.146E-05
		*					1.895E+04
		85	2.172E+01	7.550E+06	2.423E+04	CE-144	4.600E+01
						CO-58	1.110E+04
						CO-60	3.195E+03
						CR-51	3.200E+02
						CS-134	9.200E+00
						CS-137	1.840E+01
						FE-59	1.150E+02
						MAP	2.333E+00
						MFP	3.500E+00
						MN-54	9.190E+03
						PU-239	3.848E-03
						PU-240	9.699E-04
						SR-90	1.840E+01
						TA-182	2.080E+02
						U-235	9.864E-05
						U-238	1.165E-05
		*					2.423E+04
		86	8.353E+00	4.610E+06	2.336E+04	CE-144	1.365E+02
						CO-58	7.402E+03
						CO-60	9.725E+03
						CR-51	2.381E+02
						CS-134	2.770E+01
						CS-137	5.440E+01
						FE-59	2.600E+01
						MAP	2.876E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR ANL

PAGE 37

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ANL	785	86				MFP	4.315E+00
						MN-54	4.713E+03
						PU-239	1.437E-02
						PU-240	2.281E-04
						SR-90	5.440E+01
						TA-182	9.784E+02
						U-235	1.135E-04
						U-238	1.954E-05
		*					2.336E+04
		87	6.065E+00	6.272E+06	3.615E+04	CE-144	6.000E+00
						CO-58	2.027E+04
						CO-60	2.822E+03
						CR-51	9.240E+02
						CS-134	1.200E+00
						CS-137	2.400E+00
						FE-59	9.600E+01
						MAP	6.857E-01
						MFP	1.029E+00
						MN-54	1.183E+04
						PU-239	6.265E-04
						PU-240	1.271E-05
						SR-90	2.400E+00
						TA-182	1.900E+02
						U-235	2.247E-08
						U-238	1.865E-09
		*					3.615E+04
		88	6.031E+00	1.635E+07	7.429E+04	CE-144	3.000E+00
						CO-58	3.446E+04
						CO-60	1.246E+04
						CR-51	1.160E+03
						CS-134	6.000E-01
						CS-137	1.200E+00
						FE-59	1.810E+02
						MAP	6.096E-01
						MFP	9.143E-01
						MN-54	2.570E+04
						PU-239	4.476E-04
						PU-240	6.208E-06
						SR-90	1.200E+00
						TA-182	3.373E+02
						U-235	5.334E-07
						U-238	5.259E-03

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ANL

PAGE 38

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
		*					7.429E+04
ANL	785	89	7.985E+00	1.215E+07	4.316E+05	CE-144	6.000E+00
					-----	CO-58	7.303E+04
	*				9.377E+05	CO-60	3.068E+05
						CR-51	2.959E+03
						CS-134	1.200E+00
						CS-137	2.400E+00
						FE-59	5.260E+02
						MAP	4.334E-01
						MFP	6.500E-01
						MN-54	4.823E+04
						PU-239	4.539E-04
						PU-240	1.283E-04
						SR-90	2.400E+00
						TA-182	3.000E-01
						U-235	6.960E-07
						U-238	4.865E-05
		*					4.316E+05
	*						9.377E+05
	787	73	1.801E+01	1.011E+06	2.171E-04	MAP	2.550E-05
						MFP	1.275E-05
						U-235	1.668E-04
						U-238	1.199E-05
		*					2.171E-04
		74	8.275E+00	1.660E+06	2.979E-05	MAP	2.277E-05
						U-235	7.012E-06
		*					2.979E-05
		75	3.653E+00	2.874E+06	6.420E-04	MAP	9.600E-07
						MFP	2.750E-05
						U-235	5.476E-04
						U-238	6.594E-05
		*					6.420E-04
		76	1.059E+01	4.196E+06	1.078E-01	MAP	5.000E-05
						MFP	7.500E-05
						U-235	1.813E-03

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ANL

PAGE 39

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ANL	787	76				U-238	1.058E-01
		*					1.078E-01
		77	1.360E+00	6.804E+05	7.261E-04	U-235	6.735E-04
						U-238	5.261E-05
		*					7.261E-04
		79	1.812E+00	1.814E+05	1.000E-03	CS-137	1.000E-03
		82	3.625E+00	5.443E+05	2.417E-04	MAP	1.000E-04
						MFP	1.400E-04
						U-235	1.539E-06
						U-238	1.630E-07
		*					2.417E-04
		83	2.039E+00	1.202E+06	2.855E-03	MAP	2.752E-04
						MFP	4.029E-04
						U-235	1.326E-04
						U-238	2.044E-03
		*					2.855E-03
		84	1.557E+00	1.042E+06	1.101E-02	MFP	2.381E-04
						TH-234	1.308E-07
						U-235	2.604E-04
						U-238	9.323E-03
						UN-ID-B+G	1.190E-03
		*					1.101E-02
		85	1.982E-01	1.125E+05	5.190E-04	U-235	4.102E-04
						U-238	1.088E-04
		*					5.190E-04
		86	4.955E+00	1.791E+06	1.421E-02	MAP	2.762E-03
						MFP	4.143E-03
					1.392E-01	PU-239	4.482E-04
						PU-240	1.678E-04
						U-235	2.575E-03
						U-238	4.119E-03
		*					1.421E-02

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ANL

PAGE 40

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
	*						1.392E-01
ANL	790	73	1.144E+02	1.727E+07	7.211E-02	MFP	7.211E-02
		75	6.683E+00	1.123E+06	3.629E-02	MAP	5.390E-03
						MFP	3.088E-02
	*				1.084E-01	PU-239	1.056E-05
	*						3.629E-02
	*						1.084E-01
	792	79	4.758E+00	3.856E+05	2.468E-06	TH-232 U-235	1.526E-06 9.416E-07
		*					2.468E-06
		84	2.764E+01	3.325E+07	4.409E-02	MAP	1.715E-02
						MFP	2.690E-02
	*				4.410E-02	U-235	4.241E-05
						U-238	2.407E-07
	*						4.409E-02
	*						4.410E-02
	793	76	7.930E-01	1.361E+05	1.500E-03	MFP	1.500E-03
		77	1.020E+00	2.268E+05	5.000E-02	MFP	5.000E-02
		78	3.625E+00	1.814E+05	1.000E-02	MAP MFP	4.000E-03 6.000E-03
	*						1.000E-02
		79	2.628E+01	9.525E+06	1.590E+00	CS-137 H-3 NA-22 U-235	7.900E-01 1.000E-02 7.900E-01 2.739E-06
	*						1.590E+00
		81	5.436E+00	2.041E+06	1.548E-01	CS-137 MAP MFP	1.190E-01 1.429E-02 2.143E-02

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ANL

PAGE 41

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
		*					1.548E-01
ANL	793	82	2.175E+01	5.897E+06	9.758E-02	MAP MFP	3.903E-02 5.855E-02
		*					9.758E-02
		83	3.625E+00	6.804E+05	1.310E-01	MAP MFP	5.200E-02 7.900E-02
		*					1.310E-01
		84	1.991E+01	6.376E+06	6.169E-01	CS-137 MAP MFP U-235 U-238	1.600E-02 2.301E-01 3.452E-01 3.634E-04 2.524E-02
		*					6.169E-01
		85	1.269E+01	3.786E+06	6.714E-01	MAP MFP	3.352E-01 3.362E-01
		*					6.714E-01
		86	8.241E+00	3.201E+06	1.112E+02	H-3 MAP MFP	1.100E+02 8.572E-02 1.057E+00
		*					1.112E+02
		87	7.646E+00	1.838E+06	1.583E+00	MAP MFP	6.333E-01 9.500E-01
		*					1.583E+00
		88	3.823E+00	1.397E+06	1.429E-01	MAP MFP	5.714E-02 8.572E-02
	*				1.162E+02		1.429E-01
	*						1.162E+02
	794	78	2.266E-01	2.268E+04	1.500E+00	CO-58 CO-60	5.000E-01 2.500E-01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ANL

PAGE 42

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ANL	794	78				MAP	2.500E-01
						MN-54	5.000E-01
		*					1.500E+00
		1/2	1.812E+00	5.443E+05	6.094E-02	MAP	1.900E-03
	*				-----	MFP	2.860E-03
					1.561E+00	U-235	7.918E-04
						U-238	5.539E-02
		*					6.094E-02
	*						1.561E+00
	797	87	3.625E+00	4.812E+05	4.048E-02	MAP	1.619E-02
						MFP	2.429E-02
						PU-239	1.394E-06
						PU-240	2.713E-08
		*					4.048E-02
		88	1.676E+01	1.385E+06	3.181E+00	CE-144	6.430E-04
	*				-----	CO-60	6.155E-06
					3.222E+00	CS-137	9.946E-04
						MAP	1.271E+00
						MFP	1.908E+00
						NB-95	2.210E-04
						ZR-95	1.320E-04
		*					3.181E+00
	*						3.222E+00
	798	84	5.947E+00	2.043E+07	9.179E-01	MAP	3.667E-01
						MFP	5.500E-01
						PU-239	1.130E-03
						PU-240	2.209E-05
						U-235	5.513E-06
						U-238	4.226E-07
		*					9.179E-01
		85	7.759E+00	2.070E+07	6.173E-01	MAP	2.466E-01
						MFP	3.700E-01
						PU-239	6.588E-04
						PU-240	1.289E-05

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR ARA

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ARA	NONE	71	6.627E+00	4.872E+05	3.359E+00	AG-110	2.338E-02
						CO-60	2.672E-01
						CR-51	6.680E-02
						MFP	2.900E-02
						MN-54	3.006E-01
						ZN-65	2.672E+00
		*					3.359E+00
	*						3.359E+00
	000	61	2.000E+00	0.000E+00	5.000E-04	UN-ID-B+G	5.000E-04
		62	4.300E+01	0.000E+00	7.300E+01	UN-ID-B+G	7.300E+01
		63	6.700E+01	0.000E+00	3.182E+03	UN-ID-B+G	3.182E+03
		64	3.000E+01	0.000E+00	1.590E+02	UN-ID-B+G	1.590E+02
	*				3.414E+03		3.414E+03
	601	77	1.189E+00	1.134E+05	2.510E-05	CS-137	2.510E-05
	602	77	2.082E-01	4.082E+04	3.000E-04	MAP	1.500E-04
						MFP	1.500E-04
	*						3.000E-04
	*						3.000E-04
	606	77	3.625E+00	2.268E+05	1.000E-03	CS-137	1.000E-03
	607	77	2.832E-02	1.670E+02	5.627E-05	U-235	7.918E-07
						U-238	5.548E-05
	*						5.627E-05
		78	2.832E-02	3.120E+02	1.049E-04	U-235	1.284E-06
	*				1.612E-04	U-238	1.036E-04
	*						1.049E-04
	*						1.612E-04
	608	72	1.416E+00	3.629E+06	1.000E-03	UN-ID-B+G	1.000E-03

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ARA

PAGE 45

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ARA	608	82	5.437E+00	1.270E+06	5.250E-04	MFP	5.250E-04
	*				1.525E-03		1.525E-03
	610	85	2.572E+00	1.424E+06	1.950E-02	MFP	1.950E-02
		86	5.946E-01	1.020E+06	7.700E-04	MFP	7.700E-04
	*				2.027E-02		2.027E-02
	626	71	4.135E+00	5.443E+05	1.275E+00	CE-141	2.110E-01
						UN-ID-B+G	6.375E-04
						ZR-NB-95	1.063E+00
	*						1.275E+00
		72	4.068E+01	1.075E+06	4.013E+02	AM-241	1.000E-05
						CO-60	6.010E+01
						CR-51	1.629E+02
						CS-137	1.200E+01
						FE-59	6.812E+01
						NI-59	9.200E+01
						PU-239	9.900E-04
						UN-ID-B+G	6.176E+00
	*						4.013E+02
		73	8.279E+00	8.754E+05	5.206E+01	CO-60	1.059E+01
						CR-51	8.311E-01
						CS-137	3.000E+00
						FE-59	1.210E+01
						MFP	5.600E-02
						NI-59	2.300E+01
						UN-ID-ALPHA	9.750E-06
						UN-ID-B+G	2.475E+00
	*						5.206E+01
		74	2.223E+01	2.149E+06	1.012E+00	MAP	2.262E-02
						MFP	6.787E-02
						UN-ID-ALPHA	1.550E-06
						UN-ID-B+G	9.220E-01
	*						1.012E+00
		75	1.096E+01	1.044E+06	3.300E-01	MAP	9.000E-02

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ARA

PAGE 46

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ARA	626	75				MFP	9.000E-02
						U-235	2.354E-05
						U-238	8.325E-08
						UN-ID-B+G	1.500E-01
		*					3.300E-01
		76	6.760E+00	1.561E+06	1.004E+01	MAP	5.018E+00
						MFP	5.018E+00
						U-235	6.292E-04
						U-238	4.226E-04
		*					1.004E+01
		77	3.939E+01	4.764E+06	1.637E+00	MAP	2.377E-01
						MFP	1.399E+00
						U-235	1.380E-04
						U-238	1.519E-04
		*					1.637E+00
		78	8.713E+00	1.805E+06	9.381E+00	MAP	7.707E+00
						MFP	1.674E+00
		*					9.381E+00
		79	3.625E+00	4.536E+05	1.427E-04	U-235	6.848E-05
						U-238	7.426E-05
		*					1.427E-04
		80	2.028E+01	5.013E+06	2.204E+01	MAP	9.513E+00
						MFP	1.253E+01
		*					2.204E+01
		81	2.093E+01	2.722E+06	2.022E-01	MAP	5.127E-02
						MFP	1.510E-01
		*					2.022E-01
		82	1.504E+01	2.776E+06	9.784E+01	CE-144	7.986E+00
						CO-60	4.117E+00
						CS-134	1.211E+01
						CS-137	5.029E+01
						MAP	1.548E-01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR ARA

PAGE 47

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
ARA	626	82				MFP	1.152E+00
						NB-95	1.117E+01
						PU-239	5.770E-03
						U-235	7.062E-06
						U-238	3.410E-04
						UN-ID-B+G	5.134E+00
						ZR-95	5.723E+00
		*					9.784E+01
		83	1.091E+01	2.127E+06	2.659E+00	MAP	2.583E-01
						MFP	2.400E+00
						PU-239	2.056E-06
						PU-240	5.115E-07
						U-235	1.407E-05
						U-238	3.246E-04
		*					2.659E+00
		84	1.590E+01	3.107E+06	2.005E+00	CE-144	6.200E-04
						CO-60	3.190E-04
						CS-134	9.410E-04
						CS-137	5.907E-03
						MAP	3.987E-01
						MFP	1.595E+00
						NB-95	8.670E-04
						U-235	2.882E-05
						U-238	1.993E-03
						UN-ID-B+G	4.000E-04
						ZR-95	4.450E-04
		*					2.005E+00
		85	1.448E+01	3.175E+06	4.576E+00	CE-144	3.784E-01
						CO-60	1.949E-01
						CS-134	5.743E-01
						CS-137	2.384E+00
						NB-95	5.294E-01
						UN-ID-B+G	2.434E-01
						ZR-95	2.718E-01
		*					4.576E+00
		86	8.400E-01	5.715E+05	1.200E-01	CE-144	9.924E-03
						CO-60	5.112E-03
						CS-134	1.506E-02

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR CFA

PAGE 51

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CFA	EBR	74	3.283E+01	2.981E+07	1.612E+01	CS-137	1.602E+01
						MFP	1.010E-01
		*					1.612E+01
		75	3.158E+02	2.554E+08	5.276E+00	CS-137	5.275E+00
						MAP	1.235E-03
						MFP	6.500E-05
		*					5.276E+00
		81	1.812E+00	2.268E+05	1.500E-04	MAP	7.500E-05
	*				-----	MFP	7.500E-05
		*			2.139E+01		1.500E-04
	*						2.139E+01
	EFS	81	2.536E+01	8.391E+06	1.430E-03	BA-133	1.070E-03
						CS-137	3.600E-04
		*					1.430E-03
		86	2.265E-01	9.080E+04	3.000E-04	MAP	4.500E-05
	*				-----	MFP	2.550E-04
		*			1.730E-03		3.000E-04
	*						1.730E-03
	NONE	71	1.879E+01	1.172E+06	1.039E+00	MFP	1.039E+00
	ZPR	74	9.834E+01	7.052E+07	1.410E-02	MFP	2.000E-03
						UN-ID-ALPHA	1.210E-02
		*					1.410E-02
	*						1.410E-02
	000	61	3.700E+01	0.000E+00	5.000E-04	UN-ID-B+G	5.000E-04
		62	2.800E+01	0.000E+00	5.000E-04	UN-ID-B+G	5.000E-04
		63	3.100E+01	0.000E+00	5.000E-04	UN-ID-B+G	5.000E-04
		64	4.200E+01	0.000E+00	5.000E-04	UN-ID-B+G	5.000E-04

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CFA

PAGE 52

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CFA	000	65	8.400E+01	0.000E+00	5.000E-04	UN-ID-B+G	5.000E-04
		66	3.110E+02	0.000E+00	5.700E+01	UN-ID-B+G	5.700E+01
		67	1.810E+02	0.000E+00	3.000E+00	UN-ID-B+G	3.000E+00
		68	5.700E+01	0.000E+00	7.000E+01	UN-ID-B+G	7.000E+01
		69	4.130E+02	0.000E+00	6.300E+01	UN-ID-B+G	6.300E+01
		70	7.300E+01	0.000E+00	1.000E+00	UN-ID-B+G	1.000E+00
	*				1.940E+02		1.940E+02
	601	74	1.699E-01	1.701E+05	3.000E-03	CO-60 CS-137	1.500E-03 1.500E-03
		*					3.000E-03
	*						3.000E-03
	609	72	1.136E+00	1.819E+05	1.010E-03	MFP UN-ID-B+G	1.000E-05 1.000E-03
		*					1.010E-03
	*						1.010E-03
	617	82	3.211E+00	2.204E+06	9.380E-04	MAP MFP	4.690E-04 4.690E-04
		*					9.380E-04
		83	1.223E+01	6.450E+06	5.355E-03	MAP MFP	2.437E-03 2.917E-03
		*					5.355E-03
		84	8.603E+00	5.906E+06	7.288E-03	MAP MFP	3.644E-03 3.644E-03
		*					7.288E-03
		85	8.476E+00	4.046E+06	1.050E-03	H-3 MAP MFP	1.000E-04 4.500E-04 4.500E-04

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CFA

PAGE 53

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CFA	617	85				NA-22	5.000E-05
		*					1.050E-03
		86	1.201E+01	4.792E+06	2.180E-03	MAP	1.090E-03
						MFP	1.090E-03
		*					2.180E-03
		87	3.625E+00	1.823E+06	3.600E+00	MAP	1.800E+00
						MFP	1.800E+00
*					3.617E+00		
		*					3.600E+00
		*					3.617E+00
	633	74	5.664E-01	2.268E+05	1.000E-03	CO-60	5.000E-04
						FE-59	5.000E-04
		*					1.000E-03
		*					1.000E-03
	638	80	2.266E-01	2.767E+06	1.640E+02	CO-60	1.640E+02
	659	83	7.929E-01	5.443E+05	7.875E-04	MAP	3.937E-04
						MFP	3.937E-04
		*					7.875E-04
		*					7.875E-04
	660	72	5.664E-02	2.268E+05	2.500E-02	MFP	2.500E-02
		76	6.797E-01	3.629E+05	1.000E-03	MAP	5.000E-04
						MFP	5.000E-04
*					2.600E-02		
		*					1.000E-03
		*					2.600E-02
	665	74	3.993E+00	9.979E+05	1.002E-03	MAP	5.000E-04
						MFP	5.000E-04
						UN-ID-B+G	2.000E-06
		*					1.002E-03

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CFA

PAGE 54

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CFA	665	75	7.193E+01	2.903E+07	1.136E-02	MAP	3.603E-03
						MFP	7.757E-03
		*					1.136E-02
		76	3.398E+00	6.804E+06	1.400E-04	MFP	1.400E-04
		84	2.878E+01	1.437E+07	2.000E-01	MAP	5.000E-02
	*				2.125E-01	MFP	1.500E-01
	*						2.000E-01
	*						2.125E-01
	669	71	2.277E+01	1.814E+06	2.900E-02	MFP	2.600E-02
						UN-ID-B+G	3.000E-03
		*					2.900E-02
		72	5.454E+01	6.419E+06	8.075E-02	MFP	8.075E-02
		73	5.406E+01	4.241E+06	6.200E-02	MFP	6.200E-02
		74	3.596E+01	3.130E+06	1.213E-02	MAP	2.940E-03
						MFP	8.190E-03
						UN-ID-B+G	1.000E-03
		*					1.213E-02
		75	5.987E+00	2.631E+06	9.500E-03	MAP	4.750E-03
						MFP	4.750E-03
		*					9.500E-03
		76	8.723E+00	1.361E+06	2.250E-03	MAP	1.125E-03
						MFP	1.125E-03
		*					2.250E-03
		77	1.034E+01	3.901E+06	1.382E-02	MAP	6.912E-03
						MFP	6.912E-03
		*					1.382E-02
		78	2.775E+00	1.905E+06	3.000E-03	MAP	1.500E-03
						MFP	1.500E-03

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CFA

PAGE 55

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
		*					3.000E-03
CFA	669	79	3.092E+00	8.294E+07	4.350E-03	MAP MFP	2.175E-03 2.175E-03
		*					4.350E-03
		80	1.059E+01	6.410E+06	1.133E-02	MAP MFP	5.665E-03 5.665E-03
		*					1.133E-02
		81	2.094E+01	9.635E+06	1.578E-02	MAP MFP	7.890E-03 7.890E-03
		*					1.578E-02
		82	6.938E+00	4.790E+06	3.110E-03	MAP MFP	1.555E-03 1.555E-03
		*					3.110E-03
		86	3.625E+00	6.532E+05	1.500E-04	MAP MFP	7.500E-05 7.500E-05
	*				2.472E-01		1.500E-04
	*						2.472E-01
	674	71	6.797E-01	2.268E+05	1.000E-04	UN-ID-B+G	1.000E-04
		72	7.929E-01	5.806E+05	2.100E-03	MFP	2.100E-03
		74	1.158E+01	2.994E+06	1.450E-03	MFP UN-ID-B+G	4.500E-04 1.000E-03
		*					1.450E-03
		75	1.699E-01	6.804E+05	2.000E-03	MAP MFP	1.000E-03 1.000E-03
		*					2.000E-03
		89	3.625E+00	1.121E+06	6.000E-04	MFP	6.000E-04

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CFA

PAGE 56

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
	*				6.250E-03		6.250E-03
CFA	683	71	2.266E-01	9.072E+05	1.000E-03	MFP	1.000E-03
		72	1.699E-01	2.268E+05	1.000E-02	MAP	1.000E-02
		73	7.312E+01	1.479E+07	5.235E-02	MAP	3.750E-04
	*				6.335E-02	MFP	1.897E-02
						UN-ID-B+G	3.300E-02
	*						5.235E-02
	*						6.335E-02
	685	72	2.832E+00	9.072E+04	1.000E-04	MFP	1.000E-04
		74	2.832E+01	5.443E+06	5.000E-02	MAP	2.500E-03
	*				5.010E-02	MFP	4.750E-02
	*						5.000E-02
	*						5.010E-02
	687	75	2.549E+00	1.270E+07	3.000E-03	MAP	1.500E-03
						MFP	1.500E-03
	*						3.000E-03
		76	1.586E+01	7.984E+06	3.015E-02	MAP	1.507E-02
						MFP	1.507E-02
	*						3.015E-02
		78	1.812E+00	9.072E+05	1.000E-04	MAP	5.000E-05
						MFP	5.000E-05
	*						1.000E-04
		80	1.812E+00	2.132E+06	1.500E-04	MAP	7.500E-05
	*				3.340E-02	MFP	7.500E-05
	*						1.500E-04
	*						3.340E-02

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR CFA

PAGE 57

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CFA	690	71	1.359E+00	9.299E+04	4.250E-03	MFP	4.250E-03
		72	6.796E-01	6.124E+04	4.000E-03	MFP	4.000E-03
		74	2.832E-02	4.536E+03	1.000E-03	MFP	1.000E-03
		75	8.496E-01	4.536E+04	1.000E-02	MFP	1.000E-02
		76	3.399E-01	1.089E+05	2.010E-02	MAP MFP	7.050E-03 1.305E-02
		*					2.010E-02
		79	1.893E-02	2.268E+04	6.177E-02	CO-60 RA-226	5.000E-02 1.177E-02
		*					6.177E-02
		81	2.082E-01	9.072E+04	4.108E-03	RA-226 U-235 U-238	1.000E-03 7.800E-06 3.100E-03
		*					4.108E-03
		85	2.082E-01	1.814E+05	7.934E-02	MAP MFP	1.321E-03 5.170E-04
	*				1.846E-01	RA-226 TA-182	7.700E-02 5.000E-04
		*					7.934E-02
	*						1.846E-01
	691	75	8.329E-01	5.443E+05	1.500E-01	MAP MFP	7.500E-02 7.500E-02
		*					1.500E-01
		78	1.450E+01	2.722E+06	7.500E-03	MFP	7.500E-03
		79	3.262E+01	4.082E+06	3.500E-03	MAP MFP	1.750E-03 1.750E-03
		*					3.500E-03
		80	5.437E+00	3.629E+06	1.200E-02	MAP	6.000E-03

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CFA

PAGE 58

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CFA	691	80				MFP	6.000E-03
		*					1.200E-02
		88	5.436E+00	2.871E+06	1.200E-05	MFP	1.200E-05
	*				1.730E-01		1.730E-01
	699	83	7.929E-01	5.443E+05	2.200E-04	MAP MFP	1.100E-04 1.100E-04
		*					2.200E-04
	*						2.200E-04
	766	73	1.410E+01	6.577E+06	3.850E-02	MAP MFP	1.925E-02 1.925E-02
		*					3.850E-02
		74	6.457E+00	2.268E+06	5.000E-03	MAP MFP	1.000E-03 4.000E-03
		*					5.000E-03
		75	3.625E+00	2.722E+06	1.200E-03	MAP MFP	6.000E-04 6.000E-04
		*					1.200E-03
		79	2.839E+01	1.588E+05	6.000E-03	MFP	6.000E-03
		80	1.087E+01	2.268E+06	2.250E-03	MAP MFP	1.125E-03 1.125E-03
		*					2.250E-03
		81	1.450E+01	6.123E+06	5.850E-03	MAP MFP	2.925E-03 2.925E-03
		*					5.850E-03
		83	6.887E+01	5.171E+07	1.770E-01	CO-60 CS-137	8.850E-02 8.850E-02
	*				2.358E-01		2.358E-01
		*					1.770E-01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CFA

PAGE 59

[illegible]

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 60

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	C03	77	1.087E+01	2.041E+06	3.000E-02	MFP	3.000E-02
	DCF	88	3.625E+00	5.900E+05	6.000E-02	MFP	6.000E-02
		89	2.177E+01	4.974E+06	1.896E+00	CE-144	2.364E-01
					-----	CS-137	1.200E-01
	*				1.956E+00	MFP	6.960E-01
						NB-95	3.720E-02
						PR-144	2.364E-01
						RH-106	1.200E-01
						RU-106	1.200E-01
						SB-125	5.280E-02
						SR-90	1.200E-01
						Y-90	1.200E-01
						ZR-95	3.720E-02

	*						1.896E+00

	*						1.956E+00
	NONE	71	1.232E+02	1.420E+07	9.667E+00	CE-144	1.263E+00
						CS-137	6.315E-01
						MFP	5.457E+00
						RU-106	6.315E-01
						SB-125	2.947E-01
						SR-90	6.315E-01
						U-235	6.420E-06
						U-238	4.995E-06
						UN-ID-B+G	3.368E-01
						ZR-NB-95	4.210E-01

	*						9.667E+00

	*						9.667E+00
	S21	88	5.802E+01	3.424E+07	4.480E-01	MFP	4.480E-01
	S71	89	1.160E+02	1.094E+08	9.800E-01	CE-144	1.269E-01
						CS-137	6.440E-02
						MFP	3.360E-01
						NB-95	1.996E-02
						PR-144	1.269E-01
						RH-106	6.440E-02
						RU-106	6.440E-02
						SB-125	2.834E-02
						SR-90	6.440E-02

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR CPP

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	S71	89				Y-90	6.440E-02
						ZR-95	1.996E-02
		*					9.800E-01
	*						9.800E-01
	TFA	88	2.538E+01	5.850E+06	1.254E+00	MFP	1.254E+00
		89	3.444E+01	2.582E+07	1.950E+00	CE-144	3.120E-01
						CS-137	1.584E-01
	*				3.204E+00	MFP	3.660E-01
						NB-95	4.910E-02
						PR-144	3.120E-01
						RH-106	1.584E-01
						RU-106	1.584E-01
						SB-125	6.970E-02
						SR-90	1.584E-01
						Y-90	1.584E-01
						ZR-95	4.910E-02
		*					1.950E+00
	*						3.204E+00
000		61	3.830E+02	0.000E+00	3.720E+02	UN-ID-B+G	3.720E+02
		62	2.070E+02	0.000E+00	1.020E+02	UN-ID-B+G	1.020E+02
		64	5.380E+02	0.000E+00	2.540E+02	UN-ID-B+G	2.540E+02
		65	4.910E+02	0.000E+00	3.710E+02	UN-ID-B+G	3.710E+02
		66	7.580E+02	0.000E+00	1.878E+04	UN-ID-B+G	1.878E+04
		67	4.370E+02	0.000E+00	1.842E+04	UN-ID-B+G	1.842E+04
		68	5.230E+02	0.000E+00	1.980E+04	UN-ID-B+G	1.980E+04
		69	4.840E+02	0.000E+00	4.150E+04	UN-ID-B+G	4.150E+04
		70	6.290E+02	0.000E+00	1.880E+02	UN-ID-B+G	1.880E+02
	*				9.979E+04		9.979E+04
600		76	6.117E+00	3.629E+05	2.100E+01	CE-144	3.927E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 62

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	600	76				CS-137	1.974E+00
						MFP	1.050E+00
						PR-144	3.927E+00
						RH-106	1.974E+00
						RU-106	1.974E+00
						SB-125	9.240E-01
						SR-90	1.974E+00
						Y-90	1.974E+00
						ZR-NB-95	1.302E+00
		*					2.100E+01
	*						2.100E+01
	601	71	2.697E+02	3.166E+07	4.932E+01	CE-144	1.217E+01
						CS-137	6.083E+00
						MFP	9.631E+00
						RU-106	6.083E+00
						SB-125	2.840E+00
						SR-90	6.083E+00
						UN-ID-B+G	2.373E+00
						ZR-NB-95	4.056E+00
		*					4.932E+01
		72	3.213E+02	3.932E+07	3.320E+01	CE-144	8.209E+00
						CS-137	4.104E+00
						MFP	7.686E+00
						RU-106	4.104E+00
						SB-125	1.915E+00
						SR-90	4.104E+00
						U-235	1.162E-05
						U-238	2.874E-04
						UN-ID-B+G	3.450E-01
						ZR-NB-95	2.736E+00
		*					3.320E+01
		73	3.553E+02	5.153E+07	3.361E+01	CE-144	3.694E+00
						CS-137	1.847E+00
						MFP	1.128E+01
						RU-106	1.010E+01
						SB-125	3.612E+00
						SR-90	1.847E+00
						ZR-NB-95	1.231E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 63

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
		*					3.361E+01
CPP	601	74	3.404E+02	5.477E+07	1.193E+02	CE-144	3.313E+01
						CS-137	1.657E+01
						MFP	1.768E+01
						RU-106	1.657E+01
						SB-125	7.730E+00
						SR-90	1.657E+01
						ZR-NB-95	1.104E+01
		*					1.193E+02
		75	2.238E+02	4.364E+07	5.216E+00	CE-144	7.884E-01
						CS-137	3.942E-01
						MFP	2.798E+00
						RU-106	3.942E-01
						SB-125	1.840E-01
						SR-90	3.942E-01
						ZR-NB-95	2.628E-01
		*					5.216E+00
		76	2.804E+02	3.171E+07	6.464E+00	CE-144	1.180E+00
						CS-137	5.902E-01
						MFP	2.844E+00
						RU-106	5.902E-01
						SB-125	2.754E-01
						SR-90	5.902E-01
						ZR-NB-95	3.935E-01
		*					6.464E+00
		77	5.790E+02	1.009E+08	2.786E+01	CE-144	3.035E+00
						CS-137	1.526E+00
						MFP	1.244E+01
						NB-95	2.911E-01
						PR-144	3.035E+00
						RH-106	1.371E+00
						RU-106	1.681E+00
						SB-125	7.142E-01
						SR-90	1.526E+00
						Y-90	1.526E+00
						ZR-NB-95	4.242E-01
						ZR-95	2.911E-01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 64

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
		*					2.786E+01
CPP	601	78	1.230E+03	2.969E+08	4.665E+02	CE-141	6.025E-01
						CE-144	9.038E+01
						CO-58	3.244E-01
						CO-60	3.244E-01
						CS-134	1.528E-02
						CS-137	3.993E+01
						EU-152	8.759E+00
						EU-154	9.269E-01
						EU-155	1.159E+00
						MFP	3.783E+01
						MN-54	6.025E-01
						NB-95	1.275E+01
						PR-144	9.038E+01
						RH-106	3.830E+01
						RU-106	3.830E+01
						SB-125	1.764E+01
						SR-90	3.778E+01
						Y-90	3.778E+01
						ZR-95	1.275E+01
		*					4.665E+02
		79	7.622E+02	1.826E+08	8.706E+01	AM-241	2.100E-04
						CE-144	1.424E+01
						CS-137	7.055E+00
						MAP	6.600E-02
						MFP	1.476E+01
						NB-95	2.360E+00
						PR-144	1.424E+01
						PU-238	2.100E-04
						PU-239	3.684E-03
						RH-106	7.157E+00
						RU-106	7.157E+00
						SB-125	3.350E+00
						SR-90	7.157E+00
						Y-90	7.157E+00
						ZR-95	2.360E+00
		*					8.706E+01
		80	2.107E+02	6.335E+07	1.418E+02	CE-144	2.663E+01
						CS-137	1.353E+01
						MFP	6.558E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR CPP

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	601	80				NB-95	4.366E+00
						PR-144	2.663E+01
						RH-106	1.353E+01
						RU-106	1.353E+01
						SB-125	6.197E+00
						SR-90	1.324E+01
						Y-90	1.324E+01
						ZR-95	4.366E+00
		*					1.418E+02
		81	4.131E+02	2.442E+08	5.240E+01	CE-144	8.462E+00
						CS-137	4.284E+00
						MFP	9.437E+00
						NB-95	1.351E+00
						PR-144	8.462E+00
						RH-106	4.284E+00
						RU-106	4.284E+00
						SB-125	1.917E+00
						SR-90	4.284E+00
						U-235	2.140E-05
						Y-90	4.284E+00
						ZR-95	1.351E+00
		*					5.240E+01
		82	3.658E+01	1.494E+07	3.494E+01	CE-144	3.674E+00
						CS-137	1.865E+00
						MFP	1.629E+01
						NB-95	5.781E-01
						PR-144	3.674E+00
						RH-106	1.865E+00
						RU-106	1.865E+00
						SB-125	8.206E-01
						SR-90	1.865E+00
						Y-90	1.865E+00
						ZR-95	5.781E-01
		*					3.494E+01
		83	2.381E+01	6.314E+06	5.524E+00	CE-144	1.083E+00
						CS-137	5.500E-01
						MFP	2.437E-02
						NB-95	1.705E-01
						PR-144	1.083E+00
						RH-106	5.500E-01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 66

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	601	83				RU-106	5.500E-01
						SB-125	2.420E-01
						SR-90	5.500E-01
						Y-90	5.500E-01
						ZR-95	1.705E-01
		*					5.524E+00
		84	2.175E+01	2.241E+07	1.920E-01	MFP	1.920E-01
		87	7.250E+00	1.135E+06	2.880E-01	MFP	2.880E-01
		88	1.287E+02	3.773E+07	4.399E+00	CE-144	5.910E-01
						CS-137	1.500E-01
						MFP	2.899E+00
						NB-95	4.650E-02
						RH-106	1.500E-01
						RU-106	1.500E-01
						SB-125	6.600E-02
						SR-90	1.500E-01
						Y-90	1.500E-01
						ZR-95	4.650E-02
		*					4.399E+00
		89	8.881E+01	3.044E+07	2.022E+01	CE-144	3.380E+00
						CS-137	1.716E+00
	*				1.088E+03	MFP	3.062E+00
						NB-95	5.318E-01
						PR-144	3.380E+00
						RH-106	1.716E+00
						RU-106	1.716E+00
						SB-125	7.549E-01
						SR-90	1.716E+00
						Y-90	1.716E+00
						ZR-95	5.318E-01
		*					2.022E+01
	*						1.088E+03
	602	71	6.665E+00	5.703E+05	3.652E-01	MFP	1.800E-01
						PU-239	1.842E-01
						U-235	1.947E-04
						U-238	8.252E-04

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 67

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
		*					3.652E-01
CPP	602	72	2.832E+00	2.268E+06	4.000E-03	MFP	4.000E-03
		73	5.777E+00	4.672E+05	3.753E-02	MFP	3.750E-02
						U-235	1.691E-05
						U-238	8.292E-06
		*					3.753E-02
		74	8.609E-01	6.622E+05	1.000E+02	MFP	9.000E-04
						SR-90	1.000E+02
		*					1.000E+02
		75	6.125E+00	4.812E+06	5.382E-02	CE-141	4.886E-03
						CE-144	6.395E-03
						CO-58	6.598E-05
						CO-60	2.009E-05
						CS-137	2.678E-04
						LA-140	2.399E-04
						MFP	4.830E-03
						NB-95	1.910E-02
						PU-239	1.891E-04
						PU-240	1.054E-05
						RU-103	4.093E-03
						U-234	1.760E-04
						U-235	1.231E-05
						U-236	2.280E-06
						U-238	8.388E-06
						ZR-95	1.352E-02
		*					5.382E-02
		76	8.128E+01	9.501E+06	1.299E+00	CE-141	8.540E-03
						CE-144	4.739E-02
						CO-58	1.145E-04
						CO-60	3.516E-05
						CS-134	5.060E-03
						CS-137	3.817E-02
						EU-154	3.760E-04
						LA-140	4.198E-04
						MFP	1.129E+00
						NB-95	3.342E-02
						RU-103	7.163E-03

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 68

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	602	76				RU-106	3.960E-03
						SB-125	7.540E-04
						TH-232	9.810E-08
						U-233	5.740E-05
						U-234	6.170E-04
						U-235	3.212E-05
						U-236	3.170E-05
						U-238	1.226E-05
						ZR-95	2.362E-02
		*					1.299E+00
		77	6.064E+01	2.037E+07	1.662E+02	CE-144	3.085E+01
						CS-137	1.551E+01
						MFP	9.437E+00
						NB-95	5.115E+00
						PR-144	3.085E+01
						RH-106	1.551E+01
						RU-106	1.551E+01
						SB-125	7.260E+00
						SR-90	1.551E+01
						TH-232	1.635E-06
						U-235	3.745E-06
						U-238	3.996E-08
						Y-90	1.551E+01
						ZR-95	5.115E+00
		*					1.662E+02
		78	7.127E+01	1.172E+07	1.520E+01	CE-144	2.725E+00
						CS-137	1.370E+00
						MFP	1.359E+00
						NB-95	4.518E-01
						PR-144	2.725E+00
						RH-106	1.370E+00
						RU-106	1.370E+00
						SB-125	6.412E-01
						SR-90	1.370E+00
						Y-90	1.370E+00
						ZR-95	4.518E-01
		*					1.520E+01
		79	4.126E+01	7.912E+06	6.305E+00	CE-144	1.124E+00
						CS-137	5.651E-01
						MFP	5.937E-01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR CPP

PAGE 69

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	602	79				NB-95	1.864E-01
						PR-144	1.124E+00
						RH-106	5.651E-01
						RU-106	5.651E-01
						SB-125	2.645E-01
						SR-90	5.651E-01
						U-234	2.468E-04
						U-235	8.703E-06
						U-236	4.216E-06
						U-238	2.726E-07
						Y-90	5.651E-01
						ZR-95	1.864E-01
		*					6.305E+00
		80	1.815E+01	2.404E+07	6.961E+02	CE-144	6.472E+01
						CO-60	1.588E+00
						CS-134	1.494E+01
						CS-137	4.394E+02
						EU-152	1.752E+00
						EU-154	1.821E+00
						EU-155	1.392E+00
						MFP	9.151E+00
						NB-95	5.115E+00
						PR-144	6.472E+01
						PU-238	4.169E-02
						PU-239	1.161E-02
						PU-240	3.503E-04
						PU-241	8.166E-02
						PU-242	4.607E-06
						RH-106	1.551E+01
						RU-106	1.551E+01
						SB-125	7.260E+00
						SR-90	2.397E+01
						TH-232	1.155E-05
						U-234	3.355E-03
						U-235	1.255E-04
						U-236	1.158E-04
						U-238	2.010E-05
						Y-90	2.397E+01
						ZR-95	5.115E+00
		*					6.961E+02
		81	2.174E+01	7.166E+06	8.850E-01	MFP	8.799E-01
						PU-239	1.360E-03

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 70

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	602	81				PU-240	3.740E-03
		*					8.850E-01
		86	2.878E+01	4.086E+06	3.303E-01	MFP	3.303E-01
		88	1.450E+01	2.838E+06	5.400E-02	MFP	5.400E-02
		89	1.813E+00	1.450E+06	1.400E-02	MFP	1.400E-02
	*				9.868E+02		9.868E+02
	603	71	2.396E+01	5.670E+06	3.737E+01	CS-137 MFP SR-90	2.782E+01 2.705E-01 9.275E+00
		*					3.737E+01
		72	1.372E+02	5.257E+07	1.281E+00	MFP	1.281E+00
		73	1.580E+02	2.247E+07	3.250E+05	CO-58 CO-60 CR-51 MAP MFP MN-54	3.900E+03 1.982E+05 7.897E+04 2.307E+04 3.055E-01 2.080E+04
		*					3.250E+05
		74	1.484E+02	1.324E+07	2.130E+00	MFP	2.130E+00
		75	2.897E+02	5.552E+07	2.999E+01	CE-141 CE-144 CO-58 CO-60 CS-134 CS-137 EU-152 EU-154 EU-155 MAP MFP MN-54 NB-95 RU-106 ZR-95	5.400E-01 1.302E+01 2.700E-01 2.700E-01 5.400E-01 8.330E+00 1.060E+00 1.080E+00 5.400E-01 1.325E-02 2.979E+00 2.700E-01 2.700E-01 5.400E-01 2.700E-01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR CPP

PAGE 71

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
		*					2.999E+01
CPP	603	76	7.677E+02	1.972E+08	6.871E+01	CE-141	6.600E-02
						CE-144	1.805E+00
						CO-58	3.400E-02
						CO-60	1.407E-01
						CS-134	4.170E-01
						CS-137	4.102E+01
						EU-152	4.380E-01
						EU-154	1.200E-01
						EU-155	9.000E-02
						MAP	5.000E-04
						MFP	7.770E+00
						MN-54	4.600E-02
						NB-95	3.400E-02
						PR-144	7.848E-01
						RH-106	2.600E-02
						RU-106	6.600E-02
						SR-89	1.008E-01
						SR-90	7.861E+00
						Y-90	7.861E+00
						ZR-95	3.400E-02
		*					6.871E+01
		77	1.940E+03	4.993E+08	4.562E+03	CE-141	1.307E+01
						CE-144	1.937E+03
						CO-58	3.376E+00
						CO-60	6.756E+00
						CS-134	1.150E+01
						CS-137	3.130E+02
						EU-152	1.712E+02
						EU-154	8.357E+01
						EU-155	2.001E+01
						MFP	1.162E+02
						MN-54	6.227E+00
						NB-95	1.353E+01
						PR-144	1.810E+03
						PU-238	1.800E-06
						PU-239	3.476E-02
						PU-240	2.462E-04
						RH-106	1.080E+01
						RU-106	1.080E+01
						SB-125	1.834E+00
						SR-90	1.866E+01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 72

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	603	77				U-234	6.521E-03
						U-235	6.875E-04
						U-236	1.160E-04
						U-238	1.002E-04
						Y-90	2.764E+00
						ZR-95	1.109E+01
		*					4.562E+03
		78	8.711E+02	3.845E+08	5.725E+03	CE-141	2.101E+01
						CE-144	1.311E+03
						CO-58	4.361E-01
						CO-60	1.992E+01
						CS-134	9.178E+01
						CS-137	2.046E+03
						EU-152	1.063E+02
						EU-154	9.725E+01
						EU-155	3.616E+01
						MFP	8.134E+00
						MN-54	8.100E-01
						NB-95	4.248E+01
						PR-144	1.311E+03
						PU-238	3.022E-02
						PU-239	2.872E-02
						PU-240	2.560E-03
						RH-106	2.326E+01
						RU-106	2.326E+01
						SB-125	4.614E+00
						SR-90	5.397E+02
						U-234	7.673E-03
						U-235	3.215E-04
						U-236	1.268E-04
						U-238	5.140E-05
						Y-90	8.665E+00
						ZR-95	3.305E+01
		*					5.725E+03
		79	4.995E+02	1.784E+08	1.023E+03	CE-144	1.276E+02
						CO-60	3.830E+00
						CS-134	1.893E+01
						CS-137	5.414E+02
						EU-152	5.350E+00
						EU-154	4.901E+00
						EU-155	2.778E+00
						MFP	4.728E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR CPP

PAGE 73

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	603	79				NB-95	1.306E+00
						PR-144	1.276E+02
						PU-238	4.169E-02
						PU-239	2.690E-02
						PU-240	7.285E-04
						PU-241	8.166E-02
						PU-242	4.607E-06
						RH-106	1.121E+01
						RU-106	1.121E+01
						SB-125	1.949E+00
						SR-90	7.970E+01
						U-234	1.023E-02
						U-235	3.766E-04
						U-236	3.047E-04
						U-238	6.690E-05
						Y-90	7.970E+01
						ZR-95	6.485E-01
		*					1.023E+03
		80	4.043E+02	6.544E+08	1.506E+04	CE-141	1.609E+01
						CE-144	1.935E+03
						CO-60	5.394E+01
						CS-134	3.268E+02
						CS-137	8.986E+03
						EU-152	1.007E+02
						EU-154	1.005E+02
						EU-155	4.842E+01
						MFP	3.588E+00
						NB-95	3.823E+01
						PR-144	1.945E+03
						PU-238	7.253E-01
						PU-239	3.043E-01
						PU-240	8.489E-03
						PU-241	1.340E+00
						PU-242	7.971E-05
						RH-106	5.620E+01
						RU-106	5.620E+01
						SB-125	5.291E+00
						SR-90	8.618E+02
						U-234	1.134E-01
						U-235	4.416E-03
						U-236	3.228E-03
						U-238	7.533E-04
						Y-90	5.018E+02
						ZR-95	2.412E+01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 74

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
		*					1.506E+04
CPP	603	81	1.303E+02	6.636E+07	1.402E+04	CE-144	3.016E+00
						CO-58	7.840E+03
						CO-60	1.400E+02
						CR-51	4.200E+02
						CS-137	1.519E+00
						FE-59	1.400E+02
						MFP	2.705E+00
						MN-54	5.460E+03
						NB-95	4.946E-01
						PR-144	3.016E+00
						RH-106	1.519E+00
						RU-106	1.519E+00
						SB-125	7.020E-01
						SR-90	1.519E+00
						Y-90	1.519E+00
						ZR-95	4.946E-01
		*					1.402E+04
		82	5.819E+01	2.288E+07	1.148E+05	CO-58	6.429E+04
						CO-60	1.148E+03
						CR-51	3.444E+03
						FE-59	1.148E+03
						MFP	1.170E+00
						MN-54	4.477E+04
		*					1.148E+05
		83	3.727E+00	2.545E+06	2.060E-02	MFP	2.060E-02
		84	3.205E+01	6.790E+07	1.484E+00	N/A	0.000E+00
						MFP	1.484E+00
		*					1.484E+00
		85	1.195E+01	1.996E+06	9.700E-01	MFP	9.700E-01
		87	4.502E+00	5.153E+06	1.950E+00	CO-60	9.750E-03
						CS-134	5.850E-03
						CS-137	1.077E+00
						EU-152	3.260E-01
						EU-154	2.301E-01
						EU-155	4.836E-02

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 75

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	603	87				SR-90	1.264E-01
						Y-90	1.264E-01
		*					1.950E+00
		88	1.269E+01	3.859E+06	2.540E-01	MFP	2.540E-01
		89	7.250E+00	2.543E+06	4.440E-01	CE-144	8.274E-02
					-----	CS-137	4.200E-02
	*				4.803E+05	MFP	2.400E-02
						NB-95	1.302E-02
						PR-144	8.274E-02
						RH-106	4.200E-02
						RU-106	4.200E-02
						SB-125	1.848E-02
						SR-90	4.200E-02
						Y-90	4.200E-02
						ZR-95	1.302E-02
		*					4.440E-01
	*						4.803E+05
	604	71	3.556E+01	9.979E+06	2.347E+00	CE-144	3.420E-01
						CS-137	1.710E-01
						MFP	1.299E+00
						RU-106	1.710E-01
						SB-125	7.980E-02
						SR-90	1.710E-01
						ZR-NB-95	1.140E-01
		*					2.347E+00
		72	2.565E+01	4.446E+06	3.428E-01	MFP	3.428E-01
		73	6.491E+01	2.579E+07	4.362E+00	CE-144	1.215E+00
						CS-137	6.075E-01
						MFP	4.860E-01
						PU-239	1.500E-01
						RU-106	6.075E-01
						SB-125	2.835E-01
						SR-90	6.075E-01
						ZR-NB-95	4.050E-01
		*					4.362E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 76

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	604	74	3.517E+02	6.801E+08	3.941E+03	CE-144	3.282E+02
						CO-60	1.514E+01
						CS-134	4.326E+01
						CS-137	9.081E+02
						EU-154	4.199E+01
						EU-155	2.422E+01
						MAP	8.000E-02
						MFP	1.226E+00
						MN-54	6.055E+00
						NB-95	7.500E-04
						PR-144	3.239E+02
						RH-106	4.844E+01
						RU-106	5.059E+01
						SB-125	1.003E+00
						SR-90	1.083E+03
						Y-90	1.064E+03
						ZR-NB-95	1.433E+00
		*					3.941E+03
		75	1.986E+02	3.293E+07	7.001E+02	CE-144	1.498E+02
						CO-60	3.501E+00
						CS-134	9.801E+00
						CS-137	8.543E+01
						EU-154	9.100E+00
						EU-155	5.600E+00
						MAP	5.625E-03
						MFP	6.625E-03
						MN-54	1.400E+00
						RU-106	2.241E+01
						SR-90	4.130E+02
		*					7.001E+02
		76	9.629E+00	1.134E+07	1.500E-02	MFP	1.500E-02
		77	7.533E+00	6.804E+05	1.330E-03	MFP	1.330E-03
		78	6.007E+01	1.488E+07	2.812E+01	CE-144	5.069E+00
						CS-134	2.430E+00
						CS-137	1.090E+01
						MFP	5.663E-02
						NB-95	3.460E-02
						PR-144	2.087E-01
						RH-106	1.049E-01
						RU-106	3.345E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 77

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	604	78				SB-125	5.891E-01
						SR-89	1.890E+00
						SR-90	3.345E+00
						Y-90	1.049E-01
						ZR-95	3.460E-02
		*					2.812E+01
		79	1.087E+01	2.722E+06	5.700E-02	MFP	5.700E-02
		80	2.066E+02	2.567E+08	2.252E+01	CE-144	3.385E+00
						CS-137	1.701E+00
						MFP	5.328E+00
						NB-95	5.611E-01
						PR-144	3.385E+00
						RH-106	1.701E+00
						RU-106	1.701E+00
						SB-125	7.964E-01
						SR-90	1.701E+00
						Y-90	1.701E+00
						ZR-95	5.611E-01
		*					2.252E+01
		81	8.606E+01	2.114E+07	1.151E+02	CE-144	1.850E+01
						CO-60	4.732E-02
						CS-134	6.151E+00
						CS-137	4.192E+01
						EU-154	6.573E-01
						EU-155	2.746E-01
						MFP	1.380E+00
						NB-95	1.960E+00
						PR-144	1.214E+01
						RH-106	6.156E+00
						RU-106	8.020E+00
						SB-125	3.668E+00
						SR-90	6.156E+00
						Y-90	6.156E+00
						ZR-95	1.960E+00
		*					1.151E+02
		88	3.444E+01	1.818E+07	2.978E+01	CE-144	5.615E+00
						CS-137	2.850E+00
						MFP	1.282E+00
						NB-95	8.835E-01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 78

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	604	88				PR-144	5.615E+00
						RH-106	2.850E+00
						RU-106	2.850E+00
						SB-125	1.254E+00
						SR-90	2.850E+00
						Y-90	2.850E+00
						ZR-95	8.835E-01
		*					2.978E+01
		89	3.081E+01	1.005E+07	1.029E+01	CE-144	2.028E+00
						CS-137	1.029E+00
	*			4.854E+03		NB-95	3.191E-01
						PR-144	2.028E+00
						RH-106	1.029E+00
						RU-106	1.029E+00
						SB-125	4.529E-01
						SR-90	1.029E+00
						Y-90	1.029E+00
						ZR-95	3.191E-01
		*					1.029E+01
	*						4.854E+03
	605	73	6.587E+01	4.999E+07	7.040E-01	MFP	7.040E-01
		74	5.947E+00	1.089E+07	3.000E-01	MFP	3.000E-01
		75	5.307E+02	1.424E+08	1.390E+00	CE-144	3.732E-03
						CO-60	7.465E-03
						CS-134	3.732E-03
						CS-137	1.232E-01
						MAP	5.630E-01
						MFP	6.277E-01
						MN-54	1.740E-03
						RU-106	4.928E-02
						SR-90	1.008E-02
		*					1.390E+00
		77	6.797E-01	2.722E+05	1.500E-03	MFP	1.500E-03
		80	1.087E+01	2.540E+06	7.190E+00	CE-144	1.345E+00
						CS-137	6.759E-01
						MFP	3.595E-01

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR CPP

PAGE 79

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	605	80				NB-95	2.229E-01
						PR-144	1.345E+00
						RH-106	6.759E-01
						RU-106	6.759E-01
						SB-125	3.164E-01
						SR-90	6.759E-01
						Y-90	6.759E-01
						ZR-95	2.229E-01
		*					7.190E+00
		81	2.174E+01	3.856E+06	8.242E+00	CE-144	4.403E-01
						CS-137	2.235E-01
						MFP	6.007E+00
						NB-95	6.928E-02
						PR-144	4.403E-01
						RH-106	2.235E-01
						RU-106	2.235E-01
						SB-125	9.834E-02
						SR-90	2.235E-01
						Y-90	2.235E-01
						ZR-95	6.928E-02
		*					8.242E+00
		88	1.088E+01	5.631E+06	1.980E+01	CE-144	3.901E+00
						CS-137	1.980E+00
						NB-95	6.138E-01
						PR-144	3.901E+00
						RH-106	1.980E+00
						RU-106	1.980E+00
						SB-125	8.712E-01
						SR-90	1.980E+00
						Y-90	1.980E+00
						ZR-95	6.138E-01
		*					1.980E+01
		89	2.538E+01	1.111E+07	5.217E+01	CE-144	1.028E+01
						CS-137	5.217E+00
					8.980E+01	NB-95	1.617E+00
						PR-144	1.028E+01
						RH-106	5.217E+00
						RU-106	5.217E+00
						SB-125	2.295E+00
						SR-90	5.217E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 80

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	605	89				Y-90	5.217E+00
						ZR-95	1.617E+00
		*					5.217E+01
	*						8.980E+01
	606	71	5.211E+00	1.361E+06	1.000E-03	MFP	1.000E-03
	607	76	7.250E+00	9.072E+05	6.000E-03	MFP	6.000E-03
		79	7.250E+00	1.814E+06	2.254E-01	MFP	2.254E-01
		81	1.087E+01	1.633E+06	1.500E-02	MFP	1.500E-02
	*				2.464E-01		2.464E-01
	608	71	1.087E+01	6.804E+05	4.500E-03	MFP	4.500E-03
		72	3.398E+00	4.536E+05	5.000E-02	MFP	5.000E-02
		73	2.736E+01	4.037E+06	9.610E-04	MFP	9.610E-04
		74	1.118E+01	1.533E+06	2.046E-03	MFP	1.000E-08
						U-235	1.434E-04
						U-238	1.903E-03
	*						2.046E-03
		75	6.117E+00	4.536E+05	7.500E-03	MAP	3.750E-03
						MFP	3.750E-03
	*						7.500E-03
		76	1.469E+02	3.683E+07	3.685E-02	MFP	3.685E-02
		84	1.087E+01	2.087E+06	2.400E-02	MFP	2.400E-02
	*				1.259E-01		1.259E-01
	610	83	5.185E+02	1.607E+08	2.662E+01	CE-144	4.844E+00
						CS-137	2.429E+00
						MFP	2.063E+00
						NB-95	7.623E-01
						PR-144	4.844E+00
						RH-106	2.459E+00

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR CPP

PAGE 81

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	610	83				RU-106	2.459E+00
						SB-125	1.082E+00
						SR-90	2.459E+00
						Y-90	2.459E+00
						ZR-95	7.623E-01
		*					2.662E+01
		84	1.650E+03	6.573E+08	1.029E+02	N/A	0.000E+00
						CE-144	1.561E+01
						CS-137	7.429E+00
						MFP	2.414E+01
						NB-95	2.457E+00
						PR-144	1.561E+01
						RH-106	7.925E+00
						RU-106	7.925E+00
						SB-125	3.487E+00
						SR-90	7.925E+00
						Y-90	7.925E+00
						ZR-95	2.457E+00
		*					1.029E+02
		85	7.785E+02	2.517E+08	1.038E+02	N/A	0.000E+00
						CE-144	1.766E+01
						CS-137	8.965E+00
						MAP	8.000E-03
						MFP	1.418E+01
						NB-95	2.779E+00
						PR-144	1.766E+01
						RH-106	8.965E+00
						RU-106	8.965E+00
						SB-125	3.945E+00
						SR-90	8.965E+00
						Y-90	8.965E+00
						ZR-95	2.779E+00
		*					1.038E+02
		86	9.197E+02	2.747E+08	2.138E+02	CE-144	3.627E+01
						CS-137	1.841E+01
						MFP	2.962E+01
						NB-95	5.708E+00
						PR-144	3.627E+01
						RH-106	1.841E+01
						RU-106	1.841E+01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 82

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	610	86				SB-125	8.102E+00
						SR-90	1.841E+01
						Y-90	1.841E+01
						ZR-95	5.708E+00
		*					2.138E+02
		87	1.117E+03	5.082E+08	2.141E+02	CE-144	2.656E+01
						CO-60	1.760E-01
						CS-134	1.064E-01
						CS-137	4.241E+01
						EU-152	6.158E+00
						EU-154	4.348E+00
						EU-155	9.200E-01
						MFP	3.151E+01
						NB-95	4.179E+00
						PR-144	2.656E+01
						RH-106	1.348E+01
						RU-106	1.348E+01
						SB-125	8.256E+00
						SR-90	1.588E+01
						Y-90	1.588E+01
						ZR-95	4.179E+00
		*					2.141E+02
		88	1.813E+00	4.540E+05	1.400E-02	MFP	1.400E-02
	*				6.612E+02		6.612E+02
	617	73	1.841E+01	7.938E+06	2.100E-04	MFP	2.100E-04
		76	6.162E+01	9.072E+06	1.100E-02	MFP	1.100E-02
		79	1.450E+01	4.536E+06	4.400E-01	MFP	4.400E-01
		81	2.174E+01	4.672E+06	3.390E-01	MFP	3.390E-01
	*				7.902E-01		7.902E-01
	619	74	5.664E+00	9.072E+05	1.000E-04	MFP	1.000E-04
	620	71	2.039E+00	3.629E+05	1.500E-03	MFP	1.500E-03
		73	2.050E+01	3.039E+06	3.813E-02	MFP	3.750E-02
						U-235	6.249E-04

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR CPP

PAGE 83

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
						U-238	6.993E-06
	*				3.963E-02		
		*					3.813E-02
	*						3.963E-02
CPP	621	76	1.903E+01	4.536E+06	4.000E-03	MFP	4.000E-03
	627	71	1.514E-02	1.814E+04	9.630E-07	U-235	9.630E-07
		72	2.365E-01	3.856E+04	1.001E+00	MFP	1.000E+00
						TH-232	1.090E-07
						U-235	5.211E-04
						U-238	6.184E-06
		*					1.001E+00
		73	2.266E+00	6.804E+05	1.000E-04	MFP	1.000E-04
		74	3.059E+00	1.724E+06	5.000E-04	MFP	5.000E-04
		75	2.086E+01	8.298E+06	1.358E+01	BA-140	1.350E+00
						CE-141	1.350E+00
						CE-144	2.025E+00
						CS-134	4.060E-02
						CS-137	2.700E+00
						LA-140	2.025E+00
						MFP	2.325E-02
						RB-86	7.600E-04
						RU-103	2.029E+00
						SE-75	4.556E-03
						TH-232	9.911E-03
						U-235	7.615E-04
						U-238	2.496E-05
						ZR-95	2.025E+00
		*					1.358E+01
		76	3.172E+00	1.814E+05	6.830E-04	NP-237	4.200E-06
						PU-238	6.200E-04
						PU-239	4.100E-05
						PU-240	1.700E-05
						U-234	8.200E-07
		*					6.830E-04

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 84

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	627	77	3.798E-02	9.279E+03	1.026E-01	CS-137	4.020E-02
						PU-239	4.690E-05
						SR-90	4.020E-02
						U-234	2.130E-02
						U-235	7.169E-04
						U-236	8.892E-05
						U-238	6.920E-06
		*					1.026E-01
		79	3.645E+01	8.351E+06	6.663E+00	CE-144	1.038E+00
						CS-137	5.217E-01
						MFP	1.390E+00
						NB-95	1.720E-01
						PR-144	1.038E+00
						RA-226	1.657E-04
						RH-106	5.217E-01
						RU-106	5.217E-01
						SB-125	2.442E-01
						SR-90	5.217E-01
						Y-90	5.217E-01
						ZR-95	1.720E-01
		*					6.663E+00
		81	1.450E+01	2.767E+06	5.680E+00	CE-144	1.045E+00
						CS-137	5.255E-01
						MFP	3.689E-01
						NB-95	1.733E-01
						PR-144	1.045E+00
						RH-106	5.255E-01
						RU-106	5.255E-01
						SB-125	2.460E-01
						SR-90	5.255E-01
						U-238	4.099E-04
						Y-90	5.255E-01
						ZR-95	1.733E-01
		*					5.680E+00
		87	7.250E+00	1.453E+06	1.200E-02	MFP	1.200E-02
		88	1.994E+01	4.949E+06	1.100E-01	MFP	1.100E-01
		*			2.715E+01		2.715E+01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 85

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	628	75	1.141E+02	4.594E+07	2.072E+03	CE-144	4.560E+02
						CO-60	9.625E+00
						CS-134	2.695E+01
						CS-137	2.569E+02
						EU-154	2.502E+01
						EU-155	1.540E+01
						MFP	1.216E+01
						MN-54	3.850E+00
						RU-106	8.365E+01
						SB-125	1.029E+01
						SR-90	1.158E+03
						ZR-NB-95	1.470E+01
		*					2.072E+03
		77	1.827E+02	1.180E+08	1.144E+02	CO-60	1.142E-01
						CS-134	2.285E-01
						CS-137	6.283E+01
						EU-154	4.570E-01
						MFP	1.677E-01
						PU-238	2.285E-01
						PU-239	1.069E-01
						PU-240	7.403E-03
						SR-90	2.513E+01
						Y-90	2.513E+01
		*					1.144E+02
		78	4.350E+01	8.845E+06	3.110E-01	MFP	3.110E-01
					2.187E+03		2.187E+03
	*						
630	71		2.073E+01	3.561E+06	1.205E-02	MFP	1.205E-02
	72		1.875E+01	4.763E+06	6.750E-03	MFP	6.750E-03
	73		2.804E+00	1.814E+06	1.000E-05	MFP	1.000E-05
	74		3.858E+01	1.398E+07	8.520E-01	MFP	8.520E-01
	75		1.057E+02	3.590E+07	8.559E-01	MFP	8.559E-01
	76		3.104E+02	8.886E+07	8.492E+00	CE-144	1.477E+00
						CS-137	7.397E-01
						MFP	3.097E+00
						PR-144	4.301E-01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 86

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	630	76				RH-106	2.162E-01
						RU-106	7.397E-01
						SB-125	3.455E-01
						SR-90	7.397E-01
						Y-90	2.162E-01
						ZR-NB-95	4.916E-01
		*					8.492E+00
		77	2.313E+02	3.723E+07	6.921E+00	CE-144	3.646E-01
						CS-137	1.833E-01
						MFP	5.068E+00
						PR-144	3.646E-01
						RH-106	1.833E-01
						RU-106	1.833E-01
						SB-125	8.580E-02
						SR-90	1.833E-01
						Y-90	1.833E-01
						ZR-NB-95	1.209E-01
		*					6.921E+00
		78	2.681E+02	9.259E+07	6.220E+01	CE-144	1.065E+01
						CS-134	1.472E-02
						CS-137	6.641E+00
						MFP	6.530E+00
						NB-95	1.764E+00
						PR-144	1.065E+01
						RH-106	5.375E+00
						RU-106	5.375E+00
						SB-125	2.508E+00
						SR-90	5.459E+00
						Y-90	5.459E+00
						ZR-95	1.764E+00
		*					6.220E+01
		79	2.399E+02	1.657E+08	2.864E+02	CE-144	5.294E+01
						CS-137	2.661E+01
						MFP	1.739E+01
						NB-95	8.776E+00
						PR-144	5.294E+01
						RA-226	1.000E-01
						RH-106	2.661E+01
						RU-106	2.661E+01
						SB-125	1.246E+01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 87

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	630	79				SR-90	2.661E+01
						Y-90	2.661E+01
						ZR-95	8.776E+00
		*					2.864E+02
		80	9.181E+02	2.876E+08	3.010E+02	CE-144	5.407E+01
						CS-137	2.718E+01
						MFP	2.632E+01
						NB-95	8.963E+00
						PR-144	5.407E+01
						RH-106	2.718E+01
						RU-106	2.718E+01
						SB-125	1.272E+01
						SR-90	2.718E+01
						Y-90	2.718E+01
						ZR-95	8.963E+00
		*					3.010E+02
		81	1.260E+02	1.121E+08	2.025E+02	CE-144	3.845E+01
						CS-137	2.014E+01
						MFP	7.304E+00
						NB-95	6.105E+00
						PR-144	3.845E+01
						RH-106	2.014E+01
						RU-106	2.014E+01
						SB-125	8.665E+00
						SR-90	1.851E+01
						Y-90	1.851E+01
						ZR-95	6.105E+00
		*					2.025E+02
		82	3.128E+01	2.131E+07	3.574E-01	MAP	1.300E-03
						MFP	3.561E-01
		*					3.574E-01
		83	2.121E+01	1.474E+07	9.076E-02	MFP	9.076E-02
		*			8.697E+02		8.697E+02
	633	71	3.398E+00	9.072E+05	2.250E-02	MFP	2.250E-02
		72	7.873E+00	2.041E+06	9.000E-01	MFP	9.000E-01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 88

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	633	73	4.339E+01	4.105E+07	1.216E+03	CE-144	3.649E+02
						CS-137	1.824E+02
						MFP	9.730E+01
						RU-106	1.824E+02
						SB-125	8.513E+01
						SR-90	1.824E+02
						ZR-NB-95	1.216E+02
		*					1.216E+03
		74	2.133E+01	3.910E+07	1.575E+03	CE-144	4.230E+02
						CS-137	2.115E+02
						MFP	2.778E+02
						RU-106	2.115E+02
						SB-125	9.870E+01
						SR-90	2.115E+02
						ZR-NB-95	1.410E+02
		*					1.575E+03
		75	8.270E+00	4.626E+06	1.155E+03	CE-144	2.970E+02
						CS-137	1.485E+02
						MFP	2.442E+02
						RU-106	1.485E+02
						SB-125	6.930E+01
						SR-90	1.485E+02
						ZR-NB-95	9.900E+01
		*					1.155E+03
		76	1.728E+01	5.192E+07	9.900E+02	CE-144	2.597E+02
						CS-137	1.300E+02
						MFP	6.930E+01
						PR-144	6.171E+01
						RH-106	3.102E+01
						RU-106	1.300E+02
						SB-125	6.072E+01
						SR-90	1.300E+02
						Y-90	3.102E+01
						ZR-NB-95	8.646E+01
		*					9.900E+02
		77	6.066E+01	8.845E+07	1.327E+03	CE-144	2.480E+02
						CS-137	1.247E+02
						MFP	6.651E+01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR CPP

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	633	77				NB-95	3.600E+01
						PR-144	2.480E+02
						RH-106	1.247E+02
						RU-106	1.247E+02
						SB-125	5.836E+01
						SR-90	1.247E+02
						Y-90	1.247E+02
						ZR-NB-95	1.023E+01
						ZR-95	3.600E+01

		*					1.327E+03
		78	8.844E+01	1.862E+08	4.787E+03	CE-144	8.948E+02
						CS-134	1.368E-02
						CS-137	4.510E+02
						MFP	2.401E+02
						NB-95	1.483E+02
						PR-144	8.948E+02
						RH-106	4.498E+02
						RU-106	4.498E+02
						SB-125	2.105E+02
						SR-90	4.499E+02
						Y-90	4.499E+02
						ZR-95	1.483E+02

		*					4.787E+03
		79	8.457E+02	4.841E+08	3.180E+03	CE-144	5.703E+02
						CS-134	7.022E-01
						CS-137	3.464E+02
						MFP	2.114E+02
						NB-95	9.443E+01
						PR-144	5.703E+02
						RH-106	2.877E+02
						RU-106	2.877E+02
						SB-125	1.343E+02
						SR-90	2.917E+02
						Y-90	2.913E+02
						ZR-95	9.443E+01

		*					3.180E+03
		80	1.321E+02	3.582E+07	2.323E+03	CE-144	4.470E+02
						CS-137	2.313E+02
						MFP	5.322E+01
						NB-95	7.191E+01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 90

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	633	80				PR-144	4.470E+02
						RH-106	2.313E+02
						RU-106	2.313E+02
						SB-125	1.021E+02
						SR-90	2.181E+02
						Y-90	2.181E+02
						ZR-95	7.191E+01
		*					2.323E+03
		81	5.062E+01	1.542E+06	2.805E+03	CE-144	5.526E+02
						CS-137	2.904E+02
						MFP	1.800E-03
						NB-95	8.695E+01
						PR-144	5.526E+02
						RH-106	2.904E+02
						RU-106	2.904E+02
						SB-125	1.234E+02
						SR-90	2.656E+02
						Y-90	2.656E+02
						ZR-95	8.695E+01
		*					2.805E+03
		82	1.586E+00	1.089E+06	7.900E-02	MFP	7.900E-02
		83	1.421E+02	9.398E+06	3.035E-01	MFP	3.035E-01
		84	1.087E+01	2.767E+06	2.000E-02	MFP	2.000E-02
		85	1.696E+01	2.542E+06	7.480E+00	CE-144	1.474E+00
						CS-137	7.480E-01
						NB-95	2.319E-01
						PR-144	1.474E+00
						RH-106	7.480E-01
						RU-106	7.480E-01
						SB-125	3.291E-01
						SR-90	7.480E-01
						Y-90	7.480E-01
						ZR-95	2.319E-01
		*					7.480E+00
		89	3.625E+00	1.770E+06	6.000E-03	CE-144	1.182E-03
						CS-137	6.000E-04
		*			1.937E+04	NB-95	1.860E-04

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR CPP

PAGE 91

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	633	89				PR-144	1.182E-03
						RH-106	6.000E-04
						RU-106	6.000E-04
						SB-125	2.640E-04
						SR-90	6.000E-04
						Y-90	6.000E-04
						ZR-95	1.860E-04
		*					6.000E-03
	*						1.937E+04
	636	78	1.450E+01	2.722E+06	6.900E-02	MFP	6.900E-02
	637	72	3.398E-01	9.072E+02	2.689E-04	U-235	1.091E-04
						U-238	1.598E-04
		*					2.689E-04
		75	1.031E+00	4.697E+05	1.917E-02	MFP	1.800E-02
						TH-232	9.750E-04
						U-235	1.485E-04
						U-238	4.163E-05
		*					1.917E-02
		77	1.416E-01	1.487E+06	6.123E-04	TH-232	3.400E-04
						U-235	2.690E-04
						U-238	3.330E-06
		*					6.123E-04
		78	4.899E+00	1.161E+06	3.638E-03	MFP	3.000E-04
						TH-232	1.304E-04
						U-235	4.560E-05
						U-238	3.162E-03
		*					3.638E-03
		79	1.991E+01	1.039E+07	2.035E-02	MFP	1.475E-02
						U-235	2.450E-04
						U-238	5.358E-03
		*					2.035E-02
		80	7.930E-01	5.443E+05	7.500E-03	MAP	7.500E-03

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 92

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	637	81	2.582E+01	9.889E+06	1.115E-02	MFP	1.115E-02
		83	3.625E+00	6.804E+05	1.960E-02	AM-241	1.620E-02
						CF-252	2.140E-03
						NP-237	2.115E-05
						PU-239	1.228E-03
						U-238	1.499E-05
		*					1.960E-02
		89	3.625E+00	9.080E+05	6.000E-03	MFP	6.000E-03
	*				8.829E-02		8.829E-02
	640	71	5.664E-02	2.000E+03	6.680E-04	U-238	6.680E-04
		72	1.008E+01	9.072E+05	6.530E-01	MFP	6.530E-01
		73	5.515E+01	6.486E+06	6.507E+00	CE-144	1.258E+00
						CS-137	6.288E-01
						MFP	2.628E+00
						RU-106	6.288E-01
						SB-125	2.934E-01
						SR-90	6.288E-01
						U-235	5.015E-04
						U-238	2.144E-02
						ZR-NB-95	4.192E-01
		*					6.507E+00
		74	3.455E+01	5.353E+06	8.590E-01	MFP	8.590E-01
		75	1.854E+02	1.493E+07	3.655E+03	CE-144	8.400E-01
						CO-60	2.188E+03
						CS-137	4.200E-01
						FE-55	3.600E+02
						FE-59	1.846E+02
						MFP	6.512E+00
						MN-54	3.600E+02
						MN-56	5.538E+02
						RU-106	4.200E-01
						SB-125	1.960E-01
						SR-90	4.200E-01
						ZR-NB-95	2.800E-01
		*					3.655E+03

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 93

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	640	76	1.016E+02	1.498E+07	1.082E+01	CE-144	1.425E+00
						CS-137	7.144E-01
						MFP	5.032E+00
						PR-144	7.050E-01
						RH-106	2.444E-01
						RU-106	8.244E-01
						SB-125	3.339E-01
						SR-90	7.144E-01
						Y-90	3.544E-01
						ZR-NB-95	4.737E-01
		*					1.082E+01
		77	4.248E-01	4.536E+05	1.680E+00	CE-144	3.142E-01
						CS-137	1.579E-01
						MFP	8.400E-02
						PR-144	3.142E-01
						RH-106	1.579E-01
						RU-106	1.579E-01
						SB-125	7.392E-02
						SR-90	1.579E-01
						Y-90	1.579E-01
						ZR-NB-95	1.042E-01
		*					1.680E+00
		82	1.784E+00	5.897E+06	1.000E-03	MFP	1.000E-03
		84	2.718E+01	1.397E+07	2.200E-01	N/A	0.000E+00
						MFP	2.200E-01
		*					2.200E-01
		88	1.813E+01	5.562E+06	8.800E-02	MFP	8.800E-02
	*				3.676E+03		3.676E+03
	649	77	3.738E+00	9.072E+05	4.500E-01	MFP	4.500E-01
		84	6.097E+01	7.756E+06	1.961E+02	CE-144	3.861E+01
						CS-137	1.960E+01
						MFP	9.300E-02
						NB-95	6.076E+00
						PR-144	3.861E+01
						RH-106	1.960E+01
						RU-106	1.960E+01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 94

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	649	84				SB-125	8.624E+00
						SR-90	1.960E+01
						Y-90	1.960E+01
						ZR-95	6.076E+00
		*					1.961E+02
		89	3.635E+00	1.080E+06	6.000E-03	MFP	6.000E-03
	*				1.965E+02		1.965E+02
	653	77	3.390E+01	6.350E+06	4.000E-03	MFP	4.000E-03
		81	2.174E+01	5.761E+06	8.106E+00	CE-144	1.511E+00
	*				8.110E+00	CS-137	7.596E-01
					8.110E+00	MFP	4.290E-01
						NB-95	2.505E-01
						PR-144	1.511E+00
						RH-106	7.596E-01
						RU-106	7.596E-01
						SB-125	3.556E-01
						SR-90	7.596E-01
						Y-90	7.596E-01
						ZR-95	2.505E-01
		*					8.106E+00
	*						8.110E+00
	656	79	2.492E+00	2.631E+06	1.500E-02	MFP	1.500E-02
	659	82	1.665E+00	1.143E+06	4.500E-03	MFP	4.500E-03
		83	1.154E+01	7.920E+06	5.924E-02	MFP	5.924E-02
		84	3.568E+00	2.041E+06	1.820E-01	MFP	1.820E-01
		87	7.250E+00	1.770E+06	1.200E+00	MFP	1.200E+00
		88	9.969E+01	2.395E+07	1.841E+01	CE-144	3.250E+00
						CS-137	1.398E+00
						MFP	4.430E+00
						NB-95	4.334E-01
						PR-144	2.258E+00
						RH-106	1.398E+00
						RU-106	1.398E+00

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR CPP

PAGE 95

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	659	88				SB-125	6.151E-01
						SR-90	1.398E+00
						Y-90	1.398E+00
						ZR-95	4.334E-01
		*					1.841E+01
		89	1.269E+02	3.846E+07	2.564E+01	CE-144	3.488E+00
						CS-137	1.771E+00
	*				4.549E+01	MFP	7.932E+00
						NB-95	5.489E-01
						PR-144	3.488E+00
						RH-106	1.771E+00
						RU-106	1.771E+00
						SB-125	7.791E-01
						SR-90	1.771E+00
						Y-90	1.771E+00
						ZR-95	5.489E-01
		*					2.564E+01
	*						4.549E+01
	663	81	1.670E+02	2.801E+07	1.090E+01	CE-144	2.026E+00
						CS-137	1.026E+00
						MFP	6.085E-01
						NB-95	3.236E-01
						PR-144	2.026E+00
						RH-106	1.026E+00
						RU-106	1.026E+00
						SB-125	4.594E-01
						SR-90	1.026E+00
						Y-90	1.026E+00
						ZR-95	3.236E-01
		*					1.090E+01
	*						1.090E+01
	666	87	3.625E+00	4.990E+05	2.700E-01	MFP	2.700E-01
		88	4.169E+01	9.943E+06	5.516E+00	CE-144	7.328E-01
						CS-137	3.720E-01
						MFP	1.796E+00
						NB-95	1.153E-01
						PR-144	7.328E-01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 96

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	666	88				RH-106	3.720E-01
						RU-106	3.720E-01
						SB-125	1.637E-01
						SR-90	3.720E-01
						Y-90	3.720E-01
						ZR-95	1.153E-01
		*					5.516E+00
		89	1.088E+01	2.582E+06	1.566E+00	CE-144	2.364E-01
						CS-137	1.200E-01
		*			7.352E+00	MFP	3.660E-01
						NB-95	3.720E-02
						PR-144	2.364E-01
						RH-106	1.200E-01
						RU-106	1.200E-01
						SB-125	5.280E-02
						SR-90	1.200E-01
						Y-90	1.200E-01
						ZR-95	3.720E-02
		*					1.566E+00
		*					7.352E+00
	672	89	3.444E+01	1.037E+07	9.000E-02	CE-144	7.486E-03
						CS-137	3.800E-03
						MFP	5.200E-02
						NB-95	1.178E-03
						PR-144	7.486E-03
						RH-106	3.800E-03
						RU-106	3.800E-03
						SB-125	1.672E-03
						SR-90	3.800E-03
						Y-90	3.800E-03
						ZR-95	1.178E-03
		*					9.000E-02
		*					9.000E-02
	680	78	1.087E+01	6.804E+05	7.050E-02	MFP	7.050E-02
	684	87	3.625E+00	6.356E+05	1.800E-01	MFP	1.800E-01
		88	1.088E+02	5.643E+07	1.114E+02	CE-144	2.241E+01

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 97

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
CPP	684	88				CS-137	1.090E+01
						MFP	2.400E+00
						NB-95	3.384E+00
						PR-144	2.052E+01
						RH-106	1.090E+01
						RU-106	1.090E+01
						SB-125	4.794E+00
						SR-90	1.090E+01
						Y-90	1.090E+01
						ZR-95	3.378E+00
		*					1.114E+02
		89	3.625E+00	1.820E+06	6.000E-02	MFP	6.000E-02
	*				1.116E+02		1.116E+02
	709	72	2.786E+01	3.175E+07	3.200E-02	MFP	3.200E-02
	715	73	3.398E+00	1.814E+06	6.000E-04	MFP	6.000E-04
		74	3.398E+00	4.536E+05	7.500E-03	MFP	7.500E-03
		81	3.625E+00	9.072E+05	1.500E-05	MFP	1.500E-05
	*				8.115E-03		8.115E-03
	716	75	5.076E+01	1.415E+07	4.310E-02	MFP	4.310E-02
	743	83	4.078E+00	1.361E+07	1.100E-02	MFP	1.100E-02
	749	82	7.294E+02	3.267E+08	1.529E+02	CE-144	2.780E+01
						CS-137	1.411E+01
						MFP	9.677E+00
						NB-95	5.446E+00
						PR-144	2.780E+01
						RH-106	1.411E+01
						RU-106	1.411E+01
						SB-125	6.209E+00
						SR-90	1.411E+01
						U-235	3.101E-06
						U-238	1.081E-03
						Y-90	1.411E+01
						ZR-95	5.446E+00
		*					1.529E+02

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR CPP

PAGE 98

[illegible]

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR D+D

PAGE 100

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
D+D	ARA	87	4.162E-01	1.565E+05	2.000E-03	AG-108M CO-60	1.000E-03 1.000E-03
		*					2.000E-03
	*						2.000E-03
	ARV	80	1.812E+00	1.361E+06	1.000E-03	MAP MFP	5.000E-04 5.000E-04
		*					1.000E-03
		89	7.250E+00	1.724E+06	6.419E-05	CS-137	6.419E-05
	*				1.064E-03		1.064E-03
	BOR	80	1.178E+01	1.383E+07	1.950E-03	MFP	1.950E-03
		81	3.625E+00	1.814E+06	1.200E-03	MAP MFP	6.000E-04 6.000E-04
	*				3.150E-03		1.200E-03
	*						3.150E-03
	BRX	85	2.800E-01	1.905E+05	5.000E-05	MAP MFP	2.500E-05 2.500E-05
		*					5.000E-05
		89	9.342E+00	2.130E+07	2.126E-05	CO-60 CS-137	8.200E-07 1.980E-05
	*				7.126E-05	TH-234	6.400E-07
	*						2.126E-05
	*						7.126E-05
	CTF	87	7.200E+00	2.951E+06	8.250E-03	MFP	8.250E-03
	HTR	89	7.250E+00	2.631E+06	2.000E-04	CO-60 CS-137	1.400E-04 6.000E-05
		*					2.000E-04
	*						2.000E-04

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR D+D

PAGE 101

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
D+D	IET	79	6.798E+01	1.025E+08	3.980E+00	CO-60	1.660E+00
						CS-137	6.600E-01
						MN-54	1.660E+00
		*					3.980E+00
		85	1.269E+01	7.350E+06	1.120E-02	MFP	1.120E-02
		86	4.531E+01	2.571E+07	3.805E-02	MFP	3.805E-02
	*				4.029E+00		4.029E+00
	MTR	85	2.114E+01	6.986E+06	1.024E-01	CO-60	1.024E-01
	OMR	78	9.157E+02	4.299E+08	2.548E+01	MAP	2.166E+01
						MFP	3.813E+00
	*						2.548E+01
		79	3.388E+02	4.144E+08	1.467E+01	MAP	7.335E+00
						MFP	7.335E+00
	*						1.467E+01
		82	5.799E+01	5.987E+07	2.816E-03	AM-241	5.760E-07
	*				4.015E+01	CO-60	1.024E-03
						CS-137	5.600E-04
						EU-152	1.760E-05
						EU-155	7.332E-06
						PU-238	2.240E-06
						SR-90	5.760E-05
						U-235	1.472E-05
						UN-ID-ALPHA	1.132E-03
	*						2.816E-03
	*						4.015E+01
	PER	86	7.249E+00	1.021E+06	1.000E-06	U-235	1.000E-06
		88	9.538E+01	6.255E+07	5.501E-01	CO-60	5.501E-01
	*				5.502E-01		5.502E-01
	PM2	81	1.715E+02	8.256E+07	1.620E+01	MFP	1.620E+01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR D+D

PAGE 102

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
D+D	PM2	82	2.215E+02	3.164E+08	1.791E-01	CO-60	1.348E-02
						CS-134	6.216E-05
	*				1.638E+01	CS-137	6.709E-02
						MFP	1.000E-03
						SR-90	9.751E-02
		*					1.791E-01
	*						1.638E+01
	SPT	79	6.614E+01	7.621E+07	2.750E-03	MAP	1.375E-03
						MFP	1.375E-03
		*					2.750E-03
		84	5.074E+01	6.078E+07	2.914E-02	CO-60	2.184E-05
						CS-137	1.051E-02
	*				3.189E-02	PU-238	4.805E-06
						PU-239-240	1.400E-05
						SR-90	1.878E-03
						U-234	1.302E-02
						U-235	1.004E-03
						U-236	2.009E-04
						U-238	2.489E-03
		*					2.914E-02
	*						3.189E-02
	S1G	83	6.524E+01	1.288E+08	5.579E+03	CO-60	1.538E+03
						FE-55	6.100E+01
						H-3	3.300E+03
						MAP	1.400E+00
						NB-94	2.000E+00
						NI-59	4.000E+00
						NI-63	6.730E+02
		*					5.579E+03
	*						5.579E+03
	TAN	82	3.978E+01	1.814E+07	4.878E+01	CO-60	7.100E-02
						CS-134	8.100E-02
						CS-137	4.850E+01
						SR-90	1.317E-01
						U-235	4.500E-05

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR D+D

PAGE 103

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
D+D	TAN	82				UN-ID-ALPHA	1.300E-04
		*					4.878E+01
		*					4.878E+01
	605	84	2.418E+02	1.657E+08	3.354E+00	CO-60	6.310E-01
						CS-137	6.310E-01
						MAP	1.046E+00
						MFP	1.046E+00
		*					3.354E+00
		*					3.354E+00
	616	81	6.160E+01	6.440E+07	5.190E-01	MFP	5.190E-01
							5.693E+03
							5.693E+03

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR LOF

PAGE 104

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
LOF	620	83	7.929E-01	5.443E+05	7.500E-03	CO-58	1.500E-03
						CO-60	6.000E-03
		*					7.500E-03
	*						7.500E-03
	629	82	8.043E+00	1.452E+06	1.315E-01	CO-58	3.150E-02
						CO-60	1.000E-01
		*					1.315E-01
		84	7.249E+00	9.072E+05	2.830E-03	CO-58	1.410E-03
						CO-60	1.420E-03
	*				1.343E-01		
		*					2.830E-03
	*						1.343E-01
	630	81	1.586E+00	1.089E+06	1.475E-02	MAP	1.475E-02
		82	7.930E-01	5.443E+05	5.330E-03	MAP	5.330E-03
		83	1.150E+00	7.892E+05	2.000E-03	CO-58	1.000E-03
						CO-60	1.000E-03
		*					2.000E-03
		84	3.211E+00	2.204E+06	5.460E-03	CO-58	2.173E-03
						CO-60	2.173E-03
						MAP	1.114E-03
		*					5.460E-03
		85	1.070E+00	7.348E+05	4.500E-04	MAP	2.250E-04
						MFP	2.250E-04
	*				2.799E-02		
		*					4.500E-04
	*						2.799E-02
	647	84	6.230E-01	3.266E+06	1.890E+00	AG-110M	3.000E-02
						CO-58	9.000E-01
						CO-60	9.000E-01
						CR-51	3.000E-02
						MN-54	3.000E-02

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR LOF

PAGE 105

[illegible]

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR NRF

PAGE 106

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
NRF	NONE	86	2.174E+01	1.049E+07	2.576E-02	CO-60	2.576E-02
	000	61	7.580E+02	0.000E+00	1.097E+04	UN-ID-B+G	1.097E+04
		62	8.360E+02	0.000E+00	1.230E+04	UN-ID-B+G	1.230E+04
		63	1.173E+03	0.000E+00	2.126E+04	UN-ID-B+G	2.126E+04
		64	1.031E+03	0.000E+00	2.405E+04	UN-ID-B+G	2.405E+04
		65	1.553E+03	0.000E+00	5.007E+05	UN-ID-B+G	5.007E+05
		66	1.450E+03	0.000E+00	7.873E+05	UN-ID-B+G	7.873E+05
		67	1.385E+03	0.000E+00	8.011E+05	UN-ID-B+G	8.011E+05
		68	1.561E+03	0.000E+00	1.927E+05	UN-ID-B+G	1.927E+05
		69	1.812E+03	0.000E+00	6.440E+05	UN-ID-B+G	6.440E+05
		70	1.932E+03	0.000E+00	1.010E+05	UN-ID-B+G	1.010E+05
	*				3.095E+06		3.095E+06
	601	71	2.592E+02	2.659E+07	7.130E-01	CO-60 IR-192	7.127E-01 2.800E-04
		*					7.130E-01
		72	3.845E+01	1.695E+07	3.196E-01	CO-60	3.196E-01
		73	4.757E+00	1.667E+06	1.235E-02	CO-60	1.235E-02
		74	7.788E+00	5.557E+06	8.740E-03	CO-60 U-235	8.740E-03 1.300E-07
		*					8.740E-03
		75	5.640E+00	1.044E+06	2.169E-04	CO-60 SR-90 U-238	1.204E-04 8.000E-05 1.655E-05
		*					2.169E-04
		76	8.496E-01	4.989E+05	1.000E-03	CO-60	1.000E-03

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR NRF

PAGE 107

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
NRF	601	77	2.354E+01	7.167E+06	1.038E+00	CO-60	1.038E+00
		78	2.082E-01	1.361E+01	9.249E-02	CO-60	9.249E-02
		79	9.912E+00	3.629E+06	5.000E-02	CO-60	5.000E-02
		81	7.250E+00	4.536E+06	1.200E+00	CO-60	1.200E+00
		83	2.832E+00	1.406E+06	1.410E+01	CO-60	1.410E+01
		84	7.957E+00	9.253E+06	5.584E-02	CO-60 CS-137	5.100E-02 4.842E-03
		*					5.584E-02
		88	2.832E+00	6.804E+06	2.624E+00	CO-60 FE-55 NI-63	2.400E+00 1.700E-01 5.400E-02
		*					2.624E+00
		89	2.832E+00	4.989E+06	9.110E+00	CO-60 FE-55 K-40 MN-54 NI-63	6.940E+00 1.830E+00 1.500E-01 8.000E-02 1.100E-01
	*				2.932E+01		9.110E+00
	*						2.932E+01
	613	79	2.574E+02	3.847E+08	4.161E-02	CS-137 U-235 U-238	3.733E-02 5.983E-05 4.222E-03
		*					4.161E-02
	*						4.161E-02
	616	76	3.512E+00	4.536E+05	4.000E-02	CO-60	4.000E-02
		77	3.398E+00	6.804E+05	3.000E-03	CO-60	3.000E-03
		79	5.046E+01	2.123E+07	2.672E-02	AM-241 CO-60 RA-226	1.600E-04 2.643E-02 1.320E-04

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR NRF

PAGE 108

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
		*					2.672E-02
NRF	616	80	1.631E+01	2.059E+06	5.000E-04	CO-60	5.000E-04
		81	5.491E+01	3.182E+07	4.206E-01	CO-60	4.206E-01
		82	1.237E+01	7.648E+06	9.800E-04	CO-60	9.800E-04
		83	5.729E+01	7.865E+07	3.757E-04	CO-60	3.757E-04
		89	4.531E+00	5.897E+06	2.999E+01	CO-60	9.840E+00
	*				-----	CS-137	3.000E-02
					3.048E+01	FE-55	1.654E+01
						MAP	6.000E-02
						MN-54	2.550E+00
						NI-63	9.400E-01
						SR-90	3.000E-02
		*					2.999E+01
	*						3.048E+01
	617	71	2.753E+02	1.324E+08	4.540E+02	CO-58	1.100E-01
						CO-60	4.536E+02
						CS-134	9.900E-02
						CS-137	1.210E-01
						MFP	1.299E-02
						U-235	1.327E-06
						U-238	4.662E-08
		*					4.540E+02
		72	1.198E+02	3.056E+07	3.635E+01	CO-60	3.635E+01
						MFP	2.414E-05
						U-235	8.560E-07
		*					3.635E+01
		73	3.360E+01	2.582E+07	4.236E-01	CO-60	4.236E-01
		74	6.995E+00	7.258E+06	1.037E-01	CO-60	1.037E-01
		78	1.189E+01	1.483E+07	6.010E-03	CO-60	6.010E-03
		80	3.557E+01	1.250E+07	5.028E+00	CO-60	2.800E-02

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR NRF

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
NRF	617	80				MFP	5.000E+00
		*					5.028E+00
		81	2.175E+01	6.033E+06	3.800E-03	CO-60	3.800E-03
	*				4.959E+02		4.959E+02
	618	71	9.632E+02	3.015E+08	5.469E+04	CO-58	4.280E-02
						CO-60	1.915E+04
						CS-134	1.440E+00
						CS-137	4.800E-01
						RA-226	5.576E+00
						UN-ID-B+G	2.400E-01
						ZR-NB-95	3.553E+04
		*					5.469E+04
		72	6.887E+02	3.088E+08	1.080E+04	CE-144	9.990E-01
						CO-58	2.534E-01
						CO-60	1.079E+04
						CS-134	8.686E-01
						CS-137	2.571E+00
						MFP	1.169E+00
						U-235	1.712E-06
						UN-ID-B+G	1.690E-01
		*					1.080E+04
		73	3.867E+02	3.080E+08	9.311E+03	CE-144	7.549E-01
						CO-60	9.306E+03
						CS-134	5.183E-01
						CS-137	1.753E+00
						MFP	6.000E-01
						NP-237	6.345E-07
						PM-147	7.400E-01
						PU-239	1.044E-05
						PU-240	9.560E-06
						PU-241	6.720E-04
						PU-242	3.900E-09
						RU-106	1.300E-02
						SR-90	3.800E-01
						TH-232	5.450E-05
						U-234	1.857E-05
						U-235	4.392E-07
						U-236	2.751E-06

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR NRF

PAGE 110

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
NRF	618	73				U-238	3.664E-05
		*					9.311E+03
		74	2.513E+02	1.620E+08	5.814E+03	CO-60	5.754E+03
						CS-134	1.969E+01
						CS-137	3.690E+01
						PU-239	6.000E-10
						SR-89-90	3.936E+00
						U-233	1.040E-08
						U-235	5.121E-07
						U-238	5.791E-09
						UN-ID-ALPHA	3.936E-03
		*					5.814E+03
		75	2.200E+02	2.948E+13	5.067E+03	CO-60	5.046E+03
						CS-134	8.410E+00
						CS-137	1.141E+01
						SR-90	1.430E-03
						UN-ID-B+G	1.682E+00
		*					5.067E+03
		76	2.821E+02	2.046E+08	7.369E+04	CO-60	2.141E+04
						CS-134	1.840E+00
						CS-137	1.065E+01
						FE-55	2.576E+04
						NI-63	1.472E+03
						SB-125	1.399E+04
						SN-119	3.680E+03
						SR-90	9.800E-09
						TC-99	3.961E-07
						UN-ID-B+G	1.710E+00
						ZR-95	7.361E+03
		*					7.369E+04
		77	1.762E+02	9.857E+07	1.447E+05	BA-133	3.400E-08
						CO-57	3.360E-11
						CO-60	4.212E+04
						CS-137	8.200E-08
						FE-55	5.059E+04
						NA-22	1.050E-08
						NI-63	2.891E+03
						SB-125	2.746E+04

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR NRF

PAGE 111

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
NRF	618	77				SN-119	7.226E+03
						TC-99	3.200E-09
						ZR-95	1.445E+04
		*					1.447E+05
		78	1.652E+02	1.225E+08	3.504E+04	CO-60	1.017E+04
						FE-55	1.226E+04
						NI-63	7.006E+02
						SB-125	6.656E+03
						SN-119	1.752E+03
						U-235	1.000E-09
						UN-ID-B+G	6.400E-02
						ZR-95	3.503E+03
		*					3.504E+04
		79	1.494E+02	1.036E+08	1.092E+05	CO-60	3.167E+04
						FE-55	3.820E+04
						NI-63	2.183E+03
						SB-125	2.074E+04
						SN-119	5.457E+03
						TC-99	7.940E-08
						ZR-95	1.091E+04
		*					1.092E+05
		80	2.331E+02	1.269E+08	3.923E+04	CO-60	1.139E+04
						FE-55	1.372E+04
						NI-63	7.843E+02
						SB-125	7.451E+03
						SN-119	1.961E+03
						ZR-95	3.921E+03
		*					3.923E+04
		81	1.613E+02	1.127E+08	1.932E+04	CO-58	6.186E+02
						CO-60	6.186E+03
						FE-55	3.081E+03
						NI-63	9.435E+03
		*					1.932E+04
		82	1.819E+02	1.084E+08	9.048E+03	CO-58	2.710E+02
						CO-60	2.904E+03
						FE-55	1.446E+03

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR NRF

PAGE 112

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
NRF	618	82				NI-63	4.427E+03
						U-235	1.926E-07
		*					9.048E+03
		83	2.681E+02	2.201E+08	3.904E+04	CO-58	1.169E+03
						CO-60	1.254E+04
						CS-134	1.500E-02
						CS-137	5.200E-02
						FE-55	6.235E+03
						NI-63	1.909E+04
						U-235	1.365E-05
		*					3.904E+04
		84	3.220E+02	4.167E+08	3.651E+05	N/A	0.000E+00
						CO-58	1.026E+04
						CO-60	1.173E+05
						FE-55	5.855E+04
						MN-54	6.300E+01
						NI-63	1.790E+05
						PB-210	2.000E-05
		*					3.651E+05
		85	2.357E+02	1.753E+08	1.418E+05	CO-58	4.252E+03
						CO-60	4.537E+04
						FE-55	2.268E+04
						NI-63	6.945E+04
		*					1.418E+05
		86	1.725E+02	1.078E+08	3.593E+04	CO-58	1.078E+03
						CO-60	1.150E+04
						FE-55	5.747E+03
						NI-63	1.760E+04
		*					3.593E+04
		87	1.167E+02	1.450E+08	2.966E+04	CO-58	8.893E+02
						CO-60	9.507E+03
						FE-55	4.743E+03
						NI-63	1.453E+04
						U-238	1.153E-01
		*					2.966E+04

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR NRF

PAGE 113

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
NRF	618	88	7.329E+01	5.035E+07	6.729E+03	CO-58	2.019E+02
						CO-60	2.154E+03
						FE-55	1.077E+03
						NI-63	3.297E+03
		*					6.729E+03
		89	9.797E+01	1.046E+08	1.264E+05	CO-58	1.751E+03
						CO-60	3.082E+04
	*				1.261E+06	CR-51	6.760E+01
						CS-137	8.400E-06
						FE-55	1.944E+04
						MN-54	2.723E+02
						NI-59	4.752E+02
						NI-63	7.363E+04
		*					1.264E+05
	*						1.261E+06
	619	78	1.450E+01	2.722E+06	5.000E-03	CO-60	5.000E-03
	630	79	3.398E+00	9.072E+05	3.240E-03	CO-60	3.240E-03
	631	76	1.858E+01	2.903E+06	6.000E-04	CO-60	6.000E-04
		77	6.780E+00	8.163E+05	1.000E-03	CO-60	1.000E-03
		79	2.266E+00	1.814E+06	8.000E-03	CO-60	8.000E-03
		80	2.991E+01	1.733E+07	3.720E-02	CO-60	3.720E-02
		81	7.613E+01	2.397E+07	1.101E-01	CO-60	1.014E-01
						U-238	8.658E-03
		*					1.101E-01
		82	1.168E+02	3.867E+07	2.571E-01	CO-60	2.571E-01
						SR-90	4.000E-05
						Y-90	4.000E-05
		*					2.571E-01
		83	1.015E+02	3.465E+07	2.422E-01	CO-60	2.422E-01
						SR-90	7.000E-09
						Y-90	7.000E-09

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR NRF

PAGE 114

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
		*					2.422E-01
NRF	631	84	8.337E+01	3.495E+07	1.603E-01	N/A CO-60	0.000E+00 1.603E-01
		*					1.603E-01
		85	1.113E+02	4.747E+07	8.239E-01	N/A CO-60	0.000E+00 8.239E-01
		*					8.239E-01
		86	7.249E+01	2.847E+07	7.366E-02	CO-60	7.366E-02
		87	5.460E+01	1.693E+07	3.529E-01	CO-60	3.529E-01
		88	3.444E+01	1.960E+07	4.611E-01	CO-60 CS-137 H-3	2.711E-01 1.000E-06 1.900E-01
		*					4.611E-01
		89	2.900E+01	1.406E+07	6.733E-02	AG-110 CO-60	8.000E-05 6.235E-02
	*				2.595E+00	FE-55 MN-54 NI-63	3.090E-03 1.650E-03 1.600E-04
		*					6.733E-02
	*						2.595E+00
	633	71	7.567E+01	1.129E+07	1.161E-02	CO-60	1.161E-02
		72	4.995E+01	2.469E+07	6.419E-03	CO-60 U-233	6.413E-03 6.000E-06
		*					6.419E-03
		73	4.090E+01	5.197E+07	6.810E-03	CO-60	6.810E-03
		74	8.866E+00	8.801E+06	8.019E+00	CO-60 MFP U-235	8.018E+00 1.000E-03 4.299E-08

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR NRF

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
		*					8.019E+00
NRF	633	75	4.433E+01	5.120E+07	1.978E-02	CO-60	1.978E-02
		77	1.310E+02	7.775E+07	6.303E-02	CO-60	6.303E-02
		78	9.969E+00	2.381E+06	2.830E-01	CO-60	2.830E-01
		83	3.993E+00	7.484E+06	8.400E-01	CO-60	8.400E-01
		84	2.662E+00	3.629E+06	1.238E+01	CO-60	1.238E+01
		86	2.917E+00	7.257E+06	4.670E+00	CO-60	4.670E+00
	*				2.630E+01		2.630E+01
	636	79	7.250E+00	2.268E+06	5.500E-03	CO-60	5.500E-03
		81	1.025E+01	1.542E+06	4.000E-03	CO-60	4.000E-03
	*				9.500E-03		9.500E-03
					4.357E+06		4.356E+06
					4.357E+06		4.356E+06

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR PBF

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
PBF	601	84	1.603E+02	9.348E+06	1.600E-01	MAP	8.000E-02
						MFP	8.000E-02
		*					1.600E-01
	*						1.600E-01
	613	79	3.625E+00	2.948E+06	1.000E-06	MFP	1.000E-06
		82	1.087E+01	1.406E+06	2.000E-06	CS-137	1.000E-06
						MFP	1.000E-06
	*				3.000E-06		
		*					2.000E-06
	*						3.000E-06
	617	77	2.832E-02	4.536E+02	3.139E-06	U-235	2.140E-06
						U-238	9.990E-07
		*					3.139E-06
	*						3.139E-06
	620	75	3.908E+00	2.722E+05	3.000E-03	MAP	2.850E-03
						MFP	1.500E-04
		*					3.000E-03
		76	1.620E+01	2.041E+06	3.677E-01	MAP	5.219E-02
						MFP	1.468E-01
						UN-ID-B+G	1.688E-01
		*					3.677E-01
		77	1.764E+01	5.398E+06	4.476E-02	MAP	9.111E-03
						MFP	3.565E-02
		*					4.476E-02
		78	2.392E+01	7.053E+06	8.789E-02	MAP	1.291E-02
						MFP	7.498E-02
		*					8.789E-02
		79	1.095E+02	1.589E+07	1.848E+00	MAP	3.798E-01
						MFP	1.469E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR PBF

PAGE 117

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
		*					1.848E+00
PBF	620	80	8.494E+01	1.694E+07	1.855E+00	MAP MFP	2.033E-01 1.652E+00
		*					1.855E+00
		81	1.222E+02	4.127E+07	2.517E+00	MAP MFP	2.622E-01 2.254E+00
		*					2.517E+00
		82	4.378E+01	1.132E+07	4.328E-01	MAP MFP	1.313E-02 4.197E-01
		*					4.328E-01
		83	7.597E+01	2.336E+07	1.539E-01	MAP MFP	1.307E-02 1.408E-01
		*					1.539E-01
		84	4.250E+01	1.892E+07	1.808E+02	MAP MFP	9.079E+00 1.717E+02
		*					1.808E+02
		85	1.206E+02	8.851E+07	3.705E+02	N/A BA-LA-140 CS-134 CS-137 MAP MFP	0.000E+00 1.000E+00 4.900E+01 3.170E+02 3.630E-01 3.148E+00
		*					3.705E+02
		86	3.625E+00	7.870E+05	2.525E-03	MAP MFP	2.525E-04 2.273E-03
		*					2.525E-03
		87	4.467E+01	2.139E+07	1.054E+01	CO-60 MAP MFP	8.000E+00 5.100E-02 2.488E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR PBF

PAGE 118

[illegible]

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR PER

PAGE 119

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
PER	NONE	71	6.117E+00	6.804E+05	2.090E-01	MFP	2.090E-01
	000	61	5.000E+00	0.000E+00	5.000E-04	UN-ID-B+G	5.000E-04
		62	2.300E+01	0.000E+00	1.000E+00	UN-ID-B+G	1.000E+00
		63	1.900E+01	0.000E+00	5.000E-04	UN-ID-B+G	5.000E-04
		64	1.600E+01	0.000E+00	1.000E+00	UN-ID-B+G	1.000E+00
		65	1.700E+01	0.000E+00	1.300E+01	UN-ID-B+G	1.300E+01
		66	2.800E+01	0.000E+00	5.000E-04	UN-ID-B+G	5.000E-04
		67	2.500E+01	0.000E+00	5.000E-04	UN-ID-B+G	5.000E-04
		68	1.400E+01	0.000E+00	5.000E-04	UN-ID-B+G	5.000E-04
		69	1.600E+01	0.000E+00	5.000E-04	UN-ID-B+G	5.000E-04
		70	1.370E+02	0.000E+00	3.000E+00	UN-ID-B+G	3.000E+00
	*				1.800E+01		1.800E+01
	612	73	9.969E+00	9.299E+05	9.393E-01	RA-226 UN-ID-ALPHA UN-ID-B+G	2.299E-01 1.000E-08 7.094E-01
		*					9.393E-01
		89	6.289E+00	1.103E+07	3.000E-05	MFP	3.000E-05
	*				9.393E-01		9.393E-01
	613	71	5.155E+00	6.849E+05	4.538E+00	CO-60 U-235 U-238 UN-ID-B+G	4.500E+00 2.996E-05 4.329E-05 3.800E-02
		*					4.538E+00
		73	7.137E+00	9.072E+05	4.950E-02	UN-ID-B+G	4.950E-02
		76	1.592E+02	3.613E+06	4.363E-01	CO-60 CS-137 MAP	4.345E-01 5.000E-04 1.500E-04

1SCHEDULE NO. SUSS411

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR PER

PAGE 121

[illegible]

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR RFO

PAGE 122

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
RFO	DOW	71	7.530E+02	2.825E+08	7.825E+00	U-235 U-238	9.706E-02 7.728E+00
		*					7.825E+00
		72	6.102E+02	2.525E+08	5.623E+00	U-235 U-238	7.184E-02 5.551E+00
		*					5.623E+00
		73	2.083E-01	1.225E+06	7.345E+01	CO-60	7.345E+01
	*				8.690E+01		8.690E+01
	000	54	6.790E+02	0.000E+00	5.278E+00	AM-243 PU-242 U-235	2.800E+00 8.842E-01 1.594E+00
		*					5.278E+00
		55	1.115E+03	0.000E+00	1.373E+01	AM-243 PU-242 U-235	5.200E+00 6.410E+00 2.117E+00
		*					1.373E+01
		56	1.184E+03	0.000E+00	1.764E+01	AM-243 PU-242 U-235	5.600E+00 9.499E+00 2.538E+00
		*					1.764E+01
		57	1.891E+03	0.000E+00	2.659E+01	AM-243 PU-242 U-235	8.600E+00 1.335E+01 4.642E+00
		*					2.659E+01
		58	1.649E+03	0.000E+00	3.941E+01	AM-243 PU-242 U-235	1.220E+01 1.811E+01 9.102E+00
		*					3.941E+01
		59	2.082E+03	0.000E+00	4.065E+01	AM-243 PU-242	1.240E+01 2.012E+01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR RFO

PAGE 123

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
RFO	000	59				U-235	8.130E+00
		*					4.065E+01
		60	1.945E+03	0.000E+00	1.123E+04	AM-243	9.200E+00
						PU-242	1.491E+01
						U-235	8.940E+00
						UN-ID-B+G	1.120E+04
		*					1.123E+04
		61	2.439E+03	0.000E+00	3.701E+03	AM-243	1.400E+01
						PU-242	2.324E+01
						U-235	9.342E+00
						UN-ID-B+G	3.654E+03
		*					3.701E+03
		62	2.755E+03	0.000E+00	3.851E+03	AM-243	3.600E+01
						PU-242	2.170E+01
						U-235	1.010E+01
						UN-ID-B+G	3.783E+03
		*					3.851E+03
		63	3.357E+03	0.000E+00	1.063E+04	AM-243	4.080E+01
						PU-242	6.689E+01
						U-235	3.624E+00
						UN-ID-B+G	1.052E+04
		*					1.063E+04
		64	3.764E+03	0.000E+00	1.240E+04	AM-243	4.760E+01
						PU-242	7.797E+01
						U-235	2.910E+00
						UN-ID-B+G	1.227E+04
		*					1.240E+04
		65	3.454E+03	0.000E+00	1.722E+04	AM-243	8.280E+01
						PU-242	1.063E+02
						U-235	9.230E+00
						UN-ID-B+G	1.702E+04
		*					1.722E+04

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR SMC

PAGE 125

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
SMC	RWI	86	4.274E+01	3.053E+07	5.100E-03	U-238	5.100E-03
		87	6.662E+00	1.428E+07	7.895E-02	U-238	7.895E-02
		88	5.341E+01	9.075E+07	4.266E-01	U-238	4.266E-01
		89	2.144E+01	4.517E+07	1.042E+00	U-238	1.042E+00
					1.553E+00		1.553E+00
					1.553E+00		1.553E+00
					1.553E+00		1.553E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR TAN

PAGE 126

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TAN	DFN	84	6.162E+01	1.789E+07	4.608E-02	N/A	0.000E+00
						MFP	4.608E-02
		*					4.608E-02
		87	4.712E+01	2.295E+07	9.767E-01	MAP	9.767E-01
	*				1.023E+00		1.023E+00
	IET	78	2.081E+01	4.083E+06	5.000E+00	MFP	5.000E+00
	LPT	72	4.758E+00	3.175E+05	1.000E-03	UN-ID-B+G	1.000E-03
		76	3.407E+01	8.618E+06	1.100E+00	MFP	1.100E+00
		77	2.832E-02	2.268E+03	1.959E-05	U-235	1.926E-05
	*				U-238		3.330E-07
	*	*			1.101E+00		1.959E-05
	*						1.101E+00
	NONE	71	1.790E+01	2.358E+07	2.790E-01	MFP	2.790E-01
	PM2	82	7.249E+00	5.443E+06	1.100E-04	CO-60	1.000E-05
						CS-137	1.000E-04
	*						1.100E-04
	*						1.100E-04
	TSF	83	7.068E+01	8.645E+07	5.622E-03	CO-60	7.800E-05
						CS-137	2.772E-03
						SR-90	2.772E-03
	*						5.622E-03
	*						5.622E-03
	000	61	1.680E+02	0.000E+00	1.260E+02	UN-ID-B+G	1.260E+02
		62	2.670E+02	0.000E+00	1.600E+04	UN-ID-B+G	1.600E+04
		63	3.460E+02	0.000E+00	3.671E+04	UN-ID-B+G	3.671E+04
		64	4.610E+02	0.000E+00	3.642E+03	UN-ID-B+G	3.642E+03

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR TAN

PAGE 127

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TAN	000	65	4.090E+02	0.000E+00	1.404E+03	UN-ID-B+G	1.404E+03
		66	8.720E+02	0.000E+00	1.481E+04	UN-ID-B+G	1.481E+04
		67	3.090E+02	0.000E+00	2.242E+03	UN-ID-B+G	2.242E+03
		68	5.470E+02	0.000E+00	4.458E+03	UN-ID-B+G	4.458E+03
		69	4.100E+02	0.000E+00	1.990E+03	UN-ID-B+G	1.990E+03
		70	2.710E+02	0.000E+00	1.120E+03	UN-ID-B+G	1.120E+03
		*			8.250E+04		8.250E+04
	330	83	1.450E+01	1.451E+07	1.420E-03	CO-60 CS-137 SR-90	2.000E-05 7.000E-04 7.000E-04
		*					1.420E-03
	*						1.420E-03
	603	71	2.163E+01	5.897E+06	2.000E-03	MFP	2.000E-03
		84	1.087E+01	4.740E+06	1.956E-02	MFP	1.956E-02
		86	7.248E+00	2.702E+06	2.000E-06	MFP	2.000E-06
		87	5.976E+01	3.710E+07	1.995E-02	MFP	1.995E-02
	*				4.151E-02		4.151E-02
	606	71	6.117E+00	2.268E+05	4.400E-02	UN-ID-B+G	4.400E-02
	607	71	2.231E+02	8.064E+07	1.036E+03	CE-144 CO-58 CO-60 CS-134 CS-137 FE-59 MFP NI-59 RH-106 RU-106 SR-90 UN-ID-B+G	3.000E-01 1.400E-02 2.511E+02 6.000E-02 5.344E+01 2.250E+02 1.472E+00 5.000E+02 1.300E+00 1.300E+00 6.200E-01 9.327E-01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR TAN

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TAN	607	71				Y-90	6.200E-01
		*					1.036E+03
		72	1.524E+02	4.001E+07	2.365E+03	CE-144	1.620E+00
						CO-60	4.968E+02
						CS-134	2.020E+00
						CS-137	2.438E+02
						FE-59	4.650E+02
						NI-59	1.095E+03
						RB-86	4.210E+00
						RH-106	3.200E+00
						RU-106	6.830E+00
						SR-90	1.693E+01
						U-235	6.169E-04
						U-238	7.909E-04
						UN-ID-ALPHA	1.020E-01
						UN-ID-B+G	2.130E+01
						Y-90	8.040E+00
		*					2.365E+03
		73	1.551E+02	1.831E+07	1.962E+03	CE-144	1.218E+00
						CO-60	4.700E+02
						CS-134	2.840E-01
						CS-137	5.540E+01
						FE-59	4.500E+02
						MFP	1.000E-02
						NI-59	9.700E+02
						RB-86	4.160E+00
						RH-106	1.280E+00
						RU-106	5.152E+00
						SR-90	1.302E+00
						UN-ID-B+G	1.620E+00
						Y-90	1.398E+00
		*					1.962E+03
		74	1.837E+02	4.504E+07	6.735E+03	CE-144	1.411E+01
						CO-60	1.680E+03
						CS-134	3.212E+00
						CS-137	2.242E+02
						FE-59	1.430E+03
						HF-181	7.000E-02
						MFP	8.201E-01
						NI-59	3.200E+03

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR TAN

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TAN	607	74				RB-86	6.322E+01
						RU-106	5.920E+01
						SR-90	1.538E+01
						UN-ID-B+G	2.795E+01
						Y-90	1.679E+01
		*					6.735E+03
		75	1.202E+02	1.194E+08	3.738E+01	CE-144	1.321E+00
						CO-60	1.791E-02
						CS-134	3.201E-01
						CS-137	9.763E+00
						EU-154	2.342E-03
						MN-54	6.888E-04
						RB-86	5.850E+00
						RU-106	5.475E+00
						SR-90	4.371E+00
						U-235	2.140E-05
						U-238	3.330E-07
						UN-ID-ALPHA	1.791E-03
						UN-ID-B+G	8.724E+00
						Y-90	1.530E+00
		*					3.738E+01
		76	9.075E+02	9.938E+08	3.222E+02	CE-144	1.811E+00
						CO-60	6.778E+00
						CS-134	2.169E+00
						CS-137	1.672E+02
						EU-154	3.801E-01
						MFP	4.101E+00
						MN-54	2.066E-01
						RU-106	1.627E+00
						SR-90	2.992E+01
						U-238	2.431E-05
						UN-ID-ALPHA	5.327E-03
						UN-ID-B+G	1.080E+02
		*					3.222E+02
		77	2.021E+02	4.642E+07	1.394E+03	CO-58	6.202E+02
						CO-60	8.146E+01
						CS-134	3.000E+00
						CS-137	8.250E+01
						MAP	2.652E+00
						MFP	1.124E+01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR TAN

PAGE 130

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TAN	607	77				MN-54	5.929E+02
						UN-ID-B+G	1.635E-02
		*					1.394E+03
		78	1.774E+02	6.941E+07	3.012E+03	CO-58	1.258E+03
						CO-60	2.650E+02
						CS-134	1.000E+01
						CS-137	2.750E+02
						MAP	2.096E+00
						MFP	8.479E+00
						MN-54	1.190E+03
						UN-ID-B+G	3.286E+00
		*					3.012E+03
		79	4.370E+02	1.602E+08	2.013E+03	CO-58	9.600E+02
						CO-60	4.000E+01
						MAP	5.300E-02
						MFP	1.245E+01
						MN-54	1.000E+03
						UN-ID-B+G	4.096E-01
		*					2.013E+03
		80	3.517E+02	1.394E+08	2.284E+01	MAP	2.000E-03
						MFP	2.284E+01
						PU-238	3.733E-06
						PU-239	1.818E-05
						U-234	2.667E-05
						U-235	1.380E-06
						U-236	5.482E-07
						U-238	1.218E-06
		*					2.284E+01
		81	1.117E+02	4.896E+07	5.892E-01	MFP	5.892E-01
		82	3.171E+02	1.427E+08	5.186E+00	MAP	6.000E-02
						MFP	5.126E+00
		*					5.186E+00
		83	1.993E+02	6.893E+07	3.656E+01	CS-134	6.010E-01
						CS-137	3.001E+01
						MFP	5.350E+00

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR TAN

PAGE 131

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TAN	607	83				RH-106	1.503E-01
						RU-106	1.502E-01
						SR-90	1.502E-01
						Y-90	1.503E-01
		*					3.656E+01
		84	1.431E+02	4.791E+07	2.085E+00	N/A	0.000E+00
						MFP	2.085E+00
		*					2.085E+00
		85	1.647E+02	5.395E+07	1.662E+01	N/A	0.000E+00
						MFP	1.662E+01
		*					1.662E+01
		86	1.140E+02	3.991E+07	1.438E+01	MAP	2.900E-01
						MFP	1.409E+01
		*					1.438E+01
		87	1.167E+02	4.431E+07	3.576E+02	CO-60	6.279E+00
						CS-137	5.120E+00
						MAP	1.269E-01
						MFP	3.461E+02
						U-235	6.500E-06
						U-238	5.220E-04
		*					3.576E+02
		88	5.585E+01	2.435E+07	1.169E+00	CO-60	4.373E-03
						CS-137	5.894E-04
						MAP	1.750E-03
						MFP	1.163E+00
		*					1.169E+00
		89	7.609E+01	2.499E+07	6.705E+01	AM-241	7.101E-02
						CE-144	1.200E-01
				1.940E+04		CM-244	2.250E-03
						CO-60	2.878E-01
						CS-134	4.252E+00
						CS-137	6.036E+01
						MFP	8.755E-01
						PU-239	1.510E-02

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/C3/91

ANNUAL SUMMARY FOR TAN

PAGE 132

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TAN	607	89				RU-106	8.000E-02
						SB-125	1.700E-01
						SR-90	8.158E-01
						U-235	7.776E-07
		*					6.705E+01
	*						1.940E+04
	615	72	4.169E+01	2.903E+06	6.004E-03	U-235	3.659E-06
						UN-ID-B+G	6.000E-03
		*					6.004E-03
		73	1.424E+01	1.814E+06	1.900E-02	U-235	6.099E-07
					-----	UN-ID-B+G	1.900E-02
	*				2.500E-02		1.900E-02
		*					2.500E-02
	616	78	1.631E+01	2.368E+07	2.280E-01	MFP	2.280E-01
	620	86	1.841E+00	5.400E+05	1.000E-05	MFP	1.000E-05
	623	74	4.610E+00	1.633E+06	1.000E-03	UN-ID-B+G	1.000E-03
		84	3.625E+00	2.404E+06	9.600E-04	MFP	9.600E-04
		86	1.448E+01	1.208E+07	8.000E-06	MFP	8.000E-06
	*				-----		1.968E-03
	629	72	7.052E+00	4.536E+06	1.000E-03	MFP	1.000E-03
	630	79	5.115E+00	3.556E+06	3.517E-03	MAP	1.758E-03
						MFP	1.758E-03
	*						3.517E-03
		80	3.013E+00	2.068E+06	9.210E-04	MAP	9.210E-04
		81	9.119E-01	6.260E+05	7.500E-07	MAP	3.750E-07
						MFP	3.750E-07
	*						7.500E-07

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR TAN

PAGE 133

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TAN	630	82	1.586E+00	1.089E+06	4.605E-03	MAP	2.250E-03
	*	*			9.044E-03	MFP	2.355E-03
	*						4.605E-03
	*						9.044E-03
	636	76	2.436E+01	5.444E+06	4.000E-03	MFP	4.000E-03
	640	74	7.958E+00	1.363E+06	1.000E+00	RA-226	1.000E+00
						U-235	5.350E-07
						U-238	5.994E-09
		*					1.000E+00
	*						1.000E+00
	641	76	1.586E+01	5.443E+05	1.000E-03	MFP	1.000E-03
	645	78	5.437E+00	3.175E+05	3.000E-01	MFP	3.000E-01
	647	76	9.091E+00	1.361E+06	2.000E-03	UN-ID-B+G	2.000E-03
		82	1.475E+01	9.072E+05	1.100E-04	CO-60	1.000E-05
						CS-137	1.000E-04
		*					1.100E-04
		83	1.133E-01	8.391E+04	4.068E-04	MAP	1.440E-04
						MFP	1.440E-04
						U-235	7.900E-07
						U-238	1.180E-04
		*					4.068E-04
		86	9.772E+01	1.029E+08	2.329E+00	CO-60	2.000E-05
					2.331E+00	CS-137	1.121E+00
	*					MFP	1.207E+00
	*						2.329E+00
	*						2.331E+00
	668	85	7.249E+01	8.972E+07	7.805E-01	N/A	0.000E+00
						MFP	7.805E-01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR TAN

PAGE 134

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
		*					7.805E-01
	*						7.805E-01
TAN	711	74	4.164E+00	1.814E+06	1.000E-03	UN-ID-B+G	1.000E-03
*					1.019E+05		1.019E+05
					1.019E+05		1.019E+05

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR TRA

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TRA	B+W	87	4.858E+01	1.955E+07	3.911E-04	CO-60	2.073E-05
						CS-137	1.330E-05
						U-235	3.571E-04
		*					3.911E-04
	*						3.911E-04
	HT4	71	1.699E-01	4.536E+04	1.000E-05	MFP	1.000E-05
	NONE	71	1.577E+02	2.170E+07	2.886E+05	BA-LA-140	1.352E+00
						CE-141	1.113E+00
						CO-58	5.638E+00
						CO-60	2.599E+04
						CR-51	2.338E+05
						CS-137	1.218E+00
						FE-59	2.886E+04
						H-3	5.000E-01
						MFP	5.883E+00
						MN-54	1.000E-01
						RU-106	1.216E-01
						TE-1-132	3.040E-01
						TH-232	1.090E-04
						U-234	3.710E-04
						U-235	3.456E-04
						U-236	1.584E-06
						U-238	1.250E-04
						UN-ID-B+G	8.343E-04
						ZN-65	1.600E+00
		*					2.886E+05
		86	3.790E+00	3.175E+06	9.284E+00	CO-60	1.240E-01
						CR-51	8.980E+00
	*				2.887E+05	UN-ID-B+G	1.800E-01
	*						9.284E+00
	*						2.887E+05
	NSA	85	9.938E+01	6.809E+07	2.993E-01	N/A	0.000E+00
						MAP	1.496E-01
						MFP	1.498E-01
	*						2.993E-01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR TRA

PAGE 136

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
							2.993E-01
TRA	000	61	9.280E+02	0.000E+00	1.220E+05	UN-1D-B+G	1.220E+05
		62	8.770E+02	0.000E+00	8.210E+04	UN-1D-B+G	8.210E+04
		63	9.570E+02	0.000E+00	1.777E+05	UN-1D-B+G	1.777E+05
		64	8.670E+02	0.000E+00	1.178E+05	UN-1D-B+G	1.178E+05
		65	7.830E+02	0.000E+00	1.810E+05	UN-1D-B+G	1.810E+05
		66	8.330E+02	0.000E+00	3.387E+04	UN-1D-B+G	3.387E+04
		67	9.280E+02	0.000E+00	3.293E+03	UN-1D-B+G	3.293E+03
		68	7.650E+02	0.000E+00	3.099E+04	UN-1D-B+G	3.099E+04
		69	1.170E+03	0.000E+00	2.410E+05	UN-1D-B+G	2.410E+05
		70	6.410E+02	0.000E+00	3.782E+05	UN-1D-B+G	3.782E+05
					1.368E+06		1.368E+06
	603	73	5.324E+00	2.268E+05	1.000E-02	MFP	1.000E-02
		74	9.516E+00	1.588E+06	1.384E-02	MAP MFP	9.688E-03 4.152E-03
		*					1.384E-02
		75	1.020E+00	3.637E+05	1.376E-02	MAP MFP U-235 U-238	6.750E-03 6.750E-03 3.201E-06 2.531E-04
		*					1.376E-02
		77	1.167E+01	1.905E+06	2.012E+05	CO-60 CR-51 FE-59 MAP MFP	1.811E+04 1.630E+05 2.012E+04 5.000E-04 5.000E-04
		*					2.012E+05

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR TRA

PAGE 137

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TRA	603	79	3.262E+01	4.899E+06	6.003E+00	MAP	3.001E+00
						MFP	3.002E+00
						TH-232	1.801E-04
		*					6.003E+00
		81	3.625E+00	9.072E+05	2.222E-01	MAP	1.025E-01
						MFP	1.025E-01
						U-235	2.140E-05
						U-238	1.717E-02
		*					2.222E-01
		82	3.625E+00	6.804E+05	2.239E-02	MAP	1.052E-02
						MFP	1.052E-02
						U-235	2.140E-05
						U-238	1.326E-03
		*					2.239E-02
		83	5.663E+00	1.506E+07	8.949E+01	CO-60	8.948E+01
						MAP	5.000E-03
						MFP	5.000E-03
						U-238	3.330E-04
		*					8.949E+01
		84	2.341E+01	1.067E+07	8.808E-01	MAP	4.404E-01
						MFP	4.404E-01
		*					8.808E-01
		85	2.979E+01	1.505E+07	1.005E+00	MAP	5.023E-01
						MFP	5.023E-01
		*					1.005E+00
		86	2.896E+01	6.826E+06	4.940E-01	MAP	2.470E-01
						MFP	2.470E-01
		*					4.940E-01
		87	5.068E+01	1.336E+07	1.065E+00	MAP	5.323E-01
						MFP	5.323E-01
		*					1.065E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR TRA

PAGE 138

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TRA	603	88	8.374E+01	5.189E+07	4.149E+00	CO-60	6.100E-03
						CR-51	1.000E-03
						CS-134	3.100E-03
						CS-137	1.978E-01
						MAP	1.890E+00
						MFP	1.890E+00
						SR-90	1.510E-01
						UN-ID-B+G	1.010E-02
		*					4.149E+00
		89	2.862E+01	1.479E+07	1.031E+00	CR-51	4.500E-01
					-----	MFP	5.812E-01
	*				2.013E+05		-----
		*					1.031E+00

	*						2.013E+05
	604	72	1.563E+01	9.163E+05	3.479E-05	MFP	1.500E-05
						U-235	2.140E-06
						U-238	1.765E-05
		*					-----
							3.479E-05
		73	1.416E-01	6.804E+04	1.406E-03	U-235	3.221E-06
						U-238	1.403E-03
		*					-----
							1.406E-03
		75	5.664E-02	9.979E+03	2.363E-03	U-235	3.039E-04
						U-238	2.060E-03
		*					-----
							2.363E-03
		76	3.115E-01	1.366E+05	1.097E-02	MAP	7.500E-04
						MFP	7.500E-04
						U-233	9.470E-03
		*					-----
							1.097E-02
		77	2.832E-02	2.000E+02	9.088E-07	U-235	8.988E-07
						U-238	9.990E-09
		*					-----
							9.088E-07
		82	1.470E+02	4.536E+07	2.501E+00	MAP	1.250E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR TRA

PAGE 139

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TRA	604	82				MFP	1.250E+00
		*					2.501E+00
		83	1.860E+02	7.853E+07	8.748E+00	MAP	4.374E+00
						MFP	4.374E+00
		*					8.748E+00
		84	1.292E+02	6.193E+07	1.226E+01	MAP	6.117E+00
						MFP	6.128E+00
						U-235	5.560E-03
						U-238	5.560E-03
		*					1.226E+01
		85	3.910E+02	2.992E+08	2.339E+01	N/A	0.000E+00
						CO-58	1.000E-01
						CO-60	3.400E+00
						CS-134	1.290E+00
						CS-137	1.119E+01
						MAP	3.679E+00
						MFP	3.683E+00
						MN-54	5.000E-02
		*					2.339E+01
		86	1.466E+02	2.808E+07	3.847E+00	MAP	1.924E+00
						MFP	1.924E+00
	*				5.076E+01		
	*						3.847E+00
	*						5.076E+01
	605	84	5.097E+00	3.629E+06	2.000E-01	CO-58	1.000E-01
						CO-60	1.000E-01
		*					2.000E-01
	*						2.000E-01
	614	71	3.610E-01	5.103E+03	3.575E-04	U-235	2.782E-05
						U-238	3.297E-04
		*					3.575E-04

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR TRA

PAGE 140

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TRA	614	72	1.699E+00	1.225E+05	7.791E-05	U-235	7.663E-05
						U-238	1.273E-06
		*					7.791E-05
		73	1.164E+01	7.295E+05	3.096E-01	MAP	3.000E-02
						MFP	2.775E-01
						U-235	7.289E-05
						U-238	1.994E-03
		*					3.096E-01
		74	1.699E+00	1.134E+05	1.197E-04	U-235	1.087E-04
						U-238	1.100E-05
		*					1.197E-04
		79	5.098E+00	2.268E+05	3.000E-02	MAP	1.500E-02
					-----	MFP	1.500E-02
*					3.401E-01		3.000E-02
		*					3.401E-01
		*					3.401E-01
	617	71	1.861E+01	2.517E+07	1.500E-02	MFP	1.500E-02
	624	73	1.393E+01	4.718E+06	1.200E-02	MAP	6.000E-03
						MFP	6.000E-03
		*					1.200E-02
		81	7.250E+00	3.629E+06	3.900E-04	MAP	1.950E-04
					-----	MFP	1.950E-04
*					1.239E-02		3.900E-04
		*					1.239E-02
		*					1.239E-02
	626	76	1.893E-02	1.361E+04	2.731E-04	U-235	1.712E-04
						U-238	1.019E-04
		*					2.731E-04
		80	3.625E+00	9.072E+05	2.600E-01	MAP	2.598E-01
					-----	U-235	5.157E-05
*					2.603E-01	U-238	1.873E-04

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR TRA

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
		*					2.600E-01
	*						2.603E-01
TRA	630	85	2.082E+00	1.796E+06	2.001E+01	MAP	1.001E+01
						MFP	1.001E+01
		*					2.001E+01
	*						2.001E+01
	632	72	1.958E+01	3.656E+06	5.958E+03	CE-141	8.469E+00
						CO-60	5.922E+02
						CR-51	4.991E+03
						FE-59	1.370E+02
						MAP	7.875E-03
						MFP	2.625E-03
						MN-54	3.500E+00
						MN-56	2.600E+01
						NI-59	1.121E+02
						RU-103	2.709E+00
						U-235	5.778E-05
						U-238	9.124E-05
						UN-ID-B+G	5.397E+01
						ZR-95	3.117E+01
		*					5.958E+03
		73	1.141E+01	1.805E+06	1.330E+03	BE-10	1.000E+01
						CE-141	2.954E+00
						CO-60	1.172E+02
						CR-51	1.052E+03
						FE-59	1.294E+02
						MAP	5.500E-02
						MFP	5.500E-02
						MN-54	3.500E-02
						NI-59	1.330E-01
						RU-103	1.012E+00
						UN-ID-B+G	1.943E+00
						ZR-95	1.455E+01
		*					1.330E+03
		74	1.713E+01	1.865E+06	6.771E+02	CO-60	1.652E+02
						CR-51	7.776E+01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR TRA

PAGE 142

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TRA	632	74				FE-59	9.600E+00
						MAP	6.861E-01
						MFP	4.059E-01
						MN-54	6.380E+01
						ZN-65	3.596E+02
		*					6.771E+02
		75	4.569E+00	6.078E+05	1.847E+02	CO-60	1.656E+01
						CR-51	1.490E+02
						FE-59	1.840E+01
						MAP	4.987E-01
						MFP	2.137E-01
		*					1.847E+02
		76	1.889E+00	4.617E+06	3.270E+02	CO-60	2.250E+01
						CR-51	2.025E+02
						FE-59	2.500E+01
						MAP	1.325E+01
						MFP	6.375E+01
						U-235	3.638E-04
						U-238	6.157E-04
		*					3.270E+02
		77	1.593E+01	2.005E+06	8.589E+01	MAP	7.294E+01
						MFP	1.296E+01
						U-235	2.996E-05
						U-238	1.399E-05
		*					8.589E+01
		78	3.306E+01	1.549E+07	3.564E+01	MAP	2.983E+01
						MFP	5.807E+00
						U-235	1.948E-06
						U-238	2.867E-05
		*					3.564E+01
		79	2.839E-01	2.454E+05	2.700E+01	MAP	1.910E+01
						MFP	7.900E+00
						U-235	6.420E-06
						U-238	2.331E-05
		*					2.700E+01

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR TRA

PAGE 143

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TRA	632	80	3.786E-02	4.536E+04	2.000E+00	MAP	1.000E+00
						MFP	1.000E+00
		*					2.000E+00
		81	1.136E-01	1.633E+05	6.756E+03	CE-144	5.587E+02
						CO-60	2.878E+02
						CS-134	8.479E+02
						CS-137	3.519E+03
						NB-95	7.817E+02
						UN-ID-B+G	3.594E+02
						ZR-95	4.013E+02
		*					6.756E+03
		82	3.215E-01	1.368E+06	5.039E+03	CE-144	2.808E+01
						CO-60	1.894E+03
						CS-134	4.263E+01
						CS-137	1.768E+02
						FE-59	1.880E+03
						MAP	9.000E-04
						MN-54	4.700E+02
						NB-95	3.929E+01
						UN-ID-B+G	4.881E+02
						ZR-95	2.017E+01
		*					5.040E+03
		83	3.218E-01	3.538E+05	8.316E+01	CE-144	6.878E+00
						CO-60	3.543E+00
						CS-134	1.044E+01
						CS-137	4.332E+01
						NB-95	9.622E+00
						PU-239	4.798E-04
						U-235	1.912E-04
						U-238	2.021E-04
						UN-ID-B+G	4.424E+00
						ZR-95	4.940E+00
		*					8.316E+01
		84	1.514E-01	2.132E+05	2.527E+02	CE-144	1.028E+01
						CO-60	1.318E+02
						CS-134	1.988E+01
						CS-137	6.750E+01
						NB-95	2.310E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR TRA

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TRA	632	84				U-235	2.782E-04
						UN-ID-B+G	1.497E+01
						ZR-95	6.050E+00
		*					2.527E+02
		85	9.109E+00	1.191E+06	3.311E+02	CE-144	1.549E+01
						CO-58	1.500E-03
						CO-60	1.436E+02
						CS-134	2.439E+01
						CS-137	8.842E+01
						MN-54	2.200E-03
						NB-95	1.157E+01
						U-238	1.200E-03
						UN-ID-B+G	1.936E+01
						ZR-95	2.826E+01
		*					3.311E+02
		86	3.092E+01	7.133E+06	1.951E+02	CE-144	2.550E+00
						CO-60	1.054E+02
						CS-134	5.355E+00
						CS-137	5.178E+01
						MAP	5.493E-01
						MFP	5.493E-01
						U-238	9.990E-04
						UN-ID-B+G	4.350E+00
						ZR-95	2.452E+01
		*					1.951E+02
		87	2.549E+01	6.916E+06	1.798E+02	CE-144	3.100E+00
						CO-60	8.885E+01
				2.146E+04		CS-134	1.242E+01
						CS-137	4.688E+01
						EU-152	3.900E+00
						GD-153	1.300E+00
						IR-192	6.500E-01
						MAP	1.378E+00
						MFP	1.378E+00
						UN-ID-B+G	5.900E+00
						ZR-95	1.400E+01
		*					1.798E+02
		*					2.146E+04

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR TRA

PAGE 145

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TRA	635	86	1.810E+00	1.770E+06	7.500E-03	MAP	3.750E-03
						MFP	3.750E-03
		*					7.500E-03
		87	7.240E+00	7.677E+06	3.590E-01	MAP	1.795E-01
						MFP	1.795E-01
*					3.665E-01		
		*					3.590E-01
		*					3.665E-01
	637	74	3.172E+00	4.536E+05	1.500E-04	MAP	1.050E-04
						MFP	4.500E-05
		*					1.500E-04
		84	1.776E+00	1.533E+06	1.800E-01	MAP	9.000E-02
						MFP	9.000E-02
*					1.801E-01		
		*					1.800E-01
		*					1.801E-01
	641	73	5.890E+00	9.072E+05	6.470E-02	MAP	3.225E-02
						MFP	3.225E-02
		*					6.450E-02
		*					6.450E-02
	642	71	1.218E+02	2.046E+07	2.611E+03	BA-LA-140	1.760E-01
						CE-141	5.280E-02
						CO-58	9.405E-01
						CO-60	2.364E+02
						CR-51	2.106E+03
						FE-59	2.600E+02
						HF-181	2.805E-01
						I-131	1.406E+00
						I-133	5.280E-02
						MAP	4.660E-01
						MFP	3.045E+00
						MN-54	1.182E-01
						MN-56	1.485E+00
						UN-ID-B+G	7.458E-01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR TRA

PAGE 146

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
		*					2.611E+03
TRA	642	72	2.061E+02	3.233E+07	1.204E+01	CO-60	6.750E-01
						CS-134	3.994E-01
						CS-137	2.831E-01
						LA-140	3.775E-01
						MAP	5.157E+00
						MFP	3.483E+00
						MN-54	4.099E-01
						RA-226	1.250E+00
		*					1.204E+01
		73	1.932E+02	3.352E+07	9.846E+00	CE-144	1.213E+00
						CO-60	3.042E-01
						CR-51	1.980E+00
						CS-134	1.116E-01
						CS-137	1.555E-01
						FE-59	2.445E-01
						MAP	2.643E+00
						MFP	2.929E+00
						RU-103	6.405E-02
						UN-ID-B+G	1.665E-01
						ZR-95	3.477E-02
		*					9.846E+00
		74	8.021E+01	1.216E+07	9.019E+00	CE-144	3.471E-02
						CO-60	2.746E+00
						CR-51	3.086E+00
						CS-137	5.340E-02
						FE-59	3.810E-01
						MAP	1.680E+00
						MFP	8.595E-01
						MN-54	7.209E-02
						ZN-65	1.068E-01
		*					9.019E+00
		75	4.798E+01	1.191E+07	3.726E+00	CE-144	1.500E-01
						CO-60	1.350E+00
						MAP	1.361E+00
						MFP	8.652E-01
		*					3.726E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR TRA

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TRA	642	76	2.571E+01	4.627E+06	1.432E+00	MAP	7.160E-01
						MFP	7.160E-01
		*					1.432E+00
		77	4.917E+01	1.271E+07	2.878E+05	CO-60	2.590E+04
						CR-51	2.331E+05
						FE-59	2.878E+04
						MAP	9.329E-01
						MFP	1.691E+00
						U-235	1.049E-05
						U-238	1.199E-07
		*					2.878E+05
		78	3.559E+01	1.271E+07	3.165E+05	CO-60	2.848E+04
						CR-51	2.564E+05
						FE-59	3.165E+04
						MAP	8.002E-01
						MFP	5.448E-01
						U-235	1.027E-04
						U-238	3.686E-04
		*					3.165E+05
		82	7.590E+00	6.350E+06	4.846E-01	CE-144	1.055E-02
					-----	CO-60	3.278E-01
	*			6.069E+05		CR-51	3.086E-02
						MN-54	1.434E-02
						SB-125	3.300E-04
						UN-ID-B+G	4.813E-02
						ZN-65	5.258E-02
		*					4.846E-01
	*						6.069E+05
	643	74	1.982E+00	1.361E+06	2.096E+01	CE-144	2.725E-01
						CO-60	1.886E+01
						CS-137	4.192E-01
						MN-54	5.659E-01
						ZN-65	8.384E-01
		*					2.096E+01
	*						2.096E+01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR TRA

PAGE 148

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TRA	644	71	5.679E+00	3.856E+06	4.118E+00	CO-58	1.272E+00
						CO-60	1.590E+00
						I-132	1.638E-01
						I-133	3.276E-01
						I-135	3.510E-02
						LA-140	3.533E-01
						UN-ID-B+Q	3.765E-01
		*					4.118E+00
	*						4.118E+00
	647	71	4.486E+01	1.370E+07	2.247E+00	MAP	1.287E-01
						MFP	2.119E+00
		*					2.247E+00
		72	1.121E+01	2.268E+06	1.480E-01	MAP	7.400E-02
						MFP	7.400E-02
		*					1.480E-01
		74	3.172E+00	6.804E+05	4.500E-01	MAP	3.150E-01
						MFP	1.350E-01
		*					4.500E-01
		75	3.172E+00	6.804E+05	3.112E-02	MAP	1.556E-02
						MFP	1.556E-02
		*					3.112E-02
		76	1.745E+02	8.364E+07	1.832E+01	MAP	3.862E+00
						MFP	1.446E+01
		*					1.832E+01
		77	2.020E+02	7.841E+07	4.123E+04	CO-60	3.709E+03
						CR-51	3.338E+04
						FE-59	4.121E+03
						MAP	6.917E+00
						MFP	1.374E+01
						TH-232	1.613E-07
						U-235	1.991E-04
						U-238	7.250E-04

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR TRA

PAGE 149

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
		*					4.123E+04
TRA	647	78	1.210E+02	3.325E+07	2.584E+03	CO-60	2.554E+03
						MAP	3.410E+00
						MFP	7.272E-01
						SC-46	2.580E+01
		*					2.584E+03
		79	4.057E+02	6.658E+07	2.012E+01	BA-140	2.751E+00
						CE-141	7.871E-01
						CE-144	2.620E-01
						CO-60	4.323E+00
						CR-51	9.523E-02
						I-131	1.070E-02
						LA-140	3.930E+00
						MAP	3.458E+00
						MFP	3.458E+00
						MN-54	3.930E-01
						UN-ID-B+G	5.240E-01
						ZN-65	1.310E-01
		*					2.012E+01
		80	2.928E+02	1.567E+08	1.046E+01	CO-60	3.625E-09
						CS-137	1.058E-08
						MAP	5.229E+00
						MFP	5.229E+00
						U-235	5.992E-05
						U-238	6.460E-05
						UN-ID-B+G	2.900E-10
		*					1.046E+01
		81	1.985E+02	6.063E+07	7.696E+00	MAP	3.848E+00
						MFP	3.848E+00
						U-235	2.140E-06
		*					7.696E+00
		82	1.501E+02	4.233E+07	9.879E+04	CO-60	8.888E+04
					-----	CS-137	9.876E+03
		*			1.427E+05	MAP	1.566E+01
						MFP	1.566E+01
						U-235	5.350E-05

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR TRA

PAGE 150

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TRA	647	82				U-238	3.230E-05
		*					9.879E+04
	*						1.427E+05
	652	71	1.416E-02	1.361E+04	4.000E+00	CO-60	4.000E-02
						CS-134	5.200E-01
						CS-137	3.080E+00
						UN-ID-B+G	3.600E-01
		*					4.000E+00
	*						4.000E+00
	653	73	5.777E+00	6.804E+05	1.312E+00	CO-60	1.181E-01
						CR-51	1.063E+00
						FE-59	1.312E-01
		*					1.312E+00
	*						1.312E+00
	654	71	3.398E-02	2.268E+03	6.917E-05	U-235	3.039E-06
						U-238	6.613E-05
		*					6.917E-05
		74	3.681E-01	2.313E+04	1.079E-04	TH-232	1.916E-05
						U-235	3.144E-05
						U-238	5.730E-05
		*					1.079E-04
		75	8.496E-02	6.352E+03	1.536E-03	TH-232	2.180E-05
						U-235	9.206E-05
	*					1.713E-03 U-238	1.422E-03
		*					1.536E-03
	*						1.713E-03
	657	72	3.398E+00	8.165E+05	1.950E+05	CE-141	2.788E+04
						CO-60	2.437E+03
						RU-103	9.555E+03
						UN-ID-B+G	1.774E+04

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR TRA

PAGE 151

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TRA	657	72				ZR-95	1.374E+05
		*					1.950E+05
		74	2.152E+01	2.268E+06	1.717E+00	CO-60	9.450E-02
						CR-51	8.505E-01
						FE-59	1.050E-01
						MAP	5.244E-01
						MFP	1.428E-01
		*					1.717E+00
		76	3.738E+00	4.082E+04	1.000E-06	MFP	9.000E-07
						UN-ID-B+G	1.000E-07
		*					1.000E-06
		81	1.699E-01	5.738E+05	5.000E+00	CO-60	2.500E+00
	*				-----	CS-137	2.500E+00
	*				1.950E+05		5.000E+00
	*						1.950E+05
	660	75	2.832E-02	1.361E+03	2.798E-05	U-235	2.782E-05
						U-238	1.632E-07
		*					2.798E-05
	*						2.798E-05
	661	71	3.540E+00	9.072E+05	1.000E-02	MFP	9.000E-03
						PU-240	9.000E-04
						PU-241	1.000E-04
		*					1.000E-02
		72	5.664E-02	2.268E+04	1.000E-05	MFP	1.000E-05
		73	4.531E-01	9.072E+05	6.970E-04	UN-ID-ALPHA	6.960E-04
						UN-ID-B+G	1.000E-06
		*					6.970E-04
		75	1.171E+01	5.171E+05	9.360E+00	CO-60	1.000E+00
						PU-239	2.300E-04

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR TRA

PAGE 152

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TRA	661	75				U-232	8.360E+00
		*					9.360E+00
		77	1.514E-02	2.132E+04	3.342E-03	AM-241	3.240E-07
						U-235	7.871E-05
						U-238	3.263E-03
		*					3.342E-03
		83	1.812E+00	3.629E+05	9.400E-02	MAP	4.700E-02
						MFP	4.700E-02
		*					9.400E-02
		86	3.981E+01	3.366E+07	6.126E-01	MAP	3.063E-01
						MFP	3.063E-01
*					1.008E+01		6.126E-01
		*					1.008E+01
		*					1.008E+01
	662	72	1.348E+01	1.252E+07	8.000E-02	MFP	8.000E-02
		73	2.945E+00	4.536E+05	2.250E-02	MAP	1.125E-02
						MFP	1.125E-02
		*					2.250E-02
		74	5.381E-01	4.536E+06	4.000E-04	MAP	1.000E-04
						MFP	3.000E-04
		*					4.000E-04
		75	6.344E+00	2.495E+06	5.250E-02	MAP	2.625E-02
						MFP	2.625E-02
		*					5.250E-02
		76	9.063E-01	1.270E+07	2.000E-04	MAP	1.000E-04
						MFP	1.000E-04
*					1.556E-01		2.000E-04
		*					1.556E-01
		*					1.556E-01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR TRA

PAGE 153

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TRA	666	73	2.719E+00	1.089E+06	1.117E-02	MFP	7.500E-03
						U-235	5.179E-06
						U-238	3.660E-03
		*					1.117E-02
	*						1.117E-02
	670	71	8.544E+01	3.457E+07	3.388E+01	BA-LA-140	4.944E-01
						CE-141	6.190E+00
						CR-51	5.189E+00
						I-131	1.624E-01
						I-133	1.026E-01
						MAP	3.125E-01
						MFP	1.830E+00
						NA-24	3.537E+00
						NA-25	1.270E-01
						RU-103	2.570E-02
						SC-46	4.948E+00
						TE-I-132	4.800E-01
						U-235	3.100E-06
						UN-ID-B+G	3.173E+00
						W-187	5.298E+00
						ZR-NB-95	1.955E+00
						ZR-95	5.130E-02
		*					3.388E+01
		72	8.292E+01	7.280E+06	4.694E+01	BA-LA-140	8.629E+00
						CE-141	5.692E+00
						CO-58	5.049E+00
						CO-60	1.712E+01
						CR-51	5.692E+00
						MAP	1.699E-01
						MFP	8.716E-01
						RU-103	5.967E-01
						SC-46	3.121E+00
		*					4.694E+01
		73	7.219E+01	5.717E+06	1.213E+00	MAP	7.517E-02
						MFP	1.137E+00
						U-235	9.416E-07
						U-238	6.657E-04
		*					1.213E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR TRA

PAGE 154

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TRA	670	74	7.332E+01	1.168E+07	2.713E+01	CE-141	1.717E+00
						CE-144	2.625E-01
						CO-58	2.079E+00
						CO-60	1.846E+01
						CS-134	1.982E-01
						CS-137	2.141E+00
						MAP	1.511E-01
						MFP	1.845E-01
						MN-54	1.514E+00
						NB-95	3.188E-01
						RU-103	9.644E-02
		*					2.713E+01
		75	4.020E+01	1.238E+07	1.009E+02	BA-140	8.000E-02
						CE-144	2.300E+00
						CO-58	4.537E-02
						CO-60	1.649E+01
						CR-51	7.421E+01
						CS-134	1.270E-01
						CS-137	6.162E-01
						FE-59	2.940E-02
						HF-181	4.882E-02
						I-131	8.167E-03
						LA-140	2.813E-02
						MAP	3.500E+00
						MFP	1.571E+00
						MN-54	1.414E+00
						NB-95	2.051E-02
						ZN-65	4.000E-01
						ZR-95	9.075E-03
		*					1.009E+02
		76	2.880E+01	1.909E+07	2.143E+05	AG-110M	2.180E-01
						BA-140	4.018E+01
						CE-141	2.881E+01
						CE-144	3.873E+01
						CO-58	2.450E+00
						CO-60	4.449E+04
						CR-51	1.510E+05
						CS-134	1.279E+00
						CS-137	2.900E+00
						FE-59	1.863E+04
						HF-181	7.310E-02
						I-131	8.800E-01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR TRA

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TRA	670	76				LA-140	5.542E+01
						MAP	4.135E-02
						MFP	4.135E-02
						MN-54	1.170E+00
						NA-24	2.499E+01
						NB-95	2.604E+00
						RU-103	7.310E-02
						SM-153	3.302E+00
						TA-182	7.310E-02
						UN-ID-B+G	2.111E+01
						ZN-65	1.701E+00
						ZR-95	3.141E+00
		*					2.143E+05
		77	7.988E+01	3.227E+07	8.993E+04	AG-110M	5.960E-02
						CE-141	8.940E-02
						CO-58	8.940E-02
						CO-60	8.061E+03
						CR-51	7.290E+04
						CS-134	2.980E-02
						CS-137	2.086E-01
						FE-59	8.955E+03
						HF-181	5.960E-02
						I-131	5.500E+00
						MAP	1.670E-01
						MFP	1.670E-01
						MN-54	2.980E-02
						NB-95	8.940E-02
						RU-103	2.980E-02
						UN-ID-B+G	8.979E+00
						ZN-65	5.960E-02
						ZR-95	8.940E-02
		*					8.993E+04
		78	3.134E+02	5.928E+07	6.103E+05	AG-110M	2.583E+00
						CE-141	1.698E+00
						CE-144	1.828E+00
						CO-60	5.958E+04
						CR-51	4.702E+05
						CS-134	7.786E-01
						CS-137	7.064E+00
						FE-59	6.050E+04
						HF-181	1.032E+00
						I-131	1.297E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR TRA

PAGE 156

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TRA	670	78				MAP	2.187E-01
						MFP	2.187E-01
						NB-95	5.700E-01
						SC-46	5.160E+01
						UN-ID-B+G	8.433E+00
						ZN-65	7.828E-03
						ZR-95	1.140E-03
		*					6.103E+05
		79	1.041E+02	3.461E+07	7.752E+02	BA-140	5.280E-01
						CE-141	5.722E-01
						CE-144	1.186E+01
						CO-58	3.960E-01
						CO-60	1.332E+01
						CR-51	7.284E+02
						CS-134	8.600E-02
						CS-137	2.580E-01
						I-131	1.159E+00
						I-132	8.280E-03
						I-133	2.898E-02
						LA-140	7.920E-01
						MAP	9.084E-02
						MFP	1.059E-01
						NB-95	4.800E+00
						UN-ID-B+G	1.277E+01
						ZR-95	1.380E-03
		*					7.752E+02
		80	9.271E+01	7.908E+07	8.467E+02	BA-140	9.334E+00
						CE-141	4.462E+00
						CE-144	3.889E+00
						CO-58	7.913E-01
						CO-60	9.336E+00
						CR-51	7.842E+02
						CS-134	7.678E-01
						CS-136	1.584E-01
						CS-137	1.919E+00
						HF-181	1.292E-02
						I-131	1.072E-01
						LA-140	1.213E+01
						MAP	3.708E-02
						MFP	2.199E-02
						MN-54	1.133E-01
						NB-95	3.184E-01

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR TRA

PAGE 157

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TRA	670	80				RU-103	1.258E-01
						UN-ID-B+G	1.859E+01
						ZN-65	1.052E-01
						ZR-95	2.521E-01
		*					8.467E+02
		81	8.201E+01	6.736E+07	8.512E+02	BA-140	2.282E+00
						CE-141	1.167E+00
						CE-144	6.776E+00
						CO-58	1.088E+00
						CO-60	1.713E+01
						CR-51	7.753E+02
						CS-134	5.010E-02
						CS-137	6.501E-01
						HF-181	1.820E-01
						LA-140	2.513E+00
						MAP	8.653E-02
						MFP	8.653E-02
						NB-95	8.960E-02
						RU-103	2.360E-01
						UN-ID-B+G	4.243E+01
						ZN-65	7.330E-01
						ZR-95	4.537E-01
		*					8.512E+02
		82	8.888E+01	6.494E+07	1.259E+05	BA-140	3.256E+00
						CE-141	1.140E+00
						CE-144	1.111E+01
						CO-58	4.000E-02
						CO-60	1.852E+04
						CR-51	7.978E+02
						CS-134	2.280E-01
						CS-137	1.704E+00
						FE-59	2.314E+04
						LA-140	4.410E+00
						MAP	3.936E+04
						MFP	3.936E+04
						NB-95	1.118E+00
						UN-ID-B+G	4.713E+03
						ZR-95	1.306E+00
		*					1.259E+05
		83	8.417E+01	6.647E+07	7.845E+02	BA-140	3.501E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR TRA

PAGE 158

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TRA	670	83				CE-141	9.256E-01
						CE-144	1.988E+00
						CO-58	2.840E-01
						CO-60	2.167E+01
						CR-51	6.644E+02
						CS-137	3.576E-01
						LA-140	1.978E+00
						MAP	1.356E+01
						MFP	1.356E+01
						MN-54	2.840E-01
						NB-95	2.840E-01
						UN-ID-B+G	6.076E+01
						ZN-65	3.576E-01
						ZR-95	5.680E-01
		*					7.845E+02
		84	1.019E+02	8.401E+07	8.315E+02	BA-140	1.084E+00
						CE-141	1.038E+00
						CE-144	4.602E+00
						CO-58	7.905E-01
						CO-60	3.033E+01
						CR-51	7.328E+02
						CS-134	4.133E-01
						CS-137	3.791E-01
						LA-140	1.186E+00
						MAP	5.800E-02
						MFP	5.800E-02
						MN-54	2.385E-01
						NB-95	7.520E-01
						UN-ID-B+G	5.617E+01
						ZN-65	4.760E-01
						ZR-95	1.128E+00
		*					8.315E+02
		85	7.478E+01	5.465E+07	2.076E+03	BA-140	7.800E-02
						CE-141	3.800E-01
						CE-144	5.100E-01
						CO-60	1.944E+01
						CR-51	2.019E+03
						CS-134	1.400E-01
						CS-137	1.250E-01
						HF-181	2.832E-01
						LA-140	8.460E-02
						MAP	5.064E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR TRA

PAGE 159

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TRA	670	85				MFP	5.064E+00
						MN-54	5.430E-01
						RU-106	1.380E-01
						UN-ID-B+G	2.477E+01
						ZN-65	3.264E-01
		*					2.076E+03
		86	1.352E+02	7.910E+07	1.044E+03	CO-58	2.717E+00
						CO-60	1.048E+01
						CR-51	1.019E+03
						FE-59	5.000E-02
						MAP	6.798E-01
						MFP	6.798E-01
						MN-54	7.200E-02
						NA-24	2.200E+00
						UN-ID-B+G	8.531E+00
		*					1.044E+03
		87	8.678E+01	4.780E+07	1.145E+04	AG-110M	1.913E+00
						CE-141	2.400E-02
						CE-144	1.305E+01
						CO-58	2.569E+01
						CO-60	5.732E+03
						CR-51	2.619E+02
						HF-181	2.741E+00
						MAP	2.688E+03
						MFP	2.688E+03
						MN-54	9.675E+00
						UN-ID-B+G	7.511E+00
						ZN-65	1.948E+01
		*					1.145E+04
		88	7.468E+01	4.817E+07	1.433E+02	AG-110	2.370E-02
						CE-144	2.160E-01
						CO-58	8.340E-01
						CO-60	2.231E+00
						CR-51	1.346E+02
						CS-137	2.200E-02
						HF-181	7.570E-02
						MAP	5.574E-01
						MFP	5.574E-01
						MN-54	3.190E-01
						UN-ID-B+G	3.585E+00

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR TRA

PAGE 160

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
TRA	670	88				ZN-65	2.480E-01
		*					1.433E+02
		89	3.330E+01	3.765E+07	7.587E+01	CE-144	1.520E-01
	*				1.060E+06	CO-58	7.380E-01
						CO-60	2.529E+00
						CR-51	7.092E+01
						HF-181	1.473E-01
						MAP	2.782E-01
						MFP	6.782E-01
						MN-54	1.010E-01
						ZN-65	3.250E-01
		*					7.587E+01
	*						1.060E+06
	678	75	3.172E+00	4.536E+05	7.050E+00	MAP	3.525E+00
						MFP	3.525E+00
		*					7.050E+00
	*						7.050E+00
	706	75	1.048E+03	1.731E+08	7.186E+00	CO-60	7.135E+00
						MAP	4.257E-03
						MFP	4.666E-02
		*					7.186E+00
	*						7.186E+00
	730	73	2.945E+00	6.804E+05	7.500E-03	MAP	3.750E-03
						MFP	3.750E-03
		*					7.500E-03
	*						7.500E-03
	732	74	3.398E+00	4.536E+05	1.500E-03	MAP	1.050E-03
						MFP	4.500E-04
		*					1.500E-03
		76	6.741E+00	5.588E+06	1.350E-03	MAP	6.750E-04

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR WER

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
WER	COM	87	1.087E+02	7.171E+07	1.167E-01	MAP MFP	5.835E-02 5.835E-02
		*					1.167E-01
		88	1.614E+02	1.065E+08	1.987E-01	MAP MFP	9.935E-02 9.935E-02
		*					1.987E-01
		89	2.778E+02	1.709E+08	1.925E-01	MAP MFP	9.626E-02 9.626E-02
	*	*			5.079E-01		1.925E-01
	*						5.079E-01
	INC	87	2.631E+01	2.695E+07	3.865E-02	MAP MFP	7.950E-03 3.070E-02
		*					3.865E-02
		88	4.044E+01	3.617E+07	2.010E-02	MAP MFP	1.005E-02 1.005E-02
		*					2.010E-02
		89	2.092E+01	2.445E+07	2.416E-02	MAP MFP	1.208E-02 1.208E-02
	*	*			8.291E-02		2.416E-02
	*						8.291E-02
	MET	85	1.924E+02	1.934E+08	2.305E-01	MAP MFP	8.344E-02 1.470E-01
		*					2.305E-01
		86	1.992E+02	1.502E+08	1.664E-01	MAP MFP	8.319E-02 8.319E-02
		*					1.664E-01
		87	1.376E+02	1.126E+08	6.688E-02	MAP MFP	3.344E-02 3.344E-02

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

ANNUAL SUMMARY FOR WMC

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
WMC	EAD	86	3.421E+01	4.536E+06	8.021E-03	AM-241	8.021E-03
		87	1.550E+02	4.415E+07	1.260E-01	AM-241	1.260E-01
	*				1.340E-01		1.340E-01
	P02	77	1.645E+01	6.659E+06	1.030E-06	MFP	1.030E-06
	T07	78	1.087E+01	1.306E+07	6.000E+00	CS-137 SR-90	1.200E+00 4.800E+00
	*						6.000E+00
	*						6.000E+00
	WMO	83	3.625E+00	3.629E+05	7.500E-05	MAP MFP	3.750E-05 3.750E-05
	*						7.500E-05
	*						7.500E-05
	000	60	1.846E+04	0.000E+00	6.092E+04	UN-1D-B+G	6.092E+04
	1C5	84	4.164E-01	2.722E+05	6.804E-07	PU-239	6.804E-07
	601	79	3.609E+02	6.327E+08	7.170E-02	MAP MFP RA-226 TH-230 TH-232 U-234 U-235 U-238	1.000E-04 1.000E-04 1.720E-02 1.789E-02 3.339E-04 1.733E-02 9.136E-04 1.783E-02
	*						7.170E-02
	80		1.161E+00	1.814E+05	1.500E-04	MAP MFP	7.500E-05 7.500E-05
	*						1.500E-04
	81		3.625E+00	1.814E+06	1.500E-04	MAP MFP	7.500E-05 7.500E-05
	*						1.500E-04

IDAHO OPERATIONS OFFICE
 U.S. DEPARTMENT OF ENERGY
 INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR WMC

PAGE 165

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
WMC	601	82	2.021E+00	1.842E+06	2.000E-06	MAP	1.000E-06
						MFP	1.000E-06
		*					2.000E-06
		83	4.313E+02	6.477E+07	9.000E-03	MFP	9.000E-03
		86	7.930E-01	2.041E+05	5.200E-05	AM-241 PU-239	7.800E-06 4.420E-05
		*					5.200E-05
		87	9.218E+00	4.583E+06	9.010E-03	MAP	4.505E-03
	*				9.006E-02	MFP TH-232	4.505E-03 2.200E-07
		*					9.010E-03
	*						9.006E-02
	602	78	9.062E-01	9.072E+04	1.000E-03	MAP	5.000E-04
						MFP	5.000E-04
		*					1.000E-03
		79	4.220E+00	1.667E+06	4.330E-03	MFP	3.010E-03
						UN-1D-B+G	1.320E-03
		*					4.330E-03
		80	2.543E+01	1.216E+07	2.533E-04	CO-60	1.913E-05
	*				5.583E-03	CS-134 CS-137	7.815E-06 2.264E-04
		*					2.533E-04
	*						5.583E-03
	612	89	2.174E+01	1.412E+07	2.333E-04	PU-238	8.482E-10
						PU-239	2.328E-04
						PU-240	4.114E-07
						PU-241	2.403E-08
						PU-242	1.697E-09
		*					2.333E-04

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR WMC

PAGE 166

[illegible]

IDAHO OPERATIONS OFFICE
U.S. DEPARTMENT OF ENERGY
INEL WASTE MANAGEMENT INFORMATION SYSTEM

RUN DATE: 04/03/91

ANNUAL SUMMARY FOR 10R

PAGE 167

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
10R	000	61	2.680E+02	0.000E+00	3.000E+00	UN-ID-B+G	3.000E+00
		62	2.420E+02	0.000E+00	9.400E+01	UN-ID-B+G	9.400E+01
		63	2.900E+02	0.000E+00	3.060E+02	UN-ID-B+G	3.060E+02
		64	7.100E+01	0.000E+00	2.000E+01	UN-ID-B+G	2.000E+01
		65	4.940E+02	0.000E+00	2.011E+03	UN-ID-B+G	2.011E+03
					-----		-----
					2.434E+03		2.434E+03
					-----		-----
					2.434E+03		2.434E+03
					-----		-----
					2.434E+03		2.434E+03

*
*
*

ANNUAL SUMMARY FOR 20S

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
20S	000	61	3.070E+03	0.000E+00	2.200E+04	UN-ID-B+G	2.200E+04
		62	1.261E+03	0.000E+00	3.734E+03	UN-ID-B+G	3.734E+03
		63	2.170E+03	0.000E+00	1.200E+04	UN-ID-B+G	1.200E+04
	*				3.773E+04		3.773E+04
					3.773E+04		3.773E+04
					3.773E+04		3.773E+04

*

ANNUAL SUMMARY FOR 3SL

GENERATING AREA	GENERATING BUILDING	DISPOSAL YEAR	ANNUAL VOLUME CUBIC METERS	ANNUAL WEIGHT GRAMS	ANNUAL CURIES	NUCLIDE	CURIES
3SL	000	61	4.120E+02	0.000E+00	6.300E+01	UN-ID-B+G	6.300E+01
		62	1.907E+03	0.000E+00	5.360E+02	UN-ID-B+G	5.360E+02
	*				5.990E+02		5.990E+02
					5.990E+02		5.990E+02
					5.990E+02		5.990E+02
					=====		=====
					1.155E+07		1.155E+07

*

APPENDIX C
GENERATORS DISPOSING LLW IN THE RWMC SDA

APPENDIX C

GENERATORS DISPOSING LLW IN THE RWMC SDA

The following list of generators that have disposed radioactive waste in the RWMC SDA from 1952 to 1989. The INEL generators are given first along with the reactors which are, or have been, active at that generator or facility. Those noted below as closed have undergone or in the process of decontamination and decommissioning.

The onsite waste generators disposing waste at the RWMC known and documented in the Radioactive Waste Management Information System (RWMIS) are the following:

- ANLW (Argonne National Laboratory West)
Reactors: EBR-I (closed), EBR-II, TREAT, ZPPR
- NRF (Naval Reactor Facility) and ECF (Extended Core Facility)
Reactors: Information not available
- D&D (Decontamination and Decommissioning)
- WERF (Waste Experimental Reduction Facility)
- PBF (Power Burst Facility)
Reactors: Refurbished Spert-1 Reactor
- PER or SPERT (Special Power Excursion Test Reactors 1-4)
Reactors: SPERT-1, 2, 3 and 4; all closed except 1
- RWMC (Radioactive Waste Management Complex)
- CPP (Chemical Processing Plant)
- CFA (Central Facilities Area)
- TRA (Test Reactor Area)
Reactors: MTR (closed), ETR (closed), ATR, ARMF
- TAN (Test Area North)
- LOFT (or CTF - Containment of Fluids, or LOFT - Loss of Fluids Test)
Reactors - CTF/MTA, LOFT (closed)
- ARA (Auxiliary Reactor Areas I - IV)
Reactors: ARA-1, ARA-2, ARA-3, ARA-4; all closed

- SL-1 (U.S. Army Stationary Low Power Reactor)

Reactors: SL1; closed

Separate projects within the INEL include:

- ANP (Aircraft Nuclear Propulsion)

Reactors: (Listed under IET below)

- IET (Initial Engine Test)

Reactors: HTRE-1, HTRE-2, HTRE-3; closed

- NMEO (Nuclear Materials Evaluation Operations)

- SMC (Special Manufacturing Capability), contained in old LOFT facility

- SNAPTRAN (Space Reactor Research Program)

Reactors: SNAPTRAN-1, destroyed in final testing

- OMRE (Organic Moderated Reactor Experiment)

Reactors: OMRE; closed

- BORAX (Boiling Water Reactor)

Reactors: BORAX-1, 2, 3, 4 and 5; all closed

- GCRE (Gas Cooled Reactor Experiment)

Reactors: GCRE; closed - never used

The offsite waste generators in the RWMIS system are:

1. RFO (Rocky Flats Operations)
2. BEP/BAPL (Bettis Atomic Power Laboratory)
3. ANLE (Argonne National Laboratory East)
4. BCL (Battelle Columbus Laboratories)
5. ML (Mound Laboratory)

Other external generators disposing radioactive waste in the RWMIS SDA are:

1. BEN (Bendix Field Engineering)

2. BNL (Brookhaven National Laboratory)
3. B&W (Babcock and Wilcox)
4. MHD (Mountain States Energy); M-K (Morrison-Knutson)
5. MRC (Monsanto Research Corporation, no LLW)
6. The USAF (US Air Force, no LLW)

There have also been wastes received from some foreign and institutional locations. Generators disposing waste at the RWMC during the (Interim Burial Ground) IBG period (1961 to 1963) are documented in the report: Clements, Jr., T. L., "Buried Waste Classification: Nonradiological Hazards Study - Offsite Waste Generators," PR-W-80-027, October 1980.

APPENDIX D
THE TRENCH AND PIT DISPOSAL LOCATIONS IN THE RWMC
SDA

APPENDIX D

THE TRENCH AND PIT DISPOSAL LOCATIONS IN THE RWMC SDA

Trench and Pit Wastes by Year

Table D-1 summarizes the trench and pit burial history at the RWMC SDA. Table D-2 gives the opening and closing dates of the pits, trenches and soil vaults at the RWMC SDA. Table D-1 is subject to revision as new information may become available. This table is a variant of what is published by Card (1977). The date divisions have been chosen to match the key periods considered by the RWMC PA document. Certain disposal facilities overlap the time periods shown in the table.

Table D-1. Trench and Pit Waste Burial History Summary.

<u>Year(s)</u>	<u>Trenches</u>	<u>Pits</u>	<u>Waste Mix</u>	<u>Remarks</u>
1952-1954	1		LLW and on site TRU	Start of burial in trenches
1955-1957	1 to 10	1	LLW and TRU in trenches and pit 1	LLW, onsite TRU and RFO TRU mixed in trenches; start of burial in pits 11/57
1958-1959	10 to 17	1 and 2	LLW in trenches 11 to 17; LLW and TRU in trench 10 and in pits 1 and 2	
1960-1963	17 to 33	2 to 5	LLW in trenches 17 to 33; LLW and TRU in pits 2 to 5	Interim Burial Ground (IBG) period (1961 TO 1963)
1964-1970	33 to 54	4 to 12	LLW in trenches 33 to 54; LLW in pits 7 and 8; LLW and TRU in pits 4, 5, 6, 9, 10, 11 and 12	Post IBG period
1971-Now	54 to 58	12 to 20	LLW trenches 54 to 58; LLW in all pits, except pit 12; TRU stored above ground in the transuranic storage area (TSA)	Trench burial used to 1981, soil vault rows started in 1977, Pad-A used from 1972 to 1978 for non-TRU uranium waste of activity between 0.1 and 10 nCi/gram

Table D-2. Operating and closing dates for SDA disposal facilities

Trench	Opened	Closed	Trench	Opened	Closed	Pit	Soil Vault				Pad	Opened	Closed
							Row	Opened	Closed	Row			
1	7-8-52	10-1-54	30	3-2-63	9-12-63	1	11-1-57	10-1-59	1	3-3-77	9-7-77	9-26-72	11-17-78
2	10-1-54	12-21-54	31	3-25-63	11-22-63	2	10-1-59	7-1-63	2	3-16-77	10-28-77		
3	12-22-54	4-22-55	32	4-1-63	11-18-63	3	12-15-61	1-3-63	3	3-14-77	10-27-77		
4	4-22-55	11-21-55	33	10-11-63	8-11-64	4	1-3-63	9-26-67	4	3-17-77	11-1-77		
5	11-4-55	3-29-56	34	3-18-64	8-27-64	5	6-18-63	12-22-66	5	3-15-77	9-2-77		
6	3-22-56	9-4-56	35	8-38-64	1-19-65	6	5-18-67	10-22-68	6	3-25-78	2-27-81		
7	8-14-56	12-20-56	36	12-1-64	7-24-65	7	9-19-66	10-5-68	7	5-8-78	1-23-79		
8	12-13-56	5-7-57	37	12-24-64	7-1-65	8	3-6-67	11-69	8	2-12-78	9-8-81		
9	1-7-57	9-6-57	38	5-15-65	9-16-65	9	11-8-67	6-9-69	9	2-6-79	7-15-81		
10	7-19-57	2-7-58	39	7-20-65	11-5-65	10	8-7-68	7-8-71	10	6-9-81	11-3-82		
11	2-11-58	7-25-58	40	10-7-65	1-13-66	11	4-14-70	10-16-70	11	8-7-81	12-12-84		
12	1-3-58	1-16-59	41	1-4-66	10-4-66	12	7-2-70	9-12-72	12	5-5-82	7-27-83		
13	1-9-58	4-24-59	42	5-9-66	1-17-67	13	7-20-71	7-29-74	13	4-4-83	12-21-84		
14	4-16-59	7-30-59	43	10-20-66	6-1-67	14	7-1-74	3-31-76	14	10-16-84			
15	7-31-59	10-16-59	44	1-13-67	3-24-67	15	6-25-75	7-3-84	15	10-16-84			
16	10-17-59	4-12-60	45	2-28-67	9-27-67	16	5-22-78	10-25-84	16	10-16-84			
17	11-1-59	7-1-60	46	9-25-67	3-14-68	17	5-5-84		17	4-24-87			
18	5-10-60	7-20-60	47	2-28-68	8-5-68	18	9-1-88		18	2-12-87			
19	7-5-60	11-29-60	48	8-8-68	5-2-69	19	9-1-88						
20	12-1-60	6-30-61	49	11-18-68	6-30-69	20	3-1-89						
21	12-13-60	1-10-61	50	7-1-69	11-1-69								
22	2-1-61	4-25-61	51	10-30-69	4-8-70								
23	6-20-61	9-15-61	52	3-4-70	7-4-70								
24	10-1-61	7-31-62	53	7-1-70	10-12-70								
25	8-1-61	7-27-62	54	9-23-70	5-4-71								
26	4-13-62	8-17-62	55	4-7-71	3-12-82								
27	8-20-62	1-4-63	56	12-29-71	2-1-73								
28	12-26-62	3-12-63	57	12-28-72	6-11-74								
29	11-19-62	3-20-63	58	2-20-74	8-17-81								

APPENDIX E
THE GENERATOR QUESTIONNAIRE

APPENDIX E

THE GENERATOR QUESTIONNAIRE

This generator questionnaire used in this study is given on the following pages.

April 25, 1991

Distribution

**RADIOACTIVE WASTE MANAGEMENT COMPLEX (RWMC) LOW-LEVEL WASTE (LLW) INVENTORY
FOR THE RWMC PERFORMANCE ASSESSMENT DOCUMENT - TLC-31-91**

DOE Order 5820.2A, Chapter III, establishes the requirements for Performance Assessments for LLW disposal sites, such as the Idaho National Engineering Laboratory (INEL) RWMC. The results from the Performance Assessment must meet the performance objectives defined in the order to continue disposal of LLW. A draft radiological Performance Assessment has been performed for the LLW that has been disposed at the RWMC, and indicates that the RWMC is currently in conformance with the performance objectives. During development of the RWMC Performance Assessment, the existing information concerning facility waste generation and radionuclides was used. This data generally only identified radionuclides as Mixed Fission Products and Mixed Activation Products. Conservative assumptions were used to bound the limitations in the quantitative data available for performing the Performance Assessment. The intent of this waste inventory project is to improve on the existing data to increase the quality of the final Performance Assessment. Adequate data concerning specific radionuclide data for waste generated at your facilities is needed to increase the confidence in the current Performance Assessment results.

The purpose of this questionnaire is to obtain facility-specific data concerning specific radionuclides in LLW disposed at the RWMC between 1952-1990. This data is needed for use in the RWMC Radiological Performance Assessment, which analyzes the LLW radionuclide inventory (both LLW disposed in the past and LLW planned to be disposed in the future) and its impact upon the environment and the public. The results from the Performance Assessment must meet the performance objectives defined in DOE Order 5820.2A to continue LLW disposal at the RWMC.

With your support, it may be possible to improve the LLW radionuclide inventory information used in the draft radiological Performance Assessment. Enclosed with this letter are graphs indicating annual volume of waste by facility and annual curies by facility, a questionnaire, and a detailed computer listing from the Radioactive Waste Management Information System

Distribution
April 25, 1991
TLC-31-91
Page 2

(RWMIS) containing information about waste disposed at the RWMC by your facility since 1952. The computer listing is sorted by building and year, and contains annual volume, annual weight, annual curies, and annual curies by specific radionuclide (where known). Totals are indicated on the report by '*'. Where specific radionuclides were not identified, the RWMIS information contains Mixed Activation Products (MAP), Mixed Fission Products (MFP), Unidentified Beta-Gamma (UN-ID-B-G), and Unidentified Alpha (UN-ID-ALPHA).

I realize that information may be sketchy or unavailable on LLW sent from your facility to the RWMC for disposal, particularly during 1952-1970. However, I am requesting that you review the questionnaire and computer listing, noting your changes or additional information. Personnel from my staff are available to answer questions, provide additional information, or provide other assistance in completing this request. Please return the completed questionnaire and computer listing with your changes to Ms. M. E. Sussman at Mail Stop 3950 by June 7, 1991.

Your help with this request is greatly appreciated. Please feel free to contact Ms. Sussman at (208) 526-4697 if you have any questions or need additional information or assistance.

T. L. Clements, Jr., Manager
Waste Management Operations
Technical Support

lap

Attach/Encl:
As Stated

Distribution
April 25, 1991
TLC-31-91
Page 3

Distribution

ANL-W

R. P. Grant, MS 6000

ANL-E

R. W. Ditch

EG&G Idaho, Inc.

J. R. Bishoff, MS 4202
J. D. Bradford, MS 8101
D. W. Colling, MS 8103
S. J. Keating, MS 7107
D. K. Lainhart, MS 4109
R. H. Meservey, MS 1545
P. North, MS 3601
K. E. Streeper, MS 9208
L. J. Toomer, MS 7104
T. L. Trace, MS 9201

NRF

D. H. Haar, MS 6001
R. B. Newbold, MS 6001
J. C. Rushi, MS 6001

WINCO

J. D. Edelmayer, MS 5114

cc: (w/o Enclosure)

R. C. Cullison, DOE-IBO, 6001
D. G. Hinckley, DOE-ID, MS 1118
S. T. Hinschberger, DOE-ID, MS 1118
J. C. Okeson, EG&G Idaho, (w/o Attach), MS 3601
J. P. Orr, DOE-ID, MS 1118
J. G. Podgursky, NRF, MS 6001
R. M. Schletter, ANL-E
D. W. Suthers, EG&G Idaho, MS 7121
J. R. Wade, DOE-ID, MS 1118
L. C. Witbeck, ANL-W, MS 6000
J. O. Zane, EG&G Idaho, (w/o Attach), MS 3600

bcc: (w/o Encl)

R. M. Brown, MS 3950
J. N. Davis, MS 3940
D. L. French, MS 4201
W. W. Gay, MS 7106
D. J. Harvego, MS 4156
W. F. Lewis, MS 7132
D. L. Litteer, MS 4110
S. J. Maheras, MS 2110
J. D. McKinney, MS 3950
T. B. McLaughlin, MS 8101
L. E. Plansky, MS 3950
J. D. Poole, MS 4118
A. S. Rood, MS 2110
D. M. Sherick, MS 7112
S. G. Stiger, MS 3900
M. E. Sussman, MS 3950
D. W. Suthers, MS 7121
K. R. Thurman, MS 9114
J. D. Wells, MS 4201
D. C. Wilkie, MS 7104
D. R. Wilkinson, MS 4201
Central Files, MS 1651
Technical Support File, MS 3950
T. L. Clements, Jr. File*

Curies by Year

Volume by Year

Attachment 2
April 25, 1991
TLC-31-91
Page 1 of 5

RWMC LOW-LEVEL WASTE INVENTORY QUESTIONNAIRE
FOR THE RWMC PERFORMANCE ASSESSMENT

FACILITY: _____ NAME: _____
PHONE: _____ MAIL STOP: _____

The purpose of this questionnaire is to obtain facility-specific data concerning low-level waste (LLW) disposed at the RWMC between 1952-1990. This data is needed for use in the RWMC Radiological Performance Assessment, which analyzes the LLW radionuclide inventory (both LLW disposed in the past and LLW planned to be disposed in the future) and its impact upon the environment and the public. The results from the Performance Assessment must meet the performance objectives defined in DOE Order 5820.2A to continue LLW disposal at the RWMC. During development of the RWMC Performance Assessment, the existing information concerning facility waste generation and radionuclides was used. This data generally only identified radionuclides as Mixed Fission Products and Mixed Activation Products. Conservative assumptions were used to bound the limitations in the quantitative data available for performing the Performance Assessment. The intent of this waste inventory project is to improve on the existing data to increase the quality of the final Performance Assessment. Adequate data concerning specific radionuclide data for waste generated at your facilities is needed to increase the confidence in the current Performance Assessment results.

Enclosed with this letter is a listing from the INEL Radioactive Waste Management Information System (RWMIS) containing information about waste disposed at the RWMC from your facility since 1952. This information is sorted by building and year, and contains annual volume, annual weight, annual curies, and annual curies by specific radionuclide (where known). Totals are indicated on the report by '*'. Where specific radionuclides were not identified, the RWMIS information contains Mixed Activation Products (MAP), Mixed Fission Products (MFP), Unidentified Beta-Gamma (UN-ID-B-G), and Unidentified Alpha (UN-ID-ALPHA).

Please provide answers for the following questions and return the questionnaire and computer listing to Ms. M. E. Sussman at Mail Stop 3950 by May 30, 1991. In addition to a review of the RWMIS records, reviews of waste shipment or disposal records and literature searches may be helpful in answering the questionnaire. If questions cannot be answered, so state and provide the reason why the information is not available. If you have questions or need additional information or assistance with questionnaire, please feel free to contact Ms. Sussman at (208) 526-4697. Your help in providing this information is greatly appreciated.

Attachment 2
April 25, 1991
TLC-31-91
Page 2 of 5

- I. Are waste records, documents, or personnel available that may detail LLW shipments to the RWMC?
 - A. If so, do the documents concur with the attached RWMIS information? If not, please mark corrections.
 - B. If so, where are the records or documents located, and can they be obtained by RWMC Low Level Waste Performance Assessment project personnel?
 - C. Is specific radionuclide inventory information present on the waste records or documents? Can you reconstruct or improve the accuracy of the waste radionuclide inventory information contained in the RWMIS?
 - D. If records or documents are not available, are other sources (letters, logbooks, etc.) available for detailing waste shipped to the RWMC?
 - E. Briefly describe the method used to determine the radionuclides identified in the waste packages shipped to the RWMC.

- II. For each major facility, project, building, or experiment that contributed to the waste stream packaged for shipment to the RWMC since 1952 (this should include facilities that were in operation in the past, but are no longer operating), provide the following information:
- A. Please provide a brief description of the activities conducted by each facility/project/building/experiment, the basic types of waste processes, radionuclides generated, or other pertinent data that could lead to waste stream/radionuclide identification. The description may be by year or groups of years. (For example: "During 1952 - 1959, building 643 performed fuels tests, which produced I-129, Cs-137, and Sr-90 as waste).
- B. Describe the waste physical forms (sludge, combustibles, metals, glass, etc.), waste chemical forms (oxide, nitrates, etc), and waste containers (steel drums, wooden boxes, etc.) used to package the waste, and approximate percentage of each type container by year. If internal shielding was used, indicate the type of shielding material.

C. Specific radionuclide information about the waste streams is needed to assess RWMC's compliance with the performance objectives of DOE Order 5820.2A. Much of the waste shipped to the RWMC in the early years did not contain specific radionuclide information, and was identified as Mixed Fission Products (MFP), Mixed Activation Products (MAP), Unidentified-Beta-Gamma (UN-ID-B-G), or Unidentified-Alpha (UN-ID-ALPHA). Please provide specific radionuclide information or estimates of the specific radionuclide distribution for waste that is identified as MAP, MFP, UN-ID-B-G, or UN-ID-ALPHA.

D. Are the disposal locations at the RWMC (pit or trench) of the wastes disposed before 1972 known? If so, please list each known disposal location with the volume, total activity, and radionuclide information associated with that location.

III. Please describe the chemicals that were included in waste packages shipped to the RWMC. This should include physical form of the chemical and any other information that you feel would be helpful in characterizing the waste.

IV. Were any potential nonradiological hazards (such as pressurized or partially pressurized gas cylinder, batteries, explosives or explosive mixtures) present in waste that may have been sent to the RWMC? If so, please describe.

V. Is there any other information that would be helpful to our understanding of low-level waste radionuclides disposed at the RWMC, particularly in the years 1954 - 1970? If so, please describe.

APPENDIX F
ANALYSIS OF THE GENERIC RADIONUCLIDES

APPENDIX F
ANALYSIS OF THE GENERIC RADIONUCLIDES

**INTRUDER DOSE CALCULATIONS FOR MIXED FISSION
PRODUCTS AND MIXED ACTIVATION PRODUCTS DISPOSED
OF AT THE RADIOACTIVE WASTE MANAGEMENT COMPLEX¹**

Arthur S. Rood
Steven J. Maheras
Subsurface and Environmental Modeling Unit

May 1991

¹Condensed version of original paper.

1. INTRODUCTION AND BACKGROUND

Requirements for the management of low-level radioactive waste (LLW) at Department of Energy (DOE) facilities are given in Chapter III of DOE Order 5820.2A. Performance objective 3.a. of Chapter III states that the committed effective dose equivalent received by individuals who inadvertently intrude into the facility after the loss of active institutional control will not exceed 100 mrem/y for continuous chronic exposure or 500 mrem for a single acute exposure. DOE guidance on compliance with these performance objectives requires that a radiological performance assessment be performed using appropriate scenarios to estimate potential consequences to intruders who engage in activities on a closed site after institutional control has ceased.

Radioactive waste containing mixed activation products (MAP) and mixed fission products (MFP) has been disposed of at the Idaho National Engineering Laboratory (INEL) Radioactive Waste Management Complex (RWMC). Traditionally, MAP and MFP have been converted to radionuclides such as Co-60 and Cs-137. While this may be a reasonable conversion over the operational life of the RWMC, this conversion may not be appropriate for the extended time periods over which performance assessment analyses are typically performed. The purpose of this report is to provide a technical basis for the conversion of MAP and MFP to specific radionuclides that are reasonably conservative over performance assessment time frames. Implicit in this purpose is the desire to choose radionuclides that have a reasonable chance of being present in INEL waste.

LLW containing unidentified beta-gamma activity has also been disposed of in the RWMC. For the purposes of the RWMC performance assessment, it is assumed that the composition of unidentified beta-gamma activity is the same as MFP activity.

Inadvertent intruder dose calculations to determine waste classification limits for the RWMC have been performed using the PATHRAE (Rogers and Hung, 1987) and MICROSHIELD (Grove Engineering, 1988) computer codes. The calculations performed by Rood and Maheras (1990) used the methodology and parameter values that were reported in the RWMC Performance Assessment (Case et al., 1990) with the exception that the groundwater pathway was not evaluated. Computer codes (Baca et al., 1990) are currently being developed to evaluate the downward migration of radionuclides from the RWMC to the Snake River Plain Aquifer. These codes will be used to evaluate the groundwater pathway when completed. The source term for these calculations included the actinides Pu-242-238, U-238, U-235, U-233, and Am-241, C-14, I-129, and H-3. These calculations provided a means for identifying important transuranic, unidentified alpha-emitting nuclides and some fission products on the basis of waste concentration limits. A similar set of calculations are presented in this report for radioactivity classified as MAP and MFP.

2. TECHNICAL APPROACH

To convert MAP and MFP to specific radionuclides, a representative suite of radionuclides must first be developed. For the purposes of this analysis, it was assumed that radionuclides contained in spent fuel would be representative of MFP and radionuclides contained in fuel disassembly hardware and control rod elements would be representative of MAP. The specific radionuclides evaluated in this analysis were derived from the Characteristics Data Base (CDB) developed by Oak Ridge National Laboratory (DOE, 1987). This data base contains the characteristics of spent fuel, high-level waste, and other radioactive waste that may require long-term isolation.

Radionuclide inventories contained in spent fuel, control rod elements, and fuel disassembly hardware were evaluated. The spent fuel inventory was derived for a pressurized water reactor with the maximum burn up of 60,000MWD/MTU (megawatt days per metric ton of uranium). The inventory for fuel disassembly hardware and control rod elements was derived from a Westinghouse 17 x 17 fuel assembly. Radionuclides identified in the spent fuel inventory were primarily fission products. Radionuclides identified in control rod elements and fuel disassembly hardware were primarily activation products. Actinides, C-14, I-129, and H-3 were not considered in this analysis because these radionuclides were previously evaluated (Rood and Maheras, 1990). Because the minimum time before intrusion is 100 years, nuclides with half-lives less than 10 years were also eliminated from consideration. Table 1 contains the radionuclides evaluated in this analysis.

After a representative radionuclide list was developed, each radionuclide was evaluated using inadvertent intruder scenarios and compared to the regulatory criteria in DOE Order 5820.2A for intruders (i.e., 100mrem/yr for chronic exposures and 500 mrem for acute exposures). Specifically, a unit concentration of each radionuclide was assumed to exist in the waste. The radionuclide-specific dose through each of the intruder scenarios was calculated and compared to the DOE Order 5820.2A regulatory criteria by determining the concentration of each radionuclide that yielded the dose specified in the regulatory criteria. The radionuclides that exhibited the lowest concentrations were chosen as being conservative representations of MFP and MAP. This procedure is similar to the procedures used to determine waste classification limits.

Table 1. MFP and MAP identified using the CDB for spent fuel, control rod elements, and fuel disassembly hardware.

Nuclide	Progeny	MFP or MAP	Origin ^a	Half-life (yr)
⁹⁰ Sr	⁹⁰ Y	MFP	SF	28.6
¹³⁷ Cs	^{137m} Ba	MFP	SF	30.2
¹⁵¹ Sm		MFP	SF	90.0
^{93m} Nb		MFP & MAP	SF, CRE & FDH	14.6
⁹⁴ Nb		MFP & MAP	SF, CRE & FDH	2.03E+04
¹¹⁵ In		MAP	CRE	4.60E+15
⁹³ Zr	^{93m} Nb	MFP & MAP	SF, CRE & FDH	1.53E+06
¹⁰⁷ Pd		MAP	CRE	6.50E+06
⁹⁹ Tc		MFP & MAP	SF & FDH	2.13E+05
⁶³ Ni		MAP	CRE & FDH	100
¹⁰ Be		MAP	CRE & FDH	1.60E+06
³⁶ Cl		MAP	CRE & FDH	3.01E+05
⁵⁹ Ni		MAP	CRE & FDH	7.50E+04
⁹³ Mo	^{93m} Nb	MAP	FDH	3.50E+03
⁷⁹ Se		MFP	SF	6.50E+04
^{113m} Cd		MFP	SF	13.7
¹²⁶ Sn	^{126m} Sb	MFP	SF	1.00E+05
¹³⁵ Cs		MFP	SF	2.30E+06

a. SF = spent fuel

CRE = control rod elements

FDH = fuel disassembly hardware

3. METHODOLOGY

The assessment methodology and assumptions used in this analysis is described in detail in Waste Concentration Limits Based on the Inadvertent Intruder Protection Standards for the Radioactive Waste Management Complex (Rood and Maheras, 1990) and the RWMC Performance Assessment (Case et al., 1990). A brief description of the general methodology is presented below. Parameters that are specific to the nuclides examined in this analysis are listed in Table 2.

Table 2. Nuclide specific parameter values used in the intruder dose calculations for mixed activation and mixed fission products (from Baes et al., 1984)

Nuclide	Soil to Plant Uptake Factor for Grain	Soil to Plant Uptake Factor for Vegetables	Forage to Milk Uptake Factor	Forage to Beef Uptake Factor	K _d (mL/g)
⁹⁰ Sr	0.25	2.5	1.5E-3	3.0E-4	35
¹³⁷ Cs	0.030	0.080	7.0E-3	0.02	1000
¹⁵¹ Sm	4.0E-3	0.010	2.0E-5	5.0E-3	650
^{93m} Nb	5.0E-3	0.020	0.020	0.25	350
⁹⁴ Nb	5.0E-3	0.020	0.020	0.25	350
¹¹⁵ In	4.0E-4	4.0E-3	1.4E-4	8.0E-3	1500
⁹³ Zr	5.0E-4	2.0E-3	3.0E-5	5.5E-3	3000
¹⁰⁷ Pd	0.040	0.15	0.01	4.0E-3	60
⁹⁹ Tc	1.5	9.5	0.01	8.5E-3	1.5
⁶³ Ni	0.060	0.060	1.0E-3	6.0E-3	150
¹⁰ Be	1.5E-3	0.010	9.0E-7	1.0E-3	650
³⁶ Cl	70.0	70.0	0.015	0.08	0.25
⁵⁹ Ni	0.060	0.060	1.0E-3	6.0E-3	150
⁹³ Mo	0.060	0.25	1.5E-3	6.0E-3	20
⁷⁹ Se	0.025	0.025	4.0E-3	0.015	300
^{113m} Cd	0.15	0.55	1.0E-3	5.5E-4	6.5
¹²⁶ Sn	6.0E-3	0.030	1.0E-3	0.080	250
¹³⁵ Cs	0.030	0.080	7.0E-3	0.020	1000

Intruder scenarios consistent with the scenarios defined by the U.S. Nuclear Commission were analyzed (Kennedy, 1988). These scenarios were modified to account for INEL-specific and RWMC-specific characteristics. Three intruder exposure scenarios were evaluated:

1. Intruder agriculture
2. Intruder construction
3. Intruder drilling.

All the intruder scenarios assume that the intruder occupies the waste site after the end of institutional control (100 years). The intruder agriculture scenario estimates chronic exposure and assumes that a home and water well are constructed and food is grown on the site. Pathways considered include dust inhalation; ingestion of contaminated food (meat, milk, and vegetables); water consumption; and external exposure. The intruder construction scenario estimates the acute exposure received by an individual during construction of the home. Pathways include dust inhalation and external exposure. The intruder drilling scenario estimates the acute exposure received by an individual while a well is being drilled. Only the external exposure pathway is considered. A detailed description of each exposure scenario can be found in Case et al. (1990).

The intruder agriculture scenario is a chronic exposure scenario; therefore, radionuclide concentrations are based on a 100 mrem/y dose limit. The intruder construction and drilling scenarios are acute scenarios; therefore, radionuclide concentrations are based on a 500 mrem dose limit.

Radionuclide concentrations were calculated for LLW using two different types of disposal technologies (pits and soil vaults). The LLW was assumed to be buried beneath 5 meters of cover. Pit dimensions were 257 x 122 meters and 6.1 meters deep. The volume was $1.91\text{E}+05 \text{ m}^3$ and the cover thickness was 4.87m. The pit was assumed to be placed 2.38 meters below grade; thus, 2.49-meters of cover would remain above ground and be susceptible to erosion. The cover was estimated to erode down to grade in 2900 years. Soil vault dimensions were 15.9 x 15.9 meters and 3.05 meters deep. The volume was 771m^3 , and the cover thickness was 5.8 m. The vault was assumed to be placed 3.2 meters below grade; thus, 2.6 meters of cover would remain above ground and be susceptible to erosion. The cover was estimated to erode down to grade in 3000 years.

Radionuclide concentrations were calculated for 100, 300, 500, and 1000 years following closure of the waste facility in accordance with the original intruder calculations (Rood and Maheras, 1990). An additional case was run for each disposal technology at a time that corresponded to the time of maximum erosion of the cover.

SUMMARY OF RESULTS

The radionuclide concentrations that yield the intruder doses specified in DOE Order 5820.2A (100 mrem/yr for chronic exposures and 500 mrem for acute exposure) are presented in Table 25 for pits and Table 26 for soil vaults. The radionuclide with the most stringent concentration was Nb-94 ($7.9\text{E-}7\text{Ci/m}^3$) for the pits through the construction scenario at 2900 years. The primary pathway of exposure was external gamma; thus, the highest dose occurred when shielding between waste and receptor was at a minimum. This corresponded to 2900 years, the time of maximum erosion and minimum shielding.

The identification of Nb-94 as a key radionuclide for LLW disposal application is consistent with the U.S. Nuclear Regulatory Commission waste concentration limits in 10 CFR 61.55. For example, Nb-94 has an extremely low Class C concentration limit, 0.2 Ci/m^3 .

Although Nb-94 is primarily an activation product produced through the activation of stable Nb-93 contained in many alloys used in nuclear applications, it can also be produced through nuclear fission (mass numbers of 94 have thermal fission yields in the range of 4.4 to 6.8%). Thus, Nb-94 represents the nuclide with the most stringent standards for both MFP and MAP waste.

A conservative estimate for the purposes of performance assessment is to assume the entire inventory of MFP and MAP is Nb-94. If other pathways are considered other than the pathways evaluated in this study, then Nb-94 may not be the most conservative nuclide to assume in the waste inventory.

Table 25. Bounding radionuclide concentrations for the pit geometry.

Radionuclide	Dose (mrem/yr)	Radionuclide Concentration (Ci/m ³)	Bounding Scenario	Time (yr)
⁹⁰ Sr	1.8E-03	5.6E+04	Agriculture	100
¹³⁷ Cs	3.9E+00	2.6E+01	Agriculture	100
¹⁵¹ Sm	3.2E-04	3.1E+05	Agriculture	100
^{93m} Nb	2.9E-04	3.5E+05	Agriculture	100
⁹⁴ Nb	6.3E+08	7.9E-07	Construction	2900
¹¹⁵ In	9.6E+01	1.0E+00	Agriculture	2900
⁹³ Zr	3.8E+01	2.6E+00	Agriculture	2900
¹⁰⁷ Pd	7.1E+00	1.4E+01	Agriculture	2900
⁹⁹ Tc	4.3E+03	2.3E-02	Agriculture	2900
⁶³ Ni	4.3E-03	2.3E+04	Agriculture	100
¹⁰ Be	5.1E+00	2.0E+01	Agriculture	2900
³⁶ Cl	3.7E+05	2.7E-04	Agriculture	2900
⁵⁹ Ni	3.6E+00	2.8E+01	Agriculture	2900
⁹³ Mo	5.0E+01	2.0E+00	Agriculture	2900
⁷⁹ Se	1.1E+02	9.5E-01	Agriculture	2900
^{113m} Cd	7.4E-05	1.4E+06	Agriculture	100
¹²⁶ Sn	6.3E+05	1.6E-04	Construction	2900
¹³⁵ Cs	2.8E+02	3.6E-01	Agriculture	2900

Table 26. Bounding radionuclide concentrations for the soil vault geometry.

Radionuclide	Dose (mrem/yr)	Radionuclide Concentration (Ci/m ³)	Bounding Scenario	Time (yr)
⁹⁰ Sr	9.4E-04	1.1E+05	Agriculture	100
¹³⁷ Cs	1.9E+00	5.3E+01	Agriculture	100
¹⁵¹ Sm	1.6E-04	6.3E+05	Agriculture	100
^{93m} Nb	1.4E-04	7.1E+05	Agriculture	100
⁹⁴ Nb	2.1E+04	2.4E-02	Construction	3000
¹¹⁵ In	4.5E-02	2.2E+03	Agriculture	100
⁹³ Zr	1.8E-02	5.6E+03	Agriculture	100
¹⁰⁷ Pd	3.3E-02	3.0E+03	Agriculture	100
⁹⁹ Tc	2.0E+00	5.0E+01	Agriculture	100
⁶³ Ni	2.3E-03	4.3E+04	Agriculture	100
¹⁰ Be	2.4E-03	4.2E+04	Agriculture	100
³⁶ Cl	1.8E+02	5.6E-01	Agriculture	100
⁵⁹ Ni	1.7E-03	5.9E+04	Agriculture	100
⁹³ Mo	4.1E-02	2.4E+03	Agriculture	100
⁷⁹ Se	5.1E-02	2.0E+03	Agriculture	100
^{113m} Cd	2.2E-02	4.5E+03	Agriculture	100
¹²⁶ Sn	2.3E+04	2.2E-02	Construction	3000
¹³⁵ Cs	1.3E-01	7.7E+02	Agriculture	100

6. REFERENCES

Baca, R. G., S. O. Magnuson, FLASH Computer Code Verification, Benchmarking and Validation Document in review, Draft Published in September, 1990.

Baes, C. F., R. D. Sharp, A. L. Sjoreen, R. W. Shor, A Review and Analysis of Parameters for Assessing Transport of Environmentally Released Radionuclides Through Agriculture, Oak Ridge National Laboratory, ORNL-5786, September 1984.

Case, M. J., S. J. Maheras, M. A. McKenzie-Carter, M. E. Sussman, P. Voilleque, Radioactive Waste Management Complex Performance Assessment, EGG-WM-8773, June 1990.

DOE (U. S. Department of Energy), Characteristics of Spent Fuel, High-Level Waste, and Other Radioactive Wastes Which May Require Long-Term Isolation, DOE/RW-0184, 1987.

Grove Engineering Inc., Microshield Version 3, April 1988.

Kennedy, W. E. and R. A. Peloquin, Intruder Scenarios for Site Specific Low-Level Radioactive Waste Classification, U. S. DOE National Low Level Radioactive Waste Management Program, DOE/LLW-71T, September 1988.

Rood, A. S. and S. J. Maheras, Waste Concentration Limits Based on the Inadvertent Intruder Protection Standards for the Radioactive Waste Management Complex, letter from A. S. Rood to M. E. Sussman, ASR-10-90, December 1990.

Rogers, V. C. and C. Hung, PATHRAE-EPA: A Low-Level Radioactive Waste Environmental Transport and Risk Assessment Code, Methodology and Users Manual, EPA-520/1-87-028, 1987.

INTRUDER DOSE CALCULATIONS FOR UNIDENTIFIED ALPHA RADIONUCLIDES DISPOSED OF AT THE RADIOACTIVE WASTE MANAGEMENT COMPLEX

Steven J. Maheras
Arthur S. Rood
Subsurface and Environmental Modeling Unit

May 1991

1. INTRODUCTION

Radioactive waste containing radionuclides designated as unidentified alpha radioactivity has been disposed of at the Idaho National Engineering Laboratory Radioactive Waste Management Complex (RWMC). Traditionally, unidentified alpha activity has been converted to radionuclides such as Pu-239 or Po-210. While this may be a reasonable conversion over the operational life of the RWMC, this conversion may not be appropriate for the extended time periods over which performance assessment analyses are typically performed. The purpose of this report is to provide a technical basis for the conversion of unidentified alpha activity to specific radionuclides that are reasonably conservative over performance assessment time frames. Implicit in this purpose is the desire to choose radionuclides that have a reasonable chance of being present in INEL waste.

Inadvertent intruder dose calculations to determine waste classification limits for the RWMC have been performed using the PATHRAE (Rogers and Hung, 1987) and MICROSHIELD (Grove Engineering, 1988) computer codes. The calculations performed by Rood and Maheras (1990) used the assumptions and parameter values that were reported in the RWMC Performance Assessment (Case et al., 1990). The radionuclides examined in Rood and Maheras (1990) included Pu-238, Pu-239, Pu-240, Pu-241, Pu-242, Am-241, U-233, U-235, and U-238. The analyses presented in Rood and Maheras (1990) serve as the basis for the conversion of unidentified alpha activity to specific radionuclides.

Each radionuclide was evaluated using inadvertent intruder scenarios and compared to the regulatory criteria in DOE Order 5820.2A for intruders (i.e., 100 mrem/yr for chronic exposures and 500 mrem for acute exposures). Specifically, a unit concentration of each radionuclide was assumed to exist in the waste. The radionuclide-specific dose through each of the intruder scenarios was calculated and compared to the DOE Order 5820.2A regulatory criteria by determining the concentration of each radionuclide that yielded the dose specified in the regulatory criteria. The radionuclide that exhibited the lowest concentration was chosen as being a conservative representation of unidentified alpha activity. This procedure is similar to the procedures used to determine waste classification limits. The assessment methodology and assumptions used in this analysis is described in detail in Waste Concentration Limits Based on the Inadvertent Intruder Protection Standards for the Radioactive Waste Management Complex (Rood and Maheras, 1990) and the RWMC Performance Assessment (Case et al., 1990).

Various times and cover thicknesses were evaluated in Rood and Maheras (1990). For the purpose of this analysis the maximum dose assuming erosion of cover down to grade (some cover remains over the waste) was used. The hypothetical case of erosion down to the waste (no cover remains over the waste) was not included. It should be noted that the time of maximum dose does not necessarily correspond to the time of maximum erosion, especially for the drilling scenario.

SUMMARY OF RESULTS

The radionuclide concentrations that yield the intruder doses specified in DOE Order 5820.2A are presented in Table 1 for pits and Table 2 for soil vaults. The radionuclide with the most stringent concentration was U-235 ($8.6\text{E-}03 \text{ Ci/m}^3$ at 2900 years) for the pit case therefore U-235 was chosen as the radionuclide conversion for unidentified alpha activity. However, the bounding radionuclide concentrations for the pit geometry were quite close for Pu-239, Pu-240, Pu-242, U-233, U-235, and U-238, within about a factor of 10. This same phenomenon was also seen for soil vaults. This gives added confidence that a representative suite of radionuclides has been evaluated for the conversion of unidentified alpha activity to a specific radionuclide.

Table 1. Bounding radionuclide concentrations for pit geometry.

Radionuclide	Radionuclide Concentration (Ci/m ³)	Bounding Scenario	Time (yr)
Pu-238	5.7E+01	Agriculture	100
Pu-239	2.4E-02	Agriculture	2900
Pu-240	3.0E-02	Agriculture	2900
Pu-241	5.6E+01	Agriculture	2900
Pu-242	2.3E-02	Agriculture	2900
Am-241	1.9	Agriculture	2900
U-233	1.6E-02	Agriculture	2900
U-235	8.6E-03	Agriculture	2900
U-238	4.5E-02	Agriculture	2900

From Rood and Maheras (1990), Tables 3.16

Table 2. Bounding radionuclide concentrations for soil vault geometry.

Pu-238	1.1E+02	Agriculture	100
Pu-239	4.7E+01	Agriculture	100
Pu-240	4.7E+01	Agriculture	100
Pu-241	1.5E+03	Agriculture	100
Pu-242	5.0E+01	Agriculture	100
Am-241	5.1E+01	Agriculture	100
U-233	3.0E+01	Construction	3000
U-235	3.9	Construction	3000
U-238	2.1	Construction	3000

From Rood and Maheras (1990), Tables 3.34

3. REFERENCES

Case, M. J., S. J. Maheras, M. A. McKenzie-Carter, M. E. Sussman, P. Voilleque, Radioactive Waste Management Complex Performance Assessment, EGG-WM-8773, June 1990.

Grove Engineering Inc., Microshield Version 3, April 1988.

Rood, A. S. and S. J. Maheras, Waste Concentration Limits Based on the Inadvertent Intruder Protection Standards for the Radioactive Waste Management Complex, letter from A. S. Rood to M. E. Sussman, ASR-10-90, December 1990.

Rogers, V. C. and C. Hung, PATHRAE-EPA: A Low-Level Radioactive Waste Environmental Transport and Risk Assessment Code. Methodology and Users Manual, EPA-520/1-87-028, 1987.

APPENDIX G
STAFF CONTACTS, REVIEWERS AND SOURCES OF
INFORMATION

APPENDIX G STAFF CONTACTS, REVIEWERS AND SOURCES OF INFORMATION

The INEL staff contacts, reviewers and other sources of information are listed in this appendix.

Past and present staff of the INEL who have been contacted for information and/or document review are:

M. E. Sussman, Waste Management, project manager and reviewer

R. M. Brown, Waste Management, reviewer

R. B. Horton, Waste Management, reviewer

J. D. Wells, Waste Management, reviewer and source of information on RWMC

D. H. Rhodes, Waste Management, reviewer

S. J. Maheras, Performance Assessment Staff, reviewer

D. L. Litteer, Environmental Monitoring - coordinator of the RWMIS database, reviewer

T. Watanabe, Waste Management, worked on early RWMIS database, information source

G. B. Cassidy, WINCO, worked on early RWMIS database, information source

W. D. Mickesell, E.G.&G. STD, worked on early RWMIS database, information source

J. W. Rodgers, E.G.&G. TRA, nuclear engineer, source of information on TRA and early practices

J. F. Summers, E.G.&G. TRA (retired), health physicist, source of information on TRA and early practices

H. Batchelder, Waste Management (past) managed early RWMIS database and data collection, information source

D. W. Colling, E.G.&G. PBF, source of information on PBF

G. D. Gerber, E.G.&G. PBF, review and source of information on PBF

J. D. Bradford, E.G.&G. WERF, source of information WERF

R. F. Wasson, E.G.&G. WERF, source of information WERF

D. K. Lainhart, E.G.&G. CFA, source of information on CFA/ARA

D. J. Harvego, E.G.&G. CFA, review and source of information on CFA/ARA

R. H. Meservey, E.G.&G. D&D, review and source of information on D&D

K. E. Streeper, E.G.&G. TAN, review and source of information on TAN

I. G. Harrell, E.G.&G. TAN, LLW shipping to the RWMC, source of information on TAN

S. J. Keating, E.G.&G. TRA, LLW shipping to the RWMC, source of information on TRA

L. J. Toomer, E.G.&G. TRA, source of information on TRA

J. D. Bishoff, E.G.&G. RWMC, review and source of information on RWMC

L. C. Witbeck ANL-W, and source of information on ANL-W

J. D. Edelmayer, CPP, review and source of information on CPP

R. P. Grant, ANL-W, review and source of information on ANL-W

C. F. Walton, ANL-W, review and source of information on ANL-W

R. B. Allen, source of information on ANL-W, coordinated all ANL-W facilities and their response to the questionnaire

R. W. Ditch, ANL-E, source of information on ANL-E

R. B. Newbold, NRF (Westinghouse), review and source of information on NRF

J. F. Ruggiero, NRF (Westinghouse), source of information on NRF

END

**DATE
FILMED**

6 / 2 / 92