24
11/7/77
SAND77-0874
Unlimited Release

MASTER

Estimating Monthly Means of Daily Totals of Direct Normal Solar Radiation and of Total Solar Radiation on a South- Facing, 45°, Tilted Surface

Eldon C. Boes, Irving J. Hall

Prepared by Sandia Laboratories, Albuquerque, New Mexico 87115
and Livermore, California 94550 for the United States Energy Research
and Development Administration under Contract AT (29-1) 789

Printed July 1977

Sandia Laboratories

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

Issued by Sandia Laboratories, operated for the United States Energy Research & Development Administration by Sandia Corporation.

NOTICE

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Energy Research & Development Administration, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights.

Printed in the United States of America

Available from
National Technical Information Service
U. S. Department of Commerce
5285 Port Royal Road
Springfield, VA 22161

Price: Printed Copy \$4.00 ; Microfiche \$3.00

Estimating Monthly Means of Daily Totals of Direct Normal Solar
Radiation and of Total Solar Radiation on a South Facing, 45° , Tilted Surface

E. C. Boes and I. J. Hall

Abstract

Direct Normal, DN, radiation data is presently available for only a few sites in the country while total horizontal, TH, radiation is available for many locations. If a mathematical function relating DN and TH were established, solar engineers could estimate DN for any site for which TH data is available. Total radiated energy on a tilted surface, TT, is also of interest to solar engineers. A recently completed report [2] includes TT values for a surface tilted at 45° for 26 sites. A function relating TT and TH would permit one to estimate TT for sites where only TH data is available. This paper gives empirically derived functions relating DN and TH and TT and TH.

* This work sponsored by U.S. ERDA.

NOTICE
This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Energy Research and Development Administration, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights.

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

229

Introduction

Reference [1] contains tables which give mean monthly values of DN (Direct Normal) and TH (Total Horizontal) radiation in $\text{kW}\cdot\text{h}/\text{m}^2$. Per day for 26 weather stations. The DN values were generated from total-horizontal radiation data using an empirically derived formula based on hourly data. In Section III, of [1] the idea of trying to establish an empirical relationship with a simple adjustment for latitude between the mean daily totals of DN and TH is discussed. Such a relationship would permit one to estimate the mean daily totals of DN for all those additional sites which have only daily TH data available. In this report another model is developed and applied to predict DN from TH. The model involves adjusting TH by the average monthly zenith angle.

Solar engineers are often interested in estimating the radiant energy on a tilted surface. Presently good data for making such estimates do not exist. In a recently completed report [2] estimates of $\text{TT}(t)$ - Total radiation on a flat surface at a tilt angle of t - were obtained. Mean daily totals of $\text{TT}(t)$ for each month for each of the 26 weather stations mentioned above were calculated. A function relating $\text{TT}(t)$ and TH would permit one to estimate $\text{TT}(t)$ for sites where only TH data is available. In the second part of this report we give the results of fitting a function of TH to the $\text{TT}(t)$ (with $t = 45^\circ$) data.

Model for DN versus TH

The DN-TH data is listed in Table 1; this table also lists the total number of days, N , used in computing these mean daily DN and TH values. Figures 1 and 2 are scatter plots of the January and July data. Examination of the data indicated that a substantial amount of the scatter in DN about a straight line could be explained by latitude and time of the year. In an

TABLE 1
MEAN DAILY TOTALS OF DIRECT-NORMAL
AND TOTAL-HORIZONTAL RADIATION FOR JANUARY - JUNE

	Jan			Feb			March			April			May			June		
	DN	TH	N	DN	TH	N	DN	TH	N	DN	TH	N	DN	TH	N	DN	TH	N
Albuquerque	6.6	3.6	152	6.9	4.5	139	7.8	5.9	155	8.9	7.3	148	9.9	8.3	155	10.0	8.6	150
Appalachicola	4.7	3.3	142	5.2	4.2	139	5.5	4.9	155	6.6	6.2	150	7.1	6.9	155	6.9	6.8	140
Bismark	4.3	1.8	153	5.4	2.9	141	5.9	4.0	155	7.1	5.4	150	7.3	6.3	155	8.8	7.1	150
Blue Hill	3.6	1.9	134	3.9	2.6	141	4.8	3.8	150	4.9	4.5	113	5.7	5.6	155	5.6	5.7	146
Boston	3.2	1.8	155	3.6	2.5	141	4.8	3.8	149	4.8	4.5	149	5.9	5.6	155	5.9	5.9	150
Brownsville	3.3	2.9	155	4.0	3.7	141	3.9	4.3	155	4.8	5.3	142	6.1	6.3	124	6.4	6.5	119
Cape Hatteras	5.0	3.1	155	5.0	3.7	141	5.9	4.9	155	7.4	6.6	150	8.4	7.6	155	7.5	7.2	135
Caribou	3.9	1.7	155	4.8	2.7	141	6.2	4.2	155	5.6	4.8	150	5.8	5.5	155	6.0	5.7	150
Charleston	3.9	2.7	155	4.3	3.4	141	4.8	4.4	155	6.5	6.0	142	6.4	6.5	155	5.7	6.1	150
Columbia	3.9	2.3	151	4.2	3.0	141	4.3	3.7	155	5.4	5.0	150	6.8	6.4	155	6.8	6.6	150
Dodge City	6.0	3.1	135	4.8	3.3	81	5.9	4.6	115	6.8	5.9	112	7.5	6.8	124	7.9	7.2	108
El Paso	6.6	3.8	155	7.5	5.0	141	8.6	6.4	155	9.6	7.8	150	10.2	8.5	155	9.8	8.5	150
Ely	5.5	2.9	155	5.4	3.6	141	7.2	5.3	155	8.5	6.9	150	8.8	7.5	155	10.1	8.4	150
Fort Worth	4.8	3.0	155	4.8	3.6	140	5.5	4.7	150	5.8	5.5	150	6.8	6.6	155	7.2	6.9	150
Great Falls	2.8	1.5	152	4.2	2.5	141	5.6	4.0	154	5.7	4.9	150	6.7	6.0	155	8.3	6.9	150
Lake Charles	3.7	2.8	155	3.6	3.2	139	4.7	4.4	155	5.2	5.4	148	6.3	6.4	153	5.9	6.1	121
Madison	4.0	2.0	121	4.9	3.1	78	5.9	4.4	88	6.1	5.3	88	6.8	6.2	91	8.0	7.3	90
Medford	1.6	1.4	155	2.6	2.3	141	4.1	3.7	155	6.0	5.5	148	6.8	6.4	155	8.7	7.6	150
Miami	5.1	3.8	151	6.4	4.9	131	5.8	5.3	155	6.6	6.4	147	6.3	6.3	154	5.8	6.1	128
Nashville	3.1	2.1	155	3.6	2.9	142	4.0	3.6	153	5.6	5.3	146	6.3	6.3	125	6.1	6.3	150
New York	2.8	1.8	124	3.3	2.5	105	4.6	3.7	96	4.6	4.5	120	4.9	5.2	124	5.6	5.9	92
Omaha	4.6	2.4	155	5.1	3.2	131	5.4	4.2	117	6.3	5.4	127	6.5	5.9	149	7.0	6.6	107
Phoenix	5.8	3.6	155	6.5	4.5	141	7.9	6.0	137	9.3	7.5	143	10.0	8.4	153	9.3	8.1	150
Santa Maria	5.3	3.2	155	5.0	3.7	141	7.1	5.6	146	8.5	7.3	116	9.1	7.9	151	9.2	8.4	150
Seattle	1.5	1.0	155	2.0	1.7	141	3.7	3.1	155	4.8	4.4	150	6.0	5.8	155	7.6	6.6	150
Washington, DC	3.8	2.2	136	4.1	2.9	140	5.0	4.2	155	5.7	5.2	150	5.6	5.7	155	6.4	6.4	150

TABLE 1
MEAN DAILY TOTALS OF DIRECT-NORMAL
AND TOTAL-HORIZONTAL SOLAR RADIATION FOR JULY - DECEMBER

	July			August			Sept			Oct			Nov			Dec		
	DN	TH	N	DN	TH	N	DN	TH	N	DN	TH	N	DN	TH	N	DN	TH	N
Albuquerque	9.2	8.1	153	9.2	7.6	127	7.9	6.2	147	7.8	5.1	153	6.6	3.8	150	6.1	3.2	155
Appalachicola	6.5	6.5	138	5.9	5.9	148	6.1	5.5	150	6.1	4.8	155	5.4	3.8	150	4.6	3.1	155
Bismark	8.7	7.0	155	8.1	6.3	146	6.7	4.6	150	5.7	3.2	155	3.9	1.9	150	3.5	1.5	155
Blue Hill	5.0	5.4	155	5.4	5.1	155	4.9	4.2	150	4.2	2.9	155	3.1	1.9	150	3.3	1.7	147
Boston	5.6	5.7	155	5.5	5.2	153	5.0	4.2	150	3.9	2.8	155	2.8	1.8	150	2.9	1.6	155
Brownsville	7.4	7.2	124	6.6	6.3	155	5.3	5.2	150	4.9	4.3	153	3.8	3.3	150	3.0	2.6	154
Cape Hatteras	3.2	7.5	137	7.1	6.5	155	7.1	5.8	132	5.7	4.2	133	4.9	3.2	150	4.5	2.7	155
Caribou	5.1	5.8	155	5.9	5.1	155	4.6	3.7	150	3.4	2.3	155	2.3	1.3	150	3.1	1.4	155
Charleston	5.4	5.9	153	5.4	5.6	154	5.2	4.9	150	5.3	4.2	146	4.3	3.1	145	4.0	2.7	153
Columbia	6.7	6.4	154	7.4	6.4	155	5.7	4.7	147	5.2	3.7	154	4.1	2.5	149	3.4	2.0	155
Dodge City	8.0	7.1	126	7.9	6.7	155	6.8	5.4	146	6.9	4.4	155	5.8	3.2	150	5.0	2.5	155
El Paso	8.7	7.8	155	8.7	7.4	155	7.7	6.2	150	7.7	5.3	155	6.4	4.0	150	6.1	3.5	155
Ely	8.8	7.6	155	8.6	7.0	155	8.4	6.1	150	7.4	4.6	155	6.0	3.2	150	5.6	2.7	150
Fort Worth	7.4	6.9	155	7.4	6.6	155	6.1	5.3	150	5.6	4.2	154	4.7	3.2	150	4.1	2.6	155
Great Falls	8.2	7.0	149	7.2	5.9	155	5.9	4.4	137	4.5	2.9	152	3.0	1.7	150	2.4	1.2	155
Lake Charles	5.6	5.8	151	5.1	5.3	152	5.0	4.9	150	4.7	4.0	154	4.0	3.1	142	3.3	2.5	155
Madison	7.8	7.0	93	7.4	6.3	93	5.8	4.5	83	4.7	3.1	93	3.4	1.9	90	3.8	1.8	93
Medford	9.8	8.1	155	8.4	6.8	155	6.6	5.1	150	4.4	3.2	153	2.4	1.8	150	1.4	1.1	155
Miami	6.0	6.3	155	5.8	5.8	155	5.2	5.1	150	5.8	4.8	155	5.2	4.0	150	5.2	3.7	155
Nashville	5.8	6.1	155	5.6	5.6	153	5.2	4.7	150	4.7	3.7	155	3.6	2.5	144	2.9	1.9	124
New York	4.7	5.3	91	4.3	4.6	116	5.3	4.5	95	4.0	3.0	93	2.6	1.8	88	2.8	1.6	91
Omaha	7.2	6.6	119	7.3	6.0	141	5.8	4.6	150	5.4	3.5	155	4.1	2.4	141	3.8	1.9	155
Phoenix	8.6	7.7	155	7.7	6.9	155	7.4	6.1	150	6.9	4.9	155	5.8	3.3	150	5.1	3.1	155
Santa Maria	8.5	7.9	155	7.9	7.0	155	7.2	6.0	147	7.0	4.9	155	5.7	3.6	150	5.1	3.0	155
Seattle	8.6	7.1	155	6.1	5.4	155	4.6	3.8	143	3.0	2.2	155	2.0	1.3	150	1.2	0.8	155
Washington, DC	5.5	5.9	155	5.5	5.4	155	5.2	4.6	150	4.7	3.5	153	3.6	2.3	150	3.6	2.0	155

SCATTER PLOTS OF DN VERSUS TH

Figure 1

Figure 2

effort to account for this dependence, scatter plots - Figures 3 and 4 are examples - of DN versus $TH/\cos \theta$ were made where θ is a monthly "average" zenith angle for each site. The figures show that the points lie near a straight line. Thus, it is natural to fit the DN- $TH/\cos \theta$ data with a straight line. A least squares fit to the monthly data yielded the values for a and b in Table 2. The numbers a and b are the intercept and slope in the equation

$$(1) \quad \hat{DN} = a + b(TH/\cos \theta)$$

Table 2 also gives R^2 , the square of the multiple correlation coefficient, s, the standard deviation about the regression line, and the extreme errors between predicted and observed DN.

The motivation for this formula was obtained by considering the relationship between TH and DN on an instantaneous basis, i.e.

$$(2) \quad TH = DN \cos \theta + \text{diffuse} ,$$

where θ is the sun's zenith angle and the diffuse is on the horizontal. Solving for DN one obtains a formula like (1). The value of θ , of course, will depend on time of day, time of year, and latitude. An "average" value for θ was used for each site for each month. It was obtained as follows:

$$(3) \quad \cos \theta = \cos L \cos \delta \cos H + \sin L \sin \delta$$

where

L = latitude

δ = solar declination = $\sin^{-1} [.39795 \cos (.98563(D - 172))]$

D = day of the year for the 15th of the month.

H = hour angle, which was chosen to be $SSH/4$ where SSH is the sunset hour angle on the 15th day of the month.

Scatter Plots of DN versus $TH/\cos \theta$

Figure 3

January

Figure 4

July

Table 2

Regression Coefficients for the Model, $\hat{DN} = a + b * TH / \cos \theta$

	a	b	R^2	s	Extreme Error	Location of Extreme Error
Jan.	-2.41	1.27	.979	.06	-17.9%	Medford
Feb.	-2.91	1.35	.983	.05	-13.7	Medford
Mar.	-3.12	1.36	.976	.06	-10.7	Medford
April	-3.49	1.40	.982	.06	- 8.0	Medford
May	-4.48	1.52	.983	.06	- 8.3	Seattle
June	-4.17	1.48	.983	.06	- 4.9	Santa Maria
July	-4.31	1.49	.984	.06	6.8	Lake Charles
Aug.	-3.87	1.46	.980	.06	- 6.6	Seattle
Sept.	-3.55	1.42	.982	.05	- 5.1	Seattle
Oct.	-3.00	1.37	.982	.06	- 9.55	Great Falls
Nov.	-2.30	1.24	.980	.06	14.4	Caribou
Dec.	-2.14	1.22	.984	.05	13.1	Seattle

$$R^2 = \text{Regression sum of squares} / \text{Total Sum of Squares}$$

$$\text{error} = 100(DN - \hat{DN}) / DN \text{ where } \hat{DN} = \text{predicted value from (1) and } DN \text{ is data value}$$

$$s = \text{standard error}$$

(If the intensity of TH followed a perfect sine wave through the day, the average hour angle with respect to energy would occur at SSH/3. However, possibly because of increasing air mass for larger zenith angles, we found that using a mean hour angle of SSH/4 gave a better data fit).

In addition to fitting the DN-TH/cos θ data with a straight line on a monthly basis the data were combined over months and fitted with a single line. The equation is

$$(5) \quad \hat{DN} = -2.62 + 1.29 \text{ TH}/\cos \theta$$

with $R^2 = .983$ $s = .23$.

The extreme errors between predicted direct normal, $\hat{DN}$, and the data DN values by month are given in Table 3.

Mean daily totals by month for DN and TH for three locations - Raleigh, Livermore, and Fort Hood - have recently become available from Aerospace Research Corp. These data are given in Table 4. The DN-TH/cos θ data for these three locations are plotted in Figure 5. The data points are not as tightly clustered about a straight line as the data for the other locations. Equation (5) as well as the line obtained from the least squares fit to the data are plotted on Figure 5.

Equations (1) and (5) were used to predict DN from the TH values and the predicted values were then compared to the measured DN values. The results are given in Table 5.

Models for TT(45) versus TH

The TT(45) - TH data are listed in Table 6. The TT(45) data (total radiation on a flat surface tilted up 45° from horizontal toward south)

Table 3

Monthly Extreme Errors of $\hat{D}N$ when Single Model (Eq. (5)) is Used.

	<u>Extreme Error</u>	<u>Location</u>
Jan.	22.1%	Seattle
Feb.	-15.2	Medford
Mar.	-12.9	Medford
April	- 8.9	Medford
May	-11.4	Seattle
June	- 8.8	New York
July	-12.7	New York
Aug.	- 8.4	New York
Sept.	- 8.4	Seattle
Oct.	- 7.6	Great Falls
Nov.	20.4	Caribou
Dec.	37.3	Seattle

Table 4

Mean Daily Totals of Direct-Normal and Total-Horizontal Solar Radiation

	Raleigh				Livermore				Fort Hood			
	DN	TH	N days	H hours	DN	TH	N days	H hours	DN	TH	N days	H hours
Jan.	4.064	2.578	31	310	5.317	2.978	8	80	4.442	2.947	28	280
Feb.	4.657	3.599	29	304	3.797	3.201	15	160	4.561	3.716	27	270
Mar.	4.117	4.062	28	336	2.578	3.323	19	228	4.596	4.307	27	315
April	4.340	5.056	26	334	5.370	5.769	14	186	3.957	4.994	19	228
May	3.665	5.165	15	210	8.496	7.777	10	140	*	*	*	*
June	5.497	6.537	17	238	10.82	8.442	5	70	5.743	6.733	20	280
July	*	*	*	*	9.522	8.001	26	364	5.567	6.545	25	350
Aug.	6.288	6.099	5	60	7.992	6.987	14	192	5.309	6.411	23	300
Sept.	2.574	3.831	30	360	6.582	5.363	10	120	5.499	5.459	28	315
Oct.	4.251	3.661	31	348	4.081	3.932	9	104	5.894	4.743	22	264
Nov.	4.081	2.739	30	300	*	*	*	*	5.752	3.642	27	270
Dec.	3.706	2.091	27	270	*	*	*	*	4.387	2.827	26	260

* Data not available

Figure 5

Scatter Plot of DN versus $TH/\cos \theta$
for Raleigh, Livermore, and Ft. Hood Data

Table 5

	Raleigh		Livermore		Fort Hood	
	Error 1	Error 2	Error 1	Error 2	Error 1	Error 2
Jan.	- .1%	3.15%	- 2.9%	- .8%	5.4%	8.4%
Feb.	- 7.7	- 6.8	-16.4	-15.9	- 1.1	- .5
Mar.	- 8.7	-11.2	-26.6	-32.9	2.5	.4
April	-17.3	-21.4	-20.5	-21.7	-18.4	-23.6
May	-21.7	-35.4	- 7.4	- 5.1	*	*
June	-20.6	-23.7	8.6	10.9	-17.9	-20.7
July	*	*	2.7	4.2	-16.3	-20.6
Aug.	- 4.8	- 5.7	- 3.7	- 2.0	-27.9	-28.6
Sept.	-38.8	-49.4	- 1.1	- .9	-10.9	-11.6
Oct.	-11.5	- 9.8	-37.4	-34.4	- 6.7	- 4.1
Nov.	.3	1.5	*	*	7.6	7.5
Dec.	13.6	17.8	*	*	3.3	5.5

* Data not available. Error = $100(DN - \hat{DN})/DN$. Negative errors indicate over prediction.

Error 1: Errors using equations in Table 2 (Different equations for each month)

Error 2: Errors using equation in (5) - (Same equation for all months)

was obtained from [2] and the TH data from [1]. The TH values are the same as those in Table 1. (Both sets of data are derived from the same data base discussed in [1]). In the sequel $TT = TT(45)$.

Scatter plots of TT versus TH similar to those of Figures 1 and 2 indicated that latitude and time of year should be incorporated into a model for predicting TT from TH. The model used is

$$(6) \quad \begin{aligned} TT &= c + d * (\tan \theta \cos \beta \sin 45 + \cos 45)TH \\ &= c + d * f(\theta)TH \end{aligned}$$

where

c and d are constants to be determined,

θ = solar zenith angle,

β = solar azimuth angle, and

$$f(\theta) = \tan \theta \cos \beta \sin 45 + \cos 45.$$

The motivation for the model is as follows: The major component of TT is probably the direct component, DT

On an instantaneous basis it is given by

$$(7) \quad DT = DN * \cos \theta [\tan \theta \cos \beta \sin 45 + \cos 45]$$

Now assume DN can be expressed as $DN = a + b(TH/\cos \theta)$. Thus, we looked for a model of the form

$$(8) \quad \begin{aligned} TT &= (a + b \frac{TH}{\cos \theta} \cos \theta) [\tan \theta \cos \beta \sin 45 + \cos 45] \\ &= c + d * (\tan \theta \cos \beta \sin 45 + \cos 45)TH. \end{aligned}$$

An "average" value of θ defined in (3) was used in (6).

Table 6

Mean Daily Totals of Total at 45° Tilt
and Total-Horizontal Radiation for January-June

	Jan.		Feb.		Mar.		April		May		June	
	TT	TH	TT	TH	TT	TH	TT	TH	TT	TH	TT	TH
Albuquerque	6.1	3.6	6.4	4.5	6.9	5.9	7.0	7.3	6.8	8.3	6.6	8.6
Appalachicola	4.8	3.3	5.4	4.2	5.3	4.9	5.7	6.2	5.5	6.9	5.0	6.8
Bismark	3.9	1.8	5.0	2.9	5.5	4.0	5.9	5.4	5.9	6.3	6.2	7.1
Blue Hill	3.5	1.9	4.0	2.6	4.7	3.8	4.6	4.5	5.1	5.6	4.9	5.7
Boston	3.2	1.8	3.7	2.5	4.7	3.8	4.6	4.5	5.1	5.6	5.0	5.9
Brownsville	3.8	2.9	4.4	3.7	4.3	4.3	4.7	5.3	4.9	6.3	4.7	6.5
Cape Hatteras	5.0	3.1	5.0	3.7	5.7	4.9	6.4	6.6	6.4	7.6	5.6	7.2
Caribou	3.6	1.7	4.6	2.7	5.6	4.2	5.1	4.8	5.1	5.5	5.0	5.7
Charleston	4.1	2.7	4.5	3.4	4.9	4.4	5.7	6.0	5.4	6.5	4.8	6.1
Columbia	3.9	2.3	4.3	3.0	4.4	3.7	5.0	5.0	5.6	6.4	5.4	6.6
Dodge City	5.5	3.1	4.7	3.3	5.5	4.6	5.9	5.9	5.9	6.8	5.8	7.2
El Paso	6.1	3.8	6.9	5.0	7.3	6.4	7.2	7.8	6.8	8.5	6.3	8.5
Ely	5.2	2.9	5.3	3.6	6.5	5.3	6.9	6.9	6.5	7.5	6.7	8.4
Fort Worth	4.8	3.0	4.9	3.6	5.3	4.7	5.2	5.5	5.4	6.6	5.3	6.9
Great Falls	2.8	1.5	4.1	2.5	5.3	4.0	5.3	4.9	5.6	6.0	6.1	6.9
Lake Charles	4.0	2.8	4.0	3.2	4.7	4.4	5.0	5.4	5.1	6.4	4.6	6.1
Madison	3.8	2.0	4.8	3.1	5.5	4.4	5.5	5.3	5.7	6.2	6.2	7.3
Medford	2.0	1.4	3.1	2.3	4.4	3.7	5.7	5.5	5.8	6.4	6.4	7.6
Miami	5.2	3.8	6.0	4.9	5.5	5.3	5.6	6.4	4.9	6.3	4.5	6.1
Nashville	3.2	2.1	3.9	2.9	4.1	3.6	5.1	5.3	5.3	6.3	5.1	6.3
New York	3.0	1.8	3.6	2.5	4.6	3.7	4.6	4.5	4.6	5.2	5.0	5.9
Omaha	4.4	2.4	4.9	3.2	5.2	4.2	5.5	5.4	5.3	5.9	5.5	6.6
Phoenix	5.7	3.6	6.2	4.5	6.9	6.0	7.1	7.5	6.8	8.4	6.1	8.1
Santa Maria	5.2	3.2	5.0	3.7	6.5	5.6	7.0	7.3	6.6	7.9	6.5	8.4
Seattle	1.7	1.0	2.4	1.7	3.9	3.1	4.7	4.4	5.5	5.8	5.8	6.6
Washington, DC	3.7	2.2	4.2	2.9	5.0	4.2	5.3	5.2	5.0	5.7	5.4	6.4

Table 6

Mean Daily Totals of Total at 45° Tilt
and Total-Horizontal Radiation for July-December

	July		August		Sept.		Oct.		Nov.		Dec.	
	TT	TH	TT	TH	TT	TH	TT	TH	TT	TH	TT	TH
Albuquerque	6.6	8.1	6.9	7.6	6.8	6.2	6.8	5.1	6.2	3.8	5.7	3.2
Appalachicola	5.1	6.5	5.1	5.9	5.6	5.5	5.9	4.8	5.4	3.8	4.7	3.1
Bismark	6.4	7.0	6.5	6.3	5.7	4.6	5.1	3.2	3.6	1.9	3.2	1.5
Blue Hill	4.8	5.4	5.0	5.1	4.8	4.2	4.0	2.9	3.2	1.9	3.2	1.7
Boston	5.0	5.7	5.0	5.2	4.8	4.2	3.9	2.8	3.0	1.8	2.9	1.6
Brownsville	5.2	7.2	5.2	6.3	5.0	5.2	5.0	4.3	4.3	3.3	3.5	2.6
Cape Hatteras	6.1	7.5	5.9	6.5	6.2	5.8	5.6	4.2	4.9	3.2	4.5	2.7
Caribou	5.3	5.8	5.3	5.1	4.5	3.7	3.4	2.3	2.4	1.3	2.9	1.4
Charleston	4.8	5.9	5.0	5.6	5.2	4.9	5.2	4.2	4.5	3.1	4.2	2.7
Columbia	5.5	6.4	6.1	6.4	5.3	4.7	5.0	3.7	4.0	2.5	3.5	2.0
Dodge City	5.9	7.1	6.3	6.7	6.0	5.4	6.1	4.4	5.4	3.2	4.7	2.5
El Paso	5.0	7.8	6.5	7.4	6.5	5.2	6.8	5.3	6.1	4.0	5.8	3.5
Ely	6.3	7.6	6.6	7.0	6.9	6.1	6.6	4.6	5.6	3.2	5.2	2.7
Fort Worth	5.5	6.9	5.9	6.6	5.6	5.3	5.4	4.2	4.7	3.2	4.1	2.6
Great Falls	6.4	7.0	6.1	5.9	5.5	4.4	4.4	2.9	3.0	1.7	2.4	1.2
Lake Charles	4.5	5.8	4.6	5.3	5.0	4.9	4.8	4.0	4.3	3.1	3.6	2.5
Madison	6.2	7.0	6.2	6.3	5.3	4.5	4.5	3.1	3.3	1.9	3.5	1.8
Medford	7.0	8.1	6.7	6.8	6.0	5.1	4.5	3.2	2.7	1.8	1.7	1.1
Miami	4.7	6.3	4.9	5.8	5.0	5.1	5.5	4.8	5.3	4.0	5.3	3.7
Nashville	5.1	6.1	5.2	5.6	5.1	4.7	4.8	3.7	3.7	2.5	3.1	1.9
New York	4.6	5.3	4.5	4.6	5.1	4.5	4.1	3.0	2.9	1.8	2.8	1.6
Omaha	5.7	6.5	5.9	6.0	5.3	4.5	5.0	3.5	4.0	2.4	3.7	1.9
Phoenix	6.1	7.7	6.2	6.9	6.4	6.1	6.3	4.9	5.7	3.8	5.1	3.1
Santa Maria	6.5	7.3	6.5	7.0	6.5	6.0	6.5	4.9	5.6	3.6	5.0	3.0
Seattle	6.5	7.1	5.5	5.4	4.6	3.8	3.2	2.2	2.2	1.3	1.4	.8
Washington, D.C.	5.1	5.9	5.2	5.4	5.1	4.5	4.7	3.5	3.7	2.3	3.6	2.0

Figures 6 and 7 are scatter plots of the $TT - f(\theta)TH$ data for January and July. The plots indicate that a straight line will fit the data quite well. A straight line, equation (6), using a least squares procedure was fitted to each month's data. The values of c , d , s , R^2 , and extreme error are given in Table 7. The high values of R^2 indicate that the least squares line fits the data quite well. A negative error indicates our model over predicts TT . The largest errors occur at the northern locations. Of course the northern locations have small TT values in the winter and hence a rather small difference between $\hat{TT}$ (predicted value) and TT (data value) will give a large percentage error. For example $\hat{TT} - TT = 3.35 - 3.00 = 0.35$ for the November Great Falls location. This difference leads to a -11.8% error in the predicted value.

Besides fitting the $TT - f(\theta) TH$ data with a straight line on a monthly basis all the data were combined and fitted with a single straight line as was done with the $DN - TH/\cos \theta$ data. The derived equation is

$$(11) \quad \begin{aligned} \hat{TT} &= -.79 + 1.05 f(\theta) TH \\ \text{with } R^2 &= .964 \text{ and } s = .212 \\ f(\theta) &\text{ is the same as in (6).} \end{aligned}$$

The extreme errors in $\hat{TT}$ for each month using this model are given in Table 8. As would be expected the magnitudes of these extreme errors are somewhat larger than those listed in Table 6.

Unfortunately TT data similar to the DN data from the locations of Raleigh, Livermore, and Fort Hood was unavailable for checking the $\hat{TT}$ model. This data will become available at a later time.

Scatter Plots of TT versus $f(\theta)$ TH

Figure 6

January

Figure 7

July

Table 7

Regression Coefficients for the Model, $\hat{TT} = c + d * f(\theta) * TH$

	c	d	R^2	s	Extreme Error	Location of Extreme Error
Jan.	-1.29	1.14	.990	.12	-11.62%	Great Falls
Feb.	-1.24	1.13	.980	.15	- 6.94	Medford
Mar.	- .67	1.02	.961	.18	- 8.32	Seattle
April	- .08	.94	.952	.19	- 6.65	Seattle
May	.53	.85	.940	.16	- 5.37	Great Falls
June	1.00	.77	.970	.12	- 5.62	Caribou
July	.83	.81	.969	.13	- 4.39	Caribou
Aug.	.51	.84	.954	.15	- 5.78	Seattle
Sept.	- .30	.96	.940	.17	- 6.44	Seattle
Oct.	-1.21	1.11	.984	.13	- 6.91	Great Falls
Nov.	-1.24	1.12	.987	.14	-11.81	Great Falls
Dec.	-1.25	1.13	.990	.12	- 7.61	Great Falls

R^2 = Regression sum of squares/total sum of squares

error = $100(TT - \hat{TT})/TT$ where $\hat{TT}$ = Predicted value from (6) and TT is data value.

s = standard error

Table 8

Monthly Extreme Errors of $\hat{T}(45)$ when Single Model (Eq. (11)) is Used.

	Extreme Error	Location of Extreme Error
Jan.	-20.6%	Medford
Feb.	-14.6	Seattle
Mar.	- 8.5	Seattle
April	10.2	Brownsville
May	12.2	Miami
June	16.6	Miami
July	12.9	Miami
Aug.	10.5	Medford
Sept.	- 6.7	Seattle
Oct.	- 8.8	Lake Charles
Nov.	-17.2	Lake Charles
Dec.	-15.8	Lake Charles

Conclusions

The $DN - TH/\cos \theta$ data can be fitted quite well with a straight line. It is interesting that the model fits the original data, in which the DN values were generated by summing the hourly TH data, significantly better than it fits the recently acquired data from Raleigh, Fort Hood, and Livermore where both DN and TH were measured. This suggests that there may be more real variations in monthly mean values of daily totals of DN and TH than a linear equation can adequately model. The data plotted in Figure 5 also indicates considerable scatter about a straight line. The predicted values, $\hat{DN}$, obtained from the straight line prediction equation for the Raleigh, Livermore, and Fort Hood locations are usually somewhat higher than the data values of DN. In one case $\hat{DN}$ is almost 50% higher than DN. The prediction equations seem to do somewhat better for the winter months. The results of Table 5 and the data plotted in Figure 5 show that caution must be used in using an empirically derived linear equation to predict DN values.

The $TT - f(\theta) TH$ data can also be fitted quite well with a straight line. The predicted values of TT for the northern latitude locations seem to have the largest errors. Perhaps some modification in $f(\theta)$ would improve the model. The data from Livermore, Raleigh, and Fort Hood should be used to verify our empirical models for TT when it becomes available.

References

1. Boes, E. C., Hall, I. J., Prairie, R. R., Stromberg, R. P., Anderson, H. E. "Distribution of Direct and Total Solar Radiation Availabilities for the U.S.A.," Proceedings of Joint Conference of American Section, International Solar Energy Society and Solar Energy Society of Canada, Inc., Vol. 1, International and U.S. Programs Solar Flux, Sections 20, 21, 22, 2. P. 238-263. Held in Winnipeg, Aug. 15-20, 1976. Also published as Sandia Laboratories Energy Report, SAND76-0411, 1976.
2. Boes, E. C., Anderson, H. E., Hall, I. J., Prairie, R. R., Stromberg, R. P., "Distribution of Direct and Total Solar Radiation Availabilities for the U.S.A." To be published.

Distribution:

Bruce Anderson
Total Environmental Action, Inc.
Church Hill
Harrisville, NH 03450

Steve Baer
Zomeworks, Inc.
1212 Edith Blvd., N.E.
Albuquerque, NM 87103

Ray Bahm
2513 Kimberly Court, N.W.
Albuquerque, NM 87105

Donald G. Baker
Department of Soil Science
University of Minnesota
St. Paul, MN 55101

J. D. Balcomb
Solar Energy Division
Los Alamos Scientific Lab
Los Alamos, NM 87545

F. T. C. Bartels
Energy Analysis, Inc.
12160 Claretta St.
Lake View Terrace, CA 91342

Iven Bennett
Dept. of Geography
University of New Mexico
Albuquerque, NM 87131

Paul Berdahl
Energy and Environment Division
Bldg. 50
Lawrence Berkeley Laboratory
University of California
Berkeley, CA 94720

W. J. Bifano
Solar Energy Division
NASA-Lewis Research Center
Cleveland, OH 44135

Floyd Blake
Solar Energy Division
Martin-Marietta, Denver Div.
P.O. Box 179
Denver, CO 80201

J. W. Braun
Assistant Director for Thermal
Power Systems
ERDA/Division of Solar Energy
Washington, DC 20545

Ronald N. Bracewell, Professor
Department of Electrical
Engineering
Stanford University
Stanford, CA 94305

H. C. Bulk
Climatology Lab
Arizona State University
Tempe, AZ 85281

James Carter
Minnesota Energy Agency
740 American Center Bldg.
160 E. Kellogg Street
St. Paul, MN 55101

R. Chollet
Documentalist
CENTRE DE DOCUMENTATION
ENERGIE SOLAIRE
14, av. de l'Eglise-Anglaise
1006 LAUSANNE FRANCE

Arnold Clark
L14
Lawrence Livermore Lab
Livermore, CA 94550

Commander
U.S. Army MERADCOM
DXRFB-E (Attn: Dr. John W. Bond)
Fort Belvoir, VA 22307

J. Crutcher
NPD Energy Systems
P.O. Box 20
Cambridge, MA 02142

Dr. Ed DeMeo
EPRI
P.O. Box 10412
Palo Alto, CA 94303

B. Devin
DCTEL Chef de Project Solaire
COMMISSARIAT A L'ENERGIE ATOMIQUE
CEN/SACLAY-B.P. No. 2 - 91190 - GIF-
sur - YVETTE
FRANCE

William Dickinson
114
Lawrence Livermore Lab
Livermore, CA 94550

J. Duffie
Solar Energy Research Center
University of Wisconsin
Madison, WI 53706

Robert Durrenberger
State Climatologist
Arizona State University
Tempe, AZ 85281

Ecotope Group
747 16th Ave. E.
Seattle, WA 98112

Don Evans
Dept. of Mechanical Engineering
Arizona State Univ.
Tempe, AZ 85281

Sam Fallek
Mechanical Technology, Inc.
968 Albany-Shaker Road
Latham, NY 12110

Erick Farber
Solar Energy Laboratory
University of Florida
Coral Gables, FL 33134

H. Fields
Assistant Director for
Major Projects
ERDA/Division of Solar Energy
Washington, DC 20545

Edwin Flowers
NOAA/ERL-ARL
R329
Boulder, CO 80302

E. P. French, Mail Code SL32
Rockwell International Solar Div.
12214 Lakewood Blvd.
Downey, CA 90241

John Furber
OTA
U.S. Congress
Washington, DC 20510

Don Grether
Energy and Environment Division
Bldg. 50
Lawrence Berkeley Laboratory
University of California
Berkeley, CA 94720

Keith Haggard
NMSEA
602.5 Canyon Road
Santa Fe, NM 87501

Eugene C. Hise
ACES Project
Bldg. 9102
Oak Ridge National Laboratory
Box Y
Oak Ridge, TN 37830

Doug Hoyt
NOAA/ERL
Air Resources Lab, R329
RB3, Rm. 339
Boulder, CO 80302

Roland Hulstrom
Solar Energy Division
Martin-Marietta Denver Division
P.O. Box 179
Denver, CO 80201

Richard Jordan
Dept. of Mechanical Engineering
University of Minnesota
St. Paul, MN 55101

S. Karaki
Solar Energy Laboratories
Colorado State University
Fort Collins, CO 80521

William Kaszeta
SES, Inc.
1 Tralee Industrial Park
Neward, DE 19711

Fred Koemanoff, Chief
Environmental & Resource
Studies Branch
ERDA/Division of Solar Energy
Washington, DC 20545

Dr. Jan Kreider
1929 Walnut Street
Boulder, CO 80302

Stan Leonard
Aerospace Corporation
P.O. Box 92957
Los Angeles, CA 90009

Dr. James Lerner
California Energy Commission
1111 Horne Avenue
Sacramento, CA 95825

Tom Lydon
Sunsearch
669 Boston Post Road
Guilford, CT 06437

Dr. H. Macomber
Silicon Technology Programs Branch
ERDA/Division of Solar Energy
Washington, DC 20545

Dr. L. M. Magid
Silicon Technology Programs Branch
ERDA/Division of Solar Energy
Washington, DC 20545

Ed Mazria
308 Tulane Drive, S.E.
Albuquerque, NM 87106

Leon Medoer
MERADCOM
DRX FB-O
Fort Belvoir, VA 22060

Douglas Moeller
Sun Trac Corporation
1674 S. Wolf Road
Wheeling, IL 60090

Joel Narod
ERT
696 Virginia Road
Concord, MA 01743

Harold Neustader
Mail Stop 302-1
NASA LeRC
21000 Brookpark Road
Cleveland, OH 44135

George O'Brien
GE, Bldg. 7
Box 8661
Philadelphia, PA 19101

Captain Jim Phillips
AFCEC/WE
Tyndall AFB, FL 32403

Dr. M.B. Prince, Assistant
Administrator for Photovoltaics
ERDA/Division of Solar Energy
Washington, DC 20545

Dennis Quan
McDonnell Douglas
5301 Bolsa Avenue
Huntington Beach, CA 92647

Ari Rabi
Argonne National Lab
362/B113
9700 S. Cass Ave.
Argonne, IL 60439

Charles Randall
Aerospace Corporation
P.O. Box 92957
Los Angeles, CA 90009

Dr. R. L. San Martin
NM Solar Energy Institute
NM State University
Las Cruces, NM 88003

Michael Smith
"A" Solar System
158 W. Broadmoor Blvd.
San Leardin, CA 94577

Robert de Violini
Geophysics Division
Pacific Missile Test Center
Point Mugu, CA 93042

Gary Vliet
Dept. of ME
Tayen Hill 122
Univ. of Texas
Austin, TX 78712

8266 E. A. Aas (2)
3151 W. L. Garner (3)
For ERDA/TIC (Unlimited Release)
ERDA/TIC (25)
(R. P. Campbell, 3171-1)

Mike Wahlig
Energy and Environment Division
Bldg. 50
Lawrence Berkeley Laboratory
University of California
Berkeley, CA 94720

A. D. Watt
Watt Engineering, Ltd.
Rt. 1, Box 183-1/2
Cederedge, CO 81413

John V. Wilson
Reactor Division
Building 9201-3
Oak Ridge National Laboratory
Box Y
Oak Ridge, TN 37830

1223 R. R. Prairie (10)
1223 I. J. Hall
1223 H. E. Anderson
2532 P. D. Thacher
3144 M. L. Dieter
5000 A. Narath
5443 J. W. Reed
5700 J. H. Scott
5711 R. P. Stromberg (20)
5712 J. A. Leonard
5712 B. J. Petterson
5713 John Otts
5715 R. H. Braasch
5719 D. G. Schueler
5719 E. Boes (20)
5719 J. L. Watkins
5741 R. G. Roosen
5712 S. G. Varnado
5742 J. M. Alcone
5742 J. Lin
8130 R. C. Wayne
8132 A. C. Skinrood
8132 T. D. Brumleve
8326 P. Eicher (3)
9532 P. D. Thacher
6011 G. C. Newlin
3141 C. A. Pepmueller (5)