LA-8222-HDR

DR. 884

1/5
3/18/80

MASTER

**Bibliography of the Geological and Geophysical Aspects
of Hot Dry Rock Geothermal Resources**

1979

University of California

LOS ALAMOS SCIENTIFIC LABORATORY

Post Office Box 1663 Los Alamos, New Mexico 87545

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

An Affirmative Action/Equal Opportunity Employer

**This work was supported by the US Department
of Energy, Division of Geothermal Energy.**

**This report was prepared as an account of work sponsored
by the United States Government. Neither the United States
nor the United States Department of Energy, nor any of their
employees, nor any of their contractors, subcontractors, or
their employees, makes any warranty, express or implied, or
assumes any legal liability or responsibility for the accuracy,
completeness, or usefulness of any information, apparatus,
product, or process disclosed, or represents that its use would
not infringe privately owned rights.**

**UNITED STATES
DEPARTMENT OF ENERGY
CONTRACT W-7405-ENG. 26**

Bibliography of the Geological and Geophysical Aspects of Hot Dry Rock Geothermal Resources

1979

**G. Heiken
S. Sayer***

DISCLAIMER

This book was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

***LASL Graduate Research Assistant. Present address: University of California, Riverside, CA 92521.**

BIBLIOGRAPHY OF THE GEOLOGICAL AND GEOPHYSICAL ASPECTS OF HOT DRY ROCK
GEOTHERMAL RESOURCES
1979

compiled by

G. Heiken and S. Sayer

ABSTRACT

This is the first issue of an annual compilation of references that are useful to the exploration, understanding and development of the hot dry rock geothermal resource.

INTRODUCTION

The purpose of this bibliography is to identify published papers on the geology and geophysics of geothermal areas and on the thermal history of the Earth's crust. Most of the papers are concerned with heat flow measurement techniques and results - one of the most useful geophysical techniques for the identification and evaluation of hot dry rock geothermal resources.

The bibliography will be updated annually and will eventually be indexed. Any contributions to the bibliography will be appreciated and should be sent to:

Hot Dry Rock Geothermal Energy Program Office
Los Alamos Scientific Laboratory
Los Alamos, NM 87545

Most of the compilation was by G. Heiken and S. Sayer with significant contributions from the U. S. Geological Survey and the State of Oregon. The base from which the bibliography grew was the monumental bibliography on all aspects of geothermal phenomena prepared by W. K. Summers (1971). We began by pulling references from this work that we felt were applicable to the hot dry rock geothermal resource evaluation and development. S. Noel typed the bibliography.

REFERENCE

W. K. Summers, compiler, "Annotated and Indexed Bibliography of Geothermal Phenomena," New Mexico State Bureau of Mines and Mineral Resources, 586 pp. (1971).

Adivarahan, P., Kunii, D., and Smith, J. M. (1962) Heat transfer in porous rocks through which single-phase fluids are flowing, Soc. Petrol. Engr. Jour., V.2, N.3, p.290-296.

Agnew, B. G. (1966) Evaluation of fracture treatments with temperature surveys, Jour. Petrol Tech., V.18, N.7, p.892-898, table, 13 fig.

Agrawal, M. P. and Bhandari, R. C. (1968) Computation of thermal conductivity of sandstones by considering them as unconsolidated sands, Indian Jour. Pure Appl. Phys., V.6, N.7, p.388-389, illus.

Albarede, F. (1975), The heat flow/heat generation relationship-- An interaction model of fluids with cooling intrusions, Earth & Planet. Sci. Lett., V.27, p.73-78.

Albright, J. N., Aamodt, R. L., Potter, R. M., and Spence, R. W. (1978) Acoustic methods for detecting water-filled fractures using commercial logging tools, Los Alamos Scientific Lab., NM (USA) Rpt.LA-UR-78-1826, 19 p.: from 4. Symp. on Enhanced Oil and Gas Recovery and Improved Drilling Methods, Tulsa, OK (29 Aug 1978).

Aleksin, A. A. and D'Yakonova, Y. A. (1967) Geothermal setting of the Caspian Basin (in Regional'naya Geotermiya i Rasprostraneniye Termal'nykh Vod v SSSR), Soveshchaniya Geoterm. Issled. SSSR, 2nd, Moscow, 1964, Trudy, V.2, Izdatel'stvo "Nauka," p.57-59, table, illus.

Aliyev, S. A. (1959) Magnitude of the geothermal step in the Bibieyat field (Azerbaijan, Russian Summ.), Akad. Nauk Azerbaydzhan, SSR, Izv., N.3, p.87-90. Drummond, J. E. and McNabb, A. (1962) On the analysis of surface temperature surveys, New Zealand Jour. Geo., Geophys., V.5, N.1, p.3-17, illus.

Allen, E. T. (1928) The classification of the hot areas in the Yellowstone Park and the causes of their development. Abs., Washington Acad. Sci. Jour., V.128, N.19, p.511.

American Assoc. of Petroleum Geologists-U. S. Geological Survey (1976) Geothermal gradient map of North America: U. S. Geol. Surv., Reston, VA, scale 1:5,000,000.

Anderson, D. N. and Axtell, L. H. (Comps.) (1972) Geothermal overviews of the western United States, Geothermal Resources Council: from Conference of the Geothermal Resources Council, El Centro, CA (16 Feb 1972).

Anglin, F. M. and Beck, A. E. (1965) Regional heat flow pattern in western Canada, Canadian Jour. Earth Sci., V.2, N.3, p.176-182.

Anonymous (1931A) Deep gold mines and geothermal gradients, Engr. Min. Jour., V.131, N.10, p.447.

Anonymous (1952A) Use of power from volcanic energy being explored in West Indies by U. N. expert, Chem. Engr. News, V.30, N.10, p. 1012.

Anonymous (1954A) Springleigh bore, Irrigation Water Supply Comm. Australia, Official Commun. to G. A. Waring.

Anonymous (1955A) Studies of subterranean heat (Japanese, English Summ.) Japan Geol. Surv. Bull., V.6, N.10, p.551-626, 26 tables, 86 fig., 17 illus.

Anonymous (1958C) Introduction to Schlumberger well logging, Ridgefield, CT: Schlumberger Well Survey Corp., Schlumberger Doc. N.8, 176 p.

Anonymous (1964E) United States Geological Survey drill-hole probe, CA Div. Mines., Geol. Mineral Info. Serv., V.17, N.11, p.204

Anonymous (1966J) Deepest drill hole, Western Miner, V.39, N.1, p.58-59.

Anonymous (1967) Research programs on the exploitation of endogenous energy sources - activities carried out in 1966 (English Abs.) Consiglio Nazionale Ricerch., Ricerca Sci. Quad., V.37, N.7-8, p.703-712.

Anonymous (1968A) Heat flow committee, Am. Geophys. Union Trans., V.49, N.1, p.55.

Anonymous (1973) Potential for energy production from geothermal resources. Report of the Subcommittee on Water and Power Resources, Committee on Interior and Insular Affairs, U. S. Senate, Ninety-third Congress, First Session (December 1973) 40 p.

Anonymous (1976) Heat of the earth as a source of energy, Niedersaechsisches Landesamt fuer Bodenforschung, Hannover, Germany; Bundesanstalt fuer Geowissenschaften und Rohstoffe, Hannover, Germany (in German), MP-22645 Dep. NTIS, PC A02/MF A01, 6 p.

Anonymous (1978) Hot dry rock geothermal energy development project. Annual report, fiscal year 1977, Los Alamos Scientific Lab., NM (USA) Rpt.LA-7109-Pr, 300 p.

Anonymous (1978) Magnetic induction technique for mapping vertical conductive fractures: theory of operation, Los Alamos Scientific Lab., NM (USA) Rpt. LA-7333-MS, 20 p.

Arbolishvili, D. Z. (1958) The geothermal regime of some areas in the Georgian SSR, Geol. Nefti., V.2, N.12-B, p.1034-1038, table, map.

Archuleta, J. R. and Todd, B. E. (1978) Hot dry rock geothermal energy development project: Cablehead assembly. Equipment development report, Los Alamos Scientific Lab., NM (USA) Rpt. LA-7325-MS, 120 p.

Austin, C. F. (1966A) Selection criteria for geothermal prospects, A.I.M.E. Pacific Southwest Mineral Indust. Conf., Sparks, NV., 1065, Papers NV Bur. Mines Rpt. 13, pt.C, p.93-125, illus.

Austin, C. F. and Pringle, J. K. (1970) Geological investigations at the Coso thermal area, U. S. Naval Ordnance Test Sta. Tech. Pub.4878, 40 p.

Babinets, A. Y. (1957) Geothermal features of different regions of the Ukrainian SSR, Akad. Nauk Ukrayin Rsr Dopovidi, N.1, p.46-50.

Babinets, A. Y. (1957) On peculiarities of the geothermal regime and causes of the anomalous distribution of heat in parts of the Ukrainian SSR and Moldavian SSR (Ukrainian, Russian Summ.), Akad. Nauk Ukrayin. Rsr Heol. Zhur., V.17, N.1, p.15-28.

Baggio, P. and Malaroda, R. (1962) The Mont Blanc tunnel, first geologic observations on the cut from 2,500 to 3,700 m from the Italian end, Accad. Naz. Lincei Atti, Cl. Sci. Fis., Mat., Nat., Rend., V.33, N.3-4, p.149-152.

Baker, B. H. (1964), Prospecting, Kenya Mines Geol. Dept. Ann. Rpt., 1963, p.7-8.

Balagna, J. and Potter, J. M. (1976) Delineation of flow channels in crystalline rock using different radioactive tracers, Am. Geophys. Union Trans., V.57, N.12, p.1016.

Balcomb, J. (1960) Harnessing power from the underworld, Cornet, V.48, p.116-120.

Bankovskiy, V. A. (1952) Geothermal conditions in the Nesvetayevo-Shakhta syncline, UGOL', N.1, p.26-27.

Banwell, C. J. (1963A) Programming of temperature surveys, New Zealand Dept. Sci., Indust. Res., Bull.155, Chap.8.

Banwell, C. J. (1964A) Thermal energy from the earth's crust. The efficient extraction of energy from heated rock. New Zealand Jour. Geol. Geophys., V.7, N.3, p.585-593.

Banwell, C. J. (1967A) Geothermal power, Impact Sci. Soc., V.17, N.2, p.149-166, tables.

Baranov, V. I. and Serdyukova, A. S. (1959) Radiogenic heat, Priroda, N.3, p.29-34.

Basham, R. B. and Macune, C. W. (1952) The delta log, a differential temperature surveying method, Jour. Petrol. Tech., V.4, N.5, p.123-129; A.I.M.E., Trans., Tech. Paper 3317, V.195.

Bass, L. (1963) Heat balance of the earth, Nature, V.198, N.4884, p.980.

Batchelor, A. S. (1978) Geothermal energy and its exploitation in south-west England, Ground Eng., V.11, N.2, p.34-36, 39-41.

Batten, E. C. (1876) On the cause of the heat of the Bath waters, Somersetshire Archaeol. Nat. Hist. Soc. Proc., V.22, pt.2, p.52-60.

Battini, F. and Menut, P. (1964) Structural study of the Roccastrada zone in prospection for steam by geophysical, gravimetric and electrical methods (English Summ.), U. N. Conf. New Sources Energy, Rome, Italy, 1961, Proc., V.2, p.73-81.

T

Baukovskiy, V. A. (1952) New evidence on geothermal conditions in the Donets basin, Pamyati Akad. P. I. Stepanova, p. 425-430.

Becher, D. and Meincke, W. (1968) Heat flow between Harz and Prignitz (Russian and English Summ.), Zeitschr. Agnew. Geol., V.14, N.6, p.291-297, tables, illus.

Beck, A., Jaeger, J. C., and Newstead, G. (1956) The measurement of the thermal conductivities of rocks by observation in boreholes, Australian Jour. Phys., V.9, N.2, p.286-296.

Beck, A. E. (1956) The measurement of the flow of heat through the crust and through rocks, Ph. D. Dissert., Australian National University, Canberra, Australia.

Beck, A. E. (1957) A steady-state method for the rapid measurement of the thermal conductivity of rocks, JSI V.34, N.5, p.186-189

Beck, A. E. (1962) Terrestrial flow of heat near Flin Flon, Manitoba, Nature, V.195, N.4839, p.368-369.

Beck, A. E. (1963) Lightweight borehole temperature measuring equipment for resistance thermometers, Jour. Sci. Instru., V.40, N.9, p.452-454, table, illus.

Beck, A. E. (1965A) Techniques of measuring heat flow on land (in Terrestrial Heat Flow), Am. Geophys. Union, Geophys. Mon. Ser., N.8, Chap.3, p.24-57, table, illus; Natl. Res. Council Pub., N.1288.

Beck, A. E. (1967) Heat flow studies (in Canadian Upper Mantle Rpt. 1967), Canada Geol. Surv. Paper 67-41, p.133-146, table, illus.

Beck, A. E. and Beck, J. M. (1958) On the measurement of the thermal conductivity of rocks by observations on divided bar apparatus, AGU V.39, N.6, p.1111-1123.

Beck, J. M. and Beck, A. E. (1965) Computing thermal conductivities of rocks from chips and conventional specimens, Jour. Geophys. Res., V.70, N.20, p.5227-5239, tables, illus.

Beck, J. V. (1964) The optimum analytical design of transient experiments for simultaneous determinations of thermal conductivity and specific heat, Ph.D. Dissert., MI State Univ. Agr. Appl. Sci.: Abs., Dissert. Abs., V.2509, p.5192.

Beliakov, M. F. (1951B) Geothermal anomalies in the Dnieper-Donets depression, Priroda, N.11, p.52-53.

Beliakov, M. F. (1951A) The anomalous shape of geoisotherms in the Dnieper-Donets Syncline (Russian), Akad. Nauk SSSR, Doklady, T.77, N.2, p.325-327.

Beliakov, M. F. (1959A) Geothermal anomalies observed on the salt domes of Emba (Russian), Akad. Nauk SSSR, Doklady, T.68, N.6, p.1079-1080.

Bell, P. M. and Roy, R. F. (1967) Heat flow and gravity measurements at Ajo, Arizona, Carnegie Inst. Washington, Yearb. 65, p. 414-415, illus.

Belousov, V. I. (1967A) On the role geological factors in the origin and activity of hydrothermal systems in regions of contemporary volcanism (in Vulkanizm i Geokhimiya Yego Produktov), Akad. Nauk SSSR, Sibirskoye Otdeleniye, Inst. Vulkanol. Trudy, N.24, p.42-50.

Belyakov, M. F. (1949B) Vliyanie iskusstvennogo zavodeniya na termalniy rezhim neftyanogo mestorozhdeniya, Akad. Nauk SSSR, Doklady, T.66, N.3, p.447-449, illus.

Benfield, A. E. (1940A) Terrestrial heat-flow, Cambridge Univ., Abs. Dissert., 1938-39, p.74-75.

Benseman, R. F., Fisher, R. G., and Dickinson, D. J. (1963) Survey of surface heat output at Waiotapu, New Zealand Dept. Sci. Indust. Res., Bull.155, Chap.6, tables, illus.

Benthaus, F. (1959) The rock temperature in the mine working of the Auguste Victoria Mining Company, Marl, Gluckauf, V.95, N.14, p.875-879.

Berdichevskiy, M. N., Van'yan, L. L., and Gokhberg, M. B., et al. (1967) New results in the field of deep magnetotelluric surveys, Akad. Nauk SSSR, Doklady, V.177, N.3, p.564-566, illus.

Billings, M. P. and Keevil, N. B. (1946) Radioactivity of the four paleozoic magma series in New Hampshire, Geol. Soc. Am. Bull., V.57, p.797-828.

Birch, F. (1942) Thermal conductivity and diffusivity (in Handbook of Physical Constants), Geol. Soc. Am., Spec. Paper 36, p.243-266.

Birch, F. (1954A) Thermal conductivity, climatic variation and heat flow near Calumet, Mich., Am. Jour. Sci., V.252, N.1, p.1-25.

Birch, F. and Clark, H. (1945) An estimate of the surface flow of heat in the West Texas Permian Basin, Am. J. of Sci., V.243-A, p.69-74.

Birch, F., Roy, R. F., and Decker, E. R. (1968) Heat flow and thermal history in New York and New England (in White, W. and Zen, E. (Eds.) Studies of Appalachian Geology: Northern and Maritime) Interscience, New York, ch. 33, p.437-451.

Birch, F., Schainer, J. F., and Spicer, H. C. (1942) Handbook of Physical Constants, Geol. Soc. Am., Spec. Paper 36, 325 p.

Birch, F. S. (1947A) Crustal structure and surface heat flow near the Colorado front range, Am. Geophys. Union Trans., V.28, N.5, p.792-797.

Birch, F. S. (1948B) Flow of heat in the front range (Abs.), Geol. Soc. Am. Bull., V.59, N.12, pt.2, p.1312

Birch, F. S. (1950) Flow of heat in the front range, Colorado, Geol. Soc. Am. Bull., V.61, N.6, p.567-634.

Birch, F. S. (1966A) Earth heat flow measurements in the last decade (in Advances in Earth Science), Cambridge, MA: Internatl. Conf., MA Inst. Tech., M. I. T. Press, p.403-430, illus.

Birch, F. S. and Clark, H. (1940) The thermal conductivity of rocks and its dependence upon temperature and composition, Am. Jour. Sci., V.238, N.8, p.529-558; N.9, p.613-635.

Birch, J. A. (1966), Temperature measurement symposium, Australian Physicist, V.3, N.10, p.145-146.

Bird, D. K. (1975) Geology and geochemistry of the dunes hydrothermal system, Imperial Valley of California, (PB-258098), California Univ., Riverside, CA, 135 p.

Bishop, E. H. (1964) Heat transfer by natural convection between isothermal concentric spheres, Ph.D. Dissert., Univ. TX: Abs., Dissert. Abs., V.2509, p.5193.

Blackwell, D. D. (1967) Terrestrial heat flow determinations in the northwestern United States, Ph.D. Dissert., Harvard University, Cambridge, MA.

Blackwell, D. D. (1969A) Heat-flow determinations in the northwestern United States, Jour. Geophys. Res., V.74, N.4, p.992-1007, tables, illus.

Blackwell, D. D. (1969B) Relation of heat flow and basement rocks in the mid continent, Abs. Geol. Soc. Am., Ann. Mtg., 1969, Abs. Prog. pt.2, South Central Sec., p.2-3

Blackwell, D. D. (1971) The thermal structure of the continental crust (in Heacock, J. G., (Ed.) The Structure and Physical Properties of the Earth's Crust) Am. Geophys. Union Monograph 14, p.169-184.

Blackwell, D. D. (1973) Surface ground temperature variations in mountainous regions and a new topographic correction technique for heat flow measurements, Abs., EOS, Am. Geophys. Union Trans., V.54, p.1207.

Blackwell, D. D. (1974) Terrestrial heat flow and its implications on the location of geothermal reservoirs in Washington, WA Div. of Mines and Geology Information Circ. N.50, p.21-33.

Blackwell, D. D., and Baag, C-G. (1973) Heat flow in a "blind" geothermal area near Marysville, Montana, Geophysics, V.38, N.5, p.941-956, 3 tables, 11 figs.

Blackwell, D. D. and Robertson, E. C. (1973) Thermal studies of the Boulder batholith and vicinity, Montana, Soc. of Economic Geol. Guidebook, Butte Field Meeting (August 18-21) p. D-1 - D-8.

Blackwell, D. D. and Roy, R. F. (1968) Heat flow anomalies in the United States, Geol. Soc. Am., Ann. Mtg., Mexico City, Abs.

Blum, E. (1954) On the interpretation of drill-hole temperature records, Erdol Kohle, Pub.7, N.5, p.272-275.

Bogomolov, G. V. and Tsybulya, L. A. (1967B) Causes of anomalous distribution of subsurface heat in southern Byelorussia, Akad. Nauk SSSR, Doklady, V.121, N.4, p.350-354, maps.

Bodvarsson, G. (1948) On thermal activity in Iceland, Geotherm. Dept. State Elect. Authority, 77 p., 3 pl., 3 graphs.

Bodvarsson, G. (1954B) Terrestrial heat balance in Iceland, Verkfraedingafelags. Islands Timarit, Arg. 39, N.6, p.69-76, illus., map.

Bodvarsson, G. (1961) Physical characteristics of natural heat resources in Iceland, Jokull, V.11, p.29-38, illus., map.

Bodvarsson, G. (1966A) Energy and power of geothermal resources, Ore Bin, V.28, N.7, p.117-124, illus.

Bodvarsson, G. (1966A) Some considerations on the optimum production and use of geothermal energy, Jokull, V.16, N.3, p.199-206, illus.

Bodvarsson, G. (1966D) Direct interpretation methods in applied geophysics, Geoexplor., V.4, p.113-138.

Bodvarsson, G. (1969) On the temperature of water flowing through fractures, Jour. Geophys. Res., V.74, N.8, p.1987-1992.

Bodvarsson, G. and Hanson, J. (1977) Secondary recovery method for the extraction of geothermal energy. (1) Short review of the technique of forced geoheat recovery from sheet-like fluid conductors; (2) Heat transfer effects in forced geoheat recovery systems. Reporting period: July 1, 1976--December 31, 1977, Oregon State Univ., School of Oceanography, Rpt. RLO-2227-T21-3, 236 p.

Bodvarsson, G. and Palmason, G. (1961) Exploration of subsurface temperature in Iceland Jokull, V.11, p.39-48, illus., maps.

Boldizar, T. (1956A) Terrestrial heat flow in Hungary, Nature, V.178, N.4523, p.35.

Boldizar, T. (1958) Geothermic investigation in the Hungarian Plain, Acad. Sci. Hungaricae Acta Geol., V.5, N.2, p.245-254.

Boldizar, T. (1958D) New terrestrial heat flow values from Hungary, Geofis. Pura Appl., V.29, p.120-125.

Boldizar, T. (1959C) Geothermal temperature field and the heating up of mine damp, Freiburger Forschungsh., Geophys., C 60, p.76-85.

Boldizar, T. (1963) Terrestrial heat flow in the natural steam field at Larderello, Geofis. Pura Appl., V.56, p.115-122.

Boldizar, T. (1964A) Heat flow in the Hungarian Basin, *Nature*, V.202, N.4939, p.1278-1280, maps.

Boldizar, T. (1965) Terrestrial heat and geothermal resources in Hungary, *Internatl. Symp. Volcanol.*, New Zealand, p.24-25.

Boldizar, T. (1967A) Terrestrial heat flow in Hungarian permian strata, *Pure Appl. Geophys.*, V.67, p.128-132, table, illus.

Boldizar, T. (1967B) Terrestrial heat flow and geothermal resources in Hungary, *Bull. Volcanol.*, V.30, p. 221-227, illus.

Boldizar, T. (1968) Geothermal data from the Vienna Basin, *Jour. Geophys. Res.*, V.73, N.2, p.613-618, tables, illus.

Boldizar, T. (1969) Terrestrial heat flow and Alpine orogenesis, *Bull. Volcanol.*, V.33, N.1, p.293-297, illus.

Bolobuyev. G. P. (1965) On the problem of the geothermal conditions of the Timan-Pechora oil and gas province in relation to determinations of the thermophysical coefficients of the rocks, *Vyssh. Ucheb. Zavedeniy Izv.*, Neft' Gaz, N.9, p.46.

Bossolasco, M., Cicconi, G., and Eva, C. (1963) The thermal conductivity of some Italian rocks (English Summ.), *Geofis. Pura Appl.*, V.54, p.64-76.

Boutry, G. A. and Jatteau, M. (1968) Measurement of surface temperatures by television in the IR (French), *Acad. Sci. Compt. Rend.*, Ser. B-Sci. Phys., V.266, N.4, p.214-217.

Bouwer, R. F. (1954) Borehole temperatures in the Klerksdorp and Orange Free State areas, South Africa Dept. Mines Geol. Surv., *Bull.*22, 35 p.

Bowen, R. G. (1972) Geothermal gradient studies in Oregon, Oregon Dept. of Geology and Mineral Industries, *Ore Bin*, V.34, N.4, p.68-71.

Bowen, R. G. (1975) Geothermal gradient data, Oregon Dept. of Geology and Mineral Industries, *Open-File Rpt.*0-75-3, 114 p.

Bowen, R. G. and Blackwell, D. D. (1973) Progress report on geothermal measurements in Oregon, Oregon Dept. of Geology and Mineral Industries, *Ore Bin*, V.35, N.1, p.6-7.

Bowen, R. G., Blackwell, D. D., and Hull, D. A. (1975) Geothermal studies and exploration in Oregon, Oregon Dept. of Geology and Mineral Industries, *Open-File Rpt.*0-75-7, 65 p.

Bowen, R. G., Blackwell, D. D., and Hull, D. A. (1977) Geothermal exploration studies in Oregon, Oregon Dept. of Geology and Mineral Industries, *Misc. Paper* 19, 50 p.

Bowen, R. G., Blackwell, D. D., Hull, D. A., and Peterson, N. V. (1976) Progress report on heat-flow study of the Brothers fault zone, central Oregon, Oregon Dept. of Geology and Mineral Industries, Ore Bin, V.38, N.3, p.39-46.

Brace, W. F. (1965) Relation of elastic properties of rocks to fabric, Jour. Geophys. Res., V.70, N.22, p.5657-5667, tables, illus.

Breusse, J. J. (1964) Contribution of geophysical methods to prospecting of geothermal fields (English Summ.) U. N. Conf. New Sources of Energy, Rome, 1961, Proc., V.2, p.141-144.

Bridgman, P. W. (1924) The thermal conductivity and compressibility of several rocks under high pressure, Am. Jour. Sci., V.7, Ser.5, p.81-102.

Bromery, R. W. and Joyner, W. B. (1967) Engineering geology of the northeast corridor, Washington, D. C., to Boston, Massachusetts-earthquake epicenters, geothermal gradient and excavations and borings, U. S. Geol. Surv., Misc. Geol. Inv. Map I-514-C, map.

Brookins, D. G., Forbes, R. B., Turner, D. L., Laughlin, A. W., and Naeser, C. W. (1977) Rb-Sr, K-Ar, and fission-track geochronological studies of samples from LASL drill holes GT-1, GT-2, and EE-1, Los Alamos Scientific Lab., NM (USA) Rpt.LA-6829-MS, 27 p.

Brott, C. A., Blackwell, D. D., and Mitchell, J. C. (1976) Heat flow study of the Snake River Plain region, Idaho, Geothermal investigations in Idaho, Water Information Bulletin 30, part 8, Idaho Dept. of Water Resources, 195 p.

Brown, D. W. and Pettitt, R. A. (1977) Los Alamos hot dry rock geothermal project, Los Alamos Scientific Lab., NM (USA) Rpt.LA-UR-77-2028: from American Society of Civil Engineers Ann. Convention, San Francisco, CA (17 Oct 1977) 26 p.

Brune, J. N. and Roy, R. F. (1968) Heat flow and stress along the San Andreas fault near Hollister, California, Seismol. Soc. Am., Prog. Ann. Mtg.

Bullard, E. C. (1942) Radioactive heat generation in rocks, Royal Astron. Soc. Monthly Not., Geophys. Suppl., V.5, N.2, p.41-47.

Bullard, E. C. (1947) The time necessary for a borehole to attain temperature equilibrium, Royal Astron. Soc. Monthly Not., Geophys. Suppl., V.5, N.5, p.127-130.

Bullard, E. C. (1960) Measurement of temperature gradients in the earth (in Methods and Techniques in Geophysics), New York: Interscience Publishers, Inc., V.1, p.1-9.

Bullard, E. C. (1964A) The flow of heat through the earth, ICSU Rev. World Sci., V.6, N.2, p.78-83.

Bullard, E. C. and Niblett, E. R. (1951) Terrestrial heat flow in England, Royal Astron. Soc. Monthly Not., Geophys. Suppl., V.6, N.4, p.222-238, illus., map.

Byerly, P. E. (1965) Geothermal surveys in sedimentary rocks near Grants and Laguna, New Mexico, *Geophys.*, V3, N.3, p.396-402.

Carlevaro, E (1942) A decisive Italian contribution to the exploitation (in Italy) of thermal waters (Italian, German Summ.), Milan, Italy, *Geofis. Pura Appl.*, V.4, N.1, p.5-14, Abs., *Phys. Ber.*, V.24, N.7, p.547.

Carslaw, H. S., and Jaeger, J. C. (1959) *Conduction of Heat in Solids*, London and New York, Oxford University Press.

Carte, A. E. (1954) Heat flow in the Transvaal and Orange Free State, *Phys. Soc. London Proc.*, V.67, pt.9, Sec.B, p.664-672.

Carte, A. E. (1955A) Thermal conductivity and mineral composition of some Transvaal rocks, *Am. Jour. Sci.*, V.253, N.8, p.482-490.

Casterano, L. (1949) The contribution of heat derived from disintegration of radioactive substances in the earth, *Geofis. Pura Appl.*, V.15, pt.1-2, p.54-59.

Cermak, V. (1967A) Results of geothermic investigation of heat flow in Czechoslovakia in 1964-66, *Ceskoslovenska Akad. Ved Studia Geophys. Geod.*, V.11, N.3, p.342-344, illus.

Cermak, V. (1967B) Heat flow near Teplice in North Bohemia, *Royal Astron. Soc. Geophys. Jour.*, V.13, N.5, p.547-549, illus.

Cermak, V. (1967C) Heat flow in the Kladno-Rakovnik coal basin, *Gerlands Beitr. Geophys.*, V.76, N.6, p.461-466, tables, illus.

Cermak, V. (1967D) Heat flow near Teplici in north Bohemia, *Royal Astron. Soc. Geophys. Jour.*, V.13, N.5, p.547-549, map.

Cermak, V. (1967E) Coefficient of thermal conductivity of some sediments, its dependence on density and on water-content of rocks, *Chem. Erde*, V.26, N.4, p.271-278, illus.

Cermak, V. (1968A) Terrestrial heat flow in the Alpine-Carpathian foredeep in South Moravia, *Jour. Geophys. Res.*, V.73, N.2, p.820-821, table, illus.

Cermak, V. (1968B) Correlation of heat flow values with the tectonic structure in Czechoslovakia, *Nature*, V.218, N.5141, p.556-557, table, illus.

Cermak, V. (1968C) Heat flow in the Zacler-Svatonovice Basin, *Acta Geophys. Polonica*, V.16, N.1, p.3-9, tables, illus.

Cermak, V. (1968D) Terrestrial heat flow in Czechoslovakia and its relation to the deep structure, Abs., 23rd Internatl. Geol. Cong., Prague, Czechoslovakia, 1968, Rpt., Abs. V., p.134.

Cermak, V. (1968F) Terrestrial heat flow in Czechoslovakia and its relation to some geological features, 23rd Internatl. Geol. Cong., Prague, Czechoslovakia, 1968, Proc., Sec.5, p.75-85, tables, illus.

Cermak, V. (1968G) Terrestrial heat flow in eastern Slovakia, Ceska Akad. Ved. Geofys. Sbornk, V.15, p.305-319, illus.

Cermak, V. (1969) Results of heat flow measurement in Czechoslovakia, Abs., AGU V.50, N4, p.315.

Cermak, V. and Hurtig, E. (1977) Preliminary heat flow map of Europe, Prague, Geophysics Institute and Potsdam, Central Earth Physics Institute, scale 1:5,000,000.

Cermak, V. and Jessop, A. M. (1971) Heat flow, heat generation, and crustal temperature in the Kapuskasing area of the Canadian Shield, Tectonophysics, V.11, p.289-303.

Cermak, V. and Kremar, B. (1968) Heat flow measurements in west and south Bohemia (English Summ.), Ustred. Ustav. Geol. Vestnik, V.43, N.6, p.415-422, tables, illus.

Chapman, C. A. (1967) Magmatic central complexes and tectonic evolution of certain orogenic belts (in Etages-Colloque de Neuchatel, Neuchatel Univ. Inst. Geol., 1966), Neuchatel, Switzerland; La Baconniere, p.41-51, illus.

Chapman, D. S. and Pollack, H. N. (1975a) Global heat flow-- A new look, Earth & Planet. Sci. Lett., V.28, p.23-32.

Chapman, D. S. and Pollack, H. N. (1975b) Heat flow and incipient rifting in central Africa, Nature, V.256, p.28-30.

Chapman, D. S. and Pollack, H. N. (1977) Heat flow and heat production in Zambia-- Evidence for lithospheric thinning in central Africa, Tectonophysics, V.41, p.79-100.

Charleston, R. (1754) A treatise on Bath waters, wherein are discovered the several principles of which they are composed, the causes of their heat, and the manner of their production, Bath, England.

Chebotarev, I. I. (1952) Hydrological and thermal aspects of petroleum occurrence, Am. Assoc. Petrol. Geologists Bull., V.36, N.4, p.688-699, illus.

Chen, T. S. and Marovelli, R. L. (1966) Analysis of stresses in a rock disk subjected to peripheral thermal shock, U. S. Bur. Mines Rpt. Inv. 6823, 50 p., tables, illus.

Cheng, S-C. (1968) The prediction of the thermal conductivity of heterogeneous mixtures, Ph.D. Dissert., Auburn Univ.; Abs., Dissert. Abs., V.291*B, p.3753.

Cheremenskiy, G. A. (1959A) Geothermal investigation in Siberia, Akad. Nauk SSSR, Doklady, Inst. Merzlotovedeniya Trudy, V.15, p.132-143.

Cheremenskiy, G. A. (1960A) On the zone of disturbance of the thermal state of rocks by drilling of a borehole, Akad. Nauk SSR Izv., Ser. Geofiz., N.10, p.1507-1509.

Cheremenskiy, G. A. (1962A) On the determination of the time of reestablishment of a thermal regime disturbed by drilling, Leningrad. Gorn. Inst. Zapiski, V.43, N.2, p.132-135.

Chereminskiy, G. A. (1963A) Geothermal measurements in boreholes in Kostelvaara, Akad. Nauk SSSR, Doklady, V.150, N.2, p.375-377; Trans., Acad. Sci. USSR, Doklady, Earth Sci. Sec., V.150, N.1-6, p.35-37, fig.

Cheremenskiy, G. A. (1963B) On the problem of the treatment of data of thermal observations, Vyssh. Ucheb. Zavedeniy Izv., Geol., Razevedka, N.5, p.63-67.

Cheremenskiy, G. A. (1964A) On the problem of the geothermal conditions of the region of the ultradeep borehole site in the Baltic shield, Sovetskaya Geol., N.11, p.126-129.

Chukawa, N. and Misawa, S. (1977) Fracture mechanism of hot dry rocks by bit, Conf-770460-1: from Spring Meeting of the Mining and Metallurgical Institute of Japan, Tokyo, Japan (Apr. 1977) 2 p.

Church, J. A. (1879) Underground temperatures on the Comstock Lode, Am. Jour. Sci., V.17, Ser.3, p.289-296.

Clark, S. P. Jr. (1957A) Radiative transfer in the earth's mantle, Am. Geophys. Union Trans., V.38, p.931-938.

Clark, S. P., Jr. (1957B) Heat flow at Grass Valley, California, Am. Geophys. Union, Trans., V.38, N.2, p.239-244.

Clark, S. P., Jr. (1960B) Geothermal studies, Carnegie Inst. Washington, Geophys. Lab., Ann. Rpt. Dir., 1960-61; Rept. (1961) Carnegie Inst. Washington, Yearb. 60, p.185-190.

Clark, S. P., Jr. (1961A) Heat flow in the Austrian Alps, Royal Astron. Soc. Geophys. Jour., V.6, N.1, p.54-63, illus., map.

Clark, S. P., Jr. (1962) Temperatures in the continental crust (in Temperature - Its Measurement and Control in Science and Industry), New York: Reinhold Publishing Corp., V.3, pt.1, p.779-790.

Clark, S. P., Jr (1966A) Thermal conductivity (in Handbook of Physical Constants), Rev. Ed., Geol. Soc. Am., Mem. 97, Sec.21, p.459-482, tables.

Clark, S. P., Jr. and Niblett, E. R. (1954) Terrestrial heat flow in the Swiss Alps, Royal Astron. Soc. Monthly Not., Geophys. Suppl., V.7, p.176-195.

Clark, S. P., Jr. and Niblett, E. R. (1956) Terrestrial heat flow in the Swiss Alps, Royal Astron. Soc. Monthly Not., Geophys. Suppl., V.7, N.4, p.176-195, illus., map.

Claude, G. and Claude, A. G. (1949A) On the thermal utilization of the soil (French), Acad. Sci. Compt. Rend., V.228, p.544-545.

Collins, B. G. and Summer, J. C. (1963) An instrument for measuring vertical temperature profiles in small bore-holes, *Geofis. Pura Appl.*, V.54, p.77-83.

Collura, P. (1949-50) Natural thermalism studied from the point of view of the Euganeo plan (Italian), *Ingr.*, V.23, p.1221-1229, 1349-1356, V.24, p.25-33, *Abs.* (1951) *Chem. Abs.*, V.45, Col.9372.

Combs, J. and Simmons, G. (1969) Heat flow measurements in Iowa, *Abs. Am. Geophys. Union, Trans.*, V.50, N.4, p.316.

Combs, J. and Simmons, G. (1973) Terrestrial heat flow determinations in the north central United States, *Jour. Geophys. Res.*, V.78, N.2, p.441-461.

Combs, J. B. (1970) Terrestrial heat flow in north-central United States, *Ph.D. Dissert.*, MIT, Cambridge, MA.

Combs, J. B. (1971) Heat flow and geothermal resource estimates for the Imperial Valley in Cooperative geological-geophysical-geochemical investigations of geothermal resources in the Imperial Valley area of California, *Univ. of CA, Riverside, Education Research Service*, p. 5-27.

Combs, J. B. and Simmons, G. (1973) Terrestrial heat flow in the north-central United States, *Jour. Geophys. Res.*, V.78, p.441-461.

Contini, G. F. (1964) Geothermograph for a well with elevated temperature (English *Abs.*), *Boll. Geofis. Teor. Appl.*, V.6, N.21, p.25-33.

Cooper, L. R. and Jones, C. (1959) The determination of virgin strata temperatures from observations in deep survey boreholes, *Royal Astron. Soc. Geophys. Jour.* V.2, N.2, p.116-131, *illus.*

Cooper, M. A. (1950) Thermal conductivity of Witwatersrand rocks, *Abs.*, *Geophys.*, V.15, N.2, p.312.

Cope, J. H. (1959) Investigation of the availability of geothermal energy for the demineralization of saline water in California (in *Investigation of the Availability of Geothermal Energy for the Demineralization of Saline Water*), *U. S. Dept. Interior, Res., Develop. Prog. Rpt.* 28, pt.2, p.25-43.

Costain, J. K. (1969) Probe response and continuous thermal measurements, *Abs.*, *Am. Geophys. Union, Trans.*, V.50, N.4, p.315.

Costain, J. K., Glover, L. and Sinha, A. K. (1979) Evaluation and targeting of geothermal energy resources in the southeastern United States, *Prog. Rpt. VA Polytechnic Inst. and State Univ.*, DOE Contract no. ET-78-C-05-5648, 246 p.

Costain, J. K. and Wright, P. M. (1969) Heat flow and precision temperature measurements in boreholes, *10th Ann. Soc. Prof. Well Log Analysts Logging Symp.*, Houston, TX, 1969, *Trans.*, p.J1-J21, *illus.*

Crain, I. K. (1969) A simple method of calculating climatic corrections to heat flow measurements, *Canadian Jour. Earth Sci.*, V.6, N.3, p.499-502, *table.*

Cronoble, J. M. (1969) Geothermal gradients and their application to petroleum geology, Min. Geologist, V.6, N.1, p.27-39, tables, illus.

Crough, S. T. and Thompson, G. A. (1976) Thermal model of continental lithosphere, Jour. Geophys. Res., V.81, p.4857-4862.

Crowe, C. (1962A), The thermal state of the earth, Mineral Indust., V.31, N.5, p.1-8.

Crowe, C., Moench, A. F., and Taylor, P. T. (1962) Applications of cylindrical thermal probe theory to the determination of thermal constants, PA State Univ. Mineral Indust. Expt. Sta., Circ.63, p.199-215.

Cummings, R. G., Morris, G. E., Tester, J. W., and Bivins, R. L. (1979) Mining Earth's heat: hot dry rock geothermal energy, Tech. Rev. V.81, N.4.

Dakhrov, V. N. and Dyakonov, O. I. (1952) Thermal investigation in drill holes, Gostoptekh., 252 p.

Dakhnov, V. N. and Ryapolova, V. A. (1952) The differential method of thermometry in drill holes (differential thermologging), Promyslovaya Geofiz., p.104-136.

Dal'yan, I. B. and Sydkov, Z. (1963) Geothermal conditions of the Aktyubinsk area near the Urals, Sovetskaya Geol., N.11, p.135-139.

Damon, P. E. (1950) Radioactivity and mineralization in rhyolite porphyry, Geophys., V.15, N.1, p.94-101, illus.

Darton, N. H. (1897) New developments in well boring and irrigation in eastern South Dakota, 1896, U. S. Geol. Surv., 18th Ann. Rpt., pt.4, p.561-615, 10 pl.

Day, A. L. and Allen, E. T. (1924) The sources of the heat and the source of the water in the hot springs of the Lassen National Park, Jour. Geol., V.32, N.3, p.178-190.

Dean, C. (1960) Using nuclear resonance to sense temperature, Electronics, V.33, N.28, p.52-54.

Decker, E. R. (1969) Heat flow in Colorado and New Mexico, Jour. Geophys. Res., V.74, N.2, p.550-559, tables, illus.

Decker, E. R. and Birch, F. (1974) Basic heat flow data from Colorado, Minnesota, New Mexico, and Texas, U. S. Geol. Surv. Open-file Rpt. 74-9, p.5-1 - 5-59.

Decker, E. R. and Smithson, S. B. (1975) Heat flow and gravity interpretation across the Rio Grande Rift in southern New Mexico and west Texas, Jour. Geophys. Res., V.80, p.2542-2552.

Dennis, B. R. (1978) High temperature geothermal well-logging cable, Los Alamos Scientific Lab., NM (USA) Rpt. LA-UR-78-323; from Soc. of Professional Well Log Analysts, 20th Ann. Logging Symp., Tulsa, OK, (June 3-6, 1979).

Dennis, B. R. and Murphy, H. D. (1978) Borehole temperature survey analysis hot dry rock geothermal reservoir, Los Alamos Scientific Lab., NM (USA) Rpt.LA-UR-78-905, 5 p.: from Geothermal Resources Council Meeting, Hilo, HI (25 Jul 1978).

Depovskiy, S. and Sapula, I. (1968) Results of thermal investigations in the southeast Polish lowland, Neftegazovaya Geol., Geofiz., N.3, p.41-49, illus., map.

Derpgol'ts, V. F. (1968) Geothermal features of one of the tracts of the Yenisei sector of the Arctic, Akad. Nauk SSSR, Doklady, V.179, N.5, p.1091-1093, tables, illus.

Diment, W. H. (1964) Thermal conductivity of serpentinite from Mayaguez, Puerto Rico, and other localities (in Study of Serpentinite), Natl. Res. Council, Pub. 1188, p.92-106.

Diment, W. H., Marine, I. W., Neiheisel, J. and Siple, G. E. (1965) Subsurface temperature, thermal conductivity, and heat flow near Aiken, South Carolina, Jour. Geophys. Res., V.70, N.22, p.5635-5644, tables, illus.

Diment, W. H., Raspet, R., Mayhew, M. H., and Werre, R. W. (1965) Terrestrial heat flow near Alberta, Virginia, Jour. Geophys. Res., V.70, N.4, p.923-929, 2 tables, 2 fig.

Diment, W. H. and Robertson, E. C. (1963) Temperature, thermal conductivity, and heat flow in a drilled hole near Oak Ridge, Tennessee, Jour. Geophys. Res., V.68, N.17, p.5035-5047, 5 tables, 10 fig.

Diment, W. H., Urban, T. C., and Revetta, F. A. (1972) Some geophysical anomalies in the eastern United States (in Robertson, E. C. (Ed.) The Nature of the Solid Earth) New York, McGraw-Hill, p.544-572.

Diment, W. H., Urban, T. C., Sass, J. H., Marshall, B. V., Munroe, R. J., and Lachenbruch, A. H. (1975) Temperatures and heat contents based on conductive transport of heat, U. S. Geol. Surv. Circ. 726, p.84-103.

Diment, W. H. and Weaver, J. D. (1964) Subsurface temperatures and heat flow in the Amsoc core hole near Mayaguez, Puerto Rico (in A Study of Serpentinite), Natl. Res. Council, Pub. 1188, p. 75-91

Diment, W. H. and Werre, R. W. (1964) Terrestrial heat flow near Washington, D. C., Jour. Geophys. Res., V.69, N.10, p.2143-2149, 5 tables, 2 fig.

Doig, R. P., Saull, V. A., and Butler, R. A. (1961) A new borehole thermometer, Jour. Geophys. Res., V.66, N.12, p.4263-4264.

Donaldson, I. G. (1959) Temperature errors introduced by temperature-measuring probes, British Jour. Appl. Phys., V.10, N.6, p.252-255.

Dort, W. Jr. (1966) Rapid reconnaissance of heat flow patterns in snow-covered thermal areas, Jour. Geophys. Res., V.71, N.18, p.4439-4440, illus.

Dowty, E. L. (1964) Solutions to the transient heat conduction equation with variable thermal conductivity, Ph.D. Dissert., OK State Univ., Abs., Dissert. Abs., V.2603, p.1564.

Doyle, D. and Studt, F. E. (1964) Scientific factors in geothermal investigation and exploitation, U. N. Conf. New Sources Energy, Rome, Italy, 1961, Proc., V.2, p.194-200.

Drigo, A and Rostagni, A. (1943) Research on radioactivity of the thermal zone of the Euganean Hills (Italian), Istit. Veneto Sci., Let., Arti Atti, V.102, N.2, p.407-413, Abs. (1949) Chem. Abs., V.43, Col.7331.

Druzhinin, A. V. (1961) Relationship between geothermal regimen of the sedimentary cover and the structure of the crystalline basement, Geol. Nefti, Gaza, N.3, p.44-48.

Druzhinin, A. V. (1962) Geothermal field of the intraformational Kanskokinel depression, Trans. (1965) Petrol. Geol., V.6, N.3, p.174-176, fig.

Dubinskiy, A. Y. (1955) Geothermal conditions of Caucasus foreland and of the adjoining regions of the eastern Donbas, Sovetskaya Geol., N. 46, p.82-99, illus., map.

Duchkov, A. D. and Serdyakov, V. A. (1968) A borehole thermometer, Razved. Geofiz., N.27, p.86-89, illus.

Duganov, G. V. (1968) The geothermy of deposits as the main parameter in the control of heat conditions in deep mines, Freiburger Forschungsh., C 238, p.131-138, illus.

Dumanskiy, S. G. and Kul'chitskiy, D. I. (1967) Geothermal characteristics of the oil and gas fields of the Ciscarpathian depression and use of the geothermal method of surveying to prospect for deep structures (in Regional'naya Geotermiya I Rasprostraneniye Termal'nykh Vod V SSSR), Soveshchaniya Geoterm. Issled. SSSR, 2nd, Moscow, 1964, Trudy, V.2, Izdatel'stvo "Nauka," p.75-84, table, illus.

Dvorak, Z. (1962) ON the variations of the heat conductivity coefficient in rock samples under pressure, Freiburger Forschungsh., C 126, p.49-51.

Dyakonov, D. I. (1960) Geothermy in regional geology and in the study of subsurface tectonics, Geol. Nefti, Gaza, N.11, p.50-54; Trans. (1963) Petrol. Geol., V.4, N.11-B, p.657-661.

Dyakonov, D. I. (1961) Problem of determination of basic geothermal parameters, Trans. (1965) Petrol. Geol., V.5, N.9, p.500-503, 2 fig.

Dzhamalov, S. A., Levkovitch, R. A., and Suyetnov, V. V. (1965) The heat of the earth and its practical utilization, Izdatel'stvo "Nauka," 110 p., table, illus.

Dzhamalova, A. S. (1967A) Heat flow and generation of radiogenic heat in the epi-hercynian structures of Dagestan, Akad. Nauk SSSR, Doklady, v.176, N.1, p.76-79, tables, illus.; Trans. (1968) Acad. Sci. USSR, Doklady, Earth Sci. Sec., v.176, p.1-3, illus.

Eckert, E. R. G., Sparrow, E. M., Ibele, W. E., and Goldstein, R. J. (1968A) Heat transfer bibliography, Internatl. Jour. Heat Mass Transfer, V.11, N.3, p. 583-603.

Eckert, E. R. G., Sparrow, E. M., Ibele, W. E., Goldstein, R. J., and Scott, C. J. (1968) Heat transfer - a review of current literature, Internatl. Jour. Heat Mass Transfer, V.11, N.10, p.1421-1460, 1 Pl.

Edwards, C. L., Reiter, M. A., Shearer, C., and Young, W. (1977) Terrestrial heat flow and crustal radioactivity in northeastern New Mexico and southeastern Colorado, Geol. Soc. of Am. Bull. v.89, p.1341-1350.

Ehrenberg, S. N. and Perkins, P. C. (1977) Electron microprobe analyses of minerals in precambrian rocks at the Los Alamos Scientific Laboratory geothermal test site, Jemez Mountains, New Mexico, Los Alamos Scientific Lab., NM (USA) Rpt.LA-6695-MS, 15 p.

Ehrenberg, S. N., Perkins, P. C., and Balagna, J. (1977) Preliminary studies of the alteration of a granite by an artificial hydrothermal system, Los Alamos Scientific Lab. Rpt. LA-6696-MS, 18 p.

Elder, J. W. (1966B) Heat and mass transfer in the earth: hydrothermal systems, New Zealand Dept. Sci. Indust. Res. Bull. 169, 115 p., illus.

Eskola, Pentti (1956) Kallioperan lammon virtauksen maarittamisen tarpellisuus, Otaniemi, Finland, Geol., V.8, N.4, p.34.

Evans, H. J. (1955) Memorandum of geothermal gradient in relation to structure in Great Artesian Basin, Australia, Frome Rpt. 5000-6-3.

Fanelli, M. and Lavenia, A. (1968) Consideration on the radical heat flow from a thermal line source, Boll. Geofis. Teor. Appl., V.10, N.38, p.120-133, tables, illus.

Fedotov, S. A. and Farberov, A. I. (1966) On the screening of seismic shear waves and the magma chamber in the upper mantle in the region of the Avachinskaya volcano group (in Vulkanizm i Glubinnoye Stroyeniye Zemli), Vses. Vulkanol. Soveshchaniya, 2nd, Petropavlovsk-Kamchatki 1964, Trudy, V.3, p.43-48, illus.

Firsov, F. V. (1966) Some results of geothermal measurements in the Soviet Union (German and Russian Abs.) Magyar Geofiz, V.7, N.4, p.186-189.

Fisher, H. N. (1977) Interpretation of the pressure and flow data for the two fractures of the Los Alamos hot dry rock (HDR) geothermal system, Los Alamos Scientific Lab., NM (USA) Rpt.LA-UR-77-772, 23 p.: from Symp. on Rock Mech., Rock Mechanics in Geothermal Development, Keystone, CO (22 Jun 1977).

Fisher, H. N. (1979) A case history of pressure transient testing of a man-made geothermal reservoir, Los Alamos Scientific Lab., NM (USA) Rpt. LA-UR-79-489: from 54th Ann. Tech. Conf. and Exhibition Soc. of Petrol. Eng., Las Vegas, NV (Sept. 23-26, 1979).

Frolov, N. M. (1963) Experimental determination of the extent of influence of gravitational convection and well casings on the natural distribution of temperature in boreholes, Akad. Nauk SSSR, Doklady, V.150, N.2, p.301-304.

Frolov, N. M. (1965) Experimental determination of the effect of gravitational convection and casing pipes on natural temperature distribution in boreholes, Akad. Nauk SSSR, Doklady, Earth Sci. Sec., V.150, N.1-6, p.4-7, 3 tables, 2 fig.

Fukao, Y., Mizutani, H., and Uyeda, S. (1968) Optical absorption spectra at high temperatures and radiative thermal conductivity of olivines, Phys. Earth Planetary Interiors, v.1, N.2, p.57-62, tables, illus.

Garland, G. D. and Lennox, D. H. (1962) Heat flow in western Canada, Royal Astron. Soc. Geophys. Jour. V.6, N.2, p.245-262.

Garland, W. H. (1959) Current research in geophysics in Canada, Royal Astron. Soc. Geophys. Jour., V.2, N.1, p.45-50.

Gavlina, G. B. (1967) On the geothermal features of the intermontane basins of southern Siberia and the far east (in Regional'naya Geotermiya I Rasprostraneniye Termal'nykh Vod V SSSR), Soveshchaniya Geoterm. Issled. SSSR, 2nd, Moscow, 1964, Trudy, V.2, Izdatel'stvo "Nauka," p.252-265, tables, illus.

Gayenskiy, V. L. and Rabinovich, Y. I. (1964) Atmospheric effects on satellite measurements of radiation temperature of earth's surface, Leningrad: Tr. Gl. Geofiz. Observ. Im. A. I. Voyeykov, N.166, p.247-260: English trans. (1967) Joint Publ. Res. Serv., 43413, 17 p.

Gerasimov, V. G. and Pokrovskiy, V. A. (1967) On the thermal waters of the paleozoic formations of the Tatar A.S.S.R. (in Regional'naya Geotermiya I Rasprostraneniye Termal'nykh Vod V SSSR), Soveshchaniya Geoterm. Issled. SSSR, 2nd, Moscow, 1964, Trudy, V.2, Izdatel'stvo "Nauka," p.51-57, table, illus.

Giles, D. L. (1964) A discussion of the problems of heat for regional metamorphism during orogeny, Compass, V.42, N.1, p.9-18, 3 fig.

Ginsburg, G. D. (1968) On the geothermal gradient of platform regions of the north of Siberia, Nauchno-Issled. Inst. Geol. Arktiki, Uchenyye Zapiski, Reg. Geol., N.13, p.167-174, illus.

Girdler, R. W. (1966) Statistical analysis of terrestrial heat flow observations, Abs., Am. Geophys. Union, Trans., V.47, N.1, p.182.

Girdler, R. W. (1967B) A review of terrestrial heat flow (in Runcorn, S. Keith, (Ed.) Mantles of the Earth and Terrestrial Planets), London: Interscience Publishers, Inc., NATO Advanced Study Inst., Univ. Newcastle-upon-Tyne, Newcastle-upon-Tyne, England, 1966, Papers, p.549-566.

Girdler, R. W. (1967C) Earth satellites, terrestrial heat flow, mantle convection and the location of extensional and compressional features on the earth's surface, Geol. Assoc. London Proc., V.78, pt.1, p.165-178, illus., maps.

Glyuzman, A. M. (1959A) On cooling of a layer of finite thickness when radiation from its surface follows the Stefan-Bol'tsman law, Sverdlovsk. Gorny. Inst. Trudy, Voprosy Razvedochnoy Geofiz., N.34, p.27-35.

Glyuzman, A. M. (1959B) On the theory of investigation of boreholes by the method of artificial thermal fields, Sverdlovsk. Gorny. Inst. Trudy, Voprosy Razvedochnoy Geofiz., N.34, p.20-27.

Gordiyenko, V. V. and Kutas, R. I. (1968A) Procedure for studying the thermal properties of rocks and calculation of the value of heat flow in Crimea (English Summ.), Akad. Nauk Ukrain. SSR Inst. Geofiz., Geofiz. Sbornik, N.24, p.61-72, tables, illus.

Gorodetskii, A. K., Gurevich, A. S., and Migulin, A. V. (1967) The determination of the ground surface temperature from an aeroplane by measuring the outgoing radiation in the 8-12 micron band (Russian), Akad. Nauk SSR Izv. Fiz. Atm., Okeana, V.3, p.654-657, 5 ref.: (Trans.) Acad. Sci. USSR Izv., Atm., Oceanic Phys., V.3, p.373-375, 5 ref.

Grant, I. D. R. (1964) Progress in heat transfer review of 1966 literature, Chem. Process. Engr., p.125-135.

Griffiths, E. et al. (1936) Thermal conductivities of rocks: Report of committee appointed to investigate the direct determination of the thermal conductivities of rocks in mines or borings where the temperature gradient has been, or is likely to be, measured, British Assoc. Adv. Sci., Rpt., 1936, p.258-291.

Griggs, D. T. (1951A) Some experiments on the plasticity of rocks in the earth, Am. Geophys. Union Trans., V.32, N.4, pt.1, p.505-507.

Grigsby, C. O., Tester, J. W., Holley, C., and Blatz, L. (1979) Solution geochemistry and its impact on field tests of a hot dry rock geothermal system, Los Alamos Scientific Lab., NM (USA) Rpt. LA-UR-79-2985: from Am. Chem. Soc. Mtg., Honolulu, HI (April 1-6, 1979).

Groh, E. A. (1966) Geothermal energy potential in Oregon, Ore. Bin, V.28, N.7, p.125-135, illus.

Grosjean, A. (1954A) On a rather precise measurement of temperature at a depth of 1,877 meters in the Turnhout borehole (Belgian campine), Soc. Belge. Geol. Bull., T.63, pt.1, p.69-73.

Grosjean, A. (1954B) Temperature measurements at depths of 2,185 and 2,225 meters in the borehole of Turnhout (Belgian campine), Soc. Belge. Geol. Bull., T.63, pt.2, p.193-201.

Grossling, B. F. (1959) Temperature variations due to the formation of a geosyncline, Geol. Soc. Am. Bull., V.70, N.10, p.1253-1282.

Gupta, M. L., Verma, R. K., Rao, R. U. M., Hamza, V. M., and Rao, G. V. (1967) terrestrial heat flow in Khetri copper belt, Rajasthan, India, Jour. Geophys. Res., V.72, N.16, p.4215-4220, tables, illus.

Gutschick, V. and Rea, K. (1978) Environmental assessment of dissolved gases in LASL's hot dry rock geothermal source demonstration project, Los Alamos Scientific Lab., NM (USA) Rpt.LA-UR-78-919, 5 p.: from Geothermal Resources Council Meeting, Hilo, HI (25 Jul 1978).

Haenel, R. (1976) Feasibility of using geothermal energy in the Federal Republic of Germany, Niedersaechsisches Landesamt fuer Bodenforschung, Hannover, Germany (in German), Conf-760160-1 Dep. NTIS, PC A03/MF A01, 29 p.

Hagen, W. (1951) Mining at very great depths in South Africa and India, Glucauf, '897 Pub., N.3/4, p.63-70.

Halousek, J. and Prihoda, K. (1968A) Instrument technology of geothermal measurements and the new Czechoslovakian geothermometer GT-1, Freiburger Forschungsch., C 238, p.121-129, illus.

Hales, A. L. (1958) Geophysics in South Africa, Royal Astron. Soc. Geophys. Jour. V.1, N.3, p.249-256, illus.

Hamza, V. M. and Verma, R. K. (1969) The relationship of heat flow with age of basement rocks, Bull. Volcanol., V.33, N.1, p.123-152, table, illus.: Natl. Geophys. Res. Inst., Hyderabad, Ann. Rpt., 1967-68, p.90-91.

Hanson, J. M. (1978) Heat transfer effects in forced geoheat recovery systems, Ph.D. Dissert., Oregon State Univ. Microfilms Order No. 78-95,355, 226 p.

Hatherton, T., Mac Donald, W. J. P., and Thompson, G. E. K. (1965) Geophysical methods in geothermal prospecting, Internatl. Symp. Volcanol., New Zealand, p.75.

Hayakawa, M. (1961B) Geophysical investigation for magma (in Mahadevan Volume), p.95-98.

Hayakawa, M. (1963B) Geophysical structure of geothermal area (Japanese, English Abs.), Butsuri-Tanko, V.16, N.1, p.9-17.

Hayami, H., Kobayashi, H., and Matsunaga, T. (1977) Rock drilling and crushing methods: congealing crush of hot dry rock, (CONF-77054-1), 4 p.: from Meeting on Pollution and Resources, Tokyo, Japan (21 Jul 1977).

Hayamizo, H., Kobayashi, H., and Matsunaga, I. (1977) Fracturing of rock at elevated temperature by borehole cooling, (Japanese) Nippon Kogyo Kaishi, V.93, N.1077, p.863-868.

Healy, J. (1949A) The present state of volcanicity of New Zealand, New Zealand Inst. Trans., Proc., V.77, pt.5, p.277-281.

Hedemann, H-A. (1967) Geologic interpretation of temperature data from deep boreholes (English Summ.), Erdol Kohle, V.20, N.5, p.337-343, illus.

Hedenrych, J. C. R. and Du Plessis, C. B. M. (1952) Instruments for radioactivity and temperature measurement in narrow boreholes, EASA, V.9, June, 11 p.

Hendron, R. H. (1978) Hot dry rock energy extraction operations, Los Alamos Scientific Lab., NM (USA) Rpt.LA-UR-78-904, 5 p.; from Geothermal Resources Council Meeting, Hilo, HI (25 Jul 1978).

Hentinger, R. and Jolivet, J. (1967) On some determinations of geothermal flow in France, Bur. Rech. Geol., Min. Bull., 1967, N.2, p.101-114, tables, illus.

Heroy, W. B. (1968) Thermicity of salt as a geologic function, Geol. Soc. Am., Spec. Paper 88, p.619-629, illus.

Herrin, E. and Clark, S. P., Jr. (1956) Heat flow in west Texas and eastern New Mexico, Geophys., V.21, N.4, p.1087-1099.

Heney, T. L., Roy, R. F., and Wasserburg, G. J. (1967) Heat flow near major faults in central and southern California, Geol. Soc. Am. Mtg., New Orleans, Nov., Abs.

Hill, J. H. (1978) LASL hot dry rock geothermal energy development project, Los Alamos Scientific Lab., NM (USA) Rpt.LA-UR-78-906, 4 p.; from Geothermal Resources Council Meeting, Hilo, HI (25 Jul 1978).

Hind, M. C. (1963) The geology of the New South Wales portion of the Great Artesian Basin, New South Wales Water Conserv. Irrigation Comm., Unpub. Rpt., 25 p., 6 maps.

Hobson, G. D., Beck, A. E., and Findlay, D. C. (1966) Notes on geophysical logs and borehole temperature measurements from the Muskox drilling project, Internatl. Upper Mantle Symp., Ottawa, 1965, Rpt., Canada Geol. Surv. Paper 66-13, p.108-122, table, 6 fig., illus.

Hoel, A. and Holtedahl, O. (1911) Les nappes de lave, les volcans et les sources thermales dans les environs de la Baie Wood au Spitsberg, Kong. Danske Vidensk. Selskab Skr., Kristiania, I. Mat. Naturv. Kl., V.1, N.8, 38 p., 6 ifg., 8 pl., map.

Holter, M. R. and Legault, R. R. (1967) Remote thermal sensing (in Heller, G. B. (ed.) Thermophysics of Spacecraft and Planetary Bodies: Radiation Properties of Solids and the Electromagnetic Radiation Environment in Space), New York: Academic Press Inc., p.547-566, 10 ref. Kottowski, F. E. (1968) Selective Dissem. Serv., Albuquerque: Univ.

Horai, K-I. (1959) Terrestrial heat flow at Hitachi, Ibaraki Prefecture, Japan (in Studies of the Thermal State of the Earth, Third Paper), Tokyo Univ. Earthquake Res. Inst. Bull., V.37, pt.4, p.571-592.

Horai, K-I. (1963A) Studies of the thermal state of the earth, terrestrial heat flow measurements in Tohoku district, Japan (Japanese Abs.), Tokyo Univ. Earthquake Res. Inst. Bull., V.41, pt.1, p.137-147.

Horai, K-I. (1963B) Studies of the thermal state of the earth, terrestrial heat flow measurements in Kyushu district, Japan (Japanese Abs.), Tokyo Univ. Earthquake Res. Inst. Bull., V.41, pt.1, p.149-165.

Horai, K-I. (1963C) Studies of the thermal state of the earth, terrestrial heat flow measurements in Hokkaido district, Japan (Japanese Abs.), Tokyo Univ. Earthquake Res. Inst. Bull., V.41, pt.1, p.167-184.

Horai, K-I. (1964A) Studies of the thermal state of the earth, terrestrial heat flow in Japan, Tokyo Univ., Earthquake Res. Inst. Bull., V.42, pt.1, p.93-132, table, illus.

Horai, K-I. (1964B) Mantle substance and terrestrial heat flow (Japanese, English Abs.), Jour. Geog., V.73, N.3, p.181-183.

Horai, K-I. and Simmons, G. (1969) Spherical harmonic analysis of terrestrial heat flow, Earth Planetary Sci. Let., V.6, N.5, p.386-394, tables, illus.

Horai, K-I. and Simmons, G. (1970) An empirical relationship between thermal conductivity and debye temperature for silicates, Jour. Geophys. Res., V.75, p.978-982.

Horai, K-I. and Uyeda, S. (1960) Studies of the thermal state of the earth, relation between thermal conductivity of sedimentary rocks and water content, Tokyo Univ. Earthquake Res. Inst. Bull., V.38, pt.2, p.199-206.

Horai, K-I. and Uyeda, S. (1963) Terrestrial heat flow in Japan, Nature, V.199, N.4891, p.364-365, map.

Horai, K-I. and Uyeda, S. (1969) Terrestrial heat flow in volcanic areas (in The Earth's Crust and Upper Mantle), Am. Geophys. Union, Geophys. Mon.13, Natl. Res. Council Pub.1708, p.95-109, tables, illus.

Horai, K-I, Uyeda, S. and Rikitake, T. (1964) Terrestrial heat flow in Japan, Jour. Geophys. Res., V.69, N.10, p.2121-2141, illus, map; Abs., Disc. Bull. Volcanol., T.27, p.191-193, map.

Horton, R. C. (1965) Physical properties of the drill core (in Geol., Geophys., Chem., and Hydrol. Investigations of the Sand Springs Range, Fairview Valley, and Fourmile Flat, Churchill County, Nevada), U. S. Atom. Energy Comm. Rpt., Vela Uniform Final Rpt. 1001, p.54-59, table, illus.

Howard, L. E. and Sass, J. H. (1964) Terrestrial heat flow in Australia, Jour. Geophys. Res., V.69, N.8, p.1617-1627, 3 tables, 5 fig.

Huckel, B. and Kappelmeyer, O. (1966) Geothermal investigations in the Saar carboniferous (French Summ.), Deutsch. Geol. Gesell. Zeitschr., V.117, pt.1, p.280-311, tables, illus.

Hull, D. A., Blackwell, D. D., Bowen, R. G., and Peterson, N. V. (1977) Heat flow study of the Brothers fault zone, Oregon, Oregon Dept. of Geology and Mineral Industries, Open-File Rpt. O-77-3, 43 p.

Hull, D. A., Blackwell, D. D., Bowen, R. G., Peterson, N. V., and Black, G. L. (1977) Geothermal gradient data, Oregon Dept. of Geology and Mineral Industries, Open-File Rpt. O-77-2, 134 p.

Hull, D. A., Blackwell, D. D., and Black, G. L. (1978) Geothermal gradient data, Oregon Dept. of Geology and Mineral Industries, Open-File Rpt. O-78-4, 187 p., 1 map.

Hull, D. A., Bowen, R. G., Blackwell, D. D., and Peterson, N. V. (1976) Geothermal gradient data, Brothers fault zone, central Oregon, Oregon Dept. of Geology and Mineral Industries, Open-File Rpt. O-76-2, 24 p.

Hull, D. A., Bowen, R. G., Blackwell, D. D., and Peterson, N. V. (1977) Preliminary heat-flow map and evaluation of Oregon's geothermal energy potential, Ore Bin, V.39, N.7, p.109-123.

Hunsbadt, A., Kruger, P., and London, A. L. (1978) Energy extraction from a laboratory model fractured geothermal reservoir, J. Pet. Technol., V.30, N.5, p.712-718.

Hunt, A. M. (1964) The measurement of borehole discharges, downhole temperatures and pressures, and surface heat flows at Wairakei (French Summ.), U. N. Conf. New Sources Energy, Rome, Italy, 1961, Proc., V.3, p.196-207.

Hurley, P. M. (1952) Heat production in basalts and their origin, Am. Mineralogist, V.38, p.345.

Hurtig, E. (1965) Investigations of the heat conductivity anisotropy of sandstones, graywackes, and quartzites (English Summ.), Pure Appl. Geophys., V.60, p.85-100.

Hurtig, E. (1968) Results of heat conductivity measurements on rock samples from the German Democratic Republic in the framework of a program of petrophysical investigations, Freiburger Forschungsh., C.238, p.101-118, illus.

Hutt, J. R. and Berg, J. W., Jr. (1968) Thermal and electrical conductivities of sandstone rocks and ocean sediments, Geophys., V.33, N.3, p.489-500, tables, illus.

Hyndman, R. D., Lambert, I. B., Heier, K. S., Jaeger, J. C., and Ringwood, A. E. (1968) Heat flow and surface radioactivity measurements in the precambrian shield of western Australia, Phys. Earth Planetary Interiors, V.1, N.2, p.129-135, tables, illus.

Ingersoll, L. R., Zobel, O. J., and Ingersoll, A. C. (1948) Heat conduction, with engineering and geological applications, New York: McGraw-Hill Co., 278 p.; Rev. ed., 1954, Madison: Univ. WI Press, 284 p., App.

Ingerson, E. (1955B) Methods and problems of geologic thermometry, *Econ. Geol.*, 50th Ann. V., pt.1, p.341-410, illus.

Jaeger, J. C. (1956) Conduction of heat in an infinite region bounded internally by a circular cylinder of a perfect conductor, *Australian Jour. Phys.*, V.9, N.2, p.167-179.

Jaeger, J. C. (1959B) Temperatures outside a cooling intrusive sheet, *Am. Jour. Sci.*, V.257, N.1, p.44-54, 2 tables, 2 fig.

Jaeger, J. C. (1959C) The use of complete temperature-time curves for the determination of thermal conductivity with particular reference to rocks, *Australian Jour. Phys.*, V.12, N.3, p.203-217.

Jaeger, J. C. (1961A) The effect of drilling fluid on temperatures measured in boreholes, *Jour. Geophys. Res.*, V.66, N.2, p.563-569, 2 tables, 3 fig.

Jaeger, J. C. (1961B) The cooling of irregularly shaped igneous bodies, *Am. Jour. Sci.*, V.259, N.10, p.721-734, illus.

Jaeger, J. C. (1964) Thermal effects of intrusions, *Rev. Geophys.*, V.2, N.3, p.443-466, 2 tables, 4 fig.

Jaeger, J. C. (1965) Application of the theory of heat conduction to geothermal measurements (in *Terrestrial Heat Flow*), *Am. Geophys. Union, Geophys. Mon.* 8, p.7-23, 3 tables, 2 fig., illus.

Jaeger, J. C. (1968) Cooling and solidification of igneous rocks (in *Basalts - The Poldervart Treatise on Rocks of Basaltic Composition*), New York - London: Interscience Publishers, V.2, p.503-536, tables, illus.

Jaeger, J. C. (1970) Heat flow and radioactivity in Australia, *Earth & Planet. Sci. Lett.*, V.8, p.285-292.

Jaeger, J. C. and Beck, A. (1955) The calculation of heat flow through disks and its application to conductivity measurements, *British Jour. Appl. Phys.*, V.6, N.1, p.15-16.

Jaeger, J. C. and Sass, J. H. (1963) Lee's topographic correction in heat flow and the geothermal flux in Tasmania, *Geofis. Pura Appl.*, V.54, p.53-63.

Jeffreys, H. (1931) The thermal effects of blanketing by sediments, *Royal Astron. Soc., Monthly Not., Geophys. Suppl.*, V.2, N.7, p.323-329.

Jenke, A. L. (1950) Well temperatures in the Abilene area, *Abilene Geol. Soc., Geol. Contr.*, p.82-87.

Jessop, A. M. (1964B) Geothermal research in Canada, *Canadian Min. Met. Bull.*, V.57, N.622, p.152-155, 2 tables, fig.

Jessop, A. M. (1968) Three measurements of heat flow in Eastern Canada, *Canadian Jour. Earth Sci.*, V.5, N.1, p.61-68, tables, illus.

Jessop, A. M., Hobart, M. A., and Sclater, J. G. (1976) The world heat flow data collection-- 1975, Geothermal service of Canada, Ottawa.

Jobert, G. (1960) Disturbance of heat flow in the earth's crust due to the relief, Acad. Sci. Compt. Rend., V.250, N.19, p.3209-3210.

Johnston, J. and Adams, L. H. (1916) On the measurement of temperature in bore holes, Econ. Geol., V.11, p.741-762.

Joyner, W. B. (1960) Heat flow in Pennsylvania and West Virginia, Geophys., V.25, N.6, p.1229-1241, 8 tables, 4 fig.

Jung, K. (1950) The thermal gradient at the earth's surface and heat generation of the crust by radioactive bodies, as determined by the half-life values (German), Geofis. Pura. Appl., V.17, p.1-12.

Kalashnikov, Y. A. (1963) Some data on the geothermal regime of the Rudny Altay, Akad. Nauk Kazakh. SSR, Izv. Ser. Geol., N.6, p.97-100.

Kanamori, H., Fujii, N., and Mizutani, H. (1968) Thermal diffusivity measurement of rock-forming minerals from 300 degrees to 1,100 degrees K, Jour. Geophys. Res., V.73, N.2, p.595-605, tables, illus.

Kappelmeyer, O. (1967) The geothermal field of the upper Rhinegraben (in Rothe, J. P., and Sauer, K. (Eds.) The Rhinegraben Progress Report, 1967), Baden-Wurtemberg Geol. Landesamt Abh., N.6, p.101-103; Internat'l. Upper Mantle Proj., Sci. Rpt.13, Alsace Lorraine Serv. Carte Geol. Mem. N.26.

Kashkay, M. A. (1967) The role of associated transverse and longitudinal structures in the geothermal regime of the Caucasus (in Regional'naya Geotermiya I Rasprostraneniye Termal'nykh Vod V SSSR), Soveshchaniya Geoterm. Issled. SSSR, 2nd, Moscow, 1964, Trudy, V.2, Izdatel'stvo "Nauka," p.169-174, illus.

Kashpur, Y. N. (1952) Geothermal features of the carboniferous deposits of the southwestern part of the Donets Basin, Akad. Nauk SSSR, Doklady, T.86, N.4, p.809-812, map.

Kashpur, Y. N. and Orda, V. Y. (1967) Geothermal conditions of the Donets Basin (in Regional'naya Geotermiya I Rasprostraneniye Termal'nykh Vod V SSSR), Soveshchaniya Geoterm. Issled. SSSR, 2nd, Moscow, 1964, Trudy, V.2, Izdatel'stvo "Nauka," p.65-70, table, illus.

Kawada, K. (1964) Studies of the thermal state of the earth - pt. 15, variation of thermal conductivity of rocks, pt. 1 (Japanese Abs.), Tokyo Univ. Earthquake Res. Inst. Bull., V.42, pt.4, p.631-647, table, illus.

Kaye, G. W. C. and Higgins, W. F. (1926) The thermal conductivity of vitreous silica, with a note on crystalline quartz, Royal Soc. London, Proc.113, p.335-350.

Kennedy, G. C. and Griggs, D. T. (1960) Power recovery from the Kilauea Iki lava pool, Rand. Corp., N.2696, Contr. N. AT11-1-135, 25 p.

Keys, W. Scott (1967) Well logging in ground-water hydrology, 8th Ann. Soc. Prof. Well Log Analysts Logging Symp., Denver, CO, 1967, Trans., p.1-21, illus.

King, W. and Simmons, G. (1972) Heat flow near Orlando, Florida and Uvalde, Texas determined from well cuttings, Geothermics, V.1, N.4, p.133.

Kintzinger, P. R., Reynolds, C. B., West, F. G. and Suhr, G. (1978) Seismic reflection surveys near LASL geothermal site, Los Alamos Scientific Lab., NM (USA) Rpt. LA-7228-MS, 18 p.

Kissin, I. G. (1967A) Geothermal regime and value of heat flow in central and eastern Ciscaucasia (in Regional'naya Geotermiya I Rasprostraneniye Termal'nykh Vod V SSSR), Soveshchaniya Geoterm. Issled. SSSR, 2nd, Moscow, 1964, Trudy, V.2, Izdatel'stvo "Nauka," p.108-114, table, illus.

Kissin, I. G. and Kazintsev, E. A. (1962) Temperature conditions of the oil-gas regions of central and eastern Ciscaucasia, Trans. (1965) Petrol. Geol., V.6, N.2, p.95-98, 2 fig.

Kiyohashi, H., Kyo, M., and Ishihama, W. (1977) Fracturing patterns and effects of an imitation hot dry rock by impinging of water jets: from Alternative Energy Sources Symp, Miami Beach, FL (5 Dec 1977).

Kjartansson, G., Thoroddsen, S., and Bodvarsson, G. (1952) Islands geologi og udnyttelse af vandkraft og jordvarme, Verkfraedingafelags Islands timarit, Arg.37, N.1-2, p.2-23, illus., Abs. (1958) Annot. Bibliog. Econ. Geol., V.29, N.2, p.307.

Kintzinger, P. R., West, F. G. and Aamodt, R. L. (1977) Downhole electrical detection of hydraulic fractures in GT-2 and EE-1, Los Alamos Scientific Lab., NM (USA) Rpt.LA-6890-MS, 14 p.

Koenigsberger, J. G. and Mulberg, M. (1910) On measurements of the increase of temperature in bore holes; with the depth, technics and practical importance of the same for geological prognosis, with reference to measurements in Mexico, Borneo, and Central Europe, Inst. Min. Engr. Trans., V.39, pt.4, p.1-28; German Trans. (1911) Neues Jahrb. Mineral., Geol., Palaont., Suppl. V.31, p.107-157.

Kolmogorov, A. N. (1950) Determination of the coefficient of thermal diffusivity of the soil (Russian), Akad. Nauk SSSR, Ser. Geog., Geofiz., V.14, N.2, p.97-98.

Kolstad, C. D. and McGetchin, T. R. (1978) Thermal evolution models for the Valles Caldera with reference to a hot dry rock geothermal experiment, J. Volcanol. Geotherm. Res., V.3, p.197-218.

Korgen, B. J., Bodvarsson, G., and Mesecar, R. S. (1971) Heat flow through the floor of Cascadia Basin, Jour. Geophys. Res., V.76, p.4758-4774.

Kortsenshteyn, V. N. (1964A) The deep geothermal regime of Ciscaucasia, Akad. Nauk SSSR, Doklady, V.154, N.6, p.1334-1336.

Kortsenshteyn, V. N. (1964C) Geothermal conditions at depth in the south Mangyshlak downwarp, Trans. (1965) Akad. Nauk SSSR, Doklady, Earth Sci. Sec., V.159, N.1-6, p.77-81, 2 tables, 2 fig.

Kortsenshteyn, V. N. (1964D) Geothermal conditions at depth in the Ciscaucasus, Trans., Akad. Nauk SSSR, Doklady, Earth Sci. Sec., V.154, N.1-6, p.73-75, 3 fig.

Kortsenshteyn, V. N. (1968) The Zhuravskaya geothermal anomaly (Russian) Akad. Nauk SSSR, Doklady, V.181, N.1, p.175-177, illus.; Trans., Acad. Sci. USSR, Doklady, Earth Sci. Sec., V.181, p.22-24.

Koshlyak, V. A. (1961) Relation of the heat fields of the west Siberian lowland to the relief of the pre-jurassic basement, Geol. Nefti, Gaza, V.5, N.1, p.38-43, table, 2 fig.; Trans. (1963) Petrol. Geol., V.5, N.3, p.158-162, 1 table, 2 fig.

Kosygin, Y. A. (1958) An important method of study of the earth's interior, Priroda, N.8, p.21-26.

Kozhevnikov, D. A. (1964) The effect of high temperatures on the spatial distribution of thermal neutrons in rocks (for the setting up of geophysical investigations of deep and extra-deep wells) (in Problemy Yadernoy Geofiziki), Izdatel'stvo "Nedra," p.26-40.

Kozlov, V. G. and Krichevskiy, G. N. (1966) First results of geothermal investigations in the central regions of the Caspian Basin, Neftegazouaya Geol., Geofiz., N.7, p.9-12, tables, illus.

Kraskovsky, S. A. (1959) On some outstanding problems of geothermal investigations in the USSR, Akad. Nauk SSSR, Problemy Geoterm. Prakticheskogo Ispol'zovaniya Tepla Zemli, V.1, p.116-125.

Kraskovsky, S. A. (1961) On the thermal field of shields, Akad. Nauk SSSR, Izv., Ser. Geofiz., N.3, p.387-392, 4 tables.

Kraskovsky, S. A. (1968) On the determination of the heat conductivity of rocks in studying heat flows of the earth, Lvov. Geol. Obshch. Geol. Sbornik, N.11, p.188-190.

Kresl, M. (1968) Heat conductivity of rocks, measuring apparatus and methods of determination, Freiburger Forschungsh., C.238, p.95-100, illus.

Kruger, P., and Ramey, H. J., Jr. (1976) Geothermal reservoir engineering, second workshop summaries, December 1-3, 1976, (PB-276246), Stanford Univ. (SGP-TR-20), 352 p.

Kubota, S. and Berg, E. (1968) Evidence for magma in the Katmai Volcanic Range, Bull. Volcanol., V.31, p.175-214, tables, illus.

Kudryavstev, V. A., Melamed, V. G., and Sharapov, V. N. (1968A) Investigation of the temperature field of tabular intrusions during contact metamorphism (Russian), Akad. Nauk SSSR, Doklady, V.178, N.5, p.1164-1167, illus.; Trans. Acad. Sci. USSR, Doklady, Earth Sci. Sec., V.178, p. 83-85, illus.

Kudryavtsev, V. A., Melamed, V. G., and Sharapov, V. N. (1968B) Calculations of temperature fields in zones of fusion and contact metamorphism, Moskov. Univ. Vestnik, Geol., V.23, N.5, Ser.4, p.35-44, illus.

Kul'chitskiy, D. I. and Osadchiy, V. G. (1968) The thermal field and distribution of oil and gas pools in the petroliferous region of the western Ukraine (Russian), Akad. Nauk SSSR, Doklady, V.179, N.1, p.162-165, map; Trans. Acad. Sci. USSR, Doklady, Earth Sci. Sec., V.179, p. 25-27, map.

Kunz, B. (1949) The gradient in geophysics, B.B.Z., Pub. 65, N.10, p.4-5, N.11, p.6-7.

Kunze, J. F., Stoker, R. C., and Goldman, D. (1977) Heat transfer in formation as a geothermal reservoir engineering tool, Am. Soc. Mech. Eng., N.77-HT-88, p.1-8.

Kuo, M. C. T. (1977) Shape factor correlations for transient heat conduction from irregular-shaped rock fragments to surrounding fluid, Ph.D. Dissert., Stanford Univ., University Microfilms Order No. 77-18-222, 195 p.

Kutas, R. I. (1963) Geothermal conditions in the Carpathian foreland depression, Akad. Nauk Ukrain. SSR Inst. Geofiz., Geofiz. Sbornik, N.6, p.89-92.

Kutas, R. I. (1964) Geothermal profile across the Carpathian foreland depression (English and Russian Summ.), Akad. Nauk Ukrayin. Rsr Dopovidi, N.10, p.1314-1317.

Kutas, R. I. (1967) Features of the geothermal regime of the Soviet Carpathians (English Summ.) Akad. Nauk Ukrain. SSR Mezhdunarodn. Geofiz. Kom., Info. Byull. Geofiz. Astron., N.11, p.3-17, tables, illus.

Kutas, R. I. (1968) On the relationship of heat flow to deep processes (English Summ.), Akad. Nauk Ukrain. SSR, Geofiz. Sbornik, N.25, P.25-30, illus.

Kutas, R. I. (1977) Investigation of heat flow in the territory of the Ukraine, Tectonophysics, V.41, p.139-145.

Kutateladze, S. S. (1964) Fundamentals of heat transfer, Academic Press, 504 p., illus.

Lachenbruch, A. H. (1968B) Preliminary geothermal model of the Sierra Nevada, Jour. Geophys. Res., V.73, N.22, p.6977-6989, table, illus.

Lachenbruch, A. H. (1968C) The effect of two-dimensional topography on superficial thermal gradients, U. S. Geol. Surv. Bull.1203-E.

Lachenbruch, A. H. and Brewer, M. C. (1959) Dissipation of the temperature effect of drilling a well in Arctic Alaska, U. S. Geol. Surv. Bull.1083-C, p.73-109.

Lachenbruch, A. H. (1970) Crustal temperature and heat production--Implications of the linear heat-flow relation, Jour. Geophys. Res., V.75, p.3291-3300.

Lachenbruch, A. H. (1971) Vertical gradients of heat production in the continental crust, 1, theoretical detectability from near-surface measurements, Jour. Geophys. Res., V.76, p.3842-3851.

Lachenbruch, A. H. (1978) Heat flow in the Basin and Range Province and thermal effects of tectonic extension, Pure & Appl Geophys., V.117, p.34-50.

Lachenbruch, A. H. and Bunker, C. M. (1969) Vertical distribution of crustal heat sources, Am. Geophys. Union Trans., V.50, N.4, p.316.

Lachenbruch, A. H. and Bunker, C. M. (1971) Vertical gradients of heat production in the continental crust, 2, Some estimates from borehole data, Jour. Geophys. Res., V.76, p.3852-3860.

Lachenbruch, A. H. and Sass, J. H. (1977) Heat flow in the United States and the thermal regime of the crust (in Heacock, J. G. (Ed.) The Earth's Crust-- Its Nature and Physical Properties) Am. Geophys. Union Monograph 20, p.626-675.

Lachenbruch, A. H. and Sass, J. H. (1978) Models of an extending lithosphere and heat flow in the Basin and Range province, Geol. Soc. Am. Memoir 152, p.209-250.

Lagarde, A. (1965) Study of heat transfer in a porous medium, Inst. Francais Petrole Rev., V.20, N.2, p.383-446.

Lakes, A. (1905A) Geology of the hot springs of Colorado and speculations as to their origin and heat, Co. Sci. Soc. Proc., V.8, p.31-38.

Lambert, I. B. and Heier, K. S. (1967) The vertical distribution of uranium, thorium, and potassium in the continental crust, Geochim. et Cosmochim. Acta, V.31, p.377-390.

Lambert, I. B. and Heier, K. S. (1968B) Estimates of the crustal abundancies of thorium, uranium, and potassium, Chem. Geol., V.3, N.4, p.233-238, illus.

Lane, A. C. (1923B) Geotherms of Lake Superior copper country, Geol. Soc. Am. Bull., V.34, p.703-720.

Lane, A. C. (1935) Normal geothermal gradient in the United States, Am. Assoc. Petrol. Geologists Bull., V.19, p.560.

Langton, A. (1949) Well logging by drilling mud and cutting analysis, Colo. School Min. Quart., V.44, N.3, p.369-378.

Lasky, B. H. (1963) Surface alteration studies map surface structure, World Oil, V.156, N.7, p.75-79.

Lazarenkov, V. G. (1967A) On heats of cooling and crystallization of intrusions at various depths, Vses. Mineral. Obshch. Zapiski, N.3, Ser.2, pt.96, p.256-265, tables.

Lear, J. (1961) Canada's continent-spanning look inside earth, Saturday Rev., V.44, N.5, p.35-40.

Lebedev, T. S., Gordiyanko, V. V., and Kutas, R. I. (1967) Geothermal conditions of Crimea (English Summ.), Akad. Nauk Ukrain, SSR, Geofiz. Sbornik, N.20, p.23-28, table, illus.

Lebedev, T. S., Kutas, R. I., and Gordiyenko, V. V. (1967) Geothermal investigations in the southern and southwestern areas of the Ukrainian SSR (the Crimea and Soviet eastern Carpathians) (Italian Summ.), Boll. Geofis. Teor. Appl., V.9, N.36, p.333-343, illus., maps.

Lee, T-C. and Henyey, T. L. (1975), Heat flow through the southern California borderland, Jour. Geophys. Res., V.80, p.3733-3743.

Lee, W. H. K. (1963) Heat flow data analysis, Rev. Geophys., V.1, N.3, p.449-479, 7 tables, 4 fig.

Lee, W. H. K. (Ed.) (1965) Terrestrial heat flow, Am. Geophys. Union, Geophys. Mon. Ser., N.8, 276 p., tables, illus.; Natl. Res. Council Pub., N.1288.

Lee, W. H. K. (1965B) The present state of heat flow observations, Internatl. Symp. Volcanol., New Zealand, p.100.

Lee, W. H. K. and Clark, S. P., Jr. (1966) Heat flow and volcanic temperatures (in Handbook of Physical Constants), Rev. Ed., Geol. Soc. Am., Mem. 97, Sec.22, p.483-511, tables.

Lee, W. H. K. and Uyeda, S. (1965) Review of heat flow data (in Terrestrial Heat Flow), Am. Geophys. Union, Geophys. Mon. Ser., N.8, Chap.6, p.87-190, tables, illus.; Natl. Res. Council Pub., N.1288.

Leith, T. H. (1952) Heat flow at Kirkland Lake, Am. Geophys. Union Trans., V.33, N.3, p. 435-443.

Lewis, D. R. (1966) Exoelectron-emission phenomena and geologic applications, Geol. Soc. Am. Bull., V.77, N.7, p.761-769, illus.

Lewis, T. (1969) Terrestrial heat flow at Eldorado, Saskatchewan, Canadian Jour. Earth Sci., V.6, N.5, p.1191-1197, tables, illus.

Lilley, F. E. M., Sloane, M. N., and Sass, J. H. (1977) A compilation of Australian heat-flow measurements, Jour. Geophys. Res., V.24, pl.439-445.

Lin, H-E. (1965) Theoretical study of thermal conductivity, Ph.D. Dissert., IO State Univ., Abs., Dissert. Abs., V.2610, p.6124.

Lipscomb, G. (1802) Description of Matlock Bath, with an attempt to explain the causes of the heat, and the petrifying quality of the springs, London.

Loddo, M. and Mongelli, F. (1968) The thermal regime of a well perforated by percussion (English Abs.), Boll. Geofis. Teor. Appl., V.10, N.37, p.44-58, tables, illus.

Longchamp (1823B) Sur la chaleur des eaux thermales naturelles, Ann. Chim. Phys., V.24, Ser.2, p.247-259.

Loofbourow, R. L. (1966) Depth and rock temperatures, Min. Engr., V.18, N.1, p.82-87, 2 tables, illus., 2 fig.

Lovering, T. S. (1934) Theory of heat conduction applied to geologic problems, Geol. Soc. Am. Bull., V.46, p.69-94; Abs., Geol. Soc. Am., Proc. 1933, p.95-96.

Lovering, T. S. (1935A) Theory of heat conduction applied to geological problems, Geol. Soc. Am. Bull, V.46, N.1, p.69-94.

Lovering, T. S. (1935B) Endothermic reactions and the heat of radioactive disintegration, Abs., Geol. Soc. Am., Proc. 1934, p.92.

Lovering, T. S. (1936) Heat conduction in dissimilar rocks and the use of thermal models, Geol. Soc. Am. Bull, V. 47, N.1, p.87-100.

Lovering, T. S. (1937) Theory of heat conduction applied to a cooling stock, Abs., Geol. Soc. Am., Proc. 1936.

Lovering, T. S. (1955) Temperature in and near intrusions (in Bateman, A. M. (Ed.) Economic Geology) 50th Anniv. Vol., pt.1, p.249-281.

Lovering, T. S. and Goode, H. D. (1951) Relation of factors affecting ground and rock temperature at shallow depths, Abs., Econ. Geol., V.46, p.804.

Lovering, T. S. and Goode, H. D. (1963) Measuring geothermal gradient in drill holes less than 60 feet deep, east Tintic district, Utah, U. S. Geol. Surv. Bull. 1172, 48 p.

Lyubimova, E. A. (1964) Heat flow in the Ukrainian shield in relation to recent tectonic movements, Jour. Geophys. Res., V.69, N.24, p.5277-5284, illus., map.

Lyubimova, E. A. (1965B) Heat flow in the Ukranian shield in relation to recent tectonic movements, Discussion, Jour. Geophys. Res., V.70, N.10, p.2466-2467.

Lyubimova, E. A. (1968C) Study of heat flow from the earth's interior, Akad. Nauk SSSR Vestnik, N.1, p.71-76, illus.

Lyubimova, E. A. (1968F) On the relationship of the distribution of heat flow to tectonic structures (English Summ.), Izdatel'stvo "Nauka," 23rd Internatl. Geol. Cong., Prague, Czechoslovakia, 1964, Doklady Sovet. Geol. Probema 5, p.37-42, illus.

Lyubimova, E. A. et al. (1965) Terrestrial heat flow in the Krivoi Rog region, Acad. Sci. USSR Bull., Geophys. Ser. N.11, p.978-985, 4 tables, 3 fig.

Lyubimova, E. A. and Firsov, F. V. (1966) Determination of heat flow in some regions of central Asia (in Problemy Glubinnogo Teplovgo Potoka), Akad. Nauk SSSR, Inst. Fiz. Zemli, p.88-106, tables, illus.

Lyubimova, E. A., Lyusova, L. N., Firsov, F. V., Starikova, G. N., and Shushpanov, A. P. (1960) Determination of surface heat flux at Staraya Matsesta, Akad. Nauk SSSR, Izv., Ser. Geofiz., N.12, p.1806-1811.

Lyubinova, E. A. and Polyak B. G. (1969) Heat flow map of Eurasia (in The Earth's Crust and Upper Mantle), Am. Geophys. Union Geophys. Mon.13, Natl. Res. Council Pub.1708, p.82-88, table, illus.

MacCarthy, G. R. (1952) Geothermal investigations on the arctic slope of Alaska, Am. Geophys. Union Trans., V.33, N.4, p.589-593.

Majorowicz, J. (1975) Heat flow on the Polish lowland territory, (Polish) Acta Geophys. Pol., V.23, N.3, p. 259-275.

Makarenko, F. A. and Chikhradze, S. G. (1965), Deep heat flow in the Colchidian lowland, Akad. Nauk SSSR, Doklady, V.160, N.4, p.907-909.

Makarenko, F. A. and Chikhradze, S. G. (1965B) Heat flow at depth in the Kolkhida Plain, Akad. Nauk SSSR, Doklady,, Earth Sci. Sec., V.160, N.1-6, p.50-52, 2 tables, 3 fig.

Makarenko, F. A., Smirnov, Y. B., and Sergiyenko, S. I. (1968) Deep heat flow and tectonic structure of Ciscaucasia, Akad. Nauk SSSR, Doklady, V.183, N.4, p.901-904, illus.; Trans., Acad. Sci. USSR, Doklady, Earth Sci. Sec., V.183, p.91-94, map.

Makarevich, V. N. and Skokov, K. D. (1963) On some results of geothermal investigations in deep boreholes of the Pripyat Basin, Razved, Promyslovaya Geofiz., N.48, p.97-102.

Malyuga, V. P. (1957) An improved electric thermometer for deep measurements, Razved. Promyslovaya Geofiz., N.17, p.93-97.

Marovelli, R. L. et al. (1966) Thermal fragmentation of rock, Soc. Min. Engr. Trans., V.235, p.1-15, table, 16 fig.

Marvelli, R. L., Chen, T. S., and Veith, K. F. (1966) Thermal fragmentation of rock, Soc. Min. Engr. Trans., v.235, n.1, p.1-15, tables, illus.

Matviyenko, V. N. (1968B) Results of geothermal investigations on the Kuban, Geol. Nefti, Gaza, N.8, p.35-38.

McBirney, A. R. (1963A) Conductivity variations and terrestrial heat-flow distribution, Jour. Geophys. Res., V.68, N.23, p.6323-6329, 7 fig.

McCuthin J. A. (1929) Preliminary discussion of geothermal gradients in Oklahoma oil fields, OK Acad. Sci., Proc., Univ. Bull., V.9, N.456, New Ser., p.117-118.

McDowell, E. R. H. (1964) Transient heat transfer in solids, Ph.D. Dissert., CA. Inst. Tech.; Abs., Dissert. Abs., V.2508, p.4599.

Meincke, W. (1966) Geothermal conditions in the Zechstein and Bunter of the Thuringian Basin and their relation to the structures of the Variscan basement, *Deutsch. Gesell. Geol. Wiss. Ber.*, Reiche A, *Geol. Palaontol.*, V.11, N.1-2, p.209-216, illus., maps.

Meincke, W., Hurtig, E., and Weiner, J. (1967) Temperature distribution, heat conductivity, and heat flow in the Thuringian basin, *Geophys. Geol.*, N.11, p.40-71, tables, illus.

Mekhtiyev, S. F. (1951) Geothermal observations on the Apsheron Peninsula, *Akad. Nauk Azerbaydzhan. SSR, Inst. Geol. Trudy*, V.14, p.16-69.

Mekhtiyev, S. F. and Aliyev, S. A. (1960) Factors affecting the geothermal step of the oil fields of Azerbaijan, *Geol. Nefti, Gaza*, N.3, p.25-28.

Mekhtiyev, S. F. and Hiyev, S. A. (1955) The geothermal gradient in the oil fields of Azerbaydzhan, *Akad. Nauk SSSR, Doklady*, V.102, N.1, p.141-143.

Melikov, T. K. (1964) Changes of temperature in a radial direction with respect to the axis of a borehole, *Vyssh. Ucheb. Zavedeniy Izv.*, *Neft. Gaz*, N.3, p.7-10.

Miholic, S. S. and Mirnik, K. (1957) The thermal source of Laktasi (Bosnia), A geochemical study (French)., *Soc. Chim. Rep. Pop. Bosnie, Herzegovine, Bull.* 6, p.5-9, Abs., (1958) *Chem. Abs.*, V.52, Col.9489.

Miller, D. H. (1965) The heat and water budget of the earth's surface (in Landsberg, H. E., and Miegheem. J. van (eds.) *Advances in Geophysics*), NY and London: Academic Press, V.2, p.116-173.

Miller, L. D. (1966A) Location of anomalously hot earth with infrared imagery in Yellowstone National Park, *Univ. Mich., Proc. 4th Symp., Remote Sensing Environ.*, p.751-769, tables, illus.

Miller, L. D. (1968A) Steaming and warm ground in Yellowstone National Park; their location, geophysics, vegetation, and mapping with aerial multispectral imagery, *Ph.D. Dissert.*, Forestry Dept., Univ. MI.

Miridzhanyan, R. T. (1965) Geothermal regionalization of the territory of the Armenian S.S.R., *Akad. Nauk Armyan. SSR, Izv. Nauk Zemli*, V.18, N.3-4, p.67-74, illus.

Miroshnikov, M. V. (1958) Geothermal nature of the section of the meso-cenozoic sediments of the Stavropol Uplift, *Vssh. Ucheb. Zavedeniy Izv. Neft'gaz*, N.5, p.21-27.

Misener, A. D. (1949) Temperature gradients in the Canadian shield, *Canadian Min. Met. Bull.* 446, p.280-281; *Canadian Inst. Min. Met. Trans.*, V.52, p.125-132; Abs., *Royal Soc. Canada Proc.*, V.43, Ser.3, p.213,

Misener, A. D. and Beck, A. E. (1960) The measurement of heat flow over land (in *Methods and Techniques in Geophysics*), New York: Interscience Publishers, Inc., V.1, p.10-61.

Misener, A. D. and Thompson, L. G. D. (1950) Temperature gradients in Ontario and Quebec, Canadian Min. Met. Bull., V.43, N.462, p.542-545.

Misener, A. D., Thompson, L. G. D., and Uffen, R. J. (1951) Terrestrial heat flow in Ontario and Quebec, Am. Geophys. Union Trans., V.32, N.5, p.729-738.

Moiseyenko, U. P. (1968) Heat conductivity of rocks at high temperatures, Freiburger Forschungsh., C.238, p.89-94, illus.

Moiseyenko, U. P. and Sokolova, L. S. (1965) Heat conductivity of some rocks from eastern Sayan and eastern Kazakhstan, Akad. Nauk SSSR Sibirskoye Otdeleniye, Geol., Geofiz., N.4, p.192-196, table, illus.

Moiseyenko, U. P. and Sokolova, L. S. (1967B) Heat flow according to two wells in the Stolbov structure of east Kamchatka, Akad. Nauk SSSR, Sibirskoye Otdeleniye, Geol., Geofiz., N.6, p.106-111, illus.

Mongelli, F. (1962) First determination of the thermal conductivity of clays by means of a cylindrical probe (prelim. note) (English Abs.), Boll. Geofis. Teor. Appl., V.4, N.13, p.47-51.

Mongelli, F. (1963) On the thermal regime of a permeable insular region (English Abs.), Boll. Geofis. Teor. Appl., V.5, N.17, p.56-63.

Mongelli, F. (1964) The possibilities of utilizing the seismic boreholes for geothermal measurement (English Abs.), Boll. Geofis. Teor. Appl., V.6, N.22, p.139-142.

Mongelli, F. (1967) Methods of geothermal measurement on continents with particular regard to prospecting, Bari Univ., 1st Geod. Geofis. Pub., N.53, 60 p.

Mongelli, F. (1968) A method for determination in the laboratory of the thermal conductivity of rocks (English Abs.) Boll. Geofis. Teor. Appl., V.10, N.37, p.51-58, tables, illus.

Mongelli, F. and Morelli, C. (1961) Contributions to geothermal prospecting, Boll. Geofis. Teor. Appl., V.3, N.12, p.294-306.

Moore, E. J. (1957) Application of borehole geophysics to mining exploration, 7th Ann. Drilling Symp., MN Univ. Center Continuation Study, p.25-43.

Morris, B. P. and Cocanower, R. D. (1968) Computers - to increase the value of temperature logs, 9th Ann. Soc. Prof. Well Log Analysts, Logging Symp., New Orleans, LA, 1968, Trans., p.1-21, illus.

Moses, P. L. (1961) Geothermal gradients now known in greater detail, World Oil, V.152, N.6, p.79-82.

Mullins, R. and Hinsley, F. B. (1958) Measurement of geothermal gradient in boreholes, Inst. Min. Engr. Trans., V.117, pt.6, p.379-393.

Munroe, R. J. and Moses, T. H. , Jr. (1969) Temperature data from exploratory boreholes at the supplemental test site, central Nevada: Interim Report, U. S. Geol. Surv., Menlo Park, CA, Contract AT(29-2)-474, 15 p.

Murphy, H. D. (1978) Thermal stress cracking and the enhancement of heat extraction from fractured geothermal reservoirs, Los Alamos Scientific Lab., NM (USA) Rpt. LA-7235-MS, 19 p.

Murphy, H. D. (1978) Thermal stress cracking and the enhancement of heat extraction from fractured geothermal reservoirs, Los Alamos Scientific Lab., NM (USA) Rpt. LA-UR-78-917, 4 p.: from Geothermal Resources Council Meeting, Hilo, HI (25 Jul 1978).

Murphy, H. D. (1979) Hot dry rock geothermal heat extraction, Los Alamos Scientific Lab., NM (USA) Rpt. LA-UR-79-1920: from Geothermal Resources Council 1979 Ann. Mtg., Reno, NV.

Murphy, H. D. (1979) Hot dry rock heat extraction experiments, Geotherm. Res. Council, Trans. V.3, p.473-476.

Murphy, H. D., Lawton, R. G., Tester, J. W., Potter, R. M., Brown, D. W., and Aamodt, R. L. (1977) Preliminary assessment of a geothermal energy reservoir formed by hydraulic fracturing, Soc. Pet. Eng. J., V.17, N.4, p.317-326.

Murphy, H. D., Nabholz, P., and Faas, S. (1979) Laboratory investigations of combined natural and forced convection in faults and fractures, Los Alamos Scientific Lab., NM (USA) LA-UR-79-635: from Amer. Geophys. Union Spring 1979 Mtg., Washington, DC (May 30 - June 2, 1979).

Murphy, H. D. and Tester, J. W. (1979) Heat production from a hot dry rock geothermal reservoir formed by hydraulic fracturing-- A comparison of field and theoretical results, Los Alamos Scientific Lab., NM (USA) Rpt. LA-UR-79-48: from 54th Ann. Tech. Conf. and Exhibition Soc. of Petrol. Eng., Las Vegas, NV (Sept. 23-26, 1979).

Murrell, S. A. F. (1967) An experimental study of the effect of temperature and stress on the creep of rocks, with a discussion of earth tide-damping, isostasy and mantle convection, Royal Astron. Soc., Geophys. Jour., V.14, N.1-4, p.51-55.

Nathan, H. (1949) Geological findings from exploratory drilling for oil in the Bavarian Innviertel (German), Munich: Geol. Bavarica, N.1, 68 p., 6 tables, 5 fig., 1 pl.

Nazarov, S. N. (1968) Geothermal features of the Fergana oil and gas basin, Geol. Nefti, Gaza, N.8, p.38-42, tables, illus.

Negi, J. G. and Narain Singh, R. (1968A) Propagation matrices for some geothermal problems, Pure Appl. Geophys., V.69, p.100-109.

Negi, J. G. and Narain Singh, R. (1968B) Heat transfer in multi-layered media with temperature dependent sources, Pure Appl. Geophys., V.69, p.110-118.

Negi, J. G. and Narain Singh, R. (1969) A matrix method for heat conduction in multi-layered media, *Pure Appl. Geophys.*, V.73, p.143-151, illus.

Newell, J. (1978) Power from hot rocks, *Coal, Gold Base Miner. South Afr.*, V.26, N.4, p. 65.

Newstead, G. and Beck, A. (1953) Borehole temperature measuring equipment and the geothermal flux in Tasmania, *Australian Jour. Phys.*, V.6, N.4, p.480-489.

Nishimura, S. (1961) Variations in radioactivity and chemical elements across igneous contacts, *Kyoto Univ., Coll. Sci. Mem.*, V.28, N.2, Ser.B, p.265-284, illus.

Nishimura, S., Hatsuta, J., and Asayama, T. et al. (1968) Radiogenic heat generation of rocks; quantitative analysis of U, Th and K content of rock specimens from the Skikoku district (Japanese), *Abs., Geol. Soc. Japan Jour.*, V.74, N.2, p.118.

Noble, J. A. (1948) Evidence for a steepening of geothermal gradients in some deep mines and drill holes, *Am. Jour. Sci.*, V.246, N.7, p.426-440.

Nur, A. and Horai, K-I. (1969) On the effects of variable conductivity on heat flow, *Abs., Am. Geophys. Union, Trans.*, V.50, N.4, p.315. Marinelli, G. (1946B) Thermal anomalies and geothermal fields related to recent plutonism in Tuscany (English Summ.), *U. N. Conf. New Sources Energy, Rome, Italy, 1961, Proc.*, V.2, p.288-291.

Ogata, Y. and Takata, A. (1977) Dynamic characteristics of rocks under high temperatures (CONF-770460-5), 2 p.: from Spring Meeting of the Minng and Metallurgical Institute of Japan, Tokyo, Japan (Apr. 1977).

Olivero, S. (1963) Temperature of the underground in the Mont Blanc tunnel between points 3,300 and 5,600 m from the Italian mouth, *Accad. Naz. Lincei Atti, Cl. Sci. Fis., Mat., Nat., Rend.*, V.34, N.1, p.48-61.

Olivero, S. (1962) First data on the temperature of the underground in the Mont Blanc tunnel, *Accad. Naz. Lincei Atti, Cl. Sci. Fis. Mat., Nat., Rend.*, V.32, N.2, p.147-151.

Olivero, S. and Penta, F. (1959) On temperature measurments at the Mont Blanc tunnel, *Accad. Naz. Lincei. Atti, Cl. Sci. Fis., Mat., Nat., Rend.*, V.26, N.6, p.731-737.

Omel'chenko, O. K. (1967) Solution of an inverse problem for the two dimensional equation of heat conductivity, *Izdatel'stvo "Nauka,"* p.116-123, table

Ovnatanov, S. T. and Tamrazyan, G. P. (1960) Thermal conditions of the Surakhang-Karachukhur-Zykh-Peschany anticlinal zone (Apsheon Peninsula) (English Abs.) *Sovetskaya Geol.*, N.10, p.99-110, illus, maps; *Trans. (1962) Internatl. Geol. Rev.*, V.4, N.1, p.78-88, illus., maps.

Ovnatanov, S. T. and Tamrazyan, G. P. (1961) Thermal conditions and their value in explaining deep tectonics in the southern part of the Aspheron Peninsula and the adjoining marine coast, Akad. Nauk SSSR, Doklady, Earth Sci. Sec., V.135, N.1-6, p.1134-1136, 4 fig.

Ovnatanov, S. T. and Tamrazyan, G. P. (1967) The relationship of geothermal conditions to structural features illustrated by the Apsheron Peninsula and adjacent offshore area (in Regional'naya Geotermiya I Rasprostraneniye Termal'nykh Vod V SSSR), Soveshchaniya Geoterm. Issled. SSSR, 2nd, Moscow, 1964, Trudy, V.2, Izdatel'stvo "Nauka," p.159-163, table, illus.

Pashkovskiy, I. S. (1967) Analysis of temperature anomalies in the southern Aral region, Abs., Moskov. Abshch. Ispytateley Prirody Byull., Otdel Geol., V.42, N.6, p.149-150.

Pearce, D. C. and Gold, L. W. (1959) Observations of ground temperature and heat flow at Ottawa, Canada, Jour. Geophys. Res., V.64, N.9, p.1293-1298.

Pedersen, R. J. and Schenk, H. (1968) Application of the resistance-capacitance heat flow analog to soil systems (French Abs.), Canadian Geotech. Jour., V.5, N.4, p.181-191, illus.

Penner, E. (1963) Anisotropic thermal conduction in clay sediments, New York: Pergamon Press, Internatl. Clay Conf., Stockholm, 1963, Proc., p.351-364, 4 tables, 6 fig. Plewa, S. (1965) Results of geothermal investigations in Poland (Russian and German Abs.), Magyar Geofiz., V.6, N.2, p.13-22, tables illus.

Petersen, J. F. (1969) A general purpose two-dimensional heat transfer computer code, San Diego, CA: Gulf Gen. Atom., Inc., Contr. at (04-3)-167, 158 p.

Pettitt, R. A. and Tester, J. W. (1978) Development of hot dry rock resources, Los Alamos Scientific Lab., NM (USA) Rpt.LA-UR-78-1336: from Geothermal Seminar, Sacramento, CA (9 May 1978).

Philip, J. R. (1964) Transient heat conduction between a sphere and a surrounding medium of different thermal properties, Australian Jour. Phys., V.17, N.4, p.423-430.

Pokrovskiy, V. A. (1967) Geothermal features of the fundamental geologic-structural elements in the territory of the European part of the U.S.S.R. (in Regional'naya Geotermiya I Rasprostraneniye Termal'nykh Vod V SSSR), Soveshchaniya Geoterm. Issled. SSSR, 2nd, Moscow, 1964, Trudy, V.2, Izdatel'stvo "Nauka," p.30-33, table, illus.

Pollack, H. N. and Chapman, D. S. (1977a) The flow of heat from the earth's interior, Sci. Am., V.237, p.60-76.

Pollack, H. N. and Chapman, D. S. (1977b) On the regional variation of heat flow, geotherms, and lithospheric thickness, Tectonophysics, V.38, p.279-296.

Pollack, H. N. and Chapman, D. S. (1977c) Mantle heat flow, Earth & Planet. Sci. Lett., V.34, p.174-184.

Polyak, B. G. (1964) Nature of the geothermal field near Avacha volcano, Trans., Akad. Nauk SSSR, Doklady, Earth Sci. Sec., V.154, N.1-6, p.6-9, table, fig.

Polyak, B. G. and Smirnov Y. B. (1966) Heat flow on continents, Akad. Nauk SSSR, Doklady, v.168, p.26-29.

Polyak, B. G. and Smirnov, Y. B. (1966B) Characteristics of the geothermal regime in different tectonic regions of the earth's crust, Abs., Moskov. Obshch. Ispytateley Prirody Byull., Otdel Geol., V.41, N.3, p.142.

Polyak, B. G. and Smirnov Y. B. (1968) Relationship between terrestrial heat flow and the tectonics of continents, Geotectonics, V.4, p.205-213.

Polyak, V. G. (1964) On the character of the geotemperature field in the vicinity of Avachinskiy Volcano, Akad. Nauk SSSR, Doklady, V.154, N.2, p.329-332.

Pomarnatskiy, M. A. (1963) Geothermal features of the Salt Dome region of the Caspian basin, Vses. Neft. Nauchno-Issled. Geol.-Razved. Inst. Trudy, N.220, Geol. Sbornik, N.8, p.248-259.

Popov, V. V. (1966) Temperature inhomogeneities as a possible cause of earthquakes, Fiz. Zemli, N.1, p.59-62, illus.; trans., Phys. Solid Earth, N.1, p.34-36, illus.

Potter, J. M. (1978) Experimental permeability studies at elevated temperature and pressure of granitic rocks, Los Alamos Scientific Lab. Rpt. LA-7224-T, 109 p.

Potter, R. M. (1973) Heat flow of the Jemez Plateau, Abs., EOS, Am. Geophys. Union Trans., V.54, p.1214.

Potter, R. M. (1978) Hot dry rock geothermal field test at Fenton Hill, NM - recent results, Los Alamos Scientific Lab., NM (USA) Rpt. LA-UR-78-3161: from Amer. Geophys. Union 1978 Mtg., San Francisco, CA (Dec. 4-8, 1978).

Preston, F. W. (1956) Thermal conductivity in the depths of the earth, Am. Jour. Sci., V.254, N.12, p.754-757.

Puranen, M. Jarvimaki, P., Hamalainen, U., and Lehtinen, S. (1968) Terrestrial heat flow in Finland, Geoexplor., V.6, N.3, p.151-162, tables, illus.

Purtymun, W. D., Adams, W. H., and Stoker, A. K. (1978) Water quality in vicinity of Fenton Hill Site, 1976, Los Alamos Scientific Lab., NM (USA) Rpt.LA-7307-MS, 19 p.

Ramanadham, R. and Murth, A. V. S. (1962) A thermistor thermometer for field studies, Jour. Sci. Indust. Res., V.21D, N.12, p.429-431.

Rankin, D. S. (1974) Heat flow-heat production studies in Nova Scotia, Ph.D. Dissert., Dalhousie Univ., Halifax, Nova Scotia, Canada.

- Rao, R. U. M. and Jessop, A. M. (1975) A comparison of the thermal characters of shields, Canadian J. of Earth Sci., V.12, p.347-360.
- Rao, R. U. M., Rao, G. V., and Narain, H. (1976) Radioactive heat generation and heat flow in the Indian Shield, Earth & Planet. Sci. Lett., V.30, p.57-64.
- Rasor, N. S. and McClelland, J. D. (1960) Thermal property measurements at very high temperatures, Rev. Sci. Instru., V.31, N.6, p.595-604.
- Reilly, W. I. (1958) Temperature distribution about a cooling volcanic intrusion, New Zealand Jour. Geol., Geophys., V.1, N.2, p.364-374, illus.
- Reiter, M. A. and Costain, J. K. (1973) Heat flow in southwestern Virginia, Jour. Geophys. Res., V.78, p.1323-1333.
- Reiter, M. A., Edwards, C. L., Hartman, H., and Weidman, C. (1975) Terrestrial heat flow along the Rio Grande Rift, New Mexico and southern Colorado, Geol. Soc. Am. Bull., V.86, p.811-818.
- Reiter, M. A. and Shearer, C. (1979) Terrestrial heat flow in eastern Arizona, a first report, Jour. Geophys. Res. (in press).
- Reverdatto, V. V. (1968A) On the significance of local and regional paleogeothermal gradients (Russian) Akad. Nauk SSSR, Doklady, V.179, N.6, p.1421-1423; Trans. Acad. Sci. USSR, Doklady, Earth Sci. Sec., V.179, p.106-108.
- Rhodenbaugh, E. F. (1953) Is Boise (Idaho) sitting on a volcano?, Earth Sci. Dig., V.7, N. 2, p.7-11, 27, 3 Fig.
- Riecker, R. E. (1966B) Bibliography of experimental rock deformation, Second Edition, Part 2, U. S. Air Force, Cambridge Res. Labs., Spec. Rpt. N.35, 15 p.
- Rikitake, T. (1959A) Studies of the temperature state of the earth, heat flow associated with magma intrusion, Tokyo Univ. Earthquake Res. Inst. Bull., V.37, pt.2, p.233-243.
- Robertson, E. C. and Peck, D. L. (1969) Thermal conductivity of vesicular basalt, Am. Geophys. Union Trans., V.50, N.4, p.339.
- Roegiers, J. C., Thill, R. E., Brown, W. S., Green, S. J., and Hustrulid, W. A. (1976) Rock characterization at a geothermal site: from 17, Symp. on Rock Mechanics, Snowbird, Utah, 25 Aug 1976.
- Rosenthal, E. and Eckstein, Y. (1968) Temperature gradients in the subsurface of the Dead Sea area, Israel, Israel Jour. Earth Sci., V.17, N.3, p.131-136, table, illus.
- Ross, S. H. (1970) Geothermal potential of Idaho, ID Bur. Mines. Geol., Open-file Rpt., 28 p., 2 tables, 13 pl.; U. N. Symp. Develop. Utilization Geotherm. Res., Pisa, Italy, 1970, Preprint.

Rouwer, R. F. (1952) Measurement of borehole temperatures and the effect of geological structure in the Klerksdorp and Orange Free State areas (with disc.), Geol. Soc. South Africa Trans., V.55, p.89-123, illus., map.

Roy, R. F. (1963) A region of uniform heat flow in the United States, Ph.D. Dissert., Harvard Univ.

Roy, R. F., Blackwell, D. D., and Birch, F. (1968) Heat generation of plutonic rocks and continental heat flow provinces, Earth Planetary Sci. Let., V.5, N.1, p.1-12, tables, illus.

Roy, R. F., Blackwell, D. D., and Decker, E. R. (1972) Continental heat flow (in Robertson, E. C. (Ed.) The Nature of the Solid Earth) New York, McGraw-Hill, p.506-543.

Roy, R. F., Decker, E. R., Blackwell, D. D., and Birch, F. (1968) Heat flow in the United States, Jour. Geophys. Res., V.73, p.5207-5221.

Rozycki, S. Z. (1948) Note concerning the distribution of the geothermal gradient in Poland and neighboring countries, Warszawke Towarystro Naukowe Sprawozdania, 1947, p.115-122.

Ryabukhin, G. E. and Nesterov, I. I. (1960) Geothermal observations in deep wells of the Omsk area, Sovetskaya Geol., N.1, p.129-134.

Sachio, E., (1971) Terrestrial heat flow in Hokkaido, Japan: preliminary report, J. Fac. Sci., Hokkaido Univ., Ser.7;3, N.5, p.443-460.

Sakvarelidze, Y. A. (1968) On a procedure for investigating the dependence of the thermal parameters of rocks on temperature, Akad. Nauk Gruzin. SSR Soobshch., V.51, N.1, p.69-73, illus.

Salaruddin, M. (1959) A portable instrument for determining soil temperatures at various depths, Indian Jour. Meteorol., Geophys., V.10, N.2, p.199-202.

Sammel, E. A. (1968) Convective flow and its effect on temperature logging in small-diameter wells, Geophys., V.33, N.6, p.1004-1012, 8 fig.

Sandberger, G. (1861) Wiesbaden und siene thermen. Eine Naturhistorische Schilderung, Wiesbaden, Germany; 80 p., illus., Abs., Neues Jahrb. Mineral., Geol. Palaont., p. 601

Sass, J. H. (1964A) Heat flow values from the precambrian shield of western Australia, Jour. Geophys. Res., V.69, N.2, p.299-308, 3 tables, 5 fig.

Sass, J. H. (1965) Thermal conductivity of fifteen feldspar specimens, Jour. Geophys. Res., V.70, N.16, p.4064-4065, table.

Sass J. H., Clark, S. P., Jr., and Jaeger, J. C. (1967) Heat flow in the Snowy Mountains of Australia, Jour. Geophys. Res., V.72, N.10, p.2635-2647, tables, illus.

Sass, J. H., Diment, W. H., Lachenbruch, A. H., Marshall, B. V., Munroe, R. J., Moses, T. H., Jr., and Urban, T. C. (1976) A heat-flow contour map of the conterminous United States, U. S. Geol. Surv. Open-File Rpt. 76-756, 24 p.

Sass, J. H., Galanis, S. P., Jr., Munroe, R. J., and Urban, T. C. (1976) Heat-flow data from southeastern Oregon, U. S. Geol. Surv. Open-File Rpt. 76-217, 52 pp.

Sass, J. H., Jaeger, J. C., and Munroe, R. J. (1976) Heat flow and near-surface radioactivity in the Australian continental crust, U. S. Geol. Surv. Open-File Rpt. 76-250, Menlo Park, CA

Sass, J. H., Killeen, P. G., and Mustonen, E. D. (1968) Heat flow and surface radioactivity in the Quirke Lake syncline near Elliot Lake, Ontario, Canada, Canadian Jour. Earth Sci., V.5, N.6, p.1417-1428, tables, illus.

Sass, J. H. and Le Marne, A. E. (1963) Heat flow at Broken Hill, New South Wales, Royal Astron. Soc. Geophys. Jour. V.7, N.4, p.477-489, illus.

Sass, J. H., Lachenbruch, A. H., Munroe, R. J., Greene, G. W., and Moses, T. H., Jr. (1971) Heat flow in the western United States, Jour. Geophys. Res., V.76, N.26, p.6376-6413.

Sass, J. H., Munroe, R. J., and Lachenbruch, A. H. (1968) Measurements of geothermal flux through poorly consolidated sediments, Earth Planetary Sci. Let., V.4, N.4, p.293-298, tables, illus.

Sato, K. (1963) Principles in exploring a geothermal field (Japanese, English Abs.), Butsuri-Tanko, V.16, N.1, p.1-8, illus.

Sato, K. (1964) Methods used in exploring geothermal fields in Japan, with particular reference to geophysical methods, their role and results (French Summ.), U. N. Conf. New Sources of Energy, Rome, 1961, Proc., V.2, p.374-379.

Saull, V. A., Clark, T. H., Doig, R. P., and Butler, R. B. (1962) Terrestrial heat flow in the St. Lawrence lowland of Quebec, Canadian Min. Met. Bull., V.55, N.598, p.92-95; Canadian Inst., Min. Met. Trans., V.65, p.63-66.

Saunders, P. M. (1967) Aerial measurement of sea surface temperature in the infrared, Jour. Geophys. Res., V.72, N.16, p.4109, MA: Woods Hole Oceanog. Inst. Tech. Rpt., N. W. H. O. I., 12 p., ref. 67-61.

Scheffer, V. (1966A) The relation between the European geoid undulations and the distribution of the terrestrial heat flow values, Acad. Sci. Hungaricae Acta Geod., Geophys., Montan., V.1, N.1-2, p.43-48, illus.

Schreiter, R. (1938) Thermen bei Freiberg?, Naturw. Ver. Freiberg Mitt., V.3, p.17-19, Abs. (1939) Neues Jahrb. Mineral., Geol. Palaont., Ref.2, p.86.

Schreter, Z. (1926) Die lauen thermen von eger (elau), Jahrb. Koniglichen Ungarischen Geol. Anstalt Mitt., V.25, p.101-124, 2 fig., 1 pl.

Scott, D. R. (1954) Transient heat flow in anisotropic strata, Phys. Soc. London Proc., V.67, pt.9, p.731

Schossler, K. and Schwarzlose, J. (1959) Geophysical heat flow measurement (principles and results), Freiburger Forschungsh., Geophys., c. 75, 120 p.

Schuster, J. E., Blackwell, D. D., Hammond, P. E., and Huntting, M. T. (1978) Heat flow studies in the Steamboat Mountain-Lemei Rock area, Skamania County, Washington, Div. of Geol. and Earth Resources, State of WA, Info. Circ. 62, 56 p.

Schwinner, R. (1942) On the heat content of the earth, Gerlands Beitr. Geophys. M, V.58, p.234-296; Abs. (1943) Zeitschr. Prakt. Geol., V.51, N.6, p.69-70.

Sharma, O. P. (1967) Theoretical studies on conductive, connective and radiative heat transfer, Ph.D. Dissert., Univ. CA., San Diego, Abs., Dissert. Abs., V.281VB, p.4979.

Shteynberg, G. S. and Zubin, M. I. (1963) On the depth of the magma reservoir under Avachinskiy Volcano, Akad. Nauk SSSR, Doklady, V.152, N.4, p.968-971.

Shilov, Y. S. (1967) The influence of geologic structures on the density redistribution of thermal currents, Abs., Moskov. Abshch. Ispytateley Prirody Byull., Otdel Geol., V.42, N.6, p.150.

Shimazu, Y. (1961B) A geophysical study of regional metamorphism, Japanese Jour. Geophys., V.2, N.4, p.135-176, illus.

Shimazu, Y. and Kono, Y. (1964) Unsteady thermal convection within the upper mantle and tectogenesis (Japanese, English Abs.), Zisin, V.17, N.3, Ser.2, pt.2, p.148-157.

Shushpanov, A. P. (1966) On the thermal regime of the Carpathian region of the U.S.S.R. (in Problemy Glubinnogo Teplovgo Potoka), Akad. Nauk SSSR, Inst. Fiz. Zemli, p.133-143, tables, illus.

Sibbitt, W. L., Dodson, J. G., and Tester, J. W. (1978) Thermal conductivity of rocks associated with energy extraction from hot dry rock geothermal systems, Los Alamos Scientific Lab., NM (USA) Rpt.LA-UR-78-1240, 25 p.: from 15th International Thermal Conductivity Conf., Ottawa, Ontario, Canada (24 Aug 1977).

Simmons, G. (1961) Anisotropic thermal conductivity, Jour. Geophys. Res., V.66, N.7, p.2269-2270.

Simmons, G. (1965) Continuous temperature - logging equipment, Jour. Geophys. Res., V.70, N.6, p.1349-1352.

Simmons, G. (1966A) Temperature logging and heat flow (in 7th Ann. Soc. Prof. Well Log Analyst's Logging Symp., Tulsa, Okla., 1966, Trans.), Houston, TX: Soc. Prof. Well Log Analysts, p.11-19, illus.

Simmons, G. (1966C) Crustal drilling in the United States, Internatl. Upper Mantle Symp., Ottawa, 1965, Rpt. Canada Geol. Surv., Paper 66-13, p.42-50, 7 fig.

Simmons, G. (1967B) Interpretation of heat flow anomalies, flux due to initial temperature of intrusives, Rev. Geophys., V.5, N.2, p.109-120, illus.

Simmons, G. and Roy, R. F. (1969) Heat flow in North America (in The Earth's Crust and Upper Mantle), Am. Geophys. Union Geophys. Mon.13, Natl. Res. Council Pub.1708, p.78-81, illus.

Simonen, F. A. (1967) Extension criteria for cracks disturbing uniform heat flow, Ph.D. Dissert., Stanford Univ., Abs., Dissert. Abs., V.2801B, p.205.

Sleep, N. H. (1969) Sensitivity of heat flow and gravity to the mechanism of sea-floor spreading, Jour. Geophys. Res., V.74, N.2, p.542-549, illus.

Smirnov, Y. B. (1968A) Relationship of the thermal field to the structure and evolution of the earth's crust and upper mantle (English Summ.), Geotek., N.6, p.3-25, tables, illus.

Smirov, Y. B. (1969) Heat flow and distribution of deep temperatures in tectonically active belts of the earth (in connection with problems of tectonics and magmatism) (in Problemy Suyazi Tektoniki I Magmatizma (Trudy Soveshchaniya), Akad. Nauk SSSR, Otdel. Geol., Geofiz., Geokhim., Tekton. Kom., p.243-249, table, illus.

Smith, D. L. (1974) Heat flow, radioactive heat generation, and theoretical tectonics for northern Mexico, Earth & Planet. Sci. Lett., V.23, p.43-52.

Smith, D. L., Nuckels, C. E., Jones, R. L., and Cook, G. A. (1979) Distribution of heat flow and radioactive heat generation in northern Mexico, Jour. Geophys. Res., V.84, p.2371-2379.

Smith, J. L., Isselhardt, C. F. and Matlick, J. S. (1977) Summary of 1976 geothermal drilling: western United States, Geothermal World Directory, 1977/78 edition, Geothermal World Publications, Reseda, CA, p.256-263.

Smith, R. L. and Shaw, H. R. (1975) Igneous-related geothermal systems, U. S. Geol. Surv. Circ. 726, p.58-83.

Somerton, W. H. (1958) Some thermal characteristics of porous rocks, Jour. Petrol. Tech., V.10, N.5, p.61-64.

Somerton, W. H. and Boozer, G. D. (1960) Thermal characteristics of porous rocks at elevated temperatures, Jour. Petrol. Tech., V.12, N.6, p.77-81, 2 tables, 6 graphs.

Spicer, C. (1941) Geothermal gradient at Grass Valley, California, Washington Acad. Sci. Jour., V.31, p.495-501.

Spicer, H. C (1964) Geothermal gradient and heat flow in the Salt Valley anticline, Utah (Italian Abs.) Boll. Geofis. Tech. Appl., V.6, N.23, p.263-282.

St, J. C. M. (1977) Analysis of deep boreholes in hot, dry, crystalline rock, Proc. Symp. Rock Mech., V.1: 1B1.

Stegena, L. (1958) The geothermal relationships of the Great Hungarian Plain, Geofiz. Kozlemenek, V.7, N.3-4, p.229-238.

Stegena, L. (1965) On the heat budget of basins, Freiburger Forschungsh, C174, p.141-150.

Steinhart, J. S., Hart, S. R., and Smith, T. J. (1969) Heat flow, Carnegie Inst. Washington, Yearb.67, 1967-68, p.360-367, illus.

Stenz, E. (1954) Deep-well temperatures and geothermal gradient at Ciechocinek (English, Polish Summ.), Acta Geophys. Polonica, V.2, N.4, p.159-168.

Stephens, D. R. (1963) High temperature thermal conductivity of six rocks, Univ. CA, Radiation Lab., N.7605, 15 p., table, 8 fig.

Studd, F. E. (1964) Geophysical prospecting in New Zealand's hydrothermal fields (French Summ.), U. N. Conf. New Sources Energy, Rome, Italy, 1961, Proc., V.2, p.380-385.

Sugawa, A. (1962) On the distribution of ground temperature at 1 m depth influenced by various heat sources, Hokkaido Univ. Fac. Sci. Jour., V.1, N.6.

Sugawara, A. and Yoshizawa, Y. (1961) An investigation on the thermal conductivity of porous materials and its application to porous rock, Australian Jour. Phys., V.14, N.4, p.469-480.

Sugawara, A. and Yoshizawa, Y. (1962) An experimental investigation on the thermal conductivity of consolidated porous material, Jour. Appl. Phys., V.33, N.10, p.3135-3138.

Sukharev, G. M. and Barstev, O. B. (1965) Fresh information on the thermal properties of the stratigraphic sequence of north Sakhalin oil and gas fields, Akad. Nauk SSSR, Doklady, Earth Sci. Sec., V.162, N.1-6, p.119-121, fig.

Sukharev, G. M. et al. (1962) Geothermal features of Caucasian oil and gas deposits, Internatl. Geol. Rev., V.6, N.9, p.1541-1556, 4 fig.; Trans. from Sovetskaya Geol., N.12, p.70-79.

Sukharev, G. M. et al. (1964) New data on the geothermal features of Caucasian oil and gas deposits, the geothermal zoning of the Caucasus, Akad. Nauk SSSR, Doklady, Earth Sci. Sec., V.146, N.1-6, p.85-88, 3 fig.

Sukharev, G. M. et al. (1966) New data on the geothermal response and thermal properties of precambrian, paleozoic, mesozoic, and cenozoic rocks of the Greater Caucasus and Ciscaucasia, Akad. Nauk SSSR, Doklady, Earth Sci. Sec., V.161, N.1-6, p.153-154.

Sukharev, G. M. and Taranukha, Y. K. (1962) Problem of the geothermal character of the section of the tertiary sediments of Azerbaijan, Vyssh. Ucheb. Zavedeniy Izu., Neft'gaz, N.4, p.3-8.

Sukharev, G. M., Taranukha, Y. K. and Vlasova, S. P. (1962A) Geothermal features of the oil and gas fields of the Caucasus, *Sovetskaya Geol.*, N.12, p.70-79, maps; Trans. (1964) *Internatl. Geol. Rev.*, V.6, N.9, p.1541-1556, maps.

Sukharev, G. M., Vlasova, S. P., and Taranukha, Y. K. (1966A) On the problem of the heat flow values of some regions of the Greater Caucasus and Ciscaucasia, *Vyssh. Ucheb. Zavedeniy Izv., Neft' Gaz*, N.5, p.6-8.

Sukharev, G. M., Vlasova, S. P., and Taranukha, Y. K. (1966B) Thermophysical properties of the rocks and heat flow values of some regions of the Greater Caucasus and Ciscaucasia, *Akad. Nauk SSSR, Doklady*, V.171, N.4, p.851-853.

Sukharev, G. M., Vlasova, S. P., and Taranukha, Y. K. (1967) Determination of the thermophysical properties of rocks as a means of logging during drilling, *Akad. Nauk SSSR, Doklady*, V.177, N.3, p.688-690, illus; Trans. (1968) *Acad. Sci. USSR, Doklady, Earth Sci. Sec.*, V.177, p.170-172, illus.

Sukharev, G. M., Vlasova, S. P., Taranukha, Y. K., and Tsogoyev, V. B. (1968) On the high heat flow density along well 36 in the left bank polymetallic deposit (central uplift of the Caucasus anticlinorium), *Sci. USSR, Doklady, Earth Sci. Sec.*, V.181, p.85-87, *Akad. Nauk SSSR, Doklady*, V.181, N.4, p.960-963, illus.; Trans, Acad.

Sultanov, B. I. (1961) Some causes of geothermal anomalies in the Apsheron oil region, *Vyssh. Ucheb. Zavedeniy Izv., Neft'gaz.*, V.4, N.7, p.9-15, 3 tables, Trans. Associated Technical Services, Inc., RJ-3529.

Swanberg, C. A. (1972) Vertical distribution of heat generation in the Idaho batholith, *Jour. Geophys. Res.*, V.77, p.2508-2513.

Swanberg, C. A., Chessman, M. D., Simmons, G., Smithson, S. B., Gronlie, G., and Heier, K. S. (1974) Heat flow-heat generation studies in Norway, *Tectonophysics*, V.23, p.31-48.

Szalai, T. (1949) Origin and heat content of juvenile ingredients of Hungarian thermal waters (Hungarian), *Hidrol. Kozlony*, V.27, p.73-77, (1950) *Chem. Abs.*, V.44, Col.6056.

Szalai, T. (1950) Origin of the "juvenile" substances of the thermal waters in Hungary and their quantity of heat, *Internatl. Union Geod. Geophys., Assoc. Internatl. Hydrol. Sci., Oslo 1948, Trans.* V.3, p. 181-187, map.

Takaoka, S. (1977) Studies of excavation and crushing technology for hot dry rock, Nat'l. Research Institute for Pollution and Resources, Japan, (Japanese) *Chinetsu Gijutsu*, V.2, N.4, p.14-19.

Tester, J. W., Holley, C. E., Jr., and Blatz, L. A. (1977) Solution chemistry and scaling in hot dry rock geothermal systems, Los Alamos Scientific Lab., NM (USA) Rpt.LA-UR-77-611, 19 p.; from 83rd National Meeting of American Institute of Chemical Engineers, Houston, TX (20 Mar 1977).

Thomas, N. M. (1960) Geothermal studies, Great Artesian Basin, Queensland, South Australia and New South Wales, Australia, Frome-Broken Hill Co. Pty. Ltd., Rpt. N.5000-G/P-1, REF.

Tihen, S. S., Carpenter, H. C. and Sohns, H. W. (1968) Thermal conductivity and thermal diffusivity of Green River oil, shale, U. S. Natl. Bur. Standards, Spec. Pub. 302, p.529-535, tables, illus.

Tilling, R. L. and Gottfried, D. (1969) Radiogenic heat production of comagmatic rocks, Abs., Am. Geophys. Union, Trans., V.50, N.4, p.315.

Tilton, G. R. and Reed, G. W. (1963) Radioactive heat production in eclogite and some ultramafic rocks (in Geiss, J., and Goldberg, E. D., Comp., Earth Science and Meteoritics), Amsterdam: North-Holland Publ. Co., p.31-43, tables, fig., illus.

Tikhomirov, V. M. (1968) Heat conductivity of rocks and its relation to density, moisture, and temperature, Neft. Khoz., V.46, N.4, p.36-40, illus.

Tozer, D. C. (1968) Pattern of geothermal heat flow, Jour. Geophys. Res., V.73, N.8, p.2834.

Trevisan, L. (1951) A new hypothesis on the origin of the heat of some springs of Tuscany (Italian), Indust. Min., V.2, p.41-42, Abs. (1953) Chem. Abs., V.47, Col.4525.

Tsaturyants, A. B. and Gadzhiyeva, T. A. (1960) On the geothermal step in the oil-gas regions of Azerbaijan, Geol. Nefti, Gaza, N.7, p.59-62.

Tsaturyants, A. B. and Shabanov, S. F. (1961) Problem of establishing systematic variations in the geothermal step with depth for the field of Azerbaijan, Akad. Nauk Azerbaydzhan. SSR, Izv., V.5, p.109-117.

Tsukkerman, I. I. (1950) Determination of thermal constants by probes (Russian) Jour. Tech. Phys., V.20, N.3, p.353-362.

Tuttle, O. F. (1954) Geothermal gradients and granite magmas, Abs., Geol. Soc. Am. Bull., V.65, p.1315.

Ueji, T. (1958B) Study of the underground temperature gradients of several wells in Arima Spar district, near Kobe, Japan (Japanese, English Abs.), Jour. Geog., V.67, N.1, p.31-40.

Urakami, K., Nishida, Y., and Maki, T. et al. (1968) Crustal heat flow in Hokkaido, part 1, Abs., Volcanol. Soc. Japan Bull., V.13, N.1, p.50-51.

Uyeda, S. (1967) Terrestrial heat flow (Japanese, English Abs.), Volcanol. Soc. Japan Bull., V.12, N.1, Ser.2, p.41-59, tables, illus.

Uyeda, S. and Horai, K-I. (1963A) Studies of the thermal state of the earth, terrestrial heat flow measurements in Kanto and Chubu districts, Japan (Japanese Abs.), Tokyo Univ. Earthquake Res. Inst. Bull., V.41, pt.1, p.83-107.

Uyeda, S. and Horai, K-I. (1963B) Studies of the thermal state of the earth, terrestrial heat flow measurements in Kinki, Chugoku and Shikoku districts, Japan (Japanese Abs.), Tokyo Univ. Earthquake Res. Inst. Bull., V.41, pt.1, p.109-135

Uyeda, S. and Horai, K-I. (1964) Terrestrial heat flow in Japan, Jour. Geophys. Res., V.69, N.10, p.2121-2141, 4 tables, 14 fig.

Vakin, Y. A. (1967A) On the spatial and genetic relationships of the hot springs of southeastern Kamchatka to the active volcanoes (in Regional'naya Geotermya I Rasprostraneniye Termal'nykh Vod V SSSR), Soveshchaniya Geoterm. Issled. SSSR, 2nd, Moscow, 1964, Trudy, V.2, Izdatel'stvo "Nauka," p.284-288, table.

Van Ostrand, C. E. (1919) Temperatures in some deep wells in the United States, Abs. Washington Acad. Sci. Jour., V.9, N.13, p.382.

Van Ostrand, C. E. (1928B) Temperature in world's deepest wells, Oil Gas Jour., V.26, N.48, 39+ p.

Vasil'yev, Y. M., D'Yakonov, D. I., And Charygin, M. M. (1968) Geothermy of the depths of the Caspian Basin according to drilling data of the Aralsorsk ultradeep borehole (English Summ.), 23rd Internatl. Geol. Cong., Prague, Czechoslovakia, Doklady Soviet. Geol Problema 5, p.55-61, illus.

Verhoogen, J. (1946) Volcanic heat, Am. Jour. Sci., V. 244, N.11, p.745-771.

Verhoogen, J. (1954) Petrological evidence on temperature distribution in the mantle of the earth (in Bucher, W. H. (Chairman) Symposium on the Interior of the Earth), Am. Geophys. Union Trans., V.35, N.1, p.85-92, Abs. (1953) Am. Geophys. Union Trans., V.34, p.329.

Verhoogen, J. (1956A) Heat sources in the earth, Abs., Jour. Geophys. Res., V.61, N.2, pt.2, p.380-381.

Verhoogen, J. (1956B) Temperature within the earth (in Ahrens, Louis Herman, Rankama, Kalervo and Runcorn, S. K., (Eds.), Physics and Chemistry of the Earth), N. Y.: McGraw-Hill Book Co., V.1, p.17-43; London: Pergamon Press, p.17-43. Rept. (1960) Am. Scientist, V.48, N.2, p.134-159.

Verhoogen, J. (1961B) Temperature distribution and heat flow in regional metamorphism (in Fiziko-Khimicheskie Problemy for Mirovaniya Gornyykh Porod I Rud (Korzhinsky Festschrift) (Russian Summ.), Akad. Nauk SSSR, I, p.17-23.

Verma, R. K. (1963) Geothermal gradients and their significance, a review, India Natl. Geophys. Res. Inst. Bull., V.1, N.2, p.107-114.

Vezir-Zade, F. A. and Bagarov, T. Y. (1963) Some results of geothermal investigations of the Bibieybat field, Vyssh. Ucheb. Zavedeniy Izv. Neft'gaz., N.5, p.3-7.

Villafana, A. (1908) Fuente termal en cuitzeo de Abasolo, estado de Guanajuato, Mexico, Mexico Inst. Geol. Parergones, V.2, N.7, p.277-287, 2 pl., maps.

Vlasova, S. P. and Taranukha, Y. K. (1967) Geothermal characteristics of the section of meso-cenozoic formations and paleogeothermal conditions of Ciscaucasia (in Regional'naya Geotermiya i Rasprostraneniye Termal'nykh Vod V SSSR), Soveshchaniya Geoterm. Issled. SSSR, 2nd, Moscow, 1964, Trudy, V.2, Izdatel'stvo "Nauka," p.115-120, table, illus.

Voitkevich, G. V. (1950) Radioactivity of potassium and the thermal balance of the earth (Russian), Akad. Nauk SSSR, Doklady, T.74, N.4, p.771-773.

Vorob'yeva, K. I. (1960) On the geothermal characteristics of the Ozek-Suat oil field and of other regions of the Tersko-Kuma plain, Geol. Nefti, Gaza, N.6, p.42-45.

Voroshilov, Y. A., Rustanov., R. I., and Tagiyev, S. M. (1968) Some geothermal data on the Balkhan suite in the Karachukhur-Zykh-Peschanyy-More fields, Nefti. Geol. Geofiz., N.10, p.18-22, tables, illus.

Walsh, J. B. and Decker, E. R. (1966) Effect of pressure and saturating fluid on the thermal conductivity of compact rock, Jour. Geophys. Res., V.71, N.12, p.3053-3061, 2 tables, 6 fig., illus.

Wang, C-Y. (1963) On the distribution of surface heat flows and the second order variations in the external gravitational field, Cambridge, MA: Smithsonian Astrophysical Observatory, 16 p.

Wang, C-Y. (1964) Inhomogeneous distribution of the radioactive heat sources, Theory, Cambridge, MA: Smithsonian Astrophysical Observatory, 24 p.

Wang, C-Y. (1965) Some geophysical implications from gravity and heat flow data, Jour. Geophys. Res., V.70, N22, p.5629-5634, illus.

Waring, G. A. (1952) Summary of literature on thermal springs, Internatl. Assoc. Sci. Hydrol. Assem. Gen., Bruxelles, 1951, T.2, p.288-292.

Warren, R. E., Sclater, J. G. Vacquier, V., and Roy, R. F. (1969) A comparison of terrestrial heat flow and transient geomagnetic fluctuations in the southwestern United States, Geophys., V.34, N.3, p.463-478, tables, illus.

Wasserburg, G. J., MacDonald, G. J. F., Hoyle, F., and Fowler, W. A. (1964) Relative contributions of uranium, thorium, and potassium to heat production in the earth, Sci., V.1243, N.3605, p.465-467, table.

Wendler, G. (1967) Heat flow by conduction and latent heat in volcanic soil of Mt. Wrangell, Alaska (German Summ.), Pure Appl. Geophys., V.68, N.3, p.41-48, table, illus.

Werner, H. (1928) The causes of the difference in the geothermic gradients in the north German salt upthrusts, Kali, V.22, N.2, 4, p.17-20, 51-33.

West, F. G. and Laughlin, A. W. (1976) Spectral gamma logging in crystalline basement rocks, *Geology* V.4, p.617-618.

Wexler, H. (1959) Geothermal heat and glacial growth (German Summ.), *Jour. Glacial.*, V.3, N.25, p.420-425, illus.

Wheildon, J. and Smith, D. T. (1964) Preliminary temperature measurements in Cornwall, *Nature*, V.202, N.4937, p.1101-1102, illus., map.

Whipple, R. W. (1963) Geophysical applications in geothermal power areas, Soc. Min. Engr. A.I.M.E., Rocky Mtn. Minerals Conf., Salt Lake City, UT, 1963, Preprint N.631324, 22 p.

White, D. E. (1952A) Three-dimensional picture of Steamboat Springs, Nevada, Abs., *Geol. Soc. Am. Bull.*, v.63, pt.2, N.12, p.1311-1312.

White, D. E. (1964B) Preliminary evaluation of geothermal areas by geochemistry, geology, and shallow drilling (English, French Summ.), U. N. Conf. New Sources Energy, Rome, Italy, 1961, Proc., V.2, p.402-409.

White, D. E. (1965A) Geothermal energy, U. S. Geol. Surv., Circ.519, 17 p., table.

White, D. E. (1965C) Geothermal energy, Internatl. Symp. Volcanol., New Zealand, p.186-187.

White, D. E. and Brannock, W. W. (1950) The sources of heat and water supply of thermal springs, with particular references to Steamboat Springs, Nevada, *Am. Geophys. Union Trans.*, v.31, N.4. p.566-574, 2 tables, 3 Fig.: Abs., *Geol. Soc. Am. Bull.*, V.61, N.12, pt.2, p.1534.

White, D. E. and Brannock, W. W. (1951) Sources of heat, water supply, and mineral content of Steamboat Springs, Nevada, Internatl. Union Geod., Geophys., Assoc. Internatl. Hydrol. Sci. Gen. Assem., Oslo, 1948, Trans. V.3, p.168-176, 1 table, 3 fig.

White, D. E., Sandberg, C. H., and Brannock, W. W. (1953) Geochemical and geophysical approaches to the problems of utilization of hot spring water and heat, 7th Cong., Pacific Sci. Assoc., New Zealand, 1949, Proc., V.2, p.490-499.

White, D. S. (1969) Rapid heat-flow surveying of geothermal areas utilizing individual snowfalls calorimeters, *Jour. Geophys. Res.*, V.74, N.22, p.51912-5201, table, illus.

Wijffels, F. C. M. (1949) Correlation between the geothermic gradient and the ventilation of mines, *Soc. Geol. Belgique Bull.*, T.72, p.521-530.

Williams, R. E. (1978) Geothermal drilling in hot granitic rock, Los Alamos Scientific Lab., NM (USA) Rpt.LA-UR-78-907, 4 p.: from Geothermal Resources Council Meeting, Hilo, HI (25 Jul 1978).

Wilson, J. T. (1947) Geological and geophysical study of a part of the Canadian shield, Abs., *Geol. Soc. Am. Bull.*, V.58, N.12, pt.2, p.1241-1242.

Wilson, J. T. (1948B) Thermal and radioactive studies, 1947-48, Res. Council Ontario, Prog. Rpt. N.8-1-48.

Wollenberg, H. A. and Smith, A. R. (1968) Radiogeologic studies in the central part of the Sierra Nevada batholith, California, Jour. Geophys. Res., V.73, N.4, p.1481-1495, tables, illus.

Woods, D. L. (1964) Drilling mud in geothermal drilling, U. N. Conf. New Sources Energy, Rome, Italy, 1961, Proc., V.3, p.270-273.

Woodside, W. (1958) Calculation of the thermal conductivity of porous media, Canadian Jour. Phys., V.36, N.7, p.815-823.

Woodside, W. and Messmer, J. H. (1960) Molecular effects in heat conduction through porous rocks, Jour. Geophys. Res., V.65, N.10, p.3481-3485, 3 graphs.

Woodside, W. and Messmer, J. H. (1961A) Thermal conductivity of porous media. Unconsolidated sands, Jour. Appl. Phys., V.32, N.9, p.1688-1699.

Woodside, W. and Messmer, J. H. (1961B) Thermal conductivity of porous media. Consolidated rocks, Jour. Appl. Phys., V.32, N.9, p.1699-1706.

Wright, J. A. and Garland, G. D. (1968) In situ measurements of thermal conductivity in the presence of transverse anisotropy, Jour. Geophys. Res., V.73, N.16, p.5477-5484, tables, illus.

Wright, P. M. (1966) Geothermal gradient and regional heat flow in Utah, Abs., Dissert. Abs., Sci. Engr., V.27, N.4, p.1196.

Yuhara, K., Okubo, T., and Takeuchi, S. (1969) Mass and heat discharged from Owakudani and Sounzan geothermal areas, Hakone Volcano (Japanese, English Summ.), Japan Geol. Surv. Bull., V.20, N.2, p.83-100, illus., maps.

Zharkov, V. N. (1964) Gravitational anomalies and temperature deformations of the earth, Akad. Nauk SSSR, Izv., Ser. Geofiz., N.4, p.441-455, table, 8 Fig.

Zierfuss, H. (1969) Heat conductivity of some carbonate rocks and clayey sandstones, Am. Assoc. Petrol. Geologists Bull., V.53, N.2, p.251-260, tables, illus.

Zierfuss, H. and Van der Vliet, G. (1956) Laboratory measurements of heat conductivity of sedimentary rocks, Am. Assoc. Petrol. Geologists Bull., V.40, N.10, p.2475-2488.