USER'S GUIDE TO THE MATS DATA

by

S. Berman

Savannah River Laboratory, Aiken, SC 29808-0001
August 1990

WSRC

WSRC-RP--91-361

DE92 009411

1. READING THE MATS DISK

Data collected for the 37 Mesoscale Transport Studies (MATS) experiments are available on a single, double-sided, high-density (1.2MB), IBM-formatted, 5.25" floppy disk (MATS disk). Standard ASCII characters are used.

The MATS disk contains 2 files and 1 subdirectory:

MATS.ARC	(contains compressed MATS data)
PKXARC.COM	(utility file to uncompress MATS data)
PKARC <DIR>	(subdirectory of data compression utilities)

All MATS experimental data are stored in compressed form in the file called MATS.ARC. In order to read the MATS data, you must first decompress MATS.ARC using the following procedure:

1. Mount the MATS diskette in (say) drive A:
2. Copy MATS.ARC and PKXARC.COM onto a hard disk drive (say, drive C:):
A> COPY MATS.ARC C:
A> COPY PKXARC.COM C:
3. To perform the decompression, type: C: PKXARC.COM MATS.ARC
4. The resulting decompressed file MATS.ALL will be created on the C: disk. It is a normal file and can be viewed by typing: C: TYPE MATS.ALL

The experiments are arranged in sequence from #1 to #37 in MATS.ALL. Each experiment begins with a two-line heading followed by up to ten data sections. The heading contains the experiment number and date. The data sections contain the release, sampler, and meteorological information.

Each data section is identified by a code letter (A,B,C,D,E,F,G,H,I, or J) located in Column 1, followed by a descriptive label. The code letters and their labels are:

A)	RELEASE DATA
B)	SAMPLER DATA
C)	SAMPLER COORDINATES
D)	SAMPLER CONCENTRATIONS
E)	ATHENS SOUNDING
F)	METEOROLOGICAL DATA
G)	TRAC TRAVERSE DATA
H)	TRAC SUPPLEMENTARY DATA
I)	SRS AIRSONDE DATA DATA
J)	SRS RAWINSONDE DATA

NOTE: Most experiments contain data for sections A-F only. Sections G-J are much less used. No experiments contain data for all 10 sections.

MASTER

SEP 10 1992

DM

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

2. SYMBOLS USED

(a) Symbols Used in this Documentation

SYMBOL	MEANING
¥	¥ marks the location of Column 1 in the data file.
<.>	Words within angled brackets are comments. (They do not appear in the data file .)
[...]	Words within square brackets indicate data categories which are omitted when there are no corresponding data entries.
xxx.x	Repeated lowercase letters represent placeholders for numerical data values. For example, xxx.x indicates a real number with one decimal place, i.e., Format F5.1.
• • •	A column of 3 dots represents a continuation of the preceding data format until the end of the section.

(b) Symbols Used in the Data File.

SYMBOL	MEANING
*	Asterisks and ellipses indicate missing or non-existent data entries.
....	
?	Question marks sometimes appear in the meteorological data to indicate instrument malfunction or unreliable values.

3. FORMAT OF THE DATA

START OF EXPERIMENT

¥ <First Line of the experiment is blank>

MATS nn <nn = experiment number>

<HEADING, line 1>

mm-dd-yy <date of experiment>

<HEADING, line 2>

¥ <blank line>

A) RELEASE DATA

xxxx = SF6 release time (GMT)

xxxx = sampler start time (GMT)

xx = release duration (mins)

xxx.xx = source strength (gm/sec)

¥ <blank line>

B) SAMPLER DATA

xx = number of samplers in the arc

x.xx = spacing between samplers (km)

xx = sampling interval (mins)

xx.xx = average distance (km) from release point to sampler arc

xx = center sampler position

xx = centermost site marker no.

xxx.xxx = center of mass, UTM east

XXXX.XXX = center of mass, UTM north

x.xx = distance (km) between center sampler and center of mass

XXXX.XXXX = distance (mm) between center sampler
XXXX.XXXX = total SF6 (ppt) at center sampler

xxxx.xxxx = total SF6 (ppt) for all samplers

x.xxx = sigma y (km)

¥ <blank line>

C) SAMPLER COORDINATES

Sampler#	LAT(N)	LONG(W)	UTM(E)	UTM(N)
xx	xx.xxx	xx.xxx	xxx.xxx	xxxx.xxx
xx	xx.xxx	xx.xxx	xxx.xxx	xxxx.xxx
.	.	.	.	.
.	.	.	.	.
.	.	.	.	.

¥ <blank line>

D) SAMPLER CONCENTRATIONS

UTM (E)	UTM(N)	MER.(W)	TIME (GMT)	SF6 (ppt)
xxx.xxx	xxxx.xxx	xx.x	xxxx	xxx.x
xxx.xxx	xxxx.xxx	xx.x	xxxx	xxx.x
.	.	.	.	.
.	.	.	.	.
.	.	.	.	.

¥ <blank line>

E) ATHENS SOUNDING FOR 12 GMT, mm-dd-yy

HT	PRESSURE	TEMP	DEWPT	POT TEMP	[WIND
(m)	(mb)	(C)	(C)	(K)	[DIR SPEED]
					[(deg) (kts)]
xxxx.x	xxxx.x	xxx.x	xxx.x	xxx.x	[xxx xxx]
xxxx.x	xxxx.x	xxx.x	xxx.x	xxx.x	[xxx xxx]
.	.	.	.	.	[. .]
.	.	.	.	.	[. .]
.	.	.	.	.	[. .]

¥ <blank line>

F) METEOROLOGICAL DATA: 15min averages of winds and temps from the TV and area towers. Times indicated are ending times of 15-minute periods.

SITE	COORDS	END_TIME(Z)	DATE	AZIM	SPD	GST	SIGA	SIGE	TEMP
--UTM(E)--UTM(N)--HH:MM:SS	MO/DD/YY(deg)	(M/S)	(M/S)	(deg)	(deg)	(C)			
304Meee.eeeEnnnn.nnnNhh:mm:ss	Zmo/dd/yyzzz.z	ss.s	gg.g	aaa	ee.e	tt.tt	15.0NV15		
243Meee.eeeEnnnn.nnnNhh:mm:ss	Zmo/dd/yyzzz.z	ss.s	gg.g	aaa	ee.e	tt.tt	15.0NV15		
182Meee.eeeEnnnn.nnnNhh:mm:ss	Zmo/dd/yyzzz.z	ss.s	gg.g	aaa	ee.e	tt.tt	15.0NV15		
137Meee.eeeEnnnn.nnnNhh:mm:ss	Zmo/dd/yyzzz.z	ss.s	gg.g	aaa	ee.e	tt.tt	15.0NV15		
91Meee.eeeEnnnn.nnnNhh:mm:ss	Zmo/dd/yyzzz.z	ss.s	gg.g	aaa	ee.e	tt.tt	15.0NV15		
36Meee.eeeEnnnn.nnnNhh:mm:ss	Zmo/dd/yyzzz.z	ss.s	gg.g	aaa	ee.e	tt.tt	15.0NV15		
18Meee.eeeEnnnn.nnnNhh:mm:ss	Zmo/dd/yyzzz.z	ss.s	gg.g	aaa	ee.e	tt.tt	15.0NV15		
A	eee.eeeEnnnn.nnnNhh:mm:ss	Zmo/dd/yyzzz.z	ss.s	gg.g	aaa	ee.e	tt.tt	15.0NV15	
C	eee.eeeEnnnn.nnnNhh:mm:ss	Zmo/dd/yyzzz.z	ss.s	gg.g	aaa	ee.e	tt.tt	15.0NV15	
D1	eee.eeeEnnnn.nnnNhh:mm:ss	Zmo/dd/yyzzz.z	ss.s	gg.g	aaa	ee.e	tt.tt	15.0NV15	
D2	eee.eeeEnnnn.nnnNhh:mm:ss	Zmo/dd/yyzzz.z	ss.s	gg.g	aaa	ee.e	tt.tt	15.0NV15	
F	eee.eeeEnnnn.nnnNhh:mm:ss	Zmo/dd/yyzzz.z	ss.s	gg.g	aaa	ee.e	tt.tt	15.0NV15	
H	eee.eeeEnnnn.nnnNhh:mm:ss	Zmo/dd/yyzzz.z	ss.s	gg.g	aaa	ee.e	tt.tt	15.0NV15	
K	eee.eeeEnnnn.nnnNhh:mm:ss	Zmo/dd/yyzzz.z	ss.s	gg.g	aaa	ee.e	tt.tt	15.0NV15	
P	eee.eeeEnnnn.nnnNhh:mm:ss	Zmo/dd/yyzzz.z	ss.s	gg.g	aaa	ee.e	tt.tt	15.0NV15	
L	eee.eeeEnnnn.nnnNhh:mm:ss	Zmo/dd/yyzzz.z	ss.s	gg.g	aaa	ee.e	tt.tt	15.0NV15	
304Meee.eeeEnnnn.nnnNhh:mm:ss	Zmo/dd/yyzzz.z	ss.s	gg.g	aaa	ee.e	tt.tt	15.0NV15		
243Meee.eeeEnnnn.nnnNhh:mm:ss	Zmo/dd/yyzzz.z	ss.s	gg.g	aaa	ee.e	tt.tt	15.0NV15		
.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.

< Explanation of symbols used in Section F follows: >

< 304M, 243M, 182M, 137M, 91M, 36M, 18M = levels (m) on the WJBF-TV tower. >

< A, C, D1, D2, F, H, K, P, L, P, L = SRS Area Towers (all 61m high, except D2 = 18m). >

<

SYMBOL	MEANING
eee.eeeE	UTM - East Coordinate (km)
nnnn.nnnN	UTM - North Coordinate (km)
hh:mm:ss	hour, min, sec at the end of the 15-min period
mo/dd/yy	month/day/year (mo = 01 for January, etc.)
zzz.z	wind azimuth (deg)
ss.s	wind speed (m/s)
gg/g	wind gusts (m/s)
aa.a	sigma-azimuth (deg)
ee.e	sigma-elevation angle
tt.tt	air temperature (C)
15.0NV15	voltage information

>

¥ <blank line>

G) TRAC TRAVERSE DATA

TIME (GMT)	LONGITUDE		UTM E	LATITUDE		UTM N	SF6 ppt	
hh:mm:ss	deg	mins		deg	mins		fff.fff	AA27
hh:mm:ss	yy	00.00	eee.eee	ll	aa.aa	nnnn.nnn	fff.fff	AA27
hh:mm:ss	yy	00.00	eee.eee	ll	aa.aa	nnnn.nnn	fff.fff	AA27
.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.

< Explanation of symbols used in Section G follows: >

<

SYMBOL	MEANING
hh:mm:ss	hour (hh) : min (mm) : sec (ss)
yy 00.00	longitude: degrees (yy) and minutes (00.00)
eee.oooo	UTM - East Coordinates
ll aa.aa	latitude: degrees (ll) and minutes (aa.aa)
nnnn.nnn	UTM - North Coordinates (km)
fff.ff	SF6 concentration (ppt)
AA...	successive SF6 peaks located in TRAC traverses (AA= first peak, BB = second peak CC = third peak, etc.)

>

¥ <blank line>

H) TRAC SUPPLEMENTARY DATA

TIME OF PEAK (GMT)	PEAK#	SF6 (ppt)	SIGMA-Y (km)
hh:mm:ss	x	xxxx	xx.xx
hh:mm:ss	x	xxxx	xx.xx
.	.	.	.
.	.	.	.
.	.	.	.

¥ <blank line>

I) SRS AIRSONDE DATA (LAUNCH TIME: hhmm GMT)

HEIGHT	TEMPERATURE	REL HUM.
(m)	(C)	(%)
xxx	xxx.x	xx
xxx	xxx.x	xx
.	.	.
.	.	.
.	.	.

¥ <blank line>

J) SRS RAWINSONDE DATA (Launch Time: hhmm GMT)

HEIGHT (m)	TEMPERATURE (C)	DEWPOINT (C)	AZIMUTH (deg)	SPEED (m/s)
xxxx	xxx.x	xxx.x	xxx	xx.x
xxxx	xxx.x	xxx.x	xxx	xx.x
.	.	.	.	.
.	.	.	.	.
.	.	.	.	.

END OF EXPERIMENT

4. SAMPLE EXPERIMENT

To assist the user, I have appended a printout of a MATS file to the end of this document. Since no single MATS experiment contains all 10 data sections (A-J), however, I have constructed a composite file taken from several real MATS experiments. This "pseudo" file is called MATS #99. It contains samples of all 10 data sections and is found on the following six pages.

MATS 99
06-30-85 (June 30, 1985)

A) RELEASE DATA

1315 = SF6 release time (GMT)
1515 = sampler start time (GMT)
15 = release duration (mins)
90 = source strength (gm/sec)

B) SAMPLER DATA

28 = number of samplers in the arc
0.81 = spacing between samplers (km)
16 = sampling interval (mins)
28.88 = average distance (km) from release point to sampler arc
27 = center sampler position
63 = centermost site marker number
467.928 = center of mass, UTM east
3680.626 = center of mass, UTM north
0.89 = distance (km) between center sampler and center of mass
368.900 = total SF6 (ppt) observed at center sampler
2080.800 = total SF6 (ppt) observed for all samplers
2.139 = sigma y (km)

C) SAMPLER COORDINATES

Sampler#	LAT(N)	LONG(W)	UTM(E)	UTM(N)
48	33.150	81.405	462.246	3667.798
49	33.156	81.401	462.652	3668.498
46	33.161	81.393	463.384	3669.031
47	33.165	81.386	463.977	3669.472
45	33.171	81.381	464.508	3670.154
37	33.175	81.376	464.960	3670.559
36	33.180	81.368	465.692	3671.074
38	33.186	81.364	466.068	3671.793
39	33.194	81.362	466.241	3672.624
43	33.199	81.358	466.678	3673.195
41	33.206	81.357	466.727	3673.989
44	33.214	81.375	466.700	3674.876
42	33.221	81.356	466.795	3675.596
40	33.228	81.357	466.782	3676.373
27	33.236	81.358	466.661	3677.297
28	33.243	81.359	466.555	3678.129
29	33.250	81.362	466.263	3678.814
30	33.255	81.356	466.840	3679.791
31	33.260	81.351	467.323	3679.974
32	33.267	81.347	467.666	3680.748
33	33.275	81.345	467.902	3681.598
34	33.280	81.342	468.122	3682.207
35	33.286	81.340	468.372	3682.890
22	33.295	81.336	468.716	3683.794
23	33.298	81.335	468.811	3684.219
24	33.305	81.327	469.573	3684.974
25	33.310	81.326	469.668	3685.510
26	33.317	81.324	469.826	3686.230

D) SAMPLER CONCENTRATIONS

UTM(E)	UTM(N)	MER.(W)	TIME(GMT)	SF6(ppt)
462.246	3667.798	81.0	1531	0.0
462.246	3667.798	81.0	1547	0.0
462.246	3667.798	81.0	1603	0.0
462.246	3667.798	81.0	1619	0.0
462.246	3667.798	81.0	1635	0.0
462.246	3667.798	81.0	1651	0.0
462.246	3667.798	81.0	1707	0.0
462.246	3667.798	81.0	1723	0.0
462.246	3667.798	81.0	1739	0.0

462.246	3667.798	81.0	1755	0.0
462.652	3668.498	81.0	1531	0.0
462.652	3668.498	81.0	1547	0.0
462.652	3668.498	81.0	1603	0.0
462.652	3668.498	81.0	1619	0.0
462.652	3668.498	81.0	1635	0.0
462.652	3668.498	81.0	1651	0.0
462.652	3668.498	81.0	1707	0.0
462.652	3668.498	81.0	1723	0.0
462.652	3668.498	81.0	1739	0.0
462.652	3668.498	81.0	1755	0.0
.	.	.	.	.
469.668	3685.510	81.0	1739	0.0
469.668	3685.510	81.0	1755	0.0
469.826	3686.230	81.0	1531	0.0
469.826	3686.230	81.0	1547	0.0
469.826	3686.230	81.0	1603	0.0
469.826	3686.230	81.0	1619	0.0
469.826	3686.230	81.0	1635	0.0
469.826	3686.230	81.0	1651	0.0
469.826	3686.230	81.0	1707	0.0
469.826	3686.230	81.0	1723	0.0
469.826	3686.230	81.0	1739	0.0
469.826	3686.230	81.0	1755	0.0

E) ATHENS SOUNDING FOR 12 GMT, 06-30-85

HT (m)	PRESSURE (mb)	TEMP (C)	DEWPT (C)	POT TEMP (K)	WIND DIR (deg)	SPEED (kts)
246	986.5	21.7	20.0	295.9	260	002
348	975.0	23.0	18.9	298.2	284	004
576	950.0	23.9	18.8	301.3	293	010
603	947.0	24.1	18.7	301.8	291	010
1047	900.0	21.0	15.1	303.1	286	010
1540	850.0	17.4	10.9	304.3	288	010
1920	813.0	15.6	6.6	306.3	298	008
2057	800.0	14.7	6.3	306.8	292	004
2599	750.0	10.7	4.7	308.2	261	002
3171	700.0	6.5	2.9	309.7	013	002
3445	677.0	4.8	-4.1	310.8	046	006
3518	671.0	4.3	-3.8	311.1	047	006
3591	665.0	3.9	-0.3	311.4	047	006
3777	650.0	3.6	-10.0	313.1	047	008
4081	626.0	1.6	-6.0	314.3	049	006
4302	609.0	0.3	-11.4	315.3	071	004
4421	600.0	-0.2	-12.6	316.0	091	002

F) METEOROLOGICAL DATA: 15min averages of winds and temps from the TV and area towers. Times indicated are ending times of 15-min periods.

SITE	COORDINATES	TIME(Z)	DATE	AZIM	SPD	GST	SIGA	SIGE	TEMP
--UTM(E)--UTM(N)--HH:MM:SS	MO/DD/YY(deg)	(M/S)(M/S)	(deg)(deg)	(C)					
304M422.123E3696.314N12:14:59Z06/26/85275.1	8.9 9.4	0.6 1.8	24.02	15.0NV15					
243M422.123E3696.314N12:14:59Z06/26/85269.6	9.8 10.3	2.2 1.4	23.52	15.0NV15					
182M422.123E3696.314N12:14:59Z06/26/85274.7	9.5 10.1	2.2 0.0	22.99	15.0NV15					
137M422.123E3696.314N12:14:59Z06/26/85269.9	7.1 8.4	3.5 2.8	22.86	15.0NV15					
91M422.123E3696.314N12:14:59Z06/26/85272.3	4.8 6.8	7.2 7.1	22.74	15.0NV15					
36M422.123E3696.314N12:14:59Z06/26/85270.5	3.0 4.8	12.7 10.3	23.41	15.0NV15					
18M422.123E3696.314N12:14:59Z06/26/85269.8	0.1 0.1	16.5 13.8	23.50	15.0NV15					
A 430.985E3689.791N12:14:59Z06/26/85283.9	3.4 5.9	10.1 7.3		15.0NV15					
C 437.663E3679.040N12:14:59Z06/26/85261.6	3.7 5.1	9.1 6.6		15.0NV15					
D1 430.936E3674.522N12:14:59Z06/26/85 0.0?	0.0? 0.0?	0.0? 0.2		15.0NV15					
D2 430.936E3674.522N12:14:59Z06/26/85288.2	1.8 4.5	19.3 13.5		15.0NV15					

F	436.474E3682.173N12:14:59Z06/26/85262.4	2.6	3.6	11.3	9.2		15.0NV15
H	442.191E3682.590N12:14:59Z06/26/85259.0	3.2	5.2	13.5	9.2		15.0NV15
K	438.625E3674.293N12:14:59Z06/26/85278.0	1.9	3.1	8.5	7.9		15.0NV15
P	446.634E3676.259N12:14:59Z06/26/85266.5	3.5	4.7	9.6	6.6		15.0NV15
L	442.467E3675.182N12:14:59Z06/26/85258.2	3.0	4.4	9.9	7.8		15.0NV15
304M	422.123E3696.314N12:29:59Z06/26/85278.8	8.6	9.0	1.7	2.7	24.44	15.0NV15
243M	422.123E3696.314N12:29:59Z06/26/85274.1	9.0	9.6	1.2	1.8	24.25	15.0NV15
182M	422.123E3696.314N12:29:59Z06/26/85277.3	9.6	10.9	2.5	0.0?	23.30	15.0NV15
137M	422.123E3696.314N12:29:59Z06/26/85270.9	7.0	9.1	6.0	4.9	23.05	15.0NV15
91M	422.123E3696.314N12:29:59Z06/26/85271.9	5.4	7.9	8.2	7.6	23.04	15.0NV15
36M	422.123E3696.314N12:29:59Z06/26/85271.2	3.9	5.7	11.6	13.2	23.67	15.0NV15
18M	422.123E3696.314N12:29:59Z06/26/85277.2	0.1	0.1	16.2	13.8	23.84	15.0NV15
A	430.985E3689.791N12:29:59Z06/26/85284.1	3.1	5.3	13.5	10.9		15.0NV15
C	437.663E3679.040N12:29:59Z06/26/85275.2	3.3	5.6	10.2	8.0		15.0NV15
D1	430.936E3674.522N12:29:59Z06/26/85 0.0?	0.0?	0.0?	0.0?	0.2		15.0NV15
D2	430.936E3674.522N12:29:59Z06/26/85268.2	2.5	4.2	18.4	12.7		15.0NV15
F	436.474E3682.173N12:29:59Z06/26/85268.6	2.8	3.6	9.3	9.9		15.0NV15
H	442.191E3682.590N12:29:59Z06/26/85253.9	3.5	5.5	13.2	10.4		15.0NV15
K	438.625E3674.293N12:29:59Z06/26/85285.2	1.7	3.0	12.0	9.9		15.0NV15
P	446.634E3676.259N12:29:59Z06/26/85276.4	3.4	5.0	11.4	9.2		15.0NV15
L	442.467E3675.182N12:29:59Z06/26/85270.8	3.3	4.8	11.0	8.2		15.0NV15

304M	422.123E3696.314N17:59:59Z06/26/85283.7	3.4	6.4	17.6	20.3	28.90	15.0NV15
243M	422.123E3696.314N17:59:59Z06/26/85282.9	3.7	6.4	15.9	21.9	29.01	15.0NV15
182M	422.123E3696.314N17:59:59Z06/26/85292.4	3.9	7.2	16.3	0.0?	29.66	15.0NV15
137M	422.123E3696.314N17:59:59Z06/26/85286.9	3.9	7.1	15.3	18.5	30.52	15.0NV15
91M	422.123E3696.314N17:59:59Z06/26/85291.7	3.7	7.1	19.7	16.8	31.04	15.0NV15
36M	422.123E3696.314N17:59:59Z06/26/85285.0	3.2	5.6	25.5	9.3?	31.98	15.0NV15
18M	422.123E3696.314N17:59:59Z06/26/85286.9	0.1	0.1	32.6	18.6	32.93	15.0NV15
A	430.985E3689.791N17:59:59Z06/26/85271.8	3.0	6.9	44.9	18.8		15.0NV15
C	437.663E3679.040N17:59:59Z06/26/85281.8	3.3	5.9	23.9	15.2		15.0NV15
D1	430.936E3674.522N17:59:59Z06/26/85 0.0?	0.0?	0.0?	0.0?	0.2		15.0NV15
D2	430.936E3674.522N17:59:59Z06/26/85268.0	3.0	5.5	24.1	16.3		15.0NV15
F	436.474E3682.173N17:59:59Z06/26/85239.6	2.5	4.0	27.5	15.6		15.0NV15
H	442.191E3682.590N17:59:59Z06/26/85258.7	2.5	5.5	31.6	24.0		15.0NV15
K	438.625E3674.293N17:59:59Z06/26/85309.8	1.3	2.6	13.5	15.8		15.0NV15
P	446.634E3676.259N17:59:59Z06/26/85258.3	2.2	4.8	27.1	22.1		15.0NV15
L	442.467E3675.182N17:59:59Z06/26/85260.5	2.1	5.0	28.3	21.6		15.0NV15

G) TRAC TRAVERSE DATA

TIME (GMT)	LONGITUDE degs mins	UTM E	LATITUDE degs mins	UTM N	SF6 ppt	
7:50:43	81 35.21	445.420	33 23.23	3694.171	3.471	AA37
7:50:51	81 35.26	445.342	33 23.23	3694.171	7.283	AA37
7:50:56	81 35.30	445.230	33 23.23	3694.172	23.352	AA37
7:51:01	81 35.30	445.280	33 23.23	3694.172	55.670	AA37
7:51:06	81 35.45	445.047	33 23.20	3694.118	122.272	AA37
7:51:11	81 35.50	444.969	33 23.17	3694.063	267.660	AA37
7:51:16	81 35.58	444.845	33 23.18	3694.082	164.878	AA37
7:51:21	81 35.70	444.659	33 23.18	3694.083	99.484	AA37
7:51:26	81 35.70	444.659	33 23.18	3694.083	35.538	AA37
7:51:31	81 35.80	444.504	33 23.17	3694.065	14.703	AA37
7:51:36	81 35.90	444.349	33 23.12	3693.974	11.442	AA37
7:51:45	81 36.02	444.163	33 23.13	3693.993	8.419	AA37
7:51:50	81 36.02	444.163	33 23.13	3693.993	11.442	AA37
7:51:55	81 36.12	444.008	33 23.11	3693.957	190.808	AA37
7:52:00	81 36.21	443.868	33 23.09	3693.921	174.728	AA37
7:52:05	81 36.25	443.806	33 23.08	3693.903	184.061	AA37
7:52:10	81 36.25	443.806	33 23.08	3693.903	93.852	AA37
7:52:15	81 36.25	443.806	33 23.08	3693.903	67.619	AA37
7:52:20	81 36.49	443.434	33 23.09	3693.924	18.174	AA37
7:52:25	81 36.52	443.387	33 23.06	3693.869	1.427	AA37
7:52:30	81 36.61	443.247	33 23.03	3693.814	2.388	AA37

7:55:31	81	36.33	443.682	33	23.08	3693.904	8.419	BB37
7:55:36	81	36.33	443.682	33	23.08	3693.904	16.413	BB37
7:55:42	81	36.33	443.682	33	23.08	3693.904	72.780	BB37
7:55:47	81	36.25	443.806	33	23.08	3693.903	107.516	BB37
7:55:52	81	36.19	443.899	33	23.09	3693.921	93.852	BB37
7:55:57	81	36.16	443.945	33	23.08	3693.902	136.911	BB37
7:56:02	81	36.13	443.992	33	23.09	3693.920	133.824	BB37
7:56:07	81	36.13	443.992	33	23.09	3693.920	221.260	BB37
7:56:12	81	36.09	444.054	33	23.11	3693.957	214.232	BB37
7:56:19	81	36.09	444.054	33	23.11	3693.957	468.735	BB37
7:56:24	81	36.09	444.054	33	23.11	3693.957	494.040	BB37
7:56:29	81	35.84	444.442	33	23.14	3694.010	435.284	BB37
7:56:34	81	35.79	444.520	33	23.14	3694.010	190.808	BB37
7:56:39	81	35.73	444.613	33	23.16	3694.046	27.258	BB37
7:56:44	81	35.63	444.768	33	23.16	3694.045	16.413	BB37
7:56:49	81	35.58	444.846	33	23.19	3694.100	58.106	BB37
7:56:54	81	35.47	445.016	33	23.19	3694.099	204.497	BB37
7:56:59	81	35.42	445.094	33	23.20	3694.117	480.906	BB37
7:57:04	81	35.31	445.264	33	23.20	3694.116	350.310	BB37
7:57:11	81	35.26	445.342	33	23.21	3694.134	146.285	BB37
7:57:16	81	35.21	445.419	33	23.22	3694.153	107.516	BB37
7:57:21	81	35.21	445.419	33	23.22	3694.153	60.076	BB37
7:57:26	81	35.21	445.419	33	23.22	3694.153	43.929	BB37
7:57:31	81	35.02	445.714	33	23.26	3694.225	41.675	BB37
7:57:36	81	34.95	445.823	33	23.24	3694.187	23.352	BB37
7:57:41	81	34.86	445.962	33	23.26	3694.223	13.045	BB37
7:57:46	81	34.83	446.009	33	23.30	3694.297	9.899	BB37
7:57:51	81	34.83	446.009	33	23.30	3694.297	2.388	BB37
7:57:56	81	34.63	446.319	33	23.31	3694.314	7.283	BB37
7:58:05	81	34.55	446.443	33	23.31	3694.313	2.388	BB37
7:58:10	81	34.49	446.536	33	23.30	3694.294	0.620	BB37
7:58:15	81	34.49	446.536	33	23.30	3694.294	2.388	BB37
8:06:01	81	31.57	451.097	33	27.01	3701.125	9.899	CC37
8:06:06	81	31.68	450.929	33	27.24	3701.551	16.413	CC37
8:06:15	81	31.72	450.868	33	27.32	3701.699	23.352	CC37
.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.
10:54:16	81	26.56	458.903	33	32.73	3711.659	42.123	UU37
10:54:21	81	26.69	458.703	33	32.79	3711.770	53.262	UU37
10:54:26	81	26.75	458.610	33	32.83	3711.845	53.262	UU37
10:54:31	81	26.85	458.456	33	32.88	3711.938	39.894	UU37
10:54:36	81	26.91	458.363	33	32.89	3711.957	53.262	UU37
10:54:41	81	26.91	458.363	33	32.89	3711.957	70.186	UU37
10:54:46	81	27.07	458.116	33	32.95	3712.068	37.699	UU37
10:54:56	81	27.12	458.038	33	32.95	3712.069	21.837	UU37
10:55:01	81	27.17	457.961	33	32.99	3712.143	21.837	UU37
10:55:06	81	27.17	457.961	33	32.99	3712.143	29.679	UU37
10:55:11	81	27.27	457.807	33	33.02	3712.199	33.413	UU37
10:55:16	81	27.40	457.607	33	33.15	3712.440	35.538	UU37
10:55:21	81	27.43	457.561	33	33.19	3712.514	48.534	UU37
10:55:26	81	27.44	457.546	33	33.22	3712.570	42.123	UU37
10:55:31	81	27.50	457.454	33	33.36	3712.829	35.538	UU37
10:55:36	81	27.56	457.362	33	33.42	3712.940	46.677	UU37
10:55:41	81	27.68	457.176	33	33.45	3712.997	35.538	UU37
10:55:51	81	27.68	457.176	33	33.45	3712.997	25.676	UU37
10:55:56	81	27.84	456.930	33	33.58	3713.238	29.679	UU37
10:56:06	81	27.88	456.868	33	33.63	3713.330	27.658	UU37
10:56:11	81	27.91	456.822	33	33.69	3713.442	18.174	UU37
10:56:16	81	27.91	456.822	33	33.69	3713.442	14.703	UU37
10:56:21	81	27.96	456.746	33	33.83	3713.701	11.758	UU37
10:56:26	81	28.01	456.670	33	33.96	3713.941	11.758	UU37
10:56:31	81	28.00	456.686	33	34.04	3714.089	8.710	UU37
10:56:37	81	27.99	456.701	33	34.05	3714.107	1.608	UU37
10:56:42	81	28.05	456.610	33	34.19	3714.366	3.471	UU37
10:56:52	81	28.00	456.687	33	34.19	3714.366	1.608	UU37

10:56:57	81	28.04	456.626	33	34.23	3714.440	5.930	UU37
10:57:02	81	28.04	456.626	33	34.23	3714.440	2.596	UU37
10:57:07	81	28.15	456.456	33	34.30	3714.570	3.471	UU37
10:57:12	81	28.29	456.240	33	34.30	3714.571	8.710	UU37
10:57:17	81	28.37	456.116	33	34.31	3714.590	0.766	UU37

H) TRAC SUPPLEMENTARY DATA

TIME OF PEAK (GMT)	PEAK#	SF6 (ppt)	SIGMA-Y (km)
7:57:30	1	220	1.19
8:04:30	2	340	0.97
8:21:30	3	450	0.40
8:27:40	4	470	0.45
8:37:40	5	430	0.45
8:43:30	6	400	0.50
8:54:00	7	400	0.45
9:01:30	8	380	0.45
9:11:30	9	300	0.45
9:17:30	10	300	0.50
9:28:30	11	175	0.56
9:35:00	12	160	0.50
9:44:40	13	125	0.50
9:50:30	14	110	0.50
10:01:00	15	100	0.42
10:06:00	16	70	0.45

I) SRS AIRSONDE DATA (LAUNCH TIME: 1300 GMT)

HEIGHT (m)	TEMPERATURE (C)	REL.HUM. (%)
154	24.1	77
210	25.1	75
250	25.4	72
289	25.6	69
328	25.6	68
367	25.6	68
407	25.4	69
446	25.1	68
488	24.9	69
530	24.5	69
613	24.2	70
654	23.8	70
696	23.4	70
738	23.2	69
783	22.9	69
829	22.8	67
878	22.6	66
924	22.4	65
966	22.2	65
1009	21.8	66
1053	21.6	66
1096	21.2	66
1140	20.7	67
1185	20.4	67
1229	20.0	66
1271	19.9	67
1314	19.5	67
1355	19.1	68
1394	18.9	69
1435	18.6	70
1478	18.2	70
1520	17.9	72
1562	17.5	75
1604	17.1	74
1684	16.9	75
1728	16.5	76
1771	16.2	77

1812	15.9	79
1853	15.4	76
1892	15.3	78
1933	14.9	82
1978	14.6	79

J) SRS RAWINSONDE DATA (Launch Time: 1451 GMT)

HEIGHT (m)	TEMPERATURE (C)	DEWPOINT (C)	AZIMUTH (deg)	SPEED (m/s)
5	29.2	23.3		
17	28.7	20.2		
62	27.9	20.8		
161	26.7	21.0		
208			258	2.37
315	25.5	20.4		
428			295	3.92
452	23.9	20.2		
531			318	5.74
554	23.4	17.8		
625			323	6.10
647	24.1	16.4		
678			319	5.28
751	23.4	15.8		
774			323	4.58
846	22.9	14.8		
881			329	5.19
952	22.3	14.2		
1049	21.6	13.7		
1206	20.1	14.1		
1356	19.2	11.3		
1558	17.3	10.7		
3090	7.7	-0.2		
5361	-5.3	-16.2		

END

DATE
FILMED

4 / 9 / 92

I