

# A Solar Regenerative Thermoelectrochemical Converter (RTEC)

## Executive Summary of Final Subcontract Report

C. W. Townsend  
J. McHardy  
*Hughes Aircraft Company*  
*El Segundo, California*

NREL Technical Monitor:  
Meir Carasso



National Renewable Energy Laboratory  
(formerly the Solar Energy Research Institute)  
1617 Cole Boulevard  
Golden, Colorado 80401-3393  
A Division of Midwest Research Institute  
Operated for the U.S. Department of Energy  
under Contract No. DE-AC02-83CH10093

Prepared under Subcontract No. ZX-8-07057-1

February 1992

RECEIVED  
FEB 19 1992

EB

**On September 16, 1991 the Solar Energy Institute was designated a national laboratory, and its name was changed to the National Renewable Energy Laboratory.**

#### **NOTICE**

This report was prepared as an account of work sponsored by an agency of the United States government. Neither the United States government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States government or any agency thereof.

Printed in the United States of America  
Available from:  
National Technical Information Service  
U.S. Department of Commerce  
5285 Port Royal Road  
Springfield, VA 22161

Price: Microfiche A01  
Printed Copy A03

Codes are used for pricing all publications. The code is determined by the number of pages in the publication. Information pertaining to the pricing codes can be found in the current issue of the following publications which are generally available in most libraries: *Energy Research Abstracts (ERA)*; *Government Reports Announcements and Index (GRA and I)*; *Scientific and Technical Abstract Reports (STAR)*; and publication NTIS-PR-360 available from NTIS at the above address.

## Table of Contents

	<i>Page</i>
List of Figures .....	iv
Acknowledgment .....	v
Exeuctive Summary .....	1
Selected Distribution List .....	5

## List of Figures

	<i>Page</i>
Figure 1. Closed-loop RTEC system uses heat to separate acid and base chemicals, which then recombine to produce electric power .....	2

## Acknowledgment

Funding for this project was provided by a cost-sharing arrangement between the United States Department of Energy, Solar Thermal Program, and Hughes Aircraft Company. The authors wish to express their thanks for this support. Next, we gratefully acknowledge the help we received from the following people at the Solar Energy Research Institute (SERI):

Dr. Gerry Nix for providing initial focus and getting the project off to a good start, Dr. Meir Carasso for his tact and leadership in keeping the project on track and for directing the parallel effort at SERI, and Mr. George Yeagle for installing the SERI-built regenerative stripper in our laboratory and teaching us how to run it.

Finally, we wish to thank all our colleagues at Hughes for their help and guidance, in particular Dr. Frank Ludwig for his insights and valuable suggestions at critical points during the work; and Lin Higley, Andy Kindler, Bruce Eliash, Don Helber, Bruce Buller, and Dhirin Mehta for their skilful and diligent work in the laboratory.

## Executive Summary


This is the executive summary of Hughes Aircraft Company's final report on research contract ZX-8-07057-1 from the Solar Energy Research Institute (SERI), Golden, Colorado. The full report, which contains a detailed description of the two-year effort by both SERI and Hughes, is currently subject to a government secrecy order which precludes public release of the information. Copies of the full report will be made available for general release whenever that order is lifted.

The contract covered Phase III of a program to investigate a regenerative thermo-electrochemical converter (RTEC) for converting solar thermal energy into electricity. The work at Hughes was performed in conjunction with a complementary effort at SERI.

Several methods have been proposed for the collection of solar thermal energy, but few viable options exist for the conversion and storage of that energy. The choice is particularly limited for small, dispersed systems such as those using parabolic dish collectors. The more established energy conversion methods tend to be inefficient or unreliable on the small scale, while newer methods require a bottoming cycle to achieve adequate efficiencies.

The RTEC operates with high, scale-independent efficiencies and has a built-in capacity for energy storage. For the first time, therefore, efficient, cost-effective conversion and storage of energy are within reach for the whole range of solar thermal energy systems, regardless of scale.

The RTEC converts heat to electricity in a two-stage cycle that couples a high-temperature chemical process with a low-temperature electrochemical process. It comprises two major subsystems: an electrochemical converter and a thermal regenerator. The regenerator is further divided into a stripper and a condenser. The converter and the condenser subsystems were developed at Hughes. SERI took primary responsibility for the high-temperature stripper unit, in which solar heat input is converted to chemical energy.



*Figure 1. Closed-loop RTEC system uses heat to separate acid and base chemicals, which then recombine to produce electric power.*

In the RTEC system (Figure 1), a salt is chemically converted at high temperature to an acid and a base. These chemicals are cooled and fed into an electrochemical cell consisting of two hydrogen electrodes separated by an ion-selective membrane. Hydrogen is evolved at the acid electrode and consumed at the base electrode, yielding electric power and a salt. The salt is returned to the regenerator, completing the cycle. When required, the two halves of the system can be uncoupled and the chemicals held in storage.

The program was divided into several tasks in which electrochemical and thermal subsystems were first developed separately and then integrated into a closed loop. Electrochemical cell research focused on several different types of membranes and electrodes and on their interaction with the working fluids. Open-circuit voltages of 500 to 600 mV were found with typical working fluid compositions. At peak power, current densities of  $>200 \text{ mA/cm}^2$  were attained, far exceeding the program goal of  $50 \text{ mA/cm}^2$ . A corresponding power density of  $50 \text{ mW/cm}^2$  was measured. The electrodes were found to be free of activation polarization, indicating that catalysis of the electrochemical reactions is relatively simple.

Scaled-up studies of the electrochemical cell showed that the electrode area and number of cells can be increased without loss of performance. A two-cell bipolar stack with 6-by-6-in. electrodes was constructed. This stack produced 16 watts, exceeding the program goal of 10 watts.

Condenser research showed that the chemistry of the alkaline part of the system is ideal for the RTEC. The kinetics of the condensation/absorption process were found to be rapid, and a scaled-up condenser was constructed.

Regeneration studies established that thermal dissociation of the salt (produced in the electrochemical cell) in the stripper occurs rapidly and with yields of up to 41%. The acid products of the regenerator can be adjusted in composition to match the requirements of the cell. Suitable corrosion-resistant construction materials were identified. However, maintaining high-temperature seals proved to be difficult.

Closed-loop testing proved that the products of the cell match the products of the regeneration process, demonstrating that long-term closed-loop operation is possible. A net conversion efficiency of heat to electricity of 11.76% was measured for the closed-loop system.

An analysis of engineering and cost factors showed that the system is competitive with alternative technologies. Key to improving system efficiency beyond the existing levels is the development of a cell membrane with reduced solvent transport rates. This change will allow efficiencies of 30%–40%. Limited tests indicate that reduced solvent transport can be accomplished, but with the added benefit of using low-cost materials. Furthermore, the relatively simple catalysis of the hydrogen electrode reaction suggests that low-cost catalysts can be used. Based on these projected improvements, costs for the RTEC system (exclusive of the solar concentrator) can be as low as \$43 per kilowatt, with a power density of 309 watts per pound.



## Selected Distribution List

U.S. Department of Energy  
Deputy Assistant Secretary for  
Utility Technologies  
CE-30, Forrestal Building  
Room 6E-036  
1000 Independence Avenue, SW  
Washington, DC 20585  
Attn: R. L. San Martin

U.S. Department of Energy  
Forrestal Building  
Code CE-331  
1000 Independence Avenue, SW  
Washington, DC 20585  
Attn: Alan Streb

U.S. Department of Energy  
Forrestal Building  
Code CE-331, 5H-047, FORS  
1000 Independence Avenue, SW  
Washington, DC 20585  
Attn: G. Burch

U.S. Department of Energy  
Forrestal Building  
Code CE-222  
1000 Independence Avenue, SW  
Washington, DC 20585  
Attn: F. Wilkins

U.S. Department of Energy (2)  
Albuquerque Operations Office  
P.O. Box 5400  
Albuquerque, NM 87115  
Attn: D. Graves, G. Tennyson

U.S. Department of Energy  
San Francisco Operations Office  
1333 Broadway  
Oakland, CA 94612  
Attn: R. Hughey

U.S. Department of Energy  
SERI Area Site Office  
1617 Cole Boulevard  
Golden, CO 80401  
Attn: P. Kearns

Arizona Solar Energy Office  
Department of Commerce  
1700 W. Washington, 5th floor  
Phoenix, AZ 85007  
Attn: Dr. Frank Mancini

Asinel  
Ctra. Villaviciosa de Odon  
a Mostoles  
Km 1,700  
28935 Mostoles  
Madrid, Spain  
Attn: Jesus M. Mateos

Babcock and Wilcox  
91 Stirling Avenue  
Barberton, OH 44203  
Attn: D. Young

Battelle Pacific Northwest  
Laboratory  
P.O. Box 999  
Richland, WA 99352  
Attn: J. A. Dirks

Bechtel National, Inc.  
50 Beale Street  
50/15 D8  
P.O. Box 3965  
San Francisco, CA 94106  
Attn: P. DeLaquil

Black & Veatch Consulting  
Engineers  
P.O. Box 8405  
Kansas City, MO 64114  
Attn: J. E. Harder

Tom Brumleve  
1512 Northgate Road  
Walnut Creek, CA 94598

California Energy Commission  
1516 Ninth Street, M-S 43  
Sacramento, CA 95814  
Attn: A. Jenkins

California Polytechnic University  
Dept. of Mechanical Engineering  
3801 West Temple Avenue  
Pomona, CA 91768-4062  
Attn: W. Stine

California Public Utilities  
Commission  
Resource Branch, Room 5198  
455 Golden Gate Avenue  
San Francisco, CA 94102  
Attn: T. Thompson

Centro Investigaciones Energetica  
(1)  
Medroansental Technologie  
(CIEMAT)  
Avda. Complutense, 22  
28040 Madrid, Spain  
Attn: M. Macias, M. Romero,  
E. Conejero, J. M. Figarola

DLR (2)  
Linder Hohe  
5000 Koln 90  
Germany  
Attn: Dr. Manfred Becker  
Dr.-Ing. Manfred Bohmer

Electric Power Research Institute (2)  
P.O. Box 10412  
Palo Alto, CA 94303  
Attn: J. Bigger, E. DeMeo

Engineering Perspectives  
20 19th Avenue  
San Francisco, CA 94121  
Attn: John Doyle

Flachglas Solartechnik GmbH  
Sonnesstr. 25  
D-8000 Munchen 1  
Germany  
Attn: Dr. Michael Geyer

Foster Wheeler Solar Development  
Corporation (2)  
12 Peach Tree Hill Road  
Livingston, NJ 07039  
Attn: S. F. Wu, R. Zoschak

Georgia Power  
7 Solar Circle  
Shenandoah, GA 30265  
Attn: Ed. Ney

Hughes Aircraft Company (2)  
Electro-Optical and Data Systems  
Group  
2000 East El Segundo Boulevard  
P.O. Box 902  
El Segundo, CA 90245  
Attn: C. W. Townsend, J. McHardy

Interatom GmbH (2)  
D-5060 Bergisch-Gladbach  
Germany  
Attn: M. Kiera, W. Meinecke

Los Angeles Department of Water  
and Power  
Alternate Energy Systems, # 661A  
111 North Hope Street  
Los Angeles, CA 90012  
Attn: Bill Engels

Luz International (2)  
924 Westwood Blvd.  
Los Angeles, CA 90024  
Attn: D. Kearney, M. Lotker

Meridian Corporation  
4300 King Street  
Suite 400  
Alexandria, VA 22302-1508  
Attn: D. Kumar

MITI  
Electrotechnical Laboratory  
Solar Energy Applications Section  
1-1-4 Umezono, Tsukuba  
Ibaraki 305, Japan  
Attn: Koichi Sakuta

ORMAT Energy Systems, Inc.  
610 East Glendale Avenue  
Sparks, NV 89431-5811  
Attn: Dr. Lucien Bronicki

Pacific Gas and Electric Company  
3400 Crow Canyon Road  
San Ramon, CA 94526  
Attn: G. Braun

Platforma Solar de Almeria  
Aptdo. 7  
Tabernas (Almeria)  
E-04200, Spain  
Attn: A. Sevilla

Polydyne, Inc.  
1900 S. Norfolk Street, Suite 209  
San Mateo, CA 94403  
Attn: P. Bos

PSI (2)  
CH-5303 Wurenlingen  
Switzerland  
Attn: W. Durish, P. Kesselring

Public Service Co. of Colorado  
System Planning  
5909 East 38th Avenue  
Denver, CO 80207  
Attn: D. Smith

Public Service Co. of New Mexico  
(2)  
M/S 0160  
Alvarado Square  
Albuquerque, NM 87158  
Attn: T. Ussery, A. Martinez

San Diego Gas and Electric  
Company  
P.O. Box 1831  
San Diego, CA 92112  
Attn: R. Figueroa

SCE  
P.O. Box 800  
Rosemead, CA 91770  
Attn: W. vonKleinSmid

Science Applications  
International Corp.  
10343 Roselle Street  
San Diego, CA 92121  
Attn: K. Beninga

Solar Kinetics, Inc. (1)  
P.O. Box 540636  
Dallas, TX 75354-0636  
Attn: J. A. Hutchison,  
A. Konnerth, P. Schertz

Solar Power Engineering Company  
P.O. Box 91  
Morrison, CO 80465  
Attn: H. C. Wroton

Solar Steam  
P.O. Box 32  
Fox Island, WA 98333  
Attn: D. Wood

Stearns Catalytic Corporation  
P.O. Box 5888  
Denver, CO 80217  
Attn: T. E. Olson

Stone and Webster  
Engineering Corp.  
P.O. Box 1214  
Boston, MA 02107  
Attn: R. W. Kuhr

Sulzer Bros, Ltd.  
New Technologies  
CH-8401 Winterthur  
Switzerland  
Attn: Hans Fricker, Manager

Tom Tracey  
6922 South Adams Way  
Littleton, CO 80122

United Solar Tech, Inc.  
3434 Martin Way  
Olympia, WA 98506  
Attn: R. J. Kelley

University of Arizona  
Engineering Experimental Station  
Harvil Bldg., Room 151-D  
Tucson, AZ 85721  
Attn: Don Osborne

University of Utah  
Mechanical and Industrial  
Engineering  
Salt Lake City, UT 84112  
Attn: B. Boehm

Eric Weber  
302 Caribbean Lane  
Phoenix, AZ 85022

National Renewable Energy Laboratory (5)  
1617 Cole Blvd.  
Golden, CO 80401  
Attn: B. Gupta, L. M. Murphy,  
J. Anderson, G. Nix,  
M. Carasso

*Sandia National Laboratories,  
Albuquerque*  
6216 B. W. Marshal  
6217 B. C. Klimas  
6215 J. T. Holmes  
6216 C. E. Tyner

<b>DOCUMENT CONTROL PAGE</b>	<b>1. SERI Report No.</b> TP-253-4020	<b>2. NTIS Accession No.</b> DE91002126	<b>3. Recipient's Accession No.</b>
<b>4. Title and Subtitle</b> A Solar Regenerative Thermoelectrochemical Converter (RTEC): Executive Summary of Final Subcontract Report		<b>5. Publication Date</b> February 1992	
<b>7. Author(s)</b> C. W. Townsend, J. McHardy		<b>8. Performing Organization Rept. No.</b>	
<b>9. Performing Organization Name and Address</b>  Hughes Aircraft Company Electro-Optical and Data Systems Group 2000 East El Segundo Boulevard/P.O. Box 902 El Segundo, California 90245		<b>10. Project/Task/Work Unit No.</b>  SI111010	
		<b>11. Contract (C) or Grant (G) No.</b>  (C) DE-AC02-83CH10093  (G)	
<b>12. Sponsoring Organization Name and Address</b>  Solar Energy Research Institute 1617 Cole Boulevard Golden, Colorado 80401		<b>13. Type of Report &amp; Period Covered</b>  Subcontract report summary	
		<b>14.</b>	
<b>15. Supplementary Notes</b> SERI Technical Monitor: Meir Carasso			
<b>16. Abstract (Limit: 200 words)</b> This is an executive summary of a final subcontract report that describes the successful completion of a closed-loop demonstration of a regenerative thermoelectrochemical device using solar heat input for the production of electricity. The full report, which contains a detailed description of the two-year effort, is currently subject to a government secrecy order which precludes public release of the information. Copies of the full report will be made available for general release whenever the secrecy order is lifted.			
<b>17. Document Analysis</b> <b>a. Descriptors</b> Energy Storage; Electrochemical Energy Conversion; Regenerators; Electric Power; Solar Thermal Conversion  <b>b. Identifiers/Open-Ended Terms</b>   <b>c. UC Categories</b> 224, 236, 237			
<b>18. Availability Statement</b> National Technical Information Service U.S. Department of Commerce 5285 Port Royal Road Springfield, VA 22161		<b>19. No. of Pages</b>  13	
		<b>20. Price</b>  A03	

**END**

**DATE  
FILMED**

**4 / 23 / 92**

