INEL BNCT PROGRAM

VOLUME 5, NO. 9

MAR 26 1992

BULLETIN

Prepared for the U.S. Department of Energy
Under DOE Contract No. DE-AC07-76ID01570

MASTER

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Bulletin

Published by the INEL BNCT Program - Arlene L. Ackermann, Editor

September 1991

Introduction

This Bulletin presents a summary of accomplishments and highlights of the Idaho National Engineering Laboratory's (INEL) Boron Neutron Capture Therapy (BNCT) Program for September 1991. This bulletin includes information on the brain tumor and melanoma research programs, Power Burst Facility (PBF) technical support and modifications, PBF operations, and updates to the animal data charts.

TABLE OF CONTENTS

Introduction.....	1
Principal Investigator's Highlights.....	1
A. Brain Tumor Research.....	5
Project 1: Supporting Technology Development.....	5
Project 2: Treatment Protocol Development.....	11
Project 3: Human Pharmacokinetics.....	12
Project 4: Drug Interaction and Toxicity.....	13
B. Melanoma Research.....	13
Project 1: Boron Localization Screening.....	13
Project 2: Biodistribution, Pharmacology, and Toxicity of Boron Delivery Agents.....	14
Project 3: Large Animal Model Studies.....	16
Project 4: Melanoma Detection and Boron Quantification by Scintigraphy.....	16
Project 5: Boronated Low Density Lipoproteins and Amino Acid Development and Evaluation.....	16
Project 6: Boronated Liposome Development and Evaluation.....	17
C. Administration.....	17
D. PBF Technical Support and Operations.....	19
Appendix A: Animal Data Charts.....	20
Appendix B: Acronyms.....	36

Principal Investigator's Highlights

A. BRAIN TUMOR RESEARCH

1. Project 1: Supporting Technology Development

Task 1: Gross Boron Analysis

Both ICP-AES instruments are fully operational. No new samples were received this month and the majority of samples available were analyzed.

Task 2: Borocaptate Sodium (BSH) Purity Determination

Two samples were analyzed for oxidation product impurities by HPLC this month. These samples consisted of one of the Ben Venue-packaged vials of ^{10}BSH and the other was from a fresh batch of ^{10}BSH produced by Callery Chemical. The results of the chromatographic analyses are shown in Table I. The newest material, BNCT-328, showed major contaminants of BSS and BSSO. A significant amount of $\text{Na}_2\text{B}_{12}\text{H}_{12}$ was noted.

Task 3: Biochemistry of BSH and Its Oxidation Products (Active Form Identification)

University of Utah researchers have begun studies on BSH-albumin interactions using high field nuclear magnetic resonance.

Task 4: Subcellular Analytical Development

Washington State University research-

ers supplied new BSH-treated and untreated tissue samples to Atom Sciences, Inc. for SIRIS analysis. Preliminary data analysis indicates that boron contamination in the mounting and sample preparation methodology is still a problem. Final results from this experiment will be reported in October 1991.

Task 5: Noninvasive Boron Quantification

Two different canine pharmacokinetic studies were conducted at the University of Utah MRI center using the new projection reconstruction imaging techniques. In the first study, the first scan was during BSH infusion and the remaining scans were during the elimination phase. Results are pending. In the second study, four imaging scans were performed during the elimination phase. Results from this study will be presented in October 1991.

Task 6: Measurement Dosimetry

Analysis of neutron activation data from the epithermal neutron beam at the High Flux Reactor at Petten, The Netherlands, resulted in a neutron spectrum shown in Figure 3. This data is being reviewed by the ECBNCT staff. Results were presented at the September 18-20, 1991 International Workshop in Petten.

Dosimetry support was carried out for nine dogs scheduled for dose-ranging studies at BMRR. Development of a realtime system to measure the boron capture rate in irradiation subjects is continuing. Dosimetry experiments in support of this development were performed at BMRR on August 29, 1991. Results are pending.

Task 7: Analytical Dosimetry

A summary of the past fiscal year status of the medical imagery recon-

struction software development is included. Details of methodology developed over the course of this year are being submitted to publication in the *Journal of Nuclear Science and Engineering*. Many additional and desirable optional features for bnct.edit have been identified and are being pursued. A replacement machine for the Apollo DN10000 is anticipated early in FY-92. Finally, microdosimetric calculations were performed to assist in assessing differences in BSH and BPA performance. An interesting finding suggests that, for the same tumor dose, the dose to the endothelial nucleus of the at-risk normal tissue would increase by 69% with BPA as compared to BSH.

2. Project 2: Treatment Protocol Development Task 1: Large Animal Studies

Four new patients with spontaneously-occurring brain tumors were entered into the Program during late August and early to mid-September 1991. These animals are in various stages of analysis. Summaries of other living or recently expired brain tumor dogs are included in this bulletin.

Nine additional dogs were scheduled for dose-ranging studies at BMRR. Dogs already recently irradiation within the normal tissue-tolerance study continue to be followed. No additional dogs have been infused in the pharmacokinetic study.

Task 2: Pituitary Tumor Treatment Evaluation Studies

Experiments are continuing at Oregon Health Sciences University (OHSU) to evaluate the stimulation of pituitary tumor cells *in-vitro* for use in ultimate evaluation of the effect of neutron exposure on these cells. The Research Endocrine Laboratory at the OHSU reactor facility is being completed.

The staff of the Oregon State University (ORSU) reactor facility continue to define parameters required for planned pituitary cell irradiations.

3. Project 3: Human Pharmacokinetics

The University of Utah Boron Project Interest Group held its inaugural meeting on August 27, 1991. Discussion revolved around specific plans for implementation of human pharmacokinetic studies at the University of Utah.

4. Project 4: Drug Interaction and Toxicity

No reportable progress this month.

B. MELANOMA RESEARCH

1. Project 1: Boron Localization Screening

Liposome BNCT compound was evaluated in 48 tumor-bearing BDF mice. Preliminary results are shown in Table III. Further analyses of this data are pending. Preparations are underway to complete two liposomal delivery assays per month.

2. Project 2: Biodistribution, Pharmacology, and Toxicity of Boron Delivery Agents

Task 1: BPA/Molecusol/DEA Availability Study

There is still a backlog of physiologic data acquired from the previous canine experiments at Idaho State University (ISU). Analysis of this data will be possible soon pending debugging of the data transfer system and DATA-PAC-II software.

Task 2: Toxicological Evaluation of BPA

Key instrumentation in support of this task has yet to arrive at ISU. Descriptions of the uses for some of this instrumentation is included in this bulletin.

3. Project 3: Large Animal Model Studies

Potential patients for these studies continue to be identified.

4. Project 4: Melanoma Detection and Boron Quantification by Scintigraphy

A pilot study investigating the *in-vivo* biodistribution of an ^{125}I -radiolabelled borovaline analog in tumor-bearing mice will begin the first week of October 1991. A description of this study is included.

5. Project 5: Boronated Low Density Lipoproteins and Amino Acid Development and Evaluation

University of California/San Francisco researchers have made significant progress in finding an alternative method of isolating human low-density lipoproteins from plasma. Results of some of these studies are included in Figures 4-6.

6. Project 6: Boronated Liposome Development and Evaluation

A description of small animal studies of the most recent boronated liposome development compound are included. Additional new boron species candidates for liposomal delivery is continuing. Some of these candidate species for liposomal delivery are included.

C. ADMINISTRATION

The INEL BNCT Research Program and PBF will begin the new fiscal year without knowledge of the FY-92 budget and both areas will continue at the same level of effort in the new fiscal year as at present.

Five papers were submitted to DOE for approval and clearance prior to submission for publication and the titles and authors of these publications are included.

D. PBF TECHNICAL SUPPORT AND OPERATIONS

PBF Operations: A DOE-ID Reactor Safety Appraisal was conducted the week of September 20, 1991 and recommendations from the 1990 appraisal were closed.

PBF Technical Support: The five-year inspection of the PBF canal permanent and temporary fuel storage racks was completed. No degradation of the canal rack structure or poison integrity was found.

Ronald V. Dorn III, M.D.
Principal Investigator
INEL BNCT Program

A. BRAIN TUMOR RESEARCH

Project 1: Supporting Technology Development

Task 1: Gross Boron Analysis

Samples received	0
Samples prepared for analysis	~380
Samples analyzed	~480
Backlog:	
Awaiting preparation	~20
Prepared, awaiting analysis	~40

Both inductively coupled plasma-atomic emission spectroscopy (ICP-AES) instruments are still fully operational. No new samples were received this month. The only samples remaining are from Washington State University (WSU) from mice injected with boron-containing liposomes provided by University of California/Los Angeles (UCLA) researchers. Samples analyzed were from Project 1, Task 3, cells cultured at WSU, and dogs from Project 2 studies at WSU. Difficulties were encountered with the analyses of carborane samples from the University of California/San Francisco (UCSF). Attention will be returned to these samples when all of the mice samples have been run.

Task 2: Borocaptate Sodium (BSH) Purity Determination

Two samples were analyzed for oxidation product impurities by high performance liquid chromato-

graphy (HPLC) this month. The first, BNCT-267, was one of the Ben Venue-packaged vials of ^{10}BSH that had been inadvertently misplaced in uncontrolled storage while enroute to Brookhaven National Laboratory (BNL). The second, BNCT-328, was from a fresh batch of ^{10}BSH produced by Callery Chemical. Additional samples analyzed were BNCT-217 for comparison to BNCT-267, BNCT-320, and BNCT-202. BNCT-320 and BNCT-202 are both natural boron abundance BSH. BNCT-202 was run as a control and BNCT-320 was run to confirm the previous analysis. The results shown in Table I for BNCT-320 include the original analysis (see August 1991 Bulletin).

Results of all chromatographic analyses are shown in Table I. Sample chromatograms comparing BNCT-328 with BNCT-267 and BNCT-202 are shown in Figure 1. Results for BNCT-267 appeared to be somewhat inconsistent. Weighing and dilution errors were the suspected causes. To determine the extent of these errors, the samples prepared for HPLC were also diluted for ICP-AES analysis of sulfur, boron, and nitrogen. As suspected, weighing errors had occurred and the results for this sample were corrected, assuming that the sample only contained sulfur, boron, nitrogen, and hydrogen. The hydrogen content was determined from the boron content as it was assumed there was a 1:1 relationship of boron to hydrogen. No change was apparent in BNCT-267 as a result of uncontrolled storage.

The chromatograms indicate the newest material, BNCT-328, has major contaminants of BSS and BSSO and some late eluting peaks similar to that found in BNCT-202. Examination of the elemental ratios in Table II indicate an additional problem with BNCT-328. The boron:sulfur and nitrogen:sulfur ratios are significantly different from the rest,

Table I. Results of HPLC Analysis of Several BSH Samples.

<u>Vial Number</u>	<u>BSS⁴⁻ (wt%)</u>	<u>BSSO⁴⁻ (wt%)</u>
202	0.98 $\pm$ 0.09	0.11 $\pm$ 0.02
217	0.1	0.37
267	0.20 $\pm$ 0.07	0.35 $\pm$ 0.02
320	0.25 $\pm$ 0.02	0.59 $\pm$ 0.56
328	1.4 $\pm$ 0.2	0.41 $\pm$ 0.04

Figure 1. Comparison of chromatograms of new BSH with older BSH.

Table II. Mole Ratios for Various BSH Samples Determined by ICP-AES.

<u>Vial Number</u>	<u>Boron/Sulfur</u>	<u>Mole Ratio</u>	
		<u>Boron/Nitrogen</u>	<u>Nitrogen/Sulfur</u>
Expected	12.0	6.0	2.0
202	12.7	6.4	2.0
210 ^a	12.4		
217	12.9	6.2	2.1
267	13.2	6.5	2.0
320	13.1	6.6	2.0
328	21.3	6.1	3.5

^a Cesium salt of BSS

indicating the presence of some $\text{Na}_2\text{B}_{12}\text{H}_{12}$. This latter compound elutes very near or within the BSH peak with the chromatographic conditions used and was, therefore, not detected. Callery Chemical re-examined the product and determined there was as much as 40% $\text{Na}_2\text{B}_{12}\text{H}_{12}$ present. The ^{10}B nuclear magnetic resonance (NMR) spectra shown in Figure 2 clearly indicates that significant $\text{B}_{12}\text{H}_{12}^{2-}$ is present. Using the peak areas and heights from these spectra, it was determined that 32-38% of the boron present in the sample was in the form of the $\text{B}_{12}\text{H}_{12}^{12-}$ anion. Since the compound had already been shipped to WSU, they were immediately informed as to the chemical composition of this product. NMR spectroscopy has been performed on samples of nearly every batch of BSH received to date, but usually in the form of a spectroscopy experiment, as opposed to a quality determination. No other samples used for the spectroscopy experiments have exhibited noticeable $\text{B}_{12}\text{H}_{12}^{2-}$ contamination.

Because of the problems associated with BNCT-328, all new material will be rigorously screened by a multitude of techniques, including HPLC, NMR, IR, ICP-AES, and carbon-hydrogen-nitrogen (CHN) analysis prior to making any quality determinations as to the purity of the incoming compound. The HPLC analysis will be run under two sets of conditions:

(1) optimum for determination of the oxidation products and (2) optimum for species with retention characteristics very similar to BSH. No assumptions as to types of analyses already performed or the quality of the incoming material can be made at this time.

Task 3: Biochemistry of BSH and Its Oxidation Products

All INEL ICP-AES analysis results have been completed and the data are being interpreted. HPLC procedures to separate the major molecular weight fractions of serum proteins are ready for use in determining which serum proteins are associated with the boron compounds.

University of Utah (UofU) researchers have begun studies on BSH-albumin interactions using high field nuclear magnetic resonance (NMR). At the ^{11}B frequency of 160.4 Mhz, the well-established features of BSH are seen. However, because of background signal from borosilicate sample tubes and probe insert, researchers are unable to lower sample concentrations to levels desired for analyses. Quartz glass substitutes have been ordered and work continues with proton observations at 500 Mhz.

Figure 2. ^{10}B NMR of different BSH lots from Callery. BNCT-328 is the new material, BNCT-267 is material packaged by Ben Venue.

Task 4: Subcellular Analytical Development

Task 4A: Secondary Ion Mass Spectrometry (SIMS)

No samples were submitted for analysis this month.

Task 4B: Sputter-Initiated Resonance Ionization Spectroscopy (SIRIS)

New BSH-treated and untreated tissue samples mounted on Atom Sciences, Inc. (ASI)-supplied silicon wafers were received at Atom Sciences from WSU. The SIRIS ion beam was optimized for approximately 15 micrometer resolution. A number of brain section and retina sections were analyzed for boron distribution. Analyses consisted primarily of transverse scans. Ion-beam burn spots were made at the ends of the scans to visually verify the scanned positions. Photos at X50 magnification were taken after analysis to register the SIRIS data with tissue morphology. Preliminary data analysis indicates that boron contamination in the mounting and sample preparation methodology is still a problem. Data analysis will be completed and reported in October 1991.

Task 4C: Alpha Track-Etch

The original task is currently being brought to a close at Idaho State University (ISU). A few experiments are being rerun and photographs retaken for verification. A final report is in preparation.

Task 5: Noninvasive Boron Quantification

University of Utah: Two differing canine pharmacokinetic studies were conducted at the UofU magnetic resonance imaging (MRI) center using the new projection reconstruction imaging techniques. The first dog was a 19-kg female, breed unknown. Five scans were taken, each lasting eight minutes. The first scan was during BSH infusion and the remaining scans were during the elimination phase.

The total study lasted 161 minutes. Necropsy was performed within a hour after euthanasia. Whole-head spectroscopy was also performed and blood samples collected. Tissue and blood samples will be analyzed by ICP-AES.

The second study involved a 20.5-kg male, breed unknown. Four imaging scans were performed during the elimination phase. Whole-head spectroscopy and blood samples were acquired during the study, which lasted 169 minutes. The studies have been shortened because of the inclusion of proton imaging preceding the studies and a necessity to terminate the studies before the start of clinical imaging. The results of both studies, including boron correlation to proton images, will be presented next month.

Northwest Imaging, Inc.: No reportable progress.

Stanford University: The imaging experiments at the UofU are being supported by Dr. Gary Glover, who is providing enhanced imaging and reconstruction software.

Task 6: Measurement Dosimetry

Neutron and Gamma Field Measurements: Analyses of neutron activation data from the epithermal-neutron beam at the High Flux Reactor (HFR) at Petten, The Netherlands, indicates the neutron spectrum shown in Figure 3. The spectrum data and the neutron and gamma field data for cylindrical and beagle-head phantoms have been transmitted to European Collaboration on Boron Neutron Capture Therapy (ECBNCT) staff for review and comment. In addition, INEL researchers have authorized ECBNCT participants to present the results at the September 18-20, 1991 International Workshop (see Administration/Meetings) at Petten. The measured epithermal-neutron flux was approximately $5.0E8$ n/cm²/sec, whereas, the value predicted by the design calculations was a factor of 2.6 greater ($1.3E9$ n/cm²/sec).

The design calculations have been reviewed and an error found in the cross-section data used for argon. The revised calculations are reported to be in better agreement with the measured data. The measured and calculated fast-neutron flux and

Figure 3. Neutron spectrum for Petten BNCT beamport.

resulting dose are in reasonable agreement. The free-field, fast-neutron KERMA per epithermal neutron is approximately 9.0×10^{-11} cGy/n/cm/sec, which is about a factor of 2 greater than the BMRR epithermal-neutron beam. However, HFR beam collimation will reduce differences under treatment conditions that necessarily include beam delimiting at BMRR.

Dosimetry for Canine Studies: Nine dogs were scheduled for dose-ranging studies at BMRR. The studies included irradiations at boron concentrations from 25-100 ppm and doses from 2700-3100 cGy. Confirmatory dosimetry measurements were conducted for each irradiation. The boron concentration for the last irradiation was scheduled to be 25 ppm, but the blood concentration measurements indicated 90 ppm 120 minutes after the start of infusion. This concentration level would have required an unacceptable wait time to reach the 25 ppm level and the irradiation was revised to a boron concentration of 50 ppm.

Realtime Dosimetry Development: The development of a realtime system to measure the boron

capture rate in irradiation subjects is continuing. Dosimetry experiments were performed at BMRR on August 29, 1991 and the results of these tests were analyzed this month. The test series evaluated a detector system's ability to measure the 478 keV gamma ray intensity in the presence of the background radiation, particularly the 511 keV gamma ray produced by positron annihilation. The detector, produced by EV Products, Inc., is a compact photodiode coupled to a cesium iodide scintillation crystal. The compact size of this detector and preamplifier is attractive because it reduces the amount of shielding required to suppress the background at the detector to acceptable levels. Preliminary results indicate that the 478 keV gamma intensity can be measured in the presence of a much more intense ($\times 10$) 511 keV gamma field. The encouraging results warrant further experimental testing.

Task 7: Analytical Dosimetry

Task 7A: Dosimetry Software/Alpha 1 Software Development:

The following is a fiscal year-end summary of the status of the medical image reconstruction software development task being performed by INEL researchers in collaboration with Montana State University (MSU).

Early in FY-91, UofU delivered the final version of the `bncd_edit` program. Shortly afterwards, the geometry file from `bncd_edit` was connected to the INEL BNCT Monte Carlo program via UofU's Personal Ray Tracer (PRT). When the Monte Carlo code is tracking through the B-spline surfaces created by `bncd_edit`, it invokes PRT to compute the surface intersection given a starting point in three-dimensional space and a set of direction cosines. This new method of tracking through free-form surfaces has been validated against experiment and independent geometric models. The details of this method have been summarized and are being submitted to publication in the *Journal of Nuclear Science and Engineering*.

During the initial use of `bncd_edit`, many additional desirable operational features were determined, even though the UofU collaborators fulfilled all of the contract specifications. The UofU researchers had implemented all of the graphics features of `bncd_edit` in Apollo-proprietary graphics primitive resource (GPR) as X11 was not available at the time development began. Because many of the absent features could be better implemented using X11, X11 would be more portable, and Hewlett-Packard (HP)-Apollo appeared to be phasing out GPR, it was decided to rewrite `bncd_edit` in X11. With the support of MSU staff and research assistants, this effort was undertaken at MSU in February 1991. Originally, the plan was to "wrap" all of the necessary X11 graphics calls with an equivalent GPR function, then, at a later time, rewrite the entire code. Two to three weeks into the initial conversion, it was evident that the expedient approach would not work, primarily because of event handling differences between GPR and X. At this point, rewriting of the entire code began. With the assistance of a graduate research assistant and, later, a faculty member, the entire UofU menuing paradigm was rewritten. At this time, image editing features, along with three-dimensional

reconstruction, are being implemented in X11 with the goal of providing this capability by the end of FY-91 or the beginning of FY-92.

The Apollo DN10000 is again down with major problems. Since June 1991, availability of this workstation has been less than 50% and unavailability is impacting progress. HP is aware of the problem and has offered a replacement machine (HP-750) with a deep price discount, equivalent to a credit for what the Program is currently paying for the DN10000. As soon as FY-92 funds are authorized, it is planned to purchase a replacement machine.

Task 7B: Canine Dosimetry Analysis

No canine brain-tumor analyses were required during September 1991. Development of the rat model continues in support of the proposed University of Rochester studies.

Task 7C: Database Management System

Database development and data entry are ongoing at WSU. Networking between INEL, WSU, MSU, and JRC-Petten is operational and in regular use.

Task 7D: Biophysics/Stochastic Model Development

Microdosimetric calculations were performed to assist in assessing differences in BSH and BPA performance. Tumor cells were represented as 10- μm spheres with 5- μm nuclei and 14% extracellular space. Endothelial cells were represented with a 5- μm inner diameter and a 7- μm^3 nuclear volume. Analyses, assuming experimentally indicated macrodistributions, suggest that, for the same tumor dose, the dose to the endothelial nucleus would increase by 69% with BPA, as compared to BSH.

Task 7E: Neutron Source Analysis

No reportable progress.

Task 7F: Georgia Institute of Technology Research Reactor (GTRR) Physics Feasibility Study

Development of a three-dimensional Monte Carlo computer code (MCNP) calculational model of the as-built GTRR core has begun. The model will be benchmarked against critical experiments.

Project 2: Treatment Protocol Development

Task 1: Large Animal Studies

Spontaneously-Occurring Brain Tumors: "Lady Windsor" Negus (#35447-160), a 13-year old female Springer Spaniel, was admitted to WSU on August 28, 1991 with an acute onset of weakness and ataxia in all four limbs. A small enhancing lesion in the medullary region extending caudally into the hind brain was seen on computed tomography (CT) scan. She was not admitted into the Program because of deterioration of her renal function and was sent home with her owners.

"Pippin" O'Brien (#35447-161), an eight-year old male Schnauzer, was admitted to the Program on September 16, 1991 for ataxia, spasms, and progressive behavioral changes. He has become more aggressive over the past eight weeks. An enhancing, mineralized mass just rostral to the lateral ventricles in the region of the cingulate gyrus was seen on CT scan. An MRI is scheduled for September 28, 1991.

"Sam" Wilson (#35447-162), a five-year old spayed female Shepherd cross, was admitted to the Program on September 18, 1991 for circling to the left, staggering, running into objects, and slight personality-behavior changes. An enhancing lesion in the left frontal lobe just dorsal to the cingulate gyrus was seen on CT scan. An MRI is scheduled for September 28, 1991.

"Licorice" Jewkes (#35447-159), a 12-year old female Dachshund/Cocker cross (admitted to the Program on August 12, 1991), received CT and MRI scans and no abnormalities were observed. She was sent home to her owners.

"Niki" Woods (#35447-158), a five-year old female, spayed Samoyed (who underwent brain surgery in August 1991), is doing well. She returned to WSU for a followup MRI that showed the left frontal ethmoidal cyst has been decompressed.

"Bessie" Blish (#35447-155), a 12-year old female Golden Retriever, was treated at BMRR August 9, 1991, but died three days later. Histologic exam of the brain is complete and abnormalities were limited to the tumor, which was a meningioma. Necrosis of the tumor was not evident.

"Dudley" Fiset (#35447-151), a six-year old castrated, male Golden Retriever, is doing well.

"Sugar" Ellsworth (#35447-142), a seven-year old spayed, female Boxer, was euthanized in July 1991. Initial histological results on the brain are complete. There was severe, multifocal necrosis of the white matter surrounding the lateral ventricles. The rest of the brain was unaffected. The mass in the brainstem was either a choroid plexus adenoma or a meningioma. Further evaluation is being performed to identify the tumor type. Necrosis of the tumor was not evident. The white matter necrosis is similar to the changes seen in the 30- and 50-Gy radiation dose-tolerance dogs.

"Muffy" Lower (#35447-140), a four-year old spayed, female Terrier cross, is doing well.

"Too Wide" Marshall (#35447-129), a four-year old female Newfoundland cross, is still having behavioral changes, but her owners are giving her time and hope she will come around to her old self.

"Brandy" Hoff (#35447-94), a seven-year old female Golden Retriever, is still doing well.

Normal Tissue Tolerance (Neutron Irradiation): Nine dogs were scheduled for dose-ranging studies at BMRR. The studies included irradiations at boron concentrations from 25-100 ppm and peak doses from 2700-3100 cGy. Two dogs died during the tests. The first dog died September 24, 1991, after the dog was anesthetized and just prior to the start of the irradiation. The second dog died sometime during the night of September 27, 1991, over 24 hours following irradiation on September 26, 1991. The cause of death has not yet been determined for either dog.

Four dogs that underwent epithermal-neutron irradiation in August 1991 experienced a return to normal of their blood counts. Three of the dogs are not showing any hair loss. The fourth dog has had hair loss and depigmentation of the skin, but it is believed this is secondary to skin biopsies rather than the irradiation itself.

All four dogs in the group at 50 ppm ^{10}B and 27 Gy have been irradiated. Three dogs at 100 ppm and 27 Gy, three dogs at 100 ppm and 31 Gy, and one dog at 25 ppm and 27 Gy have also been irradiated.

Pharmacokinetics: No additional dogs have been infused.

The latest changes in the animal chart data from Project 2, Task 1 Large Animal Studies are summarized in Appendix A.

Task 2: Pituitary Tumor Treatment Evaluation Study

Experiments are continuing at Oregon Health Sciences University (OHSU) to evaluate the stimulation of AtT-20 and GH-3 pituitary tumor cells *in-vitro* for the ultimate evaluation of the effect of neutron exposure on these cells in the absence and presence of the corticotropin releasing factor (CRF) and the growth hormone releasing hormone (GHRH)-carborane conjugates. The cell stimulation and response parameters are being defined for future reactor experiments at Oregon State University (ORSU).

BLAB/C mice, inoculated with "purified" preparation of CRF receptor continue to produce antibodies against the receptor moiety. Experiments are planned to harvest mouse spleens and fuse the spleen cells with mouse myeloma cells to produce monoclonal antibodies.

OHSU researchers also plan to obtain fresh bovine and/or porcine pituitaries from local abattoirs in an attempt to obtain large numbers of fresh, normal, mammalian pituitary cells for the above experiments.

The Research Endocrine Laboratory at the ORSU reactor facility is being completed. More than half of the equipment ordered has been delivered to the facility and pilot experiments using pituitary cells are planned to begin soon.

ORSU reactor facility staff continue to define parameters required for planned pituitary cell irradiations. Thermoluminescent dosimeter (TLD-700) measurements were carried out in lead cubes of various thickness to determine if the gamma field can be sufficiently suppressed in the cell exposure chamber. One-quarter to one-half inch thick lead shielding was placed around the sample tubes (in addition to the 10-cm lead block placed in the proximal stringer window) and compared to results with no lead. At a distance of 12.2 cm from the inner end of the thermal column, the gamma was decreased by approximately 20%. Tin and copper shielding will be evaluated to minimize any effect of lead-derived gamma source.

Task 3: Physiological Response Evaluation and Interdiction

The contract with the University of Rochester is not yet finalized.

Project 3: Human Pharmacokinetics

On August 27, 1991, the UofU Boron Project Interest Group held its inaugural meeting. After individual introductions and statements of interest in the boron MR pharmacokinetics/neutron capture therapy project, the tasks under the INEL/DOE-funded subcontract were outlined. The overarching goal is to validate the applicability of the boron MR technique by quantitation and distribution measurements in the canine brain. First, hardware developed by Ken Bradshaw (INEL) and Jeff Thomas (an Associated Western Universities student) will be tested in the GE Signa™ imager. Subsequently, ^{11}B NMR spectral and imaging data will be collected on normal dogs and those harboring intracranial neoplasms using BSH. These data will be compared with excorporeal analysis of tissue obtained via stereotactic necropsy, as well as online blood sampling. The possibility of an eventual transfer to humans was also discussed.

Dr. M. Peter Heilbrun, Chief of Neurosurgery, suggested considering the C6 canine glioma developed at the University of Maryland for the sake of reproducibility. Supportive views were expressed. Agreement was reached that this was a desirable direction to pursue.

Some discussion was raised about "third generation" boronated compounds (i.e., low density lipoproteins (LDLs)) containing sequestered boronated elaidic acid. These LDLs may have much better tumor absorption, but are as yet unavailable for large animal studies.

UofU researchers continue the interim evaluation of the ^{11}B NMR imaging and spectroscopy methods on canine models. As reported in detail in Project 1, Task 5, two dog studies have been completed, including ^{11}B spectroscopic and imaging data with venous blood sampling during infusion, distribution, and elimination of BSH. Tissue necropsies were also performed.

Project 4: Drug Interaction and Toxicity

No reportable progress.

B. MELANOMA RESEARCH

Project 1: Boron Localization Screening

Screening of Liposome BNCT Compounds: As reported last month, 48 tumor-bearing $\text{B}_6\text{D}_2\text{F}_1$ (BDF) mice were inoculated intravenously into the tail vein with 200 μL of the liposome compound ($\text{Na}_4\text{B}_2\text{O}_6\text{H}_{17}\text{OH}$ in 9% lactose, 5mM phosphate buffer) received from UCLA researchers. Control mice were inoculated with 200 μL of saline solution. Tissues were sampled at 0 (control), 6, 12, 18, 24, and 36 hours postinoculation (eight mice per time point), frozen, and sent to INEL for boron analysis. Sampled tissues include tumor, liver, spleen, brain, kidney, skin, skeletal muscle, and whole blood.

Preliminary results on four mice/sample period and selected tissues (four out of eight sampled tissues) are averaged and shown in Table III. Boron levels are highest in the liver, as would be expected, as the liver is the primary site of detoxification, although levels in the liver approximate blood levels. Levels in the lung peak at 10 ppm. Levels of boron in tumor and liver tissue appear to peak at 12 hours postinoculation of the liposomal compound. Blood and splenic levels peak at 18 and 6 hours, respectively. Loss of boron from tumor tissue appears to

Table III. Boron Levels (ppm) in Tissues Excised at Indicated Times From Tumor-Bearing Mice Following Intravenous Delivery of Liposomal Boron Compound at $t = 0$.

Hour	Parent Liposome Compound	Tissue			
		Tumor	Blood	Liver	Spleen
0	898	0.724	0.797	0.511	1.000
6		7.813	---	27.481	21.636
12		10.369	25.583	31.993	16.435
18		8.655	26.968	23.219	10.939
24		7.503	17.017	24.692	17.123
36		5.165	7.551	10.010	6.035

be slower compared to loss from other tissues. Further analyses of the data are pending until the remainder of the data is received. At that time, statistical significances will be determined and final interpretations and experimental modifications (i.e., decreasing the number of mice per time point, adding a 48-hour sampling point, administering the drug in a split dose) will be made. Preparations are underway to complete two liposomal delivery assays per month.

Project 2: Biodistribution, Pharmacology, and Toxicity of Boron Delivery Agents

Task 1: BPA/Molecusol/DEA Availability Study

Specific pathogen-free, female mice at 6-8 weeks of age have been reordered and are scheduled to arrive at WSU October 3, 1991. Upon receipt, they will be set up and the biodistribution of BPA in mice fed a normal diet and a diet low in tyrosine and phenylalanine will be repeated.

Analysis of Physiological Data: ISU researchers still have a backlog of physiological data acquired from previous canine experiments. Analysis of this data, however, should soon be possible. The Run Technologies DATAPAC-II data analysis software program has been installed on an 80486-based computer. The files this program will analyze are on the order of 50 Mb and, as with any new, complex software package, numerous unexpected "bugs" have been found. Researchers are gradually working through this problems and hope to have the data analysis capability fully functional within the next few weeks. The current problem is that while DATAPAC-II is now functional, a bug has surfaced in the data transfer system. All of the analog data has been digitized (i.e., blood pressure and respiratory rate) and stored on magnetic tape via an Instrutech VR-100A digital data recorder. Data from the magnetic tape can then be transferred to the DATAPAC-II software via a VR-111 interface device. While the VR-111 seems to interface correctly with the VR-100A, the DATAPAC-II software is not reading the transferred data consistently. Instrutech and Run Technologies technical support have suggested several possible causes.

ISU researchers are currently inserting an intermediate data conversion step (converting the TPE files to FETCHEX files) to determine if this will correct the problem.

Kinetic Analysis of Boron in Physiological Samples: INEL has completed the boron analysis of all dog plasma, serum, and urine samples. Sufficient data are now available to begin pharmacokinetic modeling of the data.

Rat Bioavailability Studies: A protocol for these studies has been finalized and initial experimentation validating the key methodologies is now complete. These studies will investigate the pharmacokinetics of BPA formulations in male, Sprague-Dawley rats to determine if: (1) initial pharmacokinetic experiments can feasibly be conducted in rats, (2) the pharmacokinetic profiles in rats mimic the pharmacokinetic profiles in dogs, (3) unanticipated side effects noted in dogs are also observed in the rat model, and (4) novel drug delivery systems can increase levels of drug circulating in the blood and the bioavailability of the drug.

Analytical Methods Development: ISU researchers have discontinued the use of the Supelco LC-HISEP column for BPA analysis because of a lack of sensitivity and poor column life expectancy under current analytical conditions. The Nucleosil C-18 column is being evaluated as a replacement. Analytical conditions allow successful quantitation of BPA concentrations in aqueous formulations and this technology is currently being used to evaluate the stability of BPA formulations prepared for rat bioavailability studies. Isolation of BPA from physiological samples (plasma, serum, urine) has proven to be more difficult than initially envisioned. Current methodologies permit reproducible recovery of BPA from plasma (albeit at a 40-50% recovery rate), but coelution of variable quantities of an unknown, endogenous substance is preventing an accurate determination of BPA in blood samples. In collaboration with scientists at Analytichem International, new solid phase extraction technology will be evaluated as a means of eliminating the interfering substance. Three new types of extraction columns are being evaluated. The first is a C-8 column, encapped with a cation exchanger, benzene sulfonic acid. In theory, adjusting BPA to an acidic pH should give BPA sufficient positive charge

to be retained on the column. BPA will then be eluted off the column with an organic solvent containing a competing anion (i.e., chloroform/ammonia). Preliminary results with this type of column indicate no column retention of BPA at pH 2.0. More Acidic pH conditions are being examined as the pKa for BPA has been reported as 2.46. The second type of column was selected as a result of literature reports indicating that phenylboronic acid compounds bind to cis-diols. Addition of base to BPA-containing solutions should allow BPA to be retained on the diol column, while the interfering substance may pass through. BPA could then be eluted from the column by using a strong acid (i.e., 0.1N HCl). The third approach is to use a C-8 column, endcapped with an anion exchanger (i.e., a quaternary amine). In theory, this column will bind hydrophobic and negatively-charged compounds. By adjusting BPA-containing solutions to a neutral Ph, BPA should bind to this column while competing substances pass through.

Task 2: Toxicological Evaluation of BPA

Most of the instrumentation critical to this task has arrived at ISU, but key instrumentation is still missing. The initial experimental goal has been to evaluate the technology available for measuring cardiac flow. Evaluation of five cardiac flowmeters that utilize one of three physical principles has begun. Two units operate by electromagnetic flow detection. The analyzer probe is implanted around the lumen of the blood vessel to be measured and the probe then creates an electromagnetic field across the lumen of the vessel. Blood flow through the lumen causes changes in the electromagnetic field and the magnitude of these changes provides a measure of the absolute blood flow through the vessel. The Carolina square-wave, electromagnetic flowmeter was deemed unacceptable because flow values were critically dependent on hematocrit concentration and accurate readings required hematocrit determinations every few minutes to verify alterations in hematocrit were not biasing the data. Intravenous injection of 1 mL of saline changed hematocrit levels enough that recalibration of the probe (and its concomitant hematocrit determination) was necessary to ensure accurate measurement of cardiac flow. The Scala flowmeter operated on the same principle as the Carolina unit, but did not allow compensation for changes in hematocrit. Thus, the Scala system was easier to use than the Carolina system, but was also less

accurate. This unit was also returned to the manufacturer.

Two other flowmeters, Triton Technologies and Crystal Biotech, utilize doppler flow sensing technology. With these systems, minute probes implanted on the wall of the blood vessel generate a beam of ultrasound through the lumen of the vessel. Reflections of this beam are sensed by the probes and, since the extent of reflection is related to the speed of blood flow, these reflections are used to calculate velocity through the lumen (measured values are expressed as cm/sec). After using this system for a while, it was realized that it measures only velocity and not absolute flow through a vessel. While the relationship between absolute flow and velocity is linear as long as the vessel diameter remains constant, most vessels have the potential to constrict or dilate over time as part of the reflex response for maintaining a stable blood pressure. Thus, both of these units were judged to be unacceptable for Program purposes and are being returned to their manufacturers.

The most promising flowmeter, Transonic TD-106, utilizes transit time, ultrasound flow measurements. The probe of this unit consists of two ultrasonic transducers and a fixed acoustic reflector bracket. The arrangement allows the unit to measure, not only the velocity of the blood through the vessel, but also the change in vessel diameter. By integrating the two measurements, the analyzer unit can calculate the absolute volume flow. The primary disadvantage of this system is that the relatively large probe requires significantly greater surgical skills during the implantation procedure. All factors considered, the conclusion is that the Transonic system is best-suited to Program requirements and needs and this unit will be purchased in the near future.

Project 3: Large Animal Model Studies

Potential patients for large animal studies continue to be identified. There was no other activity to report this month.

Project 4: Melanoma Detection and Boron Quantification by Scintigraphy

Uptake and Distribution of Radiolabelled Boron Compounds: A pilot study investigating the *in-vivo* biodistribution of a ^{126}I -radiolabelled borovaline analog in tumor-bearing mice has been planned and will begin the first week of October 1991. Fifteen (15) mice will be injected subcutaneously with BL6 melanoma on October 3, 1991. When the tumor reaches approximately 1.0 cm in diameter (approximately two weeks after tumor injection - October 17, 1991), the mice will be injected interperitoneally with the radiolabelled boron compound. This borovaline compound will be synthesized in the College of Pharmacy at WSU and radioactively tagged with ^{126}I in the laboratory one week prior to compound injection. Three mice per time point will be sacrificed at 2, 6, 12, 24, and 48 hours postinjection. Tissues will be excised and radioactivity in these tissues will be measured in a gamma scintillation counter. Tissues to be sampled include tumor, brain, lung, liver, kidney and adrenals, intestines, whole blood and plasma, heart, thymus, skin with hair, and gastrocnemius muscle. Data collected from this experiment will provide experience in labelling boronated compounds and should indicate feasibility and potential directions for future experiments of this type.

Project 5: Boronated Low Density Lipoproteins and Amino Acid Development and Evaluation

UCSF researchers have made significant progress in finding an alternative method of isolating human

LDL from plasma. An alternative to the lengthy, time-consuming process of density gradient ultracentrifugation has been sought to increase the amount of material available for boron loading and subsequent *in-vitro* and *in-vivo* distribution studies. In conjunction with a group at Per Septive Biosystems (Cambridge, MA), a new method has been developed using HPLC perfusion chromatography. This method is based on the unique morphology of a proprietary class of particles. These particles contain both transecting and diffusive pores that, in combination, provide extremely rapid mass transport. This makes possible both high resolution and high capacity at speeds 10-100 times faster than HPLC with conventional packings.

The results are shown in Figures 4a, 4b, and 4c. Figure 4a shows the chromatogram following a 1.5-mL injection of plasma from a healthy volunteer researcher directly only the column. The column used was a 10x10 mm Poros HS/M strong cation exchange column with a total column volume of approximately 8 mLs. A 23.5-mL/minute flowrate of pH 6.1 buffer was used and the column effluent was monitored at 280 nm. The LDL (2.60 minute retention time) is clearly separated from the VLDL (2.32 minutes) and other plasma components. Figures 4b and 4c represent 1-mL injections of standard solutions of LDL (Figure 5) and VLDL (Figure 6). As yet, the HDL peak has not been identified, but it may be at 3.18 minutes. Obviously, this preparative separation needs to be optimized, which is likely possible using a shallower gradient, providing longer elution times, and a 16-mm diameter column that will give higher efficiency. Such a column has been ordered and it is hoped to have it operational by mid-October 1991. It still remains to confirm the viability of the chromatographed LDL by PAGE gel electrophoresis, but, if this proceeds as expected, a powerful new tool for isolating large amounts of LDL will have been identified.

Figures 4a, 4b, and 4c.

Project 6: Boronated Liposome Development and Evaluation

UCLA researchers have encapsulated sufficient amounts of $K_4B_{20}H_{17}OH \cdot 3H_2O$ into liposomes for murine experiments using a melanoma tumor line (WSU researchers) and the EMT6 tumor line (Vestar, Inc.) The melanoma experiments have been completed and partial boron analyses have been obtained. Based on these preliminary data, the hydrolysis product of $[i-B_{20}H_{18}]^{2-}$ does not appear to be as effective as the parent $[i-B_{20}H_{18}]^{2-}$. It is not yet clear whether this is a function of the boron compound used or the alteration of the tumor model used. A murine experiment with the EMT6 tumor line using $K_4B_{20}H_{17}OH \cdot 3H_2O$ liposomes is being arranged with Vestar.

Development of the synthesis and chemistry of new boron species as candidates for liposomal delivery is continuing. The amine derivative of $[n-B_{20}H_{18}]^{2-}$, $[B_{20}H_{17}NH_3]^{3-}$, has been synthesized and is in preparation for liposome encapsulation.

Expansion of this synthetic route to obtain the benzylamine $[B_{20}H_{17}NH_2(C_6H_5)]^{3-}$ and octylamine $[B_{20}H_{17}NH_2(CH_2)_7CH_3]^{3-}$ derivatives appears to be successful. Current efforts in this area are centered on purifying and characterizing these species. Investigations of the chemistry of $[B_{10}H_9CO]^{1-}$, $[B_{10}H_9CO_2H]^{2-}$, and $[B_{10}H_9NCO]^{2-}$ are also continuing. Reduction of the carbonyl compound $[B_{10}H_9C=O]^{1-}$ with lithium borohydride appears to have produced the new species $[B_{10}H_9CH_2OH]^{2-}$, whose characterization is in progress.

C. ADMINISTRATION

Contracts/Subcontracts: The subcontract with Stanford University was awarded September 6, 1991. The subcontract with WSU has been extended, to allow continuity of the work as the fiscal year boundary is crossed. No new money was committed for WSU.

Budget: Internal (EG&G Idaho, Inc.) BNCT research redirection was finalized and the recommendation consensus was conveyed to DOE-ER by DOE-ID and EG&G.

The BNCT Research Program and PBF will begin the new fiscal year without knowledge of the FY-92 budget. Both areas will continue at the same level of effort in the new fiscal year as they are presently spending. PBF will continue with the matrix support in planning for the LOCA pipe removal and compliance modifications that were begun in FY-91.

Presentations: Merle Griebenow (INEL) summarized the INEL BNCT Program progress for Congressman Stallings and his legislative assistant, Cary Jones; for Nils Johnson from Senator Craig's staff; and for two of Senator Symms' staff.

Boron Compound: The last shipment of the enriched BSH compound from Callery Chemical was found to contain about 31% $B_{12}H_{12}$, with the remaining compound being BSH (see Project 1, Task 2). Callery has requested the return of this compound. After discussions with INEL chemists, it was decided to utilize some of the compound on four dose-tolerance dogs now at BNL awaiting irradiation. The $B_{12}H_{12}$ will not preferentially accumulate in tumors, but as these tests are dose tolerance, the total boron will be the same as in blood. The only possible change could be a faster elimination rate from the body.

BNL/BMRR: BNL was requested to: (1) accelerate DCP availability, (2) include an INEL analyst in factory DCP training to facilitate INEL transfer of the ultrasensitive methylborate analyses to BNL in support of INEL irradiations at BMRR, and (3) hire a fulltime dosimetrist so INEL does not need to send two dosimetrists to BNL for each dog irradiation. BNL and DOE-HQ have tentatively agreed to all actions, as soon as the FY-92 budget is firm.

Publications: Five (5) papers were submitted to DOE for approval and clearance prior to submission for publication. They are:

1. Floyd J. Wheeler, "Dose Calculations Based on Image Reconstructions," to

be submitted to the Proceedings of the International Workshop and Plenary Meeting, Towards Clinical Trials of Glioma with BNCT, held at Petten, The Netherlands, September 18-20, 1991.

2. Floyd J. Wheeler and Daniel E. Wessol, "Methods for Creating and Using Free Form Geometries in Monte Carlo Particle Transport," to be submitted to *Nuclear Science and Engineering Journal*.
3. Susan L. Kraft, Patrick R. Gavin, William F. Bauer, David L. Miller, and Merle L. Griebenow, "Biodistribution of Boron in Dogs with Spontaneous Intracranial Tumors Following Borocaptate Sodium Administration - Part I: Tumor Boron Concentrations," to be submitted to *Radiation Research Journal*.
4. Susan L. Kraft, Patrick R. Gavin, William F. Bauer, David L. Miller, and Merle L. Griebenow, "Biodistribution of Boron in Dogs with Spontaneous Intracranial Tumors Following Borocaptate Sodium Administration - Part II: Boron Concentrations of Normal Canine Tissues," to be submitted to *Radiation Research Journal*.
5. Susan L. Kraft, Patrick R. Gavin, Constance E. DeHaan, Charles W. Leathers, William F. Bauer, David L. Miller, and Ronald V. Dorn III, "Borocaptate Sodium: A Potential Boron Delivery Compound for Boron Neutron Capture Therapy Evaluated in Dogs with Spontaneous Intracranial Tumors," to be submitted to the Proceedings of the National Academy of Sciences.

Meetings: Merle Griebenow, Floyd J. Wheeler (INEL), Dr. Ronald V. Dorn III (INEL/MSTI), and Dr. Patrick R. Gavin (WSU/Petten) represented the INEL BNCT Program at the International Workshop and Plenary Meeting, "Towards Clinical Trials of Glioma with BNCT," sponsored by the European Collaboration on BNCT at Petten, The Netherlands, September 18-20, 1991. Floyd Wheeler was a guest speaker and gave an oral presentation entitled, "Dose Calculations Based on Image Reconstructions." Dr. Dorn gave an oral presentation entitled, "The INEL BNCT Program Directions with Respect to Clinical Trials of BNCT." Dr. Gavin, who is currently on sabbatical assignment at Petten, gave an oral presentation on "Large Animal Model Studies for BNCT." Drs. Gavin, Huiskamp, Co-

derre, and Floyd Wheeler met to discuss micro-dosimetric considerations for Dr. Coderre's cell survival studies. It was agreed that it would be beneficial to perform calculations for these experiments to better understand the differences in cell survival for different cells and compounds. It was announced at the meeting that an agreement had been reached with Plenum Publishing to publish the transactions of the meeting; therefore, Floyd Wheeler has drafted a full paper of his oral presentation (see Publication No. 1 above).

D. PBF TECHNICAL SUPPORT AND OPERATIONS

PBF Operations

A DOE-ID Reactor Safety Appraisal was conducted the week of September 20, 1991. Recommendations from the 1990 appraisal were closed. An EG&G Idaho, Inc. Performance Oversight and Assessment Surveillance was also conducted during the week of September 16-20, 1991, with EG&G Health Physics personnel.

The following preventive maintenance items were completed: (1) continuous air monitors, (2) stack gas monitor, (3) chemical treatment pump, (4) emergency generator, (5) plant and auxiliary air compressor, (6) overhead 5/15 ton crane, (7) air conditioners, (8) relamping, (9) exhaust fans, and (10) waste gas exhaust fans.

Training conducted during the month consisted of: (1) operations safety meeting (2) emergency brigade training, (3) emergency drill, (4) Personnel Security Assurance Program training for personnel in sensitive positions, (5) experimental reactor operator support personnel duties and responsibilities initial training, and (6) two training coordinators witnessed the annual emergency exercise at Prairie Island Nuclear Generating Station in Minnesota.

PBF Technical Support

The five-year inspection of the PBF canal permanent and temporary fuel storage racks was completed. The inspection included a visual inspection of the canal racks using an underwater television camera and a neutron interrogation of the racks to determine the condition of the cadmium poison. The neutron interrogation verified that the minimum required 0.002 inches of cadmium was present and estimated the total thickness of cadmium in the racks. No degradation of the canal rack structure or poison integrity was found. A final report summarizing the inspection results is being written.

The following activities are ongoing and will continue in the engineering and planning phases pending further direction from DOE:

1. Removal of the unused Loss-of-Coolant Accident (LOCA) piping and instrumentation from the annulus.
2. Requirements determination for the rewrite of the Final Safety Analysis Report.
3. Separation of the potable and raw water systems.
4. Replacement of the building temperature monitoring system.
5. Installation of the limit switches in the 5/15-ton crane.
6. Design of the reactor vessel weld mockup.
7. Initial investigations into PBF reactor fuel removal and storage.
8. Upgrade of the electrical service entrance to PBF Buildings 621 and 624.

Weekly meetings are being held between the mechanical and electrical engineers and PBF Technical Support to ensure continuity of direction among participants.

APPENDIX A

LARGE ANIMAL MODEL STUDIES

SUMMARY OF PATIENT DATA

INEL BNCT CANINE TUMOR TREATMENT STUDY

Page 1 of 2

ANIMAL#	AGE	NAME OF DOG	DIAGNOSIS	BORON DOSE (mg ¹⁰ B/ kg bw)	DATE	START TIME ¹	DURATION MINUTES ²	CALCULATED DOSE (cGy)	ESTIMATED AVG (ppm) ¹⁰ B	SURV. DAYS	DEATH DATE	CAUSE
35447-79	F/7	"Pugee" Krebs	Astrocytoma ⁶	50	07/07/89	375	77.8	1923	18.5	No	348	Obstruction 08/19/89
35447-80	M/4	"Mugsy" Marshall	Astrocytoma ³	50	08/07/89	369	1722	21.6	No	12	170	02/11/90 Encephaloma
35447-83	M/11	"Rusty" Collins	Meningioma ⁴	50	08/25/89	430	1829	21.4	No	140	20.6	02/14/90 Encephaloma
35447-87	M/1	"Benji" Williams	Meningioma ⁶	50	09/28/89	420	1653	24.9	No	300	18.5	(recurrent clinical signs) 08/27/90
35447-93	F/6	"Brandy" Grudzinski	Oligoden- droglioma ⁵	50	10/30/89	310	1912	1887	14.3	Yes	0.5	deterioration
35447-94	F/5	"Brandy" Hoff	Meningioma ⁴	50	10/25/89	464	86.0	1743	24.5	No	43	deterioration
35447-95	M/6	"Godfrey" Reers	Meningioma ⁶	50	10/24/89	388	63.3	2185	28.9	No	06/??/90	03/26/91
35447-100	F/7	"Juno" Bagley	Meningioma ⁶	50	11/30/89	315	73.0	51.9(?)	No ⁵	158	56.9	12/12/90
35447-108	F/4	"Trixie" Herklotz	Papilloma ³	50	02/16/90	225	1900	85.3	No	54	34.5	complications (GDV)
35447-118	F/9	"Scuzzy" Jenkins	Astrocytoma ⁶	50	10/19/90	170	2300	56.9	Yes			
35447-129	F/6	"Two Wide" Matfield	plexus papilloma ³	50	10/18/90	210	2141	164.0	No			
35447-132	M/13	"Sarge" Smith	Meningioma ⁶	50	10/19/90	198	2300		No			

¹ Time from start of boron injection to start of irradiation.

² Irradiation time in minutes.

³ Diagnosis from CT and/or MRI scans.

⁴ Biopsy confirmed.

⁵ Did not improve neurologic status.

⁶ Postmortem histopathology report

(a) Dog died sometime week of June 11, 1990, was buried without necropsy, owner did not return messages or communicate with WSU.

• "Benji" Williams age is unknown

GDV = gastric dilatation volvulus

INEL BNCT CANINE TUMOR TREATMENT STUDY

ANIM#	AGE	NAME OF DOG	DIAGNOSIS	BORON DOSE (mg ¹⁰ B/ kg bw)	DATE	START TIME ¹	DURATION MINUTES ²	CALCULATED DOSE (CGY)	ESTIMATED AVG (ppm)	SURV. DAYS	DEATH DATE	CAUSE
35447-134	F/8	Neurological	"Peggy" Cunningham	Meningioma ⁵	50	10/29/90	198	190.0	1729	20.6	No	33 12/01/90
35447-139	M/11	shock ⁷	"Hobart" Felder	Meningioma ⁵	50	01/22/91	160	83.0	2300	57.5	No	13 02/04/91 ⁸
35447-140	F/3		"Muffy" Lower	N/A	50	01/22/91	149	152.0	2300	40.3	Yes	
35447-142	F/6	Euthanasia:	"Sugar" Ellsworth	Pending	50	01/23/91	168	105.0	2300	44.5	No	181 07/23/91
35447-147	M/9	Euthanasia:	"Bomber" Buck	Malignant meningioma ⁵	50	02/07/91	206	132.0	2300	37.1	No	102 05/21/91
35447-151	M/6		"Dudley" Fiset	N/A	50	02/28/91	211	69.0	2300	67.6	Yes	recurrent clinical signs
35447-152	M/10	Euthanasia	"Zar" Walter	Meningioma ⁵	50	05/19/91	204	78.4	2300	60.8	No	99 06/26/91
35447-155	F/11	Unknown	"Bessie" Blish	Meningioma ⁵	100	08/09/91	202	24.0	2600	101.6	No	3 08/12/91 ⁸

¹ Time from start of boron injection to start of irradiation.

² Irradiation time in minutes.

³ Diagnosis from CT and/or MRI scans.

⁴ Biopsy confirmed.

⁵ Did not improve neurologic status.

⁶ Postmortem histopathology report.

⁷ Infection in rear leg.

⁸ Unidentified at necropsy.

"Penny" Bird, #35447-136: Health deteriorated too quickly for radiation treatment; received boron injection; moved to pharmacokinetics study.

INEL BNCT CANINE PHARMACOKINETIC STUDY SUMMARY OF PATIENT DATA BSH INTRAVENOUS INJECTIONS STUDY

ANIMAL	NAME OF DOG	EUTHANASIA DATE	MIN'	CASE SUMMARY	PATHOLOGY DIAGNOSIS	DOSE (mg/kg)	BLOOD SERUM AND URINE		TISSUE ANALYSIS	CT		MRI	
										UNENH.	ENH	UNENH.	ENH
35447-1	"Muffy" Klugh	03/23/87	540	Yes	Pituitary adenoma	55	Yes	Yes	Yes	Yes	Yes	Yes	Yes
35447-2	"Stashi" Christensen	05/18/87	750	Yes	No tumor/positive boron control	57	Yes	Yes	Yes	N/P	N/P	No	No
35447-3	"King" Henry	05/18/87	Control	Yes	No tumor/negative boron control	0	Yes	Yes	N/P	N/P	No	No	No
35447-14	"Marsha" Despain	06/30/87	780	Yes	Invasive adenocarcinoma	62	Yes	Yes	Yes	Yes	Yes	Yes	Yes
35447-15A	"Amos" Vallangdigham	08/03/87	780	Yes	Invasive nasal carcinoma	59	Yes	Yes	Yes	Yes	Yes	Yes	Yes
35447-18	"Sliim" Pozzobon	09/14/87	770	Yes	Invasive nasal adenocarcinoma	30	Yes	Yes	Yes	Yes	Yes	Yes	Yes
35447-20	"Mischief" Scott	11/02/87	90	Yes	Meningioma	55	Yes	Yes	Yes	Yes	Yes	Yes	Yes
35447-23	"Rocky" Christensen	11/13/87	780	Yes	Pituitary adenoma	55	Yes	Yes	Yes	Yes	Yes	Yes	Yes
35447-24	"Mariah" May	11/24/87	720	Yes	Subarachnoid cyst	55	Yes	Yes	Yes	Yes	Yes	Yes	Yes
36845-25	"Sandy" Frazier	01/26/88	730	Yes	Meningioma	53	Yes	Yes	Yes	Yes	Yes	Yes	Yes
35447-28	"Boots" Belisle	02/22/88	125	Yes	Regional demyelinative disease	55	Yes	Yes	Yes	Yes	Yes	Yes	Yes
35447-30	"Sunny" Seeley	03/01/88	420	Yes	Pituitary adenocarcinoma	55	Yes	Yes	Yes	Yes	Yes	Yes	Yes
35447-32	"Pip" Hahn	02/26/88	410	Yes	Meningioma	55	Yes	Yes	Yes	Yes	Yes	Yes	Yes
35447-33	"Coco" Pechtel	03/23/88	420	Yes	Nasal adeno carcinoma	56	Yes	Yes	Yes	Yes	Yes	Yes	Yes
35447-37	"Tucker" Reeves	04/14/88	420	Yes	No tumor/positive boron control	10	Yes	Yes	Yes	N/P	N/P	No	No
35447-39	"Fritts" Coglani	05/02/88	100	Yes	Meningioma	10	Yes	Yes	Yes	Yes	Yes	Yes	Yes
35447-40	"Rocky" Underwood	05/03/88	420	Yes	Fungal granuloma	30	Yes	Yes	Yes	Yes	Yes	Yes	Yes
35447-43	"Blue" Archer	05/23/88	420	Yes	Diffuse cortical astrocytoma	52	Yes	Yes	Yes	N/P	N/P	Yes	Yes
35447-49	"Jenny" Nelson	06/29/88	420	Yes	Diffuse astrocytoma	33	Yes	Yes	Yes	Yes	Yes	Yes	Yes
35447-50	"Caesar" Chenoweth	07/13/88	420	Yes	Meningioma	55	Yes	Yes	Yes	Yes	Yes	Yes	Yes
35447-54	"Licorice" Meyers	08/03/88	410	Yes	No tumor/positive boron control	55	Yes	Yes	Yes	Yes	Yes	Yes	Yes

* Euthanasia time in minutes following start-of-boron administration. Boron administration requires approximately 50 minutes.

(P) Partial results

N/A Not applicable

N/P Not Performed

INEL BNCT CANINE PHARMACOKINETIC STUDY

SUMMARY OF PATIENT DATA

BSH INTRAVENOUS INJECTIONS STUDY

ANIMAL	NAME OF DOG	EUTHANASIA DATE	MIN ¹	CASE SUMMARY	PATHOLOGY	DIAGNOSIS	DOSE (mg/kg)	BLOOD SERUM AND URINE		TISSUE ANALYSIS	CT		MRI	
								ANALYSIS			UNENH.	ENH	UNENH.	ENH
335447-55	"Kelley" Langsston	08/17/88	410	Yes	Diffuse astrocytoma		55	Yes		Yes	No	No	Yes	Yes
335447-57	"Rafferty" Reber	09/01/88	410	Yes	Meningioma (plasmapheresis)		50	Yes		Yes	No	Yes	Yes	Yes
335447-59	"Heidi" Boyer	09/12/88	180	Yes	Meningioma		55	Yes		Yes	No	Yes	Yes	Yes
335447-62	"Chester" Scott	10/09/88	180	Yes	Meningioma		55	Yes		Yes	No	Yes	Yes	Yes
335447-67	"Muffet" Hammel	11/01/88	180	Yes	Astrocytoma		55	Yes		Yes	No	Yes	N/P	N/P
335447-70	"Mac" Meyers	11/15/88	180	Yes	Fibrillary astrocytoma		55	Yes		Yes	No	Yes	Yes	Yes
335447-71	"Jake" Brede	01/04/89	180	Yes	Choroid plexus papilloma		55	Yes		Yes	Yes	Yes	N/P	N/P
335447-72	"Mandy" Ross	02/07/89	495	Yes	Choroid plexus papilloma		55	Yes		Yes	Yes	Yes	Yes	Yes
335447-76	"Scotty" Klemm	05/28/89	410	Yes	Protoplasmic astrocytoma		55	Yes		Yes	No	Yes	Yes	Yes
335447-86	"Brutus" Halverson	09/11/89	240	Yes	Pituitary adenocarcinoma		50	Yes		Yes	Yes	Yes	Yes	Yes
335447-88	"Scamper" Brewster	10/10/89	420	Yes	Pituitary adenocarcinoma		55	Yes		Yes	N/P	N/P	Yes	Yes
335447-97	"Kolsa" Joy	12/07/89	420	Yes	No tumor		55	Yes*		Yes	Yes	Yes	Yes	Yes
335447-101	"Ginger" Mott	12/12/89	180	Yes	Choroid plexus papilloma		55	Yes		Yes	Yes	Yes	Yes	Yes
335447-104	"Killer" Divine	01/19/90	180	Yes	Choroid plexus papilloma		55	Yes		Yes	Yes	Yes	Yes	Yes
335447-117	"Toby" Page	04/27/90	180	Yes	Meningioma		50	Yes		P	Yes	Yes	No	No
335447-116	"Taffy" Gruel ^{2,3}	05/05/90	300	Yes	Cerebellar fibrillary astrocytoma		55	Yes*		P	Yes	Yes	Yes	Yes
335447-1846	N/A	05/23/90 ⁴	N/A	No	Normal laboratory dog		100	Yes		N/A	No	No	No	No
335447-2173	N/A	05/24/90 ⁴	N/A	No	Normal laboratory dog		100	Yes		N/A	No	No	No	No
335447-2174	N/A	05/24/90 ⁴	N/A	No	Normal laboratory dog		100	Yes		N/A	No	No	No	No

¹ Euthanasia time in minutes following start-of-boron administration. Boron administration requires approximately 50 minutes.

² Boron pharmacokinetic data obtained on these animals using MRS.

³ Three-dimensional chemical shift imaging (CSI).

⁴ Normal laboratory dogs - treated, not euthanized

(P) Partial results

N/A Not applicable

N/P Not Performed

* Serum only (no urine)

INEL BNCT CANINE PHARMACOKINETIC STUDY

SUMMARY OF PATIENT DATA

BSH INTRAVENOUS INJECTIONS STUDY

ANIMAL	NAME OF DOG	EUTHANASIA		CASE SUMMARY	PATHOLOGY DIAGNOSIS	DOSE (mg/kg)	BLOOD SERUM AND URINE ANALYSIS		TISSUE ANALYSIS	CT		MRI	
		DATE	MIN ¹							UNENH.	ENH	UNENH.	ENH
35447-121	"Shorty" Morgan	07/02/90	180	Yes	Pituitary adenoma	55	Yes*	Yes*	Yes	Yes	Yes	Yes	Yes
35447-126	"Beau" Smith	07/26/90	180	Yes	Pituitary adenocarcinoma	55	Yes*	Yes*	Yes	Yes	Yes	Yes	Yes
35447-127	"Sam" Warner	07/31/90	180	Yes	Reticulosis	55	Yes*	Yes*	Yes	Yes	Yes	Yes	Yes
35447-128	"Niki" Fox ^{2,3}	08/05/90	297	Yes	Choroid plexus papilloma	55	Yes*	Yes*	Yes	Yes	Yes	Yes	Yes
35447-136	"Penny" Bird	12/05/90	170	Yes	Fibrillar/pilocytic astrocytoma	55	Yes*	Yes*	Yes	Yes	No	No	No
35447-149	"Shandy" McKeever	02/05/91	180	Yes	Reticulosis	55	No	No	Pending	Yes	No	No	No
35447-153	"Dingo" Martin	03/19/91	170	Yes	Diffuse astrocytoma	110	No	No	Pending	Yes	No	No	No
35447-1846	N/A	03/25/91 ⁵	180	Yes	Normal laboratory dog	100	Yes	Yes	Yes	No	No	No	No
35447-2174	N/A	03/27/91 ⁵	120	Yes	Normal laboratory dog	100	Yes	Yes	Yes	No	No	No	No
35447-363	N/A	04/05/91	180	Yes	Normal laboratory dog	100	Yes	Yes	Pending	No	No	No	No

¹ Euthanasia or irradiation time in minutes following start-of-boron administration. Boron administration requires approximately 50 minutes.

² Boron pharmacokinetic data obtained on these animals using MRS.

³ Three-dimensional chemical shift imaging (CSI).

⁴ Normal laboratory dogs - treated, not euthanized

⁵ Normal laboratory dogs - treated previously, now euthanized

(P) Partial results

N/A N/A applicable

N/P N/A : Performed

* Serum only (no urine)

INEL BNCT CANINE PHARMACOKINETIC STUDY SUMMARY OF PATIENT DATA BSH INTRA-ARTERIAL INJECTIONS STUDY

Page 1 of 1

<u>ANIMAL</u>	<u>SEX</u>	<u>DATE</u>	<u>EUTHANASIA (MIN)¹</u>	<u>BLOOD SERUM AND URINE ANALYSIS</u>	<u>TISSUE ANALYSIS</u>
2181	M	10/19/89	420	Yes	Yes
2067	F	10/26/89	420	Yes	Yes
2148	F	11/16/89	420	Yes	Yes

¹ Euthanasia or irradiation time in minutes following start-of-boron administration. Boron administration requires approximately 50 minutes.

INEL BNCT CANINE TUMOR TREATMENT STUDY PHASE II - SURGERY/IRRADIATION

<u>ANIMAL</u>	<u>SEX/AGE</u>	<u>NAME OF DOG</u>	<u>BIOPSY DIAGNOSIS</u>	<u>SURGERY DATE</u>	<u>IRRAD. DATE</u>	<u>BORON DOSE</u>		<u>START DURATION TIME¹ MINUTES²</u>	<u>CALCULATED DOSE (cGy)</u>	<u>¹⁰B AVG (ppm)</u>	<u>SURV. DAYS</u>	<u>DEATH DATE/CAUSE</u>
						(mg ¹⁰ B/ kg/bw)	(ppm)					
35447-154	F/12	"Mokie" Elkin	Meningioma	05/29/91	--	--	--	--	--	--	No	05/30/91 Necrotizing encephalitis secondary to surgery complications
35447-157	F/10	"Maggie" Peterson	Meningioma	08/06/91	--	--	--	--	--	--	No	08/07/91 No cause identified at necropsy
35447-158	F/5	"Nikki" Woods	Granulomatous inflammation	08/14/91	--	--	--	--	--	--	Yes	N/A

¹ Time from start of boron injection to start of irradiation.

² Irradiation time in minutes.

INEL BNCT CANINE PLASMAPHERESIS STUDY

GROUP	ANIMAL	SEX	PLASMA EXCHANGE			EUTHANASIA (MIN.)	BLOOD SERUM & URINE ANALYSIS	TISSUE ANALYSIS
			DATE	FIRST MIN ²	SECOND MIN ²	THIRD MIN ²		
1	2095 ¹	M	06/08/88	360	---	---	Yes	Yes
1	2084 ¹	M	06/09/88	360	---	---	Yes	Yes
1	2109 ¹	F	06/10/88	360	---	---	Yes	Yes
1A	2114 ¹	F	08/18/89	360	---	---	Yes	Yes
1A	2140 ¹	F	08/10/89	365	---	---	Yes	Yes
1A	2117 ¹	M	08/11/89	360	---	---	Yes	Yes
1B	2139 ¹	F	07/31/89	362	---	---	Yes	Yes
1B	2169 ^{1,3}	M	08/02/89	363	---	---	Yes	Yes
1B	2127 ¹	F	08/01/89	383	---	---	Yes	Yes
2	2097	M	06/14/88	360	---	---	Yes	Yes
2	2074	M	06/15/88	360	---	---	Yes	Yes
2	2092	F	06/16/88	360	---	---	Yes	Yes
2A	2066	F	08/17/89	360	---	---	Yes	Yes
2A	2145 ³	F	08/14/89	422	---	---	Yes	Yes
2A	2155	M	08/15/89	360	---	---	Yes	Yes
2A	1902	F	09/07/90	360	---	---	No	No
3	2103	M	06/20/88	360	---	---	Yes	Yes
3	2081	M	06/22/88	360	---	---	Yes	Yes
3	2089	F	06/24/88	360	---	---	Yes	Yes

¹ Control Animal (reinfused same boronated plasma that had just been extracted).

² Time from start of boron injection.

³ Dog went into respiratory arrest at 412 minutes, but was revived.

INEL BNCT CANINE PLASMAPHERESIS STUDY

Page 2 of 3

GROUP	ANIMAL	SEX	DATE	PLASMA EXCHANGE			EUTHANASIA (MIN.)	BLOOD SERUM & URINE ANALYSIS	TISSUE ANALYSIS
				FIRST MIN ²	SECOND MIN ²	THIRD MIN ²			
3A	2076	F	08/04/89	365	---	---	760	Yes	Yes
3A	2112	M	08/03/89	374	---	---	775	Yes	Yes
	2149	M	09/27/89	---	---	---	420	Yes	Yes
	2131	F	09/28/89	---	---	---	420	Yes	Yes
	2165	F	09/27/89	---	---	---	420	Yes	Yes
	2143	M	09/28/89	---	---	---	420	Yes	Yes
	2179	M	09/29/89	---	---	---	420	Yes	Yes
	2182	F	09/29/89	---	---	---	420	Yes	Yes
	2148	M	11/16/89	---	---	---	420	Yes	Yes
	2181	M	10/19/89	---	---	---	420	Yes	Yes
	2067	F	10/26/89	---	---	---	420	Yes	Yes
4	2096	M	06/27/88	360	470	600	640	Yes	Yes
4	2104	M	06/28/88	360	480	600	660	Yes	Yes
4	2098	F	06/29/88	385	545	640	785	Yes	Yes
5	2091	M	08/18/88	120	---	---	163	Yes	Yes
5	2073	F	09/08/88	130	---	---	160	Yes	Yes
5	2090	M	09/09/88	129	---	---	180	Yes	Yes
5	2078 ¹	F	09/15/88	120	---	---	180	Yes	Yes
6	2093	M	10/07/88	360	400	---	455	Yes	Yes
6	2086	F	10/13/88	360	401	---	480	Yes	Yes
6	2068	M	09/23/88	405	505	---	560	Yes	Yes
6	2082 ¹	M	10/28/88	365	400	---	440	Yes	Yes

¹ Control Animal (reinfused same boronated plasma that had just been extracted).

² Time from start of boron injection.

INEL BNCT CANINE PLASMAPHERESIS STUDY

Page 3 of 3

GROUP	ANIMAL	SEX	DATE	PLASMA EXCHANGE			EUTHANASIA (MIN.)	BLOOD SERUM & URINE ANALYSIS	TISSUE ANALYSIS
				FIRST MIN ¹	SECOND MIN ²	THIRD MIN ²			
A	1179	F	07/20/90	120	---	---	180	No	No
A	EG79	M	07/23/90	120	---	---	180	Yes	No
A	ACK79	M	08/03/90	120	---	---	180	Yes	No
B	G-1	F	03/16/90	145	---	---	225	Yes	Yes
B	G-8	F	03/22/90	120	---	---	180	Yes	Yes
B	G-10	F	05/04/90	120	---	---	280	Yes	Yes
B	G-11	F	06/06/90	120	---	---	255	Yes	Yes
B	2146	F	09/01/90	155	---	---	205	Yes**	Yes
C	G-2	F	03/23/90	360	---	---	440	Yes	Yes
C	G-6	F	03/23/90	370	---	---	440	Yes	Yes
C	G-7	F	04/06/90	360	---	---	460	Yes	Yes

¹ Control Animal (reinfused same boronated plasma that had just been extracted).

² Time from start of boron injection.

* Dosage was 100 mg boron/kg body weight.

** Serum only (no urine)

INEL BNCT CANINE DOSE-TOLERANCE STUDY

ANIMAL	SEX	IRRADIATION			ppm ¹⁰ B EST AVG	BLOOD SERUM		SURVIVING	DAYS	EUTHANASIA/DEATH		TISSUE ANALYSIS
		START TIME ³	DURATION (MINS)	CALCULATED DOSE (cGy)		URINE	ANAL.			DATE	CAUSE	
1592 ¹	M	01/11/89	345	58.0	1273	31.1	Yes	No	0	01/11/89	Euthanasia	Yes
1587 ¹	M	01/12/89	21	36.0	1275	57.8	Yes	No	0	01/12/89	Euthanasia	Yes
966	M	02/08/89	235	48.0	1453	47.6	Yes	No	365	02/08/90	Euthanasia	N/A
1588	M	02/09/89	220	49.0	1258	38.5	Yes	No	368	02/12/90	Euthanasia	N/A
995	M	02/09/89	238	42.0	1275	47.8	Yes	No	365	02/09/90	Euthanasia	N/A
1591	M	02/10/89	194	90.0	2629	45.5	Yes	No	368	02/13/90	Euthanasia	N/A
1564	M	02/28/89	204	87.0	2545	45.6	Yes	No	379	03/14/90	Euthanasia	N/A
997	M	03/02/89	190	74.0	2687	59.6	Yes	No	375	03/12/90	Euthanasia	N/A
983	M	03/02/89	160	149.0	3834	38.6	Yes	No	128	07/08/89	Seizures	N/A
1590	M	03/01/89	176	140.0	3800	41.4	Yes	No	155	08/05/89	Seizures	N/A
946	M	04/11/89	195	109.0	3821	57.1	Yes	No	137	08/26/89	Neurologic disease	N/A
985	M	04/13/89	170	168.0	6363	62.7	Yes	No	153	09/13/89	Neurologic disease	N/A
1700	M	04/12/89	182	166.5	6374	63.5	Yes	No	158	09/17/89	Neurologic disease	N/A
980 ²	M	04/11/89	155	120.0	Sham	4.0	Yes	No	372	04/18/90	Euthanasia	N/A
1589 ²	M	04/15/89	125	120.0	Sham	4.0	Yes	No	370	04/20/90	Euthanasia	N/A
2255	M	01/31/90	N/A	157.0	1000	0	No	No	369	02/04/91	Euthanasia	N/A
2256	M	01/30/90	N/A	236.0	1500	0	No	No	90	04/30/90	Euthanasia	Yes
2257	M	02/01/90	N/A	157.0	1000	0	No	No	369	02/05/91	Euthanasia	N/A
2258	M	01/31/90	N/A	236.0	1500	0	No	No	91	05/02/90	Euthanasia	Yes
2259	M	02/01/90	N/A	157.0	1000	0	No	No	365	02/01/91	Euthanasia	N/A
2260	M	02/02/90	N/A	236.0	1500	0	No	No	101	05/14/90	Euthanasia	Yes
2261 ²	M	02/05/90	N/A	N/A	N/A	N/A	No	No	N/A	08/08/90	Euthanasia	N/A
2262	M	02/01/90	N/A	157.0	1000	0	No	No	361	01/28/91	Euthanasia	N/A
2263	M	02/05/90	N/A	236.0	1500	0	No	No	98	05/14/90	Euthanasia	Yes
2264	M	02/02/90	N/A	236.0	1500	0	No	No	88	05/01/90	Euthanasia	Yes
2265	M	02/05/90	N/A	157.0	1000	0	No	No	360	01/31/91	Euthanasia	N/A
2266 ²	M	02/05/90	N/A	N/A	N/A	N/A	No	No	N/A	08/13/90	Euthanasia	N/A

¹ Dosimeter animals euthanized after irradiation.² Control dogs given sham irradiations (0 cGy)³ Time from start of boron administration

N/A Not applicable

INEL BNCT CANINE DOSE-TOLERANCE STUDY (continued)

ANIMAL	SEX	IRRADIATION			ppm ¹⁰ B EST AVG	BLOOD SERUM		SURVIVING	DAYS	EUTHANASIA/DEATH		TISSUE ANALYSIS
		DATE	START TIME ³	DURATION (MINS)		DOSE (cGy)	URINE ANAL			DATE	CAUSE	
2318	M	08/08/91	N/A	196.0	0	1250	No	Yes				
2442	M	08/08/91	N/A	196.0	0	1250	No	Yes				
2914	M	08/09/91	N/A	196.0	0	1250	No	Yes				
2314	M	08/22/91	199	64.3	65.2	2700	Pending	Yes				
2746	M	08/21/91	170	51.0	84.1	2700	Pending	Yes				
2449	M	08/23/91	N/A	196.0	0	1250	No	Yes				
2785	M	08/23/91	184	43.6	101.9	2700	Pending	Yes		N/A	N/A	N/A
2763	M	09/23/91	216	106.0	35.0	2700	Yes	Yes		N/A	N/A	N/A
2452	M	09/23/91	204	106.0	35.0	2700	Yes	Yes		N/A	N/A	N/A
2475	M	09/24/91	181	38.0	118.0	2700	Yes	Yes		N/A	N/A	N/A
2319	M	09/24/91	227	44.0	99.0	2700	Yes	Yes		N/A	N/A	N/A
2648	M	09/24/91						No ⁴				

¹ Dosimeter animals euthanized after irradiation.² Control dogs given sham irradiations (0 cGy)³ Time from start of boron administration⁴ Died day after irradiation

N/A Not applicable

INEL BNCT BMRR CALCULATED DOSE CONTRIBUTIONS AT LOCATION OF THE PEAK BLOOD-VOLUME DOSE (Dose rate components at peak dose location)

DATE	SUBJECT	Beam Size (cm)	Db	Df	Dg	Dn	Dr
12/16/88	Dog head phantom	5 x 10	0.1680	0.1600	1.6700	0.2620	2.0920
01/10/89	Dog head phantom	5 x 10	0.1680	0.1600	1.6700	0.2620	2.0920
01/11/89	Dog 1592	5 x 10	0.1680	0.1600	1.6700	0.2620	2.0920
01/12/89	Dog 1587	5 x 10	0.1680	0.1600	1.6700	0.2620	2.0920
02/08/89	Dog 966	5 x 10	0.1680	0.1600	1.6700	0.2620	2.0920
02/09/89	Dog 1588	5 x 10	0.1680	0.1600	1.6700	0.2620	2.0920
02/09/89	Dog 995	5 x 10	0.1680	0.1600	1.6700	0.2620	2.0920
02/10/89	Dog 1591	5 x 10	0.1680	0.1600	1.6700	0.2620	2.0920
02/28/89	Dog 1564	5 x 10	0.1680	0.1600	1.6700	0.2620	2.0920
03/01/89	Dog 1590	5 x 10	0.1680	0.1600	1.6700	0.2620	2.0920
03/02/89	Dog 983	5 x 10	0.1680	0.1600	1.6700	0.2600	2.0920
03/02/89	Dog 997	5 x 10	0.1680	0.1680	1.6700	0.2620	2.0920
04/11/89	Dog 946	5 x 10	0.1680	0.1600	1.6700	0.2620	2.0920
04/12/89	Dog 1700	5 x 10	0.1680	0.1600	1.6700	0.2620	2.0920
04/13/89	Dog 985	5 x 10	0.1680	0.1600	1.6700	0.2620	2.0920
07/07/89	Dog 35447-079, "Pugee"	10 x 10	0.2750	0.3000	2.4200	0.4300	3.1500
08/07/89	Dog head phantom	10 x 10	0.3480	0.3580	3.1200	0.6070	4.0850
08/07/89	Dog 35447-080, "Mugsy"	10 x 10	0.2310	0.3000	1.9210	0.4030	2.6240
08/25/89	Dog 35447-083, "Rusty"	10 x 10	0.2660	0.3000	2.4800	0.4280	3.2080
09/28/89	Dog 35447-087, "Benji"	10 x 10	0.2160	0.3000	1.735	0.3770	2.4120
10/24/89	Dog 35447-095, "Godfrey"	10 x 10	0.2580	0.3000	2.1500	0.4505	2.9005
10/25/89	Dog 35447-094, "Brandy"	10 x 10	0.2920	0.3000	2.3300	0.5090	3.1390
10/31/89	Dog 35447-093, "Brandy"	10 x 10	0.2521	0.3000	2.3000	0.4396	3.0396
11/30/89	Dog 35447-100, "Juno"	10 x 10	0.2430	0.3000	2.2300	0.4250	2.9550
02/16/90	Dog 35447-108, "Trixie"	10 x 10	0.2630	0.3000	2.092	0.4580	2.8500

D_b = Dose rate (Cg/(minMW/ppm)) from the $^{10}\text{B}(n,\alpha)^7\text{Li}$ reaction.

D_i = Dose rate (Cg/(minMW)) from above-thermal neutron (primarily hydrogen recoil).

D_g = Gamma dose rate (cGy/minMW).

D_c = Dose rate (cGy/minMW) from the $^{14}\text{N}(n,p)^{14}\text{C}$ reaction, assuming 1.87 weight percent nitrogen in brain tissue (also a peak location).

D_t = $D_i + D_g + D_c$

INEL BNCT BMRR CALCULATED DOSE CONTRIBUTIONS AT LOCATION OF THE PEAK BLOOD-VOLUME DOSE (continued) (Dose rate components at peak dose location)

DATE	SUBJECT	Beam Size (cm)	D _b	D _f	D _g	D _n	D _r
10/19/90	Dog 35447-118 "Scuzzy"	10 x 10	0.331	0.398	2.450	0.555	3.734
10/18/90	Dog 35447-129 "Too Wide"	10 x 10	0.325	0.352	2.797	0.546	4.020
10/19/90	Dog 35447-132 "Sarge"	10 x 10	0.289	0.387	2.406	0.484	3.566
10/29/90	Dog 35447-134 "Peggy"	10 x 10	0.279	0.342	2.258	0.468	3.347
01/22/91	Dog 35447-139 "Hobart"	10 x 10	0.316	0.405	2.692	0.530	3.943
01/22/91	Dog 35447-140 "Muffy"	10 x 10	0.233	0.340	1.761	0.391	2.726
01/23/91	Dog 35447-142 "Sugar"	10 x 10	0.310	0.340	2.715	0.520	3.885
02/07/91	Dog 35447-147 "Bomber"	10 x 10	0.288	0.352	2.456	0.263	3.548
02/28/91	Dog 35447-151 "Dudley"	10 x 10	0.336	0.418	2.560	0.563	3.877
03/19/91	Dog 35447-152 "Zar"	10 x 10	0.311	0.362	2.802	0.522	3.997

D_b = Dose rate (Cgy/(min-MW-ppm)) from the $^{10}\text{B}(n,\alpha)^7\text{Li}$ reaction.

D_f = Dose rate (Cgy/(min-MW)) from above-thermal neutron (primarily hydrogen recoil).

D_g = Gamma dose rate (cGy/min-MW).

D_n = Dose rate (cGy/min-MW) from the $^{14}\text{N}(n,p)^{14}\text{C}$ reaction, assuming 1.87 weight percent nitrogen in brain tissue (also a peak location).

D_r = D_f + D_g + D_n

- Beginning with dog 35447-118, "Scuzzy," a D_{0.5} has been included to account for all components not treated explicitly, most Cl, O, and C. It has been defined to be equivalent to D_g at 1 ppm ^{10}B . Dose rates were calculated with head 1 mm from beamport. All previous dogs were calculated with head 1 cm from beamport.

INEL BNCT CANINE MELANOMA PHARMACOKINETIC STUDY

SUMMARY OF PATIENT DATA

D, L-BPA STUDY

Page 1 of 1

ANIMAL	NAME OF DOG	DATE	BORON DOSE	FORM OF BPA**	ADMINISTRATION ROUTE*	COLLECTION LENGTH	SURGERY OR EUTHANASIA	DATE
39412-001	"Cindy" Coyne	01/11/89	50 mg/kg	D,L HC1	Orally	6 hrs	Euthanasia	01/11/89
39412-002	"Smokey" Griffith	01/18/89	50 mg/kg	D,L HC1	Orally	6 hrs	Euthanasia	01/18/89
39412-003	"Minnie" Martin	02/10/89	50 mg/kg	D,L HC1	Orally	6 hrs	Euthanasia	02/10/89
39412-004	"Tracker" Gill	04/25/89	183 mg/kg	D,L Nat	SQ,QID	36 hrs	Euthanasia	04/26/89
39412-005	"Percie" Nissley	06/07/89	200 mg/kg	D,L Nat	SQ,QID	48 hrs	Surgery	06/09/89
39412-006	"Heidi" Meshishnek	08/16/89	200 mg/kg	D,L Nat	SQ,QID	44 hrs	Surgery	08/18/89
39412-007	"Corky" Treadway	08/21/89	478 mg/kg	D,L Nat	SQ,QID	48 hrs	Surgery	08/23/89
39412-008	"Lucy" Dowling	10/27/89	500 mg/kg	D,L Nat	Orally	6 hrs	Euthanasia	10/27/89
39412-009	"Peanuts" Wetteraver	08/23/89	203 mg/kg	D,L Nat	SQ,QID	47 hrs	Surgery	08/24/89
39412-010	"Mindy" Sachtjen	09/05/89	250 mg/kg	D,L Nat	SQ,QID	12 hrs	Euthanasia	09/06/89
39412-011	"Benji" Gebhard	09/14/89	750 mg/kg	D,L Nat	SQ,QID	48 hrs	Euthanasia	09/16/89
39412-012	"Muff" Hoglund	10/02/89	400 mg/kg	D,L Nat	SQ,QID	48 hrs	Surgery	10/04/89
39412-013	"Corky" Newby	10/11/89	491 mg/kg	D,L Nat	Oral,QID	48 hrs	Euthanasia	10/13/89
39412-015	"Missy" Freeman	11/14/89	750 mg/kg	D,L Nat	Orally	5 hrs	Euthanasia	11/14/89
39412-016	"Lucky" Nisonger	03/29/90	250 mg/kg	D,L Nat	Orally	6.5 hrs	Surgery	03/29/90
39412-017	"Winston" Sisteck-Lane	04/10/90	250 mg/kg	D,L Nat	Orally	5.5 hrs	Surgery	06/06/90
39412-017	"Winston" Sisteck-Lane	04/26/90	250 mg/kg	D,L Nat	Orally	6.5 hrs	Surgery	04/26/90
39412-017	"Winston" Sisteck-Lane	09/28/90	48 mg/kg	D,L in M	IV	7.0 hrs	Euthanasia	09/28/90

IV = intravenously
M = molecule

* SQ = subcutaneously
QID = four times per day
BID = two times per day
** 3-p-Boronophenylalanine

APPENDIX B

ACRONYMS

Acronyms

AAPM	American Association of Physicists in Medicine
ACS	American Chemical Society
ADM	Action Description Memorandum
ANS	American Nuclear Society
ASI	Atom Sciences, Inc.
ASN	American Society of Neuroradiology
ATCC	American Type Culture Collection
ATR	Advanced Test Reactor
AWU	Associated Western Universities
B/C	Boron-to-carbon
BME	Basal minimum Eagle
BMRR	Brookhaven Medical Research Reactor
BNL	Brookhaven National Laboratory
BNCT	Boron Neutron Capture Therapy
BPA	Boronophenylalanine
BSA	Bovine serum albumin
BSH	Borocaptate Sodium ($\text{Na}_2\text{B}_{12}\text{H}_{11}\text{SH}$)
BSS(B)	$\text{B}_{24}\text{H}_{22}\text{SS}^{4-}$
BSSO(B)	$\text{B}_{24}\text{H}_{22}\text{S}_2\text{O}^{4-}$
CAT	Corrective Action Team
CCF	Change control form
CD	Contrast diaphragm
CHNS	Carbon-hydrogen-nitrogen-sulfur
COCA	Consent Order Compliance Agency
CR-39	Allyl diglycol carbonate
CRADA	Cooperative Research and Development Agreement
CRF	Corticotropin releasing factor
CRH	Corticotropin releasing hormone
CSF	Cerebrospinal Fluid
CSI	Chemical shift imaging
CT	Computed tomography
D&D	Decontamination and decommissioning
DEA	Diethanolamine
DMAP	Dimethylaminopyridine
DMEM	Dulbeccos minimum essential medium
DMS	Data Management System
DOE	Department of Energy
DOE-ER	Department of Energy-Energy Research
DOE-HERAC	Department of Energy-Health and Environmental Research Advisory Committee
DOE-HQ	Department of Energy-Headquarters
DOE-ID	Department of Energy-Idaho Operations Office
DOE-NE	Department of Energy-Nuclear Energy
DOE-OHER	Department of Energy-Office of Health and Environmental Research
DOP	Detailed operating procedure
DORT	Two-dimensional S_n computer code
DSPC	Distearoyl phosphatidyl choline
EA	Environmental Assessment
ECBNCT	European Collaboration on Boron Neutron Capture Therapy
ECC	Elaidyl carborane carboxylate
EDF	Engineering Design File

EE	Environmental Evaluation
EGS	Engineering Graphics Systems
EGTA	ethylene glycol-di(β -aminoethyl ether) MN,N,N',N'-Tetraacetic acid
EIRMC	Eastern Idaho Regional Medical Center
EKG	Electrocardiogram
EPA	Environmental Protection Agency
EPRO	Experimental Power Reactor Operator
ERDP	Exploratory Research and Development Project
ES&H	Environmental Safety and Health
ESMS	Event Sequence and Monitoring System
FCF	Facility Change Form
FDA	Food and Drug Administration
FIA	Flow Injection analysis
FMEA	Failure Mode and Effects Analysis
GA	General Atomics
GE	General Electric
GHRH	Growth hormone releasing hormone
GIT-NRC	Georgia Institute of Technology-Neeley Research Center
GTRR	Georgia Tech Research Reactor
HAT	Hypoxanthane aminopterin thymidine
HDW	High pressure demineralized water
HEPA	High-efficiency particulate air filter
HERAC	Health Environmental Research Advisory Committee
HFR	High flux reactor
HMPAO	Hexamethyl-Propylene-Amineoxime
HP	Hewlett-Packard
HPLC	High Performance Liquid Chromatography
HPLC-UV	High Performance Liquid Chromatography-UltraViolet
IACUC	Institutional Animal Care and Use Committee
ICP-AES	Inductively Coupled Plasma-Atomic Emission Spectroscopy
ICP-MS	Inductively Coupled Plasma-Mass Spectrometry
IM	Ion microscope
IND	Investigational New Drug exemption from FDA
INEL	Idaho National Engineering Laboratory
INPO	Institute of Nuclear Plant Operations
IP-RP-HPLC	Ion pair-reversed phase-high performance liquid chromatography
ISU	Idaho State University
IV	Intravenous
KURRI	Kyoto University Reactor Research Institute
LDL	Low density lipoprotein
LET	Linear energy transfer
LOCA	Loss-of-coolant accident
LOFT/OECD	Loss-of-Fluid Test/Organization of Economic Cooperation and Development
MCNP	Three-dimensional Monte Carlo computer code
MIT	Massachusetts Institute of Technology
MR	Magnetic resonance
MRI	Magnetic resonance imaging
MRS	Magnetic resonance spectroscopy
MSTI	Mountain States Tumor Institute
MSU	Montana State University
NAS	National Academy of Sciences
NCAR	National Center for Atmospheric Research
NCI	National Cancer Institute
NCS	Network computing system

NDE	New Device Exemption (FDA)
NEPA	National Environmental Policy Act
NESHAPS	National Emission Standards for Hazardous Air Pollutants
NIM	National Institute of Medicine
NIST	National Institute of Science and Technology
NMR	Nuclear magnetic resonance
NWI	Northwest Imaging
OCT	A low-temperature adhesive
OHSU	Oregon Health Sciences University
ORAU	Oak Ridge Associated Universities
ORNL	Oak Ridge National Laboratory
ORSU	Oregon State University
OSF	Open Software Foundation
OSHA	Occupational Safety Health Administration
OSU	Ohio State University
PBF	Power Burst Facility
PDARS	Patient Data Acquisition and Retrieval System
PET	Position Emission Tomography
PMT	Photo multiplier tube
PNL	Pacific Northwest Laboratory
POM	Plant operating manual
PRP	Power Reactor Programs
PTC	Permit to Construct
QC/QA	Quality control/quality assurance
RAP	Requirements Awareness Program
RBE	Relative Biological Effectiveness
RCRR	Reed College Research Reactor
RESL	Radiological and Environmental Sciences Laboratory
RF	Radiofrequency
RFP	Request for Proposal
RIS	Resonance ionization spectroscopy
RP-HPLC	Reversed phase-high performance liquid chromatography
RTT-MC	Monte Carlo Transport Module
SAR	Safety Analysis Report
SDD	System Design Description
SIMS	Secondary Ion Mass Spectrometry
SIRIS	Sputter-Initiated Resonance Ionization Spectroscopy
TLD	Thermoluminescent dosimeter
TRA	Test Reactor Area
TTAF	Test Train Assembly Area Facility
UC/Berkeley	University of California Berkeley
UC/Davis	University of California Davis
UCLA	University of California Los Angeles
UCSF	University of California San Francisco
UOR	Unusual occurrence report
UofR	University of Rochester
UofU	University of Utah
USDA	United States Department of Agriculture
WAS	Work Authorization Statement
WSU	Washington State University

END

**DATE
FILMED**

5 / 8 / 92