CONTINENTAL SHELF PROCESSES AFFECTING THE OCEANOGRAPHY
OF THE SOUTH ATLANTIC BIGHT

MASTER

PROGRESS REPORT

L.P. Atkinson
Skidaway Institute of Oceanography
P.O. Box 13687
Savannah, Georgia 31406

June 1, 1979 to May 31, 1980

Report Date: February 29, 1980

Prepared for the U.S. Department of Energy
Under Contract No. DE-AS09-76EV00889

DISCLAIMER

This book was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

DISCLAIMER

THIS DOCUMENT WAS PREPARED AS AN ACCOUNT OF WORK SPONSORED BY THE UNITED STATES GOVERNMENT. NEITHER THE UNITED STATES NOR THE UNITED STATES DEPARTMENT OF ENERGY NOR ANY OF THEIR EMPLOYEES, MAKES ANY WARRANTY, EXPRESS OR IMPLIED, OR ASSUMES ANY LEGAL LIABILITY OR RESPONSIBILITY FOR THE ACCURACY, COMPLETENESS, OR USEFULNESS OF ANY INFORMATION, APPARATUS, PRODUCT, OR PROCESS DISCLOSED OR REPRESENTS THAT ITS USE WOULD NOT INFRINGE PRIVATELY OWNED RIGHTS. REFERENCE HEREIN TO ANY SPECIFIC COMMERCIAL PRODUCT, PROCESS, OR SERVICE BY TRADE NAME, MARK, MANUFACTURER OR OTHERWISE, DOES NOT NECESSARILY CONSTITUTE OR IMPLY ITS ENDORSEMENT, RECOMMENDATION, OR FAVORING BY THE UNITED STATES GOVERNMENT OR ANY AGENCY THEREOF. THE VIEWS AND OPINIONS OF AUTHORS EXPRESSED HEREIN DO NOT NECESSARILY STATE OR REFLECT THOSE OF THE UNITED STATES GOVERNMENT OR ANY AGENCY THEREOF.

TABLE OF CONTENTS

Introduction	
Publications and Meetings	
Cruise Summary	
Papers and Reports Published under this Contract	
Selected Papers and Technical Reports	
1. A Flushing Model of Onslow Bay, North Carolina Based on Intrusion Volumes	
2. Description of a Bottom Intrusion in Onslow Bay, North Carolina	
3. Detailed Observations of a Gulf Stream Spin-off Eddy on the Georgia Continental Shelf, April 1977	
4. Pelagic Turbidity off Georgia and Florida in Relation to Physical Processes	
5. Ocean chlorophyll studies from a U-2 aircraft platform	
6. A Surface Diatom Bloom in response to eddy-forced upwelling in the South Atlantic Bight	
7. Hydrographic observations off Savannah and Brunswick, Georgia (March, May and September, 1977 and January, 1978)	

INTRODUCTION

During the last year significant developments took place in our understanding of the South Atlantic Bight. The papers included in this progress report summarize some, but not all, of these findings.

Some of the results are summarized as follows:

Onslow Bay flushing rates can be determined using a model based on an exponential dilution model.

Eddy induced nitrate flux accounts for most input of new nitrogen into shelf waters.

Tarballs in the Gulf Stream are not transported to the nearshore because of an apparent inner shelf density front.

A major discovery during the year was an intense bloom of chlorophyll associated with eddy and possibly Gulf Stream induced upwelling. Continuous surface mapping for temperature, salinity, and chlorophyll along a 300km segment of the Gulf Stream front defined the spatial scales of a large diatom patch localized within the core of a spin off eddy centered over the 200m isobath off Jacksonville, Florida (see Figure 1). The $2 \mu\text{g}\cdot\text{liter}^{-1}$ surface chlorophyll isopleth enclosed an area greater than 1000km^2 with an alongshore dimension of about 130km. Surface chlorophyll exceeded $5 \mu\text{g}\cdot\text{liter}^{-1}$ within the upwelled cold core of the eddy which is 10-100X the concentration found in Gulf Stream or resident shelf surface water. Small diatoms dominated the patch with maximum observed abundance greater than $10^6 \text{ cells}\cdot\text{liter}^{-1}$. The same species comprised the offshore deep chlorophyll maximum suggesting continuity between it and the surface patch. The results provide the first evidence that eddies propagating along the Gulf Stream front lead to localized zones of very high near-surface productivity. Vertical sections through the upwelling zone demonstrate the intense uplifting of the isopleths (Figure 2). The dome structure is typical of this feature. Upwelling events such as the one described here may partially explain why pelagic fish such as menhaden and bluefish migrate to the South Atlantic Bight to spawn during the winter and early spring.

Figure 1. Surface temperature distribution (20-22 April, 1979). Dashed line indicates Gulf Stream front as determined by satellite on 20 April, 1979. Note low temperature (21°C) eddy core. Surface salinity distribution (20-22 April, 1979). Note low salinity eddy core. Surface chlorophyll distribution (20-22 April, 1979). Note that chlorophyll maximum coincides with the coldest and lowest salinity water that forms the eddy core.

Figure 2. Vertical sections of temperature, nitrate and chlorophyll for transect through eddy.

FIELD OBSERVATIONS DURING THE PAST YEAR

Field work was a smaller part of our effort during '79-'80 as we prepared for GABEX-I. Cruises under this contract or cooperatively with other contracts are summarized in Table 1.

TABLE 1. Department of Energy funded cruises 1975 to 1980.

Date	Cruise #	Data	Comment
6-7 Aug 1975	AD-75-01	148C	Onslow Bay Mooring Cruise (P)
4-14 Sept 1975	E-9-75	2128C/112XBT	Onslow Bay Intrusion Study (P)
13-14 Oct 1975	AD-75-2	208C/15XBT	Onslow Bay Mooring Cruise (P)
8-11 Dec 1975	AD-75-3	98C/59XBT	Onslow Bay mooring Cruise (P)
13 Feb 1976	BF-76-2	48C	Georgia Bight (NP)
26 Feb 1976	BF-76-3	218C	Georgia Bight (P)
10 Mar 1976	BF-76-6	66C/5XBT	Georgia Bight (P)
29 Mar 1976	BF-76-9	78C/4XBT	Georgia Bight (P)
29 Apr 1976	BF-76-13		Test (NP)
5-6 May 1976	BF-76-15	168C	Georgia Bight (P)
19 May 1976	BF-76-17		Test (NP)
26 May 1976	BF-76-18	28C	Georgia Bight (aborted), (P)
7 June 1976	BF-76-23		Test (NP)
17 June 1976	BF-76-24		Test (NP)
14-18 July 1976	BF-76-085	42CTD/11XBT	Onslow Bay Study (P)
21-23 July 1976	BF-76-086	45CTD	Onslow Bay Study (P)
28 July-6 Aug 1976	BF-76-087	30CTD/32XBT	Onslow Bay Study (P)
14-16 Aug 1976	BF-76-088	42CTD	Onslow Bay Study (P)
18 Aug 1976	BF-76-089	4CTD	Onslow Bay Study (P)
8 Oct 1976	BF-76-30	42CTD	Georgia Bight, Front Hunt 1 (P)
14 Oct 1976	BF-76-32	49CTD	Georgia Bight, Front Hunt 2 (P)
15 Oct 1976	BF-76-33	34CTD	Georgia Bight, Front Hunt 3 (P)
17-18 Oct 1976	BF-76-39	88CTD	Georgia Bight, Front Hunt 4 (P)
9-15 Dec 1976	CI-76-12	37CTD/38XBT	Georgia Bight (P)
8-9 Mar 1977	BF-77-14	35XBT	Georgia Bight (P)
8-16 Apr 1977	AD-77-4	86CTD/30XBT	Georgia Bight (P)
19 Apr 1977	BF-77-29	14XBT	Georgia Bight (P)
21 Apr 1977	BF-77-30	14R55	Georgia Bight, Front Hunt 5 (P)
26-27 May 1977	BF-77-38	15CTD/1XBT	Georgia Bight (P)
4-10 July 1977	CI-77-03	61CTD/30XBT	Georgia Bight (P)
10-11 Aug 1977	BF-77-54	22XBT	Georgia Bight Intrusion Study I (Paffenhofer)
12-15 Aug 1977	BF-77-54	34XBT	Georgia Bight Intrusion Study II
17-21 Aug 1977	BF-77-54	42XBT	Georgia Bight Intrusion Study III
22-23 Aug 1977	BF-77-54		Georgia Bight Intrusion Study IV
26-27 Aug 1977	BF-77-54	23XBT	Georgia Bight Intrusion Study V
13-14 Sept 1977	BF-77-57	14CTD/12XBT	Georgia Bight (P)
5-9 Nov 1977	CI-77-07	55CTD	Georgia Bight (P)
23-27 Jan 1978	CI-78-01	248C/24XBT	Georgia Bight (P)
17-21 Feb 1978	BF-78-07	13CTD	Tests (NP)
17-23 Apr 1978	CI-78-04*	59CTD/19XBT	Georgia Bight (IP)
9-12 May 1978	BF-78-21	28CTD/12R55	Georgia Bight, Front Flux (P)
9-12 May 1978	KJ-78-01	26 R55	Georgia Bight, Front Flux (P)
3-10 August 1978	CI-78-06(LJ)	36CTD/59XBT	Georgia Bight (IP)
8-14 Nov. 1978	CI-78-08**	50CTD/4XBT	South Atlantic Bight (P)
13-19 March 1979	PP-79-01**	43CTD/16XBT	South Atlantic Bight (P)
27 May-2 June 1979	PP-79-02**	52 CTD	South Atlantic Bight (P)
5 July-17 Aug. 1979	BF-79-34	28CTD/194XBT	Georgia Bight Intrusion Study (IP)
22-29 Aug. 1979	PP-79-03**	52CTD	South Atlantic Bight (P)
3-4 Oct. 1979	BF-79-51	81BT	Georgia Bight (IP)
15-17 Oct. 1979	BF-79-55	4XBT	Georgia Bight (IP)
26 Oct.-3 Nov. 1979	CI-79-02**	55CTD/53XBT	South Atlantic Bight (IP)
6-10 Nov. 1979	CI-79-02(LJ)	72CTD	Georgia Bight, Front Flux (IP)
6-10 Nov. 1979	BF-79-59	69R55	Georgia Bight, Front Flux (IP)
5 Dec. 1979	BF-79-65		Georgia Bight (IP)
7-8 Jan 1980	KJ-80-1		Georgia Bight (IP)

Ships: BF=Blue Fin; CI=Columbis Iselin; E=Eastward; AD=Advance II; KJ=Kit Jones

Abbreviations: NP=not publishable; P=published; IP=in preparation

*DOE/BLM Funded

** Principally BLM Funded