PNL-SA-10078

PNL-SA--10078

DE82 006981

MASTER

DISCLAIMER

This book was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

ALDS 1980 PANEL REVIEW

Edited by D. L. Hall, Project Manager

November 1981

Prepared for
the U.S. Department of Energy
under Contract DE-AC06-76RLO 1830

Pacific Northwest Laboratory
Richland, Washington 99352

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

eb

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

THIS PAGE
WAS INTENTIONALLY
LEFT BLANK

ACKNOWLEDGMENT

The ALDS staff would like to express its sincere gratitude to Diane Burks for her work on the 1980 ALDS Panel Review. Her involvement in and commitment to every aspect of the review--from arranging for the meetings to the typing of this document--was largely responsible for the smooth operation and success of the panel review.

THIS PAGE
WAS INTENTIONALLY
LEFT BLANK

PREFACE

The overall goal of PNL (Pacific Northwest Laboratory) Applied Mathematical Sciences Research is development of a DOE (Department of Energy) capability for Analysis of Large Data Sets (ALDS) and transfer of this capability to other DOE laboratories and contractors. This capability is needed to satisfy DOE's increasing requirements for handling and analyzing large volumes of diverse energy and environmental data. The integrated statistics and computer science research includes the development of improved methodologies in data definition, data management, data analysis, and visual display.

The research is centered around a continuously evolving PNL statistical laboratory dedicated, first, to the analysis of large data sets of importance to DOE, and second, to providing an environment for development and demonstration of new data handling, analysis, and display methods. Integral to the laboratory is a task-oriented minicomputer emphasizing user-oriented graphical communication.

Cooperation exists between ALDS and the related DOE and university statistics and computer science community to stimulate research, encourage technology exchange, and promote software sharing. The PNL program is designed to have a high degree of interaction with AMS (Applied Mathematical Sciences) efforts at other installations and is a key supportive element in achieving laboratory goals set forth in the PNL Institutional Plan.

A peer review panel of expert statisticians and computer scientists from DOE laboratories, universities, government agencies, and the private sector meets annually to guide, evaluate, and critique the research and to help disseminate progress to the scientific community. The members of the panel are:

Professor Peter Bloomfield
Department of Statistics
Princeton University

Dr. Jerome H. Friedman
Stanford Linear Accelerator
Center
Stanford University

Professor Jack Heller
Chairman, Department of
Computer Science
SUNY at Stonybrook

Dr. Wesley L. Nicholson
(Panel Chairman)
Statistics Section
Pacific Northwest Laboratory

Dr. Richard Quanrud
Assistant Director of the
Census Bureau
For Agriculture and Economic
U. S. Bureau of the Census

Dr. Arie Shoshani
Computer Science and Applied
Mathematics Department
Lawrence Berkeley Laboratories

Dr. Benjamin J. Tepping
Private Statistical Consultant
Washington, D.C.

Professor David L. Wallace
Department of Statistics
University of Chicago

The panel met on November 13 and 14, 1980, at PNL in Richland, Washington. The first day PNL staff briefed the panel on the progress made in computer science and statistics during FY80 and discussed the future directions of the ALDS project. During the morning of November 14, each panel member was asked to describe his overall impression of the project, comment specifically on the previous year's progress, and offer guidance for the direction of research and implementation.

Also attending the meeting as observers and asked to make comments were:

Paula Hawthorn
Computer Science and Applied
Mathematics Department
Lawrence Berkeley Laboratories

John Sibert
George Washington University
Washington, D.C.

PNL extends an open invitation to DOE laboratories and universities to contact us and explore the possibility of cooperation toward a more economical and technically better capability for the analysis of large data sets.

PNL expresses its appreciation to every member of the ALDS review panel. They took their assignment very seriously. They listened carefully, evaluated, and gave candid advice. We feel that the project benefited tremendously. Our horizons were broadened, some of our ideas were shot down and others were substantiated. Most of the panel's recommendations have been incorporated into the project. Of course, the success of the project is PNL's responsibility. The panel has been a positive influence, but is not responsible for any project shortcomings.

The purpose of this document is three-fold. First, the document is the permanent record of the ALDS 1979 panel review. Second, the document provides the PNL staff with a benchmark of where we were at the end of the second year of ALDS. Third, the document is available to laboratories, universities, and DOE headquarters as detailed description of the ALDS project, as well as an example of the new direction of AMS-funded research.

**THIS PAGE
WAS INTENTIONALLY
LEFT BLANK**

CONTENTS

PREFACE	v
1.0 OVERVIEW OF THE YEAR (W. L. Nicholson)	1
2.0 ALDS INTERIM SYSTEM OVERVIEW AND SDB DATA MANAGEMENT SOFTWARE (R. A. Burnett)	7
3.0 ALDS DATA EDITOR (J. J. Thomas).	19
4.0 EXPERIENCE WITH THE SYSTEM (W. L. Nicholson)	25
5.0 GWU RESEARCH (J. J. Thomas).	35
6.0 VISUAL PRESENTATION (L. E. Ault.	39
7.0 USER INTERFACE RESEARCH (C. F. Huber).	43
8.0 DIRECTIONS FOR FY81 (W. L. Nicholson).	47
9.0 SUMMARY STATEMENT BY JACK HELLER	53
10.0 SUMMARY STATEMENT BY DAVID WALLACE	57
11.0 SUMMARY STATEMENT BY ARIE SHOSHANI	63
12.0 SUMMARY STATEMENT BY BEN TEPPING	71
13.0 SUMMARY STATEMENT BY PAULA HAWTHORN.	73
14.0 SUMMARY STATEMENT BY JERRY FRIEDMAN.	75

THIS PAGE
WAS INTENTIONALLY
LEFT BLANK

FIGURES

2.1	Block Program of ALDS Interim Software System	9
4.1	Robust vs. Classical Summaries of 6900 Optical Sensor Signals . .	33
4.2	Plot of Additive Analysis Balance Values Showing Distinct Column Related Structure	33

1.0 OVERVIEW OF THE YEAR

W. L. Nicholson

In the 1979 ALDS Panel Review Document, we said that we were going to operate in four areas. In the first area of Cooperation and Visibility, the situation is this. We are working jointly with Lawrence Berkeley Lab (LBL) and with George Washington University (GWU). There has been a DOE VAX network set up and LBL is one of the nodes on this network. They have a computer configuration which is much like ours. A year and a half ago, they installed the UNIX tools for us and we have some modifications to the MINITAB statistical package and given them to LBL. The main area where we will interact with LBL will be mass storage technologies, what sort of things are available to allow us to make a quantum jump in the amount of information we can store.

GWU also has a similar VAX configuration. One of our staff members, Jim Thomas, is on leave at GWU. We are doing some joint graphics work with them. An important aspect of GWU is that it's our Washington D.C. lobby. Any software that is developed can be put up back there immediately and shown to DOE or other interested people.

We have Will Dixon from UCLA as a consultant on the project. He is the Director of the Health Sciences Computing Facility at UCLA and has visited us twice in the last year. He is interested in the handling of large data sets. He made some comments which were helpful to us in our file construction. He also have been very interested in color. Fifteen years ago, he made a proposal to the National Science Foundation to investigate the use of color graphics. At that time, there was little interest in color. He was not funded. We have a single contact with the University of Durham in England. I visited there last year at John Tukey's suggestion. I asked John, "Who is actually doing things with color graphics" and he said "you really should go to the cartography community. Those are the people who have been looking at the use of color longer than anybody else, and at the University of Durham, they are busy analyzing the 1975 British Census". I visited there and talked to Ian Evans about our project. He was on sabbatical leave this year at the University of British Columbia and he visited us. He showed us some

of the work that is just now appearing in the new British Atlas. They divided the British Isles up into one kilometer squares and have done some very nice bivariate demography. Much more exciting stuff than the intersecting of color dimensions that we've seen from U. S. sources. They've also used some chi-square ideas in their analysis to distinguish the body of the area (of England) that looks sort of the same from the statistically significant extremes.

We hope to be developing relationships with two organizations--Princeton and Oak Ridge. It looks as if there will be a VAX configuration at Princeton. They we have contact with John Tukey and associates who are far advanced when it comes to using high dimensional graphical techniques. I've talked to Peter Bloomfield and we feel it would be quite easy to exchange any software developments or statistical algorithms. Oak Ridge National Lab has a group of statisticians that are interested in developing statistical algorithms and we have talked with them several times about areas where there would be useful algorithm that they could develop for large data sets. Also, there's a group at Oak Ridge that's doing automatic data editing and they've been working with Statistics Canada on that. We hope to have one of them come out this spring to talk to us about their automatic data editing.

We produced three papers. One is "Systematic Effects on Trigonometric Parallax, Inter-observatory Comparisons" with Thomas Lutz of Washington State in Astronomy, Robert B. Hanson of the Royal Greenwich Observatory in Sussex England, Allen Marcus at the Department of Math at WSU and myself. This is an outcome of the first data analysis that we described last year. During this year, Lutz called me up and asked several questions about the data set. We retrieved the archived MINITAB worksheets from tape. I spent about three hours doing more analysis. We relayed the results to Lutz, the paper was completed, and submitted for publication. I presented a paper at the Houston meeting which described our project and focused in on an interim analysis system we have now. Dan Carr presented a paper at the DOE Statistical Symposium in Berkeley last month which focused on the color graphic capabilities of the RAMTEK.

We're beginning to get contacts. People are beginning to call and say what are you doing? We haven't been able to help very many people yet, but at least they know of our existence. We got a call from the Canadian Geological Survey. Several of their statisticians have been charged with developing a system to analyze the large data sets that the Canadian Geological Survey has. As the man talked to me it sounded like he was exactly where we were two years ago. At this point, they are in the process of deciding on their hardware and they will probably be getting a small VAX. Their large data sets don't appear to be all that large as far as we are concerned. Anyway, it's an area of interaction. The day before yesterday, I got a call from Martin Wilk, the new director of Statistics Canada. For those of you who are not statisticians, Martin Wilk is one of the most prestigious statisticians today in the U.S. He's been with Bell Telephone Laboratories and with American Telephone and Telegraph. He's the vice president of the American Statistical Association. He has just taken over the directorship of Statistics Canada. He is interested in graphical display and he would like to have us come and describe the sort of things that we are doing particularly in demography. I begged off for six months. At that time, we would like to show them the sort of things we've been doing with census data and the SEEDIS System being used at LBL.

We are beginning to build a statistical laboratory. At the present time, we have two user discs with 600 megabytes and 6 removal disc packs. We have six terminals, a tablet, and the dot matrix printer. DEC keeps telling us we have a Thanksgiving present for this year and that will be our VAX, 1.5 megabytes of core with two system discs, and a tape drive. We were going to get our RAMTEK hardcopy unit this year, but we found out that they are in the process of developing a unit that will display four images at the same time. We've been told that unit will be available in January so we've decided that we should wait and get that.

We said last year we were going to have an ALDS work station; that it was going to be a cloistered room set aside from the busy activity of the computer. The data analyst could sit in there to analyze his data and have everything right at hand. You will see the room as it stands this afternoon.

We are developing an operating philosophy to deal with questions such as: when you have one large data set involved, are you going to let anyone else on the computer? What sort of sharing algorithms are we going to have? In the research area, all I want to say is that the interim software system is now operational on the Battelle VAX. The panel's comments last year influenced the direction in which we went. First of all, we backed off from the general SDB file structures and decided to go with just a very simple flat SDB structure. There was a comment that we had to have the ability to go from formatted files to SDB files and that has been worked out. There was quite a lot of discussion that we were going to package ourselves to death. There would not ever be a final system, because we would not want to get rid of the statistical packages. We stopped getting statistical packages and we're operating with MINITAB. We will have an analysis of variance package or a general linear models package very shortly. We've been playing with the graphics device a little bit and formed some initial impressions. I think these initial impressions really are that color is nice for back variables. We can also make some very pretty U. S. states demographic views. We haven't come up with anything very profound. I think though that there is really a good opportunity for an advance in data analysis if we take color and apply it to large data sets and if we look at 3-D. I think that's really an area we can do something with in color. This has been my first experience with high resolution graphics devices and it's really exciting. The difference between a high resolution plot and a computer graphics plot is sometimes very informative.

We have been analyzing some data sets and one rather interesting problem has come out of this. We have one data set in which the whole point of the analysis is to decide if one particular event is a rare event from that data set or if it is really a different kind of event. This means that you've got to really analyze the tails and decide if it fits out there on the end of the tail or not? So it's "rare" versus "impossible".

In the area of test data sets, we have looked at four examples. The stellar parallax data, we looked at last year and that was 10^4 cases by 22 variables. We've looked at that data recently again this year. We looked at the Hanford Morality Data briefly-- 10^5 by 75 variables. We didn't do much with the Hanford Mortality Data, a combination of the fact that there were many users on the system plus some software limitations at the time. We were not able to get that data set up on a shared VAX and that has some ramifications. The optical sensor data is the data set that I've been looking at and we were able to get that data up; maybe I was operating in a regime where there weren't quite as many users, so we were able to get the data up and get it subsetted.

Pam Doctor has been looking at some time series in the frequency domain. It's a much smaller data set, but she's been doing some interesting work on discriminant analysis and this has been done within the ALDS system.

Why haven't we done more? The driving force of our whole development program is to come out of what the statisticians feel they need. We've been operating in a computing environment where we were only one of the major customers, we couldn't control the way the computer was operated and there were really limitations. Many times, there were so many other customers that we just couldn't get on, so we can say in all honesty that part of our problem was the fact that we didn't have a computer available. But we have to be truthful and part of the problem was that there was really a lack of commitment by some of the people involved to actually get in there and work in such a dirty situation. I think it points out again the need for an ALDS kind of facility. That even in the situation that we were in, it was just too much of a hassle to get in there and do very much.

THIS PAGE
WAS INTENTIONALLY
LEFT BLANK

2.0 ALDS INTERIM SYSTEM OVERVIEW
AND
SDB DATA MANAGEMENT SOFTWARE

R. A. Burnett

One of the major efforts in the project was to develop and then use the interim data analysis system. I'll be giving an overview at the present and then a little bit later on we'll be hearing some more details, talks about various components of the interim system. The interim system was put together basically as a result of the recommendation that we get some experience in actually analyzing and manipulating large data sets. The general purpose of the interim system was to provide the statisticians an initial or a temporary capability. One of the recommendations was that we put together a system that could be thrown away at some point when the real or the final system is developed. So, the implementation of this interim system was driven by the realization that it would be a temporary or a throw away system. That we would not necessarily throw away all the pieces, some of the pieces should be useful in the design of the next system. But really, all components of the interim system would be thought of as candidates for being thrown away. In other words, they would have to be reevaluated and they would have to fit in with the overall concepts of the final design before they would be made part of that design. We engaged in a very concentrated effort to put this interim system together over a period of about four months. I should add that there was a lot of interaction during this period of implementation with the statisticians. The way we proceeded was that initially we asked the statisticians for their list of requirements or specifications on what they would like in this interim system. What capabilities did they really need in order to begin their research in the process of large data sets analysis? We, being computer scientists, took this list, evaluated these requirements in terms of what was feasible in this short, concentrated implementation period. What could we reasonably do, what was beyond the scope of this interim system in the time frame we had, manpower availability, etc. We gave these comments back to the statistician, said these things over here are too difficult or would take too long. Can we come up with some sort of compromise? Can we adjust our requirements a little? There was a lot of interaction and iteration in putting together this interim

system.

We adapted available software whenever it was possible. Since this is a temporary or an interim system, we didn't spend a lot of effort in careful detailed top down design. The top down design that we saw last year is still in place and will still be used and modified wherever necessary in the design of the permanent ALDS system. But in the temporary system, we used pieces of software that were available and then developed from that as a base in order to get something up and running as quickly and with as little effort as possible. The interim system was implemented on the Battelle VAX. We couldn't really have done the interim system without the virtual memory capability of the VAX, the large address space capability. It could have been done for very small data sets but for medium to large data sets, the virtual memory capability of the VAX is indispensable and very useful.

As Wes alluded to, there were some limitations in that this is a resource that is available to a large community of users. So there were many times when there simply wasn't enough disc space available to put up as large a data set as we would have liked. The purpose was to provide the statisticians with an advanced, in the sense of basic packages which were available when we began this implementation effort, set of computer tools so that they could begin to do some research in large data set analysis. At the same time, the objective was to become better aware of the problems and tradeoffs of various options from an implementation point of view that computer scientists would be faced with. We learned some definite lessons in implementation problems as we put together this system, it also gave us some ideas on ways we can improve our implementation in the future. A third purpose was to get feedback from the statisticians, give them a system they can experiment with and do some data analysis on, interact with the system and find out what the good points were as well as the bad points. What were the shortcomings, where did we need to provide a better user interface, where did we need to provide better data handling capabilities, etc.?

Figure 1 is a block diagram of our interim software system. At the top level, we have a control monitor which integrates the overall system, by providing a top level menu which has a series of items that you can select to

Figure 2.1 Block Diagram of ALDS
Interim Software System

call up one of the software components. Each of them operates off of the common data file format--the self describing binary data files. We have the facility to take raw data in the form of a formatted file and convert it to an SDB file through the file translator. It has the Battelle enhanced version of MINITAB as the basic statistics capability, we'll shortly have another package, RUMMAGE. We have a data editor and some statistical graphics. The dashed lines are log information, going to a log file which provides a history of the commands, interactions, etc., that the user has accumulated in an interactive session. There is another facility in which from within the ALDS system you can execute VAX commands that are outside of the ALDS system while still remaining in ALDS. The point is that this facility for executing system level commands allows you to invoke a system of user programs that are anywhere in the system even outside of the basic elements of the system. That's a facility we need to get outside to use the text editor or whatever you might want to use and come back and remain in the ALDS system.

The ALDS control module is really just a VMS command procedure or DCL command file written in the DCL command language of the VAX. It coordinates the overall interaction of the ALDS system components and provides a coordination of the logging function. It provides a top level menu selection from which the user can select the interim system component that he wants to use. Of course, he can quit at any time or leave the ALDS system. Once you go into the VAX or DCL command mode, you remain in that mode until you type the command MENU which puts you back to that top level menu. This is a rudimentary way of combining menus and commands in the same user interface. You can actually invoke one of these menu items when you're in the VAX command modes simply by typing an M for MINITAB or a G for Graphics without having to go back and type MENU. You have a short cut built in so you don't have to refer back to the menu if you remember what the menu contains.

The user interface tools are a set of subroutines that were incorporated into all of the major modules. This really isn't a component that you see on the block diagram because it's really down at the next level as a set of subroutines that were used in all the other components to provide the interaction between user and computer. We wanted to provide a common command

interaction method. Of course, the way this could be done is to force the programmers to use the interface tools consistently in performing all of the terminal I/O. The temptation is to slip a "type" or "accept" statement in there somewhere so we had to use a little bit of self discipline. For the most part, this worked fairly well. We did identify some shortcomings in this method that we will attempt to overcome in the future. The user interface tools also provided for command interaction logging through the log file such that as long as you use the interface tools to do the interaction, you get that interaction log in the log file. The user interface tools were in some sense customized for the data analyst. We attempted to provide the promptings, etc. that the statisticians felt most comfortable with. The implementation of the user interface tools is the software I/O routines that people from LBL installed up here on our VAX over a year ago. Since we don't have a separate talk on the user interface tools, I would like to mention the "kernal" set of user interface tools that we implemented. There is a routine to initialize user interface tools, to initialize and to close the log file. The system operates with a known file for the log file so that if a particular user did not have a log file on his directory, the user interface tool creates that file. If the file exists, it appends the logging information to that file so you get just one log file throughout the entire interactive session. There is a routine to display integers or real numbers on the screen, multiple integers, multiple real numbers. A routine to prompt for character strings, for integers or real numbers, a routine to prompt for a file name which is a special case of the character string prompt in which the system checks the syntax of the file name to make sure it's appropriate for the system. There's a capability to build dynamically a print buffer such that the information does not appear immediately on the screen but goes into the buffer and later if a routine is called display that buffer you get a built up print buffer that allows you to combine numerical information along with text information on multiple lines and then display it all at once.

In a like manner, we implemented a set of subroutines or data management tools to access the data and like the user interface tools, these subroutines prevail for the entire system and are not shown explicitly on the block diagram. We implemented the self-describing data file type we talked about last year in a much simplified form. We implemented a set of kernal data manipulation routines. If you remember this is one of the tasks that we identified to identify what those kernal data manipulation routines should be. So we came up with the first level definition and implemented those routines which operate on the data stored in the self-describing data file.

There are two components I classify as data management utilities. They use the data management tool for subroutines, but there are two specific facilities that provide for the interim system. One is a formatted file to SDB file translation capability. The data editor and subset generator was probably the component that took the most effort and really has the most capability in it other than MINITAB. These are just briefly the major capabilities. You have the basic editing capabilities that you think of as associated with a text editor or other type of editors but it operates directly on the binary data stored in the SDB file. You can examine or list the data value or the data descriptors or you can modify individual labels or data values, you can perform transformations. Probably the most powerful feature or the feature that the statisticians needed the most is the capability to do random sampling. This could be simple random sampling or stratified random sampling in which you superimpose a logical condition or Boolean expression which logically subsets the file and then you take a random sample of that logical subset all in one operation. Or you can do the logical subsetting by itself without doing a random sample.

We have graphical analysis tools. The primary graphical capability that we put together for the interim system was a color scatterplot capability that displays scatterplots on the RAMTEK color raster device. You can either specify that you want points connected or not. You can color in code and/or assemble in code the data points. The third variable can drive the coloring of individual data points within a given data set, and at the same time you can have a fourth variable which could be one of the other three variables, if you wanted to drive the symbol coding, displayed at each data point; or

you could do multiple plots in which you specify a single color for one data set and a second color for the second data set, etc. You can't overlay scatterplots with this capability. There's a capability to adjust the graphic parameters, scaling, the axis labels, etc. It's a fairly standard capability with most statistical packages. It's not shown on here, but we've been doing some other practical implementation. A cartographic map representation of data, some 3-D serial graphics, couple of other things, but this is the major graphics component within the ALDS interim system. Some of these other developments are separate efforts and not fully integrated into the ALDS system, although they certainly could be. It's fairly easy to integrate another component into the system.

MINITAB was chosen as the major statistical tool. We'll continue to use packages such as MINITAB until we have a system where it's easy to integrate individual statistical algorithms or components at the command level as native ALDS commands which is, of course, the direction we want to go. In the interim system, we're still at the package level for statistical tools. We took the 1980 version of MINITAB and enhanced it with several modifications--made locally. This enhanced version of MINITAB, by the way, was provided to LBL and I understand they are using it now. It has an expanded data storage area, it takes advantage of the virtual memory capability of the VAX, it has a one million value worksheet. That's, of course, necessary for bringing in large amounts of data. We've made the save/retrieve capability more efficient, both space wise and time wise. We've interfaced the self-describing binary file type directly to MINITAB so you can specify a set of columns, write them out as SDB variables to an SDB file, and later on selectively bringing in one or more of those columns or variables back in to MINITAB from the SDB file. It comes in directly, there's almost no translation. Since the values are stored variable by variable and column by column in the SDB file, this is also the way they are stored in the MINITAB worksheet as column by column. Just recently, we've added a direct plotting capability such that you can now directly display the plots in color on the RAMTEK rather than as a line printer or character type plots. The main reason we did that was that this other approach of providing the graphics as an external component outside of MINITAB and outside of the data

editor proved to be somewhat cumbersome. The problem is that if you have a large amount of data, say, in MINITAB and you want to go do some color graphics, you have to write this out to an SDB file, get out of MINITAB, go back up to the top level menu or command level, request the graphics package, bring the data back in off the disc file and then make a plot. With a large amount of data, this is a little bit slow and cumbersome. We found it much more conducive to friendly operations by providing a direct plotting capability. There's, of course, the capability to go outside of the ALDS system to external packages but these were not put into the ALDS interim system as part of the system. RUMMAGE will soon be up and running and we'll bring that in as part of the interim system because the statisticians wanted an analysis of variance package.

The purpose of having the self describing data file structure is that it provides for a common data interface for statistical graphics and data management software. I use the word "software" instead of "package" because eventually we'll be moving away from packages. Also, it is a way to provide a complete description of the data attributes, the logical statistics of the data attributes, the logical statistics of the data, etc. These descriptors and data are stored together in one file. We want to provide compact data storage to minimize disc storage space and also to provide rapid access to the data base.

Taking the recommendation of the Panel last year, we simplified considerably the conceptual view of the SDB file structure. One way to view it is in terms of a set of file sections in which the word section is not used the same way it was last year. We moved away from the section, row, column concept. It's still a good visualization tool in terms of cross attribute structures or category type variables. We have a cross product, but we want a different more general capability there. In terms of what we implemented this year in the interim system, everything that's not starred has been implemented. These other provisions are a slot provided in our current implementation structure for these other components or other sections, but the software hasn't been written yet to put them in.

At the beginning there are a set of file parameters, these are the physical pointers, counters, etc., that are necessary to keep track of what is stored in the rest of the file and where it is. There's a capability for the user to enter a text description of the file, as long as he wants it to be and then store the description in this slot here. The origin update log will eventually be added to provide a history of where the file came from and how it was created, then a record of the updates made to the file. A section for index labels and then those attribute and variable descriptors where here I'm differentiating between category and non-category type variables. These are, you might say, the measurement variables and these are the category attributes that categorize or classify the measurement variables. Right now we have just one type of variable rather than distinguishing between the two. That distinction will be added later. The actual data is stored variable by case, in other words, all values of one variable are stored contiguously by all values of the second variable, etc. Rather than the opposite direction or case by variable. This is what some people call a transposed file structure. The people at Statistics Canada who developed the RAPID data base management system used the transposed file structure and found it was more suited to the types of data access that we want to do in a statistical analysis environment. Also, it's easier to then go on to the next step of providing the data where you're doing value compression since all the values are stored contiguously. If you stored them case by case, you would have mixed data types stored contiguously and it would be much more difficult to do the data compression.

I will quickly go through the variable and attribute descriptors that are currently provided. We hope to provide in the future a label, less than or equal to 15 characters. An optionally longer text description of the variable, data type, minimum/maximum values and a default print format for the SDB file. Eventually, we want to provide summary statistics of the variable such as mean, min/max, etc. Currently, we have only one missing value type or code, but we want to be able to allow for different types of missing values in the future. We also want to provide an indication of the precision of the data stored in the variable and a structure indicator which might say that there is a matrix linearized in

this variable or perhaps a diagonal or triangular portion of a symmetric matrix. We currently have the basic data types: real, integer, and fixed length character strings. We want to add double precision variables, variable length or indexed character strings. Then we can go from there to some coding techniques or other data compression methods to further reduce the amount of storage that is needed, depending on the variable type.

Last year we said we wanted to identify the set of kernal data manipulation required to support large data set analysis. We came up with a set of 9 basic or kernal routines which would allow us to do the data management or the data manipulation that was needed in the interim system. This is more or less at the lowest level of application callable routines. You can also build routines on top of this. You want to initialize or close an SDB file; you want to be able to create a new variable. You want to be able to find a variable that has given label so you can search on labels. You want to be able to update and retrieve both variable labels and variable values. Of course, you want to be able to store them. You want to be able to retrieve an SDB file description and also you want to be able to retrieve a description of a particular variable or of all the variables. There is nothing in the kernal routines to do a case by case retrieval or update. That is an example of a routine built one level higher than these kernal routines. We've added some software to make that more efficient than it would be if we just had to do things on a variable by variable basis.

I'll mention a couple of the lower level features that we put into the software to make it efficient for large data sets. One of these features is what we call an overflow handler. The way the overflow handler works is, initially a fixed number of bytes in the direct access file, the SDB file, is allocated, then as you add to a section of the file, for example, you add some additional text to the file description, such that it overflows the number of bytes that you originally allocated for the text description, the overflow handler will create an overflow segment of that section at the end of the file and then will create the links to that overflow.

We only implemented only one level of buffering, a low level byte buffer which is equal in size to one physical record. A direct access read or write occurs when a data request lies outside of that currently resident buffer. We implemented the data editor initially with just one level of buffering and found that when we wanted to retrieve data on a case by case basis, it was very slow. If you had a large number of cases, you would be making a disc access for each value of a case. What we did to alleviate that was add a second level of buffering. The high level look ahead data buffer puts not only the individual value that you might want to retrieve, it puts many more values of the same variable into a portion of this look ahead buffer, which can then be partitioned into many sections or many parts. With the second level buffering, the improvement and performance was dramatic. It was more than an order of magnitude improvement in response.

THIS PAGE
WAS INTENTIONALLY
LEFT BLANK

3.0 ALDS DATA EDITOR

J. J. Thomas

I'd like to talk a little about a tool that we implemented here that was based on some earlier work that's been published at the National Bureau of Standards. What we wanted to do was to provide a facility to access data and update data. We came up with this concept of the data editor, maybe because all of us computer scientists are familiar with source program editors. That's very comfortable. Today, what I'd like to do is first cover a definition of what I mean by data editor, I'd like to talk a little about why a data editor, give you some of the highlight capabilities, talk about one of the major problems we found in doing data analysis with the statisticians and that's the problem of subsetting. I'd like to give you a few examples and then talk about the editing environment, because I think that's very important.

First of all, what is a data editor? The data editor is a computational tool that's interactive and whose main purpose is for the manipulation, modification and the preparation of data for data analysis. The need for a data editor was recognized very early by sitting in back of Wes and watching him do data analysis. Early experience indicated that the preparation of data for doing the data analysis, understanding some of the basic relationships of the data was a very time consuming and really cumbersome process. We definitely need to spend some time looking at this area. The data editor is just a first attempt at that.

Let's take a look at some of the capabilities. We took some functions that you typically find in relational data management systems and some functions that you typically find in program source editors. Many of the operations that Wes and Dan had to do to get data ready for preparation involved arithmetic transformations and usually those involved special purpose programs for one particular data set. That's a lot of programming. We put in some general facilities for doing data transformations. Let's just go through some of the highlighted capabilities in a little more detail. You can specify relational clauses such as dates greater than 1975 and less than 1980, then create a subset for all cases that satisfy that condition.

These clauses can be arbitrarily complex and span more than one line. You can find cases satisfying any particular relational expression. You can replace variables under these specified conditions. You can perform transformations through arithmetic expressions. These arithmetic expressions can involve variables, constants, other variables.

We can create both variables and cases in an interactive mode. You can perform both global and individual operations. That is, if you know you want to change that value in your data set, you can just specify I want to change that value. If you want to do a global search and change a whole sequence of values under a specified condition, then you can do that. We have also implemented a command file and synonym capabilities. It will show how you can group these commands and tailor a general expression, general statistical expression and map that expression on your statistical data set. We found that to be very useful in some of Wes' requirements.

We had to come up with some sort of a facility for doing subsetting, and I'd like to talk about that for a minute. First of all, we just really touched on the problem of subsetting. This is certainly not an encompassing solution, and I'm not proposing it as such. The problem is how do you specify a group or a collection, the classification problem and then how do you manipulate this subset. In looking at the characteristics of the solution, what I wanted to do was to find something that was a conceptually obvious scheme for classifying and grouping data. I think all of us have been working with relational clauses, that seems like a fairly natural way to go. A direct influence of the large data set is the fact that you have to be able to reference and manipulate these groupings without duplication. So we want to consider that as a primary consideration. Another thing, the technique itself had to be efficient relative to the large data set, both in terms of storage and in terms of access. You couldn't afford just a straight sequential search every time you wanted to do something. You have to have some keys that pointed to this group or records that satisfied this group. So we were looking for something like that. The storage of this definition had to be relatively efficient itself. The technique we came up with is that of virtual subsets. It sounds a little more awesome than it is. Essentially you have a

master file, then you have several subsets. These subsets are defined by a relation although we found that in working with the statisticians they wanted more than just a relation in order to do that classification. I'll give you an example of that in a minute. A relation is specified along some other criteria and then you can form these subsets. It's really a two step process. One is specifying the relational clause and the other is actually forming the subset. You can specify the relational clause, you can also specify that you want random selection or stratified sampling.

One type of selection that can be performed is variable selection. "Variable select" specifies the variable names to be selected. I've also implemented a grouping of variable names such that you can specify variable name 1 through 3 and then it will pick up all variables. That's one way of doing selection. You also need the ability to do case selection. A case selection is done with a "case select" command where you specify the variable sequence number. The statisticians commented that they wanted to be able to pick out, for example, every third variable or every fourth variable, this type of technique versus a truly random technique. So we implemented this type. Now we've discussed two dimensions, variable and the case selection--the third dimension for doing your subset, is based upon values in the data set itself.

In terms of the command structure, in most information retrieval systems, commands are very long. Especially when trying to do complex relations, it wasn't as well received as we wanted it to be. We divided the commands up into three types, specification commands, information commands and operational commands. The specification commands allow you to specify all these conditions I've been talking about. Transformation and the information commands allow you to list, print and show everything that you specify--all conditions. That is, to show what you have in your table or your virtual set or to show your synonyms. The operational commands perform the operations.

There are a couple of things we learned in doing this in terms of the editing environment. First, we implemented a free form command driven environment, there's really no structure for these commands; as a matter of fact, you can put one command right after the other one. Primarily because of the parsing technique in that we are looking for phrases. It's a matter of how you group these phrases for performing the specification. One of the things I found out when I was implementing the data editor was that when I was going between these master files and subsets, I had trouble keeping track of where I was. We thought about the problems a little bit and our solution, at least at this point, was right in the prompt itself, we would issue the prompt and issue an M or S which means you're either in the master file or a subset file and N which indicates which case number you're at. I've yet to hear from the statisticians, but at least I could find out where I was at.

More about the editing environment. When you set up a set of these conditions, selection criteria, and you're going to invoke this on a large data set, you want to have the option of verifying. In other words, you say to "replace all". When you say "replace all", what's going to come up is a preview of all of the conditions, transformations that you're going to work on. You can turn this off if you want to. I haven't heard of anybody who turned it off yet, but you've got the verify option. We also implemented a dynamic interrupt facility such that you can stop when you hit a key. The important point here is not that you can stop the process, but that when you stop the process, you remain in control within the executed environment that you're working in such that it'll come up and tell you you're at case so and so in your data set, do you want to continue at this point or do you want to abort. That's a very important facility. Another important facility is the ability to scroll down through a data set and also to scroll right. A really important facility that we're taking advantage of throughout the ALDS system is the logging facility. Let me mention a couple of places where that's been used. One is in the

debugging software where the logging facility was very valuable. It's also been very valuable when giving a demo; in other words, we're going to bring somebody up to speed, we go through the demo and give them the log file; they go away and review what they did with this log file and what we did with the log file. We find it much easier for them to come back the next day and essentially do their own thing. It's really an excellent training aid.

In terms of reviewing the command syntax, I don't think we'll do that because I think we'll want to save some time. In implementing this data editor, we really wanted to bring out some of the basic criteria for implementing self-describing data sets, that is you can show your variables, you can show your variable type or other types of information in an interactive environment. We wanted to bring out the kernel functions and see if the statisticians would feel comfortable with this. That was one of the main criteria for doing this. We wanted to experiment with some initial subsetting techniques. We're just getting started with this. I particularly wanted to experiment with this command structure and I found it very comfortable. I've yet to hear some comments on that and we're using the data editor more as a test bed for some of the techniques that we feel are really important for follow-on research.

THIS PAGE
WAS INTENTIONALLY
LEFT BLANK

4.0 EXPERIENCE WITH THE SYSTEM

W. L. Nicholson

I would like to describe my impresssions and the impressions of some of the other people--our experiences with the system. I've never done interactive data analysis before. I've been operating now for about a year and a half in this mode and this is what it means to me. In this process I have made several observations on large.

What I can say briefly is the fact that the system works. First of all, if we have a flat file with a number of cases times number of variables less than about 10^5 , we have been able to stuff that into the ALDS system with our particular configuration where we're in a shared environment and operate on it with each of the components of the ALDS system. Because of the limitations of a multiple user environment, we have not put up larger data sets. Also, we have not put up more structured data sets because ALDS does not have the ability to handle them. As it now stands, you have to go off and do something else--write a particular FORTRAN program--and get some flat structures before you enter ALDS. I've tried each of the components, Dan Carr has done quite a bit more with the graphics than I have and Tony Olsen has done quite a bit more in the editor than I have. We've tried all the components and they all function. Every once in a while because the system is overloaded, it starts doing strange things because we run out of disc space. Between package communication is a simple, well-helped operation and I'd like to say a few things about this. I find this very exciting. Let me give you an example. We added three commands to MINITAB. MINITAB is a worksheet vector oriented system. You can do vector operations component by component on two or more vectors. You can define matrices in the worksheet and do matrix operations. You can do simple regression analysis, general one way ANOVA, and simple two way ANOVA with complete replication and the same number of observations in each cell. Finally, you can do simple exploratory data analysis and Box-Jenkins time series analysis.

If I'm in MINITAB I say, SDBIN, name a file and tell where I want to put that file and my file comes in. If my SDB file has all the variables named, then those variable names appear as the names of those columns automatically. If there are no names, then the column numbers are used. When I'm in the MINITAB system, if variable one is sex, I can refer to this column as either sex or as C1. We're now in the worksheet, and we've done something that we want to save, so we say SDBOUT, define a file, and the indicated columns go out to that flat file. We are queried after this command. If the columns aren't named, do you want to name them. You can say Yes or No. If you know their names, you say No and the names that are on the columns are carried in the file. If you're not sure, you say YES and you can name those that aren't named.

One of the major problems that I have in doing analysis is keeping track of my files. I'm working on a number of different problems and I have a lot of files. I tried to be clever the way I named these files so I know what problem they relate to, but I forget. I forget the exact variables that I have, the exact variable names or the number of cases. When I'm in MINITAB, I can say SDBSHOW and give a file name and I get the description information text which defines that file for me, a list of all the variable names and the total number of cases. That's what I mean by saying that between package communication is simple and well helped. When we have more than about 5×10^4 cases, we begin to tax the system. Things begin to slow down. This convinced me that we really have to have a dedicated computer. Dedicated to me meant that there was only one person sitting at the console and there were no remote users at that time. Now it's pretty clear that dedicated must mean that the mass storage has been wiped out so that nobody else's data is on the computer. Thus, the system is dedicated to the problem.

What are the good features that I see already? First of all, I've indicated to you that I think that the SDB file structure and the way it allows interfacing between components from the standpoint of the user is terrific. You don't really have to think about what's going on, it just happens. The virtual subsetting is really a very nice tool and obviously

it's got to be in the final system. I've used it mostly for samples. I've done some logical subsetting with it. Early on we put into MINITAB the capability to shrink plots down so they fit on the screen so we can see the whole plot and manipulate things. You can pretty well follow the analysis that goes along. Really, what you're doing is a lot of analyses, it's exploratory, and you may not be interested in it at all. You have the ability then to reprint that result and not worry about everything else, so you don't generate reams and reams of computer output. You selectively save what you want. We've said all along that this had to be in the final system.

We have also the ability to create command files. If you want to do an analysis in MINITAB, you can build a set of commands in the editor. You can execute that set of commands and go back and edit changes if you want.

As I've said before, I'm really excited about high resolution plotting. That's clearly an important feature. I think the exploratory data analysis features in MINITAB are really quite nice. They allow you to do things quickly. This is in MINITAB 80, not MINITAB 78. The new one has stem and leafs, box plots and median polish. They are easy to execute.

We have some major bottlenecks and, of course, these are things that have to be solved. There is absolutely no capability in the present system to do multiple operations on a single pass. If you are working with a large data set, it's clear that you don't want to pass through the data set every time you decide to do something whether it is something you might call editing or something you might call statistical algorithms, or whatever it is. You need to be able to define several operations and do them in parallel as you pass through the data set. On the other hand, it might not make sense to define a 100 different operations and pass through once. Clearly, there is an optimization problem here in terms of computation time, number of operations and number of passes. We don't have any general linear models capability, but we will have very shortly. We have been in contact with Del Scott at Brigham Young. He's the man who wrote the RUMMAGE package. The RUMMAGE package command structure is much like MINITAB, in fact, it's essentially the same as MINITAB. We talked to Del about the additions we have made to MINITAB to make it work for larger data sets on a VAX.

He offered to do that with RUMMAGE. He has made those changes in RUMMAGE and has RUMMAGE operating on the Brigham Young University VAX. We are expecting a RUMMAGE package at any time. It will become our second data analysis package interfaced with SDB files.

Communication with non-ALDS analysis software is difficult right now. The basic problem is if you have an SDB file, which is the result of doing an ALDS analysis, you can now do a VAX mode and run any program you wish but your file is not necessarily formatted for that program. We don't have the capability yet to go from SDB to formatted files. We are working on that capability.

I have some observations on interactive computing. I've been doing this for about a year and a half. We used to operate around here in a batch mode, and if you were lucky you'd have a programmer. If you were not lucky, you had to write your own programs. I have the feeling, I can't really document this with numbers, that my time involvement for these two processes is about the same. That is, if I go in and do the interactive analysis myself or if I sit in my office, tell a programmer what to do and look at batch output. But I think there is a big advantage in favor of interactive analysis. First, in the batch/programmer approach, when he comes back with an analysis tomorrow or next week, I'm doing something else, and of course, I've got to recreate where I was, what I told him to do, etc. Second, I feel strongly that the quality of the analysis is improved because I get a lot closer to the data. I tend to do more things because they can be done quickly. I have a lot of fun doing it. I really enjoy the process of sitting down and doing interactive analysis. However, at my advanced age about two to three hours is all I can tolerate. Then I begin to spin my wheels. The best way to operate, for me anyway, is--think about a problem, do an interactive analysis or several, operate for a half hour to an hour and then sit and look at the hardcopy output or do a little mathematics or try to figure out what's going on. This may not take very long. It might take ten minutes. On the other hand, it might take two or three hours. With a large data set, I don't want to log off because it may just be ten minutes before I'm ready to go again. I talked to Vern Crow about this, it turns out the way the cost algorithm is set up, that this is a very expensive way to operate. Clearly, that has to be

changed if we're going to operate a computing center for doing data analysis.

The user interface language should adapt to the user level and his mood. I think that the language has to be efficient for the data analyst whether he's a novice or an expert. That's what I mean by level. I don't think the mood is quite as obvious although once you have used the system, it becomes very apparent. Let me just give you a simple example with the formatted file-to-SDB file module. I have a file, I go into the system and the SDB package asks what is the name of the first variable. I tell it the name and it asks what is the range or is there a range of the first variable. After you go through this set of queries, it takes in the first variable. Then it comes back with the same set of queries for the second variable and the third, etc. If I haven't used the package for a while, these queries are very useful. It gets you into the mood. But after I've done three variables, I have the scheme figured out, and I wish it would let me enter the arguments without queries. That's what I mean by mood. The system has to be adaptive in the middle of an analysis.

It's pretty clear that packages are cumbersome. That's not the way to go. As David, Ben and Jerry have noticed, there is an artificial separation of operations calling some things "edits" and some things "analyses". It really is very artificial. You want to be able to use any module at any time during your analysis. Presently, there's no way to stop a MINITAB process once it starts. Interrupt with options is necessary to avoid much wasted time when analyzing large data sets. We have added to MINITAB the ability to do color graphics plotting. In our present environment, if you are plotting 100,000 data points they come up slowly. In fact, it may take ten minutes. So you initiate the plotting and it isn't what you wanted to do. You have two options, do nothing and wait or abort the process. This probably will bomb you out of the system. You want to be able to stop and then have options of what to do. There are still some other problems where you get bombed out of the system. Spending a half hour setting up a design matrix and then getting bombed out of the system is sort of frustrating.

This was pointed out earlier, writing SDB files to tape is very complicated. It has to be made very simple. You're going to operate within a problem dedicated environment; this means you've got to get rid of everybody's data. We don't have an infinite number of disc packs so you can't take everybody's data off on disc packs--you have to be able to archive it on tape.

The only way we can merge two files now is to read them into MINITAB and write them back out as a single file. This means there has to be a common variable to line up on. If these files are not identical in length and in case number, you are in trouble. Clearly, we have to do logical union merging and logical intersection merging on a variable; that is expand one file into another by replication or condense one into another by aggregation. The only way we can keep track of data structures now is by cleverly defining their file names and that's already been talked about.

Parallel background processing...maybe it's just because of the slow environment now, but you'd like to be able to define an operation and then go do something else. The only way you can do that now, is a second processing and tie up two communication channels.

I'd like to make a few comments on "large". We need to think about adaptive-on-n algorithms or possibly adaptive-on-n output. It's pretty obvious if you're going to do a robust estimate of location that you'll probably use a different formula if n is three than if n is 10 million. So those things are pretty clear. We also need to think about output. Consider the problem of displaying a sample of 10,000 observations from a long tailed distribution, for example, the slash distribution (the ratio of Gaussian to a uniform random variable). In order to keep the size of the display manageable, a histogram would be in order with each symbol representating many observations. This does a good job of displaying the shape of the center, a reasonable one on the shoulders and a very inadequate one on the tails. A stem and leaf display would be very adequate on the shoulders and with truncation would list the tails. Finally, low depth values of a letter display would probably do the best job on the extreme tails. Thus, while none of these displays individually cover the fine structure of the entire distribution, possibly an appropriate mix could do that and, of course, the appropriateness of the mix would be a function of n.

We have just started to look at long tail error distributions in connection with modeling extreme events in large data sets. The new H class of Tukey's has been helpful in modeling long tail residual error distributions in the fitting of x-ray diffraction data. We need to develop long tail models or at least some sort of long tail summaries that can be gotten easily in large data sets.

It appears from our experience to date that global views with fine structure are very useful. We have some appreciation of this usefulness from our high resolution graphics device. If you're dealing with a lot of data, you want to be able to look across all of it in some way but at the same time you want to see as much fine structure as possible. You don't have time to zoom in on everything. We have several examples that we will talk about later.

It also appears that robust statistics are going to be very useful at least in the cleaning up of outlier contaminated data and possibly in a general way as a supplement to a classical analysis. If classical and robust results differ very much then you need to do some serious thinking about what is causing the discrepancy. As an example of the use of robust statistics, I want to describe some optical signal time traces that we've been looking at. Each signal consists of log light intensity values for 68 time points. In this discussion, I'm only interested in five specific time points early in the signal. Thus, there are a few before and quite a few after the particular segment of interest. When I first looked at the data, I felt that there were a lot of top side stragglers but no bottom side stragglers. This made sense from the physics of the problem since there were occasionally either short intense light pulse contamination or electronic noise which affected the instrument as if it were light. There were 6900 signals which we configured into a rectangular array. Each row of the array was a signal and each column a sample time. I had the feeling that in this data there was a single profile that was being moved around by a varying amplitude. We considered a model, $A_i T_j$, consisting of a fixed time profile, $T_1, T_2, \dots, T_5$ and a varying amplitude, A_i ($i = 1, 2, \dots, 6900$) and wished to allow for the possibility that there were quite a few positive outliers. For each i , we regressed the sample signal $y_{i1}, y_{i2}, \dots, y_{i5}$ on a fixed time profile

using both ordinary least squares and a Tukey biweight algorithm. The fixed time profile was estimated as the mid-mean for each time point. Figure 2 is a plot of the 6900 (least squares, biweight) pairs of regression coefficients with least squares on the abscissa. Two-thirds of the points are tightly distributed along the positive 45 degree line suggesting that the majority of the signals are smooth with no major outliers (at least none that are picked up by the biweight algorithm).

Most of the remainder of the data composing the larger estimates break away from the 45 degree line with the robust estimate slightly smaller than the least squares one. When I first saw this plot, I concluded that these were cases of progressively more extreme single top-side outliers. And that the few very low points in the center of the abscissa scale were cases of two topside outliers. These conclusions were based on a low resolution (50 lines/100 columns) printer plot. When our high resolution RAMTEK 9400 arrived, I made the plot of Figure 2. Immediately, the fine horizontal line structure called my attention to the right most body of the data. Looking in detail at the signals represented by this portion of the plot showed that they consisted of subsets with the last three observations identical and the first two distinct and not following the shape of the fixed profile. For each subset, the biweight algorithm weighted out these two initial points, hence, all of the biweight regression coefficients were identical. The few stragglers below the center of the data are profiles with a single extreme topside outlier.

Further reflection led to using an additive rather than multiplicative model; that is, the shift from sample to sample was due to a change in base line as opposed to a change in amplitude. This latter analysis has done a much better job of explaining all of the profiles. The additive analysis was a five iteration median polish of the 6900 by five array. A plot of balance versus (profile effect) (time effect)/(grand fit) is presented in Figure 3 for a randomly selected subset of 500 profiles. Each set of parallel equi-spaced fine structure is associated with a single time point. The 1st and 5th time points are coded with larger plotting points. The 1st time point data are on the right with a negative slope. The 5th are on the left with a positive slope. Clearly, the model works best for the middle three time

COMPARISON OF LINEAR REGRESSION ESTIMATORS OUTLIER DIAGNOSTICS ?

Figure 4.1 Robust vs Classical Summaries of 6900 Optical Sensor Signals

BALANCE VALUES FROM ADDITIVE ANALYSIS LARGER POINTS IDENTIFY COLUMNS 1 & 5

Figure 4.2 Plot of Additive Analysis Balance Values Showing
Distinct Column Related Structure

points. This makes sense physically since the initial time point is influenced by a variable rise time and many of the last time points are either constrained at zero when the profile has gone negative or are influenced by a new process which is just phasing into the profile. This plot does not show the typical correlation of significant one degree of freedom for non-additivity structure; but I feel something is there and I don't yet understand what.

5.0 GWU RESEARCH

J. J. Thomas

The research emphasis at GWU this year is on user interface methodology and interaction techniques and graphic display techniques, both high level visual techniques and low level graphic support techniques. I think you'll see that we're starting to address some of the problems that we talked about in the interim system. One of the things we want to do is to see if we can come up with criteria for evaluating a user interface. We're taking a rather pragmatic approach to this. We developed some initial criteria and now we're going through the process of evaluating the system both from a paper standpoint and from a user standpoint--that is, you evaluate a system by looking at the users manual or you evaluate a system by somebody actually sitting down and using it. The other major area in user interface is providing the user with an obvious user interface. The mood that you're in may dictate the user interface, certainly the device that you're working with dictates the interface. The result is that what you want is a user and device dependent interface in time and you want it to be application and operating system independent. The user interface might depend on the user's background, the user's familiarity with the computer and his familiarity with the application itself. Basically the technique that we're using is, for those of you who are familiar with device independent graphics, applying device independent graphical techniques to the user interface methodology in that you have your computing resource over here, you have a common set of interaction tools and then these tools are mapped into a user's style. Now, once again we have a methodology for how that would fit together. We feel it could fit together in the ALDS system, it could also fit together in the SEEDIS system as well as another system we have been looking at. In terms of user style, some of the things that might be modifiable are whether you want to run in a menu mode or command mode, whether you want to run with the HELP or with your own type of approach. Certainly a device with a tablet is different than a device with a keyboard and we've already heard comments today about the interaction styles of running the ALDS system from here and running it over there. Certainly, you want a different type of interface if you're running 300 baud than you do if you're running 1200 baud.

Let me talk a little about the graphics research. Graphics research is in three areas. First, the sig-graph core development. What this is is a standard graphics package that has been developed over a period of about six years. GWU is one of the primary developers of that and the BES program that's funding us is also funding development of that back at GWU. We will be evaluating that graphics software and probably be using it to some extent here. There are some serious questions we need to ask about that. The other areas are a graphical data binding technique which we've heard a lot of talk about already. Also, data flow through techniques. This is an area I'm particularly interested in. Graphical binding is how do you bind data attributes to visual display techniques? For the last couple of hours, we've been discussing how you bind color to data attributes, but you can bind other things. You can bind scale, you can bind character sets. The thought is to come up with some sort of an interactive system whereby you can create these visual structures--not just a color cube--then say associate scale with that picture and represent that with some data. In order to do that, you need this facility to create this visual structure. You need a general data cutting facility where you can define your cut points in your data. You need to be able to map these picture elements that you've just defined onto the data attributes and you need some sort of graphics interpreter.

Data flow is a concept that directly relates to large. The objective is to see how much information can you get out of the data set on a single pass through. You want to be able to get information as well as preparing for the next analysis steps--just giving a histogram of the data may not be sufficient in the single pass, you may also want to perform several subsets based on certain conditions. We've seen in the editor how you could specify those conditions. The operations initially that we'd like to see in this type of a facility are transformations, subsetting and some degree of graphics. One of the techniques that I'd like to see is putting up more than one plot simultaneously such that you can have one variable being mapped as you see the other variable being mapped. The usefulness of that concept will come out later as try it. At this point, we're not really sure how far we should go on this in the initial implementation. What we intend on doing is implementing a portion of some of these concepts in the data editor such that we can

start to understand some of the problems that we're going to have when we try and do this in our final system.

THIS PAGE
WAS INTENTIONALLY
LEFT BLANK

6.0 VISUAL PRESENTATION TECHNIQUES

L. E. Ault

The relationship of my research to ALDS is that the research is going to be tailored to the visual communication in analyzing large data sets, and ALDS will be the test bed for this research.

Someone asked "why visual communication". We have five senses--sight, sound, touch, smell and taste. The reason I chose visual communication techniques is that work with scientific calculations lends itself to visual communication. The hardware and software is far more advanced for visual display than for any other sense. The user, I think, will learn more from a scatterplot than from the same information listed on reams and reams of paper and also a picture is worth a thousand words. That's why I'm going to visual communication.

By "techniques" I mean techniques to communicate information to the user. The tools we have right now on the ALDS project are high resolution and color. Another tool we have is motion, rotating, rocking the image. In some cases, displaying all the data is better than conglomerating the data into representative points or symbols. This isn't always possible with very large data sets. I'd like to look into pattern recognition analysis techniques to understand how patterns of information in a text image or numerical file can be algorithmically identified and automatically recognized so that the essence of the data set can be presented to the user. This uses the word "essence" in a nebulous manner because I don't know what the answer is going to be. That'll be part of my research. I'm not researching pattern recognition or cluster analysis techniques as such but I'm going to be determining whether or not they're going to be applicable to visual display of the essence of these large data sets.

We will consider multi-medium display to see if that will be an aid to the user. Right now, we have three scopes. We've got the Tek scope you saw in the demonstration, the RAMTEK and another one we call the history scope to help the user work his way through the analysis and remember where he is with menu analysis. The impact of color, high resolution, image

motion, whatever on data analysis involves human perception and other behavioral characteristics. No research is proposed on human behavior as such, but I plan to use the knowledge we've got to develop some new display techniques. I'm really researching the actual process of communicating the essence of the information in the data set to the user. A second type of communication is communicating the information from the user back to the computer and you can call it interactive graphics. It is a lot more understandable to put data on a screen and point at them than it is to enter that information via a keyboard. That would be a nice way of using a display input to get information back to the computer. Again, human factors have to be considered when trying to communicate information back to the machine.

I am currently in the process of reviewing the state-of-the-art by getting information compiling it, figuring out what's important and what isn't. As research develops, I plan to look into the visual communication methodologies as well as the measuring of their effectiveness. This is where the ALDS project and statisticians come in, they are my guinea pigs. Since I'm in the process of investigating effective communications, the metrics for measuring effectiveness must be established. It's a very nebulous area, because I don't know what the measures are going to be yet.

In reviewing the current techniques, people have looked into various hardware devices for displaying information and the software that drives the hardware device. People have looked into human factors and in to data analysis. People in data analysis have not really addressed the issue of "large". Most people in addressing "large" have gotten to the point where current techniques are not useable, then the data set is somehow subsetted and then analyzed. No one yet has integrated all of these problems. After my literature search is complete, I plan on writing a survey article on this and publishing what I have as far as the survey is considered. Whatever has been done in displaying information to the user, has been done in displaying data after all the calculations--after you've done all the calculations, you sit back and get a nice picture. Most of the work has not been done on an interactive, give and take between the computer and the user. That really does not take place with large data sets.

The user tends to use the same or similar techniques for similar problems. Cartographers like state maps. What do you have when you really start working with large data sets has not been addressed. No one has yet addressed the problem of communication between the user and computer when analyzing large data sets in communicating the essence of the entire data set to the user and in using the graphic display itself as an input device.

THIS PAGE
WAS INTENTIONALLY
LEFT BLANK

7.0 USER INTERFACE RESEARCH

C. F. Huber

I'm going to talk today about some ideas that relate to the user interface. We're looking at how menus and commands relate to each other and why a person prefers one over the other. I'll talk first about how users view the ideas of menus and commands and about what I call "working context" when we think about user interface ideas. This is the context we need to think about when providing the user with a way to interact and perform his statistical functions. If we look at the statisticians job as being researching the data analysis process and the large collection of data sets, then the computer scientists are responsible for providing the statisticians with a friendly and flexible environment in which to do their research on the data analysis process. It's important for them to get together with us and tell us what they mean when they say friendly, what kinds of things they are interested in seeing in user interfaces. This leads to interaction between computer scientists and statisticians and this has been going on over the past year and as it's been going on, I've been noticing some basic views about menus and commands and I'd like to put those forward.

Some of the reasons we've seen that the users are interested in having menus as a base for the command system are as an aid to the novice user, recovery from mistakes and an aid in directing further analysis. The conclusion I draw from this is that users are interested in menus when they're unsure of themselves. I'm not speaking of just statisticians but people who have walked up and seen the system for the first time. Menus give you better background for getting used to the system and the information is usually available in some form. They don't have to dig in some reference manual. In recovery from mistakes, you don't have to look up what the error was. This idea of an aid in directing analysis is that you have a tendency to forget what your possibilities are in the system, what the capabilities are-- a menu can lead you to remember what the options are.

Why do users want commands? It is apparent from the way our users talk that direct access to operations, shorthand notations and flexibility are elements that are more often to be found in the command system than in a menu system. This lead us to conclude that there's desire for powerful and unemcumbered means of access to system capabilities. "Direct access means that you don't have to run through a lot of menus to get to the operation you want to perform. Menu systems usually don't have very high macro capability that would allow for shorthand. Menus also have a tendency to be rather restrictive in the number of things you can do. Experience has shown that in a command system as designed correctly in state-of-the-art techniques you can find capability there that the designer never intended.

The basic menu is a list of options. I like to call this a context restrictive concept in that the validity of user input is defined in the context of the current menu. An obvious example of this is that you don't order pizza in a Chinese restaurant. It has to be on the menu. Context restrictive, environments give the user a warm feeling when he's made a mistake or he's not too aware of how the system works. All the user has to do is look at the error message and look back at the menu. It's very apparent for the new user to see exactly what he can do and what he can't do. It's the very idea that there's only so many options that makes the menu system good for those kinds of situations.

The other thing I want to look at here is conceptual consistency within menus. Consistent concepts, things that fit in with this basic idea of menus, are operations which retain the context--mainly operations that will not produce an error when you make a selection of a given option. A concept that is inconsistent with this idea is the need for operations not in context, in order words, something the user wants to do no matter what menu he is in. That's possible and people have done it to augment menu systems, but it is violating the idea of what a menu is when we provide that capability. When I think of menu systems for the ALDS interface, I think of two types of menus. Directive menus that permit you to get to some sort of help feature, statistical functions, packages or the local computer command language. These options don't get you an operation or function, they just get you to somewhere

else in the system--some other menu.

The second type of menu is some generic statistical function in which we are at a level where an operation can be performed. An example of the way it could be written is upon entering the menu to display some parameters with default values and others whose value must be set by the user. This information could be displayed as the user inputs these parameters, a new image of the menu could come up to give the user feedback on what it is he's going to do before he does it. It still fits in with making a selection of an option and then doing something.

A third example starts out fitting into the concept of menus and then leads to thought on what doesn't quite fit. An example is a menu for a dyadic operator like addition or division. Quite a few systems have to provide capability for general arbitrary expression value. This could be provided with a series of menus, but no one actually goes to the trouble of doing that. Actual systems that are menu based and have some sort of facility for expressions do it some other way. The point is that providing that capability separate from the menu is not a consistent solution to the user interface.

The importance of these ideas is how they will apply when we look at what kind of user interface we want for the ALDS system. We want to consider if consistency is important. We talked last year about providing a consistent user interface. Does consistency in the user interface base we use directly relate to consistency in the user interface itself? Is the consistency for our methods for designing a user interface important to the user? If you have to provide a different means of doing certain operations, different from a menu system, is that going to confuse the user or can the user handle that kind of problem? If consistency is important, then since menus are restrictive, we are going to severely limit our capabilities. Another thing to think about is the friendliness of command languages. In the past, my fellow computer scientists have debated whether menus are better because they're friendlier to the user. Because we haven't seen a great many friendly command systems doesn't mean that they are impossible.

THIS PAGE
WAS INTENTIONALLY
LEFT BLANK

8.0 DIRECTIONS FOR FY81

W. L. Nicholson

Basically, in 1981 we hope to do the following. First of all, we have to establish our own ALDS laboratory. We're assuming that the VAX is going to be here about the end of the month and based on the experience of bringing up the current Battelle VAX and switching our software over to our VAX, we feel about January 1 we should have the present software on our dedicated machine. At that point, we have a challenge--we have to get more users. We cannot keep going along with the three of us as the users. I've been talking with our Section Manager, Judy Mahaffey, about this--about the carrot we dangle out there for people. We can't give them free computing, we can't quite go that far. We need people to use the system to analyze small data sets and document what they are doing. Maybe we need a dictaphone sitting there and when the menu comes up it says unless you use the dictaphone every five minutes, we're going to kick you off. We want to hear from other people, what they like, what they don't like.

On the design of the base level software, there are a number of areas that are in various stages of development. In the area of user interface, Corey's talk was not a real overview of all his thinking, he's done some additional thinking particularly in the command language area. We have the development of the command/menu structure in progress. What we're really looking for is a command language with a menu oriented help or amplification. That's really the way I see the user interface development. I think what we are looking for is something akin to the S system which is used at Bell labs. I don't want to get into a discussion of the S system, but we have xeroxes of a short article written by John Chambers, the developer of the S system, that describes some of the main features. These are features in which we are very interested. The S system doesn't address the question of large and it doesn't handle the data dictionary problem very well; but it's a step in the right direction. It allows iterative commands. Also, the commands work on data structures, that is a data structure goes into a command and a data structure is returned as a value and that value can be the argument of another command so you can have a nest of commands.

We've got to work in the area of the user interrupt so no matter where you are in the ALDS system, if you don't like what's happening or if you want to check to see how far along you are in the calculation, you are able to stop and have options. In order to make this thing absolutely bomb proof, we have to settle the error handling strategy. If you're at one level down in the structure doing something you have to be bounced back up one level and not out of the system. Clearly, we have to have the help features; I look on these as sort of menu oriented. We've gone a long way toward the logging tools but we've got to keep working in this area. In the data management area quite a bit of work has been done. Bob Burnett hasn't talked about this very much, but he is working on the next generation SDB file. What are the next generation SDB files? they are the additional complexity that is needed in order to identify where this file is in the tree that is being generated from an original data set. There's the question of identifying how this file was generated from its immediate predecessor. In the area of the data dictionary or data directory, Dan Carr has done quite a bit of thinking on the mathematical, logical definition level on how the data dictionary has got to work.

There there's the area of the file merging. The questions of SDB to formatted file and off to tape. I sort of got the impression from the comments that went on this morning that maybe that problem wasn't all that complicated. Once the automated component integrater is built, we will have all the structure for handling the data, all the structure for talking to the computer and the procedure that allows the construction of a module from a FORTRAN subroutine. At that point, you really have a system. You can't do anything with the system, but in theory at least you can now build any kind of module that you want. We've done an awful lot of work on the data editor and that means that we have the software or something close to the software available to be lifted out and made into modules. It's similar in graphics, although I think we're not as far along here.

What we're really talking about here now is just one grand bag of modules. There are no packages. The way I see the transition going is that MINITAB will be compatible with what we build or will be made compatible very easily merely by extending it. This allows us then to get the kernal and then start putting in statistical and mathematical modules as fast as we can. I'm not saying that I want to keep MINITAB, I'm merely saying that I think we can bring up these modules sort of last and still allow us to get the system operating.

What about research? The statisticians are going to continue to analyze data and I'll describe the data sets in a moment. We are looking at statistical color graphics. This dual way of doing statistical color graphics that you saw this afternoon was really on purpose, we went that way on purpose. I visualize statistical color graphics in really two ways. What we wanted was a very quick easy way to get color displays, closely associated with data analysis tools. We asked that the MINITAB plotting command be changed to color. This means that there's no trouble at all--it's the same as running MINITAB in the past but we can now run MINITAB and get color. We are limited to 8 levels right now. When we get two more color planes, this will allow us to go to 32 levels. Vern has indicated that it would not be too difficult to make MINITAB change the size of the data points with the use of a back variable so then we could bring in a couple of back variables, one with color, one with size. It looks to me that within MINITAB we can begin to do some simple research toward the use of color and high resolution. The other effort which is going on sort of independently is what you saw Dan Carr doing. We are developing a graphics package that will end up being graphics modules later on in the system. I look on that as the place where the innovative research and the use of graphics in other ways will be done. The second area under visual data presentation techniques is the business of raw versus smooth. John Tukey, of course, is one of the original proponents of smoothing, and he's developed some software for it which tends to minimize the total number of figures that you see on the screen. The idea is that as soon as you get too much clutter on the screen, you begin to lose things. You have to do some sort of smoothing. You either agglomerate or you go to some sort of smooth nonlinear structure. It seems to me from what we've seen so

far that sometimes the structure itself is there. You don't need to do an agglomeration. There may be times when the structure is going to show through if you just let the total data present its own density. The visual communication techniques are things that Linda was talking about and really what we're doing is just a subset of all the visual communication techniques. This is a joint effort that's going to be going on with Linda and the statisticians are going to be doing it as they analyze data sets.

Human-machine interaction techniques will be researched by Jim Thomas while at GWU. He discussed that with you a little earlier. We'll be interacting with them and giving them feedback as they get results as to the usefulness of that. Likewise, the parallel data flow-one pass analysis is something that Jim Thomas is working on. We said last year that we were going to look into dismemberment algorithms and we didn't really get very far. We have at least one data set this year where we feel these types of algorithms would be quite useful and we're intrigued with the idea of interrupting this process. If you're watching the process visually develop, certainly by interrupting you can change the final outcome, if you look at the thing in stages, think of it as sort of a tree that's developing and you're watching it as it's going along. Is this any better than just letting it grind through to the batch conclusion? That's an area Dan Carr has been looking at. I mentioned earlier the business of long tailed error summaries and I, myself, want to pursue that. I would like to look at different classes of long tailed error distributions and see whether or not they are adequate summaries for some of the real data sets that we're working on. Finally, there's the research into mass storage techniques and this is joint research with Lawrence Berkeley Labs.

We have identified five data sets that have several things in common. First of all, these are data sets where we have a customer, so we have some funding that will come into the project from the outside. These are data sets where the customer is interested and willing to work with us in looking at details. They are joint efforts and they are over a variety of areas. The first one is the optical sensor data and the illustrations I showed you came from that data set and I'm continuing to work on that analysis. I look on it as a pattern recognition problem and a rare event diagnostic

problem. I'll probably be working on that data set for another two or three months. The second one is the data set that comes from an economics group within Battelle. This is our first look at a really large data set. Battelle is going to purchase from the United Nations a world wide commodities by country data base. It will be on about 40 tapes. The commodities are clustered within countries. One of the clusters might be chemicals and below that all the chemicals produced in that country and in another file all the chemicals that come into that country. The data set from the standard point of the analysis of large data sets has several interesting problems. The first problem is obviously flow through. We're interested in being able to pick out a subset from all the countries. This means the data sets are sequential by countries. For example, they now have a customer who is interested in just a certain range of chemicals and they want to look at the world wide usage of it. We have the question of doing a flow through and a subsetting which is the question that came up a little earlier. Another thing about this data set which is interesting is some of the clustering is incomplete in the sense that Libya, for example, doesn't bother to break down chemicals below a certain level. There are a lot of omissions and there is some question about whether or not some fine breakdowns from some of the countries are even correct. The next data set will be worked on jointly by Bob and David Hall. The interesting thing about it is that it has 200 variables and we're going to be doing some rather fancy subsetting that will push our SDB file capability to be able to keep track of all of these variables. The customer is interested in being able to make real time interactive queries. The hierarchical epidemiological data--I don't know how large that data set is, but it involves some non-trivial merging of two data sets and will require updating periodically. The last data set is sort of unlimited in size. The customer has been collecting the data for more than 20 years and there are tapes and tapes of seismic time traces. It's really a discrimination experiment. The seismic time traces are identified in various ways and there isn't really a crossed or nested design. So we have a very sparse set of categorical variables. We question whether or not we can get any kind of correlation. Those are the data sets we will be looking at next year.

THIS PAGE
WAS INTENTIONALLY
LEFT BLANK

9.0 SUMMARY STATEMENT BY JACK HELLER

I'll confine my comments to the Computer Science part of the project. In general, there has been progress on some of the problems of managing data for the analysis of large statistical data sets. I hope that the past developments are the linear progress and that you are now approaching exponential progress. Let me just comment about the various things that have been talked about. One is the menu question and the help facility. If one is to have a reasonable system, it can't be restricted just to menus. I think you have to have some inter-mixing of menus and commands. I'm not sure how it's got to be done, but it should be considered. It's true that menus are usually more friendly, but some type of command language woven in with the menu language gives you more power. You might have two levels: the friendly menu type of interaction for the casual user--the beginning user; then as someone becomes more sophisticated, you may want to have more command language concepts available in the interaction with the user.

Let me comment on data logging. The logging you do now can be used for several things, and I think they ought to be considered. One is that you should be able to analyze statistically the kinds of activities people are performing using this system--what false starts they make--what are the difficulties or non-difficulties. This relates closely to human factors in some experiments people have done in related fields where they attempt to analyze how people act under certain situations to see where there might be bottlenecks or difficulties, modify the way in which they interact and then study whether these are helps or hindrances. Since you have this beginning mechanism, it would be good to consider this.

Let me say a little about the backup question. If you're going to have one user at a time and put these large data sets in disc packs, you're not going to be able to have as many disc packs as you want. It's conceivable, however, that you can have a reasonable number of tapes to backup the data sets and have some mechanism by which you can bring from tape to the disc the data sets for the user. If he is going to be using the data set over a periods of days, he can leave it on the disc packs. You're paying a high cost for storage, even though the disc packs are detached from the machine,

when the statistician says he's going to sit and think for a few weeks about the data but he still wants the data sets around. You can transfer the discs directly or unload the disc packs onto tape and archive those; but if you have many users, the problem I can see is that the users are going to lose track of where they've archived their tapes. After a while, you fill up your tape library and start wondering where tapes are and which ones you should give up, because there's always a limit to how much space you have. I would suggest that you have some mechanism built into the system so that the archiving of tapes has some logical pointers back to the people. Archiving should be allowable through the command language in the menu interaction by allowing a user to request an archiving and then at slack time, after hours or so, one runs all of the archives and clears off the disc packs so they are available for other users. At that time, you can make a record in a permanent system log of what data sets have been archived and to what tapes they have been archived.

Keeping dates as to when it was done is important so you can tell if you have an old file. If the tape's last use is a very long time ago, you may not want to keep it. I know of some of the big federal agencies that have large computing centers. They have within their modus operandi a data base management system that manages all the tapes. They will, at certain times, release the tapes automatically. They know which ones to release because they know they haven't been used or saved. You can't let the individual users manage it because they forget about what they've done.

There may be reasons to organize the data differently than the variable and case organization you now use. If there are other forms of organization, translating from one form to another may be a major problem, if the number of statistical packages expands. There's going to have to be thought given to how one does the translation. Are you going to have to add another translation for each interaction? Are you going to have that intermediate step? If you start having different file structures, you put it onto the user to know which file structure goes with which package. The user will have difficulties in using it. It should be transparent in the sense that if the file you want to use is in one format and the package requires another format, the translation would be automatic.

Let me comment a little about log files. There are two concepts of log files but we call them the same thing. One is a log file of what the user does interactively at the terminal recording every single thing. Terminal oriented inventory control system--these types of systems will have this kind of file built in--called an autotran file. The reason they have it built in is that if the system crashes, they go to a previous back up and then simulate all the users through the autotrail to reestablish things at the place where the crash took place. You're not really confronted with that kind of a problem, but you want this detailed log file, autotrail file, to do some kind of statistics, to get a feeling for how users are working. You don't want to just accumulate these tapes forever, maybe just summarizing the statistics on a daily basis might be enough.

There's another kind of log file that I think should be considered. You want to perhaps proliferate data sets. You're going to make copies of subsets of data sets and these are going to start to expand--it has to be some HELP of the system to keep track of where the data sets came from and where they went, otherwise you're going to get drowned in lots of data sets, especially if you're going to migrate data sets off discs and on tapes. There ought to be some record keeping mechanism in your system to keep track of this. You can't expect a person to go away with a piece of paper, file it some place and then later find out when he comes back where the data set is. That's a whole data base management system just to manage the data sets. Some fragmentary information, maybe just the names of the fields, where it came from, who is the owner, and when it was done; something on this level. There are two kinds of log files, we're talking about. One is the real time log file and one is the data archiving log--a directory of files as you proliferate them.

THIS PAGE
WAS INTENTIONALLY
LEFT BLANK

10.0 SUMMARY STATEMENT BY DAVID WALLACE

Many of my comments seem to be a repeat of the same things I've said in the past. I'm pleased that there is a functioning system. The Editor and SDB capability provide a capacity of doing interesting things, and obviously the color graphics system gives a basis for experimentation. So, some of the questions are: "What is going to keep it from taking off as rapidly as you would like?" The need somehow is to have more data analysis done on the system. Not just large data sets, but I perceive also a great need for doing and learning on medium or small data sets. Partly, that's a problem that does not really exist here. You tried the schemes for doing small data set analysis and, therefore, one is not building from a good statistical data analysis for small things and saying, "How can we do these different things for large?" You have to create something which is good at enabling you to do analysis of all types. Only when you do that, I think, will you start getting people using the system and learning from it.

It is important to have both insiders and outsiders using the system, but I'll just urge again that there's got to be an awful lot more use. Not just a few dozen hours of use of various parts of this system for analysis, but it's got to be used vastly more and it's got to be used on problems that the user cares about. Only if the problems are something for which somebody has some motivation to get an answer will they take the trouble to do something real, and perhaps be willing to really feel if the system is helping or not. It just can't be done on artificial problems to illustrate a technique. It's fine if there are roles for analysts doing illustrative demonstrations, but they've got to be real problems where people have some incentive to take it seriously. We hear each year of the Hanford Mortality Study and yet somehow it seems to me that the motivation is lacking to work on it. This year it's the fact there's not enough disc space, but last year it was something else so I think it's just that there isn't a motivation to make the effort at saying "ok, we'll only analyze one-third or it." I'm happy that the Hanford Mortality Data isn't on the list of proposed data sets to be analyzed next year, because I hope that next year's list will

include some that people are really going to put some interest and effort in.

We've talked about the data analysis needs driving the design of the system. For the research aspects that are coming through, that is, the data flow techniques, one question is to what extent this has happened. I don't think this is going to go very far on an abstract basis by saying we would like to have these capabilities. I think it's going to go further when somebody says we would like to have these capabilities because we have this kind of a data set and we really want to do something. In the same way, I question the purpose of making a histogram of an abstract large data set. It is not much value because what's a histogram supposed to accomplish? It's sort of a catch-all. If you really have a particular kind of a problem, you might be able to justify a histogram for a particular purpose. There will be progress only with some purpose to judge research. I think that's going to be true across the board, the data flow, the dismemberment proposals, they're all topics that are interesting, but they would be a lot more interesting if they were driven by people proposing them for some real purpose that they and their clients or collaborators cared about.

One of the things that the users, both inside and outside, have to do is start being very systematically critical; and there has to be some discipline in this. You have to start saying what's right and what's wrong with the system. I know you've done some of this. There are lists of some of the major bottlenecks, but I think much more is needed at a very detailed level. We went over that demonstration yesterday in fifteen minutes and each of us sort of said, "why there's something there that we just couldn't understand--or why do you do it that way?" There are small matters. The fact that you don't have a scroll left in the Editor. When you are going through the MINITAB or Editor command language, there's no way of scrolling up to see what the command was that caused you to get in trouble. There is the problem of not replacing the variable descriptors when you do a transform and the variable gets changed. Now, these are not necessarily wrongs or rights, but they're small matters that should be listed. Some of them you noted and some not. Anybody sitting down is going to pick up a few in fifteen minutes. Anybody who's sitting in serious use in a few hours is

going to have an awful lot more. Users who are not committed to the system may, in fact, decide there are few of these things that are so bad that they're going to walk out the door and solve their problems somewhere else. I would be happy to even see this list. You have this system and you have a list of 200 things that you think are not so good in it. They may not all be fixed and they certainly won't be fixed in the interim system, but you need some systematic way of getting that list and getting it from people who have experience. By all means, use all knowledge and computer science experience about human interfaces that you can. Some of this can only come by having analyses done. So, the particular instances I mentioned are not important but what I would like is a list of 200 or 300 little things that cause people annoyance and may keep them from using the system. Then assign priorities quickly as to which ones are going to get changed. Maybe what's needed is some scheme to automate this whole process of collecting the feedback, but I almost fear that even that suggestion may be counterproductive. I would rather have it written down on pieces of paper and made into a list that I would have a year later rather than have somebody say we're going to have a good scheme for automatically logging all these some day.

I'm troubled by the logging file. I think it's a great idea to have log files, but I think what you call a log file and what I had in mind for a log file are different. As I understand it, the log file is subject only to a yes or no decision about saving the printed output of everything that went to the terminal during the session. This is equivalent to saving the printed output from the terminal in a bin, except that you have it on line where you can search it and do other things to it. I'm not saying that's a bad thing to do. It's the total run stream; it's everything you saw coming across the terminal, and I think that is too much. If you were saving the printed output, it would generate a vast amount of paper that would be very hard to do anything with. It's true that you could find anything by going through it, but it's equally true that it's terribly boring and only in cases of emergency will you do it. Having it on line doesn't make it much better. Now one certainly could every time he logged off call up the log file and run through it with the text editor and delete

parts of it. But I think the log file here is just an archiving of everything that went to the terminal. That seems to me to be only a small part of what's needed to be very useful and most of that is going to be so bulky that you won't save it. You'll say "no" most of the time because you know it's just going to generate bulk.

What kinds of schemes need to be done? I'm not sure how to do it. I hoped obviously there would be some very good ideas of improving this. One kind of thing would be to have levels of logging so that you made some judgment as to what should be logged into the file; for example, command stream would be logged but the output stream might not be logged. As I said, post session editing would be another way of trying to reduce the bulk. But that's on what you have. What you don't have is some way of using the logging to help the user know what actually happened. What he needs to know is what he was trying to do in that session and the minimal amount of information, certainly not more than the command stream, about what he did. The same thing is true even on a local level, the loggings of the transformations of variables so that you are providing some automated help for people in having some notions of what their analysis on the subsets of data was and where it came from. That's the kind of logging that's going to be important. I consider it to be an important part of an analysis.

Why isn't the system used more? I have an unclear picture of this and I will relate this in fact to the whole statistical capabilities. My initial thought was that there was an unnecessary tendency to rely on MINITAB and that most of the MINITAB analytic capabilities could be pulled out and put into the ALDS integrated command scheme relatively easily. That would get you going on having a scheme that was not really built around a package. Later, I came to see that there seemed to be reasons why that wasn't being done and that wouldn't be a good thing right now and I think they are troubling reasons. I sense that in the users of the graphics capability particularly. There's one major user who does his graphics through MINITAB and another who does his graphics through his own special purpose programs. The SDB files are used but are not operating under the ALDS system. Why?

At least partly because the ALDS graphics scheme seems indeed to be clumsy, inconvenient and time consuming. Dan said that every time he called the ALDS Graphics, he sat and waited 30 seconds. That suggests that even though the ALDS Graphics has all of the same graphics capabilities that the MINITAB graphics has, you can use them much more efficiently in MINITAB. I take that as saying something is wrong with the system design and it has to be fixed. Otherwise, it encourages one to say you can do data analysis better by sticking to the MINITAB system than by using the ALDS system. So it's a serious question that has to be addressed. I find the fact that people are not using or going in the package direction or into the individual programs out of ALDS raises some questions as to whether there is something wrong with the ALDS design in terms of efficiency. The other reason why the system may not be used is that there are not adequate data analytic capabilities. It only does a few things, right now it roughly does what MINITAB does plus a few of the transform capabilities in the data editor. How can you break out of that? Unless you have a clearly structured integrated scheme where you can hang component modules on (statistical modules) in an efficient way, I fear that it's always going to be true that packages are going to grow more quickly than you are going to grow in catching up with them. Whereas MINITAB 78 had almost nothing you didn't have, MINITAB 80 has a few more things you don't have and now that MINITAB has gone into the commercial enterprise of selling their services for a large fee, they're probably also going to deliver at a larger rate so that MINITAB 81 is going to grow faster than you are. Since you are already going to RUMMAGE, I don't see a plan for escaping this that's clear enough to be believed. It's not a tested plan and the experience you've had in not demonstrating that scares me. I guess my plea would be, show how you're going to adapt some modules and how you can put them in and to try to develop an efficient scheme for doing that. Do it for small stuff. Show that you can do a few of these things. If you can't do it, then it really requires a major redesign of the whole plan.

There is this question of S. Is S the answer? I don't know whether S is the answer, but I had the impression that neither do you. If one goes the S route, it may be just an excuse to postpone for another period of time getting the system to get you on to your own work. There was talk about the final system by 82. I think there is a need for more iteration between analytic capabilities and the integrated structure of the system in building in statistical capabilities before settling on any final scheme; and I think the need to attack the small things which are going to cause trouble is as great as the need to attack the major changes. I am not optimistic that a final system can be achieved as you are or if it is, it would at the cost of being inflexible--not providing for the needs of users.

I have nothing really new to add on the research topics in the Analysis of Large Data Sets. We talked about dismemberment last year and that's an important area. I would be delighted if some of these examples really resulted to some serious attacks on that. Some of the other projects are essentially interesting. The tail area thing would be a good place for work to be done. Obviously, the whole power that you have is to do some serious work with color and the challenge is to show that color really makes a difference in statistical analysis. I hope you can give a demonstration that really does something that you care about and help somebody understand the data set and I challenge you to do that quickly, so get on with it.

11.0 SUMMARY STATEMENT BY ARIE SHOSHANI

I want to start with a very positive note. First of all, I'm impressed by the fact that you have a working system and you can do something with it. I think the fact that you're going to extend it will probably bring it to a position where you can maybe start to have some serious users. That's one positive note. The second one, is the data management software. I am really impressed and feel good about the fact that we really don't have to talk about it that much. I mean the thing is in there and it's working. I really would like to commend the work that was done there in the sense that the comments that were made by the Panel last year were taken seriously. The systems that were relevant were looked into, the choices made and the thing implemented. I am very impressed by that.

There are some open questions that have to be addressed. Again, I'm trying to concentrate more on the data management point of view. One is the question of the data structure--whether the particular choice of data structures as it's done now is the proper one or whether you need to get into compression schemes. I think all these can only be answered when you start pushing the system. Right now, what you do when you talk about large data sets, I think, is kind of vacuous. It's not really, it's in terms of what you call a data sheet or something like that in MINITAB or in some working space. Worksheet, I think is the term. That's probably not what's going to make or break the system. This is clearly the obvious trivial thing to do. The next thing is that if you really have millions and millions of cases, is processing them in a sequential fashion, compared to some other kind of technique going to take minutes or hours.

Another issue that I think hasn't been touched, and I'm kind of surprised that the statisticians didn't bring this up, is the fact that you may want to work on multiple sets. That is, correlating information from two different tables. All I heard about was basically working with one table, or one data set at a time. In data management area, this is what we call joining tables or joining relations. I'm a bit surprised that this doesn't seem to be important or maybe people didn't think about it yet.

I think it's a major data management problem how to do that efficiently. It hasn't been touched.

The detail of how the data management routines work, I really can't evaluate. This hasn't been covered. Perhaps it's not that important. Maybe some further discussions with Bob would be sufficient. The fact that you ran into some efficiency questions and some solution has been looked into, like a second level buffer, only points out that this type of thing has to come up when you start using data sets and real users and real systems. The larger the data set, the more you learn as to what kinds of things you may need.

Another point is the issue of the Editor. As it now stands, the Editor is basically a clear facility for only one data set extended to do some statistical things like selecting a random sample. Suppose there are a lot of other kinds of statistical things you want to do, you could integrate them on the same level or the separation of the Editor and the statistics may be beneficial. Maybe there is a way to actually take pieces of statistical packages and make them available at the same level.

The other point about this Editor is that, at least if you're talking about one data set, in the data management area there has been a tremendous amount of work. It seems to me that the way the Editor is being composed is pretty much without thought--let's just get something going. That's alright to get started that way. I have a feeling that perhaps even though it's almost like a menu, there are things you have to remember. There are probably too many commands that can be compressed into one command. As an example, the usual format in data management would be attribute, predicate, value. That kind of a structure. If you organize it in that fashion, you can have attribute, predicate and value be all of them. Like for a certain column, I want all the values, or I want a certain value or less than a value. Also, I want a selection that is random. It could be that some of those commands could be combined so you don't have to remember as many. Another example of this is this X form, the transformation. Again, in the system as it stands now, you have to define a new variable to transfer something into it. It's a very common thing in most query languages to

define that thing on the fly. That is, assign a variable dynamically and if the concern is one that you haven't defined the maximum, the minimum or so on, in many cases you can even compute that. If you know the maximum/minimum of the original one, you can probably compute the next one. If it's not that obvious then you can come back and ask as few questions, but some of that stuff can be done to alleviate having to remember too many things. I think, in general, the Editor should probably have, like the rest of the system, several levels that you can actually come in and look at the set of commands which is not very big and pick one in a way that will direct you how to specify that. Or a short way, have a command basis, once you have more experience. I think the less you have to remember the better off you are.

The next item I have here is the issue of saving your intermediate files. There are actually two--well, there's a whole range of things of what it is you want to save. You can specify an intermediate file and save that or you can specify an intermediate file and save the case ID list. It seems to me that if you're concerned about duplication of data and efficiency, etc. especially with large data sets, it is imperative to have the option of just keeping case ID lists around. What it means is that you may come down and specify some conditions when you went through the data, which is also, by the way, an alternative to this whole thing of the data flow. You can specify some condition, you may want to save that case ID list or what we in data management call tuple ID lists--where tuples are rows. You may go on into some more selection, maybe even random and you want to save that. Now, the reason you want to save both is that you want to do some random here and you want to come to that subset you had before and maybe do something else with it. You should be able to label that and say keep that ID list for me so you don't have to go through the whole data list again. Or so you don't have to save it all. That may be a tremendous amount of data, too. In that connection when you start creating those intermediate files, or saving files, etc. the point of organizing all that is very important. This already has been mentioned and it really touches the whole issue of what you may call meta structures or meta data. Meta data is all information you want to keep about your data and includes descriptions

of the data, who got it and so on which is already part of some of the files. It also includes a way of identifying what is there in the system. The more the system is going to be in use, the more data bases are going to be there, the more people use the same data bases, the more that you have the proliferation of data sets being created. There is some work that we've been doing in our lab addressing this problem, but I think in a more general case, it goes into an area of information science more like in situations of library systems where you start organizing by subjects and so on. I think this whole area is bound to become important at some point. It's not obvious now, but I think if the system is going to be put to real use, it's going to be an area. I would suggest that perhaps somebody start looking into that. I already talked to Dan about getting him to some people that are involved in the information science area.

The next comment I have is about the help/menu versus commands. I don't know if there is a good way to proceed with this. The only two suggestions I have are that I think it would probably be good to look at existing systems and look at existing literature a little more. Find out what there is, because you're really at ground zero in this and I think too much work goes into that. I know the user interface is very important, but it's not going to be solved by contemplating your naval. That's not it. Another point about having a lot of users, that to me is perhaps the only way to go. Indeed those commands and help facilities are usually tailored for particular applications. Maybe your application is really so special that you have to worry about how to do that. The only other suggestion that I think may be helpful is that instead of worrying about menus versus commands you should probably spend time in developing tools that permit you to use menus and commands interchangeably and use them very easily. If you have a user that looks at your system and says, "Oh, this is not interesting, I don't like it", then you can say "come back tomorrow". And tomorrow you have it. I'm talking about the way they communicate it. What do you like? Let's put it in. Even if you do it special for his version of the work. A tool like this is more important than working with the users and learning about it and probably is the way to get the best results. In this connection, I'm a little bit concerned about Linda's work. She presented yesterday what she admitted are motherhood slides. All the good things that you ever wanted to get and learn about human/machine communication. There

isn't much that has been successful. I'm really concerned that she may be spinning a lot of wheels before getting any results, and again, perhaps the only way she's going to succeed with this with the ALDS project would be to have very flexible tools and work with users all the time. Once you have a lot of observations, then maybe you can start generalizing them. Perhaps the answer is going to be situation dependent.

A few more comments. As for color graphics, I think it's kind of a fancy tool in a sense that it's both expensive and not that easy to do a lot with, but perhaps very promising. What I've seen is really very disappointing. This is the same observation that Wes made. I'm not sure it's worth that much effort. I have some doubts whether it's worth spreading out the people you have on the project on something like this. I'm not convinced of this in my mind. I think you can do a lot better for the analysis by concentrating on black and white--forget color. Seeing how analysis can be done well with black and white is the first step and then using color as a medium to get final results. Printed in books shown to the world, if you really want to make this efficient, then playing around with color should be made a little easier. Sitting in and typing commands which end in color is not the way. You should be able to sit down and play with a knob while the color changes in front of you and I don't know what it'll take to do that. So that's probably worth doing if you want to be efficient enough in exploring color on an experimental basis. I saw--it seems to me that Dan spent a lot of time when he plays around with the color basically typing. That's not a good way to experiment with color. I have some questions in my mind about the mission of this project. I got the impression from the very first meeting we had that one of the major missions was to explore what kind of statistical techniques are specifically meaningful to allow or are useful to large data sets, and that is missing. Maybe it's not my place to say that because there are statisticians here but my feeling is that it's about time to explore the research issues of statistics. Putting a system together is necessary but I'm not sure whether it wasn't the major mission of this project to get more into the statistics area. I feel like we have a lot of progress in computer science and I am very glad it happened. Maybe it was a prerequisite. I haven't seen this even for the next year's plan as far as really getting into

the research area. I'm not sure how much research there is in computer science, maybe it's a lot of engineering.

Finally, there was a lot said about the log files. The only observations I wanted to make is it probably is worth deciding what it is you want out of the log files, what kind of statistics and so on and just collect them on the fly instead of logging everything. It probably isn't going to be very hard to do. Then you can probably figure how you want to organize the information that comes out of those log files and in addition to leaving the log files around, even though they may become bulky, I think statistics is what you want to look at and reevaluate on a daily basis as the use increases.

I have one comment I mentioned privately. I was told it would be good if I made it to everybody. I think that you should realize we are a technical panel. We are not here to fund you or anything like that. To us it means the more technical detail we are exposed to, the more feedback we can give you, the more information flow there is and I think that in these reviews there is too much time spent on overviews on the general purpose of the project and kind of general comments of the type by doing this, we observed a few things and then you don't say what they are, or I can't tell when you say it. I think it's much better to really get down into the technical issues and skip a lot of the overviews. These are just general comments for future, not necessarily with us. If you're out to present things to technical people, you might as well get used to technical details and skip the overviews.

I want to put things into perspective. In all fairness to you, this sounds like criticism, but I think what is really being said here is that having built a system now and having it available on a dedicated machine is an achievement that lets us talk about those things as to the next step. I think the real comment is one that a major effort should be directed next year for finding ways to cater to the user "community" wherever they are. Catering means even to "hold hands". Don't just push it into the system. Easy ways for them to change a system when they need it if the format is not what they want to have. It's worth doing this because that's probably the way you're going to have users to continue to cooperate with you. I think many people make this mistake including us. In our laboratory we

have the CETA system we just didn't pay attention to this and slowly we scared off a lot of people. It's the same story over and over again.

**THIS PAGE
WAS INTENTIONALLY
LEFT BLANK**

12.0 SUMMARY STATEMENT BY BEN TEPPING

There has been some experience in the last year with statistical analysis with available data, but we've really heard very little about what that is. I would like to know what analyses were actually carried or how successful they were. A lot more work in analysis needs to be done and I think reported on in detail of what analytical techniques were attempted, how they related to the type of data and to the underlying purposes of the analysis. Mention was given yesterday of some data sets to be examined next year. Nothing was said about why they were to be examined, who has interest in them and from what point of view that interest is directed. One of the examples was a file of commodities to be obtained from the U.N. I gather, which might contain information about commodities that are produced, shipped, whatever their volumes, their prices. What is the goal of the analysis of that data? I think we would like to hear about it. Is it to be a discussion of pattern of price differences among the countries, is it some sort of analysis of the distribution of production of various classes of commodities, what's the point of the analysis. Have we seen any examples for the use of color in the graphic presentation of portions of the data that has helped in answering the questions the statistician addresses to the data? It seems to me that your basic problem is to try to find out what kind of a system will be useful to a statistician in the analysis of data. This requires that you get a lot of experience with the analysis of data. This has to be a lot of experience both with respect to the number of statisticians who approach problems as well as in terms of the number of problems that are addressed because different problems present different problems. The logging facility that has been talked about may be useful in this connection, but only if it contains sufficient information about a variety of approaches to problems. What we have heard this time--has addressed problems not of the analysis of large data sets but the accessibility of large data sets. Questions like how can a system be constructed that will extract from a large data set some subset where the subset may be defined either by the value of the variables in the units of the data sets or by random procedure which involves previous classification. We've heard a little about what one does after one has

extracted the data set and how different people may analyze it for different purposes. I think it would be useful if we could hear the next time we meet some detail on what you've done in the actual analysis of data once extracted from the large data.

13.0 SUMMARY STATEMENT BY PAULA HAWTHORN

First of all, at LBL we are redesigning our big data management system, CETA. I think this next year, we have to have very close cooperation between us and you because you're looking at often the exact same things. We're looking at data flow designs, we're looking at user interfaces, we're looking at on-line help systems. I think both projects would benefit from being able to talk to each other and we really have to set up a mechanism. This isn't just sort of "Oh, gee, this is a nice idea and now next year we'll see whether or not it worked". We really have to set up a mechanism for who talks to whom and getting the lines of communication up. We have a common machine but we need also to have people in touch with each other because otherwise DOE is not going to be too pleased if at the end of the year, we have two different papers on data flow models for data management system. Second, I find that you're backing into a fairly complete data management system and as we were just talking about top down design, it really needs to be looked at from the top. This is a data management system. It never needs to have the complete functionality of standard business oriented data management system. You can pick and choose those features that you want. I think three features that you left out of yours--one of them is the multiple file accesses which Arie has talked about considerably. Another is protection. That is protecting data from different people, giving access rights, that kind of thing. The third is concurrency control--concurrent access--at the same time to the same data. Being able to keep the data from being trashed by different people at different times.

Since this is envisioned as a dedicated system, this may not seem to be a problem. You may be able to maintain your model of how this system is going to work. That, in fact, you never have two people accessing the data at the same time. However, it is my intuition that when you have a machine and you have terminals that you will, in fact, have people working on the data at the same time. Now, what can be terrible under that circumstance if you don't build in concurrency control is that you have two people who are working on the same data set who are getting in each other's way and never know it. The only thing you have is a strange analysis. That can be really

destructive. I have been in situations where data changed for no apparent reason and I didn't know about it for a month later. That is why I would argue for putting concurrency control in. If you don't want to do that, at least put in controls to keep it from happening--something, a "busy" thing in the file or something. But certainly look at different concurrency control techniques--these are long known in data management systems and they bear looking into.

Now, the protection functions--being able to assign who can work on which data file set at which time. These are all things that people have looked at in data management system. Perhaps some of you would like to come to LBL, we can talk about them--for instance, the parallels between your data editor and another data management system. I'm not advocating that you take off the shelf someone else's data management system because what's wrong with data management systems right now is that you need that low level control of physical data--doing your own compression techniques doing your own storage technique to transposed files--data management systems, even the research ones, make it very difficult to put something in at this lower level. It's a real can of worms a lot of times and I think what we're looking at in CETUS is making a modular enough system that, in fact, in four years when someone wants to do this kind of thing, you can just take a few modules from us and put in a few modules of your own. But that isn't true now in any data management system that I know about. So you're stuck doing your own and looking at what functions you want to put in it, in a top down sort of way. I think as you add more and more people to this system, you're going to have to face the problems faced by every other data management system and that's a natural consequence of going after more users. As you step back and look at what the next system is going to be like--you're going to need to look at data management in a broader context.

14.0 SUMMARY STATEMENT BY JERRY FRIEDMAN

I guess I will take Wes's urging to be honest, candid, open and not be a rubber stamp seriously. I think it's all fine and good that we can say "you've done a wonderful job, now let's go to lunch". I think it's because we have such a high interest and hopes for your project that, in fact, we are so critical. I think that is our valuable contribution.

I've made technical comments throughout the presentations yesterday, I think what I'll do now is sort of give my overview of how I think things are going. First of all, I'd like to compliment you on several things. You acted on several of our previous panel recommendations. You've oriented yourself to computing modules rather than packages and I think it's a giant step forward. I think having packages as your basic element of computation was a mistake and I'm glad to see that now you're orienting yourself toward the module. It looks as if you're going to have a nearly full time person on the project and that was one of our recommendations from way back when, and I think a lot of my criticism that will come later on progress is because of the fact there's been no full time person. Everyone has other things that are more pressing and when you have something that has to be done last week or yesterday, they will all work tomorrow on this stuff for ALDS. Also, we recommended that you try and attract students and I'm very glad that you have also. I would encourage you to try to attract as many students as you can. I think there's lots of good thesis material in what you're doing and I think you should be able to find interested students. Another one of our suggestions that you did act upon is that you did implement essentially a throw away system. It's kind of a brave thing to do. Most people don't like to implement something that they know is not going to be the final system---use it to just get experience with it and I think that also is a step forward, as I say a brave thing to do.

I like the software features and I think they're also a very definite step forward. I also like very much the data editor. I mean one can argue about whether this particular form of the editor is nicer than another form of the editor or how you like the syntax with the command language; but the

notion of an editor to edit data in the same sense as a text editor edits text I think is a very nice concept. I think that proceeding in that way you can come to some very nice stuff.

As I was listening yesterday and going through the handout last night, I tried to understand what the accomplishments of this last year have been specifically. So going through, I've sort of made a list. You did design and implement an interim system which consists of the data editor and also includes a preliminary version of a formatted to SDB file translator. You talked about enhancing MINITAB, but I think most of those enhancements were, in fact, in place last year. You did some work on the RAMTEK graphics, you have color scatterplots, the color correlation matrix and MINITAB graphics on the RAMTEK and the ALDS control monitor. Your estimate was that this comprised of about 8 1/2 person months at least of implementation which is about 3/4 of a person a year. Now, if I look at this, it seems to me, and my friends from data base management agree, that so far what you've implemented is a rather rudimentary data base management system. And that you use this in context of MINITAB to gain some experience on analyzing data. It seems to me that essentially there are the accomplishments of the past year. Now, in one of Wes's slides, I guess it was in his talk just before lunch, he had a heading that said "Why Not More". One of the reasons was the limitations of the computing facility and I think they are very real. But he did mention something else--sort of a lack of commitment by the users, and I also took this to imply, in some sense, also the people working on it. There was no full time person, everyone else was heavily involved--probably a majority of their time, in fact, on other projects. Also, Wes mentioned that mainly because of limitations of the computing facility there was some reluctance to get in and deal with dirty details if you really mess with the lower level of things. It's been my experience that those dirty details are 90% of the work. To get anything done and to make it work that's where you spend all of your time. All of the great ideas can come out of two hour bull sessions and then it's another two years implementing them or making them work. I think you've got to be really willing to get in there at the gut level and do some work. Also, the distinction that you seem to have made between the computer science people and the statistics people. I mean you're a small group, but

I don't really see why we need the rigid distinction there. I think the computer science people can think about statistics concerns and certainly the statistics people can do a considerable amount of programming, perhaps even at the system level. When you need to get something done, the quickest way is to do it. I mean it's much slower, though sometimes more efficient on your time, to try to get someone to do it. Because other people are trying to get that someone to do other things. I think this distinction should be blurred more between the statistics people and the computer scientists.

I guess I don't quite know what the problem is, but I'm just afraid that if progress in the future is at the same pace as progress in the past, you're not going to make your deadline of having your system in two years. You've really got to get things done. We mentioned that at one time sort of an urgency to get on with it. I think that is really important--you've got to start doing things. Stop over-viewing and start doing.

I try to think to myself, now after two and a half years, what really are the goals of the ALDS project? What are the concrete goals? We can make motherhood transparencies about all the things we'd like, but what are the concrete goals that you set down for yourself? I can only find one. Establish an operational statistical laboratory at PNL. That seems to be your concrete goal that you're really driving for. That's a very laudable goal. One might ask, then, how are others to take advantage of your work? I mean you have a nice statistical laboratory that you can use here at PNL, how can others take advantage of what you have done. Well, one thing people can do is bring their data to PNL. Or to a few other installations, DOE laboratories that have very similar configurations, like Berkeley and George Washington have a VAX, but that's three places or maybe four if you consider Los Alamos. So, how is the general community going to take advantage of what you've done? One of the goals you've set out is you want to dedicate your system to a single user. The question is how many users can you then support? I'm afraid you're going to end up in a situation where success will be your big intimidator. This has occurred with me many times, unfortunately. Namely, you will end up with a very valuable scarce resource, which is the antithesis of an interactive computing environment. You're going to have the VAX which

is dedicated to a single user with the one scope that people are going to want to come and use. When they come and want to use it, someone else is using it. So, pretty soon you have to start scheduling it. You can only use it two hours a day and you've got to sign up. Al Rittenberg and I, when I was at LBL and LRL, implemented a rudimentary ALDS type system in 1970 or so on the interactive graphics facility. People would come down and they loved it. It was just wonderful and everyone was having a good time until too many people started coming down. Then pretty soon, you had to sign up. You'd sit there for a half an hour. And what happened was that in a period of a month, the use went like this and then went like that and stayed like that because everyone was afraid to get committed to it because once he did and someone else did, then he could no longer use it. It also happened that at SLAC when we first brought in our IBM computers and around 1965, we bought two IBM 2250 graphic scopes which were very expensive in those days. A lot of people started using them and using graphics and exactly the same thing happened. They got too crowded, they had to wait, you had to sign up in advance, you could only sit there an hour. From 1967 on, no one has used them and no one has used them to this day except very rarely. So, I'm a little worried about that syndrome, that if you're really successful, you really make a valuable product, people are not going to get to it because they are going to wait in line behind all the other people that want to get to it and they are going to say, the hell with this, I'm going to get faster turn around in batch than waiting my turn to get to ALDS. So, that's a real problem you're going to have to face and I don't think you're going to make it with a single user on your system. So, I think that's something you have to face and really worry about. What can the general community get from the project, if they're not in a position to come up here and actually use the system themselves. Essentially what people can get is the research. In other words, research is sort of discovering general principles that can be applied in a wide variety of contexts. So, it seems to me what the general community can take away, except for those who can actually come here and analyze data, is the output of your research. So, I look through the copies of the transparencies to find the specific proposed research that

you're planning on doing. I found two things. The graphical data binding, I think could be interesting and very valuable and the interactive dismemberment, which I also think could be very valuable. I didn't see much else. Arie also pointed this out and Ben as well. You're really concentrating on implementing your operational statistical laboratory without thinking, at least it seems to me, of what operations it's going to perform. The real content from my point of view, but I agree that reasonable people could disagree with this, is in the module themselves. Namely, the specific analysis tools, especially the new ones. I think the project will be judged, at least by the research community and probably to a large extent by the applied community, on the development of new and interactive techniques that you come up with for analyzing large data sets. I mean, if you end up with a system that is a nice data base management system on top of MINITAB, people will nod and say, "Yeah, that's nice, probably fun to use but so what". But if you come up with some really new innovative tools, people won't say "so what", they'll say, "Hey, that's interesting". So, I think you've really got to be thinking about that and that's something, of course, you can do in a parallel, you don't have to wait for the entire system to start thinking about it, because you can do those kinds of things even in a batch mode. Try and get an idea of what is successful in treating large data sets. You can't get the flavor of what it's going to be like when it's going to be an interactive mode, but you can at least get a flavor of how successful it is in attacking the data itself. It seems to me that the design of the specific modules themselves seems to have been given a low priority and interest. It wasn't stressed very much, as other people have noted. This can be done in parallel with the other things you are doing.

Since I've said you don't seem to be doing a lot of research, I think it's incumbent upon me to sort of suggest what sort of research you might do. What are research topics and large sample analysis, that's an important question. I think the first question you have to answer, I don't mean this facetiously, is why in the first place do you want a large data set? I mean after all more data is more expensive to both collect and analyze, to what are the corresponding benefits, if any? Should we even want to analyze large data sets? I realize in some sense I may be attacking a motherhood issue, but I

think these are non-trivial questions that are not readily answered, at least from a scientific point of view. They are answered more in the political context, namely we analyze large data sets because they are there. Someone else collected the data without giving much thought to the questions I just brought up and handed it to us and said, "Here is this large data set, now please analyze it, find something in it. Do something with it". I think if we're going to do that, if we're going to do something with it, we're going to ask, "Well, what can we do with large data sets, why would one be inclined, at least from a scientific point of view, to want a large data set?" I think at the first meeting I tried to quote John Hartigan and I'll paraphrase him. He said it much more eloquently, and I'm going to say it here, at the IMS special topics conference on large data sets. He said, roughly, that we should ask what are the special opportunities and things we can learn from large samples rather than just considering even bigger regression or even bigger analyses of variance. If all you want is a mean or a median or a standard deviation, you don't need 10^6 observations. Your measurements themselves are just not that accurate. You have to ask what are the things that are special. Do large data sets really give you an opportunity? I think to answer that question we have to realize a few things. First of all, nearly all classical statistical analysis is really based on the notion of very small samples. All the work Fisher and others did in the 1930's and 40's was concerned with the problem of trying to make inferences from very small samples, 10, 15, 25, things like that. In order to do this, they worked with very parametric models that are encumbered with very restrictive and nearly always non-verifiable assumptions. You only have 12 data points and you want to do something, you certainly can't estimate all the attributes of the system. You have to make some very strong assumptions or you don't get anywhere. If all classical statistics are laced with notions like efficiency, optimality, sufficiency, uniformly most powerful, things like those simply are not relevant to large data samples. In classical statistics, one nearly always restricts oneself to very simple models in descriptive statistics. As I said, you just don't need 10^6 observations to get means and standard deviations. I think it's also important to realize that most current EDA techniques are also directed to very small samples.

Wes mentioned one thing, the notion of smoothing. As Wes said, it's not relevant to a large sample case, but it's clearly not nearly as relevant as it is in a small sample case. You might be able if you're making frequency plots, if you have 10^6 or 10^7 observations, there's no point in making a rough one and smoothing, you just plot the whole thing as you see it, a nice smooth representation. In other contexts, you don't need a stem and leaf plot if you have 10^6 observations. A histogram is very fine, it will tell you all you need to know. A lot of these techniques that are very useful and powerful when you're on the back of envelope or when you have very small data, I don't think things like the window plots, things like that are going to prove very useful in large data sets. The types of summaries that you're going to want to use are just going to be entirely different. At least they are in the cases of people who do analyze large data sets, like energy physicists. What are the opportunities of large data sets? It seems to me that they free us from the restrictive models and in many cases can free us from models entirely. One of the things that surprised me when I first became interested in statistics and interacted with statisticians is that whenever they face a data set, the first thing they ask is what models are applicable? What models can I apply? In small data sets that may be necessary, but not in large. I think we can start asking questions like what's going on in the data? We can subset the data very restrictively with large data sets to ask very specific questions and I think, hopefully, we can free ourselves from models to a large extent. In the end, we may indeed, once we've seen part of the data to have some models. I think that new non-parametric procedures will come to the forefront; will dominate. And the reason I think so is because in large data sets the loss of statistical efficiency simply isn't important. Whether you have a technique that is 70% efficient or 90% efficient doesn't matter. In fact, what we need is a new definition of efficiency. In many cases with large data sets you're not interested in really information per observation, it's information per disc storage unit or information per computer cycle. It is the relevant quantity. In many cases you have all the data you can ever analyze, the question is how much information can you get in a reasonable amount of

computer time at a reasonable cost. I think those are the kinds of definitions that will be the important definitions. I think another thing one can do with large data sets is serious multivariate analysis. We can hope to overcome so called dimensionality, the sparsity problem associated with high dimensions, with 12 or 14 observations, we can't really analyze a 10 dimensional data set. I think when you have a large number of observations, you can begin to think about doing things like that. If you are in, say, 5 dimensions and you want to make 10 cells per dimension that's 10^5 or 100,000 cells. If you have a million observations, you have a chance of getting a few counts per cell. Where if you have 10 dimensions you may have trouble with even 100,000 observations but at least we can begin to start getting reasonable accounting rates. You can think of those cells as very restrictive queries. We can start asking very restrictive queries and asking specific questions rather than asking global questions. Classical statistics always asks global questions. We can think about directly determining regression surfaces in a non-parametric way--not parameterizing but low order power series and then trying to fit it in some sort of least squares sense. I think we can look directly at the nature of the associations without parameterizing them. We can look for non-linear data structuring which you really can't do with small data sets. I think robustness will be very important in large data sets because we can't look at each individual data. I have known experimenters with their experiment of 10 or 12 observations and they know by name every data and you're not going to do that here. It's going to be harder to find outliers. So you've got to use robust techniques right off the top. As I said before, the loss of statistical efficiency is not important, it is not relevant. I think algorithms will be very important. When you start doing a lot of these non-parametrics, at least in the multi-variate and the large data sample sense, you need fast computer algorithms. You don't have to worry about fast sort when you have 100 observations, you do when you have 100,000. Procedures that go by n^2 or n^3 , like multidimensional scaling procedures and thinkg like that, you've got to come up with fast algorithms for doing that. You can't tolerate that with 100,000 observations. I think we're going to have to become as facile with understanding algorithms as we have been, at

least in statistics, with understanding formula. Statisticians have studied formulas, theories about formulas and the formula is a very simple algorithm, prescription for computation. Now, the computer scientists have been analyzing algorithms for some time. I think we're going to have to learn in statistics to analyze algorithms if we want to do mathematics about analyzing large data sets. We need a new definition of efficiency. I think there is a whole new field of research, endless opportunities and very little has been done. I think that at least so far you concentrate on the implementation of your system and there's nothing wrong with that, but I think this next year you should really start giving some serious thought as to the research aspects. Answer the basic question, why would anyone ever be inclined to want to analyze a large data set. I think if you really understand the question, you've gone a long way to doing a lot of research.

There was one panel suggestion that you didn't act upon that I think you should, and that is to see how others handle large data sets. There are other fields where people handle large data sets, the space scientists for example, engineers, chemists, physicists. In our business, high energy physics, the experiments routinely produce 10^6 to 10^8 observations. We have huge library book systems, rudimentary data base management system, file handling capability, they analyze, keep track of and deal with huge data sets. Been doing it for 20 or 30 years. I would urge you to talk to the people at LBL, say in group A, about their systems; they were in business in the late 50's in analyzing the data sets on the order of 1,000s and by the 70's it was hundreds of thousands and now the multi-millions. They handle them routinely. I would talk to those people and learn about it and spend a few days with them if they are willing and just learn about the library systems, their analysis systems. The one thing, the flow through techniques that you were talking about has been there for years. It's one of their standard techniques. There's probably lots of other things that you may stumble upon that you might get there a lot quicker if you talk to these people and see what they are in fact doing. I'm sure, I'm not familiar with what space scientists or what chemists do particularly, I mean chemists analyze a huge spectra of data bases and maybe there's lots of insights there

that you can get. I think this would be better rather than working in the vacuum from the statisticians' viewpoint, because the statisticians have not thought a lot about how to handle large data sets. Their clients have mainly been people with small data sets, but there are clients out there with large data sets that have largely not been served by statisticians, they've essentially invented their own methodologies, the engineers, chemists and physicists. It would be very interesting. Also, the types of analyses they do. We once mentioned that frequency plots and frequencies would be far more important with large data sets, in high energy physics that's about all we deal with when we analyze data. We very seldom take medians and means and things like that and never do hypothesis testing and things like that. Probably similar methodologies are around in the other sciences as well. Finally, since I have semi the last word, I'd like to congratulate you for your insight and bravery in having a review panel such as this. Especially with this capability for criticism, I think as we've illustrated. I think it takes a very strong and very secure people to subject themselves to even the most constructively intended criticism.