**Putting The
Sun To Work
In Industry**

MASTER

SERI

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

Produced by
Communication Branch
Technology Commercialization Division

for
Industrial Process Heat Program

2nd Edition
September 1979

Potential

The industrial sector is the largest consumer of energy in the United States, consuming about 37% of the nation's gross energy demand of 77 quads annually (a quad equals 10^{15} Btu). It is estimated that from 50% to 70% of this demand is for industrial process heat (IPH), which is defined as thermal energy used in the preparation and treatment of goods produced by manufacturing processes.

In theory, solar energy can be supplied in any form required by industry. In practice, because of an inverse relation between operating temperature and solar system efficiency, the use of solar energy is currently most cost-effective at low or intermediate temperatures (less than 550°F). Moreover, at least 27% of industrial process heat needs fall in this temperature range; and if preheating to 550°F for higher temperature requirements is considered, 51% of industry's process heat can be supplied with available solar equipment. Therefore, despite the sensitivity of solar thermal system efficiency to operating temperature, it is still clear that a large share of industrial process heat can be supplied by the sun.

Industrial Applications

Conventional process heat energy can be supplied directly or through a heat transfer fluid such as hot water; hot, dry air; or low-pressure steam. In general, solar energy for process heat can be supplied in the same ways.

Hot Water

Large quantities of heated water at temperatures between 120° F and 212° F are used in industry for such processes as cooking, washing, bleaching, and anodizing. Hot water may be supplied by directly heating water in absorber tubes of flat-plate, evacuated tube, or concentrating collectors and piping this water to the process terminals. Alternatively, a separate fluid may be piped through the collector field and then used to heat potable water via a heat exchanger. Large solar ponds may also be used to provide large amounts of low-temperature hot water.

Steam

Industry also uses large amounts of process steam. About 80% of this is for relatively low-pressure saturated steam. In fact, many industrial processes require saturated steam at approximately 100 psi, equivalent to a temperature of about 340° F. Steam at this temperature can be produced in a solar system in two ways: (1) Pressurized water may be circulated in a collector field and then flashed into steam in a low-pressure chamber, or (2) a heat transfer fluid capable of higher temperature operation may be circulated in the collector field and then fed to a steam generator, where the fluid serves as a heat source to produce steam. Because of the higher temperature required, industrial steam applications will normally require concentrating collectors, such as a parabolic trough, or certain types of nontracking, high-performance collectors, such as the evacuated tube.

Drying and Dehydration (Hot Air)

A significant amount of energy is required to produce low-temperature (less than 350° F) heat as dry air for crop drying and food processing. Low-temperature direct heat is also used for paint drying, curing, and mineral solution dehydration. The air may be heated directly in collector systems designed to handle air as the circulating fluid, or a liquid may be circulated through the collectors and pumped through an air heat exchanger to heat ambient air.

Direct Process Heat

High-temperature (greater than 550° F), direct process heat, accounts for more than 60% of all industrial heat needs. High-temperature direct heat is used in industries such as petroleum refining, primary metals, Portland cement, and glass. It is unlikely that intermediate-temperature collectors (parabolic trough or evacuated tube) can be used for process heat at these temperatures in the near future, but other collector types, such as central receivers or parabolic dishes, have potential for direct solar heating in selected processes. For example, it may be possible to locate solar-powered synthetic fuel production plants in the Southwest and provide direct process heat to industry via solar-produced fuels. A portion of high-temperature process energy may also be supplied through solar preheating. This function should not be overlooked since it can conserve nonrenewable fossil fuels.

DOE's Program

The Department of Energy conducts a federally funded program aimed at early commercialization of solar energy in the industrial process heat sector. Specific goals of the federal program are to:

- Design, test, and demonstrate solar industrial process heat systems and identify problems and barriers to their development;
- Encourage development of collectors and storage systems to advance solar process heat system performance and temperature range;
- Recommend the adoption of investment incentives by the federal government; and
- Assess the potential for application of solar energy to industrial process heat and identify processes and locations where solar energy can supply significant amounts of process energy needs.

SERI's IPH Program

Support to the DOE program is being provided by activities currently underway at the Solar Energy Research Institute (SERI) in Golden, Colorado. The SERI Industrial Process Heat Program seeks to enhance the use of solar energy for industrial process heat by:

- Identifying the market characteristics of specific industries;

Solar IPH Field Tests

- Conducting applications analyses of commercial solar systems to industrial processes, including the development of analytical models for predicting performance and economics of industrial process heat systems;
- Testing long-term performance of components and systems in an experimental facility (SERAPH)*; and
- Encouraging industry participation in a program for the design and development of mass-producible, low-cost concentrating collector systems.

SERI is also involved in the development of long-range plans for research, development, and commercialization of solar industrial process heat.

Field Tests

The DOE program has emphasized large-scale projects to encourage commercial development and production of solar components and to demonstrate the technical feasibility and economic potential of applying solar process heat systems to industry. At the end of October 1978, DOE had funded 18 field tests providing hot water, hot air, and steam for industry. Upcoming DOE field tests will emphasize larger collector areas (from 30,000 to 70,000 sq ft).

*SERAPH (Solar Energy Research and Applications in Process Heat) is a large-scale experimental system to be constructed in Golden, Colorado, in 1980. Field mounting for approximately 5,000 sq ft of commercial collector equipment will be provided. Energy delivered by the solar system will be supplied to a test bay where real industrial loads can be simulated. The objectives of SERAPH are to (1) accumulate operating, maintenance, and reliability experience using an industrial-scale solar facility; (2) develop optimum control strategies which integrate collector field, thermal storage, and load demands; and (3) test and validate analytical models of solar system performance.

The use of solar energy to heat water for curing concrete blocks is being demonstrated at the York Building Products plant in Harrisburg, Pennsylvania. A unique aspect of this project is that the solar energy system was incorporated into the original plant design in 1976.

The solar system consists of 9,216 sq ft of multiple-reflector collectors with a concentration ratio of 24 to 1. Thirty-five modular units, each 9 ft x 34 ft, are mounted in a row on the roof of the block manufacturing plant. The concentrator is made up of individual reflectors, each 1 ft x 8 ft, and the absorber pipe is a single steel tube with a selective coating of black chrome. A mixture of glycol and water prevents freezing of the fluid in the collector loop.

Solar energy collected in the glycol-water mixture is transferred through a shell-and-tube heat exchanger to the process water, which is then piped to an underground "rotoclave." The rotoclave is essentially a 180-ft diameter, doughnut-shaped, steel boat which rotates at the rate of one revolution every 12 hours. When necessary, a conventional boiler raises the solar-heated water to the temperature required in the curing process. "Green" blocks are cured for 12 hours in the kiln, which is maintained at a curing temperature of up to 180°F and at 100% relative humidity.

An advantage of this project is that the rotoclave serves as built-in storage for the solar energy system. Thermal storage provided by the existing water capacity of the rotoclave kiln is approximately

Solar IPH Field Tests

Location	Process	Collectors	Owner	Status
Hot Water (140°-212°F)				
Sacramento, Calif.	can washing	flat-plate & parabolic trough	Campbell Soup Co.	operational (April 1978)
Harrisburg, Pa.	concrete block curing	multiple reflector	York Building Products	operational (Sept. 1978)
LaFrance, S.C.	textile dyeing	evacuated tube	Riegel Textile Corp.	operational (June 1978)
Hot Air (140°-212°F)				
Fresno, Calif.	fruit drying	flat-plate	Lamanuzzi & Pantaleo Foods	operational (May 1978)
Canton, Miss.	kiln drying of lumber	flat-plate	LaCour Kiln Services, Inc.	operational (Nov. 1977)
Decatur, Ala.	soybean drying	flat-plate	Gold Kist, Inc.	operational (May 1978)
Gilroy, Calif.	onion drying	evacuated tube	Gilroy Foods, Inc.	operational (Sept. 1979)
Low Temperature Steam (212°-350°F)				
Fairfax, Ala.	fabric drying	parabolic trough	WestPoint Pepperell	operational (Sept. 1978)
Sherman, Tex.	gauze bleaching	parabolic trough	Johnson & Johnson	construction
Pasadena, Calif.	laundry	parabolic trough	Home Cleaning & Laundry	construction
Bradenton, Fla.	orange juice pasteurization	evacuated tube	Tropicana Products, Inc.	construction
Intermediate Temperature Steam (350°-550°F)				
Mobile, Ala.	oil heating	parabolic trough	Ergon, Inc.	design
Dalton, Ga.	latex production	multiple reflector	Dow Chemical	construction
Newberry Springs, Calif.	hectorite processing	parabolic trough	Nat'l Lead Industries	design
Hobbs, N. Mex.	oil refinery	parabolic trough	Southern Union Co.	construction
San Antonio, Tex.	brewery	parabolic trough	Lone Star Brewing Co.	design
Henderson, Nev.	chlorine manufacturing	parabolic trough	Stauffer Chemical Co.	design
Ontario, Ore.	potato processing	parabolic trough	Ore-Ida Co.	construction
Privately Funded				
Youngstown, Ohio	aluminum anodizing	fixed half-parabolic	General Extrusions, Inc.	operational (Sept. 1977)
Jacksonville, Fla.	beer pasteurization	evacuated tube	Anheuser-Busch, Inc.	operational (Feb. 1978)

Concentrating Collector Array at York Building Products, Harrisburg, Pa.

Photo Credit: George Bush, LLL.

20 million Btu — equivalent to about 4 or 5 average days of collection. Heat collected on weekends, when the plant is not operating, is stored in the rotoclave for later use.

The system, in operation since September 1978, was designed to supply about one-third of the heat required to cure the concrete blocks. The performance and cost information being gathered here will help determine the feasibility of using solar energy in certain industrial process heat applications.

Plumbing Schematic for Solar Heating of Rotoclave at York Building Products plant.

Future

Problems and Uncertainties

Solar systems are technically feasible for providing industrial process heat over a wide range of temperature. However, technology research and development will be required in areas such as coatings, insulation, and collector control (especially for high-temperature systems) in order to make systems more efficient and reliable.

The economic feasibility of solar industrial process heat is difficult to substantiate because solar presently competes with less expensive alternatives, including coal, oil, natural gas, and conservation measures. Lower cost solar systems, achievable through standardized designs and mass production techniques, coupled with escalating prices and dwindling supplies of fossil fuels, should make solar more cost-competitive within the next decade.

Current tax policy does not favor the industrial use of solar energy. For example, fuel costs can be deducted from taxable income. However, because solar energy is not explicitly "purchased," it does not qualify as a tax-deductible expense. This policy increases the cost of solar relative to fossil fuels. Changing the tax laws to provide a deduction for fuel saved or to permit accelerated depreciation could make solar energy costs more comparable to fossil fuel costs.

Though industry ordinarily requires a short payback period on capital projects (i.e., relatively large return on investment), currently available solar IPH systems do not meet that requirement. The National Energy Act (1978) provides a 20% investment tax credit for industrial solar systems. This credit, or other incentives such as low-interest purchase loans, will decrease the payback period and make solar IPH systems more financially attractive.

Land use presents another barrier to adoption of solar industrial process heat systems since the process may require a collector field too large to be placed on a plant's roof, or the roof of an existing plant may be structurally incapable of supporting the solar system components. Some industrial plants, especially those in urban areas or industrial parks, do not have access to adequate land adjacent to their operation. Furthermore, if land is available, existing land use, zoning laws, or cost of acquisition may preclude its use as a collector site.

Industry is reluctant to adopt "new venture" technology without the assurance of reliability and operability. The objective of DOE's field test program is to provide this design and operating experience. From these experimental systems will come the fabrication, installation, and operating information necessary to build a data base for industrial decision-makers.

Advantages of Solar

Solar industrial process heat has certain advantages with respect to other applications of solar thermal energy:

- Industrial loads are usually constant over the year; hence, solar process heat systems do not show the seasonal disadvantage of low solar input and high demand characteristic of solar space heating systems.
- Large-area solar systems may show cost advantages of scale in construction methods.
- Solar system maintenance should not present a major problem since industries already have a maintenance program and trained personnel.
- Because a backup system normally exists, expensive storage will not be required for most solar IPH systems.

In addition, the use of solar energy in industry has inherent benefits which cannot easily be quantified, but are of increasing importance to industrial management:

- Because of the increasing demand for fuel supplies, plant operations are threatened by potential fuel supply interruptions. The use of a solar system could alleviate costly plant shutdowns.
- Reduction of air pollution and conservation of nonrenewable resources can be achieved by replacing fossil fuels with solar, bringing public relations benefits to companies adopting solar systems.

Roof-mounted Collector Array at Campbell Soup Company, Sacramento, Calif.
Photo Credit: Acurex Corp.

Solar Drying System installed at LaCour Kiln Services, Canton, Miss.
Photo Credit: Lockheed Missiles and Space Co.

Evacuated Tube Collector Array at Riegel Textile Corp., LaFrance, S.C.

Summary

Current solar systems are technically capable of significant contributions to the process heat needs of many industries. Continued research and development should produce systems which operate efficiently at higher temperatures. Surveys have identified many potential applications for solar industrial process heat, and studies aimed at optimum matching of process and technology will identify those applications with the greatest potential for success.

Generally, the current cost and performance of solar systems do not warrant investment under today's economic conditions. Although solar systems may not be economical today, under certain conditions, many industrial process heat systems may be economical within 10 years. Several developments may advance this possibility:

- Continued increases in the cost of fossil fuel will result in higher fuel bills.

- Marketability of and experience in solar systems will very likely reduce the costs of equipment and installation.
- More experience and research in collector design will yield more efficient systems.
- Construction costs for new fossil-fueled heating systems may increase rapidly due to the need for pollution controls.
- Government incentives may be applied to solar systems.
- Natural gas curtailments to industry are likely to become more frequent.

With these probabilities in mind, plant engineers responsible for energy supply might be well advised to plan in advance for the installation of solar process heat systems. Although a given system might not be profitably installed in 1979, under certain conditions it would be profitable for an industry to prepare now for installation in the 1980s.

Noneconomic factors often influence energy system choices. Strict economic analysis of present-day industrial solar systems may not dictate adoption; but in certain areas of the country and for certain industries, other very critical incentives may exist. Among the more important of these factors are:

- Potential costs of plant shutdown because of unavailable or interruptible fossil fuel supply,
- Air pollution regulations mandating the elimination of certain fuels from consideration or creating excessive expenses in meeting regulations,
- Public relations opportunities, and
- Unavailability of fossil fuels.

The market analyst or plant engineer should keep these factors in mind in any comparison of energy alternatives.

For More Information

More information about solar energy as it relates to industrial process heat can be found in the following publications.

Kutscher, C.F. and R. Davenport, Performance Results and Experiences of the Operational Industrial Process Heat Field Tests, SERI/TR-34-385, Solar Energy Research Institute, Golden, Colorado, forthcoming.

Brown, Kenneth C., et al., End Use Matching for Solar Industrial Process Heat, SERI/TR-34-091, Solar Energy Research Institute, Golden, Colorado, October 1979.

The Aerospace Corporation, Field Survey of Solar Total Energy Systems Potential Industrial Applications, ATR 79(7748)-1, December 1978.

Solar Energy Research Institute, Annual Review of Solar Energy, SERI/TR-54-066, Golden, Colorado, November 1978.

Katzel, Jeanine, "Solar Energy at Work: A Status Report on Six Operating Industrial Installations," *Plant Engineering*, November 9, 1978, pp. 126-138.

Solar Energy Research Institute, Proceedings: Solar Industrial Process Heat Conference, October 18-20, 1978, Denver, Colorado, Vol. 1, SERI/TP-49-065, Golden, Colorado, October 1978.

U.S. Department of Energy, Solar Energy for Agricultural and Industrial Process Heat, Program Summary, DOE/CS-0053, September 1978.

Gupta, B. and F. Kreith, Proceedings of the Solar Thermal Concentrating Collector Symposium, June 14-15, 1978, SERI/TP-34-048, Solar Energy Research Institute, Golden, Colorado, August 1978.

U.S. Department of Energy, Proceedings of the Solar Industrial Process Heat Symposium, September 19-20, 1977, College Park, Maryland, CONF-770966, June 1978.

Jet Propulsion Laboratory, Solar Energy for Process Heat: Design/Cost Studies of Four Industrial Retrofit Applications, JPL 78-25, Pasadena, California, April 1978.

Bennington, G., et al., Solar Energy: A Comparative Analysis to the Year 2000, MTR-7579, The MITRE Corporation, McLean, Virginia, March 1978.

Fraser, M.D., Analysis of the Economic Potential of Solar Thermal Energy to Provide Industrial Process Heat, InterTechnology No. 00028-1, InterTechnology Corporation, Warrenton, Virginia, 1977.

Hall, E.H., Survey of the Applications of Solar Thermal Energy Systems to Industrial Process Heat, ERDA TID-27348-1, Battelle Columbus Laboratories, 1977.

Kreith, Frank, G.F. Lameiro, and Kenneth C. Brown, "Options for Solar Thermal Energy Conversion," presented at the Annual Technical Symposium of the Society of Photo-Optical Instrumentation Engineers, San Diego, September 1977.

Dickinson, W.C. and H.J. Freeman, An Economic Methodology for Solar-Assisted Industrial Process Heat Systems: The Effect of Government Incentives, UCRL-52254, Lawrence Livermore Laboratory, June 1977.

Hester, J. Charles, Feasibility Evaluation: Solar Heated Textile Process Water, Program Results, Final Report, Vol. 1, SRO/0885-77/2/1, Clemson University, February 1977.

AAI Corporation, Solar Industrial Process Hot Water as Used to Cure Concrete Blocks, AAI Engineering Report No. ER-8928, January 1977.

Solar Energy Research Institute

A Division of Midwest Research Institute

1536 Cole Boulevard
Golden, Colorado 80401

Operated for the

U.S. Department of Energy

under Contract No. EG-77-C-01-4042

SERI/SP-34-175R