"Approved for public release; distribution is unlimited."

JAN 15 1992

**Ecological Evaluation of Proposed
Discharge of Dredged Material
From Oakland Harbor into Ocean
Waters (Phase III of 38-Foot Project)**

Volume 2: Appendixes I through L

**J. A. Ward
I. Q. Word
M. R. Pinza
H. L. Mayhew**

**E. S. Barrows
N. P. Kohn
L. F. Lefkovitz**

**Battelle/Marine Sciences Laboratory
Sequim, Washington**

January 1992

**Prepared for the
U.S. Army Corps of Engineers - San Francisco District
under a Related Services Agreement
with the U.S. Department of Energy
Contract DE-AC06-76RLO 1830**

**Pacific Northwest Laboratory
Operated for the U.S. Department of Energy
by Battelle Memorial Institute**

PNL-7890

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor Battelle Memorial Institute, nor any of their employees, makes **any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights.** Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or Battelle Memorial Institute. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

PACIFIC NORTHWEST LABORATORY
operated by
BATTELLE MEMORIAL INSTITUTE
for the
UNITED STATES DEPARTMENT OF ENERGY
under Contract DE-AC06-76RLO 1830

Printed in the United States of America

Available to DOE and DOE contractors from the
Office of Scientific and Technical Information, P.O. Box 62, Oak Ridge, TN 37831;
prices available from (615) 576-8401. FTS 626-8401.

Available to the public from the National Technical Information Service,
U.S. Department of Commerce, 5285 Port Royal Rd., Springfield, VA 22161.

ECOLOGICAL EVALUATION OF PROPOSED DISCHARGE OF
DREDGED MATERIAL FROM OAKLAND HARBOR INTO OCEAN
WATERS (PHASE III OF 38-FOOT PROJECT)

Volume 2 - Appendixes I through L

J. A. Ward
J. Q. Word
M. R. Pinza
H. L. Mayhew
E. S. Barrows
N. P. Kohn
L. F. Lefkovitz

Battelle/Marine Sciences Laboratory
Sequim, Washington

January 1992

Prepared for the
U.S. Army Corps of Engineers - San Francisco District
under a Related Services Agreement with
the U.S. Department of Energy
Contract DE-AC06-76RLO 1830

Pacific Northwest Laboratory
Richland, Washington 99352

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

for

PREFACE TO VOLUME 2

This is Volume 2 of a two-volume data report that presents the data gathered during the Oakland Harbor Phase III 38-Foot Project, conducted in the Fall of 1990. This data report does not include interpretation or statistical analysis of the 38-Foot data. Volume 1 includes the project background as well as data and results presented in Appendixes A through H. Volume 2 includes the remaining data presented in Appendixes I through L.

ABSTRACT

At the request of the U.S. Army Corps of Engineers (USACE), environmental studies were conducted by Battelle/Marine Sciences Laboratory (MSL) to evaluate the suitability of sediments from Oakland Inner Harbor for dredging and ocean disposal. During the Phase III 38-Foot Project, sediment cores were collected from mudline to -39 ft mean lower low water at various locations in Oakland Inner Harbor channel and allocated to six composite samples. These composites were evaluated through physical/chemical analyses, acute toxicity to sensitive marine organisms, and bioaccumulation potential. Sediment samples from individual locations were tested for physical/chemical parameters only. The results of toxicological and bioaccumulation testing may be used by USACE to determine the amount of potential dredged material from Oakland Inner Harbor channel acceptable for open-water disposal as defined by the Draft Implementation Manual (EPA/USACE 1990) and consistent with the Water Resources Development Act of 1986 (Public Law 99-662).

SUMMARY

The Water Resources Development Act of 1986 (Public Law 99-662) authorized the U.S. Army Corps of Engineers (USACE), San Francisco District, to deepen and widen the navigational channels of the Oakland Inner and Outer Harbors to accommodate deeper-draft vessels. During the fall of 1990, Battelle/Marine Sciences Laboratory (MSL) conducted a study for USACE to determine whether sediments identified for dredging to a navigable depth of -38 ft mean lower low water (MLLW) in Oakland Inner Harbor were suitable for ocean disposal. The study followed the guidelines of the *Draft Ecological Evaluation of Proposed Discharge of Dredged Material into Ocean Waters*, otherwise known as the Draft Implementation Manual (EPA/USACE 1990).

During the Phase III 38-Foot Project, sediment cores were collected in Oakland Inner Harbor Channel from mudline to -39 ft MLLW to ensure collection to project depth. Under the direction of USACE, the samples were allocated to six composite treatments (COMPs I to VI). Reference and control sediments were also collected at this time. The reference sediments were from six different reference areas: The Alcatraz Island Disposal Site (R-AC), Alcatraz Island Environs (R-AM), Bay Farm Borrow Area (R-BF), Point Reyes Coarse Area (R-PC), Point Reyes Fine Area (R-PF), and a deep off-shelf area (R-OS).

Composite, reference, and control sediment treatments were analyzed to determine physical/chemical characteristics, biological toxicity, and bioaccumulation potential. Physical/chemical analysis of sediment samples included measurements of Environmental Protection Agency (EPA) priority pollutant metals, polynuclear aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), chlorinated pesticides, butyltins, conventional parameters, and sediment grain size. Physical/chemical parameters were measured in the individual samples included within the six composite treatments as well as in the composites themselves. Biological toxicity tests included solid-phase 10- and 28-day tests using *M. nasuta* and *N. caecoides*, a 10-day test using *C. stigmaeus*, and a 10-day test using *R. abronius*. These tests were conducted on the six composite treatments, the six reference treatments, and appropriate control treatments. Suspended-particulate-phase (SPP) tests were also conducted on all six composite treatments and the references R-PF, R-BF, and

R-AM using *C. stigmaeus*, *H. sculpta*, and the larvae of *C. gigas*. The tissues of *M. nasuta* and *N. caecoides* were analyzed for metals, PAHs, PCBs, pesticides, and butyltins after a 28-day exposure to composite and reference treatments.

The results of the physical/chemical analysis of the six composite samples showed that total PAH concentrations in the composite samples ranged from 1733 to 4950 $\mu\text{g/kg}$, with the highest values occurring in COMP III. Reference sediment levels were generally much lower, with the exception of R-AC, which showed a total PAH level of 2984 $\mu\text{g/kg}$. In all cases, the total PAH observed in sediment samples from Oakland Inner Harbor contained a higher percentage of high molecular weight compounds than observed in reference sites. Pesticides and most PCBs were undetected in the composites, though the PCB Aroclor 1254 was detected in most of the sediment samples and was present at the highest level (410 $\mu\text{g/kg}$) in I-C17. Metals were present in all composites at concentrations that ranged over a factor of approximately ten from lowest to highest. Tributyltin was present in elevated levels in all six composites relative to five of the six references. The sixth reference, R-AC, contained tributyltin levels that were higher than all of the composites except COMP III. Sediment from stations in the upper part of Oakland Inner Harbor near Todd Shipyard and the maneuvering area, contained the highest tributyltin concentrations.

Solid-phase toxicological testing results showed no toxicity to test organisms exposed to composite treatments in the 10- and 28-day *M. nasuta* test and the 10-day *C. stigmaeus* test. Some mortality was noted in the 10- and 28-day *N. caecoides* tests, and in the 10-day *R. abronius* test. The potential for bioaccumulation was measured by analyzing the concentrations of contaminants of concern in tissues of *M. nasuta* and *N. caecoides* after exposure to sediment treatments for 28 days. The contaminants most often present in these two species were low and high molecular weight PAHs; the metals arsenic, chromium, and lead; and tributyltin.

Examination of the results of toxicity tests and bioaccumulation data will assist USACE in determining the amount of dredged material acceptable for unconfined open-water disposal relative to a particular reference site. While physical/chemical analyses of sediment is useful in describing contaminant

trends and in the interpretation of toxicological and bioaccumulation test results, it is not used to determine acceptability of sediments for ocean disposal. According to the 1990 Draft Implementation Manual, further evaluation of the test sediments and the potential dredged material they represent may be necessary to determine whether these materials can be disposed of in the ocean. These evaluations may take the form of numerical modeling, case-specific testing, or other management action as defined by the Draft Implementation Manual and developed by the USACE District Engineer and EPA Regional Administrator.

CONTENTS

PREFACE	.iii
ABSTRACT	.v
SUMMARY	vii
APPENDIX I - Bioassay Results for 96-Hour Suspended-Particulate-Phase Test with <i>Holmesimysis sculpta</i>	I.1
APPENDIX J - Bioassay Results for 48-Hour Suspended-Particulate-Phase Static Test with Larval <i>Crassostrea gigas</i>	J.1
APPENDIX K - Tissue Chemistry and Quality Assurance Data for <i>Nephtys caecoides</i>	K.1
APPENDIX L - Tissue Chemistry and Quality Assurance Data for <i>Macoma nasuta</i>	L.1

TABLES

I.1	Summary of Results for 96-Hour <i>Holmesimysis sculpta</i> Suspended- Particulate-Phase Test	I.2
I.2	Survival Data for all Replicates in 96-Hour <i>Holmesimysis sculpta</i> Suspended-Particulate-Phase Test	I.3
I.3	Water Quality Summary for 96-Hour <i>Holmesimysis sculpta</i> Suspended- Particulate-Phase Test	I.7
I.4	Daily Observations of <i>Holmesimysis sculpta</i> During 96-Hour Suspended- Particulate-Phase Test	I.8
I.5	Daily Observations of <i>Holmesimysis sculpta</i> Reference Toxicant Test	I.11
J.1	Summary of Results for 2-3 Day <i>Crassostrea gigas</i> Suspended- Particulate-Phase Test	J.2
J.2	Test Results for all Replicates in 2-3 Day <i>Crassostrea gigas</i> Suspended-Particulate-Phase Test	J.3
J.3	Test Results for all Replicates in 2-3 <i>Crassostrea gigas</i> Reference Toxicant Test	J.6
J.4	Water Quality Summary for 2-3 Day <i>Crassostrea gigas</i> Suspended- Particulate-Phase Test	J.7
K.1	Total Polynuclear Aromatic Hydrocarbons, Wet Weight, in Tissue of <i>Nephtys caecoides</i>	K.3
K.2	Low Molecular Weight Polynuclear Aromatic Hydrocarbons (PAHs), Wet Weight, in Tissue of <i>Nephtys caecoides</i>	K.5
K.3	High Molecular Weight Polynuclear Aromatic Hydrocarbons (PAHs), Wet Weight, in Tissue of <i>Nephtys caecoides</i>	K.7
K.4	Total Detected Polynuclear Aromatic Hydrocarbons, Dry Weight, in Tissue of <i>Nephtys caecoides</i>	K.10
K.5	Low Molecular Weight Polynuclear Aromatic Hydrocarbons (PAHs), Dry Weight, in Tissue of <i>Nephtys caecoides</i>	K.12
K.6	High Molecular Weight Polynuclear Aromatic Hydrocarbons (PAHs), Dry Weight, in Tissue of <i>Nephtys caecoides</i>	K.15
K.7	Quality Control Data for Low Molecular Weight Polynuclear Aromatic Hydrocarbons (PAHs), Wet Weight, in Tissue of <i>Nephtys caecoides</i>	K.18

K.8	Quality Control Data for High Molecular Weight Polynuclear Aromatic Hydrocarbons (PAHs), Wet Weight, in Tissue of <i>Nephtys caecoides</i>	K.20
K.9	Surrogate Recoveries for Polynuclear Aromatic Hydrocarbons (PAHs) in Tissue of <i>Nephtys caecoides</i>	K.22
K.10	Polychlorinated Biphenyls (PCBs), Wet Weight, in Tissue of <i>Nephtys caecoides</i>	K.25
K.11	Polychlorinated Biphenyls (PCBs), Dry Weight, in Tissue of <i>Nephtys caecoides</i>	K.27
K.12	Quality Control Data for Polychlorinated Biphenyls (PCBs), Wet Weight, in Tissue of <i>Nephtys caecoides</i>	K.29
K.13	Chlorinated Pesticides (Alphabetical Aldrin - 4,4'-DDT, Wet Weight, in Tissue of <i>Nephtys caecoides</i>	K.30
K.14	Chlorinated Pesticides (Alphabetical Dieldrin-Toxaphene, Wet Weight, in Tissue of <i>Nephtys caecoides</i>	K.32
K.15	Chlorinated Pesticides (Alphabetical Aldrin - 4,4'-DDT, Dry Weight, in Tissue of <i>Nephtys caecoides</i>	K.35
K.16	Chlorinated Pesticides (Alphabetical Dieldrin - Toxaphene), Dry Weight, in Tissue of <i>Nephtys caecoides</i>	K.38
K.17	Quality Control Data for Chlorinated Pesticides (Alphabetical Aldrin - 4,4'-DDT), Wet Weight, in Tissue of <i>Nephtys caecoides</i>	K.41
K.18	Quality Control Data for Chlorinated Pesticides (Alphabetical Dieldrin - Toxaphene), Wet Weight, in Tissue of <i>Nephtys caecoides</i>	K.43
K.19	Surrogate Recoveries for Polychlorinated Biphenyls (PCBs) and Chlorinated Pesticides in Tissue of <i>Nephtys caecoides</i>	K.45
K.20	Metals, Wet Weight, in Tissue of <i>Nephtys caecoides</i>	K.48
K.21	Metals, Dry Weight, in Tissue of <i>Nephtys caecoides</i>	K.50
K.22	Quality Control Data for Metals, Dry Weight, in Tissue of <i>Nephtys caecoides</i>	K.52
K.23	Butyltins, Wet and Dry Weight, in Tissue of <i>Nephtys caecoides</i>	K.57
K.24	Quality Control Data for Butyltins, Wet Weight, in Tissue of <i>Nephtys caecoides</i>	K.60
L.1	Total Polynuclear Aromatic Hydrocarbons, Wet Weight, in Tissue of <i>Macoma nasuta</i>	L.4

L.2	Low Molecular Weight Polynuclear Aromatic Hydrocarbons (PAHs), Wet Weight, in Tissue of <i>Macoma nasuta</i>	L.5
L.3	High Molecular Weight Polynuclear Aromatic Hydrocarbons (PAHs), Wet Weight, in Tissue of <i>Macoma nasuta</i>	L.7
L.4	Total Detected Polynuclear Aromatic Hydrocarbons, Dry Weight, in Tissue of <i>Macoma nasuta</i>	L.10
L.5	Low Molecular Weight Polynuclear Aromatic Hydrocarbons (PAHs), Dry Weight, in Tissue of <i>Macoma nasuta</i>	L.13
L.6	High Molecular Weight Polynuclear Aromatic Hydrocarbons (PAHs), Dry Weight, in Tissue of <i>Macoma nasuta</i>	L.16
L.7	Quality Control Data for Low Molecular Weight Polynuclear Aromatic Hydrocarbons (PAHs), Wet Weight, in Tissue of <i>Macoma nasuta</i>	L.19
L.8	Quality Control Data for High Molecular Weight Polynuclear Aromatic Hydrocarbons (PAHs), Wet Weight, in Tissue of <i>Macoma nasuta</i>	L.21
L.9	Surrogate Recoveries for Polynuclear Aromatic Hydrocarbons (PAHs) in Tissue of <i>Macoma nasuta</i>	L.24
L.10	Polychlorinated Biphenyls (PCBs), Wet Weight, in Tissue of <i>Macoma nasuta</i>	L.27
L.11	Polychlorinated Biphenyls (PCBs), Dry Weight, in Tissue of <i>Macoma nasuta</i>	L.30
L.12	Quality Control Data for Polychlorinated Biphenyls (PCBs), Wet Weight, in Tissue of <i>Macoma nasuta</i>	L.33
L.13	Chlorinated Pesticides (Alphabetical Aldrin - 4,4'-DDT, Wet Weight, in Tissue of <i>Macoma nasuta</i>	L.35
L.14	Chlorinated Pesticides (Alphabetical Dieldrin-Toxaphene, Wet Weight, in Tissue of <i>Macoma nasuta</i>	L.38
L.15	Chlorinated Pesticides (Alphabetical Aldrin - 4,4'-DDT, Dry Weight, in Tissue of <i>Macoma nasuta</i>	L.41
L.16	Chlorinated Pesticides (Alphabetical Dieldrin - Toxaphene), Dry Weight, in Tissue of <i>Macoma nasuta</i>	L.44
L.17	Quality Control Data for Chlorinated Pesticides (Alphabetical Aldrin - 4,4'-DDT), Wet Weight in Tissue of <i>Macoma nasuta</i>	L.47
L.18	Quality Control Data for Chlorinated Pesticides (Alphabetical Dieldrin - Toxaphene), Wet Weight in Tissue of <i>Macoma nasuta</i>	L.49

L.19	Surrogate Recoveries for Polychlorinated Biphenyls (PCBs) and Chlorinated Pesticides in Tissue of <i>Macoma nasuta</i>	L.51
L.20	Metals, Wet Weight, in Tissue of <i>Macoma nasuta</i>	L.54
L.21	Metals, Dry Weight, in Tissue of <i>Macoma nasuta</i>	L.56
L.22	Quality Control Data for Metals, Dry Weight, in Tissue of <i>Macoma nasuta</i>	L.58
L.23	Butyltins, Wet and Dry Weight, in Tissue of <i>Macoma nasuta</i>	L.61
L.24	Quality Control Data for Butyltins, Dry Weight, in Tissue of <i>Macoma nasuta</i>	L.64

APPENDIX I

BIOASSAY RESULTS FOR 96-HOUR SUSPENDED-PARTICULATE-
PHASE STATIC TEST WITH HOLMESIMYSIS SCULPTA

APPENDIX I

SUMMARY: BIOASSAY RESULTS FOR 96-HOUR SUSPENDED-PARTICULATE-PHASE STATIC TEST WITH *HOLMESIMYSIS sculpta*

Test type and method	96-h static acute toxicity test: 4 SPP concentrations per treatment, 3 replicates per concentration, 10 individuals per replicate. Refer to <i>Draft Ecological Evaluation of Dredged Material into Ocean Waters</i> (EPA/USACE 1990)	
Test species	Mysid shrimp <i>Holmesimysis sculpta</i>	
Test materials	Oakland Harbor sediment samples: Comp I, Comp II, Comp III, Comp IV, Comp V, Comp VI	
Reference materials	Point Reyes Fine (R-PF), Bay Farm (R-BF), Alcatraz Environs (R-AM)	
Control materials	Sequim Bay seawater (0% SPP)	
Dilution water	Filtered seawater from Sequim Bay, WA	
Test dates	9/27/90 - 10/3/90	
Source of organisms	<i>H. sculpta</i> - Pt. Lobos, CA (Brezina & Assoc.)	
Test water quality parameter ranges	D.O.	≥4.0 mg/L
	pH	7.40 - 8.40
	Salinity	30.0 - 34.0 ‰
	Temperature	13 - 17°C
Test results	Refer to Tables I.1 and I.2	

TABLE I.1. Summary of Results for 96-Hour *H. sculpta* Suspended-
Particulate-Phase Test, Oakland Phase II 38' Project

<u>Sediment Treatment</u>	<u>Concentration</u>	<u>Mean Proportion Surviving</u>
COMP I	0%	0.93
COMP I	10%	0.83
COMP I	50%	0.77
COMP I	100%	0.67
COMP II	0%	0.90
COMP II	10%	0.97
COMP II	50%	0.80
COMP II	100%	0.73
COMP III	0%	0.97
COMP III	10%	0.87
COMP III	50%	0.70
COMP III	100%	0.60
COMP IV	0%	0.93
COMP IV	10%	0.80
COMP IV	50%	0.70
COMP IV	100%	0.53
COMP V	0%	0.93
COMP V	10%	0.93
COMP V	50%	0.80
COMP V	100%	0.73
COMP VI	0%	0.93
COMP VI	10%	0.87
COMP VI	50%	0.83
COMP VI	100%	0.73
R-AM	0%	0.90
R-AM	10%	0.80
R-AM	50%	0.63
R-AM	100%	0.50
R-BF	0%	0.97
R-BF	10%	0.93
R-BF	50%	0.80
R-BF	100%	0.80
R-PF	0%	0.93
R-PF	10%	0.87
R-PF	50%	0.73
R-PF	100%	0.73

TABLE I.2. Survival Data for all Replicates in 96-Hour *H. Sculpta*
Suspended-Particulate-Phase Test, Oakland Phase III
38' Project

<u>Sediment Treatment</u>	<u>Concentration</u>	<u>Replicate</u>	<u><i>H. sculpta</i></u>		<u>Mean Proportion Surviving</u>
			<u>Live</u>	<u>Dead or Missing</u>	
COMP I	0%	1	10	0	0.93
	0%	2	9	1	
	0%	3	9	1	
COMP I	10%	1	9	1	0.83
	10%	2	8	2	
	10%	3	8	2	
COMP I	50%	1	7	3	0.77
	50%	2	8	2	
	50%	3	8	2	
COMP I	100%	1	7	3	0.67
	100%	2	6	4	
	100%	3	7	3	
COMP II	0%	1	10	0	0.90
	0%	2	8	2	
	0%	3	9	1	
COMP II	10%	1	10	0	0.97
	10%	2	9	1	
	10%	3	10	0	
COMP II	50%	1	8	2	0.80
	50%	2	8	2	
	50%	3	8	2	
COMP II	100%	1	7	3	0.73
	100%	2	7	3	
	100%	3	8	2	
COMP III	0%	1	9	1	0.97
	0%	2	10	0	
	0%	3	10	0	
COMP III	10%	1	9	1	0.87
	10%	2	8	2	
	10%	3	9	1	
COMP III	50%	1	7	3	0.70
	50%	2	6	4	
	50%	3	8	2	

TABLE I.2. (Contd)

Sediment Treatment	Concentration	Replicate	<u>H. sculpta</u>		Mean Proportion Surviving
			Live	Dead or Missing	
COMP III	100%	1	6	4	0.60
	100%	2	7	3	
	100%	3	5	5	
COMP IV	0%	1	9	1	0.93
	0%	2	10	0	
	0%	3	9	1	
COMP IV	10%	1	9	1	0.80
	10%	2	7	3	
	10%	3	8	2	
COMP IV	50%	1	7	3	0.70
	50%	2	7	3	
	50%	3	7	3	
COMP IV	100%	1	6	4	0.53
	100%	2	5	5	
	100%	3	5	5	
COMP V	0%	1	10	0	0.93
	0%	2	9	1	
	0%	3	9	1	
COMP V	10%	1	9	1	0.93
	10%	2	9	1	
	10%	3	10	0	
COMP V	50%	1	7	3	0.80
	50%	2	9	1	
	50%	3	8	2	
COMP V	100%	1	8	2	0.73
	100%	2	7	3	
	100%	3	7	3	
COMP VI	0%	1	10	0	0.93
	0%	2	9	1	
	0%	3	9	1	
COMP VI	10%	1	9	1	0.87
	10%	2	8	2	
	10%	3	9	1	

TABLE I.2. (Contd)

<u>Sediment Treatment</u>	<u>Concentration</u>	<u>Replicate</u>	<u><i>H. sculpta</i></u>		<u>Mean Proportion Surviving</u>
			<u>Live</u>	<u>Dead or Missing</u>	
COMP VI	50%	1	7	3	0.83
	50%	2	8	2	
	50%	3	10	0	
COMP VI	100%	1	7	3	0.73
	100%	2	8	2	
	100%	3	7	3	
R-AM	0%	1	8	2	0.90
	0%	2	10	0	
	0%	3	9	1	
R-AM	10%	1	9	1	0.80
	10%	2	7	3	
	10%	3	8	2	
R-AM	50%	1	7	3	0.63
	50%	2	6	4	
	50%	3	6	4	
R-AM	100%	1	6	4	0.50
	100%	2	5	5	
	100%	3	4	6	
R-BF	0%	1	10	0	0.97
	0%	2	9	1	
	0%	3	10	0	
R-BF	10%	1	9	1	0.93
	10%	2	9	1	
	10%	3	10	0	
R-BF	50%	1	8	2	0.80
	50%	2	8	2	
	50%	3	8	2	
R-BF	100%	1	8	2	0.80
	100%	2	9	1	
	100%	3	7	3	
R-PF	0%	1	9	1	0.93
	0%	2	9	1	
	0%	3	10	0	

TABLE I.2. (Contd)

<u>Sediment Treatment</u>	<u>Concentration</u>	<u>Replicate</u>	<u><i>H. sculpta</i></u>		<u>Mean Proportion Surviving</u>
			<u>Live</u>	<u>Dead or Missing</u>	
R-PF	10%	1	9	1	0.87
	10%	2	9	1	
	10%	3	8	2	
R-PF	50%	1	8	2	0.73
	50%	2	7	3	
	50%	3	7	3	
R-PF	100%	1	8	2	0.73
	100%	2	7	3	
	100%	3	7	3	

TABLE I.3. Water Quality Summary for 96-Hour *H. sculpta* Suspended-Particulate-Phase Test, Oakland Phase III 38' Project

Sediment Treatment	Concentration	Temperature (°C)		pH		Dissolved Oxygen (mg/L)		Salinity (o/oo)	
		Min	Max	Min	Max	Min	Max	Min	Max
Acceptable Range		13.0	17.0	7.40	8.40	4.0	---	30.0	34.0
COMP I	0%	15.0	15.2	7.82	8.08	6.8	7.7	32.0	32.5
COMP I	10%	14.9	15.1	7.79	8.06	6.4	7.5	31.5	32.5
COMP I	50%	14.9	15.2	7.81	8.12	6.7	7.3	31.5	32.0
COMP I	100%	14.9	15.2	7.70	8.17	6.3	7.6	31.5	32.0
COMP II	0%	14.7	15.2	7.83	8.03	6.7	7.9	32.0	32.5
COMP II	10%	14.6	15.4	7.80	8.12	6.7	7.6	32.0	32.5
COMP II	50%	14.5	15.1	7.66	8.12	6.4	7.6	32.0	32.0
COMP II	100%	14.5	15.1	7.53	8.28	5.9	7.7	32.0	32.0
COMP III	0%	14.9	15.7	7.78	8.07	6.7	7.3	32.0	33.0
COMP III	10%	14.8	15.6	7.79	8.09	6.5	7.8	32.0	32.5
COMP III	50%	14.9	15.7	7.83	8.10	6.3	7.6	32.0	32.5
COMP III	100%	14.9	15.5	7.86	8.24	5.1	7.6	32.0	32.0
COMP IV	0%	15.0	15.5	7.58	7.99	5.5	7.5	32.0	32.0
COMP IV	10%	14.8	15.5	7.90	7.99	6.9	7.6	32.0	33.0
COMP IV	50%	14.9	15.5	7.78	8.01	6.5	7.4	32.0	32.5
COMP IV	100%	14.9	15.4	7.78	8.07	6.0	7.5	32.0	32.5
COMP V	0%	14.8	15.3	7.80	7.98	7.0	7.6	32.0	32.5
COMP V	10%	15.0	15.2	7.87	7.99	7.1	7.7	32.0	32.5
COMP V	50%	14.9	15.4	7.91	8.01	7.0	7.6	31.5	32.5
COMP V	100%	14.8	15.3	7.94	8.11	6.8	7.7	32.0	33.0
COMP VI	0%	15.0	15.3	7.80	8.00	6.8	7.7	31.5	32.0
COMP VI	10%	14.9	15.2	7.63	8.02	4.9	7.6	31.5	32.5
COMP VI	50%	14.9	15.3	7.82	8.07	6.2	7.7	32.0	32.0
COMP VI	100%	14.8	15.3	7.77	8.11	5.5	7.7	32.0	32.5
R-AM	0%	13.9	15.4	7.78	7.95	6.4	7.6	32.0	33.0
R-AM	10%	14.9	15.3	7.80	7.99	6.3	7.3	32.0	32.0
R-AM	50%	14.9	15.3	7.81	8.01	6.6	7.6	32.0	32.0
R-AM	100%	14.9	15.4	7.81	8.02	6.9	7.6	32.0	32.0
R-BF	0%	14.4	15.2	7.58	8.01	6.6	7.6	32.0	32.0
R-BF	10%	14.5	15.1	7.64	8.02	6.2	7.4	32.0	32.5
R-BF	50%	14.6	15.1	7.50	8.09	6.6	7.4	32.0	32.5
R-BF	100%	14.5	15.2	7.71	8.09	6.3	7.4	32.0	32.5
R-PF	0%	14.9	15.4	7.79	8.12	6.7	8.0	32.0	32.5
R-PF	10%	15.0	15.3	7.81	8.10	6.9	7.8	32.0	32.5
R-PF	50%	14.9	15.2	7.80	8.12	6.7	7.8	32.0	32.5
R-PF	100%	14.8	15.1	7.77	8.11	6.7	7.9	31.5	32.0
RT-Zinc	0%	14.9	15.3	7.78	8.09	6.1	7.4	32.0	32.5
RT-Zinc	25%	14.9	15.1	7.78	8.05	6.4	7.3	32.0	32.5
RT-Zinc	50%	14.9	15.2	7.78	8.02	6.5	7.6	32.0	32.5
RT-Zinc	100%	14.9	15.2	7.84	8.03	6.7	7.5	32.0	32.5
RT-Zinc	200%	14.9	15.2	7.95	8.12	7.3	7.7	32.0	32.0

TABLE I.4. Observations of *H. sculpta* During 96-Hour
Suspended-Particulate-Phase Test, Oakland
Phase III 38' Project

Sediment Treatment	Concentration	Replicate	<i>H. sculpta</i> Live					<i>H. sculpta</i> Dead				
			4h	24h	48h	72h	96h	4h	24h	48h	72h	96h
COMP I	0%	1	10	10	10	10	10	0	0	0	0	0
COMP I	0%	2	10	10	9	9	9	0	0	1	0	0
COMP I	0%	3	10	10	10	9	9	0	0	0	1	0
COMP I	10%	1	10	10	10	9	9	0	0	0	1	0
COMP I	10%	2	10	9	9	9	8	0	1	0	0	1
COMP I	10%	3	10	10	10	10	8	0	0	0	0	2
COMP I	50%	1	10	10	8	8	7	0	0	2	0	1
COMP I	50%	2	10	10	9	8	8	0	0	1	1	0
COMP I	50%	3	10	9	9	9	8	0	1	0	0	1
COMP II	100%	1	10	9	8	7	7	0	1	1	1	0
COMP II	100%	2	10	9	8	6	6	0	1	1	2	0
COMP II	100%	3	10	8	8	7	7	0	2	0	1	0
COMP II	0%	1	10	10	10	10	10	0	0	0	0	0
COMP II	0%	2	10	10	10	10	8	0	0	0	0	2
COMP II	0%	3	10	10	9	9	9	0	0	1	0	0
COMP II	10%	1	10	10	10	10	10	0	0	0	0	0
COMP II	10%	2	10	10	10	9	9	0	0	0	1	0
COMP II	10%	3	10	10	10	10	10	0	0	0	0	0
COMP II	50%	1	10	9	9	9	8	0	1	0	0	1
COMP II	50%	2	10	10	9	8	8	0	0	1	1	0
COMP II	50%	3	10	8	8	8	8	0	2	0	0	0
COMP II	100%	1	10	10	9	8	7	0	0	1	1	1
COMP II	100%	2	10	8	8	7	7	0	2	0	1	0
COMP II	100%	3	10	10	8	8	8	0	0	2	0	0
COMP III	0%	1	10	10	9	9	9	0	0	1	0	0
COMP III	0%	2	10	10	10	10	10	0	0	0	0	0
COMP III	0%	3	10	10	10	10	10	0	0	0	0	0
COMP III	10%	1	10	9	9	9	9	0	1	0	0	0
COMP III	10%	2	10	10	9	8	8	0	0	1	1	0
COMP III	10%	3	10	10	10	10	9	0	0	0	0	1
COMP III	50%	1	10	8	7	7	7	0	2	1	0	0
COMP III	50%	2	10	9	7	6	6	0	1	2	1	0
COMP III	50%	3	10	9	9	9	8	0	1	0	0	1
COMP III	100%	1	10	9	7	7	6	0	1	2	0	1
COMP III	100%	2	10	9	7	7	7	0	1	2	0	0
COMP III	100%	3	10	7	6	5	5	0	3	1	1	0
COMP IV	0%	1	10	10	9	9	9	0	0	1	0	0
COMP IV	0%	2	10	10	10	10	10	0	0	0	0	0
COMP IV	0%	3	10	10	10	9	9	0	0	0	1	0
COMP IV	10%	1	10	10	9	9	9	0	0	1	0	0
COMP IV	10%	2	10	9	8	8	7	0	1	1	0	1
COMP IV	10%	3	10	9	8	8	8	0	1	1	0	0

TABLE I.4. (Contd)

Sediment Treatment	Concentration	Replicate	<i>H. sculpina</i> Live					<i>H. sculpina</i> Dead				
			4h	24h	48h	72h	96h	4h	24h	48h	72h	96h
COMP IV	50%	1	10	9	8	7	7	0	1	1	1	0
COMP IV	50%	2	10	10	7	7	7	0	0	3	0	0
COMP IV	50%	3	10	8	8	8	7	0	2	0	0	1
COMP IV	100%	1	10	8	6	6	6	0	2	2	0	0
COMP IV	100%	2	10	7	6	6	5	0	3	1	0	1
COMP IV	100%	3	10	7	7	5	5	0	3	0	2	0
COMP V	0%	1	10	10	10	10	10	0	0	0	0	0
COMP V	0%	2	10	10	10	10	9	0	0	0	0	1
COMP V	0%	3	10	10	9	9	9	0	0	1	0	0
COMP V	10%	1	10	10	10	10	9	0	0	0	0	1
COMP V	10%	2	10	10	9	9	9	0	0	1	0	0
COMP V	10%	3	10	10	10	10	10	0	0	0	0	0
COMP V	50%	1	10	9	9	8	7	0	1	0	1	1
COMP V	50%	2	10	9	9	9	9	0	1	0	0	0
COMP V	50%	3	10	10	10	9	8	0	0	0	1	1
COMP V	100%	1	10	10	8	8	8	0	0	2	0	0
COMP V	100%	2	10	9	9	8	7	0	1	0	1	1
COMP V	100%	3	10	9	9	8	7	0	1	0	1	1
COMP VI	0%	1	10	10	10	10	10	0	0	0	0	0
COMP VI	0%	2	10	10	10	10	9	0	0	0	0	1
COMP VI	0%	3	10	10	10	9	9	0	0	0	1	0
COMP VI	10%	1	10	10	10	9	9	0	0	0	1	0
COMP VI	10%	2	10	10	9	9	8	0	0	1	0	1
COMP VI	10%	3	10	10	9	9	9	0	0	1	0	0
COMP VI	50%	1	10	8	8	8	7	0	2	0	0	1
COMP VI	50%	2	10	9	9	8	8	0	1	0	1	0
COMP VI	50%	3	10	10	10	10	10	0	0	0	0	0
COMP VI	100%	1	10	9	8	7	7	0	1	1	1	0
COMP VI	100%	2	10	9	9	8	8	0	1	0	1	0
COMP VI	100%	3	10	8	8	7	7	0	2	0	1	0
R-PF	0%	1	10	10	10	9	9	0	0	0	1	0
R-PF	0%	2	10	10	10	10	9	0	0	0	0	1
R-PF	0%	3	10	10	10	10	10	0	0	0	0	0
R-PF	10%	1	10	10	10	10	9	0	0	0	0	1
R-PF	10%	2	10	9	9	9	9	0	1	0	0	0
R-PF	10%	3	10	10	9	9	8	0	0	1	0	1
R-PF	50%	1	10	9	9	8	8	0	1	0	1	0
R-PF	50%	2	10	8	8	8	7	0	2	0	0	1
R-PF	50%	3	10	9	8	7	7	0	1	1	1	0
R-PF	100%	1	10	10	8	8	8	0	0	2	0	0
R-PF	100%	2	10	9	8	8	7	0	1	1	0	1
R-PF	100%	3	10	9	9	8	7	0	1	0	1	1
R-BF	0%	1	10	10	10	10	10	0	0	0	0	0
R-BF	0%	2	10	10	10	9	9	0	0	0	1	0
R-BF	0%	3	10	10	10	10	10	0	0	0	0	0

TABLE I.4. (Contd)

Sediment Treatment	Concentration	Replicate	<i>H. sculpta</i> Live					<i>H. sculpta</i> Dead				
			4h	24h	48h	72h	96h	4h	24h	48h	72h	96h
R-BF	10%	1	10	10	10	10	9	0	0	0	0	1
R-BF	10%	2	10	10	10	10	9	0	0	0	0	1
R-BF	10%	3	10	10	10	10	10	0	0	0	0	0
R-BF	50%	1	10	9	9	9	8	0	1	0	0	1
R-BF	50%	2	10	10	10	9	8	0	0	0	1	1
R-BF	50%	3	10	10	8	8	8	0	0	2	0	0
R-BF	100%	1	10	10	8	8	8	0	0	2	0	0
R-BF	100%	2	10	10	10	10	9	0	0	0	0	1
R-BF	100%	3	10	9	9	9	7	0	1	0	0	2
R-AM	0%	1	10	9	9	8	8	0	1	0	1	0
R-AM	0%	2	10	10	10	10	10	0	0	0	0	0
R-AM	0%	3	10	10	10	10	9	0	0	0	0	1
R-AM	10%	1	10	10	9	9	9	0	0	1	0	0
R-AM	10%	2	10	9	9	7	7	0	1	0	2	0
R-AM	10%	3	10	10	9	9	8	0	0	1	0	1
R-AM	50%	1	10	9	7	7	7	0	1	2	0	0
R-AM	50%	2	10	8	8	7	6	0	2	0	1	1
R-AM	50%	3	10	9	7	6	6	0	1	2	1	0
R-AM	100%	1	10	8	6	6	6	0	2	2	0	0
R-AM	100%	2	10	8	8	5	5	0	2	0	3	0
R-AM	100%	3	10	8	8	7	4	0	2	0	1	3

TABLE I.5. Observations of *H. sculpta* During 96-Hour Reference Toxicant Test, Oakland Phase III 38' Project

Zinc Concentration (mg/L)	Replicate	<i>H. sculpta</i> Live					<i>H. sculpta</i> Dead				
		4h	24h	48h	72h	96h	4h	24h	48h	72h	96h
0.00	1	10	10	10	9	9	0	0	0	1	0
0.00	2	10	10	10	10	10	0	0	0	0	0
0.00	3	10	9	9	9	9	0	1	0	0	0
0.25	1	10	10	10	10	9	0	0	0	0	1
0.25	2	10	10	9	9	9	0	0	1	0	0
0.25	3	10	10	8	8	7	0	0	2	0	1
0.50	1	10	9	8	7	7	0	1	1	1	0
0.50	2	10	10	9	9	7	0	0	1	0	2
0.50	3	10	10	10	7	6	0	0	0	3	1
1.00	1	10	7	5	4	3	0	3	2	1	1
1.00	2	10	8	6	0	0	0	2	2	6	0
1.00	3	10	6	4	3	3	0	4	2	1	0
2.00	1	10	0	0	0	0	0	10	0	0	0
2.00	2	10	2	0	0	0	0	8	2	0	0
2.00	3	10	3	0	0	0	0	7	3	0	0

REFERENCES

U.S. Environmental Protection Agency/U.S. Army Corps of Engineers (EPA/USACE). 1990. Draft Ecological Evaluation of Proposed Discharge of Dredged Material into Ocean Waters. EPA-503-8-90/002. U.S. Environmental Protection Agency, Office of Marine and Estuarine Protection, Washington, D.C.

APPENDIX J

BIOASSAY RESULTS FOR 48-HOUR SUSPENDED-PARTICULATE-
PHASE STATIC TEST WITH LARVAL CRASSOSTREA GIGAS

APPENDIX J

SUMMARY: BIOASSAY RESULTS FOR 48-HOUR SUSPENDED-PARTICULATE-PHASE STATIC TEST WITH LARVAL *CRASSOSTREA gigas*

Test type and method	48-h static acute toxicity test. Refer to <i>Standard Practice for Conducting Acute Toxicity Tests with Fishes, Macroinvertebrates, and Amphibians</i> . E729-80. (ASTM 1980)	
Test species	Oyster <i>Crassostrea gigas</i> larvae	
Test materials	Oakland Harbor sediment samples: Comp I, Comp II, Comp III, Comp IV, Comp V, Comp VI	
Reference materials	Point Reyes Fine (R-PF), Bay Farm (R-BF), Alcatraz Environs (R-AM)	
Control materials	Sequim Bay seawater (0% SPP)	
Dilution water	Filtered seawater from Sequim Bay, WA	
Test dates	9/29/90 - 10/1/90	
Source of organisms	<i>C. gigas</i> (brood stock adults) - Coast Oyster Co., Quilcene, WA	
Test water quality parameter ranges	D.O.	≥4.0 mg/L
	pH	7.40 - 8.40
	Salinity	24.0 - 28.0 ‰
	Temperature	18 - 22°C
Test results	Refer to Tables J.1 and J.2	

TABLE J.1. Summary of Results for 2-3 Day *C. gigas* Suspended-
Particulate-Phase Static Test, Oakland Phase
III 38' Project

<u>SPP</u> <u>Treatment</u>	<u>Concentration</u>	<u>Mean</u> <u>Proportion</u> <u>Surviving</u>	<u>Mean</u> <u>Proportion</u> <u>Normal</u>
COMP I	0%	0.86	0.86
COMP I	10%	0.95	0.90
COMP I	50%	0.89	0.89
COMP I	100%	0.79	0.78
COMP II	0%	0.88	0.87
COMP II	10%	0.84	0.82
COMP II	50%	0.87	0.86
COMP II	100%	0.77	0.77
COMP III	0%	0.85	0.85
COMP III	10%	0.84	0.82
COMP III	50%	0.87	0.86
COMP III	100%	0.72	0.67
COMP IV	0%	0.88	0.88
COMP IV	10%	0.86	0.82
COMP IV	50%	0.78	0.76
COMP IV	100%	0.83	0.83
COMP V	0%	0.95	0.90
COMP V	10%	0.87	0.85
COMP V	50%	0.85	0.80
COMP V	100%	0.73	0.70
COMP VI	0%	0.94	0.92
COMP VI	10%	0.85	0.83
COMP VI	50%	0.87	0.87
COMP VI	100%	0.73	0.72
R-AM	0%	0.92	0.92
R-AM	10%	0.87	0.87
R-AM	50%	0.76	0.76
R-AM	100%	0.73	0.73
R-BF	0%	0.91	0.91
R-BF	10%	0.82	0.82
R-BF	50%	0.80	0.79
R-BF	100%	0.59	0.59
R-PF	0%	0.85	0.84
R-PF	10%	0.90	0.90
R-PF	50%	0.81	0.81
R-PF	100%	0.68	0.68

PHASE III 38'

J.2

TABLE J.2. Test Results for all Replicates in 2-3 Day *C. gigas*
Suspended-Particulate Phase Test, Oakland Phase III
38' Project

SPP Treatment	Replicate	Concentration	Normal Larvae	Abnormal with Shell	Other Larvae	Proportion- tion Normal ^(a)	All Replicates	Proportion- tion Survival ^(b)	All Replicates
COMP I	1	0%	300	0	0	0.91		0.91	
COMP I	2	0%	270	0	0	0.82		0.82	
COMP I	3	0%	281	0	0	0.85	0.86	0.85	0.86
COMP I	1	10%	305	17	1	0.92		0.98	
COMP I	2	10%	304	15	1	0.92		0.97	
COMP I	3	10%	280	17	1	0.85	0.90	0.90	0.95
COMP I	1	50%	313	2	0	0.95		0.95	
COMP I	2	50%	292	0	0	0.88		0.88	
COMP I	3	50%	276	3	0	0.83	0.89	0.84	0.89
COMP I	1	100%	242	0	0	0.73		0.73	
COMP I	2	100%	280	4	0	0.85		0.86	
COMP I	3	100%	254	0	0	0.77	0.78	0.77	0.79
COMP II	1	0%	326	0	0	0.98		0.98	
COMP II	2	0%	257	2	3	0.78		0.79	
COMP II	3	0%	285	0	0	0.86	0.87	0.86	0.88
COMP II	1	10%	289	12	2	0.87		0.92	
COMP II	2	10%	258	0	0	0.78		0.78	
COMP II	3	10%	263	10	0	0.79	0.82	0.82	0.84
COMP II	1	50%	293	0	0	0.89		0.89	
COMP II	2	50%	275	3	1	0.83		0.84	
COMP II	3	50%	289	2	1	0.87	0.86	0.88	0.87
COMP II	1	100%	270	2	1	0.82		0.82	
COMP II	2	100%	249	0	0	0.75		0.75	
COMP II	3	100%	247	0	0	0.75	0.77	0.75	0.77
COMP III	1	0%	302	0	8	0.91		0.94	
COMP III	2	0%	263	0	1	0.79		0.80	
COMP III	3	0%	275	0	0	0.83	0.85	0.83	0.85
COMP III	1	10%	270	0	17	0.82		0.87	
COMP III	2	10%	292	0	0	0.88		0.88	
COMP III	3	10%	250	0	10	0.76	0.82	0.79	0.84
COMP III	1	50%	272	0	4	0.82		0.83	
COMP III	2	50%	304	0	6	0.92		0.94	
COMP III	3	50%	278	0	1	0.84	0.86	0.84	0.87
COMP III	1	100%	193	0	7	0.58		0.60	
COMP III	2	100%	242	0	21	0.73		0.79	
COMP III	3	100%	227	0	25	0.69	0.67	0.76	0.72
COMP IV	1	0%	283	0	2	0.85		0.86	
COMP IV	3	0%	298	0	0	0.90		0.90	
COMP IV	2	0%	293	0	2	0.89	0.88	0.89	0.88
COMP IV	1	10%	320	5	1	0.97		0.98	
COMP IV	2	10%	296	1	0	0.89		0.90	
COMP IV	3	10%	203	0	25	0.61	0.82	0.69	0.86

TABLE J.2. (Contd)

SPP Treatment	Replicate	Concentration	Normal Larvae	Abnormal with Shell	Other Larvae	Propor- tion (a) Normal	All Replicates	Propor- tion (b) Survival	All Replicates
COMP IV	1	50%	244	0	4	0.74		0.75	
COMP IV	2	50%	253	0	14	0.76		0.81	
COMP IV	3	50%	255	1	0	0.77	0.76	0.77	0.78
COMP IV	1	100%	258	0	2	0.78		0.79	
COMP IV	2	100%	280	1	0	0.85		0.85	
COMP IV	3	100%	288	0	0	0.87	0.83	0.87	0.83
COMP V	1	0%	322	16	0	0.97		1.02	
COMP V	2	0%	273	16	2	0.82		0.88	
COMP V	3	0%	298	16	1	0.90	0.90	0.95	0.95
COMP V	1	10%	263	0	11	0.79		0.83	
COMP V	2	10%	292	0	7	0.88		0.90	
COMP V	3	10%	287	0	0	0.87	0.85	0.87	0.87
COMP V	1	50%	266	0	9	0.80		0.83	
COMP V	2	50%	240	0	23	0.73		0.79	
COMP V	3	50%	289	0	20	0.87	0.80	0.93	0.85
COMP V	1	100%	223	0	36	0.67		0.78	
COMP V	3	100%	254	0	0	0.77		0.77	
COMP V	2	100%	215	0	0	0.65	0.70	0.65	0.73
COMP VI	1	0%	320	0	0	0.97		0.97	
COMP VI	2	0%	329	0	4	0.99		1.01	
COMP VI	3	0%	260	3	18	0.79	0.92	0.85	0.94
COMP VI	1	10%	241	3	14	0.73		0.78	
COMP VI	3	10%	291	4	0	0.88		0.89	
COMP VI	2	10%	291	0	1	0.88	0.83	0.88	0.85
COMP VI	1	50%	306	1	0	0.92		0.93	
COMP VI	2	50%	279	0	0	0.84		0.84	
COMP VI	3	50%	280	0	2	0.85	0.87	0.85	0.87
COMP VI	1	100%	207	0	0	0.63		0.63	
COMP VI	2	100%	243	0	7	0.73		0.76	
COMP VI	3	100%	266	0	0	0.80	0.72	0.80	0.73
R-AM	1	0%	309	0	0	0.93		0.93	
R-AM	2	0%	297	0	3	0.90		0.91	
R-AM	3	0%	306	0	1	0.92	0.92	0.93	0.92
R-AM	1	10%	317	3	0	0.96		0.97	
R-AM	2	10%	257	0	0	0.78		0.78	
R-AM	3	10%	286	3	1	0.86	0.87	0.88	0.87
R-AM	1	50%	246	0	0	0.74		0.74	
R-AM	2	50%	263	0	0	0.79		0.79	
R-AM	3	50%	248	0	0	0.75	0.76	0.75	0.76
R-AM	1	100%	207	0	0	0.63		0.63	
R-AM	2	100%	261	0	0	0.79		0.79	
R-AM	3	100%	260	1	0	0.79	0.73	0.79	0.73
R-BF	1	0%	306	0	0	0.92		0.92	
R-BF	2	0%	295	0	0	0.89		0.89	
R-BF	3	0%	300	0	0	0.91	0.91	0.91	0.91

PHASE III 38'

TABLE J.2. (Contd)

SPP Treatment	Replicate	Concentration	Normal Larvae	Abnormal with Shell	Other Larvae	Proportion Normal(a)	All Replicates	Proportion Survival(b)	All Replicates
R-BF	1	10%	253	0	0	0.76		0.76	
R-BF	2	10%	284	0	0	0.86		0.86	
R-BF	3	10%	273	0	0	0.82	0.82	0.82	0.82
R-BF	1	50%	216	1	4	0.65		0.67	
R-BF	2	50%	289	0	0	0.87		0.87	
R-BF	3	50%	283	0	0	0.85	0.79	0.85	0.80
R-BF	1	100%	122	0	0	0.37		0.37	
R-BF	2	100%	238	0	0	0.72		0.72	
R-BF	3	100%	222	0	0	0.67	0.59	0.67	0.59
R-PF	1	0%	265	2	2	0.80		0.81	
R-PF	2	0%	292	1	0	0.88		0.89	
R-PF	3	0%	282	0	1	0.85	0.84	0.85	0.85
R-PF	1	10%	299	0	0	0.90		0.90	
R-PF	2	10%	312	4	1	0.94		0.96	
R-PF	3	10%	281	1	0	0.85	0.90	0.85	0.90
R-PF	1	50%	288	0	0	0.87		0.87	
R-PF	2	50%	248	0	0	0.75		0.75	
R-PF	3	50%	268	0	0	0.81	0.81	0.81	0.81
R-PF	1	100%	190	0	0	0.57		0.57	
R-PF	2	100%	253	0	0	0.76		0.76	
R-PF	3	100%	236	0	0	0.71	0.68	0.71	0.68

(a) Normally developed larvae in 10mL, divided by stocking density of 331 embryos per 10mL test solution.

(b) Total larvae at all stages of development, divided by the stocking density (331).

TABLE J.3. Test Results for all Replicates in 2-3 Day *C. gigas*
Reference Toxicant Test, Oakland Phase III 38' Project

<u>SPP</u> <u>Treatment</u>	<u>Replicate</u>	<u>Cadmium</u> <u>Concentration</u> <u>(μg/L)</u>	<u>Normal</u> <u>Larvae</u>	<u>Abnormal</u> <u>with</u> <u>Shell</u>	<u>Other</u> <u>Larvae</u>	<u>Propor-</u> <u>tion</u> <u>Normal</u> ^(a)	<u>All</u> <u>Replicates</u>	<u>Propor-</u> <u>tion</u> <u>Survival</u> ^(a)	<u>All</u> <u>Replicates</u>
REFTOX	1	0	236	0	0	0.71		0.71	
REFTOX	2	0	293	0	0	0.89		0.89	
REFTOX	3	0	291	0	0	0.88	0.83	0.88	0.83
REFTOX	1	3.1	304	0	0	0.92		0.92	
REFTOX	2	3.1	318	0	0	0.96		0.96	
REFTOX	3	3.1	308	0	0	0.93	0.94	0.93	0.94
REFTOX	1	12.5	285	0	0	0.86		0.86	
REFTOX	2	12.5	NA ^(b)	NA	NA	NA		NA	
REFTOX	3	12.5	266	0	0	0.80	0.83	0.80	0.83
REFTOX	1	50	0	0	276	0.00		0.83	
REFTOX	2	50	0	0	310	0.00		0.94	
REFTOX	3	50	0	0	330	0.00	0.00	1.00	0.92

(a) Based on stocking density of 331 embryos per 10mL test solution.

(b) Subsample lost, no data available.

TABLE J.4. Water Quality Summary for 2-3 Day *C. gigas* Suspended-
Particulate-Phase Test, Oakland Phase III 38' Project

SPP Treatment	Temperature (°C)		Dissolved Oxygen (mg/L)		pH		Salinity (o/oo)	
	Min	Max	Min	Max	Min	Max	Min	Max
Acceptable Range	18.0	22.0	4.0	---	7.40	8.40	24.0	28.0
COMP I	19.0	19.6	6.5	7.7	7.64	8.02	25.5	27.0
COMP II	19.0	19.6	6.0	7.7	7.44	8.09	26.0	27.5
COMP III	19.0	19.6	5.1	7.6	7.81	8.11	26.0	26.5
COMP IV	18.9	19.6	6.6	7.6	7.71	8.21	26.0	26.0
COMP V	18.9	19.6	6.6	7.6	7.74	8.21	26.0	26.5
COMP VI	19.0	19.6	5.4	7.6	7.84	8.21	25.5	26.5
R-AM	18.8	19.6	6.8	7.9	7.07	8.03	25.5	26.5
R-BF	18.9	19.6	5.5	7.9	7.76	8.09	25.5	27.5
R-PF	18.9	19.6	5.7	7.9	7.77	8.09	26.0	27.5
<u>Reference Toxicant</u>								
RT-Cadmium	19.0	19.6	6.8	7.6	7.74	8.03	26.0	26.0

REFERENCES

American Society for Testing and Materials (ASTM). 1980. Standard Practice for Conducting Acute Toxicity Tests with Fishes, Macroinvertebrates, and Amphibians. E729-80, American Society for Testing and Materials, Philadelphia, Pennsylvania.

APPENDIX K

TISSUE CHEMISTRY AND QUALITY ASSURANCE DATA
FOR NEPHTHYS CAECOIDES

APPENDIX K

SUMMARY: TISSUE CHEMISTRY AND QUALITY ASSURANCE DATA FOR *NEPHTYS CAECOIDES*

PARAMETER	<u>POLYNUCLEAR AROMATIC HYDROCARBONS</u>
Method	EPA 8270 (EPA 1986a)
Detection limit	Target DL: 20 $\mu\text{g/kg}$ wet wt tissue Achieved DL: 10 $\mu\text{g/kg}$ wet wt (20 to 50 for Naphthalene, Phenanthrene)
Range of recovery	Target: DL-199%, Varies by compound. See method (EPA 8270). Achieved: 13% to 250%, all Low PAH in range, some High PAH above range.
Relative precision	Target: 20% RPD Achieved: 0 to 100% RPD (most <20%: higher RPDs where values are very low).
Analytical laboratory	Alden Laboratories, Seattle, WA

PARAMETER	<u>POLYCHLORINATED BIPHENYLS (as aroclors)</u>
Method	EPA 8080 (EPA 1986a)
Detection limit	Target DL: 20 $\mu\text{g/kg}$ wet wt tissue Achieved DL: 100 to 200 $\mu\text{g/kg}$ wet wt (due to small sample mass)
Range of recovery	Target: 8% to 158%, varies by compound (see method 8080) Achieved: PCBs not spiked-refer to pesticide matrix spike data
Relative precision	Target: 20% RPD Achieved: Not applicable-no PCBs detected in duplicate samples
Analytical laboratory	Alden Laboratories, Seattle, WA

PARAMETER**CHLORINATED PESTICIDES****Method**

EPA 8080 (EPA 1986a)

Detection limit

Target DL: 2 µg/kg wet wt tissue
Achieved DL: 10 µg/kg wet wt (500 µg/kg for toxaphene), due to small sample mass.

Range of recovery

Target: Aldrin 42% to 122%; Dieldrin 36% to 146%
Achieved: Aldrin 91% to 123%; Dieldrin 94% to 151% (only one sample out of range)

Relative precision

Target: 20%
Achieved: Not applicable-no pesticides detected in duplicated samples

Analytical laboratory

Alden Laboratories, Seattle, WA

PARAMETER**METALS****Method (Extraction)**

HNO₃/HClO₄ digestion and atomic absorption,
X-ray fluorescence

**Analytes/
Analytical method/
Detection limit target,
Detection limit achieved
(in mg/kg dry wt tissue)**

<u>As</u>	PNL SOP 19	1.0, 1.0
<u>Cd</u>	EPA 200.9/Bloom & Crecelius 1984	0.1, 0.07
<u>Cr</u>	PNL SOP 19/EPA 200.9/ Bloom & Crecelius 1984	1.0, 0.29
<u>Cu</u>	PNL SOP 19	1.0, 1.0
<u>Pb</u>	PNL SOP 19	1.0, 0.07
<u>Hg</u>	Bloom & Crecelius 1983	0.02, 0.001
<u>Ni</u>	PNL SOP 19/EPA 200.9/ Bloom & Crecelius 1984	1.0, 1.0
<u>Se</u>	PNL SOP 19/EPA 200.9/ Bloom & Crecelius 1984	0.1, 1.10
<u>Ag</u>	EPA 200.9/Bloom & Crecelius 1984	1.0, 0.01
<u>Zn</u>	PNL SOP 19	1.0, 1.0

Range of recovery

Target: 75% to 125% (varies slightly by metal)
Achieved: 79% to 110% (all were acceptable)

Relative precision

Target: 15% RSD or RPD
Achieved: 0% to 49% (15% of replicate comparisons exceeded target, generally when values were very low)

Analytical laboratory

Battelle MSL, Sequim, WA, and Battelle PNL, Richland, WA

METALS (Contd)

Comments

Tissues from the original five 28-day exposure replicates were combined, then split into three samples for metals analysis. This was done because there was not enough tissue to analyze each replicate separately.

All Cd values for SRM 1566a were slightly (12.5% to 20%) higher than certified value. Cd Matrix Spike recoveries were acceptable (102% to 110%).

PARAMETER

BUTYLINS

Method

GC Determination of Butyltin in Natural Water by Gas Chromatography/Flame Photoionization Spectrometry of Hexyl Derivatives with Mass Spectrometry Confirmation (Unger et al. 1986)

Detection limit

Target DL: 10 µg/kg wet wt tissue
Achieved DL: 10 to 23 µg/kg wet wt (due to small sample mass)

Range of recovery

Target: 40% to 140%
Achieved: 54% to 117%

Relative precision

Target: 20%
Achieved: Not applicable-insufficient sample for replicate analysis

Analytical laboratory

Battelle Ocean Sciences, Duxbury, MA

TABLE K.1. Total Detected Polynuclear Aromatic Hydrocarbons, Wet Weight,
in Tissue of *N. caecoides*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	<i>N. caecoides</i> PAHs ($\mu\text{g/kg}$ wet weight)		
		Total Low Molecular Weight PAH	Total High Molecular Weight PAH	Total Detected PAH
COMP I	1	ND ^(a)	25	25
COMP I	2	204	47	251
COMP I	3	ND	57	57
COMP I	4	ND	69	69
COMP I	5	ND	19	19
COMP II	1	32	79	111
COMP II	2	ND	54	54
COMP II	3	ND	82	82
COMP II	4	ND	42	42
COMP II	5	75	94	169
COMP II dup	5	72	126	198
COMP III	1	ND	269	269
COMP III	2	ND	299	299
COMP III	3	ND	268	268
COMP III	4	ND	282	282
COMP III	5	ND	282	282
COMP IV	1	26	296	322
COMP IV	2	ND	181	181
COMP IV	3	ND	171	171
COMP IV	4	15	222	237
COMP IV	5	17	245	262
COMP V	1	10	117	127
COMP V	2	28	139	167
COMP V	3	ND	118	118
COMP V	4	ND	62	62
COMP V	5	28	132	160
COMP V dup	5	18	102	120
COMP VI	1	52	741	793
COMP VI	2	202	725	927
COMP VI	3	43	803	846
COMP VI	4	13	589	602
COMP VI	5	77	686	763
R-AC	1	25	62	87
R-AC	2	54	86	140
R-AC	3	33	123	156
R-AC	4	52	91	143
R-AC	5	81	96	177
R-AM	1	19	42	61
R-AM	2	128	80	208
R-AM	3	33	ND	33
R-AM	4	102	ND	102
R-AM	5	55	48	103

TABLE K.1. (Contd)

Sediment Treatment	Replicate	<i>N. caecoides</i> PAHs ($\mu\text{g/kg}$ wet weight)		
		Total Low Molecular Weight PAH	Total High Molecular Weight PAH	Total Detected PAH
R-BF	1	15	35	50
R-BF	2	33	47	80
R-BF	3	23	38	61
R-BF	4	16	111	127
R-BF	5	15	36	51
R-OS	1	19	35	54
R-OS	2	17	34	51
R-OS	3	17	10	27
R-OS	4	14	26	40
R-OS	5	ND	ND	ND
R-PC	1	17	43	60
R-PC	2	21	31	52
R-PC	3	41	45	86
R-PC	4	10	ND	10
R-PC	5	13	27	40
R-PF	1	20	37	57
R-PF	2	13	31	44
R-PF	3	19	45	64
R-PF dup	3	19	40	59
R-PF	4	15	38	53
R-PF	5	15	30	45
C-NE	1	76	ND	76
C-NE	2	ND	ND	ND
C-NE	3	77	ND	77
C-NE	4	28	ND	28
C-NE	5	93	ND	93
C-NE-A	1	98	ND	98
C-NE-A dup	1	100	ND	100
C-NE-A	2	ND	ND	ND
C-NE-A	3	ND	ND	ND
C-NE-A	4	ND	ND	ND
C-NE-A	5	ND	ND	ND
C-SB	1	39	33	72
C-SB	2	70	ND	70
C-SB	3	139	36	175
C-SB	4	ND	ND	ND
C-SB	5	89	ND	89

(a) None detected.

TABLE K.2. Low Molecular Weight Polynuclear Aromatic Hydrocarbons (PAHs), Wet Weight, in Tissue of *N. caecoides*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	<i>N. caecoides</i> Low PAHs ($\mu\text{g/kg}$ wet weight)						
		Acenaph-thene	Acenaph-thylene	Anthr-acene	Fluorene	Naph-thalene	2-Methyl-Naphthalene	Phenan-threne
DL Goal		20	20	20	20	20	20	20
DL Achieved		10	10	10	10	20 to 50	20	30
COMP I	1	10 U ^(a)	10 U	10 U	10 U	50 U	20 U	30 U
COMP I	2	10 U	10 U	13	46	70	20 U	75
COMP I	3	10 U	10 U	10 U	10 U	50 U	20 U	30 U
COMP I	4	10 U	10 U	10 U	10 U	50 U	20 U	30 U
COMP I	5	10 U	10 U	10 U	10 U	50 U	20 U	30 U
COMP II	1	10 U	10 U	10 U	10 U	50 U	20 U	32
COMP II	2	10 U	10 U	10 U	10 U	50 U	20 U	30 U
COMP II	3	10 U	10 U	10 U	10 U	50 U	20 U	30 U
COMP II	4	10 U	10 U	10 U	10 U	50 U	20 U	30 U
COMP II	5	10 U	10 U	10 U	10 U	75	20 U	30 U
COMP II dup	5	10 U	10 U	10 U	10 U	72	20 U	30 U
COMP III	1	10 U	10 U	10 U	10 U	50 U	20 U	30 U
COMP III	2	10 U	10 U	10 U	10 U	50 U	20 U	30 U
COMP III	3	10 U	10 U	10 U	10 U	50 U	20 U	30 U
COMP III	4	10 U	10 U	10 U	10 U	50 U	20 U	30 U
COMP III	5	10 U	10 U	10 U	10 U	50 U	20 U	30 U
COMP IV	1	10 U	10 U	10 U	10 U	40 U	20 U	26
COMP IV	2	10 U	10 U	10 U	10 U	40 U	20 U	10 U
COMP IV	3	10 U	10 U	10 U	10 U	40 U	20 U	10 U
COMP IV	4	10 U	10 U	10 U	10 U	40 U	20 U	15
COMP IV	5	10 U	10 U	10 U	10 U	40 U	20 U	17
COMP V	1	10 U	10 U	10 U	10 U	40 U	20 U	10
COMP V	2	10 U	10 U	10 U	10 U	40 U	20 U	28
COMP V	3	10 U	10 U	10 U	10 U	40 U	20 U	10 U
COMP V	4	10 U	10 U	10 U	10 U	40 U	20 U	10 U
COMP V	5	10 U	10 U	10 U	10 U	40 U	20 U	28
COMP V dup	5	10 U	10 U	10 U	10 U	40 U	20 U	18
COMP VI	1	10 U	10 U	14	10 U	50 U	20 U	38
COMP VI	2	18	10 U	18	29	59	20 U	78
COMP VI	3	10 U	10 U	13	10 U	50 U	20 U	30
COMP VI	4	10 U	10 U	13	10 U	50 U	20 U	30 U
COMP VI	5	10 U	10 U	14	15	50 U	20 U	48
R-AC	1	10 U	10 U	10 U	10 U	20 U	20 U	25
R-AC	2	10 U	10 U	10 U	10 U	27	20 U	27
R-AC	3	10 U	10 U	10 U	10 U	20 U	20 U	33
R-AC	4	10 U	10 U	10 U	10 U	20	20 U	32
R-AC	5	10 U	10 U	10 U	10 U	35	20 U	46
R-AM	1	10 U	10 U	10 U	10 U	20 U	20 U	19
R-AM	2	10 U	10 U	10 U	10 U	68	27	33
R-AM	3	10 U	10 U	10 U	10 U	33	20 U	10 U
R-AM	4	10 U	10 U	10 U	10 U	70	32	10 U
R-AM	5	10 U	10 U	10 U	10 U	32	20 U	23

TABLE K.2. (Contd)

Sediment Treatment	Replicate	<i>N. caecoides</i> Low PAHs ($\mu\text{g/kg}$ wet weight)						
		Acenaph-thene	Acenaph-thylene	Anthracene	Fluorene	Naphthalene	2-Methyl-Naphthalene	Phenanthrene
R-BF	1	10 U	10 U	10 U	10 U	20 U	20 U	15
R-BF	2	10 U	10 U	10 U	10 U	20 U	20 U	33
R-BF	3	10 U	10 U	10 U	10 U	20 U	20 U	23
R-BF	4	10 U	10 U	10 U	10 U	20 U	20 U	16
R-BF	5	10 U	10 U	10 U	10 U	20 U	20 U	15
R-OS	1	10 U	10 U	10 U	10 U	20 U	20 U	19
R-OS	2	10 U	10 U	10 U	10 U	20 U	20 U	17
R-OS	3	10 U	10 U	10 U	10 U	20 U	20 U	17
R-OS	4	10 U	10 U	10 U	10 U	20 U	20 U	14
R-OS	5	10 U	10 U	10 U	10 U	20 U	20 U	10 U
R-PC	1	10 U	10 U	10 U	10 U	20 U	20 U	17
R-PC	2	10 U	10 U	10 U	10 U	20 U	20 U	21
R-PC	3	10 U	10 U	10 U	11	20 U	20 U	30
R-PC	4	10 U	10 U	10 U	10 U	20 U	20 U	10
R-PC	5	10 U	10 U	10 U	10 U	20 U	20 U	13
R-PF	1	10 U	10 U	10 U	10 U	20 U	20 U	20
R-PF	2	10 U	10 U	10 U	10 U	20 U	20 U	13
R-PF	3	10 U	10 U	10 U	10 U	20 U	20 U	19
R-PF dup	3	10 U	10 U	10 U	10 U	20 U	20 U	19
R-PF	4	10 U	10 U	10 U	10 U	20 U	20 U	15
R-PF	5	10 U	10 U	10 U	10 U	20 U	20 U	15
C-NE	1	10 U	10 U	10 U	10 U	50	26	10 U
C-NE	2	10 U	10 U	10 U	10 U	20 U	20 U	10 U
C-NE	3	10 U	10 U	10 U	10 U	51	26	10 U
C-NE	4	10 U	10 U	10 U	10 U	28	20 U	10 U
C-NE	5	10 U	10 U	10 U	10 U	60	33	10 U
C-NE-A	1	10 U	10 U	10 U	10 U	68	30	10 U
C-NE-A dup	1	10 U	10 U	10 U	10 U	64	26	10
C-NE-A	2	10 U	10 U	10 U	10 U	50 U	20 U	10 U
C-NE-A	3	10 U	10 U	10 U	10 U	50 U	20 U	10 U
C-NE-A	4	10 U	10 U	10 U	10 U	50 U	20 U	10 U
C-NE-A	5	10 U	10 U	10 U	10 U	50 U	20 U	10 U
C-SB	1	10 U	10 U	10 U	10 U	23	20 U	16
C-SB	2	10 U	10 U	10 U	10 U	46	24	10 U
C-SB	3	10 U	10 U	10 U	10 U	77	40	22
C-SB	4	10 U	10 U	10 U	10 U	20 U	20 U	10 U
C-SB	5	10 U	10 U	10 U	10 U	57	32	10 U

(a) Undetected above given concentration.

TABLE K.3. High Molecular Weight Polynuclear Aromatic Hydrocarbons (PAHs), Wet Weight, in Tissue of *N. caecoides*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	<i>N. caecoides</i> High PAHs ($\mu\text{g/kg}$ wet weight)									
		Benzo(a) Anthracene	Benzo(b) Fluoranthene	Benzo(k) Fluoranthene	Benzo-(g,h,i) perylene	Benzo(a) pyrene	Chrysene	Dibenzo(a,h) anthracene	Fluoranthene	Indeno-(1,2,3-cd) pyrene	Pyrene
DL Goal		20	20	20	20	20	20	20	20	20	20
DL Achieved		10	10	10	10	10	10	10	10	10	10
COMP I	1	10 U(a)	10 U	10 U	10 U	10 U	11	10 U	10 U	10 U	14
COMP I	2	10 U	10 U	10 U	10 U	10 U	14	10 U	10 U	10 U	33
COMP I	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	25	10 U	32
COMP I	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	33	10 U	36
COMP I	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	19
COMP II	1	10 U	10 U	10 U	10 U	10 U	11	10 U	28	10 U	40
COMP II	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	20	10 U	34
COMP II	3	10 U	10 U	10 U	10 U	10 U	11	10 U	30	10 U	41
COMP II	4	10 U	10 U	10 U	10 U	10 U	13	10 U	10 U	10 U	29
COMP II	5	10 U	10 U	10 U	10 U	10 U	14	10 U	31	10 U	49
COMP II dup	5	10 U	10 U	10 U	10 U	10 U	42	10 U	41	10 U	43
COMP III	1	10 U	10 U	10 U	10 U	10 U	27	10 U	22	10 U	220
COMP III	2	10 U	10 U	10 U	10 U	10 U	25	10 U	44	10 U	230
COMP III	3	10 U	10 U	10 U	10 U	10 U	22	10 U	46	10 U	200
COMP III	4	25	10 U	10 U	10 U	10 U	25	10 U	52	10 U	180
COMP III	5	16	10 U	10 U	10 U	10 U	39	10 U	47	10 U	180
COMP IV	1	10 U	10 U	10 U	10 U	10 U	21	10 U	45	10 U	230
COMP IV	2	10 U	10 U	10 U	10 U	10 U	11	10 U	10 U	10 U	170
COMP IV	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	11	10 U	160
COMP IV	4	10 U	10 U	10 U	10 U	10 U	10	10 U	32	10 U	180
COMP IV	5	10 U	10 U	10 U	10 U	10 U	14	10 U	31	10 U	200
COMP V	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	22	10 U	95
COMP V	2	10 U	10 U	10 U	10 U	10 U	12	10 U	27	10 U	100
COMP V	3	10 U	13	10 U	10 U	10 U	19	10 U	10 U	10 U	86
COMP V	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	62
COMP V	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	35	10 U	97
COMP V dup	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	26	10 U	76

TABLE K.3. (Contd)

Sediment Treatment	Replicate	<i>N. caecoides</i> High PAHs ($\mu\text{g}/\text{kg}$ wet weight)									
		Benzo(a) Anthra-cene	Benzo(b) Fluoran-thene	Benzo(k) Fluoran-thene	Benzo-(g,h,i) perylene	Benzo(a) pyrene	Chrysene	Dibenzo(a,h) anthracene	Fluoran-thene	Indeno-(1,2,3-cd) pyrene	Pyrene
COMP VI	1	10 U	16	10 U	10 U	10 U	42	10 U	93	10 U	590
COMP VI	2	10 U	14	10 U	10 U	10 U	37	10 U	64	10 U	610
COMP VI	3	10 U	30	10 U	10 U	10 U	50	10 U	83	10 U	640
COMP VI	4	10 U	11	10 U	10 U	10 U	31	10 U	77	10 U	470
COMP VI	5	10 U	26	10 U	10 U	10 U	45	10 U	95	10 U	520
R-AC	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	19	10 U	43
R-AC	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	29	10 U	57
R-AC	3	10 U	10 U	10 U	10 U	10 U	10	10 U	47	10 U	66
R-AC	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	37	10 U	54
R-AC	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	38	10 U	58
R-AM	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	22	10 U	20
R-AM	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	43	10 U	37
R-AM	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-AM	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-AM	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	26	10 U	22
R-BF	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	16	10 U	19
R-BF	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	24	10 U	23
R-BF	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	19	10 U	19
R-BF	4	20	14	10 U	10 U	10 U	33	10 U	22	10 U	22
R-BF	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	17	10 U	19
R-OS	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	18	10 U	17
R-OS	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	18	10 U	16
R-OS	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10	10 U	10 U
R-OS	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	13	10 U	13
R-OS	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-PC	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	23	10 U	20
R-PC	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	17	10 U	14
R-PC	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	24	10 U	21
R-PC	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-PC	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	14	10 U	13

TABLE K.3. (Contd)

Sediment Treatment	Replicate	<i>N. caecoides</i> High PAHs ($\mu\text{g/kg}$ wet weight)									
		Benzo(a) Anthra- cene	Benzo(b) Fluoran- thene	Benzo(k) Fluoran- thene	Benzo- (g,h,i) perylene	Benzo(a) pyrene	Chrysene	Dibenzo(a,h) anthracene	Fluoran- thene	Indeno- (1,2,3-cd) pyrene	Pyrene
R-PF	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	20	10 U	17
R-PF	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	17	10 U	14
R-PF	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	26	10 U	19
R-PF dup	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	22	10 U	18
R-PF	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	20	10 U	18
R-PF	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	16	10 U	14
C-NE	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-NE	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-NE	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-NE	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-NE	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-NE-A	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-NE-A dup	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-NE-A	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-NE-A	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-NE-A	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-NE-A	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-SB	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	19	10 U	14
C-SB	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-SB	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	24	10 U	12
C-SB	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-SB	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U

(a) U Undetected above given concentration.

TABLE K.4. Total Detected Polynuclear Aromatic Hydrocarbons, Dry Weight, in Tissue of *N. caecoides*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	Percent Dry Weight	<i>N. caecoides</i> PAHs ($\mu\text{g}/\text{kg}$ dry weight)		
			Total Low Molecular Weight PAH	Total High Molecular Weight PAH	Total Detected PAH
COMP I	1	16.24	ND ^(a)	154	154
COMP I	2	14.75	1383	319	1702
COMP I	3	15.92	ND	358	358
COMP I	4	14.93	ND	462	462
COMP I	5	16.76	ND	113	113
COMP II	1	18.64	172	424	595
COMP II	2	12.63	ND	428	428
COMP II	3	17.43	ND	470	470
COMP II	4	17.50	ND	240	240
COMP II	5	17.38	432	541	972
COMP II dup	5	17.38	414	725	1139
COMP III	1	17.43	ND	1543	1543
COMP III	2	18.14	ND	1648	1648
COMP III	3	17.02	ND	1575	1575
COMP III	4	17.85	ND	1580	1580
COMP III	5	16.36	ND	1724	1724
COMP IV	1	17.48	149	1693	1842
COMP IV	2	16.89	ND	1072	1072
COMP IV	3	19.14	ND	893	893
COMP IV	4	15.73	95	1411	1507
COMP IV	5	14.61	116	1677	1793
COMP V	1	15.31	65	764	830
COMP V	2	15.99	175	869	1044
COMP V	3	16.20	ND	728	728
COMP V	4	16.56	ND	374	374
COMP V	5	14.55	192	907	1100
COMP V dup	5	14.55	124	701	825
COMP VI	1	13.91	374	5327	5701
COMP VI	2	15.98	1264	4537	5801
COMP VI	3	17.17	250	4677	4927
COMP VI	4	15.98	81	3686	3767
COMP VI	5	16.59	464	4135	4599
R-AC	1	18.03	139	344	483
R-AC	2	17.17	315	501	815
R-AC	3	17.28	191	712	903
R-AC	4	16.74	311	544	854
R-AC	5	17.33	467	554	1021
R-AM	1	15.32	124	274	398
R-AM	2	15.22	841	526	1367
R-AM	3	17.23	192	ND	192
R-AM	4	14.88	685	ND	685
R-AM	5	15.93	345	301	647
R-BF	1	17.73	85	197	282
R-BF	2	17.04	194	276	469
R-BF	3	16.26	141	234	375
R-BF	4	15.48	103	717	820
R-BF	5	14.52	103	248	351

TABLE K.4. (Contd)

Sediment Treatment	Replicate	Percent Dry Weight	<i>N. caecoides</i> PAHs ($\mu\text{g/kg}$ dry weight)		
			Total	Total	Total
			Low Molecular Weight PAH	High Molecular Weight PAH	Detected PAH
R-OS	1	11.71	162	299	461
R-OS	2	16.95	100	201	301
R-OS	3	9.96	171	100	271
R-OS	4	16.22	86	160	247
R-OS	5	15.50	ND	ND	ND
R-PC	1	15.50	110	277	387
R-PC	2	13.81	152	224	377
R-PC	3	15.79	260	285	545
R-PC	4	17.46	57	ND	57
R-PC	5	15.73	83	172	254
R-PF	1	9.59	209	386	594
R-PF	2	15.59	83	199	282
R-PF	3	17.79	107	253	360
R-PF dup	3	17.79	107	225	332
R-PF	4	15.95	94	238	332
R-PF	5	17.16	87	175	262
C-NE	1	5.26	1445	ND	1445
C-NE	2	12.75	ND	ND	ND
C-NE	3	15.71	490	ND	490
C-NE	4	10.71	261	ND	261
C-NE	5	12.34	754	ND	754
C-NE-A	1	6.91	1418	ND	1418
C-NE-A dup	1	6.91	1447	ND	1447
C-NE-A	2	18.21	ND	ND	ND
C-NE-A	3	17.20	ND	ND	ND
C-NE-A	4	17.56	ND	ND	ND
C-NE-A	5	17.93	ND	ND	ND
C-SB	1	13.27	294	249	543
C-SB	2	16.48	425	ND	425
C-SB	3	16.78	828	215	1043
C-SB	4	13.23	ND	ND	ND
C-SB	5	15.22	585	ND	585

(a) None detected.

TABLE K.5. Low Molecular Weight Polynuclear Aromatic Hydrocarbons (PAHs), Dry Weight, in Tissue of *N. caecoides*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	Percent Dry Weight	N. caecoides Low PAH (μg/kg dry weight)						
			Acenaph-thene	Acenaph-thylene	Anthracene	Fluorene	Naphthalene	2-Methyl-Naphthalene	Phenanthrene
COMP I	1	16.24	61.58 U ^(a)	61.58 U	61.58 U	61.58 U	307.88 U	123.15 U	184.73 U
COMP I	2	14.75	67.80 U	67.80 U	88.14	311.86	474.58	135.59 U	508.47
COMP I	3	15.92	62.81 U	62.81 U	62.81 U	62.81 U	314.07 U	125.63 U	188.44 U
COMP I	4	14.93	66.98 U	66.98 U	66.98 U	66.98 U	334.90 U	133.96 U	200.94 U
COMP I	5	16.76	59.67 U	59.67 U	59.67 U	59.67 U	298.33 U	119.33 U	179.00 U
COMP II	1	18.64	53.65 U	53.65 U	53.65 U	53.65 U	268.24 U	107.30 U	171.67
COMP II	2	12.63	79.18 U	79.18 U	79.18 U	79.18 U	395.88 U	158.35 U	237.53 U
COMP II	3	17.43	57.37 U	57.37 U	57.37 U	57.37 U	286.86 U	114.74 U	172.12 U
COMP II	4	17.50	57.14 U	57.14 U	57.14 U	57.14 U	285.71 U	114.29 U	171.43 U
COMP II	5	17.38	57.54 U	57.54 U	57.54 U	57.54 U	431.53	115.07 U	172.61 U
COMP II dup	5	17.38	57.54 U	57.54 U	57.54 U	57.54 U	414.27	115.07 U	172.61 U
COMP III	1	17.43	57.37 U	57.37 U	57.37 U	57.37 U	286.86 U	114.74 U	172.12 U
COMP III	2	18.14	55.13 U	55.13 U	55.13 U	55.13 U	275.63 U	110.25 U	165.38 U
COMP III	3	17.02	58.75 U	58.75 U	58.75 U	58.75 U	293.77 U	117.51 U	176.26 U
COMP III	4	17.85	56.02 U	56.02 U	56.02 U	56.02 U	280.11 U	112.04 U	168.07 U
COMP III	5	16.36	61.12 U	61.12 U	61.12 U	61.12 U	305.62 U	122.25 U	183.37 U
COMP IV	1	17.48	57.21 U	57.21 U	57.21 U	57.21 U	228.83 U	114.42 U	148.74
COMP IV	2	16.89	59.21 U	59.21 U	59.21 U	59.21 U	236.83 U	118.41 U	59.21 U
COMP IV	3	19.14	52.25 U	52.25 U	52.25 U	52.25 U	208.99 U	104.49 U	52.25 U
COMP IV	4	15.73	63.57 U	63.57 U	63.57 U	63.57 U	254.29 U	127.15 U	95.36
COMP IV	5	14.61	68.45 U	68.45 U	68.45 U	68.45 U	273.79 U	136.89 U	116.36
COMP V	1	15.31	65.32 U	65.32 U	65.32 U	65.32 U	261.27 U	130.63 U	65.32
COMP V	2	15.99	62.54 U	62.54 U	62.54 U	62.54 U	250.16 U	125.08 U	175.11
COMP V	3	16.20	61.73 U	61.73 U	61.73 U	61.73 U	246.91 U	123.46 U	61.73 U
COMP V	4	16.56	60.39 U	60.39 U	60.39 U	60.39 U	241.55 U	120.77 U	60.39 U
COMP V	5	14.55	68.73 U	68.73 U	68.73 U	68.73 U	274.91 U	137.46 U	192.44
COMP V dup	5	14.55	68.73 U	68.73 U	68.73 U	68.73 U	274.91 U	137.46 U	123.71
COMP VI	1	13.91	71.89 U	71.89 U	100.65	71.89 U	359.45 U	143.78 U	273.18
COMP VI	2	15.98	112.64	62.58 U	112.64	181.48	369.21	125.16 U	488.11
COMP VI	3	17.17	58.24 U	58.24 U	75.71	58.24 U	291.21 U	116.48 U	174.72
COMP VI	4	15.98	62.58 U	62.58 U	81.35	62.58 U	312.89 U	125.16 U	187.73 U
COMP VI	5	16.59	60.28 U	60.28 U	84.39	90.42	301.39 U	120.55 U	289.33

TABLE K.5. (Contd)

Sediment Treatment	Replicate	Percent Dry Weight	<i>N. caecoides</i> Low PAH ($\mu\text{g/kg}$ dry weight)						
			Acenaphthene	Acenaphthylene	Anthracene	Fluorene	Naphthalene	2-Methyl-Naphthalene	Phenanthrene
R-AC	1	18.03	55.46 U	55.46 U	55.46 U	55.46 U	110.93 U	110.93 U	138.66
R-AC	2	17.17	58.24 U	58.24 U	58.24 U	58.24 U	157.25	116.48 U	157.25
R-AC	3	17.28	57.87 U	57.87 U	57.87 U	57.87 U	115.74 U	115.74 U	190.97
R-AC	4	16.74	59.74 U	59.74 U	59.74 U	59.74 U	119.47	119.47 U	191.16
R-AC	5	17.33	57.70 U	57.70 U	57.70 U	57.70 U	201.96	115.41 U	265.44
R-AM	1	15.32	65.27 U	65.27 U	65.27 U	65.27 U	130.55 U	130.55 U	124.02
R-AM	2	15.22	65.70 U	65.70 U	65.70 U	65.70 U	446.78	177.40	216.82
R-AM	3	17.23	58.04 U	58.04 U	58.04 U	58.04 U	191.53	116.08 U	58.04 U
R-AM	4	14.88	67.20 U	67.20 U	67.20 U	67.20 U	470.43	215.05	67.20 U
R-AM	5	15.93	62.77 U	62.77 U	62.77 U	62.77 U	200.88	125.55 U	144.38
R-BF	1	17.73	56.40 U	56.40 U	56.40 U	56.40 U	112.80 U	112.80 U	84.60
R-BF	2	17.04	58.69 U	58.69 U	58.69 U	58.69 U	117.37 U	117.37 U	193.66
R-BF	3	16.26	61.50 U	61.50 U	61.50 U	61.50 U	123.00 U	123.00 U	141.45
R-BF	4	15.48	64.60 U	64.60 U	64.60 U	64.60 U	129.20 U	129.20 U	103.36
R-BF	5	14.52	68.87 U	68.87 U	68.87 U	68.87 U	137.74 U	137.74 U	103.31
R-OS	1	11.71	85.40 U	85.40 U	85.40 U	85.40 U	170.79 U	170.79 U	162.25
R-OS	2	16.95	59.00 U	59.00 U	59.00 U	59.00 U	117.99 U	117.99 U	100.29
R-OS	3	9.96	100.40 U	100.40 U	100.40 U	100.40 U	200.80 U	200.80 U	170.68
R-OS	4	16.22	61.65 U	61.65 U	61.65 U	61.65 U	123.30 U	123.30 U	86.31
R-OS	5	15.50	64.52 U	64.52 U	64.52 U	64.52 U	129.03 U	129.03 U	64.52 U
R-PC	1	15.50	64.52 U	64.52 U	64.52 U	64.52 U	129.03 U	129.03 U	109.68
R-PC	2	13.81	72.41 U	72.41 U	72.41 U	72.41 U	144.82 U	144.82 U	152.06
R-PC	3	15.79	63.33 U	63.33 U	63.33 U	69.66	126.66 U	126.66 U	189.99
R-PC	4	17.46	57.27 U	57.27 U	57.27 U	57.27 U	114.55 U	114.55 U	57.27
R-PC	5	15.73	63.57 U	63.57 U	63.57 U	63.57 U	127.15 U	127.15 U	82.64
R-PF	1	9.59	104.28 U	104.28 U	104.28 U	104.28 U	208.55 U	208.55 U	208.55
R-PF	2	15.59	64.14 U	64.14 U	64.14 U	64.14 U	128.29 U	128.29 U	83.39
R-PF	3	17.79	56.21 U	56.21 U	56.21 U	56.21 U	112.42 U	112.42 U	106.80
R-PF dup	3	17.79	56.21 U	56.21 U	56.21 U	56.21 U	112.42 U	112.42 U	106.80
R-PF	4	15.95	62.70 U	62.70 U	62.70 U	62.70 U	125.39 U	125.39 U	94.04
R-PF	5	17.16	58.28 U	58.28 U	58.28 U	58.28 U	116.55 U	116.55 U	87.41
C-NE	1	5.26	190.11 U	190.11 U	190.11 U	190.11 U	950.57	494.30	190.11 U
C-NE	2	12.75	78.43 U	78.43 U	78.43 U	78.43 U	156.86 U	156.86 U	78.43 U
C-NE	3	15.71	63.65 U	63.65 U	63.65 U	63.65 U	324.63	165.50	63.65 U
C-NE	4	10.71	93.37 U	93.37 U	93.37 U	93.37 U	261.44	186.74 U	93.37 U
C-NE	5	12.34	81.04 U	81.04 U	81.04 U	81.04 U	485.22	267.42	81.04 U

TABLE K.5. (Contd)

Sediment Treatment	Replicate	Percent Dry Weight	<i>N. caecoides</i> Low PAH ($\mu\text{g/kg}$ dry weight)						
			Acenaphthene	Acenaphthylene	Anthracene	Fluorene	Naphthalene	2-Methyl-Naphthalene	Phenanthrene
C-NE-A	1	6.91	144.72 U	144.72 U	144.72 U	144.72 U	984.08	434.15	144.72 U
C-NE-A dup	1	6.91	144.72 U	144.72 U	144.72 U	144.72 U	926.19	376.27	144.72
C-NE-A	2	18.21	54.91 U	54.91 U	54.91 U	54.91 U	274.57 U	109.83 U	54.91 U
C-NE-A	3	17.20	58.14 U	58.14 U	58.14 U	58.14 U	290.70 U	116.28 U	58.14 U
C-NE-A	4	17.56	56.95 U	56.95 U	56.95 U	56.95 U	284.74 U	113.90 U	56.95 U
C-NE-A	5	17.93	55.77 U	55.77 U	55.77 U	55.77 U	278.86 U	111.54 U	55.77 U
C-SB	1	13.27	75.36 U	75.36 U	75.36 U	75.36 U	173.32	150.72 U	120.57
C-SB	2	16.48	60.68 U	60.68 U	60.68 U	60.68 U	279.13	145.63	60.68 U
C-SB	3	16.78	59.59 U	59.59 U	59.59 U	59.59 U	458.88	238.38	131.11
C-SB	4	13.23	75.59 U	75.59 U	75.59 U	75.59 U	151.17 U	151.17 U	75.59 U
C-SB	5	15.22	65.70 U	65.70 U	65.70 U	65.70 U	374.51	210.25	65.70 U

(a) Undetected above given Concentration.

TABLE K.6. High Molecular Weight Polynuclear Aromatic Hydrocarbons (PAHs), Dry Weight, in Tissue of *N. caecoides*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	Percent Dry Weight	<i>N. caecoides</i> High PAHs ($\mu\text{g}/\text{kg}$ dry weight)									
			Benzo(a) anthracene	Benzo(b) flouran- thene	Benzo(k) flouran- thene	Benzo- (g,h,i) perylene	Benzo(a) pyrene	Chrysene	Dibenzo- (a,h) anthracene	Fluoran- thene	Indeno- (1,2,3-c,d) Pyrene	Pyrene
COMP I	1	16.24	61.58 U ^(a)	61.58 U	61.58 U	61.58 U	61.58 U	67.73	61.58 U	61.58 U	61.58 U	86.21
COMP I	2	14.75	67.80 U	67.80 U	67.80 U	67.80 U	67.80 U	94.92	67.80 U	67.80 U	67.80 U	223.73
COMP I	3	15.92	62.81 U	62.81 U	62.81 U	62.81 U	62.81 U	62.81 U	62.81 U	157.04	62.81 U	201.01
COMP I	4	14.93	66.98 U	66.98 U	66.98 U	66.98 U	66.98 U	66.98 U	66.98 U	221.03	66.98 U	241.13
COMP I	5	16.76	59.67 U	59.67 U	59.67 U	59.67 U	59.67 U	59.67 U	59.67 U	59.67 U	59.67 U	113.37
COMP II	1	18.64	53.65 U	53.65 U	53.65 U	53.65 U	53.65 U	59.01	53.65 U	150.21	53.65 U	214.59
COMP II	2	12.63	79.18 U	79.18 U	79.18 U	79.18 U	79.18 U	79.18 U	79.18 U	158.35	79.18 U	269.20
COMP II	3	17.43	57.37 U	57.37 U	57.37 U	57.37 U	57.37 U	63.11	57.37 U	172.12	57.37 U	235.23
COMP II	4	17.50	57.14 U	57.14 U	57.14 U	57.14 U	57.14 U	74.29	57.14 U	57.14 U	57.14 U	165.71
COMP II	5	17.38	57.54 U	57.54 U	57.54 U	57.54 U	57.54 U	80.55	57.54 U	178.37	57.54 U	281.93
COMP II dup	5	17.38	57.54 U	57.54 U	57.54 U	57.54 U	57.54 U	241.66	57.54 U	235.90	57.54 U	247.41
COMP III	1	17.43	57.37 U	57.37 U	57.37 U	57.37 U	57.37 U	154.91	57.37 U	126.22	57.37 U	1262.19
COMP III	2	18.14	55.13 U	55.13 U	55.13 U	55.13 U	55.13 U	137.82	55.13 U	242.56	55.13 U	1267.92
COMP III	3	17.02	58.75 U	58.75 U	58.75 U	58.75 U	58.75 U	129.26	58.75 U	270.27	58.75 U	1175.09
COMP III	4	17.85	140.06	56.02 U	56.02 U	56.02 U	56.02 U	140.06	56.02 U	291.32	56.02 U	1008.40
COMP III	5	16.36	97.80	61.12 U	61.12 U	61.12 U	61.12 U	238.39	61.12 U	287.29	61.12 U	1100.24
COMP IV	1	17.48	57.21 U	57.21 U	57.21 U	57.21 U	57.21 U	120.14	57.21 U	257.44	57.21 U	1315.79
COMP IV	2	16.89	59.21 U	59.21 U	59.21 U	59.21 U	59.21 U	65.13	59.21 U	59.21 U	59.21 U	1006.51
COMP IV	3	19.14	52.25 U	52.25 U	52.25 U	52.25 U	52.25 U	52.25 U	52.25 U	57.47	52.25 U	835.95
COMP IV	4	15.73	63.57 U	63.57 U	63.57 U	63.57 U	63.57 U	63.57	63.57 U	203.43	63.57 U	1144.31
COMP IV	5	14.61	68.45 U	68.45 U	68.45 U	68.45 U	68.45 U	95.82	68.45 U	212.18	68.45 U	1368.93
COMP V	1	15.31	65.32 U	65.32 U	65.32 U	65.32 U	65.32 U	65.32 U	65.32 U	143.70	65.32 U	620.51
COMP V	2	15.99	62.54 U	62.54 U	62.54 U	62.54 U	62.54 U	75.05	62.54 U	169.86	62.54 U	625.39
COMP V	3	16.20	61.73 U	61.73 U	61.73 U	61.73 U	61.73 U	117.28	61.73 U	61.73 U	61.73 U	530.86
COMP V	4	16.56	60.39 U	60.39 U	60.39 U	60.39 U	60.39 U	60.39 U	60.39 U	60.39 U	60.39 U	374.40
COMP V	5	14.55	68.73 U	68.73 U	68.73 U	68.73 U	68.73 U	68.73 U	68.73 U	240.55	68.73 U	666.67
COMP V dup	5	14.55	68.73 U	68.73 U	68.73 U	68.73 U	68.73 U	68.73 U	68.73 U	178.69	68.73 U	522.34
COMP VI	1	13.91	71.89 U	71.89 U	71.89 U	71.89 U	71.89 U	301.94	71.89 U	668.58	71.89 U	4241.55
COMP VI	2	15.98	62.58 U	62.58 U	62.58 U	62.58 U	62.58 U	231.54	62.58 U	400.50	62.58 U	3817.27
COMP VI	3	17.17	58.24 U	58.24 U	58.24 U	58.24 U	58.24 U	291.21	58.24 U	483.40	58.24 U	3727.43
COMP VI	4	15.98	62.58 U	62.58 U	62.58 U	62.58 U	62.58 U	193.99	62.58 U	481.85	62.58 U	2941.18
COMP VI	5	16.59	60.28 U	60.28 U	60.28 U	60.28 U	60.28 U	271.25	60.28 U	572.63	60.28 U	3134.42

TABLE K.6. (Contd)

Sediment Treatment	Replicate	Percent Dry Weight	N. caecoides High PAHs ($\mu\text{g}/\text{kg}$ dry weight)									
			Benzo(a) anthracene	Benzo(b) fluoranthene	Benzo(k) fluoranthene	Benzo- (g,h,i) perylene	Benzo(a) pyrene	Chrysene	Dibenzo- (a,h) anthracene	Fluoranthene	Indeno- (1,2,3-c,d) pyrene	Pyrene
R-AC	1	18.03	55.46 U	55.46 U	55.46 U	55.46 U	55.46 U	55.46 U	55.46 U	105.38	55.46 U	238.49
R-AC	2	17.17	58.24 U	58.24 U	58.24 U	58.24 U	58.24 U	58.24 U	58.24 U	168.90	58.24 U	331.97
R-AC	3	17.28	57.87 U	57.87 U	57.87 U	57.87 U	57.87 U	57.87 U	57.87 U	271.99	57.87 U	381.94
R-AC	4	16.74	59.74 U	59.74 U	59.74 U	59.74 U	59.74 U	59.74 U	59.74 U	221.03	59.74 U	322.58
R-AC	5	17.33	57.70 U	57.70 U	57.70 U	57.70 U	57.70 U	57.70 U	57.70 U	219.27	57.70 U	334.68
R-AM	1	15.32	65.27 U	65.27 U	65.27 U	65.27 U	65.27 U	65.27 U	65.27 U	143.60	65.27 U	130.55
R-AM	2	15.22	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	282.52	65.70 U	243.10
R-AM	3	17.23	58.04 U	58.04 U	58.04 U	58.04 U	58.04 U	58.04 U	58.04 U	58.04 U	58.04 U	58.04 U
R-AM	4	14.88	67.20 U	67.20 U	67.20 U	67.20 U	67.20 U	67.20 U	67.20 U	67.20 U	67.20 U	67.20 U
R-AM	5	15.93	62.77 U	62.77 U	62.77 U	62.77 U	62.77 U	62.77 U	62.77 U	163.21	62.77 U	138.10
R-BF	1	17.73	56.40 U	56.40 U	56.40 U	56.40 U	56.40 U	56.40 U	56.40 U	90.24	56.40 U	107.16
R-BF	2	17.04	58.69 U	58.69 U	58.69 U	58.69 U	58.69 U	58.69 U	58.69 U	140.85	58.69 U	134.98
R-BF	3	16.26	61.50 U	61.50 U	61.50 U	61.50 U	61.50 U	61.50 U	61.50 U	116.85	61.50 U	116.85
R-BF	4	15.48	129.20 U	90.44	64.60 U	64.60 U	64.60 U	213.18	64.60 U	142.12	64.60 U	142.12
R-BF	5	14.52	68.87 U	68.87 U	68.87 U	68.87 U	68.87 U	68.87 U	68.87 U	117.08	68.87 U	130.85
R-OS	1	11.71	85.40 U	85.40 U	85.40 U	85.40 U	85.40 U	85.40 U	85.40 U	153.71	85.40 U	145.18
R-OS	2	16.95	59.00 U	59.00 U	59.00 U	59.00 U	59.00 U	59.00 U	59.00 U	106.19	59.00 U	94.40
R-OS	3	9.96	100.40 U	100.40 U	100.40 U	100.40 U	100.40 U	100.40 U	100.40 U	100.40 U	100.40 U	100.40 U
R-OS	4	16.22	61.65 U	61.65 U	61.65 U	61.65 U	61.65 U	61.65 U	61.65 U	80.15	61.65 U	80.15
R-OS	5	15.50	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U
R-PC	1	15.50	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	148.39	64.52 U	129.03
R-PC	2	13.81	72.41 U	72.41 U	72.41 U	72.41 U	72.41 U	72.41 U	72.41 U	123.10	72.41 U	101.38
R-PC	3	15.79	63.33 U	63.33 U	63.33 U	63.33 U	63.33 U	63.33 U	63.33 U	151.99	63.33 U	133.00
R-PC	4	17.46	57.27 U	57.27 U	57.27 U	57.27 U	57.27 U	57.27 U	57.27 U	57.27 U	57.27 U	57.27 U
R-PC	5	15.73	63.57 U	63.57 U	63.57 U	63.57 U	63.57 U	63.57 U	63.57 U	89.00	63.57 U	82.64
R-PF	1	9.59	104.28 U	104.28 U	104.28 U	104.28 U	104.28 U	104.28 U	104.28 U	208.55	104.28 U	177.27
R-PF	2	15.59	64.14 U	64.14 U	64.14 U	64.14 U	64.14 U	64.14 U	64.14 U	109.04	64.14 U	89.80
R-PF	3	17.79	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	146.15	56.21 U	106.80
R-PF dup	3	17.79	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	123.66	56.21 U	101.18
R-PF	4	15.95	62.70 U	62.70 U	62.70 U	62.70 U	62.70 U	62.70 U	62.70 U	125.39	62.70 U	112.85
R-PF	5	17.16	58.28 U	58.28 U	58.28 U	58.28 U	58.28 U	58.28 U	58.28 U	93.24	58.28 U	81.59

TABLE K.6. (Contd)

Sediment Treatment	Replicate	Percent Dry Weight	<i>N. caecoides</i> High PAHs ($\mu\text{g/kg}$ dry weight)									
			Benzo(a) anthracene	Benzo(b) flouran-thene	Benzo(k) flouran-thene	Benzo-(g,h,i) perylene	Benzo(a) pyrene	Chrysene	Dibenzo-(a,h) anthracene	Fluoranthene	Indeno-(1,2,3-c,d) Pyrene	Pyrene
C-NE	1	5.26	190.11 U	190.11 U	190.11 U	190.11 U	190.11 U	190.11 U	190.11 U	190.11 U	190.11 U	190.11 U
C-NE	2	12.75	78.43 U	78.43 U	78.43 U	78.43 U	78.43 U	78.43 U	78.43 U	78.43 U	78.43 U	78.43 U
C-NE	3	15.71	63.65 U	63.65 U	63.65 U	63.65 U	63.65 U	63.65 U	63.65 U	63.65 U	63.65 U	63.65 U
C-NE	4	10.71	93.37 U	93.37 U	93.37 U	93.37 U	93.37 U	93.37 U	93.37 U	93.37 U	93.37 U	93.37 U
C-NE	5	12.34	81.04 U	81.04 U	81.04 U	81.04 U	81.04 U	81.04 U	81.04 U	81.04 U	81.04 U	81.04 U
C-NE-A	1	6.91	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U
C-NE-A dup	1	6.91	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U
C-NE-A	2	18.21	54.91 U	54.91 U	54.91 U	54.91 U	54.91 U	54.91 U	54.91 U	54.91 U	54.91 U	54.91 U
C-NE-A	3	17.20	58.14 U	58.14 U	58.14 U	58.14 U	58.14 U	58.14 U	58.14 U	58.14 U	58.14 U	58.14 U
C-NE-A	4	17.56	56.95 U	56.95 U	56.95 U	56.95 U	56.95 U	56.95 U	56.95 U	56.95 U	56.95 U	56.95 U
C-NE-A	5	17.93	55.77 U	55.77 U	55.77 U	55.77 U	55.77 U	55.77 U	55.77 U	55.77 U	55.77 U	55.77 U
C-SB	1	13.27	75.36 U	75.36 U	75.36 U	75.36 U	75.36 U	75.36 U	75.36 U	143.18	75.36 U	105.50
C-SB	2	16.48	60.68 U	60.68 U	60.68 U	60.68 U	60.68 U	60.68 U	60.68 U	60.68 U	60.68 U	60.68 U
C-SB	3	16.78	59.59 U	59.59 U	59.59 U	59.59 U	59.59 U	59.59 U	59.59 U	143.03	59.59 U	71.51
C-SB	4	13.23	75.59 U	75.59 U	75.59 U	75.59 U	75.59 U	75.59 U	75.59 U	75.59 U	75.59 U	75.59 U
C-SB	5	15.22	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U

(a) Undetected above given concentration.

TABLE K.7. Quality Control Data for Low Molecular Weight Polynuclear Aromatic Hydrocarbons (PAHs), Wet Weight, in Tissue of *N. caecoides*, Oakland Phase III 38' Project

		<i>N. caecoides</i> Low PAHs ($\mu\text{g/kg}$ wet weight)						
<u>Sediment Treatment</u>	<u>Replicate</u>	<u>Acenaph-thene</u>	<u>Acenaph-thylene</u>	<u>Anthracene</u>	<u>Fluorene</u>	<u>Naphthalene</u>	<u>2-Methyl-Naphthalene</u>	<u>Phenanthrene</u>
<u>Method Blanks</u>								
Blank C		10 U ^(a)	10 U	10 U	10 U	40 U	20 U	10 U
Blank D		10 U	10 U	10 U	10 U	50 U	20 U	30 U
Blank E		10 U	10 U	10 U	10 U	20 U	20 U	10 U
Blank F		10 U	10 U	10 U	10 U	20 U	20 U	10 U
Blank H		10 U	10 U	10 U	10 U	50 U	20 U	10 U
<u>Matrix Spikes and Matrix Spike Duplicates</u> ^(b) (percent recoveries)								
MS-C		110	110	110	120	110	NA ^(c)	110
MSD-C		120	110	120	120	100	NA	120
RPD		9%	0%	9%	0%	10%	NA	9%
I-Stat		0.04	0.00	0.04	0.00	0.05	NA	0.04
MS-D		110	120	120	110	91	NA	94
MSD-D		110	120	130	110	120	NA	94
RPD		0%	0%	8%	0%	28% ^(d)	NA	0%
I-Stat		0.00	0.00	0.04	0.00	0.14	NA	0.00
MS-E		100	100	120	110	98	NA	110
MSD-E		96	95	100	100	77	NA	95
RPD		4%	5%	18%	10%	24% ^(d)	NA	15%
I-Stat		0.02	0.03	0.09	0.05	0.12	NA	0.07
MS-F		95	86	99	96	73	NA	100
MSD-F		110	100	110	110	32	NA	120
RPD		15%	15%	11%	14%	78% ^(d)	NA	18%
I-Stat		0.07	0.08	0.05	0.07	0.39	NA	0.09
MS-H		100	100	100	110	87	NA	110
MSD-H		110	100	110	110	82	NA	110
RPD		10%	0%	10%	0%	6%	NA	0%
I-Stat		0.05	0.00	0.05	0.00	0.03	NA	0.00
<u>Analytical Duplicates</u>								
COMP II	5	10 U	10 U	10 U	10 U	75	20 U	30 U
COMP II dup	5	10 U	10 U	10 U	10 U	72	20 U	30 U
RPD		NA	NA	NA	NA	4%	NA	NA
I-Stat		NA	NA	NA	NA	0.02	NA	NA
COMP V	5	10 U	10 U	10 U	10 U	40 U	20 U	28
COMP V dup	5	10 U	10 U	10 U	10 U	40 U	20 U	18
RPD		NA	NA	NA	NA	NA	NA	43% ^(d)
I-Stat		NA	NA	NA	NA	NA	NA	0.22
R-PF	3	10 U	10 U	10 U	10 U	20 U	20 U	19
R-PF dup	3	10 U	10 U	10 U	10 U	20 U	20 U	19
RPD		NA	NA	NA	NA	NA	NA	0%
I-Stat		NA	NA	NA	NA	NA	NA	0.0

TABLE K.7. (Contd)

		<i>N. caecoides</i> Low PAHs ($\mu\text{g}/\text{kg}$ wet weight)						
<u>Sediment Treatment</u>	<u>Replicate</u>	<u>Acenaph-thene</u>	<u>Acenaph-thylene</u>	<u>Anthr-acene</u>	<u>Fluorene</u>	<u>Naph-thalene</u>	<u>2-Methyl-Naphthalene</u>	<u>Phenan-threne</u>
<u>Analytical Duplicates (Contd)</u>								
C-NE-A	1	10 U	10 U	10 U	10 U	68	30	10 U
C-NE-A dup	1	10 U	10 U	10 U	10 U	64	26	10
RPD		NA	NA	NA	NA	6%	14%	NA
I-Stat		NA	NA	NA	NA	0.03	0.07	NA

- (a) Undetected above given concentration.
 (b) Matrix Spikes and Matrix Spike duplicates were performed on worm tissue samples that had not been exposed to sediment in 28-Day test.
 (c) Not applicable.
 (d) Outside of target quality control range.

TABLE K.8. Quality Control Data for High Molecular Weight Polynuclear Aromatic Hydrocarbons (PAHs), Wet Weight, in Tissue of *N. caecoides*, Oakland Phase III 38' Project

		<i>N. caecoides</i> High PAHs ($\mu\text{g/kg}$ wet weight)									
Sediment Treatment	Replicate	Benzo(a) Anthracene	Benzo(b) Fluoranthene	Benzo(k) Fluoranthene	Benzo-(g,h,i) perylene	Benzo[a] pyrene	Chrysene	Dibenzo(a,h) anthracene	Fluoranthene	Indeno 1,2,3 Pyrene	Pyrene
Method Blanks											
Blank C		10 U ^(a)	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Blank D		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Blank E		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Blank F		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Blank H		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Matrix Spikes and Matrix Spike Duplicates ^(b) (percent recoveries)											
MS-C		300	220	210	ND ^(c)	120	280	ND	110	ND	110
MSD-C		160	130	120	ND	110	150	ND	120	ND	110
RPD		61XX ^(d)	51XX	55XX	NA ^(e)	9%	60XX	NA	9%	NA	0%
I-Stat		0.30	0.26	0.27	NA	0.04	0.30	NA	0.04	NA	0.00
MS-D		170	130	130	ND	110	160	ND	120	ND	110
MSD-D		180	130	130	ND	110	160	ND	120	ND	110
RPD		6%	0%	0%	NA	0%	0%	NA	0%	NA	0%
I-Stat		0.03	0.00	0.00	NA	0.00	0.00	NA	0.00	NA	0.00
MS-E		160	130	120	93	110	140	57	110	67	110
MSD-E		140	120	110	85	91	120	55	100	68	97
RPD		13%	8%	9%	9%	19%	15%	4%	10%	2%	13%
I-Stat		0.07	0.04	0.04	0.04	0.09	0.08	0.02	0.05	0.01	0.06
MS-F		160	120	120	41	100	140	31	95	68	93
MSD-F		250	160	180	130	ND	200	13	110	33	110
RPD		44XX	29XX	40XX	104XX	NA	35XX	82XX	15%	69XX	17%
I-Stat		0.22	0.14	0.20	0.52	NA	0.18	0.41	0.07	0.35	0.08
MS-H		140	110	120	98	97	120	66	110	72	100
MSD-H		150	120	120	110	100	130	77	110	85	110
RPD		7%	9%	0%	12%	3%	8%	15%	0%	17%	10%
I-Stat		0.03	0.04	0.00	0.06	0.02	0.04	0.08	0.00	0.08	0.05

TABLE K.8. (Contd)

		<i>N. caecoides</i> High PAHs ($\mu\text{g}/\text{kg}$ wet weight)									
Sediment Treatment	Replicate	Benzo(a) Anthra- cene	Benzo(b) Fluoran- thene	Benzo(k) Fluoran- thene	Benzo- (g,h,i) perylene	Benzo[a] pyrene	Chrysene	Dibenzo(a,h) anthracene	Fluoran- thene	Indeno 1,2,3 Pyrene	Pyrene
<u>Analytical Duplicates</u>											
COMP II	5	10 U	10 U	10 U	10 U	10 U	14	10 U	31	10 U	49
COMP II dup	5	10 U	10 U	10 U	10 U	10 U	42	10 U	41	10 U	43
RPD		NA	NA	NA	NA	NA	100XX	NA	28XX	NA	13%
I-Stat		NA	NA	NA	NA	NA	0.50	NA	0.14	NA	0.07
COMP V	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	35	10 U	97
COMP V dup	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	26	10 U	76
RPD		NA	NA	NA	NA	NA	NA	NA	30XX	NA	24XX
I-Stat		NA	NA	NA	NA	NA	NA	NA	0.15	NA	0.12
R-PF	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	26	10 U	19
R-PF dup	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	22	10 U	18
RPD		NA	NA	NA	NA	NA	NA	NA	17%	NA	5%
I-Stat		NA	NA	NA	NA	NA	NA	NA	0.08	NA	0.03
C-NE-A	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-NE-A dup	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
RPD		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
I-Stat		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

(a) Undetected above given concentration.

(b) Matrix Spikes and Matrix Spike Duplicates were performed on worm tissue samples that had not been exposed to sediment in 28-Day test.

(c) No Data.

(d) Outside of target quality control range.

(e) Not Applicable; calculations cannot be made since some values were undetected.

TABLE K.9. Surrogate Recoveries for Polynuclear Aromatic Hydrocarbons (PAHs)
in Tissue of *N. caecoides*, Oakland Phase III 38' Project

Sediment Treatment	<i>N. caecoides</i> Surrogate Percent Recovery			
	Naph-d8	Acen-d10	Phen-d10	B(a)P-d12
COMP I	100	95	100	74
COMP I	48	52	83	47
COMP I	83	81	82	68
COMP I	64	64	67	48
COMP I	61	73	81	86
COMP II	97	97	100	81
COMP II	74	69	74	70
COMP II	92	88	97	71
COMP II	95	89	95	78
COMP II	77	64	70	35
COMP II dup	85	75	77	20
COMP III	75	83	87	70
COMP III	79	77	78	78
COMP III	84	79	77	81
COMP III	70	81	83	71
COMP III	93	83	89	75
COMP IV	79	84	88	51
COMP IV	75	77	82	55
COMP IV	69	85	93	68
COMP IV	110	110	110	110
COMP IV	91	96	97	71
COMP V	82	85	90	52
COMP V	76	77	82	43
COMP V	78	77	80	43
COMP V	63	68	72	38
COMP V	53	57	63	37
COMP V dup	77	80	82	55
COMP VI	100	90	91	72
COMP VI	94	88	95	84
COMP VI	90	83	86	63
COMP VI	110	96	95	83
COMP VI	110	97	100	65
R-AC	0	23	67	49
R-AC	81	81	83	73
R-AC	10	70	88	63
R-AC	89	90	89	76
R-AC	10	27	30	4

TABLE K.9. (Contd)

Sediment Treatment	<i>N. caecoides</i> Surrogate Percent Recovery			
	Naph-d8	Acen-d10	Phen-d10	B(a)P-d12
R-AM	80	83	84	59
R-AM	32	29	30	13
R-AM	96	97	94	59
R-AM	59	58	58	43
R-AM	57	77	79	61
R-BF	62	74	79	48
R-BF	71	76	79	38
R-BF	67	78	86	51
R-BF	65	74	72	41
R-BF	80	77	75	33
R-OS	75	71	70	43
R-OS	63	68	72	25
R-OS	80	79	78	39
R-OS	38	61	65	26
R-OS	70	72	70	28
R-PC	30	67	75	56
R-PC	0	51	67	34
R-PC	63	70	76	46
R-PC	61	74	79	44
R-PC	76	78	78	36
R-PF	74	82	85	50
R-PF	65	73	80	43
R-PF	75	82	87	60
R-PF dup	49	61	67	46
R-PF	80	81	80	59
R-PF	72	77	79	52
C-NE	67	76	80	46
C-NE	25	100	110	88
C-NE	47	53	59	35
C-NE	91	99	95	71
C-NE	74	82	84	73
C-NE-A	51	60	70	59
C-NE-A dup	61	63	71	30
C-NE-A	50	61	71	53
C-NE-A	55	64	73	59
C-NE-A	51	63	74	55
C-NE-A	39	58	71	51

TABLE K.9. (Contd)

<u>Sediment Treatment</u>	<u><i>N. caecoides</i> Surrogate Percent Recovery</u>			
	<u>Naph-d8</u>	<u>Acen-d10</u>	<u>Phen-d10</u>	<u>B(a)P-d12</u>
C-SB	39	68	70	53
C-SB	63	67	66	53
C-SB	63	68	68	52
C-SB	37	75	77	55
C-SB	93	99	97	80

TABLE K.10. Polychlorinated Biphenyls (PCBs), Wet Weight, in Tissue of *N. caecoides*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	<i>N. caecoides</i> PCBs ($\mu\text{g/kg}$ wet weight)						
		Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260
DL Goal		20	20	20	20	20	20	20
DL Achieved		100-200	100-200	100-200	100-200	100-200	100-200	100-200
COMP I	1	100 U ^(a)	100 U	100 U	100 U	100 U	100 U	100 U
COMP I	2	100 U	100 U	100 U	100 U	100 U	100 U	100 U
COMP I	3	100 U	100 U	100 U	100 U	100 U	100 U	100 U
COMP I	4	100 U	100 U	100 U	100 U	100 U	100 U	100 U
COMP I	5	100 U	100 U	100 U	100 U	100 U	100 U	100 U
COMP II	1	100 U	100 U	100 U	100 U	100 U	120	100 U
COMP II	2	100 U	100 U	100 U	100 U	100 U	100 U	100 U
COMP II	3	100 U	100 U	100 U	100 U	100 U	100 U	100 U
COMP II	4	100 U	100 U	100 U	100 U	100 U	100 U	100 U
COMP II	5	100 U	100 U	100 U	100 U	100 U	100 U	100 U
COMP II dup	5	100 U	100 U	100 U	100 U	100 U	100 U	100 U
COMP III	1	100 U	100 U	100 U	100 U	100 U	180	100 U
COMP III	2	100 U	100 U	100 U	100 U	100 U	160	100 U
COMP III	3	100 U	100 U	100 U	100 U	100 U	150	100 U
COMP III	4	100 U	100 U	100 U	100 U	100 U	240	100 U
COMP III	5	100 U	100 U	100 U	100 U	100 U	100 U	100 U
COMP IV	1	200 U	200 U	200 U	200 U	200 U	200 U	200 U
COMP IV	2	200 U	200 U	200 U	200 U	200 U	200 U	200 U
COMP IV	3	100 U	100 U	100 U	100 U	100 U	100 U	100 U
COMP IV	4	100 U	100 U	100 U	100 U	100 U	100 U	100 U
COMP IV	5	100 U	100 U	100 U	100 U	100 U	100 U	100 U
COMP V	1	150 U	150 U	150 U	150 U	150 U	150 U	150 U
COMP V	2	100 U	100 U	100 U	100 U	100 U	100 U	100 U
COMP V	3	100 U	100 U	100 U	100 U	100 U	100 U	100 U
COMP V	4	150 U	150 U	150 U	150 U	150 U	150 U	150 U
COMP V	5	200 U	200 U	200 U	200 U	200 U	200 U	200 U
COMP V dup	5	100 U	100 U	100 U	100 U	100 U	100 U	100 U
COMP VI	1	100 U	100 U	100 U	100 U	100 U	100 U	100 U
COMP VI	2	100 U	100 U	100 U	100 U	100 U	100 U	100 U
COMP VI	3	100 U	100 U	100 U	100 U	100 U	100 U	100 U
COMP VI	4	100 U	100 U	100 U	100 U	100 U	100 U	100 U
COMP VI	5	100 U	100 U	100 U	100 U	100 U	100 U	100 U
R-AC	1	100 U	100 U	100 U	100 U	100 U	100 U	100 U
R-AC	2	100 U	100 U	100 U	100 U	100 U	100 U	100 U
R-AC	3	100 U	100 U	100 U	100 U	100 U	100 U	100 U
R-AC	4	100 U	100 U	100 U	100 U	100 U	100 U	100 U
R-AC	5	100 U	100 U	100 U	100 U	100 U	100 U	100 U
R-AM	1	100 U	100 U	100 U	100 U	100 U	100 U	100 U
R-AM	2	100 U	100 U	100 U	100 U	100 U	100 U	100 U
R-AM	3	100 U	100 U	100 U	100 U	100 U	100 U	100 U
R-AM	4	100 U	100 U	100 U	100 U	100 U	100 U	100 U
R-AM	5	100 U	100 U	100 U	100 U	100 U	100 U	100 U

TABLE K.10. (Contd)

Sediment Treatment	Replicate	<i>N. caecoides</i> PCBs ($\mu\text{g}/\text{kg}$ wet weight)						
		Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260
R-BF	1	100 U	100 U	100 U	100 U	100 U	100 U	100 U
R-BF	2	100 U	100 U	100 U	100 U	100 U	110	100 U
R-BF	3	100 U	100 U	100 U	100 U	100 U	100 U	100 U
R-BF	4	100 U	100 U	100 U	100 U	100 U	150	100 U
R-BF	5	100 U	100 U	100 U	100 U	100 U	190	100 U
R-OS	1	100 U	100 U	100 U	100 U	100 U	110	100 U
R-OS	2	100 U	100 U	100 U	100 U	100 U	170	100 U
R-OS	3	100 U	100 U	100 U	100 U	100 U	200	100 U
R-OS	4	100 U	100 U	100 U	100 U	100 U	300	100 U
R-OS	5	100 U	100 U	100 U	100 U	100 U	170	100 U
R-PC	1	100 U	100 U	100 U	100 U	100 U	100 U	100 U
R-PC	2	100 U	100 U	100 U	100 U	100 U	180	100 U
R-PC	3	100 U	100 U	100 U	100 U	100 U	100 U	100 U
R-PC	4	100 U	100 U	100 U	100 U	100 U	100 U	100 U
R-PC	5	100 U	100 U	100 U	100 U	100 U	200	100 U
R-PF	1	100 U	100 U	100 U	100 U	100 U	100 U	100 U
R-PF	2	100 U	100 U	100 U	100 U	100 U	100 U	100 U
R-PF	3	100 U	100 U	100 U	100 U	100 U	100 U	100 U
R-PF dup	3	100 U	100 U	100 U	100 U	100 U	100 U	100 U
R-PF	4	100 U	100 U	100 U	100 U	100 U	100 U	100 U
R-PF	5	100 U	100 U	100 U	100 U	100 U	100 U	100 U
C-NE	1	100 U	100 U	100 U	100 U	100 U	100 U	100 U
C-NE	2	100 U	100 U	100 U	100 U	100 U	100 U	100 U
C-NE	3	100 U	100 U	100 U	100 U	100 U	100 U	100 U
C-NE	4	100 U	100 U	100 U	100 U	100 U	100 U	100 U
C-NE	5	100 U	100 U	100 U	100 U	100 U	100 U	100 U
C-NE-A	1	100 U	100 U	100 U	100 U	100 U	100 U	100 U
C-NE-A dup	1	100 U	100 U	100 U	100 U	100 U	100 U	100 U
C-NE-A	2	100 U	100 U	100 U	100 U	100 U	100 U	100 U
C-NE-A	3	100 U	100 U	100 U	100 U	100 U	100 U	100 U
C-NE-A	4	100 U	100 U	100 U	100 U	100 U	100 U	100 U
C-NE-A	5	100 U	100 U	100 U	100 U	100 U	100 U	100 U
C-SB	1	100 U	100 U	100 U	100 U	100 U	100 U	100 U
C-SB	2	100 U	100 U	100 U	100 U	100 U	100 U	100 U
C-SB	3	100 U	100 U	100 U	100 U	100 U	100 U	100 U
C-SB	4	100 U	100 U	100 U	100 U	100 U	100 U	100 U
C-SB	5	100 U	100 U	100 U	100 U	100 U	100 U	100 U

(a) Undetected above given concentration.

TABLE K.11. Polychlorinated Biphenyls (PCBs), Dry Weight, in Tissue of *N. caecoides*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	Percent Dry Weight	<i>N. caecoides</i> PCBs ($\mu\text{g}/\text{kg}$ dry weight)						
			Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Aroclor-1254	Aroclor-1260
COMP I	1	16.24	616 U ^(a)	616 U	616 U	616 U	616 U	616 U	616 U
COMP I	2	14.75	678 U	678 U	678 U	678 U	678 U	678 U	678 U
COMP I	3	15.92	628 U	628 U	628 U	628 U	628 U	628 U	628 U
COMP I	4	14.93	670 U	670 U	670 U	670 U	670 U	670 U	670 U
COMP I	5	16.76	597 U	597 U	597 U	597 U	597 U	597 U	597 U
COMP II	1	18.64	536 U	536 U	536 U	536 U	536 U	644	536 U
COMP II	2	12.63	792 U	792 U	792 U	792 U	792 U	792 U	792 U
COMP II	3	17.43	574 U	574 U	574 U	574 U	574 U	574 U	574 U
COMP II	4	17.50	571 U	571 U	571 U	571 U	571 U	571 U	571 U
COMP II	5	17.38	575 U	575 U	575 U	575 U	575 U	575 U	575 U
COMP II dup	5	17.38	575 U	575 U	575 U	575 U	575 U	575 U	575 U
COMP III	1	17.43	574 U	574 U	574 U	574 U	574 U	1033	574 U
COMP III	2	18.14	551 U	551 U	551 U	551 U	551 U	882	551 U
COMP III	3	17.02	588 U	588 U	588 U	588 U	588 U	881	588 U
COMP III	4	17.85	560 U	560 U	560 U	560 U	560 U	1345	560 U
COMP III	5	16.36	611 U	611 U	611 U	611 U	611 U	611 U	611 U
COMP IV	1	17.48	1144 U	1144 U	1144 U	1144 U	1144 U	1144 U	1144 U
COMP IV	2	16.89	1184 U	1184 U	1184 U	1184 U	1184 U	1184 U	1184 U
COMP IV	3	19.14	522 U	522 U	522 U	522 U	522 U	522 U	522 U
COMP IV	4	15.73	636 U	636 U	636 U	636 U	636 U	636 U	636 U
COMP IV	5	14.61	684 U	684 U	684 U	684 U	684 U	684 U	684 U
COMP V	1	15.31	980 U	980 U	980 U	980 U	980 U	980 U	980 U
COMP V	2	15.99	625 U	625 U	625 U	625 U	625 U	625 U	625 U
COMP V	3	16.20	617 U	617 U	617 U	617 U	617 U	617 U	617 U
COMP V	4	16.56	906 U	906 U	906 U	906 U	906 U	906 U	906 U
COMP V	5	14.55	1375 U	1375 U	1375 U	1375 U	1375 U	1375 U	1375 U
COMP V dup	5	14.55	687 U	687 U	687 U	687 U	687 U	687 U	687 U
COMP VI	1	13.91	719 U	719 U	719 U	719 U	719 U	719 U	719 U
COMP VI	2	15.98	626 U	626 U	626 U	626 U	626 U	626 U	626 U
COMP VI	3	17.17	582 U	582 U	582 U	582 U	582 U	582 U	582 U
COMP VI	4	15.98	626 U	626 U	626 U	626 U	626 U	626 U	626 U
COMP VI	5	16.59	603 U	603 U	603 U	603 U	603 U	603 U	603 U
R-AC	1	18.03	555 U	555 U	555 U	555 U	555 U	555 U	555 U
R-AC	2	17.17	582 U	582 U	582 U	582 U	582 U	582 U	582 U
R-AC	3	17.28	579 U	579 U	579 U	579 U	579 U	579 U	579 U
R-AC	4	16.74	597 U	597 U	597 U	597 U	597 U	597 U	597 U
R-AC	5	17.33	577 U	577 U	577 U	577 U	577 U	577 U	577 U
R-AM	1	15.32	653 U	653 U	653 U	653 U	653 U	653 U	653 U
R-AM	2	15.22	657 U	657 U	657 U	657 U	657 U	657 U	657 U
R-AM	3	17.23	580 U	580 U	580 U	580 U	580 U	580 U	580 U
R-AM	4	14.88	672 U	672 U	672 U	672 U	672 U	672 U	672 U
R-AM	5	15.93	628 U	628 U	628 U	628 U	628 U	628 U	628 U
R-BF	1	17.73	564 U	564 U	564 U	564 U	564 U	564 U	564 U
R-BF	2	17.04	587 U	587 U	587 U	587 U	587 U	646	587 U
R-BF	3	16.26	615 U	615 U	615 U	615 U	615 U	615 U	615 U
R-BF	4	15.48	646 U	646 U	646 U	646 U	646 U	969	646 U
R-BF	5	14.52	689 U	689 U	689 U	689 U	689 U	1309	689 U

TABLE K.11. (Contd)

Sediment Treatment	Replicate	Percent Dry Weight	<i>N. caecoides</i> PCBs ($\mu\text{g}/\text{kg}$ dry weight)						
			Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Aroclor-1254	Aroclor-1260
R-OS	1	11.71	854 U	854 U	854 U	854 U	854 U	939	854 U
R-OS	2	16.95	590 U	590 U	590 U	590 U	590 U	1003	590 U
R-OS	3	9.96	1004 U	1004 U	1004 U	1004 U	1004 U	2008	1004 U
R-OS	4	16.22	617 U	617 U	617 U	617 U	617 U	1850	617 U
R-OS	5	15.50	645 U	645 U	645 U	645 U	645 U	1097	645 U
R-PC	1	15.50	645 U	645 U	645 U	645 U	645 U	645 U	645 U
R-PC	2	13.81	724 U	724 U	724 U	724 U	724 U	1303	724 U
R-PC	3	15.79	633 U	633 U	633 U	633 U	633 U	633 U	633 U
R-PC	4	17.46	573 U	573 U	573 U	573 U	573 U	573 U	573 U
R-PC	5	15.73	636 U	636 U	636 U	636 U	636 U	1271	636 U
R-PF	1	9.59	1043 U	1043 U	1043 U	1043 U	1043 U	1043 U	1043 U
R-PF	2	15.59	641 U	641 U	641 U	641 U	641 U	641 U	641 U
R-PF	3	17.79	562 U	562 U	562 U	562 U	562 U	562 U	562 U
R-PF dup	3	17.79	562 U	562 U	562 U	562 U	562 U	562 U	562 U
R-PF	4	15.95	627 U	627 U	627 U	627 U	627 U	627 U	627 U
R-PF	5	17.16	583 U	583 U	583 U	583 U	583 U	583 U	583 U
C-NE	1	5.26	1901 U	1901 U	1901 U	1901 U	1901 U	1901 U	1901 U
C-NE	2	12.75	784 U	784 U	784 U	784 U	784 U	784 U	784 U
C-NE	3	15.71	637 U	637 U	637 U	637 U	637 U	637 U	637 U
C-NE	4	10.71	934 U	934 U	934 U	934 U	934 U	934 U	934 U
C-NE	5	12.34	810 U	810 U	810 U	810 U	810 U	810 U	810 U
C-NE-A	1	6.91	1447 U	1447 U	1447 U	1447 U	1447 U	1447 U	1447 U
C-NE-A dup	1	6.91	1447 U	1447 U	1447 U	1447 U	1447 U	1447 U	1447 U
C-NE-A	2	18.21	549 U	549 U	549 U	549 U	549 U	549 U	549 U
C-NE-A	3	17.20	581 U	581 U	581 U	581 U	581 U	581 U	581 U
C-NE-A	4	17.56	569 U	569 U	569 U	569 U	569 U	569 U	569 U
C-NE-A	5	17.93	558 U	558 U	558 U	558 U	558 U	558 U	558 U
C-SB	1	13.27	754 U	754 U	754 U	754 U	754 U	754 U	754 U
C-SB	2	16.48	607 U	607 U	607 U	607 U	607 U	607 U	607 U
C-SB	3	16.78	596 U	596 U	596 U	596 U	596 U	596 U	596 U
C-SB	4	13.23	756 U	756 U	756 U	756 U	756 U	756 U	756 U
C-SB	5	15.22	657 U	657 U	657 U	657 U	657 U	657 U	657 U

(a) Undetected above given concentration.

TABLE K.12. Quality Control Data for Polychlorinated Biphenyls (PCBs), Wet Weight, in Tissue of *N. caecoides*, Oakland Phase III 38' Project

		<i>N. caecoides</i> PCBs ($\mu\text{g/kg}$ wet weight)						
Sediment Treatment	Replicate	Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Aroclor-1254	Aroclor-1260
<u>Analytical Blanks</u>								
Blank C		100 U ^(a)	100 U	100 U	100 U	100 U	100 U	100 U
Blank D		100 U	100 U	100 U	100 U	100 U	100 U	100 U
Blank E		100 U	100 U	100 U	100 U	100 U	100 U	100 U
Blank F		100 U	100 U	100 U	100 U	100 U	100 U	100 U
Blank H		100 U	100 U	100 U	100 U	100 U	100 U	100 U

Matrix Spikes

No PCBs were spiked during analysis. See Pesticide Matrix Spike results for QC information.

Analytical Replicates

COMP II	5	100 U	100 U	100 U	100 U	100 U	100 U	100 U
COMP II dup	5	100 U ^(b)	100 U	100 U	100 U	100 U	100 U	100 U
RPD		NA	NA	NA	NA	NA	NA	NA
I-Stat		NA	NA	NA	NA	NA	NA	NA
COMP V	5	200 U	200 U	200 U	200 U	200 U	200 U	200 U
COMP V dup	5	100 U	100 U	100 U	100 U	100 U	100 U	100 U
RPD		NA	NA	NA	NA	NA	NA	NA
I-Stat		NA	NA	NA	NA	NA	NA	NA
C-NE-A	1	100 U	100 U	100 U	100 U	100 U	100 U	100 U
C-NE-A dup	1	100 U	100 U	100 U	100 U	100 U	100 U	100 U
RPD		NA	NA	NA	NA	NA	NA	NA
I-Stat		NA	NA	NA	NA	NA	NA	NA
R-PF	3	100 U	100 U	100 U	100 U	100 U	100 U	100 U
R-PF dup	3	100 U	100 U	100 U	100 U	100 U	100 U	100 U
RPD		NA	NA	NA	NA	NA	NA	NA
I-Stat		NA	NA	NA	NA	NA	NA	NA

(a) Undetected above given concentration.

(b) Calculation not applicable where one or more value is undetected.

TABLE K.13. Chlorinated Pesticides (Alphabetical, Aldrin - 4,4'-DDT), Wet Weight, in Tissue of *N. caecoides*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	<i>N. caecoides</i> Pesticides ($\mu\text{g}/\text{kg}$ wet weight)								
		Aldrin	Alpha-BHC	Beta-BHC	Delta-BHC	(Lindane) Gamma-BHC	Chlordane	4,4'-DDD	4,4'-DDE	4,4'-DDT
COMP I	1	10 U ^(a)	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP I	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP I	3	11	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP I	4	34	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP I	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP II	1	10	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP II	2	10	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP II	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP II	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP II	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP II dup	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP III	1	11	10 U	10 U	10 U	10 U	10 U	10 U	15 U	10 U
COMP III	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP III	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP III	4	37	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP III	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP IV	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP IV	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP IV	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP IV	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP IV	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP V	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP V	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP V	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP V	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP V	5	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
COMP V dup	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP VI	1	12	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP VI	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP VI	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP VI	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP VI	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-AC	1	10 U	10 U	10 U	12 U	10 U	10 U	10 U	10 U	10 U
R-AC	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-AC	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-AC	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-AC	5	10 U	10 U	10 U	24	10 U	10 U	10 U	10 U	10 U
R-AM	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-AM	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-AM	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-AM	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-AM	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U

TABLE K.13. (Contd)

		<i>N. caecoides</i> Pesticides ($\mu\text{g}/\text{kg}$ wet weight)								
Sediment Treatment	Replicate	(Lindane)								
		Aldrin	Alpha-BHC	Beta-BHC	Delta-BHC	Gamma-BHC	Chlordane	4,4'-DDD	4,4'-DDE	4,4'-DDT
R-BF	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-BF	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-BF	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-BF	4	40 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-BF	5	30 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-OS	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-OS	2	30 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-OS	3	30 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-OS	4	30 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-OS	5	25 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-PC	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-PC	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	12 U	25 U
R-PC	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-PC	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-PC	5	25 U	10 U	10 U	10 U	12 U	10 U	10 U	15 U	10 U
R-PF	1	20 U	10 U	10 U	10 U	11	10 U	10 U	10 U	10 U
R-PF	2	25 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-PF	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-PF dup	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-PF	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	15 U	10 U
R-PF	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-NE	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-NE	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-NE	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-NE	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-NE	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-NE-A	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-NE-A dup	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-NE-A	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-NE-A	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-NE-A	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-NE-A	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-SB	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-SB	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-SB	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-SB	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-SB	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U

(a) Undetected above given concentration.

TABLE K.14. Chlorinated Pesticides (Alphabetical Dieldrin-Toxaphene), Wet Weight, in Tissue of *N. caecoides*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	<i>N. caecoides</i> Pesticides ($\mu\text{g}/\text{kg}$ wet weight)								
		Dieldrin	Endo-sulfan I	Endo-sulfan II	Endosulfan Sulfate	Endrin Aldehyde	Hepta-chlor	Heptachlor Epoxide	Methoxy-chlor	Toxa-phene
COMP I	1	10 U ^(a)	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
	4	10 U	10 U	10 U	10 U	10 U	10 U	20 U	10 U	500 U
	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
COMP II	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
COMP II dup	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
COMP III	1	10 U	11	10 U	10 U	10 U	10 U	10 U	10 U	500 U
	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
COMP IV	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
COMP V	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
	5	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	1000 U
COMP V dup	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
COMP VI	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
	2	15 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U

TABLE K.14. (Contd)

Sediment Treatment	Replicate	<i>N. cucoides</i> Pesticides ($\mu\text{g/kg wet weight}$)									
		Dieldrin	Endo-sulfan I	Endo-sulfan II	Endosulfan Sulfate	Endrin	Aldehyde	Hepta-chlor	Heptachlor Epoxide	Methoxy-chlor	Toxa-phene
R-AC	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-AC	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-AC	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	12	10 U	500 U
R-AC	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-AC	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-AM	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-AM	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-AM	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	15 U	500 U
R-AM	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-AM	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-BF	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-BF	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-BF	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-BF	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-BF	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-OS	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-OS	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-OS	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-OS	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-OS	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-PC	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-PC	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-PC	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-PC	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-PC	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-PF	1	12 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-PF	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	11	10 U	500 U
R-PF	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-PF dup	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-PF	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-PF	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
C-NE	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
C-NE	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
C-NE	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
C-NE	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
C-NE	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U

TABLE K.14. (Contd)

Sediment Treatment	Replicate	<i>N. carolinensis</i> Pesticides ($\mu\text{g}/\text{kg}$ wet weight)									
		Dieldrin	Endo-sulfan I	Endo-sulfan II	Endosulfan Sulfate	Endrin	Endrin Aldehyde	Hepta-chlor	Heptachlor Epoxide	Methoxy-chlor	Toxa-phene
C-NE-A	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
C-NE-A dup	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
C-NE-A	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
C-NE-A	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
C-NE-A	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
C-NE-A	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
C-SB	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
C-SB	2	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
C-SB	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
C-SB	4	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
C-SB	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U

(a) Undetected above given concentration.

TABLE K.15. Chlorinated Pesticides (Alphabetical Aldrin - 4,4'-DDT), Dry Weight, in Tissue of *N. caecoides*, Oakland Phase III 38' Project

N. caecoides Pesticides (µg/kg dry weight)											
Sediment Treatment	Replicate	Percent Dry Weight	(Lindane)								
			Aldrin	Alpha-BHC	Beta-BHC	Delta-BHC	Gamma-BHC	Chlordane	4,4'-DDD	4,4'-DDE	4,4'-DDT
COMP I	1	16.24	61.58 U ^(a)	61.58 U	61.58 U	61.58 U	61.58 U	61.58 U	61.58 U	61.58 U	61.58 U
	2	14.75	67.80 U	67.80 U	67.80 U	67.80 U	67.80 U	67.80 U	67.80 U	67.80 U	67.80 U
	3	15.92	69.10	62.81 U	62.81 U	62.81 U	62.81 U	62.81 U	62.81 U	62.81 U	62.81 U
	4	14.93	227.73	66.98 U	66.98 U	66.98 U	66.98 U	66.98 U	66.98 U	66.98 U	66.98 U
	5	16.76	59.67 U	59.67 U	59.67 U	59.67 U	59.67 U	59.67 U	59.67 U	59.67 U	59.67 U
COMP II	1	18.64	53.65	53.65 U	53.65 U	53.65 U	53.65 U	53.65 U	53.65 U	53.65 U	53.65 U
	2	12.63	79.18	79.18 U	79.18 U	79.18 U	79.18 U	79.18 U	79.18 U	79.18 U	79.18 U
	3	17.43	57.37 U	57.37 U	57.37 U	57.37 U	57.37 U	57.37 U	57.37 U	57.37 U	57.37 U
	4	17.50	57.14 U	57.14 U	57.14 U	57.14 U	57.14 U	57.14 U	57.14 U	57.14 U	57.14 U
	5	17.38	57.54 U	57.54 U	57.54 U	57.54 U	57.54 U	57.54 U	57.54 U	57.54 U	57.54 U
COMP II dup	5	17.38	57.54 U	57.54 U	57.54 U	57.54 U	57.54 U	57.54 U	57.54 U	57.54 U	57.54 U
COMP III	1	17.43	63.11	57.37 U	57.37 U	57.37 U	57.37 U	57.37 U	57.37 U	57.37 U	57.37 U
	2	18.14	55.13 U	55.13 U	55.13 U	55.13 U	55.13 U	55.13 U	55.13 U	55.13 U	55.13 U
	3	17.02	58.75 U	58.75 U	58.75 U	58.75 U	58.75 U	58.75 U	58.75 U	58.75 U	58.75 U
	4	17.85	207.28	56.02 U	56.02 U	56.02 U	56.02 U	56.02 U	56.02 U	56.02 U	56.02 U
	5	16.36	61.12 U	61.12 U	61.12 U	61.12 U	61.12 U	61.12 U	61.12 U	61.12 U	61.12 U
COMP IV	1	17.48	57.21 U	57.21 U	57.21 U	57.21 U	57.21 U	57.21 U	57.21 U	57.21 U	57.21 U
	2	16.89	59.21 U	59.21 U	59.21 U	59.21 U	59.21 U	59.21 U	59.21 U	59.21 U	59.21 U
	3	19.14	52.25 U	52.25 U	52.25 U	52.25 U	52.25 U	52.25 U	52.25 U	52.25 U	52.25 U
	4	15.73	63.57 U	63.57 U	63.57 U	63.57 U	63.57 U	63.57 U	63.57 U	63.57 U	63.57 U
	5	14.61	68.45 U	68.45 U	68.45 U	68.45 U	68.45 U	68.45 U	68.45 U	68.45 U	68.45 U
COMP V	1	15.31	65.32 U	65.32 U	65.32 U	65.32 U	65.32 U	65.32 U	65.32 U	65.32 U	65.32 U
	2	15.99	62.54 U	62.54 U	62.54 U	62.54 U	62.54 U	62.54 U	62.54 U	62.54 U	62.54 U
	3	16.20	61.73 U	61.73 U	61.73 U	61.73 U	61.73 U	61.73 U	61.73 U	61.73 U	61.73 U
	4	16.56	60.39 U	60.39 U	60.39 U	60.39 U	60.39 U	60.39 U	60.39 U	60.39 U	60.39 U
	5	14.55	137.46 U	137.46 U	137.46 U	137.46 U	137.46 U	137.46 U	137.46 U	137.46 U	137.46 U
COMP V dup	5	14.55	68.73 U	68.73 U	68.73 U	68.73 U	68.73 U	68.73 U	68.73 U	68.73 U	68.73 U
COMP VI	1	13.91	86.27	71.89 U	71.89 U	71.89 U	71.89 U	71.89 U	71.89 U	71.89 U	71.89 U
	2	15.98	62.58 U	62.58 U	62.58 U	62.58 U	62.58 U	62.58 U	62.58 U	62.58 U	62.58 U
	3	17.17	58.24 U	58.24 U	58.24 U	58.24 U	58.24 U	58.24 U	58.24 U	58.24 U	58.24 U
	4	15.98	62.58 U	62.58 U	62.58 U	62.58 U	62.58 U	62.58 U	62.58 U	62.58 U	62.58 U
	5	16.59	60.28 U	60.28 U	60.28 U	60.28 U	60.28 U	60.28 U	60.28 U	60.28 U	60.28 U

TABLE K.15. (Contd)

Sediment Treatment	Replicate	Percent Dry Weight	<i>N. caecoides</i> Pesticides ($\mu\text{g/kg}$ dry weight)									
			(Lindane)									
			Aldrin	Alpha- BHC	Beta- BHC	Delta- BHC	Gamma- BHC	Chlordane	4,4'- DDO	4,4'- DDE	4,4'- DDT	
R-AC	1	18.03	55.46 U	55.46 U	55.46 U	66.56 U	55.46 U	55.46 U	55.46 U	55.46 U	55.46 U	55.46 U
R-AC	2	17.17	58.24 U	58.24 U	58.24 U	58.24 U	58.24 U	58.24 U	58.24 U	58.24 U	58.24 U	58.24 U
R-AC	3	17.28	57.87 U	57.87 U	57.87 U	57.87 U	57.87 U	57.87 U	57.87 U	57.87 U	57.87 U	57.87 U
R-AC	4	16.74	59.74 U	59.74 U	59.74 U	59.74 U	59.74 U	59.74 U	59.74 U	59.74 U	59.74 U	59.74 U
R-AC	5	17.33	57.70 U	57.70 U	57.70 U	138.49	57.70 U	57.70 U	57.70 U	57.70 U	57.70 U	57.70 U
R-AM	1	15.32	65.27 U	65.27 U	65.27 U	65.27 U	65.27 U	65.27 U	65.27 U	65.27 U	65.27 U	65.27 U
R-AM	2	15.22	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U
R-AM	3	17.23	58.04 U	58.04 U	58.04 U	58.04 U	58.04 U	58.04 U	58.04 U	58.04 U	58.04 U	58.04 U
R-AM	4	14.88	67.20 U	67.20 U	67.20 U	67.20 U	67.20 U	67.20 U	67.20 U	67.20 U	67.20 U	67.20 U
R-AM	5	15.93	62.77 U	62.77 U	62.77 U	62.77 U	62.77 U	62.77 U	62.77 U	62.77 U	62.77 U	62.77 U
R-BF	1	17.73	56.40 U	56.40 U	56.40 U	56.40 U	56.40 U	56.40 U	56.40 U	56.40 U	56.40 U	56.40 U
R-BF	2	17.04	58.69 U	58.69 U	58.69 U	58.69 U	58.69 U	58.69 U	58.69 U	58.69 U	58.69 U	58.69 U
R-BF	3	16.26	61.50 U	61.50 U	61.50 U	61.50 U	61.50 U	61.50 U	61.50 U	61.50 U	61.50 U	61.50 U
R-BF	4	15.48	258.40 U	64.60 U	64.60 U	64.60 U	64.60 U	64.60 U	64.60 U	64.60 U	64.60 U	64.60 U
R-BF	5	14.52	206.61 U	68.87 U	68.87 U	68.87 U	68.87 U	68.87 U	68.87 U	68.87 U	68.87 U	68.87 U
R-OS	1	11.71	85.40 U	85.40 U	85.40 U	85.40 U	85.40 U	85.40 U	85.40 U	85.40 U	85.40 U	85.40 U
R-OS	2	16.95	176.99 U	59.00 U	59.00 U	59.00 U	59.00 U	59.00 U	59.00 U	59.00 U	59.00 U	59.00 U
R-OS	3	9.96	301.20 U	100.40 U	100.40 U	100.40 U	100.40 U	100.40 U	100.40 U	100.40 U	100.40 U	100.40 U
R-OS	4	16.22	184.96 U	61.65 U	61.65 U	61.65 U	61.65 U	61.65 U	61.65 U	61.65 U	61.65 U	61.65 U
R-OS	5	15.50	161.29 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U
R-PC	1	15.50	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U
R-PC	2	13.81	72.41 U	72.41 U	72.41 U	72.41 U	72.41 U	72.41 U	72.41 U	72.41 U	72.41 U	72.41 U
R-PC	3	15.79	63.33 U	63.33 U	63.33 U	63.33 U	63.33 U	63.33 U	63.33 U	63.33 U	63.33 U	63.33 U
R-PC	4	17.46	57.27 U	57.27 U	57.27 U	57.27 U	57.27 U	57.27 U	57.27 U	57.27 U	57.27 U	57.27 U
R-PC	5	15.73	158.93 U	63.57 U	63.57 U	63.57 U	63.57 U	63.57 U	63.57 U	63.57 U	63.57 U	63.57 U
R-PF	1	9.59	208.55 U	104.28 U	104.28 U	104.28 U	114.70	104.28 U	104.28 U	104.28 U	104.28 U	104.28 U
R-PF	2	15.59	160.36 U	64.14 U	64.14 U	64.14 U	64.14 U	64.14 U	64.14 U	64.14 U	64.14 U	64.14 U
R-PF	3	17.79	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U
R-PF dup	3	17.79	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U
R-PF	4	15.95	62.70 U	62.70 U	62.70 U	62.70 U	62.70 U	62.70 U	62.70 U	62.70 U	62.70 U	62.70 U
R-PF	5	17.16	58.28 U	58.28 U	58.28 U	58.28 U	58.28 U	58.28 U	58.28 U	58.28 U	58.28 U	58.28 U

TABLE K.15. (Contd)

Sediment Treatment	Replicate	Percent Dry Weight	<i>N. caecoides</i> Pesticides ($\mu\text{g/kg}$ dry weight)								
			Aldrin	Alpha-BHC	Beta-BHC	Delta-BHC	(Lindane) Gamma-BHC	Chlordane	4,4'-DDD	4,4'-DDE	4,4'-DDT
C-NE	1	5.26	190.11 U	190.11 U	190.11 U	190.11 U	190.11 U	190.11 U	190.11 U	190.11 U	
C-NE	2	12.75	78.43 U	78.43 U	78.43 U	78.43 U	78.43 U	78.43 U	78.43 U	78.43 U	
C-NE	3	15.71	63.65 U	63.65 U	63.65 U	63.65 U	63.65 U	63.65 U	63.65 U	63.65 U	
C-NE	4	10.71	93.37 U	93.37 U	93.37 U	93.37 U	93.37 U	93.37 U	93.37 U	93.37 U	
C-NE	5	12.34	81.04 U	81.04 U	81.04 U	81.04 U	81.04 U	81.04 U	81.04 U	81.04 U	
C-NE-A	1	6.91	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	
C-NE-A dup	1	6.91	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	
C-NE-A	2	18.21	54.91 U	54.91 U	54.91 U	54.91 U	54.91 U	54.91 U	54.91 U	54.91 U	
C-NE-A	3	17.20	58.14 U	58.14 U	58.14 U	58.14 U	58.14 U	58.14 U	58.14 U	58.14 U	
C-NE-A	4	17.56	56.95 U	56.95 U	56.95 U	56.95 U	56.95 U	56.95 U	56.95 U	56.95 U	
C-NE-A	5	17.93	55.77 U	55.77 U	55.77 U	55.77 U	55.77 U	55.77 U	55.77 U	55.77 U	
C-SB	1	13.27	75.36 U	75.36 U	75.36 U	75.36 U	75.36 U	75.36 U	75.36 U	75.36 U	
C-SB	2	16.48	60.68 U	60.68 U	60.68 U	60.68 U	60.68 U	60.68 U	60.68 U	60.68 U	
C-SB	3	16.78	59.59 U	59.59 U	59.59 U	59.59 U	59.59 U	59.59 U	59.59 U	59.59 U	
C-SB	4	13.23	75.59 U	75.59 U	75.59 U	75.59 U	75.59 U	75.59 U	75.59 U	75.59 U	
C-SB	5	15.22	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	

(a) Undetected above given concentration.

TABLE K.16. Chlorinated Pesticides (Alphabetical, Dieldrin - Toxaphene), Dry Weight, in Tissue of *N. caecoïdes*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	Percent Dry Weight	<i>N. caecoides</i> Pesticides ($\mu\text{g/kg}$ dry weight)									
			Dieldrin	Endo- sulfan I	Endo- sulfan II	Endosulfan Sulfate	Endrin	Aldehyde	Hepta- chlor	Heptachlor Epoxide	Methoxy- chlor	Toxa- phene
COMP I	1	16.24	61.58 U ^(a)	61.58 U	61.58 U	61.58 U	61.58 U	61.58 U	61.58 U	61.58 U	3078.82 U	
	2	14.75	67.80 U	67.80 U	67.80 U	67.80 U	67.80 U	67.80 U	67.80 U	67.80 U	3389.83 U	
	3	15.92	62.81 U	62.81 U	62.81 U	62.81 U	62.81 U	62.81 U	62.81 U	62.81 U	3140.70 U	
	4	14.93	66.98 U	66.98 U	66.98 U	66.98 U	66.98 U	66.98 U	133.96 U	66.98 U	3348.96 U	
	5	16.76	59.67 U	59.67 U	59.67 U	59.67 U	59.67 U	59.67 U	59.67 U	59.67 U	2983.29 U	
COMP II	1	18.64	53.65 U	53.65 U	53.65 U	53.65 U	53.65 U	53.65 U	53.65 U	53.65 U	2682.40 U	
	2	12.63	79.18 U	79.18 U	79.18 U	79.18 U	79.18 U	79.18 U	79.18 U	79.18 U	3958.83 U	
	3	17.43	57.37 U	57.37 U	57.37 U	57.37 U	57.37 U	57.37 U	57.37 U	57.37 U	2868.62 U	
	4	17.50	57.14 U	57.14 U	57.14 U	57.14 U	57.14 U	57.14 U	57.14 U	57.14 U	2857.14 U	
	5	17.38	57.54 U	57.54 U	57.54 U	57.54 U	57.54 U	57.54 U	57.54 U	57.54 U	2876.87 U	
COMP II dup	5	17.38	57.54 U	57.54 U	57.54 U	57.54 U	57.54 U	57.54 U	57.54 U	57.54 U	2876.87 U	
	1	17.43	57.37 U	57.37 U	57.37 U	57.37 U	57.37 U	57.37 U	57.37 U	57.37 U	2868.62 U	
	2	18.14	55.13 U	55.13 U	55.13 U	55.13 U	55.13 U	55.13 U	55.13 U	55.13 U	2756.34 U	
	3	17.02	58.75 U	58.75 U	58.75 U	58.75 U	58.75 U	58.75 U	58.75 U	58.75 U	2937.72 U	
	4	17.85	56.02 U	56.02 U	56.02 U	56.02 U	56.02 U	56.02 U	56.02 U	56.02 U	2801.12 U	
COMP III	5	16.36	61.12 U	61.12 U	61.12 U	61.12 U	61.12 U	61.12 U	61.12 U	61.12 U	3056.23 U	
	1	17.48	57.21 U	57.21 U	57.21 U	57.21 U	57.21 U	57.21 U	57.21 U	57.21 U	2860.41 U	
	2	16.89	59.21 U	59.21 U	59.21 U	59.21 U	59.21 U	59.21 U	59.21 U	59.21 U	2960.33 U	
	3	19.14	52.25 U	52.25 U	52.25 U	52.25 U	52.25 U	52.25 U	52.25 U	52.25 U	2612.33 U	
	4	15.73	63.57 U	63.57 U	63.57 U	63.57 U	63.57 U	63.57 U	63.57 U	63.57 U	3178.64 U	
COMP IV	5	14.61	68.45 U	68.45 U	68.45 U	68.45 U	68.45 U	68.45 U	68.45 U	68.45 U	3422.31 U	
	1	15.31	65.32 U	65.32 U	65.32 U	65.32 U	65.32 U	65.32 U	65.32 U	65.32 U	3265.84 U	
	2	15.99	62.54 U	62.54 U	62.54 U	62.54 U	62.54 U	62.54 U	62.54 U	62.54 U	3126.95 U	
	3	16.20	61.73 U	61.73 U	61.73 U	61.73 U	61.73 U	61.73 U	61.73 U	61.73 U	3086.42 U	
	4	16.56	60.39 U	60.39 U	60.39 U	60.39 U	60.39 U	60.39 U	60.39 U	60.39 U	3019.32 U	
COMP V	5	14.55	137.46 U	137.46 U	137.46 U	137.46 U	137.46 U	137.46 U	137.46 U	137.46 U	6872.85 U	
	5	14.55	68.73 U	68.73 U	68.73 U	68.73 U	68.73 U	68.73 U	68.73 U	68.73 U	3436.43 U	
	1	13.91	71.89 U	71.89 U	71.89 U	71.89 U	71.89 U	71.89 U	71.89 U	71.89 U	3554.54 U	
	2	15.98	93.87 U	62.58 U	62.58 U	62.58 U	62.58 U	62.58 U	62.58 U	62.58 U	3128.91 U	
	3	17.17	58.24 U	58.24 U	58.24 U	58.24 U	58.24 U	58.24 U	58.24 U	58.24 U	2912.06 U	
COMP VI	4	15.98	62.58 U	62.58 U	62.58 U	62.58 U	62.58 U	62.58 U	62.58 U	62.58 U	3128.91 U	
	5	16.59	60.28 U	60.28 U	60.28 U	60.28 U	60.28 U	60.28 U	60.28 U	60.28 U	3013.86 U	

N. caecoides Pesticides ($\mu\text{g}/\text{kg}$ dry weight)

Sediment Treatment	Replicate	Percent Dry Weight	Dieldrin Residues (µg/kg dry weight)									
			Dieldrin	Endo-sulfan I	Endo-sulfan II	Endosulfan Sulfate	Endrin	Aldehyde	Hepta-chlor	Heptachlor Epoxide	Methoxy-chlor	Toxa-phene
R-AC	1	18.03	55.46 U	55.46 U	55.46 U	55.46 U	55.46 U	55.46 U	55.46 U	55.46 U	55.46 U	
	2	17.17	58.24 U	58.24 U	58.24 U	58.24 U	58.24 U	58.24 U	58.24 U	58.24 U	58.24 U	
	3	17.28	57.87 U	57.87 U	57.87 U	57.87 U	57.87 U	57.87 U	57.87 U	57.87 U	57.87 U	
	4	16.74	59.74 U	59.74 U	59.74 U	59.74 U	59.74 U	59.74 U	59.74 U	59.74 U	59.74 U	
	5	17.33	57.70 U	57.70 U	57.70 U	57.70 U	57.70 U	57.70 U	57.70 U	57.70 U	57.70 U	
R-AM	1	15.32	65.27 U	65.27 U	65.27 U	65.27 U	65.27 U	65.27 U	65.27 U	65.27 U	65.27 U	
	2	15.22	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	
	3	17.23	58.04 U	58.04 U	58.04 U	58.04 U	58.04 U	58.04 U	58.04 U	58.04 U	58.04 U	
	4	14.88	67.20 U	67.20 U	67.20 U	67.20 U	67.20 U	67.20 U	67.20 U	67.20 U	67.20 U	
	5	15.93	62.77 U	62.77 U	62.77 U	62.77 U	62.77 U	62.77 U	62.77 U	62.77 U	62.77 U	
R-BF	1	17.73	56.40 U	56.40 U	56.40 U	56.40 U	56.40 U	56.40 U	56.40 U	56.40 U	56.40 U	
	2	17.04	58.69 U	58.69 U	58.69 U	58.69 U	58.69 U	58.69 U	58.69 U	58.69 U	58.69 U	
	3	16.26	61.50 U	61.50 U	61.50 U	61.50 U	61.50 U	61.50 U	61.50 U	61.50 U	61.50 U	
	4	15.48	64.60 U	64.60 U	64.60 U	64.60 U	64.60 U	64.60 U	64.60 U	64.60 U	64.60 U	
	5	14.52	68.87 U	68.87 U	68.87 U	68.87 U	68.87 U	68.87 U	68.87 U	68.87 U	68.87 U	
R-OS	1	11.71	85.40 U	85.40 U	85.40 U	85.40 U	85.40 U	85.40 U	85.40 U	85.40 U	85.40 U	
	2	16.95	59.00 U	59.00 U	59.00 U	59.00 U	59.00 U	59.00 U	59.00 U	59.00 U	59.00 U	
	3	9.96	100.40 U	100.40 U	100.40 U	100.40 U	100.40 U	100.40 U	100.40 U	100.40 U	100.40 U	
	4	16.22	61.65 U	61.65 U	61.65 U	61.65 U	61.65 U	61.65 U	61.65 U	61.65 U	61.65 U	
	5	15.50	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	
R-PC	1	15.50	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	64.52 U	
	2	13.81	72.41 U	72.41 U	72.41 U	72.41 U	72.41 U	72.41 U	72.41 U	72.41 U	72.41 U	
	3	15.79	63.33 U	63.33 U	63.33 U	63.33 U	63.33 U	63.33 U	63.33 U	63.33 U	63.33 U	
	4	17.46	57.27 U	57.27 U	57.27 U	57.27 U	57.27 U	57.27 U	57.27 U	57.27 U	57.27 U	
	5	15.73	63.57 U	63.57 U	63.57 U	63.57 U	63.57 U	63.57 U	63.57 U	63.57 U	63.57 U	
R-PF	1	9.59	125.13 U	104.28 U	104.28 U	104.28 U	104.28 U	104.28 U	104.28 U	104.28 U	104.28 U	
	2	15.59	64.14 U	64.14 U	64.14 U	64.14 U	64.14 U	64.14 U	64.14 U	64.14 U	64.14 U	
	3	17.79	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	
	3	17.79	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	56.21 U	
	4	15.95	62.70 U	62.70 U	62.70 U	62.70 U	62.70 U	62.70 U	62.70 U	62.70 U	62.70 U	
R-PF dup	5	17.16	58.28 U	58.28 U	58.28 U	58.28 U	58.28 U	58.28 U	58.28 U	58.28 U	58.28 U	
	1	5.26	190.11 U	190.11 U	190.11 U	190.11 U	190.11 U	190.11 U	190.11 U	190.11 U	190.11 U	
	2	12.75	78.43 U	78.43 U	78.43 U	78.43 U	78.43 U	78.43 U	78.43 U	78.43 U	78.43 U	
	3	15.71	63.65 U	63.65 U	63.65 U	63.65 U	63.65 U	63.65 U	63.65 U	63.65 U	63.65 U	
	4	10.71	93.37 U	93.37 U	93.37 U	93.37 U	93.37 U	93.37 U	93.37 U	93.37 U	93.37 U	
C-NE	5	12.34	81.04 U	81.04 U	81.04 U	81.04 U	81.04 U	81.04 U	81.04 U	81.04 U	81.04 U	

TABLE K.16. (Contd)

Sediment Treatment	Replicate	Percent Dry Weight	<i>N. caecoides</i> Pesticides ($\mu\text{g}/\text{kg}$ dry weight)									
			Dieldrin	Endo-sulfan I	Endo-sulfan II	Endosulfan Sulfate	Endrin	Aldehyde	Hepta-chlor	Heptachlor Epoxide	Methoxy-chlor	Toxa-phene
C-NE-A dup	1	6.91	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	7235.89 U
C-NE-A	1	6.91	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	144.72 U	7235.89 U
C-NE-A	2	16.21	54.91 U	54.91 U	54.91 U	54.91 U	54.91 U	54.91 U	54.91 U	54.91 U	54.91 U	2745.74 U
C-NE-A	3	17.20	58.14 U	58.14 U	58.14 U	58.14 U	58.14 U	58.14 U	58.14 U	58.14 U	58.14 U	2906.98 U
C-NE-A	4	17.56	56.95 U	56.95 U	56.95 U	56.95 U	56.95 U	56.95 U	56.95 U	56.95 U	56.95 U	2847.38 U
C-NE-A	5	17.93	55.77 U	55.77 U	55.77 U	55.77 U	55.77 U	55.77 U	55.77 U	55.77 U	55.77 U	2788.62 U
C-SB	1	13.27	75.36 U	75.36 U	75.36 U	75.36 U	75.36 U	75.36 U	75.36 U	75.36 U	75.36 U	3767.90 U
C-SB	2	16.48	60.68 U	60.68 U	60.68 U	60.68 U	60.68 U	60.68 U	60.68 U	60.68 U	60.68 U	3033.98 U
C-SB	3	16.78	59.59 U	59.59 U	59.59 U	59.59 U	59.59 U	59.59 U	59.59 U	59.59 U	59.59 U	2979.74 U
C-SB	4	13.23	75.59 U	75.59 U	75.59 U	75.59 U	75.59 U	75.59 U	75.59 U	75.59 U	75.59 U	3779.29 U
C-SB	5	15.22	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	65.70 U	3285.15 U

(a) Undetected above given concentration.

TABLE K.17. Quality Control Data for Chlorinated Pesticides (Alphabetical, Aldrin - 4,4'-DDT), Wet Weight, in Tissue of *N. caecoides*, Oakland Phase III 38' Project

		<i>N. caecoides</i> Pesticides ($\mu\text{g}/\text{kg}$ wet weight)								
Sediment Treatment	Replicate	Aldrin	Alpha-BHC	Beta-BHC	Delta-BHC	(Lindane) Gamma-BHC	Chlordane	4,4'-DDD	4,4'-DDE	4,4'-DDT
Method Blanks										
Blank C		10 U ^(a)	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Blank D		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Blank E		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Blank F		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Blank H		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Matrix Spikes										
Blank C MS		91	NA	NA	NA	NA	NA	NA	NA	NA
Blank C MSD		93	NA	NA	NA	NA	NA	NA	NA	NA
RPD		2%	NA	NA	NA	NA	NA	NA	NA	NA
I-Stat		0.01								
Blank D MS		117	NA	NA	NA	NA	NA	NA	NA	NA
Blank D MSD		105	NA	NA	NA	NA	NA	NA	NA	NA
RPD		11%	NA	NA	NA	NA	NA	NA	NA	NA
I-Stat		0.05								
Blank E MS		112	NA	NA	NA	NA	NA	NA	NA	NA
Blank E MSD		123X ^(c)	NA	NA	NA	NA	NA	NA	NA	NA
RPD		9%	NA	NA	NA	NA	NA	NA	NA	NA
I-Stat		0.05								
Blank F MS		100	NA	NA	NA	NA	NA	NA	NA	NA
Blank F MSD		113	NA	NA	NA	NA	NA	NA	NA	NA
RPD		12%	NA	NA	NA	NA	NA	NA	NA	NA
I-Stat		0.06								
Blank H MS		76	NA	NA	NA	NA	NA	NA	NA	NA
Blank H MSD		79	NA	NA	NA	NA	NA	NA	NA	NA
RPD		4%	NA	NA	NA	NA	NA	NA	NA	NA
I-Stat		0.02								

TABLE K.17. (Contd)

		<i>N. caecoides</i> Pesticides ($\mu\text{g/kg}$ wet weight)								
Sediment Treatment	Replicate	Aldrin	Alpha-BHC	Beta-BHC	Delta-BHC	(Lindane) Gamma-BHC	Chlordane	4,4'-DDD	4,4'-DDE	4,4'-DDT
Analytical Replicates										
COMP II	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP II dup	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
COMP V	5	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
COMP V dup	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-NE-A	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
C-NE-A dup	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-PF	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
R-PF dup	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U

No statistics were applicable as there were no detected values.

- (a) Undetected above given concentration.
 (b) Not applicable: analyte not spiked.
 (c) Outside established QC range (see page K.2)

TABLE K-18. Quality Control Data for Chlorinated Pesticides (Alphabetical, Dieldrin - Toxaphene), Wet Weight, in Tissue of *N. caecoides*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	<i>N. caecoides</i> Pesticides ($\mu\text{g/kg}$ wet weight)									
		Dieldrin	Endo-sulfan I	Endo-sulfan II	Endosulfan Sulfate	Endrin	Endrin Aldehyde	Hepta-chlor	Heptachlor Epoxide	Methoxy-chlor	Toxa-phene
Method Blanks											
Blank C		10 U (a)	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
Blank D		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
Blank E		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
Blank F		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
Blank G		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
Blank H		10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U

Matrix Spikes and Matrix Spike Duplicates (percent recoveries)

Blank C MS	94	NA (b)	NA	NA	NA	NA	NA	NA	NA	NA	NA
Blank C MSD	103	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RPD	9%	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
I-Stat	0.05										
Blank D MS	109	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Blank D MSD	94	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RPD	15%	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
I-Stat	0.07										
Blank E MS	118	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Blank E MSD	151	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RPD	25% (c)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
I-Stat	0.12										
Blank F MS	103	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Blank F MSD	100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RPD	3%	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
I-Stat	0.01										
Blank H MS	100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Blank H MSD	106	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RPD	6%	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
I-Stat	0.03										

TABLE K.18. (Contd)

Sediment Treatment	Replicate	<i>N. caecoides</i> Pesticides ($\mu\text{g/kg}$ wet weight)								
		Dieldrin	Endo-sulfan I	Endo-sulfan II	Endosulfan Sulfate	Endrin Aldehyde	Hepta-chlor	Heptachlor Epoxide	Methoxy-chlor	Toxa-phene
Analytical Replicates										
COMP V	5	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	1000 U
COMP V dup	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
COMP II	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
COMP II dup	5	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-PF	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
R-PF dup	3	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
C-NE-A	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U
C-NE-A dup	1	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U

No statistics are applicable as there were no detected values.

(a) Undetected above given concentration.

(b) Not applicable: analyte not spiked.

(c) Outside of established QC range (see page K.2).

TABLE K.19. Surrogate Recoveries for Polychlorinated Biphenyls (PCBs) and Chlorinated Pesticides in Tissue of *N. caecoides*, Oakland Phase III 38' Project

<u>Sediment Treatment</u>	<u>Dibutyl-chlorendate Recovery(%)</u>
COMP I	105
COMP I	62
COMP I	91
COMP I	84
COMP I	172
COMP II	134
COMP II	123
COMP II	115
COMP II	78
COMP II	96
COMP II dup	93
COMP III	81
COMP III	125
COMP III	130
COMP III	115
COMP III	110
COMP IV	106
COMP IV	74
COMP IV	90
COMP IV	131
COMP IV	107
COMP V	106
COMP V	81
COMP V	78
COMP V	82
COMP V	79
COMP V dup	104
COMP VI	95
COMP VI	118
COMP VI	97
COMP VI	93
COMP VI	98
R-AC	125
R-AC	122
R-AC	149
R-AC	53
R-AC	47

TABLE K.19. (Contd)

<u>Sediment Treatment</u>	<u>Dibutyl- chloroendate Recovery(%)</u>
R-AM	118
R-AM	106
R-AM	126
R-AM	92
R-AM	122
R-BF	88
R-BF	68
R-BF	71
R-BF	118
R-BF	133
R-OS	97
R-OS	113
R-OS	104
R-OS	155
R-OS	127
R-PC	134
R-PC	164
R-PC	107
R-PC	101
R-PC	119
R-PF	82
R-PF	81
R-PF	113
R-PF dup	81
R-PF	122
R-PF	110
C-NE	254
C-NE	157
C-NE	82
C-NE	144
C-NE	151
C-NE-A	95
C-NE-A dup	102
C-NE-A	81
C-NE-A	107
C-NE-A	84
C-NE-A	87

TABLE K.19. (Contd)

<u>Sediment Treatment</u>	<u>Dibutyl- chloroendate Recovery(%)</u>
C-SB	122
C-SB	130
C-SB	112
C-SB	126
C-SB	146
Blank C	99
Blank D	107
Blank E	100
Blank F	108
Blank H	46
MS-C	74
MSD-C	74
MS-D	102
MSD-D	93
MS-E	74
MSD-E	83
MS-F	90
MSD-F	36
MS-H	65
MSD-H	66

TABLE K.20. Metals, Wet Weight, in Tissue of *N. caecoides*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	Percent Dry Weight	<i>N. caecoides</i> Metals (µg/kg wet weight)									
			Ag	As	Cd	Cr	Cu	Hg	Ni	Pb	Se	Zn
COMP I	1(a)	15.72	0.01	4.4	0.19	0.05	2.01	0.011	0.43	0.14	0.16 U(b)	30.2
COMP I	2	15.72	0.01	4.4	0.17	0.04	1.71	0.011	0.54	0.12	0.15 U	29.1
COMP I	3	15.72	0.01	4.3	0.20	0.04	1.92	0.011	0.58	0.16	0.15 U	28.9
COMP II	1	16.72	0.01	4.9	0.19	0.05	1.86	0.017	0.44	0.14	0.20	33.1
COMP II	2	16.72	0.01	4.5	0.21	0.04	1.93	0.017	0.38	0.15	0.27	32.8
COMP II	3	16.72	0.01	4.8	0.20	0.05	1.89	0.017	0.41	0.13	0.30	35.9
COMP III	1	17.36	0.01	5.0	0.20	0.06	1.93	0.014	0.36	0.17	0.17 U	34.0
COMP III	2	17.36	0.01	4.7	0.17	0.06	2.07	0.013	0.29	0.19	0.17	32.4
COMP III	3	17.36	0.01	5.0	0.22	0.05	2.06	0.014	0.28 U	0.17	0.25	35.8
COMP IV	1	16.77	0.01	4.5	0.18	0.07	1.91	0.015	0.42	0.18	0.22	31.5
COMP IV	2	16.77	0.01	4.7	0.17	0.07	1.99	0.014	0.64	0.16	0.16 U	32.7
COMP IV	3	16.77	0.01	4.6	0.17	0.09	2.06	0.015	0.38	0.17	0.18	32.3
COMP V	1	15.72	0.01	4.2	0.26	0.07	2.01	0.011	0.33	0.16	0.24	32.2
COMP V	2	15.72	0.01	4.3	0.22	0.07	2.14	0.011	0.26	0.15	0.15 U	34.1
COMP V	3	15.72	0.01	4.5	0.21	0.07	2.25	0.011	0.39	0.14	0.16 U	33.0
COMP VI	1	15.93	0.01	4.1	0.21	0.07	1.79	0.013	0.25	0.15	0.29	32.2
COMP VI	2	15.93	0.01(c)	4.2	0.18	0.07	1.79	0.012	0.35	0.15	0.26	31.7
COMP VI	3	15.93	NT(c)	4.2	NT	NT	1.82	0.012	0.24 U	NT	0.31	30.6
R-AC	1	17.31	0.01	4.5	0.19	0.03	2.53	0.046	0.42	0.20	0.15 U	33.1
R-AC	2	17.31	0.01	4.7	0.18	0.05	2.91	0.047	0.43	0.21	0.17	33.1
R-AC	3	17.31	0.01	4.6	0.19	0.08	3.15	0.056	0.92	0.20	0.15	33.3
R-AM	1	15.72	0.01	3.2	0.17	0.05	3.69	0.101	0.41	0.15	0.14	29.5
R-AM	2	15.72	0.01	3.0	0.16	0.05	4.23	0.105	0.53	0.10	0.25	29.8
R-AM	3	15.72	0.01	3.0	0.20	0.05	4.18	0.105	0.52	0.12	0.17	29.6
R-BF	1	16.21	0.01	3.6	0.17	0.05	2.54	0.036	0.36	0.12	0.25	31.2
R-BF	2	16.21	0.01	3.7	0.19	0.05	2.58	0.033	0.53	0.12	0.16	31.7
R-BF	3	16.21	0.01	3.7	0.19	0.05	2.92	0.033	0.74	0.14	0.26	30.7
R-OS	1	14.07	0.01	3.2	0.16	0.04	1.80	0.023	0.41	0.09	0.17	28.3
R-OS	2	14.07	0.01	3.2	0.15	0.08	2.27	0.023	0.46	0.08	0.14 U	28.1
R-OS	3	14.07	0.01	3.2	0.14	0.06	1.69	0.017	0.42	0.10	0.14 U	27.5
R-PC	1	15.66	0.01	3.1	0.14	0.05	1.76	0.011	0.30	0.09	0.15	31.0
R-PC	2	15.66	0.01	3.1	0.12	0.05	1.82	0.011	0.37	0.11	0.28	30.3
R-PC	3	15.66	0.00	3.1	0.13	0.02	1.52	0.011	0.52	0.10	0.19	29.8

TABLE K.20. (Contd)

Sediment Treatment	Replicate	Percent Dry Weight	<i>N. caecoides</i> Metals (mg/kg wet weight)									
			Ag	As	Cd	Cr	Cu	Hg	Ni	Pb	Se	Zn
R-PF	1	15.22	0.01	3.2	0.19	0.02	1.98	0.028	0.35	0.10	0.14 U	28.3
R-PF	2	15.22	0.00	3.0	0.15	0.02	1.99	0.028	0.39	0.10	0.15 U	27.6
R-PF	3	15.22	0.00	3.0	0.14	0.02	1.88	0.029	0.39	0.08	0.25	28.3
C-NE	1	11.35	0.00	2.0	0.09	0.03	1.66	0.034	0.32	0.05	0.16	20.4
C-NE	2	11.35	0.01	2.0	0.09	0.02	1.80	0.036	0.34	0.10	0.10 U	21.1
C-NE	3	11.35	0.01	NT	0.10	0.02 U	NT	0.044	NT	0.06	NT	NT
C-NE-A	1	15.56	0.01	2.4	0.18	0.02 U	1.85	0.008	0.23	0.07	0.17 U	26.2
C-NE-A	2	15.56	0.00	2.5	0.15	0.02 U	1.80	0.007	0.25	0.09	0.19	26.7
C-NE-A	3	15.56	0.00	2.3	0.18	0.02	1.82	0.007	0.35	0.09	0.17 U	26.7
C-SB	1	15.00	0.01	3.2	0.16	0.05	2.24	0.036	0.33 U	0.07	0.23	27.3
C-SB	2	15.00	0.01	3.3	0.15	0.02	2.51	0.050	0.35	0.07	0.14	27.8
C-SB	3	15.00	0.01	3.3	0.15	0.05	2.28	0.041	0.38	0.08	0.13 U	27.7

(a) Up to 3 replicates analyzed because sample mass was insufficient to analyze the original 5 replicates individually. Tissues from the 5 original replicates were combined and homogenized, then split into 3 replicates for analysis. Sample variability within a treatment is compromised, but analytical detection and precision are not.

(b) Undetected above given concentration.

(c) No triplicate due to insufficient sample size.

TABLE K.21. Metals, Dry Weight, in Tissue of *N. caecoides*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	<i>N. caecoides</i> Metals (mg/kg dry weight)									
		Ag	As	Cd	Cr	Cu	Hg	Ni	Pb	Se	Zn
DL Goal		1.00	1.0	0.1	1.00	1.00	0.02	1.00	1.00	0.1	1.0
DL Achieved		0.01	1.0	0.07	0.02-0.29	1.00	0.001	1.00	0.06-0.07	0.84-1.10	1.0
COMP I	1(a)	0.06	28.2	1.18	0.34	12.80	0.073	2.76	0.92	1.00 U(b)	192.3
COMP I	2	0.05	27.9	1.11	0.26	10.90	0.073	3.46	0.79	0.95 U	185.0
COMP I	3	0.05	27.6	1.25	0.27	12.22	0.073	3.68	1.00	0.98 U	184.0
COMP II	1	0.04	29.2	1.11	0.27	11.10	0.104	2.61	0.84	1.22	198.0
COMP II	2	0.04	27.2	1.25	0.26	11.52	0.104	2.25	0.87	1.60	196.0
COMP II	3	0.04	28.6	1.18	0.32	11.31	0.104	2.43	0.79	1.79	215.0
COMP III	1	0.04	28.8	1.17	0.37	11.13	0.078	2.09	0.99	0.98 U	196.0
COMP III	2	0.05	27.2	0.98	0.33	11.91	0.077	1.65	1.08	0.99	186.7
COMP III	3	0.05	28.6	1.24	0.31	11.87	0.078	1.60 U	0.99	1.43	206.0
COMP IV	1	0.05	27.0	1.10	0.44	11.40	0.087	2.50	1.07	1.32	187.7
COMP IV	2	0.05	27.9	1.01	0.43	11.88	0.086	3.79	0.97	0.95 U	194.8
COMP IV	3	0.05	27.5	1.03	0.54	12.30	0.092	2.25	1.04	1.06	192.5
COMP V	1	0.08	26.9	1.63	0.47	12.80	0.071	2.09	1.02	1.53	205.0
COMP V	2	0.08	27.4	1.39	0.42	13.60	0.071	1.63	0.96	0.95 U	217.0
COMP V	3	0.06	28.8	1.32	0.42	14.30	0.073	2.48	0.91	1.00 U	210.0
COMP VI	1	0.07	26.0	1.31	0.44	11.21	0.080	1.60	0.95	1.80	202.0
COMP VI	2	0.05(c)	26.3	1.10	0.42	11.21	0.078	2.20	0.95	1.61	199.0
COMP VI	3	NT	26.4	NT	NT	11.40	0.078	1.50 U	NT	1.96	192.3
R-AC	1	0.04	25.8	1.11	0.15	14.60	0.267	2.40	1.14	0.86 U	191.4
R-AC	2	0.04	27.3	1.03	0.29	16.80	0.271	2.50	1.24	0.97	191.0
R-AC	3	0.03	26.8	1.11	0.44	18.20	0.326	5.30	1.14	0.86	192.6
R-AM	1	0.06	20.4	1.11	0.30	23.50	0.645	2.60	0.96	0.87	188.1
R-AM	2	0.07	19.4	1.03	0.30	26.90	0.665	3.40	0.62	1.57	189.7
R-AM	3	0.06	19.4	1.25	0.30	26.60	0.669	3.30	0.77	1.07	188.6
R-BF	1	0.04	22.3	1.05	0.30	15.70	0.220	2.20	0.74	1.52	192.6
R-BF	2	0.04	23.1	1.15	0.29	15.90	0.202	3.30	0.75	0.96	195.3
R-BF	3	0.04	22.9	1.18	0.30	18.00	0.202	4.56	0.84	1.58	189.3
R-OS	1	0.06	22.9	1.11	0.30	12.80	0.165	2.93	0.66	1.24	201.0
R-OS	2	0.06	22.5	1.10	0.59	16.1	0.160	3.29	0.58	0.98 U	200.0
R-OS	3	0.06	22.9	1.03	0.44	12.01	0.124	2.95	0.69	0.99 U	195.3

TABLE K.21. (Contd)

Sediment Treatment	Replicate	<i>N. caecoides</i> Metals (mg/kg dry weight)									
		Ag	As	Cd	Cr	Cu	Hg	Ni	Pb	Se	Zn
R-PC	1	0.04	19.7	0.89	0.29	11.21	0.072	1.92	0.58	0.97	198.0
R-PC	2	0.04	19.9	0.75	0.29	11.61	0.072	2.34	0.69	1.79	193.4
R-PC	3	0.03	19.5	0.83	0.15	9.70	0.071	3.29	0.63	1.22	190.5
R-PF	1	0.04	20.7	1.25	0.15	13.00	0.184	2.27	0.66	0.89 U	186.1
R-PF	2	0.02	20.0	0.96	0.15	13.10	0.185	2.59	0.66	0.97 U	181.6
R-PF	3	0.03	20.0	0.90	0.15	12.33	0.193	2.55	0.51	1.64	185.9
C-NE	1	0.04	17.7	0.76	0.30	14.60	0.301	2.80	0.44	1.38	179.9
C-NE	2	0.06	17.2	0.83	0.15	15.90	0.320	3.00	0.88	0.90 U	185.6
C-NE	3	0.06	NT	0.89	0.15 U	NT	0.386	NT	0.51	NT	NT
C-NE-A	1	0.04	15.7	1.17	0.15 U	11.86	0.052	1.48	0.48	1.10 U	168.6
C-NE-A	2	0.03	16.0	0.96	0.15 U	11.59	0.044	1.58	0.55	1.24	171.7
C-NE-A	3	0.03	14.9	1.18	0.15	11.70	0.042	2.28	0.55	1.10 U	171.3
C-SB	1	0.04	21.0	1.04	0.30	14.90	0.243	2.20 U	0.44	1.55	182.0
C-SB	2	0.04	22.1	1.03	0.15	16.70	0.334	2.30	0.44	0.91	185.1
C-SB	3	0.04	21.8	0.97	0.30	15.20	0.276	2.51	0.51	0.84 U	184.4

(a) Up to 3 replicates analyzed because sample mass was insufficient to analyze the original 5 replicates individually. Tissues from the 5 original replicates were combined and homogenized, then split into 3 replicates for analysis. Sample variability within a treatment is compromised, but analytical detection and precision are not.

(b) Undetected above given concentration.

(c) No triplicate due to insufficient sample size.

TABLE K.22. Quality Control Data for Metals, Dry Weight, in Tissue of *N. caecoides*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	N. caecoides Metals (mg/kg dry weight)									
		Ag	As	Cd	Cr	Cu	Hg	Ni	Pb	Se	Zn
Method Blanks											
Blank	1	0.01 U ^(a)	NA ^(b)	0.07 U	0.15 U	NA	0.001 U	NA	0.06 U	NA	NA
Blank	2	0.01 U	NA	0.07 U	0.15 U	NA	0.001 U	NA	0.06 U	NA	NA
Blank	3	0.02 U	NA	0.07 U	0.29 U	NA	0.001 U	NA	0.06 U	NA	NA
Blank	4	0.02 U	NA	0.07 U	0.29 U	NA	0.001 U	NA	0.06 U	NA	NA
Blank	1A	NA	NA	NA	0.02 U	NA	NA	NA	0.21	NA	NA
Blank	2A	NA	NA	NA	0.02 U	NA	NA	NA	0.21	NA	NA
Matrix Spikes											
COMP IV		0.05	NA	1.05	0.47	NA	0.088	NA	1.03	NA	NA
COMP IV MS		1.67	NA	6.14	10.47	NA	1.67	NA	9.44	NA	NA
Spike Amount		1.98	NA	5.00	10.00	NA	2.00	NA	10.00	NA	NA
Percent Recovery		82%	NA	102%	100%	NA	79%	NA	84%	NA	NA
COMP III		0.05	NA	1.13	0.34	NA	0.078	NA	1.02	NA	NA
COMP III MS		1.68	NA	6.63	10.24	NA	1.85	NA	9.23	NA	NA
Spike Amount		1.99	NA	5.00	10.00	NA	2.00	NA	10.00	NA	NA
Percent Recovery		82%	NA	110%	99%	NA	89%	NA	82%	NA	NA
Standard Reference Materials											
Certified Values		1.68	14.0	4.15	1.43	66.3	0.064	2.25	0.371	2.21	830
SRM 1566a		±0.15	±1.2	±0.38	±0.46	±4.3	±0.067	±0.44	±0.014	±0.24	±57
SRM 1566a		1.59	13.76	4.97 X ^(c)	1.33	66.60	0.061	2.10	0.39	2.34	838.0
SRM 1566a		1.72	14.57	4.84 X	1.16	67.30	0.062	2.64	0.39	1.79 X	851.0
SRM 1566a		1.56	14.21	4.75 X	1.72	66.30	0.065	2.42	0.39	2.14	867.0
SRM 1566a		1.59	14.68	4.67 X	1.72	69.40	0.059	2.26	0.37	2.13	857.0
SRM 1566a		1.58	13.99	NA	1.16	65.50	NA	1.78	0.36	2.39	846.0
SRM 1566a		NA	14.73	NA	1.08	70.00	NA	2.22	0.36	2.25	863.0
SRM 1566a		NA	14.81	NA	NA	65.30	NA	1.87	0.33	2.02	828.0
SRM 1566a		NA	14.06	NA	NA	65.90	NA	1.91	0.37	2.39	843.0
SRM 1566a		NA	14.13	NA	NA	66.80	NA	1.61 X	0.37	2.36	832.0
SRM 1566a		NA	13.91	NA	NA	66.30	NA	1.84	NA	2.40	836.0
SRM 1566a		NA	14.43	NA	NA	65.60	NA	2.60	NA	2.32	850.0
SRM 1566a		NA	14.26	NA	NA	68.50	NA	2.27	NA	2.55 X	866.0
SRM 1566a		NA	14.75	NA	NA	65.10	NA	2.06	NA	2.05	848.0

TABLE K.22. (Contd)

Sediment Treatment	Replicate	N. caecoides Metals (mg/kg dry weight.)									
		Ag	As	Cd	Cr	Cu	Hg	Ni	Pb	Se	Zn
Standard Reference Materials (Contd)											
SRM 1566a		NA	14.46	NA	NA	64.80	NA	2.38	NA	2.90 X	837.0
SRM 1566a		NA	14.57	NA	NA	67.00	NA	2.28	NA	2.29	856.0
SRM 1566a		NA	14.15	NA	NA	66.20	NA	2.50	NA	3.36 X	845.0
SRM 1566a		NA	14.96	NA	NA	66.40	NA	1.79 X	NA	2.20	866.0
Analytical Replicates											
COMP I	1	0.06	28.20	1.18	0.34	12.80	0.073	2.76	0.92	1.00 U	192.3
COMP I	2	0.05	27.90	1.11	0.26	10.90	0.073	3.46	0.79	0.95 U	185.0
COMP I	3	0.05	27.60	1.25	0.27	12.22	0.073	3.68	1.00	0.98 U	184.0
RSD		11%	1%	6%	15%	8%	0%	15%	12%	NA	2%
COMP II	1	0.04	29.20	1.11	0.27	11.10	0.104	2.61	0.84	1.22	198.0
COMP II	2	0.04	27.20	1.25	0.26	11.52	0.104	2.25	0.87	1.60	196.0
COMP II	3	0.04	28.60	1.18	0.32	11.31	0.104	2.43	0.79	1.79	215.0
RSD		0%	4%	6%	11%	2%	0%	7%	5%	19% X	5%
COMP III	1	0.04	28.80	1.17	0.37	11.13	0.078	2.09	0.99	0.98 U	196.0
COMP III	2	0.05	27.20	0.98	0.33	11.91	0.077	1.65	1.08	0.99	186.7
COMP III	3	0.05	28.60	1.24	0.31	11.87	0.078	1.60 U	0.99	1.43	206.0
RSD		12%	3%	12%	9%	4%	1%	NA	5%	NA	5%
OMP IV	1	0.05	27.00	1.10	0.44	11.40	0.087	2.50	1.07	1.32	187.7
OMP IV	2	0.05	27.30	1.01	0.43	11.88	0.086	3.79	0.97	0.95 U	194.8
OMP IV	3	0.05	27.50	1.03	0.54	12.30	0.092	2.25	1.04	1.06	192.5
RSD		0%	2%	5%	13%	4%	4%	29% X	5%	NA	2%
OMP V	1	0.08	26.90	1.63	0.47	12.80	0.071	2.09	1.02	1.53	205.0
OMP V	2	0.08	27.40	1.39	0.42	13.60	0.071	1.63	0.96	0.95 U	217.0
OMP V	3	0.06	28.60	1.32	0.42	14.30	0.073	2.48	0.91	1.00 U	210.0
RSD		16% X	7%	11%	7%	6%	2%	21% X	6%	NA	3%
OMP VI	1	0.07	26.00	1.31	0.44	11.21	0.080	1.60	0.95	1.80	202.0
OMP VI	2	0.05	26.30	1.10	0.42	11.21	0.078	2.20	0.95	1.61	199.0
OMP VI	3	NT(d)	26.40	NT	NT	11.40	0.078	1.50 U	NT	1.96	192.3
RSD		NA	1%	NA	NA	1%	1%	NA	NA	10%	3%
RPD		33%	NA	17%	5%	NA	NA	NA	0%	NA	NA
I-Stat		0.17	NA	0.09	0.02	NA	NA	NA	0.00	NA	NA

TABLE K.22. (Contd)

Sediment Treatment	Replicate	N. caecoides Metals (mg/kg dry weight)									
		Ag	As	Cd	Cr	Cu	Hg	Ni	Pb	Se	Zn
Analytical Replicates (Contd)											
R-AC	1	0.04	25.80	1.11	0.15	14.60	0.267	2.40	1.14	0.86 U	191.4
R-AC	2	0.04	27.30	1.03	0.29	16.80	0.271	2.50	1.24	0.97	191.0
R-AC	3	0.03	26.80	1.11	0.44	18.20	0.326	5.30	1.14	0.86	192.6
RSD		16% X	3%	4%	49% X	11%	11%	48% X	5%	NA	0%
R-AM	1	0.06	20.40	1.11	0.30	23.50	0.645	2.60	0.96	0.87	188.1
R-AM	2	0.07	19.40	1.03	0.30	26.90	0.665	3.40	0.62	1.57	189.7
R-AM	3	0.06	19.40	1.25	0.30	26.60	0.669	3.30	0.77	1.07	188.6
RSD		9%	3%	10%	0%	7%	2%	14%	22% X	31% X	0%
R-BF	1	0.04	22.30	1.05	0.30	15.70	0.220	2.20	0.74	1.52	192.6
R-BF	2	0.04	23.10	1.15	0.29	15.90	0.202	3.30	0.75	0.96	195.3
R-BF	3	0.04	22.90	1.18	0.30	18.00	0.202	4.56	0.84	1.58	189.3
RSD		0%	2%	6%	2%	8%	5%	35% X	7%	25% X	2%
R-OS	1	0.06	22.90	1.11	0.30	12.80	0.165	2.93	0.66	1.24	201.0
R-OS	2	0.06	22.50	1.10	0.59	16.1	0.160	3.29	0.58	0.98 U	200.0
R-OS	3	0.06	22.90	1.03	0.44	12.01	0.124	2.95	0.69	0.99 U	195.3
RSD		0%	1%	4%	33% X	16%	15%	7%	9%	NA	2%
R-PC	1	0.04	19.70	0.89	0.29	11.21	0.072	1.92	0.58	0.97	198.0
R-PC	2	0.04	19.90	0.75	0.29	11.61	0.072	2.34	0.69	1.79	193.4
R-PC	3	0.03	19.50	0.83	0.15	9.70	0.071	3.29	0.63	1.22	190.5
RSD		16% X	1%	9%	33% X	9%	1%	28% X	9%	32% X	2%
R-PF	1	0.04	20.70	1.25	0.15	13.00	0.184	2.27	0.66	0.89 U	186.1
R-PF	2	0.02	20.00	0.96	0.15	13.10	0.185	2.59	0.66	0.97 U	181.5
R-PF	3	0.03	20.00	0.90	0.15	12.33	0.193	2.55	0.57	1.64	185.9
RSD		33% X	2%	18% X	0%	3%	3%	7%	14%	NA	1%
C-NE	1	0.04	17.70	0.76	0.30	14.60	0.301	2.80	0.44	1.38	179.9
C-NE	2	0.06	17.20	0.83	0.15	15.90	0.320	3.00	0.88	0.90 U	185.6
C-NE	3	0.06	NT	0.89	0.15 U	NT	0.386	NT	0.51	NT	NT
RSD		22% X	NA	8%	NA	NA	13%	NA	39% X	NA	NA
RPD		NA	3%	NA	NA	9%	NA	7%	NA	NA	3%
I-Stat		NA	0.01	NA	NA	0.04	NA	0.03	NA	NA	0.02

TABLE K.22. (Contd)

Sediment Treatment	Replicate	N. caecoides Metals (mg/kg dry weight)									
		Ag	As	Cd	Cr	Cu	Hg	Ni	Pb	Se	Zn
Analytical Replicates (Contd)											
C-NE-A	1	0.04	15.70	1.17	0.15 U	11.86	0.052	1.48	0.48	1.10 U	168.6
C-NE-A	2	0.03	15.99	0.96	0.15 U	11.59	0.044	1.58	0.55	1.24	171.7
C-NE-A	3	0.03	14.90	1.18	0.15	11.70	0.042	2.28	0.55	1.10 U	171.3
RSD		17% ^X	4%	11%	NA	1%	12%	24% ^X	8%	NA	1%
C-SB	1	0.04	21.00	1.04	0.30 U	14.90	0.243	2.20 U	0.44 ^Y	1.55	182.0
C-SB	2	0.04	22.10	1.03	0.15 U	16.70	0.334	2.30	0.44	0.91	185.1
C-SB	3	0.04	21.80	0.97	0.30 U	15.20	0.276	2.51	0.51	0.84 U	184.4
RSD		0%	3%	4%	35% ^X	6%	16% ^X	NA	9%	NA	1%

(a) Undetected above given concentration.

(b) Not applicable to method or analysis.

(c) Out of certified range or outside of target precision level of 15%.

(d) Insufficient sample for triplicate analysis.

TABLE K.23. Butyltins, Wet and Dry Weight, in Tissue of *N. caecoides*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	Butyltin Species ($\mu\text{g/kg wet weight}$)		Percent Dry Weight	Butyltin Species ($\mu\text{g/kg dry weight}$)		Surrogate Percent Recovery
		Iributyl	Dibutyl		Iributyl	Dibutyl	
DL Goal		10	10				
DL Achieved		23	11				
COMP I	1	23.300 U ^(a)	6.778 J ^(b)	16.24	143.473 U	41.736 J	65.9
COMP I	2	23.300 U	11.000 U	14.75	157.966 U	74.576 U	74.7
COMP I	3	0.863 JB ^(c)	3.055 J	15.92	5.418 J	19.191 J	48.3
COMP I	4	2.694 JB	1.362 J	14.93	18.046 J	9.125 J	78.5
COMP I	5	23.300 UB	11.000 U	16.76	139.021 U	65.632 U	82.6
COMP II	1	6.387 JB	2.684 J	18.64	34.265 J	14.398 J	65.9
COMP II	2	6.117 JB	5.312 J	12.63	48.435 J	42.057 J	76.5
COMP II	3	39.046 B	18.936	17.43	224.018	108.642	34.6 x ^(d)
COMP II	4	23.300 UB	1.047 J	17.50	133.143 U	5.982 J	86.6
COMP II	5	1.042 JB	1.615 J	17.38	5.995 J	9.294 J	77.1
COMP III	1	5.291 J	11.000 U	17.43	30.356 J	63.110 U	88.3
COMP III	2	23.300 U	6.657 J	18.14	128.445 U	36.698 J	80.5
COMP III	3	6.484 J	7.921 J	17.02	38.096 J	46.539 J	80.4
COMP III	4	23.300 U	6.369 J	17.85	130.532 U	35.681 J	67.6
COMP III	5	5.172 J	10.882 J	16.36	31.614 J	66.516 J	84.5
COMP IV	1	23.300 U	15.711	17.48	133.295 U	89.880	85.4
COMP IV	2	5.443 J	5.719 J	16.89	32.226 J	33.860 J	87.7
COMP IV	3	23.300 U	16.554	19.14	121.735 U	86.489	47.3
COMP IV	4	23.300 U	11.000 U	15.73	148.125 U	69.530 U	87.7
COMP IV	5	43.064	20.841	14.61	294.757	142.649	82.7
COMP V	1	23.300 U	11.000 U	15.31	152.188 U	71.848 U	83.5
COMP V	2	6.992 J	19.927	15.99	43.727 J	124.622	82.2
COMP V	3	7.073 J	4.377 J	16.20	43.660 J	27.019 J	88.8
COMP V	4	6.526 J	7.316 J	16.56	39.408 J	44.179 J	89.3
COMP V	5	5.031 J	14.249	14.55	34.577 J	97.931	81.0
COMP VI	1	23.300 U	6.032 J	13.91	167.505 U	43.364 J	88.2
COMP VI	2	5.605 J	20.287	15.98	35.075 J	126.952	84.8
COMP VI	3	23.300 U	11.000 U	17.17	135.702 U	64.065 U	90.8
COMP VI	4	23.300 U	11.000 U	15.98	145.807 U	68.836 U	91.2
COMP VI	5	23.300 U	11.000 U	16.59	140.446 U	66.305 U	82.3

TABLE K.23. (Contd)

Sediment Treatment	Replicate	Butyltin Species ($\mu\text{g}/\text{kg}$ wet weight)		Percent Dry Weight	Butyltin Species ($\mu\text{g}/\text{kg}$ dry weight)		Surrogate Percent Recovery Tributyltin
		Tributyl	Dibutyl		Tributyl	Monobutyl	
R-AC	1	3.289 J	9.553 J	18.03	18.242 J	52.984 J	88.7
R-AC	2	23.300 U	11.000 U	17.17	135.702 U	64.065 U	73.2
R-AC	3	3.125 J	4.816 J	17.28	18.082 J	27.870 J	82.4
R-AC	4	3.666 J	6.012 J	16.74	21.900 J	35.914 J	71.2
R-AC	5	5.416 J	5.163 J	17.33	31.253 J	29.792 J	52.9
R-AM	1	7.283 J	11.000 U	15.32	47.538 J	71.802 U	33.3
R-AM	2	5.342 J	4.117 J	15.22	35.095 J	27.050 J	68.4 X
R-AM	3	1.892 J	4.323 J	17.23	10.982 J	25.090 J	61.5
R-AM	4	11.327 J	11.000 U	14.88	76.123 J	73.925 U	48.0
R-AM	5	5.901 J	11.000 U	15.93	37.044 J	69.052 U	67.8
R-BF	1	10.577 J	15.904	17.73	59.659 J	89.701	85.6
R-BF	2	5.512 J	4.224 J	17.04	32.350 J	24.789 J	52.3
R-BF	3	5.544 J	11.000 U	16.26	34.096 J	67.651 U	38.5 X
R-BF	4	23.300 U	11.000 U	15.48	150.517 U	71.059 U	70.1
R-BF	5	0.851 J	5.192 J	14.52	5.864 J	35.758 J	64.7
R-OS	1	5.061 J	10.638 J	11.71	43.223 J	90.845 J	94.6
R-OS	2	7.131 J	4.813 J	16.95	42.069 J	28.395 J	104.3
R-OS	3	3.767 J	5.16 J	9.96	37.820 J	51.807 J	102.3
R-OS	4	4.517 J	3.725 J	16.22	27.847 J	22.965 J	86.9
R-OS	5	6.764 J	3.333 J	15.50	43.637 J	21.503 J	97.5
R-PC	1	23.300 UB	3.272 J	15.50	150.323 U	21.111 J	88.6
R-PC	2	2.832 JB	1.492 J	13.81	20.504 J	10.801 J	68.5
R-PC	3	2.868 JB	1.830 J	15.79	18.165 J	11.590 J	67.2
R-PC	4	8.178 JB	2.133 J	17.46	46.837 J	12.217 J	33.3 X
R-PC	5	ND(e)	ND	ND	ND	ND	7.3 X
R-PF	1	7.269 JB	6.678 J	9.59	75.797 J	69.639 J	63.4
R-PF	2	2.085 JB	3.918 J	15.59	13.372 J	25.133 J	67.9
R-PF	3	3.342 JB	1.653 J	17.79	18.788 J	9.292 J	65.7
R-PF	4	5.830 JB	11.886	15.95	36.555 J	74.520	61.7
R-PF	5	8.196 JB	2.659 J	17.16	47.765 J	15.494 J	61.5
C-NE	1	7.555 J	5.523 J	5.26	143.626 J	105.000 J	65.4
C-NE	2	23.300 U	11.000 U	12.75	182.745 U	86.275 U	79.9
C-NE	3	5.982 J	11.000 U	15.71	38.079 J	70.019 U	66.6
C-NE	4	3.705 J	5.734 J	10.71	34.589 J	53.539 J	66.1
C-NE	5	3.208 J	11.000 U	12.34	25.995 J	89.141 U	67.3

TABLE K.23. (Contd)

Sediment Treatment	Replicate	Butyltin Species ($\mu\text{g}/\text{kg}$ wet weight)		Percent Dry Weight	Butyltin Species ($\mu\text{g}/\text{kg}$ dry weight)		Surrogate Percent Recovery Iriptyltn
		Tributyl	Monobutyl		Tributyl	Monobutyl	
C-NE-A	1	2.055 J	3.522 J	6.91	29.741 J	178.148	71.3
C-NE-A	2	23.300 U	10.000 U	18.21	127.952 U	50.970 J	70.0
C-NE-A	3	3.126 J	3.104 J	17.20	18.177 J	54.915 U	66.7
C-NE-A	4	2.618 J	4.516 J	17.56	14.909 J	18.047 J	69.7
C-NE-A	5	5.736 J	10.000 U	17.93	31.991 J	25.718 J	53.1
C-SB	1	3.518 J	7.948 J	13.27	26.511 J	59.894 J	78.0
C-SB	2	3.066 J	12.157	16.48	18.605 J	73.768	71.9
C-SB	3	4.121 J	6.77 J	16.78	24.558 J	40.346 J	67.6
C-SB	4	0.305 J	3.068 J	13.23	2.302 J	23.190 J	76.6
C-SB	5	0.095 J	7.024 J	15.22	0.627 J	46.150 J	72.2

(a) Undetected above given concentration.

(b) Concentration below method detection limit but above instrument detection limit.

(c) Concentration has been corrected for IBI in associated batch blank.

(d) Surrogate recovery below target quality control range (40%-120%)

(e) No data reported: Unacceptable due to surrogate recovery <10%.

TABLE K.24. Quality Control Data for Butyltins, Wet Weight, in
Tissue *N. caecoides*, Oakland Phase III 38' Project

Sediment Treatment	Butyltin Species (μg/kg, wet weight)			Triphenyltin Surrogate Percent Recovery
	Tributyl	Dibutyl	Monobutyl	
Method Blanks ^(a)				
Blank 1	23.3 U ^(b)	11.0 U	10.0 U	81.4
Blank 2	23.3 U	11.0 U	10.0 U	30.3 X ^(c)
Blank 5	24.8 ^(d)	3.5 J ^(e)	10.0 U	71.0
Blank 6	16.8 J	11.0 U	10.0 U	89.4
Blank 8	21.7 J	11.0 U	10.0 U	78.6
Blank 9	19.1 J	11.0 U	10.0 U	72.3

Matrix Spikes (percent recoveries)

Blank 1 MS	111%	117%	NS ^(f)
Blank 2 MS	95%	92%	NS
Blank 5 MS	93%	99%	NS
Blank 6 MS	103%	99%	NS
Blank 8 MS	54%	54%	NS
Blank 9 MS	84%	94%	NS

Analytical Replicates

Insufficient *N. caecoides* tissue for replicate analyses.

-
- (a) For batch numbers applicable to Phase III 38-Foot samples.
 (b) Undetected above given concentration.
 (c) Surrogate recovery outside of QC limits of 40%-120%
 (d) Tributyltin concentrations of batch 5 samples were corrected for TBT in the blank.
 (e) Detection below method detection limit (MDL).
 (f) Analyte not spiked.

REFERENCES

Bloom, N. S., and E. A. Crecelius. 1983. "Determination of Mercury in Seawater at Nub-Nanogram per Liter Levels." Marine Chemistry 14:49-59.

Bloom, N. S., and E. A. Crecelius. 1984. "Distribution of Silver, Mercury, Lead, Copper, and Cadmium in Central Puget Sound Sediments." Marine Chemistry 21:377-390.

Unger, M. A., W. G. MacIntyre, J. Greaves, and R. J. Huggett. 1986. "GC Determination of Butyltins in Natural Waters by Flame Photometric Detection of Hexyl Derivatives with Mass Spectrometric Confirmation." Chemosphere 15(4):461-470.

U.S. Environmental Protection Agency (EPA). 1986. Test Methods for Evaluating Solid Waste: Physical/Chemical Methods,. EPA-955-001-00000, U.S. Environmental Protection Agency, Government Printing Office, Washington D.C.

APPENDIX L

TISSUE CHEMISTRY AND QUALITY ASSURANCE
DATA FOR MACOMA NASUTA

APPENDIX L

SUMMARY: TISSUE CHEMISTRY AND QUALITY ASSURANCE DATA FOR *Macoma nasuta*

PARAMETER	<u>POLYNUCLEAR AROMATIC HYDROCARBONS</u>
Method	EPA 8270 (EPA 1986a)
Detection limit	Target DL: 20 $\mu\text{g/kg}$ wet wt tissue Achieved DL: 1 to 7 $\mu\text{g/kg}$ wet wt
Range of recovery	Target: DL-199%, Varies by compound. See method (EPA 8270). Achieved: 29% to 134%, all Low PAH in range, two benzo(g,h,i)perylene above range.
Relative precision	Target: 20% RPD Achieved: 0% to 175% RPD (most <20%: higher RPDs where values are very low).
Analytical laboratory	Alden Laboratories, Seattle, WA
PARAMETER	<u>POLYCHLORINATED BIPHENYLS (as aroclors)</u>
Method	EPA 8080 (EPA 1986a)
Detection limit	Target DL: 20 $\mu\text{g/kg}$ wet wt tissue Achieved DL: 20 $\mu\text{g/kg}$ wet wt
Range of recovery	Target: Aroclor 1260 8% to 127% Achieved: Aroclor 1260 104% to 158% (two above range)
Relative precision	Target: 20% RPD Achieved: Not applicable-no PCBs detected in duplicate samples
Analytical laboratory	Alden Laboratories, Seattle, WA

PARAMETER**CHLORINATED PESTICIDES****Method**

EPA 8080 (EPA 1986a)

Detection limit

Target DL: 2 µg/kg wet wt tissue
Achieved DL: 10 µg/kg wet wt (500 µg/kg for toxaphene), due to small sample mass.

Range of recovery

Target: Aldrin 42% to 122%; gamma-BHC 32% to 127%; 4,4'-DDT 25% to 160%; Dieldrin 36% to 146%; Endrin 30% to 147%; Heptachlor 34% to 111%.
Achieved: Aldrin 49% to 97%; gamma-BHC 42% to 102%; 4,4'-DDT 58% to 120%; Dieldrin 35% to 100%; Endrin 52% to 131%; Heptachlor 29% to 109% (one Dieldrin, one Heptachlor below range).

Relative precision

Target: 20%
Achieved: 9% only one pesticide (4',4'-DDE) detected in one set of duplicated samples. All others undetected.

Analytical laboratory

Alden Laboratories, Seattle, WA

PARAMETER**METALS****Method (Extraction)**

HNO₃/HClO₄ digestion and atomic absorption,
X-ray fluorescence

**Analytes/
Analytical method/
Detection limit target,
Detection limit achieved
(in mg/kg dry wt tissue)**

<u>As</u>	PNL SOP 19	1.0, 1.0
<u>Cd</u>	EPA 200.9/Bloom & Crecelius 1984	0.1, 0.02
<u>Cr</u>	PNL SOP 19/EPA 200.9/ Bloom & Crecelius 1984	1.0, 0.08
<u>Cu</u>	PNL SOP 19	1.0, 1.0
<u>Pb</u>	PNL SOP 19	1.0, 1.6-2.5
<u>Hg</u>	Bloom & Crecelius 1983	0.02, 0.001
<u>Ni</u>	PNL SOP 19/EPA 200.9/ Bloom & Crecelius 1984	1.0, 1.0
<u>Se</u>	PNL SOP 19/EPA 200.9/ Bloom & Crecelius 1984	0.1, 0.7
<u>Ag</u>	EPA 200.9/Bloom & Crecelius 1984	1.0, 0.06
<u>Zn</u>	PNL SOP 19	1.0, 1.0

Range of recovery

Target: 75% to 125% (varies slightly by metal)
Achieved: 80% to 109% (all were acceptable)

Relative precision

Target: 15% RSD or RPD
Achieved: 0% to 43% (18% of replicate comparisons exceeded target, generally when values were very low)

METALS (Contd)

Analytical laboratory

Battelle MSL, Sequim, WA, and Battelle PNL,
Richland, WA

Comments

15% of SRM 1566a measurements outside of certified range - most less than 15% different from certified value (only three more than 15% different from certified value).

PARAMETER

BUTYLTINS

Method

GC Determination of Butyltin in Natural Water by Gas Chromatography/Flame Photoionization Spectrometry of Hexyl Derivatives with Mass Spectrometry Confirmation (Unger et al. 1986)

Detection limit

Target DL: 10 µg/kg wet wt tissue
Achieved DL: 0.3 to 10.0 µg/kg wet wt

Range of recovery

Target: 40% to 140% (tri- and dibutyltin only)
Achieved: 43% to 72% (tri- and dibutyltin only)

Relative precision

Target: 20%
Achieved: 1.8% to 64% (most above range because of higher variability between low concentrations).

Analytical laboratory

Battelle MSL, Sequim, WA

TABLE L.1. Total Polynuclear Aromatic Hydrocarbons, Wet Weight, in Tissue of *M. nasuta*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	<i>M. nasuta</i> PAHs ($\mu\text{g/kg}$ wet weight)		
		Total Low Molecular Weight PAH	Total High Molecular Weight PAH	Total PAH
COMP I	1	3.3	13.3	17
COMP I	2	4.9	19.9	25
COMP I	3	3.0	12.2	15
COMP I	4	5.5	34.2	40
COMP I	5	2.7	28.8	32
COMP I dup	5	ND	76.6	77
COMP II	1	2.5	40.2	43
COMP II	2	ND	24.0	24
COMP II	3	4.1	37.5	42
COMP II	4	70.7	35.4	106
COMP II	5	5.5	147.5	153
COMP III	1	4.8	214.8	220
COMP III	2	23.1	199.9	223
COMP III	3	3.9	160.3	164
COMP III	4	7.2	136.7	144
COMP III	5	5.5	128.2	134
COMP IV	1	5.9	199.3	205
COMP IV	2	7.1	276.0	283
COMP IV	3	12.4	222.6	235
COMP IV	4	4.1	21.0	25
COMP IV	5	5.6	186.6	192
COMP V	1	10.8	183.5	194
COMP V	2	3.8	177.4	181
COMP V	3	6.0	228.9	235
COMP V dup	3	8.2	225.8	234
COMP V	4	ND	96.4	96
COMP V dup	4	9.9	128.5	138
COMP V	5	10.5	131.4	142
COMP VI	1	12.9	401.9	415
COMP VI	2	14.3	312.2	327
COMP VI	3	6.9	351.5	358
COMP VI	4	6.4	421.5	428
COMP VI	5	24.9	344.6	369
R-AC	1	21.4	78.3	100
R-AC	2	18.4	66.9	85
R-AC dup	2	19.2	72.5	92
R-AC	3	19.1	79.6	99
R-AC	4	23.5	65.6	89
R-AC	5	17.4	64.7	82
R-AM	1	3.4	169.1	173
R-AM dup	1	5.3	164.8	170
R-AM	2	9.4	30.7	40
R-AM	3	3.6	16.4	20
R-AM	4	3.2	13.8	17
R-AM	5	4.9	17.5	22

TABLE L.1. (Contd)

Sediment Treatment	Replicate	<i>M. nasuta</i> PAHs ($\mu\text{g/kg}$ wet weight)		
		Total Low Molecular Weight PAH	Total High Molecular Weight PAH	Total PAH
R-BF	1	3.6	8.6	12
R-BF	2	10.3	14.2	24
R-BF	3	12.2	17.1	29
R-BF	4	4.2	21.5	26
R-BF	5	2.9	17.0	20
R-OS	1	ND	ND	ND
R-OS	2	2.5	6.8	9
R-OS	3	4.1	3.3	7
R-OS	4	9.9	7.0	17
R-OS	5	3.4	4.1	7
R-PC	1	ND	3.9	4
R-PC	2	5.4	8.1	13
R-PC dup	2	3.1	8.9	12
R-PC	3	ND	6.1	6
R-PC	4	2.9	4.6	8
R-PC	5	13.1	21.9	35
R-PF	1	12.0	7.6	20
R-PF	2	3.9	11.3	15
R-PF	3	11.1	9.2	20
R-PF	4	ND	15.5	16
R-PF	5	1.8	5.8	8
C-NE	1	5.7	4.3	10
C-NE	2	2.5	3.9	6
C-NE	3	4.2	7.1	11
C-NE	4	2.8	5.0	8
C-NE	5	ND	1.2	1
C-SB	1	3.9	9.0	13
C-SB	2	3.4	6.9	10
C-SB	3	2.9	6.0	9
C-SB	4	2.9	6.9	10
C-SB	5	2.8	5.3	8

(a) None detected.

TABLE L.2. Low Molecular Weight Polynuclear Aromatic Hydrocarbons (PAHs), Wet Weight, in Tissue of *M. nasuta*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	<i>M. nasuta</i> Low PAHs ($\mu\text{g}/\text{kg}$ wet weight)					
		Acenaph-thene	Acenaph-thylene	Anthra-cene	Flourene	Naph-thalene	Phenan-threne
COMP I	1	2.4 U ^(a)	1.0 U	1.1 U	1.9 U	6.3 U	3.3 B ^(b)
COMP I	2	2.4 U	0.9 U	1.1 U	1.9 U	6.2 U	4.9 B
COMP I	3	2.3 U	0.9 U	1.1 U	1.8 U	6.0 U	3.0 B
COMP I	4	2.4 U	1.0 U	1.6	1.9 U	6.3 U	3.9 B
COMP I	5	2.3 U	0.9 U	1.1 U	1.9 U	6.1 U	2.7 B
COMP I dup	5	2.4 U	1.0 U	1.1 U	1.9 U	6.3 U	2.6 U
COMP II	1	2.3 U	0.9 U	1.1 U	1.9 U	6.1 U	2.5 B
COMP II	2	2.3 U	0.9 U	1.1 U	1.8 U	6.0 U	2.4 U
COMP II	3	2.4 U	0.9 U	1.1	1.9 U	6.2 U	3.0 B
COMP II	4	7.0	4.3 B	1.5	44.2	8.7 B	5.0 B
COMP II	5	2.3 U	0.9 U	1.5	1.8 U	6.0 U	4.0 B
COMP III	1	2.3 U	0.9 U	1.1	1.8 U	6.0 U	3.7 B
COMP III	2	2.4 U	0.9 U	1.3	14.9	6.2 U	6.9 B
COMP III	3	2.3 U	0.9 U	1.1	1.9 U	6.1 U	2.8 B
COMP III	4	2.4 U	1.0	1.3	1.9 U	6.3 U	4.8 B
COMP III	5	2.4 U	1.0 U	1.5	1.9 U	6.3 U	4.0 B
COMP IV	1	2.4 U	1.0	1.0 U	1.9 U	6.2 U	5.0 B
COMP IV	2	2.3 U	0.9 U	1.8	1.8 U	6.0 U	5.3 B
COMP IV	3	2.4 U	1.1	1.1 U	1.9 U	7.6 B	3.7 B
COMP IV	4	2.4 U	1.0	1.1 U	1.9 U	6.2 U	3.1 B
COMP IV	5	2.3 U	0.9 U	1.1 U	1.8 U	6.0 U	5.6 B
COMP V	1	4.4 U	1.8 U	2.5	3.5 U	11.5 U	8.4 B
COMP V	2	2.4 U	1.0 U	1.1	1.9 U	6.3 U	2.7
COMP V	3	2.2 U	0.9 U	2.1	1.8 U	5.9 U	4.0 B
COMP V dup	3	2.1 U	1.0	1.1	1.7 U	5.6 U	6.1 B
COMP V	4	2.5 U	1.0 U	1.1 U	2.0 U	6.4 U	2.6 U
COMP V dup	4	2.4 U	1.0 U	1.8	1.9 U	6.3 U	8.1
COMP V	5	2.4 U	1.0 U	1.1	1.9 U	6.6 B	2.8 B
COMP VI	1	2.4 U	1.0 U	1.7	1.9 U	6.3 U	11.2 B
COMP VI	2	2.3 U	0.9	1.8	1.8 U	6.0 U	11.6 B
COMP VI	3	2.4 U	0.9 U	1.3	1.9 U	6.2 U	5.6 B
COMP VI	4	2.4 U	0.9 U	1.1 U	1.9 U	6.2 U	6.4 B
COMP VI	5	2.5 U	1.0 U	2.7	6.5	6.5 U	15.7 B
R-AC	1	2.3 U	0.9 U	3.8	2.8	6.0 U	14.8 B
R-AC	2	2.3 U	0.9 U	3.4	2.3	6.0 U	12.7 B
R-AC dup	2	2.3 U	0.9 U	2.0	2.4	6.0 U	14.8 B
R-AC	3	2.3 U	0.9 U	1.6	2.0	6.1 U	15.5 B
R-AC	4	2.3 U	0.9 U	3.9	3.4	6.0 U	16.2 B
R-AC	5	2.4 U	1.0 U	1.4	2.3	6.3 U	13.6 B
R-AM	1	2.5 U	1.0 U	1.2 U	2.0 U	6.5 U	3.4 B
R-AM dup	1	2.5 U	1.0 U	1.3 U	2.0 U	6.5 U	5.3 B
R-AM	2	2.3 U	0.9 U	1.6	1.9 U	6.1 U	7.7 B
R-AM	3	2.5 U	1.0 U	1.1 U	2.0 U	6.4 U	3.6 B
R-AM	4	2.3 U	0.9 U	1.1 U	1.8 U	6.5 U	3.2 B
R-AM	5	2.4 U	1.0 U	1.1 U	1.9 U	6.3 U	4.9 B

TABLE L.2. (Contd)

Sediment Treatment	Replicate	<i>M. nasuta</i> Low PAHs ($\mu\text{g}/\text{kg}$ wet weight)					
		Acenaph- thene	Acenaph- thylene	Anthra- cene	Flourene	Naph- thalene	Phenan- threne
R-BF	1	2.3 U	0.9 U	1.1 U	1.8 U	6.0 U	3.6 B
R-BF	2	2.4 U	1.0 U	1.1 U	6.6	6.4 U	3.7 B
R-BF	3	2.3 U	0.9 U	1.1 U	7.3	6.1 U	4.9 B
R-BF	4	2.2 U	0.9 U	1.1 U	1.8 U	5.9 U	4.2 B
R-BF	5	2.4 U	1.0 U	1.1 U	1.9 U	6.3 U	2.9 B
R-OS	1	2.3 U	0.9 U	1.1 U	1.9 U	6.1 U	2.5 U
R-OS	2	2.3 U	0.9 U	1.1 U	1.9 U	6.1 U	2.5 B
R-OS	3	2.4 U	0.9 U	1.1 U	1.9 U	6.2 U	4.1 B
R-OS	4	2.4 U	1.0	1.1 U	4.9	6.4 U	4.0 B
R-OS	5	2.3 U	0.9 U	1.1 U	1.9 U	6.1 U	3.4 B
R-PC	1	2.3 U	0.9 U	1.1 U	1.8 U	6.0 U	2.4 U
R-PC	2	2.2 U	0.9 U	2.1	1.8 U	5.9 U	3.3 B
R-PC dup	2	2.3 U	0.9 U	1.1 U	1.9 U	6.1 U	3.1 B
R-PC	3	2.3 U	0.9 U	1.1 U	1.8 U	6.0 U	2.4 U
R-PC	4	2.4 U	0.9 U	1.1 U	1.9 U	6.2 U	2.9 B
R-PC	5	2.4 U	1.0 U	3.8	4.6	6.3 U	4.7 B
R-PF	1	2.3 U	0.9 U	2.7	6.6	6.0 U	2.7 B
R-PF	2	2.3 U	0.9 U	1.2	1.9 U	6.1 U	2.7 B
R-PF	3	2.3 U	0.9 U	1.1 U	7.4	6.1 U	3.8 B
R-PF	4	2.4 U	1.0 U	1.1 U	1.9 U	6.3 U	2.5 U
R-PF	5	2.5 U	1.0 U	1.8	2.0 U	6.5 U	2.6 U
C-NE	1	2.4 U	1.0 U	1.1 U	1.9 U	6.3 U	5.7 B
C-NE	2	2.3 U	0.9 U	1.1 U	1.9 U	6.1 U	2.5 B
C-NE	3	2.3 U	0.9 U	1.1 U	1.9 U	6.1 U	4.2 B
C-NE	4	2.4 U	1.0 U	1.1 U	1.9 U	6.3 U	2.8 B
C-NE	5	2.4 U	1.0 U	1.1 U	1.9 U	6.3 U	2.5 U
C-SB	1	2.3 U	0.9 U	1.1 U	1.8 U	6.1 U	3.9 B
C-SB	2	2.3 U	0.9 U	1.1 U	1.9 U	6.1 U	3.4 B
C-SB	3	2.4 U	1.0 U	1.1 U	1.9 U	6.3 U	2.9 B
C-SB	4	2.3 U	0.9 U	1.1 U	1.8 U	6.0 U	2.9 B
C-SB	5	2.3 U	0.9 U	1.1 U	1.8 U	6.0 U	2.8 B

(a) Undetected above given concentration.

(b) Analyte detected in associated blank at less than twice the method detection limit;
sample concentrations are not blank corrected.

TABLE L.3. High Molecular Weight Polynuclear Aromatic Hydrocarbons (PAHs), Wet Weight, in Tissue of *M. nasuta*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	<i>M. nasuta</i> High PAHs ($\mu\text{g/kg}$ wet weight)							
		Benzo(a) Anthra- cene	Benzo- Flouran- thene	Benzo- (g,h,i)- Perylene	Benzo(a)- Pyrene	Chrysene	Dibenz(a,h)- Anthracene	Flouran- thene	Indeno- (1,2,3-cd) Pyrene
COMP I	1	1.1 U ^(a)	3.6	0.8 U	2.4	1.0 U	0.9 U	1.6 U	1.5 U
COMP I	2	2.7 B ^(b)	1.2 U	0.8 U	0.9 U	2.1	0.9 U	1.6 U	1.5 U
COMP I	3	1.1 U	4.0	0.7 U	0.9 U	0.9 U	0.8 U	1.5 U	1.5 U
COMP I	4	1.1 U	5.9	3.6	3.2	1.3	0.9 U	1.6 U	1.5 U
COMP I	5	1.5	3.8	1.0	1.8	1.2	0.9 U	8.3	1.5 U
COMP I dup	5	1.1 U	31.7	15.4	5.1	1.0	0.9 U	6.4	8.3
COMP II	1	2.7	11.9	0.8 U	0.9 U	1.3	0.9 U	6.0	1.5 U
COMP II	2	2.0	5.8	0.7 U	0.9 U	0.9 U	0.8 U	6.1	1.4 U
COMP II	3	3.1	6.4	1.8	2.2	1.7	0.9 U	8.3 B	1.5 U
COMP II	4	2.5	4.2	0.7 U	2.4	3.8	0.8 U	7.5 B	1.4 U
COMP II	5	4.5	7.6	1.8	3.6	2.9	0.8 U	10.8 B	1.4 U
COMP III	1	15.7	42.8	7.3	32.7	5.9	6.2	13.5 B	8.5
COMP III	2	4.5	40.5	21.1	23.4	12.6	3.6	13.9 B	12.5
COMP III	3	11.7 B	27.2	4.8	21.2	3.7	4.1	11.8 B	7.1
COMP III	4	1.8 B	33.6	0.8 U	20.4	3.4	0.9 U	1.6 U	1.5 U
COMP III	5	1.1 U	29.1	10.4	15.5	4.3	0.9 U	1.6 U	1.5 U
COMP IV	1	8.5	28.5	8.4	14.0	4.4	9.2	13.6 B	11.3
COMP IV	2	4.9	31.7	5.4	12.8	2.6	0.8 U	18.0 B	2.0
COMP IV	3	11.2	37.5	5.9	17.7	2.7	8.3	13.5 B	7.2
COMP IV	4	4.1	1.2 U	0.8 U	0.9 U	1.2	7.1	4.3 B	1.5 U
COMP IV	5	1.1 U	29.5	4.8	16.2	2.7	0.8 U	12.4 B	3.4
COMP V	1	7.6	50.5	13.3	32.3	10.7	6.4	9.5 B	3.6
COMP V	2	5.3	45.7	10.1	30.8	2.3	10.1	5.1	49.6
COMP V	3	2.3	50.2	9.1	20.4	2.2	0.8 U	10.6 B	12.9
COMP V dup	3	7.8	51.2	12.1	36.3	3.5	13.4	8.1 B	3.8
COMP V	4	3.3	25.3	5.9	16.3	1.7	6.6	2.4	17.0
COMP V dup	4	5.1	32.3	8.1	21.2	2.3	7.7	4.5	7.8
COMP V	5	4.0	32.7	8.8	16.4	2.1	9.4	4.3 B	9.3
COMP VI	1	4.0	53.1	6.0	30.1	13.3	1.2	39.3 B	13.1
COMP VI	2	1.5	56.3	7.8	31.9	12.8	1.2	26.2 B	5.3
COMP VI	3	15.6	48.1	6.6	31.7	8.9	5.9	27.6 B	6.0
COMP VI	4	18.7	52.4	7.3	27.0	9.9	5.8	34.8 B	6.8
COMP VI	5	8.1	56.1	25.0	35.6	10.7	0.9 U	28.6 B	9.2
									10.5
									170.1

TABLE L.3. (Contd)

		<i>M. nasuta</i> High PAHs ($\mu\text{g/kg}$ wet weight)							
Sediment Treatment	Replicate	Benzo(a) Anthracene	Benzo-flouranthenes	Benzo-(g,h,i)-Perylene	Benzo(a)-Pyrene	Chrysene	Dibenz(a,h)-Anthracene	Flouranthene	Indeno-(1,2,3-cd) Pyrene
R-AC	1	3.3	5.8	0.7 U	2.5	3.2	0.8 U	28.0 B	1.5 U
R-AC	2	2.8	4.6	0.7 U	1.9	2.9	0.8 U	24.6 B	1.5 U
R-AC dup	2	1.7	7.9	0.7 U	1.0	1.4	0.8 U	28.3 B	1.5 U
R-AC	3	3.1	15.9	0.7 U	0.9 U	0.9 U	0.9 U	27.5 B	1.5 U
R-AC	4	2.7	3.6	0.7 U	2.9	2.9	0.8 U	23.6 B	1.5 U
R-AC	5	2.7	8.2	0.8 U	1.2	7.4	0.9 U	20.8 B	1.7
R-AM	1	2.6	38.6	8.5	1.0 U	7.4	0.9 U	10.1 B	5.9
R-AM dup	1	1.2 U	33.5	6.4	15.8	2.4	0.9 U	9.9 B	1.6 U
R-AM	2	2.9	3.4	0.7 U	1.0	4.2	0.9 U	9.9 B	1.5 U
R-AM	3	1.3	1.9	0.8 U	1.0	1.5	0.9 U	5.3 B	1.6 U
R-AM	4	1.1	1.6	0.7 U	0.9	1.6	0.8 U	4.1 B	1.4 U
R-AM	5	1.1 U	1.9	0.8 U	1.0 U	1.8	0.9 U	7.3 B	1.5 U
R-BF	1	1.1 U	3.3	0.7 U	0.9 U	0.9 U	0.8 U	2.4 B	1.4 U
R-BF	2	1.1 U	3.2	0.8 U	2.0	1.0 U	0.9 U	4.4	1.5 U
R-BF	3	1.1 U	3.8	0.7 U	2.9	0.9 U	0.9 U	4.7	1.5 U
R-BF	4	1.1 U	4.3	0.7 U	1.9	0.9 U	0.8 U	7.1 B	1.4 U
R-BF	5	1.1 U	4.0	0.8 U	2.0	1.0 U	0.9 U	5.0 B	1.5 U
R-OS	1	1.1 U	1.2 U	0.7 U	0.9 U	0.9 U	0.9 U	1.5 U	1.5 U
R-OS	2	1.1 U	3.0 B	0.7 U	0.9 U	0.9 U	0.9 U	2.1	1.5 U
R-OS	3	1.1 U	1.2 U	0.8 U	0.9 U	0.9 U	0.9 U	2.0	1.5 U
R-OS	4	1.1 U	1.2 U	0.8 U	1.0 U	3.3	0.9 U	1.9 B	1.5 U
R-OS	5	1.1 U	1.2 U	0.8 U	1.2	0.9 U	0.9 U	1.7	1.5 U
R-PC	1	1.1 U	1.2	0.7 U	0.9 U	0.9 U	0.8 U	1.6 B	1.4 U
R-PC dup	2	1.1 U	2.4	0.7 U	1.0	0.9 U	0.9 U	2.6 B	1.5 U
R-PC	2	1.0 U	2.6	0.7 U	0.9 U	0.9 U	0.8 U	2.7 B	1.4 U
R-PC	3	1.1 U	1.4	0.7 U	0.9 U	0.9 U	0.8 U	1.8 B	1.5
R-PC	4	1.3	1.2 U	0.8 U	0.9 U	0.9 U	0.9 U	1.8 B	1.5 U
R-PC	5	1.1 U	2.4	0.8 U	1.0 U	11.6	0.9 U	3.0	1.5 U
R-PF	1	1.1 U	3.8 B	0.7 U	0.9 U	0.9 U	0.8 U	1.5	1.4 U
R-PF	2	1.3	5.1 B	0.8 U	1.4	0.9 U	0.9 U	1.8	1.5 U
R-PF	3	1.5	1.3 B	0.7 U	0.9 U	2.1	0.9 U	2.5	1.5 U
R-PF	4	1.1 U	3.3 B	0.8 U	1.1	5.8	0.9 U	2.3	1.5 U
R-PF	5	1.1 U	2.6 B	0.8 U	1.0 U	1.0 U	0.9 U	1.7	1.6 U

TABLE L.3. (Contd)

Sediment Treatment	Replicate	<i>M. nasuta</i> High PAHs ($\mu\text{g/kg}$ wet weight)							
		Benzo(a) Anthracene	Benzo-Flouranthenes	Benzo-(g,h,i)-Perylene	Benzo(a)-Pyrene	Chrysene	Dibenz(a,h)-Anthracene	Flouranthene	Indeno-(1,2,3-cd) Pyrene
C-NE	1	1.1 U	1.2 U	0.8 U	1.0 U	1.0 U	0.9 U	2.0 B	1.5 U
C-NE	2	1.1 U	1.2 U	0.8 U	0.9 U	0.9 U	0.9 U	2.6 B	1.5 U
C-NE	3	1.1 U	1.2 U	0.8 U	0.9 U	0.9 U	0.9 U	4.0 B	1.5 U
C-NE	4	1.1 U	1.2 U	0.8 U	1.0 U	1.0 U	0.9 U	2.6 B	1.5 U
C-NE	5	1.1 U	1.2 U	0.8 U	1.0 U	1.0 U	0.9 U	1.6 U	1.5 U
C-SB	1	1.1 U	1.4	0.7 U	0.9 U	0.9 U	0.9 U	4.8 B	1.5 U
C-SB	2	1.1 U	1.2 U	0.7 U	0.9 U	0.9 U	0.9 U	4.5 B	1.5 U
C-SB	3	1.1 U	1.2 U	0.8 U	1.0 U	1.0 U	0.9 U	4.1 B	1.5 U
C-SB	4	1.1 U	1.1 U	0.7 U	0.9 U	0.9 U	0.8 U	4.0 B	1.5 U
C-SB	5	1.1 U	1.1 U	0.7 U	0.9 U	0.9 U	0.8 U	3.2 B	1.5 U

(a) Undetected above given concentration.

(b) Analyte detected in associated blank at less than twice the method detection limit; sample concentrations are not blank corrected.

TABLE L.4. Total Detected Polynuclear Aromatic Hydrocarbons, Dry Weight, in Tissue of *M. nasuta*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	Percent Dry Weight	<i>M. nasuta</i> PAHs ($\mu\text{g}/\text{kg}$ dry weight)		Total PAH
			Total Low Molecular Weight PAH	Total High Molecular Weight PAH	
COMP I	1	12.0	28	111	139
COMP I	2	16.0	31	124	155
COMP I	3	13.0	23	94	116
COMP I	4	15.0	36	228	264
COMP I	5	12.0	23	240	263
COMP I dup	5	12.0	ND	639	639
COMP II	1	13.0	20	309	329
COMP II	2	10.0	ND	240	240
COMP II	3	12.0	34	313	347
COMP II	4	11.0	643	322	965
COMP II	5	13.0	42	3768	3810
COMP III	1	12.0	40	1790	1830
COMP III	2	14	165	1428	1593
COMP III	3	12.0	32	1336	1368
COMP III	4	12.0	60	1139	1199
COMP III	5	12.0	46	1069	1115
COMP IV	1	13.0	46	1533	1579
COMP IV	2	14.0	51	1971	2022
COMP IV	3	15.0	82	1484	1566
COMP IV	4	12.0	34	175	209
COMP IV	5	13.0	43	1436	1479
COMP V	1	12.0	90	1529	1619
COMP V	2	14.0	27	1267	1295
COMP V	3	14.0	43	1635	1678
COMP V dup	3	14.0	59	1613	1672
COMP V	4	11.0	ND	876	876
COMP V dup	4	11.0	90	1168	1258
COMP V	5	7.0	150	1878	2028
COMP VI	1	14.0	92	2871	2963
COMP VI	2	12.0	119	2602	2721
COMP VI	3	14.0	49	2510	2560
COMP VI	4	29.0	22	1454	1476
COMP VI	5	17.0	146	2027	2173
R-AC	1	13.0	164	603	767
R-AC	2	14.0	131	478	609
R-AC dup	2	14.0	137	518	656
R-AC	3	12.0	160	663	822
R-AC	4	16.0	147	410	557
R-AC	5	14.0	124	462	586
R-AM	1	13.0	26	1301	1327
R-AM dup	1	13.0	41	1268	1309
R-AM	2	15.0	62	205	267
R-AM	3	13.0	28	126	153
R-AM	4	12.0	26	115	141
R-AM	5	15.0	32	116	149

TABLE L.4. (Contd)

Sediment Treatment	Replicate	Percent Dry Weight	<i>M. nasuta</i> PAHs ($\mu\text{g/kg}$ dry weight)		Total PAH
			Total Low Molecular Weight PAH	Total High Molecular Weight PAH	
R-BF	1	13.0	28	66	94
R-BF	2	14.0	73	101	175
R-BF	3	13.0	94	132	226
R-BF	4	13.0	32	165	197
R-BF	5	13.0	22	131	153
R-OS	1	13.0	0	0	0
R-OS	2	12.0	21	56	77
R-OS	3	15.0	28	22	49
R-OS	4	13.0	76	54	130
R-OS	5	12.0	28	34	62
R-PC	1	12.0	ND	33	33
R-PC	2	12.0	26	67	93
R-PC dup	2	12.0	45	74	119
R-PC	3	12.0	ND	51	51
R-PC	4	12.0	24	38	63
R-PC	5	12.0	109	182	292
R-PF	1	13.0	93	59	151
R-PF	2	13.0	30	87	117
R-PF	3	13.0	86	71	157
R-PF	4	12.0	ND	129	129
R-PF	5	11.0	17	53	69
C-NE	1	14.0	40	31	71
C-NE	2	10.0	25	39	64
C-NE	3	12.0	35	59	94
C-NE	4	13.0	21	39	60
C-NE	5	11.0	ND	11	11
C-SB	1	15.0	26	60	86
C-SB	2	12.0	28	58	86
C-SB	3	18.0	16	33	50
C-SB	4	13.0	22	53	75
C-SB	5	14.0	20	38	58

(a) None detected.

TABLE L.5. Low Molecular Weight Polynuclear Aromatic Hydrocarbons (PAHs), Dry Weight, in Tissue of *M. nasuta*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	Percent Dry Weight	<i>M. nasuta</i> Low PAHs ($\mu\text{g/kg}$ dry weight)					
			Acenaph- thene	Acenaph- thylene	Anthra- cene	Fluorene	Naph- thalene	Phenan- threne
COMP I	1	12	20.00 U ^(a)	8.00 U	9.33 U	16.00 U	52.67 U	27.79 B ^(b)
	2	16	14.71 U	5.88 U	6.86 U	11.76 U	38.73 U	30.59 B
	3	13	17.58 U	7.03 U	8.21 U	14.07 U	46.30 U	22.82 B
	4	15	16.00 U	6.40 U	10.61	12.80 U	42.13 U	25.84 B
	5	12	19.23 U	7.69 U	8.97 U	15.83 U	50.64 U	22.51 B
COMP I dup	5	12	20.00 U	8.00 U	9.33 U	16.00 U	52.67 U	21.33 U
COMP II	1	13	17.69 U	7.17 U	8.46 U	14.34 U	47.20 U	19.56 B
	2	10	22.64 U	9.06 U	10.57 U	18.11 U	59.62 U	24.15 U
	3	12	19.61 U	7.84 U	9.22	15.69 U	51.63 U	24.90 B
	4	11	63.63	39.37 B	13.43	402.03	78.99 B	45.42 B
	5	13	17.42 U	6.97 U	11.40	13.93 U	45.86 U	30.93 B
COMP III	1	12	19.05 U	7.62 U	8.89	15.24 U	50.16 U	30.76 B
	2	14	16.81 U	6.72 U	9.04	106.34	44.26 U	49.35 B
	3	12	19.23 U	7.69 U	8.97	15.83 U	50.64 U	23.15 B
	4	12	20.00 U	8.32	11.10	16.00 U	52.67 U	40.32 B
	5	12	20.00 U	8.00 U	12.79	16.00 U	52.67 U	33.22 B
COMP IV	1	13	18.10 U	7.47	7.69 U	14.48 U	47.66 U	38.28 B
	2	14	16.33 U	6.53 U	12.51	13.06 U	42.99 U	38.00 B
	3	15	16.00 U	7.20	7.47 U	12.80 U	50.66 B	24.62 B
	4	12	19.61 U	8.54	9.15 U	15.69 U	51.63 U	25.72 B
	5	13	17.58 U	7.03 U	8.21 U	14.07 U	46.30 U	43.08 B
COMP V	1	12	36.36 U	15.00 U	20.73	29.09 U	95.76 U	69.64 B
	2	14	17.14 U	6.86 U	8.00	13.71 U	45.14 U	19.44
	3	14	16.02 U	6.41 U	14.94	12.82 U	42.19 U	28.25 B
	3	14	15.31 U	7.08	8.08	12.24 U	40.31 U	43.69 B
	4	11	22.73 U	8.91 U	10.39 U	17.81 U	58.18 U	23.75 U
COMP V dup	4	11	21.82 U	8.73 U	16.30	17.45 U	57.45 U	73.67
	5	7	34.29 U	14.29 U	16.00	27.43 U	93.78 B	40.64 B
COMP VI	1	14	17.14 U	6.79 U	12.38	13.58 U	44.70 U	79.97 B
	2	12	18.87 U	7.78	15.00	15.09 U	49.69 U	96.65 B
	3	14	16.81 U	6.72 U	8.97	13.45 U	44.26 U	40.25 B
	4	29	8.11 U	3.25 U	3.79 U	6.49 U	21.37 U	21.98 B
	5	17	14.71 U	5.76 U	15.63	38.49	38.24 U	92.35 B

TABLE L.5. (Contd)

Sediment Treatment	Replicate	Percent Dry Weight	<i>M. nasuta</i> Low PAHs (<i>µg/kg</i> dry weight)					
			Acenaph-thene	Acenaph-thylene	Anthra-cene	Fluorene	Naph-thalene	Phenan-threne
R-AC	1	13	17.58 U	7.03 U	29.33	21.16	46.30 U	113.92 B
R-AC	2	14	16.33 U	6.53 U	24.33	16.43	42.99 U	90.37 B
R-AC dup	2	14	16.33 U	6.53 U	14.50	16.95	42.99 U	105.92 B
R-AC	3	12	19.23 U	7.69 U	13.52	16.81	50.64 U	129.20 B
R-AC	4	16	14.29 U	5.71 U	24.11	21.10	37.62 U	101.41 B
R-AC	5	14	16.97 U	6.79 U	10.05	16.46	44.70 U	97.44 B
R-AM	1	13	19.03 U	7.61 U	8.88 U	15.23 U	50.12 U	26.13 B
R-AM dup	1	13	19.03 U	7.61 U	9.90 U	15.23 U	50.12 U	40.47 B
R-AM	2	15	15.38 U	6.15 U	10.90	12.67 U	40.51 U	51.59 B
R-AM	3	13	19.23 U	7.54 U	8.79 U	15.07 U	49.61 U	27.52 B
R-AM	4	12	18.87 U	7.55 U	8.81 U	15.09 U	54.17 U	26.30 B
R-AM	5	15	16.00 U	6.40 U	7.47 U	12.80 U	42.13 U	32.34 B
R-BF	1	13	17.42 U	6.97 U	8.13 U	13.93 U	45.86 U	27.81 B
R-BF	2	14	17.32 U	6.93 U	8.08 U	47.07	45.60 U	26.16 B
R-BF	3	13	17.75 U	7.10 U	8.28 U	56.31	46.75 U	37.66 B
R-BF	4	13	16.92 U	6.92 U	8.46 U	13.85 U	45.38 U	32.31 B
R-BF	5	13	18.46 U	7.38 U	8.62 U	14.77 U	48.62 U	22.38 B
R-OS	1	13	17.75 U	7.10 U	8.28 U	14.62 U	46.75 U	18.93 U
R-OS	2	12	19.23 U	7.69 U	8.97 U	15.83 U	50.64 U	20.77 B
R-OS	3	15	15.69 U	6.27 U	7.32 U	12.55 U	41.31 U	27.59 B
R-OS	4	13	18.65 U	8.00	8.46 U	37.72	49.11 U	30.46 B
R-OS	5	12	19.42 U	7.77 U	9.06 U	15.50 U	51.13 U	28.11 B
R-PC	1	12	18.87 U	7.55 U	8.81 U	15.09 U	49.69 U	20.13 U
R-PC dup	2	12	19.23 U	7.69 U	8.97 U	15.83 U	50.64 U	25.99 B
R-PC	2	12	18.52 U	7.41 U	17.50	14.81 U	48.77 U	27.47 B
R-PC	3	12	18.87 U	7.55 U	8.81 U	15.09 U	49.69 U	20.13 U
R-PC	4	12	19.61 U	7.84 U	9.15 U	15.69 U	51.63 U	24.21 B
R-PC	5	12	20.00 U	8.00 U	31.56	38.54	52.67 U	39.29 B
R-PF	1	13	17.42 U	6.97 U	20.94	50.53	45.86 U	21.07 B
R-PF	2	13	17.92 U	7.17 U	9.24	14.34 U	47.20 U	20.85 B
R-PF	3	13	17.75 U	7.10 U	8.28 U	56.60	46.75 U	29.04 B
R-PF	4	12	19.80 U	7.92 U	9.24 U	15.84 U	52.15 U	21.12 U
R-PF	5	11	22.73 U	8.91 U	16.57	17.81 U	59.09 U	23.75 U

TABLE L.5. (Contd)

Sediment Treatment	Replicate	Percent Dry Weight	<i>M. nasuta</i> Low PAHs ($\mu\text{g/kg}$ dry weight)					
			Acenaph-thene	Acenaph-thylene	Anthra-cene	Fluorene	Naph-thalene	Phenan-threne
C-NE	1	14	17.14 U	6.86 U	8.00 U	13.71 U	45.14 U	40.44 B
C-NE	2	10	23.30 U	9.32 U	10.87 U	18.64 U	61.36 U	25.12 B
C-NE	3	12	19.42 U	7.77 U	9.06 U	15.53 U	51.13 U	34.69 B
C-NE	4	13	18.46 U	7.38 U	8.62 U	14.77 U	48.62 U	21.49 B
C-NE	5	11	21.60 U	8.64 U	10.08 U	17.28 U	56.89 U	23.04 U
C-SB	1	15	15.38 U	6.15 U	7.18 U	12.31 U	40.51 U	25.71 B
C-SB	2	12	19.23 U	7.69 U	8.97 U	15.83 U	50.64 U	28.29 B
C-SB	3	18	13.33 U	5.33 U	6.22 U	10.56 U	35.11 U	16.33 B
C-SB	4	13	17.58 U	7.03 U	8.21 U	14.07 U	46.30 U	22.19 B
C-SB	5	14	16.33 U	6.53 U	7.62 U	13.06 U	42.99 U	20.18 B

(a) Undetected above given concentration.

(b) Analyte detected in associated blank at less than twice the method detection limit; sample concentrations are not blank corrected.

TABLE L.6. High Molecular Weight Polynuclear Aromatic Hydrocarbons (PAHs), Dry Weight, in Tissue of *M. nasuta*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	Percent Dry Weight	<i>M. nasuta</i> High PAHs ($\mu\text{g/kg}$ dry weight)								
			Benzo(a)-Anthracene	Benzo-Fluoranthenes	Benzo-(g,h,i)Perylene	Benzo(a)Pyrene	Chrysene	Dibenzo-(a,h)Anthracene	Fluoranthene	Indeno-(1,2,3-cd)Pyrene	
COMP I	1	12	9.33 U ^(a)	30.29	6.40 U	19.92	8.00 U	7.33 U	13.33 U	12.67 U	60.98
COMP I	2	16	17.09 B ^(b)	7.35 U	4.71 U	5.88 U	13.29	5.39 U	9.80 U	9.31 U	94.02
COMP I	3	13	8.21 U	30.41	5.63 U	7.03 U	7.03 U	6.45 U	11.72 U	11.54 U	63.16 B
COMP I	4	15	7.47 U	39.03	23.90	21.33	8.94	5.87 U	10.67 U	10.13 U	134.57 B
COMP I	5	12	12.26	31.62	8.45	14.66	9.72	7.50 U	69.01	12.18 U	94.66 B
COMP I dup	5	12	9.33 U	264.10	128.64	42.70	8.49	7.33 U	53.65	69.07	71.93 B
COMP II	1	13	20.45	91.87	6.15 U	7.17 U	9.69	6.57 U	46.20	11.35 U	140.91 B
COMP II	2	10	19.60	58.09	7.25 U	9.06 U	9.06 U	8.30 U	60.56	14.34 U	102.09 B
COMP II	3	12	25.62	53.01	15.17	18.54	14.36	7.19 U	69.06 B	12.42 U	117.00 B
COMP II	4	11	22.90	37.96	6.46 U	21.62	34.61	7.41 U	67.77 B	12.79 U	136.97 B
COMP II	5	13	34.62	58.46	13.85	27.69	22.31	6.15 U	83.08 B	10.77 U	108.46 B
COMP III	1	12	130.83	356.47	60.95	272.68	49.47	51.55	112.68 B	70.68	685.01
COMP III	2	14	32.29	289.09	150.60	166.84	89.88	25.55	99.57 B	89.26	485.13
COMP III	3	12	97.74 B	226.67	39.76	176.30	31.06	34.41	98.05 B	59.40	572.72
COMP III	4	12	14.68 B	280.07	6.40 U	169.74	28.20	7.33 U	13.33 U	12.67 U	646.71
COMP III	5	12	9.33 U	242.38	86.62	128.76	35.82	7.33 U	13.33 U	12.67 U	575.04
COMP IV	1	13	65.29	219.34	64.77	107.40	33.53	70.77	104.28 B	86.92	780.65
COMP IV	2	14	35.00	226.18	38.57	91.34	18.33	5.99 U	128.81 B	14.38	1418.51 B
COMP IV	3	15	74.68	249.83	39.08	118.21	18.09	55.46	90.19 B	48.05	790.18
COMP IV	4	12	34.17	9.80 U	6.27 U	7.84 U	9.60	59.22	35.49 B	12.42 U	36.54
COMP IV	5	13	8.21 U	227.11	37.25	124.39	20.89	6.45 U	95.33 B	25.89	904.77
COMP V	1	12	63.11	420.91	110.97	269.12	89.21	53.50	78.96 B	30.10	413.34
COMP V	2	14	38.03	326.19	72.09	220.07	16.28	71.99	36.31	91.91	394.58
COMP V	3	14	16.17	358.79	65.15	145.64	15.48	5.87 U	75.54 B	27.32	930.61 B
COMP V dup	3	14	55.37	365.79	86.17	258.95	25.24	95.71	57.68 B	121.32	546.65
COMP V	4	11	30.15	229.61	53.63	148.43	15.11	59.98	21.82	70.87	246.77
COMP V dup	4	11	46.62	293.61	73.78	192.76	20.67	70.29	41.01	84.13	345.58
COMP V	5	7	57.49	467.61	125.49	233.82	29.80	133.95	61.26 B	186.93	581.27
COMP VI	1	14	28.76	378.96	42.51	215.25	95.26	8.34	280.71 B	37.99	1782.74
COMP VI	2	12	12.87	469.03	65.07	265.58	106.51	10.22	218.14 B	49.78	1404.38
COMP VI	3	14	111.52	343.49	47.42	226.72	63.73	42.32	196.89 B	48.76	1429.59
COMP VI	4	29	64.50	180.69	25.10	93.10	34.18	19.91	119.91 B	31.70	884.51
COMP VI	5	17	47.83	329.81	146.93	209.15	62.75	5.28 U	168.31 B	61.77	1000.40

TABLE L.6. (Contd)

Sediment Treatment	Replicate	Percent Dry Weight	<i>M. nasuta</i> High PAHs ($\mu\text{g/kg}$ dry weight)								
			Benzo(a)-Anthracene	Benzo-Flouran-thenes	Benzo-(g,h,i)Perylene	Benzo(a)Pyrene	Chrysene	Dibenzo-(a,h)Anthracene	Fluoranthene	Indeno-(1,2,3-cd)Pyrene	
			Pyrene								
R-AC	1	13	25.52	44.89	5.63 U	19.39	24.83	6.45 U	215.33 B	11.54 U	272.55 B
R-AC	2	14	20.26	33.01	5.22 U	13.83	20.82	5.99 U	175.73 B	10.71 U	213.99 B
R-AC dup	2	14	12.02	56.20	5.22 U	7.22	10.24	5.99 U	202.27 B	10.71 U	230.25 B
R-AC	3	12	26.04	132.40	6.15 U	7.69 U	7.69 U	7.50 U	229.15 B	12.18 U	275.37 B
R-AC	4	16	16.61	22.22	4.57 U	17.99	18.38	5.24 U	147.65 B	9.38 U	187.14 B
R-AC	5	14	19.39	58.61	5.43 U	8.50	52.81	6.22 U	148.81 B	11.88	162.06 B
R-AM	1	13	19.70	296.62	65.08 U	7.62 U	56.79	6.98 U	77.55 B	45.54 U	706.37 B
R-AM dup	1	13	9.23	257.69	49.23	121.54	18.46	7.00 U	76.15 B	12.31	777.70 B
R-AM	2	15	19.17	22.42	4.92	6.67	27.77	6.00 U	65.81 B	9.74 U	62.76 B
R-AM	3	13	10.21	14.94	6.03 U	7.93	11.43	6.91 U	40.77 B	11.93 U	40.54 B
R-AM	4	12	8.91	13.06	6.04 U	7.63	13.34	6.92 U	33.78 B	11.95 U	38.34 B
R-AM	5	15	7.47 U	12.61	5.12 U	6.40 U	12.12	5.87 U	48.93 B	10.13 U	42.83 B
R-BF	1	13	8.13 U	25.01	5.57 U	6.97 U	6.97 U	6.39 U	18.60 B	11.03 U	22.31 B
R-BF	2	14	8.08 U	22.62	5.54 U	14.29	6.93 U	6.35 U	31.72	10.97 U	32.84
R-BF	3	13	8.28 U	29.02	5.68 U	22.31	7.08 U	6.92 U	36.14	11.24 U	44.60
R-BF	4	13	8.46 U	33.36	5.52 U	14.74	6.90 U	6.33 U	54.62 B	10.93 U	62.31 B
R-BF	5	13	8.62 U	31.01	5.91 U	15.70	7.38 U	6.77 U	38.33 B	11.69 U	45.61 B
R-OS	1	13	8.28 U	8.88 U	5.68 U	7.10 U	7.10 U	6.92 U	11.83 U	11.24 U	8.88 U
R-OS	2	12	8.97 U	25.16 B	6.15 U	7.69 U	7.69 U	7.50 U	17.22	12.18 U	13.99
R-OS	3	15	7.32 U	7.84 U	5.02 U	6.27 U	6.27 U	5.75 U	13.50	9.93 U	8.19
R-OS	4	13	8.70 U	9.32 U	5.97 U	7.46 U	25.04	6.84 U	14.39 B	11.81 U	14.16
R-OS	5	12	9.06 U	9.71 U	6.67 U	10.09	7.75 U	7.12 U	13.92	12.30 U	9.85
R-PC	1	12	8.81 U	9.64	6.04 U	7.55 U	7.55 U	6.92 U	13.16 B	11.95 U	10.04
R-PC	2	12	8.64 U	21.34	5.93 U	7.41 U	7.41 U	6.79 U	22.68 B	11.73 U	23.33
R-PC dup	2	12	8.97 U	20.25	6.15 U	8.09	7.69 U	7.50 U	21.87 B	12.18 U	24.25
R-PC	3	12	8.81 U	11.92	6.04 U	7.55 U	7.55 U	6.92 U	14.86 B	12.71	11.71
R-PC	4	12	10.56	9.80 U	6.27 U	7.84 U	7.84 U	7.19 U	15.09 B	12.42 U	12.70
R-PC	5	12	9.33 U	20.02	6.40 U	8.00 U	96.83	7.33 U	25.37	12.67 U	40.05
R-PF	1	13	8.13 U	29.16 B	5.57 U	6.97 U	6.97 U	6.39 U	11.84	11.03 U	17.74
R-PF	2	13	9.82	38.90 B	6.15 U	10.48	7.17 U	6.57 U	14.11	11.35 U	13.84
R-PF	3	13	11.24	9.91 B	5.68 U	7.10 U	16.32	6.92 U	19.14	11.24 U	14.25
R-PF	4	12	9.24 U	27.48 B	6.34 U	9.49	48.08	7.26 U	19.01	12.54 U	25.28
R-PF	5	11	10.39 U	23.85 B	7.12 U	8.91 U	8.91 U	8.16 U	15.56	14.10 U	13.50

TABLE L.6. (Contd)

Sediment Treatment	Replicate	Percent Dry Weight	<i>M. nasuta</i> High PAHs ($\mu\text{g/kg}$ dry weight)								
			Benzo(a)- Anthra- cene	Benzo- Flouran- thenes	Benzo- (g,h,i) Perylene	Benzo(a) Pyrene	Chrysene	Dibenzo- (a,h) Anthracene	Fluoran- thene	Indeno- (1,2,3-cd) Pyrene	Pyrene
C-NE	1	14	8.00 U	8.57 U	5.49 U	6.86 U	6.86 U	6.29 U	14.11 B	10.86 U	16.68 B
C-NE	2	10	10.87 U	11.65 U	8.00 U	9.32 U	9.32 U	8.54 U	25.56 B	14.76 U	13.50 B
C-NE	3	12	9.06 U	9.71 U	6.67 U	7.77 U	7.77 U	7.12 U	33.40 B	12.30 U	25.55 B
C-NE	4	13	8.62 U	9.23 U	5.91 U	7.38 U	7.38 U	6.77 U	19.72 B	11.69 U	19.01 B
C-NE	5	11	10.08 U	10.80 U	6.91 U	8.64 U	8.64 U	7.92 U	14.40 U	13.68 U	10.87 B
C-SB	1	15	7.18 U	9.57	4.92 U	6.15 U	6.15 U	6.00 U	31.73 B	9.74 U	18.52 B
C-SB	2	12	8.97 U	9.62 U	6.15 U	7.69 U	7.69 U	7.50 U	37.52 B	12.18 U	20.14 B
C-SB	3	18	6.22 U	6.67 U	4.27 U	5.33 U	5.33 U	4.89 U	22.84 B	8.44 U	10.55 B
C-SB	4	13	8.21 U	8.79 U	5.63 U	7.03 U	7.03 U	6.45 U	30.82 B	11.54 U	22.43 B
C-SB	5	14	7.62 U	8.16 U	5.22 U	6.53 U	6.53 U	5.99 U	22.90 B	10.71 U	15.03 B

(a) Undetected above given concentration.

(b) Analyte detected in associated blank at less than twice the method detection limit;
sample concentrations are not blank corrected.

TABLE L.7. Quality Control Data for Low Molecular Weight Polynuclear Aromatic Hydrocarbons (PAHs), Wet Weight, in Tissue of *M. nasuta*, Oakland Phase III 38' Project

		M. nasuta Low PAHs (ug/kg wet weights)					
Sediment Treatment	Replicate	Acenaph-thene	Acenaph-thylene	Anthra-cene	Fluorene	Naph-thalene	Phenan-threne
Method Blanks							
Blank I		2.5 U ^(a)	1.0 U	1.2 U	2.0 U	7.3	5.4
Blank II		2.5 U	1.0 U	1.1 U	2.0 U	6.5 U	2.6 U
Blank III		2.3 U	0.9 U	1.1 U	1.8 U	6.0 U	2.4 U
Blank IV		2.4 U	0.9 U	1.1 U	1.9 U	6.2 U	4.4
Blank V		2.3 U	0.9 U	1.1 U	1.8 U	6.0 U	4.2
Clam Blank A		2.3 U	0.9 U	1.1 U	1.8 U	6.0 U	8.0
Clam Blank B		2.1 U	0.8 U	1.0 U	1.7 U	5.5 U	4.5
Clam Blank I (12/5/90)		2.3 U	0.9 U	1.1 U	1.9 U	6.1 U	3.2
Clam Blank II		2.3 U	0.9 U	1.1 U	1.8 U	6.0 U	4.5
Clam Blank III		2.3 U	0.9 U	1.1 U	1.9 U	6.1 U	3.4
Clam Blank IV		2.4 U	1.0 U	1.1 U	1.9 U	6.4 U	3.2
Clam Blank V		2.4 U	0.9 U	1.1 U	1.9 U	6.2 U	3.0
Clam Blank VI		2.3 U	0.9 U	1.1 U	1.9 U	6.1 U	4.1
Clam Blank Z		0.6 U	0.2 U	0.3 U	0.5 U	1.6 U	2.3
Blank (1/21/91)		2.3 U	1.4	1.1 U	1.9 U	7.8	3.7
Clam Blank I (12/19/90)		2.5 U	1.0 U	1.2 U	2.0 U	6.5 U	7.0
Matrix Spikes and Matrix Spike Duplicates							
COMP II	1	2.3 U	0.9 U	1.1 U	1.9 U	6.1 U	2.5 B
COMP II MS	1	44.0	15.1	24.1	56.0	36.5	50.7 B
Spike Amount		NS ^(b)	NS	47.0	47.0	47.0	NS
Percent Recovery		NA ^(c)	NA	51%	119%	78%	NA
COMP II	5	2.3 U	0.9 U	1.5	1.8 U	6.0 U	4.0 B
COMP II MS	5	55.2	53.1	56.4	59.9	53.8	58.2 B
Spike Amount		NS	NS	51.0	51.0	51.0	NS
Percent Recovery		NA	NA	108%	118%	106%	NA
COMP V	2	2.4 U	1.0 U	1.1 U	1.9 U	6.3 U	2.7
COMP V MS	2	40.9	44.1	46.3	46.0	40.4	43.4
Spike Amount		NS	NS	49.0	49.0	49.0	NS
Percent Recovery		NA	NA	94%	94%	82%	NA
COMP VI	4	2.4 U	0.9 U	1.1 U	1.9 U	6.2 U	6.4 B
COMP VI MS	4	56.2	64.8	63.9	58.2	62.6	71.1 B
Spike Amount		NS	NS	79.0	79.0	79.0	NS
Percent Recovery		NA	NA	81%	74%	79%	NA
R-AC	4	2.3 U	0.9 U	3.9	3.4	6.0 U	16.2 B
R-AC MS	4	48.6	36.4	38.2	50.6	43.9	66.3 B
Spike Amount		NS	NS	49.0	49.0	49.0	NS
Percent Recovery		NA	NA	70%	96%	90%	NA
R-BF	5	2.4 U	1.0 U	1.1 U	1.9 U	6.3 U	2.9 B
R-BF MS	5	39.1	13.8	13.5	40.3	40.9	56.7 B
Spike Amount		NS	NS	47.0	47.0	47.0	NS
Percent Recovery		NA	NA	29%	86%	87%	NA

TABLE L.7. (Contd)

		<i>M. nasuta</i> Low PAHs ($\mu\text{g/kg}$ wet weight)					
<u>Sediment Treatment</u>	<u>Replicate</u>	<u>Acenaph- thene</u>	<u>Acenaph- thylene</u>	<u>Anthra- cene</u>	<u>Fluorene</u>	<u>Naph- thalene</u>	<u>Phenan- threne</u>
<u>Analytical Replicates</u>							
COMP I	5	2.3 U	0.9 U	1.1 U	1.9 U	6.1 U	2.7 B
COMP I dup	5	2.4 U	1.0 U	1.1 U	1.9 U	6.3 U	2.6 U
RPD		NA	NA	NA	NA	NA	NA
I-Stat		NA	NA	NA	NA	NA	NA
COMP V	3	2.2 U	0.9 U	2.1	1.8 U	5.9 U	4.0 B
COMP V dup	3	2.1 U	1.0	1.1	1.7 U	5.6 U	6.1 B
RPD		NA	NA	60%	NA	NA	43%
I-Stat		NA	NA	0.30	NA	NA	0.21
COMP V	4	2.5 U	1.0 U	1.1 U	2.0 U	6.4 U	2.6 U
COMP V dup	4	2.4 U	1.0 U	1.8	1.9 U	6.3 U	8.1
RPD		NA	NA	NA	NA	NA	NA
I-Stat		NA	NA	NA	NA	NA	NA
R-AC	2	2.3 U	0.9 U	3.4	2.3	6.0 U	12.7 B
R-AC dup	2	2.3 U	0.9 U	2.0	2.4	6.0 U	14.8 B
RPD		NA	NA	51%	3%	NA	16%
I-Stat		NA	NA	0.25	0.02	NA	0.08
R-AM	1	2.5 U	1.0 U	1.2 U	2.0 U	6.5 U	3.4 B
R-AM dup	1	2.5 U	1.0 U	1.3 U	2.0 U	6.5 U	5.3 B
RPD		NA	NA	NA	NA	NA	44%
I-Stat		NA	NA	NA	NA	NA	0.22
R-PC	2	2.2 U	0.9 U	2.1	1.8 U	5.9 U	3.3 B
R-PC dup	2	2.3 U	0.9 U	1.1 U	1.9 U	6.1 U	3.1 B
RPD		NA	NA	NA	NA	NA	6%
I-Stat		NA	NA	NA	NA	NA	0.03

(a) Undetected above given concentration.

(b) Analyte not spiked.

(c) Not applicable.

TABLE L.8. Quality Control Data for High Molecular Weight Polynuclear Aromatic Hydrocarbons (PAHs), Wet Weight, in Tissue of *M. nasuta*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	<i>M. nasuta</i> High PAHs ($\mu\text{g/kg}$ wet weight)							
		Benzo(a)-Anthracene	Benzo(a)-Fluoranthene	Benzo-(g,h,i)Perylene	Benzo(a)-Pyrene	Chrysene	Anthracene	Fluoranthene	Indeno-(1,2,3-cd)Pyrene
Analytical Blanks									
Blank I		1.2 U ^(a)	1.2 U	0.8 U	1.0 U	1.0 U	0.9 U	2.3	1.6 U
Blank II		1.1 U	1.2 U	0.8 U	1.0 U	1.0 U	0.9 U	1.6 U	1.2 U
Blank III		1.1 U	1.1 U	0.7 U	0.9 U	0.9 U	0.8 U	1.5 U	1.1 U
Blank IV		1.4	1.2 U	0.8 U	0.9 U	0.9 U	0.9 U	2.8	1.2 U
Blank V		1.2	1.1 U	0.7 U	0.9 U	0.9 U	0.8 U	2.3	1.4
Clam Blank A		1.1 U	1.1 U	0.7 U	0.9 U	0.9 U	0.8 U	7.5	4.8
Clam Blank B		1.0 U	1.0 U	0.7 U	0.8 U	0.8 U	0.8 U	1.6 8 ^(b)	1.3 U
Clam Blank I (12/5/90)		1.1 U	1.2 U	0.8 U	0.9 U	0.9 U	0.9 U	1.6 U	1.0 U
Clam Blank II		1.1 U	1.1 U	0.7 U	0.9 U	0.9 U	0.8 U	1.9	1.3
Clam Blank III		1.1 U	1.2 U	0.8 U	0.9 U	0.9 U	0.9 U	1.7	1.5
Clam Blank IV		1.1 U	2.6	0.8 U	1.0 U	1.0 U	0.9 U	1.6 U	1.2 U
Clam Blank V		1.1 U	1.2 U	0.8 U	0.9 U	0.9 U	0.9 U	1.6 U	1.2 U
Clam Blank VI		1.1 U	1.2 U	0.8 U	0.9 U	0.9 U	0.9 U	1.6	1.2 U
Clam Blank Z		0.3 U	0.3 U	0.2 U	0.2 U	0.2 U	0.2 U	0.9	0.5
Blank (1/21/91)		1.1 U	1.2 U	0.7 U	0.9 U	0.9 U	0.9 U	1.8	1.3
Clam Blank I (12/19/90)		1.2 U	1.2 U	0.8 U	1.0 U	1.0 U	0.9 U	2.7	1.7

Matrix Spikes

COMP II	1	2.7	11.9	0.8 U	0.9 U	1.3	0.9 U	6.0	1.5 U	18.3 B
COMP II MS	1	60.1 ^(c)	176.3	63.1	29.0	43.5	91.1	59.8	75.1	85.4 B
Spike Amount		NS ^(d)	NS	47.0	47.0	NS	NS	47.0	NS	NS
Percent Recovery		NA	NA	134% ^(e)	62%	NA	NA	114%	NA	NA
COMP II	5	4.5	7.6	1.8	3.6	2.9	0.8 U	67.4 B	1.4 U	59.8 B
COMP II MS	5	64.7	92.3	52.9	52.7	57.8	78.1	10.8 B	66.5	14.1 B
Spike Amount		NS	NS	51.0	51.0	NS	NS	51.0	NS	NS
Percent Recovery		NA	NA	100%	96%	NA	NA	112%	NA	NA
COMP V	2	5.3	45.7	10.1	30.8	2.3	10.1	5.1	12.9	55.2
COMP V MS	2	67.0	119.6	61.3	67.6	40.0	94.3	44.9	83.3	86.4
Spike Amount		NS	NS	49.0	49.0	NS	NS	49.0	NS	NS
Percent Recovery		NA	NA	105%	75%	NA	NA	81%	NA	NA

TABLE L.8. (Contd)

<i>M. nasuta</i> High PAHs ($\mu\text{g}/\text{kg}$ wet weight)										
Sediment Treatment	Replicate	Benzo(a)-Anthracene	Benzo-Fluoranthenes	Benzo-(g,h,i)Perylene	Benzo(a)-Pyrene	Chrysene	Dibenzo-(a,h)Anthracene	Fluoranthene	Indeno-(1,2,3-cd)Pyrene	Pyrene
Matrix Spikes (contd)										
COMP VI	4	18.7	52.4	7.3	27.0	9.9	5.8	34.8 B	9.2	256.5
COMP VI MS	4	59.9	136.2	47.5	72.8	59.7	52.1	96.6 B	48.7	255.1
Spike Amount		NS	NS	79.0	79.0	NS	NS	79.0	NS	NS
Percent Recovery		NA	NA	51%	58%	NA	NA	78%	NA	NA
R-AC	4	2.7	3.6	0.7 U	2.9	2.9	0.8 U	23.6 B	1.5 U	29.9 B
R-AC MS	4	37.0	76.7	39.9	32.0	43.8	49.4	71.0 B	40.6	75.2 B
Spike Amount		NS	NS	49.0	49.0	NS	NS	49.0	NS	NS
Percent Recovery		NA	NA	81%	60%	NA	NA	98%	NA	NA
R-BF	5	1.1 U	4.0	0.8 U	2.0	1.0 U	0.9 U	5.0 B	1.5 U	5.9 B
R-BF MS	5	33.4	172.3	68.4	16.3	43.6	86.3	59.7 B	83.0	52.3 B
Spike Amount		NS	NS	47.0	47.0	NS	NS	47.0	NS	NS
Percent Recovery		NA	NA	146%	30%	NA	NA	117%	NA	NA
Analytical Replicates										
COMP I	5	1.5	3.8	1.0	1.8	1.2	0.9 U	8.3	1.5 U	11.4 B
COMP I dup	5	1.1 U	31.7	15.4	5.1	1.0	0.9 U	6.4	8.3	8.6 B
RPD		NA	157%	175%	98%	13%	NA	25%	NA	27%
I-Stat		NA	0.79	0.88	0.49	0.07	NA	0.13	NA	0.14
COMP V	3	2.3	50.2	9.1	20.4	2.2	0.8 U	10.6 B	3.8	130.3 B
COMP V dup	3	7.8	51.2	12.1	36.3	3.5	13.4	8.1 B	17.0	76.5
RPD		110%	2%	28%	56%	48%	NA	27%	126%	NA
I-Stat		0.55	0.01	0.14	0.28	0.24	NA	0.13	0.63	NA
COMP V	4	3.3	25.3	5.9	16.3	1.7	6.6	2.4	7.8	27.1
COMP V dup	4	5.1	32.3	8.1	21.2	2.3	7.7	4.5	9.3	38.0
RPD		43%	24%	32%	26%	31%	16%	61%	17%	33%
I-Stat		0.21	0.12	0.16	0.13	0.16	0.08	0.31	0.09	0.17
R-AC	2	2.8	4.6	0.7 U	1.9	2.9	0.8 U	24.6 B	1.5 U	30.0 B
R-AC dup	2	1.7	7.9	0.7 U	1.0	1.4	0.8 U	28.3 B	1.5 U	32.2 B
RPD		51%	52%	NA	63%	68%	NA	14%	NA	7%
I-Stat		0.26	0.26	NA	0.31	0.34	NA	0.07	NA	0.04

TABLE L.8. (Contd)

Sediment Treatment	Replicate	<i>M. nasuta</i> High PAHs ($\mu\text{g/kg}$ wet weight)							
		Benzo(a)-Anthracene	Benzo-Fluoranthenes	Benzo-(g,h,i)Perylene	Benzo(a)-Pyrene	Chrysene	Dibenzo-(a,h)Anthracene	Fluoranthene	Indeno-(1,2,3-cd)Pyrene
<u>Analytical Replicates (contd)</u>									
R-AM	1	2.6	38.6	8.5	1.0 U	7.4	0.9 U	10.1 B	5.9
R-AM dup	1	1.2 U	33.5	6.4	15.8	2.4	0.9 U	9.9 B	1.6 U
RPD		NA	14%	28%	NA	103%	NA	2%	NA
I-Stat		NA	0.07	0.14	NA	0.51	NA	0.01	NA
									91.8 B
									101.1 B
									10%
									0.05
R-PC	2	1.0 U	2.6	0.7 U	0.9 U	0.9 U	0.8 U	2.7 B	1.4 U
R-PC dup	2	1.1 U	2.4	0.7 U	1.0	0.9 U	0.9 U	2.6 B	1.5 U
RPD		NA	5%	NA	NA	NA	NA	4%	NA
I-Stat		NA	0.03	NA	NA	NA	NA	0.02	NA
									4%
									0.02

(a) Undetected above given concentration.

(b) Analyte detected in associated Blank.

(c) Analyte not spiked.

(d) Not applicable.

(e) Outside of target quality control range.

TABLE L.9. Surrogate Percent Recoveries for Polynuclear Aromatic Hydrocarbons (PAHs) in Tissue of *M. nasuta*, Oakland Phase III 38' Project

<u>Sediment Treatment</u>	<u>Replicate</u>	<u>Surrogate Percent Recovery</u>		
		<u>Fluoranthene d10</u>	<u>Anthracene d10</u>	<u>Pyrene d10</u>
COMP I	1	67.9	66.5	67.4
COMP I	2	108.0	82.4	109.0
COMP I	3	64.3	59.4	65.4
COMP I	4	89.4	88.7	102.5
COMP I	5	81.8	78.9	90.0
COMP I dup	5	66.6	27.7	61.0
COMP II	1	77.9	29.0	88.8
COMP II	2	71.4	37.7	82.1
COMP II	3	70.4	55.8	67.9
COMP II	4	72.4	82.0	80.3
COMP II	5	82.1	88.7	72.6
COMP III	1	76.3	82.0	77.7
COMP III	2	102.1	94.3	58.7
COMP III	3	73.1	58.6	90.5
COMP III	4	76.3	68.6	67.6
COMP III	5	70.3	60.8	66.3
COMP IV	1	93.2	87.5	84.9
COMP IV	2	127.7	97.2	157.7
COMP IV	3	77.5	73.1	93.8
COMP IV	4	82.1	78.7	88.9
COMP IV	5	70.7	83.2	89.5
COMP V	1	97.7	87.5	83.6
COMP V	2	85.5	87.5	68.8
COMP V	3	120.4	102.5	160.2
COMP V dup	3	95.5	101.6	90.5
COMP V	4	63.8	64.3	54.5
COMP V dup	4	80.7	86.3	68.8
COMP V	5	83.2	80.5	75.7
COMP VI	1	76.0	91.8	83.4
COMP VI	2	69.1	90.0	68.9
COMP VI	3	58.8	61.5	70.9
COMP VI	4	68.8	76.3	80.9
COMP VI	5	93.7	87.2	58.0

TABLE L.9. (Contd)

Sediment Treatment	Replicate	Surrogate Percent Recovery		
		Fluoranthene d10	Anthracene d10	Pyrene d10
R-AC	1	88.6	92.7	108.4
R-AC	2	88.7	88.5	102.0
R-AC dup	2	102.9	55.0	127.7
R-AC	3	77.4	30.2	95.2
R-AC	4	140.2	81.1	86.9
R-AC	5	81.9	26.1	78.0
R-AM	1	112.5	24.7	108.0
R-AM dup	1	113.0	25.0	108.0
R-AM	2	99.7	86.6	92.4
R-AM	3	97.9	95.3	104.8
R-AM	4	94.1	92.5	98.5
R-AM	5	88.4	89.5	93.6
R-BF	1	46.7	46.3	41.1
R-BF	2	85.5	82.5	62.2
R-BF	3	90.2	89.3	60.7
R-BF	4	87.0	89.8	105.0
R-BF	5	88.1	85.6	98.0
R-OS	1	60.4	34.0	51.9
R-OS	2	83.0	65.7	55.3
R-OS	3	93.8	56.8	70.2
R-OS	4	107.0	88.4	74.0
R-OS	5	97.3	87.5	58.3
R-PC	1	84.7	66.0	53.2
R-PC	2	87.3	82.6	60.8
R-PC dup	2	92.6	88.6	62.2
R-PC	3	70.9	31.2	58.8
R-PC	4	73.7	73.5	60.8
R-PC	5	70.5	97.4	76.9
R-PF	1	85.8	81.0	81.6
R-PF	2	96.1	80.8	75.5
R-PF	3	82.3	80.4	63.6
R-PF	4	90.6	82.0	71.5
R-PF	5	67.9	46.2	58.1
C-NE	1	62.9	40.5	72.0
C-NE	2	77.5	76.0	93.6
C-NE	3	88.1	89.9	95.5
C-NE	4	71.6	78.1	85.3
C-NE	5	77.8	81.4	89.3

TABLE L.9. (Contd)

Sediment Treatment	Replicate	Surrogate Percent Recovery		
		Fluoranthene d10	Anthracene d10	Pyrene d10
C-SB	1	85.6	84.0	101.7
C-SB	2	72.8	74.9	92.6
C-SB	3	71.7	71.1	86.5
C-SB	4	65.3	45.0	82.2
C-SB	5	72.0	79.1	95.1
Blank I		71.4	56.6	75.7
Blank II		43.3	20.3	51.8
Blank III		0.1	0.0	0.0
Blank IV		97.8	45.8	127.2
Blank V		79.3	67.7	108.2
Clam Blank A		89.0	64.3	120.5
Clam Blank B		78.1	85.5	90.7
Clam Blank I (12/5/90)		46.8	35.9	64.0
Clam Blank II		62.6	57.9	61.1
Clam Blank III		63.1	44.9	64.3
Clam Blank IV		56.3	31.1	56.7
Clam Blank V		69.7	74.1	66.2
Clam Blank VI		87.9	87.0	73.7
Clam Blank Z		74.2	71.8	70.3
Blank (1/21/91)		80.5	76.8	81.5
Clam Blank I (12/19/90)		105.7	72.4	123.0
COMP II MS		97.6	37.0	109.9
COMP II MS		122.9	130.3	100.1
COMP V MS		85.5	87.5	68.8
COMP VI MS		68.8	76.3	80.9
R-AC MS		117.2	83.5	120.9
R-BF MS		101.4	32.0	122.2

TABLE L.10. Polychlorinated Biphenyls (PCBs), Wet Weight, in Tissue of *M. nasuta*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	<i>M. nasuta</i> PCBs (<i>µg</i> /kg wet weight)						
		Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Aroclor-1254	Aroclor-1260
DL Goal		20	20	20	20	20	20	20
DL Achieved		20	20	20	20	20	20	20
COMP I	1	20 U ^(a)	20 U	20 U	20 U	20 U	30	20 U
	2	20 U	20 U	20 U	20 U	20 U	20 U	20 U
	3	20 U	20 U	20 U	80	20 U	200	20 U
	4	20 U	20 U	20 U	20 U	20 U	140 UE ^(b)	49
	5	20 U	20 U	20 U	20 U	20 U	20 U	20 U
COMP I dup	5	20 U	20 U	20 U	20 U	20 U	47	20 U
COMP II	1	20 U	20 U	20 U	20 U	20 U	20 U	20 U
	2	20 U	20 U	20 U	20 U	20 U	20 U	20 U
	3	20 U	20 U	20 U	20 U	20 U	20 U	20 U
	4	20 U	20 U	20 U	20 U	20 U	20 U	20 U
	5	20 U	20 U	20 U	20 U	20 U	20 U	20 U
COMP III	1	20 U	20 U	20 U	20 U	20 U	28 UE	20 U
	2	20 U	20 U	20 U	20 U	20 U	62	20 U
	3	20 U	20 U	20 U	20 U	20 U	39	20 U
	4	20 U	20 U	20 U	20 U	20 U	50 UE	20 U
	5	20 U	20 U	20 U	220 UE	20 U	330	20 U
COMP IV	1	20 U	20 U	20 U	20 U	20 U	88 B1 ^(c)	20 U
	2	20 U	20 U	20 U	20 U	20 U	20 U	20 U
	3	20 U	20 U	20 U	20 U	20 U	78 B1	48
	4	20 U	20 U	20 U	20 U	20 U	20 U	20 U
	5	20 U	20 U	20 U	20 U	20 U	76	72 UE
COMP V	1	20 U	20 U	20 U	20 U	20 U	40 B1	20 U
	2	20 U	20 U	20 U	53 UE	20 U	260	170
	3	20 U	20 U	20 U	20 U	20 U	20 U	20 U
	3	20 U	20 U	20 U	20 U	20 U	38 B1	52
	4	20 U	20 U	20 U	80 UE	20 U	69 UE	45
COMP V dup	4	20 U	20 U	20 U	20 U	20 U	38	20 U
COMP V	5	20 U	20 U	20 U	20 U	20 U	52 B1	39
COMP VI	1	20 U	20 U	20 U	20 U	20 U	150	20 U
	2	20 U	20 U	20 U	210	20 U	190 UE	20 U
	3	20 U	20 U	20 U	20 U	20 U	20 U	20 U
	4	20 U	20 U	20 U	330	20 U	440	20 U
	5	20 U	20 U	20 U	200 UE	20 U	130 UE	58 UE

TABLE L.10. (Contd)

Sediment Treatment	Replicate	<i>M. nasuta</i> PCBs ($\mu\text{g/kg}$ wet weight)						
		Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Aroclor-1254	Aroclor-1260
R-AC	1	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-AC	2	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-AC dup	3	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-AC	4	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-AC	5	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-AM	1	20 U	20 U	20 U	20 U	20 U	52	20 U
R-AM dup	2	20 U	20 U	20 U	20 U	20 U	66 UE	20 U
R-AM	3	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-AM	4	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-AM	5	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-BF	1	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-BF	2	20 U	20 U	20 U	20 U	20 U	58 UE	20 U
R-BF	3	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-BF	4	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-BF	5	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-OS	1	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-OS	2	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-OS	3	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-OS	4	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-OS	5	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-PC	1	20 U	20 U	20 U	20 U	20 U	88	20 U
R-PC	2	20 U	20 U	20 U	20 U	20 U	56	20 U
R-PC	3	20 U	20 U	20 U	20 U	20 U	77	20 U
R-PC	4	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-PC	5	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-PF	1	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-PF	2	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-PF	3	20 U	20 U	20 U	56	20 U	20 U	20 U
R-PF	4	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-PF	5	20 U	20 U	20 U	74	20 U	20 U	20 U

TABLE L.10. (Contd)

Sediment Treatment	Replicate	<i>M. nasuta</i> PCBs ($\mu\text{g/kg}$ wet weight)					
		Aroclor- 1016	Aroclor- 1221	Aroclor- 1232	Aroclor- 1242	Aroclor- 1248	Aroclor- 1254
C-NE	1	20 U	20 U	20 U	20 U	20 U	20 U
C-NE	2	20 U	20 U	20 U	20 U	20 U	20 U
C-NE	3	20 U	20 U	20 U	20 U	20 U	20 U
C-NE	4	20 U	20 U	20 U	20 U	20 U	20 U
C-NE	5	20 U	20 U	20 U	20 U	20 U	20 U
C-SB	1	20 U	20 U	20 U	20 U	20 U	20 U
C-SB	2	20 U	20 U	20 U	20 U	20 U	20 U
C-SB	3	20 U	20 U	20 U	20 U	20 U	20 U
C-SB	4	20 U	20 U	20 U	20 U	20 U	20 U
C-SB	5	20 U	20 U	20 U	20 U	20 U	20 U

(a) Undetected above given concentration.

(b) Elevated detection limit due to chromatographic interference and significant (>2X) difference in quantitation between first and second column.

(c) Analyte detected in associated Method Blank 1.

TABLE L.11. Polychlorinated Biphenyls (PCBs), Dry Weight, in Tissue of *M. nasuta*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	Percent Dry Weight	<i>M. nasuta</i> PCBs ($\mu\text{g/kg}$ dry weight)									
			Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Aroclor-1254	Aroclor-1260			
COMP I	1	12.0	167 U ^(a)	167 U	167 U	167 U	167 U	250	167 U			
COMP I	2	16.0	125 U	125 U	125 U	125 U	125 U	125 U	125 U			
COMP I	3	13.0	154 U	154 U	154 U	615	154 U	1538	154 U			
COMP I	4	15.0	133 U	133 U	133 U	133 U	133 U	933 UE ^(b)	327			
COMP I	5	12.0	167 U	167 U	167 U	167 U	167 U	167 U	167 U			
COMP I dup	5	12.0	167 U	167 U	167 U	167 U	167 U	392	167 U			
COMP II	1	13.0	154 U	154 U	154 U	154 U	154 U	154 U	154 U			
COMP II	2	10.0	200 U	200 U	200 U	200 U	200 U	200 U	200 U			
COMP II	3	12.0	167 U	167 U	167 U	167 U	167 U	167 U	167 U			
COMP II	4	11.0	182 U	182 U	182 U	182 U	182 U	182 U	182 U			
COMP II	5	13.0	154 U	154 U	154 U	154 U	154 U	154 U	154 U			
COMP III	1	12.0	167 U	167 U	167 U	167 U	167 U	233 UE	167 U			
COMP III	2	14.0	143 U	143 U	143 U	143 U	143 U	443	143 U			
COMP III	3	12.0	167 U	167 U	167 U	167 U	167 U	325	167 U			
COMP III	4	12.0	167 U	167 U	167 U	167 U	167 U	417 UE	167 U			
COMP III	5	12.0	167 U	167 U	167 U	1833 UE	167 U	2750	167 U			
COMP IV	1	13.0	154 U	154 U	154 U	154 U	154 U	677 B1 ^(c)	154 U			
COMP IV	2	14.0	143 U	143 U	143 U	143 U	143 U	143 U	143 U			
COMP IV	3	15.0	133 U	133 U	133 U	133 U	133 U	520 B1	320			
COMP IV	4	12.0	167 U	167 U	167 U	167 U	167 U	167 U	167 U			
COMP IV	5	13.0	154 U	154 U	154 U	154 U	154 U	585	554 UE			
COMP V	1	12.0	167 U	167 U	167 U	167 U	167 U	333 B1	167 U			
COMP V	2	14.0	143 U	143 U	143 U	379 UE	143 U	1857	1214			
COMP V	3	14.0	143 U	143 U	143 U	143 U	143 U	143 U	143 U			
COMP V dup	3	14.0	143 U	143 U	143 U	143 U	143 U	271 B1	371			
COMP V	4	11.0	182 U	182 U	182 U	727 UE	182 U	627 UE	409			
COMP V dup	4	11.0	182 U	182 U	182 U	182 U	182 U	345	182 U			
COMP V	5	7.0	286 U	286 U	286 U	286 U	286 U	743 B1	557			
COMP VI	1	14.0	143 U	143 U	143 U	143 U	143 U	1071	143 U			
COMP VI	2	12.0	167 U	167 U	167 U	1750	167 U	1583 UE	167 U			
COMP VI	3	14.0	143 U	143 U	143 U	143 U	143 U	143 U	143 U			
COMP VI	4	29.0	69 U	69 U	69 U	1138	69 U	1517	69 U			
COMP VI	5	17.0	118 U	118 U	118 U	1176 UE	118 U	765 UE	341 UE			

TABLE L.11. (Contd)

Sediment Treatment	Replicate	Percent Dry Weight	<i>M. nasuta</i> PCBs ($\mu\text{g/kg}$ dry weight)							
			Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Aroclor-1254	Aroclor-1260	
R-AC	1	13.0	154 U	154 U	154 U	154 U	154 U	154 U	154 U	
	2	14.0	143 U	143 U	143 U	143 U	143 U	143 U	143 U	
	2	14.0	143 U	143 U	143 U	143 U	143 U	143 U	143 U	
	3	12.0	167 U	167 U	167 U	167 U	167 U	167 U	167 U	
	4	16.0	125 U	125 U	125 U	125 U	125 U	125 U	125 U	
R-AC	5	14.0	143 U	143 U	143 U	143 U	143 U	143 U	143 U	
R-AM	1	13.0	154 U	154 U	154 U	154 U	154 U	400	154 U	
	1	13.0	154 U	154 U	154 U	154 U	154 U	508 UE	154 U	
	2	15.0	133 U	133 U	133 U	133 U	133 U	133 U	133 U	
	3	13.0	154 U	154 U	154 U	154 U	154 U	154 U	154 U	
	4	12.0	167 U	167 U	167 U	167 U	167 U	167 U	167 U	
R-AM	5	15.0	133 U	133 U	133 U	133 U	133 U	133 U	133 U	
R-BF	1	13.0	154 U	154 U	154 U	154 U	154 U	154 U	154 U	
	2	14.0	143 U	143 U	143 U	143 U	143 U	414 UE	143 U	
	3	13.0	154 U	154 U	154 U	154 U	154 U	154 U	154 U	
	4	13.0	154 U	154 U	154 U	154 U	154 U	154 U	154 U	
	5	13.0	154 U	154 U	154 U	154 U	154 U	154 U	154 U	
R-OS	1	13.0	154 U	154 U	154 U	154 U	154 U	154 U	154 U	
	2	12.0	167 U	167 U	167 U	167 U	167 U	167 U	167 U	
	3	15.0	133 U	133 U	133 U	133 U	133 U	133 U	133 U	
	4	13.0	154 U	154 U	154 U	154 U	154 U	154 U	154 U	
	5	12.0	167 U	167 U	167 U	167 U	167 U	167 U	167 U	
R-PC	1	12.0	167 U	167 U	167 U	167 U	167 U	733	167 U	
	2	12.0	167 U	167 U	167 U	167 U	167 U	467	167 U	
	3	12.0	167 U	167 U	167 U	167 U	167 U	642	167 U	
	4	12.0	167 U	167 U	167 U	167 U	167 U	167 U	167 U	
	5	12.0	167 U	167 U	167 U	167 U	167 U	167 U	167 U	
R-PF	1	13.0	154 U	154 U	154 U	154 U	154 U	154 U	154 U	
	2	13.0	154 U	154 U	154 U	431	154 U	154 U	154 U	
	3	13.0	154 U	154 U	154 U	154 U	154 U	154 U	154 U	
	4	12.0	167 U	167 U	167 U	167 U	167 U	167 U	167 U	
	5	11.0	182 U	182 U	182 U	673	182 U	182 U	182 U	

TABLE L.11. (Contd)

Sediment Treatment	Replicate	Percent Dry Weight	<i>M. nasuta</i> PCBs ($\mu\text{g/kg}$ dry weight)							
			Aroclor- 1016	Aroclor- 1221	Aroclor- 1232	Aroclor- 1242	Aroclor- 1248	Aroclor- 1254	Aroclor- 1260	
C-NE	1	14.0	143 U	143 U	143 U	143 U	143 U	143 U	143 U	
C-NE	2	10.0	200 U	200 U	200 U	200 U	200 U	200 U	950 UE	
C-NE	3	12.0	167 U	167 U	167 U	167 U	167 U	167 U	167 U	
C-NE	4	13.0	154 U	154 U	154 U	154 U	154 U	154 U	415	
C-NE	5	11.0	182 U	182 U	182 U	182 U	182 U	182 U	182 U	
C-SB	1	15.0	133 U	133 U	133 U	133 U	133 U	133 U	133 U	
C-SB	2	12.0	167 U	167 U	167 U	167 U	167 U	2667	167 U	
C-SB	3	18.0	111 U	111 U	111 U	111 U	111 U	111 U	111 U	
C-SB	4	13.0	154 U	154 U	154 U	154 U	154 U	154 U	154 U	
C-SB	5	14.0	143 U	143 U	143 U	143 U	143 U	143 U	143 U	

(a) Undetected above given concentration.

(b) Elevated detection limit due to chromatographic interference and significant (>2x) difference in quantitation between first and second column.

(c) Analyte detected in associated Method Blank 1.

TABLE L.12. Quality Control Data for Polychlorinated Biphenyls (PCBs), Wet Weight, in Tissues of *M. nasuta*, Oakland Phase III 38' Project

		<i>M. nasuta</i> PCBs ($\mu\text{g/kg}$ wet weight)						
Sediment Treatment	Replicate	Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Aroclor-1254	Aroclor-1260
<u>Method Blanks</u>								
Blank 1		20 U ^(a)	20 U	20 U	20 U	20 U	62	20 U
Blank 2		20 U	20 U	20 U	20 U	20 U	20 U	20 U
Blank 3		20 U	20 U	20 U	54	20 U	20 U	20 U
Blank 4		20 U	20 U	20 U	20 U	20 U	41	20 U
Blank 5		20 U	20 U	20 U	20 U	20 U	35	20 U
Blank 6		20 U	20 U	20 U	36	20 U	20 U	20 U
Blank 7		20 U	20 U	20 U	20 U	20 U	74	20 U
Blank 8		20 U	20 U	20 U	20 U	20 U	20 U	20 U
Blank 9		20 U	20 U	20 U	20 U	20 U	20 U	20 U
Blank 10		20 U	20 U	20 U	20 U	20 U	20 U	20 U
<u>Matrix Spikes</u>								
COMP I	3	20 U	20 U	20 U	80	20 U	200	20 U
COMP I MS	3	NA ^(b)	NA	NA	76	NA	720	1400
Spike Amount		NS ^(c)	NS	NS	NS	NS	NS	1000
Percent Recovery		NA	NA	NA	NA	NA	NA	140%
COMP I	4	20 U	20 U	20 U	20 U	20 U	20 U	20 U
COMP I MS	4	NA	NA	NA	20 U	NA	20 U	1500
Spike Amount		NS	NS	NS	NS	NS	NS	952
Percent Recovery		NA	NA	NA	NA	NA	NA	158%
R-AC	3	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-AC MS	3	NA	NA	NA	20 U	NA	20 U	1000
Spike Amount		NS	NS	NS	NS	NS	NS	962
Percent Recovery		NA	NA	NA	NA	NA	NA	104%
R-BF	4	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-BF MS	4	NA	NA	NA	20 U	NA	20 U	1000
Spike Amount		NS	NS	NS	NS	NS	NS	962
Percent Recovery		NA	NA	NA	NA	NA	NA	104%
<u>Analytical Replicates</u>								
COMP I	5	20 U	20 U	20 U	20 U	20 U	20 U	20 U
COMP I dup	5	20 U	20 U	20 U	20 U	20 U	47	20 U
RPD		NA	NA	NA	NA	NA	NA	NA
I-Stat		NA	NA	NA	NA	NA	NA	NA
COMP V	3	20 U	20 U	20 U	20 U	20 U	20 U	20 U
COMP V dup	3	20 U	20 U	20 U	20 U	20 U	38 B1	52
RPD		NA	NA	NA	NA	NA	NA	NA
I-Stat		NA	NA	NA	NA	NA	NA	NA
COMP V	4	20 U	20 U	20 U	20 U	20 U	69 U	20 U
COMP V dup	4	20 U	20 U	20 U	20 U	20 U	38	20 U
RPD		NA	NA	NA	NA	NA	NA	NA
I-Stat		NA	NA	NA	NA	NA	NA	NA
R-AC	2	20 U	20 U	20 U	20 U	20 U	20 U	20 U
R-AC dup	2	20 U	20 U	20 U	20 U	20 U	20 U	20 U
RPD		NA	NA	NA	NA	NA	NA	NA
I-Stat		NA	NA	NA	NA	NA	NA	NA

TABLE L.12. (Contd)

<u>Sediment Treatment</u>	<u>Replicate</u>	<u>M. nasuta PCBs (μg/kg wet weight)</u>						
		<u>Aroclor-1016</u>	<u>Aroclor-1221</u>	<u>Aroclor-1232</u>	<u>Aroclor-1242</u>	<u>Aroclor-1248</u>	<u>Aroclor-1254</u>	<u>Aroclor-1260</u>
<u>Analytical Replicates</u>								
R-AM	1	20 U	20 U	20 U	20 U	20 U	52	20 U
R-AM dup	1	20 U	20 U	20 U	20 U	20 U	66 U	20 U
RPD		NA	NA	NA	NA	NA	NA	NA
I-Stat		NA	NA	NA	NA	NA	NA	NA

-
- (a) Undetected above given concentration.
 (b) Not applicable; calculations not appropriate
 when one or more values are undetected.
 (c) Analyte not spiked.

TABLE L.13. Chlorinated Pesticides (Alphabetical Aldrin - 4,4'-DDT), Wet Weight, in Tissue of *M. nasuta*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	<i>M. nasuta</i> Pesticides ($\mu\text{g/kg}$ wet weight)									
		Aldrin	Alpha-BHC	Beta-BHC	Delta-BHC	(Lindane) Gamma-BHC	Alpha-chlor-dane	Gamma-chlor-dane	4,4'-DDD	4,4'-DDE	4,4'-DDT
DL Goals		2	2	2	2	2	2	2	2	2	2
DL Achieved		2	2	2	2	2	2	2	2	2	2
COMP I	1	2.0 U(a)	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP I	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP I	3	2.0 U	2.0 U	3.1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP I	4	3.9 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP I	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP I dup	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP II	1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP II	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP II	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP II	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP II	5	2.0 U	2.0 U	27.0 U	2.0 U	2.0 U	2.0 U	4.3	2.0 U	6.4 U	2.0 U
COMP III	1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP III	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP III	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP III	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP III	5	6.2	3.8 U	2.3	3.8	3.5	2.0 U	2.0 U	2.0 U	12.0	3.2 U
COMP IV	1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.2	2.0 U
COMP IV	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP IV	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	3.0	2.0 U
COMP IV	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP IV	5	2.0 U	4.2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.1	2.0 U
COMP V	1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP V	2	2.2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP V	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP V dup	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP V	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP V dup	4	2.0 U	2.0 U	2.0 U	6.6	3.5	3.9	2.1	2.0 U	2.0 U	2.0 U
COMP V	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U

TABLE L.13. (Contd)

Sediment Treatment	Replicate	<i>M. nasuta</i> Pesticides ($\mu\text{g}/\text{kg}$ wet weight)							
		Aldrin	Alpha-BHC	Beta-BHC	Delta-BHC	(Lindane) Gamma-BHC	Alpha-chlor-dane	Gamma-chlor-dane	4,4'-DDT
COMP VI	1	2.0 U	2.1 U	2.0 U	5.0	3.0	2.0 U	2.0 U	2.0 U
COMP VI	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	6.4 U
COMP VI	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP VI	4	2.0 U	2.0 U	2.0 U	6.2	8.8	2.0 U	2.0 U	15.0 U
COMP VI	5	2.0 U	6.5	2.5 U	9.2 U	9.2	2.0 U	2.0 U	2.0 U
R-AC	1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	8.2
R-AC	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-AC dup	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-AC	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-AC	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-AC	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-AM	1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-AM dup	1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-AM	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-AM	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-AM	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-AM	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-BF	1	2.0 U	9.3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-BF	2	4.3 U	3.4 U	2.0 U	2.4 U	2.0 U	2.0 U	2.0 U	2.0 U
R-BF	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-BF	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-BF	5	2.0 U	3.4	8.4	2.0 U	3.3	2.0 U	2.0 U	2.0 U
R-OS	1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-OS	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-OS	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-OS	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-OS	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-PC	1	2.0 U	2.0 U	3.9	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-PC	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-PC	3	2.0 U	2.0 U	2.0 U	2.8	2.0 U	2.0 U	2.0 U	2.0 U
R-PC	4	2.0 U	4.4 U	3.2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-PC	5	2.0 U	2.0 U	2.0 U	2.0 U	2.1 U	2.0 U	2.0 U	2.0 U

TABLE L.13. (Contd)

Sediment Treatment	Replicate	<i>M. nasuta</i> Pesticides ($\mu\text{g/kg}$ wet weight)									
		Aldrin	Alpha- BHC	Beta- BHC	Delta- BHC	(Lindane) Gamma- BHC	Alpha- chlor- dane	Gamma- chlor- dane	4,4'- DDD	4,4'- DDE	4,4'- DDT
R-PF	1	2.0 U	2.6 U	2.0 U	2.0 U	4.1 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-PF	2	2.0 U	2.8 U	2.4	2.1 U	2.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-PF	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-PF	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-PF	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
C-NE	1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
C-NE	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.5 U	5.2
C-NE	3	2.0 U	2.0 U	2.0 U	2.4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
C-NE	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
C-NE	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
C-SB	1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.2	2.0 U	2.0 U
C-SB	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
C-SB	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
C-SB	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
C-SB	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U

(a) Undetected above given concentration.

TABLE L.14. Chlorinated Pesticides (Alphabetical Dieldrin - Toxaphene), Wet Weight, in Tissue of *M. nasuta*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	<i>M. nasuta</i> Pesticides ($\mu\text{g/kg}$ wet weight)									
		Dieldrin	Endo-sulfan I	Endo-sulfan II	Endo-sulfan Sulfate	Endrin	Endrin Ketone	Hepta-chlor	Hepta-chlor Epoxide	Methoxy-chlor	Toxa-phene
DL Goals		2	2	2	2	2	2	2	2	10	20
DL Achieved		2	2	2	2	2	2	2	2	10	20
COMP I	1	2.0 U(a)	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP I	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP I	3	12.0 B6(b)	2.0 U	11.0 B6	2.0 U	2.0 B6	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP I	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP I	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP I dup	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP II	1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP II	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP II	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP II	4	2.0 U	2.0 U	2.0 U	2.0 U	4.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP II	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP III	1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP III	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP III	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP III	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP III	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP III	1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP III	2	2.0 U	2.0 U	2.8 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP III	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP III	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP III	5	6.2 U	2.0 U	20.0 B6	2.0 U	2.0 U	2.0 U	2.0 U	4.2	10.0 U	20.0 U
COMP IV	1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP IV	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP IV	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP IV	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP IV	5	2.0 U	2.0 U	2.9 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP V	1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP V	2	12.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP V	3	2.0 U	2.0 U	2.0 U	2.0 U	4.4	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP V dup	3	2.0 U	2.0 U	2.0 U	2.0 U	2.9 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP V	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP V	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP V dup	4	2.0 U	2.0 U	6.1 B6	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP V	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U

TABLE L.14. (Contd)

Sediment Treatment	Replicate	<i>M. nasuta</i> Pesticides ($\mu\text{g}/\text{kg}$ wet weight)									
		Dieldrin	Endo- sulfan I	Endo- sulfan II	Endo- sulfate	Endrin	Endrin Ketone	Hepta- chlor	Hepta- chlor Epoxide	Methoxy- chlor	Toxa- phene
COMP VI	1	2.0 U	2.0 U	4.8 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP VI	2	14.0 U	2.0 U	8.8 U	3.6 U	5.9 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP VI	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP VI	4	16.0 B6	2.0 U	15.0 B6	6.5	5.8 U	2.0 U	2.0 U	3.2	10.0 U	20.0 U
COMP VI	5	2.0 U	2.0 U	2.8 U	2.0 U	4.5 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-AC	1	11.0	2.0 U	2.0 U	7.0	2.7 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-AC	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-AC dup	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-AC	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-AC	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-AC	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-AM	1	2.4 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-AM dup	1	2.3 U	2.0 U	2.0 U	2.3	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-AM	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-AM	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-AM	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-AM	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-BF	1	2.2 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-BF	2	2.0 U	2.0 U	2.0 U	2.0 U	38.0	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-BF	3	2.0 U	2.0 U	2.2 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-BF	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-BF	5	2.0 U	2.0 U	3.6	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-OS	1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-OS	2	2.0 U	2.0 U	2.0 U	2.0 U	2.9	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-OS	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-OS	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-OS	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-PC	1	2.2 U	2.0 U	2.9	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-PC	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-PC	3	2.0 U	2.0 U	2.7 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-PC	4	2.0 U	2.0 U	2.6	2.0 U	2.6 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-PC	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U

TABLE L.14. (Contd)

Sediment Treatment	Replicate	<i>M. nasuta</i> Pesticides ($\mu\text{g/kg}$ wet weight)									
		Dieldrin	Endo-sulfan I	Endo-sulfan II	Endo-sulfan Sulfate	Endrin	Endrin Ketone	Hepta-chlor	Hepta-chlor Epoxide	Methoxy-chlor	Toxa-phene
R-PF	1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-PF	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-PF	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-PF	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-PF	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
C-NE	1	3.7	2.0 U	3.3	2.0 U	2.0 U	3.5 U	2.0 U	2.0 U	10.0 U	20.0 U
C-NE	2	2.0 U	2.0 U	4.4 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
C-NE	3	2.1 U	2.0 U	3.7 U	2.0 U	6.7 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
C-NE	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
C-NE	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
C-SB	1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
C-SB	2	2.0 U	2.0 U	4.1 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
C-SB	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
C-SB	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
C-SB	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U

(a) Undetected above given concentration.

(b) Analyte detected in Method Blank 6; Sample concentrations not blank corrected.

TABLE L.15. Chlorinated Pesticides (Alphabetical Aldrin - 4,4'-DDT), Dry Weight, in Tissue of *M. nasuta*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	Percent Dry Weight	<i>M. nasuta</i> Pesticides ($\mu\text{g/kg}$ dry weight)									
			Aldrin	Alpha-BHC	Beta-BHC	Delta-BHC	Gamma-BHC (Lindane)	Alpha-Chlordane	Gamma-Chlordane	4,4'-DD	4,4'-DDE	4,4'-DDT
COMP I	1	12.0	17 U (a)	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U
COMP I	2	16.0	13 U	13 U	13 U	13 U	13 U	13 U	13 U	13 U	13 U	13 U
COMP I	3	13.0	15 U	15 U	24	15 U	15 U	15 U	15 U	15 U	15 U	15 U
COMP I	4	15.0	26 U	13 U	13 U	13 U	13 U	13 U	13 U	13 U	13 U	13 U
COMP I	5	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U
COMP I dup	5	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U
COMP II	1	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U
COMP II	2	10.0	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U
COMP II	3	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U
COMP II	4	11.0	18 U	18 U	18 U	18 U	18 U	18 U	18 U	18 U	18 U	18 U
COMP II	5	13.0	15 U	15 U	208 U	15 U	15 U	15 U	33	15 U	49 U	15 U
COMP III	1	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U
COMP III	2	14.0	14 U	14 U	14 U	14 U	22	20	14 U	14 U	14 U	14 U
COMP III	3	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U
COMP III	4	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	25	17 U
COMP III	5	12.0	52	19 U	27	32	29	17 U	17 U	17 U	100	27 U
COMP IV	1	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	17	15 U
COMP IV	2	14.0	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U
COMP IV	3	15.0	13 U	13 U	13 U	13 U	13 U	13 U	13 U	13 U	20	13 U
COMP IV	4	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U
COMP IV	5	13.0	15 U	32	15 U	15 U	15 U	15 U	15 U	15 U	16	15 U
COMP V	1	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U
COMP V	2	14.0	16	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U
COMP V	3	14.0	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U
COMP V dup	3	14.0	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U
COMP V	4	11.0	18 U	18 U	18 U	18 U	18 U	18 U	18 U	18 U	18 U	18 U
COMP V dup	4	11.0	18 U	18 U	18 U	60	32	35	19	18 U	18 U	18 U
COMP V	5	7.0	29 U	29 U	29 U	29 U	29 U	29 U	29 U	29 U	29 U	29 U
COMP VI	1	14.0	14 U	15 U	14 U	36	21	14 U	14 U	14 U	14 U	14 U
COMP VI	2	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	78 U	53 U
COMP VI	3	14.0	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U
COMP VI	4	29.0	7 U	7 U	7 U	21	30	7 U	7 U	7 U	15 U	52 U
COMP VI	5	17.0	12 U	38	15 U	54 U	54	12 U	12 U	12 U	12 U	12 U

TABLE L.15. (Contd)

Sediment Treatment	Replicate	Percent Dry Weight	<i>M. nasuta</i> Pesticides ($\mu\text{g/kg}$ dry weight)									
			Alpha-BHC	Beta-BHC	Delta-BHC	(Lindane)		Alpha-Chlordane	Gamma-Chlordane	4,4'-DDD	4,4'-DDE	4,4'-DDT
R-AC	1	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	19 U	63 U
R-AC	2	14.0	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U
R-AC dup	2	14.0	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U
R-AC	3	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U
R-AC	4	16.0	13 U	13 U	13 U	13 U	13 U	13 U	13 U	13 U	13 U	13 U
R-AC	5	14.0	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U
R-AM	1	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	17	15 U
R-AM dup	1	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	18	15 U
R-AM	2	15.0	13 U	13 U	13 U	13 U	13 U	13 U	13 U	13 U	13 U	13 U
R-AM	3	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U
R-AM	4	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U
R-AM	5	15.0	13 U	13 U	13 U	13 U	13 U	13 U	13 U	13 U	13 U	13 U
R-BF	1	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U
R-BF	2	14.0	31 U	14 U	17 U	14 U	14 U	14 U	29 U	14 U	14 U	14 U
R-BF	3	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U
R-BF	4	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	16
R-BF	5	13.0	26	65	15 U	25	15 U	15 U	15 U	15 U	15 U	15 U
R-OS	1	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U
R-OS	2	12.0	17 U	17 U	17 U	24	17 U	17 U	17 U	17 U	17 U	17 U
R-OS	3	15.0	13 U	13 U	13 U	13 U	13 U	13 U	13 U	13 U	13 U	13 U
R-OS	4	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U
R-OS	5	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U
R-PC	1	12.0	17 U	33	17 U	17 U	17 U	17 U	17 U	28 U	17 U	17 U
R-PC	2	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U
R-PC	3	12.0	17 U	17 U	23	17 U	17 U	17 U	17 U	17 U	17 U	17 U
R-PC	4	12.0	37 U	27	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U
R-PC	5	12.0	17 U	17 U	17 U	18 U	17 U	17 U	17 U	17 U	17 U	17 U
R-PF	1	13.0	20 U	15 U	15 U	32 U	15 U	15 U	15 U	15 U	15 U	15 U
R-PF	2	13.0	22 U	18	16 U	19 U	15 U	15 U	15 U	15 U	15 U	15 U
R-PF	3	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U
R-PF	4	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U
R-PF	5	11.0	18 U	18 U	18 U	18 U	18 U	18 U	18 U	18 U	18 U	18 U

TABLE L.15. (Contd)

Sediment Treatment	Replicate	Percent Dry Weight	<i>M. nasuta</i> Pesticides ($\mu\text{g/kg}$ dry weight)									
			Aldrin	Alpha-BHC	Beta-BHC	Delta-BHC	(Lindane)		Gamma-Chlordane	Alpha-Chlordane	4,4'-DDD	4,4'-DDE
C-NE	1	14.0	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U
C-NE	2	10.0	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	25 U	52
C-NE	3	12.0	17 U	17 U	17 U	20	17 U	17 U	17 U	17 U	17 U	17 U
C-NE	4	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U
C-NE	5	11.0	18 U	18 U	18 U	18 U	18 U	18 U	18 U	18 U	18 U	18 U
C-SB	1	15.0	13 U	13 U	13 U	13 U	13 U	13 U	13 U	15	13 U	13 U
C-SB	2	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U
C-SB	3	18.0	11 U	11 U	11 U	11 U	11 U	11 U	11 U	11 U	11 U	11 U
C-SB	4	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U
C-SB	5	14.0	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U

(a) Undetected above given concentration.

TABLE L.16. Chlorinated Pesticides (Alphabetical Dieldrin - Toxaphene), Dry Weight, in Tissue of *M. nasuta*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	Percent Dry Weight	<i>M. nasuta</i> Pesticides ($\mu\text{g/kg}$ dry weight)									
			Dieldrin	Endo-sulfan I	Endo-sulfan II	Endo-sulfan	Endrin	Endrin Ketone	Hepta-chlor	Hepta-chlor Epoxide	Methoxy-chlor	Toxa-phene
COMP I	1	12.0	17 U (a)	17 U	17 U	17 U	17 U	17 U	17 U	17 U	83 U	167 U
COMP I	2	16.0	13 U	13 U	13 U	13 U	13 U	13 U	13 U	13 U	63 U	125 U
COMP I	3	13.0	92 86 (b)	15 U	85 86	15 U	15 86	15 U	15 U	15 U	77 U	154 U
COMP I	4	15.0	13 U	13 U	13 U	13 U	13 U	13 U	13 U	13 U	67 U	133 U
COMP I	5	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	83 U	167 U
COMP I dup	5	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	83 U	167 U
COMP II	1	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	77 U	154 U
COMP II	2	10.0	20 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	100 U	200 U
COMP II	3	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	83 U	167 U
COMP II	4	11.0	18 U	18 U	18 U	18 U	36 U	18 U	18 U	18 U	91 U	182 U
COMP II	5	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	77 U	154 U
COMP III	1	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	83 U	167 U
COMP III	2	14.0	14 U	14 U	20 U	14 U	14 U	14 U	14 U	14 U	71 U	143 U
COMP III	3	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	83 U	167 U
COMP III	4	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	83 U	167 U
COMP III	5	12.0	52 U	17 U	167 86	17 U	17 U	17 U	17 U	35	83 U	167 U
COMP IV	1	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	77 U	154 U
COMP IV	2	14.0	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	71 U	143 U
COMP IV	3	15.0	13 U	13 U	13 U	13 U	13 U	13 U	13 U	13 U	67 U	133 U
COMP IV	4	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	83 U	167 U
COMP IV	5	13.0	15 U	15 U	22 U	15 U	15 U	15 U	15 U	15 U	77 U	154 U
COMP V	1	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	17 U	83 U	167 U
COMP V	2	14.0	86 U	14 U	14 U	14 U	31	14 U	14 U	14 U	71 U	143 U
COMP V	3	14.0	14 U	14 U	14 U	14 U	21 U	14 U	14 U	14 U	71 U	143 U
COMP V dup	3	14.0	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	71 U	143 U
COMP V	4	11.0	18 U	18 U	18 U	18 U	18 U	18 U	18 U	18 U	91 U	182 U
COMP V dup	4	11.0	18 U	18 U	55 86	18 U	18 U	18 U	18 U	18 U	91 U	182 U
COMP V	5	7.0	29 U	29 U	29 U	29 U	29 U	29 U	29 U	29 U	143 U	286 U
COMP VI	1	14.0	14 U	14 U	34 U	14 U	14 U	14 U	14 U	14 U	71 U	143 U
COMP VI	2	12.0	117 U	17 U	73 U	30 U	49 U	17 U	17 U	17 U	83 U	167 U
COMP VI	3	14.0	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	71 U	143 U
COMP VI	4	29.0	55 86	7 U	52 86	22	20 U	7 U	7 U	11	34 U	69 U
COMP VI	5	17.0	12 U	12 U	16 U	12 U	26 U	12 U	12 U	12 U	59 U	118 U

TABLE L.16. (Contd)

Sediment Treatment	Replicate	Percent Dry Weight	<i>M. nasuta</i> Pesticides ($\mu\text{g/kg}$ dry weight)									
			Endo-sulfan I	Endo-sulfan II	Endo-sulfan	Endrin	Endrin Ketone	Hepta-chlor	Hepta-chlor Epoxide	Methoxy-chlor	Toxa-phene	
R-AC	1	13.0	15 U	15 U	54	21 U	15 U	15 U	15 U	77 U	154 U	
R-AC	2	14.0	14 U	14 U	14 U	14 U	14 U	14 U	14 U	71 U	143 U	
R-AC dup	2	14.0	14 U	14 U	14 U	14 U	14 U	14 U	14 U	71 U	143 U	
R-AC	3	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	83 U	167 U	
R-AC	4	16.0	13 U	13 U	13 U	13 U	13 U	13 U	13 U	63 U	125 U	
R-AC	5	14.0	14 U	14 U	14 U	14 U	14 U	14 U	14 U	71 U	143 U	
R-AM	1	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	77 U	154 U	
R-AM dup	1	13.0	15 U	15 U	18	15 U	15 U	15 U	15 U	77 U	154 U	
R-AM	2	15.0	13 U	13 U	13 U	13 U	13 U	13 U	13 U	67 U	133 U	
R-AM	3	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	77 U	154 U	
R-AM	4	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	83 U	167 U	
R-AM	5	15.0	13 U	13 U	13 U	13 U	13 U	13 U	13 U	67 U	133 U	
R-BF	1	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	77 U	154 U	
R-BF	2	14.0	14 U	14 U	14 U	271	14 U	14 U	14 U	71 U	143 U	
R-BF	3	13.0	15 U	17 U	15 U	15 U	15 U	15 U	15 U	77 U	154 U	
R-BF	4	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	77 U	154 U	
R-BF	5	13.0	15 U	28	15 U	15 U	15 U	15 U	15 U	77 U	154 U	
R-OS	1	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	77 U	154 U	
R-OS	2	12.0	17 U	17 U	17 U	24	17 U	17 U	17 U	83 U	167 U	
R-OS	3	15.0	13 U	13 U	13 U	13 U	13 U	13 U	13 U	67 U	133 U	
R-OS	4	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	77 U	154 U	
R-OS	5	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	83 U	167 U	
R-PC	1	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	83 U	167 U	
R-PC	2	12.0	17 U	24	17 U	17 U	17 U	17 U	17 U	83 U	167 U	
R-PC	3	12.0	17 U	23 U	17 U	24 U	17 U	17 U	17 U	83 U	167 U	
R-PC	4	12.0	17 U	22	17 U	22 U	17 U	17 U	17 U	83 U	167 U	
R-PC	5	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	83 U	167 U	
R-PF	1	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	77 U	154 U	
R-PF	2	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	77 U	154 U	
R-PF	3	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	77 U	154 U	
R-PF	4	12.0	17 U	17 U	17 U	17 U	17 U	17 U	17 U	83 U	167 U	
R-PF	5	11.0	18 U	18 U	18 U	18 U	18 U	18 U	18 U	91 U	182 U	

TABLE L.16. (Contd)

Sediment Treatment	Replicate	Percent Dry Weight	<i>M. nasuta</i> Pesticides (<i>µg</i> /kg dry weight)									
			Dieldrin	Endo- sulfan I	Endo- sulfan II	Endo- sulfan	Endrin	Hepta- chlor	Hepta- chlor Epoxide	Methoxy- chlor	Toxa- phene	
C-NE	1	14.0	26	14 U	24	14 U	14 U	28 U	14 U	14 U	71 U	143 U
C-NE	2	10.0	20 U	20 U	44 U	20 U	20 U	20 U	20 U	20 U	100 U	200 U
C-NE	3	12.0	18 U	17 U	31 U	17 U	56 U	17 U	17 U	17 U	83 U	167 U
C-NE	4	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	77 U	154 U
C-NE	5	11.0	18 U	18 U	18 U	18 U	18 U	18 U	18 U	18 U	91 U	182 U
C-SB	1	15.0	13 U	13 U	13 U	13 U	13 U	13 U	13 U	13 U	67 U	133 U
C-SB	2	12.0	17 U	17 U	34 U	17 U	17 U	17 U	17 U	17 U	83 U	167 U
C-SB	3	18.0	11 U	11 U	11 U	11 U	11 U	11 U	11 U	11 U	56 U	111 U
C-SB	4	13.0	15 U	15 U	15 U	15 U	15 U	15 U	15 U	15 U	77 U	154 U
C-SB	5	14.0	14 U	14 U	14 U	14 U	14 U	14 U	14 U	14 U	71 U	143 U

(a) Undetected above given concentration.

(b) Analyte detected in Method Blank 6; Sample values are not blank corrected.

TABLE L.17. Quality Control Data for Chlorinated Pesticide (Alphabetical), Aldrin - 4,4' DDT, Wet Weight, in Tissue of *M. nasuta*, Oakland Phase III 38' Project

M. nasuta Pesticides (µg/kg wet weight)											
Sediment Treatment	Replicate	Aldrin	Alpha-BHC	Beta-BHC	Delta-BHC	(Lindane) Gamma-BHC	Alpha-chlor-dane	Gamma-chlor-dane	4,4'-DDD	4,4'-DDE	4,4'-DDT
Method Blanks											
Blank 1		2.0 U(a)	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U(b)
Blank 2		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	4.6 U(b)
Blank 3		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U(b)
Blank 4		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.1 U(b)	4.2 U(b)	6.3 U(b)
Blank 5		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Blank 6		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Blank 7		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	12.0 U	2.0 U	2.0 U
Blank 8		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Blank 9		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Blank 10		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	4.5 U	7.7 U
Matrix Spikes											
COMP V	1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP V MS	1	43.7	2.0 U	2.0 U	2.0 U	46.0	2.0 U	2.0 U	2.0 U	2.0 U	53.8
Spike Amount		45	NS(c)	NS	NS	45	NS	NS	NS	NS	45
Percent Recovery		97%	NA(d)	NA	NA	102%	NA	NA	NA	NA	120%
COMP II	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP II MS	4	32.2	2.0 U	2.0 U	2.0 U	38.6	2.0 U	2.0 U	2.0 U	2.0 U	36.7
Spike Amount		48.1	NS	NS	NS	48.1	NS	NS	NS	NS	48.1
Percent Recovery		67%	NA	NA	NA	80%	NA	NA	NA	NA	76%
R-PC	1	2.0 U	2.0 U	3.9	2.0 U	2.0 U	2.0 U	2.0 U	3.4	2.0 U	2.0 U
R-PC MS	1	22.9 U	2.0 U	2.0 U	2.0 U	19.5	2.0 U	2.0 U	2.0 U	2.0 U	27.1
Spike Amount		46.7	NS	NS	NS	46.7	NS	NS	NS	NS	46.7
Percent Recovery		49%	NA	NA	NA	42%	NA	NA	NA	NA	58%
R-AC	1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.5 U	8.2 U
R-AC MS	1	35.9	2.0 U	2.0 U	2.0 U	38.6	2.0 U	2.0 U	2.0 U	2.0 U	39.3
Spike Amount		51.0	NS	NS	NS	51.0	NS	NS	NS	NS	51.0
Percent Recovery		70%	NA	NA	NA	76%	NA	NA	NA	NA	66%

TABLE L.17. (Contd)

<i>M. nasuta</i> Pesticides ($\mu\text{g/kg}$ wet weight)											
Sediment Treatment	Replicate	Aldrin	Alpha-BHC	Beta-BHC	Delta-BHC	Gamma-BHC (Lindane)	Alpha-chlor-dane	Gamma-chlor-dane	4,4'-DDD	4,4'-DDE	4,4'-DDT
Matrix Spikes											
R-AC	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-AC MS	5	32.6	2.0 U	2.0 U	2.0 U	35.7	2.0 U	2.0 U	2.0 U	2.0 U	45.0
Spike Amount		47.2	NS	NS	NS	47.2	NS	NS	NS	NS	47.2
Percent Recovery		69%	NA	NA	NA	76%	NA	NA	NA	NA	95%
Analytical Duplicates											
COMP I	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP I dup	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
RPD		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
I-Stat		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
COMP V	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP V dup	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
RPD		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
I-Stat		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
COMP V	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
COMP V dup	4	2.0 U	2.0 U	2.0 U	6.6	3.5	3.9	2.1	2.0 U	2.0 U	2.0 U
RPD		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
I-Stat		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
R-AC	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
R-AC dup	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
RPD		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
I-Stat		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
R-AM	1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.2	2.0 U
R-AM dup	1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.4	2.0 U
RPD		NA	NA	NA	NA	NA	NA	NA	NA	9%	NA
I-Stat		NA	NA	NA	NA	NA	NA	NA	NA	0.04	NA

(a) Undetected above given concentration.

(b) Analyte not detected in any associated samples.

(c) Analyte not spiked.

(d) Not applicable.

TABLE L.18. Quality Control Data for Chlorinated Pesticide (Alphabetical, Dieldrin - Toxaphene), Wet Weight, in Tissue of *M. nasuta*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	M. nasuta Pesticides (µg/kg wet weight)									
		Dieldrin	Endo-sulfan I	Endo-sulfan II	Endo-sulfan Sulfate	Endrin	Endrin Ketone	Hepta-chlor	Hepta-chlor Epoxide	Methoxy-chlor	Toxa-phene
Method Blanks											
Blank 1	1	2.0 U ^(a)	2.0 U	2.0 U	2.0 U	2.0 U ^(b)	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
Blank 2	2	2.0 U	2.0 U	2.0 U	2.0 U	2.9 U ^(b)	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
Blank 3	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
Blank 4	4	2.0 U ^(b)	2.0 U	2.0 U	5.2 U ^(b)	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
Blank 5	5	2.1 U ^(b)	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
Blank 6	6	10.0	2.0 U	10.0	2.0 U	3.3	2.0 U	2.0 U	2.0 U	15.0 U	20.0 U
Blank 7	7	2.0 U ^(b)	2.0 U	2.0 U	2.0 U	3.4 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
Blank 8	8	2.1 U ^(b)	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U ^(b)	20.0 U
Blank 9	9	2.0 U	2.0 U	14.0 U ^(b)	5.2 U ^(b)	2.0 U	2.0 U	2.0 U	2.0 U	15.0 U	20.0 U
Blank 10	10	2.0 U	2.0 U	3.2 U ^(b)	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U

Matrix Spikes

COMP V	1	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP V MS	1	45.0	2.0 U	2.0 U	2.0 U	59.0	2.0 U	48.9	2.0 U	10.0 U	20.0 U
Spike Amount		45.0	NS ^(c)	NS	NS	45.0	NS	45.0	NS	NS	NS
Percent Recovery		100%	NA ^(d)	NA	NA	131%	NA	109%	NA	NA	NA
COMP II	4	2.0 U	2.0 U	2.0 U	2.0 U	4.0	2.0 U	19.0	2.0 U	10.0 U	20.0 U
COMP II MS	4	35.4	2.0 U	2.0 U	2.0 U	36.5	2.0 U	32.8	2.0 U	10.0 U	20.0 U
Spike Amount		48.1	NS	NS	NS	48.1	NS	48.1	NS	NS	NS
Percent Recovery		74%	NA	NA	NA	76%	NA	29% ^(e)	NA	NA	NA
R-PC	1	2.2 U	2.0 U	2.9	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-PC MS	1	30.5	2.0 U	2.0 U	2.0 U	24.3	2.0 U	25.4	2.0 U	10.0 U	20.0 U
Spike Amount		46.7	NS	NS	NS	46.7	NS	46.7	NS	NS	NS
Percent Recovery		65%	NA	NA	NA	52%	NA	54%	NA	NA	NA
R-AC	1	11.0	2.0 U	2.0 U	7.0	2.7 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-AC MS	1	28.8	2.0 U	2.0 U	2.0 U	43.4	2.0 U	35.5	2.0 U	10.0 U	20.0 U
Spike Amount		51.0	NS	NS	NS	51.0	NS	51.0	NS	NS	NS
Percent Recovery		35%	NA	NA	NA	85%	NA	70%	NA	NA	NA

TABLE L.18. (Contd)

M. nasuta Pesticides (µg/kg wet weight)											
Sediment Treatment	Replicate	Dieldrin	Endo-sulfan I	Endo-sulfan II	Endo-sulfan Sulfate	Endrin	Endrin Ketone	Hepta-chlor	Hepta-chlor Epoxide	Methoxy-chlor	Toxa-phene
Matrix Spikes											
R-AC	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-AC MS	5	36.4	2.0 U	2.0 U	2.0 U	39.7	2.0 U	32.4	2.0 U	10.0 U	20.0 U
Spike Amount		47.2	NS	NS	NS	47.2	NS	47.2	NS	NS	NS
Percent Recovery		77%	NA	NA	NA	84%	NA	69%	NA	NA	NA
Analytical Duplicates											
COMP I	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP I dup	5	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
RPD		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
I-Stat		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
COMP V	3	2.0 U	2.0 U	2.0 U	2.0 U	2.9 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP V dup	3	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
RPD		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
I-Stat		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
COMP V	4	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
COMP V dup	4	2.0 U	2.0 U	6.1 B6	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
RPD		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
I-Stat		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
R-AC	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-AC dup	2	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
RPD		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
I-Stat		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
R-AM	1	2.4 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
R-AM dup	1	2.3 U	2.0 U	2.0 U	2.3	2.0 U	2.0 U	2.0 U	2.0 U	10.0 U	20.0 U
RPD		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
I-Stat		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

- (a) Undetected above given concentration.
 (b) Analyte not detected in any associated samples.
 (c) Analyte not spiked.
 (d) Not applicable.
 (e) Outside of target quality control range.

TABLE L.19. Surrogate Recoveries for Polychlorinated Biphenyls (PCBs) and Chlorinated Pesticides Found in Tissue of *M. nasuta*, Oakland III 38' Project

<u>Sediment Treatment</u>	<u>Replicate</u>	<u>Dibutylchlorodate Percent Recovery</u>
COMP I	1	74
COMP I	2	65
COMP I	3	80
COMP I	4	80
COMP I	5	92
COMP I dup	5	69
COMP II	1	99
COMP II	2	88
COMP II	3	82
COMP II	4	80
COMP II	5	52
COMP III	1	65
COMP III	2	81
COMP III	3	77
COMP III	4	91
COMP III	5	82
COMP IV	1	86
COMP IV	2	104
COMP IV	3	94
COMP IV	4	82
COMP IV	5	112
COMP V	1	50
COMP V	2	75
COMP V	3	112
COMP V dup	3	80
COMP V	4	93
COMP V dup	4	90
COMP V	5	84
COMP VI	1	76
COMP VI	2	86
COMP VI	3	66
COMP VI	4	86
COMP VI	5	86
R-AC	1	75
R-AC	2	91
R-AC dup	2	96
R-AC	3	95
R-AC	4	99
R-AC	5	98

TABLE L.19. (Contd)

<u>Sediment Treatment</u>	<u>Replicate</u>	<u>Dibutylchloroendate Percent Recovery</u>
R-AM	1	101
R-AM dup	1	108
R-AM	2	89
R-AM	3	88
R-AM	4	93
R-AM	5	79
R-BF	1	53
R-BF	2	112
R-BF	3	87
R-OS	1	99
R-OS	2	104
R-OS	3	98
R-OS	4	91
R-OS	5	91
R-PC	1	87
R-PC	2	45
R-PC	3	77
R-PC	4	87
R-PC	5	83
R-PF	1	93
R-PF	2	113
R-PF	3	91
R-PF	4	83
R-PF	5	63
C-NE	1	79
C-NE	2	92
C-NE	3	107
C-NE	4	75
C-NE	5	87
C-SB	1	91
C-SB	2	85
C-SB	3	90
C-SB	4	100
C-SB	5	100

TABLE L.19. (Contd)

<u>Sediment Treatment</u>	<u>Replicate</u>	<u>Dibutylchloroendate Percent Recovery</u>
Blank 1	1	84
Blank 2	2	70
Blank 3	3	76
Blank 4	4	83
Blank 5	5	82
Blank 6	6	84
Blank 7	7	112
Blank 8	8	68
Blank 9	9	84
Blank 10	10	95

TABLE L.20. Metals, Wet Weight, in Tissue of *M. nasuta*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	Percent Dry Weight	<i>M. nasuta</i> Metals (mg/kg wet weight)									
			Cr	Ni	Cu	Zn	Se	Pb	As	Cd	Aq	Hg
COMP I	1	14.91	0.37	0.81	4.00	16.36	0.23	0.34 U ^(a)	3.71	0.037	0.037	0.020
COMP I	2	16.34	0.32	0.75	13.24	21.72	0.33	0.38 U	4.05	0.047	0.049	0.013
COMP I	3	14.95	0.43	0.79	9.43	16.97	0.32	0.34 U	4.07	0.067	0.060	0.016
COMP I	4	15.30	0.30	0.54	2.20	19.14	0.17	0.37 U	3.41	0.049	0.041	0.011
COMP I	5	13.37	0.31	0.56	2.15	16.53	0.22	0.25 U	3.78	0.048	0.047	0.009
COMP II	1	15.07	0.38	0.65	3.16	14.53	0.17	0.42	4.08	0.056	0.056	0.016
COMP II	2	12.80	0.22	0.59	2.57	14.41	0.17	0.47	3.60	0.050	0.054	0.011
COMP II	3	13.88	0.26	0.69	2.91	13.13	0.27	0.25 U	3.57	0.047	0.049	0.015
COMP II	4	13.87	0.34	0.81	2.45	18.16	0.25	0.27	3.83	0.058	0.047	0.009
COMP II	5	12.35	0.25	0.75	2.40	13.96	0.30	0.23	4.08	0.089	0.053	0.011
COMP III	1	13.50	0.37	0.79	2.24	11.93	0.19	0.47	3.01	0.036	0.019	0.024
COMP III	2	16.96	0.32	0.82	2.16	16.28	0.29	0.66	3.95	0.054	0.025	0.022
COMP III	3	14.64	0.44	0.71	3.22	15.56	0.26	0.35	4.23	0.067	0.054	0.015
COMP III	4	14.80	0.32	0.61	3.33	17.26	0.36	0.55	3.39	0.062	0.058	0.011
COMP III	5	13.75	0.41	0.69	2.30	17.37	0.23	0.40	3.69	0.091	0.041	0.014
COMP IV	1	15.21	0.46	0.72	3.12	20.24	0.20	0.58	4.27	0.061	0.065	0.012
COMP IV	2	16.58	0.35	0.57	2.98	14.97	0.24	0.58	2.98	0.045	0.048	0.011
COMP IV	3	15.24	0.46	0.76	1.87	18.47	0.26	0.37 U	3.43	0.046	0.018	0.017
COMP IV	4	13.49	0.13	0.35	1.48	12.51	0.17	0.32 U	3.35	0.053	0.019	0.010
COMP IV a	5	16.39	0.49	0.76 ^(b)	2.06	15.75	0.32	0.51	4.06	0.052	0.025	0.024
COMP IV b	5	16.39	0.37	NT	NT	NT	NT	NT	NT	0.048	0.023	0.023
COMP IV c	5	16.39	0.35	NT	NT	NT	NT	NT	NT	0.044	0.048	0.023
COMP V	1A	13.30	NT	0.60	1.88	12.66	0.22	0.41	3.33	NT	NT	NT
COMP V a	1	13.30	0.50	0.54	1.74	12.64	0.21	0.49	3.19	0.045	0.052	0.010
COMP V b	1	13.30	0.32	0.65	1.76	12.99	0.11	0.48	3.26	0.044	0.047	0.010
COMP V c	1	13.30	0.41	0.58	1.84	13.11	0.23	0.33 U	3.33	0.045	0.047	0.010
COMP V	2	16.59	0.61	0.75	3.05	25.00	0.31	0.51	3.90	0.081	0.065	0.014
COMP V	3	15.42	0.46	0.55	2.31	15.71	0.31	0.40	3.08	0.062	0.059	0.010
COMP V	4	11.40	0.22	0.58	2.23	11.38	0.19	0.48	2.58	0.040	0.031	0.015
COMP V	5	16.19	0.57	0.98	3.79	22.70	0.34	0.58	5.18	0.063	0.070	0.015
COMP VI	1	16.28	0.31	0.60	2.39	17.55	0.26	0.60	4.23	0.060	0.034	0.005
COMP VI	2	13.10	0.46	0.78	3.14	14.80	0.14	0.42	3.00	0.045	0.029	0.015
COMP VI	3	15.39	0.56	0.80	2.51	16.16	0.23	0.35 U	3.85	0.054	0.028	0.010
COMP VI	4	16.03	0.35	0.71	2.85	14.28	0.17	0.58	4.18	0.087	0.055	0.010
COMP VI a	5	16.45	0.39	0.86	2.96	14.33	0.32	0.38	4.74	0.056	0.059	0.011
COMP VI b	5	16.45	NT	0.79	3.36	14.28	0.32	0.48	4.47	NT	NT	NT
COMP VI c	5	16.45	NT	0.94	3.54	16.45	0.21	0.82	4.72	NT	NT	NT
R-AC	1	14.87	0.56	0.97	3.05	19.49	0.25	0.25 U	4.06	0.052	0.057	0.028
R-AC	2	14.76	0.29	0.68	3.41	23.54	0.18	0.38	3.32	0.063	0.068	0.016
R-AC	3	16.19	0.30	0.77	4.19	14.26	0.30	0.45	3.48	0.045	0.094	0.025
R-AC	4	15.42	0.44	0.97	3.41	15.59	0.34	0.26 U	3.84	0.054	0.065	0.015
R-AC	5	13.06	0.28	0.47	2.86	15.49	0.18	0.24 U	2.82	0.037	0.050	0.039
R-AM	1	13.50	0.32	0.68	2.92	12.27	0.17	0.31	2.98	0.035	0.034	0.017
R-AM a	2	16.47	0.14	0.55	2.31	20.64	0.25	0.26 U	4.28	0.058	0.072	0.010
R-AM b	2	16.47	0.13	0.42	2.31	20.41	0.34	0.26	4.12	0.056	0.066	0.010
R-AM c	2	16.47	0.11	0.36	2.29	20.37	0.29	0.29	4.22	0.061	0.077	0.011
R-AM	3	15.26	0.07	0.42	2.91	16.13	0.25	0.24 U	3.46	0.037	0.056	0.042
R-AM	4	13.92	0.08	0.48	3.76	14.77	0.19	0.25 U	3.35	0.039	0.071	0.046
R-AM	5	15.10	0.08	0.50	2.25	20.01	0.24	0.51	5.18	0.056	0.074	0.013

TABLE L.20. (Contd)

Sediment Treatment	Replicate	Percent Dry Weight	<i>M. nasuta</i> Metals (mg/kg wet weight)									
			Cr	Ni	Cu	Zn	Se	Pb	As	Cd	Aq	Hg
R-BF	1	14.51	0.30	0.72	2.09	13.86	0.28	0.70	3.54	0.041	0.028	0.018
R-BF a	2	15.67	0.24	0.48	2.51	12.82	0.38	0.34 U	3.56	0.058	0.063	0.013
R-BF b	2	15.67	0.22	0.83	3.12	14.26	0.33	0.58	3.57	0.058	0.066	0.014
R-BF c	2	15.67	0.23	0.68	2.54	11.94	0.26	0.53	3.35	0.064	0.061	0.013
R-BF	3	12.46	0.33	0.47	1.73	14.17	0.17	0.21 U	2.89	0.037	0.035	0.019
R-BF	4	15.50	0.25	0.72	2.40	16.54	0.35	0.48	3.01	0.057	0.053	0.011
R-BF	5	15.44	0.39	0.57	2.83	16.18	0.24	0.25 U	3.60	0.046	0.048	0.049
R-OS	1	15.00	0.35	0.90	2.67	15.12	0.30	0.33 U	3.90	0.045	0.060	0.012
R-OS	2	15.12	0.40	0.80	2.31	20.53	0.29	0.38	3.42	0.059	0.064	0.009
R-OS	3	11.56	0.19	0.45	1.71	12.11	0.17	0.29	3.23	0.040	0.058	0.008
R-OS	4	13.63	0.29	0.60	2.64	11.78	0.26	0.37	2.70	0.041	0.061	0.014
R-OS	5	14.56	0.28	0.70	2.27	18.16	0.15	0.44	3.32	0.057	0.061	0.010
R-PC	1	15.41	0.27	0.57	2.56	17.81	0.19	0.26 U	4.73	0.052	0.039	0.021
R-PC	2	13.42	0.26	0.49	2.34	14.68	0.18	0.24 U	2.64	0.056	0.027	0.010
R-PC	3	15.24	0.33	0.62	2.48	21.67	0.24	0.30	3.84	0.053	0.034	0.011
R-PC	4	13.73	0.17	0.57	2.14	13.78	0.29	0.23 U	3.32	0.045	0.041	0.010
R-PC	5	36.52	0.61	1.46	7.19	41.71	0.81	0.84	8.95	0.172	0.139	0.028
R-PF a	1	14.59	0.22	0.51	3.21	12.65	0.17	0.25 U	3.21	0.041	0.038	0.018
R-PF b	1	14.59	0.25	0.43	3.24	12.47	0.24	0.26	3.22	0.045	0.042	0.018
R-PF c	1	14.59	0.25	0.51	3.33	12.33	0.29	0.35	3.20	0.041	0.039	0.018
R-PF	2	15.06	0.27	0.48	2.18	15.30	0.28	0.33 U	2.97	0.054	0.029	0.014
R-PF a	3	15.22	0.19	0.42	1.98	11.23	0.27	0.40	3.14	0.046	0.049	0.009
R-PF b	3	15.22	0.19	0.44	2.19	11.13	0.26	0.37 U	3.26	0.046	0.047	0.009
R-PF c	3	15.22	0.28	0.54	2.30	11.48	0.25	0.35	3.10	0.052	0.047	0.009
R-PF	4	15.57	0.26	0.50	1.87	16.35	0.25	0.37	4.03	0.023	0.028	0.019
R-PF	5	13.20	0.13	0.50	3.08	12.69	0.16	0.30	3.01	0.053	0.066	0.015
C-NE	1	14.32	0.15	0.53	3.05	12.79	0.29	0.33 U	3.72	0.043	0.084	0.046
C-NE	2	15.01	0.27	0.23	1.97	12.79	0.22	0.36 U	3.51	0.039	0.071	0.027
C-NE	3	13.05	0.14	0.41	2.39	15.18	0.11	0.30 U	2.66	0.063	0.056	0.026
C-NE	4	13.96	0.15	0.38	2.42	21.04	0.25	0.31 U	3.24	0.052	0.074	0.013
C-NE	5	11.36	0.11	0.40	2.14	11.34	0.18	0.40	3.24	0.040	0.065	0.023
C-SB	1	15.44	0.20	0.61	2.47	14.79	0.24	0.49	4.34	0.051	0.068	0.017
C-SB a	2	13.32	0.25	0.54	3.44	13.41	0.25	0.31 U	3.89	0.032	0.044	0.020
C-SB b	2	13.32	0.27	0.52	3.05	11.39	0.23	0.40	3.45	0.031	0.045	0.021
C-SB c	2	13.32	0.23	0.55	3.13	12.31	0.24	0.31	3.66	0.037	0.045	0.019
C-SB	3	16.22	0.23	0.58	2.72	15.62	0.30	0.34 U	4.27	0.039	0.062	0.024
C-SB	4	15.84	0.22	0.43	2.91	14.05	0.30	0.51	3.55	0.038	0.071	0.018
C-SB	5	15.80	0.30	0.69	6.37	16.59	0.24	0.35 U	4.27	0.041	0.087	0.073

(a) Undetected above given concentration.

(b) No triplicate analysis was run for this analyte.

TABLE L.21. Metals, Dry Weight, in Tissue of *M. nasuta*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	<i>M. nasuta</i> Metals (mg/kg dry weight)									
		Cr	Ni	Cu	Zn	Se	Pb	As	Cd	Ag	Hg
DL Goal		1.0	1.0	1.0	1.0	0.1	1.0	1.0	0.1	1.0	0.02
DL Achieved		0.08	1.0	1.0	1.0	0.7	1.6-2.5	1.0	0.02	0.06	0.001
COMP I	1	2.50	5.40	26.80	109.7	1.57	2.3 U ^(a)	24.9	0.25	0.25	0.144
COMP I	2	1.97	4.57	81.00	132.9	2.03	2.3 U	24.8	0.29	0.30	0.079
COMP I	3	2.85	5.28	63.10	113.5	2.14	2.3 U	27.2	0.45	0.40	0.106
COMP I	4	1.97	3.54	14.40	125.1	1.14	2.4 U	22.3	0.32	0.27	0.072
COMP I	5	2.32	4.17	16.10	123.6	1.63	1.9 U	28.3	0.36	0.35	0.063
COMP II	1	2.51	4.32	21.00	96.4	1.16	2.79	27.1	0.37	0.37	0.103
COMP II	2	1.68	4.58	20.10	112.6	1.33	3.64	28.1	0.39	0.42	0.088
COMP II	3	1.90	4.99	21.00	94.6	1.91	1.80 U	25.7	0.34	0.35	0.106
COMP II	4	2.43	5.81	17.70	130.9	1.77	1.96	27.6	0.42	0.34	0.066
COMP II	5	2.00	6.10	19.40	113.0	2.42	1.86	33.0	0.72	0.43	0.088
COMP III	1	2.73	5.82	16.60	88.4	1.40	3.5	22.3	0.27	0.14	0.178
COMP III	2	1.90	4.84	12.72	96.0	1.70	3.9	23.3	0.32	0.15	0.131
COMP III	3	3.02	4.88	22.00	106.3	1.76	2.4	28.9	0.46	0.37	0.101
COMP III	4	2.14	4.09	22.50	116.6	2.46	3.7	22.9	0.42	0.39	0.076
COMP III	5	2.97	5.03	16.70	126.3	1.67	2.9	26.8	0.66	0.30	0.100
COMP IV	1	3.01	4.72	20.50	133.1	1.29	3.8	28.1	0.40	0.43	0.077
COMP IV	2	2.11	3.42	18.00	90.3	1.45	3.5	18.0	0.27	0.29	0.069
COMP IV	3	3.01	4.96	12.27	121.2	1.73	2.4 U	22.5	0.30	0.12	0.111
COMP IV	4	0.99	2.59	10.99	92.7	1.28	2.4 U	24.8	0.39	0.14	0.074
COMP IV a	5	2.98	4.61	12.58	96.1	1.97	3.1	24.8	0.32	0.15	0.142
COMP IV b	5	2.26	NT ^(b)	NT	NT	NT	NT	NT	0.29	0.14	0.140
COMP IV c	5	2.12	NT	NT	NT	NT	NT	NT	0.27	0.29	0.141
COMP V	1A	NT	4.50	14.10	95.2	1.63	3.1	25.0	NT	NT	NT
COMP V a	1	3.77	4.09	13.07	95.0	1.59	3.7	24.0	0.34	0.39	0.072
COMP V b	1	2.41	4.92	13.20	97.7	0.81	3.6	24.5	0.33	0.35	0.074
COMP V c	1	3.12	4.34	13.82	98.6	1.74	2.5 U	25.0	0.34	0.35	0.073
COMP V	2	3.67	4.51	18.40	150.7	1.86	3.1	23.5	0.49	0.39	0.083
COMP V	3	3.01	3.55	15.00	101.9	2.02	2.6	20.0	0.40	0.38	0.062
COMP V	4	1.92	5.11	19.60	99.8	1.64	4.2	22.6	0.35	0.27	0.129
COMP V	5	3.49	6.06	23.40	140.2	2.07	3.6	32.0	0.39	0.43	0.091
COMP VI	1	1.90	3.68	14.70	107.8	1.60	3.7	26.0	0.37	0.21	0.032
COMP VI	2	3.52	5.97	24.00	113.8	1.07	3.2	22.9	0.34	0.22	0.118
COMP VI	3	3.67	5.18	16.30	105.0	1.49	2.3 U	25.0	0.35	0.18	0.068
COMP VI	4	2.20	4.42	17.80	89.1	1.08	3.6	26.1	0.54	0.34	0.063
COMP VI a	5	2.35	5.20	18.00	87.1	1.93	2.3	28.8	0.34	0.36	0.068
COMP VI b	5	NT	4.82	20.40	86.8	1.97	2.9	27.2	NT	NT	NT
COMP VI c	5	NT	5.70	21.50	100.0	1.26	5.0	28.7	NT	NT	NT
R-AC	1	3.79	6.55	20.50	131.1	1.68	1.7 U	27.3	0.35	0.38	0.189
R-AC	2	1.99	4.63	23.10	159.5	1.25	2.57	22.5	0.43	0.46	0.109
R-AC	3	1.87	4.75	25.90	88.1	1.84	2.77	21.5	0.28	0.58	0.152
R-AC	4	2.88	6.27	22.10	101.1	2.18	1.7 U	24.9	0.35	0.42	0.097
R-AC	5	2.17	3.59	21.90	118.6	1.38	1.8 U	21.6	0.28	0.38	0.296
R-AM	1	2.34	5.00	21.60	90.9	1.25	2.28	22.1	0.26	0.25	0.124
R-AM a	2	0.84	3.32	14.03	125.3	1.53	1.6 U	26.0	0.35	0.44	0.069
R-AM b	2	0.77	2.54	14.01	123.9	2.04	1.59	25.0	0.34	0.40	0.068
R-AM c	2	0.69	2.20	13.92	123.7	1.77	1.74	25.6	0.37	0.47	0.069
R-AM	3	0.46	2.73	19.10	105.7	1.61	1.6 U	22.7	0.24	0.37	0.278
R-AM	4	0.60	3.42	27.00	106.1	1.33	1.8 U	24.1	0.28	0.51	0.331
R-AM	5	0.54	3.32	14.90	132.5	1.60	3.4	34.3	0.37	0.49	0.087

TABLE L.21. (Contd)

Sediment Treatment	Rep	<i>M. nasuta</i> Metals (mg/kg dry weight)									
		Cr	Ni	Cu	Zn	Se	Pb	As	Cd	Aq	Hg
R-BF	1	2.10	4.96	14.40	95.5	1.90	4.8	24.4	0.28	0.19	0.124
R-BF a	2	1.53	3.89	16.0	81.8	2.42	2.2 U	22.7	0.37	0.40	0.083
R-BF b	2	1.39	5.27	19.9	91.0	2.13	3.7	22.8	0.37	0.42	0.089
R-BF c	2	1.46	4.34	16.2	76.2	1.64	3.4	21.4	0.41	0.39	0.085
R-BF	3	2.62	3.81	13.90	113.7	1.40	1.7 U	23.2	0.30	0.28	0.155
R-BF	4	1.63	4.65	15.50	106.7	2.29	3.07	19.4	0.37	0.34	0.073
R-BF	5	2.54	3.72	18.30	104.8	1.57	1.6 U	23.3	0.30	0.31	0.318
R-OS	1	2.30	6.00	17.80	100.8	1.97	2.2 U	26.8	0.30	0.40	0.079
R-OS	2	2.64	5.31	15.30	135.8	1.91	2.5	22.6	0.39	0.42	0.058
R-OS	3	1.61	3.87	14.80	104.8	1.49	2.5	27.9	0.35	0.50	0.065
R-OS	4	2.15	4.43	19.40	86.4	1.91	2.7	19.8	0.30	0.45	0.100
R-OS	5	1.93	4.82	15.60	124.7	1.06	3.0	22.8	0.39	0.42	0.072
R-PC	1	1.73	3.73	16.60	115.6	1.23	1.7 U	30.7	0.34	0.25	0.137
R-PC	2	1.97	3.68	17.40	109.4	1.32	1.8 U	19.7	0.42	0.20	0.073
R-PC	3	2.18	4.09	16.30	142.2	1.60	1.94	25.2	0.35	0.22	0.072
R-PC	4	1.23	4.12	15.60	100.4	2.14	1.7 U	24.2	0.33	0.30	0.073
R-PC	5	1.68	4.01	19.70	114.2	2.21	2.29	24.5	0.47	0.38	0.077
R-PF a	1	1.51	3.47	22.00	86.7	1.17	1.7 U	22.0	0.28	0.26	0.124
R-PF b	1	1.68	2.94	22.20	85.5	1.62	1.76	22.1	0.31	0.29	0.126
R-PF c	1	1.68	3.49	22.80	84.5	1.97	2.41	21.9	0.28	0.27	0.125
R-PF	2	1.79	3.17	14.50	101.6	1.89	2.2 U	19.7	0.36	0.19	0.096
R-PF a	3	1.22	2.78	13.04	73.8	1.80	2.6	20.6	0.30	0.32	0.062
R-PF b	3	1.22	2.89	14.38	73.1	1.68	2.4 U	21.4	0.30	0.31	0.061
R-PF c	3	1.83	3.58	15.10	75.4	1.66	2.3	20.4	0.34	0.31	0.061
R-PF	4	1.66	3.22	12.03	105.0	1.60	2.4	25.9	0.15	0.18	0.123
R-PF	5	0.96	3.82	23.30	96.1	1.21	2.3	22.8	0.40	0.50	0.110
C-NE	1	1.08	3.73	21.30	89.3	2.01	2.3 U	26.0	0.30	0.59	0.319
C-NE	2	1.77	1.51	13.13	85.2	1.49	2.4 U	23.4	0.26	0.47	0.179
C-NE	3	1.09	3.12	18.30	116.3	0.83	2.3 U	20.4	0.48	0.43	0.201
C-NE	4	1.08	2.73	17.30	150.7	1.79	2.2 U	23.2	0.37	0.53	0.090
C-NE	5	0.93	3.53	18.80	99.8	1.58	3.5	28.5	0.35	0.57	0.199
C-SB	1	1.32	3.96	16.00	95.8	1.57	3.2	28.1	0.33	0.44	0.109
C-SB a	2	1.85	4.04	25.8	100.7	1.91	2.3 U	29.2	0.24	0.33	0.149
C-SB b	2	1.99	3.89	22.9	85.5	1.73	3.0	25.9	0.23	0.34	0.155
C-SB c	2	1.69	4.15	23.5	92.4	1.77	2.3	27.5	0.28	0.34	0.146
C-SB	3	1.39	3.58	16.80	96.3	1.82	2.1 U	26.3	0.24	0.38	0.146
C-SB	4	1.38	2.73	18.40	88.7	1.88	3.2	22.4	0.24	0.45	0.111
C-SB	5	1.93	4.37	40.30	105.0	1.55	2.2 U	27.0	0.26	0.55	0.464

(a) Undetected above given concentration.

(b) No triplicate performed for this analyte.

TABLE L.22. Quality Control Data for Metals, Dry Weight, in Tissue of *M. nasuta*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	<i>M. nasuta</i> Metals (mg/kg dry weight)									
		Cr	Ni	Cu	Zn	Se	Pb	As	Cd	Ag	Hg
Method Blanks											
Blank	1	0.066	(a)	NA	NA	NA	NA	NA	0.006 U(b)	0.03 U	0.001 U
Blank	2	0.080		NA	NA	NA	NA	NA	0.006 U	0.03	0.001 U
Blank	3	0.061		NA	NA	NA	NA	NA	0.006 U	0.03	0.001 U
Blank	4	0.073		NA	NA	NA	NA	NA	0.016 U	0.06	0.001 U
Blank	5	0.073		NA	NA	NA	NA	NA	0.016 U	0.03	0.001 U
Blank	6	0.073(c)		NA	NA	NA	NA	NA	0.016 U	0.05	0.001 U
Blank	6	ND	NA	NA	NA	NA	NA	ND	ND	0.001 U	
Standard Reference Materials											
Certified Value		1.43 ±0.46	2.25 ±0.44	66.3 ±4.3	830 ±57	2.21 ±0.20	0.37 ±0.014	14.0 ±1.2	4.15 ±0.38	1.68 ±0.15	0.064 ±0.0067
XRF SRMs											
SRM 1566	1	NA	2.30	66.6	854	1.98X(d)	1.9 U	13.7	NA	NA	NA
SRM 1566	2	NA	2.30	66.6	854	1.98X	1.9 U	13.7	NA	NA	NA
SRM 1566	1	NA	1.07X	66.7	839	1.93X	1.9 U	14.5	NA	NA	NA
SRM 1566	2	NA	2.09	66.3	854	2.34	1.9 U	15.1	NA	NA	NA
SRM 1566	PNL	NA	2.44	66.2	863	2.12	2.0 U	14.4	NA	NA	NA
SRM 1566	1	NA	1.96	67.3	822	2.13	1.5 U	14.0	NA	NA	NA
SRM 1566	2	NA	2.36	67.4	836	2.20	1.4 U	14.1	NA	NA	NA
SRM 1566	PNL	NA	1.86	66.5	830	2.19	1.3 U	14.8	NA	NA	NA
SRM 1566	1	NA	1.25X	66.9	829	2.04	1.99	12.5X	NA	NA	NA
SRM 1566	2	NA	1.00 UX	67.8	838	2.73	1.4 U	14.2	NA	NA	NA
SRM 1566	PNL	NA	2.27	67.7	837	2.12	1.3 U	14.1	NA	NA	NA
SRM 1566	1	NA	2.21	68.0	837	2.55X	1.9 U	13.8	NA	NA	NA
SRM 1566	2	NA	2.05	69.8	850	2.03	1.9 U	15.0	NA	NA	NA
SRM 1566	3	NA	2.61	68.3	851	2.22	1.9 U	15.2	NA	NA	NA
AA SRMs											
SRM 1566a	1	1.12	NA	NA	NA	NA	NA	NA	4.58X	1.10X	0.061
SRM 1566a	1	1.14	NA	NA	NA	NA	NA	NA	4.64X	1.15X	0.061
SRM 1566a	1	1.03	NA	NA	NA	NA	NA	NA	4.61X	1.18X	0.062
SRM 1566a	1	1.05	NA	NA	NA	NA	NA	NA	4.44	1.54	0.061
SRM 1566a	3	1.05	NA	NA	NA	NA	NA	NA	4.16	1.49	ND
SRM 1566a	4	1.05	NA	NA	NA	NA	NA	NA	4.37	1.51	ND
SRM 1566a		ND	NA	NA	NA	NA	NA	NA	ND	1.52	ND

TABLE L.22. (Contd)

Sediment		M. nasuta Metals (mg/kg dry weight)									
Treatment	Replicate	Cr	Ni	Cu	Zn	Se	Pb	As	Cd	Ag	Hg
Matrix Spikes											
COMP V	1	3.10	NA	NA	NA	NA	NA	NA	0.34	0.36	0.073
COMP V MS	1	12.11	NS	NS	NS	NS	NS	NS	5.75	2.09	1.822
Spike amount		10.00							5.00	2.00	2.00
Percent Recovery		90%							108%	87%	87%
C-SB	2	1.84	NA	NA	NA	NA	NA	NA	0.25	0.34	0.150
C-SB MS	2	11.05	NS	NS	NS	NS	NS	NS	5.15	2.53	2.124
Spike amount		10.00							5.00	2.00	2.00
Percent Recovery		92%							98%	110%	99%
R-AM	2	0.77	NA	NA	NA	NA	NA	NA	0.35	0.44	0.069
R-AM MS	2	10.1	NS	NS	NS	NS	NS	NS	5.27	2.57	1.690
Spike amount		10.00							5.00	2.00	2.00
Percent Recovery		93%							98%	107%	81%
R-BF	2	1.46	NA	NA	NA	NA	NA	NA	0.38	0.40	0.086
R-BF MS	2	11.31	NS	NS	NS	NS	NS	NS	5.50	2.51	1.809
Spike amount		10.00							5.00	2.00	2.00
Percent Recovery		99%							102%	106%	86%
R-PF	3	1.42	NA	NA	NA	NA	NA	NA	0.31	0.31	0.061
R-PF MS	3	10.90	NS	NS	NS	NS	NS	NS	5.77	1.90	1.820
Spike amount		10.00							5.00	2.00	2.00
Percent Recovery		95%							109%	80%	88%
Analytical Replicates											
COMP IV	5	2.98	4.16	12.58	96.1	1.97	3.10	24.8	0.32	0.15	0.149
COMP IV	5	2.12	ND	ND	ND	ND	ND	ND	0.27	0.29	0.141
COMP IV	5	2.26	ND	ND	ND	ND	ND	ND	0.29	0.14	0.140
RSD		19% 19% 19%	NA	NA	NA	NA	NA	NA	9%	43% 43% 43%	3% 3% 3%
COMP V	1	ND	4.50	14.1	95.2	1.63	3.1	25.0	ND	ND	ND
COMP V	1	3.77	4.09	13.07	95.0	1.59	3.7	24.0	0.34	0.39	0.072
COMP V	1	2.41	4.92	13.20	97.7	0.81	3.6	24.5	0.33	0.35	0.074
COMP V	1	3.12	4.34	13.82	98.6	1.74	2.5 U	25.0	0.34	0.35	0.073
RSD		22% 22% 22%	8% 8% 8%	4% 4% 4%	2% 2% 2%	30% 30% 30%	17% 17% 17%	2% 2% 2%	2% 2% 2%	6% 6% 6%	1% 1% 1%

TABLE L.22. (Contd)

Sediment Treatment	Replicate	M. nasuta Metals (mg/kg dry weight)									
		Cr	Ni	Cu	Zn	Se	Pb	As	Cd	Ag	Hg
Analytical Replicates (Contd)											
COMP VI	5	ND	5.20	18.00	87.1	1.93	2.3	28.8	ND	ND	ND
COMP VI	5	ND	4.82	20.40	86.8	1.97	2.9	27.2	ND	ND	ND
COMP VI	5	ND	5.70	21.50	100	1.26	5.0	28.7	ND	ND	ND
RSD		NA	8%	9%	8%	23%X	42%X	3%	NA	NA	NA
C-SB	2	1.69	4.15	23.5	92.4	1.77	2.3	27.5	0.28	0.34	0.146
C-SB	2	1.99	3.89	22.9	85.5	1.73	3.0	25.9	0.23	0.34	0.155
C-SB	2	1.85	4.04	25.8	100.7	1.91	2.3 U	29.2	0.24	0.33	0.149
RSD		8%	3%	6%	8%	5%	NA	6%	11%	2%	3%
R-AM	2	0.69	2.20	13.92	123.7	1.77	1.74	25.6	0.37	0.47	0.069
R-AM	2	0.84	3.32	14.03	125.3	1.53	1.6 U	26.0	0.35	0.44	0.069
R-AM	2	0.77	2.54	14.01	123.9	2.04	1.59	25.0	0.34	0.40	0.068
RSD		10%	21%X	0%	1%	14%	5%	2%	4%	8%	1%
R-BF	2	1.39	5.27	19.9	91.0	2.13	3.7	22.8	0.37	0.42	0.089
R-BF	2	1.46	4.34	16.2	76.2	1.64	3.4	21.4	0.41	0.39	0.085
R-BF	2	1.53	3.89	16.0	81.8	2.42	2.2 U	22.7	0.37	0.40	0.083
RSD		5%	16%X	13%	9%	19%X	NA	4%	6%	4%	4%
R-PF	1	1.51	3.47	22.00	86.7	1.17	1.7 U	22.0	0.28	0.26	0.124
R-PF	1	1.68	3.49	22.80	84.5	1.97	2.41	21.9	0.28	0.27	0.125
R-PF	1	1.68	2.94	22.20	85.5	1.62	1.76	22.1	0.31	0.29	0.126
RSD		6%	9%	2%	1%	25%X	NA	0%	6%	6%	1%
R-PF	3	1.22	2.78	13.04	73.8	1.80	2.6	20.6	0.30	0.32	0.062
R-PF	3	1.83	3.58	15.10	75.4	1.66	2.3	20.4	0.34	0.31	0.061
R-PF	3	1.22	2.89	14.38	73.1	1.68	2.4 U	21.4	0.30	0.31	0.061
RSD		NA	14%	7%	2%	4%	NA	3%	7%	2%	1%

(a) Not applicable to analyte or method.

(b) Undetected above given concentration.

(c) No data: replicate not run.

(d) Outside of target quality control range.

(e) Analyte not spiked.

TABLE L.23. Butyltins, Wet and Dry Weight, in Tissue of *M. nasuta*, Oakland Phase III 38' Project

Sediment Treatment	Replicate	Butyltin Species (ug/kg wet weight)					Percent Dry Weight	Butyltin Species (ug/kg dry weight)					Surrogate	
		Tetra-butyl	Tri-butyl	Di-butyl	Mono-butyl			Tetra-butyl	Tri-butyl	Di-butyl	Mono-butyl	Propyltin Percent Recovery		
DL Goal's		10	10	10	10		NA ^(a)	NA	NA	NA	NA	NA		
DL Achieved		0.3-10.0	1.2-7.1	0.8-9.0	0.3-1.5		NA	NA	NA	NA	NA	NA		
COMP I	1	1.6 U ^(b)	3.0	1.9	1.4 U		13.70	11.8 U	21.7	14.1	10.4 U	55.1		
COMP I	2	1.4 U	2.6	1.5	1.3 U		15.40	9.3 U	17.2	9.8	8.2 U	40.3		
COMP I	3	1.3 U	2.5	1.3	1.1 U		15.00	8.4 U	16.4	8.5	7.4 U	47.2		
COMP I	4	1.4 U	2.8	1.4	1.3 U		15.30	9.3 U	18.1	9.3	8.2 U	48.4		
COMP I dup	4	1.3 U	2.7	2.0	1.2 U		15.30	8.6 U	17.7	12.9	7.6 U	45.4		
COMP I	5	0.9 U	2.8	1.1	0.8 U		14.04	6.4 U	19.6	7.6	5.7 U	85.2		
COMP II	1	1.3 U	3.2	1.2 U	1.1 U		13.07	9.9 U	24.2	9.0 U	8.7 U	47.6		
COMP II	2	0.4 U	2.2	1.2	0.4		12.80	2.8 U	17.3	9.3	3.1	71.1		
COMP II	3	1.3 U	2.9	1.5	1.1 U		13.81	9.2 U	20.9	10.5	8.1 U	50.6		
COMP II	4	0.9 U	3.8	1.5	0.8 U		13.11	7.1 U	29.0	11.5	6.4 U	65.5		
COMP II	5	1.3 U	3.2	1.3	1.1 U		12.92	10.0 U	25.0	10.0	8.8 U	49.3		
COMP III	1	1.8 U	3.8	1.6 U	1.5 U		14.00	12.5 U	27.1	11.4 U	11.0 U	52.5		
COMP III	2	1.6 U	3.3	1.5 U	1.4 U		14.80	10.7 U	22.6	9.8 U	9.4 U	49.6		
COMP III	3	1.6 U	3.8	1.6	1.4 U		14.00	11.3 U	27.2	11.4	10.0 U	55.8		
COMP III	4	1.8 U	3.9	1.6 U	1.6 U		13.90	12.7 U	27.7	11.7 U	11.2 U	49.5		
COMP III	5	1.7 U	3.8	1.8	1.5 U		14.30	11.9 U	26.6	12.5	10.5 U	50.9		
COMP IV	1	1.0 U	3.4	5.5	1.0		16.67	5.8 U	20.6	32.7	5.7	72.8		
COMP IV	2	0.8 U	4.7	5.2	0.7 U		15.99	5.3 U	29.3	32.3	4.6 U	91.2		
COMP IV	3	0.7 U	4.2	9.0	0.6 U		15.51	4.7 U	27.4	58.1	4.1 U	82.8		
COMP IV	4	0.8 U	2.7	2.0	0.7 U		12.80	5.9 U	20.8	15.5	5.2 U	82.6		
COMP IV dup	4	0.7 U	2.6	1.5	0.6 U		12.80	5.4 U	20.2	11.5	4.7 U	84.0		
COMP IV	5	0.8 U	7.2	2.4	0.7 U		15.74	5.3 U	45.7	15.4	4.6 U	86.9		
COMP V	1	1.0 U	4.0	4.5	0.9 U		13.29	7.5 U	30.0	33.6	6.7 U	83.8		
COMP V	2	1.0 U	4.6	5.4	0.9 U		14.15	7.1 U	32.2	38.0	6.4 U	83.5		
COMP V	3	1.3 U	4.1	8.3	1.2 U		16.54	7.7 U	24.6	50.4	7.0 U	30.6		
COMP V	4	1.0 U	3.8	2.2	0.9 U		15.51	6.6 U	24.5	14.5	5.9 U	77.0		
COMP V	5	1.0 U	3.8	1.6	0.9 U		15.52	6.6 U	24.3	10.0	6.0 U	77.7		
COMP VI	1	0.7 U	2.5	1.8	0.6 U		13.84	5.4 U	18.1	13.0	4.6 U	78.4		
COMP VI	2	0.8 U	2.0	1.4	0.7 U		16.80	4.5 U	12.1	8.4	3.9 U	66.0		
COMP VI	3	0.8 U	3.7	3.1	0.7 U		11.43	6.8 U	32.5	27.2	5.9 U	91.2		
COMP VI	4	1.6 U	2.8	1.6	1.5 U		13.60	12.1 U	20.3	11.7	10.7 U	51.6		
COMP VI	5	1.8 U	3.0	1.6 U	1.6 U		14.40	12.2 U	21.1	11.2 U	10.8 U	58.6		

TABLE L.23. (Contd)

Sediment Treatment	Replicate	Butyltin Species (ug/kg wet weight)				Percent Dry Weight	Butyltin Species (ug/kg dry weight)				Surrogate Propyltin Percent Recovery
		Tetra- butyl	Tri- butyl	Di- butyl	Mono- butyl		Tetra- butyl	Tri- butyl	Di- butyl	Mono- butyl	
R-AC	1	1.4 U	2.4	1.2 U	1.2 U	14.20	9.6 U	17.2	8.8 U	8.5 U	45.9
R-AC dup	1	1.3 U	2.8	1.2 U	1.2 U	14.20	9.2 U	20.0	8.4 U	8.1 U	47.3
R-AC	2	1.3 U	2.9	1.3	1.2 U	14.01	9.6 U	21.0	9.6	8.6 U	45.9
R-AC	3	1.2 U	3.3	1.2	1.0 U	15.07	7.7 U	21.6	8.1	6.9 U	49.3
R-AC	4	1.3 U	2.7	1.4	1.1 U	14.17	9.1 U	19.3	9.9	8.1 U	44.6
R-AC	5	1.2 U	2.7	1.1 U	1.1 U	13.84	8.5 U	19.6	7.8 U	7.6 U	46.3
R-AM	1	1.2 U	3.0	1.7	1.0 U	13.10	8.8 U	22.6	13.2	7.8 U	47.4
R-AM	2	1.3 U	2.6	1.7	1.1 U	15.71	8.1 U	16.7	11.0	7.2 U	42.1
R-AM dup	2	1.0 U	2.6	1.2	0.9 U	15.71	6.5 U	16.4	7.7	5.8 U	54.9
R-AM	3	1.0 U	2.0	1.0	0.9 U	14.76	7.0 U	13.3	7.0	6.3 U	45.6
R-AM dup	3	1.3 U	2.7	1.3	1.2 U	14.76	8.7 U	18.0	8.8	7.8 U	59.6
R-AM	4	1.2 U	2.1	1.1 U	1.1 U	13.07	9.2 U	16.0	8.4 U	8.2 U	48.8
R-AM	5	1.0 U	1.6	0.9 U	0.9 U	14.42	6.8 U	11.1	6.3 U	6.2 U	31.5
R-AM dup	5	0.4 U	1.3	0.8	0.3 U	15.10	2.4 U	8.5	5.4	2.2 U	68.4
R-BF	1	1.3 U	2.7	1.4	1.1 U	13.04	10.0 U	20.6	10.5	8.8 U	59.7
R-BF	2	1.0 U	2.9	1.8	0.9 U	14.23	6.8 U	20.4	12.8	6.4 U	100.3
R-BF	3	1.0 U	2.0	1.7	0.9 U	12.40	7.9 U	16.3	13.5	7.4 U	94.1
R-BF	4	1.4 U	2.7	1.3 U	1.2 U	13.50	10.2 U	19.9	9.4 U	9.0 U	49.6
R-BF	5	1.3 U	2.5	1.2 U	1.1 U	13.81	9.1 U	18.3	8.4 U	8.1 U	54.3
R-OS	1	1.0 U	2.4	1.8	0.9 U	14.26	6.7 U	17.1	12.8	6.0 U	90.0
R-OS	2	0.8 U	2.6	1.2	0.7 U	13.14	6.4 U	19.6	9.4	5.7 U	69.3
R-OS dup	2	1.0 U	1.3	1.8	1.0 U	13.14	7.8 U	10.1	13.8	7.4 U	83.3
R-OS	3	11.0	1.4	2.2	0.9 U	15.95	68.9	8.7	14.1	5.6 U	82.2
R-OS	4	1.0 U	1.3	1.9	0.9 U	13.88	7.2 U	9.2	13.6	6.7 U	78.0
R-OS	5	0.9 U	1.3	1.8	0.9 U	12.48	7.4 U	10.4	14.4	7.0 U	85.2
R-PC	1	0.9 U	2.0	1.1	0.8 U	13.45	6.7 U	14.9	8.3	6.0 U	62.2
R-PC	2	1.3 U	1.8	1.2 U	1.2 U	14.03	9.4 U	12.5	8.6 U	8.3 U	41.6
R-PC	3	0.9 U	2.4	1.3	0.8 U	13.46	6.7 U	17.8	9.5	6.0 U	67.6
R-PC	4	0.9 U	1.9	1.5	0.8 U	11.60	7.6 U	16.6	13.0	6.9 U	80.6
R-PC	5	1.2 U	1.9	1.1 U	1.1 U	13.04	9.2 U	14.3	8.4 U	8.1 U	47.3
R-PF	1	1.2 U	1.7	1.1 U	1.1 U	12.85	9.3 U	12.9	8.5 U	8.2 U	45.5
R-PF	2	1.1 U	1.9	1.3	1.0 U	14.75	7.3 U	13.1	9.1	6.5 U	56.1
R-PF	3	0.9 U	2.2	1.5	0.8 U	14.65	6.1 U	15.1	9.9	5.5 U	77.9
R-PF	4	1.1 U	2.4	2.3	1.0 U	13.02	8.4 U	18.7	17.7	7.5 U	69.3
R-PF	5	1.3 U	1.9	1.7	1.2 U	12.73	10.5 U	15.2	13.5	9.3 U	52.9

TABLE L.23. (Contd)

Sediment Treatment	Replicate	Butyltin Species (ug/kg wet weight)				Percent Dry Weight	Butyltin Species (ug/kg dry weight)				Surrogate Propyltin Percent Recovery
		Tetra-butyl	Tri-butyl	Di-butyl	Mono-butyl		Tetra-butyl	Tri-butyl	Di-butyl	Mono-butyl	
C-NE	1	1.0 U	2.6	1.3	0.9 U	13.08	7.4 U	19.8	9.6	6.9 U	63.0
C-NE	2	0.8 U	2.4	1.1	0.8 U	13.65	6.2 U	17.3	8.0	5.8 U	50.9
C-NE	3	1.0 U	2.5	0.9 U	0.9 U	11.78	8.2 U	20.8	7.6 U	7.8 U	51.9
C-NE	4	1.0 U	2.5	1.4	0.9 U	12.90	7.8 U	19.2	11.2	7.3 U	64.0
C-NE	5	1.5	2.5	1.0	0.9 U	11.39	13.5	21.8	9.2	7.5 U	51.7
C-SB	1	1.0 U	2.0	0.9	0.9 U	13.89	6.9 U	14.6	6.6	6.2 U	54.1
C-SB	2	0.8 U	1.9	0.8	0.7 U	13.07	6.2 U	14.2	6.5	5.6 U	50.8
C-SB	3	1.1 U	2.0	1.0 U	1.0 U	13.97	7.9 U	14.5	7.2 U	7.1 U	53.4
C-SB	4	1.0 U	1.6	1.0	0.9 U	13.48	7.5 U	11.7	7.2	6.7 U	46.9
C-SB	5	1.1 U	2.0	1.2	1.0 U	14.42	7.7 U	14.2	8.2	7.0 U	49.5

(a) Not applicable.

(b) Undetected above given concentration.

TABLE L.24. Quality Control Data for Butyltins in Tissue of *M. nasuta* Oakland Phase III 38' Project

Sediment Treatment	Replicate	Butyltin Species ($\mu\text{g/kg}$ dry weight)				Surrogate Percent Recovery Propyltin
		Tetra-butyl	Tri-butyl	Di-butyl	Mono-butyl	
Method Blanks						
Blank 1		9.3 U ^(a)	10.4 U	8.5 U	8.2 U	37.2
Blank 2		9.7 U	10.8 U	13.3 ^(b)	8.5 U	46.2
Blank 3		7.2 U	8.1 U	6.6 U	6.4 U	48.1
Blank 4		7.6 U	8.9 ^(b)	7.0 U	6.9 U	45.9
Matrix Spikes						
COMP I	4	8.6 U	17.7	12.9	7.6 U	45.4
COMP I SPK	4	12.2	678.0	736.2	340.2	45.9
Spike Amount		NS ^(c)	1266	1266	1266	
Percent Recovery			52%	57%	27%	
COMP VI	3	6.8 U	32.5	27.2	5.9 U	91.2
COMP VI SPK	3	968.9	1133.1	1060.3	386.4	88.8
Spike Amount		1538	1538	1538	1538	
Percent Recovery		63%	72%	67%	25%	
R-AC	1	9.2 U	20.0	8.4 U	8.1 U	47.3
R-AC SPK	1	11.1	729.4	768.1	408.7	46.3
Spike Amount		NS	1316	1316	1316	
Percent Recovery			54%	58%	31%	
R-AM	2	6.5 U	16.4	7.7	5.8 U	54.9
R-AM SPK	2	11.3	711.9	708.0	361.8	50.9
Spike Amount		NS	1250	1250	1250	
Percent Recovery			57%	57%	29%	
R-AM	3	8.7 U	18.0	8.8	7.8 U	59.6
R-AM SPK	3	15.2	645.0	594.5	301.3	50.2
Spike Amount		NS	1389	1389	1389	
Percent Recovery			46%	43%	22%	
Analytical Duplicates						
COMP I	4	9.3 U	18.1	9.3	8.2 U	
COMP I dup	4	8.6 U	17.7	12.9	7.6 U	
RPD		NA ^(d)	2.2%	32.4% ^(e)	NA	
I-Stat		NA	0.01	0.16	NA	

TABLE L.24. (Contd)

<u>Sediment Treatment</u>	<u>Rep</u>	<u>Butyltin Species ($\mu\text{g/g dry weight}$)</u>				<u>Surrogate Percent Recovery Propyltin</u>
		<u>Tetra-butyl</u>	<u>Tri-butyl</u>	<u>Di-butyl</u>	<u>Mono-butyl</u>	
<u>Analytical Duplicates (contd)</u>						
COMP II	2	8.9 U	29.3	11.9	8.0 U	
COMP II dup	2	2.8 U	17.3	9.3	3.1	
RPD		NA	51.5%X	24.5%X	NA	
I-Stat		NA	0.26	0.12	NA	
COMP IV	4	5.9 U	20.8	15.5	5.2 U	
COMP IV dup	4	5.4 U	20.2	11.5	4.7 U	
RPD		NA	2.9%	29.6%X	NA	
I-Stat		NA	0.01	0.15	NA	
R-AC	1	9.6 U	17.2	8.8 U	8.5 U	
R-AC dup	1	9.2 U	20.0	8.4 U	8.1 U	
RPD		NA	15.1%	NA	NA	
I-Stat		NA	0.08	NA	NA	
R-AM	2	8.1 U	16.7	11.0	7.2 U	
R-AM dup	2	6.5 U	16.4	7.7	5.8 U	
RPD		NA	1.8%	35.3%X	NA	
I-Stat		NA	0.01	0.18	NA	
R-AM	3	7.0 U	13.3	7.0	6.3 U	
R-AM dup	3	8.7 U	18.0	8.8	7.8 U	
RPD		NA	30.0%X	22.8%X	NA	
I-Stat		NA	0.15	0.11	NA	
R-AM	5	6.8 U	11.1	6.3 U	6.2 U	
R-AM dup	5	2.4 U	8.5	5.4	2.2 U	
RPD		NA	26.5%X	NA	NA	
I-Stat		NA	0.13	NA	NA	

TABLE L.24. (Contd)

<u>Sediment Treatment</u>	<u>Rep</u>	<u>Butyltin Species (µg/g dry weight)</u>				<u>Surrogate Percent Recovery Propyltin</u>
		<u>Tetra-butyl</u>	<u>Tri-butyl</u>	<u>Di-butyl</u>	<u>Mono-butyl</u>	
<u>Analytical Duplicates (contd)</u>						
R-OS	2	6.4 U	19.6	9.4	5.7 U	
R-OS dup	2	7.8 U	10.1	13.8	7.4 U	
RPD		NA	64.0%X	37.9%X	NA	
I-Stat		NA	0.32	0.19	NA	

-
- (a) Undetected above given concentration.
 (b) Sample values not blank corrected as analyte was not present in blank at more than twice the method detection limit.
 (c) Not Spiked.
 (d) Not applicable.
 (e) Outside of target quality control range of $\leq 20\%$.

REFERENCES

Bloom, N. S., and E. A. Crecelius. 1983. "Determination of Mercury in Seawater at Nub-Nanogram per Liter Levels." Marine Chemistry 14:49-59.

Bloom, N. S., and E. A. Crecelius. 1984. "Distribution of Silver, Mercury, Lead, Copper, and Cadmium in Central Puget Sound Sediments." Marine Chemistry 21:377-390.

Unger, M. A., W. G. MacIntyre, J. Greaves, and R. J. Huggett. 1986. "GC Determination of Butyltins in Natural Waters by Flame Photometric Detection of Hexyl Derivatives with Mass Spectrometric Confirmation." Chemosphere 15(4):461-470.

U.S. Environmental Protection Agency (EPA). 1986. Test Methods for Evaluating Solid Waste: Physical/Chemical Methods,. EPA-955-001-00000, U.S. Environmental Protection Agency, Government Printing Office, Washington D.C.

DISTRIBUTION

No. of
Copies

No. of
Copies

OFFSITE

ONSITE

2 DOE/Office of Scientific and
Technical Information

DOE Richland Field Office

P. W. Kruger

D. Roberts
U.S. Army Corps of Engineers
San Francisco District
211 Main Street
San Francisco, CA 94105

38 Pacific Northwest Laboratory

5 R. Chisholm
U.S. Army Corps of Engineers
San Francisco District
211 Main Street
San Francisco, CA 94105

E. S. Barrows

R. Cuello

R. M. Ecker

J. W. Falco

M. R. Finney

W. R. Gorst

P. C. Hays

N. P. Kohn

L. F. Lefkowitz

M. R. Pinza

J. A. Trelstad (2)

J. A. Ward (10)

J. Q. Word (10)

Publishing Coordination

Technical Report Files (5)

J. Harari
U.S. Army Corps of Engineers
San Francisco District
211 Main Street
San Francisco, CA 94105

K. Guy
U.S. Army Corps of Engineers
San Francisco District
211 Main Street
San Francisco, CA 94105

END

**DATE
FILMED**

2 / 26 / 92