CONS--4161-T1

PILOT AERIAL INFRARED

ROOF TOP STUDY

Contract Number

EC-77-C-02-4161-4

with the

Energy Research & Development Administration

MASTER

DISCLAIMER

This book was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Oct. 15, 1978

Final Report

Prepared by:

Minnesota Energy Agency

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency Thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

TABLE OF CONTENTS

<u>Section</u>		<u>Page</u>
I	Executive Summary	1
II	Program Plan	3
III	Project Management	5
IV	Selection of Flyover Sites	9
V	Flyovers & Imagery Processing	17
VI	Training Seminars & Materials	20
VII	Delivery of Information to Public	24
VIII	Energy Impacts	42
IX	Users Manual	45

ATTACHMENTS

Attachment #1:	Program Expenditure Schedule
Attachment #2:	Contract with Selected Cities
Attachment #3:	Letter Sent to Minnesota Cities
Attachment #4:	Training Seminar Outline
Attachment #5:	Conservation Guides
Attachment #6:	Survey Questionnaire
Attachment #7:	Preliminary Results of Survey on Energy Impact
Attachment #8:	User's Manual Outline

TABLE OF CONTENTS (Continued)

	Page
VII. Data Dissemination	43
A. Staff Selection	43
B. Training	44
C. Publicity	46
D. Data Dissemination Centers	47
VIII. Program Evaluation	52
IX. Program Examples	54
A. Lincoln, Nebraska	65
B. Rochester, Minnesota	65
C. Duluth, Minnesota	70
D. St. Cloud, Minnesota	72
Appendices	74
A. Program Manager Checklist	75
B. Aerial Infrared Survey Registration Form	77
C. Aerial Infrared Training Seminar	79
D. Dissemination Center Checklist	85
E. Telephone Survey	87
F. St. Cloud News Release	98
Glossary	100

I. EXECUTIVE SUMMARY

A pilot aerial infrared roof top study was conducted by the Minnesota Energy Agency with direct and inkind financial support from the Minnesota legislature, the Energy Research & Development Administration, the Environmental Protection Agency, and Minnesota municipalities. This final report is an update of work on this project since the September, 1977, progress report as well as a summary of work performed during the entire contract period. The original contract period from September 11, 1977, through September 15, 1977, was extended to August, 1978.

A project management team was established to perform the multidisciplinary tasks of this project. In addition a citizen advisory committee received periodic project overviews and has made suggestions on dealing with communities and particular issues.

Flyover sites were selected on the basis of a rating scale including such factors as willingness to disseminate information, degree of potential energy problems, median income and age of structures. For future projects selection of criteria based on the goal of the project is recommended.

Infrared surveys of 27 Minnesota cities were conducted during the fall and winter of the 1976-1977 heating season. In addition, conventional daytime color photographs were taken of several cities. Film processing was done by the Environmental Protection Agency. The University of Minnesota conducted ground tests to verify the aerial infrared imagery and has published the results.

Thermograph dissemination centers were established in each city and training seminars and materials were prepared and delivered to dissemination center staff.

A survey of homeowners who viewed their thermograph at a dissemination center were used to determine the energy savings resulting from the program.

An Aerial Infrared Program Users Manual has been prepared by the Energy Agency and the Remote Sensing Institute of Brookings, South Dakota.

II. PROGRAM PLAN

The following tasks outlined in the program plan have been completed and are documented in this report:

- Selection of Flyover Sites has been completed and is documented in Section IV of this report.
- Flyovers & Imagery Processing has been completed and is documented in Section V of this report.
- Training Seminars and Materials have been developed and are documented in Section VI of this report.
- Delivery of Information to the Public has been completed and is documented in Section VII of this report.
- Evaluation of the Energy Impacts of the Program is complete and is documented in Section VIII of this report.
- Development of a User's Manual has been completed and is documented in Section IX of this report.

A schedule of expenditures appears in Attachment #1.

III. PROJECT MANAGEMENT

Good project management is essential for the success of a multi-faceted project like the aerial infrared flyover program. The management of the pilot aerial infrared roof top study has been modified over the project's life to account for changing project conditions and new staff at the Energy Agency.

During the first technical states of the project an Energy Agency Technical Services staff member assumed the day-to-day supervisory responsibilities for the project. As the flyovers ended and establishment of the dissemination centers became the greater concern, the project demanded more time of the agency's Local Services staff. A diagram of the present project management arrangement is shown on the next page.

Pilot Aerial Infrared Roof Top Study
Project Management Team

CITIZENS ADVISORY COMMITTEE

The Citizens' Advisory Committee was conceived early in the project to be a guiding force for the project's direction. The Advisory Committee was selected, but as a result of delayed involvement, its input to the project was minimal.

Selection

The Advisory Committee was selected from representatives of a wide range of interests including business, energy suppliers, industry, local units of government and civic groups. The qualifications considered important in determining the committee's membership were:

- Interest in energy conservation and in the future energy supply situation.
- Understanding of decision-making processes at all levels of each sector represented.
- Knowledge of the energy-related concerns of each sector represented (i.e. employment, economic impacts, etc.).

Purpose

The Advisory Committee was established to guide the program's managers in dealing with the wide variety of interests encountered in implementing the program and to allow flexibility in the program plan.

One of the major functions intended for the Advisory Committee was to suggest approaches to generate interest and support from local units of government. It was expected that the committee would point out potential problems in implementing the program (i.e. budget constraints, local legislation, etc.) that would help anticipate needs and avoid problems before they arose. For this purpose, the committee included a representative from the League of Municipalities and an outstate county commissioner. Each had considerable knowledge of local political organizations.

Major fuel suppliers were represented (members from an electric cooperative association, a fuel oil supplier, and a natural gas company) in the hope that their input could provide insights into regional supply situations which could require special attention in each city.

Representatives were asked to serve on the committee from the commercial-industrial sector so that their interests could be considered in program implementation. A private citizen was also appointed to the committee to help in determining the acceptability and practicality of such a program to a general audience.

A committee of this type is not only a good gauge of reactions from a variety of sectors but also serves as a safety valve in that it provides a means for input from outside interest groups in planning, implementing, and, if necessary, revising the program.

Results

The energy agency scheduled two meetings for the Advisory Committee. The first was held in early February to give the committee an overall view of the project. Comments on the program plan were solicited, but many of the committee members felt that the program was already too well developed for them to have a significant impact on guiding its direction.

Cities which did not agree to disseminate the information were automatically eliminated from the program.

Degree of Projected Energy Supply Problems

Rating the cities on the degree of expected energy supply problems was done on the basis of information already accumulated by the energy agency's forecasting and fuel allocation surveys. Each city was rated as follows:

<u>POINTS</u>	<u>CONDITIONS</u>
10	Severe
5	Moderate
3	Other

An example of a severe condition would be reliance on Canadian natural gas that is priced substantially higher than domestic gas. This would be an added incentive to conserve.

Median Income

This is one variable used in accounting for specific socio-economic groups unable to afford rising fuel costs or the costs of retrofit without outside financial assistance. It was assumed that people in this group would have greater motivation to retrofit their homes and also would be good candidates for low interest loan and grant programs. In all, there were three variables used to make up a socio-economic factor totaling 30 of the 100 points.

<u>POINTS</u>	<u>CONDITION</u>
10	\$6,000 and below (median income/family)
9	\$6,001 - \$7,000
8	\$7,001 - \$8,000
7	\$8,001 - \$9,000 etc.

Percent of Elderly

This second socio-economic variable was useful in accounting for an audience whose desire to retrofit would be high due to fixed incomes with rising fuel bills. The potential to use loan and grant programs for conservation would also be high. Each city was rated as follows:

<u>POINTS</u>	<u>CONDITION</u>
10	above 50% (elderly as a percent of the total population)
8	30% - 50%
5	20% - 30%
2	below 20%

Money Available for Retrofit from Outside Agencies

Since a major emphasis in this program was placed on helping low income groups including the elderly, it was useful to know what kind of financial support would be available for retrofitting homes. This is the third of the three socio-economic variables chosen. The cities were rated as follows on the availability of outside financial assistance for home retrofit:

<u>POINTS</u>	<u>CONDITION</u>
10	Community Action Programs & Banks participating in the Minnesota Housing Finance Agency loan and grant program.
5	Either a local CAP program or the Minnesota Local banks involved in Housing Finance Agency program.
0	No money available from outside sources.

Presence or Absence of an Energy Committee

This variable was used to determine what type of support might be expected in implementing the program in a given city. It was felt that such a committee would automatically serve as the group responsible for conducting the local dissemination effort. This was also a useful gauge of the community's past interest in energy activities. Each city was rated as follows:

POINTSCONDITION

5

does have an energy awareness committee

0

does not have an energy awareness committee

Percentage of Pre-1960 Buildings

It was assumed that homes built before 1960 would be in greater need of reinsulation than newer homes. This consideration was reflected as follows:

POINTSCONDITION

10

80%-100% (percent of buildings built before 1960)

9

70%-80%

8

60%-70%

7

50%-60% etc.

Other information was also taken into consideration but did not contribute to the point scoring system. While these items did not enter into the initial scoring they were used in the final screening of flyover sites to assure the geographic distribution required in the legislation and to break tie score.

Local Educational Institutions

These were considered a possible source for technical assistance, personnel and facilities for the dissemination center.

Development Regions

Minnesota is divided into development regions for planning purposes. Each city was identified by its development region to assure the geographic distribution required in the legislation funding this program.

Results

Each of the 97 cities responding to the energy agency's letter was rated on the foregoing criteria. A final selection of 39 of the top rated cities was made on the basis of reasonable flight lines. The exact cost for each city was not known, so it was impossible to be sure that each of the cities selected would

actually be thermographed at selection time. These chosen cities were notified of their selection. Each city selected signed an agreement (Attachment #2) outlining their responsibilities in this project.

A second phase of flyover site selection occurred when the contractor was performing the surveys. To minimize fuel use and flight time, the aircraft and crew were headquartered in Duluth, Rochester and the Twin Cities to perform surveys of nearby cities. The selection of sites in this phase was influenced by daily changes in ground conditions and hourly changes in weather conditions. Around the clock communication between the energy agency and flight crew were required to make appropriate decisions.

A total of 27 Minnesota cities were surveyed in this project. These included 26 from the original list of 39 selected cities and one city (Waite Park) which was added because it is immediately adjacent another city (St. Cloud) which was surveyed.

The legislative mandate requiring no more than 50% of the survey to be done in the metropolitan area was met. Of the total of 951 linear feet of night time infrared imagery collected, only 357 feet, or 37.5 percent was within the seven county metropolitan area of Minneapolis and St. Paul.

It was discovered that the most important criteria for the success of the program was the degree of commitment from the cities. Information on the financial and personnel commitment required to implement the program should have been outlined to the cities before the selection process began. A few of the cities selected in this project were overwhelmed as to the degree of commitment needed to carry out this project.

A rating system based on an accumulation of points for certain criteria is useful for selecting sites. It should, however, include a number of judgmental points based on the goals of the program. In this case the dissemination phase was weighed heavily. An organization sponsoring such a program must select its criteria for choosing survey sites based on a clear goal for the project.

V. FLYOVERS AND IMAGERY PROCESSING

The contractor performing the flyovers for this project was Mead Technology Laboratories. A prototype variable gain scanner recording imagery directly on photographic film was employed. Film process and verification of coverage was done by the Environmental Protection Agency.

Ground support for flyovers -- vehicles with flashing lights lined up along flight lines -- was arranged in three large metropolitan areas. Great difficulty was encountered in trying to arrange a flyover time which would allow scheduling of the ground support. A sudden break in bad weather conditions resulted in a decision to fly without support over two of these metropolitan areas.

Performing an aerial infrared survey is literally a game of chance played with Mother Nature. The conditions necessary for a flyover do not often occur simultaneously. The temperature must be cold, low clouds cannot be present, the winds must be low and constant and the snow cover on roofs must be minimal. Finally the contractor must be near the site at the time that these conditions occur. Satisfactory thermograph results were obtained for several Minnesota cities which were surveyed with one inch of snow cover on roofs, but also with -25°F ambient temperatures.

Conventional daytime color photographs were collected for most of the cities receiving thermographic surveys in this project. The reason for obtaining this imagery was to aid the thermograph interpreter at the dissemination center in locating homes on thermographs, determining the identity of objects not clear on the thermograph and to give an idea of the emittance characteristics of objects. Unfortunately, the daytime color has been of no use at the dissemination centers. Local community representatives who disseminate information and the community residents viewing the thermographs easily recognize their building without the aid of color photographs.

Nighttime infrared imagery of 27 cities was collected during the periods from mid-November to mid-December 1976 and mid-February to early March 1977. Most of this imagery was collected at a 2000 foot altitude with good resolution and contrast. Toward the end of the project, faced with depletion of both good surveying weather and funds, flights were performed at a 3000 foot altitude to obtain maximum coverage in the shortest time. This later imagery was of poorer resolution*, but still good enough for interpretation to take place without enlargement.

A serious problem with some of the imagery was too much contrast. Most of the rooftops on imagery from one or two cities were very dark and only buildings with exceptionally high heat loss exhibited lighter tones. No conclusive explanation for the high contrast has been found, but it may have been due to controls in the automatic gain scanner.

About half of the 27 cities thermographically surveyed reported that certain sections of their cities were missing from the imagery. It was the Energy Agency's understanding, as stated in the April 1977 Program Plan Status Report, that no area which was supposed to be surveyed was missed. Since MEA distributed unorganized film to the cities, gaps in the imagery were discovered by local program administrators who had already hired personnel and in many cases started publicity for the program. Had MEA known of this problem earlier, alternatives for publicity and dissemination of the imagery could have been suggested during the training session and much disillusionment the program could have been avoided. Relying more on ground support for flyovers would have substantially reduced this problem.

*For the imagery collected at the 2000 foot altitude a typical 50 foot long house was about 1/8 inch long on the imagery. With imagery collected at the 3000 foot altitude, the same house was about 1/16 inch long.

News releases publicizing the survey were prepared for many cities just prior to the flyovers. It was originally thought that citizens needed to be alerted about the low flying plane making multiple passes over their city in the middle of the night. However, no questions were reported from citizens in any city which did or did not receive pre-flight publicity. However, the publicity did generate a lot of interest in the program. Many phone calls were received and people were anxious to look at thermographs immediately. Therefore, the pre-flight publicity, while a valuable information tool, should clearly state that thermographs will not be available for several months. In any case, program sponsors should be prepared for calls.

VI. TRAINING SEMINARS AND MATERIALS

A major concern in the delivery of thermograph and energy conservation information to the public is the training resource materials and motivation provided to dissemination center staff. This staff must be able to work in concert with the home or building owner to perform the following:

- locate the building on the thermograph
- correctly interpret information given in the thermograph
- suggest appropriate energy conservation measures and answer related questions

The initial experience of this project with training seminars was disappointing. Several two-day seminars were held at three central locations around the state.

These seminars were meant for the actual dissemination center staff. However, the cities sent administrators instead. Also the content of these seminars proved to be too technical. Another problem that came up at these seminars was the participants shock and disappointment at how small the imagery was of each building. This dissatisfaction was reinforced at the initial training seminars by the use of enlarged thermographs to assist training in thermograph interpretation. Copies of these enlargements were also sent home with the attendees who showed other administrators and potential dissemination center staff how to read them.

It is important that an actual size sample of a thermograph be sent to each city at the time of first contact. The size of houses on the film should be clearly stated in all pre-flight publicity so that participants are reminded that aerial thermographs show very small images of buildings. It also can be pointed out that using a magnifying glass reveals very clearly the areas of heat loss in buildings. It is also recommended dissemination center administrators or staff not be shown enlarged or much better quality thermographs than they will be expected to use without clearly identifying these as an additional expense alternative.

After the initial seminar/ experiences, the emphasis of the training seminars was revised for presentation to actual dissemination center staff. Training seminars were then presented using a non-technical approach on a city-by-city basis shortly before the opening of the individual dissemination centers. Items covered in detail at the seminars were as follows:

Locating Home on the Thermographs

A display of the organized film was presented and the home of someone at the seminar was located on the thermograph with the aid of a flight line map.

Thermograph Interpretation

A typical thermograph was projected on a screen by laying a duplicate positive transparency on an overhead projector. Examples of the following variables were identified and explained.

- emissivity vs. temperature	- scanner automatic gain effects
- ventilation	on imagery
- function of building (indoor temperature)	
- vegetation	- roof level variations
- edge effects	

Training on thermograph interpretation stressed the importance of relying heavily on information provided by the home or building owner for accurate interpretation.

Energy Conservation Suggestions The training seminar stressed the extreme importance of good advice relating to energy conservation on this project. A guide to energy conservation techniques was provided covering the following topics:

- attic insulation
- attic ventilation
- wall insulation
- windows and doors
- caulking and weatherstripping
- furnace and appliance efficiency
- energy management techniques
- financial assistance available for retrofit

The information presented was geared for beginners in energy conservation matters. An outline of the seminar (attachment #5) was provided and each participant was encouraged to take notes.

The short time allotted for training (one eight hour session in each city) required a concentrated presentation on thermograph interpretation and conservation. Some of the trainees who were not familiar with conservation subjects were left confused in certain specific subject areas with no specific literature to consult. Conservation Guides 1, 2 and 3 (attachment 3) served as excellent reference documents in the areas of home audits, ceiling re-insulation and cooling the home. Literature on all major areas of conservation should be available so the dissemination center staff can refer back to it when necessary. A notebook, or notebooks, of appropriate materials could be prepared for each center.

VII. DELIVERY OF INFORMATION TO THE PUBLIC

To be productive as an energy conservation program, an aerial infrared survey must have an effective means for delivering information to the public. The thermograph images are a tool to both stimulate interest and indicate possible heat loss problems. The program should result in home and building owners taking significant energy conserving actions. But the building owners will need additional information on how to conserve energy once they recognize a heat loss problem. In order to accomplish this goal, it is important that the organization sponsoring the program use the aerial infrared survey as part of an already well established energy conservation information program.

The dissemination process is a complex task for the organization conducting the program. For Minnesota's state-sponsored program, this process included selecting a responsible group to handle the dissemination in each city, assisting the city in choosing the type of imagery to be used and a staff to do the dissemination training that staff, organizing the dissemination centers and monitoring their operation.

The cities involved in this project were free to choose their method of dissemination, and the various approaches they tried are discussed here. Variables influencing the choice of dissemination methods were existing energy awareness, budget, interest of city officials, interest of cooperating organizations, and to some degree the type of imagery available to them.

Recommendations

Shortly after the selection of flyover sites, a seminar should be held for the administrators of the proposed dissemination centers. This seminar should outline all of the organization tasks which will have to be performed and present alternatives for each of their upcoming tasks. The importance of making the aerial infrared survey part of a total energy awareness program must be stressed.

Training seminars for the dissemination center staff should be held one site at a time, and no more than one to three weeks before the dissemination center opens. The use of visual displays supplemented by written materials is recommended for teaching thermograph interpretation and conservation methods. Training should be geared to each specific flyover site with its unique demographic, economic, and energy characteristics.

Selection of Responsible Groups

The first requisite to a successful dissemination effort was the proper selection of a responsible group to handle the program within a city. The following alternatives were considered for this project.

Local Government Officials

Local government officials involved in building inspection, engineering and/or city planning activities were selected by many cities. It was felt this was an attractive alternative for the following reasons:

- since city officials were in close contact with the mayor and his energy awareness committee, it was easier to coordinate this program with other energy conservation programs in the community. Such contact also provided channels to groups such as the Chamber of Commerce and service organizations for promotion and assistance needed to implement the program.
- most cities' budgets were sufficient to hire additional personnel to implement the program. Often CETA (Comprehensive Employment Training Act) employees were obtained for this purpose.
- the city officials had intimate knowledge of the area being surveyed. They were aware of economic subdivisions, age of buildings and local community programs which could aid individuals in seeking financial assistance to implement conservation measures.

-most city officials selected to supervise the dissemination segment of this program did have a good basic knowledge of building construction and energy conservation techniques.

-associating building, engineering and planning officials with the program provided valuable feedback to the city on the community's needs in terms of future development plans, energy requirements and appropriate directions to take to avoid possible shortfalls.

-implementing the program through local government added credibility because promotion of specific products and services was largely avoided.

While use of the municipal employees was theoretically a sound idea, many cities did not account for availability of already overloaded building inspectors, city engineers, and city planners. Most of the cities elected to hire CETA employees to carry out the program under the direction of the municipal departments involved.

Local Financial Institutions

Local financial institutions were a second option for managing dissemination of the information. These were beneficial contributors to the program in that:

-dissemination center space and personnel were provided at no cost to the city.

-financial institutions were inclined to be centrally located allowing easy access to the dissemination center.

-advertising was simplified by the use of stuffers in monthly statements and use of bank marquees were used reminding the public of the program.

In no instance in the Minnesota project were financial institutions responsible for implementing the entire program. Rather they were employed as one of several dissemination centers. One source for concern for using this group would be that banks, offering low interest loans for energy conservation measures, may derive undue gains from the program.

Local Utilities

Local utilities were also approached in some areas to take charge of the program. Some municipalities felt these companies would qualify to manage the job of dissemination for the following reasons:

- they had the ability to promote the program through advertising and bill stuffers;
- they would serve as a qualified source of information on energy use and literature.
- they could provide personnel to organize the imagery and provide space and staff for the dissemination center.

In this project no utilities were employed to totally implement the dissemination program. Cities felt these groups, many of which sold insulation products or had contract referral services, would probably promote these products and services. Also utilities have, in the past, promoted energy use - not conservation. For this reason some local utilities were distrusted by citizens to the extent that a program under their management would have little credibility and effectiveness.

Educational Institutions

Educational institutions such as community colleges, the state university system and area vocational technical institutes (AVTI's) were also considered for dissemination center managing the program for the following reasons:

- space, personnel and displays could be provided at low cost.
- training of personnel was simplified because these institutions had already established curriculum relating to building construction and energy conservation techniques.

Although these groups were not used in this program to manage the dissemination in any city, they proved extremely useful in many instances for providing qualified personnel, space for the centers and help in preparing displays. Also many of these institutions had access to light tables and other equipment useful in the dissemination centers which might have otherwise been costly to the cities.

Choosing Imagery Type To Be Used

The choice of the type of imagery to be used in the dissemination process was one of the first decisions asked of the group responsible for thermograph dissemination in each city. This was necessary because of the lead time required by the film processing lab.

In the case of this program, all initial film processing was done by the Environmental Protection Agency (EPA) for their in kind contribution to this program. Because of this arrangement, some of the decisions on the type of imagery to be taken in the flyover and provided to the dissemination centers were made by the energy agency and Environmental Protection Agency prior to involvement of the dissemination groups.

Conventional Color Imagery

Daytime aerial color photographs were taken for the purpose of determining roof types, identifying variables such as vegetation around the buildings which indicate heat loss on thermographs, showing unique building structure which could affect accurate interpretation of the thermograms, and providing orientation points to help locate specific homes on the thermograms. Dissemination centers have elected not to use the color transparencies for the following reasons:

- the use of transparencies would require expensive light tables for proper presentation to the public;
- the information provided by the homeowner or commercial

or industrial building owner as to vegetation, roof type, unique building design, etc. was sufficient to allow accurate interpretation of the thermographs.

-the daytime transparencies were difficult to organize since it was not possible to mount and label these images in the same fashion as the paper print thermograph imagery.

-homes could be located easily without the color transparencies since each reader was familiar with the area surveyed. Further, since the daytime color transparencies were usually of a different scale than the thermographs, they were not easily used for locating a building on a corresponding area on the thermograph.

The conventional daytime color imagery was useful to a few city street and planning departments in updating maps. This was a beneficial "spin-off" of the project.

An unfortunate misunderstanding did occur at one city hall because of the existence of the color imagery. The city manager, who later reported that "since you sent it (the color imagery) to us, we thought it was important", brought the transparencies to a local photo shop to make a more useful paper print. The photo shop prepared the duplicate - reversed - thinking that it was working with an already reversed duplicate imagery. The mistake cost the city \$120.

Paper Print Thermographs

At least one copy of paper print thermographs was provided for each city (larger cities received multiple copies). While the resolution of this imagery is slightly inferior to positive transparencies (see below), most cities elected to use this alternative because:

- the thermal prints were easy to cut apart, label and mount in portable notebooks;

- the information contained on the paper prints was sufficient to allow accurate interpretation when supplemented by information provided by the building owner;

- procurement of expensive reading equipment was unnecessary. Paper prints require only notebooks with protective page coverings, a reading light and a hand-held 3" x 5" magnifier.

Duplicate Positive Transparency Thermographs

Duplicate positive transparency thermographs were also provided for each city. While the resolution of this film is slightly superior to paper print thermographs, most cities elected not to use them for the following reasons:

- expensive light table and eyeglass magnifiers would have to be purchased to present the film properly;

- thermal transparencies were a problem to work with since they are difficult to label, mount and store.

Choosing Staff

Dissemination center staff providing thermograph interpretation and conservation advice are the "front line" of the entire program. The choice of staff obviously depends somewhat upon the group chosen to be responsible for the local dissemination center.

Many municipalities assigned building inspectors, city planners or engineering department staff to conduct the program. Certain problems arose with this choice, however. For example, in the city of Duluth the building inspection department was given the task but found that the time commitment was much greater than an already overloaded building inspector could afford. The project responsibility was then shifted to city planning who also were over committed, and then to the Water & Gas Department. Two CETA employees were finally hired after considerable delay. The lesson learned from this experience is that although it is desirable that persons knowledgeable in building construction be associated with the program, a strong attempt to achieve this association can result in delays.

Community Service Organizations

Community service organizations were used in many cities to provide staff. It was felt that these groups would be beneficial to the program for the following reasons:

- volunteer labor would help minimize the cost of the program for tight municipal budgets;

-groups such as the League of Women Voters, Jaycees and retired citizens would focus the program's attention on community betterment rather than on promotion of specific products or services.

The staff obtained from volunteer community service organizations were sometimes unaware of building construction technology and energy conservation methodology. Even with substantial training in energy conservation, it was felt that these staff were generally not as prepared to offer advice on the subject as were full time employees.

These problems were illustrated in a Minneapolis suburb which staffed dissemination centers with members of the League of Women Voters plus a few retired volunteers. The staff was not enthusiastic about energy conservation and it was time consuming to train them in these matters. The dissemination center coordinator was overburdened with problems such as scheduling rides and trying to find temporary replacements for the volunteers.

Local Educational Institutions

Local educational institutions provided a valuable source of staff in some instances. An example of this staffing solution was the St. Cloud dissemination center. The city used students involved in the University's work study program to read the thermographs and had a separate group located in another room offering conservation advice. The conservation advice was given by representatives of local insulating contractors and lumber yards. It is felt that this arrangement could have drawbacks.

Insulating contractors or insulation retailers offering conservation advice could put undue emphasis on reinsulation as opposed to energy management, and that may result in promotion of specific products or services.

Staff for utility based dissemination centers were probably the most familiar of any in this program with energy use concerns. These staffs needed training only in thermograph interpretation and both their attitude and knowledge relating to energy conservation were good.

Dissemination Staff Training

The variety of staff chosen by various communities in this project presented the challenge of developing comprehensive, yet flexible training to preparing and monitoring dissemination center personnel for their job. A discussion of training seminars and materials developed for this project is presented in Section IV of this report.

Organization of Dissemination Centers

Input on organization of the dissemination centers was provided by a representative from Peoples' Natural Gas in Rochester, Minnesota which had conducted an aerial infrared survey program about a year prior to this program. It was recommended that a separate area be provided for people waiting to talk to the dissemination center staff person. In order that this waiting area would serve a useful function, it was recommended that the following displays be placed there.

Insulation Displays consisting of old and new insulation types mounted on boards or placed in bins and labelled with the appropriate R-value for each.

Caulking and Weatherstripping Sample Materials either mounted on a mock window or displayed with diagrams indicating where these materials may be applied effectively.

Literature provided by the Federal Energy Administration, Minnesota Energy Agency, University Agricultural Extension Service and local utilities on subjects such as energy management, ceiling reinsulation, caulking and weatherstripping, conservation for the automobile, etc. A map of the city indicating the survey flight lines so that a home or building owner could identify the flight line number for his structure.

Registration Cards

Registration cards to be filled out by each homeowner or building owner prior to talking to the dissemination center staff were recommended for each dissemination center. Besides indicating name, address and phone, these cards provided the staff member with information about the roof type, attic insulation and problem areas in energy use.

Most cities faithfully kept registration cards, but in one instance an insulating contractor was determined to obtain this information for his marketing program so the cards were destroyed.

The retained survey cards will be used in conducting a follow up survey.

Care of Thermographs

Care of thermographs was stressed to the staff. Organizing the imagery into notebooks which would protect it from the elements and keep it from being "borrowed" was suggested. Keeping coffee and smoking materials far from the imagery was also stressed.

Publicity

Making the public aware of the dissemination center and encouraging attendance were vital and yet relatively easy parts of this program. Alternative publicity techniques used by cities were:

- news releases were sent to local newspapers about 2 or 3 weeks before opening the dissemination center.
- local radio talk shows were used to acquaint the public with the nature of the program.
- companies employing large numbers of the city's population used public address systems, company news letters or bulletin boards for promotion of the program.
- hand bills and posters were distributed in many cities at shopping centers and other centralized locations.
- many cities used municipal bill stuffers to inform and remind the public about the program.
- community newsletters were another source of promotion
- paid advertising was also used in most cities. Insulation contractors, local utilities, members of the Chamber of Commerce, etc. helped pay for this advertising in many cases.

The following information was contained in most advertising for this program.

- time, place and section of city to be dealt with on particular days. Most cities found it desirable to limit response geographically using existing political boundaries (i.e., wards, districts, etc.) or community-specific coverage.
- statements encouraging the homeowner to inspect the attic for the depth and type of insulation. Some cities reproduced the registration card in their publicity indicating questions which each homeowner would have to answer before going into the center.
- homeowners were asked to note how many houses they were from the corner and where they were in relation to land marks to facilitate locating their home on the thermograph.
- The homeowner was asked to note specific heat loss problems in his home (i.e., windows, fireplaces, etc.).

Cities were cautioned not to use samples of the thermography in printed publicity without obtaining expressed consent of the owner of each building involved.

Few problems were encountered with publicity in the program. Most local newspapers were cooperative in reporting the news item and sometimes provided initial free advertising.

Continuing publicity about the program was recommended to keep up attendance, and most cities did this. In one city with a tremendous

response on the first couple of days of the program, no continuing publicity was done and attendance fell off rapidly to only 10 to 20 homeowners per week.

MONITORING OF DISSEMINATION CENTERS

As the organization conducting this program, the Minnesota Energy Agency took the responsibility to monitor the organization, opening and operation of each dissemination center. This was accomplished by frequent correspondence and multiple visits by energy agency staff to most cities surveyed.

ORGANIZATION

Many of the cities were disappointingly slow in beginning work on organizing the program after their film was delivered.

- Several participating northern Minnesota cities had the film in their possession for three months before any action was taken. A visit by an energy agency representative was required to assist them in identifying alternatives in organizing the film, promoting the program and choosing dissemination center staff. The representative then organized the film in these areas and conducted training seminars for the staff.
- One large city spent several weeks considering an elaborate and expensive film processing and indexing scheme. A visit by the energy agency representative finally convinced the city to redirect the emphasis of the dissemination process back to energy conservation matters.
- Some southern Minnesota cities required visits by agency representatives to deal with dissatisfaction with the imagery. The film was organized by the representatives and

demonstration thermograph readings were done for municipal employees which showed the city administrators that average citizens would respond favorably to the program.

-Given the magnitude of the project in the cities of Minneapolis and St. Paul, there has been some delay in implementing the program. The large manpower and financial commitments needed have required time consuming city government reallocation of resources.

The experience of this program has shown that the organization sponsoring an aerial infrared survey program must be prepared to provide a great deal of detailed assistance in the organization and start-up of most dissemination centers.

OPENING

All of the 27 cities surveyed in this program opened dissemination centers as of November 15, 1977. An energy agency representative was present to assist many of the centers on opening day.

Opening of two dissemination centers was not well planned so that during the first couple of days they received huge attendance (up to 1,000 persons at a single center). Many of the cities wisely spread out attendance by scheduling only portions of the city for thermograph reading on any one day.

Opening dissemination centers in the summer, as has been done with centers in this program, has the advantage that attendance will be slowed because of vacation schedules and relative unconcern with reinsulation. By the time the heating season arrives and attendance picks up, the centers can be better organized and the staff better trained.

OPERATION

Once the centers were open the energy agency monitored progress by checking on various indicators of dissemination center success. These indicators are listed below. Suggestions were given to the city to help improve any segment of the program not meeting expectations.

Indicators

- Each city was requested to provide samples of their publicity on the program.
- Dissemination centers were asked to report public attendance at the centers and other responses to the program.
- Several centers were observed by unidentified energy agency personnel. The dissemination center staff's level of understanding of thermograph interpretation as well as conservation advice offered were judged.

All dissemination centers have discontinued normal operation after four to six weeks because of a slow down in response. Thermographs and conservation advice are still available at city hall in most cases. Several cities have reopened dissemination centers. The following heating season with good response.

VII ENERGY IMPACTS

One of the goals of this demonstration project was to evaluate the impact of aerial infrared surveys as a tool to promote energy conservation. Two independent approach were taken to determine this impact.

REFLIGHT

In 1975 the Peoples' Natural Gas Company in Rochester, Minnesota sponsored an aerial infrared survey and operated a dissemination center for nearly one year. A selected portion of the city was resurveyed as part of this project for the purpose of obtaining imagery to compare with infrared imagery in the earlier survey. A number of homes which were reinsulated between the time of the two flights were identified for study with the assistance of the person who staffed the Rochester infrared dissemination center. The University of Minnesota analyzed the two sets of imagery to determine if reinsulated homes can be readily identified. Measurements were taken of the tone of gray of a study home relative to the reference homes on both sets of imagery (using a film densitometer). Then the tone of gray of the study home relative to the reference homes was compared before and after insulating. The results of the study were published in August of 1978. Following are the conclusions reached by the report*:

*Determination of Building Heat Loss and Thermal Integrity Using an Airborne Infrared Scanner - Comparison of Ground-Based and Thermographic Measurements, R. J. Goldstein, J. W. Ramsey, and R. C. Hain, August 1978, University of Minnesota, Department of Mechanical Engineering, Mpls, MN 55455.

- "1. The image density on a thermograph is a good guide to the relative temperatures of rooftops in a given location. This is true even with an infrared scanner whose gain is automatically adjusted to maintain a reasonable range of film densities. of image density with surface temperature holds when average temperature over the region of thermographic measurement is considered and when the roof surface all have relatively similar high emittances.
The thermograph image density of a roof surface that has a low emittance (is reflective) is not a good guide to the surface temperature when compared to more highly emitting surfaces.
2. For a given structure, variations in the image density on the thermograph can pinpoint regions of low thermal resistance. This holds specifically when the roof surface material is relatively uniform with approximately constant emittance.
3. The image densities of roof surfaces of neighboring buildings show a trend of greater film density with greater thermal resistance. The variation however is quite erratic and one would be hardpressed to infer the relative resistance of neighboring structures from the normally slight density variations that are observed. With very large density differences more can be said about the relative resistance to heat transfer..
4. Changes in thermal resistance of a roof structure due to additions of insulation in general show up in increased thermograph image density as compared to that of neighboring dwellings where no changes have occurred. This trend . . is not always encountered and only very uncertain inferences can be made from changes in relative image density.
5. The factors that can influence relative image density other than thermal resistance and . . . the micro-climate include roof surface emittance, attic ventilation, and maintained temperature of the interior space. Variations or differences in these factors can often outweigh differences in thermal insulation when comparing neighboring dwellings or changes in thermal resistance of a structure.
6. The use of a constant gain scanner to measure the infrared radiation leaving a surface may offer advantages, compared to an automatic gain control scanner when determining the relative roof temperatures of structures observed at different times and different places during an overflight. However, constant gain would not eliminate the major error which comes in comparing surfaces at different locations and surfaces observed at different times; namely the changes in the local air temperature and wind speeds with-can dominate all other factors in influencing the roof surface temperature."

QUESTIONNAIRE

The second approach for analyzing energy impact was a questionnaire survey (Attachment #6) of homeowners who visited a dissemination center. Three major areas were addressed in the survey:

How did the homeowner feel about the dissemination center?

Did the homeowner get useful information from the displays and literature at the center?

Did they take action resulting in energy savings because of this program?

The survey also included a control group of homeowners who did not attend a dissemination center. Homeowners were selected at random from registration cards kept by the dissemination centers. The survey was conducted about one month after the individual visited the dissemination center, to allow time for action to be taken but not for impressions to be lost. The control group was then compared to the infrared cities to determine the programs effect on energy conservation.. Preliminary results of the survey indicate that the number of people who have already taken action as a result of visiting the dissemination centers is remarkably high -- about 80,000 homeowners. This is based on a representative sample of cities that participated in the program. A very conservative estimate shows an average savings in 1978 of 110 billion Btu's, which translates into \$324,000 in aggregate fuel savings. The program cost was \$205,900.00. The direct net savings have already amounted to \$118,100.00 and should increase as more people act upon the information they have received. In making this estimate, the number of people who might have invested in energy-saving modifications even without having visited the dissemination centers was taken into account.

In addition to the direct savings, there were other spin-off benefits of the program:

- Increased tax revenues The sales tax collected on retrofit materials sold as a result of the program was estimated at \$144,000.00 almost three times the state's investment in the program.

- Increased business Increased business resulting from people buying materials and contracting for retrofit services was estimated at \$3,600.000.

- Heightened community awareness of energy conservation The communities response and events such as energy fairs resulting from the flyover program created an atmosphere of heightened public awareness of energy conservation. People now know that Energy Awareness Committees exist in their communities; those committees continue to exist, with added public attention, even though the flyover program has ended.

-New conservation programs In some cities utilities were prompted by public response to the program to begin home energy audit programs or other types of consumer education services.

-Building a permanent resource In many communities a core group of people knowledgeable about energy conservation was established as a result of the training received for dissemination of the thermographs.

COST PER UNIT

Another matter relating to the impact of the project is its total cost per housing unit for comparison with measured benefits. The total expenses or in-kind contribution for implementation of this project are listed below:

COST ESTIMATE FOR INFRARED PROGRAM:

Minnesota Energy Agency - \$30,000 includes staff time, training, and cost of printed materials and postage.

MEAD Technology Laboratories - \$39,000 to conduct surveys of 27 communities.

Environmental Protection Agency - \$46,900 of in-kind for film processing and staff training.

Local Communities - \$90,000 of in-kind services for recruiting staff, travel expenses, publicity, rental space, and any additional film processing necessary to implement the program.

Total implementation cost - \$205,900

This implementation cost excluded research expenses, such as the work done by the University of Minnesota and the questionnaire survey.

The total 1975 population in the 27 cities surveyed is about 1,200,000. This represents 423,000 housing units, about 34% of the state's total. Cost of the project per unit is:

$$\frac{\$205,900}{444,582} = 46\text{¢ per unit}$$

IX. USERS MANUAL

Initially, the User's Manual was intended to present potential users with an explanation of the costs, benefits and implementation strategies of an aerial infrared program. A new direction was taken in the preparation of the manual with the issue of a DOE contract to cover the more technical aspects of aerial

infrared surveys. The Remote Sensing Institute (RSI) of Brookings, South Dakota was awarded this contract to co-author with MEA a manual integrating the work of RSI and the energy agency.

An initial meeting was held in Brookings and was attended by representatives of the energy agency and ERDA to plan the preparation of the manual.. An outline of the Users Manual (attachment #8) was prepared and primary responsibility for sections assigned. The manual was submitted in final draft form to DOE's Division of Buildings and Community Systems in August, 1978.

The manual is a synthesis of the available information on aerial infrared technology and the practical experience gained by those who have conducted aerial infrared programs. The manual describes the basic steps needed to plan and implement an aerial infrared program:

- 1) Survey and dissemination program planning (site selection, costs determination of scope)
- 2) Data collection considerations
- 3) Data collection equipment options
- 4) Output products
- 5) Data dissemination
- 6) Program evaluation

The manual also includes four program examples which illustrate how each of these steps effected individual programs.

Currently, copies of the manual may be ordered through the U. S. Department of Energy, Assistant Secretary for Conservation and Solar Applications, Division of Buildings and Community Systems, Washington, D.D., 20545. The manual will soon be available through the National Technical Information System (NTIS HCP/M₄161/D) at an estimated cost of \$6.50 for paper copy or \$3.00 for microfiche.

Attachment #1

Pilot Aerial Infrared
Roof Top Study

Program Expenditure
Schedule

Source of
Funds

Minnesota
Local
Communities

Environmental
Protection Agency

State of
Minnesota

Energy Research
and Development
Administration

MINNESOTA ENERGY AGENCY

740 American Center Building
160 East Kellogg Boulevard
St. Paul, Minnesota 55101

612-296-5120

November 15, 1976

Agreement to Disseminate Infrared Thermographs

The City of _____ agrees to interpret and disseminate infrared thermographs to as many people in our community that request this service within a given period of time.

We further agree to publicize the times when and the places where interpretation of the photos will be available so the citizens of our city will be aware of the program.

We understand that we must send at least three (3) people to a two-day seminar to learn how to interpret the photographs. We will be responsible for their transportation, food and lodging to the Twin Cities Metropolitan area for this training.

We further understand that trained interpreters must be available on a regular basis for at least six (6) months to disseminate the thermographs.

We understand that we may enlist the aid of public utilities, Community Action Program (CAP) agencies, private businesses, and other groups in our city to carry out these tasks, subject to veto by the Minnesota Energy Agency.

We also understand that the Minnesota Energy Agency will provide seminars on interpretation of the thermographs at no cost to the city and will provide technical assistance to the program for as long as it may continue.

We understand that these are minimum requirements for dissemination of the infrared thermographs and that the MEA encourages us to carry out energy fairs, exhibits, and other energy awareness programs in conjunction with the infrared program.

Authorized Signature

Date _____

Title_____
City

MINNESOTA ENERGY AGENCY

740 American Center Building

160 East Kellogg Boulevard

St. Paul, Minnesota 55101

612-296-5120

October 21, 1976

Dear Mayor:

Minnesota Statutes 1976, Chapter 333, Section 116H., Section 17, Subdivision 2, appropriated \$50,000 to the Minnesota Energy Agency to contract for infrared aerial photographs, at least 50 percent of which shall be conducted outside the Twin City Metropolitan area.

The Energy Agency has applied for an additional \$50,000 from the Energy Research and Development Administration, in order to expand and improve the demonstration project.

The aerial photographs will be taken at night and will distinctly show heat loss from individual buildings due to inadequate conservation measures, such as lack of insulation.

In order to qualify for the \$50,000 in federal funds and to make the program meaningful, we need a letter from cities wishing to be considered as part of this demonstration project. The letter should also include a statement saying that the city will take the responsibility for disseminating the photographs to citizens. Several examples of how this could be done:

- 1) Central display of photographs at City Hall, Chamber of Commerce Office, Municipal Utility Office.
- 2) Get your private utility to disseminate the information.
- 3) Set up an energy fair, have photographs as part of the display with personnel available to help people find their home.

The Energy Agency will help you in setting up a dissemination procedure, if you desire.

Would you please call me at Metro area 296-5175, or outside the Metro area toll free, 800/652-9028 by October 28, 1976 to indicate that your city wants to be considered as part of the demonstration project. A follow-up letter should reach our office no later than Wednesday, November 3, 1976.

Sincerely,

Dixie Lee Diehl
Director of Local Services

DLD/no

MINNESOTA ENERGY AGENCY

Aerial Infrared Training Seminar

Phone: 612/296-5175 Toll Free: 800-652-9028

I. Thermogram Interpretation

A. What is a thermogram?

B. Variables Involved in Thermogram Interpretation

1. Emissivity

2. Ventilation

3. Vegetation

4. Automatic Gain

5. Roof Level Variations

6. Function of Building (Indoor Temperature)

7. Edge Effects

C. Locating Homes on the Thermograms

II. Energy Conservation Techniques

A. Priorities for Retrofit Activities

B. Ceiling Reinsulation

1. R-values
2. Properties of Insulation Materials
3. How and Where to Apply Insulation Effectively
4. Vapor Barriers-
5. Ventilation
 - a. the need for ventilation-
 - b. how to determine ventilation requirements
 - c. proper placement of attic ventilators
 - d. types of attic ventilators

C. Wall Insulation

1. The Vapor Barrier Problem

2. Materials Commonly Used for Wall Insulation

- a. fiberglass
- b. mineral wool
- c. cellulose
- d. ureaformaldehyde foam
- e. rigid board insulation products

D. How to Choose a Contractor

E. Windows

- 1. Frame Type
- 2. CFM Ratings - Air Infiltration
 - a. storm windows
 - b. prime windows
 - c. condensation: cause and cure

F. Heating and Cooling

- 1. Furnace Efficiency
- 2. Wood Burning Furnaces
- 3. Fireplaces

4. Heat Pumps

5. Air Conditioning EER Ratings

G. Home Energy Management

1. Turning Down the Thermostat

2. Energy Efficient Use of Appliances

3. Other

H. Loans and Grants for Retrofit

1. MHFA Loans and Grants

2. Community Action Agencies

3. Banco Low Interest Loan Program

I. Organization of Dissemination Center

1. Use of Survey Cards

2. Displays

- a. flight line map
- b. insulation types
- c. caulking and weatherstripping materials
- d. educational literature

3. Equipment

- a. reading lamps
- b. hand held magnifiers (3" x 5")
- c. one table and three chairs per reader
- d. one registration table

Attachment #5

MID-CONTINENT SURVEYS, INC.
802 Midwest Plaza
Minneapolis, Minnesota

MCS 12/77-3671

Hello, this is _____ from Mid-Continent Surveys. We're talking with people in the city of _____ about their use of fuel and energy in the home. (CONDUCTED FOR THE MINNESOTA ENERGY AGENCY).

A. Do you live within the city limits of _____, ... or not?
(CIRCLE CODE)

+ NO (THANK AND TERMINATE - RECORD "A" ON LISTING SHEET)

+ YES (CONTINUE WITH Q. B)

B. Do you happen to own your house, ... or rent? (CIRCLE CODE)

+ RENT (THANK AND TERMINATE - RECORD "B" ON LISTING SHEET)

+ OWN (CONTINUE WITH Q. C)

C. My instructions are to speak with the man of the house . . .

May I speak with him?

Would that be you?

CALL BACK: NAME _____ DAY _____ TIME _____

+ NO MAN OF THE HOUSE

In that case, I am to speak with the lady of the house . . .

May I speak with her?

Would that be you?

CALL BACK: NAME _____ DAY _____ TIME _____

(WHENEVER SPEAKING WITH NEW RESPONDENT RE-READ INTRODUCTION)

First, some questions about insulation . . .

In the past five years or so, . . .

1. Have you insulated ... or re-insulated any part of your house, ... or not? (CIRCLE CODE)

4-1. NO - NOT INSULATED (SKIP TO Q. 2) →

2. YES - INSULATED (ASK PART a)

- a. What did you insulate ... the attic, ... the walls of the house, ... the foundation or basement walls, ... or what?
(CIRCLE CODE FOR EACH MENTIONED)

5-1. ATTIC → Was this the first time the attic had been insulated, ... or did you add to insulation already there?
(CIRCLE CODE)

6-1. FIRST TIME

2. ADDED TO

About how many inches of insulation were put in your attic? (WRITE IN)

(7) _____ INCHES

In what year did you insulate the attic?

(8) _____ YEAR

5-2. WALLS → Was this the first time the walls were insulated, ... or did you add to insulation already there?
(CIRCLE CODE)

9-1. FIRST TIME

2. ADDED TO

In what year did you insulate the walls?

(10) _____ YEAR

5-3. FOUNDATION → In what year did you insulate the
WALLS basement walls?

(11) _____ YEAR

+ OTHER (WRITE IN) _____

In what year did you _____?

(14) _____ YEAR

2. In the past five years, ... have you added or replaced any storm doors? (CIRCLE CODE)

15-1. YES → In what year did you do that?

(16) _____ YEAR

2. NO

3. Have you added or replaced any storm windows? (CIRCLE CODE)

17-1. YES → In what year did you do that?

(18) _____ YEAR

2. NO

4. Have you completely replaced any window units in your house? (CIRCLE CODE)

19-1. YES → In what year did you do that?

(20) _____ YEAR

NO

5. Have you done any caulking or any weather stripping around windows or doors? (CIRCLE CODE)

21-1. YES → In what year did you do that?

(22) _____ YEAR

2. NO

6. Have you done anything to improve the efficiency of your furnace? (CIRCLE CODE)

23-1. YES → What did you have done? (WRITE IN)

2. NO

In what year was that?

(26) _____ YEAR

(IF ANSWERED "YES" TO ANY OF Q. 1-6 ABOVE, ASK Q. 7)

7. Thinking about the changes you just told me about ... what were some of the reasons for making them?

a. What other reasons did you have?

b. (IF TWO OR MORE REASONS GIVEN:) What was your main reason?

(IF ANSWERED "NO" TO ALL OF Q. 1-6, ASK Q. 8)

8. What were some of your reasons for not making any of those changes in your house?

a. Any other reasons?

9. All things considered, ... how well do you think your house is insulated ... would you say it is very well insulated, ... quite well, ... not too, or not at all well insulated? (CIRCLE CODE)

- 33-1. VERY WELL
- 2. QUITE WELL
- 3. NOT TOO WELL
- 4. NOT AT ALL WELL
- 5. DON'T KNOW

10. During the winter months do you usually keep the temperature in your house the same all of the time, ... or do you keep it lower at night? (CIRCLE CODE)

34-1. SAME (ASK THIS SIDE)

At about what temperature do you keep your house?

(35) _____°

34-2. LOWER NIGHTS
(ASK THIS SIDE)

At about what temperature do you keep your house in the daytime?

(36) _____° DAY-TIME

And what do you keep it at night?

(37) _____° NIGHT

11. Is that lower, ... about the same, ... or higher than in past years? (CIRCLE CODE)

- 38-1. LOWER (ASK PART a)
 2. SAME (SKIP TO Q. 12) →
 3. HIGHER (ASK PART a)

a. At about what temperature did you keep your house in the past?
 (WRITE IN FULL EXPLANATION)

(39) _____ °

(40) _____ ° DAY

(41) _____ ° NIGHT

(FOR ALEXANDRIA, SKIP TO Q. 16)

(FOR GRAND RAPIDS-ST. CLOUD-WINONA, ASK Q. 12-15)

Last winter the Minnesota Energy Agency took aerial photographs of the City of _____ using infrared film to detect heat loss from buildings and houses ...

12. Have you heard of that program before, ... or not? (CIRCLE CODE)

- 42-1. NO (SKIP TO INTRODUCTION TO Q. 13)
 2. YES (ASK PART a)

a. Where did you first hear about it .. was it radio, ... newspaper, ... community newsletter, ... television, ... or where? (CIRCLE CODE)

43-1. RADIO

2. NEWSPAPER

+ OTHER (WRITE IN)

3. COMMUNITY NEWSLETTER _____

4. TELEVISION

The photographs that were taken were then displayed ...

... The Grand Rapids pictures are being shown at the Court House in Itasca ... in the Civil Defense office.

... The St. Cloud pictures are being shown in the basement of the Civic Building.

... The Winona pictures are being shown at City Hall ... in the Community Development Office.

13. Had you heard about that before, ... or not? (CIRCLE CODE)

44-1. NO (SKIP TO Q. 16) →

2. YES (ASK PART a)

a. Where did you first hear about that ... was it radio, ... newspaper, ... community newsletter, ... television, ... or where? (CIRCLE CODE)

45-1. RADIO

2. NEWSPAPER

3. COMMUNITY NEWSLETTER

4. TELEVISION

+ OTHER (WRITE IN) _____

14. Did you happen to go and look at the pictures to see how much heat you were losing from your house, ... or not? (CIRCLE CODE)

46-1. YES (ASK THIS SIDE)

a. How about the place where the pictures were displayed ... Was the location convenient for you, ... or not?

49-1. YES 2. NO

b. Were the hours that it was open convenient for you, ... or not?

50-1. YES 2. NO

c. Did you have to wait to see the picture of your house, ... or not?

51-1. YES 2. NO

d. (IF YES:) About how long did you have to wait?

(52) _____ MINUTES

_____ HOURS

2. NO (ASK THIS SIDE)

a. What are some of the reasons you did not go?

b. How about the place where the pictures were displayed ... was the location convenient for you, ... or not?

49-1. YES 2. NO

c. Were the hours that it was open convenient for you, ... or not? (CIRCLE CODE)

50-1. YES 2. NO

(GO TO Q. 15) →

- e. How about the information you received ... was it useful, ... or not?

53-1. YES 2. NO

- f. As a result of seeing the pictures, ... did you do anything to your house, ... or not?

54-1. YES (ASK PARTS a & b)

2. NO (SKIP TO Q. 15) →

↓
a. What did you do:

b. Anything else?

15. From what you know or have heard about that program, do you think it was a good idea, ... or not? (CIRCLE CODE)

57-1. YES - GOOD IDEA + OTHER (WRITE IN)

2. NO - NOT A GOOD IDEA _____

- a. What are some of the reasons you think it was a _____?

ASK ALL

16. As far as you know, does _____ have an energy awareness committee, ... or not? (CIRCLE CODE)

62-1. YES - DO HAVE (ASK PARTS a & b)

2. NO - DO NOT HAVE (SKIP TO Q. 17) →

3. DON'T KNOW (SKIP TO Q. 17) →

- ↓
a. Where did you first hear about the _____ energy awareness committee ... was it radio, ... newspaper, ... community newsletter, ... television, ... or what? (CIRCLE CODE)

63-1. RADIO

2. NEWSPAPER + OTHER (WRITE IN)

3. COMMUNITY NEWSLETTER _____

4. TELEVISION

- b. How good a job has the energy awareness committee done ... would you say they have done an excellent, ... good, ... fair, ... poor, ... or very poor job? (CIRCLE CODE)

- 64-1. EXCELLENT
- 2. GOOD
- 3. FAIR
- 4. POOR
- 5. VERY POOR
- 6. DON'T KNOW

17. In the past few years there has been a lot in the news about energy and fuel shortages ... in your opinion how serious are these energy and fuel shortages ... would you say they are very serious, ... quite, ... not too, ... or not at all serious? (CIRCLE CODE)

- 65-1. VERY
- 2. QUITE
- 3. NOT TOO
- 4. NOT AT ALL

+ OTHER (WRITE IN) _____

18. What type or types of fuel do you use to heat your house ... oil, ... natural gas, ... propane, ... electricity, ... coal, ... or wood? (CIRCLE CODE)

- 1. OIL
- 2. NATURAL GAS
- 3. PROPANE
- 4. ELECTRICITY
- 5. COAL
- 6. WOOD

+ OTHER (WRITE IN) _____

- a. (IF USES ONLY WOOD:) In the past five years have you switched to burning wood, ... or have you always burned wood? (CIRCLE CODE)

69-1. SWITCHED → What fuel did you use before?

(70/71) _____

- 2. ALWAYS BURNED WOOD

TABLE OF CONTENTS

	Page
Acknowledgments	iv
Preface	v
I. Introduction	1
II. Overview	5
A. General	5
B. Technical Discussion	10
III. Initiating the Programs	10
A. Survey Program	10
1. Planning, Objectives, Scope	11
2. Site Selection	11
3. Cost	
General	
Aerial Survey Costs	14
Data Dissemination Costs	15
Potential No-Cost Assistance	
B. Dissemination Program	16
C. Evaluation	16
IV. Data Collection	18
A. Preflight Planning/Publicity	22
B. Weather Conditions	22
C. Condition of Roof Tops	23
D. Variable Terrain Elevations	
E. Collecting the Data - The Flight	25
V. Data Collection Equipment	25
A. Background	25
B. Infrared Scanner Systems	29
1. Coupling	30
2. Automatic Gain Scanner	32
3. Fixed Gain Scanner	35
4. Quantitative Systems	35
5. Qualitative Systems	36
6. Others	37
VI. Data Processing and Output Products	37
A. Onboard Processing	37
B. Laboratory Processing	40
C. Thermography Products	41
D. Verifying and Indexing Output Products	

table of contents only available

ATTACHMENT # 7
COMPARISON BETWEEN INFRARED AND
NON-INFRARED CITIES

Summary Statistics	Cities with Infrared Program	Cities without Infrared Program
Percentage of people that have insulated or reinsulated their homes.	51.0%	42.0%
Percentage of people that have insulated their attics.	39.0%	27.0%
Percentage of people that have added or replaced their storm doors.	30.0%	22.0%
Percentage of people that have added or replaced there storm windows.	21.0%	18.0%
Percentage of people that have done some caulking and/or weather stripping.	55.4%	51.0%

RESPONDENT IS A:

76-1. MALE

2. FEMALE

NAME _____ PHONE _____

ADDRESS _____

CITY _____ ZIP _____

INTERVIEWER _____ DATE _____

b. (IF USES WOOD AND ONE OR MORE OTHER FUELS:) In the past five years have you used more, ... about the same, ... or less wood than before? (CIRCLE CODE)

- 72-1. MORE
- 2. ABOUT THE SAME
- 3. LESS

19. About how many years old is your house?

(73) _____ YEARS OLD

20. And your age ... are you ... (CIRCLE CODE)

- 74-1. Under 30
- 2. 30 thru 39
- 3. 40 thru 49
- 4. 50 thru 64
- 5. 65 or older

21. And your total household income for last year ... was it under \$10,000, ... or over? (CIRCLE CODE)

+ OTHER (WRITE IN) _____

75-1. UNDER \$10,000

2. EXACTLY \$10,000

+ OVER \$10,000 → Was it under \$15,000, ... or over?

+ OTHER (WRITE IN) _____

2. UNDER \$15,000

3. EXACTLY \$15,000

+ OVER \$15,000 → Was it under \$25,000, ... or over?

+ OTHER (WRITE IN) _____

3. UNDER \$25,000

4. EXACTLY \$25,000

+ OVER \$25,000