DOE/ER/60890--1

DE92 004079

**FINAL TECHNICAL REPORT
DE-FG02-89ER60890**

**Mapping Strategies: Chromosome 16 Workshop
Stephen T. Reeders, Organizer
Yale University School of Medicine
Department of Internal Medicine
Section of Nephrology
June 8 and 9, 1989**

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

MASTER

JMS

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

June 19th 1989

Dear chromosome 16 workshop participant,

Enclosed you will find the output of the workshop:

1. Genetic map of chromosome 16
2. Chromosome breakpoint map of chromosome 16
3. Integrated physical / genetic map of chromosome 16
4. Pulsed field map of the 16p13.2-p13.3 region (3 sheets)

In addition I have enclosed the report of the HGM10 chromosome 16 committee (written by Ed Hildebrand and myself). This report consists of:

1. text
2. table of genes and DNA segments
3. three figures which are the same as items 1,2,3 above. (We could not include the PFGE map in our report because much of it is unpublished.
4. Figure legends to the figures above.

I cannot supply you with a reference list to the chr.16 report because the references are coded in the HGML format.

Finally, I have enclosed a list of the workshop participants.

Although I checked the maps over as best I could there will inevitably be mistakes. I would be very grateful if you could review them and let me know as soon as possible. I will then send out some revised versions.

Last of all, I would be grateful for some comments on whether the meeting was worthwhile and how it could be improved. Do you think that the workshop should be reconvened? If so, at what intervals? Do you think that someone should attempt to keep the maps up-to-date? If so are you willing to do it? These comments will be used to write a report to the DoE and NIH who funded the meeting. The comments will also, of course, be valuable to me.

Thanks for your participation and tolerance.

Best wishes

Steve Reeders

Chromosome 16 Committee Report

Several new genes have been identified (cytochrome c oxidase subunit IV-like 2 (COX4L2); NAD(P)H menadione oxidoreductase 1, dioxin-inducible (NMOR1); phosphorylase kinase, beta (PHKB)). The enzyme encoded by the NMOR1 cDNA displays characteristics similar to FAD-dependent NAD(P)H:diaphorase (diaphorase 4) originally characterized by Edwards et al. (1979) and previously mapped to chromosome 16 by Povey et al. (1980). These functional similarities and mapping locations raise the possibility that NMOR1 and DIA4 may be identical. The cytochrome c subunit IV-like (COX4L2) has been identified as the functional gene (U. Francke, personal communication).

Regional assignments have been made or refined for six loci: (excision repair cross-complementing rodent repair deficiency, complementation group 4 (ERCC4); chymotrypsinogen B (CTRB); hydroxyacyl glutathione hydroxylase (HAGH); haptoglobin-related (HPR); sialophorin (SPN), also identified as leukosialin; uvomorulin (UVO)). The recent isolation and sequencing of cDNAs encoding sialophorin (Shelley et al, 1989) and leukosialin (Pallant et al, 1989) show precise homology within the coding regions of these two sequences (C. S. Shelley, personal communication).

The regional localization of leukosialin and its similarity, if not its identity, with sialophorin is significant in that several other cell surface glycoproteins (CD11A, CD11C, and CR3A), all members of the leukocyte adhesion receptor family, have been localized to the same subregion (Corbi et al (1988). These latter cell surface proteins have several shared amino sequence motifs and are proposed to be part of a receptor multigene family named "integrins" (Hynes, 1987).

High resolution cytogenetic mapping has led to the changes in the regional assignments of two loci [rare fragile site, folic acid type, (FRA16A); metallothionein (MT1, MT2)]. Of these reassignments, the expansion of the regional assignment of the metallothionein locus is especially noteworthy. Previously, one of the breakpoints from a 16 inversion [inv(16)(p13q22)] found in acute myelomonocytic leukemia with eosinophilia (AMML, M4Eo) was shown to split the metallothionein gene cluster (Le Beau et al, 1985). However, Sutherland et al, (1989) place MT1 and MT2 proximal to both FRA16A and an AMML, M4Eo translocation breakpoint. Because of this conflict, the regional assignment of the MT gene cluster has been enlarged to q13-q22. It should be noted that the MT locus includes an extended, contiguous, multigene family (Karin et al, 1982; Varshney et al, 1986; Heguy et al, 1986) comprised of multiple MT1 genes (Schmidt et al, 1985) and one functional MT2 gene (Karin et al, 1982).

Batten disease (neuronal ceroid-lipofuscinosis, juvenile amaurotic family idiocy, BTS) and Marner cataract (CTM) have both been genetically linked to haptoglobin (Eiberg et al, 1988; 1989). The assignment of the autosomal recessive Batten disease is based upon analysis of protein polymorphisms in serum from 23 families with at least two affected children (a total of 48 affected children) and three families with only one affected child and at least three unaffected. The combined male and female maximum lod score was 3.0 at $\theta = 0.00$ in males and $\theta = 0.26$ in females. Inspection of the genetic map in figure 1 reveals that female recombination exceeds male recombination several-fold in the HP region. This phenomenon is particularly marked in the 16q region proximal to HP. Marner cataract was linked to HP in a Danish kindred of nine generations (104 affected and 85 unaffected family members). Linkage to HP was supported by a lod score of 8.33 at $\theta_{\max} = 0.05$ for males and $\theta_{\max} = 0.04$ for females.

The localization of the PKD1 gene within the 16p13.3 region has been substantially refined (Reeders et al 1988, Hyland et al, 1989b, Harris et al, 1989a; 1989b, Todd and Naylor, 1989, Lerner et al, 1989, Breuning et al, 1989a; 1989b. The closest flanking genetic markers for PKD1 are D16S94 and D16S125 proximally and D16S21 and D16S83 distally (Breuning et al, 1989). Neither the proximal pair of markers nor the distal pair of markers can be separated physically or genetically. A partial-digest restriction map of the region including the closest genetic markers distal to PKD1 has been constructed using pulsed-field gel electrophoresis (Harris et al, 1989a). Several NotI linking clones from this region have been isolated by Himmelbauer et al, (1989).

A form of autosomal dominant polycystic kidney disease indistinguishable from that caused by PKD1 mutations has been shown to be unlinked to 16p13 markers in two families (Romeo et al, 1988; Kimberling et al, 1988. Unlinked forms of the disease account for less than 5% of the published families. A family reported by Bachner et al, 1989 does not appear to have classical autosomal polycystic kidney disease in that only 4/63 individuals studied had bilateral cysts. Assuming that unilateral cysts were a marker for the disease, Bachner et al found no linkage with D16S85 ($z = -4.41$ at 10cM).

The rapid increase in the number of DNA segments and their order relative to one another and to the cytogenetic map has presented a major challenge to conventional methods of representation. Data from the work of several groups have been integrated in the maps shown in figures 1,2 and 3. References to the work on which these maps are based can be found in the figure legends.

Integration of genetic linkage data from several laboratories is shown in Figure 1.

Figure 2 summarizes attempts to localize and order markers relative to chromosomal translocation breakpoints in naturally-occurring translocations, in translocations observed in stable interspecies hybrid cell lines retaining a portion of chromosome 16, and in radiation fragmentation hybrids prepared by the method of Cox et al (1989).

Figure 2 uses the positions of chromosome breakpoints to correlate the physical map with the cytogenetic map of chromosome 16. Table 1 lists the cell lines used in these studies.

The composite map in Figure 3 integrates data from published genetic and physical maps. The approximate sizes of regions mapped by pulsed-field gel electrophoresis methods are also indicated in this figure.

These maps were prepared by Martijn Breuning, Greg Germino, Peter Harris, Val Hyland, Cecile Julier, Tim Keith, Karen Miller, Peter O'Connell, Giovanni Romeo and Gerd Scherer.

Chromosome 16 Workshop Attendees

Dr. Martijn Breuning
Department of Human Genetics
State University of Leiden
Wassenaarseweg 72
2333 Al Leiden, The Netherlands
Telephone: 31 71 276061
FAX: 31 71 276292

David R. Cox, M.D., Ph.D.
Department of Pediatrics
Division of Genetics
University of California
San Francisco, California 94143
Telephone: (415) 476-4212
FAX: (415) 476-9843

Dr. Larry Deaven
Genetics Group, MS M886
Los Alamos National Lab
P.O. Box 1663
Los Alamos, New Mexico 87545
Telephone: (505) 667-3114
FAX: (505) 665-3024

Dr. Jeanne Dietz-Band
Genetics Group, MS M886
Los Alamos National Lab
P.O. Box 1663
Los Alamos, New Mexico 87545
Telephone: (505) 667-3114
FAX: (505) 665-3024

Dr. Irene Eckstrand
National Institutes of Health
Room 918, Westwood Building
5333 Westbard Avenue
Bethesda, Maryland 20892
Telephone: (301) 496-7137
FAX: (301) 402-0019

Dr. Ricardo Fodde
Department of Human Genetics
State University of Leiden
Wassenaarseweg 72
2333 Al Leiden, The Netherlands
Telephone: 31 71 276061
FAX: 31 71 276292

Dr. Anne-Marie Frischauf
Imperial Cancer Research Fund Labs
P. O. Box 123
Lincoln's Inn Fields
London, England WC2A 3PA
Telephone: 44 1 242 0200, ext. 2319
FAX: 44 1 405 1556

Gregory Germino, M.D.
Yale University School of Medicine
Department of Internal Medicine
Nephrology / 2073 LMP
333 Cedar Street
New Haven, Connecticut 06510
Telephone: (203) 785-5004
FAX: (203) 785-7068

Gerry Gillespie, Ph.D.
Yale University School of Medicine
Department of Internal Medicine
Nephrology / 2073 LMP
333 Cedar Street
New Haven, Connecticut 06510
Telephone: (203) 785-5004
FAX: (203) 785-7068

Dr. Peter Harris
Nuffield Department of Medicine
John Radcliffe Hospital
Oxford, England OX3 9DU
Telephone: 44 865 752390
FAX: 44 865 752500

Carl Edgar Hildebrand, Ph.D.
Genetics Group, MS M886
Los Alamos National Lab
P.O. Box 1663
Los Alamos, New Mexico 87545
Telephone: (505) 667-2746
FAX: (505) 665-3024

Dr. Heinz Himmelbauer
Imperial Cancer Research Fund Labs
P. O. Box 123
Lincoln's Inn Fields
London, England WC2A 3PA
Telephone: 44 1 242 0200, ext. 2319
FAX: 44 1 405 1556

Dr. Val Hyland
Cytogenetics Unit
Department of Histopathology
Adelaide Children's Hospital
72 King William Street
North Adelaide, South Australia 5006
Telephone: 61 8 267 7333
FAX: 61 8 267 7342

Dr. Cecile Julier
CEPH
27, Rue Juliette Dodu
75010 Paris, France
Telephone: 33 1 42 499875
FAX: 33 1 40 180155

Dr. Tim Keith
Collaborative Research Incorporated
2 Oak Park
Bedford, Massachusetts 01730
Telephone: (617) 275-0004
FAX: (617) 891-5062

Dr. Terry Lerner
Integrated Genetics
The Genetic Reference Laboratory
One Mountain Road
Framingham, Massachusetts 01701
Telephone: (508) 872-8400, ext. 222
FAX: (508) 872-9080

Dr. Peter Lichter
Yale University School of Medicine
Department of Human Genetics
1147 SHM
333 Cedar Street
New Haven, Connecticut 06510
Telephone: (203) 785-5798
FAX: (203) 785-7227

Dr. Paul Liu
Siciliano Lab
Department of Molecular Genetics
UT MD Anderson Cancer Center
1515 Holcombe Boulevard
Houston, Texas 77030
Telephone: (713) 792-8931
FAX: (713) 792-7573

Dr. Tom Marr
Genetics Group, MS M886
Los Alamos National Lab
P.O. Box 1663
Los Alamos, New Mexico 87545
Telephone: (505) 667-3114
FAX: (505) 665-3024

Dr. Pete O'Connell
HHMI, Salt Lake City
Research Lab Business Office
University of Utah School of Medicine
736 Wintrobe Building
Salt Lake City, Utah 84132
Telephone: (801) 581-3741
FAX: (801) 581-3770

Dr. Stephen T. Reeder
Yale University School of Medicine
Department of Internal Medicine
Nephrology / 208 LCI Building
333 Cedar Street
New Haven, Connecticut 06510
Telephone: (203) 785-6737
FAX: (203) 785-7182

Dr. Giovanni Romeo
Laboratorio di Genetica Molecolare
Istituto Giannina Gaslini
16148 Genova Quarto, Italy
Telephone: 39 10 5636 370
FAX: 39 10 5636 461

Dr. Gerd Scherer
Albert-Ludwigs-Universität,
Institut für Humangenetik und Anthropologie
7800 Freiburg I.B.R.
Albertstrasse 11, Germany
Telephone: 49 761 203 4658
FAX: 49 761 203 4127

Dr. Jeffrey Schmalz
Health Effects Research Division-ER72
Office of Health and Environmental Research
U.S. Department of Energy
Washington, D.C. 20545
Telephone: (301) 353-3683
FAX: (301) 353-3884

Dr. Michael Siciliano
Siciliano Lab
Department of Molecular Genetics
UT MD Anderson Cancer Center
1515 Holcombe Boulevard
Houston, Texas 77030
Telephone: (713) 792-8931
FAX: (713) 792-7573

Dr. Ray Stallings
Genetics Group, MS M886
Los Alamos National Lab
P.O. Box 1663
Los Alamos, New Mexico 87545
Telephone: (505) 667-2746
FAX: (505) 665-3024

Dr. Grant R. Sutherland
Cytogenetics Unit
Department of Histopathology
Adelaide Children's Hospital
72 King William Street
North Adelaide
South Australia 5006
Telephone: 61 8 267 7333
FAX: 61 8 267 7342

orientation with respect to chromosome
by radiation hybrid Hy145.14

The maps of the CMM65-3'HVR alpha-globin and of VK5B-CMM65 regions were generated by Peter Harris and Greg Germino with help from Gerry Gillespie

Regional assignment	Gene symbol	Name or probe	McK number	E.C. number	Mode	Status	References
q22-q24	ALDOA	aldolase A, fructose-bisphosphate	10385	4.1.2.13	A,R,S, W	C	Cohen-Haguenauer et al (HGM8) Kukita et al (1987) Santamaria et al (HGM9) Serero et al (1988) Tolan et al (1987)
q11-q24	APOEL1	apolipoprotein E-like 1			R,S	P	Davissan and Roderick (HGM9)
q24	APRT	adenine phosphoribosyltransferase	10260	2.4.2.7	A,D,R, S	C	Tischfield and Ruddle (1974) Marimo and Giannelli (1975) Lavinha et al (HGM7) Fratini et al (1986)
	ATP2A	ATPase, Ca++ transporting, fast twitch, cardiac muscle	10873	3.6.1.32	R,S	P	MacLennan et al (1987)
	AVR	antiviral state regulator	14756		S	P	Chany et al (1975)
	BTS	Batten disease (neuronal ceroid-lipofuscinosis; juvenile amaurotic family idiocy)	20420		L	P	Eiberg et al (HGM10)
q21-q23	CA4	carbonic anhydrase IV	11476	4.2.1.1	A,R,S	T	Montgomery et al (1987)

Regional assignment	Gene symbol	Name or probe	MCK number	E.C. number	Mode	Status	References
p13.1-p11	CD11A	antigen CD11a (p180) lymphocyte function- associated antigen 1; alpha subunit	12098		A,S	C	Marlin et al (1986) Corbi et al (1988)
p13.1-p11	CD11C	antigen CD11c (p150), alpha polypeptide			A,R,S	P	Corbi et al (1988)
q21	CETP	cholesteryl ester transfer protein, plasma	11847		R,S	P	Drayna et al (1987) Lusis et al (1988)
q11-q23	CHL3	cholinesterase (serum)- like 3			A	P	Soreq et al (1987)
q21	CLG4	collagenase IV (basement membrane)	12036		A,R,S	P	Fan et al (HGM10)
q22-q24	COX4L2	cytochrome c oxidase subunit IV-like 2			R,S	P	Darras et al (HGM9)
p13.1-p11	CR3A	complement component receptor 3, alpha; also known as CD11b (p170), macrophage antigen alpha polypeptide	12062		A,R,S	C	Corbi et al (1988) Arnaout et al (1988)
	CTH	cystathionase	21950	4.4.1.1	S	P	Donald et al (HGM6)
	CTM	cataract, Marner	11680		L	P	Eiberg et al (1988)

Regional assignment	Gene symbol	Name or probe	McK number	E.C. number	Mode	Status	References
q22.3-q23.2	CTRB	chymotrypsinogen B	11889	3.4.21.1	A,CH, R,S	C	Sakaguchi et al (HGM7) Honey et al (1984) Westphal et al (1988) Callen et al (1988) Natt et al (HGM10)
q12-q22	DIA4	diaphorase (NADH/NADPH) (cytochrome b-5 reductase)	12586	1.6.4.3	L,S	C	Grzeschik (1980) Povey et al (1980) Lavinha et al (HGM7)
p13.3-p13.11	ERCC4	excision repair cross complementing rodent repair deficiency, complementation group 4	13352		CH,R,S	P	Siciliano et al (HGM9) Liu et al (HGM10)
p13.11	ESB3	esterase B3	13329	3.1.1.1	S	P	Astrin et al (HGM6)
	FRA16A	fragile site, folic acid type, rare, fra(16)(p13.11)	13657		CH	C	Day et al (1967) Sutherland (1979) Sutherland et al (1985) Callen et al (1989)
q22.1	FRA16B	fragile site, distamycin A type, rare, fra(16)(q22.1)	13658		CH	C	Magenis et al (1970) Schmid et al (1980) Simmers et al (HGM8) Callen et al (1988)
q22.1	FRA16C	fragile site, aphidicolin type, common, fra(16)(q22.1)			CH	C	Yunis and Soreng (1984) Simmers et al (1987) Craig-Holmes et al (1987) Tedeschi et al (1987)

Regional assignment	Gene symbol	Name or probe	McK number	E.C. number	Mode	Status	References
q23.2	FRA16D	fragile site, aphidicolin type, common, fra(16)(q23.2)			CH	C	Berger et al (HGM8)
p12.1	FRA16E	fragile site, distamycin A type, rare, fra(16)(p12.1)			CH	P	Hori et al (1988)
q12-q22	GOT2	glutamic-oxaloacetic transaminase 2, mitochondrial	13815	2.6.1.1	L,S	C	Tolley et al (1980) Jeremiah et al (1982)
	GRLL1	glucocorticoid receptor-like 1			R,S	P	Hollenberg et al (1985)
p13.3	HAGH	hydroxyacyl glutathione hydrolase	13876	3.1.2.6	S	C	Honey and Shows (1981) Mulley and Callen (1986) Hyland et al (HGM10)
p13.3	HBAP1	hemoglobin, alpha pseudogene 1			A,D,N, R,S	C	Deisseroth et al (1977) Deisseroth and Hendrick (1978) Proudfoot et al (1980) Koeffler et al (1981) Hill et al (1985)
p13.3	HBAP2	hemoglobin, alpha pseudogene 2			N,R	P	Deisseroth et al (1977) Deisseroth and Hendrick (1978) Proudfoot et al (1980) Koeffler et al (1981) Hill et al (1985)

Regional assignment	Gene symbol	Name or probe	MCK number	E.C. number	Mode	Status	References
p13.3	HBA1	hemoglobin, alpha 1	14180		A,N,R, S	C	Deisseroth et al (1977) Nicholls et al (1987) Breuning et al (1987) Buckle et al (1988) Simmers et al ()
p13.3	HBA2	hemoglobin, alpha 2	14185		A,N,R, S	C	Deisseroth et al (1977) Deisseroth and Hendrick (1978) Proudfoot et al (1980) Koeffler et al (1981) Hill et al (1985)
p13.3	HBQ1	hemoglobin, theta 1	14224		N,R	P	Deisseroth et al (1977) Deisseroth and Hendrick (1978) Proudfoot et al (1980) Koeffler et al (1981) Hill et al (1985)
p13.3	HBZ	hemoglobin, zeta	14231		A,N,R, S	C	Buckle et al (1988)
p13.3	HBZP	hemoglobin, zeta pseudogene	14230		A,N,R, S	C	Deisseroth et al (1977) Deisseroth and Hendrick (1978) Proudfoot et al (1980) Koeffler et al (1981) Hill et al (1985)

Regional assignment	Gene symbol	Name or probe	McK number	E.C. number	Mode	Status	References
q22.1	HP	haptoglobin	14010		A,CH, D,L,R, S	C	Robson et al (1969) Magenis et al (1970) Simmers et al (1986) Callen et al (1988) Westphal et al (1988)
q22.1	HPR	haptoglobin-related	.14021		A,CH,R	C	Maeda (1985) Bensi et al (1985) Callen et al (1988)
	IFNR	interferon production regulator			S	P	Creagan et al (1975)
q22.1	LCAT	lecithin-cholesterol acyltransferase	24590	2.3.1.43	A,L,S	C	Teisberg et al (1975) Azoulay et al (1987) Callen et al (1988)
	LIPB	lipase B, lysosomal acid	24798	3.1.1.3	S	P	Nguyen Van Cong et al (1980)
q13-q22.1	MT1	metallothionein 1	15635		A,CH, R,S	C	Karin et al (1984) Schmidt et al (1984) Le Beau et al (1985) Simmers et al (1987) Sutherland et al (HGM10)
q13-q22.1	MT2	metallothionein 2	15636		A,CH, L,R,S	C	Karin et al (1984) Schmidt et al (1984) Le Beau et al (1985) Simmers et al (1987) Mulley et al (HGM9)

Regional assignment	Gene symbol	Name or probe	McK number	E.C. number	Mode	Status	References
p13	NHCPI	non-histone chromosome protein 1	11887		S	P	Bode et al (1981)
	NMOR1	NAD(P)H menadione oxidoreductase 1, dioxin-inducible	12586		R,S	P	Jaiswal et al (1988)
	PGP	phosphoglycolate phosphatase	17228	3.1.3.18	CH,L,S	C	Weil et al (1979) Sparkes et al (1980) Povey et al (1980) Koeffler et al (1981) Hyland et al (HGM10)
q12-q13	PHKB	phosphorylase kinase, beta		2.7.1.38	A,S	P	Francke et al (1989)
p13	PKD1	polycystic kidney disease 1 (autosomal dominant)	17390		L	C	Reeders et al (1988) Hyland et al (HGM10) Harris et al (HGM10) Himmelbauer et al (HGM10) Breuning et al (HGM10)
p12-q11.1	PNI2	protein spot in 2-D gels (MW 33kD)			S	P	Taggart and Francke (1982)
	PRKCB	protein kinase C, beta polypeptide	17697		A,R,S	P	Coussens et al (1986)
	PRM1	protamine 1	18288		R,S	P	Reeves et al (HGM9) Lee et al (1987)

Regional assignment	Gene symbol	Name or probe	McK number	E.C. number	Mode	Status	References
p11.2	SPN	sialophorin (gpL115, leukosialin CD43)	18216		A,R,S	C	Shelley et al (1988) Pallant et al (1989) Shelley et al (1989)
q22.1	TAT	tyrosine aminotransferase	27660	2.6.1.5	A,CH, L,R,S	C	Barton et al (1980) Natt et al (1986) Callen et al (1988) Westphal et al (1988)
	TK2	thymidine kinase, mitochondrial	18825	2.7.1.21	S	P	Willecke et al (1977)
q22.1	UVO	uvomorulin	19209		CH,R,S	C	Mansouri et al (HGM9) Natt et al (HGM10) Mansouri et al (1988) Hyland et al (HGM10)
	VDI	vesicular stomatitis virus defective interfering particle suppression	12526		S	P	Yang-Feng et al (1981)
p11-cen	D16F21S2	DNA segment, numerous copies, probe lambdams29			A	P	Royle et al (HGM9)
	D16S1	DNA segment, single copy, probe L1.36			C	P	Pearson et al (HGM6)
	D16S2	DNA segment, single copy, probe L1.19			S	P	Pearson et al (HGM6)

Regional assignment	Gene symbol	Name or probe	MCK number	E.C. number	Mode	Status	References
p13.3-p13.13	D16S3	DNA segment, single copy, probe ACH92			A,R,S	C	Hyland et al (HGM9) Hyland et al (HGM10) Hyland et al (1988) Hyland et al (1988)
q22.1	D16S4	DNA segment, single copy, probe ACH207			A,S	P	Hyland et al (HGM9) Mulley et al (HGM9) Hyland et al (1988) Hyland et al (1988)
q23.1-q24	D16S5	DNA segment, single copy, probe ACH224			A,R,S	P	Hyland et al (HGM9) Hyland et al (HGM10) Hyland et al (1988) Hyland et al (1988)
q13-q21	D16S6	DNA segment, single copy, probe 16B11			A,R,S	P	Callen et al (1989) Hyland et al (HGM9) Hyland et al (1988)
q24	D16S7	DNA segment, single copy, probe p79-2-23			A,L,R, S	C	Buften et al (1986) Lathrop et al (HGM9) Hyland et al (HGM10)
p13.13- p13.11	D16S8	DNA segment, single copy, probe ACHF1			A,R,S	P	Hyland et al (HGM9) Callen et al (1989)
p13.3-p13.11	D16S9	DNA segment, single copy, probe ACHF2			R,S	P	Hyland et al (HGM9) Hyland et al (HGM10)
q13-q22.1	D16S10	DNA segment, single copy, probe ACHF3			R,S	P	Callen et al (1988) Hyland et al (HGM9) Mulley et al (HGM9)

Regional assignment	Gene symbol	Name or probe	McK number	E.C. number	Mode	Status	References
q13-q22.1	D16S11	DNA segment, single copy, probe ACHF4			R,S	P	Hyland et al (HGM9) Callen et al (1988)
q22-q24	D16S12	DNA segment, single copy, probe ACHF5			R,S	P	Hyland et al (HGM9)
p11.1-q13	D16S13	DNA segment, single copy, probe ACH127			R,S	P	Hyland et al (HGM9) Hyland et al (1988)
q22.1	D16S14	DNA segment, single copy, probe ACH202			A,R,S	P	Hyland et al (HGM9) Hyland et al (1988) Hyland et al (1988) Hyland et al (HGM10)
q22-q24	D16S15	DNA segment, single copy, probe ACH208			R,S	P	Hyland et al (HGM9) Hyland et al (1988) Hyland et al (1988)
p11.1-q13	D16S16	DNA segment, single copy, probe ACHVI			R,S	P	Hyland et al (HGM9)
q22-q24	D16S17	DNA segment, single copy, probes ACHV2, ACHV3			R,S	P	Hyland et al (HGM9)
pter-p13	D16S19	DNA segment, single copy, probe ACHV4			R,S	P	Hyland et al (HGM9)
q22-q24	D16S20	DNA segment, single copy, probe p8-9			A,R,S	P	Maslen et al (HGM9)
p13.3	D16S21	DNA segment, single copy, probe Fr3-42			A,L,R, S	C	Xiao et al (HGM9) Hyland et al (HGM10) Breuning et al (HGM10)

Regional assignment	Gene symbol	Name or probe	McK number	E.C. number	Mode	Status	References
p13	D16S22	DNA segment, single copy, probe pS14a			R,S	P	Reeders et al (HGM9)
q13-q21	D16S23	DNA segment, single copy, probe p16-1			A,R,S	P	Liu et al (HGM9)
q13-q21	D16S24	DNA segment, single copy, probe p16-2			R,S	P	Liu et al (HGM9)
q13-q21	D16S25	DNA segment, single copy, probe p16-3			R,S	P	Liu et al (HGM9)
q13-q21	D16S26	DNA segment, single copy, probe p16-4			R,S	P	Liu et al (HGM9)
q13-q21	D16S27	DNA segment, single copy, probe lambda 16-5			R,S	P	Liu et al (HGM9)
q13-q21	D16S28	DNA segment, single copy, probe lambda 16-6			R,S	P	Liu et al (HGM9)
q13-q22.1	D16S29	DNA segment, single copy, probe lambda 16-7			R,S	P	Liu et al (HGM9) Liu et al (HGM10)
q13-q21	D16S30	DNA segment, single copy, probe lambda 16-8			R,S	P	Liu et al (HGM9)
q13-q21	D16S31	DNA segment, single copy, probe lambda 16-9			R,S	P	Liu et al (HGM9)
pter-p13	D16S32	DNA segment, single copy, probe 16/118			R,S	P	Harris et al (1987)

Regional assignment	Gene symbol	Name or probe	McK number	E.C. number	Mode	Status	References
pter-p13	D16S33	DNA segment, single copy, probe 16/108			R,S	P	Harris et al (1987)
pter-p13	D16S34	DNA segment, single copy, probe 16/55B			R,S	P	Harris et al (1987)
pter-p13	D16S35	DNA segment, single copy, probe 16/32			R,S	P	Harris et al (1987)
pter-p13	D16S36	DNA segment, single copy, probe 16/12			R,S	P	Harris et al (1987)
pter-p13	D16S37	DNA segment, single copy, probe 16/02			R,S	P	Harris et al (1987)
q	D16S38	DNA segment, single copy, probe CRI-02			L,R	P	Keith et al (HGM9)
q12-q13	D16S39	DNA segment, single copy, probe CRI-03			L,R,S	P	Keith et al (HGM9) Hyland et al (HGM10)
q	D16S40	DNA segment, single copy, probe CRI-015			L,R	P	Keith et al (HGM9)
q	D16S41	DNA segment, single copy, probe CRI-043			L,R	P	Keith et al (HGM9)
q	D16S42	DNA segment, single copy, probe CRI-066			L,R	P	Keith et al (HGM9)
q	D16S43	DNA segment, single copy, probe CRI-084			L,R	P	Keith et al (HGM9)

Regional assignment	Gene symbol	Name or probe	McK number	E.C. number	Mode	Status	References
q	D16S44	DNA segment, single copy, probe CRI-O89			L,R	C	Keith et al (HGM9) Breuning et al (HGM10)
pter-p13	D16S45	DNA segment, single copy, probe CRI-O90			L,R,S	P	Reeders et al (HGM9) Keith et al (HGM9)
q	D16S46	DNA segment, single copy, probe CRI-O91			L,R	P	Keith et al (HGM9)
q	D16S47	DNA segment, single copy, probe CRI-O95			L,R	P	Keith et al (HGM9)
q	D16S48	DNA segment, single copy, probe CRI-O101			L,R	P	Keith et al (HGM9)
p13	D16S49	DNA segment, single copy, probe CRI-O114			L,R	P	Keith et al (HGM9)
q	D16S50	DNA segment, single copy, probe CRI-O119			L,R	P	Keith et al (HGM9)
p13.3-p13.13	D16S51	DNA segment, single copy, probe CRI-O120			L,R,S	P	Keith et al (HGM9) Hyland et al (HGM10)
q	D16S52	DNA segment, single copy, probe CRI-O123			L,R	P	Keith et al (HGM9)
p13	D16S53	DNA segment, single copy, probe CRI-O125			L,R	P	Keith et al (HGM9)
q	D16S54	DNA segment, single copy, probe CRI-O126			L,R	P	Keith et al (HGM9)

Regional assignment	Gene symbol	Name or probe	McK number	E.C. number	Mode	Status	References
p13	D16S55	DNA segment, single copy, probe CRI-0128			L,R	P	Reeders et al (HGM9)
p13	D16S56	DNA segment, single copy, probe CRI-0129			L,R,S	P	Reeders et al (HGM9)
q	D16S57	DNA segment, single copy, probe CRI-0131			L,R	P	Keith et al (HGM9)
p13	D16S58	DNA segment, single copy, probe CRI-0133			L,R,S	C	Reeders et al (HGM9) Breuning et al (HGM10)
q	D16S59	DNA segment, single copy, probe CRI-0134			L,R	P	Keith et al (HGM9)
p13	D16S60	DNA segment, single copy, probe CRI-0136			L,R,S	C	Reeders et al (HGM9) Breuning et al (HGM10)
q	D16S61	DNA segment, single copy, probe CRI-0144			L,R	P	Keith et al (HGM9)
q	D16S62	DNA segment, single copy, probe CRI-0149			L,R	P	Keith et al (HGM9)
p13	D16S63	DNA segment, single copy, probe CRI-0327			L,R,S	P	Reeders et al (HGM9)
p13.11	D16S64	DNA segment, single copy, probe CRI-0373			L,R	P	Keith et al (HGM9) Hyland et al (HGM10)
q	D16S65	DNA segment, single copy, probe CRI-0377			L,R	P	Keith et al (HGM9)

Regional assignment	Gene symbol	Name or probe	McK number	E.C. number	Mode	Status	References
p13	D16S66	DNA segment, single copy, probe CRI-O383			L,R	P	Keith et al (HGM9)
q	D16S67	DNA segment, single copy, probe CRI-O391			L,R	P	Keith et al (HGM9)
p12-qter	D16S68	DNA segment, single copy, probe CRI-O393			L,R	P	Keith et al (HGM9)
q22.1-q24	D16S69	DNA segment, single copy, probe CRI-P84			L,R,S	P	Keith et al (HGM9) Hyland et al (HGM10)
p	D16S70	DNA segment, single copy, probe CRI-P130			L,R	P	Keith et al (HGM9)
q	D16S71	DNA segment, single copy, probe CRI-P400			L,R	P	Keith et al (HGM9)
p13	D16S72	DNA segment, single copy, probe CRI-P403			L,R	P	Keith et al (HGM9)
p	D16S73	DNA segment, single copy, probe CRI-P477			L,R	P	Keith et al (HGM9)
p13	D16S74	DNA segment, single copy, probe CRI-P85			L,R,S	P	Reeders et al (HGM9)
p13.11	D16S75	DNA segment, single copy, probe CRI-R99			A,L,R, S	P	Keith et al (HGM9) Hyland et al (HGM10)
p	D16S76	DNA segment, single copy, probe CRI-L223			L,R	P	Keith et al (HGM9)

Regional assignment	Gene symbol	Name or probe	MCK number	E.C. number	Mode	Status	References
q	D16S77	DNA segment, single copy, probe CRI-1922			L,R	P	Keith et al (HGM9)
p13.2-p13.11	D16S78	DNA segment, single copy, probe pNNE7			L,R,S	P	Reeders et al (HGM9)
p13.13- p13.11	D16S79	DNA segment, single copy, probe 36-1 (aka 1.79)			A,L,R, S	C	Breuning et al (HGM9) Hyland et al (HGM10) Callen et al (1989)
p13.3-p13.13	D16S80	DNA segment, single copy, probe 24-1			A,L,R, S	C	Breuning et al (HGM9) Breuning et al (1987) Hyland et al (HGM10) Ceccherini et al (HGM10) Callen et al (1989)
p13.3-p13.13	D16S81	DNA segment, single copy, probe 3-15			L,R,S	C	Breuning et al (HGM9) Hyland et al (HGM10) Ceccherini et al (HGM10) Callen et al (1989)
p13.3-p13.13	D16S82	DNA segment, single copy, probe 41-1			L,R,S	C	Breuning et al (HGM9) Hyland et al (HGM10) Callen et al (1989)
p	D16S83	DNA segment, single copy, probe CEKDA2 (aka CEKMDA2)			L,R	C	Lathrop et al (HGM9) Breuning et al (HGM10)
p	D16S84	DNA segment, single copy, probe pCMM65			L,R	P	Lathrop et al (HGM9)

Regional assignment	Gene symbol	Name or probe	MCK number	E.C. number	Mode	Status	References
p13.3	D16S85	DNA segment, single copy, probe palpha3'HVR.64			D,L,R, S	C	Jarman et al (1986) Buckle et al (1988) (see HBA1) Breuning et al (HGM10)
p11.2-q22.1	D16S91	DNA segment, single copy, probe LE12			A,R,S	P	Davison et al (HGM9) Hyland et al (HGM10)
pter-p13	D16S92	DNA segment, single copy, probe 16/125B			L,R,S	P	Harris et al (HGM10)
p13.11	D16S93	DNA segment, single copy, probe 16XE8			R,S	P	Hyland et al (1989) Hyland et al (HGM10)
p13.3	D16S94	DNA segment, single copy, probe 16XE7 (=VK5)			A,L,R, S	P	Callen et al (1989) Hyland et al (1989) Hyland et al (HGM10) Hyland et al (HGM10) Breuning et al (HGM10)
p13.3-p13.13	D16S95	DNA segment, single copy, probe 16XE45 (=VK19)			R,S	P	Hyland et al (1989) Hyland et al (HGM10)
p13.13-p13.11	D16S96	DNA segment, single copy, probe 16XE95 (=VK20)			R,S	P	Callen et al (1989) Hyland et al (HGM10) Hyland et al (1989)
p13.3-p13.13	D16S97	DNA segment, single copy, probe 16XE47 (=VK36)			R,S	P	Hyland et al (1989) Hyland et al (HGM10)
p13.3-p13.11	D16S98	DNA segment, single copy, probe 16XE49 (=VK38)			R,S	P	Hyland et al (1989) Hyland et al (HGM10)

Regional assignment	Gene symbol	Name or probe	McK number	E.C. number	Mode	Status	References
p13.11-q13	D16S99	DNA segment, single copy, probe 16XE3 (=VK6)			R,S	P	Hyland et al (1989) Hyland et al (HGM10)
p13.11-q13	D16S100	DNA segment, single copy, probe 16XE5 (=VK8)			R,S	P	Hyland et al (1989) Hyland et al (HGM10)
p13.11-p11.2	D16S101	DNA segment, single copy, probe 16XE68 (=VK22)			A,R,S	P	Callen et al (1989) Hyland et al (1989) Hyland et al (HGM10)
p11	D16S102	DNA segment, single copy, probe 16XE69 (=VK31)			A,R,S	P	Callen et al (1989) Hyland et al (1989) Hyland et al (HGM10)
p11	D16S103	DNA segment, single copy, probe 16XE82 (=VK33)			A,R,S	P	Callen et al (1989) Hyland et al (1989) Hyland et al (HGM10)
p11	D16S104	DNA segment, single copy, probe 16XE44 (=VK35)			A,R,S	P	Callen et al (1989) Hyland et al (1989) Hyland et al (HGM10)
q12-q13	D16S105	DNA segment, single copy, probe 16XE83 (=VK32)			R,S	P	Hyland et al (1989) Hyland et al (HGM10)
q12-q13	D16S106	DNA segment, single copy, probe 16XE96 (=VK39)			R,S	P	Hyland et al (1989) Hyland et al (HGM10)
q13-q21	D16S107	DNA segment, single copy, probe 16XE79 (=VK26)			A,R,S	P	Hyland et al (1989) Hyland et al (HGM10)
q13-q21	D16S108	DNA segment, single copy, probe 16XE56 (=VK27)			A,R,S	P	Hyland et al (1989) Hyland et al (HGM10)

Regional assignment	Gene symbol	Name or probe	McK number	E.C.	Mode	Status	References
q22.1-q24	D16S109	DNA segment, single copy, probe 16XE9 (=VK12)			R,S	P	Hyland et al (1989) Hyland et al (HGM10)
q22.1-q24	D16S110	DNA segment, single copy, probe 16XE10 (=VK13)			R,S	P	Hyland et al (1989) Hyland et al (HGM10)
q22.1-q24	D16S111	DNA segment, single copy, probe 16XE58 (=VK28)			R,S	P	Hyland et al (1989) Hyland et al (HGM10)
q22.1-q24	D16S112	DNA segment, single copy, probe 16XE92 (=VK30)			R,S	P	Hyland et al (1989) Hyland et al (HGM10)
q22.1	D16S113	DNA segment, single copy, probe ACHF64			A,R,S	P	Hyland et al (HGM10)
p13.3-p13.11	D16S114	DNA segment, single copy, probe ACHF76			R,S	P	Hyland et al (HGM10)
p13.11-q13	D16S115	DNA segment, single copy, probe ACHF162			R,S	P	Hyland et al (HGM10)
p13	D16S116	DNA segment, single copy, probe p332				D	Dr. Anna-Marie Frischauf (personal communication)
q12-q13	D16S117	DNA segment, single copy, probe 172			R,S	P	Hyland et al (HGM10)
q22.1-q24	D16S118	DNA segment, single copy, probe 250			R,S	P	Hyland et al (HGM10)
p13.3-p13.13	D16S119	DNA segment, single copy, probe 2-36			R,S	P	Hyland et al (HGM10)

Regional assignment	Gene symbol	Name or probe	McK number	E.C. number	Mode	Status	References
p13.11-p11.2	D16S120	DNA segment, single copy, probe 1-57			R,S	P	Hyland et al (HGM10)
p13.11-q13	D16S121	DNA segment, single copy, probe 2-7			R,S	P	Hyland et al (HGM10)
p13.11-q13	D16S122	DNA segment, single copy, probe 2-49			R,S	P	Hyland et al (HGM10)
q12-q13	D16S123	DNA segment, single copy, probe 2-46			R,S	P	Hyland et al (HGM10)
q13-q21	D16S124	DNA segment, single copy, probe 1-99			A,R,S	P	Hyland et al (HGM10)
p13	D16S125	DNA segment, single copy, probe 26-6			A,CH,S	P	Breuning et al (HGM10)
pter-p13.13	D16S126	DNA segment, single copy, probe 112-9			A,CH,S	P	Breuning et al (HGM10)
pter-p13.13	D16S127	DNA segment, single copy, probe H16P7			A,CH	P	Breuning et al (HGM10)
p13.3-p13.13	D16S128	DNA segment, single copy, probe VK50			R,S	P	Hyland et al (1989) Hyland et al (HGM10)
p13.11-p11.2	D16S129	DNA segment, single copy, probe VK49			R,S	P	Hyland et al (1989) Hyland et al (HGM10)
p13.3-p13.11	D16S130	DNA segment, single copy, probe VK43			R,S	P	Hyland et al (1989) Hyland et al (HGM10)

Regional assignment	Gene symbol	Name or probe	McK number	E.C. number	Mode	Status	References
p13.11	D16S131	DNA segment, single copy, probe VK45			A,R,S	P	Hyland et al (1989) Hyland et al (HGM10)
q12-q13	D16S132	DNA segment, single copy, probe VK42			R,S	P	Hyland et al (1989) Hyland et al (HGM10)
q12-q13	D16S133	DNA segment, single copy, probe VK46			R,S	P	Hyland et al (1989) Hyland et al (HGM10)
q13-q22.1	D16S134	DNA segment, single copy, probe VK48			R,S	P	Hyland et al (1989) Hyland et al (HGM10)
	D16S136	DNA segment, single copy, probe MCOC36			L,R	P	Nakamura et al (1988)
	D16S137	DNA segment, single copy, probe KKA22			L,R	P	Nakamura et al (1988)
p13	D16S138	DNA segment, single copy, probe N2			S	C	Ceccherini et al (HGM10)
p13	D16S139	DNA segment, single copy, probe N54			S	C	Ceccherini et al (HGM10)
p13	D16S140	DNA segment, single copy, probe CL-50-2			A,CH	P	Liu et al (HGM10)
q13-q22	D16S141	DNA segment, single copy, probe CL36			A,CH	P	Liu et al (HGM10)
q22-q23	D16S142	DNA segment, single copy, probe CL40-1			A,CH	P	Liu et al (HGM10)

Regional assignment	Gene symbol	Name or probe	McK number	E.C. number	Mode	Status	References
pter-p13.1	D16S143	DNA segment, single copy, probe 16/116			L,W	P	Harris et al (HGM10)
pter-p13.1	D16S144	DNA segment, single copy, probe LOM2B			L,S,W	C	Harris et al (HGM10) Lerner et al (HGM10) Ceccherini et al (HGM10)
p13.3	D16S145	DNA segment, single copy, probe PNL56S			S	P	Harris et al (HGM10)
p13.3	D16S146	DNA segment, single copy, probe NKI SP1			S	P	Harris et al (HGM10)
p13.2-q13	D16S147	DNA segment, single copy, probe pCJ52.94			L	P	Julier et al (HGM10)
p13.2-q13	D16S148	DNA segment, single copy, probe pCJ52.95			L	P	Julier et al (HGM10)
p13.2-q13	D16S149	DNA segment, single copy, probe CJ52.27			L	P	Julier et al (HGM10)
p13.2-q13	D16S150	DNA segment, single copy, probe CJ52.161			L	P	Julier et al (HGM10)
q21-q22	D16S151	DNA segment, single copy, probe pCJ52.209			L	P	Julier et al (HGM10)
q21-q22	D16S152	DNA segment, single copy, probe CJ52.1			L	P	Julier et al (HGM10)

Regional assignment	Gene symbol	Name or probe	McK number	E.C. number	Mode	Status	References
q22-qter	D16S153	DNA segment, single copy, probe CJ52.10			L	P	Julier et al (HGM10)
q22-qter	D16S154	DNA segment, single copy, probe CJ52.105			L	P	Julier et al (HGM10)
q22-qter	D16S155	DNA segment, single copy, probe CJ52.199			L	P	Julier et al (HGM10)
q22-qter	D16S156	DNA segment, single copy, probe CJ52.197			L	P	Julier et al (HGM10)
q22-qter	D16S157	DNA segment, single copy, probe CJ52.96			L	P	Julier et al (HGM10)
p13.2-q21	D16S158	DNA segment, single copy, probe CJ52.112			L	P	Julier et al (HGM10)
q21-q22	D16S160	DNA segment, single copy, probe CJ52.196			L	P	Julier et al (HGM10)
p13.3-p13.11	D16S161	DNA segment, single copy, probe 16/05			W	P	Harris et al (HGM10)
q12-qter	D16S162	DNA segment, single copy, probe 16/08			S	P	Harris et al (HGM10)
q12-qter	D16S163	DNA segment, single copy, probe 16/10			S	P	Harris et al (HGM10)
q12-qter	D16S164	DNA segment, single copy, probe 16/15			S	P	Harris et al (HGM10)

Regional assignment	Gene symbol	Name or probe	McK number	E.C. number	Mode	Status	References
p13.3-p13.11	D16S165	DNA segment, single copy, probe 16/21			W	P	Harris et al (HGM10)
q	D16S166	DNA segment, single copy, probe 16/22			W	P	Harris et al (HGM10)
q	D16S167	DNA segment, single copy, probe 16/34			W	P	Harris et al (HGM10)
q12-qter	D16S168	DNA segment, single copy, probe 16/42			S	P	Harris et al (HGM10)
q	D16S169	DNA segment, single copy, probe 16/43			W	P	Harris et al (HGM10)
q	D16S170	DNA segment, single copy, probe 16/44			W	P	Harris et al (HGM10)
q	D16S171	DNA segment, single copy, probe 16/47			W	P	Harris et al (HGM10)
p13.3-p13.11	D16S172	DNA segment, single copy, probe 16/49			W	P	Harris et al (HGM10)
p13.3-p13.11	D16S173	DNA segment, single copy, probe 16/506			W	P	Harris et al (HGM10)
q12-qter	D16S174	DNA segment, single copy, 16/53			S	P	Harris et al (HGM10)
q12-qter	D16S175	DNA segment, single copy, probe 16/57			S	P	Harris et al (HGM10)

Regional assignment	Gene symbol	Name or probe	McK number	E.C. number	Mode	Status	References
q	D16S176	DNA segment, single copy, probe 16/60			W	P	Harris et al (HGM10)
q	D16S177	DNA segment, single copy, probe 16/63			W	P	Harris et al (HGM10)
q	D16S178	DNA segment, single copy, probe 16/65			W	P	Harris et al (HGM10)
q	D16S179	DNA segment, single copy, probe 16/67			W	P	Harris et al (HGM10)
q	D16S180	DNA segment, single copy, probe 16/71			W	P	Harris et al (HGM10)
q	D16S181	DNA segment, single copy, probe 16/87			W	P	Harris et al (HGM10)
q	D16S182	DNA segment, single copy, probe 16/91			W	P	Harris et al (HGM10)
q	D16S183	DNA segment, single copy, probe 16/92			W	P	Harris et al (HGM10)
q	D16S184	DNA segment, single copy, probe 16/94			W	P	Harris et al (HGM10)
q	D16S185	DNA segment, single copy, probe 16/95			W	P	Harris et al (HGM10)
q	D16S186	DNA segment, single copy, probe 16/101			W	P	Harris et al (HGM10)

Regional assignment	Gene symbol	Name or probe	McK number	E.C. number	Mode	Status	References
q	D16S187	DNA segment, single copy, probe 16/103			W	P	Harris et al (HGM10)
p13.11-qter	D16S188	DNA segment, single copy, probe N4			A, CH	P	Himmelbauer et al (HGM10)
p13.11-qter	D16S189	DNA segment, single copy, probe N5			A, CH	P	Himmelbauer et al (HGM10)
p13.11-qter	D16S190	DNA segment, single copy, probe N6			A, CH	P	Himmelbauer et al (HGM10)
p13.11-qter	D16S191	DNA segment, single copy, probe N7			A, CH	P	Himmelbauer et al (HGM10)
p13.11-qter	D16S192	DNA segment, single copy, probe N17			A, CH	P	Himmelbauer et al (HGM10)
p13.11-qter	D16S193	DNA segment, single copy, probe N30			A, CH	P	Himmelbauer et al (HGM10)
p13.11-qter	D16S194	DNA segment, single copy, probe N31A			A, CH	P	Himmelbauer et al (HGM10)
p13.11-qter	D16S195	DNA segment, single copy, probe N40			A, CH	P	Himmelbauer et al (HGM10)
p13.11-qter	D16S196	DNA segment, single copy, probe N42			A, CH	P	Himmelbauer et al (HGM10)
p13.11-qter	D16S197	DNA segment, single copy, probe N46			A, CH	P	Himmelbauer et al (HGM10)

Regional assignment	Gene symbol	Name or probe	McK number	E.C. number	Mode	Status	References
p13.11-qter	D16S198	DNA segment, single copy, probe N97			A, CH	P	Himmelbauer et al (HGM10)
p13.11-qter	D16S199	DNA segment, single copy, probe N99			A, CH	P	Himmelbauer et al (HGM10)
p13.11-qter	D16S200	DNA segment, single copy, probe N100			A, CH	P	Himmelbauer et al (HGM10)
p13.11-qter	D16S201	DNA segment, single copy, probe N106			A, CH	P	Himmelbauer et al (HGM10)
p13.11-qter	D16S202	DNA segment, single copy, probe NPP1			A, CH	P	Himmelbauer et al (HGM10)
p13.11-qter	D16S203	DNA segment, single copy, probe NPP15			A, CH	P	Himmelbauer et al (HGM10)
p13.11-qter	D16S204	DNA segment, single copy, probe NPP23			A, CH	P	Himmelbauer et al (HGM10)
p13.11-qter	D16S205	DNA segment, single copy, probe NPP37			A, CH	P	Himmelbauer et al (HGM10)
p13.11-qter	D16S206	DNA segment, single copy, probe NPP38			A, CH	P	Himmelbauer et al (HGM10)
p13.11-qter	D16S207	DNA segment, single copy, probe NPP40			A, CH	P	Himmelbauer et al (HGM10)
p13.11-qter	D16S208	DNA segment, single copy, probe NPP50			A, CH	P	Himmelbauer et al (HGM10)

Regional assignment	Gene symbol	Name or probe	MCK number	E.C. number	Mode	Status	References
pter-p13.2	D16S209	DNA segment, single copy, probe NK2			A,CH	P	Himmelbauer et al (HGM10)
pter-p13.2	D16S210	DNA segment, single copy, probe NK6			A,CH	P	Himmelbauer et al (HGM10)
p13.3-p13.11	D16S211	DNA segment, single copy, probe NK7			A,CH	P	Himmelbauer et al (HGM10)
p13.11-qter	D16S212	DNA segment, single copy, probe NK8			A,CH	P	Himmelbauer et al (HGM10)
p13.3-p13.13	D16S213	DNA segment, single copy, probe c41HA-1			CH,S	P	Liu et al (HGM10) Liu et al (HGM10)
p13.3-p13.13	D16S214	DNA segment, single copy, probe c41HA-2			CH,S	P	Liu et al (HGM10) Liu et al (HGM10)
p13.3-p13.13	D16S215	DNA segment, single copy, probe c41HA-3			CH,S	P	Liu et al (HGM10) Liu et al (HGM10)
p13.3-p13.11	D16S216	DNA segment, single copy, probe C2			A,CH	P	Breuning et al (HGM10)
p13.3-p13.11	D16S217	DNA segment, single copy, probe C5			A,CH	P	Breuning et al (HGM10)
p13.3-p13.11	D16S218	DNA segment, single copy, probe C27			A,CH	P	Breuning et al (HGM10)
p13.3-p13.11	D16S219	DNA segment, single copy, probe C33			A,CH	P	Breuning et al (HGM10)

Regional assignment	Gene symbol	Name or probe	McK number	E.C. number	Mode	Status	References
p13.3-p13.11	D16S220	DNA segment, single copy, probe C71			A,CH	P	Breuning et al (HGM10)
p13.3-p13.11	D16S221	DNA segment, single copy, probe C100			A,CH	P	Breuning et al (HGM10)
p13.3-p13.11	D16S222	DNA segment, single copy, probe C112			A,CH	P	Breuning et al (HGM10)
p13.3-p13.11	D16S223	DNA segment, single copy, probe C123			A,CH	P	Breuning et al (HGM10)
p13.3-p13.11	D16S224	DNA segment, single copy, probe C127			A,CH	P	Breuning et al (HGM10)
p13.3-p13.11	D16S225	DNA segment, single copy, probe C133			A,CH	P	Breuning et al (HGM10)
p13.3-p13.11	D16S226	DNA segment, single copy, probe C146			A,CH	P	Breuning et al (HGM10)
p13.3-p13.11	D16S227	DNA segment, single copy, probe C147			A,CH	P	Breuning et al (HGM10)
p13.3-p13.11	D16S228	DNA segment, single copy, probe C148			A,CH	P	Breuning et al (HGM10)
p13.3-p13.11	D16S229	DNA segment, single copy, probe C188			A,CH	P	Breuning et al (HGM10)
p13.3-p13.11	D16S230	DNA segment, single copy, probe C193			A,CH	P	Breuning et al (HGM10)

Regional assignment	Gene symbol	Name or probe	McK number	E.C. number	Mode	Status	References
p13.3-p13.11	D16S231	DNA segment, single copy, probe C199			A, CH	P	Breuning et al (HGM10)
p13.3-p13.11	D16S232	DNA segment, single copy, probe C207			A, CH	P	Breuning et al (HGM10)
p13.3-p13.11	D16S233	DNA segment, single copy, probe C219			A, CH	P	Breuning et al (HGM10)
p13.3-p13.11	D16S234	DNA segment, single copy, probe H16			A, CH	P	Breuning et al (HGM10)
p13.3-p13.11	D16S235	DNA segment, single copy, probe H23			A, CH	P	Breuning et al (HGM10)
p13.3-p13.11	D16S236	DNA segment, single copy, probe H24			A, CH	P	Breuning et al (HGM10)
p13.3-p13.11	D16S237	DNA segment, single copy, probe H34			A, CH	P	Breuning et al (HGM10)
p13.3-p13.11	D16S238	DNA segment, single copy, probe H35			A, CH	P	Breuning et al (HGM10)
p13.3-p13.11	D16S239	DNA segment, single copy, probe H44			A, CH	P	Breuning et al (HGM10)
p13.3-p13.11	D16S240	DNA segment, single copy, probe H45			A, CH	P	Breuning et al (HGM10)
p13.3-p13.11	D16S241	DNA segment, single copy, probe H47			A, CH	P	Breuning et al (HGM10)

Regional assignment	Gene symbol	Name or probe	McK number	F.C. number	Mode	Status	References
p13.3-p13.11	D16S242	DNA segment, single copy, probe H69			A,CH	P	Breuning et al (HGM10)
p13.3-p13.11	D16S243	DNA segment, single copy, probe H71			A,CH	P	Breuning et al (HGM10)
p13.3	D16S244	DNA segment, single copy, probe cosmid 156			A,CH	P	Breuning et al (HGM10)
p13.3	D16S245	DNA segment, single copy, probe cosmid 95			A,CH	P	Breuning et al (HGM10)
p13.3	D16S246	DNA segment, single copy, probe cosmid 218			A,CH,L	P	Breuning et al (HGM10) Breuning et al (HGM10)
p13.3	D16S247	DNA segment, single copy, probe cosmid H10			A,CH	P	Breuning et al (HGM10)
q13	D16S248	DNA segment, single copy, probe cosmid q13-5				D	Ed Hildebrand, pers. comm., 1989
q13	D16S249	DNA segment, single copy, probe cosmid q13-32				D	Ed Hildebrand, pers. comm., 1989
q13	D16S250	DNA segment, single copy, probe cosmid q13-51				D	Ed Hildebrand, pers. comm., 1989
q13	D16S251	DNA segment, single copy, probe cosmid q13-61				D	Ed Hildebrand, pers. comm., 1989
p13.3	D16S252	DNA segment, single copy, probe CMM103			L	P	Julier et al (HGM10)

Regional assignment	Gene symbol	Name or probe	MCK number	E.C. number	Mode	Status	References
	D16S2253	DNA segment, single copy, probe C140			A,CH,S	P	Breuning et al (HGM10)
p13	D16S2254	DNA segment, single copy, probe 16/104			W	P	Harris et al (HGM10)
p13.3	D16S2255	DNA segment, single copy, probe H46			A,CH,S	P	Breuning et al (HGM10)
p13.3	D16S2256	DNA segment, single copy, probe H17			A,CH,S	P	Breuning et al (HGM10)
p13.3	D16S2257	DNA segment, single copy, probe C40			A,CH,S	P	Breuning et al (HGM10)
p13.3	D16S2258	DNA segment, single copy, probe C124			A,CH,S	P	Breuning et al (HGM10)
p13.3	D16S2259	DNA segment, single copy, probe GGG1				D	Steve Reeders, personal communication
q12	D16Z1	DNA segment, repetitive, probe qp23			S	P	Viegas-Pequignot et al (HGM9)
cen	D16Z2	DNA segment, alpha satellite, repetitive, probe pSE16-2			A,N	D	Wevrick et al (HGM10)
q12	D16Z3	DNA segment, satellite 2, repetitive, probe pHuR195			A	P	Moyzis et al (1987) Hildebrand et al (1988)

END

**DATE
FILMED
314192**

I