MARTIN MARIETTA

ES/ER/TM-7

Summary of the Landfill Remediation Problems and Technology Needs of the Oak Ridge Reservation Environmental Restoration Programs

SAVE FOR
OSTI (DOE)

Received for OSTI

DEC 0 5 1991

MANAGED BY
MARTIN MARIETTA ENERGY SYSTEMS, INC.
FOR THE UNITED STATES
DEPARTMENT OF ENERGY

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

ES/ER/TM--7

DE92 003714

Summary of the Landfill Remediation Problems and
Technology Needs of the Oak Ridge Reservation
Environmental Restoration Programs

Environmental Restoration Division
P.O. Box 2003
Oak Ridge, TN 37831-7256

January 1991

MARTIN MARIETTA ENERGY SYSTEMS, INC.

managing the

Oak Ridge National Laboratory Oak Ridge Y-12 Plant
Oak Ridge K-25 Site Paducah Gaseous Diffusion Plant

under contract DE-AC05-84OR21400
and the

Portsmouth Gaseous Diffusion Plant
under contract DE-AC05-76OR00001

for the

U.S. DEPARTMENT OF ENERGY

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

Summary of the Landfill Remediation Problems and Technology Needs of the Oak Ridge Reservation Environmental Restoration Programs

Presented by
D. W. Swindle, Director
Technical Integration, Environmental Restoration Division
at the DOE Workshop on Robotics for Landfill Remediation
Panama City, Florida
January 9-10, 1991

"The submitted manuscript has been authored by a contractor of the U.S. Government under contract DE-AC05-84OR21400. Accordingly, the U.S. Government retains a nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or allow others to do so, for U.S. Government purposes."

MARTIN MARIETTA ENERGY SYSTEMS, INC.

managing the
Oak Ridge National Laboratory Oak Ridge Y-12 Plant
Oak Ridge K-25 Site Paducah Gaseous Diffusion Plant
under contract DE-AC05-84OR21400
and the
Portsmouth Gaseous Diffusion Plant
under contract DE-AC05-76OR00001
for the
U.S. DEPARTMENT OF ENERGY

Outline

- Brief description of the Oak Ridge Reservation Environmental Restoration Program
- Descriptions of representative burials at each site
- Ongoing, planned, or potential remediation
- Known or anticipated remediation problems
- Conclusion—Potential applications for robotics in the remediation of Oak Ridge Reservation landfills
- Feedback and “reality” check from attendees

Description of the Oak Ridge Reservation

Description of the Oak Ridge Reservation

- Consists of ~58,000 acres of federally owned land under the jurisdiction of DOE
- Located in both Anderson and Roane counties, Tennessee
- Bounded on the north and east by the city of Oak Ridge (population 28,000) and on the south and west by the Clinch River
- Placed on the National Priorities List, with a Federal Facility Agreement (EPA/State/DOE) pending

Location of Oak Ridge Reservation, East Tennessee

ORNL-DWG 82-20008R

Oak Ridge Reservation Environmental Restoration Program

- Included within the Oak Ridge Reservation Environmental Restoration Program are
 - Oak Ridge K-25 Site (K-25)—formerly referred to as Oak Ridge Gaseous Diffusion Plant
 - Oak Ridge National Laboratory (ORNL)—also referred to as X-10
 - Oak Ridge Y-12 Plant (Y-12)

Location of the Oak Ridge Reservation

ORNLDWG 87-705.1

Location and Mission of the Oak Ridge K-25 Site

- Occupies a 1500-acre site adjacent to the Clinch River, ~10 miles west of Oak Ridge, Tennessee
- Originally designed for the production of enriched uranium hexafluoride
- Because of declining demand, enrichment process placed on standby in 1985 and shut down in 1987
- Now has a multipurpose mission that includes
 - Providing a location for numerous contractor central staff functions
 - Operating waste treatment facilities
 - Serving as a center for applied technology
 - Providing support for Atomic Vapor Laser Isotope Separation

MARTIN MARIETTA

PHOTO NO. Y-12-201995

Location and Mission of ORNL

- Includes several sites that cover ~2900 acres in Melton and Bethel valleys, 10 miles southwest of Oak Ridge, Tennessee
- Multiprogram laboratory that conducts applied research and engineering development in support of DOE programs in fusion, fission, conservation, fossil, and other energy technologies
- Also committed to basic research in selected areas of the physical and life sciences
- Designated (in 1943), as part of the Manhattan Project, to operate the graphite reactor and associated nuclear fuel reprocessing pilot plant for obtaining information for the design of the Hanford facilities
- Designated by the Atomic Energy Commission (AEC) as the Southern Regional Burial Ground from 1955 until 1963

PHOTO NO. Y-12-201996

Oak Ridge National Laboratory

MARTIN MARIETTA

Location and Mission of the Y-12 Plant

- Occupies an 811-acre site in the Bear Creek Valley
~2 miles from downtown Oak Ridge, Tennessee
- Built in 1943 as part of the Manhattan Project—established to separate uranium isotopes by the electromagnetic process, which was discontinued after World War II
- Role changed to manufacturing and developmental engineering following World War II

PHOTO NO. Y-12-201997

MARTIN MARIETTA

K-25 Site Burials

Representative K-25 Burials

- K-1070-A Old Contaminated Burial Ground
- K-1070-B Old Classified Burial Ground
- K-1070-C/D Old Classified Burial Ground
- K-1070-F Old Contractors Burial Ground
- K-901-A Sanitary Disposal Area
- K-901-A Contractors Disposal Area
- K-1099 Blair Road Quarry

FY 1991 K-25 Site Remedial Action Projects

DWG. NO. K/G-89-1441

Representative K-25 Burial Site

MARTIN MARIETTA

Description of the K-1070-A Contaminated Burial Ground

- Graves were used from the late 1940s until 1976 for the disposal of unclassified low-level radioactive solid and mixed chemical waste
- Three-acre site has 62 graves with an aggregate area of ~0.2 acres
- Graves range from trenches 11 ft deep × 3 ft wide × 108 ft long to augered holes 12 ft deep × 3 ft in diameter
- Wastes were emptied into graves or buried in drums
- Site contains ~35,575 ft³ of uranium-contaminated materials and 2430 ft³ of thorium-contaminated materials with an estimated total activity of 14 Ci
- Four feet of soil was placed over burial site during closure

Description of the K-1070-B Old Classified Burial Ground

- Site (3.7 acres) was used from the early 1950s through the mid-1970s for the burial of classified waste—waste area grouping (WAG) includes a holding pond and neutralization pit
- Trenches have an average depth of ~30 ft
- Majority of waste consists of obsolete classified equipment, machinery, materials, and parts; however, detailed disposal records were not maintained
- Radionuclides include uranium and trace amounts of fission products
- Burial of liquids (oils, solvents, etc.) is believed to be minimal
- Closure coincided with the opening of the K-1070-C/D classified burial ground
- Greatest possible environmental threat appears to be transport of leachate containing hazardous metals and radionuclides

Description of the K-1070-C/D Classified Burial Ground

- Tract of 22 acres on east side of the K-25 Site inside security fence
- Three large burial trenches (A, B, and C)
 - Measure 300 × 100 × 40 ft deep and contain classified materials and equipment and asbestos
 - May have some low-level radioactive and hazardous contamination (total uranium estimated to be 0.15 Ci)
- Three earthen dike storage areas (D1, D2, and D3)
 - Covered total of 0.62 acres
 - Used for storage of 55-gal drums of various hazardous materials
 - All wastes removed during state-approved closure

Description of the K-1070-C/D Classified Burial Ground (continued)

- Eight small pits (Pits A through H)
 - Each $\sim 20 \times 20$ ft and used for the disposal of hazardous wastes, including laboratory quantities of corrosives, oxidizers, reducing agents, and chemical pesticide containers
 - Pit G used for disposal of large quantities of solvents and organics, including methylene chloride, freon, and trichloroethylene
- Three glass pits
 - Used for disposal of plastic materials and waste glass (fluorescent bulbs, etc.)

Description of the K-1070-F Old Contractors Burial Ground

- Burial operations initiated in 1974 and terminated in 1978
- Used for the disposal of construction debris such as steel, roofing material, clean scrap, asbestos, brick, concrete, and asphalt
- Restricted to the disposal of nonhazardous materials
- Further investigation required by state because no records were kept for the first 3 years of operation

Description of the K-901-A Sanitary Disposal Area

- Disposal operations began in the late 1940s with the receipt of building materials and concrete pads
- Interviews with site personnel revealed that the area was used primarily as a spoil area for contractors and maintenance personnel
- Known or suspected disposals include concrete, brick, wood, cooling tower debris, fly ash, construction spoils, building materials, and scrap steel
- No records of specific materials, including hazardous and radioactive wastes, are available
- Use of the area was discontinued in the early 1970s—area is now vegetated

Description of the K-901-A Contractors Disposal Area

- Used from the 1950s until the mid 1970s primarily for the disposal of construction and demolition wastes
- Records of material disposal do not exist
- Interviews indicate material included scrap metal, lumber, paint cans, asphalt, excavation spoil, and other construction and demolition wastes
- Waste material was probably dumped from road level to both sides of road
- Disposals may have included incidental amounts of low-level uranium-contaminated material and some treated wood

Description of the K-1099 Blair Road Quarry

- Area of ~3 acres originally operated as a rock quarry by the Lambert Brothers Company
- Material disposal and open burning begun in 1945 and ended in 1956–1957
 - Combustibles—trash, scrap lumber, cleaning rags, garbage
 - Noncombustibles—metal drums, rubble
- Policy in place that no contaminated materials should be disposed of (based on personnel interviews)
- Contaminated materials, such as cleaning rags, possibly mixed with trash accidentally

Potential Corrective Measures for the K-25 Burial Grounds

- Monitoring
 - Surveillance monitoring and analysis
- Removal of source
 - Excavation of the contaminated soils and materials
- Containment from surface water
 - Cap (synthetic membrane, clay, asphalt, multimedia cap, concrete, chemical sealants and stabilizers, grading)
 - Revegetation
 - Diversion systems (dikes, berms, ditches, channels)

Potential Corrective Measures for the K-25 Burial Grounds (continued)

- Containment from groundwater
 - Subsurface collection drains (French, tile, and pipe drains)
 - Subsurface containment barriers (slurry wall, concrete barrier, grout injection, grout curtains, sheet piling)
 - Groundwater diversion pumping (well points, deep wells, suction wells, ejector wells)
- Treatment of groundwater
 - Pumping of groundwater to treatment facility

Anticipated Problems Associated with the Remediation of K-25 Burial Grounds

- Minimizing worker exposure
- Characterization
- Maintaining integrity of containerized wastes during retrieval

Landfill Remediation Status

- RCRA Facility Investigation (RFI) plans have been prepared
- Phase I RFI activities have been performed for K-1070-A and K-1070-C/D
- Remediation activities (if required) are tentatively scheduled to begin by FY 1993 (K-1070-A and K-1070-C/D)

ORNL Burials

Representative ORNL Burials

- Closed contractors landfill
- Six solid waste storage areas (SWSAs)

ORNL Remedial Investigation Waste Area Groups (WAG'S)

910313.02

MARTIN MARIETTA

Representative ORNL Solid Waste Storage Area

PHOTO NO. ORNL-2491-89

MARTIN MARIETTA

Description of SWSA-1 (WAG-1)

- Site is triangular, ~1 acre, fenced and grassed
- Closest edge is ~25 ft from White Oak Creek
- Site was first area used for the disposal of solid low-level wastes (from 1943 to 1944)
- Area is contaminated with unknown radionuclides and chemical constituents—an estimated 2000–4000 Ci of radioactive waste
- Monitoring data indicate some migration of ^{90}Sr to groundwater and surface water

Description of SWSA-2 (WAG-2)

- Area of ~3.5 acres located near the main entrance to ORNL
- Used from 1944 until 1946 for the disposal of solid waste contaminated with beta or gamma activity, liquid wastes contaminated with plutonium in stainless steel drums, and alpha-contaminated material from off site
- Buried wastes and contaminated soil moved to SWSA-3 after closure
- No significant migration of wastes based on sampling in 1976

Description of SWSA-3 (WAG-3)

- Approximately 7 acres used from 1946 until 1951 for the disposal of solid low-level radioactive wastes
- Estimated 600,000 ft³ of wastes containing 44,000 to 56,000 Ci of radioactive materials
- Some migration of ⁹⁰Sr and ³H to groundwater and surface water (Raccoon Creek) indicated by sampling

Description of the Contractors Landfill (WAG-3)

- Approximately 7 acres used since 1975 for the disposal of noncontaminated demolition materials and fly ash from the ORNL steam plant
- Facility permitted by the Tennessee Department of Health and Environment and still in use
- No documentation for waste disposal activities prior to permitting

Description of SWSA-4 (WAG-4)

- Site covers an area of 23 acres—used from February 1951 until 1959 for the disposal of an estimated 2,000,000 ft³ of wastes
- For a period of time, landfill was designated as the Southern Regional Burial Ground by AEC
- Landfill contains an estimated 90,000 to 120,000 Ci of radionuclides including ⁹⁰Sr, ¹³⁷Cs, ⁶⁰Co, ²¹⁰Po, ³H, ¹²⁵Sb, and ²³⁹Pu
- Types of wastes include paper, glassware, scrap metal, dirt, filters, oils, powders, depleted uranium, animal carcasses, and large equipment
- Much of SWSA-4 is in or very near the water table, and migration of ³H, ⁹⁰Sr, and occasionally other radionuclides has been documented
- Surface runoff discharges are a significant source of ⁹⁰Sr and ¹³⁷Cs in the White Oak Creek Basin

Description of SWSA-5 (WAG-5)

- Fenced site of 80 acres (50 acres for disposal) was used from 1959 until 1973 for the burial of an estimated 3.09×10^6 ft³ of routinely buried wastes (south end); north end was used for retrievably stored transuranic waste
- Major waste contaminants include ⁹⁰Sr, ²⁴⁴Cm, ¹⁰⁶Ru, ¹³⁷Cs, ⁶⁰Co, and ³H, with a total inventory of $<2.1 \times 10^5$ Ci
- Seepage of ⁹⁰Sr and ³H to Melton Branch has been detected

Description of SWSA-6 (WAG-6)

- The 68-acre site (14.5 acres actually used for disposal) located just northwest of White Oak Lake has been used for the disposal of solid low-level radioactive wastes from 1969 until the present
- Hazardous chemical wastes such as lead, toluene, and xylene were found in trenches in 1982
- Primary radionuclides are ^{60}Co , ^3H , ^{90}Sr , ^{137}Cs , ^{152}Eu , ^{154}Eu , ^{155}Eu , and ^{235}U —total activity is 251,000 Ci
- Migration of wastes occurs as trenches “bathtub” (become filled with water and overflow) and as runoff increases

Technology Demonstrations at Test Area for Remedial Actions Related to Remediation of SWSA-6

- In situ vitrification of burial trenches
 - Successfully tested at ORNL on pilot-scale trench, volatilization of strontium presenting a potential problem
- In situ grouting using particulate grout
 - Reduced permeability by two orders of magnitude
 - Polyacrylimide grouts also tested
- Dynamic compaction
 - Dropping 10 tons 30 ft resulting in average compaction of 4 ft
- Evaluations of trench dewatering and capping

In-Situ Vitrification Test

PHOTO NO. ORNL-9892-87

MARTIN MARIETTA

Dynamic Compaction Drop Test

PHOTO NO. ORNL-6969-88

MARTIN MARIETTA

Anticipated Problems Associated with the Remediation of ORNL Burial Grounds

- Characterization
 - Defining boundaries of graves
 - As low as reasonably achievable (ALARA) concerns
 - Source identification
- Cleanup
 - ALARA concerns
 - Long-term performance of in situ methods

Landfill Remediation Status

- Aggressive Technology Demonstration effort under way
- Contaminant flux reduced ~50% by drainage diversion measures at SWSA-4
- Remedial Investigation/Feasibility Study to be carried out for each WAG in accordance with priorities and schedules established by a Federal Facility Agreement
- SWSA-6 RFI completed and Corrective Measures Study initiated
- Interim corrective measures (interim capping) completed for SWSA-6
- RI initiated in WAG-1 (Main Plant Area—includes SWSA-1)

Y-12 Burials

Representative Y-12 Burial Sites

- **Bear Creek Burial Grounds**
- **Chestnut Ridge Security Pits**
- **Sanitary Landfill 2**
- **Kerr Hollow Quarry**

FY 1990 Y-12 Site Remedial Action Projects

DWG. NO. K/G-89-1442

RCMA 2004 TO 2004+ PROGRAM		RCMA 2004 TO 2004+ PROGRAM		RCMA 2004 TO 2004+ PROGRAM		RCMA 2004 TO 2004+ PROGRAM	
SYMBOL NO		SYMBOL NO		SYMBOL NO		SYMBOL NO	
1	RUST SPILL AREA NORTH OF OLD BEAR CREEK RD.	26	CONCRETE THERM	51	NEW SWAMP	67	HEAD-REEF BIRAL GRADATION
2	1/4" 200' YARD NORTH OF OLD BEAR CREEK RD.	27	DOCK 104 BUILDING NORTH	52	BEAR CREEK	68	CONCRETE BRIDGE
3	SPILL AREA SOUTH OF OLD BEAR CREEK RD.	28	FULLY LOADED ASPHALT (CHESTNUT RIDGE)	53	UPPER EAST TANKS AND ASPHALT CREEK	69	CONCRETE BRIDGE
4	WATER TREATMENT PLANT	29	840' 1" EAST YARD	54	EAST TANKS AND ASPHALT CREEK	70	CONCRETE BRIDGE
5	RUST CONSTRUCTION GARAGE AREA	30	840' 2" EAST YARD	55	CONCRETE BRIDGE	71	EAST TANKS AND ASPHALT CREEK
6	TANK 2004 (SALVAGE YARD)	31	TANK 2004 (SALVAGE YARD)	56	CONCRETE BRIDGE	72	INTERMEDIATE YARD WEST OF TANK 2004
7	SALVAGE YARD NORTH OF HEAD-REEF	32	840' 2" EAST YARD	57	CONCRETE BRIDGE	73	CHESTNUT RIDGE, WEST OF TANK 2004
8	TANK 2004 (BUILDING 821)	33	840' 2" EAST YARD	58	CONCRETE BRIDGE	74	GARAGE UNDERGROUND TANKS 824
9	TANK 2004 (BUILDING 821)	34	TANK BUILDING 821	59	CONCRETE BRIDGE	75	CHESTNUT RIDGE, SOUTH OF TANK 2004
10	TANK 2004 (BUILDING 821)	35	TANK BUILDING 821	60	CONCRETE BRIDGE	76	CONCRETE BRIDGE
11	SALVAGE YARD ON SCRAP METAL STORAGE AREA	36	RAMP UNDERGROUND TANK REMOVED AT CONSTRUCTION	61	CONCRETE BRIDGE	77	NEW ASPHALT
12	SALVAGE YARD ON SCRAP METAL STORAGE AREA	37	WASTE ZONE TANK 2004	62	CONCRETE BRIDGE	78	CONCRETE BRIDGE
13	SALVAGE YARD ON SCRAP METAL STORAGE AREA	38	TANK 2004 (BUILDING 821)	63	CONCRETE BRIDGE	79	CONCRETE BRIDGE
14	5/2" PIPE	39	TEMPORARY STORAGE AREA (CHESTNUT RIDGE)	64	CONCRETE BRIDGE	80	CONCRETE BRIDGE
15	BUILDING 820 (WASTAGE YARD)	40	840' 1" WEST YARD	65	CONCRETE BRIDGE	81	CONCRETE BRIDGE
16	TANK BUILDING 820	41	840' 1" WEST YARD	66	CONCRETE BRIDGE	82	CONCRETE BRIDGE
17	TANK BUILDING 820	42	THIRD STREET SOUTH	67	CONCRETE BRIDGE	83	CONCRETE BRIDGE
18	TANK 2104 (BUILDING 824)	43	CEILING TANKS (BASKIN 3)	68	CONCRETE BRIDGE	84	CONCRETE BRIDGE
19	WASTE TREATMENT PLANT	44	TANK 2104 (BUILDING 824)	69	CONCRETE BRIDGE	85	CONCRETE BRIDGE
20	WASTE TREATMENT PLANT	45	BUILDING 820 EAST	70	CONCRETE BRIDGE	86	CONCRETE BRIDGE
21	TANK BUILDING 820	46	LAUNCH SLIP	71	CONCRETE BRIDGE	87	CONCRETE BRIDGE
22	TANK BUILDING 820	47	LAUNCH SLIP	72	CONCRETE BRIDGE	88	CONCRETE BRIDGE
23	TANK BUILDING 820	48	LINE YARD WEST OF 820	73	CONCRETE BRIDGE	89	CONCRETE BRIDGE
24	TANK BUILDING 820	49	TANK 2004 (BUILDING 821)	74	CONCRETE BRIDGE	90	CONCRETE BRIDGE
25	TANK BUILDING 820	50	870' NORTH EAST YARD	75	CONCRETE BRIDGE	91	CONCRETE BRIDGE

RCMA 2004 TO 2004+ PROGRAM		RCMA 2004 TO 2004+ PROGRAM		RCMA 2004 TO 2004+ PROGRAM		RCMA 2004 TO 2004+ PROGRAM	
SYMBOL NO		SYMBOL NO		SYMBOL NO		SYMBOL NO	
51	NEW SWAMP	52	BEAR CREEK	53	UPPER EAST TANKS AND ASPHALT CREEK	54	EAST TANKS AND ASPHALT CREEK
55	CONCRETE BRIDGE	56	CONCRETE BRIDGE	57	CONCRETE BRIDGE	58	CONCRETE BRIDGE
59	CONCRETE BRIDGE	60	CONCRETE BRIDGE	61	CONCRETE BRIDGE	62	CONCRETE BRIDGE
63	CONCRETE BRIDGE	64	CONCRETE BRIDGE	65	CONCRETE BRIDGE	66	CONCRETE BRIDGE
67	CONCRETE BRIDGE	68	CONCRETE BRIDGE	69	CONCRETE BRIDGE	70	CONCRETE BRIDGE
71	CONCRETE BRIDGE	72	CONCRETE BRIDGE	73	CONCRETE BRIDGE	74	CONCRETE BRIDGE
75	CONCRETE BRIDGE	76	CONCRETE BRIDGE	77	CONCRETE BRIDGE	78	CONCRETE BRIDGE
79	CONCRETE BRIDGE	80	CONCRETE BRIDGE	81	CONCRETE BRIDGE	82	CONCRETE BRIDGE
83	CONCRETE BRIDGE	84	CONCRETE BRIDGE	85	CONCRETE BRIDGE	86	CONCRETE BRIDGE
87	CONCRETE BRIDGE	88	CONCRETE BRIDGE	89	CONCRETE BRIDGE	90	CONCRETE BRIDGE
91	CONCRETE BRIDGE	92	CONCRETE BRIDGE	93	CONCRETE BRIDGE	94	CONCRETE BRIDGE

RCMA 2004 TO 2004+ PROGRAM		RCMA 2004 TO 2004+ PROGRAM		RCMA 2004 TO 2004+ PROGRAM		RCMA 2004 TO 2004+ PROGRAM	
SYMBOL NO		SYMBOL NO		SYMBOL NO		SYMBOL NO	
51	NEW SWAMP	52	BEAR CREEK	53	UPPER EAST TANKS AND ASPHALT CREEK	54	EAST TANKS AND ASPHALT CREEK
55	CONCRETE BRIDGE	56	CONCRETE BRIDGE	57	CONCRETE BRIDGE	58	CONCRETE BRIDGE
59	CONCRETE BRIDGE	60	CONCRETE BRIDGE	61	CONCRETE BRIDGE	62	CONCRETE BRIDGE
63	CONCRETE BRIDGE	64	CONCRETE BRIDGE	65	CONCRETE BRIDGE	66	CONCRETE BRIDGE
67	CONCRETE BRIDGE	68	CONCRETE BRIDGE	69	CONCRETE BRIDGE	70	CONCRETE BRIDGE
71	CONCRETE BRIDGE	72	CONCRETE BRIDGE	73	CONCRETE BRIDGE	74	CONCRETE BRIDGE
75	CONCRETE BRIDGE	76	CONCRETE BRIDGE	77	CONCRETE BRIDGE	78	CONCRETE BRIDGE
79	CONCRETE BRIDGE	80	CONCRETE BRIDGE	81	CONCRETE BRIDGE	82	CONCRETE BRIDGE
83	CONCRETE BRIDGE	84	CONCRETE BRIDGE	85	CONCRETE BRIDGE	86	CONCRETE BRIDGE
87	CONCRETE BRIDGE	88	CONCRETE BRIDGE	89	CONCRETE BRIDGE	90	CONCRETE BRIDGE
91	CONCRETE BRIDGE	92	CONCRETE BRIDGE	93	CONCRETE BRIDGE	94	CONCRETE BRIDGE

RCMA 2004 TO 2004+ PROGRAM		RCMA 2004 TO 2004+ PROGRAM		RCMA 2004 TO 2004+ PROGRAM		RCMA 2004 TO 2004+ PROGRAM	
SYMBOL NO		SYMBOL NO		SYMBOL NO		SYMBOL NO	
51	NEW SWAMP	52	BEAR CREEK	53	UPPER EAST TANKS AND ASPHALT CREEK	54	EAST TANKS AND ASPHALT CREEK
55	CONCRETE BRIDGE	56	CONCRETE BRIDGE	57	CONCRETE BRIDGE	58	CONCRETE BRIDGE
59	CONCRETE BRIDGE	60	CONCRETE BRIDGE	61	CONCRETE BRIDGE	62	CONCRETE BRIDGE
63	CONCRETE BRIDGE	64	CONCRETE BRIDGE	65	CONCRETE BRIDGE	66	CONCRETE BRIDGE
67	CONCRETE BRIDGE	68	CONCRETE BRIDGE	69	CONCRETE BRIDGE	70	CONCRETE BRIDGE
71	CONCRETE BRIDGE	72	CONCRETE BRIDGE	73	CONCRETE BRIDGE	74	CONCRETE BRIDGE
75	CONCRETE BRIDGE	76	CONCRETE BRIDGE	77	CONCRETE BRIDGE	78	CONCRETE BRIDGE
79	CONCRETE BRIDGE	80	CONCRETE BRIDGE	81	CONCRETE BRIDGE	82	CONCRETE BRIDGE
83	CONCRETE BRIDGE	84	CONCRETE BRIDGE	85	CONCRETE BRIDGE	86	CONCRETE BRIDGE
87	CONCRETE BRIDGE	88	CONCRETE BRIDGE	89	CONCRETE BRIDGE	90	CONCRETE BRIDGE
91	CONCRETE BRIDGE	92	CONCRETE BRIDGE	93	CONCRETE BRIDGE	94	CONCRETE BRIDGE

RCMA 2004 TO 2004+ PROGRAM		RCMA 2004 TO 2004+ PROGRAM		RCMA 2004 TO 2004+ PROGRAM		RCMA 2004 TO 2004+ PROGRAM	
SYMBOL NO		SYMBOL NO		SYMBOL NO		SYMBOL NO	
51	NEW SWAMP	52	BEAR CREEK	53	UPPER EAST TANKS AND ASPHALT CREEK	54	EAST TANKS AND ASPHALT CREEK
55	CONCRETE BRIDGE	56	CONCRETE BRIDGE	57	CONCRETE BRIDGE	58	CONCRETE BRIDGE
59	CONCRETE BRIDGE	60	CONCRETE BRIDGE	61	CONCRETE BRIDGE	62	CONCRETE BRIDGE
63	CONCRETE BRIDGE	64	CONCRETE BRIDGE	65	CONCRETE BRIDGE	66	CONCRETE BRIDGE
67	CONCRETE BRIDGE	68	CONCRETE BRIDGE	69	CONCRETE BRIDGE	70	CONCRETE BRIDGE
71	CONCRETE BRIDGE	72	CONCRETE BRIDGE	73	CONCRETE BRIDGE	74	CONCRETE BRIDGE
75	CONCRETE BRIDGE	76	CONCRETE BRIDGE	77	CONCRETE BRIDGE	78	CONCRETE BRIDGE
79	CONCRETE BRIDGE	80	CONCRETE BRIDGE	81	CONCRETE BRIDGE	82	CONCRETE BRIDGE
83	CONCRETE BRIDGE	84	CONCRETE BRIDGE	85	CONCRETE BRIDGE	86	CONCRETE BRIDGE
87	CONCRETE BRIDGE	88	CONCRETE BRIDGE	89	CONCRETE BRIDGE	90	CONCRETE BRIDGE
91	CONCRETE BRIDGE	92	CONCRETE BRIDGE	93	CONCRETE BRIDGE	94	CONCRETE BRIDGE

FY 1990 Y-12 Site Remedial Action Projects

RETA 2004 (in 2004) PROGRAM		SYNTH NO	
1	WEST SIDE AREA NORTH OF OLD BEAR CREEK RD	0.104	0.104
2	WEST SIDE AREA NORTH OF OLD BEAR CREEK RD	0.105	0.105
3	SOUTH AREA NORTH OF OLD BEAR CREEK RD	0.106	0.106
4	SANITARY LANDFILL	0.107	0.107
5	BLVD CONSTRUCTION GARAGE AREA	0.108	0.108
6	TANK 2004 (IN 2004) AREA	0.109	0.109
7	SALVAGE YARD (IN 2004) AREA	0.110	0.110
8	TANK 2004 (IN 2004) AREA	0.111	0.111
9	TANK 2004 (IN 2004) AREA	0.112	0.112
10	TANK 2004 (IN 2004) AREA	0.113	0.113
11	TANK 2004 (IN 2004) AREA	0.114	0.114
12	TANK 2004 (IN 2004) AREA	0.115	0.115
13	TANK 2004 (IN 2004) AREA	0.116	0.116
14	TANK 2004 (IN 2004) AREA	0.117	0.117
15	TANK 2004 (IN 2004) AREA	0.118	0.118
16	TANK 2004 (IN 2004) AREA	0.119	0.119
17	TANK 2004 (IN 2004) AREA	0.120	0.120
18	TANK 2004 (IN 2004) AREA	0.121	0.121
19	TANK 2004 (IN 2004) AREA	0.122	0.122
20	TANK 2004 (IN 2004) AREA	0.123	0.123
21	TANK 2004 (IN 2004) AREA	0.124	0.124
22	TANK 2004 (IN 2004) AREA	0.125	0.125
23	TANK 2004 (IN 2004) AREA	0.126	0.126
24	TANK 2004 (IN 2004) AREA	0.127	0.127
25	TANK 2004 (IN 2004) AREA	0.128	0.128
26	TANK 2004 (IN 2004) AREA	0.129	0.129
27	TANK 2004 (IN 2004) AREA	0.130	0.130
28	TANK 2004 (IN 2004) AREA	0.131	0.131
29	TANK 2004 (IN 2004) AREA	0.132	0.132
30	TANK 2004 (IN 2004) AREA	0.133	0.133
31	TANK 2004 (IN 2004) AREA	0.134	0.134
32	TANK 2004 (IN 2004) AREA	0.135	0.135
33	TANK 2004 (IN 2004) AREA	0.136	0.136
34	TANK 2004 (IN 2004) AREA	0.137	0.137
35	TANK 2004 (IN 2004) AREA	0.138	0.138
36	TANK 2004 (IN 2004) AREA	0.139	0.139
37	TANK 2004 (IN 2004) AREA	0.140	0.140
38	TANK 2004 (IN 2004) AREA	0.141	0.141
39	TANK 2004 (IN 2004) AREA	0.142	0.142
40	TANK 2004 (IN 2004) AREA	0.143	0.143
41	TANK 2004 (IN 2004) AREA	0.144	0.144
42	TANK 2004 (IN 2004) AREA	0.145	0.145
43	TANK 2004 (IN 2004) AREA	0.146	0.146
44	TANK 2004 (IN 2004) AREA	0.147	0.147
45	TANK 2004 (IN 2004) AREA	0.148	0.148
46	TANK 2004 (IN 2004) AREA	0.149	0.149
47	TANK 2004 (IN 2004) AREA	0.150	0.150
48	TANK 2004 (IN 2004) AREA	0.151	0.151
49	TANK 2004 (IN 2004) AREA	0.152	0.152
50	TANK 2004 (IN 2004) AREA	0.153	0.153
51	TANK 2004 (IN 2004) AREA	0.154	0.154
52	TANK 2004 (IN 2004) AREA	0.155	0.155
53	TANK 2004 (IN 2004) AREA	0.156	0.156
54	TANK 2004 (IN 2004) AREA	0.157	0.157
55	TANK 2004 (IN 2004) AREA	0.158	0.158
56	TANK 2004 (IN 2004) AREA	0.159	0.159
57	TANK 2004 (IN 2004) AREA	0.160	0.160
58	TANK 2004 (IN 2004) AREA	0.161	0.161
59	TANK 2004 (IN 2004) AREA	0.162	0.162
60	TANK 2004 (IN 2004) AREA	0.163	0.163
61	TANK 2004 (IN 2004) AREA	0.164	0.164
62	TANK 2004 (IN 2004) AREA	0.165	0.165
63	TANK 2004 (IN 2004) AREA	0.166	0.166
64	TANK 2004 (IN 2004) AREA	0.167	0.167
65	TANK 2004 (IN 2004) AREA	0.168	0.168
66	TANK 2004 (IN 2004) AREA	0.169	0.169
67	TANK 2004 (IN 2004) AREA	0.170	0.170
68	TANK 2004 (IN 2004) AREA	0.171	0.171
69	TANK 2004 (IN 2004) AREA	0.172	0.172
70	TANK 2004 (IN 2004) AREA	0.173	0.173
71	TANK 2004 (IN 2004) AREA	0.174	0.174
72	TANK 2004 (IN 2004) AREA	0.175	0.175
73	TANK 2004 (IN 2004) AREA	0.176	0.176
74	TANK 2004 (IN 2004) AREA	0.177	0.177
75	TANK 2004 (IN 2004) AREA	0.178	0.178
76	TANK 2004 (IN 2004) AREA	0.179	0.179
77	TANK 2004 (IN 2004) AREA	0.180	0.180
78	TANK 2004 (IN 2004) AREA	0.181	0.181
79	TANK 2004 (IN 2004) AREA	0.182	0.182
80	TANK 2004 (IN 2004) AREA	0.183	0.183
81	TANK 2004 (IN 2004) AREA	0.184	0.184
82	TANK 2004 (IN 2004) AREA	0.185	0.185
83	TANK 2004 (IN 2004) AREA	0.186	0.186
84	TANK 2004 (IN 2004) AREA	0.187	0.187
85	TANK 2004 (IN 2004) AREA	0.188	0.188
86	TANK 2004 (IN 2004) AREA	0.189	0.189
87	TANK 2004 (IN 2004) AREA	0.190	0.190
88	TANK 2004 (IN 2004) AREA	0.191	0.191
89	TANK 2004 (IN 2004) AREA	0.192	0.192
90	TANK 2004 (IN 2004) AREA	0.193	0.193
91	TANK 2004 (IN 2004) AREA	0.194	0.194
92	TANK 2004 (IN 2004) AREA	0.195	0.195
93	TANK 2004 (IN 2004) AREA	0.196	0.196
94	TANK 2004 (IN 2004) AREA	0.197	0.197
95	TANK 2004 (IN 2004) AREA	0.198	0.198
96	TANK 2004 (IN 2004) AREA	0.199	0.199
97	TANK 2004 (IN 2004) AREA	0.200	0.200
98	TANK 2004 (IN 2004) AREA	0.201	0.201
99	TANK 2004 (IN 2004) AREA	0.202	0.202
100	TANK 2004 (IN 2004) AREA	0.203	0.203

RETA 2004 (IN 2004) PROGRAM
SYNTH NO

Description of the Bear Creek Burial Grounds

- Series of burial grounds—principal sites designated A, B, C, D, E, and J
- E and J used for uranium disposal (currently filled and sealed)—an estimated 29 tons of debris and 14 tons of inorganic salts also received by area J
- Area A used from 1955 to 1979 for disposal of solid wastes, mop waters, liquid wastes, oils, solvents, and coolants—oil retention ponds built to contain leakage from trenches
- Area B used from 1962 to 1968 for disposal of depleted uranium metal and oxides
- Area C opened in 1962 for disposal of beryllium, beryllium oxide, thorium, and solid wastes contaminated with these materials
- Burial ground D opened in 1968 after Area B reached capacity

Description of the Bear Creek Burial Grounds (continued)

- Walk-in pits
 - Approximately 2-acre area contains materials that are shock sensitive, explosive, and flammable
 - Examples are picric acid, ether oxides, organics, uranium saw fines
 - Materials were placed in pits, covered with loose backfill such as sand, and subsequently covered with fill—resulted in terrain with 2:1 slope
 - Vegetation ranges from grass to 12-in.-diam trees

Bear Creek Burial Grounds

MARTIN MARIETTA

Description of the Chestnut Ridge Security Pits

- A series of landfills used from 1973 to 1988 for the disposal of solid and some liquid wastes which resulted from classified activities (related to national security matters)
- Six auger holes ~10 ft deep × 2 ft in diameter
- Three trenches, each ~700 ft × 10 ft × 12 ft deep
- Detailed waste inventories for landfills classified
- In addition to large quantities of nonhazardous wastes
 - Toxic metals (determined by extraction procedure testing)
 - Reactive materials
 - Corrosive materials
 - Ignitable materials
 - Chlorinated solvents

Chestnut Ridge Security Pits

MARTIN MARIETTA

Closure and Postclosure Activities (CAPCA)—Phase I

- Closure plans require a five-part modified RCRA cap
- Components listed bottom to top
 - Contouring fill (as required)
 - Compacted clay (24 in.)
 - PVC lined (30-mil), geosynthetic drainage net
 - Filter fabric
 - Eighteen inches of soil with vegetative cover

Description of the Sanitary Landfill 2

- Twenty-acre site used from 1983 to the present
- Permitted by Tennessee Department of Health and Environment
- Initially, trench method used—five trenches, ~84 ft wide × 1000–1250 ft long × 20–30 ft deep
- Operation changed to area fill to prolong life
- Majority of wastes considered nonhazardous
 - Paper and cardboard, wood, brush, building materials, coal ash, etc.
- Potential hazards may include asbestos, beryllium oxide

Sanitary Landfill 2

MARTIN MARIETTA

Potential Response Actions for the Sanitary Landfill 2 Identified in the RFI Plan

- Monitoring
 - Surveillance monitoring and analysis
- Removal of wastes and contaminated soil
 - Excavation—backhoe, dragline
 - Treatment of removed soil, incineration, fixation in concrete
 - Long-term storage or disposal of material at an approved landfill
- Containment from surface water
 - Capping—synthetic membranes, clay, asphalt, multimedia cap, concrete, chemical sealants/stabilizers
 - Revegetation—grasses
 - Diversion systems—dikes, berms, ditches, channels

Potential Response Actions for the Sanitary Landfill 2 Identified in the RFI Plan (continued)

- Containment from groundwater
 - Subsurface collection drains—French, tile, and pipe drains
 - Vertical containment barriers—soil/bentonite slurry wall, vibrating beam, cement/bentonite slurry wall, grout curtains, steel sheet piling
 - Horizontal containment barriers—block displacement, grout injection
 - Groundwater diversion pumping—well points, deep wells, suction wells, ejector wells
- Pumping and treatment of groundwater
 - Filtration, carbon adsorption, air stripping, sedimentation, chemical precipitation

Kerr Hollow Quarry

- Site was used in the 1940s as rock and gravel quarry—abandoned when it filled with water
- By 1951, site was being used for treating
 - Water-reactive materials such as potassium and sodium in 5- to 500-gal containers
 - Potentially explosive chemicals such as picric acid
 - Compressed gas cylinders with faulty valves
- Most containers were breached by rifle fire, and very large containers of reactive metals were placed in quarry with vent pipes open

Kerr Hollow Quarry (continued)

- Empty steel containers are not classified as hazardous and are not considered harmful to water quality
- Phase I closure activities involved mapping and inventory by remotely operated underwater vehicle
- Phase II activities (in progress) include
 - A grab and breach operation for larger containers using a remotely operated barge
 - Using an underwater shredder for buckets, drums, etc.
 - Dredging of silt to a lined disposal basin
 - Final video survey of quarry
 - Submission of certification of closure to TDHE

Kerr Hollow Quarry

MARTIN MARIETTA

Concerns Associated with the Remediation of Y-12 Burials

- ALARA concerns
- Hazards associated with explosive, shock-sensitive, and flammable materials
 - Ignition or detonation during earth moving or compaction
 - Immediate or delayed subsidence

Planned Robotics Demonstration Task for Bear Creek Burial Grounds Closure

- Associated with CAPCA Phase I
- Demonstrate the ability to remotely stabilize a waste site (1/2-acre site simulating burial ground)
 - Removal of brush and trees
 - Contouring and backfilling
 - Placement of a stabilizing cap
 - Integrity testing of cap
- Design under way—anticipate field demonstration in FY 1991

Landfill Remediation Status

- RFI Plan submitted for Sanitary Landfill II
- Closure of Bear Creek Burial Grounds (BCBG) areas A and C initiated
- Design of closure for BCBG areas B and D initiated
- Closure completed for Chestnut Ridge Security Pits

Paducah and Portsmouth Burials

Other Energy Systems Environmental Restoration Programs with Landfill Remediation Problems

- Paducah Gaseous Diffusion Plant (PGDP)
- Portsmouth Gaseous Diffusion Plant

Location and Mission of the Paducah Gaseous Diffusion Plant

- Facility covers 750 acres, including 74 acres of process buildings, and is part of a 3422-acre tract of DOE-owned property near Paducah, Kentucky
- Principal on-site process is the enrichment of uranium used for nuclear fuel in commercial power plants

Location of Paducah Gaseous Diffusion Plant

MARTIN MARIETTA

Landfills Included in the PGDP Environmental Restoration Program

- C-404 Low-Level Radioactive Waste Burial Ground
- C-746-F Classified Burial Yard
- C-746-K Sanitary Landfill
- C-746-S Residential Landfill
- C-746-T Inert Landfill
- C-747 Contaminated Burial Yard
- C-747-A Burial Ground
- C-747-B Burial Ground
- C-749 Uranium Burial Ground

Representative Paducah Gaseous Diffusion Plant Landfill

MARTIN MARIETTA

C-404 Low-Level Radioactive Waste Burial Ground

- Site of ~53,200 ft²—operated from 1951 until 1986
- Used in the 1950s as an aboveground uranium-bearing waste treatment pond with compacted earth bottom and clay dikes
- Use as pond discontinued and began disposal of solid contaminated scrap—filled in the mid-1970s
- Subsequently, containerized and bulk wastes placed on top of filled-in pond area (approximate total depth of 9 ft)
- Wastes in pond area consisting of uranium precipitate, UF₄, uranium metal, uranium oxides, and contaminated trash
- Upper tier of wastes including smelter furnace liners and ~450 drums of toxic wastes (determined by extraction procedure testing)

C-746-F Classified Burial Yard

- Facility (~168,000 ft² × 8–12 ft deep) used from 1965(?) until the present for disposal of contaminated and uncontaminated classified scrap
- Pits were excavated as needed, and burials were covered with 2–3 ft of earth
- Security-classified wastes—some radionuclide contamination

C-746-K Sanitary Landfill

- Roughly circular area, 200–250 ft in diameter, used from about 1951 until 1982
- Originally for coal fly-ash disposal
- Trenches cut in ash used for burning trash until 1967
- Site depth of ~20 ft
- Clay cap installed in 1982
- Primarily fly ash disposal, with unknown quantities of burned and unburned trash
- Possibly some slightly contaminated trash

C-746-S Residential Landfill

- Site (20.2 acres) used from 1982 until present for disposal of uncontaminated trash
- Unit permitted and operated according to Kentucky regulations

C-746-T Inert Landfill

- The 20.1-acre site has been used from 1950 to present for disposal of industrial wastes
- Wastes include concrete, wood, rock, and fly-ash fill
- Unit is permitted and operated according to Kentucky regulations

C-747 Contaminated Burial Yard

- Approximately 8300-ft² site used for burial of uranium-contaminated trash and equipment from 1951 to 1958
- Two pits (50 × 15 ft and 50 × 150 ft) excavated ~15 ft
- Covered with 2–3 ft of soil initially, 6-in. clay cap installed in 1982
- Contaminated and uncontaminated trash, also scrapped equipment with surface contamination from the enrichment process

C-747-A Burial Ground

- Operated from 1957 until 1979
- Seven areas, designated A through G, ranging from 400 to 19,250 ft² in area and 6 to 12 ft in depth
- Three-foot earth cover on pits
- Used for disposing of a wide variety of trash, equipment, and scrap
 - Area A: estimated 100,000 ft³ noncombustible trash, some contaminated equipment
 - Areas B, C, and G: unknown quantity of noncombustible contaminated and uncontaminated trash and equipment
 - Areas D and E: contaminated concrete
 - Area F: uranium-contaminated scrap metal and equipment

C-747-B Burial Ground

- Operated from 1960 to 1976
- Five plots, designated H through L, ranging from 180 to 4000 ft² and 6 to 8 ft deep
- Burial of various types of solid metal scrap
 - Areas H and K: ~75 and 150 ft³, respectively, of magnesium scrap
 - Area I: ~800 lb, laboratory fans contaminated with perchloric acid
 - Area J: estimated 1100 ft³ of contaminated aluminum scrap
 - Area L: ~5000-lb contaminated UF₆ condenser

C-749 Uranium Burial Ground

- Operated from 1951(?) to 1974 for burial of uranium and uranium-contaminated wastes
- Approximately 32,000-ft² pit excavated 16–17 ft with 2- to 3-ft earth cover—6-in. clay cap installed in 1982
- Majority of waste (~245,000 kg) pyrophoric forms of uranium metal, also oxides and UF₄ in smaller quantities
- Petroleum and synthetic oils (~59,000 gal) used to stabilize materials
- Contaminated trichloroethylene (~450 gal) also disposed of

Status of Landfill Remediation at PGDP

- Unit identified and preliminary assessments performed
- Units grouped into WAGs; WAGs prioritized
- Extent of groundwater contamination being investigated in accordance with Administrative Consent Order (ACO)
- Alternatives evaluation at completion of Phase II of groundwater investigation
- RCRA HSWA permit will address WAGs not covered by the ACO

Location and Mission of the Portsmouth Gaseous Diffusion Plant

- The Portsmouth site covers 3700 acres (including 93 acres for the process buildings) and is located ~20 miles north of Portsmouth, Ohio
- The principal mission is the separation of uranium isotopes, through gaseous diffusion, for military and commercial power usage

Location of Portsmouth Gaseous Diffusion Plant

MARTIN MARIETTA

Landfills Included in the Portsmouth Environmental Restoration Program

- **X-734 Closed Sanitary Landfill**
- **X-734A and B Construction Spoils Areas**
- **Peter Kiewit Landfill**
- **X-749 Low-Level Radioactive Waste Landfill**
- **X-749A Classified Material Burial Ground**

Representative Portsmouth Gaseous Diffusion Plant Landfill

DWG. NO. K/G-91-612

MARTIN MARIETTA

X-734 Closed Sanitary Landfill

- Area of ~700 ft × 300 ft used for the disposal of sanitary and industrial wastes as well as a small amount of construction spoil—operated from 1968 to 1981
- No known releases of hazardous constituents or materials
- No records of materials disposed of
- Possibility that site has affected groundwater quality indicated by monitoring well data

X-734B Construction Spoils Area

- An 8.3-acre site used for the disposal of construction debris and brush until prohibited—now used for fly ash disposal
- In operation from 1983 until the present
- No records of materials disposed of, but no known releases of hazardous substances
- Empty hazardous material drums found in 1985

X-734A Closed Construction Spoils Area

- A 5.6-acre site operated from 1981 until 1983 for the disposal of construction debris and brush
- No disposal records
- Hazardous material disposal not permitted
- No known releases of hazardous materials or constituents

Peter Kiewet Landfill

- Area of 250 ft x 600 ft used from 1953 until 1968 for disposal of construction wastes, trash, and sanitary wastes and as a burn pit for paper and wood
- Probable disposal site for materials now considered hazardous or toxic
- Probable release of chlorinated contaminants indicated by groundwater and soil gas monitoring

X-749 Low-Level Radioactive Waste Landfill

- A 7.4-acre site used from 1955 until the present for the disposal of low-level radioactive wastes such as alumina, sodium fluoride, magnesium fluoride, ash, and scrap metal
- Hazardous wastes not permitted
- Sludge from X-705 Raffinate (85,000 lb), thought to be nonhazardous, disposed of in 1984—discovered to be toxic (Extraction Procedure Toxicity Protocol) in 1985
- Records not kept until July 1976
- Significant (pre-1976) source of chlorinated solvents indicated by groundwater monitoring data

X-749A Classified Material Burial Ground

- Approximately 150- by 600-ft site used from 1953 until 1987 for the burial of decontaminated, classified, solid waste
- May contain very low levels of radionuclides
- No known releases from the site

Landfill Remediation Status

- Closure option studies have been performed for X-749 and X-749A
- RFI plans have been prepared for all landfills
- RFIs are scheduled to begin in early FY 1991

Summary of Landfill Status

- Hazardous wastes are known or suspected to be present
- The exact locations of hazardous wastes are unknown
- Disposal operations have resulted in contamination of soil, groundwater, and, in some cases, surface water
- Potential for windborne contamination from near-surface soils exists

Summary

Potential Applications for Robotics in the Remediation of Oak Ridge Reservation Burial Grounds

- High-hazard area survey and characterization
 - Radioactive, shock-sensitive, and/or toxic wastes
 - Deployment of sensors and subsequent data analysis to form maps of disposal areas
- Subsurface waste recovery
- Segregation of recovered wastes
- Clearing, grading, compaction, and other remediation activities in high-hazard areas

END

**DATE
FILMED**

01/24/92