OAK RIDGE NATIONAL LABORATORYOPERATED BY MARTIN MARIETTA ENERGY SYSTEMS, INC.
POST OFFICE BOX 2008, OAK RIDGE, TENNESSEE 37831-6285

DE91 005352

ORNL**FOREIGN TRIP REPORT**

ORNL/FTR-3834

DATE: December 5, 1990**SUBJECT:** Report of Foreign Travel by Robert S. Turner, Research Staff Member,
Environmental Sciences Division**TO:** Alvin W. Trivelpiece**FROM:** Robert S. Turner**PURPOSE:** The traveler was invited to present a paper and to participate in the "Second Workshop on Acid Rain in Asia," held in Bangkok, Thailand.**SITES VISITED:** 11/19-23/90 Asian Institute of Technology Dr. Wesley Foel
Bangkok, Thailand

ABSTRACT: The traveler presented a paper entitled "Susceptibility of Asian Ecosystems to Soil-Mediated Acid Rain Damage" at the Second Workshop on Acid Rain in Asia. The workshop was organized by the Asian Institute of Technology (Bangkok, Thailand), Argonne National Laboratory (Argonne, Illinois), and Resource Management Associates (Madison, Wisconsin) and was sponsored by the U.S. Department of Energy, the United Nations Environment Program, the United Nations Economic and Social Commission for Asia and the Pacific, and the World Bank. It was attended by 23 participants from 11 countries, 7 of which are in Asia. Papers presented on the first day discussed how the experience gained with acid rain in North America and Europe might be applied to the Asian situation. Papers describing energy use projections, sulfur emissions, and effects of acid rain in several Asian countries were presented on the second day. The remaining time was allotted to discussion, planning, and writing plans for a future research program.

The projections for increase in fossil fuel use and pollutant emissions in Asia are indeed staggering. Total SO₂ emissions for the region are projected to increase from 28 million tons in 1986 to 50 million tons in 2000 and 65 million tons in 2010. To date, harmful effects have been documented in China, where the bulk of the current emissions are located, though few effects have been clearly documented elsewhere in Asia. Concern is for local and regional effects in areas of high and rapidly increasing density of

emissions from uncontrolled coal combustion and motor vehicle use, particularly in northeastern and southwestern China, central and eastern India, the Korean peninsula, Japan, Thailand, and Java. The questions are how fossil fuel consumption can be minimized, how emissions can be controlled, and how effects can be mitigated or accommodated in ways that do not significantly hamper the dynamic economic development, the sensitive natural resources, or the tenuous sociopolitical climate of the region.

INTRODUCTION

The Second Workshop on Acid Rain in Asia built on the discussions and results of the first workshop, held in November 1989. The workshop was organized by the Asian Institute of Technology (Bangkok, Thailand), Argonne National Laboratory (Argonne, Illinois), and Resource Management Associates (Madison, Wisconsin) and was sponsored by the U.S. Department of Energy, the United Nations Environment Program, the United Nations Economic and Social Commission for Asia and the Pacific, and the World Bank. It was attended by 23 participants from 11 countries, 7 of which are in Asia. The objectives of the workshop were to (1) develop a program for research and monitoring of the acid rain phenomenon in Asia and (2) formulate an integrative program of assessment and policy analysis that can identify effective strategies for dealing with acid rain at both the national and regional (Asia-wide) levels. Papers presented on the first day discussed how the experience gained in North America and Europe with acid rain might be applied to the Asian situation. Papers describing energy use projections, sulfur emissions, and effects of acid rain in several Asian countries were presented on the second day. The remaining time was allotted to discussion, planning, and writing plans for a future research program. The research and policy assessment by this workshop are of great interest to the U.S. Department of Energy and Oak Ridge National Laboratory relative to ongoing work with the National Acid Precipitation Assessment Program (NAPAP), critical loads for sulfur and nitrogen, external costs of fuel cycles, monitoring of atmospheric deposition, integrated watershed research, effects of land use change on atmospheric CO₂, water resources research, global data bases, and many global change issues.

SUMMARY OF KEY TOPICS

ASIAN EMISSIONS INVENTORY

Current or projected emissions of fossil fuel combustion products were at least touched on by almost all presentations. They were discussed in detail in papers by Gregory Carmichael (University of Iowa), David Streets (Argonne National Laboratory), and Wesley Foell (Resource Management Associates). Asian emissions of fossil fuel combustion products are increasing at 5 to 8% per year. This increase in emissions is being driven by a 2% per year regional population increase, along with a significant increase in per capita energy use. The per capita energy use in Asia is currently about 10% of that in western countries.

Current and projected emissions data are needed for projection of potential future effects and assessment of possible control strategies. Data are needed on a spatial basis over time for alternative scenarios or mixes of energy use and fuel type, accounting for changes in population. The workshop is proposing a phased approach. In the first phase, a gridded inventory of SO₂ emissions for a base year would be developed using an 80- by 80-km grid system for countries having adequate data (generally the eastern part of the region). A protocol for calculating SO₂ emissions and assigning emissions to grid cells would be developed and supplied to contacts to be identified in individual countries. These persons would review existing emissions estimates for each country, calculate emissions on the basis of fuel and energy use data using the protocol, and assign SO₂ emissions to grid cells. Grid cells from individual countries would be assembled and the data quality checked to provide a consistent grid for the entire region. A parallel effort would develop gridded SO₂ emissions for alternative future scenarios based on expected plant retirements; plans for new plants, industrial parks, and urban development; expected population changes; and alternative energy technologies and fuel switching options. In both efforts, natural vs different types of anthropogenic emissions would be quantified. In the second phase, the SO₂ emissions inventory would be extended to countries in the western part of the region. In addition, emissions of NO_x would be added to the inventory.

TRANSPORT AND DEPOSITION

Relatively little work has been done in Asia on atmospheric transport of pollutants, and deposition monitoring is generally sparse to uneven, with some data comparability and quality control problems. Jean-Paul Hettelingh (National Institute of Public Health and Environmental Protection, The Netherlands) briefly discussed atmospheric transport modeling needs from an assessment modeling perspective. Gregory Carmichael contrasted the first-principles/mechanistic approach used by the U.S. NAPAP efforts with the aggregated, more empirical approach being used in Europe. He discussed the data and computing requirements of each and pointed out the episodic/short-term nature of the Eulerian (U.S.) models vs the long-term-average results of the Lagrangian (European) approach. Mr. Tian (Peoples Republic of China, student of Prof. Robert Exell, Asian Institute of Technology) described a simple modeling project he had performed for dispersion of emissions around Chongqing City. Greg Ayers (Commonwealth Scientific and Industrial Research Organization, Victoria, Australia) presented an overview of current and planned deposition monitoring activities in the Asian region and described the rainwater composition studies of the International Global Atmospheric Chemistry (IGAC) Project. He discussed the requirements for generating regionally compatible data of high quality and pointed out that chemical deposition in the Asian region cannot be quantitatively understood without complementary knowledge of dry deposition, which is not currently being measured.

Estimates of ambient levels of acid precursors and of acidic deposition loadings throughout Asia as a function of changing emissions are needed to assess impacts and to design effective policy. The workshop is proposing a two-phase approach to transport and deposition modeling. In Phase 1, a Lagrangian transport model would be used to calculate SO₂ and sulfate ambient concentrations and wet plus dry sulfur deposition for the Asian region on an annual time scale with a spatial resolution of 1 to 2°. Phase 2 would provide

information on episodic deposition and local situations, including metropolitan areas, and insight into key chemical and physical processes by use of the STEM-II comprehensive transport-deposition model. A subtask of this project would evaluate aspects of tropical meteorology, specifically cloud scavenging rates, that differ from those in the mid latitudes.

Deposition monitoring is needed to establish existing levels of atmospheric deposition and to define seasonal, long-term, and spatial variations in deposition. The observational data may be used for comparison with critical levels/loads or other assessment criteria, and are needed to assess the performance of atmospheric transport-transformation-deposition models. The workshop is proposing use of established monitoring networks (national and international, linked together through IGAC projects), and providing feedback to these networks on data requirements of this project and apparent data gaps. Data from these networks and any other available monitoring data would be entered into a data base that could be linked through a geographic information system (GIS) to the gridded emissions and modeled deposition values for comparison and display.

EFFECTS

The traveler presented a paper describing mechanisms for effects of acidic deposition on terrestrial and aquatic systems, a summary of NAPAP findings, and an overview of methods and data available for determining sensitivity of Asian systems. Michael Chadwick (Stockholm Environmental Institute of York, U.K.) presented a paper on using relative sensitivity of land areas and critical loads in acidic deposition abatement strategy models in Europe and discussed how these concepts might be applied to Asia. P.V. Sridharan (Tata Energy Research Institute, India) suggested that only limited materials effects of acidic deposition have been observed in urban areas in India but that sensitive soils occur in southwest and northeast India that could be problematic as emissions increase. Zhao Dianwu (Peoples Republic of China) had presented findings of effects in China at the workshop last year. Effects have not been studied or reported in Bangladesh, Indonesia, Thailand, or Korea, though the potential for effects was discussed for Thailand and Korea. Kentano Murano (National Institute for Environmental Studies, Japan) showed slides of forest damage that may be caused in part by acidic deposition and reported that soil effects have been predicted. The official government position, however, is that there is no apparent acidic deposition damage.

Acidic deposition abatement policy in North America and Europe has been driven by observed environmental effects, along with concern for continued or increased effects. An opportunity exists in most of Asia to abate emissions before effects occur. Because effects have not yet occurred in most areas, the incentive for abatement policy must be concern for potential local and regional future effects. To date there has been very little quantification of resources potentially at risk. Unless these potential damages are credibly quantified, it is unlikely that policy changes regarding controls on emissions would be contemplated. Ideally, the benefits of corrective action (i.e., the external costs of present energy technologies) would be quantified for comparison with the costs of corrective action. The workshop is proposing an assessment of the effects of acidic deposition on crops, forests, soils, waters/fish, materials, and human health. Effects fall into two categories: (1) direct effects, which correspond to critical levels (concentrations) of atmospheric pollutants,

and (2) indirect/cumulative effects, which correspond to critical loads of atmospheric deposition. Task 1 would be a literature review and survey of the research community in each Asian country to identify locations/areas of observed problems, determine the relative importance of observed or potential effects, and develop a network of collaborators. Task 2 would develop relative sensitivity maps using existing information on land use, soils, geology, vegetation, water quality, population, etc. This would involve use of a GIS and would allow linkage to the spatial emissions and deposition scenarios. Task 3 would use the GIS and, potentially, field or remote sensing surveys to quantify the spatial extent of problems identified in Task 1. Task 4 would quantify dose-response functions from survey results and experimental work; these could be expressed in terms of critical levels and critical loads. Task 5 would quantify potential future damages/costs based on the emissions-deposition scenarios and dose-response functions within the GIS spatial framework.

SYNTHESIS, POLICY EVALUATION

A means of synthesizing and displaying the results of alternative scenarios for emissions, transport, deposition, and effects is needed to evaluate optimum strategies for balancing costs of effects with costs of controls and to facilitate energy policy planning. The workshop is proposing to modify the RAINS model currently being used in Europe for use in Asia. These modifications would be based on results of the research proposed under each of the topics discussed in the preceding above. An effective GIS team would be a critical component of analysis, synthesis, and display of current status and outcomes of alternative future energy scenarios.

WORK PLAN

For each of the topics summarized above, the workshop outlined objectives and targets including minimum requirements and phasing of work; structure of the work, including modules and linkages; information required and methodology; possible institutional structure, including Asian institutions and western counterparts; human resource requirements; key information and human resources; budget considerations; and tentative schedules in the workshop report. The workshop discussed communication strategies and plans for another workshop in 1991. Considerable discussion focused on the need to broaden the focus to include CO₂ emissions and climate change effects because of the great overlap between those effects and acidic deposition effects as well as commonality in abatement strategy. The consensus seemed to be to tie in to groups studying climate change wherever possible, share common data, and communicate findings at climate change meetings but maintain focus on acidic deposition effects and abatement policy. There was also discussion on how much emphasis to place on human health effects; few participants had much experience in this realm. Advice from Goh Kiam Seng (United Nations Environment Program) and Steve Torok (United Nations Environment and Social Commission for Asia and the Pacific) and from several of the Asian scientists present was that human health effects draw political attention more readily than ecological effects and should be considered from that perspective. There was general consensus that within the next year much more work needs to be done to bring more multidisciplinary effects experts into the planning of and participation in future workshops.

SUMMARY EVALUATION

Given the daunting projections for energy growth, it is evident that a great deal of work is needed to quantify current and potential health and ecological effects of energy-related pollutants in Asia, identify and demonstrate clean energy technology suited to Asian needs, and develop a communication strategy effective at laying out the costs and benefits of alternative energy scenarios and options/technologies for producing clean energy. The workshop is proposing a modest start on these activities. A critical need is to identify a constituency/sponsor for this work. The workshop needs to frame proposals for research as well as reports of workshop results and findings in terms of policy questions and answers/solutions of use to policy makers. Much basic data gathering has to be done and much interesting science will be learned along the way, but these goals, in and of themselves, assume low importance in setting funding priorities, making decisions about regulating utilities, and balancing the wishes of diverse constituencies. The workshop should involve Asian and international policy makers/advisors at all stages, in advisory/review roles of plans and reports, and in future meetings. Messers Seng and Torok, for example, provided much useful insight at this meeting. The constituency for the work of the workshop is Asian national governments as well as regional entities. It also includes North American and European governments, United Nations programs, and research and assessment programs evaluating effects of CO₂ emissions, with which there are many common needs. A great deal has been learned in North America and Europe over the past 20 years about acidic deposition research and assessment. This knowledge should be utilized in Asia. Likewise, Asian research on emissions, transport, and effects, and, especially, Asian policy decisions on energy futures may profoundly affect both the energy policies and future environments of North America and Europe.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

APPENDIX A**ITINERARY**

11/15-16	Travel from Knoxville to Bangkok, Thailand
11/17-18	Arrival in Bangkok, weekend, Workshop Reception
11/19-22	Annual Workshop on Acid Rain in Asia, Bangkok, Thailand
11/23	Informal discussions with meeting participants
11/24	Travel from Bangkok, Thailand, to Knoxville, Tennessee

APPENDIX B

PERSONS CONTACTED TO A SIGNIFICANT EXTENT

Jasim U. Ahmad
Dean, Faculty of Physical
and Mathematical Sciences
Jahangirnagar University
Savar, Dhaka
Bangladesh

Dr. Wesley Foel
Resource Management Associates
520 University Avenue
Suite 300
Madison, WI 53703

Greg Ayers
Principal Research Scientist
Division of Atmospheric Research
CSIRO
107-121 Station Street
Aspendale, Victoria 3195
Australia

J. P. Hettelingh
National Institute of Public Health
and Environmental Protection
RIVM
P. O. Box 1
3720 BA Bilthoven
The Netherlands

Gregory Carmichael
Chemistry & Mathematical Engineering
125A CB, University of Iowa
Iowa City, IA 52242

Dr. Min Sun Hong
5 Won Chun Dong
Dept. of Environmental Engineering
A-Jou University
Suwon
Republic of Korea

Michael Chadwick
Stockholm Environment Institute
at York
University of York
Heslington, York YO15DD
United Kingdom

Dr. Phanu Kritiporn
Thailand Development Research
Institute
163 Asoke Road, Rajapark Building
Bangkok 10110
Thailand

Prof. Robert Exell
Energy Technology Division
Asian Institute of Technology
G.P.O. Box 2754
Bangkok, 10401
Thailand

Dr. K. Murano
Senior Research Scientist
National Institute for
Environmental Studies
Japan Environment Agency
P. O. 16-2 Onogawa, Tsukuba City
Ibaraki 305
Japan

Mr. Goh Kiam Seng, Director
UNEP Regional Office for Asia
and the Pacific
U.N. Building
Rajadamnern Avenue
Bangkok 10200
Thailand

Dr. Mustikahadi Soedomo
c/o Center for Research
on Energy Studies
Institute of Technology - Bandung
Jalan Tamansari 64
P. O. Box 426
Bandung
Indonesia

P. V. Sridharan
Tata Energy Research Institute
7 Jor Bagh
New Delhi 110003
India

Dr. David Streets
EAIS Division
Argonne National Laboratory
9700 South Cass Avenue
Argonne, IL 60439

Dr. Steven Torok
Economic Affairs Officer
Natural Resources Division
ESCAP
U.N. Building
Rajadamnern Avenue
Bangkok 10200
Thailand

Ms. Lisa Totto
Resource Systems Institute
East-West Center
1777 East-West Road
Honolulu, HI 96848

APPENDIX C

LITERATURE ACQUIRED

Ahmad, J. Acid rain in Bangladesh. Draft paper presented at Second Workshop on Acid Rain in Asia.

Ayers, G. P. Overview of wet deposition monitoring activities in the Asian Region relevant to the IGAC DEBITS activity. Draft paper presented at Second Workshop on Acid Rain in Asia.

Biswas, D. K. Policies, institutions and research programs for pollution control in India: An outline. Draft paper presented at Second Workshop on Acid Rain in Asia.

Carmichael, G. R., and W. Shin. Modeling and control of acid deposition. Draft paper presented at Second Workshop on Acid Rain in Asia.

Chadwick, M. J., and J. C. I. Kuylensstierna. Critical loads and critical levels for the effects of sulphur and nitrogen compounds. Draft manuscript.

Chadwick, M. J. Relative sensitivity, critical loads and target loads and their inclusion in acidic deposition abatement strategy models. Draft paper presented at Second Workshop on Acid Rain in Asia.

Chadwick, M. J., and J. C. I. Kuylensstierna. 1990. The relative sensitivity of ecosystems in Europe to acidic depositions: A preliminary assessment of the sensitivity of aquatic and terrestrial ecosystems. Stockholm Environment Institute, Stockholm, Sweden.

Foell, W. K., and C. W. Green. Acid rain in Asia: An economic, energy and emissions overview. Draft paper presented at Second Workshop on Acid Rain in Asia.

Galbally, I. E. (Ed.) 1989. The international global atmospheric chemistry (IGAC) programme. Commission on Atmospheric Chemistry and Global Pollution of the International Association of Meteorology and Atmospheric Physics, Victoria, Australia.

Heslin, J. S., and B. F. Hobbs. 1990. Application of a multiobjective electric power production costing model to the U.S. acid rain problem. *Eng. Costs Prod. Econ.* 20:241-251.

Hettelingh, J.-P. Guidelines for design of an acid rain policy model for Asia. Draft paper presented at Second Workshop on Acid Rain in Asia.

Hong, M. S. Description of the acid rain problem in Korea. Draft paper presented at Second Workshop on Acid Rain in Asia.

Kritiporn, P. Acid rain control strategies for Thailand. Draft paper presented at Second Workshop on Acid Rain in Asia.

Kuylenstierna, J. C. I., and M. J. Chadwick. 1989. The relative sensitivity of ecosystems in Europe to the indirect effects of acidic depositions. pp. 3-21. IN Kamari et al. (eds.), Regional Acidification Models. Springer-Verlag, Berlin.

Murano, K. Quality of the environment in Japan. Draft paper presented at Second Workshop on Acid Rain in Asia.

Soedomo, M. Descriptive analysis of the acid rain problem in Indonesia: Identification of source and acidification processes. Draft paper presented at Second Workshop on Acid Rain in Asia.

Sridharan, P. V., and S. Saksena. Description of acid rain problem in India. Draft paper presented at Second Workshop on Acid Rain in Asia.

Streets, D. G. Acid rain in Asia: Energy technology and emissions control. Draft paper presented at Second Workshop on Acid Rain in Asia.

Torok, S. J. Synergies between global warming and acid rain mitigation policy research approaches. Draft paper presented at Second Workshop on Acid Rain in Asia.

END

DATE FILMED

01 / 10 / 91