✓

Recd 1991

WHC-MR--0229

DE91 007159

FEB 07 1991

Status of Ground Water in the 1100 Area

A. G. Law

Date Published
December 1990

Prepared for the U.S. Department of Energy
Office of Environmental Restoration and
Waste Management

**Westinghouse
Hanford Company**

P.O. Box 1970
Richland, Washington 99352

Hanford Operations and Engineering Contractor for the
U.S. Department of Energy under Contract DE-AC06-87RL10930

MASTER

Approved for Public Release

MR

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

LEGAL DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Printed in the United States of America

DISCLM-2.CHP (10-90)

WHC-MR- 0 2 2 9

8900604B R4
Attachment 1

Map of the 1100 Area Showing Location of Wells

1100 Area Well Numbers	
1	= 699-S41-E13A
2	= 699-S40-E14
3	= 699-S41-E13B
4	= 699-S43-E12
5	= 699-S37-E14

- 3000G - Location of Existing Wells Sampled
- 1100 Area Monitoring Wells
- North Richland Well Field

Map of 1100 Area Showing Location of Wells

Results of Monthly Sampling of 1100 Area Wells

The following table presents all of the results of monthly sampling and analyses between April 1989, and May 1990*, for four constituents selected to be most indicative of the potential for contamination from U.S. Department of Energy facilities. The samples were collected from the three wells near the City of Richland well field. The detection limit and drinking water standards or maximum contaminant level are also listed in the table for each constituent.

- * Sampling was discontinued for much of 1989 pending resolution of the purge water situation.

1100 AREA OPERATIONAL GROUND-WATER MONITORING
(CONCENTRATIONS IN ppb)

DATE	699-S40-E14				699-S41-E13A				699-S41-E13B			
	LEAD FILTERED UNFILTERED	SULFATE	ETHYLENE GLYCOL		LEAD FILTERED UNFILTERED	SULFATE	ETHYLENE GLYCOL		LEAD FILTERED UNFILTERED	SULFATE	ETHYLENE GLYCOL	
05/24/89	NA	NA	NA		< 5	NA	10800	NA	NA	NA	NA	NA
05/30/90	< 5	NA	10300	<10000	< 5	NA	12600	<10000	< 5	NA	11700	<10000
11/03/89	< 5	< 5	11100	<10000	< 5	< 5	10400	<10000	NA	NA	NA	NA
11/06/89	NA	NA	NA	NA	NA	NA	NA	NA	< 5	10500	<10000	<10000
01/04/90	< 5	< 5	11000	<10000	< 5	< 5	10000	<10000	< 5	10800	<10000	<10000
02/09/90	< 5	< 5	12200	<10000	< 5	< 5	11000	<10000	< 5	10200	<10000	<10000
03/20/90	< 5	< 5	11400	<10000	< 5	< 5	10800	<10000	< 5	9600	<10000	<10000
04/26/90	NA	NA	11000	<10000	NA	NA	10800	<10000	NA	9700	<10000	<10000
DETECTION LIMIT	5	5	500	10000	5	5	500	10000	5	5	500	10000
DRINKING WATER STANDARD	50	50	250000	NS	50	50	250000	NS	50	50	250000	NS

NA --- NO ANALYSIS

NS --- NO DRINKING WATER STANDARD

Results for 1100 Area Ground-Water Monitoring

The following table presents a listing of the analytical results from sampling and analyses of five wells between April 1989, and May 1990* in the 1100 Area. The detection limit and drinking water standards or maximum contaminant level are also listed in the table for each constituent.

- * Sampling was discontinued for much of 1989 pending resolution of the purge water situation.

WHC-MR- 0 2 2 9

Geosciences Group PARADOX Database

11/26/90

Page 1

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S37-E14	0,0-Diethyl-0,2-pyrazinyl phos	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	1,1,1,2-tetrachlorethane	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	1,1,1-trichloroethane	PPB	5.0	200.0	5/31/89	< 5.0
					11/06/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	1,1,2,2-tetrachlorethane	PPB	5.0		11/06/89	< 5.0
					11/06/89	< 5.0
	1,1,2-trichloroethane	PPB	5.0		5/31/89	< 5.0
					11/06/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	1,1-dichloroethane	PPB	5.0		5/31/89	< 5.0
					11/06/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	1,1-dichloroethylene	PPB	10.0	7.0	11/06/89	< 10.0
					11/06/89	< 10.0
	1,1-dimethylhydrazine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	1,2,3,4-tetrachlorobenzene	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	1,2,3,5-tetrachlorobenzene	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	1,2,3-trichlorobenzene	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	1,2,3-trichloropropane	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	1,2,4,5-tetrachlorobenzene	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	1,2,4-trichlorobenzene	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0

11/26/90

Page 2

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT		
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value	
6-S37-E14	1,2-dibromo-3-chloropropane	PPB	10.0	.2	11/06/89	<	10.0
					11/06/89	<	10.0
	1,2-dibromoethane	PPB	10.0		11/06/89	<	10.0
					11/06/89	<	10.0
	1,2-dichlorobenzene	PPB	10.0		5/31/89	<	10.0
					11/06/89	<	10.0
					11/06/89	<	10.0
					2/09/90	<	10.0
	1,2-dichloroethane	PPB	5.0	5.0	5/31/89	<	5.0
					11/06/89	<	5.0
					11/06/89	<	5.0
					2/09/90	<	5.0
	1,2-dichloropropane	PPB	5.0	5.0	11/06/89	<	5.0
					11/06/89	<	5.0
	1,2-dimethylhydrazine	PPB	10.0		11/06/89	<	10.0
					11/06/89	<	10.0
	1,2-diphenylhydrazine	PPB	10.0		11/06/89	<	10.0
					11/06/89	<	10.0
	1,3,5-trichlorobenzene	PPB	10.0		5/31/89	<	10.0
					11/06/89	<	10.0
					11/06/89	<	10.0
					2/09/90	<	10.0
	1,3-dichlorobenzene	PPB	10.0		5/31/89	<	10.0
					11/06/89	<	10.0
					11/06/89	<	10.0
					2/09/90	<	10.0
	1,3-dichloropropene	PPB	1.0		11/06/89	<	5.0
					11/06/89	<	5.0
	1,4-dichloro-2-butene	PPB	10.0		11/06/89	<	10.0
					11/06/89	<	10.0
	1,4-naphthoquinone	PPB	10.0		11/06/89	<	10.0
					11/06/89	<	10.0
	1-(o-chlorophenyl) thiourea	PPB	200.0		11/06/89	<	200.0
					11/06/89	<	200.0
	1-Butanol	PPB	10000.0		11/06/89	<	10000.0
					11/06/89	<	10000.0
	1-Butynol	PPB	10000.0		11/06/89	<	10000.0
					11/06/89	<	10000.0
	1-Propanol	PPB	10000.0		11/06/89	<	10000.0
					11/06/89	<	10000.0
	1-acetyl-2-thiourea	PPB	200.0		11/06/89	<	200.0
					11/06/89	<	200.0
	1-chloro-2,3-epoxypropane	PPB	10.0		11/06/89	<	10.0
					11/06/89	<	10.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 3

Well Result Report

1100 Area Groundwater Monitoring

WELL	CONSTITUENT				RESULT	
	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S37-E14	1-naphthyl-2-thiourea	PPB	200.0		11/06/89	< 200.0
					11/06/89	< 200.0
	1-naphthylamine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	2,3,4,6-tetrachlorophenol	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	2,3,7,8 TCDD	PPB	.0		11/06/89	< .0
	2,4,5-T	PPB	2.0		5/31/89	< 2.0
					11/06/89	< 2.0
					11/06/89	< 2.0
					2/09/90	< 2.0
	2,4,5-TP silvex	PPB	2.0	10.0	5/31/89	< 2.0
					11/06/89	< 2.0
					11/06/89	< 2.0
					2/09/90	< 2.0
	2,4,5-trichlorophenol	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	2,4,6-trichlorophenol	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	2,4-D	PPB	2.0	100.0	5/31/89	< 2.0
					11/06/89	< 2.0
					11/06/89	< 2.0
					2/09/90	< 2.0
	2,4-dichlorophenol	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	2,4-dinitrophenol	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	2,4-dinitrotoluene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	2,6-dichlorophenol	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	2,6-dinitrotoluene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	2-Hexanone	PPB	50.0		11/06/89	< 50.0
					11/06/89	< 50.0
	2-Methylnaphthalene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	2-acetylaminofluorene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	2-chloroethyl vinyl ether	PPB	5.0		11/06/89	< 5.0
					11/06/89	< 5.0
	2-chloronaphthalene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	2-chlorophenol	PPB	10.0		11/06/89	< 10.0

11/26/90

Geosciences Group PARADOX Database

Page 4

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S37-E14	2-chlorophenol	PPB	10.0		11/06/89	< 10.0
	2-cyclohexyl-4,6-dinitrophenol	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	2-methyl-2-(methylthio) propio	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	2-methylaziridine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	2-methylactonitrile	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	2-naphthylamine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	2-picoline	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	2-propyn-1-ol	PPB	10000.0		11/06/89	< 10000.0
					11/06/89	< 10000.0
	2-sec-butyl-4,6-dinitrophenol	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	3,3'-Dichlorobenzidine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	3,3'-dimethoxybenzidine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	3,3'-dimethylbenzidine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	3-chloropropionitrile	PPB	10000.0		11/06/89	< 10000.0
					11/06/89	< 10000.0
	3-methylcholanthrene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	4,4'-methylenebis(2-chloroanil	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	4,6-dinitro-o-cresol and salts	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	4-Nitroquinoline 1-oxide	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	4-aminobiphenyl	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	4-bromophenyl phenyl ether	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	5-(aminomethyl)-3-isoxazolol	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	5-nitro-o-toluidine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	7,12-dimethylbenz[a]anthracene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	7H-dibenzo[c,g]carbazole	PPB	10.0		11/06/89	< 10.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 5

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S37-E14	7H-dibenzo[c,g]carbazole	PPB	10.0		11/06/89	< 10.0
	Acenaphthalene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Acenaphthene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Acetone - by ABN	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Acetone by VOA	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Acetonitrile	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Acetophenone	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Acrolein	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Acrylamide	PPB	10000.0		11/06/89	< 10000.0
					11/06/89	< 10000.0
	Acrylonitrile	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Aldrin	PPB	.1		11/06/89	< .1
					11/06/89	< .1
	Alkalinity		20000.0		5/31/89	83500.0
					11/06/89	79000.0
	Allyl Chloride	PPB	100.0		11/06/89	< 100.0
					11/06/89	< 100.0
	Allyl alcohol	PPB	10000.0		11/06/89	< 10000.0
					11/06/89	< 10000.0
	Alpha, High Detection Level	PCI/L	4.0	15.0	5/31/89	< .1
					11/06/89	< .4
					11/06/89	< .8
					2/09/90	< .4
	Alpha,alpha-dimethylphenethyla	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Alpha-BHC	PPB	.1	4.0	5/31/89	< .1
					11/06/89	< .1
					11/06/89	< .1
					2/09/90	< .1
	Aluminum	PPB	150.0	50.0	11/06/89	< 150.0
					11/06/89	< 150.0
					2/09/90	< 150.0
	Aluminum, filtered	PPB	150.0	50.0	5/31/89	< 150.0
					11/06/89	< 150.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 6

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT		
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value	
6-S37-E14	Aluminum, filtered	PPB	150.0	50.0	11/06/89	<	150.0
					2/09/90	<	150.0
	Amitrole	PPB	10.0		11/06/89	<	10.0
					11/06/89	<	10.0
	Ammonium ion	PPB	50.0		11/06/89	<	50.0
					11/06/89	<	50.0
	Aniline	PPB	10.0		11/06/89	<	10.0
					11/06/89	<	10.0
	Anthracene	PPB	10.0		11/06/89	<	10.0
					11/06/89	<	10.0
	Antimony	PPB	100.0		11/06/89	<	100.0
					11/06/89	<	100.0
					2/09/90	<	100.0
	Antimony, filtered	PPB	100.0		5/31/89	<	100.0
					11/06/89	<	100.0
					11/06/89	<	100.0
					2/09/90	<	100.0
	Aramite	PPB	10.0		11/06/89	<	10.0
					11/06/89	<	10.0
	Arochlor 1016	PPB	1.0	.5	5/31/89	<	1.0
					11/06/89	<	1.0
					11/06/89	<	1.0
					2/09/90	<	1.0
	Arochlor 1221	PPB	1.0	.5	5/31/89	<	1.0
					11/06/89	<	1.0
					11/06/89	<	1.0
					2/09/90	<	1.0
	Arochlor 1232	PPB	1.0	.5	5/31/89	<	1.0
					11/06/89	<	1.0
					11/06/89	<	1.0
					2/09/90	<	1.0
	Arochlor 1242	PPB	1.0	.5	5/31/89	<	1.0
					11/06/89	<	1.0
					11/06/89	<	1.0
					2/09/90	<	1.0
	Arochlor 1248	PPB	1.0	.5	5/31/89	<	1.0
					11/06/89	<	1.0
					11/06/89	<	1.0
					2/09/90	<	1.0
	Arochlor 1254	PPB	1.0	.5	5/31/89	<	1.0
					11/06/89	<	1.0
					11/06/89	<	1.0
					2/09/90	<	1.0
	Arochlor 1260	PPB	1.0	.5	5/31/89	<	1.0

WHC-MR- 0 2 2 9

Geosciences Group PARADOX Database

11/26/90

Page 7

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S37-E14	Arochlor 1260	PPB	1.0	.5	11/06/89	< 1.0
					11/06/89	< 1.0
					2/09/90	< 1.0
	Arsenic	PPB	5.0	50.0	11/06/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Arsenic, filtered	PPB	5.0	50.0	5/31/89	< 5.0
					11/06/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Auramine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Barium	PPB	6.0	1000.0	11/06/89	13.0
					11/06/89	13.0
					2/09/90	13.0
	Barium, filtered	PPB	6.0	1000.0	5/31/89	17.0
					11/06/89	13.0
					11/06/89	13.0
					2/09/90	13.0
	Benz[a]anthracene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Benz[c]acridine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Benzene	PPB	5.0	5.0	5/31/89	< 5.0
					11/06/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Benzene, dichloromethyl	PPB	10.0		06/89	< 10.0
					11/06/89	< 10.0
	Benzenethiol	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Benzidine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Benzo(ghi)perylene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Benzo(k)Fluoranthene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Benzo[a]pyrene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Benzo[b]fluoranthene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Benzo[j]fluoranthene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Benzyl Alcohol	PPB	10.0		11/' '89	< 10.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 8

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S37-E14	Benzyl Alcohol	PPB	10.0		11/06/89	< 10.0
	Benzyl chloride	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Beryllium	PPB	5.0		11/06/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Beryllium, filtered	PPB	5.0		5/31/89	< 5.0
					11/06/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Beta-BHC	PPB	.1	4.0	5/31/89	< .1
					11/06/89	< .1
					11/06/89	< .1
					2/09/90	< .1
	Bis(2-chloro-1-methylethyl)eth	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Bis(2-chloroethoxy) methane	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Bis(2-chloroethyl) ether	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Bis(2-chloroisopropyl)ether	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Bis(2-ethylhexyl) phthalate	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Bis(chloromethyl) ether	PPB	5.0		11/06/89	< 5.0
					11/06/89	< 5.0
	Boron	PPB	10.0		11/06/89	10.0
					11/06/89	< 10.0
					2/09/90	16.0
	Boron, filtered	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					11/06/89	16.0
					2/09/90	16.0
	Bromide	PPB	1000.0		5/31/89	< 1000.0
					11/06/89	< 1000.0
					11/06/89	< 1000.0
					2/09/90	< 1000.0
	Bromoacetone	PPB	5.0		11/06/89	< 5.0
					11/06/89	< 5.0
	Bromodichloromethane	PPB	5.0	100.0	11/06/89	< 5.0
					11/06/89	< 5.0
	Bromoform	PPB	5.0	100.0	11/06/89	< 5.0
					11/06/89	< 5.0
	Butyl benzyl phthalate	PPB	10.0		11/06/89	< 10.0

WHC-MR- 0 2 2 9

Geosciences Group PARADOX Database

11/26/90

Page 9

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S37-E14	Butyl benzyl phthalate	PPB	10.0		11/06/89	< 10.0
	Cadmium	PPB	2.0	10.0	11/06/89	< 2.0
					11/06/89	< 2.0
					2/09/90	< 2.0
	Cadmium, filtered	PPB	2.0	10.0	5/31/89	< 2.0
					11/06/89	< 2.0
					11/06/89	< 2.0
					2/09/90	< 2.0
	Calcium	PPB	50.0		11/06/89	25500.0
					11/06/89	25600.0
					2/09/90	25200.0
	Calcium, filtered	PPB	50.0		5/31/89	27300.0
					11/06/89	25300.0
					11/06/89	25700.0
					2/09/90	25300.0
	Carbon Tetrachloride by GC/MS	PPB	5.0	5.0	5/31/89	< 5.0
					11/06/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Carbon disulfide	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Carbophenothion	PPB	2.0		11/06/89	< 2.0
					11/06/89	< 2.0
	Chlordane	PPB	1.0	2.0	11/06/89	< 1.0
					11/06/89	< 1.0
	Chloride	PPB	500.0	250000.0	5/31/89	1800.0
					11/06/89	1900.0
					11/06/89	2400.0
					2/09/90	1500.0
	Chlornaphazine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Chloroalkyl ethers	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Chlorobenzene	PPB	5.0	100.0	11/06/89	< 5.0
					11/06/89	< 5.0
	Chlorobenzene (by ABN)	PPB	10.0	60.0	5/31/89	< 10.0
					11/06/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Chlorobenzilate	PPB	300.0		11/06/89	< 300.0
					11/06/89	< 300.0
	Chloroethane	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Chloroform	PPB	5.0	100.0	5/31/89	< 3.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 10

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT		
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value	
6-S37-E14	Chloroform	PPB	5.0	100.0	11/06/89	<	3.0
					11/06/89	<	4.0
					2/09/90	<	5.0
	Chloromethyl methyl ether	PPB	10.0		11/06/89	<	10.0
					11/06/89	<	10.0
	Chromium	PPB	10.0	50.0	11/06/89	<	10.0
					11/06/89		22.0
					2/09/90		19.0
	Chromium, filtered	PPB	10.0	50.0	5/31/89	<	10.0
					11/06/89	<	10.0
					11/06/89	<	10.0
					2/09/90	<	10.0
	Chrysene	PPB	10.0		11/06/89	<	10.0
					11/06/89	<	10.0
	Citrus red	PPB	1000.0		11/06/89	<	1000.0
					11/06/89	<	1000.0
	Cobalt	PPB	20.0		11/06/89	<	20.0
					11/06/89	<	20.0
					2/09/90	<	20.0
	Cobalt, filtered	PPB	20.0		5/31/89	<	20.0
					11/06/89	<	20.0
					11/06/89	<	20.0
					2/09/90	<	20.0
	Coliform (Membrane Filter)	PPB	1.0	1.0	11/06/89	<	1.0
					11/06/89	<	1.0
	Copper	PPB	10.0	1000.0	11/06/89	<	10.0
					11/06/89	<	10.0
					2/09/90	<	10.0
	Copper, filtered	PPB	10.0	1000.0	5/31/89	<	10.0
					11/06/89	<	10.0
					11/06/89	<	10.0
					2/09/90	<	10.0
	Cresols	PPB	10.0		11/06/89	<	10.0
					11/06/89	<	10.0
	Crotonaldehyde	PPB	10.0		11/06/89	<	10.0
					11/06/89	<	10.0
	Cyanide	PPB	10.0		11/06/89	<	10.0
					11/06/89	<	10.0
	DDD	PPB	.1		11/06/89	<	.1
					11/06/89	<	.1
	DDE	PPB	.1		11/06/89	<	.1
					11/06/89	<	.1
	DDT	PPB	.1		11/06/89	<	.1
					11/06/89	<	.1

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 11

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S37-E14	Delta-BHC	PPB	.1	4.0	5/31/89	< .1
					11/06/89	< .1
					11/06/89	< .1
					2/09/90	< .1
	Di-n-butyl phthalate	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Di-n-octyl phthalate	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Di-n-propylnitrosamine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Diallate	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Dibenz[a,h]acridine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Dibenz[a,h]anthracene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Dibenz[a,j]acridine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Dibenzo[a,e]pyrene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Dibenzo[a,h]pyrene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Dibenzo[a,i]pyrene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Dibenzofuran	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Dibromomethane	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Dibutyl Phosphate	PPB	10000.0		11/06/89	< 10000.0
					11/06/89	< 10000.0
	Dichlorodifluoromethane	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Dieldrin	PPB	.1		11/06/89	< .1
					11/06/89	< .1
	Diethyl phthalate	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Diethylstilbesterol	PPB	200.0		11/06/89	< 200.0
					11/06/89	< 200.0
	Dihydrosafrole	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Dimethoate	PPB	2.0		11/06/89	< 2.0
					11/06/89	< 2.0
	Dimethyl phthalate	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 12

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S37-E14	Dinitrobenzene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Dinoseb	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Dioxane	PPB	500.0		11/06/89	< 500.0
					11/06/89	< 500.0
	Diphenylamine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Disulfoton	PPB	2.0		11/06/89	< 2.0
					11/06/89	< 2.0
	Endosulfan I	PPB	.1		11/06/89	< .1
					11/06/89	< .1
	Endosulfan II	PPB	.1		11/06/89	< .1
					11/06/89	< .1
	Endosulfan Sulfate	PPB	.5		11/06/89	< .5
					11/06/89	< .5
	Endrin	PPB	.1	.2	5/31/89	< .1
					11/06/89	< .1
					11/06/89	< .1
					2/09/90	< .1
	Ethanol	PPB	10000.0		11/06/89	< 10000.0
					11/06/89	< 10000.0
	Ethyl benzene	PPB	5.0	700.0	11/06/89	< 5.0
					11/06/89	< 5.0
	Ethyl carbamate	PPB	10000.0		11/06/89	< 10000.0
					11/06/89	< 10000.0
	Ethyl cyanide	PPB	10000.0		11/06/89	< 10000.0
					11/06/89	< 10000.0
	Ethyl methacrylate	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Ethyl methanesulfonate	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Ethylene Glycol	PPB	10000.0		11/06/89	< 10000.0
					11/06/89	< 10000.0
	Ethylene glycol	PPB	10000.0		5/31/89	< 10000.0
					2/09/90	< 10000.0
	Ethylene oxide	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Ethyleneimine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Ethylenethiourea	PPB	200.0		11/06/89	< 200.0
					11/06/89	< 200.0
	Fluoranthene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0

WHC-MR- 0 2 2 9

Geosciences Group PARADOX Database

11/26/90

Page 13

Well Result Report

1100 Area Groundwater Monitoring

WELL	CONSTITUENT				RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S37-E14	Fluorene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Fluoride	PPB	500.0	4000.0	5/31/89	< 500.0
					11/06/89	< 500.0
					11/06/89	< 500.0
					2/09/90	< 500.0
	Formalin	PPB	500.0		11/06/89	< 500.0
					11/06/89	< 500.0
	Gamma-BHC	PPB	.1	4.0	5/31/89	< .1
					11/06/89	< .1
					11/06/89	< .1
					2/09/90	< .1
	Gross beta	PCI/L	8.0	50.0	5/31/89	2.6
					11/06/89	< 1.3
					11/06/89	4.7
					2/09/90	4.0
	Heptachlor	PPB	.1	.4	11/06/89	< .1
					11/06/89	< .1
	Heptchlor epoxide	PPB	.1		11/06/89	< .1
					11/06/89	< .1
	Hexachlorobenzene	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Hexachlorobutadiene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Hexachlorocyclopentadiene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Hexachloroethane	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Hexachlorophene	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Hexachloropropene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Hydrazine, Low Detection Level	PPB	30.0		11/06/89	< 30.0
					11/06/89	< 30.0
	Indeno(1,2,3-cd)pyrene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Iodomethane	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Iron	PPB	30.0	300.0	11/06/89	101.0
					11/06/89	103.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 14

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S37-E14	Iron	PPB	30.0	300.0	2/09/90	114.0
	Iron, filtered	PPB	30.0	300.0	5/31/89	< 30.0
					11/06/89	< 30.0
					11/06/89	< 30.0
					2/09/90	< 30.0
	Isobutyl alcohol	PPB	10000.0		11/06/89	< 10000.0
					11/06/89	< 10000.0
	Isodrin	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Isophorone	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Isosafrole	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Kepone	PPB	1.0		11/06/89	< 1.0
					11/06/89	< 1.0
	Kerosene	PPB	10000.0		5/31/89	< 10000.0
					11/06/89	< 10000.0
					11/06/89	< 10000.0
					2/09/90	< 10000.0
	Lead (graphite furnace)	PPB	5.0	50.0	11/06/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Lead, filtered	PPB	5.0	50.0	5/31/89	< 5.0
					11/06/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Lithium	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Lithium, filtered	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Magnesium	PPB	50.0		11/06/89	4620.0
					11/06/89	4650.0
					2/09/90	4530.0
	Magnesium, filtered	PPB	50.0		5/31/89	5000.0
					11/06/89	4600.0
					11/06/89	4660.0
					2/09/90	4510.0
	Maleic hydrazide	PPB	500.0		11/06/89	< 500.0
					11/06/89	< 500.0
	Malononitrile	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 15

Well Result Report

1100 Area Groundwater Monitoring

WELL	CONSTITUENT				RESULT	
	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S37-E14	Manganese	PPB	5.0	50.0	11/06/89	5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Manganese, filtered	PPB	5.0	50.0	5/31/89	< 5.0
					11/06/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Melphalan	PPB	10.0		11/06/89	< 10.0
					11/05/89	< 10.0
	Mercury	PPB	.1	2.0	11/06/89	< .1
					11/06/89	< .1
					2/09/90	< .1
	Mercury, filtered	PPB	.1	2.0	5/31/89	< .1
					11/06/89	< .1
					11/06/89	< .1
					2/09/90	< .1
	Methacrylonitrile	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Methanethiol	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Methapyrilene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Metholonyl	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Methoxychlor	PPB	3.0	100.0	5/31/89	< 3.0
					11/06/89	< 3.0
					11/06/89	< 3.0
					2/09/90	< 3.0
	Methyl Isobutyl Ketone	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Methyl bromide	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Methyl chloride	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Methyl ethyl ketone	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Methyl methacrylate	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Methyl methanesulfonate	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S37-E14	Methyl parathion	PPB	2.0		11/06/89	< 2.0
					11/06/89	< 2.0
	Methylene Chloride	PPB	5.0		5/31/89	< 5.0
					11/06/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Methylthiouracil	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Molybdenum	PPB	40.0		11/06/89	< 40.0
					11/06/89	< 40.0
					2/09/90	< 40.0
	Molybdenum, filtered	PPB	40.0		5/31/89	< 40.0
					11/06/89	< 40.0
					11/06/89	< 40.0
					2/09/90	< 40.0
	Monobutyl Phosphate	PPB	10000.0		11/06/89	< 10000.0
					11/06/89	< 10000.0
	N,N-diethylhydrazine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	N-Nitrosodiphenylamine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	N-nitroso-N-methylurethane	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	N-nitrosodi-n-butylamine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	N-nitrosodiethanolamine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	N-nitrosodiethylamine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	N-nitrosodimethylamine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	N-nitrosomethylethylamine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	N-nitrosomethylvinylamine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	N-nitrosomorpholine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	N-nitrososornicotine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	N-nitrosopiperidine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	N-phenylthiourea	PPB	500.0		11/06/89	< 500.0
					11/06/89	< 500.0
	N-propylamine	PPB	10000.0		11/06/89	< 10000.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 17

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S37-E14	N-propylamine	PPB	10000.0		11/06/89	< 10000.0
	Naphthalene	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Nickel	PPB	10.0		11/06/89	< 10.0
					11/06/89	13.0
					2/09/90	10.0
	Nickel, filtered	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Nicotinic acid	PPB	100.0		11/06/89	< 100.0
					11/06/89	< 100.0
	Nitrate	PPB	500.0	45000.0	5/31/89	1500.0
					11/06/89	1300.0
					11/06/89	1300.0
					2/09/90	1500.0
	Nitrite	PPB	1000.0	3300.0	5/31/89	< 1000.0
					11/06/89	< 1000.0
					11/06/89	< 1000.0
					2/09/90	< 1000.0
	Nitrobenzene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Nitrosopyrrolidine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	O,O,O-triethyl phosphorothioat	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	O-toluidine hydrochloride	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	P benzoquinone	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	P-chloro-m-cresol	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	P-chloroaniline	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	P-dimethylaminoazobenzene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	P-nitroaniline	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	PHORATE	PPB	2.0		11/06/89	< 2.0
					11/06/89	< 2.0
	Paraldehyde	PPB	10000.0		11/06/89	< 10000.0
					11/06/89	< 10000.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 18

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Valuc
6-S37-E14	Parathion	PPB	2.0		11/06/89	< 2.0
					11/06/89	< 2.0
	Pcdd's	PPB	.0		11/06/89	< .0
	Pcdf's	PPB	.0		11/06/89	< .0
	Pentachlorobenzene	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Pentachloroethane	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Pentachloronitrobenzene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Pentachlorophenol	PPB	50.0	200.0	11/06/89	< 50.0
					11/06/89	< 50.0
	Phenacetin	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Phenanthrene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Phenol	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Phenylenediamine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Phosphate	PPB	1000.0		5/31/89	< 1000.0
					11/06/89	< 1000.0
					11/06/89	< 1000.0
					2/09/90	< 1000.0
	Phthalic acid esters	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Potassium	PPB	100.0		11/06/89	2130.0
					11/06/89	2150.0
					2/09/90	1840.0
	Potassium, filtered	PPB	100.0		5/31/89	2310.0
					11/06/89	2080.0
					11/06/89	2090.0
					2/09/90	1840.0
	Pronamide	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Propionitrile	PPB	5.0		11/06/89	< 5.0
					11/06/89	< 5.0
	Pyrene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Pyridine	PPB	500.0		11/06/89	< 500.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 19

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S37-E14	Pyridine	PPB	500.0		11/06/89	< 500.0
	Radium	PCI/L	1.0	5.0	5/31/89	< .1
					11/06/89	< .1
					11/06/89	< .1
	Reserpine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Resorcinol	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Safrol	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Selenium	PPB	5.0	10.0	11/06/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Selenium, filtered	PPB	5.0	10.0	5/31/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Silicon	PPB	50.0		11/06/89	6920.0
					11/06/89	7000.0
					2/09/90	6120.0
	Silicon, filtered	PPB	50.0		5/31/89	7220.0
					11/06/89	6900.0
					11/06/89	6910.0
					2/09/90	6090.0
	Silver	PPB	10.0	50.0	11/06/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Silver, filtered	PPB	10.0	50.0	5/31/89	< 10.0
					11/06/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Sodium	PPB	200.0		11/06/89	3420.0
					11/06/89	3460.0
					2/09/90	2960.0
	Sodium, filtered	PPB	200.0		5/31/89	4480.0
					11/06/89	3390.0
					11/06/89	3440.0
					2/09/90	2970.0
	Specific conductance	UMHO	1.0	700.0	5/31/89	135.0
					11/06/89	187.0
					2/09/90	164.0
	Strontium	PPB	10.0		11/06/89	98.0
					11/06/89	99.0
					2/09/90	95.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 20

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S37-E14	Strontium, filtered	PPB	10.0		5/31/89	106.0
					11/06/89	98.0
					11/06/89	99.0
					2/09/90	93.0
	Strychnine	PPB	50.0		11/06/89	< 50.0
					11/06/89	< 50.0
	Styrene	PPB	5.0	5.0	11/06/89	< 5.0
					11/06/89	< 5.0
	Sulfate	PPB	500.0	250000.0	5/31/89	14800.0
					11/06/89	11100.0
					11/06/89	11100.0
					2/09/90	11500.0
	Sulfide	PPB	1000.0		11/06/89	< 1000.0
					11/06/89	< 1000.0
	Sym-trinitrobenzene	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Tetrachloroethylene	PPB	5.0	5.0	5/31/89	< 5.0
					11/06/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Tetraethylpyrophosphate	PPB	2.0		11/06/89	< 2.0
					11/06/89	< 2.0
	Tetrahydrofuran	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Thallium	PPB	5.0		11/06/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Thallium, filtered	PPB	5.0		5/31/89	< 5.0
					11/06/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Thiofanox	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Thiourea	PPB	200.0		11/06/89	< 200.0
					11/06/89	< 200.0
	Thiuram	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Tin	PPB	30.0		11/06/89	< 30.0
					11/06/89	< 30.0
					2/09/90	< 30.0
	Tin, filtered	PPB	30.0		5/31/89	< 30.0
					11/06/89	< 30.0

WHC-MR- 0 2 2 9

Geosciences Group PARADOX Database

11/26/90

Page 21

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S37-E14	Tin, filtered	PPB	30.0		11/06/89	< 30.0
					2/09/90	< 30.0
	Titanium	PPB	60.0		11/06/89	< 60.0
					11/06/89	< 60.0
					2/09/90	< 60.0
	Titanium, filtered	PPB	60.0		5/31/89	< 60.0
					11/06/89	< 60.0
					11/06/89	< 60.0
					2/09/90	< 60.0
	Toluene	PPB	5.0	2000.0	5/31/89	< 5.0
					11/06/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Toluenediamine	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Total Organic Halogen, Low Det	PPB	10.0		5/31/89	34.0
					11/06/89	22.0
					2/09/90	< 6.0
	Total carbon	PPB	1000.0		5/31/89	20600.0
					11/06/89	19400.0
					11/06/89	19500.0
					2/09/90	18100.0
	Total organic carbon	PPB	1000.0		5/31/89	< 800.0
					11/06/89	< 800.0
					2/09/90	< 700.0
	Toxaphene	PPB	1.0	5.0	5/31/89	< 1.0
					11/06/89	< 1.0
					11/06/89	< 1.0
					2/09/90	< 1.0
	Trans-1,2-dichloroethene	PPB	5.0	70.0	5/31/89	< 5.0
					11/06/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Tributylphosphoric Acid	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Trichloroethylene	PPB	5.0	5.0	5/31/89	< 5.0
					11/06/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Trichloromethanethiol	PPB	10.0		11/06/89	< 10.0
					11/06/89	< 10.0
	Trichloromonofluoromethane	PPB	10.0		11/06/89	< 10.0

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT		
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value	
6-S37-E14	Trichloromonofluoromethane	PPB	10.0		11/06/89	<	10.0
	Tris(2,3-dibromopropyl) phosph	PPB	10.0		11/06/89	<	10.0
					11/06/89	<	10.0
	Tritium	PCI/L	500.0	20000.0	5/31/89	<	-18.2
					11/06/89	<	223.0
					11/06/89	<	239.0
	Turbidity	NTU	.1	5.0	11/06/89		.6
					2/09/90		.9
	Vanadium	PPB	5.0		11/06/89		6.0
					11/06/89		8.0
					2/09/90	<	5.0
	Vanadium, filtered	PPB	5.0		5/31/89		10.0
					11/06/89		7.0
					11/06/89		8.0
					2/09/90	<	5.0
	Vinyl Acetate	PPB	5.0		11/06/89	<	5.0
					11/06/89	<	5.0
	Vinyl chloride	PPB	10.0	2.0	5/31/89	<	10.0
					11/06/89	<	10.0
					11/06/89	<	10.0
					2/09/90	<	10.0
	Warfarin	PPB	10.0		11/06/89	<	10.0
					11/06/89	<	10.0
	Xylene-m	PPB	5.0	10000.0	5/31/89	<	5.0
					11/06/89	<	5.0
					11/06/89	<	5.0
					2/09/90	<	5.0
	Xylene-o,p	PPB	5.0	10000.0	5/31/89	<	5.0
					11/06/89	<	5.0
					11/06/89	<	5.0
					2/09/90	<	5.0
	Zinc	PPB	5.0	5000.0	11/06/89	<	5.0
					11/06/89	<	5.0
					2/09/90	<	5.0
	Zinc, filtered	PPB	5.0	5000.0	5/31/89	<	5.0
					11/06/89	<	5.0
					11/06/89	<	5.0
					2/09/90	<	5.0
	Zirconium	PPB	50.0		11/06/89	<	50.0
					11/06/89	<	50.0
					2/09/90	<	50.0
	Zirconium, filtered	PPB	50.0		5/31/89	<	50.0
					11/06/89	<	50.0
					11/06/89	<	50.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 23

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT		
Name	Name	Units	Detectio Limit	Drinking Water Standard	Sample Date	Analysis Value	
6-S37-E14	Zirconium, filtered	PPB	50.0		2/09/90	<	50.0
	dibromochloromethane	PPB	5.0	100.0	11/06/89	<	5.0
					11/06/89	<	5.0
	m-Nitroaniline	PPB	10.0		11/06/89	<	10.0
					11/06/89	<	10.0
	o-Nitroaniline	PPB	10.0		11/06/89	<	10.0
					11/06/89	<	10.0
	o-Nitrophenol	PPB	10.0		11/06/89	<	10.0
					11/06/89	<	10.0
	p-Dichlorobenzene	PPB	5.0	750.0	5/31/89	<	5.0
					11/06/89	<	5.0
					11/06/89	<	5.0
			10.0	750.0	2/09/90	<	5.0
					5/31/89	<	10.0
					11/06/89	<	10.0
					11/06/89	<	10.0
					2/09/90	<	10.0
	p-Nitrophenol	PPB	10.0		11/06/89	<	10.0
					11/06/89	<	10.0
	pH, Field Measurement		.1	8.5	5/31/89		7.5
					11/06/89		8.0
					2/09/90		8.1
	pH, Laboratory Measurement		.0	8.5	5/31/89		8.1
					11/06/89		7.9
					2/09/90		7.8
6-S40-E14	0,0-Diethyl-0,2-pyrazinyl phos	PPB	10.0		11/03/89	<	10.0
	1,1,1,2-tetrachlorethane	PPB	10.0		11/03/89	<	10.0
	1,1,1-trichloroethane	PPB	5.0	200.0	5/30/89	<	5.0
					11/03/89	<	5.0
					2/09/90	<	5.0
	1,1,2,2-tetrachlorethane	PPB	5.0		11/03/89	<	5.0
	1,1,2-trichloroethane	PPB	5.0		5/30/89	<	5.0
					11/03/89	<	5.0
					2/09/90	<	5.0
	1,1-dichloroethane	PPB	5.0		5/30/89	<	5.0
					11/03/89	<	5.0
					2/09/90	<	5.0
	1,1-dichloroethylene	PPB	10.0	7.0	11/03/89	<	10.0
	1,1-dimethylhydrazine	PPB	10.0		11/03/89	<	10.0
	1,2,3,4-tetrachlorobenzene	PPB	10.0		5/30/89	<	10.0
					11/03/89	<	10.0
					2/09/90	<	10.0
	1,2,3,5-tetrachlorobenzene	PPB	10.0		5/30/89	<	10.0

WHC-MR- 0 2 2 9

Geosciences Group PARADOX Database

11/26/90

Page 24

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S40-E14	1,2,3,5-tetrachlorobenzene	PPB	10.0		11/03/89	< 10.0
					2/09/90	< 10.0
	1,2,3-trichlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	1,2,3-trichloropropane	PPB	10.0		11/03/89	< 10.0
	1,2,4,5-tetrachlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	1,2,4-trichlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	1,2-dibromo-3-chloropropane	PPB	10.0	.2	11/03/89	< 10.0
	1,2-dibromoethane	PPB	10.0		11/03/89	< 10.0
	1,2-dichlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	1,2-dichloroethane	PPB	5.0	5.0	5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
	1,2-dichloropropane	PPB	5.0	5.0	11/03/89	< 5.0
	1,2-dimethylhydrazine	PPB	10.0		11/03/89	< 10.0
	1,2-diphenylhydrazine	PPB	10.0		11/03/89	< 10.0
	1,3,5-trichlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	1,3-dichlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	1,3-dichloropropene	PPB	5.0		11/03/89	< 5.0
	1,4-dichloro-2-butene	PPB	10.0		11/03/89	< 10.0
	1,4-naphthoquinone	PPB	10.0		11/03/89	< 10.0
	1-(o-chlorophenyl) thiourea	PPB	200.0		11/03/89	< 200.0
	1-Butanol	PPB	10000.0		11/03/89	< 10000.0
	1-Butynol	PPB	10000.0		11/03/89	< 10000.0
	1-Propanol	PPB	10000.0		11/03/89	< 10000.0
	1-acetyl-2-thiourea	PPB	200.0		11/03/89	< 200.0
	1-chloro-2,3-epoxypropane	PPB	10.0		11/03/89	< 10.0
	1-naphthyl-2-thiourea	PPB	200.0		11/03/89	< 200.0
	1-naphthylamine	PPB	10.0		11/03/89	< 10.0
	2,3,4,6-tetrachlorophenol	PPB	10.0		11/03/89	< 10.0
	2,3,7,8 TCDD	PPB	.0		11/03/89	< .0
	2,4,5-T	PPB	2.0		5/30/89	< 2.0
					11/03/89	< 2.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 25

Well Result Report

1100 Area Groundwater Monitoring

WELL	CONSTITUENT				RESULT	
	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S40-E14	2,4,5-T	PPB	2.0		2/09/90	< 2.0
					2/09/90	< 2.0
	2,4,5-TP silvex	PPB	2.0	10.0	5/30/89	< 2.0
					11/03/89	< 2.0
					2/09/90	< 2.0
					2/09/90	< 2.0
	2,4,5-Trichlorophenol	PPB	10.0		11/03/89	< 10.0
	2,4,6-trichlorophenol	PPB	10.0		11/03/89	< 10.0
	2,4-D	PPB	2.0	100.0	5/30/89	< 2.0
					11/03/89	< 2.0
					2/09/90	< 2.0
					2/09/90	< 2.0
	2,4-dichlorophenol	PPB	10.0		11/03/89	< 10.0
	2,4-dinitrophenol	PPB	10.0		11/03/89	< 10.0
	2,4-dinitrotoluene	PPB	10.0		11/03/89	< 10.0
	2,6-dichlorophenol	PPB	10.0		11/03/89	< 10.0
	2,6-dinitrotoluene	PPB	10.0		11/03/89	< 10.0
	2-Hexanone	PPB	50.0		11/03/89	< 50.0
	2-Methylnaphthalene	PPB	10.0		11/03/89	< 10.0
	2-acetylaminofluorene	PPB	10.0		11/03/89	< 10.0
	2-chloroethyl vinyl ether	PPB	5.0		11/03/89	< 5.0
	2-chloronaphthalene	PPB	10.0		11/03/89	< 10.0
	2-chlorophenol	PPB	10.0		11/03/89	< 10.0
	2-cyclohexyl-4,6-dinitrophenol	PPB	10.0		11/03/89	< 10.0
	2-methyl-2-(methylthio) propio	PPB	10.0		11/03/89	< 10.0
	2-methylaziridine	PPB	10.0		11/03/89	< 10.0
	2-methylactonitrile	PPB	10.0		11/03/89	< 10.0
	2-naphthylamine	PPB	10.0		11/03/89	< 10.0
	2-picoline	PPB	10.0		11/03/89	< 10.0
	2-propyn-1-ol	PPB	10000.0		11/03/89	< 10000.0
	2-sec-butyl-4,6-dinitrophenol	PPB	10.0		11/03/89	< 10.0
	3,3'-Dichlorobenzidine	PPB	10.0		11/03/89	< 10.0
	3,3'-dimethoxybenzidine	PPB	10.0		11/03/89	< 10.0
	3,3'-dimethylbenzidine	PPB	10.0		11/03/89	< 10.0
	3-chloropropionitrile	PPB	10000.0		11/03/89	< 10000.0
	3-methylcholanthrene	PPB	10.0		11/03/89	< 10.0
	4,4'-methylenebis(2-chloroanil	PPB	10.0		11/03/89	< 10.0
	4,6-dinitro-o-cresol and salts	PPB	10.0		11/03/89	< 10.0
	4-Nitroquinoline 1-oxide	PPB	10.0		11/03/89	< 10.0
	4-aminobiphenyl	PPB	10.0		11/03/89	< 10.0
	4-bromophenyl phenyl ether	PPB	10.0		11/03/89	< 10.0
	5-(aminomethyl)-3-isoxazolol	PPB	10.0		11/03/89	< 10.0
	5-nitro-o-toluidine	PPB	10.0		11/03/89	< 10.0
	7,12-dimethylbenz[a]anthracene	PPB	10.0		11/03/89	< 10.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 26

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S40-E14	7H-dibenzo[c,g]carbazole	PPB	10.0		11/03/89	< 10.0
	Acenaphthalene	PPB	10.0		11/03/89	< 10.0
	Acenaphthene	PPB	10.0		11/03/89	< 10.0
	Acetone - by ABN	PPB	10.0		11/03/89	< 10.0
	Acetone by VOA	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	Acetonitrile	PPB	10.0		11/03/89	< 10.0
	Acetophenone	PPB	10.0		11/03/89	< 10.0
	Acrolein	PPB	10.0		11/03/89	< 10.0
	Acrylamide	PPB	10000.0		11/03/89	< 10000.0
	Acrylonitrile	PPB	10.0		11/03/89	< 10.0
	Aldrin	PPB	.1		11/03/89	< .1
	Alkalinity		20000.0		5/30/89	61900.0
					11/03/89	72000.0
	Allyl Chloride	PPB	100.0		11/03/89	< 100.0
	Allyl alcohol	PPB	10000.0		11/03/89	< 10000.0
	Alpha, High Detection Level	PCI/L	4.0	15.0	5/30/89	1.7
					11/03/89	< .1
					2/09/90	1.0
					2/09/90	1.3
	Alpha,alpha-dimethylphenethyla	PPB	10.0		11/03/89	< 10.0
	Alpha-BHC	PPB	.1	4.0	5/30/89	< .1
					11/03/89	< .1
					2/09/90	< .1
					2/09/90	< .1
	Aluminum	PPB	150.0	50.0	11/03/89	225.0
					1/04/90	< 150.0
					2/09/90	< 150.0
					2/09/90	< 150.0
					3/20/90	< 150.0
	Aluminum, filtered	PPB	150.0	50.0	5/30/89	< 150.0
					11/03/89	< 150.0
					1/04/90	< 150.0
					2/09/90	< 150.0
					2/09/90	< 150.0
					3/20/90	< 150.0
	Amitrole	PPB	10.0		11/03/89	< 10.0
	Ammonium ion	PPB	50.0		11/03/89	< 50.0
	Aniline	PPB	10.0		11/03/89	< 10.0
	Anthracene	PPB	10.0		11/03/89	< 10.0
	Antimony	PPB	100.0		11/03/89	< 100.0
					1/04/90	< 100.0
					2/09/90	< 100.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 27

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S40-E14	Antimony	PPB	100.0		2/09/90	< 100.0
					3/20/90	< 100.0
	Antimony, filtered	PPB	100.0		5/30/89	< 100.0
					11/03/89	< 100.0
					1/04/90	< 100.0
					2/09/90	< 100.0
					2/09/90	< 100.0
					3/20/90	< 100.0
	Aramite	PPB	10.0		11/03/89	< 10.0
	Arochlor 1016	PPB	1.0	.5	5/30/89	< 1.0
					11/03/89	< 1.0
					2/09/90	< 1.0
					2/09/90	< 1.0
	Arochlor 1221	PPB	1.0	.5	5/30/89	< 1.0
					11/03/89	< 1.0
					2/09/90	< 1.0
					2/09/90	< 1.0
	Arochlor 1232	PPB	1.0	.5	5/30/89	< 1.0
					11/03/89	< 1.0
					2/09/90	< 1.0
					2/09/90	< 1.0
	Arochlor 1242	PPB	1.0	.5	5/30/89	< 1.0
					11/03/89	< 1.0
					2/09/90	< 1.0
					2/09/90	< 1.0
	Arochlor 1248	PPB	1.0	.5	5/30/89	< 1.0
					11/03/89	< 1.0
					2/09/90	< 1.0
					2/09/90	< 1.0
	Arochlor 1254	PPB	1.0	.5	5/30/89	< 1.0
					11/03/89	< 1.0
					2/09/90	< 1.0
					2/09/90	< 1.0
	Arochlor 1260	PPB	1.0	.5	5/30/89	< 1.0
					11/03/89	< 1.0
					2/09/90	< 1.0
					2/09/90	< 1.0
	Arsenic	PPB	5.0	50.0	11/03/89	< 5.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
					4/26/90	< 5.0
	Arsenic, filtered	PPB	5.0	50.0	5/30/89	< 5.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 28

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S40-E14	Arsenic, filtered	PPB	5.0	50.0	11/03/89	< 5.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
					4/26/90	< 5.0
	Auramine	PPB	10.0		11/03/89	< 10.0
	Barium	PPB	6.0	1000.0	11/03/89	18.0
					1/04/90	9.0
					2/09/90	10.0
					2/09/90	11.0
					3/20/90	10.0
	Barium, filtered	PPB	6.0	1000.0	5/30/89	10.0
					11/03/89	12.0
					1/04/90	9.0
					2/09/90	10.0
					2/09/90	10.0
					3/20/90	9.0
	Benz[a]anthracene	PPB	10.0		11/03/89	< 10.0
	Benz[c]acridine	PPB	10.0		11/03/89	< 10.0
	Benzene	PPB	5.0	5.0	5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
	Benzene, dichloromethyl	PPB	10.0		11/03/89	< 10.0
	Benzenethoil	PPB	10.0		11/03/89	< 10.0
	Benzidine	PPB	10.0		11/03/89	< 10.0
	Benzo(ghi)perylene	PPB	10.0		11/03/89	< 10.0
	Benzo(k)Fluoranthene	PPB	10.0		11/03/89	< 10.0
	Benzo[a]pyrene	PPB	10.0		11/03/89	< 10.0
	Benzo[b]fluoranthene	PPB	10.0		11/03/89	< 10.0
	Benzo[j]fluoranthene	PPB	10.0		11/03/89	< 10.0
	Benzyl Alcohol	PPB	10.0		11/03/89	< 10.0
	Benzyl chloride	PPB	10.0		11/03/89	< 10.0
	Beryllium	PPB	5.0		11/03/89	< 5.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
	Beryllium, filtered	PPB	5.0		5/30/89	< 5.0
					11/03/89	< 5.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 29

Well Result Report

1100 Area Groundwater Monitoring

WELL	CONSTITUENT				RESULT	
	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S40-E14	Beta-BHC	PPB	.1	4.0	5/30/89	< .1
					11/03/89	< .1
					2/09/90	< .1
					2/09/90	< .1
	Bis(2-chloro-1-methylethyl)eth	PPB	10.0		11/03/89	< 10.0
	Bis(2-chloroethoxy) methane	PPB	10.0		11/03/89	< 10.0
	Bis(2-chloroethyl) ether	PPB	10.0		11/03/89	< 10.0
	Bis(2-chloroisopropyl)ether	PPB	10.0		11/03/89	< 10.0
	Bis(2-ethylhexyl) phthalate	PPB	10.0		11/03/89	< 10.0
	Bis(chloromethyl) ether	PPB	5.0		11/03/89	< 5.0
	Boron	PPB	10.0		11/03/89	12.0
					1/04/90	< 10.0
					2/09/90	24.0
					2/09/90	37.0
					3/20/90	22.0
	Boron, filtered	PPB	10.0		5/30/89	< 10.0
					11/03/89	12.0
					1/04/90	< 10.0
					2/09/90	17.0
					2/09/90	34.0
					3/20/90	18.0
	Bromide	PPB	1000.0		5/30/89	< 1000.0
					11/03/89	< 1000.0
					1/04/90	< 1000.0
					2/09/90	< 1000.0
					2/09/90	< 1000.0
					3/20/90	< 1000.0
					4/26/90	< 1000.0
	Bromoacetone	PPB	5.0		11/03/89	< 5.0
	Bromodichloromethane	PPB	5.0	100.0	11/03/89	< 5.0
	Bromoform	PPB	5.0	100.0	11/03/89	< 5.0
	Butyl benzyl phthalate	PPB	10.0		11/03/89	< 10.0
	Cadmium	PPB	2.0	10.0	11/03/89	< 2.0
					1/04/90	< 2.0
					2/09/90	< 2.0
					2/09/90	< 2.0
					3/20/90	< 2.0
	Cadmium, filtered	PPB	2.0	10.0	5/30/89	< 2.0
					11/03/89	< 2.0
					1/04/90	< 2.0
					2/09/90	< 2.0
					2/09/90	< 2.0
					3/20/90	< 2.0
	Calcium	PPB	50.0		11/03/89	23900.0

WHC-MR- 0 2 2 9

Geosciences Group PARADOX Database

11/26/90

Page 30

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S40-E14	Calcium	PPB	50.0		1/04/90	20100.0
					2/09/90	24100.0
					2/09/90	24400.0
					3/20/90	22300.0
	Calcium, filtered	PPB	50.0		5/30/89	19300.0
					11/03/89	24300.0
					1/04/90	21000.0
					2/09/90	23800.0
					2/09/90	23900.0
					3/20/90	21600.0
	Carbon Tetrachloride by GC/MS	PPB	5.0	5.0	5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
	Carbon disulfide	PPB	10.0		11/03/89	< 10.0
	Carbophenothion	PPB	2.0		11/03/89	< 2.0
	Chlordane	PPB	1.0	2.0	11/03/89	< 1.0
	Chloride	PPB	500.0	250000.0	5/30/89	1000.0
					11/03/89	1300.0
					1/04/90	1200.0
					2/09/90	1500.0
					2/09/90	1500.0
					3/20/90	1200.0
					4/26/90	1200.0
	Chloronaphazine	PPB	10.0		11/03/89	< 10.0
	Chloroalkyl ethers	PPB	10.0		11/03/89	< 10.0
	Chlorobenzene	PPB	5.0	100.0	11/03/89	< 5.0
	Chlorobenzene (by ABN)	PPB	10.0	60.0	5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	Chlorobenzilate	PPB	300.0		11/03/89	< 300.0
	Chloroethane	PPB	10.0		11/03/89	< 10.0
	Chloroform	PPB	5.0	100.0	5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	6.0
	Chloromethyl methyl ether	PPB	10.0		11/03/89	< 10.0
	Chromium	PPB	10.0	50.0	11/03/89	< 10.0
					1/04/90	< 10.0
					2/09/90	10.0
					2/09/90	< 10.0
					3/20/90	12.0
	Chromium, filtered	PPB	10.0	50.0	5/30/89	< 10.0
					11/03/89	< 10.0
					1/04/90	< 10.0
					2/09/90	< 10.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 31

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S40-E14	Chromium, filtered	PPB	10.0	50.0	2/09/90	< 10.0
					3/20/90	< 10.0
	Chrysene	PPB	10.0		11/03/89	< 10.0
	Citrus red	PPB	1000.0		11/03/89	< 1000.0
	Cobalt	PPB	20.0		11/03/89	< 20.0
					1/04/90	< 20.0
					2/09/90	< 20.0
					2/09/90	< 20.0
					3/20/90	< 20.0
	Cobalt, filtered	PPB	20.0		5/30/89	< 20.0
					11/03/89	< 20.0
					1/04/90	< 20.0
					2/09/90	< 20.0
					2/09/90	< 20.0
					3/20/90	< 20.0
	Coliform bacteria	MPN	2.2	1.0	11/03/89	< 2.2
	Copper	PPB	10.0	1000.0	11/03/89	< 10.0
					1/04/90	< 10.0
					2/09/90	< 10.0
					2/09/90	< 10.0
					3/20/90	< 10.0
	Copper, filtered	PPB	10.0	1000.0	5/30/89	< 10.0
					11/03/89	< 10.0
					1/04/90	< 10.0
					2/09/90	< 10.0
					2/09/90	< 10.0
					3/20/90	< 10.0
	Cresols	PPB	10.0		11/03/89	< 10.0
	Crotonaldehyde	PPB	10.0		11/03/89	< 10.0
	Cyanide	PPB	10.0		11/03/89	< 10.0
	DDD	PPB	.1		11/03/89	< .1
	DDE	PPB	.1		11/03/89	< .1
	DDT	PPB	.1		11/03/89	< .1
	Delta-BHC	PPB	.1	4.0	5/30/89	< .1
					11/03/89	< .1
					2/09/90	< .1
					2/09/90	< .1
	Di-n-butyl phthalate	PPB	10.0		11/03/89	< 10.0
	Di-n-octyl phthalate	PPB	10.0		11/03/89	< 10.0
	Di-n-propylnitrosamine	PPB	10.0		11/03/89	< 10.0
	Diallate	PPB	10.0		11/03/89	< 10.0
	Dibenz[a,h]acridine	PPB	10.0		11/03/89	< 10.0
	Dibenz[a,h]anthracene	PPB	10.0		11/03/89	< 10.0
	Dibenz[a,j]acridine	PPB	10.0		11/03/89	< 10.0

11/26/90

Page 32

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S40-E14	Dibenzo[a,e]pyrene	PPB	10.0		11/03/89	< 10.0
	Dibenzo[a,h]pyrene	PPB	10.0		11/03/89	< 10.0
	Dibenzo[a,i]pyrene	PPB	10.0		11/03/89	< 10.0
	Dibenzofuran	PPB	10.0		11/03/89	< 10.0
	Dibromomethane	PPB	10.0		11/03/89	< 10.0
	Dibutyl Phosphate	PPB	10000.0		11/03/89	< 10000.0
	Dichlorodifluoromethane	PPB	10.0		11/03/89	< 10.0
	Dieldrin	PPB	.1		11/03/89	< .1
	Diethyl phthalate	PPB	10.0		11/03/89	< 10.0
	Diethylstilbesterol	PPB	200.0		11/03/89	< 200.0
	Dihydrosafrole	PPB	10.0		11/03/89	< 10.0
	Dimethoate	PPB	2.0		11/03/89	< 2.0
	Dimethyl phthalate	PPB	10.0		11/03/89	< 10.0
	Dinitrobenzene	PPB	10.0		11/03/89	< 10.0
	Dinoseb	PPB	10.0		11/03/89	< 10.0
	Dioxane	PPB	500.0		11/03/89	< 500.0
	Diphenylamine	PPB	10.0		11/03/89	< 10.0
	Disulfoton	PPB	2.0		11/03/89	< 2.0
	Endosulfan I	PPB	.1		11/03/89	< .1
	Endosulfan II	PPB	.1		11/03/89	< .1
	Endosulfan Sulfate	PPB	.5		11/03/89	< .5
	Endrin	PPB	.1	.2	5/30/89	< .1
					11/03/89	< .1
					2/09/90	< .1
					2/09/90	< .1
	Ethanol	PPB	10000.0		11/03/89	< 10000.0
	Ethyl benzene	PPB	5.0	700.0	11/03/89	< 5.0
	Ethyl carbamate	PPB	10000.0		11/03/89	< 10000.0
	Ethyl cyanide	PPB	10000.0		11/03/89	< 10000.0
	Ethyl methacrylate	PPB	10.0		11/03/89	< 10.0
	Ethyl methanesulfonate	PPB	10.0		11/03/89	< 10.0
	Ethylene Glycol	PPB	10000.0		11/03/89	< 10000.0
	Ethylene glycol	PPB	10000.0		5/30/89	< 10000.0
					1/04/90	< 10000.0
					2/09/90	< 10000.0
					3/20/90	< 10000.0
					4/26/90	< 10000.0
	Ethylene oxide	PPB	10.0		11/03/89	< 10.0
	Ethyleneimine	PPB	10.0		11/03/89	< 10.0
	Ethylenethiourea	PPB	200.0		11/03/89	< 200.0
	Fluoranthene	PPB	10.0		11/03/89	< 10.0
	Fluorene	PPB	10.0		11/03/89	< 10.0
	Fluoride	PPB	500.0	4000.0	5/30/89	< 500.0
					11/03/89	< 500.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 33

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S40-E14	Fluoride	PPB	500.0	4000.0	1/04/90	< 500.0
					2/09/90	< 500.0
					2/09/90	< 500.0
					3/20/90	< 500.0
					4/26/90	< 500.0
	Formalin	PPB	500.0		11/03/89	< 500.0
	Gamma-BHC	PPB	.1	4.0	5/30/89	< .1
					11/03/89	< .1
					2/09/90	< .1
					2/09/90	< .1
	Gross beta	PCI/L	8.0	50.0	5/30/89	3.0
					11/03/89	< 1.9
					2/09/90	< .4
					2/09/90	3.0
	Heptachlor	PPB	.1	.4	11/03/89	< .1
	Heptchlor epoxide	PPB	.1		11/03/89	< .1
	Hexachlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	Hexachlorobutadiene	PPB	10.0		11/03/89	< 10.0
	Hexachlorocyclopentadiene	PPB	10.0		11/03/89	< 10.0
	Hexachloroethane	PPB	10.0		11/03/89	< 10.0
	Hexachlorophene	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	Hexachloropropene	PPB	10.0		11/03/89	< 10.0
	Hydrazine, Low Detection Level	PPB	30.0		11/03/89	< 30.0
	Indeno(1,2,3-cd)pyrene	PPB	10.0		11/03/89	< 10.0
	Iodomethane	PPB	10.0		11/03/89	< 10.0
	Iron	PPB	30.0	300.0	11/03/89	394.0
					1/04/90	67.0
					2/09/90	44.0
					2/09/90	58.0
					3/20/90	65.0
	Iron, filtered	PPB	30.0	300.0	5/30/89	< 30.0
					11/03/89	< 30.0
					1/04/90	< 30.0
					2/09/90	< 30.0
					2/09/90	< 30.0
					3/20/90	< 30.0
	Isobutyl alcohol	PPB	10000.0		11/03/89	< 10000.0
	Isodrin	PPB	10.0		11/03/89	< 10.0
	Isophorone	PPB	10.0		11/03/89	< 10.0
	Isosafrole	PPB	10.0		11/03/89	< 10.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 34

Well Result Report

1100 Area Groundwater Monitoring

WELL	CONSTITUENT				RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S40-E14	Kepone	PPB	1.0		11/03/89	< 1.0
	Kerosene	PPB	10000.0		5/30/89	< 10000.0
					11/03/89	< 10000.0
					2/09/90	< 10000.0
	Lead (graphite furnace)	PPB	5.0	50.0	11/03/89	< 5.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
	Lead, filtered	PPB	5.0	50.0	5/30/89	< 5.0
					11/03/89	< 5.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
	Lithium	PPB	10.0		11/03/89	< 10.0
					1/04/90	< 10.0
					2/09/90	< 10.0
					2/09/90	< 10.0
					3/20/90	< 10.0
	Lithium, filtered	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					1/04/90	< 10.0
					2/09/90	< 10.0
					2/09/90	< 10.0
					3/20/90	< 10.0
	Magnesium	PPB	50.0		11/03/89	4840.0
					1/04/90	4210.0
					2/09/90	4900.0
					2/09/90	4910.0
					3/20/90	4940.0
	Magnesium, filtered	PPB	50.0		5/30/89	3970.0
					11/03/89	4840.0
					1/04/90	4430.0
					2/09/90	4890.0
					2/09/90	4920.0
					3/20/90	4810.0
	Maleic hydrazide	PPB	500.0		11/03/89	< 500.0
	Malononitrile	PPB	10.0		11/03/89	< 10.0
	Manganese	PPB	5.0	50.0	11/03/89	< 5.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 35

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT		
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value	
6-S40-E14	Manganese, filtered	PPB	5.0	50.0	5/30/89	<	5.0
					11/03/89	<	5.0
					1/04/90	<	5.0
					2/09/90	<	5.0
					2/09/90	<	5.0
					3/20/90	<	5.0
	Melphalan	PPB	10.0		11/03/89	<	10.0
	Mercury	PPB	.1	2.0	11/03/89	<	.1
					2/09/90	<	.1
	Mercury, filtered	PPB	.1	2.0	5/30/89	<	.1
					11/03/89	<	.1
					2/09/90	<	.1
	Methacrylonitrile	PPB	10.0		11/03/89	<	10.0
	Methanethiol	PPB	10.0		11/03/89	<	10.0
	Methapyrilene	PPB	10.0		11/03/89	<	10.0
	Metholonyl	PPB	10.0		11/03/89	<	10.0
	Methoxychlor	PPB	3.0	100.0	5/30/89	<	3.0
					11/03/89	<	3.0
					2/09/90	<	3.0
					2/09/90	<	3.0
	Methyl Isobutyl Ketone	PPB	10.0		5/30/89	<	10.0
					11/03/89	<	10.0
					2/09/90	<	10.0
	Methyl bromide	PPB	10.0		11/03/89	<	10.0
	Methyl chloride	PPB	10.0		11/03/89	<	10.0
	Methyl ethyl ketone	PPB	10.0		5/30/89	<	10.0
					11/03/89	<	10.0
					2/09/90	<	10.0
	Methyl methacrylate	PPB	10.0		11/03/89	<	10.0
	Methyl methanesulfonate	PPB	10.0		11/03/89	<	10.0
	Methyl parathion	PPB	2.0		11/03/89	<	2.0
	Methylene Chloride	PPB	5.0		5/30/89	<	5.0
					11/03/89	<	5.0
					2/09/90	<	5.0
	Methylthiouracil	PPB	10.0		11/03/89	<	10.0
	Molybdenum	PPB	40.0		11/03/89	<	40.0
					1/04/90	<	40.0
					2/09/90	<	40.0
					2/09/90	<	40.0
					3/20/90	<	40.0
	Molybdenum, filtered	PPB	40.0		5/30/89	<	40.0
					11/03/89	<	40.0
					1/04/90	<	40.0
					2/09/90	<	40.0

WHC-MR- 0 2 2 9

Geosciences Group PARADOX Database

11/26/90

Page 36

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S40-E14	Molybdenum, filtered	PPB	40.0		2/09/90	< 40.0
					3/20/90	< 40.0
	Monobutyl Phosphate	PPB	10000.0		11/03/89	< 10000.0
	N,N-diethylhydrazine	PPB	10.0		11/03/89	< 10.0
	N-Nitrosodiphenylamine	PPB	10.0		11/03/89	< 10.0
	N-nitroso-N-methylurethane	PPB	10.0		11/03/89	< 10.0
	N-nitrosodi-n-butylamine	PPB	10.0		11/03/89	< 10.0
	N-nitrosodiethanolamine	PPB	10.0		11/03/89	< 10.0
	N-nitrosodiethylamine	PPB	10.0		11/03/89	< 10.0
	N-nitrosodimethylamine	PPB	10.0		11/03/89	< 10.0
	N-nitrosomethylethylamine	PPB	10.0		11/03/89	< 10.0
	N-nitrosomethylvinylamine	PPB	10.0		11/03/89	< 10.0
	N-nitrosomorpholine	PPB	10.0		11/03/89	< 10.0
	N-nitrosornicotine	PPB	10.0		11/03/89	< 10.0
	N-nitrosopiperidine	PPB	10.0		11/03/89	< 10.0
	N-phenylthiourea	PPB	500.0		11/03/89	< 500.0
	N-propylamine	PPB	10000.0		11/03/89	< 10000.0
	Naphthalene	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	Nickel	PPB	10.0		11/03/89	< 10.0
					1/04/90	< 10.0
					2/09/90	< 10.0
					2/09/90	< 10.0
					3/20/90	< 10.0
	Nickel, filtered	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					1/04/90	< 10.0
					2/09/90	< 10.0
					2/09/90	< 10.0
					3/20/90	< 10.0
	Nicotinic acid	PPB	100.0		11/03/89	< 100.0
	Nitrate	PPB	500.0	45000.0	5/30/89	< 500.0
					11/03/89	1000.0
					1/04/90	2600.0
					2/09/90	900.0
					2/09/90	900.0
					3/20/90	800.0
					4/26/90	1300.0
	Nitrite	PPB	1000.0	3300.0	5/30/89	< 1000.0
					11/03/89	< 1000.0
					1/04/90	< 1000.0
					2/09/90	< 1000.0
					2/09/90	< 1000.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 37

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S40-E14	Nitrite	PPB	1000.0	3300.0	3/20/90	< 1000.0
					4/26/90	< 1000.0
	Nitrobenzine	PPB	10.0		11/03/89	< 10.0
	Nitrosopyrrolidine	PPB	10.0		11/03/89	< 10.0
	O,O,O-triethyl phosphorothioat	PPB	10.0		11/03/89	< 10.0
	O-toluidine hydrochloride	PPB	10.0		11/03/89	< 10.0
	P benzoquinone	PPB	10.0		11/03/89	< 10.0
	P-chloro-m-cresol	PPB	10.0		11/03/89	< 10.0
	P-chloroaniline	PPB	10.0		11/03/89	< 10.0
	P-dimethylaminoazobenzene	PPB	10.0		11/03/89	< 10.0
	P-nitroaniline	PPB	10.0		11/03/89	< 10.0
	PHORATE	PPB	2.0		11/03/89	< 2.0
	Paraldehyde	PPB	10000.0		11/03/89	< 10000.0
	Parathion	PPB	2.0		11/03/89	< 2.0
	Pcdd's	PPB	.0		11/03/89	< .0
	Pcdf's	PPB	.0		11/03/89	< .0
	Pentachlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	Pentachloroethane	PPB	10.0		11/03/89	< 10.0
	Pentachloronitrobenzene	PPB	10.0		11/03/89	< 10.0
	Pentachlorophenol	PPB	50.0	200.0	11/03/89	< 50.0
	Perchlorate	PPB	500.0		11/03/89	< 500.0
	Phenacetin	PPB	10.0		11/03/89	< 10.0
	Phenanthrene	PPB	10.0		11/03/89	< 10.0
	Phenol	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	Phenylenediamine	PPB	10.0		11/03/89	< 10.0
	Phosphate	PPB	1000.0		5/30/89	< 1000.0
					11/03/89	< 1000.0
					1/04/90	< 1000.0
					2/09/90	< 1000.0
					2/09/90	< 1000.0
					3/20/90	< 1000.0
					4/26/90	< 1000.0
	Phthalic acid esters	PPB	10.0		11/03/89	< 10.0
	Potassium	PPB	100.0		11/03/89	1200.0
					1/04/90	710.0
					2/09/90	789.0
					2/09/90	799.0
					3/20/90	765.0
	Potassium, filtered	PPB	100.0		5/30/89	377.0
					11/03/89	1160.0

WHC-MR- 0 2 2 9

Geosciences Group PARADOX Database

11/26/90

Page 38

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S40-E14	Potassium, filtered	PPB	100.0		1/04/90	752.0
					2/09/90	778.0
					2/09/90	790.0
					3/20/90	741.0
	Pronamide	PPB	10.0		11/03/89	< 10.0
	Propionitrile	PPB	5.0		11/03/89	< 5.0
	Pyrene	PPB	10.0		11/03/89	< 10.0
	Pyridine	PPB	500.0		11/03/89	< 500.0
	Radium	PCI/L	1.0	5.0	5/30/89	.4
					11/03/89	< .1
	Reserpine	PPB	10.0		11/03/89	< 10.0
	Resorcinol	PPB	10.0		11/03/89	< 10.0
	Safrol	PPB	10.0		11/03/89	< 10.0
	Selenium	PPB	5.0	10.0	11/03/89	< 5.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
					4/26/90	< 5.0
	Selenium, filtered	PPB	5.0	10.0	5/30/89	< 5.0
					11/03/89	< 5.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
					4/26/90	< 5.0
	Silicon	PPB	50.0		11/03/89	4440.0
					1/04/90	2530.0
					2/09/90	2910.0
					2/09/90	2930.0
					3/20/90	2740.0
	Silicon, filtered	PPB	50.0		5/30/89	3280.0
					11/03/89	4020.0
					1/04/90	2650.0
					2/09/90	2810.0
					2/09/90	2820.0
					3/20/90	2650.0
	Silver	PPB	10.0	50.0	11/03/89	< 10.0
					1/04/90	< 10.0
					2/09/90	< 10.0
					2/09/90	< 10.0
					3/20/90	< 10.0
	Silver, filtered	PPB	10.0	50.0	5/30/89	< 10.0
					11/03/89	< 10.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 39

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S40-E14	Silver, filtered	PPB	10.0	50.0	1/04/90	< 10.0
					2/09/90	< 10.0
					2/09/90	< 10.0
					3/20/90	< 10.0
	Sodium	PPB	200.0		11/03/89	2510.0
					1/04/90	1960.0
					2/09/90	2340.0
					2/09/90	2350.0
	Sodium, filtered	PPB	200.0		3/20/90	2330.0
					5/30/89	2310.0
					11/03/89	2490.0
					1/04/90	2050.0
	Specific conductance	UMHO	1.0	700.0	2/09/90	2360.0
					2/09/90	2380.0
					3/20/90	2250.0
					5/30/89	118.0
	Strontium	PPB	10.0		11/03/89	168.0
					1/04/90	156.0
					2/09/90	163.0
					3/20/90	163.0
	Strontium, filtered	PPB	10.0		4/26/90	152.0
					11/03/89	109.0
					1/04/90	90.0
					2/09/90	105.0
	Strychnine	PPB	50.0		2/09/90	106.0
					3/20/90	103.0
					5/30/89	88.0
					11/03/89	110.0
	Styrene	PPB	5.0	5.0	1/04/90	93.0
					2/09/90	104.0
					2/09/90	105.0
					3/20/90	100.0
	Sulfate	PPB	500.0	250000.0	11/03/89	< 50.0
					11/03/89	< 5.0
					5/30/89	10300.0
					11/03/89	11100.0
	Sulfide	PPB	1000.0		1/04/90	11000.0
					2/09/90	12200.0
					2/09/90	12200.0
					3/20/90	11400.0
	Sym-trinitrobenzene	PPB	10.0		4/26/90	11000.0
					11/03/89	< 1000.0
					11/03/89	< 10.0
					5/30/89	< 5.0
	Tetrachloroethylene	PPB	5.0	5.0		

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 40

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S40-E14	Tetrachloroethylene	PPB	5.0	5.0	11/03/89	< 5.0
					2/09/90	< 5.0
	Tetraethylpyrophosphate	PPB	2.0		11/03/89	< 2.0
	Tetrahydrofuran	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	Thallium	PPB	5.0		11/03/89	< 5.0
					2/09/90	< 5.0
					2/09/90	< 5.0
	Thallium, filtered	PPB	5.0		5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
					2/09/90	< 5.0
	Thiofanox	PPB	10.0		11/03/89	< 10.0
	Thiourea	PPB	200.0		11/03/89	< 200.0
	Thiuram	PPB	10.0		11/03/89	< 10.0
	Tin	PPB	30.0		11/03/89	< 30.0
					1/04/90	< 30.0
					2/09/90	< 30.0
					2/09/90	< 30.0
					3/20/90	< 30.0
	Tin, filtered	PPB	30.0		5/30/89	< 30.0
					11/03/89	< 30.0
					1/04/90	< 30.0
					2/09/90	< 30.0
					2/09/90	< 30.0
					3/20/90	< 30.0
	Titanium	PPB	60.0		11/03/89	< 60.0
					1/04/90	< 60.0
					2/09/90	< 60.0
					2/09/90	< 60.0
					3/20/90	< 60.0
	Titanium, filtered	PPB	60.0		5/30/89	< 60.0
					11/03/89	< 60.0
					1/04/90	< 60.0
					2/09/90	< 60.0
					2/09/90	< 60.0
					3/20/90	< 60.0
	Toluene	PPB	5.0	2000.0	5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
	Toluenediamine	PPB	10.0		11/03/89	< 10.0
	Total Organic Halogen, Low Det	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 7.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 41

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S40-E14	Total Organic Halogen, Low Det	PPB	10.0		2/09/90	16.0
	Total carbon	PPB	1000.0		5/30/89	15100.0
					11/03/89	18200.0
					2/09/90	17200.0
	Total organic carbon	PPB	1000.0		5/30/89	< 900.0
					11/03/89	< 800.0
					2/09/90	< 800.0
	Toxaphene	PPB	1.0	5.0	5/30/89	< 1.0
					11/03/89	< 1.0
					2/09/90	< 1.0
					2/09/90	< 1.0
	Trans-1,2-dichloroethene	PPB	5.0	70.0	5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
	Tributylphosphoric Acid	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	Trichloroethylene	PPB	5.0	5.0	5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
	Trichloromethanethiol	PPB	10.0		11/03/89	< 10.0
	Trichloromonofluoromethane	PPB	10.0		11/03/89	< 10.0
	Tris(2,3-dibromopropyl) phosph	PPB	10.0		11/03/89	< 10.0
	Tritium	PCI/L	500.0	20000.0	5/30/89	< 66.1
					11/03/89	< 101.0
	Turbidity	NTU	.1	5.0	11/03/89	4.7
					2/09/90	.2
	Vanadium	PPB	5.0		11/03/89	< 5.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
	Vanadium, filtered	PPB	5.0		5/30/89	7.0
					11/03/89	< 5.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
	Vinyl Acetate	PPB	5.0		11/03/89	< 5.0
	Vinyl chloride	PPB	10.0	2.0	5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	Warfarin	PPB	10.0		11/03/89	< 10.0
	Xylene-m	PPB	5.0	10000.0	5/30/89	< 5.0

11/26/90

Page 42

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S40-E14	Xylene-m	PPB	5.0	10000.0	11/03/89	< 5.0
					2/09/90	< 5.0
	Xylene-o,p	PPB	5.0	10000.0	5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
	Zinc	PPB	5.0	5000.0	11/03/89	12.0
					1/04/90	< 5.0
					2/09/90	5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
	Zinc, filtered	PPB	5.0	5000.0	5/30/89	< 5.0
					11/03/89	< 5.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
	Zirconium	PPB	50.0		11/03/89	< 50.0
					1/04/90	< 50.0
					2/09/90	< 50.0
					2/09/90	< 50.0
					3/20/90	< 50.0
	Zirconium, filtered	PPB	50.0		5/30/89	< 50.0
					11/03/89	< 50.0
					1/04/90	< 50.0
					2/09/90	< 50.0
					2/09/90	< 50.0
					3/20/90	< 50.0
	dibromochloromethane	PPB	5.0	100.0	11/03/89	< 5.0
	m-Nitroaniline	PPB	10.0		11/03/89	< 10.0
	o-Nitroaniline	PPB	10.0		11/03/89	< 10.0
	o-Nitrophenol	PPB	10.0		11/03/89	< 10.0
	p-Dichlorobenzene	PPB	5.0	750.0	5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
			10.0	750.0	5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	p-Nitrophenol	PPB	10.0		11/03/89	< 10.0
	pH, Field Measurement		.1	8.5	5/30/89	7.6
					11/03/89	8.1
					1/04/90	8.2
					2/09/90	8.0
					3/20/90	7.9
					4/26/90	7.9

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 43

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S40-E14	pH, Laboratory Measurement		.0	8.5	5/30/89	7.8
					11/03/89	7.9
					2/09/90	7.6
6-S41-E13A	0,0-Diethyl-0,2-pyrazinyl phos	PPB	10.0		11/03/89	< 10.0
	1,1,1,2-tetrachlorethane	PPB	10.0		11/03/89	< 10.0
	1,1,1-trichloroethane	PPB	5.0	200.0	5/24/89	< 5.0
					5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
					11/03/89	< 5.0
					5/24/89	< 5.0
	1,1,2,2-tetrachlorethane	PPB	5.0		5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
	1,1,2-trichloroethane	PPB	5.0		5/24/89	< 5.0
					5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
					5/24/89	< 5.0
					5/30/89	< 5.0
	1,1-dichloroethane	PPB	5.0		11/03/89	< 5.0
					2/09/90	< 5.0
					5/24/89	< 5.0
					5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
	1,1-dichloroethylene	PPB	10.0	7.0	11/03/89	< 10.0
	1,1-dimethylhydrazine	PPB	10.0		11/03/89	< 10.0
	1,2,3,4-tetrachlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	1,2,3,5-tetrachlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	1,2,3-trichlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	1,2,3-trichloropropane	PPB	10.0		11/03/89	< 10.0
	1,2,4,5-tetrachlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	1,2,4-trichlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	1,2-dibromo-3-chloropropane	PPB	10.0	.2	11/03/89	< 10.0
	1,2-dibromoethane	PPB	10.0		11/03/89	< 10.0
	1,2-dichlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	1,2-dichloroethane	PPB	5.0	5.0	5/24/89	< 5.0
					5/30/89	< 5.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 44

Well Result Report

1100 Area Groundwater Monitoring

WELL	CONSTITUENT				RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13A	1,2-dichloroethane	PPB	5.0	5.0	11/03/89	< 5.0
					2/09/90	< 5.0
	1,2-dichloropropane	PPB	5.0	5.0	11/03/89	< 5.0
	1,2-dimethylhydrazine	PPB	10.0		11/03/89	< 10.0
	1,2-diphenylhydrazine	PPB	10.0		11/03/89	< 10.0
	1,3,5-trichlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	1,3-dichlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	1,3-dichloropropene	PPB	5.0		11/03/89	< 5.0
	1,4-dichloro-2-butene	PPB	10.0		11/03/89	< 10.0
	1,4-naphthoquinone	PPB	10.0		11/03/89	< 10.0
	1-(o-chlorophenyl) thiourea	PPB	200.0		11/03/89	< 200.0
	1-Butanol	PPB	10000.0		11/03/89	< 10000.0
	1-Butynol	PPB	10000.0		11/03/89	< 10000.0
	1-Propanol	PPB	10000.0		11/03/89	< 10000.0
	1-acetyl-2-thiourea	PPB	200.0		11/03/89	< 200.0
	1-chloro-2,3-epoxypropane	PPB	10.0		11/03/89	< 10.0
	1-naphthyl-2-thiourea	PPB	200.0		11/03/89	< 200.0
	1-naphthylamine	PPB	10.0		11/03/89	< 10.0
	2,3,4,6-tetrachlorophenol	PPB	10.0		11/03/89	< 10.0
	2,3,7,8 TCDD	PPB	.0		11/03/89	< .0
	2,4,5-T	PPB	2.0		5/30/89	< 2.0
					11/03/89	< 2.0
					2/09/90	< 2.0
	2,4,5-TP silvex	PPB	2.0	10.0	5/30/89	< 2.0
					11/03/89	< 2.0
					2/09/90	< 2.0
	2,4,5-Trichlorophenol	PPB	10.0		11/03/89	< 10.0
	2,4,6-trichlorophenol	PPB	10.0		11/03/89	< 10.0
	2,4-D	PPB	2.0	100.0	5/30/89	< 2.0
					11/03/89	< 2.0
					2/09/90	< 2.0
	2,4-dichlorophenol	PPB	10.0		11/03/89	< 10.0
	2,4-dinitrophenol	PPB	10.0		11/03/89	< 10.0
	2,4-dinitrotoluene	PPB	10.0		11/03/89	< 10.0
	2,6-dichlorophenol	PPB	10.0		11/03/89	< 10.0
	2,6-dinitrotoluene	PPB	10.0		11/03/89	< 10.0
	2-Hexanone	PPB	50.0		11/03/89	< 50.0
	2-Methylnaphthalene	PPB	10.0		11/03/89	< 10.0
	2-acetylaminofluorene	PPB	10.0		11/03/89	< 10.0
	2-chloroethyl vinyl ether	PPB	5.0		11/03/89	< 5.0

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13A	2-chloronaphthalene	PPB	10.0		11/03/89	< 10.0
	2-chlorophenol	PPB	10.0		11/03/89	< 10.0
	2-cyclohexyl-4,6-dinitrophenol	PPB	10.0		11/03/89	< 10.0
	2-methyl-2-(methylthio) propio	PPB	10.0		11/03/89	< 10.0
	2-methylaziridine	PPB	10.0		11/03/89	< 10.0
	2-methylactonitrile	PPB	10.0		11/03/89	< 10.0
	2-naphthylamine	PPB	10.0		11/03/89	< 10.0
	2-picoline	PPB	10.0		11/03/89	< 10.0
	2-propyn-1-ol	PPB	10000.0		11/03/89	< 10000.0
	2-sec-butyl-4,6-dinitrophenol	PPB	10.0		11/03/89	< 10.0
	3,3'-Dichlorobenzidine	PPB	10.0		11/03/89	< 10.0
	3,3'-dimethoxybenzidine	PPB	10.0		11/03/89	< 10.0
	3,3'-dimethylbenzidine	PPB	10.0		11/03/89	< 10.0
	3-chloropropionitrile	PPB	10000.0		11/03/89	< 10000.0
	3-methylcholanthrene	PPB	10.0		11/03/89	< 10.0
	4,4'-methylenebis(2-chloroanil	PPB	10.0		11/03/89	< 10.0
	4,6-dinitro-o-cresol and salts	PPB	10.0		11/03/89	< 10.0
	4-Nitroquinoline 1-oxide	PPB	10.0		11/03/89	< 10.0
	4-aminobiphenyl	PPB	10.0		11/03/89	< 10.0
	4-bromophenyl phenyl ether	PPB	10.0		11/03/89	< 10.0
	5-(aminomethyl)-3-isoxazolol	PPB	10.0		11/03/89	< 10.0
	5-nitro-o-toluidine	PPB	10.0		11/03/89	< 10.0
	7,12-dimethylbenz[a]anthracene	PPB	10.0		11/03/89	< 10.0
	7H-dibenzo[c,g]carbazole	PPB	10.0		11/03/89	< 10.0
	Acenaphthalene	PPB	10.0		11/03/89	< 10.0
	Acenaphthene	PPB	10.0		11/03/89	< 10.0
	Acetone - by ABN	PPB	10.0		11/03/89	< 10.0
	Acetone by VOA	PPB	10.0		5/24/89	< 10.0
					5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	Acetonitrile	PPB	10.0		11/03/89	< 10.0
	Acetophenone	PPB	10.0		11/03/89	< 10.0
	Acrolein	PPB	10.0		11/03/89	< 10.0
	Acrylamide	PPB	10000.0		11/03/89	< 10000.0
	Acrylonitrile	PPB	10.0		11/03/89	< 10.0
	Aldrin	PPB	.1		11/03/89	< .1
	Alkalinity		20000.0		5/24/89	191000.0
					5/30/89	127000.0
					11/03/89	84000.0
	Allyl Chloride	PPB	100.0		11/03/89	< 100.0
	Allyl alcohol	PPB	10000.0		11/03/89	< 10000.0
	Alpha, High Detection Level	PCI/L	4.0	15.0	5/30/89	< .7
					11/03/89	1.1

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 46

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13A	Alpha, High Detection Level	PCI/L	4.0	15.0	2/09/90	< .8
	Alpha,alpha-dimethylphenethyla	PPB	10.0		11/03/89	< 10.0
	Alpha-BHC	PPB	.1	4.0	5/30/89	< .1
					11/03/89	< .1
					2/09/90	< .1
	Aluminum	PPB	150.0	50.0	11/03/89	< 150.0
					1/04/90	< 150.0
					2/09/90	< 150.0
					3/20/90	< 150.0
	Aluminum, filtered	PPB	150.0	50.0	5/24/89	< 150.0
					5/30/89	< 150.0
					11/03/89	< 150.0
					1/04/90	< 150.0
					2/09/90	< 150.0
					3/20/90	< 150.0
	Amitrole	PPB	10.0		11/03/89	< 10.0
	Ammonium ion	PPB	50.0		11/03/89	< 50.0
	Aniline	PPB	10.0		11/03/89	< 10.0
	Anthracene	PPB	10.0		11/03/89	< 10.0
	Antimony	PPB	100.0		11/03/89	< 100.0
					1/04/90	< 100.0
					2/09/90	< 100.0
					3/20/90	< 100.0
	Antimony, filtered	PPB	100.0		5/24/89	< 100.0
					5/30/89	< 100.0
					11/03/89	< 100.0
					1/04/90	< 100.0
					2/09/90	< 100.0
					3/20/90	< 100.0
	Aramite	PPB	10.0		11/03/89	< 10.0
	Arochlor 1016	PPB	1.0	.5	5/30/89	< 1.0
					11/03/89	< 1.0
					2/09/90	< 1.0
	Arochlor 1221	PPB	1.0	.5	5/30/89	< 1.0
					11/03/89	< 1.0
					2/09/90	< 1.0
	Arochlor 1232	PPB	1.0	.5	5/30/89	< 1.0
					11/03/89	< 1.0
					2/09/90	< 1.0
	Arochlor 1242	PPB	1.0	.5	5/30/89	< 1.0
					11/03/89	< 1.0
					2/09/90	< 1.0
	Arochlor 1248	PPB	1.0	.5	5/30/89	< 1.0
					11/03/89	< 1.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 47

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13A	Arochlor 1248	PPB	1.0	.5	2/09/90	< 1.0
	Arochlor 1254	PPB	1.0	.5	5/30/89	< 1.0
					11/03/89	< 1.0
					2/09/90	< 1.0
	Arochlor 1260	PPB	1.0	.5	5/30/89	< 1.0
					11/03/89	< 1.0
					2/09/90	< 1.0
	Arsenic	PPB	5.0	50.0	11/03/89	< 5.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
					4/26/90	< 5.0
	Arsenic, filtered	PPB	5.0	50.0	5/30/89	< 5.0
					11/03/89	< 5.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
					4/26/90	< 5.0
	Auramine	PPB	10.0		11/03/89	< 10.0
	Barium	PPB	6.0	1000.0	11/03/89	22.0
					1/04/90	18.0
					2/09/90	19.0
					3/20/90	26.0
	Barium, filtered	PPB	6.0	1000.0	5/24/89	27.0
					5/30/89	29.0
					11/03/89	21.0
					1/04/90	17.0
					2/09/90	20.0
					3/20/90	26.0
	Benz[a]anthracene	PPB	10.0		11/03/89	< 10.0
	Benz[c]acridine	PPB	10.0		11/03/89	< 10.0
	Benzene	PPB	5.0	5.0	5/24/89	< 5.0
					5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
	Benzene, dichloromethyl	PPB	10.0		11/03/89	< 10.0
	Benzenethoil	PPB	10.0		11/03/89	< 10.0
	Benidine	PPB	10.0		11/03/89	< 10.0
	Benzo(ghi)perylene	PPB	10.0		11/03/89	< 10.0
	Benzo(k)Fluoranthene	PPB	10.0		11/03/89	< 10.0
	Benzo[a]pyrene	PPB	10.0		11/03/89	< 10.0
	Benzo[b]fluoranthene	PPB	10.0		11/03/89	< 10.0
	Benzo[j]fluoranthene	PPB	10.0		11/03/89	< 10.0
	Benzyl Alcohol	PPB	10.0		11/03/89	< 10.0

11/26/90

Page 48

Well Result Report

1100 Area Groundwater Monitoring

WELL	CONSTITUENT				RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13A	Benzyl chloride	PPB	10.0		11/03/89	< 10.0
	Beryllium	PPB	5.0		11/03/89	< 5.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
	Beryllium, filtered	PPB	5.0		5/24/89	< 5.0
					5/30/89	< 5.0
					11/03/89	< 5.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
	Beta-BHC	PPB	.1	4.0	5/30/89	< .1
					11/03/89	< .1
					2/09/90	< .1
	Bis(2-chloro-1-methylethyl)eth	PPB	10.0		11/03/89	< 10.0
	Bis(2-chloroethoxy) methane	PPB	10.0		11/03/89	< 10.0
	Bis(2-chloroethyl) ether	PPB	10.0		11/03/89	< 10.0
	Bis(2-chloroisopropyl)ether	PPB	10.0		11/03/89	< 10.0
	Bis(2-ethylhexyl) phthalate	PPB	10.0		11/03/89	< 10.0
	Bis(chloromethyl) ether	PPB	5.0		11/03/89	< 5.0
	Boron	PPB	10.0		11/03/89	11.0
					1/04/90	< 10.0
					2/09/90	64.0
					3/20/90	21.0
	Boron, filtered	PPB	10.0		5/24/89	24.0
					5/30/89	15.0
					11/03/89	23.0
					1/04/90	11.0
					2/09/90	52.0
					3/20/90	29.0
	Bromide	PPB	1000.0		5/24/89	< 1000.0
					5/30/89	< 1000.0
					11/03/89	< 1000.0
					1/04/90	< 1000.0
					2/09/90	< 1000.0
					3/20/90	< 1000.0
					4/26/90	< 1000.0
	Bromoacetone	PPB	5.0		11/03/89	< 5.0
	Bromodichloromethane	PPB	5.0	100.0	11/03/89	< 5.0
	Bromoform	PPB	5.0	100.0	11/03/89	< 5.0
	Butyl benzyl phthalate	PPB	10.0		11/03/89	< 10.0
	Cadmium	PPB	2.0	10.0	11/03/89	< 2.0
					1/04/90	< 2.0
					2/09/90	< 2.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 49

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13A	Cadmium	PPB	2.0	10.0	3/20/90	< 2.0
	Cadmium, filtered	PPB	2.0	10.0	5/24/89	4.0
					5/30/89	< 2.0
					11/03/89	< 2.0
					1/04/90	< 2.0
					2/09/90	< 2.0
					3/20/90	< 2.0
	Calcium	PPB	50.0		11/03/89	27800.0
					1/04/90	27300.0
					2/09/90	30600.0
					3/20/90	34300.0
	Calcium, filtered	PPB	50.0		5/24/89	36000.0
					5/30/89	37500.0
					11/03/89	27100.0
					1/04/90	26400.0
					2/09/90	30500.0
					3/20/90	33500.0
	Carbon Tetrachloride by GC/MS	PPB	5.0	5.0	5/24/89	< 5.0
					5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
	Carbon disulfide	PPB	10.0		11/03/89	< 10.0
	Carbophenothion	PPB	2.0		11/03/89	< 2.0
	Chlordane	PPB	1.0	2.0	11/03/89	< 1.0
	Chloride	PPB	500.0	250000.0	5/24/89	10300.0
					5/30/89	4600.0
					11/03/89	1500.0
					1/04/90	1400.0
					2/09/90	1800.0
					3/20/90	3400.0
					4/26/90	4900.0
	Chlornaphazine	PPB	10.0		11/03/89	< 10.0
	Chloroalkyl ethers	PPB	10.0		11/03/89	< 10.0
	Chlorobenzene	PPB	5.0	100.0	11/03/89	< 5.0
	Chlorobenzene (by ABN)	PPB	10.0	60.0	5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	Chlorobenzilate	PPB	300.0		11/03/89	< 300.0
	Chloroethane	PPB	10.0		11/03/89	< 10.0
	Chloroform	PPB	5.0	100.0	5/24/89	< 5.0
					5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
	Chloromethyl methyl ether	PPB	10.0		11/03/89	< 10.0

WHC-MR- 0 2 2 9

Geosciences Group PARADOX Database

11/26/90

Page 50

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13A	Chromium	PPB	10.0	50.0	11/03/89	14.0
					1/04/90	< 10.0
					2/09/90	11.0
					3/20/90	30.0
	Chromium, filtered	PPB	10.0	50.0	5/24/89	< 10.0
					5/30/89	< 10.0
					11/03/89	< 10.0
					1/04/90	< 10.0
					2/09/90	< 10.0
					3/20/90	< 10.0
	Chrysene	PPB	10.0		11/03/89	< 10.0
	Citrus red	PPB	1000.0		11/03/89	< 1000.0
	Cobalt	PPB	20.0		11/03/89	< 20.0
					1/04/90	< 20.0
					2/09/90	< 20.0
					3/20/90	< 20.0
	Cobalt, filtered	PPB	20.0		5/24/89	< 20.0
					5/30/89	< 20.0
					11/03/89	< 20.0
					1/04/90	< 20.0
					2/09/90	< 20.0
					3/20/90	< 20.0
	Coliform bacteria	MPN	2.2	1.0	11/03/89	< 2.2
	Copper	PPB	10.0	1000.0	11/03/89	< 10.0
					1/04/90	< 10.0
					2/09/90	< 10.0
					3/20/90	< 10.0
	Copper, filtered	PPB	10.0	1000.0	5/24/89	< 10.0
					5/30/89	< 10.0
					11/03/89	< 10.0
					1/04/90	< 10.0
					2/09/90	< 10.0
					3/20/90	< 10.0
	Cresols	PPB	10.0		11/03/89	< 10.0
	Crotonaldehyde	PPB	10.0		11/03/89	< 10.0
	Cyanide	PPB	10.0		11/03/89	< 10.0
	DDD	PPB	.1		11/03/89	< .1
	DDE	PPB	.1		11/03/89	< .1
	DDT	PPB	.1		11/03/89	< .1
	Delta-BHC	PPB	.1	4.0	5/30/89	< .1
					11/03/89	< .1
					2/09/90	< .1
	Di-n-butyl phthalate	PPB	10.0		11/03/89	< 10.0
	Di-n-octyl phthalate	PPB	10.0		11/03/89	< 10.0

11/26/90

Page 51

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13A	Di-n-propylnitrosamine	PPB	10.0		11/03/89	< 10.0
	Diallate	PPB	10.0		11/03/89	< 10.0
	Dibenz[a,h]acridine	PPB	10.0		11/03/89	< 10.0
	Dibenz[a,h]anthracene	PPB	10.0		11/03/89	< 10.0
	Dibenz[a,j]acridine	PPB	10.0		11/03/89	< 10.0
	Dibenzo[a,e]pyrene	PPB	10.0		11/03/89	< 10.0
	Dibenzo[a,h]pyrene	PPB	10.0		11/03/89	< 10.0
	Dibenzo[a,i]pyrene	PPB	10.0		11/03/89	< 10.0
	Dibenzofuran	PPB	10.0		11/03/89	< 10.0
	Dibromomethane	PPB	10.0		11/03/89	< 10.0
	Dibutyl Phosphate	PPB	10000.0		11/03/89	< 10000.0
	Dichlorodifluoromethane	PPB	10.0		11/03/89	< 10.0
	Dieldrin	PPB	.1		11/03/89	< .1
	Diethyl phthalate	PPB	10.0		11/03/89	< 10.0
	Diethylstilbesterol	PPB	200.0		11/03/89	< 200.0
	Dihydrosafrole	PPB	10.0		11/03/89	< 10.0
	Dimethoate	PPB	2.0		11/03/89	< 2.0
	Dimethyl phthalate	PPB	10.0		11/03/89	< 10.0
	Dinitrobenzene	PPB	10.0		11/03/89	< 10.0
	Dinoseb	PPB	10.0		11/03/89	< 10.0
	Dioxane	PPB	500.0		11/03/89	< 500.0
	Diphenylamine	PPB	10.0		11/03/89	< 10.0
	Disulfoton	PPB	2.0		11/03/89	< 2.0
	Endosulfan I	PPB	.1		11/03/89	< .1
	Endosulfan II	PPB	.1		11/03/89	< .1
	Endosulfan Sulfate	PPB	.5		11/03/89	< .5
	Endrin	PPB	.1	.2	5/30/89	< .1
					11/03/89	< .1
					2/09/90	< .1
	Ethanol	PPB	10000.0		11/03/89	< 10000.0
	Ethyl benzene	PPB	5.0	700.0	11/03/89	< 5.0
	Ethyl carbamate	PPB	10000.0		11/03/89	< 10000.0
	Ethyl cyanide	PPB	10000.0		11/03/89	< 10000.0
	Ethyl methacrylate	PPB	10.0		11/03/89	< 10.0
	Ethyl methanesulfonate	PPB	10.0		11/03/89	< 10.0
	Ethylene Glycol	PPB	10000.0		11/03/89	< 10000.0
	Ethylene glycol	PPB	10000.0		5/30/89	< 10000.0
					1/04/90	< 10000.0
					2/09/90	< 10000.0
					3/20/90	< 10000.0
					4/26/90	< 10000.0
	Ethylene oxide	PPB	10.0		11/03/89	< 10.0
	Ethyleneimine	PPB	10.0		11/03/89	< 10.0
	Ethylenethiourea	PPB	200.0		11/03/89	< 200.0

WHC-MR- 0 2 2 9

Geosciences Group PARADOX Database

11/26/90

Page 52

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13A	Fluoranthene	PPB	10.0		11/03/89	< 10.0
	Fluorene	PPB	10.0		11/03/89	< 10.0
	Fluoride	PPB	500.0	4000.0	5/24/89	< 500.0
					5/30/89	< 500.0
					11/03/89	< 500.0
					1/04/90	< 500.0
					2/09/90	< 500.0
					3/20/90	< 500.0
					4/26/90	< 500.0
	Formalin	PPB	500.0		11/03/89	< 500.0
	Gamma-BHC	PPB	.1	4.0	5/30/89	< .1
					11/03/89	< .1
					2/09/90	< .1
	Gross beta	PCI/L	8.0	50.0	5/30/89	4.2
					11/03/89	2.3
					2/09/90	3.1
	Heptachlor	PPB	.1	.4	11/03/89	< .1
	Heptchlor epoxide	PPB	.1		11/03/89	< .1
	Hexachlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	Hexachlorobutadiene	PPB	10.0		11/03/89	< 10.0
	Hexachlorocyclopentadiene	PPB	10.0		11/03/89	< 10.0
	Hexachloroethane	PPB	10.0		11/03/89	< 10.0
	Hexachlorophene	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	Hexachloropropene	PPB	10.0		11/03/89	< 10.0
	Hydrazine, Low Detection Level	PPB	30.0		11/03/89	< 30.0
	Indeno(1,2,3-cd)pyrene	PPB	10.0		11/03/89	< 10.0
	Iodomethane	PPB	10.0		11/03/89	< 10.0
	Iron	PPB	30.0	300.0	11/03/89	250.0
					1/04/90	64.0
					2/09/90	68.0
					3/20/90	155.0
	Iron, filtered	PPB	30.0	300.0	5/24/89	< 30.0
					5/30/89	< 30.0
					11/03/89	< 30.0
					1/04/90	< 30.0
					2/09/90	< 30.0
					3/20/90	< 30.0
	Isobutyl alcohol	PPB	10000.0		11/03/89	< 10000.0
	Isodrin	PPB	10.0		11/03/89	< 10.0
	Isophorone	PPB	10.0		11/03/89	< 10.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 53

Well Result Report

1100 Area Groundwater Monitoring

WELL	CONSTITUENT				RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13A	Isosafrole	PPB	10.0		11/03/89	< 10.0
	Kepone	PPB	1.0		11/03/89	< 1.0
	Kerosene	PPB	10000.0		5/30/89	< 10000.0
					11/03/89	< 10000.0
					2/09/90	< 10000.0
	Lead (graphite furnace)	PPB	5.0	50.0	11/03/89	< 5.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
	Lead, filtered	PPB	5.0	50.0	5/24/89	< 5.0
					5/30/89	< 5.0
					11/03/89	< 5.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
	Lithium	PPB	10.0		11/03/89	< 10.0
					1/04/90	< 10.0
					2/09/90	< 10.0
					3/20/90	< 10.0
	Lithium, filtered	PPB	10.0		5/24/89	< 10.0
					5/30/89	< 10.0
					11/03/89	< 10.0
					1/04/90	< 10.0
					2/09/90	< 10.0
					3/20/90	< 10.0
	Magnesium	PPB	50.0		11/03/89	5690.0
					1/04/90	5530.0
					2/09/90	6150.0
					3/20/90	7420.0
	Magnesium, filtered	PPB	50.0		5/24/89	8470.0
					5/30/89	7690.0
					11/03/89	5540.0
					1/04/90	5520.0
					2/09/90	6060.0
					3/20/90	7270.0
	Maleic hydrazide	PPB	500.0		11/03/89	< 500.0
	Malononitrile	PPB	10.0		11/03/89	< 10.0
	Manganese	PPB	5.0	50.0	11/03/89	< 5.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
	Manganese, filtered	PPB	5.0	50.0	5/24/89	< 5.0
					5/30/89	< 5.0
					11/03/89	< 5.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 54

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13A	Manganese, filtered	PPB	5.0	50.0	1/04/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
	Melphalan	PPB	10.0		11/03/89	< 10.0
	Mercury	PPB	.1	2.0	11/03/89	< .1
					2/09/90	< .1
	Mercury, filtered	PPB	.1	2.0	5/30/89	< .1
					11/03/89	< .1
					2/09/90	< .1
	Methacrylonitrile	PPB	10.0		11/03/89	< 10.0
	Methanethiol	PPB	10.0		11/03/89	< 10.0
	Methapyrilene	PPB	10.0		11/03/89	< 10.0
	Metholonyl	PPB	10.0		11/03/89	< 10.0
	Methoxychlor	PPB	3.0	100.0	5/30/89	< 3.0
					11/03/89	< 3.0
					2/09/90	< 3.0
	Methyl Isobutyl Ketone	PPB	10.0		5/24/89	< 10.0
					5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	Methyl bromide	PPB	10.0		11/03/89	< 10.0
	Methyl chloride	PPB	10.0		11/03/89	< 10.0
	Methyl ethyl ketone	PPB	10.0		5/24/89	< 10.0
					5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	Methyl methacrylate	PPB	10.0		11/03/89	< 10.0
	Methyl methanesulfonate	PPB	10.0		11/03/89	< 10.0
	Methyl parathion	PPB	2.0		11/03/89	< 2.0
	Methylene Chloride	PPB	5.0		5/24/89	< 5.0
					5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
	Methylthiouracil	PPB	10.0		11/03/89	< 10.0
	Molybdenum	PPB	40.0		11/03/89	< 40.0
					1/04/90	< 40.0
					2/09/90	< 40.0
					3/20/90	< 40.0
	Molybdenum, filtered	PPB	40.0		5/24/89	< 40.0
					5/30/89	< 40.0
					11/03/89	< 40.0
					1/04/90	< 40.0
					2/09/90	< 40.0
					3/20/90	< 40.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 55

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13A	Monobutyl Phosphate	PPB	10000.0		11/03/89	< 10000.0
	N,N-diethylhydrazine	PPB	10.0		11/03/89	< 10.0
	N-Nitrosodiphenylamine	PPB	10.0		11/03/89	< 10.0
	N-nitroso-N-methylurethane	PPB	10.0		11/03/89	< 10.0
	N-nitrosodi-n-butylamine	PPB	10.0		11/03/89	< 10.0
	N-nitrosodiethanolamine	PPB	10.0		11/03/89	< 10.0
	N-nitrosodiethylamine	PPB	10.0		11/03/89	< 10.0
	N-nitrosodimethylamine	PPB	10.0		11/03/89	< 10.0
	N-nitrosomethylethylamine	PPB	10.0		11/03/89	< 10.0
	N-nitrosomethylvinylamine	PPB	10.0		11/03/89	< 10.0
	N-nitrosomorpholine	PPB	10.0		11/03/89	< 10.0
	N-nitrosornicotine	PPB	10.0		11/03/89	< 10.0
	N-nitrosopiperidine	PPB	10.0		11/03/89	< 10.0
	N-phenylthiourea	PPB	500.0		11/03/89	< 500.0
	N-propylamine	PPB	10000.0		11/03/89	< 10000.0
	Naphthalene	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	Nickel	PPB	10.0		11/03/89	13.0
					1/04/90	< 10.0
					2/09/90	< 10.0
					3/20/90	16.0
	Nickel, filtered	PPB	10.0		5/24/89	< 10.0
					5/30/89	< 10.0
					11/03/89	< 10.0
					1/04/90	< 10.0
					2/09/90	< 10.0
					3/20/90	< 10.0
	Nicotinic acid	PPB	100.0		11/03/89	< 100.0
	Nitrate	PPB	500.0	45000.0	5/24/89	6000.0
					5/30/89	7200.0
					11/03/89	12000.0
					1/04/90	5900.0
					2/09/90	6700.0
					3/20/90	6500.0
					4/26/90	5700.0
	Nitrite	PPB	1000.0	3300.0	5/24/89	< 1000.0
					5/30/89	< 1000.0
					11/03/89	< 1000.0
					1/04/90	< 1000.0
					2/09/90	< 1000.0
					3/20/90	< 1000.0
					4/26/90	< 1000.0
	Nitrobenzine	PPB	10.0		11/03/89	< 10.0

11/26/90

Page 56

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13A	Nitrosopyrrolidine	PPB	10.0		11/03/89	< 10.0
	O,O,O-triethyl phosphorothioat	PPB	10.0		11/03/89	< 10.0
	O-toluidine hydrochloride	PPB	10.0		11/03/89	< 10.0
	P benzoquinone	PPB	10.0		11/03/89	< 10.0
	P-chloro-m-cresol	PPB	10.0		11/03/89	< 10.0
	P-chloroaniline	PPB	10.0		11/03/89	< 10.0
	P-dimethylaminoazobenzene	PPB	10.0		11/03/89	< 10.0
	P-nitroaniline	PPB	10.0		11/03/89	< 10.0
	PHORATE	PPB	2.0		11/03/89	< 2.0
	Paraldehyde	PPB	10000.0		11/03/89	< 10000.0
	Parathion	PPB	2.0		11/03/89	< 2.0
	Pcdd's	PPB	.0		11/03/89	< .0
	Pcdf's	PPB	.0		11/03/89	< .0
	Pentachlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	Pentachloroethane	PPB	10.0		11/03/89	< 10.0
	Pentachloronitrobenzene	PPB	10.0		11/03/89	< 10.0
	Pentachlorophenol	PPB	50.0	200.0	11/03/89	< 50.0
	Perchlorate	PPB	500.0		11/03/89	< 500.0
	Phenacetin	PPB	10.0		11/03/89	< 10.0
	Phenanthrene	PPB	10.0		11/03/89	< 10.0
	Phenol	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	Phenylenediamine	PPB	10.0		11/03/89	< 10.0
	Phosphate	PPB	1000.0		5/24/89	< 1000.0
					5/30/89	< 1000.0
					11/03/89	< 1000.0
					1/04/90	< 1000.0
					2/09/90	< 1000.0
					3/20/90	< 1000.0
					4/26/90	< 1000.0
	Phthalic acid esters	PPB	10.0		11/03/89	< 10.0
	Potassium	PPB	100.0		11/03/89	3820.0
					1/04/90	3530.0
					2/09/90	3840.0
					3/20/90	4220.0
	Potassium, filtered	PPB	100.0		5/24/89	5630.0
					5/30/89	4300.0
					11/03/89	3630.0
					1/04/90	3560.0
					2/09/90	3780.0
					3/20/90	4100.0

11/26/90

Page 57

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13A	Pronamide	PPB	10.0		11/03/89	< 10.0
	Propionitrile	PPB	5.0		11/03/89	< 5.0
	Pyrene	PPB	10.0		11/03/89	< 10.0
	Pyridine	PPB	500.0		11/03/89	< 500.0
	Radium	PCI/L	1.0	5.0	5/30/89	.6
					11/03/89	.3
	Reserpine	PPB	10.0		11/03/89	< 10.0
	Resorcinol	PPB	10.0		11/03/89	< 10.0
	Safrol	PPB	10.0		11/03/89	< 10.0
	Selenium	PPB	5.0	10.0	11/03/89	< 5.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
					4/26/90	< 5.0
	Selenium, filtered	PPB	5.0	10.0	5/30/89	< 5.0
					11/03/89	< 5.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
					4/26/90	< 5.0
	Silicon	PPB	50.0		11/03/89	11500.0
					1/04/90	10700.0
					2/09/90	11600.0
					3/20/90	11800.0
	Silicon, filtered	PPB	50.0		5/24/89	11100.0
					5/30/89	11100.0
					11/03/89	11200.0
					1/04/90	10500.0
					2/09/90	11700.0
					3/20/90	11600.0
	Silver	PPB	10.0	50.0	11/03/89	< 10.0
					1/04/90	< 10.0
					2/09/90	< 10.0
					3/20/90	< 10.0
	Silver, filtered	PPB	10.0	50.0	5/24/89	< 10.0
					5/30/89	< 10.0
					11/03/89	< 10.0
					1/04/90	< 10.0
					2/09/90	< 10.0
					3/20/90	< 10.0
	Sodium	PPB	200.0		11/03/89	4800.0
					1/04/90	4560.0
					2/09/90	5760.0
					3/20/90	6650.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 58

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13A	Sodium, filtered	PPB	200.0		5/24/89	335000.0
					5/30/89	7100.0
					11/03/89	4660.0
					1/04/90	4620.0
					2/09/90	5650.0
	Specific conductance	UMHO	1.0	700.0	3/20/90	6440.0
					5/24/89	420.0
					5/30/89	236.0
					11/03/89	213.0
					1/04/90	207.0
	Strontium	PPB	10.0		2/09/90	224.0
					3/20/90	267.0
					4/26/90	301.0
					11/03/89	122.0
					1/04/90	120.0
	Strontium, filtered	PPB	10.0		2/09/90	132.0
					3/20/90	157.0
					5/24/89	170.0
					5/30/89	166.0
					11/03/89	118.0
	Strychnine	PPB	50.0		1/04/90	117.0
					2/09/90	132.0
					3/20/90	155.0
					11/03/89	< 50.0
					11/03/89	< 5.0
	Styrene	PPB	5.0	5.0	5/24/89	10800.0
					5/30/89	12600.0
					11/03/89	10400.0
					1/04/90	10000.0
					2/09/90	11000.0
	Sulfate	PPB	500.0	250000.0	3/20/90	10800.0
					4/26/90	10800.0
					11/03/89	< 1000.0
					11/03/89	< 10.0
					5/24/89	< 5.0
	Sulfide	PPB	1000.0		5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
					11/03/89	< 2.0
					5/24/89	< 10.0
	Sym-trinitrobenzene	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
					5/24/89	< 5.0
					11/03/89	< 5.0
	Tetrachloroethylene	PPB	5.0	5.0	5/24/89	< 5.0
					5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
					11/03/89	< 2.0
	Tetraethylpyrophosphate	PPB	2.0		5/24/89	< 10.0
					5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
					11/03/89	< 5.0
	Tetrahydrofuran	PPB	10.0		5/24/89	< 10.0
					5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
					11/03/89	< 5.0
	Thallium	PPB	5.0		5/24/89	< 5.0
					5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
					11/03/89	< 5.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90.

Page 59

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13A	Thallium	PPB	5.0		2/09/90	< 5.0
	Thallium, filtered	PPB	5.0		5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
	Thiofanox	PPB	10.0		11/03/89	< 10.0
	Thiourea	PPB	200.0		11/03/89	< 200.0
	Thiuram	PPB	10.0		11/03/89	< 10.0
	Tin	PPB	30.0		11/03/89	< 30.0
					1/04/90	< 30.0
					2/09/90	< 30.0
					3/20/90	< 30.0
	Tin, filtered	PPB	30.0		5/24/89	< 30.0
					5/30/89	< 30.0
					11/03/89	< 30.0
					1/04/90	< 30.0
					2/09/90	< 30.0
					3/20/90	< 30.0
	Titanium	PPB	60.0		11/03/89	< 60.0
					1/04/90	< 60.0
					2/09/90	< 60.0
					3/20/90	< 60.0
	Titanium, filtered	PPB	60.0		5/24/89	< 60.0
					5/30/89	< 60.0
					11/03/89	< 60.0
					1/04/90	< 60.0
					2/09/90	< 60.0
					3/20/90	< 60.0
	Toluene	PPB	5.0	2000.0	5/24/89	< 5.0
					5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
	Toluenediamine	PPB	10.0		11/03/89	< 10.0
	Total Organic Halogen, Low Det	PPB	10.0		5/30/89	11.0
					11/03/89	< 5.0
					2/09/90	< 6.0
	Total carbon	PPB	1000.0		5/24/89	41400.0
					5/30/89	29300.0
					11/03/89	20900.0
					2/09/90	23200.0
	Total organic carbon	PPB	1000.0		5/24/89	< 700.0
					5/30/89	< 1400.0
					11/03/89	< 800.0
					2/09/90	< 700.0
	Toxaphene	PPB	1.0	5.0	5/30/89	< 1.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 60

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13A	Toxaphene	PPB	1.0	5.0	11/03/89	< 1.0
					2/09/90	< 1.0
	Trans-1,2-dichloroethene	PPB	5.0	70.0	5/24/89	< 5.0
					5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
	Tributylphosphoric Acid	PPB	10.0		5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	Trichloroethylene	PPB	5.0	5.0	5/24/89	< 5.0
					5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
	Trichloromethanethiol	PPB	10.0		11/03/89	< 10.0
	Trichloromonofluoromethane	PPB	10.0		11/03/89	< 10.0
	Tris(2,3-dibromopropyl) phosph	PPB	10.0		11/03/89	< 10.0
	Tritium	PCI/L	500.0	20000.0	5/30/89	< 58.4
					11/03/89	< 83.6
	Turbidity	NTU	.1	5.0	11/03/89	3.6
					2/09/90	1.1
	Vanadium	PPB	5.0		11/03/89	< 5.0
					1/04/90	7.0
					2/09/90	7.0
					3/20/90	8.0
	Vanadium, filtered	PPB	5.0		5/24/89	10.0
					5/30/89	9.0
					11/03/89	< 5.0
					1/04/90	6.0
					2/09/90	6.0
					3/20/90	7.0
	Vinyl Acetate	PPB	5.0		11/03/89	< 5.0
	Vinyl chloride	PPB	10.0	2.0	5/24/89	< 10.0
					5/30/89	< 10.0
					11/03/89	< 10.0
					2/09/90	< 10.0
	Warfarin	PPB	10.0		11/03/89	< 10.0
	Xylene-m	PPB	5.0	10000.0	5/24/89	< 5.0
					5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
	Xylene-o,p	PPB	5.0	10000.0	5/24/89	< 5.0
					5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 61

Well Result Report

1100 Area Groundwater Monitoring

WELL	CONSTITUENT				RESULT	
	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13A	Zinc	PPB	5.0	5000.0	11/03/89	5.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
					5/24/89	< 5.0
	Zinc, filtered	PPB	5.0	5000.0	5/30/89	< 5.0
					11/03/89	9.0
					1/04/90	5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
	Zirconium	PPB	50.0		11/03/89	< 50.0
					1/04/90	< 50.0
					2/09/90	< 50.0
					3/20/90	< 50.0
					5/24/89	< 50.0
	Zirconium, filtered	PPB	50.0		5/30/89	< 50.0
					11/03/89	< 50.0
					1/04/90	< 50.0
					2/09/90	< 50.0
					3/20/90	< 50.0
	dibromochloromethane	PPB	5.0	100.0	11/03/89	< 5.0
					11/03/89	< 10.0
					11/03/89	< 10.0
					11/03/89	< 10.0
					11/03/89	< 10.0
	p-Dichlorobenzene	PPB	5.0	750.0	5/24/89	< 5.0
					5/30/89	< 5.0
					11/03/89	< 5.0
					2/09/90	< 5.0
					5/30/89	< 10.0
	p-Nitrophenol	PPB	10.0	750.0	11/03/89	< 10.0
					2/09/90	< 10.0
					11/03/89	< 10.0
					5/24/89	7.8
					5/30/89	7.6
	pH, Field Measurement		.1	8.5	11/03/89	8.1
					1/04/90	8.1
					2/09/90	7.9
					3/20/90	7.9
					4/26/90	7.8
	pH, Laboratory Measurement		.0	8.5	5/24/89	7.9
					5/30/89	7.9
					11/03/89	8.0
					2/09/90	7.8

Well Result Report

1100 Area Groundwater Monitoring

WELL	CONSTITUENT				RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13B	0,0-Diethyl-0,2-pyrazinyl phos	PPB	10.0		11/06/89	< 10.0
	1,1,1,2-tetrachlorethane	PPB	10.0		11/06/89	< 10.0
	1,1,1-trichloroethane	PPB	5.0	200.0	5/30/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	1,1,2,2-tetrachlorethane	PPB	5.0		11/06/89	< 5.0
	1,1,2-trichloroethane	PPB	5.0		5/30/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	1,1-dichloroethane	PPB	5.0		5/30/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	1,1-dichloroethylene	PPB	10.0	7.0	11/06/89	< 10.0
	1,1-dimethylhydrazine	PPB	10.0		11/06/89	< 10.0
	1,2,3,4-tetrachlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	1,2,3,5-tetrachlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	1,2,3-trichlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	1,2,3-trichloropropane	PPB	10.0		11/06/89	< 10.0
	1,2,4,5-tetrachlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	1,2,4-trichlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	1,2-dibromo-3-chloropropane	PPB	10.0	.2	11/06/89	< 10.0
	1,2-dibromoethane	PPB	10.0		11/06/89	< 10.0
	1,2-dichlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	1,2-dichloroethane	PPB	5.0	5.0	5/30/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	1,2-dichloropropane	PPB	5.0	5.0	11/06/89	< 5.0
	1,2-dimethylhydrazine	PPB	10.0		11/06/89	< 10.0
	1,2-diphenylhydrazine	PPB	10.0		11/06/89	< 10.0
	1,3,5-trichlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0

WHC-MR- 0 2 2 9

Geosciences Group PARADOX Database

11/26/90

Page 63

Well Result Report

1100 Area Groundwater Monitoring

WELL	CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date Analysis Value
6-S41-E13B	1,3-dichlorobenzene	PPB	10.0		5/30/89 < 10.0
					11/06/89 < 10.0
					2/09/90 < 10.0
	1,3-dichloropropene	PPB	5.0		11/06/89 < 5.0
	1,4-dichloro-2-butene	PPB	10.0		11/06/89 < 10.0
	1,4-naphthoquinone	PPB	10.0		11/06/89 < 10.0
	1-(o-chlorophenyl) thiourea	PPB	200.0		11/06/89 < 200.0
	1-Butanol	PPB	10000.0		11/06/89 < 10000.0
	1-Bi.tynol	PPB	10000.0		11/06/89 < 10000.0
	1-Propanol	PPB	10000.0		11/06/89 < 10000.0
	1-acetyl-2-thiourea	PPB	200.0		11/06/89 < 200.0
	1-chloro-2,3-epoxypropane	PPB	10.0		11/06/89 < 10.0
	1-naphthyl-2-thiourea	PPB	200.0		11/06/89 < 200.0
	1-naphthylamine	PPB	10.0		11/06/89 < 10.0
	2,3,4,6-tetrachlorophenol	PPB	10.0		11/06/89 < 10.0
	2,3,7,8 TCDD	PPB	.0		11/06/89 < .0
	2,4,5-T	PPB	2.0		5/30/89 < 2.0
					11/06/89 < 2.0
					2/09/90 < 2.0
	2,4,5-TP silvex	PPB	2.0	10.0	5/30/89 < 2.0
					11/06/89 < 2.0
					2/09/90 < 2.0
	2,4,5-Trichlorophenol	PPB	10.0		11/06/89 < 10.0
	2,4,6-trichlorophenol	PPB	10.0		11/06/89 < 10.0
	2,4-D	PPB	2.0	100.0	5/30/89 < 2.0
					11/06/89 < 2.0
					2/09/90 < 2.0
	2,4-dichlorophenol	PPB	10.0		11/06/89 < 10.0
	2,4-dinitrophenol	PPB	10.0		11/06/89 < 10.0
	2,4-dinitrotoluene	PPB	10.0		11/06/89 < 10.0
	2,6-dichlorophenol	PPB	10.0		11/06/89 < 10.0
	2,6-dinitrotoluene	PPB	10.0		11/06/89 < 10.0
	2-Hexanone	PPB	50.0		11/06/89 < 50.0
	2-Methylnaphthalene	PPB	10.0		11/06/89 < 10.0
	2-acetylaminofluorene	PPB	10.0		11/06/89 < 10.0
	2-chloroethyl vinyl ether	PPB	5.0		11/06/89 < 5.0
	2-chloronaphthalene	PPB	10.0		11/06/89 < 10.0
	2-chlorophenol	PPB	10.0		11/06/89 < 10.0
	2-cyclohexyl-4,6-dinitrophenol	PPB	10.0		11/06/89 < 10.0
	2-methyl-2-(methylthio) propio	PPB	10.0		11/06/89 < 10.0
	2-methylaziridine	PPB	10.0		11/06/89 < 10.0
	2-methylactonitrile	PPB	10.0		11/06/89 < 10.0
	2-naphthylamine	PPB	10.0		11/06/89 < 10.0
	2-picoline	PPB	10.0		11/06/89 < 10.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 64

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13B	2-propyn-1-ol	PPB	10000.0		11/06/89	< 10000.0
	2-sec-butyl-4,6-dinitrophenol	PPB	10.0		11/06/89	< 10.0
	3,3'-Dichlorobenzidine	PPB	10.0		11/06/89	< 10.0
	3,3'-dimethoxybenzidine	PPB	10.0		11/06/89	< 10.0
	3,3'-dimethylbenzidine	PPB	10.0		11/06/89	< 10.0
	3-chloropropionitrile	PPB	10000.0		11/06/89	< 10000.0
	3-methylcholanthrene	PPB	10.0		11/06/89	< 10.0
	4,4'-methylenebis(2-chloroanil	PPB	10.0		11/06/89	< 10.0
	4,6-dinitro-o-cresol and salts	PPB	10.0		11/06/89	< 10.0
	4-Nitroquinoline 1-oxide	PPB	10.0		11/06/89	< 10.0
	4-aminobiphenyl	PPB	10.0		11/06/89	< 10.0
	4-bromophenyl phenyl ether	PPB	10.0		11/06/89	< 10.0
	5-(aminomethyl)-3-isoxazolol	PPB	10.0		11/06/89	< 10.0
	5-nitro-o-toluidine	PPB	10.0		11/06/89	< 10.0
	7,12-dimethylbenz[a]anthracene	PPB	10.0		11/06/89	< 10.0
	7H-dibenzo[c,g]carbazole	PPB	10.0		11/06/89	< 10.0
	Acenaphthalene	PPB	10.0		11/06/89	< 10.0
	Acenaphthene	PPB	10.0		11/06/89	< 10.0
	Acetone - by ABN	PPB	10.0		11/06/89	< 10.0
	Acetone by VOA	PPB	10.0		5/30/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Acetonitrile	PPB	10.0		11/06/89	< 10.0
	Acetophenone	PPB	10.0		11/06/89	< 10.0
	Acrolein	PPB	10.0		11/06/89	< 10.0
	Acrylamide	PPB	10000.0		11/06/89	< 10000.0
	Acrylonitrile	PPB	10.0		11/06/89	< 10.0
	Aldrin	PPB	.1		11/06/89	< .1
	Alkalinity		20000.0		5/30/89	217000.0
					11/06/89	206000.0
	Allyl Chloride	PPB	100.0		11/06/89	< 100.0
	Allyl alcohol	PPB	10000.0		11/06/89	< 10000.0
	Alpha, High Detection Level	PCI/L	4.0	15.0	5/30/89	5.7
					11/06/89	3.2
					2/09/90	3.3
	Alpha,alpha-dimethylphenethyla	PPB	10.0		11/06/89	< 10.0
	Alpha-BHC	PPB	.1	4.0	5/30/89	< .1
					11/06/89	< .1
					2/09/90	< .1
	Aluminum	PPB	150.0	50.0	11/06/89	< 150.0
					1/04/90	< 150.0
					2/09/90	< 150.0
					3/20/90	< 150.0
	Aluminum, filtered	PPB	150.0	50.0	5/30/89	< 150.0

11/26/90

Page 65

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT		
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value	
6-S41-E13B	Aluminum, filtered	PPB	150.0	50.0	11/06/89	<	150.0
					1/04/90	<	150.0
					2/09/90	<	150.0
					3/20/90	<	150.0
	Amitrole	PPB	10.0		11/06/89	<	10.0
	Ammonium ion	PPB	50.0		11/06/89	<	50.0
	Aniline	PPB	10.0		11/06/89	<	10.0
	Anthracene	PPB	10.0		11/06/89	<	10.0
	Antimony	PPB	100.0		11/06/89	<	100.0
					1/04/90	<	100.0
					2/09/90	<	100.0
					3/20/90	<	100.0
	Antimony, filtered	PPB	100.0		5/30/89	<	100.0
					11/06/89	<	100.0
					1/04/90	<	100.0
					2/09/90	<	100.0
					3/20/90	<	100.0
	Aramite	PPB	10.0		11/06/89	<	10.0
	Arochlor 1016	PPB	1.0	.5	5/30/89	<	1.0
					11/06/89	<	1.0
					2/09/90	<	1.0
	Arochlor 1221	PPB	1.0	.5	5/30/89	<	1.0
					11/06/89	<	1.0
					2/09/90	<	1.0
	Arochlor 1232	PPB	1.0	.5	5/30/89	<	1.0
					11/06/89	<	1.0
					2/09/90	<	1.0
	Arochlor 1242	PPB	1.0	.5	5/30/89	<	1.0
					11/06/89	<	1.0
					2/09/90	<	1.0
	Arochlor 1248	PPB	1.0	.5	5/30/89	<	1.0
					11/06/89	<	1.0
					2/09/90	<	1.0
	Arochlor 1254	PPB	1.0	.5	5/30/89	<	1.0
					11/06/89	<	1.0
					2/09/90	<	1.0
	Arochlor 1260	PPB	1.0	.5	5/30/89	<	1.0
					11/06/89	<	1.0
					2/09/90	<	1.0
	Arsenic	PPB	5.0	50.0	11/06/89	<	5.0
					1/04/90	<	5.0
					2/09/90	<	5.0
					3/20/90	<	5.0
					4/26/90	<	5.0

Well Result Report

1100 Area Groundwater Monitoring

WELL	CONSTITUENT				RESULT		
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value	
6-S41-E13B	Arsenic, filtered	PPB	5.0	50.0	5/30/89	<	5.0
					11/06/89	<	5.0
					1/04/90	<	5.0
					2/09/90	<	5.0
					3/20/90	<	5.0
					4/26/90	<	5.0
	Auramine	PPB	10.0		11/06/89	<	10.0
	Barium	PPB	6.0	1000.0	11/06/89		58.0
					1/04/90		45.0
					2/09/90		52.0
					3/20/90		56.0
	Barium, filtered	PPB	6.0	1000.0	5/30/89		54.0
					11/06/89		52.0
					1/04/90		48.0
					2/09/90		52.0
					3/20/90		56.0
	Benz[a]anthracene	PPB	10.0		11/06/89	<	10.0
	Benz[c]acridine	PPB	10.0		11/06/89	<	10.0
	Benzene	PPB	5.0	5.0	5/30/89	<	5.0
					11/06/89	<	5.0
					2/09/90	<	5.0
	Benzene, dichloromethyl	PPB	10.0		11/06/89	<	10.0
	Benzenethoil	PPB	10.0		11/06/89	<	10.0
	Benzidine	PPB	10.0		11/06/89	<	10.0
	Benzo(ghi)perylene	PPB	10.0		11/06/89	<	10.0
	Benzo(k)Fluoranthene	PPB	10.0		11/06/89	<	10.0
	Benzo[a]pyrene	PPB	10.0		11/06/89	<	10.0
	Benzo[b]fluoranthene	PPB	10.0		11/06/89	<	10.0
	Benzo[j]fluoranthene	PPB	10.0		11/06/89	<	10.0
	Benzyl Alcohol	PPB	10.0		11/06/89	<	10.0
	Benzyl chloride	PPB	10.0		11/06/89	<	10.0
	Beryllium	PPB	5.0		11/06/89	<	5.0
					1/04/90	<	5.0
					2/09/90	<	5.0
					3/20/90	<	5.0
	Beryllium, filtered	PPB	5.0		5/30/89	<	5.0
					11/06/89	<	5.0
					1/04/90	<	5.0
					2/09/90	<	5.0
					3/20/90	<	5.0
	Beta-BHC	PPB	.1	4.0	5/30/89	<	.1
					11/06/89	<	.1
					2/09/90	<	.1
	Bis(2-chloro-1-methylethyl)eth	PPB	10.0		11/06/89	<	10.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 67

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13B	Bis(2-chloroethoxy) methane	PPB	10.0		11/06/89	< 10.0
	Bis(2-chloroethyl) ether	PPB	10.0		11/06/89	< 10.0
	Bis(2-chloroisopropyl) ether	PPB	10.0		11/06/89	< 10.0
	Bis(2-ethylhexyl) phthalate	PPB	10.0		11/06/89	< 10.0
	Bis(chloromethyl) ether	PPB	5.0		11/06/89	< 5.0
	Boron	PPB	10.0		11/06/89	23.0
					1/04/90	20.0
					2/09/90	35.0
					3/20/90	33.0
	Boron, filtered	PPB	10.0		5/30/89	26.0
					11/06/89	20.0
					1/04/90	23.0
					2/09/90	31.0
					3/20/90	36.0
	Bromide	PPB	1000.0		5/30/89	< 1000.0
					11/06/89	< 1000.0
					1/04/90	< 1000.0
					2/09/90	< 1000.0
					3/20/90	< 1000.0
					4/26/90	< 1000.0
	Bromoacetone	PPB	5.0		11/06/89	< 5.0
	Bromodichloromethane	PPB	5.0	100.0	11/06/89	< 5.0
	Bromoform	PPB	5.0	100.0	11/06/89	< 5.0
	Butyl benzyl phthalate	PPB	10.0		11/06/89	< 10.0
	Cadmium	PPB	2.0	10.0	11/06/89	< 2.0
					1/04/90	< 2.0
					2/09/90	< 2.0
					3/20/90	< 2.0
	Cadmium, filtered	PPB	2.0	10.0	5/30/89	< 2.0
					11/06/89	< 2.0
					1/04/90	< 2.0
					2/09/90	< 2.0
					3/20/90	< 2.0
	Calcium	PPB	50.0		11/06/89	56900.0
					1/04/90	50500.0
					2/09/90	58500.0
					3/20/90	57000.0
	Calcium, filtered	PPB	50.0		5/30/89	59600.0
					11/06/89	56500.0
					1/04/90	54100.0
					2/09/90	58300.0
					3/20/90	57900.0
	Carbon Tetrachloride by GC/MS	PPB	5.0	5.0	5/30/89	< 5.0
					11/06/89	< 5.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 68

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13B	Carbon Tetrachloride by GC/MS	PPB	5.0	5.0	2/09/90	< 5.0
	Carbon disulfide	PPB	10.0		11/06/89	< 10.0
	Carbophenothion	PPB	2.0		11/06/89	< 2.0
	Chlordane	PPB	1.0	2.0	11/06/89	< 1.0
	Chloride	PPB	500.0	250000.0	5/30/89	9400.0
					11/06/89	9400.0
					1/04/90	8800.0
					2/09/90	9200.0
					3/20/90	8700.0
					4/26/90	9400.0
	Chlornaphazine	PPB	10.0		11/06/89	< 10.0
	Chloroalkyl ethers	PPB	10.0		11/06/89	< 10.0
	Chlorobenzene	PPB	5.0	100.0	11/06/89	< 5.0
	Chlorobenzene (by ABN)	PPB	10.0	60.0	5/30/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Chlorobenzilate	PPB	300.0		11/06/89	< 300.0
	Chloroethane	PPB	10.0		11/06/89	< 10.0
	Chloroform	PPB	5.0	100.0	5/30/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Chloromethyl methyl ether	PPB	10.0		11/06/89	< 10.0
	Chromium	PPB	10.0	50.0	11/06/89	< 10.0
					1/04/90	< 10.0
					2/09/90	13.0
					3/20/90	14.0
	Chromium, filtered	PPB	10.0	50.0	5/30/89	< 10.0
					11/06/89	< 10.0
					1/04/90	< 10.0
					2/09/90	< 10.0
					3/20/90	< 10.0
	Chrysene	PPB	10.0		11/06/89	< 10.0
	Citrus red	PPB	1000.0		11/06/89	< 1000.0
	Cobalt	PPB	20.0		11/06/89	< 20.0
					1/04/90	< 20.0
					2/09/90	< 20.0
					3/20/90	< 20.0
	Cobalt, filtered	PPB	20.0		5/30/89	< 20.0
					11/06/89	< 20.0
					1/04/90	< 20.0
					2/09/90	< 20.0
					3/20/90	< 20.0
	Coliform (Membrane Filter)	PPB	1.0	1.0	11/06/89	< 1.0
	Copper	PPB	10.0	1000.0	11/06/89	< 10.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 69

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13B	Copper	PPB	10.0	1000.0	1/04/90	< 10.0
					2/09/90	< 10.0
					3/20/90	< 10.0
	Copper, filtered	PPB	10.0	1000.0	5/30/89	< 10.0
					11/06/89	< 10.0
					1/04/90	< 10.0
					2/09/90	< 10.0
					3/20/90	< 10.0
	Cresols	PPB	10.0		11/06/89	< 10.0
	Crotonaldehyde	PPB	10.0		11/06/89	< 10.0
	Cyanide	PPB	10.0		11/06/89	< 10.0
	DDD	PPB	.1		11/06/89	< .1
	DDE	PPB	.1		11/06/89	< .1
	DDT	PPB	.1		11/06/89	< .1
	Delta-BHC	PPB	.1	4.0	5/30/89	< .1
					11/06/89	< .1
					2/09/90	< .1
	Di-n-butyl phthalate	PPB	10.0		11/06/89	< 10.0
	Di-n-octyl phthalate	PPB	10.0		11/06/89	< 10.0
	Di-n-propylnitrosamine	PPB	10.0		11/06/89	< 10.0
	Diallate	PPB	10.0		11/06/89	< 10.0
	Dibenz[a,h]acridine	PPB	10.0		11/06/89	< 10.0
	Dibenz[a,h]anthracene	PPB	10.0		11/06/89	< 10.0
	Dibenz[a,j]acridine	PPB	10.0		11/06/89	< 10.0
	Dibenzo[a,e]pyrene	PPB	10.0		11/06/89	< 10.0
	Dibenzo[a,h]pyrene	PPB	10.0		11/06/89	< 10.0
	Dibenzo[a,i]pyrene	PPB	10.0		11/06/89	< 10.0
	Dibenzofuran	PPB	10.0		11/06/89	< 10.0
	Dibromomethane	PPB	10.0		11/06/89	< 10.0
	Dibutyl Phosphate	PPB	10000.0		11/06/89	< 10000.0
	Dichlorodifluoromethane	PPB	10.0		11/06/89	< 10.0
	Dieldrin	PPB	.1		11/06/89	< .1
	Diethyl phthalate	PPB	10.0		11/06/89	< 10.0
	Diethylstilbesterol	PPB	200.0		11/06/89	< 200.0
	Dihydrosafrole	PPB	10.0		11/06/89	< 10.0
	Dimethoate	PPB	2.0		11/06/89	< 2.0
	Dimethyl phthalate	PPB	10.0		11/06/89	< 10.0
	Dinitrobenzene	PPB	10.0		11/06/89	< 10.0
	Dinoseb	PPB	10.0		11/06/89	< 10.0
	Dioxane	PPB	500.0		11/06/89	< 500.0
	Diphenylamine	PPB	10.0		11/06/89	< 10.0
	Disulfoton	PPB	2.0		11/06/89	< 2.0
	Endosulfan I	PPB	.1		11/06/89	< .1
	Endosulfan II	PPB	.1		11/06/89	< .1

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 70

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13B	Endosulfan Sulfate	PPB	.5		11/06/89	< .5
	Endrin	PPB	.1	.2	5/30/89	< .1
					11/06/89	< .1
					2/09/90	< .1
	Ethanol	PPB	10000.0		11/06/89	< 10000.0
	Ethyl benzene	PPB	5.0	700.0	11/06/89	< 5.0
	Ethyl carbamate	PPB	10000.0		11/06/89	< 10000.0
	Ethyl cyanide	PPB	10000.0		11/06/89	< 10000.0
	Ethyl methacrylate	PPB	10.0		11/06/89	< 10.0
	Ethyl methanesulfonate	PPB	10.0		11/06/89	< 10.0
	Ethylene Glycol	PPB	10000.0		11/06/89	< 10000.0
	Ethylene glycol	PPB	10000.0		5/30/89	< 10000.0
					1/04/90	< 10000.0
					2/09/90	< 10000.0
					3/20/90	< 10000.0
					4/26/90	< 10000.0
	Ethylene oxide	PPB	10.0		11/06/89	< 10.0
	Ethyleneimine	PPB	10.0		11/06/89	< 10.0
	Ethylenethiourea	PPB	200.0		11/06/89	< 200.0
	Fluoranthene	PPB	10.0		11/06/89	< 10.0
	Fluorene	PPB	10.0		11/06/89	< 10.0
	Fluoride	PPB	500.0	4000.0	5/30/89	< 500.0
					11/06/89	< 500.0
					1/04/90	< 500.0
					2/09/90	< 500.0
					3/20/90	< 500.0
					4/26/90	< 500.0
	Formalin	PPB	500.0		11/06/89	< 500.0
	Gamma-BHC	PPB	.1	4.0	5/30/89	< .1
					11/06/89	< .1
					2/09/90	< .1
	Gross beta	PCI/L	8.0	50.0	5/30/89	7.7
					11/06/89	4.6
					2/09/90	7.3
	Heptachlor	PPB	.1	.4	11/06/89	< .1
	Heptachlor epoxide	PPB	.1		11/06/89	< .1
	Hexachlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Hexachlorobutadiene	PPB	10.0		11/06/89	< 10.0
	Hexachlorocyclopentadiene	PPB	10.0		11/06/89	< 10.0
	Hexachloroethane	PPB	10.0		11/06/89	< 10.0
	Hexachlorophene	PPB	10.0		5/30/89	< 10.0
					11/06/89	< 10.0

Geosciences Group PARADOX Database

Page 71

1100 Area Groundwater Monitoring

WELL	CONSTITUENT				RESULT		
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value	
6-S41-E13B	Hexachlorophene	PPB	10.0		2/09/90	<	10.0
	Hexachloropropene	PPB	10.0		11/06/89	<	10.0
	Hydrazine, Low Detection Level	PPB	30.0		11/06/89	<	30.0
	Indeno(1,2,3-cd)pyrene	PPB	10.0		11/06/89	<	10.0
	Iodomethane	PPB	10.0		11/06/89	<	10.0
	Iron	PPB	30.0	300.0	11/06/89		34.0
					1/04/90		47.0
					2/09/90		66.0
					3/20/90		78.0
	Iron, filtered	PPB	30.0	300.0	5/30/89		42.0
					11/06/89	<	30.0
					1/04/90	<	30.0
					2/09/90	<	30.0
					3/20/90	<	30.0
	Isobutyl alcohol	PPB	10000.0		11/06/89	<	10000.0
	Isodrin	PPB	10.0		11/06/89	<	10.0
	Isophorone	PPB	10.0		11/06/89	<	10.0
	Isosafrole	PPB	10.0		11/06/89	<	10.0
	Kepone	PPB	1.0		11/06/89	<	1.0
	Kerosene	PPB	10000.0		5/30/89	<	10000.0
					11/06/89	<	10000.0
					2/09/90	<	10000.0
	Lead (graphite furnace)	PPB	5.0	50.0	11/06/89	<	5.0
					1/04/90	<	5.0
					2/09/90	<	5.0
					3/20/90	<	5.0
	Lead, filtered	PPB	5.0	50.0	5/30/89	<	5.0
					11/06/89	<	5.0
					1/04/90	<	5.0
					2/09/90	<	5.0
					3/20/90	<	5.0
	Lithium	PPB	10.0		11/06/89	<	10.0
					1/04/90	<	10.0
					2/09/90	<	10.0
					3/20/90	<	10.0
	Lithium, filtered	PPB	10.0		5/30/89	<	10.0
					11/06/89	<	10.0
					1/04/90	<	10.0
					2/09/90	<	10.0
					3/20/90	<	10.0
Magnesium	PPB	50.0		11/06/89		12200.0	
				1/04/90		11000.0	
				2/09/90		12200.0	
				3/20/90		13000.0	

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 72

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13B	Magnesium, filtered	PPB	50.0		5/30/89	12700.0
					11/06/89	12000.0
					1/04/90	11600.0
					2/09/90	12200.0
					3/20/90	13200.0
	Maleic hydrazide	PPB	500.0		11/06/89	< 500.0
	Malononitrile	PPB	10.0		11/06/89	< 10.0
	Manganese	PPB	5.0	50.0	11/06/89	19.0
					1/04/90	9.0
					2/09/90	9.0
					3/20/90	14.0
	Manganese, filtered	PPB	5.0	50.0	5/30/89	21.0
					11/06/89	14.0
					1/04/90	9.0
					2/09/90	9.0
					3/20/90	15.0
	Melphalan	PPB	10.0		11/06/89	< 10.0
	Mercury	PPB	.1	2.0	11/06/89	< .1
					2/09/90	< .1
	Mercury, filtered	PPB	.1	2.0	5/30/89	< .1
					11/06/89	< .1
					2/09/90	< .1
	Methacrylonitrile	PPB	10.0		11/06/89	< 10.0
	Methanethiol	PPB	10.0		11/06/89	< 10.0
	Methapyrilene	PPB	10.0		11/06/89	< 10.0
	Metholonyl	PPB	10.0		11/06/89	< 10.0
	Methoxychlor	PPB	3.0	100.0	5/30/89	< 3.0
					11/06/89	< 3.0
					2/09/90	< 3.0
	Methyl Isobutyl Ketone	PPB	10.0		5/30/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Methyl bromide	PPB	10.0		11/06/89	< 10.0
	Methyl chloride	PPB	10.0		11/06/89	< 10.0
	Methyl ethyl ketone	PPB	10.0		5/30/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Methyl methacrylate	PPB	10.0		11/06/89	< 10.0
	Methyl methanesulfonate	PPB	10.0		11/06/89	< 10.0
	Methyl parathion	PPB	2.0		11/06/89	< 2.0
	Methylene Chloride	PPB	5.0		5/30/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Methylthiouracil	PPB	10.0		11/06/89	< 10.0

WHC-MR- 0 2 2 9

Geosciences Group PARADOX Database

11/26/90

Page 73

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13B	Molybdenum	PPB	40.0		11/06/89	< 40.0
					1/04/90	< 40.0
					2/09/90	< 40.0
					3/20/90	< 40.0
	Molybdenum, filtered	PPB	40.0		5/30/89	< 40.0
					11/06/89	< 40.0
					1/04/90	< 40.0
					2/09/90	< 40.0
					3/20/90	< 40.0
	Monobutyl Phosphate	PPB	10000.0		11/06/89	< 10000.0
	N,N-diethylhydrazine	PPB	10.0		11/06/89	< 10.0
	N-Nitrosodiphenylamine	PPB	10.0		11/06/89	< 10.0
	N-nitroso-N-methylurethane	PPB	10.0		11/06/89	< 10.0
	N-nitrosodi-n-butylamine	PPB	10.0		11/06/89	< 10.0
	N-nitrosodiethanolamine	PPB	10.0		11/06/89	< 10.0
	N-nitrosodiethylamine	PPB	10.0		11/06/89	< 10.0
	N-nitrosodimethylamine	PPB	10.0		11/06/89	< 10.0
	N-nitrosomethylethylamine	PPB	10.0		11/06/89	< 10.0
	N-nitrosomethylvinylamine	PPB	10.0		11/06/89	< 10.0
	N-nitrosomorpholine	PPB	10.0		11/06/89	< 10.0
	N-nitrosornicotine	PPB	10.0		11/06/89	< 10.0
	N-nitrosopiperidine	PPB	10.0		11/06/89	< 10.0
	N-phenylthiourea	PPB	500.0		11/06/89	< 500.0
	N-propylamine	PPB	10000.0		11/06/89	< 10000.0
	Naphthalene	PPB	10.0		5/30/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Nickel	PPB	10.0		11/06/89	< 10.0
					1/04/90	< 10.0
					2/09/90	< 10.0
					3/20/90	< 10.0
	Nickel, filtered	PPB	10.0		5/30/89	13.0
					11/06/89	< 10.0
					1/04/90	< 10.0
					2/09/90	< 10.0
					3/20/90	< 10.0
	Nicotinic acid	PPB	100.0		11/06/89	< 100.0
	Nitrate	PPB	500.0	45000.0	5/30/89	3800.0
					11/06/89	3100.0
					1/04/90	3200.0
					2/09/90	2600.0
					3/20/90	2400.0
					4/26/90	2200.0
	Nitrite	PPB	1000.0	3300.0	5/30/89	< 1000.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 74

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13B	Nitrite	PPB	1000.0	3300.0	11/06/89	< 1000.0
					1/04/90	< 1000.0
					2/09/90	< 1000.0
					3/20/90	< 1000.0
					4/26/90	< 1000.0
	Nitrobenzene	PPB	10.0		11/06/89	< 10.0
	Nitrosopyrrolidine	PPB	10.0		11/06/89	< 10.0
	O,O,O-triethyl phosphorothioat	PPB	10.0		11/06/89	< 10.0
	O-toluidine hydrochloride	PPB	10.0		11/06/89	< 10.0
	P benzoquinone	PPB	10.0		11/06/89	< 10.0
	P-chloro-m-cresol	PPB	10.0		11/06/89	< 10.0
	P-chloroaniline	PPB	10.0		11/06/89	< 10.0
	P-dimethylaminoazobenzene	PPB	10.0		11/06/89	< 10.0
	P-nitroaniline	PPB	10.0		11/06/89	< 10.0
	PHORATE	PPB	2.0		11/06/89	< 2.0
	Paraldehyde	PPB	10000.0		11/06/89	< 10000.0
	Parathion	PPB	2.0		11/06/89	< 2.0
	Pcdd's	PPB	.0		11/06/89	< .0
	Pcdf's	PPB	.0		11/06/89	< .0
	Pentachlorobenzene	PPB	10.0		5/30/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Pentachloroethane	PPB	10.0		11/06/89	< 10.0
	Pentachloronitrobenzene	PPB	10.0		11/06/89	< 10.0
	Pentachlorophenol	PPB	50.0	200.0	11/06/89	< 50.0
	Phenacetin	PPB	10.0		11/06/89	< 10.0
	Phenanthrene	PPB	10.0		11/06/89	< 10.0
	Phenol	PPB	10.0		5/30/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Phenylenediamine	PPB	10.0		11/06/89	< 10.0
	Phosphate	PPB	1000.0		5/30/89	< 1000.0
					11/06/89	< 1000.0
					1/04/90	< 1000.0
					2/09/90	< 1000.0
					3/20/90	< 1000.0
					4/26/90	< 1000.0
	Phthalic acid esters	PPB	10.0		11/06/89	< 10.0
	Potassium	PPB	100.0		11/06/89	6140.0
					1/04/90	5370.0
					2/09/90	5770.0
					3/20/90	5860.0
	Potassium, filtered	PPB	100.0		5/30/89	6190.0
					11/06/89	5920.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 75

Well Result Report

1100 Area Groundwater Monitoring

WELL	CONSTITUENT				RESULT	
	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E138	Potassium, filtered	PPB	100.0		1/04/90	5580.0
					2/09/90	5770.0
					3/20/90	5950.0
	Pronamide	PPB	10.0		11/06/89	< 10.0
	Propionitrile	PPB	5.0		11/06/89	< 5.0
	Pyrene	PPB	10.0		11/06/89	< 10.0
	Pyridine	PPB	500.0		11/06/89	< 500.0
	Radium	PCI/L	1.0	5.0	5/30/89	.6
					11/06/89	.6
	Reserpine	PPB	10.0		11/06/89	< 10.0
	Resorcinol	PPB	10.0		11/06/89	< 10.0
	Safrol	PPB	10.0		11/06/89	< 10.0
	Selenium	PPB	5.0	10.0	11/06/89	< 5.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
					4/26/90	< 5.0
	Selenium, filtered	PPB	5.0	10.0	5/30/89	< 5.0
					11/06/89	< 5.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					3/20/90	< 5.0
					4/26/90	< 5.0
	Silicon	PPB	50.0		11/06/89	16500.0
					1/04/90	14200.0
					2/09/90	15800.0
					3/20/90	16000.0
	Silicon, filtered	PPB	50.0		5/30/89	15800.0
					11/06/89	16200.0
					1/04/90	15200.0
					2/09/90	15900.0
					3/20/90	16300.0
	Silver	PPB	10.0	50.0	11/06/89	< 10.0
					1/04/90	< 10.0
					2/09/90	< 10.0
					3/20/90	< 10.0
	Silver, filtered	PPB	10.0	50.0	5/30/89	< 10.0
					11/06/89	< 10.0
					1/04/90	< 10.0
					2/09/90	< 10.0
					3/20/90	< 10.0
	Sodium	PPB	200.0		11/06/89	15700.0
					1/04/90	14100.0
					2/09/90	17100.0

11/26/90

Page 76

Well Result Report

1100 Area Groundwater Monitoring

WELL	CONSTITUENT				RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13B	Sodium	PPB	200.0		3/20/90	17800.0
	Sodium, filtered	PPB	200.0		5/30/89	18600.0
					11/06/89	15000.0
					1/04/90	14700.0
					2/09/90	17100.0
					3/20/90	18000.0
	Specific conductance	UMHO	1.0	700.0	5/30/89	355.0
					11/06/89	450.0
					1/04/90	409.0
					2/09/90	449.0
					3/20/90	453.0
					4/26/90	461.0
	Strontium	PPB	10.0		11/06/89	264.0
					1/04/90	234.0
					2/09/90	267.0
					3/20/90	277.0
	Strontium, filtered	PPB	10.0		5/30/89	275.0
					11/06/89	258.0
					1/04/90	251.0
					2/09/90	267.0
					3/20/90	281.0
	Strychnine	PPB	50.0		11/06/89	< 50.0
	Styrene	PPB	5.0	5.0	11/06/89	< 5.0
	Sulfate	PPB	500.0	250000.0	5/30/89	11700.0
					11/06/89	10500.0
					1/04/90	10800.0
					2/09/90	10200.0
					3/20/90	9600.0
					4/26/90	9700.0
	Sulfide	PPB	1000.0		11/06/89	< 1000.0
	Sym-trinitrobenzene	PPB	10.0		11/06/89	< 10.0
	Tetrachloroethylene	PPB	5.0	5.0	5/30/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Tetraethylpyrophosphate	PPB	2.0		11/06/89	< 2.0
	Tetrahydrofuran	PPB	10.0		5/30/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Thallium	PPB	5.0		11/06/89	< 5.0
					2/09/90	< 5.0
	Thallium, filtered	PPB	5.0		5/30/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Thiofanox	PPB	10.0		11/06/89	< 10.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 77

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13B	Thiourea	PPB	200.0		11/06/89	< 200.0
	Thiuram	PPB	10.0		11/06/89	< 10.0
	Tin	PPB	30.0		11/06/89	< 30.0
					1/04/90	< 30.0
					2/09/90	< 30.0
					3/20/90	< 30.0
	Tin, filtered	PPB	30.0		5/30/89	< 30.0
					11/06/89	< 30.0
					1/04/90	< 30.0
					2/09/90	< 30.0
					3/20/90	< 30.0
	Titanium	PPB	60.0		11/06/89	< 60.0
					1/04/90	< 60.0
					2/09/90	< 60.0
					3/20/90	< 60.0
	Titanium, filtered	PPB	60.0		5/30/89	< 60.0
					11/06/89	< 60.0
					1/04/90	< 60.0
					2/09/90	< 60.0
					3/20/90	< 60.0
	Toluene	PPB	5.0	2000.0	5/30/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Toluenediamine	PPB	10.0		11/06/89	< 10.0
	Total Organic Halogen, Low Det	PPB	10.0		5/30/89	< 4.0
					11/06/89	< 7.0
					2/09/90	< 4.0
	Total carbon	PPB	1000.0		5/30/89	49600.0
					11/06/89	49700.0
					2/09/90	50700.0
	Total organic carbon	PPB	1000.0		5/30/89	< 800.0
					11/06/89	< 800.0
					2/09/90	< 800.0
	Toxaphene	PPB	1.0	5.0	5/30/89	< 1.0
					11/06/89	< 1.0
					2/09/90	< 1.0
	Trans-1,2-dichloroethene	PPB	5.0	70.0	5/30/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Tributylphosphoric Acid	PPB	10.0		5/30/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Trichloroethylene	PPB	5.0	5.0	5/30/89	< 5.0
					11/06/89	< 5.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 78

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S41-E13B	Trichloroethylene	PPB	5.0	5.0	2/09/90	< 5.0
	Trichloromethanethiol	PPB	10.0		11/06/89	< 10.0
	Trichloromonofluoromethane	PPB	10.0		11/06/89	< 10.0
	Tris(2,3-dibromopropyl) phosph	PPB	10.0		11/06/89	< 10.0
	Tritium	PCI/L	500.0	20000.0	5/30/89	< 72.8
					11/06/89	< 137.0
	Turbidity	NTU	.1	5.0	11/06/89	.3
					2/09/90	.6
	Vanadium	PPB	5.0		11/06/89	8.0
					1/04/90	7.0
					2/09/90	8.0
					3/20/90	7.0
	Vanadium, filtered	PPB	5.0		5/30/89	6.0
					11/06/89	6.0
					1/04/90	7.0
					2/09/90	7.0
					3/20/90	6.0
	Vinyl Acetate	PPB	5.0		11/06/89	< 5.0
	Vinyl chloride	PPB	10.0	2.0	5/30/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Warfarin	PPB	10.0		11/06/89	< 10.0
	Xylene-m	PPB	5.0	10000.0	5/30/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Xylene-o,p	PPB	5.0	10000.0	5/30/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Zinc	PPB	5.0	5000.0	11/06/89	13.0
					1/04/90	< 5.0
					2/09/90	< 5.0
					3/20/90	5.0
	Zinc, filtered	PPB	5.0	5000.0	5/30/89	< 5.0
					11/06/89	7.0
					1/04/90	5.0
					2/09/90	11.0
					3/20/90	< 5.0
	Zirconium	PPB	50.0		11/06/89	< 50.0
					1/04/90	< 50.0
					2/09/90	< 50.0
					3/20/90	< 50.0
	Zirconium, filtered	PPB	50.0		5/30/89	< 50.0
					11/06/89	< 50.0
					1/04/90	< 50.0

WHC-MR- 0 2 2 9

Geosciences Group PARADOX Database

11/26/90

Page 79

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT		
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value	
6-S41-E13B	Zirconium, filtered	PPB	50.0		2/09/90	<	50.0
					3/20/90	<	50.0
	dibromochloromethane	PPB	5.0	100.0	11/06/89	<	5.0
	m-Nitroaniline	PPB	10.0		11/06/89	<	10.0
	o-Nitroaniline	PPB	10.0		11/06/89	<	10.0
	o-Nitrophenol	PPB	10.0		11/06/89	<	10.0
	p-Dichlorobenzene	PPB	5.0	750.0	5/30/89	<	5.0
					11/06/89	<	5.0
			10.0	750.0	2/09/90	<	5.0
					5/30/89	<	10.0
					11/06/89	<	10.0
					2/09/90	<	10.0
	p-Nitrophenol	PPB	10.0		11/06/89	<	10.0
	pH, Field Measurement		.1	8.5	5/30/89		7.3
					11/06/89		7.7
					1/04/90		8.0
					2/09/90		7.7
					3/20/90		7.8
					4/26/90		7.8
	pH, Laboratory Measurement		.0	8.5	5/30/89		7.8
					11/06/89		7.7
					2/09/90		7.6
6-S43-E12	0,0-Diethyl-0,2-pyrazinyl phos	PPB	10.0		11/06/89	<	10.0
	1,1,1,2-tetrachlorethane	PPB	10.0		11/06/89	<	10.0
	1,1,1-trichloroethane	PPB	5.0	200.0	5/31/89	<	5.0
					11/06/89	<	5.0
					2/09/90	<	5.0
	1,1,2,2-tetrachlorethane	PPB	5.0		11/06/89	<	5.0
	1,1,2-trichloroethane	PPB	5.0		5/31/89	<	5.0
					11/06/89	<	5.0
					2/09/90	<	5.0
	1,1-dichloroethane	PPB	5.0		5/31/89	<	5.0
					11/06/89	<	5.0
					2/09/90	<	5.0
	1,1-dichloroethylene	PPB	10.0	7.0	11/06/89	<	10.0
	1,1-dimethylhydrazine	PPB	10.0		11/06/89	<	10.0
	1,2,3,4-tetrachlorobenzene	PPB	10.0		5/31/89	<	10.0
					11/06/89	<	10.0
					2/09/90	<	10.0
	1,2,3,5-tetrachlorobenzene	PPB	10.0		5/31/89	<	10.0
					11/06/89	<	10.0
					2/09/90	<	10.0
	1,2,3-trichlorobenzene	PPB	10.0		5/31/89	<	10.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 80

Well Result Report

1100 Area Groundwater Monitoring

WELL	CONSTITUENT				RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S43-E12	1,2,3-trichlorobenzene	PPB	10.0		11/06/89	< 10.0
					2/09/90	< 10.0
	1,2,3-trichloropropane	PPB	10.0		11/06/89	< 10.0
	1,2,4,5-tetrachlorobenzene	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	1,2,4-trichlorobenzene	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	1,2-dibromo-3-chloropropane	PPB	10.0	.2	11/06/89	< 10.0
	1,2-dibromoethane	PPB	10.0		11/06/89	< 10.0
	1,2-dichlorobenzene	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	1,2-dichloroethane	PPB	5.0	5.0	5/31/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	1,2-dichloropropane	PPB	5.0	5.0	11/06/89	< 5.0
	1,2-dimethylhydrazine	PPB	10.0		11/06/89	< 10.0
	1,2-diphenylhydrazine	PPB	10.0		11/06/89	< 10.0
	1,3,5-trichlorobenzene	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	1,3-dichlorobenzene	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	1,3-dichloropropene	PPB	5.0		11/06/89	< 5.0
	1,4-dichloro-2-butene	PPB	10.0		11/06/89	< 10.0
	1,4-naphthoquinone	PPB	10.0		11/06/89	< 10.0
	1-(o-chlorophenyl) thiourea	PPB	200.0		11/06/89	< 200.0
	1-Butanol	PPB	10000.0		11/06/89	< 10000.0
	1-Butynol	PPB	10000.0		11/06/89	< 10000.0
	1-Propanol	PPB	10000.0		11/06/89	< 10000.0
	1-acetyl-2-thiourea	PPB	200.0		11/06/89	< 200.0
	1-chloro-2,3-epoxypropane	PPB	10.0		11/06/89	< 10.0
	1-naphthyl-2-thiourea	PPB	200.0		11/06/89	< 200.0
	1-naphthylamine	PPB	10.0		11/06/89	< 10.0
	2,3,4,6-tetrachlorophenol	PPB	10.0		11/06/89	< 10.0
	2,3,7,8 TCDD	PPB	.0		11/06/89	< .0
	2,4,5-T	PPB	2.0		5/31/89	< 2.0
					11/06/89	< 2.0
					2/09/90	< 2.0
	2,4,5-TP silvex	PPB	2.0	10.0	5/31/89	< 2.0
					11/06/89	< 2.0

11/26/90

Page 81

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT		
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value	
6-S43-E12	2,4,5-TP silvex	PPB	2.0	10.0	2/09/90	<	2.0
	2,4,5-Trichlorophenol	PPB	10.0		11/06/89	<	10.0
	2,4,6-trichlorophenol	PPB	10.0		11/06/89	<	10.0
	2,4-D	PPB	2.0	100.0	5/31/89	<	2.0
					11/06/89	<	2.0
					2/09/90	<	2.0
	2,4-dichlorophenol	PPB	10.0		11/06/89	<	10.0
	2,4-dinitrophenol	PPB	10.0		11/06/89	<	10.0
	2,4-dinitrotoluene	PPB	10.0		11/06/89	<	10.0
	2,6-dichlorophenol	PPB	10.0		11/06/89	<	10.0
	2,6-dinitrotoluene	PPB	10.0		11/06/89	<	10.0
	2-Hexanone	PPB	50.0		11/06/89	<	50.0
	2-Methylnaphthalene	PPB	10.0		11/06/89	<	10.0
	2-acetylaminofluorene	PPB	10.0		11/06/89	<	10.0
	2-chloroethyl vinyl ether	PPB	5.0		11/06/89	<	5.0
	2-chloronaphthalene	PPB	10.0		11/06/89	<	10.0
	2-chlorophenol	PPB	10.0		11/06/89	<	10.0
	2-cyclohexyl-4,6-dinitrophenol	PPB	10.0		11/06/89	<	10.0
	2-methyl-2-(methylthio) propio	PPB	10.0		11/06/89	<	10.0
	2-methylaziridine	PPB	10.0		11/06/89	<	10.0
	2-methylactonitrile	PPB	10.0		11/06/89	<	10.0
	2-naphthylamine	PPB	10.0		11/06/89	<	10.0
	2-picoline	PPB	10.0		11/06/89	<	10.0
	2-propyn-1-ol	PPB	10000.0		11/06/89	<	10000.0
	2-sec-butyl-4,6-dinitrophenol	PPB	10.0		11/06/89	<	10.0
	3,3'-Dichlorobenzidine	PPB	10.0		11/06/89	<	10.0
	3,3'-dimethoxybenzidine	PPB	10.0		11/06/89	<	10.0
	3,3'-dimethylbenzidine	PPB	10.0		11/06/89	<	10.0
	3-chloropropionitrile	PPB	10000.0		11/06/89	<	10000.0
	3-methylcholanthrene	PPB	10.0		11/06/89	<	10.0
	4,4'-methylenebis(2-chloroanil	PPB	10.0		11/06/89	<	10.0
	4,6-dinitro-o-cresol and salts	PPB	10.0		11/06/89	<	10.0
	4-Nitroquinoline 1-oxide	PPB	10.0		11/06/89	<	10.0
	4-aminobiphenyl	PPB	10.0		11/06/89	<	10.0
	4-bromophenyl phenyl ether	PPB	10.0		11/06/89	<	10.0
	5-(aminomethyl)-3-isoxazolol	PPB	10.0		11/06/89	<	10.0
	5-nitro-o-toluidine	PPB	10.0		11/06/89	<	10.0
	7,12-dimethylbenz[a]anthracene	PPB	10.0		11/06/89	<	10.0
	7H-dibenzo[c,g]carbazole	PPB	10.0		11/06/89	<	10.0
	Acenaphthalene	PPB	10.0		11/06/89	<	10.0
	Acenaphthene	PPB	10.0		11/06/89	<	10.0
	Acetone - by ABN	PPB	10.0		11/06/89	<	10.0
	Acetone by VOA	PPB	10.0		5/31/89	<	10.0
					11/06/89	<	10.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 82

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S43-E12	Acetone by VOA	PPB	10.0		2/09/90	< 10.0
	Acetonitrile	PPB	10.0		11/06/89	< 10.0
	Acetophenone	PPB	10.0		11/06/89	< 10.0
	Acrolein	PPB	10.0		11/06/89	< 10.0
	Acrylamide	PPB	10000.0		11/06/89	< 10000.0
	Acrylonitrile	PPB	10.0		11/06/89	< 10.0
	Aldrin	PPB	.1		11/06/89	< .1
	Alkalinity		20000.0		5/31/89	205000.0
					11/06/89	107000.0
	Allyl Chloride	PPB	100.0		11/06/89	< 100.0
	Allyl alcohol	PPB	10000.0		11/06/89	< 10000.0
	Alpha, High Detection Level	PCI/L	4.0	15.0	5/31/89	3.6
					11/06/89	2.6
					2/09/90	3.7
	Alpha,alpha-dimethylphenethyla	PPB	10.0		11/06/89	< 10.0
	Alpha-BHC	PPB	.1	4.0	5/31/89	< .1
					11/06/89	< .1
					2/09/90	< .1
	Aluminum	PPB	150.0	50.0	11/06/89	< 150.0
					2/09/90	< 150.0
	Aluminum, filtered	PPB	150.0	50.0	5/31/89	< 150.0
					11/06/89	< 150.0
					2/09/90	< 150.0
	Amitrole	PPB	10.0		11/06/89	< 10.0
	Ammonium ion	PPB	50.0		11/06/89	< 50.0
	Aniline	PPB	10.0		11/06/89	< 10.0
	Anthracene	PPB	10.0		11/06/89	< 10.0
	Antimony	PPB	100.0		11/06/89	< 100.0
					2/09/90	< 100.0
	Antimony, filtered	PPB	100.0		5/31/89	< 100.0
					11/06/89	< 100.0
					2/09/90	< 100.0
	Aramite	PPB	10.0		11/06/89	< 10.0
	Arochlor 1016	PPB	1.0	.5	5/31/89	< 1.0
					11/06/89	< 1.0
					2/09/90	< 1.0
	Arochlor 1221	PPB	1.0	.5	5/31/89	< 1.0
					11/06/89	< 1.0
					2/09/90	< 1.0
	Arochlor 1232	PPB	1.0	.5	5/31/89	< 1.0
					11/06/89	< 1.0
					2/09/90	< 1.0
	Arochlor 1242	PPB	1.0	.5	5/31/89	< 1.0
					11/06/89	< 1.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 83

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT		
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value	
6-S43-E12	Arochlor 1242	PPB	1.0	.5	2/09/90	<	1.0
	Arochlor 1248	PPB	1.0	.5	5/31/89	<	1.0
					11/06/89	<	1.0
					2/09/90	<	1.0
	Arochlor 1254	PPB	1.0	.5	5/31/89	<	1.0
					11/06/89	<	1.0
					2/09/90	<	1.0
	Arochlor 1260	PPB	1.0	.5	5/31/89	<	1.0
					11/06/89	<	1.0
					2/09/90	<	1.0
	Arsenic	PPB	5.0	50.0	11/06/89	<	5.0
					2/09/90	<	5.0
	Arsenic, filtered	PPB	5.0	50.0	5/31/89	<	5.0
					11/06/89	<	5.0
					2/09/90	<	5.0
	Auramine	PPB	10.0		11/06/89	<	10.0
	Barium	PPB	6.0	1000.0	11/06/89		38.0
					2/09/90		40.0
	Barium, filtered	PPB	6.0	1000.0	5/31/89		57.0
					11/06/89		33.0
					2/09/90		40.0
	Benz[a]anthracene	PPB	10.0		11/06/89	<	10.0
	Benz[c]acridine	PPB	10.0		11/06/89	<	10.0
	Benzene	PPB	5.0	5.0	5/31/89	<	5.0
					11/06/89	<	5.0
					2/09/90	<	5.0
	Benzene, dichloromethyl	PPB	10.0		11/06/89	<	10.0
	Benzenethoil	PPB	10.0		11/06/89	<	10.0
	Benzidine	PPB	10.0		11/06/89	<	10.0
	Benzo(ghi)perylene	PPB	10.0		11/06/89	<	10.0
	Benzo(k)fluoranthene	PPB	10.0		11/06/89	<	10.0
	Benzo[a]pyrene	PPB	10.0		11/06/89	<	10.0
	Benzo[b]fluoranthene	PPB	10.0		11/06/89	<	10.0
	Benzo[j]fluoranthene	PPB	10.0		11/06/89	<	10.0
	Benzyl Alcohol	PPB	10.0		11/06/89	<	10.0
	Benzyl chloride	PPB	10.0		11/06/89	<	10.0
	Beryllium	PPB	5.0		11/06/89	<	5.0
					2/09/90	<	5.0
	Beryllium, filtered	PPB	5.0		5/31/89		5.0
					11/06/89	<	5.0
					2/09/90	<	5.0
	Beta-BHC	PPB	.1	4.0	5/31/89	<	.1
					11/06/89	<	.1
					2/09/90	<	.1

WHC-MR- 0 2 2 9

Geosciences Group PARADOX Database

11/26/90

Page 84

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S43-E12	Bis(2-chloro-1-methylethyl)eth	PPB	10.0		11/06/89	< 10.0
	Bis(2-chloroethoxy) methane	PPB	10.0		11/06/89	< 10.0
	Bis(2-chloroethyl) ether	PPB	10.0		11/06/89	< 10.0
	Bis(2-chloroisopropyl)ether	PPB	10.0		11/06/89	< 10.0
	Bis(2-ethylhexyl) phthalate	PPB	10.0		11/06/89	< 10.0
	Bis(chloromethyl) ether	PPB	5.0		11/06/89	< 5.0
	Boron	PPB	10.0		11/06/89	30.0
					2/09/90	38.0
	Boron, filtered	PPB	10.0		5/31/89	39.0
					11/06/89	29.0
					2/09/90	37.0
	Bromide	PPB	1000.0		5/31/89	< 1000.0
					11/06/89	< 1000.0
					2/09/90	< 1000.0
	Bromoacetone	PPB	5.0		11/06/89	< 5.0
	Bromodichloromethane	PPB	5.0	100.0	11/06/89	< 5.0
	Bromoform	PPB	5.0	100.0	11/06/89	< 5.0
	Butyl benzyl phthalate	PPB	10.0		11/06/89	< 10.0
	Cadmium	PPB	2.0	10.0	11/06/89	< 2.0
					2/09/90	< 2.0
	Cadmium, filtered	PPB	2.0	10.0	5/31/89	< 2.0
					11/06/89	< 2.0
					2/09/90	< 2.0
	Calcium	PPB	50.0		11/06/89	56300.0
					2/09/90	59800.0
	Calcium, filtered	PPB	50.0		5/31/89	81400.0
					11/06/89	55000.0
					2/09/90	63400.0
	Carbon Tetrachloride by GC/MS	PPB	5.0	5.0	5/31/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Carbon disulfide	PPB	10.0		11/06/89	< 10.0
	Carbophenothion	PPB	2.0		11/06/89	< 2.0
	Chlordane	PPB	1.0	2.0	11/06/89	< 1.0
	Chloride	PPB	500.0	250000.0	5/31/89	43400.0
					11/06/89	29400.0
					2/09/90	30900.0
	Chlornaphazine	PPB	10.0		11/06/89	< 10.0
	Chloroalkyl ethers	PPB	10.0		11/06/89	< 10.0
	Chlorobenzene	PPB	5.0	100.0	11/06/89	< 5.0
	Chlorobenzene (by ABN)	PPB	10.0	60.0	5/31/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Chlorobenzilate	PPB	300.0		11/06/89	< 300.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 85

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S43-E12	Chloroethane	PPB	10.0		11/06/89	< 10.0
	Chloroform	PPB	5.0	100.0	5/31/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Chloromethyl methyl ether	PPB	10.0		11/06/89	< 10.0
	Chromium	PPB	10.0	50.0	11/06/89	15.0
					2/09/90	27.0
	Chromium, filtered	PPB	10.0	50.0	5/31/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Chrysene	PPB	10.0		11/06/89	< 10.0
	Citrus red	PPB	1000.0		11/06/89	< 1000.0
	Cobalt	PPB	20.0		11/06/89	< 20.0
					2/09/90	< 20.0
	Cobalt, filtered	PPB	20.0		5/31/89	< 20.0
					11/06/89	< 20.0
					2/09/90	< 20.0
	Coliform (Membrane Filter)	PPB	1.0	1.0	11/06/89	< 1.0
	Copper	PPB	10.0	1000.0	11/06/89	< 10.0
					2/09/90	< 10.0
	Copper, filtered	PPB	10.0	1000.0	5/31/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Cresols	PPB	10.0		11/06/89	< 10.0
	Crotonaldehyde	PPB	10.0		11/06/89	< 10.0
	Cyanide	PPB	10.0		11/06/89	< 10.0
	DDD	PPB	.1		11/06/89	< .1
	DDE	PPB	.1		11/06/89	< .1
	DDT	PPB	.1		11/06/89	< .1
	Delta-BHC	PPB	.1	4.0	5/31/89	< .1
					11/06/89	< .1
					2/09/90	< .1
	Di-n-butyl phthalate	PPB	10.0		11/06/89	< 10.0
	Di-n-octyl phthalate	PPB	10.0		11/06/89	< 10.0
	Di-n-propylnitrosamine	PPB	10.0		11/06/89	< 10.0
	Diallate	PPB	10.0		11/06/89	< 10.0
	Dibenz[a,h]acridine	PPB	10.0		11/06/89	< 10.0
	Dibenz[a,h]anthracene	PPB	10.0		11/06/89	< 10.0
	Dibenz[a,j]acridine	PPB	10.0		11/06/89	< 10.0
	Dibenzo[a,e]pyrene	PPB	10.0		11/06/89	< 10.0
	Dibenzo[a,h]pyrene	PPB	10.0		11/06/89	< 10.0
	Dibenzo[a,i]pyrene	PPB	10.0		11/06/89	< 10.0
	Dibenzofuran	PPB	10.0		11/06/89	< 10.0
	Dibromomethane	PPB	10.0		11/06/89	< 10.0

WHC-MR- 0 2 2 9

Geosciences Group PARADOX Database

11/26/90

Page 86

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S43-E12	Dibutyl Phosphate	PPB	10000.0		11/06/89	< 10000.0
	Dichlorodifluoromethane	PPB	10.0		11/06/89	< 10.0
	Dieldrin	PPB	.1		11/06/89	< .1
	Diethyl phthalate	PPB	10.0		11/06/89	< 10.0
	Diethylstilbesterol	PPB	200.0		11/06/89	< 200.0
	Dihydrosafrole	PPB	10.0		11/06/89	< 10.0
	Dimethoate	PPB	2.0		11/06/89	< 2.0
	Dimethyl phthalate	PPB	10.0		11/06/89	< 10.0
	Dinitrobenzene	PPB	10.0		11/06/89	< 10.0
	Dinoseb	PPB	10.0		11/06/89	< 10.0
	Dioxane	PPB	500.0		11/06/89	< 500.0
	Diphenylamine	PPB	10.0		11/06/89	< 10.0
	Disulfoton	PPB	2.0		11/06/89	< 2.0
	Endosulfan I	PPB	.1		11/06/89	< .1
	Endosulfan II	PPB	.1		11/06/89	< .1
	Endosulfan Sulfate	PPB	.5		11/06/89	< .5
	Endrin	PPB	.1	.2	5/31/89	< .1
					11/06/89	< .1
					2/09/90	< .1
	Ethanol	PPB	10000.0		11/06/89	< 10000.0
	Ethyl benzene	PPB	5.0	700.0	11/06/89	< 5.0
	Ethyl carbamate	PPB	10000.0		11/06/89	< 10000.0
	Ethyl cyanide	PPB	10000.0		11/06/89	< 10000.0
	Ethyl methacrylate	PPB	10.0		11/06/89	< 10.0
	Ethyl methanesulfonate	PPB	10.0		11/06/89	< 10.0
	Ethylene Glycol	PPB	10000.0		11/06/89	< 10000.0
	Ethylene glycol	PPB	10000.0		5/31/89	< 10000.0
					2/09/90	< 10000.0
	Ethylene oxide	PPB	10.0		11/06/89	< 10.0
	Ethyleneimine	PPB	10.0		11/06/89	< 10.0
	Ethylenethiourea	PPB	200.0		11/06/89	< 200.0
	Fluoranthene	PPB	10.0		11/06/89	< 10.0
	Fluorene	PPB	10.0		11/06/89	< 10.0
	Fluoride	PPB	500.0	4000.0	5/31/89	< 500.0
					11/06/89	< 500.0
					2/09/90	< 500.0
	Formalin	PPB	500.0		11/06/89	< 500.0
	Gamma-BHC	PPB	.1	4.0	5/31/89	< .1
					11/06/89	< .1
					2/09/90	< .1
	Gross beta	PCI/L	8.0	50.0	5/31/89	11.1
					11/06/89	3.6
					2/09/90	4.6
	Heptachlor	PPB	.1	.4	11/06/89	< .1

WHC-MR- 0 2 2 9

Geosciences Group PARADOX Database

11/26/90

Page 87

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S43-E12	Heptachlor epoxide	PPB	.1		11/06/89	< .1
	Hexachlorobenzene	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Hexachlorobutadiene	PPB	10.0		11/06/89	< 10.0
	Hexachlorocyclopentadiene	PPB	10.0		11/06/89	< 10.0
	Hexachloroethane	PPB	10.0		11/06/89	< 10.0
	Hexachlorophene	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Hexachloropropene	PPB	10.0		11/06/89	< 10.0
	Hydrazine, Low Detection Level	PPB	30.0		11/06/89	< 30.0
	Indeno(1,2,3-cd)pyrene	PPB	10.0		11/06/89	< 10.0
	Iodomethane	PPB	10.0		11/06/89	< 10.0
	Iron	PPB	30.0	300.0	11/06/89	87.0
					2/09/90	175.0
	Iron, filtered	PPB	30.0	300.0	5/31/89	< 30.0
					11/06/89	< 30.0
					2/09/90	38.0
	Isobutyl alcohol	PPB	10000.0		11/06/89	< 10000.0
	Isodrin	PPB	10.0		11/06/89	< 10.0
	Isophorone	PPB	10.0		11/06/89	< 10.0
	Isosafrole	PPB	10.0		11/06/89	< 10.0
	Kepone	PPB	1.0		11/06/89	< 1.0
	Kerosene	PPB	10000.0		5/31/89	< 10000.0
					11/06/89	< 10000.0
					2/09/90	< 10000.0
	Lead (graphite furnace)	PPB	5.0	50.0	11/06/89	< 5.0
					2/09/90	< 5.0
	Lead, filtered	PPB	5.0	50.0	5/31/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Lithium	PPB	10.0		11/06/89	< 10.0
					2/09/90	< 10.0
	Lithium, filtered	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Magnesium	PPB	50.0		11/06/89	11000.0
					2/09/90	11500.0
	Magnesium, filtered	PPB	50.0		5/31/89	15200.0
					11/06/89	10700.0
					2/09/90	11800.0
	Maleic hydrazide	PPB	500.0		11/06/89	< 500.0
	Malononitrile	PPB	10.0		11/06/89	< 10.0

WHC-MR- 0 2 2 9

Geosciences Group PARADOX Database

11/26/90

Page 88

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S43-E12	Manganese	PPB	5.0	50.0	11/06/89	6.0
					2/09/90	< 5.0
	Manganese, filtered	PPB	5.0	50.0	5/31/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Melphalan	PPB	10.0		11/06/89	< 10.0
	Mercury	PPB	.1	2.0	11/06/89	< .1
					2/09/90	< .1
	Mercury, filtered	PPB	.1	2.0	5/31/89	< .1
					11/06/89	< .1
					2/09/90	< .1
	Methacrylonitrile	PPB	10.0		11/06/89	< 10.0
	Methanethiol	PPB	10.0		11/06/89	< 10.0
	Methapyrilene	PPB	10.0		11/06/89	< 10.0
	Metholonyl	PPB	10.0		11/06/89	< 10.0
	Methoxychlor	PPB	3.0	100.0	5/31/89	< 3.0
					11/06/89	< 3.0
					2/09/90	< 3.0
	Methyl Isobutyl Ketone	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Methyl bromide	PPB	10.0		11/06/89	< 10.0
	Methyl chloride	PPB	10.0		11/06/89	< 10.0
	Methyl ethyl ketone	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Methyl methacrylate	PPB	10.0		11/06/89	< 10.0
	Methyl methanesulfonate	PPB	10.0		11/06/89	< 10.0
	Methyl parathion	PPB	2.0		11/06/89	< 2.0
	Methylene Chloride	PPB	5.0		5/31/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Methylthiouracil	PPB	10.0		11/06/89	< 10.0
	Molybdenum	PPB	40.0		11/06/89	< 40.0
					2/09/90	< 40.0
	Molybdenum, filtered	PPB	40.0		5/31/89	< 40.0
					11/06/89	< 40.0
					2/09/90	< 40.0
	Monobutyl Phosphate	PPB	10000.0		11/06/89	< 10000.0
	N,N-diethylhydrazine	PPB	10.0		11/06/89	< 10.0
	N-Nitrosodiphenylamine	PPB	10.0		11/06/89	< 10.0
	N-nitroso-N-methylurethane	PPB	10.0		11/06/89	< 10.0
	N-nitrosodi-n-butylamine	PPB	10.0		11/06/89	< 10.0
	N-nitrosodiethanolamine	PPB	10.0		11/06/89	< 10.0

WHC-MR- 0 2 2 9

Geosciences Group PARADOX Database

11/26/90

Page 89

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S43-E12	N-nitrosodiethylamine	PPB	10.0		11/06/89	< 10.0
	N-nitrosodimethylamine	PPB	10.0		11/06/89	< 10.0
	N-nitrosomethylethylamine	PPB	10.0		11/06/89	< 10.0
	N-nitrosomethylvinylamine	PPB	10.0		11/06/89	< 10.0
	N-nitrosomorpholine	PPB	10.0		11/06/89	< 10.0
	N-nitrosornicotine	PPB	10.0		11/06/89	< 10.0
	N-nitrosopiperidine	PPB	10.0		11/06/89	< 10.0
	N-phenylthiourea	PPB	500.0		11/06/89	< 500.0
	N-propylamine	PPB	10000.0		11/06/89	< 10000.0
	Naphthalene	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Nickel	PPB	10.0		11/06/89	15.0
					2/09/90	19.0
	Nickel, filtered	PPB	10.0		5/31/89	14.0
					11/06/89	14.0
					2/09/90	12.0
	Nicotinic acid	PPB	100.0		11/06/89	< 100.0
	Nitrate	PPB	500.0	45000.0	5/31/89	20300.0
					11/06/89	13300.0
					2/09/90	16700.0
	Nitrite	PPB	1000.0	3300.0	5/31/89	< 1000.0
					11/06/89	< 1000.0
					2/09/90	< 1000.0
	Nitrobenzine	PPB	10.0		11/06/89	< 10.0
	Nitrosopyrrolidine	PPB	10.0		11/06/89	< 10.0
	O,O,O-triethyl phosphorothioat	PPB	10.0		11/06/89	< 10.0
	O-toluidine hydrochloride	PPB	10.0		11/06/89	< 10.0
	P benzoquinone	PPB	10.0		11/06/89	< 10.0
	P-chloro-m-cresol	PPB	10.0		11/06/89	< 10.0
	P-chloroaniline	PPB	10.0		11/06/89	< 10.0
	P-dimethylaminoazobenzene	PPB	10.0		11/06/89	< 10.0
	P-nitroaniline	PPB	10.0		11/06/89	< 10.0
	PHORATE	PPB	2.0		11/06/89	< 2.0
	Paraldehyde	PPB	10000.0		11/06/89	< 10000.0
	Parathion	PPB	2.0		11/06/89	< 2.0
	Pcdd's	PPB	.0		11/06/89	< .0
	Pcdf's	PPB	.0		11/06/89	< .0
	Pentachlorobenzene	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Pentachloroethane	PPB	10.0		11/06/89	< 10.0
	Pentachloronitrobenzene	PPB	10.0		11/06/89	< 10.0
	Pentachlorophenol	PPB	50.0	200.0	11/06/89	< 50.0

Well Result Report

1100 Area Groundwater Monitoring

WELL	CONSTITUENT				RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S43-E12	Phenacetin	PPB	10.0		11/06/89	< 10.0
	Phenanthrene	PPB	10.0		11/06/89	< 10.0
	Phenol	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Phenylenediamine	PPB	10.0		11/06/89	< 10.0
	Phosphate	PPB	1000.0		5/31/89	< 1000.0
					11/06/89	< 1000.0
					2/09/90	< 1000.0
	Phthalic acid esters	PPB	10.0		11/06/89	< 10.0
	Potassium	PPB	100.0		11/06/89	6630.0
					2/09/90	6630.0
	Potassium, filtered	PPB	100.0		5/31/89	8020.0
					11/06/89	6500.0
					2/09/90	6730.0
	Pronamide	PPB	10.0		11/06/89	< 10.0
	Propionitrile	PPB	5.0		11/06/89	< 5.0
	Pyrene	PPB	10.0		11/06/89	< 10.0
	Pyridine	PPB	500.0		11/06/89	< 500.0
	Radium	PCI/L	1.0	5.0	5/31/89	.2
					11/06/89	.5
	Reserpine	PPB	10.0		11/06/89	< 10.0
	Resorcinol	PPB	10.0		11/06/89	< 10.0
	Safrol	PPB	10.0		11/06/89	< 10.0
	Selenium	PPB	5.0	10.0	11/06/89	< 5.0
					2/09/90	< 5.0
	Selenium, filtered	PPB	5.0	10.0	5/31/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Silicon	PPB	50.0		11/06/89	16900.0
					2/09/90	16200.0
	Silicon, filtered	PPB	50.0		5/31/89	17000.0
					11/06/89	16700.0
					2/09/90	16900.0
	Silver	PPB	10.0	50.0	11/06/89	< 10.0
					2/09/90	< 10.0
	Silver, filtered	PPB	10.0	50.0	5/31/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Sodium	PPB	200.0		11/06/89	17600.0
					2/09/90	18900.0
	Sodium, filtered	PPB	200.0		5/31/89	27200.0
					11/06/89	17100.0
					2/09/90	19100.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 91

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S43-E12	Specific conductance	UMHO	1.0	700.0	5/31/89	412.0
					11/06/89	478.0
					2/09/90	423.0
	Strontium	PPB	10.0		11/06/89	250.0
					2/09/90	273.0
	Strontium, filtered	PPB	10.0		5/31/89	349.0
					11/06/89	247.0
					2/09/90	275.0
	Strychnine	PPB	50.0		11/06/89	< 50.0
	Styrene	PPB	5.0	5.0	11/06/89	< 5.0
	Sulfate	PPB	500.0	250000.0	5/31/89	30000.0
					11/06/89	17900.0
					2/09/90	19400.0
	Sulfide	PPB	1000.0		11/06/89	< 1000.0
	Sym-trinitrobenzene	PPB	10.0		11/06/89	< 10.0
	Tetrachloroethylene	PPB	5.0	5.0	5/31/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Tetraethylpyrophosphate	PPB	2.0		11/06/89	< 2.0
	Tetrahydrofuran	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Thallium	PPB	5.0		11/06/89	< 5.0
					2/09/90	< 5.0
	Thallium, filtered	PPB	5.0		5/31/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Thiofanox	PPB	10.0		11/06/89	< 10.0
	Thiourea	PPB	200.0		11/06/89	< 200.0
	Thiuram	PPB	10.0		11/06/89	< 10.0
	Tin	PPB	30.0		11/06/89	< 30.0
					2/09/90	< 30.0
	Tin, filtered	PPB	30.0		5/31/89	< 30.0
					11/06/89	< 30.0
					2/09/90	< 30.0
	Titanium	PPB	60.0		11/06/89	< 60.0
					2/09/90	< 60.0
	Titanium, filtered	PPB	60.0		5/31/89	< 60.0
					11/06/89	< 60.0
					2/09/90	< 60.0
	Toluene	PPB	5.0	2000.0	5/31/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Toluenediamine	PPB	10.0		11/06/89	< 10.0

WHC-MR- 0 2 2 9

Geosciences Group PARADOX Database

11/26/90

Page 92

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT	
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value
6-S43-E12	Total Organic Halogen, Low Det	PPB	10.0		5/31/89	23.0
					11/06/89	20.0
					2/09/90	< 3.0
	Total carbon	PPB	1000.0		5/31/89	52300.0
					11/06/89	41900.0
					2/09/90	44100.0
	Total organic carbon	PPB	1000.0		5/31/89	< 1600.0
					11/06/89	< 800.0
					2/09/90	< 1000.0
	Toxaphene	PPB	1.0	5.0	5/31/89	< 1.0
					11/06/89	< 1.0
					2/09/90	< 1.0
	Trans-1,2-dichloroethene	PPB	5.0	70.0	5/31/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Tributylphosphoric Acid	PPB	10.0		5/31/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Trichloroethylene	PPB	5.0	5.0	5/31/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Trichloromethanethiol	PPB	10.0		11/06/89	< 10.0
	Trichloromonofluoromethane	PPB	10.0		11/06/89	< 10.0
	Tris(2,3-dibromopropyl) phosph	PPB	10.0		11/06/89	< 10.0
	Tritium	PCI/L	500.0	20000.0	5/31/89	< 68.0
					11/06/89	< 204.0
	Turbidity	NTU	.1	5.0	11/06/89	.5
					2/09/90	2.2
	Unknown Amide	PPB			11/06/89	25.0
	Vanadium	PPB	5.0		11/06/89	16.0
					2/09/90	11.0
	Vanadium, filtered	PPB	5.0		5/31/89	18.0
					11/06/89	15.0
					2/09/90	10.0
	Vinyl Acetate	PPB	5.0		11/06/89	< 5.0
	Vinyl chloride	PPB	10.0	2.0	5/31/89	< 10.0
					11/06/89	< 10.0
					2/09/90	< 10.0
	Warfarin	PPB	10.0		11/06/89	< 10.0
	Xylene-m	PPB	5.0	10000.0	5/31/89	< 5.0
					11/06/89	< 5.0
					2/09/90	< 5.0
	Xylene-o,p	PPB	5.0	10000.0	5/31/89	< 5.0
					11/06/89	< 5.0

WHC-MR- 0229

Geosciences Group PARADOX Database

11/26/90

Page 93

Well Result Report

1100 Area Groundwater Monitoring

WELL		CONSTITUENT			RESULT		
Name	Name	Units	Detection Limit	Drinking Water Standard	Sample Date	Analysis Value	
6-S43-E12	Xylene-o,p	PPB	5.0	10000.0	2/09/90	<	5.0
	Zinc	PPB	5.0	5000.0	11/06/89	<	5.0
					2/09/90	<	5.0
	Zinc, filtered	PPB	5.0	5000.0	5/31/89	<	5.0
					11/06/89	<	5.0
					2/09/90	<	5.0
	Zirconium	PPB	50.0		11/06/89	<	50.0
					2/09/90	<	50.0
	Zirconium, filtered	PPB	50.0		5/31/89	<	50.0
					11/06/89	<	50.0
					2/09/90	<	50.0
	dibromochloromethane	PPB	5.0	100.0	11/06/89	<	5.0
	m-Nitroaniline	PPB	10.0		11/06/89	<	10.0
	o-Nitroaniline	PPB	10.0		11/06/89	<	10.0
	o-Nitrophenol	PPB	10.0		11/06/89	<	10.0
	p-Dichlorobenzene	PPB	5.0	750.0	5/31/89	<	5.0
					11/06/89	<	5.0
					2/09/90	<	5.0
			10.0	750.0	5/31/89	<	10.0
					11/06/89	<	10.0
					2/09/90	<	10.0
	p-Nitrophenol	PPB	10.0		11/06/89	<	10.0
	pH, Field Measurement		.1	8.5	5/31/89		7.1
					11/06/89		7.3
					2/09/90		7.7
	pH, Laboratory Measurement		.0	8.5	5/31/89		7.7
					11/06/89		7.6
					2/09/90		7.4

END

DATE FILMED

02 / 28 / 91