Technical Progress Report

**Use of Cloud Observations and Mesoscale Meteorology Models to
Evaluate and Improve Cloud Parameterizations**

1 December 1991 - 30 November 1992

DOE Grant DE-FG02-92ER61364

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Prepared for:

Peter W. Lunn, Program Manager
Atmospheric Radiation Measurement Program
Environmental Sciences Division
Office of Health and Environmental Research
Office of Energy Research
Department of Energy
Washington, D. C. 20585

Prepared by:

Chris J. Walcek, Principal Investigator
Atmospheric Sciences Research Center
State University of New York at Albany
100 Fuller Rd.
Albany, NY 12205
(518) 442-3840

30 October 1992

MASTERDISTRIBUTION OF THIS DOCUMENT IS UNLIMITED *ED*

1. Project Statement of Work

This research program utilizes satellite and surface-derived cloud observations together with standard meteorological measurements to evaluate and improve our ability to accurately diagnose cloud coverage. Results of this research will be used to compliment existing or future parameterizations of cloud effects in general circulation models, since nearly all cloud parameterizations must specify a fractional area of cloud coverage when calculating radiative or dynamic cloud effects, and current parameterizations rely on rather crude cloud cover estimates.

During the first phase of this research program, our goal is to evaluate and improve the methods for calculating cloud cover within a mesoscale meteorology model. To accomplish this, a mesoscale meteorology model will be quantitatively evaluated using available cloud cover databases, including the U. S. Air Force 3DNEPH and RTNEPH satellite-derived cloud fields, as well as CART data as they become available. Hourly-averaged distributions of the model-derived cloud fields will be compared with observed clouds at the finest spatial and temporal resolution of the corresponding datasets. Algorithms currently used in global or mesoscale meteorological models to assess cloud coverage will be objectively evaluated. We will then carry out an innovative search for relationships between cloud coverage and numerous meteorological factors such as relative humidity, stability, wind shear, moisture convergence, precipitation rate and other parameters.

During the second phase of this research, the cloud cover data and improved parameterizations of cloud coverage developed during the first phase will be incorporated into a mesoscale meteorology model. Model forecasts which utilize the observed cloud coverage and depth should be improved relative to forecasts which crudely specify cloud properties.

2. Project Progress:

1 Dec. 1991 - 30 Oct. 1992

During the first 11 months of this research program, we have compiled and reviewed a list of formulations used by various climate research groups to specify cloud cover. We find considerable variability between formulations used by various climate and meteorology models, and under some conditions, one formulation will produce a zero cloud amount, while an alternate formulation calculates 95% cloud cover under the same environmental conditions. All formulations hypothesize that cloud cover is predominantly determined by the average relative humidity, although some formulations allow local temperature lapse rates and vertical velocities to influence cloud amount. All formulations specify that cloud fraction is zero below a "threshold" relative humidity, and there are several estimates of this vertically-varying "threshold" based on physical

arguments or “tuning” of free parameters to match global albedo estimates. We find that a majority of the formulations are based on limited observations, and evaluations of algorithm accuracy are based on longer-term compilations of cloud cover observations that cannot resolve the vertical distribution of cloud amount.

In order to explicitly evaluate the accuracy of these and future cloud cover algorithms, we have prepared an evaluation database of cloud cover and related meteorological observations during a springtime midlatitude cyclone. This growing dataset contains simultaneous observations of cloud cover fraction, moisture, wind speeds, temperatures at over 5000 (320 km)² areas over the northeast U. S. at 15 tropospheric levels. Cloud cover is derived from the U. S. Air Force 3DNEPH satellite archive, and related meteorology is extracted from the NMC analysis. We have developed initial versions of a set of analysis programs designed to search for and quantify correlations between cloud cover and other meteorological factors. This cloud observational database is being used to assess the accuracy of existing cloud cover algorithms.

We find that most cloud cover algorithms tend to underpredict cloud coverage, especially under dry conditions, when we find 10 - 20 % cloud cover at relative humidities as low as 20 - 30% within certain tropospheric layers averaged over (320 km)² areas. We also find that cloud amount appears to increase with increasing humidity at all relative humidities, in stark contrast to existing formulations, which contain no cloud cover sensitivity to relative humidity at humidities below the 70 - 90 % “critical” humidities used by these models. We see no clear evidence that cloud cover vanishes at a “critical humidity”. Based on these initial comparisons, we feel that current climate models cannot adequately assess the *changes* in cloud cover that may result from small changes in relative humidity in a modified climate. Thus, a potentially important feedback between climate change and changes in cloud cover are probably not adequately simulated by current models of global warming.

We have discovered an apparent discrepancy between observed relative humidity in the upper troposphere under dry conditions, and calculations of relative humidity using the NCAR Mesoscale meteorology model, with the model calculating excessive relative humidity in the upper troposphere under unstable conditions. This is most likely attributable to an incorrect parameterization of moisture redistribution by the convective parameterization used by the model. Such an error would lead to an inaccurate cloud coverage calculation if it were present in a global circulation model.

We have begun development of an improved convective-scale vertical mixing parameterization for use in our mesoscale meteorological model in order to alleviate the deficiency in the NCAR mesoscale meteorological model. This stand-alone model is a

Single Column Model (SCM) that will be used in conjunction with ARM-measured CART data as they become available. This convective mixing algorithm will be based on a detraining cloud-plume description of buoyantly-driven cloud motions, and include a reasonably sophisticated description of multi-stream cloud up- and down-drafts with somewhat more sophisticated microphysics than are currently incorporated into most cumulus parameterizations. This SCM will be used to assess the heating and moistening tendencies due to buoyantly-induced convection within hydrostatic models of the atmosphere that cannot explicitly compute these effects.

In addition to the time devoted by Dr. Walcek to this research effort, two post-doctoral research associates and a graduate student are contributing to various technical aspects of this project. We have also purchased microcomputer and workstation-level computer software and hardware as needed by this project.

Dr. Walcek presented results from this research effort at two scientific meetings: the *11th International Conference on Clouds and Precipitation* held in Montreal, Canada, 17-21 August 1992; and the *WMO Cloud Microphysics and Applications to Global Climate Change Workshop* held in Toronto, Canada from 10-14 August 1992. We have also prepared a manuscript for journal publication summarizing the research results described above. Meeting abstracts citations are listed at the end of this progress report.

4. Plan for Next Year:

1 Dec. 1992 - 30 Nov. 1993

During the next funding year of this research effort, the cloud cover data and improved parameterizations of cloud coverage developed during the first phase will be incorporated into a mesoscale meteorology model. Model forecasts which utilize the observed cloud coverage and depth should be improved relative to forecasts which crudely specify cloud properties. During this period, we anticipate running improved versions of the MM4 meteorological model on DOE supercomputers, for which we have submitted applications for supercomputer resources. We plan to append incoming CART cloud cover and related meteorological data to our existing cloud observation database to expand the range of conditions under which we assess cloud cover, and hopefully utilize observations that contain a higher precision than the archived 3DNEPH data that currently composes the majority of the database.

Conference presentations, abstracts, and journal manuscripts resulting from this research effort:

Walcek, C. J., 1992: Cloud cover and its relationship with relative humidity during a springtime midlatitude cyclone: some implications for climate models. *Proceedings, 11th International Conference on Clouds and Precipitation*. Montreal, Canada, 17-21 August 1992. Elsevier Publishers, 1128-1131.

Walcek, C. J., 1992: Extrapolating cloud-scale microphysical, dynamic, and radiative processes to global and climatic scales: How accurately do we know the fractional area of cloud coverage?. Workshop proceedings of the *WMO Cloud Microphysics and Applications to Global Climate Change Workshop*. Toronto, Canada, 10-14 August 1992. In press.

Walcek, C. J., 1992: Cloud cover and its relationship with meteorological factors during a springtime midlatitude cyclone. *Monthly Weather Review*. manuscript submitted and under review, July 1992.

END

**DATE
FILMED**

12 / 23 / 92