Information Retrieval System: Impacts of Water-Level Changes on Uses of Federal Storage Reservoirs of the Columbia River

**D. H. Fickeisen
P. J. Cowley
D. A. Neitzel
M. A. Simmons**

September 1982

**Prepared for the U.S. Department of Energy
under Contract DE-AC06-76RLO 1830**

**Pacific Northwest Laboratory
Operated for the U.S. Department of Energy
by Battelle Memorial Institute**

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

PACIFIC NORTHWEST LABORATORY
operated by
BATTELLE
for the
UNITED STATES DEPARTMENT OF ENERGY
under Contract DE-AC06-76RLO 1830

Printed in the United States of America
Available from
National Technical Information Service
United States Department of Commerce
5285 Port Royal Road
Springfield, Virginia 22151

NTIS Price Codes
Microfiche A01

Printed Copy

Pages	Price Codes
001-025	A02
026-050	A03
051-075	A04
076-100	A05
101-125	A06
126-150	A07
151-175	A08
176-200	A09
201-225	010
226-250	111
251-275	1012
276-300	A013

INFORMATION RETRIEVAL SYSTEM:
IMPACTS OF WATER-LEVEL CHANGES ON USES
OF FEDERAL STORAGE RESERVOIRS OF THE
COLUMBIA RIVER

D. H. Fickeisen
P. J. Cowley
D. A. Neitzel
M. A. Simmons

September 1982

Prepared for
Bonneville Power Administration
under a Related Services Agreement
with the Department of Energy
Contract DE-AC06-76RLO 1830

Pacific Northwest Laboratory
Richland, Washington 99352

PREFACE

Bonneville Power Administration (BPA) markets electricity from Federal hydroelectric facilities in the Columbia River. Under the National Environmental Policy Act (NEPA) and the Pacific Northwest Electric Power Planning and Conservation Act (Regional Act), BPA is responsible for assessing environmental effects of any changes they propose in how the system operates. To assess the impacts of these changes, BPA requires ready access to information describing potential impacts.

The BPA has an immediate need for information that relates to environmental effects of river operations, most critically with regard to effects of water level on reservoir uses. There is also a need for a systematic method to store and access environmental information. This project involved simultaneously compiling and evaluating information related to effects of water level on reservoir uses and developing a computer system to retrieve the data. As an initial test case, the impact information was loaded onto the data retrieval system. The system as it now exists is flexible and can be easily expanded to include additional sites and types of impacts.

EXECUTIVE SUMMARY

Information related to effects of changes in water-level regime for five Columbia River federal storage reservoirs (Lake Roosevelt, Lake Pend Oreille, Lake Koocanusa, Hungry Horse Reservoir, and Dworshak Reservoir) was compiled and evaluated. A data retrieval system was devised to store, select, and display citations to the information and to provide specific impact information for the study sites.

The project was undertaken to provide the Bonneville Power Administration (BPA) with a data base which they could use to assess environmental impacts resulting from river operations. Because implementation of the Regional Council's Fish and Wildlife Program may result in major changes in reservoir operations, it will be necessary for BPA to be able to consider the environmental consequences of those changes.

It is anticipated that the program could modify river operations to facilitate outmigration of juvenile salmonids. The proposed modifications could affect reservoir levels during certain seasons of the year and, consequently, the many reservoir uses that are dependent on water level. The information base developed through this project will be used by BPA to help define effects of water-level changes on reservoir uses.

The data retrieval system used to index and access the compiled information is flexible and dynamic. The system can be readily expanded to accommodate additional sites and types of impacts. The data base and its software are on BPA's VAX computer and may be accessed by terminals within BPA's offices or by dial-up ports from remote sites. To obtain the full benefits of this system, the data base should be updated frequently to add or modify data entries and to facilitate specific access needs.

In searching for information relating water level to effects on specific reservoir uses, we identified several potential impacts for which no information was available. Future research efforts are suggested to further define these potential effects.

CONTENTS

PREFACE	iii
EXECUTIVE SUMMARY	v
ACKNOWLEDGMENTS	ix
1.0 INTRODUCTION	1.1
2.0 STUDY RESERVOIRS	2.1
2.1 LAKE ROOSEVELT (GRAND COULEE DAM)	2.4
2.2 LAKE PEND OREILLE (ALBENI FALLS DAM)	2.6
2.3 LAKE KOOCANUSA (LIBBY DAM)	2.8
2.4 HUNGRY HORSE (HUNGRY HORSE DAM)	2.10
2.5 DWORSHAK (DWORSHAK DAM)	2.10
3.0 INFORMATION COMPILATION AND EVALUATION	3.1
4.0 DATA ENTRY AND RETRIEVAL	4.1
5.0 RESEARCH NEEDS	5.1
5.1 FISH IMPACTS	5.1
5.2 WILDLIFE IMPACTS	5.8
5.2.1 Lake Roosevelt	5.9
5.2.2 Lake Pend Oreille	5.9
5.2.3 Lake Koocanusa	5.10
5.2.4 Hungry Horse	5.10
5.2.5 Dworshak	5.11
5.3 IRRIGATION IMPACTS	5.11
5.4 RECREATION IMPACTS	5.11

6.0 DOCUMENTATION AND TRAINING	6.1
7.0 REFERENCES	7.1
APPENDIX A - CONTACT LIST	A.1
APPENDIX B - TELEPHONE AND PERSONAL CONTACT FORMS AND CORRESPONDENCE .	B.1
APPENDIX C - SOFTWARE EVALUATION AND DEVELOPMENT	C.1
APPENDIX D - CITATION AND EVALUATION FORMS	D.1
APPENDIX E - IMPACT DEFINITION AND EVALUATION FORMS	E.1
APPENDIX F - RIVOPR USER'S MANUAL	F.1

ACKNOWLEDGEMENTS

The authors thank John Pynch, BPA's Environmental Coordinator for the Office of Power and Resources Management, who served as BPA's technical representative for this project. John assisted in many ways, particularly by facilitating communications with many of the agencies we contacted. His definition of BPA's needs and support for the concept were vital to the project. We acknowledge several staff members within BPA who helped identify information and sources: Dick Harper, Tom Vogel, Lee Miller, Greg Drais, and John Palensky. BPA's data processing staff also helped, including Bill Tranch with software selection and hardware considerations, and Margaret Swiger and Tim Canan with the data base implementation and training.

We experienced outstanding cooperation from agencies and individuals we contacted and interviewed to develop the information data base. Without their cooperation, the project could not have been accomplished in the time available.

Many PNL staff contributed their expertise and long hours to the project. They include Dr. Dick Fitzner, Ken Gano, Bruce Harrer, Lance Hood, Don Klopfer, Duane Neitzel, and Pete Wilfert, who accomplished most of the literature compilation and evaluation. Mary Ann Simmons and Dr. Chuck Watson were responsible for developing and implementing the impact matrix. Paula Cowley and Warren De Mier conducted the software evaluation, data base implementation, and training activities. Carolynn Novich provided editorial assistance, and Gail Poole did most of the text processing.

1.0 INTRODUCTION

This report describes a project undertaken to provide the Bonneville Power Administration (BPA) with information needed to conduct environmental assessments and meet requirements of the National Environmental Policy Act (NEPA) and the Pacific Northwest Electric Power Planning and Conservation Act (Regional Act). Access to information on environmental effects would help BPA fulfill its responsibilities to coordinate power generation on the Columbia River system, protect the environment, protect uses of the river system (e.g., irrigation, recreation, navigation), and enhance fish and wildlife production. Staff members at BPA identified the need to compile and index information resources that would help answer environmental impact questions. A computer retrieval system that would provide ready access to the information was envisioned.

Environmental impact information has been developed by many federal and state agencies, research organizations, and special interest groups; however, no comprehensive attempt has been made to compile and evaluate the available information, synthesize the data, or identify gaps in the information base. This project was supported by BPA to provide an initial step toward such a compilation. Scientists at Pacific Northwest Laboratory (PNL) identified, gathered, and evaluated information related to environmental effects of water level on uses of five study reservoirs and developed and implemented an environmental data retrieval system, which provides for automated storage and retrieval of annotated citations to published and unpublished information. The data retrieval system is operating on BPA's computer facility and includes the reservoir water-level environmental data.

The scope of the initial data compilation effort was limited to five major federally operated storage reservoirs in the Columbia River system:

<u>Reservoir</u>	<u>Dam</u>	<u>River</u>
Lake Roosevelt	Grand Coulee	Columbia
Lake Pend Oreille	Albeni Falls	Pend Orielle
Lake Koocanusa	Libby	Kootenai
Hungry Horse Reservoir	Hungry Horse	S. Fork Flathead
Dworshak Reservoir	Dworshak	N. Fork Clearwater

The reservoirs were selected because it was expected that implementation of the Regional Council's yet-to-be-drafted Fish and Wildlife Program could require providing river flows greater than those needed for normal hydroelectric demand to increase survival of downstream migrating salmonid fry and smolts. According to initial modeling efforts conducted by BPA, proposals under consideration could substantially reduce water levels at storage reservoirs. The five federal reservoirs are the major potential sources of water to enhance fish migration.

This project was divided into several tasks, some of which were conducted simultaneously to meet project deadlines. The tasks were to identify uses of the five study reservoirs (Chapter 2), compile and evaluate reservoir information (Chapter 3), develop a data entry and retrieval system (Chapter 4), identify and analyze research needs (Chapter 5), and document the data retrieval system and train users (Chapter 6). Additional details of the project are described in several appendixes.

Appendix A, "Contact List," is a comprehensive listing of agencies and individuals who potentially have information pertinent to the five study reservoirs. Appendix B, "Telephone and Personal Contact Forms and Correspondence," is a compilation of memorandums indicating the substance of personal contacts made during information gathering efforts. Appendix C, "Software Evaluation and Development," is a description of the rationale for selecting the data retrieval system software. Development of software and the data base are also described. Appendix D, "Citation and Evaluation Forms," is a computer printout of the bibliographic data on the retrieval system. Appendix E, "Impact Definition and Evaluation Forms," is a computer

printout of data included in the impact matrix portion of the data retrieval system. Appendix F, "RIVOPR User's Manual," provides instructions for use of the data retrieval system. The manual is written for the novice computer user.

2.0 STUDY RESERVOIRS

We compiled information describing effects of water level on uses of the five major federal storage reservoirs located within the Columbia River watershed. This chapter of the report is a general description of the study reservoirs, including their locations, physical characteristics, and uses. Reservoir use information was developed to guide efforts to compile information on water-level effects. Uses were identified from published materials, authorizing legislation, interviews with operating agencies, and from an aerial survey conducted to help project staff members become familiar with the study sites. Uses were identified and described and their seasonality determined to the degree feasible. They were also ranked subjectively by relative importance.

The study reservoirs are impounded by Grand Coulee, Albeni Falls, Libby, Hungry Horse, and Dworshak dams. They have a combined useable storage capacity of over 16 million acre-feet of water. The impoundments were created for multiple purposes such as flood control, power generation, recreation, fish and wildlife conservation, and storage of water for controlled release to enhance downstream uses. Enhanced downstream uses include power generation, navigation, irrigation, water quality improvement, and fish migration. Some uses not specifically designated in the authorizing legislation are mandated by subsequent laws, policies, and treaty obligations. The major uses and features of the reservoirs are summarized in Table 2.1.

Power generation is an important use of the reservoirs. Power generation takes place throughout the year at each dam, and the power is marketed by BPA. Water stored in the reservoirs is released and passes several downstream dams. Each of the downstream dams provides additional generation. Therefore, controlled release enhances the energy production of downstream components of the generation system and permits shaping the hydrograph to better conform to seasonal and daily generation demand. It is

TABLE 2.2. Summary of Reservoir Features and Uses

Feature or Use	Reservoir				
	Lake Roosevelt	Lake Pend Oreille	Lake Koocanusa	Hungry Horse Reservoir	Dworshak Reservoir
Dam	Grand Coulee	Albeni Falls	Libby	Hungry Horse	Dworshak
River Location	Columbia	Pend Oreille	Kootenai	South Fork Flathead	North Fork Clearwater
Owner	Bureau of Reclamation	Corps of Engineers	Corps of Engineers	Bureau of Reclamation	Corps of Engineers
Reservoir Area (acres)	80,000	94,000	46,500	23,000	17,090
Pool Elevation					
Maximum (ft/msl)	1,290	2,062.5	2,459	3,560	1,600
Minimum (ft/msl)	1,208	2,049.7	2,287	3,336	1,445
Maximum drawdown (ft)	82	12.8	172	274	155
Usable storage (million acre/ft)	5.2	1.2	4.9	3.2	2.0
Power Generation Capacity (MW)	6,000	42	420	285	400
Major Authorized Uses	Irrigation, flood control, power generation	Power generation	Flood control, power generation	Flood control, power generation	Flood control, power generation, navigation flows
Downstream Uses of Stored Water	Power generation, navigation	Power generation, irrigation, navigation	Power generation, navigation, irrigation, water quality, fish migration	Power generation, navigation, irrigation	Power generation navigation
Reservoir Uses, Flood Control	Yes	Yes	Yes, treaty obligation	Yes	Yes
Irrigation Withdrawals	Major - 500,000 acres	None	None	None	None
Recreation Uses					
Fishing	Yes	Major fishery in Idaho	Yes	Yes	Yes
Hunting	Yes	Yes	Question	Yes	Yes
Picnicking	Yes	Yes	Yes	Yes	Yes
Boating	Yes	Yes	Yes	Yes	Yes
Swimming	Yes	Yes	Limited	Limited	Yes
Sightseeing	Yes	Yes	Yes	Yes	Yes
Developed sites	25 - National Park Service	Many - Corps, Forest Service, State, Private	Several - Forest Service; Corps; BC Dept. of Land, Parks, and Housing	18	200 "minicamps", Corps Several multiple-use camps, Corps

TABLE 2.2. Summary of Reservoir Features and Uses (contd)

Feature or Use	Reservoir				
	Lake Roosevelt	Lake Pend Oreille	Lake Koocanusa	Hungry Horse Reservoir	Dworshak Reservoir
Fish Production	Walleye, Yellow Perch, Kokanee, Cutthroat, Rainbow, Kamloops Trout, Mountain and Lake Whitefish, Sturgeon	Kokanee, Kamloops Trout, Dolly Varden, Cutthroat Trout, Mountain and Lake Whitefish, Perch, Crappie, smallmouth and largemouth bass	Cutthroat trout, Rainbow, Dolly Varden	Cutthroat trout	Kokanee, Rainbow Trout, Cutthroat Trout, Smallmouth bass, Dolly Varden
Wildlife: Waterfowl	Ducks, Geese, Swans	Migratory ducks, major Redhead Duck area, Canada Goose	Canada Goose Migratory Ducks	Migratory Ducks	Ducks, Geese, Swans
Upland Game Birds Raptors	Chukar, Ruffed Grouse Bald Eagle	None Bald Eagle, Osprey, Owls, Hawks	None Bald Eagles, Osprey	None Bald Eagles, Osprey	Ruffed Grouse Bald Eagles, Osprey
Wading Birds Game		Hérons Deer	Hérons Deer, Elk, Big Horn Sheep	Deer, Elk, Bear	Hérons Deer, Elk, Bear
Log Transport	Yes	None	None	None	Potential
Potential (future) Withdrawals	Creston Generating Station	None identified	None identified	None identified	City of Orofino municipal supply

desirable to have the reservoir fill during the runoff in order to maximize the water available in storage for later use. Generation capability decreases as reservoir water levels become lower.

Flood control is also an important use of the reservoirs. The reservoirs are drawn down during the late winter and early spring to provide storage capacity for high flows during late spring and early summer. The amount of drawdown required is dependent on the estimated volume of runoff, which is determined from measurements of snowpack within the watershed and from spring weather forecasts. Failure to provide sufficient capacity to store excess runoff could result in destructive flooding downstream as far as Portland, Oregon, and Vancouver, Washington.

Each of the reservoirs is described in greater detail below. Uses other than power generation and flood control are presented in order of their relative importance.

2.1 LAKE ROOSEVELT (GRAND COULEE DAM)

Grand Coulee Dam is located near mile 597 on the Columbia River in north-central Washington. Its reservoir, Lake Roosevelt, is nearly 150 miles long and has an area of over 80,000 acres. Part of the reservoir extends into Canada. Maximum pool elevation is 1290 ft mean sea level (msl), and minimum elevation is 1208 ft. The reservoir has 5.2 million acre-ft of useable storage, and a maximum drawdown of 82 ft. Grand Coulee Dam was built by the Bureau of Reclamation to provide a source of irrigation water to the Columbia Basin Project. The dam also provides over 6000 MW of hydropower generation and serves important flood control functions. In addition, the reservoir is used for recreation, fishing, log transportation, and water diversions for mining.

The reservoir is primarily used to store water for irrigation. During the irrigation season (April through October), water is pumped from Lake Roosevelt into Banks Lake from which it is distributed to irrigate approximately 500,000 acres of land. Six pumps and two pump-turbines are used. The pump-turbines can be operated as motor/pumps or in a reverse mode as turbine/generators. As reservoir levels fall, the pumping efficiency

decreases and eventually, at low reservoir levels, pumps can no longer be used.

Recreation is important on Lake Roosevelt. The National Park Service manages the Coulee Dam National Recreation Area, which has about 25 sites developed in some 21,000 acres. Some sites are accessible only by boat. Camping, boating, swimming and fishing are the major recreation activities. Recreation uses occur primarily from Memorial Day through Labor Day. These uses are potentially affected by low water levels, which limit access to swimming beaches and boat launching ramps.

Fish production is important in the reservoir. Among the species that reside in the reservoir are walleye, yellow perch, kokanee, cutthroat and rainbow trout, mountain and lake whitefish, and sturgeon. Walleye comprise the majority of the sport catch. Commercial guide services operate from Marcus and Coulee Dam for walleye fishing. The majority of walleye spawning takes place on the Spokane River. These are all resident species and are present throughout the year. Resident species are dependent on water levels for appropriate spawning and rearing habitat and for supporting the production of food organisms.

In addition, less important uses include many small (10 cfs) irrigation withdrawals from wells or directly from the reservoir. Uranium mining takes place at Blue Creek on the Spokane River arm of the reservoir. Water is withdrawn from the reservoir to support the mining operation. The primary commercial transportation uses of the reservoir are transport of logs to several lumber mills located at Lincoln and Kettle Falls, and log loading on the San Poil River and ferry crossings. Waterfowl use of the reservoir is limited. Near the upper end of the reservoir, mining for lime, zinc, and lead has taken place.

An application is pending for construction of a large coal-fired thermal generating station near Creston. The power plant would be cooled with water withdrawn from deep wells adjacent to Lake Roosevelt.

2.2 LAKE PEND OREILLE (ALBENI FALLS DAM)

Albeni Falls Dam is located on the Pend Oreille River near mile 90 in the Idaho panhandle. The dam impounds Lake Pend Oreille as well as approximately 25 miles of the river below the lake. The lake was present naturally before the dam was constructed. The reservoir covers over 94,000 acres and is nearly 50 miles long. It has a normal full pool elevation of 2062.5 ft msl and a minimum elevation of 2049.7 ft. Within this 12.8 ft drawdown is capacity to store 1.2 million acre-ft of water. The dam was constructed by the Corps of Engineers and is managed by their Seattle District. The dam was authorized primarily for power generation, but it is also used for flood control, recreation, fish and wildlife conservation, and navigation.

The reservoir water level currently is managed for flood control, wind and wave damage, recreation, fish production, and power generation. Constraints on operation to meet these needs include a spring drawdown for flood control, a January-through-March drawdown to reduce wind-driven wave damage along the developed shoreline, and a full pool in summer for recreation. Between November 20 and late January, water levels are held above the November 20 level to avoid dewatering kokanee redds during larval development. Power generation and recreation considerations require that the reservoir fill during runoff to provide energy storage for fall drawdown.

Albeni Falls Dam provides 42 MW of electrical generation capacity. Water released from Albeni Falls Dam is also available for generation at 15 downstream dams.

A spring drawdown to provide storage capacity for excess runoff is required for flood control. Failure to provide adequate storage capacity would result in flooding during the runoff, both within Lake Pend Oreille and downstream.

Additional uses of the reservoir include sport fishing, other recreation activities such as boating and swimming, and waterfowl overwintering. Of lesser importance is use by other wildlife species.

Lake Pend Oreille is the most important fishery in Idaho in terms of quality and popularity. The most important species in the catch is kokanee, but Kamloops trout and Dolly Varden provide trophy and record catches. In addition, the sport catch includes cutthroat trout, mountain whitefish, lake whitefish, perch, largemouth bass, and crappie. Fishing provides year-round recreation and is the basis for many recreation areas. Private ownership of 59 percent of the shoreline permits varied land use, including many private resorts and marinas. Reduced reservoir water levels restrict boat and shoreline access to the lake and reduce fishing opportunities.

Fish production is important to support the sport fishery. Kokanee in the lake are shorezone spawners that build shallow water redds in late fall. To protect the developing embryos and larvae, the reservoir water level is not allowed to go below the November 20 level until after the end of January. Spiney ray species also spawn in shallow water (in bays at the north end of the reservoir) in the late spring. Low water levels could dewater the nests and eggs.

Visitors are also attracted to the lake for boating, camping, picnicking, swimming, hunting, and sightseeing. The lake has many developed recreation areas managed by the Corps of Engineers, U.S. Forest Service, Bureau of Land Management, State of Idaho, and the City of Sandpoint. There are also several private resorts and marinas. Many of these have boat launch ramps and swimming beaches that are affected by low water levels. Recreation uses are year-round and especially heavy in the summer months.

Waterfowl use of the reservoir is also important, especially in fall and winter. An estimated 20 percent (17,000 birds) of the Pacific flyway population of redhead ducks use the Oden Bay area, where they feed on Chara sp. and Nitella sp. The birds account for 98 percent of the Idaho redhead duck count. In addition, some 50,000 to 150,000 other migratory ducks such as mallard, pintail, teal, widgeon and wood ducks use the reservoir in the fall and winter months. Between 500 and 2200 Canada geese also nest in the area. Altered reservoir levels potentially reduce habitat, nesting area, and food sources available to these birds.

Several species of raptors such as eagles, osprey, owls, and hawks are present. Bald eagles feed on spawned-out kokanee and over winter on the reservoir from October through March. Osprey are present from mid-March through October and forage in shallow water. Several wading birds and shorebirds are also present. About 20 to 25 heron nests are counted each summer in the Clark Fork delta area. A number of small mammals and game animals are also present in the riparian zone. Water-level changes potentially hinder their ability to find prey and escape predators.

Other uses include storage of water for release to enhance downstream navigation (for which it is desirable to fill the reservoir), and control of the reservoir to protect adjacent property from winter wave damage by drawing the level down from January through March.

2.3 LAKE KOOCANUSA (LIBBY DAM)

Libby Dam, at mile 220 on the Kootenai River, impounds Lake Koocanusa. The reservoir is 90 miles long (about half of it is in Canada) and covers 46,500 acres. It has an active storage capacity of 4.9 million acre-ft between the maximum elevation of 2459 ft msl and the minimum of 2287 ft, with a 172-ft drawdown. The primary use is recreational, but this is limited by exposure of extensive mud flats when the water is drawn down. Libby Dam was authorized by Congress and by a treaty agreement between the United States and Canada. Its primary purposes are power generation and flood control. In addition, the project provides recreation, navigation, and power storage benefits, and is important for fish and wildlife.

Flood control is a major use of Libby Dam. The treaty has specific provisions related to drawdown to protect Canadian lands downstream and at the upper reservoir. These require a drawdown beginning in January. Failure to provide flood control would result in violation of treaty obligations.

Libby Dam has a generation capacity of 420 MW, which is largely used to generate electricity during periods of peak power demand. The rate of change of water release is controlled to reduce downstream bank erosion and

protect sport fishing access. Released water is available for generation at 13 downstream dams.

Recreation is a major use and takes place mainly between May and October. The peak period is typically from June 1 through September 15. Nearly all of the U.S. reservoir shoreline is managed by the Forest Service. Recreation use includes year-round fishing, boating, camping, and picnicking. Swimming is limited because of cold water, swift currents, and steep shoreline. Important fish species in the sport catch include westslope cutthroat trout, Dolly Varden, and rainbow trout. Tributary streams are managed by Montana Fish and Game personnel to permit spawning by the important sport species and to prevent entry of non-sport fish into prized fishing areas. To exclude non-sport fish, barriers and screens are placed on tributaries not used for spawning by reservoir species. Several developed recreation areas are managed by the Forest Service. Many of the areas have boat launch facilities. One area, Yarnell Island, is only accessible by boat. In addition, a private facility, Koocanusa Marina and Resort, operates during the summer and provides cabins, restaurant facilities, and a tour boat. Reservoir drawdowns limit use of the boating facilities and access to the shoreline.

Both natural and artificial fish production is important to sustain the fishery on the reservoir. A new hatchery at Murray Springs is designed to produce 50,000 lb of cutthroat trout per year. Wildlife habitat, at least in the U.S. portion of the reservoir, is limited by steep banks. There is some use by bald eagles, osprey, blue herons, and Canada geese. Hunting on the reservoir is not a significant use. Water level changes potentially reduce fish production, access to tributary spawning areas, and wildlife use of the reservoir.

Other reservoir uses include storage of water to enhance downstream fish migration, navigation, and water quality. A selective withdrawal system permits some control over temperature of released water. By enhancing flows and controlling river temperature, the fishery in the Kootenai River below the dam has been enhanced; however, changes in species composition have occurred.

2.4 HUNGRY HORSE (HUNGRY HORSE DAM)

Hungry Horse Dam is located at mile 5 on the South Fork of the Flathead River in northern Montana. The reservoir has a usable storage capacity of 3.2 million acre-ft at full pool elevation of 3560 ft msl. It can be drawn down 224 ft to an elevation of 3336 ft. The reservoir has a 23,000-acre surface area. Hungry Horse Dam was placed in operation in 1952 by the Bureau of Reclamation. Its main authorized purposes are power production (285 MW) and flood control. In addition, it is used for storage of water to enhance downstream power generation, navigation, and irrigation. No pumping stations withdraw directly from the reservoir. Water released from Hungry Horse Dam is available for generation at 20 downstream dams.

The other principal use of the reservoir is recreation. The reservoir has 18 developed recreation sites, some with boat launch ramps. Only two ramps are usable at low water. In addition to boating, other recreational uses include camping, picnicking, fishing, and hunting. Waterfowl hunting is not significant. The principal sportfish is cutthroat trout. Recreation use is concentrated in summer months. Low water levels reduce access and prevent use of some boat launch ramps.

2.5 DWORSHAK (DWORSHAK DAM)

Dworshak Dam, at mile 1.9 on the North Fork of the Clearwater River in Idaho, has a usable storage capacity of 2.0 million acre-ft. The dam was built by the Corps of Engineers and is operated by the Walla Walla District. The full pool elevation is 1600 ft, and the minimum elevation is 1445 ft; this permits a drawdown of 155 ft. The dam was authorized for power generation, navigation, and flood control. The reservoir area is highly developed for recreation.

The reservoir is managed for flood control with a November through April drawdown and for recreation with a full or nearly full pool between Memorial Day and Labor Day. For protection against forest fires, a fire season drawdown of 1 ft is used to separate fishermen from forest tinder.

Water stored in the reservoir is used to drive turbine generators that

produce 400-MW of power. Water released from Dworshak Dam is available for generation at eight lower Snake and Columbia River dams.

Recreation is another important use of the reservoir. Boating and fishing are popular from early summer through late fall. The reservoir area is also used for camping, picnicking, swimming, water skiing, hunting and sightseeing. These activities are concentrated in summer, although late-fall hunting and winter whitefish angling uses are also important. Deer and elk hunters use boats to gain access to hunting areas near the reservoir as late as Thanksgiving. Boating access at this time is difficult because of low water levels. Much of the reservoir shoreline is only accessible by boat. Over 200 "minicamps" have been developed along the shoreline by the Corps of Engineers. These sites are mostly accessed and serviced by boat. In addition, the dam has several recreation sites and a visitor center that operates year-round. The Nez Perce Tribe operates a marina, restaurant, and boat rentals at Big Eddy. Some of the recreation sites have boat launch ramps, but their use is limited or precluded by low water. In addition, low water restricts use of swimming areas and access to the shoreline. A drawdown of more than 5 ft below full pool severely restricts access to the minicamps.

Fishing on the reservoir is for kokanee, mountain whitefish, cutthroat and rainbow trout, Dolly Varden, smallmouth bass, and walleye. The kokanee in Dworshak spawn in tributaries because fall and winter reservoir drawdown for flood control prevents reservoir spawning. Fish activities (e.g., spawning) are dependent on water level throughout the year. Low water levels can preclude their access to spawning areas.

The reservoir usually freezes during the winter, and large game and small mammals move onto the ice. Coyotes often trap game on the ice, when escape routes are restricted by a built-up berm of ice along the shoreline. Fluctuating water levels during freezeup tend to increase the size and significance of the ice berm. Use of the reservoir by waterfowl is limited, although bald eagles, osprey, and herons are present.

Facilities were provided for log handling to facilitate log transport by water. Most logging near the reservoir takes place in the fall. A 10-ft

drawdown would seriously hinder log loading and unloading. Logging facilities, however, are not being used currently because it is less expensive to haul the logs by truck.

Water withdrawals are minor and limited to project and campground needs. A few intakes used by the Corps are located below 1470 ft. There is a request pending from the City of Orofino to draw municipal water from the reservoir.

3.0 INFORMATION COMPILATION AND EVALUATION

Information related to effects of water level on reservoir uses was identified, compiled, and evaluated. The information provides a data base that can be used by BPA's environmental staff to assess environmental effects of river operations that result in changes in water levels in any of the five storage reservoirs. To facilitate access to the sources of information, an automated data retrieval system was developed and citation and evaluation data were entered into it. Because it was anticipated that the volume and scope of information would expand to include other sites and variables other than water level, a dynamic (i.e., expandable and modifiable) system was developed.

The data base includes bibliographic data (citations and evaluations) and impact data (in matrix format). These two types of data are cross referenced. Software on BPA's VAX computer permits systematic arrangement of the information, retrieval of impact or citation records based on a number of queries, and generation of reports containing the data in a logical format. The data base is hierarchial and thus permits expansion and modification.

The impact matrix currently contains information on one type of operational consideration (water elevation) and eleven use categories (recreation, irrigation, etc.) at reservoirs behind five dams (Albeni Falls, Dworshak, Grand Coulee, Hungry Horse and Libby). The system is dynamic--it permits addition of new sites, use catagories, or impact types. Thus, the impact of changing water temperature (a new operating consideration) on aquatic plant production (a new use category) at Bonneville dam (a new site) can be added without change to the system.

The impact matrix provides cross-referencing to the bibliographic system so that it is easy to evaluate the sources of information used to determine the impact. To further enhance the traceability of information, the date of evaluation and the initials of the scientist who provided the evaluation are included. As further information becomes available and is evaluated, the impact matrix entries may be modified or replaced easily.

We used commercial data retrieval systems (e.g., Dialog) to search existing data bases and identify published information related to impacts of water level on uses of each of the study reservoirs. We also contacted agencies that have unpublished data or internal reports that relate to the impacts. We interviewed dam operators, federal agencies, state agencies, and universities.

An important step in the agency contact and interview process was the development of a contact list (Appendix A). Using public documents, state and federal directories, addresses from published reports, and previous contacts, PNL and BPA staff members generated a list of names, addresses, and phone numbers of people that might have data related to water-level impacts on the storage reservoirs. BPA reviewed the list and sent letters to all the individuals listed to inform them of the project objectives and to request their cooperation (Figure 3.1). This list was the initial source of contacts. Individuals on the list were contacted by PNL staff by phone, letter, and in person between February and May 1982 and asked if they had access to or knew of any environmental research on the federal storage reservoirs related to impacts of water-level fluctuations. Memorandums describing the substance of those contacts have been compiled (Appendix B). The individuals and agencies we contacted were very cooperative and helpful. Many expressed support of the project objectives and requested access to the compiled data base.

The information gathered through use of data retrieval systems and by personal contacts was evaluated by PNL. Evaluation criteria included applicability of the information to the study reservoirs, specificity of the information, experimental design, length of the data record, and age of the data. Reports that synthesized existing information that was supported by specific data were the most useful.

Citations and other important information about each reference were entered into the data retrieval system. A standard form was used to catalog each citation (Figure 3.2). The form contains 17 types (fields) of information:

Department of Energy
Bonneville Power Administration
P.O. Box 3621
Portland, Oregon 97208

FEB 26 1982

In reply refer to: PBG

Mr. Bob Kempf
Bureau of Land Management
P.O. Box 2965
Portland, Oregon 97208

Dear Mr. Kempf:

Bonneville Power Administration (BPA) intends to develop a comprehensive understanding of the direct, indirect, and cumulative environmental impacts associated with operating the Federal Columbia River Power System (FCRPS). This information is necessary in carrying out evaluations required by the National Environmental Policy Act (NEPA) and the Pacific Northwest Electric Power Planning and Conservation Act (PNEPPCA) for BPA's present and future river operations decisions.

To make the studies, BPA is gathering and evaluating existing environmental information on river operations. BPA feels that a reasonable and achievable initial effort should focus on the five major FCRPS storage reservoirs (i.e., Libby, Hungry Horse, Dworshak, Grand Coulee, and Albeni Falls), looking at changes in reservoir levels over time. While this effort would be only a part of the overall information base BPA plans to develop, it would be of immediate value and would establish the framework for future activities. BPA expects to work closely with appropriate agencies and organizations in gathering this information so that we don't duplicate work which is underway or has already been completed. Our objective is to consolidate as much of the relevant environmental information that exists on these reservoirs as possible.

To assist in this initial effort, BPA has contracted with Battelle's Pacific Northwest Laboratories (PNL) to gather information and develop computer retrieval systems that will facilitate analyzing the environmental impacts associated with changes in storage reservoir elevations over time (see the enclosed Project Work Statement). The first phase of this contract with PNL involves establishing information contacts with appropriate agencies and organizations who have knowledge of one or more of the five Federal storage reservoirs to be studied. PNL will identify, accumulate, and evaluate the available information to develop a comprehensive list of uses for each storage reservoir. Also, PNL will attempt to assemble this existing information into a centralized annotated bibliographic retrieval system.

FIGURE 3.1. Example of Letter Sent by BPA to Request Environmental Information on River Operations

Your name has been recommended as a potential information source with respect to one or more of the five Federal storage reservoirs to be studied. A representative from PNL will be contacting you shortly concerning any information you may be able to provide. Examples of the kinds of information which we are interested in gathering include the impacts of seasonal changes in reservoir elevation on recreation, fish, wildlife, or other non-power uses of the reservoirs. If you know of published or unpublished work which you think should be incorporated in this study or other people that should be contacted, we would appreciate your making the PNL representative aware of this information when they contact you. Mr. Duane H. Fickeisen, Research Scientist, has been designated as Project Manager for PNL. A preliminary list of the people and organizations PNL will be contacting in developing this information base is enclosed. The initial work is expected to be completed by mid-summer 1982.

If you have questions about BPA's river operations environmental information gathering and evaluation effort, please call John Pynch, our Environmental Coordinator, at (503) 230-4261 (FTS 429-4261). Thank you for working with us and PNL to develop a comprehensive environmental data base on river operations.

Sincerely,

John R. Palensky
Fish and Wildlife Program Manager

Enclosures:
Project Work Statement
Contact List

FIGURE 3.1. (contd)

BONNEVILLE POWER ADMINISTRATION
RIVER OPERATIONS ENVIRONMENTAL INFORMATION CITATION AND EVALUATION

Accession Number: _____ -2-

Accession Number: _____

Author(s) or Agency(s): _____

Title: _____

Publisher: _____

Publication Date: _____ Number of pages: _____
mo./day/yr

Check one:

- ☐ Journal
☐ Report
☐ Private Files
☐ Contact Memo
☐ Computer Data

Form:

- ☐ Microfiche
☐ Draft
☐ Final

Keywords:

Check sites that apply:

- ☐ Libby ☐ Hungry Horse ☐ Dworshak ☐ Albeni Falls ☐ Grand Coulee

Check at least one use:

- ☐ Recreation ☐ Irrigation ☐ Fish ☐ Wildlife

Source from which you received information:

Phone: _____

Availability (Person or place to contact to get copy of information):

Phone: _____

Cost: _____

Initials of Evaluator: ☐ DHF ☐ REF ☐ KAG ☐ BJH ☐ DCK ☐ DAN

☐ DGW ☐ GLW ☐ Other _____

Date: _____
mo./day/yr

ABSTRACT:

EVALUATION:

3.5

FIGURE 3.2. River Operations Environmental Information Citation and Evaluation Form

1. Accession Number -- a unique designation to identify citation and evaluation
2. Author(s) or Agency(s)
3. Title
4. Publisher
5. Publication date
6. Number of Pages
7. Type of publication or public file evaluated
8. Format of the information
9. Site -- sites to which the data refer (always included in keyword list)
10. Use -- reservoir use category (always included in keyword list)
11. Keywords -- additional keywords suggested by the author or the evaluator to facilitate information retrieval
12. Source -- the name, address, and phone number of the person from whom the evaluator received the reference
13. Availability -- name, address, and phone number of the person, library, agency, etc. from whom the reference can be obtained
14. Evaluator -- Initials of PNL staff member who evaluated the reference and filled out the "Citation and Evaluation" form. (A list of evaluators and their initials is shown in Table 3.1.)
15. Date of evaluation
16. Abstract
17. Evaluation -- a brief statement by the evaluator as to the utility of the reference for environmental impact analysis related to BPA river operations.

TABLE 3.1. List of Evaluators

<u>Initials</u>	<u>Name</u>	<u>Area of Responsibility</u>
DHF	Duane H. Fickeisen	Aquatic Ecology
REF	Dr. Richard E. Fitzner	Wildlife Ecology
KAG	Ken A. Gano	Wildlife Ecology
LJH	Lance J. Hood	Recreation, Irrigation
DCK	Don C. Klopfer	Aquatic Ecology
DAN	Duane A. Neitzel	Aquatic Ecology
GLW	Glen L. (Pete) Wilfert	Recreation, Irrigation

The data reviewed by PNL evaluators were used to analyze impacts of water level on the recreation, irrigation, fish, and wildlife uses of each reservoir. Wherever possible, the specific reservoir water level at which an impact occurred was identified. The water level, seasonality of the potential impact, a definition of the impact, and references to the bibliographic data were compiled in a matrix format. The information was recorded on an "Impact Definition and Evaluation Form" (Figure 3.3).

Several fields of information are used to define the impact matrix. The first entries on the form relate to evaluator, date of evaluation, and whether the information on the impact is new, a change (replacement), or an addition to an impact already entered. These items can be used to trace the source of the information and to verify updates.

Impacts are identified by dam (site) and use category. Site and use are indices in the retrieval system; each impact is uniquely associated with a site and use.

On the evaluation form, information relating to evaluator, information type, site, and use category was checked off. This facilitated the entry of information into the computer and helped eliminate misspellings and inconsistencies. Since the data entry process does not require the check-off approach, it is easy to expand these lists of options.

BONNEVILLE POWER ADMINISTRATION: RIVER OPERATIONS
IMPACT DEFINITION AND EVALUATION

INITIALS OF EVALUATOR: () DHF () REF () KAG () BJH () DCK () DAN () DGM () GLW () OTHER

DATE: / /
mo day yr

INFORMATION: () NEW () CHANGE () ADDITION

DAM: () LIBBY () HUNGRY HORSE () DWORSHAK () ALBENI FALLS () GRAND COULEE

USE CATEGORY: () RECREATION () IRRIGATION () FISH () WILDLIFE () COMMERCIAL
() FLOOD CONTROL () OTHER

IMPACT: (SHORT PHRASE, SEE MASTER LIST)

DEFINITION:

(COMPLETE THIS TABLE WHEN YOU HAVE FINISHED YOUR EVALUATION. INDICATE MOST RELEVANT ACCESSION NUMBER.
USE BACK OF FORM FOR ADDITIONAL NUMBERS AND COMMENTS.)

	CODE	CRITICAL ELEVATION (FEET)	ACCESSION NUMBERS	COMMENTS
JAN				
FEB				
MAR				
APR				
MAY				
JUN				
JUL				
AUG				
SEP				
OCT				
NOV				
DEC				

CODES: + OR - TO INDICATE IMPACT OCCURS ABOVE OR BELOW CRITICAL ELEVATION
N NOT APPLICABLE
U UNKNOWN

	ACCESSION NUMBER	COMMENTS
JAN		
FEB		
MAR		
APR		
MAY		
JUN		
JUL		
AUG		
SEP		
OCT		
NOV		
DEC		

FIGURE 3.3. River Operations Impact Definition and Evaluation Form

The impact was titled with a short descriptive phrase or set of phrases, and was then defined in detail in a separate paragraph.

The short phrase facilitates computerized searches and provides a brief description of the impact. The short, descriptive phrases for the impacts were developed from a common list. This provided consistency in defining the impacts and assured that the maximum amount of useful information was included in the phrase. Each phrase included three parts: an identification of the species or activity, a description of the aspect involved, and identification of the impact. Key terms were taken from lists of sample words (Table 3.2). Structuring the impact phrase also assisted in the computer searches. Thus, if we are interested in all impacts related to boating, a search for "boat" would pick out impacts relating both to boat ramps and to boating.

Critical elevations (in feet above msl, as measured at the forebay) were entered for each month. Associated with the elevation is a code ("+" or "-") indicating whether the impact occurs above or below the specified elevation. For example, duck nesting may be flooded by rising water levels (+), whereas use of boat ramps or fish spawning decrease as water levels drop (-).

To record that a potential impact existed, but that no information was available on the exact critical elevation, we designated the code "U" (for "unknown") and arbitrarily assigned the impact a critical elevation of zero. Some impacts are seasonal (i.e., they do not occur during some months). For example, the recreation season generally runs from May to September, thus critical elevations for boat ramp access are not applicable from October to April. Seasonal impacts were addressed by substituting an "N" (for "not applicable") for the critical elevation code in those months.

Accession numbers are used to cross-reference the information in the impact matrix with that in the bibliographic system. The numbers provide access to the citation(s) from which the impact information was derived. We found that accession numbers for a given impact generally applied to all months; thus, a single entry on the form would have simplified definition of the impact without significantly reducing the utility of the information.

Comments were entered, when appropriate, by month to provide additional information or explanation of the impact.

TABLE 3.2. Examples of Terms Used to Develop Short Impact Phrases, and Examples of Phrases

<u>Species or Activity</u>	<u>Aspect</u>	<u>Impact</u>
<u>IRRIGATION</u> ^(a)		
Pump		Damage Failure Increase operating cost Unusable
<u>RECREATION</u> ^(a)		
Boat ramp	Access	Decline
Boating	User days	Drop of ___%
Camping	Use	Enhancement
Aesthetics/scenery	Water quality	Fire hazard
Fishing		Flooding
Shoreline		Increased usage
Open water		Hazards
Hiking - Trails		Limited
Beach-combing		Restricted
Hunting		Reduced
Waterfowl		
Picnicking		
Recreational areas		
Roads		
Summer homes		
Swimming		
Sunbathing		
Water skiing		
<u>AQUATIC</u>		
Fish species (common name)	Artificial propagation	Alteration
	Disease	Blockage
	Food production	Decrease
	Habitat	Dewatering
	Hatchery	Flooding
	Migration	Loss
	Rearing	Passage
	Spawning	Stranding
	Water quality	

^(a) Also includes any identifying names such as specific sites or target species.

TABLE 3.2. (contd)

<u>Species or Activity</u>	<u>Aspect</u>	<u>Impact</u>
<u>TERRESTRIAL</u>		
Species (common name)	Artificial nest sites	Alteration
	Breeding	Barriers
	Cover	Enhancement
	Feeding	Flooding
	Habitat	Loss
	Loafing	
	Migration-stop-over	
	Resting	
	Nest Areas	

Examples:

Pump - Grover #16 - unusable
 Boat ramp - Peck Gulch - access limited
 Swimming - user days - reduced
 Kokanee - spawning - decrease
 Canada Geese - nesting - flooded

4.0 DATA ENTRY AND RETRIEVAL

After the evaluators had filled out the Citation and Evaluation Form (see Figure 3.2) or the Impact Definition and Evaluation Form (see Figure 3.3), the forms were reviewed and delivered to PNL for data processing.

Each form was reviewed to ensure that the data format was consistent. For example, all authors were entered last name first, followed by initials. This ensured that the authors names could be indexed and retrieved properly. Each entry was scanned for obvious errors or omissions.

Bibliographic data were entered using PNL software on a PNL VAX computer. Existing data entry software was enhanced and modified to meet the requirements of the data. The software generated "load strings" of data that identified each field, where the data started and ended, and where the particular data element belonged. Four magnetic tapes of bibliographic data were generated on a PNL VAX and delivered to BPA. The tapes were read on the BPA VAX and then processed by PNL staff. Data on the impact matrix were also included on the last two tapes.

DATATRIEVE software was used to enter impact data on PNL's PDP 11/70 computer. Once in the computer, the impacts were again checked for omissions and typographical errors and reviewed by the project team. Errors that were identified were corrected. The impact data were transferred to magnetic tape and sent to BPA. The tapes were then read on the BPA VAX along with the bibliographic data.

The data base currently contains over 6000 records which define 291 citations and 282 impact matrix entries. Table 4.1 shows the distribution of impacts by site and use catagory.

TABLE 4.1. Summary of Impacts by Site and Use Category

<u>Use</u>	<u>Site</u>				
	<u>Albeni Falls</u>	<u>Dworshak</u>	<u>Grand Coulee</u>	<u>Hungry Horse</u>	<u>Libby</u>
Bird					
Game	5	6	7	4	5
Non-game	2	3	2	1	2
Flood Control	1	0	0	0	0
Fish					
Game	1	6	5	9	0
Non-game	0	0	0	1	0
Irrigation	0	0	7	0	0
Mammal					
Game	2	6	4	4	4
Non-game	2	6	2	2	2
Recreation	35	29	38	42	30
Wildlife ^(a)	0	4	1	1	1

^(a) Other than birds or mammals.

5.0 RESEARCH NEEDS

Several research needs were identified during our data compilation efforts. As we searched for information describing effects of water level on reservoir uses, we found many potential impacts for which little or no information could be found. A broad range of reservoir uses that were candidates for potential impacts are identified in Table 5.1. For each reservoir, the table indicates the information gathered on each use (e.g., boating, camping). Few studies have been conducted to assess specific impacts of water-level changes on reservoir use at the study reservoirs. In some cases, data collected for other purposes can be used to develop information on water-level impacts. In many cases, even that baseline information is not available.

We have identified two types of research needs: 1) synthesis and analysis of existing information, and 2) development of new data relating to water level impacts. Research needs related to fish impacts, wildlife impacts, irrigation, and recreation are described in this chapter.

5.1 FISH IMPACTS

The effect of fluctuating water levels on fisheries resources is complex. Impacts can be either direct (e.g., water levels drop, thereby stranding fish on dewatered shorelines) or indirect (e.g., water levels fluctuate, thus causing banks to erode, which increases the reservoir turbidity and affects fish populations).

We found that a large data base exists for predicting effects of water-level fluctuation on fish populations. The meaning of specific data as they relate to water level in a reservoir, however, is often unexplored. Also, in many cases data were generated to answer specific questions, and the utility of the data for examining other impact questions has not been explored.

TABLE 5.1. Impacts of Water Level on Reservoir Uses^(a)

Impact	Grand Coulee	Libby	Albeni Falls	Hungry Horse	Dworshak
<u>RECREATION</u>					
Boating					
Boat Ramps Unusable	C	C	C	C	C
Navigation Hazards (rocks, stumps, debris)	-	C	-	C	-
Marinas, Docks Unusable	C	C	C	C	N
Reduced Surface Area	-	-	-	-	-
Access to Shoreline	-	-	-	-	-
Channel Depth	-	-	-	-	C
Currents	-	-	-	-	-
Bridge Clearances	N	N	N	N	N
Lock Operations	N	N	N	N	N
Camping					
Aesthetic Effects	P	P	P	P	P
Flooding of Campsites ^(b)	N	N	N	N	N
Access to Camps (boat or vehicle)	P	C	-	C	C
Loss of Water Supply	-	-	-	C	-
Garbage/Sewage Disposal	-	-	-	-	C
Complimentary Activities Affected	P	P	P	P	P

^(a) KEY:

C (Confirmed) = Impact of water level identified and defined, reference available.

P (Potential) = Potential impact identified but not confirmed by available information.

N (None) = Available information indicates impact does not occur.

- = No information found relative to this impact.

^(b) Within established reservoir limits.

Impact	Grand Coulee	Libby	Albeni Falls	Hungry Horse	Dworshak
Picnicking					
Aesthetic Effects	P	P	P	P	P
Complimentary Activities Affected	P	P	P	P	P
Access to Sites	-	-	-	-	-
Swimming					
Access to Shoreline	-	-	-	C	C
Developed Areas Exposed	C	C	C	-	C
Currents	-	-	-	-	-
Sightseeing					
Aesthetic Impacts (debris, mudflats)	P	P	P	P	P
Hiking					
Aesthetic Impacts	-	-	-	-	-
Fishing (see also FISH AND WILDLIFE)					
Access to Shoreline	-	-	-	C	C
Boat Ramps Unusable	C	C	C	C	C
Fish Habitat Changes	-	P	P	-	-
Water Quality (temperature, turbidity)	-	P	-	-	-
Number of Angler Days	C	P	P	P	P
Fish Abundance and Distribution	P	-	P	P	P
Managed Fish Populations Affected	-	P	P	P	P
Hunting (see also FISH AND WILDLIFE)					
Access to Hunting Areas	-	-	-	-	P
Wildlife Activity Changes	-	P	-	-	P
Hunting Club Areas, Preserves	-	-	-	-	-
Reduced Number of Hunter Days	-	-	-	-	-
Water Skiing					
Access to Shoreline	-	-	-	-	-
Boat Ramps Unusable	C	C	C	C	C
Navigation Hazards	-	-	-	-	-

<u>Impact</u>	<u>Grand Coulee</u>	<u>Libby</u>	<u>Albeni Falls</u>	<u>Hungry Horse</u>	<u>Dworshak</u>
Beach Combing, Collection of Natural Objects Access to Shoreline	-	-	-	-	-
Public Use Areas (General)	-	P	-	-	-
<u>COMMERCIAL</u>					
Navigation					
Channel Depth	-	-	-	-	-
Hazards	-	-	-	-	-
Currents	-	-	-	-	-
Lock Operations	N	N	N	N	N
Bridge Clearances	-	-	-	-	-
Channel Obstructions	-	-	-	-	-
Moorages	P	-	-	-	-
Log Handling Facilities	P	-	-	-	P
Fishing					
Drift Locations	-	-	-	-	-
Hazards	-	-	-	-	-
Currents	-	-	-	-	-
Traditional Indian Fishing Sites	-	-	-	-	-
Total Commercial Catch	-	-	P	-	-
Water Supply Diversions					
Municipal Intakes	-	-	-	-	-
Industrial Intakes	P	-	P	-	-
Cooling Water Intakes (thermal electric)	P	-	-	-	-
Return Outfalls	-	-	-	-	-
Water Treatment Plants	-	-	-	-	-
Pumped Storage Withdrawals	P	-	-	-	-
Well Contamination	-	-	-	-	-
Well Levels	P	-	-	-	-
Water Quality Effects	-	-	-	-	-
Mineral Resource Extraction	-	P	P	-	-

<u>Impact</u>	<u>Grand Coulee</u>	<u>Libby</u>	<u>Albeni Falls</u>	<u>Hungry Horse</u>	<u>Dworshak</u>
<u>AGRICULTURAL</u>					
Irrigation					
Pump Intake Access to Water	C	N	N	N	N
Adequate Flow	P	N	N	N	N
Diversion Points	P	N	N	N	N
Water Quality	-	N	N	N	N
Lift Head	P	N	N	N	N
Pump Efficiency	C	N	N	N	N
Increased Power Use	C	N	N	N	N
Pump Damage	C	N	N	N	N
Grazing					
Forest Practices					
Logging	P	-	-	-	P
Fire Prevention	-	-	-	-	C
<u>POWER GENERATION</u>					
Conventional Hydro					
Energy Storage	-	-	-	-	-
Peaking (timing of releases)	-	-	-	-	-
Capacity (head changes)	-	-	-	-	-
Pumped Storage Hydro					
Thermal (see COMMERCIAL, Water Diversions)					

<u>Impact</u>	<u>Grand Coulee</u>	<u>Libby</u>	<u>Albeni Falls</u>	<u>Hungry Horse</u>	<u>Dworshak</u>
<u>NON-FISH AND WILDLIFE BIOTA</u>					
Riparian					
Rare and Unique Species	-	-	-	-	-
Virgin Stands, Climax Communities	-	P(b)	C	P(b)	-
Unique Vegetation Types, Communities	-	P(b)	C	P(b)	-
Plant Species Diversity	-	-	-	P	-
Primary Productivity	-	P(b)	-	P(b)	-
Microflora	C	-	-	-	-
Aquatic					
Rare and Unique Species	-	-	-	-	-
Benthos	P	P	-	P	-
Forage Fishes	P	P	-	P	-
Primary Productivity	C	P	P	P	-
<u>FISH AND WILDLIFE</u>					
Resident Fishery Resources					
Spawning Sites	C	-	P	C	-
Nursery Habitat	P	-	P	C	P
Stranding and Entrapment	P	-	-	P	-
Food Sources	P	P	P	P	P
Water Quality and Temperature	C	P	-	P	P
Dewatering of Eggs	P	-	C	P	P
Access to Habitat	P	P	P	C	N
Habitat Quality	C	P	P	C	-
Anadromous Fishery Resources					
Migration Routes	-	-	-	-	-
Adult Survival	-	-	-	-	-
Juvenile Survival	-	-	-	-	-

(b) Water-level fluctuations do not allow riparian communities to become established.

Impact	Grand Coulee	Libby	Albeni Falls	Hungry Horse	Dworshak
Anadromous Fishery Resources (continued)					
Spawning Sites	-	-	-	-	-
Nursery Habitat	-	-	-	-	-
Food Sources	-	-	-	-	-
Water Quality and Temperature	-	-	-	-	-
Migration Timing/Peak Migration	-	-	-	-	-
Habitat Quality	-	-	-	-	-
Birds					
Rare and Unique Species	-	-	-	-	-
Waterfowl Breeding Areas	P	P	N	P	P
Waterfowl Feeding Areas	P	P	P	-	P
Shorebird Breeding Areas	P	-	-	-	P
Shorebird Feeding Areas	P	P	-	-	P
Food Resources (fish)	-	N	N	-	P
Animals					
Rare and Unique Species	-	-	-	-	-
Big Game Feeding Areas	P	C	-	C	C
Big Game Behavioral Changes	P	C	-	-	C
Big Game Migration Routes	P	C	-	-	C
Small Mammals, Habitat Changes	C(c)	C(c)	-	C(c)	C(c)
Amphibian Spawning Habitat	C	P	-	P	C
<u>OTHER IMPACTS</u>					
Soil Movement	-	-	-	-	-
Bank Slumping	C	C	-	-	C
Soil Erosion	C	C	-	-	C
Dust	-	-	-	-	-
Cultural Features					
Historical Sites	-	-	-	-	-
Archeological Sites	P	P	-	-	-

(c)Water level not defined.

The primary research need related to fisheries impact studies at the federal storage reservoirs is an analysis and synthesis of available data to answer specific impact questions.

Basic fisheries data generally are not specific enough to define impacts of water-level fluctuation. One exception is Huston's^(a) analysis of the Hungry Horse data, wherein he used basic fisheries data to analyze impacts related to drawdown. Similar basic fisheries data exist for other reservoirs, including Koocanusa. However, we did not identify any analysis that related water-level fluctuation to impacts of fish populations of the other reservoirs. Such an analysis would identify specific information needs and define objectives for field studies.

Specific research needs include quantification of habitat use and seasonality for fish species in the drawdown zone, particularly with regard to spawning, nursery, and feeding activities.

5.2 WILDLIFE IMPACTS

The effects of water-level fluctuation on wildlife resources, particularly at reservoirs in the Pacific Northwest, are poorly understood. At the five federal storage reservoirs for which we conducted literature searches, we found no documentation of precise relationships between wildlife use and water-level fluctuations. The lack of quantitative data forces a subjective analysis of impacts.

Wildlife habitat is affected by water-level changes. The most important research need is to define effects of water-level fluctuation on wildlife habitat. Habitat and associated wildlife must be studied in tandem. The available aquatic, emergent aquatic, and riparian plant communities must be quantitatively assessed at each reservoir. The extent

(a) Joe Huston, Montana Fish, Wildlife, and Parks Department, personal communication. April 1982. "Supplement VII Biological Justification for the 85-ft drawdown on Hungry Horse Reservoir." Response to questions from the Pacific Northwest Electric Power Planning Council regarding State of Montana Fish and Wildlife recommendations.

to which these communities are used by wildlife must also be evaluated both temporally and spatially. Responses of wildlife to drawdown or pool filling should be assessed by comparing wildlife use data with water-level information.

Specific research needs are described for the five study reservoirs. No attempt has been made to prioritize the needs.

5.2.1 Lake Roosevelt

Little quantitative information exists about the wildlife species present at this reservoir. Payne et al. (1975) predicted effects of water-level fluctuation on wildlife, and the observations should provide a solid groundwork necessary for future research. Future research should be designed to determine the spatial and temporal densities of wildlife present in relation to the aquatic and terrestrial plant communities. Water-level fluctuations should be closely monitored and related to the data obtained on wildlife and plant communities.

5.2.2 Lake Pend Oreille

The sources of information pertaining to wildlife around Lake Pend Oreille are limited (U.S. Army Corps of Engineers 1981, NETL/RCA 1974). The reports describe the habitats available and the wildlife that use them. One report (NETL/RCA 1974) states that seasonal impacts on vegetation and wildlife from dam operations are minimal. Nesting waterfowl are occasionally adversely affected by rapidly rising pool levels, which inundate nests in the spring. However, no studies have been conducted to quantify these impacts. Most waterfowl depend on the maintenance of high water levels during late spring and summer for nesting and fledging. Wildlife managers agree that waterfowl benefit from maintenance of high water during spring and summer and are adversely affected by fall drawdowns (P. Hanna, Idaho Fish and Game Department, personal communication). Changes in seasonal reservoir elevation that affect waterfowl populations at Albeni Falls must be objectively identified and quantified.

Impacts to other forms of wildlife such as game and non-game species are speculative and, in most cases, unknown. The relatively small drawdown

at the Albeni Falls project (12.8 ft maximum) probably minimizes impacts to wildlife. Although wildlife biologists know more about the wildlife inhabiting the environs of this lake than they do about wildlife at other sites, there is a severe lack of documentation on current wildlife usage and impacts from water-level fluctuation.

5.2.3 Lake Koocanusa

The Libby reservoir has steep banks that have been eroded by wave action. The extreme water-level fluctuation and constant bank erosion prevent the establishment of any vegetation below the high water line. Therefore, neither riparian vegetation nor wildlife is typically associated with this zone. Wildlife biologists in Libby, Montana, and British Columbia, Canada, agree that after the inundation there was very little impact on wildlife caused by seasonal fluctuations of water level because all the habitat was destroyed (R. DeMarchi, British Columbia Fish and Wildlife, Cranbrook, British Columbia; A. Christianson, U.S. Forest Service, Libby, Montana, personal communication). There is some very limited goose nesting near Eureka, Montana, but in most cases the banks are too steep for waterfowl nesting. The major waterfowl use of the lake is for resting during the fall migration (A. Christianson, personal communication).

Recommendations to protect, mitigate, and enhance wildlife resources adjacent to the lake have been made by Graham et al. (1981). A study should be conducted to determine the costs and feasibility of providing new habitats and enhancing others along the margins of the reservoir.

5.2.4 Hungry Horse

No studies have been made either to evaluate the existing wildlife that use the reservoir or to determine how the wildlife are affected by reservoir operations. Graham et al. (1981, p. 25) stated that "protection of wildlife values is no longer a viable option and there is really no way that operational changes in the project could benefit wildlife in any but the slightest degree." The authors also made several recommendations for impact mitigation and development of new habitat for wildlife around the reservoir.

A study is needed to first establish the magnitude of deficiencies in wildlife habitat and then select areas around the lake that could be modified to enhance wildlife habitat.

5.2.5 Dworshak

The wildlife of Dworshak Reservoir have been intensively studied for a number of years, but field scientists have not adequately addressed the precise effects of water-level changes on wildlife or habitats. We did not find any density estimates for wildlife affected by annual pool filling or draining. Future drainage research should be designed to determine the extent to which water-level fluctuations affect wildlife and plant communities at Dworshak.

5.3 IRRIGATION IMPACTS

Water-level fluctuations can affect irrigation pumping stations in several ways. If water levels are too low, pumps are not usable. If dewatering occurs while pumps are operating, the pumps can be damaged. Decreased water levels can reduce pumping efficiencies. We did not identify a data source that specified the elevations of private pumping plants which withdraw water directly from Lake Roosevelt. Thus, the specific impacts of water-level fluctuations on irrigation pumping plants other than those used by the Bureau of Reclamation were not identified.

Identification of elevation and pumping characteristics of private pumping stations at Lake Roosevelt is needed to identify how the stations are affected by drawdown. Individuals with water rights for irrigation withdrawal from Lake Roosevelt were identified.

5.4 RECREATION IMPACTS

Impacts to recreation may result in changes in the level of participation in an activity, changes in the quality of an experience, or changes in the mix of activities pursued by recreationists. No reliable information is available that correlates recreational activity with reservoir fluctuations.

Changes in the mix of activities pursued by recreationists have not been quantified at the federal storage reservoirs. Such changes are difficult to observe and quantify. For example, if boaters go to a reservoir and find the boat ramps unusable, they may change their plans and decide to have a picnic instead. The frequency of occurrence for this type of event was not available in recreation data.

Data on hunting and fishing participation usually are available in some form for every reservoir. No hunting data are available for Lake Pend Oreille. Data on fisherman access were found only for Dworshak and Hungry Horse Reservoirs, and hunter access data were not found for any of the study reservoirs. In addition, no data are available on how changes in fish and wildlife behavior affect the probability of a successful catch or kill. The effects of reservoir elevation changes on hunting and fishing depend on the interaction of hunter or fisherman access and wildlife behavior. No data are available which deal with this interaction, and no information is available on how the quality of the fishing or hunting experience, regardless of outcome, is affected by changes in reservoir elevation.

Aesthetic impacts were determined through visual data (maps, photographs and development plans) and conversations with recreation specialists at the reservoirs. No quantitative data are available which relate aesthetic effects to water level at the study reservoirs.

No data on boating hazards (e.g., stumps, rocks, shallows) are available for Dworshak Reservoir, Lake Roosevelt, or Lake Pend Orielle. Many private docks are located throughout Lake Pend Orielle, but no data are available on their minimum usable elevations.

To describe recreation impacts at the study sites, research is needed to quantify changes in planned activities, any aesthetic impacts, and effects on hunting and fishing. In addition, specific information on boating hazards and private dock elevations is needed for some reservoirs.

6.0 DOCUMENTATION AND TRAINING

The RIVOPR data base has been designed to give the user flexibility to tailor queries to a specific need. Data bases that use DRS can be accessed in an ad hoc manner that allows the user to proceed from one topic to another as desired. This can be done because the DRS query language can be manipulated by the user to provide ready access to the data base. This puts a responsibility on the user. He must not only understand his data base and the data it contains, but he must also understand the query language in order to access the data.

The RIVOPR User's Manual, which is bound under a separate cover as Appendix F to this document, describes the structure of the data base and how to use it.

The User's Manual is designed to be self-contained. Each component of the data base is described in detail. Sample sessions are included that show how queries can be done with the RIVOPR data base. Special software that has been developed specifically for the RIVOPR data base is described, and examples of how to use the software are provided. If the user advances beyond the information described in the manual, he is referred to the documentation provided by the vendor of DRS. This documentation is available at BPA.

The User's Manual is intended to be supplemented by training. Training sessions were held as a part of this project to familiarize potential users with the contents of the data base and with the query language that permits access to the information in the data base. The data base, structure, and use were described in detail in the training sessions. The sessions provided hands-on use of the data base while under the guidance of personnel experienced in the use of DRS. As each user becomes more familiar with the data base and with DRS, he will become more proficient at accessing the information in ways that meet specific needs. The User's Manual is designed to serve as both a training document and a reference.

If problems develop in using the data base, Margaret Swiger at BPA [(503) 230-5184] and Paula Cowley at PNL [(509) 375-2282] may be called for assistance.

7.0 REFERENCES

- Blair, R. M. 1955. "Impacts of the Proposed Libby Dam upon the Wildlife Resources of Lincoln County, Montana." Mont. Dept. Fish and Game, Pittman-Robertson Investigations Project 2-36-R, Work Plan X.
- Graham, P., R. Penkal, S. McMullin, P. Schladweiler, H. Mays, V. Riggs and R. W. Klaver. 1981. "Montana Recommendations for Fish and Wildlife Program: Submitted to Pacific Northwest Electric Power and Conservation Planning Council." Montana Dept. of Fish, Wildlife, and Parks, Kalispell, Montana.
- NETL/RCA Environmental Consultants. 1974. "Environmental Assessment; Albeni Falls Dam and Reservoir. U.S. Army Corps of Engineers, Seattle, Washington.
- Payne, N. F., G. P. Munger, J. W. Matthews and R. D. Taber. 1975. Inventory of Vegetation and Wildlife in Riparian and Other Habitats along the Upper Columbia River Vol. 4A. U. S. Army Corps of Engineers, Walla Walla, Washington.
- U.S. Army Corps of Engineers. 1971. "Final Environmental Statement. Libby Dam Lake Koocanusa, Kootenai River, Montana." U.S. Army Corps of Engineers, Seattle, Washington.
- U.S. Army Corps of Engineers. 1981. "Albeni Falls Project Master Plan." Design Memorandum 25. U.S. Army Corps of Engineers, Seattle, Washington.
- U.S. Department of the Interior. 1965. A Detailed Report on Fish and Wildlife Resources Affected by Libby Dam and Reservoir Project, Kootenai River, Montana. U.S. Dept. Interior, Washington, D.C.

APPENDIX A

CONTACT LIST

APPENDIX A

CONTACT LIST

In February 1982, Pacific Northwest Laboratory (PNL) and Bonneville Power Administration staff members compiled a list of state and federal agencies, universities, and other organizations that have conducted research or maintained records of past research on the federal storage reservoirs of the Columbia River system. Names, addresses, and telephone numbers of individuals within those agencies were listed as contacts from whom PNL staff members might receive information for the data retrieval system and impact matrix. Names noted by a bullet (•) are individuals that PNL staff members contacted. Names noted by an asterisk (*) are individuals selected by their agency or organization to serve as the primary contact for PNL staff during this study.

List of Contacts

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>FEDERAL AGENCIES</u>			
<u>Department of Agriculture</u>			
Soil Conservation Service Regional Technical Service Center 701 NW Glisan Street Portland, OR 98104	(503) 221-2751		All
Soil Conservation Service 304 North 8th Street, Room 345 Boise, ID 83701	(208) 334-1348		AF/D
George James	(FTS) 554-1610 or 554-1611		
Soil Conservation Service Federal Building P.O. Box 770 Bozeman, MT 59715	(406) 585-4374 (406) 587-5271	Field Office Area Office	HH/L
Soil Conservation Service 360 U.S. Courthouse W. 920 Riverside Avenue Spokane, WA 99201	(509) 456-3711		GC
U.S. Forest Service (FS) Pacific Northwest Region Portland, OR 97208			GC
Gordon Haugen	(503) 221-2877		

List of Contacts (Contd)

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>FEDERAL AGENCIES (Contd)</u>			
<u>Department of Agriculture (Contd)</u>			
U.S. Forest Service (FS) Northern Region Federal Building Missoula, MT 59801			AF/GC/HH/L
* Paul Brougha	FTS 585-3664	Regional Fisheries Biologist	
Clearwater National Forest (FS) Route 4 Ahsahka Road Orfino, ID 83544			D
Al Espinosa Bob Boston	(208) 476-4541	Fisheries Biologist Wildlife Recreation and other resources	
Flathead National Forest (FS) 290 North Main Street P.O. Box 147 Kalispell, MT 59901			HH
Hank Dawson Bob Hensler Jerry Stokes	(406) 755-5401	Fisheries Biologist Wildlife and other resources Recreation	
Hungry Horse National Forest (FS) Hungry Horse, MT 59919			HH
• Lloyd L. Reesman • Merril Greenman	(406) 387-5243 (406) 387-5243	District Ranger Forester (Recreation)	

List of Contacts (Contd)

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>FEDERAL AGENCIES (Contd)</u>			
<u>Department of Agriculture (Contd)</u>			
Idaho Panhandle National Forest (FS) 1201 Ironwood Drive Couer d'Alene, ID 83814			AF/D
• R. L. Shackelford	FTS 442-9318	Staff Officer of Multiple Resources	
Bob Rainville	FTS 442-9488	Fisheries Biologist	
Paul Harrington	FTS 442-9411	Wildlife Biologist	
Kootenai National Forest (FS) P.O. Box AF Libby, MT 59923			L
• Marge Stewart	(406) 293-6211	Civil Engineer	
John Lloyd		Fisheries Biologist	
• Al Christianson		Wildlife Biologist	
Gary Morgan		Recreational/Landscape Architect	
Sandpoint Ranger District (FS) Dover Highway Sandpoint, ID 83864			
• James Gladen		Ranger	AF

List of Contacts (Contd)

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>FEDERAL AGENCIES (Contd)</u>			
<u>Department of Commerce</u>			
N.O.A.A. Environmental Data and Information Service 7600 Sand Point Way NE BIN-C-15700 Seattle, WA 98115			State of Washington
H. A. Larkins	FTS 442-5704	Regional Office, Director	
A.5 N.O.A.A. National Marine Fisheries Service 847 NE 19th Avenue Portland, OR 97208			Lower Columbia River
* Dale Evans	(503) 230-5400	Chief, Environmental & Technical Services	
Steve Smith	(503) 230-5433	Fisheries Biologist	
N.O.A.A. Northwest Fisheries Center National Marine Fisheries Service 2725 Montlake Boulevard E. Seattle, WA 98112			State of Washington
Dr. William Aron (Location of Central Library)	FTS 442-4760	Director	

List of Contacts (Contd)

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>FEDERAL AGENCIES (Contd)</u>			
<u>Department of Defense</u>			
Corps of Engineers (CE) Division Office P.O. Box 2870 Portland, OR 97208			D/L/AF
<ul style="list-style-type: none"> * Art Gerlach 	(503) 221-3832	General Biologist	
<ul style="list-style-type: none"> Gordon Green 		Chief, River Operations Center	
<ul style="list-style-type: none"> Doug Arndt 		Fish and Wildlife	
<ul style="list-style-type: none"> Ed Mains 	FTS 423-3832	Fisheries Planning	
District Office (CE) P.O. Box C-3755 Seattle, WA 98124			L/AF
Dick McLaughlin	FTS 399-3544	Chief, Reservoir Management	
<ul style="list-style-type: none"> Steve Babcock 		Planning (Libby Master Plan)	
<ul style="list-style-type: none"> Doug Bailey 	FTS 399-3440	Outdoor Recreation Planner	
<ul style="list-style-type: none"> Tom Bonde 	FTS 399-3624	Fisheries Planning	
<ul style="list-style-type: none"> Ken Brunner 	FTS 399-3624	Wildlife Planning	
<ul style="list-style-type: none"> Ronald Bush 	FTS 399-3625	Supervisory Biologist	
		(Limnology)	
Steve Dice	FTS 399-3625	Chief	
<ul style="list-style-type: none"> Steve Foster 		Hydropower Planning	
James Helms	FTS 399-3586	Hydrologist (Water Quality)	
<ul style="list-style-type: none"> Ken Knoff 	FTS 399-3440	Recreation Planner Specialist	
(contd)			

List of Contacts (Contd)

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>FEDERAL AGENCIES (Contd)</u>			
<u>Department of Defense</u>			
David Munsell		Cultural Resource Planning	
John Peterson	FTS 399-3440		
Dick Swanson		Engineering	
• Jack Thompson	FTS 399-3625	Fish Biologist	
• Jack Kennedy	(206) 764-3495	Regulatory Functions	
Pat Lambert		Librarian	
District Office (CE)			D
Bldg. 602			
City County Airport			
Walla Walla, WA 99362			
• John McKearn	FTS 442-5340	Chief, Fish & Wildlife	
Jim Athearn	FTS 442-5639	Chief, Fish & Wildlife	
		Management Section	
• James Brown	FTS 442-5629	(Recreation)	
• Brad Daily	FTS 442-5672	(User Survey)	
• Nick Iadanza	FTS 442-5322	Limnologist	
• Margaret Iadanza	FTS 442-5118	Librarian	
Bill McDonald	FTS 442-5351	Environmental Specialist	
District Office (CE)			
USAE Waterways Experiment Station			
P.O. Box 631			
Vicksburg, MS 39180			
(contd)			

List of Contacts (Contd)

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>FEDERAL AGENCIES (Contd)</u>			
<u>Department of Defense</u>			
* Jerome L. Mahloch, Ph.D.	FTS 542-3635	Program Manager (EWQOS)	Generic
* Mr. Montgomery	FTS 542-3870	Biologist	
Mr. Holhs Allen	FTS 542-3845	Wildlife Biologist	
* Dr. John Nestler	FTS 542-3870	Fisheries Biologist	
Dr. Andy Anderson	FTS 542-3635	Recreation	
Dr. Bob Kennedy	FTS 542-3659	Limnologist; Technical Information; Field Data	
* Dr. Jack Waide	FTS 542-3719	Modeler	
Mr. Gary Saul	FTS 542-3659	Technical Information; Field Data	
Mr. Hollis Allen	FTS 542-3845		
Mr. Chuck Klimas	FTS 542-3845		
Albeni Falls Project Priest River, ID 83856			
. Wesley Meacham	(208) 437-3133	Civil Tech.	
Mr. Coffman		Project Engineer, Lake Koocanusa	
Albeni Falls Project Office P.O. Box 310 Newport, WA 99156			
John Coyle	(208) 437-3133	Resource Manager	

List of Contacts (Contd)

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>FEDERAL AGENCIES (Contd)</u>			
<u>Department of Defense (Contd)</u>			
Dworshak Project Office (CE) P.O. Box 147 Ahsahka, ID 83520			D
• Rodger Colgan Smokey Fay	(206) 476-3294	Project Engineer Technician (Flow Data)	
Libby-Albeni Falls Project Office (CE) Star Route 2 Libby, MT 59923			L/AF
• Cyril M. Jones Michael Tibbs	(406) 293-7358 (406) 293-7751	Project Supervisor Supervisory Park Technician	
<u>Department of Health, Education, and Welfare</u>			
Dept. of Health, Education and Welfare Director, Region IX 50 United Nations Plaza, Rm. 322 San Francisco, CA 94102			GC
Sheradon L. Weinstein	(412) 556-5800		

List of Contacts (Contd)

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
----------------------------------	---------------------	--------------	------------------

FEDERAL AGENCIES (Contd)

Department of Health, Education and Welfare (Contd)

Dept. of Health, Education
and Welfare
Division of Public Health
Federal Office Building
19th and Stout Streets
Denver, CO 80202

HH

Dr. Dale Hoffman

(303) 837-2448

Limnologist

A.10 Department of the Interior

Bureau of Indian Affairs

Bureau of Indian Affairs
Area Director
316 North 26th Street
Billings, MT 59101

FTS 585-6325
(406) 657-6315

HH/L

Bureau of Indian Affairs
P.O. Box 3785
1425 NE Irving Street
Portland, OR 97208

AF/D/GC

Less McConnel

(503) 231-6702

Natural Resource Specialist

List of Contacts (Contd)

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>FEDERAL AGENCIES (Contd)</u>			
<u>Bureau of Land Management</u>			
Bureau of Land Management P.O. Box 2965 Portland, OR 97208			GC/HH
Art Oakley	(503) 231-6866	Fisheries Biologist	
• Bob Kempf	(503) 231-6929	Rec. Maint. Specialist	
<u>Bureau of Mines</u>			
Bureau of Mines Office of Mineral Resources P.O. Box 70 Albany, OR 97321	(503) 967-5809	Chief	A11

List of Contacts (Contd)

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>FEDERAL AGENCIES (Contd)</u>			
<u>Bureau of Reclamation</u>			
Bureau of Reclamation (BR) Pacific NW Region Federal Bldg. & U.S. Courthouse Box 043-550 West Fort St. Boise, ID 83724			GC/HH
• * Harold Brush	FTS 554-1381	Chief of Reservoir & River Operations Branch	
• Ed Griswald	FTS 554-1934	Recreation Specialist	
• Bob Reilly	FTS 554-1590	Chief, Reports Branch	
• Bill Mullins	FTS 554-1546	Environmental Specialist	
• Richard Prange	FTS 554-9501	Environmental Specialist	
• Harry Taylor	FTS 554-1427	Hydraulic Engineer	
• Everett Williams	FTS 554-1545	Physical Scientist (Water Quality)	
Dick Woodworth	FTS 554-1207	Regional Environmental Officer	
John McLeod	FTS 554-1380	Operation Research Analyst	
Dave Smith	FTS 554-1774	Regional Economist	
David Zimmer	FTS 554-9035	Regional Limnologist	
John Lloyd	FTS 554-1908	Regional Director	
Charles Carman	FTS 554-1433	(Water Level Data)	
Engineering & Research Center (BR) P.O. Box 25007 Denver, CO 80225			GC/HH
• Dr. John Peters	FTS 234-2050	Chief, Environmental Affairs Office	
• Don Treasure	FTS 234-2050		

List of Contacts (Contd)

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>FEDERAL AGENCIES (Contd)</u>			
<u>Bureau of Reclamation (contd)</u>			
Columbia Basin Project Office Ephrata, WA 98823			
• Gene Sell	(509) 754-4611	Hydraulic Engineer	
Grand Coulee Project Office (BR) P.O. Box 620 Grand Coulee, WA 99133			GC
Rudolph Etheridge	FTS 446-9501	Project Manager	
• Ron McKown	FTS 446-9508	Project Environmentalist	
• Ray Stroh	FTS 446-9300	Operations	
• Mike Rown	FTS 446-9508	Environmentalist	
Hungry Horse Project (BR) Hungry Horse, MT 59919			HH
• Richard Taylor	387-5241	Project Superintendent	
• Richard W. Clark	387-5241	Chief of Operations	

List of Contacts (Contd)

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>FEDERAL AGENCIES (Contd)</u>			
<u>Geological Survey</u>			
Geological Survey Pacific Coast Region 345 Middlefield Road Menlo Park, CA 94025	(415) 323-8111	Regional Hydrologist	AF/D/GC
Geological Survey Rocky Mountain Region Mailstop 406, Box 25046 Denver Federal Center Lakewood, CO 80225	(303) 866-2611	Regional Hydrologist	HH/L
<u>National Park Service</u>			
National Park Service Rocky Mountain Regional Office 655 Partel Street P.O. Box 25287 Denver, CO 80225			L/HH
Dick Strait	FTS 234-2775	Assistant Director	

List of Contacts (Contd)

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>FEDERAL AGENCIES (Contd)</u>			
<u>National Park Service (Contd)</u>			
National Park Service Coulee Dam P.O. Box 37 Coulee Dam, WA 99116			GC
Gordon Boyd	(509) 633-1360 Ext. 441	Chief Ranger	
• Charles Janda	FTS 446-9441	Chief Ranger (transferred)	
Dave Steigelmeyer	(509) 738-6266	Park Ranger	
Steve Castro-Shrader	(509) 725-2715	District Ranger	
National Park Service Ft. Vancouver National Historic Site East Evergreen Blvd. Ft. Vancouver, WA 98661	(503) 221-2877		GC/D/AF
National Park Service Westin Building Room 19-20 Seattle, WA 98121			All
Rich Winters	FTS 399-4707	Asst. Regional Director for External Service, Rm. 2010	
Fred Benner		Recreation Assistant	

List of Contacts (Contd)

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>FEDERAL AGENCIES (Contd)</u>			
<u>National Park Service (Contd)</u>			
Glacier National Park W. Glacier, MT 59936			
Bob Haraden	(406) 888-5441	Superintendent	
<u>U.S. Fish and Wildlife Service</u>			
Fish and Wildlife Service (FWS) Region I Office 500 NE Multnomah St. Portland, OR 97208			All
• John Sayres	(503) 231-6828	Public Affairs Officer	
National Fisheries Research Center Highway 99, Suite I Vancouver, WA 98665			
• Bill Nelson	FTS 422-7633	Columbia River Res. Coord.	
• Lance Beckman	FTS 422-7633	Columbia River Res. Coord.	

List of Contacts (Contd)

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>FEDERAL AGENCIES (Contd)</u>			
<u>U.S. Fish and Wildlife Service (Contd)</u>			
Grand Coulee Substation P.O. Box 600 Grand Coulee, WA 99133		National Fisheries Research Center	GC
• Tony Nigro	FTS 446-9213	Fishery Biologist	
Fish and Wildlife Service (FWS) 2625 Parkmont Lane Olympia, WA 98502			All
Joe Blum	FTS 434-9578	Area Manager	
Fish and Wildlife Service (FWS) Federal Bldg., Rm. 3035 316 N. 26th Billings, MT 59101			L/HH
• Larry Lockard	FTS 585-6750	Fish & Wildlife Biologist	
Fish and Wildlife Service (FWS) 100 West Rock Street Fayetteville, AR 72701			
* Dr. Gene Ploskey	(501) 521-3063	Fisheries Biologist	All
* R. M. Jenkins	FTS 740-5011	Modeler	All

List of Contacts (Contd)

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>FEDERAL AGENCIES (Contd)</u>			
<u>U.S. Fish and Wildlife Service (Contd)</u>		National Fisheries Research Center	GC
Fish and Wildlife Service (FWS) Field Assistance Office (FAO) 4620 Overland Road Boise, ID 83705			
* Dr. Roy Heburger	(208) 334-1931	Fisheries Planner	
Dworshak National Fish Hatchery (FWS) Fishery Assistance Office P.O. Box 18 Ahsahka, ID 83520			D
Daniel Diggs	(208) 476-7242	Asst. Project Leader	
Fish and Wildlife Service (FWS) NFRC - Willard Substation Star Route Cook, WA 98605			
* Dennis Rondorf	(509) 538-2299 (509) 547-0053	Biologist Pasco Office	
Ecological Service (FWS) 4620 Overland Rd., Rm. 209 Boise, ID 83705			D/AF
George Harrington	FTS 554-1931	Fish & Wildlife Biologist	

List of Contacts (Contd)

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>FEDERAL AGENCIES (Contd)</u>			
<u>Department of Transportation</u>			
Department of Transportation U.S. Coast Guard Commander, District 13 915 Second Street Seattle, WA 98104	(206) 442-5295		A11
Federal Water Pollution Control Administration Regional Environmental Offices 700 NE Multnomah Portland, OR 97205	(503) 231-6157		A11
<u>Boards, Committees and Commissions</u>			
Water Resources Council 2120 "L" Street NW Suite 800 Washington, DC 20005	(202) 488-0688		A11
Pacific Northwest River Basins Commission (no longer exists) P.O. Box 908 1 Columbia River Vancouver, Washington 98660	(509) 696-7551		A11

List of Contacts (Contd)

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>STATE AGENCIES</u>			
Idaho Dept. of Fish and Game 600 South Walnut Box 25 Boise, ID 83707		Central Library in Boise	D/AF
* John Coon Bill Goodnight	(208) 334-3710	Anadromous Fishery Manager Fisheries Biologist	
Idaho Dept. of Fish and Game 1540 Warner Lewiston, ID 83501			D/AF
Rodney Duke	(208) 743-6502	Sr. Fish. Research Biologist	
Bill Horton	(208) 743-6502	Fisheries Research Biologist	
• Steve Pettit	(208) 743-6502	Sr. Fish. Research Biologist	
• Sam McNeil	(208) 743-6502	Wildlife Manager	
• Bert Bowler	(208) 743-6502	Regional Fisheries Biologist	
Idaho Dept. of Fish and Game 2320 Government Way Coeur d'Alene, ID 83814			D/AF
• Paul Hanna David Neider	(208) 664-9236	Biologist Regional Supervisor	
Idaho Department of Health and Welfare Statehouse Boise, ID 83707	(208) 375-5211		D/AF

List of Contacts (Contd)

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>STATE AGENCIES (Contd)</u>			
Idaho Dept. of Parks and Recreation Statehouse Mail Boise, ID 83720	(208) 334-2154		D/AF
Ken Frazy	(208) 334-3840	Department Engineer	
Idaho Panhandle National Forest Sandpoint Ranger District Route 2, Box 178 Sandpoint, ID 83864			
• James Gladen	(208) 263-5111	District Forest Ranger	
Water Resources Research Institute University of Idaho Office of Water Research and Technology Janssen Building Moscow, ID 83843	(208) 885-6429		AF/D
Idaho Water Resources Board Statehouse Boise, ID 83707	(208) 334-4440		AF/D
Montana Department of Natural Resources and Conservation 32 S. Ewing Helena, MT 59620			L
• Edrie Vinson	FTS 587-4600		

List of Contacts (Contd)

Name/Organization/Address	Phone Number	Title	Reservoir
<u>STATE AGENCIES (Contd)</u>			
Montana Department of Ecology Ecological Sciences Division Missoula, MT 59801	(406) 449-2603		HH/L
Montana Department of Fish, Wildlife and Parks P.O. Box 67 Kalispell, MT 59901			L/HH
<ul style="list-style-type: none"> • * Pat Graham • Jim Cross • John Fraley 	<ul style="list-style-type: none"> (406) 755-5505 (406) 755-5505 (406) 755-5505 	<ul style="list-style-type: none"> Fisheries Biologist, Supervisor Wildlife Biologist Fisheries Biologist, Project Manager 	
<ul style="list-style-type: none"> • Bob Shumaker • Joe Huston • Laney Hansel 	<ul style="list-style-type: none"> (406) 755-5505 (406) 755-5505 (406) 755-5505 	<ul style="list-style-type: none"> Regional Fisheries Manager Fisheries Biologist Fisheries Biologist 	
Montana Department of Fish, Wildlife and Parks Libby, MT			L
<ul style="list-style-type: none"> • Jerry Brown • Bruce May 	<ul style="list-style-type: none"> (406) 293-7639 (406) 293-7639 	<ul style="list-style-type: none"> Game Biologist Fisheries Biologist 	
Montana Department of Fish, Wildlife and Parks Boseman, MT			
Steve McMullin	(406) 586-5419	Fisheries Biologist	

List of Contacts (Contd)

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>STATE AGENCIES (Contd)</u>			
Montana Fish, Wildlife and Parks Department 1420 E. Sixth Helena, MT 59620	FTS 587-2535		HH/L
• Larry Peterman Rich DeSimone George Holton	FTS 587-3888 (406) 443-5714 (406) 944-2448	(has copies of computerized data base for MT stream data)	
Department of Health and Environmental Sciences Cogswell Building Helena, MT 59620			HH/L
John J. Drynam, MD	(406) 449-2544		
Montana Water Resources Div. Helena, MT 59601	(406) 449-2872		
Washington Department of Ecology Office of Water Programs Mailstop PV-11 Olympia, WA 98504			GC
* Gerald W. Boese • Kenneth Slattery	(206) 459-6166 (206) 459-6116	Water Resource Planner	

List of Contacts (Contd)

	<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
	<u>STATE AGENCIES (Contd)</u>			
	Washington Department of Fish 600 North Capitol Way Olympia, WA 98504			GC
	Jack Ayerst Lloyd Phinney Bob Gerke	(206) 464-7704 FTS 434-6616 (206) 753-3624	Asst. Chief, Habitat Management	
	Washington Department of Ecology 4350 - 150th NE Redmond, WA 98052	(206) 885-1900		GC
A.24	Washington Department of Game Box 1237 Ephrata, WA 98823			GC
	William Zook	(509) 754-4624	Regional Fisheries Biologist	
	Washington Department of Game Administrative Office Olympia, WA 98501			GC
	Frank Lockard	(206) 753-5700		
	Washington Department of Game N. 8702 Division Street Spokane, WA 99218			GC
	Bruce Smith	(509) 456-4082	Regional Administrator	

List of Contacts

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>STATE AGENCIES (Contd)</u>			
Washington Water Research Center Washington State University Pullman, WA 99163	(509) 335-3564		GC
<u>UNIVERSITIES</u>			
Montana State University Bozeman, MT 59717			L/HH
• Robert White	(406) 994-2450	Head, Coop. Fisheries Unit, Dept. of Biology	
Ray White	(406) 994-4548	Prof. of Fisheries, Dept. of Biology	
Robert Thurston	(406) 994-3371	Fisheries Bio. Research	
Montana State University Water Resources Research Center 207 Montana Hall Bozeman, MT 59715	(406) 994-0211		HH/L
University of Montana School of Forestry Missoula, MT 59812			
Vito A. Ciliberti, Jr.	(406) 243-5521		
• I. Joe Ball	FTS 585-3128	Wildlife Biologist	

List of Contacts

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>UNIVERSITIES (Contd)</u>			
University of Idaho Moscow, ID 83843			D/AF/L
T. Bjornn, Ph.D.	(208) 885-6336	Dept. of Fisheries, Leader of Coop. Fisheries Unit	
D. Bennet, Ph.D.	(208) 885-6336	Dept. of Fisheries, Assoc. Prof.	
M. A. Brusven, Ph.D.	(208) 885-6575	Professor, Dept. of Entomology	
Mike Falter, Ph.D.	(208) 885-6336	Dept. of Fisheries: Limnology Reports	
J. Irving, Ph.D.	(208) 885-6336	Dept. of Fisheries, Research Associate	
Brad Michell, Ph.D.	(208) 885-6336	Dept. of Fisheries	
Rudy Ringe	(208) 885-6336	Dept. of Fisheries, Research Associate	
Maurice Hornocker		College of Forestry, Wildlife, and Range Sciences	
Washington State University Albrook Hydraulic Lab Pullman, WA 99164-3001			GC
J. Orsborn, Ph.D.	(509) 335-4546	Prof. of Civil and Env. Eng.	
Washington State University Johnson Hall Pullman, WA 99164-6410			GC
R. L. Shew	(509) 335-8848	Assoc. Prof. Forestry and Range Management	

List of Contacts

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>UNIVERSITIES (Contd)</u>			
Washington State University Sloan Hall Pullman, WA 99164-2920			GC
M. P. Werner	(509) 335-8654	Research Asst. Mechanical Engineering	
University of Washington Fisheries Research Institute - WH10 Seattle, WA 98195			All
• Quentin Stober Gordy Schwartzman	(206) 543-9041	Research Prof. of Fisheries Fisheries	
<u>INDIAN TRIBES</u>			
Colville Indian Nation Colville Business Council P.O. Box 150 Nespelem, WA 99155			GC
Paul Kuchara		Fishery Biologist	

List of Contacts

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>INDIAN TRIBES (Contd)</u>			
Confederated Salish and Kootenai Tribes of the Flathead Reservation P.O. Box 278 Pablo, MT 59855			L/HH
* Herschel Mays	(406) 676-4700	Tribal Recreation Specialist	
Confederated Tribes of Umatilla Indian Reservation P.O. Box 638 Pendleton, OR 97801			All
* Kathryn Brigham	(503) 276-3165		
* Raymond Shippentower	(503) 276-3165		
Nez Perce Tribe of Idaho P.O. Box 305 Lapwai, ID 83540			D
Willfred A. Scott		Chairman, Executive Committee	

List of Contacts

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>UTILITIES</u>			
Idaho Power Company P.O. Box 70 Boise, ID 83707			AF/D
* Larry Wimer	(208) 383-2727	Fisheries Biologist	
Montana Power Company P.O. Box 1338 Butte, MT 59701			L/HH
Frank Pickett			
<u>OTHERS</u>			
British Columbia Department of Lands, Forests, and Water Resources National Water Research Institute 4160 Marine Dr. Vancouver, BC, Canada V7V 1N6			L
Dr. Ralph Baley	(604) 926-5636	Chief of Branch	

List of Contacts

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>OTHERS (Contd)</u>			
British Columbia Fish and Wildlife Branch 44 S. 6th Avenue Cranbrook, BC, Canada V1C 2H3			
• Ray DeMarchi	(206) 489-3521	Wildlife Biologist	L
Allan Martin	(604) 489-2531	Fisheries Biologist	L
British Columbia Fish and Wildlife Branch 310 Ward St. Nelson, BC, Canada V1L 5S4			
Gay Woods	(604) 352-2211 Ext. 491	Wildlife Biologist	
Dr. Thomas Wood	(604) 352-2211	Fish and Wildlife Manager	
* Harvey Andresak	(604) 352-2211	Limnologist or Fisheries Biologist	
British Columbia Fish and Wildlife Branch 780 Blanchard St. Victoria, BC, Canada V8W 2H1			
* Dr. Dave Narver	(604) 387-1961	Fisheries Biologist	L

List of Contacts

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>OTHERS</u> (Contd)			
British Columbia Hydro and Power Authority 970 Burrard Street Vancouver, BC, Canada V6Z 1Y3			A11
British Columbia Forest Service 1107 Cranbrook Street Cranbrook, BC, Canada V1C 3S4			
• J. B. MacLeod		Range Agrologist	L
British Columbia Land, Parks, and Housing Branch 1019 Wharf St. Victoria, BC, Canada V8W 2Y9			
Kathy Mackin	(604) 387-1696	Public Information	
Canadian Department of Fisheries and Oceans 60 Front Street, Main Floor Nanaimo, BC, Canada V9R 5R7			GC
R. A. Slater	(604) 754-3257	Director Supervisor	

List of Contacts

<u>Name/Organization/Address</u>	<u>Phone Number</u>	<u>Title</u>	<u>Reservoir</u>
<u>OTHERS (Contd)</u>			
Coastal Zone Resources Corp. 4505 Franklin Avenue Wilmington, NC 28403	(919) 799-4470		AF
Environmental Process Analysts and Advisors, Inc. Lakewood, CO			D

APPENDIX B

CONTACT RECORDS

APPENDIX B

CONTACT RECORDS

Appendix B consists of letters and memorandums documenting telephone contacts and visits to persons expected to have materials useful for inclusion in the data base. Because many of these letters and memorandums were hand-written, they would not reproduce well; therefore, the original file copies have been delivered to BPA's technical contact, Mr. John Pyrch, Power Management Environmental Coordinator, who should be contacted for access to the materials.

APPENDIX C

SOFTWARE EVALUATION AND DEVELOPMENT

APPENDIX C

SOFTWARE EVALUATION AND DEVELOPMENT

Before work began on the data retrieval system, a software evaluation was performed to assess candidate software systems for the bibliographic information and the impact matrix. The final report on this software evaluation was delivered to BPA in March.*

Eight candidate software systems were considered: three commercial timesharing systems (DIALOG, DOE/RECON, ORBIT-III); ATHENA on the BPA CDC computer; DATATRIEVE on the PNL 11/70; DRS on the BPA VAX; and TOTAL on the PNL 11/70. These systems were evaluated on the basis of availability, handling of textual information, indexing on multiple keys, ability to support the integration of the bibliography and the matrix, backup and recovery, report writing, ease of use, expandibility, security, ease of development, availability of vendor and system support, and portability.

On the basis of these criteria, DRS was recommended as the best data base management software for the integrated system. BPA accepted this recommendation. At the time the software evaluation was completed, it was not known whether, during system development, there would be adequate access to the BPA VAX on which DRS is installed. The lease of DRS for a BNW VAX was considered, but Margaret Swiger was able to secure permission for the work to be done on the BPA VAX.

Although PNL staff had extensive experience with other data base management systems, they had had little exposure to DRS. To begin the implementation phase of the work, two PNL staff members, Paula Cowley and Warren De Mier, traveled to BPA and spent two days working with Tim Canan, a BPA computer systems programmer who has extensive DRS experience, and

* Cowley, P. J. and W. V. De Mier. March 1982. River Operations Environmental Information Gathering and Evaluation. Software Evaluation: Bibliographic Retrieval Systems. Pacific Northwest Laboratory, Richland, Washington.

Margaret Swiger, a BPA computer specialist. Tim continued to provide consultation throughout the implementation phase. His assistance has been a significant factor in the success of the implementation.

The statement of work calls for the implementation of the bibliographic portion of the system using the software recommended by the software evaluation. It also requires implementation of the impact matrix on PNL's 11/70 using DATATRIEVE. We have proceeded beyond these requirements by also implementing the impact matrix on DRS. Integrating both subsystems on DRS had several advantages.

- The bibliographic subsystem and the impact matrix could cross reference each other.
- It would allow early validation of the cross references between the bibliography and the matrix.
- BPA users would only have to learn how to use one system.
- A complete system would be available at an earlier date.

THE RIVOPR DATA BASE

The name of the integrated data base developed on the VAX using DRS is RIVOPR (River OPeRations). The two major components of RIVOPR are the bibliographic data and the impact matrix.

The bibliographic data and the impact matrix are linked through the bibliographic accession numbers stored in a special cross reference file. This cross reference file allows the user to select citations to support the information stored in the matrix. It can also be used to move from the bibliography into the matrix. Relationships between the components of the RIVOPR data base and a full description of the data elements is provided in the User's Manual (Appendix F).

Integration of the bibliographic and impact data allows the user to pull information from the matrix on any use or impact and then to retrieve the accession numbers listed with those impacts. The user can then use those accession numbers to look at the bibliographic information. By

scanning the information for the reference, the user can determine if the reference is of value and how to obtain it.

The bibliography can also be used independent of the impact matrix. The user can do keyword or author searches to retrieve entries of interest and can scan the entries to determine those worth obtaining.

FORMS OF DATA RETRIEVAL

Information in the RIVOPR data base can be retrieved in three different forms. The user can choose the form depending on his need and mode of access. These forms include:

- Query
- Query with Report Writer
- SIP (Screen Input Processor) Programs

Specific instructions on how to use each of these forms is given in the User's Manual (Appendix F). Query is designed for use by the nonprofessional computer user. Report writer and the SIP language are intended for development by the professional user. Experienced data processing personnel must write and maintain these programs. A brief overview of each form is given here.

Query

The DRS query facility allows the user to select data from the data base, arrange (sort) it as needed, choose the fields to be displayed, and either view the information at the terminal or have it written to a computer file for later printing. This method is appropriate when the user wants lists of various fields in the data base.

Query with Report Writer

Several report writers have been implemented for the RIVOPR data base. These reports have been designed to present information from either the impact matrix or the bibliography. To use these report writers, the user selects the entries with the query language and arranges them as required. Then, rather than choosing to display the fields, he invokes one of the report writers. The information can either come to the terminal or can be

written to a file for later printing. This method is appropriate when the user wants extensive information on a set of impacts or bibliographic entries.

Three reports have been implemented: a brief bibliographic report, a bibliographic report that has an abstract and evaluation, and an impact report. The bibliographic report writer with abstract and evaluation was used to generate Appendix D. The impact report writer was used to generate Appendix E.

Screen Input Processor Programs

Two SIP programs have been written that allow the user to scan entries one at a time on a CRT (cathode ray tube) screen. One SIP program allows the user to look at a particular impact when the site, use, and impact identification number are known. There are two screens for each impact. The first screen includes the definition and evaluator information, and the second screen shows the critical impacts by month and the bibliographic cross reference numbers for the impact.

The second SIP program is for the bibliographic entries and consists of five screens: one each for basic title information, abstract, evaluation, authors, and keywords.

Two other SIP programs have been written to allow updating of the data base. One program updates impact matrix entries. The other updates bibliographic entries. The screens used to update the data base are identical to the screens used to view the data base.

The SIP programs that update will only be used by those who have update privileges; the programs that allow viewing will be available to all users.

LIMITATIONS OF THE CURRENT DATA BASE

All data for the impact matrix and the bibliography are in place and accessible to the user. Three report writer programs and four SIP programs are available. The software system could be enhanced by upgrading security to control access to the system, by adding report writers and SIP programs, and by adding a thesaurus.

DRS includes the capability to restrict access by various users. This security feature allows passwords to be defined so that some users can only access certain portions of the data base while other users can access the whole data base; it would also allow a small subset of the users to update the data base. While these capabilities exist, they have not been implemented to date. No one at BPA has implemented security on any BPA data base, but Tim Canan is willing to help implement this when needed.

To date, the users have not had an opportunity to use the data base so it is unknown exactly how it will be used. Until the users have had time to work with it, they will not be able to identify further requirements for report writers and SIP programs. Pacific Northwest Laboratory has tried, within time and budget constraints, to identify useful tools, but recognizes that it is impossible for either the user or the developer to anticipate all needs until experience is gained with the data base. One of the great advantages of using data base technology is that changes can be made without extensive time and effort.

Another feature of DRS that would be useful for this data base is the thesaurus. DRS can support a user-defined thesaurus that would allow groups of keywords to be identified as synonyms. For example, Oncorhynchus nerka Kennerly would be defined as a synonym for the fish "Kokanee". If a user does a query on keywords, he does not need to figure out all the synonyms for the keyword in which he is interested. The thesaurus will check for all synonyms for the given keyword and retrieve the entries with the synonyms as well as the entries with the given keyword. Implementation of this feature would make the existing keywords more useful.

PROBLEMS ENCOUNTERED IN THE DEVELOPMENT OF THE INTEGRATED SYSTEM

It was anticipated that computer resource availability on the BPA VAX would limit development of the integrated system. Margaret Swiger, however, was able to secure a commitment of resources, and we were able to access the system when we were ready to use it.

Access from PNL proved to be a continuing problem. Only a limited number of dial-up ports were available. To complicate matters, we began to access the BPA VAX at the same time that a new telephone system was installed at PNL. In addition to shakedown problems and lack of access to the proper data phone, only a limited number of modems were available for access to remote computers. Experience showed that we could usually get a PNL modem and a BPA port before 7:30 a.m. and during lunch. At most other times, either ports or modems would be unavailable.

Several problems were discovered when developing the SIP programs. In two cases, problems were caused by bugs known to the vendor but unknown to PNL. The bugs have since been circumvented. In addition, SIP has inherent design limitations. For example, displaying and updating long text fields (such as abstract and evaluation) is awkward. It is anticipated that data entry personnel will be particularly frustrated by the long waits required during the entry of fields that are longer than can be displayed on the screen at one time.

While the impact matrix was being developed using DATATRIEVE, some special procedures were developed for the impact matrix. These procedures allow complex queries to be stored for use at a later time. DRS does not have this procedure capability. Some of the examples in the sample sessions in the User's Manual are an attempt to replicate these DATATRIEVE procedures.

APPENDIX D

BIBLIOGRAPHY LISTING

APPENDIX D

BIBLIOGRAPHY LISTING

This appendix is a printout of the bibliographic data citations contained in the RIVOPR data base as of September 1982. Because the system is dynamic and is stored on the BPA VAX computer, it is not duplicated here. For access to the original printout, contact Mr. John Pyrch, Power Management Environmental Coordinator at BPA. Updated copies may be obtained from BPA on special request.

APPENDIX E

IMPACT MATRIX LISTING

APPENDIX E

IMPACT MATRIX LISTING

This appendix is a printout of the impact matrix data citations contained in the RIVOPR data base as of September 1982. Because the system is dynamic and is stored on the BPA VAX computer, it is not duplicated here. For access to the original printout, contact Mr. John Pyrch, Power Management Environmental Coordinator at BPA. Updated copies may be obtained from BPA on special request.

APPENDIX F

USER'S MANUAL

(This appendix is bound separately)

DISTRIBUTION

PNL-4467
UC-97e

No. of
Copies
OFFSITE

No. of
Copies
ONSITE

5 J. B. Pyrch
Power Management Environmental
Coordinator
Bonneville Power Administration
P. O. Box 3621
Portland, OR 97208

27 DOE Technical Information
Center

ONSITE

DOE Richland Operations Office

H. E. Ransom

32 Pacific Northwest Laboratory

P. J. Cowley

W. V. DeMier
D. H. Fickeisen (10)
R. E. Fitzner
K. A. Gano
B. J. Harrer
L. J. Hood
D. C. Klopfer
D. H. McKenzie
D. A. Neitzel
C. M. Novich
T. L. Page
M. A. Simmons
B. E. Vaughan
M. L. Warner
G. L. Wilfert
Technical Information (5)
Publishing Coordination (2)