DOE/ID/13071--T1

ORCAS POWER AND LIGHT COMPANY

TECHNICAL PROGRESS REPORT

July, August, September 1992

DOE/ID/13071--T1

DE93 007139

JAN

I. INTRODUCTION

This is the fourth quarterly report submitted by Orcas Power and Light and covers July, August and September of 1992.

II. SIGNIFICANT EVENTS

Roche Harbor Resort, on San Juan Island, was selected as a charging station location. Negotiations with the owners were successful in establishing two dedicated spaces at the Resort.

Additional charging station locations in the Town of Friday Harbor will be established. At these locations a sign will read "ELECTRIC VEHICLE RE-CHARGE STATION - PLEASE YIELD". The signs are positioned and sized much like handicapped spaces are marked.

III. MEETINGS AND PUBLICITY

The San Juan County Fair is held each August on San Juan Island. Each year OPALCO designs and staffs a booth in the central exhibition area. This year our electric car was incorporated into the booth and actually was a part of the display. Many people received handouts and had questions answered. We were all pleased to be informed that our booth won first prize in the Science and Education category.

The Lopez Island Fourth of July Parade included the Solec-tria this year. The weather was great and many turned out for this traditional Island event.

The G-Van also was a parade participant. The streets of Eastsound on Orcas Island are the site of the Historical Society's July Fourth parade. The G-Van had position number 67 in an exhibit line that included 79 entrants.

OPALCOGRAM No. 71 is attached at the end of this report. This regular communication by the General Manager appears in 3 local papers twice a month. Many people comment on the various topics that are addressed in these writings. Most are appreciative of these efforts and like being kept informed.

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

ym

OPALCO General Manager, Doug Bechtel, participated in a Site Operator Program "Open House" in Washington, D.C., on September 10th. This presentation and demonstration provided an opportunity for representatives, senators and staff to gain first hand insight into the Site Operator Program and EV technology.

IV. NEW VEHICLES/COMPONENTS/BATTERIES

No new vehicles were added this quarter.

The possibility of a vehicle trade with York Technical College is being discussed. In a discussion between OPALCO and York representatives, it was discovered that York desired to add a G-Van to its fleet.

After a year of operating the G-Van, OPALCO concluded that the company transportation needs were not being met by the G-Van.

The previous quarterly report mentioned battery problems with the Solectria (#51). This problem is one of reduced range and power and has been determined to be caused by one or more individual monoblock failures. The local Solectria representative and Solectria headquarters personnel have been aware of this unsatisfactory condition and are continuing their attempt to solve it.

V. OPERATIONS AND ACTIVITIES

San Juan County Public works and the Town of Friday Harbor both have applications for vehicles that appear to match up with today's EV capabilities. Once the range/power problem is solved, the Solectria will be loaned to these agencies.

The Solectria and G-Van continue to be used intermittently by company personnel for errands and engineering trips. Generally, the smaller, compact size of the Solectria make it the most preferred by company drivers. Clearly the G-Van is not selected for use because of its size and weight. It is important to note that the driver dissatisfaction is not related to the fact that it is an electric van, but more its lack of maneuverability.

OPERATIONS DATA

<u>Vehicle Number 1 - G-Van</u>	<u>(#50)</u>
July, August, September 1992	
Total Miles Driven	323
Miles Per Day	9.8
Miles Per Month	107.6
Average kWh/Mi.	1.38
Schedule Maintenance	3
Unscheduled Maintenance	0
 <u>Vehicle Number 2 - Solectria</u>	 <u>(#51)</u>
July, August, September 1992	
Total Miles Driven	672
Miles Per Day	15.2
Miles Per Month	224
average kWh/Mi.	.35
Scheduled Maintenance	1
Unscheduled Maintenance	0

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

VI. SUMMARY AND CONCLUSION

OPALCO continues to receive inquiries about all aspects of EVs. After sharing facts about OPALCO's program many of these people are referred to others for specific information. These contacts are equally split between those interested in components for conversions and those looking for information, prices, etc. for commercially available EVs. OPALCO's program is intended to keep EVs in the public eye and to encourage people to drive an EV. The San Juan Islands are proving to be an ideal niche for EVs.

We will keep trying to increase miles per day on the vehicles.

VII. ATTACHMENTS

August 12, 1992

Orcas Power and Light Company
Electric Vehicle Report prepared by Bill Culliton

August 25, 1992

Letter to Norm Dicks, Al Swift
and Slade Gorton

August 25, 1992

Letter to Roche Harbor Resort

September 16, 1992

OPALCOGRAM No. 71

ORCAS POWER AND LIGHT COMPANY
ELECTRIC VEHICLE PROGRAM
PREPARED BY BILL CULLITON

August 12, 1992

In August 1991 OPALCO was selected by the United States Department of Energy to participate in an electric vehicle Site Operator Program. This is a five year program. The grant application on which this award was made outlined the ways OPALCO would obtain, operate, publicize and maintain electric vehicles (EV's). This paper is an overview summary of the program and will look specifically at the technical side of OPALCO's EV activities.

Since receiving the General Motors G-Van in September 1991 and the Solectria Force (GEO) in November of 1991, the vehicles have logged over 3700 miles combined. As part of OPALCO's fleet they have been used for errands, inter-office freight, car pooling, field work by engineering personnel and public demonstrations. Driver response by OPALCO employees to the 8000 lb. G-Van and the 2500 lb. GEO is an interesting contrast.

G-Van

The G-Van is almost never driven by the women in the office for bank, mail and airport runs. Most will drive their own vehicle if no other company vehicle is available. In light of insurance ramifications when using personal vehicles for company business, this decision to use one's personal auto is a strong statement. What does it say about the G-Van? When asked, the responses of drivers are consistent across the board. Most users are not used to the sheer size of the van, since the public in general is driving small vehicles. The size makes it difficult to maneuver and, while it has windows all around, visibility is difficult especially when parking. The weight of the van causes one to adjust the following distance between a vehicle in front. The additional weight requires more time and more distance to stop. Also, it is awkward to get into. The front doors, besides being high off the ground, open at the wheel well and you have to climb over the hump.

Another factor involved is the regenerative braking which utilizes the vehicle's momentum to put energy back into the batteries. The way this affects the driver is that it is simply different than what they are accustomed to and the feel and knowledge that the brake system is doing something else besides just stopping the vehicle, plays in one's mind. These may seem like minor things that a person could adjust to and I feel that if there was

no other choice, they would. It is, however, these types of perceptions and observations that formulate one's opinion.

The majority of the use of the van is by men and, specifically, those who own and/or are used to full size trucks and vans. Most of this use is in conjunction with engineering and construction, but certain employees will choose to use the van anytime, including situations where the visibility and maneuverability factors would cause another to not take the van.

Regardless of the conclusions one draws from these preferences, an important fact is that the vehicle being electric is not the issue. That is, limited range and speed, which are the primary differences between electric and conventional combustion vehicles do not play a part in a decision to choose an electric vehicle or a gasoline powered car or truck.

GEO

Put simply, the GEO is totally acceptable to those who have driven it. "It is a regular car" is an oft heard reaction. Indeed, with the exception of acceleration, it is a responsive, fun to drive automobile. The small size of the car makes it compatible with what many drivers have as personal vehicles and is, therefore, familiar. This means a lot to an individual choosing between different available rides.

One person commented "If circumstances were different (family size and cost) I would buy one today". When one considers that the EV technology is still largely at a research and development stage and, as such, costs are high, it is not reasonable to expect the public to buy these vehicles today. Price aside, only range and maintenance remain as significant considerations in a decision to own an EV in San Juan County. For a large portion of the population the 50± mile range is not a problem. Maintenance is about half that of a traditional automobile.

Public Response - Test Drives

People that drive the vehicles "around the block" are usually doing it for the novelty, although some state an interest in purchasing. Since these individuals can be categorized as one time drivers, their responses must be considered accordingly. Comments from the public center around the sound or lack of it, and how much they cost. I feel that the general public's response after prolonged driving opportunities would parallel those made by OPALCO employees and described above. Member's comments on the OPALCO EV program are, for the most part, positive and encouraging.

TECHNICAL INFORMATION

BATTERIES

Both the G-Van and the GEO are powered by lead acid batteries. That is where the similarity stops though.

G-Van

In the case of the G-Van, the batteries are hand made in Germany and cost \$300 per monobloc. The van power pack consists of 36 batteries (monoblocs) and would cost approximately \$10,000 to replace. Obviously this represents a major portion of the vehicle cost and is one reason there is so much effort being focused on battery technology.

The pack is watered every 15 recharges and is done automatically. This is accomplished by connecting a watering trolley to the pack and switching on a pump. This pulls the distilled water through the system and when all cells are properly topped the trolley senses an increase in the amount of water returning to the reservoir and switches off. Periodically the pack, weighing 2000 pounds, must be lowered from the vehicle for cleaning and inspection. Charging occurs via a 300 pound ferroresonant charger. This charger is considered "smart" as it can deliver the correct charge regardless of battery age, temperature, or degree of discharge, terminating charge automatically. This type of charger does restrict charging locations as the vehicle can only be charged by this charger which costs \$2,200. Completely discharged the van can be recharged in approximately 8 hours.

To date the G-Van batteries have not required any unscheduled maintenance and have not caused any problems.

GEO

In contrast to the "custom" nature of the G-Van batteries, those in the GEO are available at all Sears stores. They are standard marine/RV deep cycle "Die Hards", manufactured by Johnson Controls Incorporated. Today these batteries are \$69 each or \$60 if 10 or more are purchased. The GEO has 12 batteries, making total replacement about \$720.

At one time we experienced some sluggishness when the charge state was just under one-half. This was subsequently attributed to a defective battery. The original and a new battery were exchanged at Sears and after installing the new battery the problem ceased. This problem happened again and was solved the same way. When questioned on the coincidence of these manufacturers defects, the car maker explained that Johnson Control Incorporated has had to meet increased demand and in doing so quality control has slipped.

The on board charger makes a big difference, in that charging can be done almost anywhere. The female end of a standard extension chord connects inside what is normally the gas fill door, making charging easy and convenient. Recharging from a total discharge takes approximately 8 hours.

Batteries - General

The lead acid technology is mature and recycling is common. Most efforts at improving battery technology are directed in other areas. While sporadic media bursts proclaim a "major breakthrough" in battery technology, caution must be exercised as theoretical and laboratory results as referred to are likely to be years from availability to the public. Problems such as temperature, toxic byproducts, containment and cost, still loom as the major obstacles with various alternative battery technology. Some of these others are nickel/iron, nickel/cadmium (Ni-Cad), sodium/sulphur and zinc/air.

So for the near term, through the mid-1990's EV batteries will be limited primarily to lead acid.

The United States Advanced Battery Consortium (USABC), a public/-private research effort has pledged \$260 million for battery development and will soon begin funding the development of mid and long term batteries. Designs expected to be pursued are lithium-aluminum/iron sulphide, zinc/bromine, zinc/nickel oxide, aluminum/air, zinc/air, sodium/metal chloride and lithium/polymor electrolyte.

BATTERY PERFORMANCE TABLE

	LEAD ACID	NICKEL IRON	NICKEL CADMIUM	SODIUM SULPHUR
Developer	CMP	EPI	SAFT	ABB/CSPL
SPECIFIC ENERGY (Wh/kg) @ c/3	34	50	57	105
ENERGY DENSITY (Wh/l @ c/3	82	113	115	120
SPECIFIC PEAK POWER (w/KG) @ 80% DOD	60	80	160	150
CYCLES	1000	1100	2000	600

NOTES: All battery information is from EPRI publication, "Battery Development for Electric Vehicles", December 1990. Specific energy and energy density are performance parameters that partially determine vehicle range. Specific peak power partially determines vehicle acceleration and hill-climbing ability. *Bold Italics* on previous page indicate data are projected.

Chargers

On Board and Off Board (stand alone) chargers are used in the OPALCO program. The G-Van is charged by a stand alone charger that is sensitive to the state of the "pack". This limits the chances of opportunity charging at other destinations.

The GEO has an on board charger and, while adding some weight to the vehicle, this is one of the most important features of public acceptance. To know that you can get a "boost" just about anywhere is very comforting.

Today's chargers are designed to recharge in 8 - 10 hours. Efforts are underway to design chargers and batteries that can "quick charge" at a much higher AC current in less than one hour.

Electric Motors

EVs use two types of motors to provide traction power to the wheels: direct current (DC) and alternating current (AC). Both OPALCO vehicles use AC motors.

DC motors have traditionally been used with batteries because they can operate off the battery current without complex electronics. DC motors have three main components: (1) A set of stationary coils (field) that creates the magnetic forces providing torque; (2) a rotor (armature) mounted on bearings and turning inside the field; and (3) a commutating device that rotates the magnetic forces and makes the armature turn, thereby providing horsepower. Motors with a brush commutator require periodic maintenance (replacement of the brushes). Brushless DC motors rely on electronic switching to rotate the magnetic forces and, except for the armature bearings, have no moving parts and require no maintenance.

AC motors are a recent development made possible by advanced electronics. They resemble motors commonly used in homes and machine tools and are relatively inexpensive and robust. They can also operate at high RPM. AC motors are lighter and smaller than DC motors. The main disadvantage of AC motors is the cost of the electronics package needed to convert (invert) the battery's DC current into AC current.

Most engineers believe it will be easier to decrease the cost of AC electronics rather than the cost of DC motors. Both types of motors are relatively efficient and can be used with regenerative braking.

Controllers

The EV controller can be thought of as a "black box" that operates between the batteries and the traction motor. The controller transforms the battery's DC current into AC (for AC motors only) and regulates the energy flow from the battery (both AC and DC motors). The controller also performs secondary functions such as reversing the motor rotation, providing regenerative braking, and protecting the electrical system.

Modern controllers achieve power control (throttle action) by pulse width modulation (PWM). Switching devices such as silicone controlled rectifiers rapidly interrupt the electricity flow to the motor. High power is achieved when the intervals (when the current is turned off) are small. Low power is achieved when the intervals are longer. Because of this rapid interruption feature, PWM controllers are sometimes called "choppers".

If the chopping frequency (interruptions per second) is above the audible frequencies, the power system is quieter. Controllers operating at audible frequencies, make the motor hum and give EVs a characteristic sound.

Regenerative Braking

Regenerative braking is a process by which the traction motor is used as a generator to feed electricity back to the battery during vehicle deceleration. During regenerative braking, some or all of the kinetic energy normally absorbed by the mechanical brakes (and converted to heat) is taken by the traction motor and transferred through the controller to the battery. A control device on the brake pedal proportions electrical braking with pedal pressure. Although it can somewhat extend vehicle range, in general regenerative braking has a limited impact because of the "burst" nature of braking energy and the inability of the battery to absorb all the recovered energy. A range improvement from 5% to 10% can be expected. More importantly, regenerative braking can result in extended brake life and decreased brake maintenance. Resistance that occurs during regenerative braking also emulates compression. One driver commented positively that "You rarely need to use the brake on the GEO". Merely letting off the accelerator accomplishes the same thing, meaning much of the time it has one pedal control.

One of the major problems in recovering significant amounts of energy through regenerative braking is the time frame available for recovering the energy. While an acceleration period of 7 or

8 seconds to reach 40 to 45 MPH is acceptable, the vehicle is expected to stop from this speed in one to two seconds. To recover the braking energy would require a charging rate 4 to 5 times the maximum discharge rate on the batteries. This cannot be accomplished without damage to the batteries or other compromises which significantly shorten battery life.

Tires

Today's EVs use either conventional or specially designed tires. Although standard tires are by far the most prevalent, their heavy weight and significant rolling resistance can reduce range. Certain state-of-the-art EVs use high-pressure tires with approximately half the rolling resistance of their conventional counterparts.

Environmental

The environmental advantages of EVs are a major reason for the present momentum in developing EV technologies. Transportation is the primary producer of greenhouse gases. Approximately 19 pounds of CO₂ are released for every gallon of gasoline used. The national annual average of 507 gallons per car results 9633 pounds of CO₂ per year!

Many factors are involved in an environmental comparison between gasoline and electricity as fuels. The following table, looking at carbon monoxide and nitrogen oxides is helpful in seeing some relative differences. Footnote B should be noted. The BPA mix of generation is not the same as the Los Angeles Basin area, so the figures would be slightly different.

Many studies, including one recently performed by the California Air Resources Board (CARB), have compared the emissions of a conventional vehicle with those of an EV. CARB concluded that when compared with other fuels, EVs are exceptionally clean:

Vehicle Type	Reactive Organic Gases			CO (Comparison to gasoline)	NO _x (Comparison to gasoline)
	Exhaust	Evaporative	Total (Comparison to gasoline)		
EPA Passenger Car Standard (1987)			0.41 (100%)	3.4 (100%)	1 (100%)
California Passenger Car Standard (1995)			0.25 (61%)	3.4 (100%)	0.4 (40%)
California Test Data ^a					
Gasoline - 1987 Ford Crown Victoria	0.35	0.04	0.39 (95%)	1.40 (41%)	0.66 (66%)
Methanol - 1987 Ford Crown Victoria	0.25	0.09	0.34 (83%)	1.00 (29%)	0.45 (45%)
LPG - 1988 Chevrolet 1500 Pickup	0.20	0.0	0.20 (49%)	1.40 (41%)	0.27 (27%)
CNG - 1986 Buick Park Avenue	0.19	0.0	0.19 (46%)	0.10 (3%)	0.44 (44%)
Electricity ^b	0.006	0.0	0.006 (1%)	0.008 (<1%)	0.07 (7%)

EV EMISSIONS IN CALIFORNIA

COMPARED WITH OTHER ALTERNATIVE FUELS

- A. SOURCE: California Air Resources Board, Mobile Sources Division, Definition of a Low Emission Motor Vehicle in Compliance with the Mandates of Health and Safety Code Section 3903705, May 1989. These emission reduction calculations do not reflect CARB's ozone reactivity factors.
- B. The EV results are estimates of emissions from in-basin (Los Angeles) generation of electricity.

Units are in grams/mile.

The estimated results for the EV in the table are specific to the Los Angeles Basin. CARB only applied emissions from in-basin generation. (The study assumed 28% of the energy required for EV charging generated emissions. Of the 28%, the primary fuel used was natural gas, which burns relatively cleanly.)

An EPRI study concludes that nitrogen and sulphur dioxides are higher with EVs than gasoline autos.

OPALCO STATISTICS THROUGH JULY 1992

	GEO	G-VAN
Total Miles	2,027	1,763
Total kWh	506	2,820
Total Fuel		
Cost @ 6¢	30.36	169.00
Fuel Cost Per Mile	1.5¢	9.5¢
Average Miles Per Day	14.2	8.9
Average Miles Per Day G-Van Users Group	--	30.9

The facts and public perception about the need for "cleaner air" are sufficient grounds for OPALCO involvement in this technology. San Juan County is particularly sensitive to environmental issues and, through the EV program, OPALCO is responding.

UPCOMING ACTIVITIES FOR OPALCO EV PROGRAM

Recharge Stations

The public holds a perception that they must be able to "plug in when they get there". I have had discussions with other EV operators locally and nationally and find that this is a valid read of what the potential EV driver feels he must have. Rather than trying to dispel that perception, with the fact that 50 miles of range between charges is adequate for most San Juan County residents, we will accommodate this need by establishing recharge stations in carefully selected locations.

Miles Per Day

In our grant application we indicated 30 miles per day as an expected rate of use. We are far below that and need to make additional efforts in this area. One way we will accomplish this is to loan the vehicle to the County, for instance. The selection of who uses the EV will be based upon ability to log miles, potential for EV purchase and ability to meet insurance and other requirements. Also, increasing daily OPALCO use will be necessary.

Public Education

This is the main focus of our grant and ways that we will continue to emphasize this are by producing a video that "tells the story", participating with our selected G.M. dealer in promotional activities and continuing to be a resource for those who need information. EVs have already become an add on to our regular safety demonstrations in the schools.

D.O.E. Grant

I was informed recently by Farley Warren of the Idaho National Engineering Laboratory, a subcontractor to the DOE that our year two budget will be approved and that only three other site operators will receive funding for year two. This means that the ten other site operators will not receive funds for year two activities. I believe EV technology in general is in good shape nationally, but the present economic and pre-election political climate is resulting in cuts across the board.

Rates

A rate offering incentives for "off peak" charging must exist to ensure that the majority of the charging occurs off peak.

EVS Future at OPALCO

We are only one year into the five year program but must start to think about life after the Department of Energy. I expect to report on this by the end of the year.

ORCAS POWER & LIGHT COMPANY

Main Office: P.O. Box 187, Eastsound, WA 98245-0187
Telephone: (206) 376-2252

August 25, 1992

The Honorable Al Swift
Representative
Longworth Building, Room 1502
Washington DC 20515

Dear Mr. Swift:

Several months ago, I contacted you to enlist your support for funding of the Department of Energy Site Operator Program. Even though we were not able to increase the funding, we appreciated your efforts and your support of the Electric Vehicle Program we have in San Juan County. We continue to have a lot of interest from our members, and we expect six to ten privately owned electric vehicles to join our fleet over the next 12 months. The Lopez High School is developing a curriculum to teach students how to install the necessary electric equipment to retrofit a combustion engine.

As you know, the D.O.E. Site Operator Program is a national consortium of universities, electric utilities and government that has been working quite effectively with modest funding to commercialize and demonstrate electric vehicle technology. OPALCO, along with the rest of the Site Operators will be meeting in Washington, D.C. and wish to invite you to an Open House from 8:00 a.m. to 10:00 a.m. on Thursday, September 10, in Room S 207, the Mansfield Room, of the Capitol Building. The Site Operators will be presenting exhibits describing various aspects of their electric vehicle activities and will be available to answer questions. Coffee and donuts will be provided.

In addition, an electric van and an electric commuting car will be demonstrated throughout the day. Those interested in a brief test drive of the electric commuting car or going for a ride in the electric van should sign up in the Mansfield Room on the morning of the 10th.

Orcas Power and Light Company
Electric Vehicle Site Operator Program
August 25, 1992
Page 2

Please let us know if you or any of your staff will be attending our Open House by contacting Libby Pearson at (803) 327-8000, Ext. 8221. I look forward to seeing you or one of your staff.

Sincerely,

A handwritten signature in dark ink, appearing to read "W. D. Bechtel", with a stylized flourish at the end.

W. D. Bechtel
General Manager

WDB/rd

Copy sent
to Dale
File
EV
concern

ORCAS POWER & LIGHT COMPANY

Main Office: P.O. Box 187, Eastsound, WA 98245-0187

Telephone: (206) 376-2252

August 25, 1992

David Gibbs, Manager
Roche Harbor Resort
P O Box 4337
Roche Harbor WA 98250

Dear Dave:

Thanks for taking the time today to discuss electric vehicles with me. I am glad the Resort is able to dedicate a parking place and a power source for electric vehicles. I will get a sign to you shortly.

Dale Blackburn will meet with George Adkins Thursday, August 27, to go over use of the van and charger. As we discussed, you will assign the van to George and he will be responsible for keeping records, etc. as outlined by Dale.

You and the head of housekeeping may have occasion to drive the vehicle, but under no circumstances will it be available to others. I know you and George understand this; so I will not worry. George indicated he is leaving September 15 or 16; so let's plan on returning the van September 14.

I hope this trial period will give Roche Harbor a chance to evaluate potential additions to its electric fleet. OPALCO appreciates the miles and the cooperation.

The establishment of charging stations around the island is key to getting EV's on the road. The Resort's cooperation in this is super, and you should consider yourself a catalyst to the advancement of EV technology in San Juan County.

Lastly, to satisfy my paperwork, please send me a copy of your auto liability insurance policy.

Sincerely,

Bill Culliton
William R. Culliton RD

WRC/rd

THE SHOPPER, SEPT. 16 - SEPT. 23, 1992

ORCAS POWER & LIGHT COMPANY

OPALCOGRAM #71

Another county fair has come and gone. I missed it this year; I had a previous commitment off-island for the whole weekend. I really enjoy the county fair. Until moving to the San Juans, I had not had the opportunity to attend a county fair since I was a little kid in 4-H. Marie and I have different interests, and we enjoy different parts of the fair, but we enjoy walking around together and looking at what is there. I usually head for the homemade beer and wine.

As most of you fair-goers know, OPALCO has a booth at the fair each year, staffed by OPALCO employees over the four day weekend. This year our booth won the award for First Place, Grand Champion - Science and Education. Since I was off-island, I can't even take any credit for it. This year our booth had three parts: electrical safety, electric vehicles, and conservation. Over a dozen OPALCO employees volunteered to work in the booth for the four days of the fair.

The electrical safety demonstration board is always a big hit with the kids and seems to bring out large crowds to watch the sparks. We use the board in a school safety program which targets fourth graders. We also use the demonstration board for our older audiences, including local contractors who work near our lines. If you would like an electrical safety demonstration to your group, just give us a call.

The electric vehicles seemed to be the hit of our booth this year, with a lot of comments, mostly positive. The small car was on display, and the large van was used to haul people and products around the fairground. One of the recurring questions about the EVs was the concern that we are trading one type of pollution (automobiles) for an-

other type (power plants). The real difference is in the amount of pollution generated by a car versus the amount generated by power plants. A recent report that I read showed a 95% reduction in reactive organic gases, a 41% reduction in carbon monoxide, and a 66% reduction in nitrous oxides. These figures are from Los Angeles and assume that the power is generated with the oil and gas generators in the L.A. basin, rather than the hydroelectric power in the Northwest. Remember, 19 pounds of CO₂ are generated from every gallon of gas burned in a vehicle. People were surprised at the small amount of electricity required to recharge the electric car. In general, we get about four miles per kWh; this is the equivalent of 60 mpg of gasoline. We continue to demonstrate our electric vehicles, and offer rides to individuals and groups. If you are interested, give us a call.

We also used our booth at the fair to provide information on all our conservation programs. The interest in conservation is down this year. I am not certain whether it was overshadowed by the other elements of our booth, or whether people are getting burned out on conservation. We expect an upsurge in our conservation activities now that we are offering a rebate on compact fluorescent lamps.

All in all, it was a really good fair for OPALCO. I really appreciate the effort of all the employees who worked hard to provide you with information at the fair. It certainly paid off with OPALCO winning the prize for our booth.

Doug

DOUG BECHTEL
General Manager

END

**DATE
FILMED**

3 / 16 / 93