1992 ANNUAL REPORT

SANITARY LANDFILL GROUNDWATER MONITORING REPORT (U)

KEY WORDS

chloroethene (vinyl chloride)
LFW wells
tetrachloroethylene
trichloroethylene
tritium

PUBLICATION DATE: FEBRUARY 1993

Authorized Derivative Classifier:

M. A. Ebra 2/25/93

MASTER

C. F. Ebra

WESTINGHOUSE SAVANNAH RIVER COMPANY
SAVANNAH RIVER SITE
AIKEN, SC 29808

Prepared for the U.S. Department of Energy under Control Contract No. DE-AC09-89SR18035

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

Se

Abstract

Fifty-seven wells of the LFW series monitor groundwater quality in Steed Pond Aquifer (formerly Aquifer Zone I/IIC₂) (Water Table) beneath the Sanitary Landfill at the Savannah River Site (SRS). These wells are sampled quarterly as part of the SRS Groundwater Monitoring Program and to comply with the South Carolina Department of Health and Environmental Control Domestic Waste Permit 87A.

During first quarter 1992, 19 of the 57 LFW wells contained levels of trichloroethylene, tetrachloroethylene, 1,2-dichloroethane, tritium, chloroethene (vinyl chloride), 1,1-dichloroethylene, cadmium, 1,1,1-trichloroethane, or benzene that exceeded the Safe Drinking Water Act final Primary Drinking Water Standards (PDWS) established by the U.S. Environmental Protection Agency. Trichloroethylene was detected most frequently, exceeding its final PDWS in 15 wells.

Elevated levels of trichloroethylene, benzene, chloroethene (vinyl chloride), 1,2-dichloroethane, tritium, tetrachloroethylene, 1,2-dichloroethane, 1,1-dichloroethylene, or 1,2-dichloropropane were detected above the final PDWS in one or more of 17 wells at the Sanitary Landfill during second quarter 1992. Trichloroethylene and benzene occurred most frequently: trichloroethylene exceeded its final PDWS in 13 wells and benzene in 4 wells.

During third quarter 1992, 17 of the 57 LFW wells contained levels of trichloroethylene, tetrachloroethylene, tritium, benzene, chloroethene (vinyl chloride), 1,2-dichloroethane, 1,1-dichloroethylene, 1,2-dichloropropane, lead, or lindane that exceeded the final PDWS. Trichloroethylene and tetrachloroethylene were detected most frequently: trichloroethylene was elevated in 15 wells; tetrachloroethylene was elevated in 5 wells.

One or more of the following constituents exceeded the final PDWS in 21 wells at the Sanitary Landfill during fourth quarter 1992: trichloroethylene, tetrachloroethylene, chloroethene (vinyl chloride), benzene, 1,2-dichloroethane, tritium, 1,1-dichloroethylene, or mercury. Trichloroethylene, tetrachloroethylene, and chloroethene (vinyl chloride) occurred most frequently: trichloroethylene exceeded its final PDWS in 15 wells and tetrachloroethylene and chloroethene (vinyl chloride) in 5 wells each.

During 1992, no elevated constituents were detected in upgradient wells LFW 43B, 43C, and 43D.

The groundwater flow direction in the Steed Pond Aquifer (Water Table) beneath the Sanitary Landfill is to the south-southeast. Flow rates in this unit ranged between approximately 130 ft/yr and 140 ft/yr during first and fourth quarters 1992.

Contents

	Page
Abstract	iii
List of Figures	vii
List of Tables	ix
Executive Summary	1
Introduction	3
Discussion	4
Groundwater Monitoring Data	4
Analytical Results Exceeding Standards	5
Time-Trend Data	6
Water Levels	7
Groundwater Flow Rates and Directions	7
Upgradient Versus Downgradient Results	8
Conclusions	9
Summary 1992	11
Errata	12
References Cited	13
Appendix A – Primary Drinking Water Standards	A-1
Appendix B – Flagging Criteria	B-1
Appendix C – Figures	C-1
Appendix D – Groundwater Monitoring Results Tables	D-1
Appendix E – Data Quality/Useability Assessment	E-1
Appendix F – Time Series Plots	F-1
Appendix G – Hydrographs	G-1

List of Figures

	Page
1. Location of the Sanitary Landfill at the Savannah River Site	C-2
2. Boundaries of Original Sanitary Landfill and Expansions	C-3
3. Location of Monitoring Wells at the Sanitary Landfill	C-4
4. Chloroethene (Vinyl chloride) Concentrations at the Sanitary Landfill, First Quarter 1992	C-5
5. Chloroethene (Vinyl chloride) Concentrations at the Sanitary Landfill, Fourth Quarter 1992	C-6
6. Radium-226 Activities at the Sanitary Landfill, First Quarter 1992	C-7
7. Radium-226 Activities at the Sanitary Landfill, Fourth Quarter 1992	C-8
8. Trichloroethylene Concentrations at the Sanitary Landfill, First Quarter 1992	C-9
9. Trichloroethylene Concentrations at the Sanitary Landfill, Fourth Quarter 1992	C-10
10. Tritium Activities at the Sanitary Landfill, First Quarter 1992	C-11
11. Tritium Activities at the Sanitary Landfill, Fourth Quarter 1992	C-12
12. Water-Elevation Contour Map of Steed Pond Aquifer (Water Table) at the Sanitary Landfill, First Quarter 1992	C-13

13. Water-Elevation Contour Map of Steed Pond Aquifer (Water Table) at the Sanitary Landfill, Fourth Quarter 1992	C-14
14. Regional Correlation of Hydrostratigraphic and Lithostratigraphic Nomenclature	C-15

List of Tables

	Page
1. Constituents Exceeding the Final Primary Drinking Water Standards	D-5
2. Constituents Exceeding Half the Final Primary Drinking Water Standards or Other Flag 1 or Flag 2 Criteria	D-7
3. Groundwater Monitoring Results for Individual Wells	D-13

Executive Summary

The Sanitary Landfill at the Savannah River Site (SRS) is composed of the original 32-acre landfill, plus expansion areas to the north and south that added 16 and 22 acres, respectively, to the facility. The landfill is subject to the requirements of the Resource Conservation and Recovery Act and currently operates under South Carolina Department of Health and Environmental Control (SCDHEC) Domestic Waste Permit 87A.

Fifty-seven wells of the LFW series monitor the groundwater quality in Steed Pond Aquifer (formerly Aquifer Zone I/IIC₂) (Water Table) beneath the Sanitary Landfill. These wells are sampled quarterly for certain indicator parameters, inorganics, metals, radionuclides, volatile organics, and other constituents as part of the SRS Groundwater Monitoring Program and to comply with the SCDHEC domestic waste permit.

During first quarter 1992, 19 of the 57 LFW wells contained levels of trichloroethylene, tetrachloroethylene, 1,2-dichloroethane, tritium, chloroethene (vinyl chloride), 1,1-dichloroethylene, cadmium, 1,1,1-trichloroethane, or benzene that exceeded the Safe Drinking Water Act final Primary Drinking Water Standards (PDWS) established by the U.S. Environmental Protection Agency. Trichloroethylene, tetrachloroethylene, and 1,2-dichloroethane occurred most frequently: trichloroethylene was detected in 15 wells, with the highest concentration in LFW 10A at 49 µg/L; tetrachloroethylene and 1,2-dichloroethane were detected in 3 wells each, with the maximum tetrachloroethylene concentration of 37 µg/L in LFW 10A and a maximum 1,2-dichloroethane concentration of 7.6 µg/L in LFW 36.

Elevated levels of trichloroethylene, benzene, chloroethene (vinyl chloride), 1,2-dichloroethane, tritium, tetrachloroethylene, 1,2-dichloroethane, 1,1-dichloroethylene, or 1,2-dichloropropane were detected above the final PDWS in one or more of 17 wells at the Sanitary Landfill during second quarter 1992. Trichloroethylene and benzene occurred most frequently: trichloroethylene exceeded its final PDWS in 13 wells, with the highest concentration in LFW 10A at 48 µg/L; benzene was elevated in 4 wells, with the the highest concentration in LFW 21 at 21 µg/L.

During third quarter 1992, 17 of the 57 LFW wells contained levels of trichloroethylene, tetrachloroethylene, tritium, benzene, chloroethene (vinyl chloride), 1,2-dichloroethane, 1,1-dichloroethylene, 1,2-dichloropropane, lead, or lindane that exceeded the final PDWS in the groundwater beneath the Sanitary Landfill. Trichloroethylene and tetrachloroethylene were detected most frequently: trichloroethylene was elevated in 15 wells, with the highest concentration found in well LFW 10A at 45 µg/L; tetrachloroethylene was elevated in 5 wells, with the highest concentration in well LFW 10A at 125 µg/L.

Elevated levels of trichloroethylene, tetrachloroethylene, chloroethene (vinyl chloride), benzene, 1,2-dichloroethane, tritium, 1,1-dichloroethylene, or mercury were detected in 21 of the LFW wells at the Sanitary Landfill during fourth quarter 1992. Trichloroethylene,

tetrachloroethylene, and chloroethene (vinyl chloride) occurred most frequently: trichloroethylene exceeded its final PDWS in 15 wells, with the maximum concentration at 51 $\mu\text{g/L}$ in well LFW 10A; chloroethene (vinyl chloride) and tetrachloroethylene were elevated in 5 wells each, with a maximum chloroethene (vinyl chloride) concentration of 126 $\mu\text{g/L}$ in well LFW 48D and a maximum tetrachloroethylene concentration of 27 $\mu\text{g/L}$ in LFW 10A.

The groundwater flow direction in Steed Pond Aquifer (Water Table) beneath the Sanitary Landfill is to the south-southeast (SRS grid coordinates) toward Upper Three Runs Creek. Flow rates in this aquifer during the first and fourth quarters of 1992 were estimated to range between approximately 130 ft/yr and 140 ft/yr.

No elevated constituents occurred in upgradient wells LFW 43B, 43C, and 43D during 1992.

Introduction

The Sanitary Landfill (740-G) is located southwest of Road C, about midway down the slope from the Aiken Plateau to Upper Three Runs Creek. Since 1974, the site has been receiving sanitary waste, including paper and paper products, plastics, scrap metal, rubber, food waste, glass, packing material, miscellaneous construction debris, empty paint cans, and other nonradioactive waste materials. The bags of waste are placed in trenches and covered daily with soil (Heffner and Exploration Resources, 1991). The landfill is currently operating under South Carolina Domestic Waste Permit 87A (SCDHEC, 1991; WSRC, 1990).

In 1987, two expansion areas were permitted to the north and south of the original 32-acre landfill, adding 16 and 22 acres, respectively, to the site. The original landfill was filled to capacity in early 1987, and the southern expansion is more than three-quarters full at present. The northern expansion will be used beginning in early 1993 (WSRC, 1990).

In 1988, the Sanitary Landfill was placed on the Resource Conservation and Recovery Act (RCRA) Facility Investigation (RFI) list because elevated levels of hazardous constituents were detected in the groundwater beneath the facility (WSRC, 1990). The landfill was removed from the RFI list and a settlement agreement (#91-51-SW) was executed as a result of disposal of wipes and rags used with RCRA-listed solvents. Fifty-seven wells of the LFW series presently monitor the groundwater quality in Steed Pond Aquifer (Water Table). Fourteen wells were installed between 1981 and 1984, prior to the practice of installing RCRA standard wells at the Savannah River Site (SRS). Seventeen RCRA wells were installed around the southern and northern expansions in late 1986. In accordance with the Groundwater Quality Assessment Plan (WSRC, 1990), 26 additional wells were installed in 1991 and first sampled third quarter 1991.

The monitoring wells at the Sanitary Landfill are sampled quarterly for certain indicator parameters, inorganics, metals, radionuclides, volatile organics, and other constituents as part of the SRS Groundwater Monitoring Program and to comply with the SCDHEC domestic waste permit.

Discussion

Groundwater Monitoring Data

The groundwater sampling procedure was modified beginning fourth quarter 1992 in response to regulatory guidance and advances in sampling equipment design (WSRC, 1992b). The modified procedure requires evacuation of a minimum of two well volumes and stabilization of pH, specific conductance, and turbidity prior to sample collection. Stability is established when a minimum of three successive measurements, taken within a given time period, are within a specified tolerance range. If a well pumps dry before two well volumes are purged or before stabilization is achieved, it must be revisited within 24 hours for the data to be considered a single sampling event. On the second visit within 24 hours, samples are taken without purging or measurements of stability; thus, these samples may not be representative of the groundwater quality.

A further modification in the procedure is that samples collected for metals analyses are not filtered. Thus, the analyses are for total metals rather than dissolved metals.

Throughout 1992, samples from wells at the Sanitary Landfill were analyzed for certain indicator parameters, heavy metals, radionuclides, and other constituents as part of the SRS Environmental Protection Department/Environmental Monitoring Section (EPD/EMS) Groundwater Monitoring Program. Monitoring results that exceeded the Safe Drinking Water Act (SDWA) final Primary Drinking Water Standards (PDWS) or screening levels established by the U.S. Environmental Protection Agency (EPA) (see Appendix A) or other SRS flagging criteria (see Appendix B) are discussed in this report. Constituent levels that equal or exceed the final PDWS, screening levels, or the Flag 2 criteria are described as *elevated*, and constituents that exceed Flag 1 criteria are described as *slightly elevated*.

The final PDWS for individual analytes provided in Appendix A may not always match the SRS flagging criteria provided in Appendix B. The final PDWS are used as guidelines in this compliance report to meet regulatory requirements; the flagging criteria are used by EPD/EMS to identify relative levels of constituents in the groundwater and as guides for scheduling groundwater sampling.

Appendix C contains illustrations of the monitored waste management unit (Figures 1 and 2); the individual monitoring wells (Figure 3); the lateral distributions of chloroethene (vinyl chloride), radium-226, trichloroethylene, and tritium for first and fourth quarters 1992 (Figures 4 through 11); the water-elevation contours of the Steed Pond Aquifer (Water Table) hydrostratigraphic unit and the groundwater flow directions for third and fourth quarters 1992 (Figures 12 and 13); and the regional correlation of hydrostratigraphic and lithostratigraphic nomenclature (Figure 14). The monitoring results tables, as well as analyses that exceeded the holding times and the final PDWS or other flagging criteria, are presented in Appendix D; data quality/useability assessment information is in Appendix E; time series plots for benzene, chloroethene (vinyl chloride), 1,4-dichlorobenzene, dichloromethane, ethylbenzene, lead, tetrachloroethylene, 1,1,1-trichloroethane,

trichloroethylene, trichlorofluoromethane, tritium, and xylenes for specified wells with elevated and slightly elevated concentrations of these constituents are in Appendix F; and hydrographs are in Appendix G.

Analytical Results Exceeding Standards

Results for analytes that exceeded the final PDWS (see Appendix A) during each quarter of 1992 are summarized in Table 1 (Appendix D).

During first quarter 1992, 19 of the 57 LFW wells contained levels of one or more of the following constituents that exceeded the Safe Drinking Water Act final Primary Drinking Water Standards (PDWS) established by the U.S. Environmental Protection Agency: trichloroethylene, tetrachloroethylene, 1,2-dichloroethane, tritium, chloroethene (vinyl chloride), 1,1-dichloroethylene, cadmium, 1,1,1-trichloroethane, or benzene.

Trichloroethylene, tetrachloroethylene, and 1,2-dichloroethane occurred most frequently: trichloroethylene was detected in 15 wells, with the highest concentration in LFW 10A at 49 $\mu\text{g/L}$; tetrachloroethylene and 1,2-dichloroethane were detected in 3 wells each, with the maximum tetrachloroethylene concentration of 37 $\mu\text{g/L}$ in LFW 10A and a maximum 1,2-dichloroethane concentration of 7.6 $\mu\text{g/L}$ in LFW 36. Cadmium, chloroethene (vinyl chloride), 1,1-dichloroethylene, and tritium exceeded their final PDWS in 2 wells each; benzene and 1,1,1-trichloroethane were elevated in 1 well each.

Elevated levels of trichloroethylene, benzene, chloroethene (vinyl chloride), 1,2-dichloroethane, tritium, tetrachloroethylene, 1,2-dichloroethane, 1,1-dichloroethylene, or 1,2-dichloropropane were detected above the final PDWS in one or more of 17 wells at the Sanitary Landfill during second quarter 1992. Trichloroethylene and benzene occurred most frequently: trichloroethylene exceeded its final PDWS in 13 wells, with the highest concentration in LFW 10A at 48 $\mu\text{g/L}$; benzene was elevated in 4 wells, with the the highest concentration in LFW 21 at 21 $\mu\text{g/L}$. Chloroethene (vinyl chloride) and tritium exceeded PDWS in 3 wells each; 1,2-dichloroethane and tetrachloroethylene exceeded standards in 2 wells each; and 1,1-dichloroethylene and 1,2-dichloropropane were elevated in 1 well each.

During third quarter 1992, one or more of the 17 wells at the Sanitary Landfill wells contained levels of trichloroethylene, tetrachloroethylene, tritium, benzene, chloroethene (vinyl chloride), 1,2-dichloroethane, 1,1-dichloroethylene, 1,2-dichloropropane, lead, or lindane that exceeded the final PDWS in the groundwater beneath the Sanitary Landfill.

Trichloroethylene and tetrachloroethylene occurred most frequently: trichloroethylene was elevated in 15 wells, with the highest concentration found in well LFW 10A at 45 $\mu\text{g/L}$; tetrachloroethylene was elevated in 5 wells, with the maximum concentration in well LFW 10A at 125 $\mu\text{g/L}$. Tritium exceeded its standard in 3 wells; benzene exceeded its standard in 2 wells; and chloroethene (vinyl chloride), 1,2-dichloroethane, 1,1-dichloroethylene, 1,2-dichloropropane, lead, and lindane were elevated in 1 well each.

Elevated levels of trichloroethylene, chloroethene (vinyl chloride), tetrachloroethylene, benzene, 1,2-dichloroethane, tritium, 1,1-dichloroethylene, or mercury, were detected in one or more of the 21 of the LFW wells at the Sanitary Landfill during fourth quarter 1992. Trichloroethylene exceeded its final PDWS in 15 wells, with the maximum concentration at 51 $\mu\text{g/L}$ in well LFW 10A; chloroethene (vinyl chloride) and tetrachloroethylene were elevated

in 5 wells each, with a maximum chloroethene (vinyl chloride) concentration of 126 $\mu\text{g/L}$ in well LFW 48D and a maximum tetrachloroethylene concentration of 27 $\mu\text{g/L}$ in LFW 10A. Benzene exceeded its final PDWS in 4 wells; 1,2-dichloroethane and tritium exceeded their PDWS in 3 wells each; and 1,1-dichloroethylene and mercury exceeded their final PDWS in 1 well each.

Results for analytes that exceeded other SRS flagging criteria (see Appendix B) during the third and fourth quarters of 1992 are summarized in Table 2 (Appendix D) and include constituents with proposed drinking water standards. Table 3 (Appendix D) shows the results for all of the constituents and identifies the results that received modifiers or that exceeded the EPA-approved holding time, the final PDWS, or other standards during fourth quarter 1992.

Table 3 (Appendix D) also lists the number of well volumes purged from each of the LFW wells during fourth quarter 1992. Wells LFW 28, 60D, and 62D went dry during purging and were sampled after they recovered. Wells LFW 7 and 20 could not be sampled during fourth quarter 1992. Well LFW 7 is part of the Investigation Derived Waste Program because of high concentrations of 1,4-dichlorobenzene. The aboveground plumbing was inoperative on well LFW 20.

Some of the values for earlier quarters presented in the results tables of this report may differ from the values for those same quarters presented in previous reports, and reported values may not match reported sample dates. These differences result from the following: (1) the computer program that creates the analytical results tables was revised beginning second quarter 1992 to present the highest value for analytes with more than one result (previously, the program presented the first value encountered in the database); (2) a new computer program, which rounds numbers differently from the former program, was first used during third quarter 1992; and (3) some re-analyses may have been performed by the laboratory after the quarterly reports had gone to press. The sample dates in the tables reflect when the field data were collected. These dates may differ from the dates of the laboratory analyses if the highest results were obtained for samples collected on different dates.

The lateral distributions of chloroethene (vinyl chloride), radium-226, trichloroethylene, and tritium for first and fourth quarters 1992 are presented in Figures 4 through 11 (Appendix C).

Time-Trend Data

Appendix F presents time series plots for benzene in wells LFW 8, 10A, and 36; chloroethene (vinyl chloride) in wells LFW 8, 48C, and 48D; 1,4-dichlorobenzene in well LFW 7; dichloromethane in wells LFW 10A and 21; ethylbenzene in wells LFW 8, 10A, 22, 48C, and 48D; lead in well LFW 8; tetrachloroethylene in wells LFW 10A and 61D; 1,1,1-trichloroethane in wells LFW 39 and 61D; trichloroethylene in wells LFW 10A and 59D; trichlorofluoromethane in wells LFW 39, 58D, 61C, and 61D; tritium in well LFW 10A; and xylenes in wells LFW 21 and 22 in the Sanitary Landfill through fourth quarter 1992. Chloroethene (vinyl chloride), dichloromethane, tetrachloroethylene, trichloroethylene, and tritium have usually exceeded

their final PDWS in these wells. Trichlorofluoromethane has consistently exceeded its SRS Flag 2 criterion.

The time series plots indicate that levels of benzene, dichloromethane, tetrachloroethylene, trichloroethylene, and tritium in well LFW 10A; ethylbenzene in well LFW 22; and 1,1,1-trichloroethane and trichlorofluoromethane in well LFW 39 are increasing with time. Benzene appears to be decreasing with time in well LFW 36. The data for the remaining wells show no detectable long-term trends or are insufficient to detect trends.

Water Levels

Hydrographs showing the water elevations through time for wells at the Sanitary Landfill are provided in Appendix F. The average water elevation in Steed Pond Aquifer (Water Table) during first quarter 1992 was 151.8 ft msl and was 151.2 ft msl during second quarter 1992, a decrease of 0.6 ft msl. The average water elevation in this zone during third quarter 1992 was 152.0 ft msl, an increase of 0.8 ft from second quarter 1992. The average water elevation in Steed Pond Aquifer (Water Table) during fourth quarter 1992 was 151.2 ft msl, a decrease of 0.8 ft from third quarter 1992.

Groundwater Flow Rates and Directions

The groundwater flow direction in the Steed Pond Aquifer (Water Table) hydrostratigraphic unit beneath the Sanitary Landfill is to the south-southeast (SRS grid coordinates) toward Upper Three Runs Creek (Figures 12 and 13). The change in hydraulic head from the extreme northern boundary of the landfill to the extreme southern boundary is approximately 20 ft.

The horizontal flow rate of groundwater for Steed Pond Aquifer (Water Table) is used to estimate the transport rate of any constituents originating from the Sanitary Landfill. Estimated horizontal flow rates in Steed Pond Aquifer (Water Table) are calculated along two paths (designated flow paths A and B) that approximate the maximum and minimum groundwater flow rates beneath this unit. These calculations, based on the following one-dimensional flow equation, employ inferred or estimated parameters and should be considered accurate to an order of magnitude only. Flow rates are calculated as follows: flow path length is calculated to the nearest 50 ft. Flow rate per day is calculated to two significant figures using the equation shown. This value is then multiplied by 365 and rounded to two significant figures for the flow rate per year.

$$\text{Flow (ft/day)} = \frac{\text{Hydraulic Conductivity (ft/day)}}{\text{Porosity (unitless)}} \times \frac{dh \text{ (ft)}}{dl \text{ (ft)}}$$

where the hydraulic conductivity (Kh) constant is 10 ft/day (Geraghty & Miller, 1990), the effective porosity value is 20%, the change in head is dh , and the horizontal distance along each flow direction arrow is dl . Flow rate estimates vary depending upon the vertical gradient between wells, the size of the area under consideration, and the number of data points.

The approximate range of groundwater flow rates in Steed Pond Aquifer (Water Table) during first quarter 1992 is estimated as follows (Figure 12, Appendix C):

Flow path A

$$\frac{10}{0.20} \times \frac{22}{3050} \cong 0.36 \text{ ft/day}$$

$$0.36 \text{ ft/day} \times 365 \text{ days} \cong 130 \text{ ft/yr}$$

Flow path B

$$\frac{10}{0.20} \times \frac{14}{1850} \cong 0.39 \text{ ft/day}$$

$$0.39 \text{ ft/day} \times 365 \text{ days} \cong 140 \text{ ft/yr}$$

The approximate range of groundwater flow rates in Steed Pond Aquifer (Water Table) during fourth quarter 1992 is estimated as follows (Figure 13, Appendix C):

Flow path A

$$\frac{10}{0.20} \times \frac{22}{3050} \cong 0.36 \text{ ft/day}$$

$$0.36 \text{ ft/day} \times 365 \text{ days} \cong 130 \text{ ft/yr}$$

Flow path B

$$\frac{10}{0.20} \times \frac{12}{1550} \cong 0.39 \text{ ft/day}$$

$$0.39 \text{ ft/day} \times 365 \text{ days} \cong 140 \text{ ft/yr}$$

The flow direction and rate were very consistent throughout 1992.

Upgradient Versus Downgradient Results

Groundwater flow in the Steed Pond Aquifer (Water Table) hydrostratigraphic unit is to the south-southeast (SRS grid coordinates) toward Upper Three Runs Creek (Figures 12 and 13). Wells LFW 43B, 43C, and 43D, at the northern end of the Sanitary Landfill are designated upgradient wells for Steed Pond Aquifer (Water Table). All remaining Steed Pond Aquifer (Water Table) wells monitor downgradient or sidegradient water quality (Figures 3, 12, and 13, Appendix C). During 1992, no elevated constituents occurred in the upgradient wells. The designated background wells of the Sanitary Landfill are wells LFW 29, 30, 31, and cluster LFW 43.

Conclusions

During first quarter 1992, 19 of the 57 LFW wells contained levels of trichloroethylene, tetrachloroethylene, 1,2-dichloroethane, tritium, chloroethene (vinyl chloride), 1,1-dichloroethylene, cadmium, 1,1,1-trichloroethane, or benzene that exceeded the Safe Drinking Water Act final Primary Drinking Water Standards (PDWS) established by the U.S. Environmental Protection Agency. Trichloroethylene, tetrachloroethylene, and 1,2-dichloroethane occurred most frequently: trichloroethylene was detected in 15 wells, with the highest concentration in LFW 10A at 49 $\mu\text{g/L}$. Tetrachloroethylene and 1,2-dichloroethane were detected in 3 wells each, with the maximum tetrachloroethylene concentration of 37 $\mu\text{g/L}$ in LFW 10A and a maximum 1,2-dichloroethane concentration of 7.6 $\mu\text{g/L}$ in LFW 36. All of the wells containing elevated trichloroethylene, tetrachloroethylene, and 1,2-dichloroethane are located in or near either the original Sanitary Landfill or the southern expansion. Elevated levels of the remaining constituents also were detected mostly in the lower portion of the original facility and the southern expansion.

Elevated levels of trichloroethylene, benzene, chloroethene (vinyl chloride), 1,2-dichloroethane, tritium, tetrachloroethylene, 1,2-dichloroethane, 1,1-dichloroethylene, or 1,2-dichloropropane were detected above the final PDWS in one or more of 17 wells at the Sanitary Landfill during second quarter 1992. Trichloroethylene and benzene occurred most frequently: trichloroethylene exceeded its final PDWS in 13 wells, with the highest concentration in LFW 10A at 48 $\mu\text{g/L}$. Benzene was elevated in 4 wells, with the the highest concentration in LFW 21 at 21 $\mu\text{g/L}$. All of the wells containing elevated trichloroethylene and benzene are located in or near either the original Sanitary Landfill or the southern expansion. Elevated levels of the remaining constituents also were detected mostly in the lower portion of the original facility and the southern expansion.

During third quarter 1992, 17 of the 57 LFW wells contained levels of trichloroethylene, tetrachloroethylene, tritium, benzene, chloroethene (vinyl chloride), 1,2-dichloroethane, 1,1-dichloroethylene, 1,2-dichloropropane, lead, or lindane that exceeded the final PDWS in the groundwater beneath the Sanitary Landfill. Trichloroethylene and tetrachloroethylene occurred most frequently: trichloroethylene was elevated in 15 wells, with the highest concentration found in well LFW 10A at 45 $\mu\text{g/L}$; tetrachloroethylene was elevated in 5 wells, with the maximum concentration in well LFW 10A at 125 $\mu\text{g/L}$. All of the wells containing elevated trichloroethylene and tetrachloroethylene are located in or near either the original Sanitary Landfill or the southern expansion. Elevated levels of the remaining constituents were observed mostly in the lower portion of the original facility and the southern expansion.

Elevated levels of trichloroethylene, chloroethene (vinyl chloride), benzene, 1,2-dichloroethane, tetrachloroethylene, tritium, 1,1-dichloroethylene, or mercury were detected in 21 of the LFW wells at the Sanitary Landfill during fourth quarter 1992. Trichloroethylene and chloroethene (vinyl chloride) occurred most frequently: trichloroethylene exceeded its final PDWS in 15 wells, with the maximum concentration at 51 $\mu\text{g/L}$ in well LFW 10A.

Chloroethene (vinyl chloride) was elevated in 5 wells, with the maximum concentration at 126 $\mu\text{g/L}$ in well LFW 48D. All of the wells containing elevated trichloroethylene and chloroethene (vinyl chloride) are located in or near either the original Sanitary Landfill or the southern expansion. Elevated levels of the remaining constituents also were detected mostly in the lower portion of the original facility and the southern expansion.

The groundwater flow direction in Steed Pond Aquifer (Water Table) beneath the Sanitary Landfill is to the south-southeast (SRS grid coordinates) toward Upper Three Runs Creek. Flow rates in this aquifer during first and fourth quarters 1992 were estimated to range between approximately 130 ft/yr and 140 ft/yr in Steed Pond Aquifer (Water Table).

No elevated constituents occurred in upgradient wells LFW 43B, 43C, and 43D during 1992. Generally, elevated levels of constituents found in downgradient wells but not in upgradient wells at a waste management unit are considered products of the waste management unit.

Summary 1992

Fifty-seven wells of the LFW series monitor groundwater quality in Steed Pond Aquifer (Water Table) beneath the Sanitary Landfill at the Savannah River Site (SRS). These wells are sampled quarterly as part of the SRS Groundwater Monitoring Program and to comply with the South Carolina Department of Health and Environmental Control Domestic Waste Permit 87A. During the year, no new wells were added to the LFW groundwater monitoring network, and no wells were abandoned.

The groundwater flow direction in Steed Pond Aquifer (Water Table) beneath the Sanitary Landfill is to the south-southeast (SRS grid coordinates) toward Upper Three Runs Creek. Estimated flow rates in this aquifer during first and fourth quarters 1992 ranged between 130 ft/yr and 140 ft/yr.

During 1992, samples analyzed from 25 of the 57 monitoring wells (44%) exhibited levels of benzene, cadmium, chloroethene (vinyl chloride), 1,2-dichloroethane, 1,1-dichloroethylene, 1,2-dichloropropane, lead, lindane, mercury, 1,1,1-trichloroethane, tetrachloroethylene, trichloroethylene, or tritium that exceeded their final PDWS (Table 1, Appendix D).

Trichloroethylene occurred in concentrations that exceeded its final PDWS in 15 of the LFW wells during 1992. The 15 wells are located in the lower portion of the original landfill and in the southern expansion. Trichloroethylene exceeded the final PDWS every quarter during 1992 in wells LFW 10A, 16, 21, 22, 37, 38, 39, 58D, 59D, 61C, 61D, 62C, and 62D; trichloroethylene exceeded its standard during three quarters of the year in wells LFW 40 and 59C. The highest concentration of trichloroethylene for the year occurred during fourth quarter 1992 in well LFW 10A at 51 $\mu\text{g/L}$.

Tetrachloroethylene exceeded its final PDWS in 9 wells, 1,2-dichloroethane in 6 wells, and benzene and chloroethene (vinyl chloride) in 5 wells each during 1992. These constituents occurred in wells located in the lower portion of the original landfill and the southern expansion. Usually, elevated levels of these constituents were not consistent throughout the year. The remaining volatile organic compounds (i.e., 1,2-dichloropropane, 1,1-dichloroethylene, 1,1,1-trichloroethane) that exhibited elevated levels in Sanitary Landfill wells during 1992 occurred with less frequency.

In addition to the volatile organic compounds found in elevated levels at the Sanitary Landfill during 1992, tritium was the only radioactive constituent that exceeded its final PDWS in wells LFW 10A, 16, 38, and 61D. These wells are located in the lower portion of landfill and southern expansion. Elevated tritium appeared in well LFW 10A during all quarters of the year.

Errata

Third Quarter 1992:

- Prior to third quarter 1992, the results of certain analyses for nitrate-nitrite as nitrogen were reported incorrectly by the General Engineering laboratory as nitrate as nitrogen results. The analyses in the results tables for reports beginning third quarter 1992 are reported correctly (i.e., nitrate-nitrite results have been distinguished from true nitrate results).
- Page 29, Well LFW 25: The correct result for gross alpha is $<2.0\text{E}+00$ pCi/L; the correct result for nonvolatile beta is $8.2\text{E}+00$ pCi/L.
- Page 66, Well LFW 44D: The "B" modifier for the barium result should be deleted.
- Page 79, Well LFW 55C: The correct result for gross alpha is $<2.0\text{E}+00$ pCi/L; the correct result for nonvolatile beta is $<2.0\text{E}+00$ pCi/L.
- Page 84, Well LFW 57B: The correct result for gross alpha is $5.6\text{E}+00$ pCi/L; the correct result for nonvolatile beta is $5.3\text{E}+00$ pCi/L.
- Page 95, Well LFW 59D: The correct Weston laboratory results for nitrate as nitrogen are $126\text{ }\mu\text{g/L}$ and $166\text{ }\mu\text{g/L}$.
- Page 101, Well LFW 61D: The "B" modifier for the barium result should be deleted.

References Cited

Geraghty & Miller, Inc., 1990. **Evaluation of Integrated Waste Facility Closure Capping on Ground-Water Flow and Solute Transport in General Separations Area, Savannah River Site: Flow Model and Particle-Tracking Analysis, Final Report.** Prepared by Geraghty & Miller Modeling Group for Westinghouse Savannah River Company, Waste Management Technology, Savannah River Site, Aiken, SC.

Heffner, J. D., and Exploration Resources, Inc., 1991. **Technical Summary of Groundwater Quality Protection Program at the Savannah River Site (1952-1986), Volume I - Site Geohydrology and Waste Sites**, DPSP-88-1002. Westinghouse Savannah River Company, Aiken, SC.

SCDHEC (South Carolina Department of Health and Environmental Control), 1991. **Sanitary Landfill Domestic Waste Permit 87A**, April 1991. Columbia, SC.

WSRC (Westinghouse Savannah River Company), 1990. **Sanitary Landfill Groundwater Quality Assessment Plan**, WSRC-TR-90-167. Savannah River Site, Aiken, SC.

WSRC (Westinghouse Savannah River Company), 1992. **Hydrogeologic Data Collection Procedures and Specifications: Sampling Groundwater Monitoring Well**, Manual 3Q5, Chapter 14, Revision 0. Environmental Protection Department, Environmental Monitoring Section, Savannah River Site, Aiken, SC.

Appendix A – Final Primary Drinking Water Standards

Final Primary Drinking Water Standards

Analyte	Unit	Level	Status	Reference
Arsenic	µg/L	50	Final	CFR, 1991
Barium	µg/L	2,000	Final	CFR, 1991
Benzene	µg/L	5	Final	CFR, 1991
Bromodichloromethane	µg/L	100 ^a	Final	CFR, 1991
Bromoform	µg/L	100 ^a	Final	CFR, 1991
Cadmium	µg/L	5	Final	CFR, 1991
Carbon tetrachloride	µg/L	5	Final	CFR, 1991
Chlordane	µg/L	2	Final	CFR, 1991
Chloroethene (Vinyl chloride)	µg/L	2	Final	CFR, 1991
Chloroform	µg/L	100 ^a	Final	CFR, 1991
Chromium	µg/L	100	Final	CFR, 1991
Copper	µg/L	1,300	Final	CFR, 1991
Dibromochloromethane	µg/L	100 ^a	Final	CFR, 1991
Dibromochloropropane	µg/L	0.2	Final	CFR, 1991
1,2-Dichlorobenzene	µg/L	600	Final	CFR, 1991
1,4-Dichlorobenzene	µg/L	75	Final	CFR, 1991
1,2-Dichloroethane	µg/L	5	Final	CFR, 1991
1,1-Dichloroethylene	µg/L	7	Final	CFR, 1991
cis-1,2-Dichloroethylene	µg/L	70	Final	CFR, 1991
trans-1,2-Dichloroethylene	µg/L	100	Final	CFR, 1991
2,4-Dichlorophenoxyacetic acid	µg/L	70	Final	CFR, 1991
1,2-Dichloropropane	µg/L	5	Final	CFR, 1991
Endrin	µg/L	0.2	Final	CFR, 1991
Ethylbenzene	µg/L	700	Final	CFR, 1991
Fluoride	µg/L	4,000	Final	CFR, 1991
Gross alpha ^b	pCi/L	1.5E+01	Final	CFR, 1991
Heptachlor	µg/L	0.4	Final	CFR, 1991
Heptachlor epoxide	µg/L	0.2	Final	CFR, 1991
Lead	µg/L	15	Final	CFR, 1991
Lindane	µg/L	0.2	Final	CFR, 1991
Mercury	µg/L	2	Final	CFR, 1991
Methoxychlor	µg/L	40	Final	CFR, 1991
Nitrate as nitrogen	µg/L	10,000	Final	CFR, 1991
Nitrate-nitrite as nitrogen	µg/L	10,000	Final	CFR, 1991
Nitrite as nitrogen	µg/L	1,000	Final	CFR, 1991
Nonvolatile beta ^c	pCi/L	5E+01	Final	EPA, 1977
PCBs ^d	µg/L	0.5	Final	CFR, 1991
Pentachlorophenol	µg/L	1	Final	CFR, 1991
Selenium	µg/L	50	Final	CFR, 1991
Strontium-89/90 ^e	pCi/L	8E+00	Final	CFR, 1991
Strontium-90	pCi/L	8E+00	Final	CFR, 1991
Styrene	µg/L	100	Final	CFR, 1991
Tetrachloroethylene	µg/L	5	Final	CFR, 1991
Toluene	µg/L	1,000	Final	CFR, 1991
Total radium (Radium-226 and -228)	pCi/L	5E+00	Final	CFR, 1991
Total trihalomethanes	µg/L	100	Final	CFR, 1991
Toxaphene	µg/L	3	Final	CFR, 1991
2,4,5-TP (Silvex)	µg/L	50	Final	CFR, 1991
1,1,1-Trichloroethane	µg/L	200	Final	CFR, 1991

<u>Analyte</u>	<u>Unit</u>	<u>Level</u>	<u>Status</u>	<u>Reference</u>
Trichloroethylene	µg/L	5	Final	CFR, 1991
Tritium	pCi/mL	2E+01	Final	CFR, 1991
Xylenes	µg/L	10,000	Final	CFR, 1991

- ^a This value is the drinking water standard for total trihalomethanes (the sum of bromoform, bromodichloromethane, chloroform, and dibromochloromethane).
- ^b The standard given is for gross alpha including radium-226 but excluding radon and uranium.
- ^c This is the screening level above which providers of public drinking water should perform analyses for specific man-made radionuclides. The standard for the total dose equivalent from all such radionuclides is 4 mrem per year.
- ^d Analyses were conducted in 1992 for the following: PCB 1016, PCB 1221, PCB 1232, PCB 1242, PCB 1248, PCB 1254, and PCB 1260.
- ^e For double radionuclide analyses where each separate radionuclide has its own standard, the more stringent standard is used.

References

CFR (Code of Federal Regulations), 1991. *National Primary Drinking Water Regulations*, 40 CFR, Part 141, pp. 578-715. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1977. *National Interim Primary Drinking Water Regulations*, EPA-570/9-76-003. Washington, DC.

Appendix B – Flagging Criteria

Flagging Criteria

Beginning in 1991, the Savannah River Site Environmental Protection Department/Environmental Monitoring Section modified its guidelines for flagging constituents in the Groundwater Monitoring Program. These flagging criteria are as follows:

- Flag 2 criteria for constituents equal the U.S. Environmental Protection Agency (EPA) Primary Drinking Water Standard (PDWS), the EPA proposed PDWS, or the EPA Secondary Drinking Water Standard (SDWS). If a constituent does not have a drinking water standard, the Flag 2 criterion equals 10 times the method detection limit (MDL) calculated as the 90th percentile detection limit obtained recently by one of the primary analytical laboratories.
- Flag 1 criteria for constituents equal one-half of the EPA PDWS, one-half the EPA proposed PDWS, or one-half the EPA SDWS. If a constituent does not have an EPA drinking water standard, the Flag 1 criterion equals 5 times the MDL calculated as the 90th percentile detection limit obtained recently by one of the primary analytical laboratories.
- Flag 0 criteria are assigned to constituent levels below Flag 1 criteria, constituent levels below the sample detection limits, or constituents having no flagging criteria.

The following parameters are not assigned flagging criteria: alkalinity, calcium, carbonate, color, corrosivity, magnesium, odor, potassium, Eh, silica, sodium, total dissolved solids, total phosphorus, total phosphates (as P), and turbidity. In addition, common laboratory contaminants and cleaners including phthalates, methylene chloride, ketones, and toluene are not assigned flagging criteria.

Analyte	Unit	Flag 1	Flag 2	Source
Acenaphthene	µg/L	50	100	EPA Method 8270
Acenaphthylene	µg/L	50	100	EPA Method 8270
Acetone	µg/L	50	100	EPA Method 8240
Acetonitrile (Methyl cyanide)	µg/L	500	1,000	EPA Method 8240
Acetophenone	µg/L	50	100	EPA Method 8270
2-Acetylaminofluorene	µg/L	50	100	EPA Method 8270
Acrolein	µg/L	100	200	EPA Method 8240
Acrylonitrile	µg/L	100	200	EPA Method 8240
Aldrin	µg/L	2.5	5	EPA Method 8080
Alkalinity (as CaCO ₃)		No flag	No flag	Set by EPD/EMS
Allyl chloride	µg/L	250	500	EPA Method 8240
Aluminum	µg/L	25	50	Secondary DWS (CFR, 1991b)
Americium-241	pCi/L	3.17E+00	6.34E+00	Proposed DWS (EPA, 1991)
Americium-243	pCi/L	3.19E+00	6.37E+00	Proposed DWS (EPA, 1991)
4-Aminobiphenyl	µg/L	50	100	EPA Method 8270
Ammonia	µg/L	500	1,000	APHA Method 417B
Ammonia nitrogen	µg/L	50	100	EPA Method 350.1
Aniline	µg/L	50	100	EPA Method 8270
Anthracene	µg/L	50	100	EPA Method 8270
Antimony	µg/L	2.5	5	Proposed DWS (EPA, 1990)
Antimony-125	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Aramite	µg/L	50	100	EPA Method 8270

Analyte	Unit	Flag 1	Flag 2	Source
Arsenic	µg/L	25	50	Final DWS (CFR, 1991a)
Barium	µg/L	1,000	2,000	Final DWS (CFR, 1991a)
Barium-140	pCi/L	4.5E + 01	9E + 01	Final DWS (EPA, 1977)
Benzene	µg/L	2.5	5	Final DWS (CFR, 1991a)
alpha-Benzene hexachloride	µg/L	2.5	5	EPA Method 8080
beta-Benzene hexachloride	µg/L	2.5	5	EPA Method 8080
delta-Benzene hexachloride	µg/L	2.5	5	EPA Method 8080
Benzidine	µg/L	250	500	EPA Method 8270
Benzo[a]anthracene	µg/L	0.05	0.1	Proposed DWS (EPA, 1990)
Benzo[b]fluoranthene	µg/L	0.1	0.2	Proposed DWS (EPA, 1990)
Benzo[k]fluoranthene	µg/L	0.1	0.2	Proposed DWS (EPA, 1990)
Benzo[g,h,i]perylene	µg/L	50	100	EPA Method 8270
Benzo[a]pyrene	µg/L	0.1	0.2	Proposed DWS (EPA, 1990)
Benzoic acid	µg/L	250	500	EPA Method 8270
1,4-Benzoquinone	µg/L	50	100	EPA Method 8270
Benzyl alcohol	µg/L	100	200	EPA Method 8270
Beryllium	µg/L	0.5	1	Proposed DWS (EPA, 1990)
Beryllium-7	pCi/L	3E + 03	6E + 03	Final DWS (EPA, 1977)
Bis(2-chloroethoxy) methane	µg/L	50	100	EPA Method 8270
Bis(2-chloroethyl) ether	µg/L	50	100	EPA Method 8270
Bis(2-chloroisopropyl) ether	µg/L	50	100	EPA Method 8270
Bis(chloromethyl) ether	µg/L	50	100	EPA Method 8270
Bis(chloromethyl-ethyl) ether	µg/L	50	100	EPA Method 8270
Bis(2-ethylhexyl) phthalate		No flag	No flag	Set by EPD/EMS
Bromide	µg/L	5,000	10,000	EPA Method 300.0
Bromodichloromethane	µg/L	50	100	Final DWS (CFR, 1991a)
Bromoform	µg/L	50	100	Final DWS (CFR, 1991a)
Bromomethane (Methyl bromide)	µg/L	5	10	EPA Method 8240
4-Bromophenyl phenyl ether	µg/L	50	100	EPA Method 8270
2-sec-Butyl-4,6-dinitrophenol	µg/L	3.5	7	Proposed DWS (EPA, 1990)
Butylbenzyl phthalate		No flag	No flag	Set by EPD/EMS
Cadmium	µg/L	2.5	5	Final DWS (CFR, 1991a)
Calcium		No flag	No flag	Set by EPD/EMS
Carbon disulfide	µg/L	5	10	EPA Method 8240
Carbon tetrachloride	µg/L	2.5	5	Final DWS (CFR, 1991a)
Carbon-14	pCi/L	1E + 03	2E + 03	Final DWS (EPA, 1977)
Carbonate	µg/L	500	1,000	EPA Method 310.1
Cerium-141	pCi/L	1.5E + 02	3E + 02	Final DWS (EPA, 1977)
Cerium-144	pCi/L	1.31E + 02	2.61E + 02	Proposed DWS (EPA, 1991)
Cesium-134	pCi/L	4.07E + 01	8.13E + 01	Proposed DWS (EPA, 1991)
Cesium-137	pCi/L	1E + 02	2E + 02	Final DWS (EPA, 1977)
Chlordane	µg/L	1	2	Final DWS (CFR, 1991a)
Chloride	µg/L	125,000	250,000	Secondary DWS (CFR, 1991b)
4-Chloroaniline	µg/L	50	100	EPA Method 8270
Chlorobenzene	µg/L	5	10	EPA Method 8240
Chlorobenzilate	µg/L	50	100	EPA Method 8270
Chloroethane	µg/L	5	10	EPA Method 8240
Chloroethene (Vinyl chloride)	µg/L	1	2	Final DWS (CFR, 1991a)
Chloroethyl vinyl ether	µg/L	5	10	EPA Method 8240
2-Chloroethyl vinyl ether	µg/L	5	10	EPA Method 8240
Chloroform	µg/L	50	100	Final DWS (CFR, 1991a)
para-Chloro-meta-cresol	µg/L	50	100	EPA Method 8270
Chloromethane (Methyl chloride)	µg/L	5	10	EPA Method 8240
2-Chloronaphthalene	µg/L	50	100	EPA Method 8240
2-Chlorophenol	µg/L	50	100	EPA Method 8270

Analyte	Unit	Flag 1	Flag 2	Source
4-Chlorophenyl phenyl ether	µg/L	50	100	EPA Method 8270
Chloroprene	µg/L	1,000	2,000	EPA Method 8240
Chromium	µg/L	50	100	Final DWS (CFR, 1991a)
Chromium-51	pCi/L	3E+03	6E+03	Final DWS (EPA, 1977)
Chrysene	µg/L	0.1	0.2	Proposed DWS (EPA, 1990)
Cobalt	µg/L	20	40	EPA Method 6010
Cobalt-57	pCi/L	5E+02	1E+03	Final DWS (EPA, 1977)
Cobalt-58	pCi/L	4.5E+03	9E+03	Final DWS (EPA, 1977)
Cobalt-60	pCi/L	5E+01	1E+02	Final DWS (EPA, 1977)
Color		No flag	No flag	Set by EPD/EMS
Copper	µg/L	650	1,300	Final DWS (CFR, 1991a)
Corrosivity		No flag	No flag	Set by EPD/EMS
m-Cresol (3-Methylphenol)	µg/L	50	100	EPA Method 8270
o-Cresol (2-Methylphenol)	µg/L	50	100	EPA Method 8270
p-Cresol (4-Methylphenol)	µg/L	50	100	EPA Method 8270
Curium-242	pCi/L	6.65E+01	1.33E+02	Proposed DWS (EPA, 1991)
Curium-243	pCi/L	4.15E+00	8.3E+00	Proposed DWS (EPA, 1991)
Curium-244	pCi/L	4.92E+00	9.84E+00	Proposed DWS (EPA, 1991)
Curium-246	pCi/L	3.14E+00	6.27E+00	Proposed DWS (EPA, 1991)
Cyanide	µg/L	100	200	Proposed DWS (EPA, 1990)
p,p'-DDD	µg/L	2.5	5	EPA Method 8080
p,p'-DDE	µg/L	2.5	5	EPA Method 8080
p,p'-DDT	µg/L	2.5	5	EPA Method 8080
Di-n-butyl phthalate		No flag	No flag	Set by EPD/EMS
Di-n-octyl phthalate		No flag	No flag	Set by EPD/EMS
Diallate	µg/L	50	100	EPA Method 8270
Dibenz[a,h]anthracene	µg/L	0.15	0.3	Proposed DWS (EPA, 1990)
Dibenzofuran	µg/L	50	100	EPA Method 8270
Dibromochloromethane	µg/L	50	100	Final DWS (CFR, 1991a)
Dibromochloropropane	µg/L	0.1	0.2	Final DWS (CFR, 1991a)
1,2-Dibromo-3-chloropropane	µg/L	250	500	EPA Method 8240
1,2-Dibromoethane	µg/L	100	200	EPA Method 8240
Dibromomethane (Methylene bromide)	µg/L	5	10	EPA Method 8240
1,2-Dichlorobenzene	µg/L	300	600	Final DWS (CFR, 1991a)
1,3-Dichlorobenzene	µg/L	50	100	EPA Method 8270
1,4-Dichlorobenzene	µg/L	37.5	75	Final DWS (CFR, 1991a)
3,3'-Dichlorobenzidine	µg/L	50	100	EPA Method 8270
trans-1,4-Dichloro-2-butene	µg/L	150	300	EPA Method 8240
Dichlorodifluoromethane	µg/L	5	10	EPA Method 8240
1,1-Dichloroethane	µg/L	5	10	EPA Method 8240
1,2-Dichloroethane	µg/L	2.5	5	Final DWS (CFR, 1991a)
cis-1,2-Dichloroethene	µg/L	35	70	Final DWS (CFR, 1991a)
1,1-Dichloroethylene	µg/L	3.5	7	Final DWS (CFR, 1991a)
1,2-Dichloroethylene	µg/L	25	50	EPA Method 8240
trans-1,2-Dichloroethylene	µg/L	50	100	Final DWS (CFR, 1991a)
Dichloromethane (Methylene chloride)		No flag	No flag	Set by EPD/EMS
2,4-Dichlorophenol	µg/L	50	100	EPA Method 8270
2,6-Dichlorophenol	µg/L	50	100	EPA Method 8270
2,4-Dichlorophenoxyacetic acid	µg/L	35	70	Final DWS (CFR, 1991a)
1,2-Dichloropropane	µg/L	2.5	5	Final DWS (CFR, 1991a)
cis-1,3-Dichloropropene	µg/L	5	10	EPA Method 8240
trans-1,3-Dichloropropene	µg/L	5	10	EPA Method 8240
Dieldrin	µg/L	2.5	5	EPA Method 8080

Analyte	Unit	Flag 1	Flag 2	Source
Diethyl phthalate		No flag	No flag	Set by EPD/EMS
Dimethoate	µg/L	50	100	EPA Method 8270
p-Dimethylaminoazobenzene	µg/L	50	100	EPA Method 8270
p-(Dimethylamino)ethylbenzene	µg/L	50	100	EPA Method 8270
7,12-Dimethylbenz[a]anthracene	µg/L	50	100	EPA Method 8270
3,3'-Dimethylbenzidine	µg/L	50	100	EPA Method 8270
a,a-Dimethylphenethylamine	µg/L	50	100	EPA Method 8270
2,4-Dimethyl phenol	µg/L	50	100	EPA Method 8270
Dimethyl phthalate		No flag	No flag	Set by EPD/EMS
1,3-Dinitrobenzene	µg/L	50	100	EPA Method 8270
4,6-Dinitro-ortho-cresol	µg/L	250	500	EPA Method 8270
2,4-Dinitrophenol	µg/L	250	500	EPA Method 8270
2,4-Dinitrotoluene	µg/L	50	100	EPA Method 8270
2,6-Dinitrotoluene	µg/L	50	100	EPA Method 8270
1,4-Dioxane	µg/L	50	100	EPA Method 8270
Diphenylamine	µg/L	50	100	EPA Method 8270
1,2-Diphenylhydrazine	µg/L	50	100	EPA Method 8270
Dissolved organic carbon	µg/L	5,000	10,000	EPA Method 9060
Disulfoton	µg/L	50	100	EPA Method 8270
Eh		No flag	No flag	Set by EPD/EMS
alpha-Endosulfan	µg/L	50	100	EPA Method 8270
beta-Endosulfan	µg/L	50	100	EPA Method 8270
Endosulfan I	µg/L	2.5	5	EPA Method 8080
Endosulfan II	µg/L	2.5	5	EPA Method 8080
Endosulfan sulfate	µg/L	2.5	5	EPA Method 8080
Endrin	µg/L	0.1	0.2	Final DWS (CFR, 1991a)
Endrin aldehyde	µg/L	2.5	5	EPA Method 8080
Endrin ketone		No flag	No flag	Set by EPD/EMS
Ethyl methacrylate	µg/L	50	100	EPA Method 8270
Ethyl methanesulfonate	µg/L	50	100	EPA Method 8270
Ethylbenzene	µg/L	350	700	Final DWS (CFR, 1991a)
Europium-154	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Europium-155	pCi/L	3E+02	6E+02	Final DWS (EPA, 1977)
Famphur	µg/L	50	100	EPA Method 8270
Fluoranthene	µg/L	50	100	EPA Method 8270
Fluorene	µg/L	50	100	EPA Method 8270
Fluoride	µg/L	2,000	4,000	Final DWS (CFR, 1991a)
Gross alpha	pCi/L	7.5E+00	1.5E+01	Final DWS (CFR, 1991a)
Heptachlor	µg/L	0.2	0.4	Final DWS (CFR, 1991a)
Heptachlor epoxide	µg/L	0.1	0.2	Final DWS (CFR, 1991a)
Heptachlorodibenzo-p-dioxin isomers	µg/L	0.00325	0.0065	EPA Method 8280
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	µg/L	0.00325	0.0065	EPA Method 8280
Heptachlorodibenzo-p-furan isomers	µg/L	0.00225	0.0045	EPA Method 8280
1,2,3,4,6,7,8-Heptachlorodibenzo-p-furan	µg/L	0.00225	0.0045	EPA Method 8280
Hexachlorobenzene	µg/L	0.5	1	Proposed DWS (EPA, 1990)
Hexachlorobutadiene	µg/L	50	100	EPA Method 8270
Hexachlorocyclopentadiene	µg/L	25	50	Proposed DWS (EPA, 1990)
Hexachlorodibenzo-p-dioxin isomers	µg/L	0.00225	0.0045	EPA Method 8280
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	µg/L	0.00225	0.0045	EPA Method 8280
Hexachlorodibenzo-p-furan isomers	µg/L	0.002	0.004	EPA Method 8280

Analyte	Unit	Flag 1	Flag 2	Source
1,2,3,4,7,8-Hexachlorodibenzo-p-furan	µg/L	0.002	0.004	EPA Method 8280
Hexachloroethane	µg/L	50	100	EPA Method 8270
Hexachlorophene	µg/L	250	500	EPA Method 8270
Hexachloropropene	µg/L	50	100	EPA Method 8270
2-Hexanone	µg/L	100	200	EPA Method 8240
Indeno[1,2,3-c,d]pyrene	µg/L	50	100	EPA Method 8270
Iodine	µg/L	500	1,000	EPA Method 415
Iodine-129	pCi/L	5E-01	1E+00	Final DWS (EPA, 1977)
Iodine-131	pCi/L	1.5E+00	3E+00	Final DWS (EPA, 1977)
Iodomethane (Methyl iodide)	µg/L	75	150	EPA Method 8240
Iron	µg/L	150	300	Secondary DWS (CFR, 1991b)
Iron-55	pCi/L	1E+03	2E+03	Final DWS (EPA, 1977)
Iron-59	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Isobutyl alcohol	µg/L	500	1,000	EPA Method 8240
Isodrin	µg/L	50	100	EPA Method 8270
Isophorone	µg/L	50	100	EPA Method 8270
Isosafrole	µg/L	50	100	EPA Method 8270
Kepone	µg/L	50	100	EPA Method 8270
Lanthanum-140	pCi/L	3E+01	6E+01	Final DWS (EPA, 1977)
Lead	µg/L	7.5	15	Final DWS (CFR, 1991a)
Lindane	µg/L	0.1	0.2	Final DWS (CFR, 1991a)
Lithium	µg/L	25	50	EPA Method 6010
Magnesium		No flag	No flag	Set by EPD/EMS
Manganese	µg/L	25	50	Secondary DWS (CFR, 1991b)
Manganese-54	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Mercury	µg/L	1	2	Final DWS (CFR, 1991a)
Methacrylonitrile	µg/L	250	500	EPA Method 8240
Methapyrilene	µg/L	50	100	EPA Method 8270
Methoxychlor	µg/L	20	40	Final DWS (CFR, 1991a)
3-Methylcholanthrene	µg/L	50	100	EPA Method 8270
2-Methyl-4,6-dinitrophenol	µg/L	250	500	EPA Method 8270
Methyl ethyl ketone		No flag	No flag	Set by EPD/EMS
Methyl isobutyl ketone		No flag	No flag	Set by EPD/EMS
Methyl methacrylate	µg/L	50	100	EPA Method 8270
Methyl methanesulfonate	µg/L	50	100	EPA Method 8270
2-Methylnaphthalene	µg/L	50	100	EPA Method 8270
Molybdenum	µg/L	250	500	EPA Method 6010
Naphthalene	µg/L	50	100	EPA Method 8270
1,4-Naphthoquinone	µg/L	50	100	EPA Method 8270
1-Naphthylamine	µg/L	50	100	EPA Method 8270
2-Naphthylamine	µg/L	50	100	EPA Method 8270
Neptunium-237	pCi/L	3.53E+00	7.06E+00	Proposed DWS (EPA, 1991)
Nickel	µg/L	50	100	Proposed DWS (EPA, 1990)
Nickel-59	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Nickel-63	pCi/L	2.5E+01	5E+01	Final DWS (EPA, 1977)
Niobium-95	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Nitrate as nitrogen	µg/L	5,000	10,000	Final DWS (CFR, 1991a)
Nitrate-nitrite as nitrogen	µg/L	5,000	10,000	Final DWS (CFR, 1991a)
Nitrite as nitrogen	µg/L	500	1,000	Final DWS (CFR, 1991a)
2-Nitroaniline	µg/L	50	100	EPA Method 8270
3-Nitroaniline	µg/L	50	100	EPA Method 8270
4-Nitroaniline	µg/L	50	100	EPA Method 8270
Nitrobenzene	µg/L	50	100	EPA Method 8270
Nitrogen by Kjeldahl method	µg/L	500	1,000	EPA Method 351.2

Analyte	Unit	Flag 1	Flag 2	Source
2-Nitrophenol	µg/L	50	100	EPA Method 8270
4-Nitrophenol	µg/L	50	100	EPA Method 8270
4-Nitroquinoline-1-oxide	µg/L	50	100	EPA Method 8270
N-Nitrosodi-n-butylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodiethylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodimethylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodiphenylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodi-propylamine	µg/L	50	100	EPA Method 8270
N-Nitrosomethylethylamine	µg/L	50	100	EPA Method 8270
N-Nitrosomorpholine	µg/L	50	100	EPA Method 8270
N-Nitrosopiperidine	µg/L	50	100	EPA Method 8270
N-Nitrosopyrrolidine	µg/L	50	100	EPA Method 8270
5-Nitro-o-toluidine	µg/L	50	100	EPA Method 8270
Nonvolatile beta	pCi/L	2.5E + 01	5E + 01	Proposed DWS (EPA, 1986)
Octachlorodibenzo-p-dioxin isomers	µg/L	0.005	0.01	EPA Method 8280
Octachlorodibenzo-p-furan isomers	µg/L	0.005	0.01	EPA Method 8280
Odor		No flag	No flag	Set by EPD/EMS
Oil & Grease	µg/L	5,000	10,000	EPA Method 413.1
Parathion	µg/L	2.5	5	EPA Method 8080
Parathion methyl	µg/L	2.5	5	EPA Method 8080
PCB 1016	µg/L	0.25	0.5	Final DWS (CFR, 1991a)
PCB 1221	µg/L	0.25	0.5	Final DWS (CFR, 1991a)
PCB 1232	µg/L	0.25	0.5	Final DWS (CFR, 1991a)
PCB 1242	µg/L	0.25	0.5	Final DWS (CFR, 1991a)
PCB 1248	µg/L	0.25	0.5	Final DWS (CFR, 1991a)
PCB 1254	µg/L	0.25	0.5	Final DWS (CFR, 1991a)
PCB 1260	µg/L	0.25	0.5	Final DWS (CFR, 1991a)
PCB 1262	µg/L	0.25	0.5	Final DWS (CFR, 1991a)
Pentachlorobenzene	µg/L	50	100	EPA Method 8270
Pentachlorodibenzo-p-dioxin isomers	µg/L	0.00275	0.0055	EPA Method 8280
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	µg/L	0.00275	0.0055	EPA Method 8280
Pentachlorodibenzo-p-furan isomers	µg/L	0.00275	0.0055	EPA Method 8280
1,2,3,7,8-Pentachlorodibenzo-p-furan	µg/L	0.00275	0.0055	EPA Method 8280
Pentachloroethane	µg/L	50	100	EPA Method 8270
Pentachloronitrobenzene	µg/L	50	100	EPA Method 8270
Pentachlorophenol	µg/L	0.5	1	Final DWS (CFR, 1991a)
pH	pH	8	10	Set by EPD/EMS
pH	pH	4	3	Set by EPD/EMS
Phenacetin	µg/L	50	100	EPA Method 8270
Phenanthrene	µg/L	50	100	EPA Method 8270
Phenol	µg/L	50	100	EPA Method 8270
Phenols	µg/L	25	50	EPA Method 420.1
p-Phenylenediamine	µg/L	50	100	EPA Method 8270
Phorate	µg/L	2.5	5	EPA Method 8080
2-Picoline	µg/L	50	100	EPA Method 8270
Plutonium-238	pCi/L	3.51E + 00	7.02E + 00	Proposed DWS (EPA, 1991)
Plutonium-239	pCi/L	3.11E + 01	6.21E + 01	Proposed DWS (EPA, 1991)
Plutonium-239/240 ^a	pCi/L	3.11E + 01	6.21E + 01	Proposed DWS (EPA, 1991)
Plutonium-240	pCi/L	3.11E + 01	6.22E + 01	Proposed DWS (EPA, 1991)
Plutonium-241	pCi/L	3.13E + 01	6.26E + 01	Proposed DWS (EPA, 1991)
Plutonium-242	pCi/L	3.27E + 01	6.54E + 01	Proposed DWS (EPA, 1991)
Potassium		No flag	No flag	Set by EPD/EMS

Analyte	Unit	Flag 1	Flag 2	Source
Potassium-40	pCi/L	1.5E+02	3E+02	Proposed DWS (EPA, 1986)
Pronamid	µg/L	50	100	EPA Method 8270
Propionitrile	µg/L	1,000	2,000	EPA Method 8240
Pyrene	µg/L	50	100	EPA Method 8270
Pyridine	µg/L	50	100	EPA Method 8270
Radium-226	pCi/L	7.85E+00	1.57E+01	Proposed DWS (EPA, 1991)
Radium-228	pCi/L	3.93E+00	7.85E+00	Proposed DWS (EPA, 1991)
Radon-222	pCi/L	1.5E+02	3E+02	Proposed DWS (EPA, 1991)
Ruthenium-103	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Ruthenium-106	pCi/L	1.5E+01	3E+01	Final DWS (EPA, 1977)
Safrole	µg/L	50	100	EPA Method 8270
Selenium	µg/L	25	50	Final DWS (CFR, 1991a)
Silica		No flag	No flag	Set by EPD/EMS
Silver	µg/L	25	50	Final DWS (CFR, 1991a)
Sodium		No flag	No flag	Set by EPD/EMS
Sodium-22	pCi/L	2.33E+02	4.66E+02	Proposed DWS (EPA, 1991)
Specific conductance	µS/cm	250	500	Set by EPD/EMS
Strontium-89	pCi/L	1E+01	2E+01	Final DWS (EPA, 1977)
Strontium-89/90 ^a	pCi/L	4E+00	8E+00	Final DWS (CFR, 1991a)
Strontium-90	pCi/L	4E+00	8E+00	Final DWS (CFR, 1991a)
Styrene	µg/L	50	100	Final DWS (CFR, 1991a)
Sulfate	µg/L	200,000	400,000	Proposed DWS (EPA, 1990)
Sulfide	µg/L	5,000	10,000	EPA Method 9030
Sulfotep	µg/L	50	100	EPA Method 8270
Surfactants		No flag	No flag	Set by EPD/EMS
2,3,7,8-TCDD	µg/L	0.00225	0.0045	EPA Method 8280
2,3,7,8-TCDF	µg/L	0.002	0.004	EPA Method 8280
Technetium-99	pCi/L	4.5E+02	9E+02	Final DWS (EPA, 1977)
1,2,4,5-Tetrachlorobenzene	µg/L	50	100	EPA Method 8270
Tetrachlorodibenzo-p-dioxin isomers	µg/L	0.00225	0.0045	EPA Method 8280
Tetrachlorodibenzo-p-furan isomers	µg/L	0.002	0.004	EPA Method 8280
1,1,1,2-Tetrachloroethane	µg/L	5	10	EPA Method 8240
1,1,2,2-Tetrachloroethane	µg/L	5	10	EPA Method 8240
Tetrachloroethylene	µg/L	2.5	5	Final DWS (CFR, 1991a)
2,3,4,6-Tetrachlorophenol	µg/L	50	100	EPA Method 8270
Tetraethyl dithiopyrophosphate	µg/L	50	100	EPA Method 8270
Thallium	µg/L	0.5	1	Proposed DWS (EPA, 1990)
Thionazin	µg/L	50	100	EPA Method 8270
Thorium-228	pCi/L	6.25E+01	1.25E+02	Proposed DWS (EPA, 1991)
Thorium-230	pCi/L	3.96E+01	7.92E+01	Proposed DWS (EPA, 1991)
Thorium-232	pCi/L	4.4E+01	8.8E+01	Proposed DWS (EPA, 1991)
Thorium-234	pCi/L	2E+02	4.01E+02	Proposed DWS (EPA, 1991)
Tin	µg/L	10	20	EPA Method 282.2
Tin-113	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Toluene	µg/L	500	1,000	Final DWS (CFR, 1991a)
o-Toluidine	µg/L	50	100	EPA Method 8270
Total carbon	µg/L	5,000	10,000	EPA Method 9060
Total dissolved solids		No flag	No flag	Set by EPD/EMS
Total hydrocarbons	µg/L	5,000	10,000	EPA Method 418.1
Total inorganic carbon	µg/L	5,000	10,000	EPA Method 9060
Total organic carbon	µg/L	5,000	10,000	EPA Method 9060
Total organic halogens	µg/L	25	50	EPA Method 9020
Total organic nitrogen	µg/L	500	1,000	EPA Method 420

Analyte	Unit	Flag 1	Flag 2	Source
Total petroleum hydrocarbons	µg/L	5,000	10,000	EPA Method 418.1
Total phosphates (as P)		No flag	No flag	Set by EPD/EMS
Total phosphorus		No flag	No flag	Set by EPD/EMS
Total radium	pCi/L	2.5E+00	5E+00	Final DWS (CFR, 1991a)
Total silica	µg/L	500	1,000	EPA Method 6010
Total trihalomethanes	µg/L	50	100	Final DWS (CFR, 1991a)
Toxaphene	µg/L	1.5	3	Final DWS (CFR, 1991a)
2,4,5-TP (Silvex)	µg/L	25	50	Final DWS (CFR, 1991a)
Tributyl phosphate	µg/L	50	100	EPA Method 8270
1,2,4-Trichlorobenzene	µg/L	4.5	9	Proposed DWS (EPA, 1990)
1,1,1-Trichloroethane	µg/L	100	200	Final DWS (CFR, 1991a)
1,1,2-Trichloroethane	µg/L	2.5	5	Proposed DWS (EPA, 1990)
Trichloroethylene	µg/L	2.5	5	Final DWS (CFR, 1991a)
Trichlorofluoromethane	µg/L	5	10	EPA Method 8240
2,4,5-Trichlorophenol	µg/L	50	100	EPA Method 8270
2,4,6-Trichlorophenol	µg/L	50	100	EPA Method 8270
2,4,5-Trichlorophenoxyacetic acid	µg/L	2.5	5	EPA Method 8150
1,2,3-Trichloropropane	µg/L	5	10	EPA Method 8240
O,O,O-Triethyl phosphorothioate	µg/L	50	100	EPA Method 8270
1,3,5-Trinitrobenzene	µg/L	50	100	EPA Method 8270
Tritium	pCi/mL	1E+01	2E+01	Final DWS (CFR, 1991a)
Turbidity		No flag	No flag	Set by EPD/EMS
Uranium	µg/L	10	20	Proposed DWS (EPA, 1991)
Uranium alpha activity	pCi/L	1.5E+01	3E+01	Proposed DWS (EPA, 1991)
Uranium-233/234 ^a	pCi/L	6.9E-00	1.38E+01	Proposed DWS (EPA, 1991)
Uranium-234	pCi/L	6.95E+00	1.39E+01	Proposed DWS (EPA, 1991)
Uranium-235	pCi/L	7.25E+00	1.45E+01	Proposed DWS (EPA, 1991)
Uranium-238	pCi/L	7.3E+00	1.46E+01	Proposed DWS (EPA, 1991)
Vanadium	µg/L	50	100	EPA Method 6010
Vinyl acetate	µg/L	5	10	EPA Method 8240
Xylenes	µg/L	5,000	10,000	Final DWS (CFR, 1991a)
Zinc	µg/L	2,500	5,000	Secondary DWS (CFR, 1991b)
Zinc-65	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Zirconium-95	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Zirconium/Niobium-95 ^a	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)

^a For double radionuclide analyses where each separate radionuclide has its own standard, the more stringent standard is used.

References

- APHA (American Public Health Association, American Water Works Association, and Water Pollution Control Federation), 1985. **Standard Methods for the Examination of Water and Wastewater**, 16th edition. Washington, DC.
- CFR (Code of Federal Regulations), 1991a. *National Primary Drinking Water Regulations*, 40 CFR, Part 141, pp. 578-715. Washington, DC.
- CFR (Code of Federal Regulations), 1991b. *National Secondary Drinking Water Regulations*, 40 CFR, Part 143, pp. 758-762. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1977. **National Interim Primary Drinking Water Regulations**, EPA-570/9-76-003. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1986. *Water Pollution Control; National Primary Drinking Water Regulations, Radionuclides (Proposed)*. **Federal Register**, September 30, 1986, pp. 34836-34862. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1990. *National Primary and Secondary Drinking Water Regulations; Synthetic Organic Chemicals and Inorganic Chemicals (Proposed Rule)*. **Federal Register**, July 25, 1990, pp. 30369-30448. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1991. *National Primary Drinking Water Regulations; Radionuclides; Proposed Rule*. **Federal Register**, July 18, 1991, pp. 33052-33127. Washington, DC.

Appendix C – Figures

Figure 1. Location of the Sanitary Landfill at the Savannah River Site

Figure 2. Boundaries of Original Sanitary Landfill and Expansions

Figure 3. Location of Monitoring Wells at the Sanitary Landfill

Figure 4. Chloroethene (Vinyl chloride) Concentrations at the Sanitary Landfill, First Quarter 1992

Figure 5. Chloroethene (Vinyl chloride) Concentrations at the Sanitary Landfill, Fourth Quarter 1992

Figure 6. Radium-226 Activities at the Sanitary Landfill, First Quarter 1992

Figure 7. Radium-226 Activities at the Sanitary Landfill, Fourth Quarter 1992

Figure 8. Trichloroethylene Concentrations at the Sanitary Landfill, First Quarter 1992

Figure 9. Trichloroethylene Concentrations at the Sanitary Landfill, Fourth Quarter 1992

Figure 10. Tritium Activities at the Sanitary Landfill, First Quarter 1992

Figure 11. Tritium Activities at the Sanitary Landfill, Fourth Quarter 1992

Figure 12. Water-Elevation Contour Map of Steed Pond Aquifer (Water Table) at the Sanitary Landfill, First Quarter 1992

Figure 13. Water-Elevation Contour Map of Steed Pond Aquifer (Water Table) at the Sanitary Landfill, Fourth Quarter 1992

References Cited

Aadland, R. K., P. A. Thayer, and A. D. Smits, 1992. **Hydrogeologic Atlas of West-Central South Carolina (U)**, WSRC-RP-92-632. Westinghouse Savannah River Company, Savannah River Site, Aiken, SC.

Lewis, S. E., and R. K. Aadland, 1992. **Hydrogeologic Setting of A/M Area: Framework for Groundwater Transport (U)**, WSRC-RC-92-355. Westinghouse Savannah River Company, Savannah River Site, Aiken, SC.

Appendix D – Groundwater Monitoring Results Tables

Key to Reading the Tables

The following abbreviations may appear in the tabular data:

B = sample collected from well using an open bucket bailer
 BA = Barringer Laboratories, Inc.
 CN = Clemson Technical Center, Inc.
 CS = carbon steel
 D = primary drinking water standard (PDWS)
 E = exponential notation (e.g., $1.1\text{E}-09 = 1.1 \times 10^{-9} = 0.0000000011$)
 EM = Environmental Protection Department/Environmental Monitoring Section (EPD/EMS)
 Laboratory
 GE = General Engineering Laboratories
 GP = Environmental Physics, Inc.
 H = holding time
 1,2,3,4,6,7,8-HPCDD = 1,2,3,4,6,7,8-heptachlorodibenzo-p-dioxin
 1,2,3,4,6,7,8-HPCDF = 1,2,3,4,6,7,8-heptachlorodibenzo-p-furan
 1,2,3,4,7,8-HXCDD = 1,2,3,4,7,8-hexachlorodibenzo-p-dioxin
 1,2,3,4,7,8-HXCDF = 1,2,3,4,7,8-hexachlorodibenzo-p-furan
 Lindane = gamma-benzene hexachloride
 mg/L = milligrams per liter
 Mod = modifier
 msl = mean sea level
 MSL = million structures per liter
 NTU = turbidity unit
 P = sample collected from well using a bladder pump
 PCB = polychlorinated biphenyl
 1,2,3,7,8-PCDD = 1,2,3,7,8-pentachlorodibenzo-p-dioxin
 1,2,3,7,8-PCDF = 1,2,3,7,8-pentachlorodibenzo-p-furan
 pCi/L = picocuries per liter
 pCi/mL = picocuries per milliliter
 PDWS = primary drinking water standard
 pH = pH unit
 PVC = polyvinyl chloride
 S = sample collected from well using a single-speed centrifugal downhole pump
 Sp. conductance = specific conductance
 SP = Spencer Testing Services, Inc.
 TCDD = tetrachlorodibenzo-p-dioxin
 TCDF = tetrachlorodibenzo-p-furan
 TM = TMA/Eberline
 TOC = top of casing
 V = sample collected from well using a variable-speed pump
 WA = Roy F. Weston, Inc.
 $\mu\text{g/L}$ = micrograms per liter
 $\mu\text{S/cm}$ = microsiemens per centimeter

Holding Times

Standard analytical methods include a limit, called holding time, on the maximum elapsed time between sample collection and extraction or analysis by the laboratory. In the data tables, a large dot (●) in the H (holding time) column indicates that holding time was exceeded. Analyses performed beyond holding time may not yield valid results.

The South Carolina Department of Health and Environmental Control allows only 15 minutes to elapse between sampling and analysis for pH. Thus, only field pH measurements can meet the holding time criterion; laboratory pH analyses will always exceed it.

Laboratory-initiated procedures for reducing the number of other analyses performed out of holding time include subcontracting analyses when difficulties with equipment, personnel, or work load would prevent timely analyses. Beginning fourth quarter 1991, SRS reduced the compensation to laboratories for analyses performed out of holding time.

Data Qualification

The contract laboratories continually assess their own accuracy and precision according to U.S. Environmental Protection Agency (EPA) guidelines. They submit sample- or batch-specific quality assurance/quality control information either at the same time as analytical results or in a quarterly summary. Properly defined and used result modifiers (also referred to as qualifiers) can be a key component in assessing data useability. Result modifiers designed by EPD/EMS and provided to the primary laboratories are defined below. These modifiers appear in the data tables under the column "Mod."

<u>Result modifier</u>	<u>Definition</u>
(Blank)	Data are not qualified. Number should be interpreted exactly as reported.
A ^a	Value reported is the mean of two or more determinations.
J ^a	Value is estimated because quantitation in the sample or in associated quality control samples did not meet specifications.
L ^a	Value is off-scale high. The actual value is not known but is known to be greater than the value shown.
M ^a	Presence of the analyte is verified but not quantified.
R ^a	Result was rejected because performance requirements in the sample analysis or associated quality control analyses were not met.
T ^a	Analyte was not detected; if present, it was below the criteria for detection.
V ^a	Analyte was detected in the associated method blank.
1	Result may be an underestimation of the true value due to analytical bias.
2	Result may be an overestimation of the true value due to analytical bias.

<u>Result modifier</u>	<u>Definition</u>
3	The associated result may be of poor precision (high variability) due to analytical bias.
6	The associated result is from a reanalysis performed out of holding time due to problems with an earlier analysis.

^a These codes are based on the STORET codes from EPA.

Table 1. Constituents Exceeding the Final Primary Drinking Water Standards**Steed Pond Aquifer (Water Table)**

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>2Q92</u>	<u>3Q92</u>	<u>4Q92</u>	<u>Mod</u>
LFW 6	Chloroethene (Vinyl chloride)	µg/L	-	-	-	3.0	J
LFW 8	Chloroethene (Vinyl chloride)	µg/L	157	128 ^c	-	121	
	Chloroethene (Vinyl chloride)	µg/L	NA	113 ^c	NA	NA	
	Chloroethene (Vinyl chloride)	µg/L	NA	106 ^c	NA	NA	
	Chloroethene (Vinyl chloride)	µg/L	NA	97 ^c	NA	NA	
	Chloroethene (Vinyl chloride)	µg/L	NA	123 ^c	NA	NA	
LFW 10A	Benzene	µg/L	9.5	8.6	-	9.9	J2
	Tetrachloroethylene	µg/L	37	36	125	27	J2
	Trichloroethylene	µg/L	49	48	45	51	J2
	Tritium	pCi/mL	1.0E+02 ^d	1.6E+02	1.4E+02	2.1E+02	
	Tritium	pCi/mL	1.0E+02 ^d	NA	1.4E+02	NA	
LFW 16	Tetrachloroethylene	µg/L	-	-	15	5.0	J
	Trichloroethylene	µg/L	9.6	7.8	14	8.3	
	Tritium	pCi/mL	9.4E+01 ^d	2.1E+01	-	-	
	Tritium	pCi/mL	9.4E+01 ^d	NA	NA	NA	
LFW 17	1,2-Dichloroethane	µg/L	5.8	-	-	-	
LFW 18	Chloroethene (Vinyl chloride)	µg/L	-	-	-	3.2	J
LFW 21	Benzene	µg/L	-	21	16	17	
	Cadmium	µg/L	22	-	-	-	
	1,2-Dichloropropane	µg/L	-	7.7	6.4	-	
	Lindane	µg/L	-	-	0.48	-	
	Tetrachloroethylene	µg/L	-	-	10	-	
	Trichloroethylene	µg/L	20	27	24	17	
LFW 22	Cadmium	µg/L	31	-	-	-	
	Tetrachloroethylene	µg/L	-	-	9.6	-	
	Trichloroethylene	µg/L	26	25	27	32	
LFW 36	Benzene	µg/L	-	5.8	-	-	
	1,2-Dichloroethane	µg/L	7.6	6.8	-	-	
LFW 37	Benzene	µg/L	-	5.6 ^e	-	6.2	
	Benzene	µg/L	NA	5.2 ^e	NA	NA	
	1,2-Dichloroethane	µg/L	7.0	7.8 ^f	-	5.1	
	1,2-Dichloroethane	µg/L	NA	7.1 ^f	NA	NA	
	1,2-Dichloroethane	µg/L	NA	6.6 ^f	NA	NA	
	Trichloroethylene	µg/L	7.5	7.2 ^g	9.3	7.5	
	Trichloroethylene	µg/L	NA	7.1 ^g	NA	NA	
LFW 38	Benzene	µg/L	-	-	5.1	5.3	
	1,2-Dichloroethane	µg/L	-	-	5.5	-	
	Trichloroethylene	µg/L	17	18	21	21	
	Tritium	pCi/mL	-	3.8E+01	3.9E+01	2.1E+01	
LFW 39	1,1-Dichloroethylene	µg/L	13	8.5	9.0	8.6	
	Tetrachloroethylene	µg/L	7.0	-	-	5.6	
	1,1,1-Trichloroethane	µg/L	207	-	-	-	
	Trichloroethylene	µg/L	11	9.8	14	15	

Steed Pond Aquifer (Water Table)

Well	Constituent	Unit	1Q92	2Q92	3Q92	4Q92	Mod
LFW 40	Tetrachloroethylene	µg/L	-	-	6.5	-	
	Trichloroethylene	µg/L	7.1 ^a	-	14	12	
	Trichloroethylene	µg/L	5.3 ^a	NA	NA	NA	
	Trichloroethylene	µg/L	5.5 ^a	NA	NA	NA	
	Trichloroethylene	µg/L	5.1 ^a	NA	NA	NA	
	Trichloroethylene	µg/L	6.5 ^a	NA	NA	NA	
LFW 42	Tetrachloroethylene	µg/L	-	-	-	5.2	
LFW 47C	Chloroethene (Vinyl chloride)	µg/L	-	7.7	-	-	
LFW 47D	Lead	µg/L	-	-	21	-	
LFW 48C	Mercury	µg/L	-	-	-	2.9	
LFW 48D	Chloroethene (Vinyl chloride)	µg/L	143	104	85	126	
LFW 58D	1,2-Dichloroethane	µg/L	-	-	-	6.4	
	Trichloroethylene	µg/L	17	15	16	12	
LFW 59C	1,2-Dichloroethane	µg/L	-	-	-	5.5	
	Trichloroethylene	µg/L	10	-	11	11	
LFW 59D	Trichloroethylene	µg/L	11	14	22 ^a	13	
	Trichloroethylene	µg/L	NA	NA	18 ^a	NA	
	Trichloroethylene	µg/L	NA	NA	20 ^a	NA	
LFW 61C	1,1-Dichloroethylene	µg/L	24	-	-	-	
	Trichloroethylene	µg/L	9.0	14	5.0	8.1	
LFW 61D	Tetrachloroethylene	µg/L	5.3	8.1	-	-	
	Trichloroethylene	µg/L	7.6	5.3	8.1	9.3	
	Tritium	pCi/mL	-	-	8.3E+01	4.2E+01	
LFW 62C	Trichloroethylene	µg/L	5.5	7.5	7.5	11	
LFW 62D	Tetrachloroethylene	µg/L	-	-	-	7.6	
	Trichloroethylene	µg/L	9.9	11	11	14	

Note: The modifier column applies to 4Q92 data.

^a - = analyzed but not above final PDWS.

^b NA = not analyzed.

^c Duplicate/replicate samples of chloroethene (vinyl chloride).

^d Duplicate/replicate samples of tritium.

^e Duplicate/replicate samples of benzene.

^f Duplicate/replicate samples of 1,2-dichloroethane.

^g Duplicate/replicate samples of trichloroethylene.

Table 2. Constituents Exceeding Half the Final Primary Drinking Water Standards or Other Flag 1 or Flag 2 Criteria**Steed Pond Aquifer (Water Table)**

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>3Q92</u>	<u>4Q92</u>	<u>Mod</u>	<u>Flag</u>
LFW 6	Chloroethane	µg/L	< 10	12		2
	1,1-Dichloroethane	µg/L	7.9 ^a	20		2
	1,1-Dichloroethane	µg/L	9.9 ^a	NA ^b		NA
	1,1-Dichloroethane	µg/L	7.5 ^a	NA		NA
	1,1-Dichloroethane	µg/L	12 ^a	NA		NA
	1,1-Dichloroethane	µg/L	7.1 ^a	NA		NA
	Gross alpha	pCi/L	8.5E+00	- ^c		-
	Iron	µg/L	11,300 ^d	NA		NA
	Iron	µg/L	9,660 ^d	NA		NA
	Iron	µg/L	10,300 ^d	NA		NA
	Iron	µg/L	13,100 ^d	-		-
	Manganese	µg/L	30 ^e	118		2
	Manganese	µg/L	33 ^e	NA		NA
	Manganese	µg/L	34 ^e	NA		NA
	Manganese	µg/L	38 ^e	NA		NA
	Tetrachloroethylene	µg/L	3.5	2.6	J	1
	Total organic halogens	µg/L	58 ^f	152		2
	Total organic halogens	µg/L	65 ^f	NA		NA
	Total organic halogens	µg/L	118 ^f	NA		NA
	Total organic halogens	µg/L	63 ^f	NA		NA
	Trichloroethylene	µg/L	-	2.7		1
LFW 8	Benzene	µg/L	3.3	4.0	J	1
	Chlorobenzene	µg/L	17	31		2
	Chloroethane	µg/L	< 10	13		2
	1,1-Dichloroethane	µg/L	32	32		2
	Gross alpha	pCi/L	6.6E+00	1.1E+01		1
	Iron	µg/L	47,800	-		-
	Radium-228	pCi/L	5.3E+00	-		-
	Total organic carbon	µg/L	4,740	6,130		1
	Total organic halogens	µg/L	245	219		2
LFW 10A	Aluminum	µg/L	< 15	71		2
	Benzene	µg/L	4.1	D ⁱ		D
	Chloroethane	µg/L	< 10	9.6	J2	1
	1,1-Dichloroethane	µg/L	153	148		2
	1,1-Dichloroethylene	µg/L	5.2	5.4	J2	1
	Gross alpha	pCi/L	7.3E+00	8.2E+00		1
	Iron	µg/L	90,000	-		-
	Phenols	µg/L	27	143		2
	Specific conductance	µS/cm	331 ^g	502	J	2
	Specific conductance	µS/cm	331 ^g	NA		NA
	Total organic carbon	µg/L	13,000	94,600		2
	Total organic halogens	µg/L	376	1,420		2
LFW 16	Aluminum	µg/L	< 15	40	J3	1
	1,1-Dichloroethane	µg/L	32	32		2
	Total organic halogens	µg/L	< 50	116		2

Steed Pond Aquifer (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>3Q92</u>	<u>4Q92</u>	<u>Mod</u>	<u>Flag</u>
	<i>Tritium</i>	pCi/mL	1.4E + 01	1.3E + 01		1
LFW 17	<i>Benzene</i>	µg/L	< 5.0	4.1	J	1
	Chlorobenzene	µg/L	41	84		2
	Chloroethane	µg/L	7.2	11	J	2
	<i>Chloroethene (Vinyl chloride)</i>	µg/L	< 10	1.9	J	1
	1,1-Dichloroethane	µg/L	25	25		2
	<i>1,2-Dichloroethane</i>	µg/L	4.5	3.9	J	1
	Iron	µg/L	21,700	-		-
	Specific conductance	µS/cm	250	316	J	1
	Total organic halogens	µg/L	367	245		2
LFW 18	Antimony	µg/L	< 2.6	4.0	J3	1
	<i>Arsenic</i>	µg/L	27	35		1
	Chlorobenzene	µg/L	2.7	5.2		1
	Chloroethane	µg/L	< 10	17		2
	1,1-Dichloroethane	µg/L	15	15		2
	Iron	µg/L	58,200	-		-
	Total organic halogens	µg/L	260	298		2
	<i>Tritium</i>	pCi/mL	1.4E + 01	-		-
LFW 19	Iron	µg/L	172	-		-
LFW 21	Aluminum	µg/L	< 15	50	J3	1
	Antimony	µg/L	3.3	-		-
	<i>Arsenic</i>	µg/L	27	34		1
	1,1-Dichloroethane	µg/L	361	184		2
	<i>1,2-Dichloroethane</i>	µg/L	4.6	3.9	J	1
	<i>1,1-Dichloroethylene</i>	µg/L	4.3	-		-
	Iron	µg/L	1.8E + 08	-		-
	Manganese	µg/L	308	231		2
	Phenols	µg/L	630	646		2
	Specific conductance	µS/cm	1,250	1,120	J	2
	<i>Tetrachloroethylene</i>	µg/L	D	3.1	J	1
	Total organic carbon	µg/L	516,000	378,000		2
	Total organic halogens	µg/L	504	1,900		2
	<i>Tritium</i>	pCi/mL	1.7E + 01	1.7E + 01		1
LFW 22	<i>Benzene</i>	µg/L	3.3	3.9	J	1
	1,1-Dichloroethane	µg/L	98	100		2
	Iron	µg/L	1.1E + 08	-		-
	Manganese	µg/L	72	112		2
	Phenols	µg/L	249	242		2
	Specific conductance	µS/cm	598	661	J	2
	<i>Tetrachloroethylene</i>	µg/L	9.6	4.8		1
	Total organic carbon	µg/L	100,000	196,000		2
	Total organic halogens	µg/L	593	1,250		2
	Trichlorofluoromethane	µg/L	< 5.0	90		2

Steed Pond Aquifer (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>3Q92</u>	<u>4Q92</u>	<u>Mod</u>	<u>Flag</u>
LFW 23	Aluminum	µg/L	< 15	43		1
	1,1-Dichloroethane	µg/L	< 5.0	6.8		1
	Lead	µg/L	7.1	9.1		1
	Total organic halogens	µg/L	< 50	134		2
LFW 24	Total organic halogens	µg/L	60	-		-
LFW 25	Antimony	µg/L	7.3	-		-
	Radium-228	pCi/L	4.5E + 00	-		-
LFW 26	Antimony	µg/L	5.0	-		-
	Gross alpha	pCi/L	9.6E + 00	-		-
	Nonvolatile beta	pCi/L	2.6E + 01	-		-
LFW 28	Aluminum	µg/L	< 15	74		2
	Antimony	µg/L	4.2	-		-
LFW 29	Aluminum	µg/L	< 15	26	J3	1
LFW 30	Aluminum	µg/L	26	-		-
	Antimony	µg/L	12	-		-
LFW 31	Antimony	µg/L	4.7	-		-
LFW 32	Antimony	µg/L	11	-		-
LFW 33	Antimony	µg/L	8.4	-		-
	Radium-228	pCi/L	4.6E + 00	-		-
LFW 34	Antimony	µg/L	5.2	-		-
LFW 35	Total organic carbon	µg/L	5,210	-		-
LFW 36	Benzene	µg/L	3.3	3.6	J	1
	Chlorobenzene	µg/L	6.2	10		2
	1,1-Dichloroethane	µg/L	45	46		2
	1,2-Dichloroethane	µg/L	2.9	-		-
	Iron	µg/L	10,800	-		-
	Total organic carbon	µg/L	12,900	-		-
	Total organic halogens	µg/L	197	402		2
	Trichlorofluoromethane	µg/L	6.1	-		-
	Tritium	pCi/mL	1.2E + 01	1.1E + 01		1
LFW 37	Antimony	µg/L	6.0	-		-
	Benzene	µg/L	4.2	D		D
	1,1-Dichloroethane	µg/L	78	86		2
	1,2-Dichloroethane	µg/L	4.8	D		D
	Radium-228	pCi/L	4.8E + 00	-		-
	Total organic carbon	µg/L	15,900	-		-
	Total organic halogens	µg/L	514	541		2
	Trichlorofluoromethane	µg/L	46	36		2
	Tritium	pCi/mL	1.2E + 01	1.3E + 01		1

Steed Pond Aquifer (Water Table)

Well	Constituent	Unit	3Q92	4Q92	Mod	Flag
LFW 38	Aluminum	µg/L	27	43	J3	1
	Antimony	µg/L	5.2	-		-
	Chloroethane	µg/L	<10	10		2
	1,1-Dichloroethane	µg/L	74	99		2
	1,2-Dichloroethane	µg/L	D	4.9	J	1
	1,1-Dichloroethylene	µg/L	3.5	4.1	J	1
	Tetrachloroethylene	µg/L	2.1	4.7	J	1
	Total organic halogens	µg/L	691	253		2
	Trichlorofluoromethane	µg/L	27	58		2
LFW 39	Chloroethane	µg/L	<10	12		2
	1,1-Dichloroethane	µg/L	43	59		2
	Tetrachloroethylene	µg/L	4.4	D		D
	Total organic halogens	µg/L	200	428		2
	Trichlorofluoromethane	µg/L	118	209		2
LFW 40	Antimony	µg/L	6.3	-		-
	Chloroethane	µg/L	<10	19		2
	1,1-Dichloroethane	µg/L	28	36		2
	1,1-Dichloroethylene	µg/L	2.7	3.6	J	1
	Iron	µg/L	12,900	-		-
	Tetrachloroethylene	µg/L	D	4.6	J	1
	Total organic carbon	µg/L	2,420	8,140		1
	Total organic halogens	µg/L	233	591		2
	Trichlorofluoromethane	µg/L	93	151		2
LFW 41	Total organic halogens	µg/L	28	-		-
	Trichlorofluoromethane	µg/L	26 ^h	25		2
	Trichlorofluoromethane	µg/L	25 ^h	NA		NA
LFW 42	Antimony	µg/L	3.3	-		-
	1,1-Dichloroethane	µg/L	6.2	-		-
	Tetrachloroethylene	µg/L	4.2	D		D
	Total organic halogens	µg/L	82	69		2
	Trichloroethylene	µg/L	3.5	2.6	J	1
	Trichlorofluoromethane	µg/L	47	71		2
LFW 45D	Iron	µg/L	152	-		-
LFW 47C	Lead	µg/L	13	-		-
LFW 48C	Lead	µg/L	11	-		-
	Mercury	µg/L	1.3	D		D
LFW 48D	Benzene	µg/L	2.9	3.4	J	1
	Chlorobenzene	µg/L	17	26		2
	1,1-Dichloroethane	µg/L	50	49		2
	Iron	µg/L	51,000	58,100	V	2
	Total organic halogens	µg/L	354	207		2

Steed Pond Aquifer (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>3Q92</u>	<u>4Q92</u>	<u>Mod</u>	<u>Flag</u>
LFW 55C	1,2-Dichloroethane	µg/L	<5.0	4.2	J	1
LFW 56D	1,2-Dichloroethane	µg/L	<5.0	3.6	J	1
LFW 57B	Gross alpha	pCi/L	2.0E+01	1.1E+01		1
LFW 57C	1,2-Dichloroethane	µg/L	<5.0	3.8	J	1
LFW 57D	1,1-Dichloroethane	µg/L	27	30		2
	1,2-Dichloroethane	µg/L	<5.0	3.9	J	1
	Total organic halogens	µg/L	90	141		2
LFW 58D	Benzene	µg/L	4.4	3.6	J	1
	1,1-Dichloroethane	µg/L	83	62		2
	1,2-Dichloroethane	µg/L	3.2	D		D
	Tetrachloroethylene	µg/L	2.8	-		-
	Total organic halogens	µg/L	766	393		2
	Trichlorofluoromethane	µg/L	80	79		2
	Tritium	pCi/mL	1.0E+01	-		-
LFW 59B	1,2-Dichloroethane	µg/L	<5.0	4.0	J	1
LFW 59C	1,1-Dichloroethane	µg/L	23	25		2
	Total organic halogens	µg/L	112	126		2
	Trichlorofluoromethane	µg/L	7.9	14		2
	Tritium	pCi/mL	1.5E+01	1.5E+01		1
LFW 59D	1,1-Dichloroethane	µg/L	47 ^a	21		2
	1,1-Dichloroethane	µg/L	47 ^a	NA		NA
	1,1-Dichloroethane	µg/L	35 ^a	NA		NA
	1,1-Dichloroethane	µg/L	34 ^a	NA		NA
	1,2-Dichloroethane	µg/L	<5.0	4.7	J	1
	Tetrachloroethylene	µg/L	2.3	2.7	J	1
	Total organic halogens	µg/L	266 ^f	202		2
	Total organic halogens	µg/L	233 ^f	NA		NA
	Total organic halogens	µg/L	196 ^f	NA		NA
	Total organic halogens	µg/L	184 ^f	NA		NA
	Trichlorofluoromethane	µg/L	99 ^h	76		2
	Trichlorofluoromethane	µg/L	86 ^h	NA		NA
	Trichlorofluoromethane	µg/L	25 ^h	NA		NA
LFW 60D	Iron	µg/L	41	621		2
LFW 61C	Chloromethane (Methyl chloride)	µg/L	<10	12		2
	1,1-Dichloroethane	µg/L	11	20		2
	1,1-Dichloroethane	µg/L	<5.0	3.1	J	1
	Iron	µg/L	5,500	11,400		2
	Tetrachloroethylene	µg/L	2.3	4.6	J	1
	Total organic halogens	µg/L	163	315		2
	Trichlorofluoromethane	µg/L	77	87		2

Steed Pond Aquifer (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>3Q92</u>	<u>4Q92</u>	<u>Mod</u>	<u>Flag</u>
LFW 61D	<i>Cadmium</i>	µg/L	2.7	-		-
	Chloromethane (Methyl chloride)	µg/L	< 10	7.3	J	1
	1,1-Dichloroethane	µg/L	21	22		2
	<i>1,2-Dichloroethane</i>	µg/L	< 5.0	4.9	J	1
	<i>1,1-Dichloroethylene</i>	µg/L	3.9	3.5	J	1
	<i>Tetrachloroethylene</i>	µg/L	2.9	3.2	J	1
	Total organic halogens	µg/L	179	315		2
	Trichlorofluoromethane	µg/L	128	181		2
LFW 62B	Iron	µg/L	14	593		2
LFW 62C	1,1-Dichloroethane	µg/L	8.6	14		2
	Total organic halogens	µg/L	68	64		2
	<i>Tritium</i>	pCi/mL	1.2E + 01	1.2E + 01		1
LFW 62D	1,1-Dichloroethane	µg/L	39	47		2
	Iron	µg/L	28	1,350		2
	<i>Lead</i>	µg/L	3.6	9.4		1
	<i>Tetrachloroethylene</i>	µg/L	2.7	D		D
	Total organic halogens	µg/L	299	72		2
	Trichlorofluoromethane	µg/L	94	117		2

Note: Constituents exceeding half the final PDWS appear *italicized*. The modifier and flag columns apply to 4Q92 data.

- ^a Duplicate/replicate samples of 1,1-dichloroethane.
- ^b NA = not analyzed.
- ^c - = not above Flag 1 or 2.
- ^d Duplicate/replicate samples of iron.
- ^e Duplicate/replicate samples of manganese.
- ^f Duplicate/replicate samples of total organic halogens.
- ^g Duplicate/replicate samples of specific conductance.
- ^h Duplicate/replicate samples of trichlorofluoromethane.
- ⁱ D = equaled or exceeded the final PDWS; refer to Table 1.

Table 3. Groundwater Monitoring Results for Individual Wells

WELL LFW 6

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N84537.8 E46241.2	33.286553 °N 81.711886 °W	160.4-141.1 ft msl	171.7 ft msl	4" Steel	S	Steep Pond Aquifer

SAMPLE DATE	02/10/92	05/28/92	08/25/92	11/30/92
-------------	----------	----------	----------	----------

FIELD DATA

<u>Analyte</u>	<u>1Q92</u>	<u>2Q92</u>	<u>3Q92</u>	<u>4Q92</u>	<u>Unit</u>
Water elevation	154.7	154.1	155.2	155.0	ft msl
pH	5.6	5.9	5.2	5.9	pH
Sp. conductance	253	276	99	244	µS/cm
Water temperature	18.2	18.0	21.5	19.6	°C
Alkalinity as CaCO ₃	98	118	18	109	mg/L
Volume purged	5.0	4.0	4.0	11.2	Well vol.

ANALYTICAL DATA

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>1Q92</u>	<u>2Q92</u>	<u>3Q92</u>	<u>4Q92</u>	<u>Mod</u>	<u>Unit</u>	<u>Lab</u>	<u>Flag</u>
		Aluminum	<14	16	<15	<15		µg/L	WA	0
		Antimony	<2.6	8.0	<2.0	<2.6		µg/L	WA	0
		Arsenic	4.5	5.2	<2.0	7.6		µg/L	WA	0
		Barium	8.5	12	39	18	J3	µg/L	WA	0
		Benzene	1.3	1.8	<1.0	2.3	J	µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<1.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<1.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<1.0	<10		µg/L	WA	0
		Cadmium	0.35	1.0	<0.35	<0.35		µg/L	WA	0
		Calcium	4,110	3,790	5,540	6,340	V	µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<1.0	<5.0		µg/L	WA	0
		Chloride	6,160	8,020	7,100	8,970		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<1.0	2.1	J	µg/L	WA	0
		Chloroethane	2.6	<10	2.5	12		µg/L	WA	2
		Chloroethane (Vinyl chloride)	1.9	1.9	<1.0	3.0	J	µg/L	WA	2
		2-Chloroethyl vinyl ether	<10	<10	<1.0	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<1.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<1.0	<10		µg/L	WA	0
		Chromium	1.4	<1.1	<1.1	1.4	J3	µg/L	WA	0
		Copper	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<1.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	12	12	12	20		µg/L	WA	2
		1,2-Dichloroethane	<5.0	<5.0	<1.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<1.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<1.0	1.2	J	µg/L	WA	0
		Dichloromethane (Methylene chloride)	1.8	1.6	5.3	<5.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<0.30	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<1.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<1.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<1.0	<5.0		µg/L	WA	0
		Endrin	<0.10	<0.11	<0.0060	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<1.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	3.9E+00	4.4E+00	8.5E+00	4.5E+00		pCi/L	CN	0
		Iron	55,400		13,100			µg/L	WA	0
		Lead	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.050	<0.056	<0.0050	<0.055		µg/L	WA	0
		Magnesium	4,750	5,130	5,290	5,960		µg/L	WA	0
		Manganese	39	48	38	118		µg/L	WA	2
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.50	<0.56	<0.50	<0.55		µg/L	WA	0
		Nickel	4.9	8.1	<3.1	5.5	J3	µg/L	WA	0
		Nitrate as nitrogen	<20	256	337	<20	J	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 6 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Nitrate-nitrite as nitrogen			492			µg/L		
		Nonvolatile beta	8.1E+00	<5.0E+00	8.3E+00	8.6E+00		pCi/L	CN	0
•		pH	8.0	7.1	5.8	6.6	J	pH	WA	0
		Phenols	<5.0		<5.0	<5.0		µg/L	WA	0
		Potassium	905	1,440	878	1,250		µg/L	WA	0
		Radium-228	3.4E+00	1.5E+00	4.3E+00	1.8E+00		pCi/L	CN	0
		Radium-228	2.0E+00		3.8E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		7,650	8,360	10,200		µg/L	WA	0
		Silicon	3,940					µg/L		
		Silver	<0.70	<0.70	<0.70	<0.70		µg/L	WA	0
		Sodium	3,970	4,860	2,740	3,650		µg/L	WA	0
•		Specific conductance	181	209	128	231	J	µS/cm	WA	0
		Sulfate	6,630	5,500	5,610	2,300		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<1.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	1.1	1.3	3.5	2.6	J	µg/L	WA	1
		Toluene	<5.0	<5.0	<1.0	<5.0		µg/L	WA	0
		Total dissolved solids				115,000	V	µg/L	WA	0
		Total organic carbon	2,070	3,840	2,370	2,330		µg/L	WA	0
		Total organic halogens	6,300	80	118	152		µg/L	WA	2
		Toxaphene	<1.0	<1.1	<0.24	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.55	<0.55	<0.090	<0.53		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<1.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	1.2	<1.0	<5.0		µg/L	WA	0
		Trichloroethylene	1.4	2.7	2.1	2.7	J	µg/L	WA	1
		Trichlorofluoromethane	<5.0	1.3	2.1	<5.0		µg/L	WA	0
		Tritium	3.0E+00	2.3E+00	2.1E+00	2.5E+00		pCi/mL	CN	0
		Vanadium	<0.88	<0.88	<0.88	<0.88		µg/L	WA	0

WELL LFW 7

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N84310.3 E45318.9	33.286177 °N 81.711239 °W	159.8-140.5 ft msl	171.2 ft msl	4" Steel	S	Steep Pond Aquifer

SAMPLE DATE	02/21/92	06/04/92	08/25/92	11/30/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	152.6	152.1	153.2	153.1	ft msl
pH					pH
Sp. conductance					µS/cm
Water temperature					°C
Alkalinity as CaCO ₃					mg/L
Volume purged					Well vol.

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

WELL LFW 8

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N84032.6 E45415.3	33.285720 °N 81.710445 °W	159.2-139.9 ft msl	170.5 ft msl	4" Steel	S	Steed Pond Aquifer

SAMPLE DATE	02/10/92	05/29/92	08/25/92	11/30/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	150.4	149.9	150.9	150.9	ft msl
pH	6.4	6.6	6.4	6.7	pH
Sp. conductance	440	385	363	378	µS/cm
Water temperature	18.3	18.8	20.3	20.0	°C
Alkalinity as CaCO ₃	92	62	153	182	mg/L
Volume purged	3.9	4.0	4.0	31.7	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	<14	<15	<15	<15		µg/L	WA	0
		Antimony	<2.6	9.2	<2.6	<2.6		µg/L	WA	0
		Arsenic	14	14	14	21		µg/L	WA	0
		Barium	<6.6	7.0	7.0	9.0	J3	µg/L	WA	0
		Benzene	3.6	2.8	3.3	4.0	J	µg/L	WA	1
		Bromodichloromethane	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<1.0	<10	<10		µg/L	WA	0
		Cadmium	<0.35	0.65	<0.35	<0.35		µg/L	WA	0
		Calcium	10,700	7,540	7,130	7,030	V	µg/L	WA	0
		Carbon tetrachloride	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Chloride	23,500	17,500	62,500	24,400		µg/L	WA	0
		Chlorobenzene	23	15	17	31		µg/L	WA	2
		Chloroethane	<10	8.5	<10	13		µg/L	WA	2
■		Chloroethene (Vinyl chloride)	157	128	<10	121		µg/L	WA	2
		2-Chloroethyl vinyl ether	<10	<1.0	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	1.9	<10	<10		µg/L	WA	0
		Chromium	1.1	<1.1	<1.1	1.1	J3	µg/L	WA	0
		Copper	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	48	35	32	32		µg/L	WA	2
		1,2-Dichloroethane	2.6	1.8	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	6.7	6.0	<5.0	<5.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<0.30	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.22	<0.0060	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	18	16	11	5.5		µg/L	WA	0
		Fluoride	178	200	147	175		µg/L	WA	0
		Gross alpha	5.7E+00	1.0E+01	6.6E+00	1.1E+01		pCi/L	CN	1
		Iron	66,300		47,800			µg/L		
		Lead	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.11	<0.0050	<0.056	<0.054		µg/L	WA	0
		Magnesium	18,400	12,100	10,000	10,100		µg/L	WA	0
		Manganese	31	26	20	18		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<1.1	<0.50	<0.56	<0.54		µg/L	WA	0
		Nickel	<3.1	<3.1	<3.1	<3.1		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 8 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
•		Nitrate as nitrogen	< 20	210	163	< 20	J	µg/L	WA	0
		Nitrate-nitrite as nitrogen		80				µg/L		
		Nonvolatile beta	1.2E+01	1.2E+01	1.1E+01	1.4E+01		pCi/L	CN	0
•		pH	6.1	6.7	6.1	6.3	J	pH	WA	0
		Phenols	11		< 5.0	< 5.0		µg/L	WA	0
		Potassium	1,430	1,720	1,290	1,770		µg/L	WA	0
		Radium-226	2.4E+00	2.5E+00	< 1.0E+00	1.5E+00		pCi/L	CN	0
		Radium-228	6.9E+00		5.3E+00			pCi/L		
		Selenium	< 2.0	< 2.0	< 2.0	< 2.0		µg/L	WA	0
		Silica		5,720	5,870	6,600		µg/L	WA	0
		Silicon	2,930					µg/L		
		Silver	< 0.70	< 0.70	< 0.70	< 0.70		µg/L	WA	0
		Sodium	15,700	16,200	19,200	20,900		µg/L	WA	0
•		Specific conductance	228	224	231	240	J	µS/cm	WA	0
		Sulfate	339	535	594	356		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	< 5.0	< 1.0	< 5.0	< 5.0		µg/L	WA	0
		Tetrachloroethylene	< 5.0	< 1.0	< 5.0	< 5.0		µg/L	WA	0
		Toluene	5.7	6.6	5.8	< 5.0		µg/L	WA	0
		Total dissolved solids				117,000	V	µg/L	WA	0
		Total organic carbon	5,310	7,660	4,740	6,130		µg/L	WA	1
		Total organic halogens	14,600	245	245	219		µg/L	WA	2
		Toxaphene	< 2.2	< 0.24	< 1.1	< 1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	< 0.56	< 0.090	< 0.56	< 0.53		µg/L	WA	0
		1,1,1-Trichloroethane	< 5.0	< 1.0	< 5.0	< 5.0		µg/L	WA	0
		1,1,2-Trichloroethane	< 5.0	1.1	< 5.0	< 5.0		µg/L	WA	0
		Trichloroethylene	< 5.0	< 1.0	< 5.0	< 5.0		µg/L	WA	0
		Trichlorofluoromethane	< 5.0	< 1.0	< 5.0	< 5.0		µg/L	WA	0
		Tritium	7.2E+00	7.3E+00	7.4E+00	8.6E+00		pCi/mL	CN	0
		Vanadium	< 0.88	< 0.88	< 0.88	< 0.88		µg/L	WA	0

WELL LFW 10A

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N84369.6	33.287315 °N	159.2-129.2 ft msl	175.5 ft msl	4" PVC	S	Steep Pond Aquifer
E45935.6	81.709731 °W					

SAMPLE DATE	02/10/92	05/29/92	08/24/92	11/29/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	152.9	152.4	153.2	153.2	ft msl
pH	5.8	6.3	6.0	6.4	pH
Sp. conductance	546	692	435	609	µS/cm
Water temperature	18.5	19.1	20.3	20.0	°C
Alkalinity as CaCO ₃	197	267	166	193	mg/L
Volume purged	4.0	4.0	4.0	47.0	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	< 14	< 15	< 15	71		µg/L	WA	2
		Antimony	2.9	8.3	< 2.6	< 2.6		µg/L	WA	0
		Arsenic	8.9	9.0	5.2	5.9	J3	µg/L	WA	0
		Barium	8.0	9.0	13	8.8	J3	µg/L	WA	0
■		Benzene	9.5	8.6	4.1	9.9	J2	µg/L	WA	2
		Bromodichloromethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromoform	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	< 10	< 10	< 10	< 10		µg/L	WA	0
		Cadmium	0.72	1.1	< 0.35	0.45	J3	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFV 10A continued

ANALYTICAL DATA-

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Calcium	17,900	11,400	10,700	16,200	V	µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	39,700	31,900	29,000	34,900		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	5.5	<10	<10	9.6	J2	µg/L	WA	1
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	1.1	<1.1	4.2	2.1	V	µg/L	WA	0
		Copper	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	193	170	153	148		µg/L	WA	2
		1,2-Dichloroethane	<5.0	1.6	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	7.5	5.9	5.2	5.4	J2	µg/L	WA	1
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	413	355	203	457		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	1.7	1.5	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.41	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	23	16	9.0	43	J2	µg/L	WA	0
		Fluoride	133	149	142	165		µg/L	WA	0
		Gross alpha	1.8E+00	4.1E+00	7.3E+00	8.2E+00		pCi/L	CN	1
		Iron	129,000		90,000			µg/L		
		Lead	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.20	<0.056	0.074	<0.055		µg/L	WA	0
		Magnesium	14,600	16,500	14,900	19,400	V	µg/L	WA	0
		Manganese	78	39	22	13		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<2.0	<0.56	<0.53	<0.55		µg/L	WA	0
		Nickel	<3.1	3.8	<3.1	3.5	V	µg/L	WA	0
		Nitrate as nitrogen	<20	<10	27	91		µg/L	WA	0
		Nonvolatile beta	9.2E+00	<5.0E+00	7.4E+00	7.3E+00		pCi/L	CN	0
		pH	6.1	6.2	5.9	6.3	J	pH	WA	0
		Phenols	<5.0		27	143		µg/L	WA	2
		Potassium	<64	284	1,220	823	V	µg/L	WA	0
		Radium-226	7.0E-01	1.4E+00	1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	9.0E-01		3.2E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		9,610	9,610	9,240		µg/L	WA	0
		Silicon	4,960					µg/L		
		Silver	<0.70	<0.70	<0.70	<0.70		µg/L	WA	0
		Sodium	26,700	24,100	17,200	32,900		µg/L	WA	0
		Specific conductance	376	372	331	502	J	µS/cm	WA	2
		Sulfate	7,320	<2,500	277	<250		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	37	36	125	27	J2	µg/L	WA	2
		Toluene	40	30	12	167	J2	µg/L	WA	0
		Total dissolved solids			191,000		JV	µg/L	WA	0
		Total organic carbon	43,400	33,300	13,000	94,600		µg/L	WA	2
		Total organic halogens	2,840	765	376	1,420		µg/L	WA	2
		Toxaphene	<4.1	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.53	<0.56	<0.53	<0.55		µg/L	WA	0
		1,1,1-Trichloroethane	35	26	34	15	J2	µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	1.3	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	49	48	45	51	J2	µg/L	WA	2
		Trichlorofluoromethane	78	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	1.0E+02	1.6E+02	1.4E+02	2.1E+02		pCi/mL	CN	2
		Vanadium	<0.88	<0.88	<0.88	<0.88		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

WELL LFW 16

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N84748.9 E45852.6	33.288018 °N 81.710687 °W	161.2-131.2 ft msl	178.8 ft msl	4" PVC	S	Steep Pond Aquifer

SAMPLE DATE	02/10/92	05/28/92	08/24/92	11/29/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	155.9	155.4	156.1	156.1	ft msl
pH	4.4	4.4	4.8	4.9	pH
Sp. conductance	101	41	36	33	µS/cm
Water temperature	19.1	19.7	21.3	21.0	°C
Alkalinity as CaCO ₃	0	0	0	0	mg/L
Volume purged	4.0	4.0	4.0	12.8	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	22	34	<15	40	J3	µg/L	WA	1
		Antimony	6.7	7.6	<2.6	<2.6		µg/L	WA	0
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	11	8.3	14	8.1	J3	µg/L	WA	0
		Benzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	<0.35	<0.35	<0.35	1.1	J3	µg/L	WA	0
		Calcium	3,330	1,260	1,950	1,330	V	µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	20,700	5,860	3,240	2,960		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	1.2	<1.1	9.0	2.4	V	µg/L	WA	0
		Copper	<1.1	11	1.2	<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	45	25	32	32		µg/L	WA	2
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	1.3	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	34	16	14	19	V	µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	1.3	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	1.2E+01	<3.0E+00	<2.0E+00	3.4E+00		pCi/L	CN	0
		Iron	152		139			µg/L		
		Lead	2.1	6.0	4.3	4.4	J3	µg/L	WA	0
		Lindane	<0.053	<0.055	<0.056	<0.053		µg/L	WA	0
		Magnesium	5,470	1,830	1,980	1,610	V	µg/L	WA	0
		Manganese	2.0	2.2	1.9	0.95	J3	µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.53	<0.55	<0.56	<0.53		µg/L	WA	0
		Nickel	<3.1	6.1	<3.1	7.5	V	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 16 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Nitrate as nitrogen	841	675	677	459		µg/L	WA	0
		Nonvolatile beta	9.3E+00	< 5.0E+00	2.8E+00	5.1E+00		pCi/L	CN	0
•		pH	5.2	6.6	5.1	4.9	J	pH	WA	0
		Phenols	7.7		< 5.0	< 5.0		µg/L	WA	0
		Potassium	203	424	656	554	V	µg/L	WA	0
		Radium-226	1.3E+00	5.3E-01	1.2E+00	< 1.0E+00		pCi/L	CN	0
		Radium-228	5.0E+00		1.8E+00			pCi/L		
		Selenium	< 2.0	< 2.0	< 2.0	< 2.0		µg/L	WA	0
		Silica		8,820	11,100	10,800		µg/L	WA	0
		Silicon	5,820					µg/L		
		Silver	< 0.70	< 0.70	< 0.70	< 0.70		µg/L	WA	0
		Sodium	5,800	1,910	1,590	1,580		µg/L	WA	0
•		Specific conductance	79	42	41	32	J	µS/cm	WA	0
		Sulfate	< 2,500	< 2,500	318	< 250		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
■		Tetrachloroethylene	3.2	2.7	15	5.0	J	µg/L	WA	2
		Toluene	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Total dissolved solids				54,000	V	µg/L	WA	0
		Total organic carbon	2,780	1,440	602	1,400		µg/L	WA	0
		Total organic halogens	6,470	89	< 50	116		µg/L	WA	2
		Toxaphene	< 1.1	< 1.1	< 1.1	< 1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	< 0.53	< 0.57	< 0.56	< 0.56		µg/L	WA	0
		1,1,1-Trichloroethane	4.7	3.9	6.0	4.7	J	µg/L	WA	0
		1,1,2-Trichloroethane	< 5.0	1.1	< 5.0	< 5.0		µg/L	WA	0
■		Trichloroethylene	9.6	7.8	14	8.3		µg/L	WA	2
		Trichlorofluoromethane	13	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Tritium	9.4E+01	2.1E+01	1.4E+01	1.3E+01		pCi/mL	CN	1
		Vanadium	< 0.88	< 0.88	1.2	0.90	J3	µg/L	WA	0

WELL LFW 17

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N84602.8	33.287295 °N	158.5-128.5 ft msl	177.8 ft msl	4" PVC	S	Steep Pond Aquifer
E45607.3	81.711048 °W					

SAMPLE DATE	02/11/92	05/28/92	08/25/92	11/30/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	155.4	154.7	155.6	155.7	ft msl
pH	6.6	6.0	6.3	6.5	pH
Sp. conductance	252	239	306	352	µS/cm
Water temperature	19.5	19.1	19.7	19.8	°C
Alkalinity as CaCO ₃	74	70	86	144	mg/L
Volume purged	4.0	4.0	4.0	6.4	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	21	< 15	< 15	< 15		µg/L	WA	0
		Antimony	< 2.6	9.6	< 2.6	< 2.6		µg/L	WA	0
		Arsenic	18	14	13	17		µg/L	WA	0
		Barium	< 6.6	< 4.0	8.4	4.9	J3	µg/L	WA	0
		Benzene	2.1	2.6	< 5.0	4.1	J	µg/L	WA	1
		Bromodichloromethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromoform	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	< 10	< 10	< 10	< 10		µg/L	WA	0
		Cadmium	1.4	0.45	1.3	< 0.35		µg/L	WA	0
		Calcium	4,070	4,050	4,770	5,440	V	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 17 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	25,200	26,300	61,700	34,800		µg/L	WA	0
		Chlorobenzene	17	33	41	84		µg/L	WA	2
		Chloroethane	<10	<10	7.2	11		µg/L	WA	2
		Chloroethene (Vinyl chloride)	<10	<10	<10	1.9	J	µg/L	WA	1
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		Copper	1.7	<1.1	<1.1	<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	27	21	25	25		µg/L	WA	2
		1,2-Dichloroethane	5.8	3.8	4.5	3.9	J	µg/L	WA	1
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	1.0	J	µg/L	WA	0
		Dichloromethane (Methylene chloride)	3.8	2.2	<5.0	<5.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.22	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	10	8.7	14	15		µg/L	WA	0
		Fluoride	<100	<100	<100	213		µg/L	WA	0
		Gross alpha	6.0E-01	<3.0E+00	<2.0E+00	4.5E+00		pCi/L	CN	0
		Iron	17,900		21,700			µg/L		
		Lead	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.055	<0.11	<0.056	<0.054		µg/L	WA	0
		Magnesium	7,650	7,830	9,320	10,900		µg/L	WA	0
		Manganese	16	13	15	12		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.55	<1.1	<0.56	<0.54		µg/L	WA	0
		Nickel	3.6	<3.1	4.1	<3.1		µg/L	WA	0
•		Nitrate as nitrogen	<20	101	117	<20	J	µg/L	WA	0
		Nonvolatile beta	3.8E+00	<5.0E+00	2.8E+00	3.9E+00		pCi/L	CN	0
•		pH	6.2	6.6	6.3	6.5	J	pH	WA	0
		Phenols	6.9		12	7.5		µg/L	WA	0
		Potassium	686	834	861	1,270		µg/L	WA	0
		Radium-226	5.0E-01	6.9E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	7.0E-01		1.9E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		5,190	5,730	7,160		µg/L	WA	0
		Silicon	2,900					µg/L		
		Silver	<0.70	<0.70	<0.70	<0.70		µg/L	WA	0
		Sodium	15,300	17,900	23,100	36,900		µg/L	WA	0
•		Specific conductance	171	187	250	316	J	µS/cm	WA	1
		Sulfate	1,390	1,120	1,910	1,280		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	2.7	1.8	4.2	2.0	J	µg/L	WA	0
		Total dissolved solids				152,000	V	µg/L	WA	0
		Total organic carbon	4,740	4,770	4,130	4,930		µg/L	WA	0
		Total organic halogens	1,570	156	367	245		µg/L	WA	2
		Toxaphene	<1.1	<2.2	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.55	<0.55	<0.55	<0.55		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	1.1	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	1.0E+01	8.4E+00	7.6E+00	6.8E+00		pCi/mL	CN	0
		Vanadium	1.2	<0.88	<0.88	<0.88		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

FIELD DATA

ANALYTICAL DATA

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 18 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
•		Nitrate as nitrogen	< 20	172	79	< 20	J	µg/L	WA	0
		Nonvolatile beta	7.9E + 00	5.2E + 00	5.1E + 00	9.3E + 00		pCi/L	CN	0
•		pH	6.1	6.7	6.2	6.3	J	pH	WA	0
		Phenols	7.4		9.0	5.1		µg/L	WA	0
		Potassium	1,260	1,290	2,050	2,310		µg/L	WA	0
		Radium-226	1.1E + 00	< 5.0E-01	< 1.0E + 00	1.0E + 00		pCi/L	CN	0
		Radium-228	3.9E + 00		3.8E + 00			pCi/L		
		Selenium	< 2.0	< 2.0	< 2.0	< 2.0		µg/L	WA	0
		Silica		6,210	8,250	7,960		µg/L	WA	0
		Silicon	3,590					µg/L		
		Silver	< 0.70	< 0.70	< 0.70	< 0.70		µg/L	WA	0
		Sodium	11,200	9,930	16,300	11,700		µg/L	WA	0
•		Specific conductance	149	137	236	238	J	µS/cm	WA	0
		Sulfate	518	511	958	315		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Tetrachloroethylene	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Toluene	3.6	2.6	6.0	4.6	J	µg/L	WA	0
		Total dissolved solids				100,000	V	µg/L	WA	0
		Total organic carbon	3,120	4,230	4,440	4,030		µg/L	WA	0
		Total organic halogens	840	150	260	298		µg/L	WA	2
		Toxaphene	< 1.1	< 2.2	< 1.1	< 1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	< 0.56	< 0.55	< 0.56	< 0.55		µg/L	WA	0
		1,1,1-Trichloroethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		1,1,2-Trichloroethane	< 5.0	1.2	< 5.0	< 5.0		µg/L	WA	0
		Trichloroethylene	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Trichlorofluoromethane	< 5.0	1.1	< 5.0	< 5.0		µg/L	WA	0
		Tritium	5.0E + 00	5.0E + 00	1.4E + 01	6.6E + 00		pCi/mL	CN	0
		Vanadium	1.0	< 0.88	< 0.88	< 0.88		µg/L	WA	0

WELL LFW 19

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N84817.2 E45135.4	33.286998 °N 81.712707 °W	160.0-130.0 ft msl	176.7 ft msl	4" PVC	S	Steep Pond Aquifer

SAMPLE DATE	02/11/92	05/28/92	08/25/92	11/30/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	156.5	156.0	156.8	156.8	ft msl
pH	5.0	4.3	4.8	4.9	pH
Sp. conductance	18	19	21	18	µS/cm
Water temperature	18.3	18.5	20.4	19.3	°C
Alkalinity as CaCO ₃	0	0	0	0	mg/L
Volume purged	4.0	4.0	4.0	11.3	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	20	< 15	< 15	< 15		µg/L	WA	0
		Antimony	< 2.6	6.3	< 2.6	< 2.6		µg/L	WA	0
		Arsenic	< 2.0	< 2.0	< 2.0	< 2.0		µg/L	WA	0
		Barium	< 6.6	4.0	4.6	4.5	J3	µg/L	WA	0
		Benzene	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromodichloromethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromoform	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	< 10	< 10	< 10	< 10		µg/L	WA	0
		Cadmium	< 0.35	< 0.35	< 0.35	< 0.35		µg/L	WA	0
		Calcium	386	442	508	450	V	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 19 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	2,290	2,960	2,460	2,410		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	2.5	<1.1	<1.1	1.4	J3	µg/L	WA	0
		Copper	5.7	6.2	2.2	3.8	J3	µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	1.3	<5.0	<5.0	<5.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		pCi/L	WA	0
		Gross alpha	2.0E+00	4.3E+00	3.8E+00	3.1E+00		pCi/L	CN	0
		Iron	48		172			µg/L	WA	0
		Lead	5.2	4.8	2.4	5.6	J3	µg/L	WA	0
		Lindane	<0.056	<0.056	<0.055	<0.053		µg/L	WA	0
		Magnesium	448	521	560	514		µg/L	WA	0
		Manganese	5.1	2.9	2.6	2.2		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.56	<0.56	<0.55	<0.53		µg/L	WA	0
		Nickel	8.1	<3.1	<3.1	3.4	J3	µg/L	WA	0
		Nitrate as nitrogen	439	407	360	308		µg/L	WA	0
		Nonvolatile beta	7.4E+00	6.9E+00	7.9E+00	8.2E+00		pCi/L	CN	0
		pH	5.2	6.6	5.4	5.7	J	pH	WA	0
		Phenols	<5.0		<5.0	<5.0		µg/L	WA	0
		Potassium	285	228	494	526		µg/L	WA	0
		Radium-226	1.2E+00	1.2E+00	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	4.6E+00		3.9E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		5,590	6,330	6,340		µg/L	WA	0
		Silicon	3,160					µg/L		
		Silver	<0.70	<0.70	<0.70	<0.70		µg/L	WA	0
		Sodium	1,390	1,400	1,490	1,490		µg/L	WA	0
		Specific conductance	14	18	20	16	J	µS/cm	WA	0
		Sulfate	460	378	<250	313		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids				9,000	V	µg/L	WA	0
		Total organic carbon	545	3,370	3,510	<500	J	µg/L	WA	0
		Total organic halogens	<500	36	<5.0	5.7		µg/L	WA	0
		Toxaphene	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.56	<0.56	<0.55	<0.53		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	1.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	2.7E+00	2.4E+00	2.9E+00	3.2E+00		pCi/mL	CN	0
		Vanadium	<0.88	<0.88	<0.88	1.4	J3	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

WELL LFW 20

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N85262.6	33.288714 °N	165.0-135.0 ft msl	180.5 ft msl	4" PVC	S	Steep Pond Aquifer
E45582.9	81.712395 °W					

SAMPLE DATE	02/11/92	05/29/92	08/24/92	11/29/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	159.7	159.0	160.0	159.8	ft msl
pH	5.0				pH
Sp. conductance	18				$\mu\text{S}/\text{cm}$
Water temperature	19.6				$^{\circ}\text{C}$
Alkalinity as CaCO_3	0				mg/L
Volume purged	4.0				Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	15					µg/L		
		Antimony	< 2.6					µg/L		
		Arsenic	< 2.0					µg/L		
		Barium	< 6.6					µg/L		
		Benzene	< 5.0					µg/L		
		Bromodichloromethane	< 5.0					µg/L		
		Bromoform	< 5.0					µg/L		
		Bromomethane (Methyl bromide)	< 10					µg/L		
		Cadmium	< 0.35					µg/L		
		Calcium	182					µg/L		
		Carbon tetrachloride	< 5.0					µg/L		
		Chloride	2,590					µg/L		
		Chlorobenzene	< 5.0					µg/L		
		Chloroethane	< 10					µg/L		
		Chloroethene (Vinyl chloride)	< 10					µg/L		
		2-Chloroethyl vinyl ether	< 10					µg/L		
		Chloroform	< 5.0					µg/L		
		Chloromethane (Methyl chloride)	< 10					µg/L		
		Chromium	2.1					µg/L		
		Copper	7.1					µg/L		
		Dibromochloromethane	< 5.0					µg/L		
		1,1-Dichloroethane	< 5.0					µg/L		
		1,2-Dichloroethane	< 5.0					µg/L		
		1,1-Dichloroethylene	< 5.0					µg/L		
		trans-1,2-Dichloroethylene	< 5.0					µg/L		
		Dichloromethane (Methylene chloride)	2.6					µg/L		
		2,4-Dichlorophenoxyacetic acid	< 1.1					µg/L		
		1,2-Dichloropropane	< 5.0					µg/L		
		cis-1,3-Dichloropropene	< 5.0					µg/L		
		trans-1,3-Dichloropropene	< 5.0					µg/L		
		Endrin	< 0.11					µg/L		
		Ethylbenzene	< 5.0					µg/L		
		Fluoride	< 100					µg/L		
		Gross alpha	1.5E + 00					pCi/L		
		Iron	< 1.9					µg/L		
		Lead	4.6					µg/L		
		Lindane	< 0.056					µg/L		
		Magnesium	288					µg/L		
		Manganese	1.6					µg/L		
		Mercury	< 0.20					µg/L		
		Methoxychlor	< 0.56					µg/L		
		Nickel	3.8					µg/L		

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

- = exceeded holding time for 4th quarter 1992.
■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 20 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Nitrate as nitrogen	287					µg/L		
		Nonvolatile beta	5.3E+00					pCi/L		
		pH	5.1					pH		
		Phenols	<5.0					µg/L		
		Potassium	380					µg/L		
		Radium-226	6.0E-01					pCi/L		
		Radium-228	3.2E+00					pCi/L		
		Selenium	<2.0					µg/L		
		Silicon	2,870					µg/L		
		Silver	<0.70					µg/L		
		Sodium	1,560					µg/L		
		Specific conductance	59					µS/cm		
		Sulfate	<100					µg/L		
		1,1,2,2-Tetrachloroethane	<5.0					µg/L		
		Tetrachloroethylene	<5.0					µg/L		
		Toluene	<5.0					µg/L		
		Total organic carbon	<500					µg/L		
		Total organic halogens	<500					µg/L		
		Toxaphene	<1.1					µg/L		
		2,4,5-TP (Silvex)	<0.57					µg/L		
		1,1,1-Trichloroethane	<5.0					µg/L		
		1,1,2-Trichloroethane	<5.0					µg/L		
		Trichloroethylene	<5.0					µg/L		
		Trichlorofluoromethane	<5.0					µg/L		
		Tritium	2.2E+00					pCi/mL		
		Vanadium	1.1					µg/L		

WELL LFW 21

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N84178.3	33.287241 °N	158.9-128.9 ft msl	175.6 ft msl	4" PVC	S	Steep Pond Aquifer
E46149.4	81.708796 °W					

SAMPLE DATE	02/11/92	05/29/92	08/24/92	12/01/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	150.9	150.4	151.4	151.6	ft msl
pH	6.6	6.5	6.3	6.5	pH
Sp. conductance	910	1413	1426	1291	µS/cm
Water temperature	19.3	18.8	22.2	20.1	°C
Alkalinity as CaCO ₃	339	363	273	393	mg/L
Volume purged	4.0	4.0	4.0	27.5	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	19	<15	<15	50	J3	µg/L	WA	1
		Antimony	4.7	4.5	3.3	<2.6		µg/L	WA	0
		Arsenic	16	25	27	34		µg/L	WA	1
		Barium	<6.6	14	18	15	J3	µg/L	WA	0
		Benzene	4.9	21	16	17		µg/L	WA	2
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	22	2.3	<0.35	<0.35		µg/L	WA	0
		Calcium	17,100	46,200	62,800	62,500		µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	29,500	37,500	58,900	57,900		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 21 continued

ANALYTICAL DATA

H	D	Analysis	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Chlorobenzene	<5.0	<5.0	3.2	2.7	J	µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethane (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	<1.1	<1.1	V	µg/L	WA	0
		Copper	2.4	<1.1	<1.1	<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	128	286	361	184		µg/L	WA	2
		1,2-Dichloroethane	<5.0	3.9	4.6	3.9	J	µg/L	WA	1
		1,1-Dichloroethylene	4.8	5.0	4.3	2.9	J	µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	2.2	2.5		µg/L	WA	0
		Dichloromethane (Methylene chloride)	35	16	15	<5.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	1.6	<1.1		µg/L	WA	0
		1,2-Dichloropropane	2.3	7.7	6.4	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.22	<0.11	<1.1	<0.11		µg/L	WA	0
		Ethylbenzene	39	87	98	88		µg/L	WA	0
		Fluoride	151	168	123	179		µg/L	WA	0
		Gross alpha	<2.6E+00	1.1E+01	<8.0E+00	5.6E+00		pCi/L	CN	0
		Iron	200,000		1.8E+08			µg/L		
		Lead	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.11	<0.055	0.48	<0.055		µg/L	WA	0
		Magnesium	18,900	33,400	42,100	36,900		µg/L	WA	0
		Manganese	219	363	308	231		µg/L	WA	2
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<1.1	<0.55	<5.3	<0.55		µg/L	WA	0
		Nickel	<3.1	<3.1	<3.1	<3.1		µg/L	WA	0
		Nitrate as nitrogen	<20	<10	<20	<20		µg/L	WA	0
		Nonvolatile beta	5.6E+00	5.1E+00	<5.3E+00	1.2E+01		pCi/L	CN	0
		pH	5.9	5.9	5.7	6.1	J	pH	WA	0
		Phenols	193		630	646		µg/L	WA	2
		Potassium	<84	323		613	V	µg/L	WA	0
		Radium-226	9.0E-01	2.3E+00	2.2E+00	2.4E+00		pCi/L	CN	0
		Radium-228	9.0E-01		2.9E+00			pCi/L		
		Selenium	2.2	<2.0	2.0	<2.0		µg/L	WA	0
		Silica		7,800	9,290	9,110	V	µg/L	WA	0
		Silicon	4,530					µg/L		
		Silver	<0.70	<0.70	<0.70	7.0		µg/L	WA	0
		Sodium	20,000	52,300	58,800	64,300	V	µg/L	WA	0
		Specific conductance	500	1,150	1,250	1,120	J	µS/cm	WA	2
		Sulfate	4,230	421	1,070	1,100		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	4.9	4.9	10	3.1	J	µg/L	WA	1
		Toluene	79	250	387	271		µg/L	WA	0
		Total dissolved solids				1.1E+06	V	µg/L	WA	0
		Total organic carbon	133,000	460,000	516,000	378,000		µg/L	WA	2
		Total organic halogens	1,490	1,090	504	1,900		µg/L	WA	2
		Toxaphene	<2.2	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.56	<0.55	<0.53	<0.56		µg/L	WA	0
		1,1,1-Trichloroethane	10	3.8	4.5	2.9	J	µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	20	27	24	17		µg/L	WA	2
		Trichlorofluoromethane	53	43	<5.0	<5.0		µg/L	WA	0
		Tritium	1.1E+01	1.2E+01	1.7E+01	1.7E+01		pCi/mL	CN	1
		Vanadium	1.6	<0.88	<0.88	<0.88		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

WELL LFW 22

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N84223.6 E46325.2	33.287628 °N 81.708421 °W	152.4-122.4 ft msl	174.2 ft msl	4" PVC	S	Steep Pond Aquifer

SAMPLE DATE	02/11/92	05/29/92	08/24/92	12/01/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	151.5	150.7	152.2	152.4	ft msl
pH	6.6	6.3	6.4	6.8	pH
Sp. conductance	1006	768	924	866	µS/cm
Water temperature	19.3	18.9	21.1	19.8	°C
Alkalinity as CaCO ₃	357	234	333	282	mg/L
Volume purged	4.0	4.0	4.0	6.8	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	<14	<15	<15	<15		µg/L	WA	0
		Antimony	<2.6	10	<2.6	<2.6		µg/L	WA	0
		Arsenic	12	9.3	11	15		µg/L	WA	0
		Barium	15	12	13	12	J3	µg/L	WA	0
		Benzene	3.0	<5.0	3.3	3.9	J	µg/L	WA	1
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	31	2.3	<0.35	<0.35		µg/L	WA	0
		Calcium	17,500	15,100	18,800	21,100		µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	33,700	24,500	52,600	35,400		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	1.2	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	<1.1	<1.1	V	µg/L	WA	0
		Copper	5.3	<1.1	<1.1	<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	103	90	98	100		µg/L	WA	2
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	5.6	3.2	3.0	2.8	J	µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	306	239	251	358	L	µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	3.1	0.74	0.99	0.72	J	µg/L	WA	0
		1,2-Dichloropropane	3.8	3.5	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.22	<0.12	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	179	230	205	139		µg/L	WA	0
		Fluoride	<100	110	103	125		µg/L	WA	0
		Gross alpha	2.5E+00	6.7E+00	<5.7E+00	6.9E+00		pCi/L	CN	0
		Iron	241,000		1.1E+08			µg/L		
		Lead	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.11	<0.058	<0.056	<0.055		µg/L	WA	0
		Magnesium	15,700	10,300	17,900	17,000		µg/L	WA	0
		Manganese	117	73	72	112		µg/L	WA	2
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<1.1	<0.58	<0.56	<0.55		µg/L	WA	0
		Nickel	<3.1	<3.1	<3.1	<3.1		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 22 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Nitrate as nitrogen	< 20	163	< 20	126		µg/L	WA	0
		Nonvolatile beta	7.9E+00	< 5.0E+00	< 5.3E+00	4.3E+00		pCi/L	CN	0
•		pH	6.0	5.8	5.9	6.1	J	pH	WA	0
		Phenols	339		249	242		µg/L	WA	2
		Potassium	< 84	345		290	V	µg/L	WA	0
		Radium-226	2.5E+00	9.5E-01	1.1E+00	2.3E+00		pCi/L	CN	0
		Radium-228	2.9E+00		2.3E+00			pCi/L		
		Selenium	5.3	2.2	< 2.0	< 2.0		µg/L	WA	0
		Silica		7,810	9,650	9,810	V	µg/L	WA	0
		Silicon	4,550					µg/L		
		Silver	< 0.70	< 0.70	< 0.70	< 0.70		µg/L	WA	0
		Sodium	22,100	18,800	25,100	29,600	V	µg/L	WA	0
•		Specific conductance	719	459	598	661	J	µS/cm	WA	2
		Sulfate	3,060	< 250	1,630	< 250		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Tetrachloroethylene	4.8	4.9	9.6	4.8	J	µg/L	WA	1
		Toluene	211	244	206	159		µg/L	WA	0
		Total dissolved solids				479,000	V	µg/L	WA	0
		Total organic carbon	187,000	147,000	100,000	196,000		µg/L	WA	2
		Total organic halogens	< 5.0	602	593	1,250		µg/L	WA	2
		Toxaphene	< 2.2	< 1.2	< 1.1	< 1.1		µg/L	WA	0
		2,4,6-TP (Silvex)	< 0.57	< 0.56	< 0.55	< 0.53		µg/L	WA	0
		1,1,1-Trichloroethane	11	5.1	5.2	3.7	J	µg/L	WA	0
		1,1,2-Trichloroethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
■		Trichloroethylene	26	25	27	32		µg/L	WA	2
		Trichlorofluoromethane	240	44	< 5.0	90		µg/L	WA	2
		Tritium	6.8E+00	5.1E+00	6.6E+00	6.0E+00		pCi/mL	CN	0
		Vanadium	< 0.88	< 0.88	< 0.88	< 0.88		µg/L	WA	0

WELL LFW 23

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N84251.3 E46456.1	33.287903 °N 81.708131 °W	155.1-125.1 ft msl	171.8 ft msl	4" PVC	S	Steep Pond Aquifer

SAMPLE DATE	02/10/92	05/29/92	08/24/92	12/01/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	151.8	151.0	152.8	152.8	ft msl
pH	4.1	4.2	4.6	4.8	pH
Sp. conductance	26	25	27	29	µS/cm
Water temperature	18.8	18.4	21.1	19.7	°C
Alkalinity as CaCO ₃	0	0	0	0	mg/L
Volume purged	4.0	4.0	4.0	13.1	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	18	21	< 15	43		µg/L	GE	1
		Antimony	5.0	< 2.6	< 2.6	< 2.0		µg/L	GE	0
		Arsenic	< 2.0	< 2.0	< 2.0	< 2.0		µg/L	GE	0
		Barium	< 6.6	< 4.0	6.2	5.7		µg/L	GE	0
		Benzene	< 5.0	< 5.0	< 5.0	< 1.0		µg/L	GE	0
		Bromodichloromethane	< 5.0	< 5.0	< 5.0	< 1.0		µg/L	GE	0
		Bromoform	< 5.0	< 5.0	< 5.0	< 1.0		µg/L	GE	0
		Bromomethane (Methyl bromide)	< 10	< 10	< 10	< 1.0		µg/L	GE	0
		Cadmium	0.50	0.45	0.97	0.38	J3V	µg/L	WA	0
		Calcium	450	416	419	434		µg/L	GE	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 23 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Carbon tetrachloride	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		Chloride	2,710	2,070	1,940	1,820		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		Chloroethane	<10	<10	<10	3.2		µg/L	GE	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<1.0		µg/L	GE	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<1.0		µg/L	GE	0
		Chloroform	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<1.0		µg/L	GE	0
		Chromium	<1.1	<1.1	<1.1	1.8	V	µg/L	WA	0
		Copper	3.7	1.2	4.8	4.7	J3	µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		1,1-Dichloroethane	2.9	3.4	<5.0	6.8		µg/L	GE	1
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		Dichloromethane (Methylene chloride)	3.4	7.9	3.8	6.9		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<0.30		µg/L	GE	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		Endrin	<0.11	<0.11	<0.11	<0.0060		µg/L	GE	0
		Ethylbenzene	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		Fluoride	<100	<100	<100	<100		µg/L	GE	0
		Gross alpha	1.3E + 00	<3.0E + 00	<2.0E + 00	5.0E + 00		pCi/L	GP	0
		Iron	49		47			µg/L		
		Lead	7.6	7.1	7.1	9.1		µg/L	WA	1
		Lindane	<0.055	<0.056	<0.058	<0.0050		µg/L	GE	0
		Magnesium	632	635	636	714		µg/L	GE	0
		Manganese	1.1	2.2	1.1	1.3	J3	µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	GE	0
		Methoxychlor	<0.55	<0.56	<0.58	<0.50		µg/L	GE	0
		Nickel	4.1	4.1	<3.1	4.9	J3	µg/L	WA	0
		Nitrate as nitrogen	1,010	816	801	1,200		µg/L	WA	0
		Nitrate-nitrite as nitrogen				1,540		µg/L	GE	0
		Nonvolatile beta	4.6E + 00	<5.0E + 00	2.5E + 00	4.1E + 00		pCi/L	GP	0
		pH	4.9	5.3	5.2	5.2	J	pH	WA	0
		Phenols	<5.0		<5.0	<5.0		µg/L	GE	0
		Potassium	132	368	423	430	V	µg/L	WA	0
		Radium-226	8.0E-01	1.2E + 00	<1.0E + 00	1.4E + 00		pCi/L	GP	0
		Radium-228	2.4E + 00		2.6E + 00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	GE	0
		Silica		7,160	7,460	8,020		µg/L	GE	0
		Silicon	3,700					µg/L		
		Silver	<0.70	<0.70	<0.70	0.88	J3	µg/L	WA	0
		Sodium	1,900	2,010	2,220	2,270	V	µg/L	WA	0
		Specific conductance	19	22	25	27	J	µS/cm	WA	0
		Sulfate	<100	<250	<250	<250		µg/L	WA	0
		1,1,1,2-Tetrachloroethane	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		Toluene	<5.0	<5.0	<5.0	1.0	J	µg/L	GE	0
		Total dissolved solids				84,000	V	µg/L	WA	0
		Total organic carbon	545	910	1,440	<500		µg/L	WA	0
		Total organic halogens	2,450	33	<50	134		µg/L	WA	2
		Toxaphene	<1.1	<1.1	<1.1	<0.24		µg/L	GE	0
		2,4,5-TP (Silvex)	<0.55	<0.56	<0.55	<0.090		µg/L	GE	0
		1,1,1-Trichloroethane	1.5	1.1	<5.0	1.4		µg/L	GE	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		Trichloroethylene	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		Trichlorofluoromethane	4.9	3.4	<5.0	4.5		µg/L	GE	0
		Tritium	2.4E + 00	<2.0E + 00	2.7E + 00	2.8E + 00		pCi/mL	CN	0
		Vanadium	<0.88	<0.88	<0.88	1.3	J3	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

WELL LFW 24

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N84544.2 E46520.8	33.288656 °N 81.708530 °W	154.5-124.5 ft msl	171.3 ft msl	4" PVC	S	Steed Pond Aquifer

SAMPLE DATE	02/10/92	05/29/92	08/24/92	12/01/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	154.2	153.4	155.4	155.3	ft msl
pH	4.1	4.2	4.7	5.1	pH
Sp. conductance	18	17	16	16	µS/cm
Water temperature	18.0	18.1	20.2	19.5	°C
Alkalinity as CaCO ₃	0	0	0	0	mg/L
Volume purged	4.0	4.0	4.0	3.9	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	<14	<15	<15	22	J3	µg/L	WA	0
		Antimony	<2.6	<2.6	<2.6	<2.6		µg/L	WA	0
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	<6.6	<4.0	5.0	<4.0		µg/L	WA	0
		Benzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	1.1	0.45	0.55	<0.35	V	µg/L	WA	0
		Calcium	303	293	304	225		µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	2,440	1,860	1,800	1,930		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	1.3	<1.1	2.7	V	µg/L	WA	0
		Copper	3.4	11	5.3	8.4		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	<5.0	5.7	1.4	<5.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<1.0	<100	<100		µg/L	WA	0
		Gross alpha	1.2E+00	<3.0E+00	<2.0E+00	<2.0E+00		pCi/L	CN	0
		Iron	46		33			µg/L		
		Lead	4.8	4.3	3.8	3.5	J3	µg/L	WA	0
		Lindane	<0.056	<0.057	<0.058	<0.053		µg/L	WA	0
		Magnesium	482	506	317	296		µg/L	WA	0
		Manganese	1.4	1.8	1.1	0.97	J3	µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.56	<0.57	<0.58	<0.56		µg/L	WA	0
		Nickel	<3.1	4.8	5.7	3.7	J3	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 24 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Nitrate as nitrogen	576	495	203	175		µg/L	WA	0
		Nonvolatile beta	7.2E+00	5.4E+00	< 2.0E+00	2.1E+00		pCi/L	CN	0
•		pH	5.1	5.3	5.3	5.3	J	pH	WA	0
		Phenols	< 5.0		< 5.0	< 5.0		µg/L	WA	0
		Potassium	222	411	645	361	V	µg/L	WA	0
		Radium-226	1.3E+00	9.9E-01	< 1.0E+00	< 1.0E+00		pCi/L	CN	0
		Radium-228	4.4E+00		< 1.0E+00			pCi/L		
		Selenium	< 2.0	< 2.0	< 2.0	< 2.0		µg/L	WA	0
		Silica		5,470	5,590	5,770	V	µg/L	WA	0
		Silicon	2,670					µg/L		
		Silver	< 0.70	< 0.70	< 0.70	< 0.70		µg/L	WA	0
		Sodium	965	1,140	1,370	1,490	V	µg/L	WA	0
•		Specific conductance	14	15	14	13	J	µS/cm	WA	0
		Sulfate	< 100	< 250	< 250	< 250		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Tetrachloroethylene	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Toluene	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Total dissolved solids				16,000	V	µg/L	WA	0
		Total organic carbon	< 500	< 500	1,000	2,220		µg/L	WA	0
		Total organic halogens	1,710	< 20	60	< 5.0		µg/L	WA	0
		Toxaphene	< 1.1	< 1.1	< 1.1	< 1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	< 0.55	< 0.56	< 0.55	< 0.56		µg/L	WA	0
		1,1,1-Trichloroethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		1,1,2-Trichloroethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Trichloroethylene	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Trichlorofluoromethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Tritium	2.6E+00	2.4E+00	1.5E+00	4.5E+00		pCi/mL	CN	0
		Vanadium	< 0.88	< 0.88	< 0.88	0.90	J3	µg/L	WA	0

WELL LFW 25

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N84967.2	33.289436 °N	153.2-123.2 ft msl	174.7 ft msl	4" PVC	S	Steep Pond Aquifer
E46425.7	81.709602 °W					

SAMPLE DATE	02/12/92	06/02/92	08/31/92	12/02/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	156.7	155.9	157.7		ft msl
pH	4.7	4.0	4.6	4.8	pH
Sp. conductance	17	16	18	16	µS/cm
Water temperature	17.6	18.0	20.4	18.5	°C
Alkalinity as CaCO ₃	0	0	0	0	mg/L
Volume purged	4.0	4.0	4.0		Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	21	19	< 15	24	J3	µg/L	WA	0
		Antimony	5.9	3.3	7.3	< 2.6		µg/L	WA	0
		Arsenic	< 2.0	< 2.0	< 2.0	< 2.0		µg/L	WA	0
		Barium	37	7.2	4.9	< 4.0		µg/L	WA	0
		Benzene	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromodichloromethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromoform	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	< 10	< 10	< 10	< 10		µg/L	WA	0
		Cadmium	0.72	< 0.35	0.58	< 0.35	V	µg/L	WA	0
		Calcium	188	211	246	228		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 25 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	1,710	2,290	2,000	1,760		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	<1.1	2.2	V	µg/L	WA	0
		Copper	3.5	5.7	<1.1	<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	<5.0	7.0	6.6	<5.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	1.8E+00	<3.0E+00	<2.0E+00	2.6E+00		pCi/L	CN	0
		Iron	23		19			µg/L		
		Lead	4.3	2.9	2.1	2.4	J3	µg/L	WA	0
		Lindane	<0.056	<0.053	<0.056	<0.055		µg/L	WA	0
		Magnesium	409	436	415	433		µg/L	WA	0
		Manganese	1.4	1.1	1.9	1.6	J3	µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.56	<0.53	<0.56	<0.55		µg/L	WA	0
		Nickel	<3.1	<3.1	<3.1	5.0	J3	µg/L	WA	0
		Nitrate as nitrogen	546	649	253	311		µg/L	WA	0
		Nonvolatile beta	1.0E+01	5.4E+00	8.2E+00	6.4E+00		pCi/L	CN	0
•		pH	5.0	4.7	5.1	5.1	J	pH	WA	0
		Phenols	<5.0		<5.0	<5.0		µg/L	WA	0
		Potassium	91	221	319	343	V	µg/L	WA	0
		Radium-226	1.0E+00	<5.0E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	2.1E+00		4.5E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		6,390	6,500	6,580	V	µg/L	WA	0
		Silicon	2,530					µg/L		
		Silver	<0.70	1.0	0.85	1.2	J3	µg/L	WA	0
		Sodium	873	1,110	1,120	1,240	V	µg/L	WA	0
•		Specific conductance	15	15	14	15	J	µS/cm	WA	0
		Sulfate	<100	<250	<250	<250		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids				20,000	V	µg/L	WA	0
		Total organic carbon	<500	<500	<500	<500		µg/L	WA	0
		Total organic halogens	<5.0	52	<5.0	<5.0		µg/L	WA	0
		Toxaphene	<1.1	<1.0	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.55	<0.56	<0.56	<0.56		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	2.3E+00	<2.0E+00	1.9E+00	2.3E+00		pCi/mL	CN	0
		Vanadium	<0.88	<0.88	1.5	1.9	J3	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

WELL LFW 26

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N85654.6 E45633.8	33.289663 °N 81.713023 °W	164.2-143.2 ft msl	186.5 ft msl	4" PVC	S	Steep Pond Aquifer

SAMPLE DATE	02/12/92	06/02/92	08/31/92	11/29/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	161.9	161.4	162.3		ft msl
pH	5.0	4.5	4.7	5.2	pH
Sp. conductance	14	13	13	10	µS/cm
Water temperature	18.6	19.4	20.1	19.5	°C
Alkalinity as CaCO ₃	0	0	0	0	mg/L
Volume purged	4.0	4.0	4.0		Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	16	<15	19	<15		µg/L	WA	0
		Antimony	<2.0	<2.6	5.0	<2.6		µg/L	WA	0
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	3.9	4.1	9.9	4.1	J3	µg/L	WA	0
		Benzene	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<1.0	<10	<10	<10		µg/L	WA	0
		Cadmium	0.72	<0.35	<0.35	1.8	J3	µg/L	WA	0
		Calcium	178	171	211	196	V	µg/L	WA	0
		Carbon tetrachloride	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	2,470	2,530	1,970	1,700		µg/L	WA	0
		Chlorobenzene	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<1.0	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<1.0	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<1.0	<10	<10	<10		µg/L	WA	0
		Chloroform	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<1.0	<10	<10	<10		µg/L	WA	0
		Chromium	1.7	<1.1	<1.1	2.4	V	µg/L	WA	0
		Copper	1.9	2.0	<1.1	<1.1		µg/L	WA	0
		Dibromochloromethane	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	1.2	6.6	3.8	<5.0	V	µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<0.30	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.0060	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	9.0E-01	<3.0E+00	9.6E+00	<2.0E+00		pCi/L	CN	0
		Iron	28	11	11			µg/L		
		Lead	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.0050	<0.055	<0.056	<0.054		µg/L	WA	0
		Magnesium	258	238	272	251	V	µg/L	WA	0
		Manganese	1.1	1.1	1.9	0.95	J3	µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.50	<0.55	<0.56	<0.54		µg/L	WA	0
		Nickel	<3.1	<3.1	3.4	<3.1	V	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 26 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Nitrate as nitrogen	340	352	218	< 20		µg/L	WA	0
		Nonvolatile beta	5.6E+00	< 5.0E+00	2.6E+01	2.7E+00		pCi/L	CN	0
•		pH	5.5	4.5	5.2	5.2	J	pH	WA	0
		Phenols	< 5.0		< 5.0	< 5.0		µg/L	WA	0
		Potassium	155	< 84	440	459	V	µg/L	WA	0
		Radium-226	6.0E-01	5.9E-01	< 1.0E+00	< 1.0E+00		pCi/L	CN	0
		Radium-228	2.3E+00		< 1.0E+00			pCi/L		
		Selenium	< 2.0	< 2.0	< 2.0	< 2.0		µg/L	WA	0
		Silica	6,110	5,630	5,840	5,790		µg/L	WA	0
		Silicon	2,360					µg/L		
		Silver	0.70	< 0.70	0.70	< 0.70		µg/L	WA	0
		Sodium	110	1,010	1,030	998		µg/L	WA	0
•		Specific conductance	14	11	11	11	J	µS/cm	WA	0
		Sulfate	< 100	< 250	< 250	< 250		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	< 1.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Tetrachloroethylene	< 1.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Toluene	< 1.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Total alpha-emitting radium	2.0E+00					pCi/L		
		Total dissolved solids				50,000	V	µg/L	WA	0
		Total organic carbon	580	< 500	< 500	< 500		µg/L	WA	0
		Total organic halogens	12	< 20	< 5.0	< 5.0		µg/L	WA	0
		Toxaphene	< 0.24	< 1.1	< 1.1	< 1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	< 0.090	< 0.55	< 0.56	< 0.55		µg/L	WA	0
		1,1,1-Trichloroethane	< 1.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		1,1,2-Trichloroethane	< 1.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Trichloroethylene	< 1.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Trichlorofluoromethane	< 1.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Tritium	2.1E+00	< 2.0E+00	1.3E+00	1.5E+00		pCi/mL	CN	0
		Vanadium	1.2	1.4	2.3	1.9	J3	µg/L	WA	0

WELL LFW 27

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N85839.1	33.290010 °N	163.9-142.9 ft msl	189.2 ft msl	4" PVC	S	Steep Pond Aquifer
E45596.1	81.713481 °W					

SAMPLE DATE	02/12/92	06/02/92	08/31/92	11/29/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	162.9	162.4	163.1	162.7	ft msl
pH	5.1	4.6	4.7	5.3	pH
Sp. conductance	15	14	16	13	µS/cm
Water temperature	18.1	19.5	20.0	19.3	°C
Alkalinity as CaCO ₃	0	0	0	0	mg/L
Volume purged	4.0	4.0	4.0	7.2	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	19	18	< 15	16	J3	µg/L	WA	0
		Antimony	< 2.6	6.1	< 2.6	< 2.6		µg/L	WA	0
		Arsenic	< 2.0	< 2.0	< 2.0	< 2.0		µg/L	WA	0
		Barium	< 6.6	13	4.4	4.7	J3	µg/L	WA	0
		Benzene	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromodichloromethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromoform	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	< 10	< 10	< 10	< 10		µg/L	WA	0
		Cadmium	0.80	< 0.35	0.83	0.35	J3	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 27 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Calcium	241	230	235	271	V	µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	2,840	2,370	1,980	1,730		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	<1.1	2.1	V	µg/L	WA	0
		Copper	2.3	3.8	<1.1	<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	<5.0	7.0	3.4	<5.0	V	µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.12	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	<1.1E+00	<3.0E+00	2.9E+00	<2.0E+00		pCi/L	CN	0
		Iron	26		7.2			µg/L		
		Lead	3.1	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.057	<0.055	<0.058	<0.054		µg/L	WA	0
		Magnesium	259	263	280	287	V	µg/L	WA	0
		Manganese	2.8	3.2	3.0	3.1		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.57	<0.55	<0.58	<0.54		µg/L	WA	0
		Nickel	<3.1	<3.1	<3.1	5.7	V	µg/L	WA	0
		Nitrate as nitrogen	116	258	157	157		µg/L	WA	0
		Nonvolatile beta	5.1E+00	<5.0E+00	3.2E+00	<2.0E+00		pCi/L	CN	0
		pH	5.2	4.5	5.3	5.2	J	pH	WA	0
		Phenols	<5.0		<5.0	<5.0		µg/L	WA	0
		Potassium	<84	274	220	460	V	µg/L	WA	0
		Radium-226	3.0E-01	<5.0E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	<1.7E+00		<1.0E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		6,100	6,390	6,580		µg/L	WA	0
		Silicon	2,530					µg/L		
		Silver	<0.70	1.0	<0.70	<0.70		µg/L	WA	0
		Sodium	1,030	1,240	1,260	1,380		µg/L	WA	0
		Specific conductance	14	12	12	12	J	µS/cm	WA	0
		Sulfate	289	<250	<250	<250		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids				39,000	V	µg/L	WA	0
		Total organic carbon	525	<500	<500	<500		µg/L	WA	0
		Total organic halogens	<5.0	17	<5.0	<5.0		µg/L	WA	0
		Toxaphene	<1.1	<1.1	<1.2	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.58	<0.57	<0.56	<0.55		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	1.9E+00	<2.0E+00	9.0E-01	1.2E+00		pCi/mL	CN	0
		Vanadium	<0.88	0.88	<0.88	<0.88		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

C

●

•

Well LFW 28 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Nitrate as nitrogen	140	306	402	877		µg/L	WA	0
		Nonvolatile beta	4.8E+00	<5.0E+00	<2.0E+00	2.8E+00		pCi/L	CN	0
•		pH	5.1	5.7	5.7	5.7	J	pH	WA	0
		Phenols	<5.0		<5.0	<5.0		µg/L	WA	0
		Potassium	946	766	1,480	1,340	V	µg/L	WA	0
		Radium-226	3.0E-01	<5.0E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	1.9E+00		<1.0E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		7,050	6,510	6,460		µg/L	WA	0
		Silicon	2,960					µg/L		
		Silver	<0.70	<0.70	1.6	<0.70		µg/L	WA	0
		Sodium	1,300	1,870	2,990	2,220		µg/L	WA	0
•		Specific conductance	22	24	35	30	J	µS/cm	WA	0
		Sulfate	420	918	1,740	1,110		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids			53,000		V	µg/L	WA	0
		Total organic carbon	1,120	1,450	<500	<500		µg/L	WA	0
		Total organic halogens	<5.0	28	<5.0	<5.0		µg/L	WA	0
		Toxaphene	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.56	<0.57	<0.58	<0.56		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	1.5E+00	<2.0E+00	9.2E-01	1.2E+00		pCi/mL	CN	0
		Vanadium	1.2	<0.88	<0.88	<0.88		µg/L	WA	0

WELL LFW 29

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N86372.7 E45503.3	33.291038 °N 81.714763 °W	164.9-143.9 ft msl	195.3 ft msl	4" PVC	S	Steep Pond Aquifer

SAMPLE DATE	02/12/92	06/02/92	08/31/92	11/29/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	165.6	165.3	165.8	165.4	ft msl
pH	4.8	4.3	4.5	5.1	pH
Sp. conductance	24	22	22	18	µS/cm
Water temperature	18.0	18.6	19.9	18.8	°C
Alkalinity as CaCO ₃	0	0	0	0	mg/L
Volume purged	4.0	4.0	4.0	9.0	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	25	18	<15	26	J3	µg/L	WA	1
		Antimony	5.3	<2.6	<2.6	<2.6		µg/L	WA	0
		Arsenic	<2.7	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	6.9	15	7.5	5.4	J3	µg/L	WA	0
		Benzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	<0.35	<0.35	<0.35	<0.35		µg/L	WA	0
		Calcium	560	482	490	488	V	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 29 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	2,110	2,520	2,110	1,970		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	2.1	<1.1	<1.1	3.0	V	µg/L	WA	0
		Copper	3.9	5.5	1.4	1.3	J3	µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	<5.0	10	4.1	<5.0	V	µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	4.4E+00	<3.0E+00	2.1E+00	3.7E+00		pCi/L	CN	0
		Iron	28		11			µg/L		
		Lead	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.057	<0.055	<0.055	<0.055		µg/L	WA	0
		Magnesium	530	480	454	493	V	µg/L	WA	0
		Manganese	4.3	3.1	3.6	3.6		µg/L	WA	0
		Mercury	0.22	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.57	<0.55	<0.55	<0.55		µg/L	WA	0
		Nickel	<3.1	<3.1	<3.1	<3.1	V	µg/L	WA	0
		Nitrate as nitrogen	877	855	549	770		µg/L	WA	0
		Nonvolatile beta	7.7E+00	7.0E+00	5.4E+00	4.7E+00		pCi/L	CN	0
		pH	4.9	4.4	5.0	5.0	J	pH	WA	0
		Phenols	<5.0		<5.0	<5.0		µg/L	WA	0
		Potassium	577	486	524	978	V	µg/L	WA	0
		Radium-226	2.0E+00	1.8E+00	<1.0E+00	1.6E+00		pCi/L	CN	0
		Radium-228	5.3E+00		1.5E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		5,320	5,890	5,940		µg/L	WA	0
		Silicon	2,460					µg/L		
		Silver	<0.70	<0.70	<0.70	0.85	J3	µg/L	WA	0
		Sodium	883	864	987	1,040		µg/L	WA	0
		Specific conductance	20	20	17	19	J	µS/cm	WA	0
		Sulfate	<100	<250	<250	<250		µg/L	WA	0
		1,1,1,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids				45,000	V	µg/L	WA	0
		Total organic carbon	672	<500	<500	<500		µg/L	WA	0
		Total organic halogens	<5.0	30	<5.0	<5.0		µg/L	WA	0
		Toxaphene	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.55	<0.55	<0.56	<0.55		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	1.9E+00	<2.0E+00	1.7E+00	2.2E+00		pCi/mL	CN	0
		Vanadium	<0.88	0.97	<0.88	1.7	J3	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

WELL LFW 30

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N86318.4 E45170.9	33.290375 °N 81.715532 °W	162.7-141.7 ft msl	210 ft msl	4" PVC	S	Steed Pond Aquifer

SAMPLE DATE	02/12/92	06/02/92	08/31/92	11/29/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	165.7	165.3	165.9	165.1	ft msl
pH	5.4	4.7	4.9	5.6	pH
Sp. conductance	26	22	20	17	µS/cm
Water temperature	17.9	18.8	19.2	18.1	°C
Alkalinity as CaCO ₃	1	1	0	0	mg/L
Volume purged	4.0	4.0	4.0	11.2	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	18	19	26	23	J3	µg/L	WA	0
		Antimony	3.1	<2.6	12	<2.6		µg/L	WA	0
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	<6.6	15	5.8	4.4	J3	µg/L	WA	0
		Benzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	<0.35	<0.35	1.1	0.72	J3	µg/L	WA	0
		Calcium	1,560	1,480	996	1,130	V	µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	1,670	2,240	1,650	1,490		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	<1.1	<1.1	V	µg/L	WA	0
		Copper	3.4	5.0	1.6	<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	4.4	4.4	2.7	<5.0	V	µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	2.0E-01	<3.0E+00	6.2E+00	3.0E+00		pCi/L	CN	0
		Iron	12		5.4			µg/L	WA	0
		Lead	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.057	<0.056	<0.055	<0.056		µg/L	WA	0
		Magnesium	559	576	548	595	V	µg/L	WA	0
		Manganese	4.3	4.3	3.8	4.0		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.57	<0.56	<0.55	<0.56		µg/L	WA	0
		Nickel	<3.1	<3.1	<3.1	4.4	V	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 30 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Nitrate as nitrogen	608	783	455	704		µg/L	WA	0
		Nonvolatile beta	5.4E+00	<5.0E+00	9.9E+00	5.8E+00		pCi/L	CN	0
•		pH	5.4	5.0	5.3	5.4	J	pH	WA	0
		Phenols	<5.0		<5.0	<5.0		µg/L	WA	0
		Potassium	85	361	642	353	JV3	µg/L	WA	0
		Radium-226	3.0E-01	<5.0E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	2.5E+00		2.6E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		6,220	6,140	5,840		µg/L	WA	0
		Silicon	2,540					µg/L		
		Silver	<0.70	1.4	<0.70	<0.70		µg/L	WA	0
		Sodium	1,090	1,100	1,060	995		µg/L	WA	0
•		Specific conductance	19	19	16	20	J	µS/cm	WA	0
		Sulfate	363	439	<250	<250		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids				51,000	V	µg/L	WA	0
		Total organic carbon	<500	<500	<500	968		µg/L	WA	0
		Total organic halogens	<5.0	13	<5.0	<5.0		µg/L	WA	0
		Toxaphene	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.55	<0.53	<0.56	<0.55		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	2.4E+00	<2.0E+00	2.0E+00	1.9E+00		pCi/mL	CN	0
		Vanadium	<0.88	<0.88	<0.88	<0.88		µg/L	WA	0

WELL LFW 31

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N86262.2 E44869.0	33.289758 °N 81.716217 °W	166.0-145.0 ft msl	229.3 ft msl	4" PVC	S	Steep Pond Aquifer

SAMPLE DATE	02/12/92	06/02/92	08/31/92	11/29/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	165.5	165.0	165.3	165.0	ft msl
pH	5.2	4.4	4.8	5.2	pH
Sp. conductance	22	22	26	23	µS/cm
Water temperature	17.5	18.3	18.9	18.1	°C
Alkalinity as CaCO ₃	0	0	0	1	mg/L
Volume purged	4.0	4.0	4.0	4.6	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	<14	24	<15	<15		µg/L	WA	0
		Antimony	2.9	3.6	4.7	<2.6		µg/L	WA	0
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	<6.6	4.5	4.6	<4.0		µg/L	WA	0
		Benzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	<0.35	<0.35	0.75	1.2	J3	µg/L	WA	0
		Calcium	588	502	505	471	V	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 31 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	2,870	2,990	2,910	2,540		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	<1.1	2.5	V	µg/L	WA	0
		Copper	23	11	15	17		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	<5.0	3.8	3.9	<5.0	V	µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.10	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	1.4E+00	<3.0E+00	3.1E+00	2.1E+00		pCi/L	CN	0
		Iron	11		6.0			µg/L	WA	0
		Lead	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.056	<0.052	<0.056	<0.053		µg/L	WA	0
		Magnesium	371	367	352	338	V	µg/L	WA	0
		Manganese	3.4	2.4	2.7	2.3		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.56	<0.52	<0.56	<0.53		µg/L	WA	0
		Nickel	<3.1	<3.1	<3.1	6.0	V	µg/L	WA	0
		Nitrate as nitrogen	376	427	317	352		µg/L	WA	0
		Nonvolatile beta	4.2E+00	<5.0E+00	3.3E+00	2.7E+00		pCi/L	CN	0
		pH	5.4	5.0	5.4	5.3	J	pH	WA	0
		Phenols	<5.0		<5.0	<5.0		µg/L	WA	0
		Potassium	636	720	742	832	V	µg/L	WA	0
		Radium-226	1.2E+00	1.1E+00	1.4E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	1.0E-01		<1.0E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		6,260	6,180	5,700		µg/L	WA	0
		Silicon	2,540					µg/L		
		Silver	<0.70	1.6	<0.70	<0.70		µg/L	WA	0
		Sodium	1,280	1,320	1,680	2,330		µg/L	WA	0
		Specific conductance	19	19	20	22	J	µS/cm	WA	0
		Sulfate	775	894	1,100	1,910		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids				50,000	V	µg/L	WA	0
		Total organic carbon	<500	<500	<500	538		µg/L	WA	0
		Total organic halogens	<5.0	<10	<5.0	<5.0		µg/L	WA	0
		Toxaphene	<1.1	<1.0	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.55	<0.56	<0.56	<0.55		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	2.8E+00	2.1E+00	2.2E+00	2.4E+00		pCi/mL	CN	0
		Vanadium	<0.88	<0.88	<0.88	1.0	J3	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 32 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Nitrate as nitrogen	440	511	400	528		µg/L	WA	0
		Nonvolatile beta	4.7E+00	<5.0E+00	9.0E+00	6.3E+00		pCi/L	CN	0
		pH	5.2	5.0	5.2	5.2	J	pH	WA	0
		Phenols	<5.0		<5.0	<5.0		µg/L	WA	0
		Potassium	381	740	782	1,000	V	µg/L	WA	0
		Radium-226	1.0E+00	1.1E+00	1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	3.2E+00		3.8E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		6,150	5,930	5,730		µg/L	WA	0
		Silicon	2,360					µg/L		
		Silver	<0.70	<0.70	<0.70	<0.70		µg/L	WA	0
		Sodium	1,320	1,410	1,480	1,850		µg/L	WA	0
		Specific conductance	16	17	18	20	J	µS/cm	WA	0
		Sulfate	322	325	294	329		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids				22,000	V	µg/L	WA	0
		Total organic carbon	<500	<500	<500	<500		µg/L	WA	0
		Total organic halogens	19	<10	<5.0	<5.0		µg/L	WA	0
		Toxaphene	<1.1	<1.1	<1.2	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.55	<0.56	<0.58	<0.55		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	3.1E+00	2.8E+00	3.3E+00	3.1E+00		pCi/mL	CN	0
		Vanadium	<0.88	<0.88	1.1	1.2	J3	µg/L	WA	0

WELL LFW 33

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N85633.8 E44973.0	33.288538 °N 81.714722 °W	165.4-144.4 ft msl	213.7 ft msl	4" PVC	S	Steep Pond Aquifer

SAMPLE DATE	02/12/92	06/04/92	08/31/92	11/29/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	162.0	161.1	162.0	161.7	ft msl
pH	5.0	4.3	4.7	5.0	pH
Sp. conductance	20	20	20	18	µS/cm
Water temperature	17.9	18.9	18.9	18.2	°C
Alkalinity as CaCO ₃	0	0	0	0	mg/L
Volume purged	4.0	4.0	4.0	8.5	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	<14	15	<15	<15		µg/L	WA	0
		Antimony	<2.6	<2.0	8.4	<2.6		µg/L	WA	0
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	<6.6	3.1	<4.0	<4.0		µg/L	WA	0
		Benzene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<1.0	<10	<10		µg/L	WA	0
		Cadmium	<0.35	<0.35	0.38	<0.35		µg/L	WA	0
		Calcium	251	268	284	306	V	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 33 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Carbon tetrachloride	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Chloride	3,270	2,850	2,420	2,780		µg/L	WA	0
		Chlorobenzene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<1.0	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<1.0	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<1.0	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<1.0	<10	<10		µg/L	WA	0
		Chromium	1.6	<1.1	<1.1	3.1	V	µg/L	WA	0
		Copper	2.2	2.0	1.2	10		µg/L	WA	0
		Dibromochloromethane	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	1.1	4.1	14	<5.0	V	µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<0.30	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.0060	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	2.0E+00	7.6E+00	4.4E+00	4.6E+00		pCi/L	CN	0
		Iron	11		7.6			µg/L		
		Lead	<2.0	<2.0	2.0	<2.0		µg/L	WA	0
		Lindane	<0.056	<0.0050	<0.056	<0.055		µg/L	WA	0
		Magnesium	336	376	340	397	V	µg/L	WA	0
		Manganese	0.67	0.85	1.2	0.42	J3	µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.56	<0.50	<0.56	<0.55		µg/L	WA	0
		Nickel	<3.1	<3.1	<3.1	4.1	V	µg/L	WA	0
		Nitrate as nitrogen	408	473	311	279		µg/L	WA	0
		Nitrate-nitrite as nitrogen		500				µg/L		
		Nonvolatile beta	9.6E+00	2.2E+01	5.6E+00	1.2E+01		pCi/L	CN	0
		pH	5.1	5.6	5.2	5.2	J	pH	WA	0
		Phenols	<5.0		<5.0	<5.0		µg/L	WA	0
		Potassium	504	642	643	1,200	V	µg/L	WA	0
		Radium-226	1.0E+00	1.6E+00	1.9E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	2.6E+01		4.6E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		6,450	6,210	5,940		µg/L	WA	0
		Silicon	2,460					µg/L		
		Silver	1.6	1.0	<0.70	<0.70		µg/L	WA	0
		Sodium	1,440	1,390	1,480	1,620		µg/L	WA	0
		Specific conductance	18	20	16	19	J	µS/cm	WA	0
		Sulfate	362	402	581	440		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids				38,000	V	µg/L	WA	0
		Total organic carbon	672	669	<500	<500		µg/L	WA	0
		Total organic halogens	33	182	<5.0	<5.0		µg/L	WA	0
		Toxaphene	<1.1	<0.24	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.55	<0.090	<0.56	<0.55		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	10	<5.0	<5.0		µg/L	WA	0
		Tritium	3.1E+00	9.1E+00	3.2E+00	2.9E+00		pCi/mL	CN	0
		Vanadium	<0.88	0.88	0.88	<0.88		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

WELL LFW 34

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N85409.5 E45016.9	33.288114 °N 81.714171 °W	164.7-143.7 ft msl	201 ft msl	4" PVC	S	Steep Pond Aquifer

SAMPLE DATE	02/12/92	06/02/92	08/31/92	11/29/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	160.7	160.1	160.6	160.4	ft msl
pH	5.2	4.2	4.7	5.1	pH
Sp. conductance	23	21	23	18	µS/cm
Water temperature	17.9	18.2	18.6	18.4	°C
Alkalinity as CaCO ₃	0	0	0	0	mg/L
Volume purged	4.0	4.0	4.0	5.1	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	<14	17	21	<15		µg/L	WA	0
		Antimony	3.2	<2.6	5.2	<2.6		µg/L	WA	0
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	<6.6	5.0	<4.0	<4.0		µg/L	WA	0
		Benzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	<0.35	<0.35	1.1	0.50	J3	µg/L	WA	0
		Calcium	450	393	360	392	V	µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	3,370	3,640	2,780	3,030		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	1.5	<1.1	1.2	2.5	V	µg/L	WA	0
		Copper	4.7	3.7	2.7	14		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	3.1	3.3	1.3	<5.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	2.8E+00	<3.0E+00	<2.0E+00	3.0E+00		pCi/L	CN	0
		Iron	46		31			µg/L		
		Lead	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.056	<0.055	<0.056	<0.055		µg/L	WA	0
		Magnesium	468	400	395	428	V	µg/L	WA	0
		Manganese	2.1	2.0	2.4	1.4	J3	µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.56	<0.55	<0.56	<0.55		µg/L	WA	0
		Nickel	<3.1	<3.1	<3.1	<3.1	V	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 34 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Nitrate as nitrogen	526	407	298	267		µg/L	WA	0
		Nonvolatile beta	5.5E+00	<5.0E+00	2.7E+00	5.7E+00		pCi/L	CN	0
•		pH	5.2	5.1	5.3	5.2	J	pH	WA	0
		Phenols	<5.0		<5.0	<5.0		µg/L	WA	0
		Potassium	651	600	829	819	V	µg/L	WA	0
		Radium-226	8.0E-01	9.4E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	2.2E+00		1.2E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		5,860	6,250	6,130		µg/L	WA	0
		Silicon	2,610					µg/L		
		Silver	<0.70	0.70	<0.70	1.2	J3	µg/L	WA	0
		Sodium	1,350	1,490	1,580	1,630		µg/L	WA	0
•		Specific conductance	19	19	16	19	J	µS/cm	WA	0
		Sulfate	329	534	360	415		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids				39,000	V	µg/L	WA	0
		Total organic carbon	<500	<500	<500	<500		µg/L	WA	0
		Total organic halogens	128	21	<5.0	<5.0		µg/L	WA	0
		Toxaphene	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.55	<0.55	<0.56	<0.55		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	3.4E+00	2.3E+00	3.1E+00	3.2E+00		pCi/mL	CN	0
		Vanadium	<0.88	<0.88	0.97	1.7	J3	µg/L	WA	0

WELL LFW 35

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N85237.4 E45378.8	33.288325 °N 81.712883 °W	164.4-143.4 ft msl	183.7 ft msl	4" PVC	S	Steep Pond Aquifer

SAMPLE DATE	02/12/92	05/29/92	09/01/92	11/29/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	159.5	158.9	159.7	159.7	ft msl
pH	5.0	4.4	5.1	4.9	pH
Sp. conductance	29	25	33	28	µS/cm
Water temperature	19.3	19.7	20.4	20.8	°C
Alkalinity as CaCO ₃	0	1	1	0	mg/L
Volume purged	4.0	5.0	4.0	6.3	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	21	21	<15	<15		µg/L	WA	0
		Antimony	2.7	10	<2.6	<2.6		µg/L	WA	0
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	<6.6	6.9	6.3	8.7	J3	µg/L	WA	0
		Benzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	<0.35	2.3	<0.35	<0.35		µg/L	WA	0
		Calcium	311	386	380	598	V	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 35 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	2,860	3,060	2,720	2,680		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	1.6	<1.1	<1.1	3.1	V	µg/L	WA	0
		Copper	2.6	3.3	<1.1	1.4	J3	µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	7.0E-01	<3.0E+00	<2.0E+00	3.7E+00		pCi/L	CN	0
		Iron	7.9		<1.9			µg/L		
		Lead	<2.0	<2.0	2.0	<2.0		µg/L	WA	0
		Lindane	<0.055	<0.056	<0.057	<0.056		µg/L	WA	0
		Magnesium	499	694	649	1,090	V	µg/L	WA	0
		Manganese	2.9	4.0	3.0	4.7		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.55	<0.56	<0.57	<0.56		µg/L	WA	0
		Nickel	<3.1	<3.1	<3.1	<3.1	V	µg/L	WA	0
		Nitrate as nitrogen	1,580	1,120	1,050	2,150		µg/L	WA	0
		Nonvolatile beta	3.4E+00	<5.0E+00	3.7E+00	8.1E+00		pCi/L	CN	0
		pH	5.1	5.2	5.2	4.8	J			
		Phenols	<5.0		<5.0	<5.0		µg/L	WA	0
		Potassium	173	549	<84	305	JV3	µg/L	WA	0
		Radium-226	1.3E+00	9.7E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	1.6E+00		2.0E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		5,800	6,460	6,110		µg/L	WA	0
		Silicon	2,590					µg/L		
		Silver	<0.70	<0.70	<0.70	<0.70		µg/L	WA	0
		Sodium	2,240	2,350	2,530	1,550		µg/L	WA	0
		Specific conductance	26	23	26	28	J	µS/cm	WA	0
		Sulfate	<100	251	<250	<250		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids			52,000		V	µg/L	WA	0
		Total organic carbon	<500	1,960	5,210	<500		µg/L	WA	0
		Total organic halogens	<5.0	<20	<5.0	<5.0		µg/L	WA	0
		Toxaphene	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.55	<0.56	<0.56	<0.55		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	1.9E+00	<2.0E+00	1.6E+00	7.4E-01		pCi/mL	CN	0
		Vanadium	<0.88	<0.88	<0.88	<0.88		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

WELL LFW 36

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Fracture
N83535.5 E45582.3	33.284894 °N 81.709040 °W	151.3-130.3 ft msl	170.4 ft msl	4" PVC	S	Steep Pond Aquifer

SAMPLE DATE	02/13/92	06/04/92	09/01/92	12/01/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	146.0	145.7	146.4	146.4	ft msl
pH	6.1	6.2	6.2	6.6	pH
Sp. conductance	316	323	266	251	µS/cm
Water temperature	18.4	19.8	20.8	19.8	°C
Alkalinity as CaCO ₃	94	94	85	96	mg/L
Volume purged	4.0	5.0	4.3	7.2	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	<14	<15	<15	<15		µg/L	WA	0
		Antimony	<2.6	<2.6	<2.6	<2.6		µg/L	WA	0
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	<6.6	<4.0	5.0	<4.0		µg/L	WA	0
		Benzene	4.4	5.8	3.3	3.6	J	µg/L	WA	1
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	0.47	<0.35	<0.35	<0.35	V	µg/L	WA	0
		Calcium	5,100	4,990	4,130	5,230		µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	37,000	30,500	48,000	22,100		µg/L	WA	0
		Chlorobenzene	8.1	11	6.2	10		µg/L	WA	2
		Chloroethane	<10	3.8	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	<1.1	1.6	V	µg/L	WA	0
		Copper	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	73	73	45	46	J	µg/L	WA	2
		1,2-Dichloroethane	7.6	6.8	2.9	2.4		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	8.1	9.2	5.6	6.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.2	<1.1	0.67	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	1.1	<5.0	<5.0		µg/L	WA	0
		Fluoride	112	<100	109	110		µg/L	WA	0
		Gross alpha	6.2E+00	<3.0E+00	2.1E+00	2.2E+00		pCi/L	CN	0
		Iron	15,500		10,800			µg/L		
		Lead	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.057	<0.056	<0.057	<0.055		µg/L	WA	0
		Magnesium	13,200	11,700	9,470	12,900		µg/L	WA	0
		Manganese	17	13	11	13		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.57	<0.56	<0.57	<0.55		µg/L	WA	0
		Nickel	<3.1	<3.1	<3.1	<3.1		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 36 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Nitrate as nitrogen	< 20	< 10	108	< 20		µg/L	WA	0
		Nonvolatile beta	9.3E+00	< 5.0E+00	3.7E+00	7.5E+00		pCi/L	CN	0
•		pH	6.1	6.2	6.3	6.5	J	pH	WA	0
		Phenols	9.9		5.0	5.5		µg/L	WA	0
		Potassium	457	443	318	661	V	µg/L	WA	0
		Radium-226	2.5E+00	< 5.0E-01	< 1.0E+00	1.1E+00		pCi/L	CN	0
		Radium-228	4.2E+00		2.9E+00			pCi/L	CN	0
		Selenium	< 2.0	< 2.0	< 2.0	< 2.0		µg/L	WA	0
		Silica		7,400	6,130	6,850	V	µg/L	WA	0
		Silicon	3,080					µg/L	WA	0
		Silver	< 0.70	< 0.70	< 0.70	< 0.70		µg/L	WA	0
		Sodium	27,200	27,300	17,600	20,800	V	µg/L	WA	0
•		Specific conductance	273	264	214	225	J	µS/cm	WA	0
		Sulfate	2,330	2,910	2,540	2,960		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Tetrachloroethylene	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Toluene	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Total dissolved solids				119,000	V	µg/L	WA	0
		Total organic carbon	5,940	4,920	12,900	3,860		µg/L	WA	0
		Total organic halogens	600	950	197	402		µg/L	WA	2
		Toxaphene	< 1.1	< 1.1	< 1.1	< 1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	2.1	0.11	< 0.58	0.44	J	µg/L	WA	0
		1,1,1-Trichloroethane	2.5	1.8	< 5.0	< 5.0		µg/L	WA	0
		1,1,2-Trichloroethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Trichloroethylene	1.2	1.7	1.5	< 5.0		µg/L	WA	0
		Trichlorofluoromethane	37	32	6.2	4.2	J	µg/L	WA	0
		Tritium	8.2E+00	7.8E+00	1.2E+01	1.1E+01		pCi/mL	CN	1
		Vanadium	< 0.88	< 0.88	< 0.88	< 0.88		µg/L	WA	0

WELL LFW 37

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N83113.2 E45667.7	33.284100 °N 81.707994 °W	150.8-129.8 ft msl	169.9 ft msl	4" PVC	S	Steep Pond Aquifer

SAMPLE DATE	02/13/92	06/03/92	09/01/92	12/01/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	143.0	142.6	143.4	143.2	ft msl
pH	5.2	4.7	5.1	5.4	pH
Sp. conductance	147	184	153	161	µS/cm
Water temperature	18.3	19.1	20.8	19.6	°C
Alkalinity as CaCO ₃	9	16	8	12	mg/L
Volume purged	5.1	4.0	4.1	5.3	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	20	16	< 15	< 15		µg/L	WA	0
		Antimony	< 2.6	9.9	6.0	< 2.6		µg/L	WA	0
		Arsenic	< 2.0	< 2.0	< 2.0	< 2.0		µg/L	WA	0
		Barium	7.8	18	11	8.1	J3	µg/L	WA	0
■		Benzene	4.0	5.6	4.2	6.2		µg/L	WA	2
		Bromodichloromethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromoform	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	< 10	< 10	< 10	< 10		µg/L	WA	0
		Cadmium	< 0.35	0.42	< 0.35	< 0.35		µg/L	WA	0
		Calcium	2,080	2,870	2,200	3,170		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 37 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	31,400	29,400	45,700	28,600		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	<1.1	2.3	V	µg/L	WA	0
		Copper	<1.1	1.4	<1.1	<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	83	98	78	86		µg/L	WA	2
■		1,2-Dichloroethane	7.0	7.8	4.8	5.1		µg/L	WA	2
		1,1-Dichloroethylene	<5.0	1.6	2.6	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	31	32	31	29		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	0.69	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.12	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	4.4E+00	<3.0E+00	7.5E+00	3.4E+00		pCi/L	CN	0
		Iron	73		35			µg/L		
		Lead	<2.0	<2.0	2.0	<2.0		µg/L	WA	0
		Lindane	<0.058	<0.054	<0.057	<0.055		µg/L	WA	0
		Magnesium	3,630	5,170	3,760	5,400		µg/L	WA	0
		Manganese	1.0	0.85	1.8	0.97	J3	µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.58	<0.54	<0.57	<0.55		µg/L	WA	0
		Nickel	<3.1	<3.1	<3.1	<3.1		µg/L	WA	0
		Nitrate as nitrogen	51	222	285	<20		µg/L	WA	0
		Nonvolatile beta	1.2E+01	7.5E+00	8.7E+00	7.9E+00		pCi/L	CN	0
•		pH	5.4	5.8	5.6	5.5	J	pH	WA	0
		Phenols	8.8		<5.0	<5.0		µg/L	WA	0
		Potassium	596	403	294	604	V	µg/L	WA	0
		Radium-226	1.4E+00	2.0E+00	<1.0E+00	1.5E+00		pCi/L	CN	0
		Radium-228	5.9E+00		4.8E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		12,300	11,800	11,900	V	µg/L	WA	0
		Silicon	4,920					µg/L		
		Silver	1.4	1.2	1.2	<0.70		µg/L	WA	0
		Sodium	17,600	21,400	16,100	19,100	V	µg/L	WA	0
•		Specific conductance	132	157	130	148	J	µS/cm	WA	0
		Sulfate	2,460	4,420	3,900	6,290		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	2.7	1.9	J	µg/L	WA	0
		Total dissolved solids				105,000	V	µg/L	WA	0
		Total organic carbon	3,250	3,050	15,900	3,470		µg/L	WA	0
		Total organic halogens	208	391	514	541		µg/L	WA	2
		Toxaphene	<1.2	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	0.090	<0.56	<0.58	0.94		µg/L	WA	0
		1,1,1-Trichloroethane	3.5	4.3	13	6.9		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
■		Trichloroethylene	7.5	7.2	9.3	7.5		µg/L	WA	2
		Trichlorofluoromethane	16	20	46	36		µg/L	WA	2
		Tritium	1.2E+01	1.3E+01	1.2E+01	1.3E+01		pCi/mL	CN	1
		Vanadium	1.2	<0.88	<0.88	1.1	J3	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

FIELD DATA

ANALYTICAL DATA

Fourth Quarter 1992

Well LFW 38 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
•		Nitrate as nitrogen	160	153	51	56	J	µg/L	WA	0
		Nonvolatile beta	4.6E+00	<5.0E+00	2.4E+00	3.3E+00		pCi/L	CN	0
•		pH	4.8	5.1	4.9	5.2	J	pH	WA	0
		Phenols	6.2		<5.0	<5.0		µg/L	WA	0
		Potassium	578	463	561	724		µg/L	WA	0
		Radium-226	7.0E-01	6.3E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	2.1E+00		2.6E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		11,500	11,400	11,900		µg/L	WA	0
		Silicon	4,360					µg/L		
		Silver	<0.70	<0.70	1.1	<0.70		µg/L	WA	0
		Sodium	5,560	8,200	8,160	7,280		µg/L	WA	0
•		Specific conductance	47	53	78	47	J	µS/cm	WA	0
		Sulfate	263	<2,500	284	<250		µg/L	WA	0
		1,1,1,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	1.8	2.1	4.7	J	µg/L	WA	1
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids				42,000	V	µg/L	WA	0
		Total organic carbon	1,830	1,080	1,400	2,430		µg/L	WA	0
		Total organic halogens	151	254	691	253		µg/L	WA	2
		Toxaphene	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.58	<0.56	<0.53	<0.55		µg/L	WA	0
		1,1,1-Trichloroethane	4.8	6.7	17	24		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
■		Trichloroethylene	17	18	21	21		µg/L	WA	2
		Trichlorofluoromethane	14	17	27	58		µg/L	WA	2
■		Tritium	1.9E+01	3.8E+01	3.9E+01	2.1E+01		pCi/mL	CN	2
		Vanadium	1.2	<0.88	<0.88	1.4	J3	µg/L	WA	0

WELL LFW 39

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N83213.1	33.285220 °N	152.2-131.2 ft msl	171.4 ft msl	4" PVC	S	Steep Pond Aquifer
E46218.5	81.706738 °W					

SAMPLE DATE	02/13/92	06/03/92	09/01/92	11/30/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	143.7	143.2	144.2	136.0	ft msl
pH	4.3	4.0	4.5	4.8	pH
Sp. conductance	38	31	32	35	µS/cm
Water temperature	18.0	19.9	21.3	19.8	°C
Alkalinity as CaCO ₃	0	0	0	0	mg/L
Volume purged	4.0	4.0	4.0	47.8	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	35	25	17	19	J3	µg/L	WA	0
		Antimony	<2.6	<2.6	<2.6	<2.6		µg/L	WA	0
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	<6.6	5.4	6.6	6.0	J3	µg/L	WA	0
		Benzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	<0.35	<0.35	<0.35	<0.35		µg/L	WA	0
		Calcium	497	358	308	433	V	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 39 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	4,330	3,650	3,160	3,860		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	12		µg/L	WA	2
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		Copper	2.5	2.6	2.9	1.3	J3	µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	41	38	43	59		µg/L	WA	2
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
■		1,1-Dichloroethylene	13	8.6	9.0	8.6		µg/L	WA	2
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	13	13	17	44		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.10	<0.12		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	1.8E+00	<3.0E+00	<2.0E+00	3.1E+00		pCi/L	CN	0
		Iron	61		34			µg/L	WA	0
		Lead	<2.0	<2.0	2.3	<2.0		µg/L	WA	0
		Lindane	<0.056	<0.056	<0.052	<0.058		µg/L	WA	0
		Magnesium	920	727	641	853		µg/L	WA	0
		Manganese	1.6	0.67	1.3	1.5	J3	µg/L	WA	0
		Mercury	0.24	<0.20	<0.20	0.35		µg/L	WA	0
		Methoxychlor	<0.56	<0.56	<0.52	<0.58		µg/L	WA	0
		Nickel	<3.1	<3.1	<3.1	<3.1		µg/L	WA	0
•		Nitrate as nitrogen	1,250	1,110	843	414	J	µg/L	WA	0
		Nonvolatile beta	4.9E+00	<5.0E+00	3.2E+00	4.5E+00		pCi/L	CN	0
•		pH	4.8	5.1	5.0	4.9	J	pH	WA	0
		Phenols	<5.0		<5.0	<5.0		µg/L	WA	0
		Potassium	459	253	96	510		µg/L	WA	0
		Radium-226	1.0E+00	<5.0E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	3.1E+00		2.7E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		8,630	8,380	11,300		µg/L	WA	0
		Silicon	3,920					µg/L		
		Silver	0.85	<0.70	<0.70	<0.70		µg/L	WA	0
		Sodium	3,010	2,650	2,390	3,150		µg/L	WA	0
•		Specific conductance	30	26	26	31	J	µS/cm	WA	0
		Sulfate	<100	<250	<250	<250		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
■		Tetrachloroethylene	7.0	4.5	4.4	5.6		µg/L	WA	2
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids				38,000	V	µg/L	WA	0
		Total organic carbon	808	<500	1,740	<500		µg/L	WA	0
		Total organic halogens	243	288	200	428		µg/L	WA	2
		Toxaphene	<1.1	<1.1	<1.0	<1.2		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.57	<0.55	<0.58	<0.57		µg/L	WA	0
		1,1,1-Trichloroethane	207	101	93	68		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
■		Trichloroethylene	11	9.8	14	15		µg/L	WA	2
		Trichlorofluoromethane	285	134	118	209		µg/L	WA	2
		Tritium	3.1E+00	2.2E+00	3.2E+00	3.7E+00		pCi/mL	CN	0
		Vanadium	1.3	<0.88	<0.88	1.2	J3	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

WELL LFW 40

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N83248.8 E46395.1	33.285587 °N 81.706343 °W	152.2-131.2 ft msl	171 ft msl	4" PVC	S	Steed Pond Aquifer

SAMPLE DATE	02/13/92	06/03/92	09/01/92	11/30/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	143.4	142.6	143.9	136.7	ft msl
pH	5.7	4.3	5.7	6.4	pH
Sp. conductance	45	17	94	148	µS/cm
Water temperature	19.8	19.7	20.2	19.8	°C
Alkalinity as CaCO ₃	6	0	29	45	mg/L
Volume purged	4.0	4.0	3.9	50.3	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	16	<15	<15	<15		µg/L	WA	0
		Antimony	<2.0	6.3	6.3	<2.6		µg/L	WA	0
		Arsenic	4.4	<2.0	3.9	14		µg/L	WA	0
		Barium	<3.0	<4.0	4.8	4.1	J3	µg/L	WA	0
		Benzene	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<1.0	<10	<10	<10		µg/L	WA	0
		Cadmium	<0.35	<0.35	<0.35	<0.35		µg/L	WA	0
		Calcium	607	290	1,580	1,740	V	µg/L	WA	0
		Carbon tetrachloride	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	5,320	2,610	5,190	4,030		µg/L	WA	0
		Chlorobenzene	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	22	<10	<10	19		µg/L	WA	2
		Chloroethane (Vinyl chloride)	<1.0	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<1.0	<10	<10	<10		µg/L	WA	0
		Chloroform	1.6	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<1.0	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		Copper	<1.1	2.8	<1.1	<1.1		µg/L	WA	0
		Dibromochloromethane	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	20	<5.0	28	36		µg/L	WA	2
		1,2-Dichloroethane	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	1.7	<5.0	2.7	3.6	J	µg/L	WA	1
		trans-1,2-Dichloroethylene	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	56	16	89	202		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<0.30	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<1.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.0060	<0.11	<0.10	<0.11		µg/L	WA	0
		Ethylbenzene	8.9	<5.0	14	14		µg/L	WA	0
		Fluoride	<100	<100	<100	116		µg/L	WA	0
		Gross alpha	5.7E+00	<3.0E+00	3.8E+00	3.4E+00		pCi/L	CN	0
		Iron	3,260		13,900			µg/L		
		Lead	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.0050	<0.057	<0.052	<0.057		µg/L	WA	0
		Magnesium	823	354	2,150	2,280		µg/L	WA	0
		Manganese	3.5	<0.35	7.5	5.7		µg/L	WA	0
		Mercury	0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.50	<0.57	<0.52	<0.57		µg/L	WA	0
		Nickel	<3.1	<3.1	<3.1	<3.1		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 40 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
•		Nitrate as nitrogen	63	202	50	< 20	J	µg/L	WA	0
		Nonvolatile beta	3.4E+00	< 5.0E+00	3.5E+00	< 2.0E+00		pCi/L	CN	0
•		pH	5.7	5.3	6.0	6.2	J	pH	WA	0
		Phenols	16		6.0	14		µg/L	WA	0
		Potassium	311	350	< 84	181	J3	µg/L	WA	0
		Radium-226	7.0E-01	< 5.0E-01	< 1.0E+00	< 1.0E+00		pCi/L	CN	0
		Radium-228	1.1E+00		1.2E+00			pCi/L		
		Selenium	< 2.0	< 2.0	< 2.0	< 2.0		µg/L	WA	0
		Silica	7,310	6,780	6,740	7,590		µg/L	WA	0
		Silicon	2,930					µg/L		
		Silver	< 0.70	1.2	< 0.70	< 0.70		µg/L	WA	0
		Sodium	3,620	2,000	3,300	3,920		µg/L	WA	0
•		Specific conductance	39	16	46	114	J	µS/cm	WA	0
		Sulfate	508	407	680	453		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	< 1.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Tetrachloroethylene	1.7	1.5	6.5	4.6	J	µg/L	WA	1
		Toluene	6.3	< 5.0	11	11		µg/L	WA	0
		Total alpha-emitting radium	2.1E+00					pCi/L		
		Total dissolved solids				53,000	V	µg/L	WA	0
		Total organic carbon	2,450	< 500	2,420	8,140		µg/L	WA	1
		Total organic halogens	192	52	233	591		µg/L	WA	2
		Toxaphene	< 0.24	< 1.1	< 1.0	< 1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	< 0.090	< 0.55	< 0.58	< 0.57		µg/L	WA	0
		1,1,1-Trichloroethane	13	6.8	23	38		µg/L	WA	0
		1,1,2-Trichloroethane	< 1.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
■		Trichloroethylene	7.1	2.3	14	12		µg/L	WA	2
		Trichlorofluoromethane	159	21	93	151		µg/L	WA	2
		Tritium	3.2E+00	< 2.0E+00	1.5E+00	2.1E+00		pCi/mL	CN	0
		Vanadium	1.3	< 0.85	< 0.88	< 0.88		µg/L	WA	0

WELL LFW 41

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N83304.9	37.286089 °N	151.3-130.3 ft msl	170.5 ft msl	4" PVC	S	Steep Pond Aquifer
E46626.9	81.705841 °W					

SAMPLE DATE	02/13/92	06/03/92	09/01/92	11/30/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	144.9	144.1	145.5	146.5	ft msl
pH	5.1	4.2	4.8	5.1	pH
Sp. conductance	16	15	16	15	µS/cm
Water temperature	18.4	19.1	20.5	19.4	°C
Alkalinity as CaCO ₃	0	0	0	0	mg/L
Volume purged	4.0	4.0	4.0	15.2	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	18	< 15	< 15	< 15		µg/L	WA	0
		Antimony	< 2.6	6.0	< 2.6	< 2.6		µg/L	WA	0
		Arsenic	< 2.0	< 2.0	< 2.0	< 2.0		µg/L	WA	0
		Barium	< 6.6	< 4.0	< 4.0	< 4.0		µg/L	WA	0
		Benzene	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromodichloromethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromoform	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	< 10	< 10	< 10	< 10		µg/L	WA	0
		Cadmium	< 0.35	< 0.35	< 0.35	< 0.35		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 41 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Calcium	248	208	240	252	V	µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	2,560	2,450	1,810	1,400		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	1.3	<1.1	<1.1	1.9	J3	µg/L	WA	0
		Copper	1.2	<1.1	<1.1	1.8	J3	µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<5.0	<5.0	2.5	J	µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.0	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.10	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	<9.0E-01	<3.0E+00	<2.0E+00	<2.0E+00		pCi/L	CN	0
		Iron	7.7		9.0			µg/L		
		Lead	<2.0	<2.0	2.0	<2.0		µg/L	WA	0
		Lindane	<0.056	<0.054	<0.052	<0.055		µg/L	WA	0
		Magnesium	326	289	283	326		µg/L	WA	0
		Manganese	<0.35	<0.35	<0.35	<0.35		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.56	<0.54	<0.52	<0.55		µg/L	WA	0
		Nickel	<3.1	<3.1	<3.1	<3.1		µg/L	WA	0
•		Nitrate as nitrogen	96	250	208	33	J	µg/L	WA	0
•		Nonvolatile beta	6.0E+00	<5.0E+00	3.0E+00	2.6E+00		pCi/L	CN	0
		pH	5.1	5.4	5.6	5.5	J	pH	WA	0
		Phenols	<5.0		<5.0	<5.0		µg/L	WA	0
		Potassium	377	291	<84	471		µg/L	WA	0
		Radium-226	5.0E-01	<5.0E-01	1.6E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	1.7E+00		2.5E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		6,590	6,150	6,800		µg/L	WA	0
		Silicon	2,950					µg/L		
		Silver	<0.70	1.7	<0.70	1.0	J3	µg/L	WA	0
		Sodium	1,330	1,330	1,170	1,390		µg/L	WA	0
•		Specific conductance	15	13	12	12	J	µS/cm	WA	0
		Sulfate	<100	<250	<250	<250		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids				14,000	V	µg/L	WA	0
		Total organic carbon	602	<500	<500	<500		µg/L	WA	0
		Total organic halogens	<5.0	27	28	25		µg/L	WA	0
		Toxaphene	<1.1	<1.1	<1.0	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.55	<0.53	<0.56	<0.57		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	6.4	6.5		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	2.4	2.4	J	µg/L	WA	0
		Trichlorofluoromethane	16	15	26	25		µg/L	WA	2
		Tritium	2.2E+00	<2.0E+00	1.4E+00	1.7E+00		pCi/mL	CN	0
		Vanadium	0.90	1.1	<0.88	2.7	J3	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

WELL LFW 42

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N83776.2 E46532.9	33.286978 °N 81.707005 °W	151.2-130.2 ft msl	170.1 ft msl	4" PVC	S	Steed Pond Aquifer

SAMPLE DATE	02/14/92	06/03/92	09/01/92	11/30/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	147.2	146.5	147.8	148.1	ft msl
pH	5.2	4.3	4.8	5.3	pH
Sp. conductance	15	15	18	17	µS/cm
Water temperature	18.9	18.3	19.7	19.8	°C
Alkalinity as CaCO ₃	0	0	0	0	mg/L
Volume purged	4.0	4.0	4.0	15.2	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Aluminum	18	<15	<15	<15		µg/L	WA	0
		Antimony	<2.6	<2.6	3.3	<2.6		µg/L	WA	0
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	<6.6	<4.0	4.8	<4.0		µg/L	WA	0
		Benzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	<0.35	1.0	<0.35	<0.35		µg/L	WA	0
		Calcium	223	222	305	347	V	µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	2,640	2,240	2,020	2,100		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	1.3	<1.1	<1.1	<1.1		µg/L	WA	0
		Copper	1.1	<1.1	2.1	<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<5.0	6.2	4.1	J	µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	<5.0	6.2	<5.0	<5.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.10	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	6.0E-01	<3.0E+00	<2.0E+00	2.5E+00		pCi/L	CN	0
		Iron	21		<1.9			µg/L		
		Lead	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.056	<0.053	<0.051	<0.057		µg/L	WA	0
		Magnesium	288	282	327	424		µg/L	WA	0
		Manganese	0.53	<0.35	<0.35	0.42	J3	µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.56	<0.53	<0.51	<0.57		µg/L	WA	0
		Nickel	<3.1	<3.1	<3.1	<3.1		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 42 continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
•		Nitrate as nitrogen	218	188	244	< 20	J	µg/L	WA	0
		Nonvolatile beta	5.4E+00	< 5.0E+00	2.8E+00	5.3E+00		pCi/L	CN	0
•		pH	8.4	5.4	5.3	5.3	J	pH	WA	0
		Phenols	< 5.0		< 5.0	< 5.0		µg/L	WA	0
		Potassium	245	243	96	146	J3	µg/L	WA	0
		Radium-226	1.2E+00	8.1E-01	< 1.0E+00	< 1.0E+00		pCi/L	CN	0
		Radium-228	2.3E+00		1.9E+00			pCi/L		
		Selenium	< 2.0	< 2.0	< 2.0	< 2.0		µg/L	WA	0
		Silica		6,940	6,600	7,310		µg/L	WA	0
		Silicon	3,410					µg/L		
		Silver	< 0.70	0.70	1.4	< 0.70		µg/L	WA	0
		Sodium	1,460	1,480	1,310	1,450		µg/L	WA	0
•		Specific conductance	12	13	14	16	J	µS/cm	WA	0
		Sulfate	302	254	286	279		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
■		Tetrachloroethylene	< 5.0	< 5.0	4.2	5.2		µg/L	WA	2
		Toluene	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Total dissolved solids				23,000	V	µg/L	WA	0
		Total organic carbon	< 500	2,430	< 500	< 500		µg/L	WA	0
		Total organic halogens	< 5.0	57	82	69		µg/L	WA	2
		Toxaphene	< 1.1	< 1.1	< 1.0	< 1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	< 0.56	< 0.55	< 0.56	< 0.57		µg/L	WA	0
		1,1,1-Trichloroethane	9.7	7.1	56	46		µg/L	WA	0
		1,1,2-Trichloroethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Trichloroethylene	< 5.0	< 5.0	3.5	2.6	J	µg/L	WA	1
		Trichlorofluoromethane	11	10	47	71		µg/L	WA	2
		Tritium	2.8E+00	< 2.0E+00	2.1E+00	1.5E+00		pCi/mL	CN	0
		Vanadium	< 0.88	0.97	< 0.88	< 0.88		µg/L	WA	0

WELL LFW 43B

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N86459.2	33.290800 °N	100.4-90.4 ft msl	203 ft msl	4" PVC	S	Steep Pond Aquifer
E45240.5	81.715622 °W					

SAMPLE DATE	02/12/92	06/04/92	09/08/92	12/01/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	165.9	165.5	166.0	165.9	ft msl
pH	6.0	5.3	5.6	5.9	pH
Sp. conductance	29	25	25	23	µS/cm
Water temperature	18.1	18.8	19.5	18.7	°C
Alkalinity as CaCO ₃	6	5	4	4	mg/L
Volume purged	4.0	4.0	4.0	5.4	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	< 2.0	< 2.0	< 2.0	< 2.0		µg/L	WA	0
		Barium	7.2	7.8	7.9	7.8	J3	µg/L	WA	0
		Benzene	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromodichloromethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromoform	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	< 10	< 10	< 10	< 10		µg/L	WA	0
		Cadmium	< 0.35	0.60	2.1	< 0.35	V	µg/L	WA	0
		Calcium	2,200	1,960	1,830	1,680		µg/L	WA	0
		Carbon tetrachloride	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Chloride	1,880	2,020	1,400	1,360		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 43B continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	1.2	1.3	J3	µg/L	WA	0
		Copper				<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	<5.0	1.1	5.3	<5.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	2.5E+00	<3.0E+00	<2.0E+00	<2.0E+00		pCi/L	CN	0
		Iron	23	15	25	132	V	µg/L	WA	0
		Lead	<2.0	<2.0	5.4	<2.0		µg/L	WA	0
		Lindane	<0.057	<0.057	<0.056	<0.056		µg/L	WA	0
		Magnesium	271	312	300	289		µg/L	WA	0
		Manganese	11	9.8	7.9	8.8		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.57	<0.54	<0.56	<0.56		µg/L	WA	0
		Nickel				<3.1		µg/L	WA	0
		Nitrate as nitrogen	998	1,130	687	734		µg/L	WA	0
		Nonvolatile beta	4.6E+00	<5.0E+00	2.5E+00	<2.0E+00		pCi/L	CN	0
		pH	5.9	5.6	7.2	6.1	J	pH	WA	0
		Phenols	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Potassium	376	418	259	369	V	µg/L	WA	0
		Radium-226	2.0E-01	6.6E-01	1.6E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	1.7E+00		<1.0E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		8,540	7,640	7,550	V	µg/L	WA	0
		Silicon	3,870					µg/L		
		Silver	<0.70	<0.70	<0.70	<0.70		µg/L	WA	0
		Sodium	1,830	1,790	1,710	1,560		µg/L	WA	0
		Specific conductance	31	22	20	21	J	µS/cm	WA	0
		Sulfate	575	581	490	511		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids	50,000	62,000	39,000	7,000	V	µg/L	WA	0
		Total organic carbon	<500	<500	1,160	<500		µg/L	WA	0
		Total organic halogens	<5.0	153	<5.0	<5.0		µg/L	WA	0
		Total phosphates (as P)	56	65				µg/L		
		Toxaphene	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.55	<0.55	<0.56	<0.56		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	1.1E+00	<2.0E+00	7.1E-01	8.2E-01		pCi/mL	CN	0
		Vanadium				<0.88		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

WELL LFW 43C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N86480.6 E45234.9	33.290838 °N 81.715679 °W	138.5-128.5 ft msl	202.6 ft msl	4" PVC	S	Steed Pond Aquifer

SAMPLE DATE	02/12/92	06/04/92	09/08/92	12/01/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	166.1	165.6	166.2	166.0	ft msl
pH	5.4	5.0	5.1	5.4	pH
Sp. conductance	20	18	20	18	µS/cm
Water temperature	18.1	19.4	20.2	18.3	°C
Alkalinity as CaCO ₃	2	1	1	1	mg/L
Volume purged	4.0	4.1	4.0	9.8	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	<6.6	4.5	6.2	<4.0		µg/L	WA	0
		Benzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	<0.35	0.58	0.60	<0.35	V	µg/L	WA	0
		Calcium	995	853	987	982		µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	1,810	1,730	1,310	1,350		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		Copper				<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	<5.0	<5.0	3.2	<5.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	<1.1E+00	4.8E+00	<2.0E+00	<2.0E+00		pCi/L	CN	0
		Iron	11	3.6	5.8	12	V	µg/L	WA	0
		Lead	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.056	<0.055	<0.056	<0.056		µg/L	WA	0
		Magnesium	399	359	362	408		µg/L	WA	0
		Manganese	10	6.3	4.5	4.4		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.56	<0.55	<0.56	<0.56		µg/L	WA	0
		Nickel				<3.1		µg/L	WA	0
		Nitrate as nitrogen	562	434	278	445		µg/L	WA	0
		Nonvolatile beta	3.0E+00	<5.0E+00	<2.0E+00	<2.0E+00		pCi/L	CN	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 43C continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
•		pH	5.5	5.5	6.4	5.6	J	pH	WA	0
		Phenols	<5.0	<5.0	<5.0	<5.0		µg/L	V/A	0
		Potassium	183	351	246	364	V	µg/L	WA	0
		Radium-226	1.0E+00	<5.0E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	3.0E-01		<1.0E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		6,480	5,990	6,830	V	µg/L	WA	0
		Silicon	3,260					µg/L		
		Silver	<0.70	0.78	<0.70	<0.70		µg/L	WA	0
		Sodium	1,100	1,020	970	1,120		µg/L	WA	0
•		Specific conductance	19	15	14	16	J	µS/cm	WA	0
		Sulfate	<100	310	296	252		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids	10,000	11,000	36,000	14,000	V	µg/L	WA	0
		Total organic carbon	<500	<500	638	<500		µg/L	WA	0
		Total organic halogens	<5.0	<20	<5.0	6.4		µg/L	WA	0
		Total phosphates (as P)	<20	48				µg/L		
		Toxaphene	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.57	<0.55	<0.55	<0.56		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	1.9E+00	<2.0E+00	1.6E+00	2.2E+00		pCi/mL	CN	0
		Vanadium				<0.88		µg/L	WA	0

WELL LFW 43D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N86443.2	33.290771 °N	170.9-150.9 ft msl	202.9 ft msl	4" PVC	S	Steed Pond Aquifer
E45244.5	81.715581 °W					

SAMPLE DATE	02/12/92	06/04/92	09/08/92	12/01/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	166.4	166.0	167.8	166.4	ft msl
pH	5.2	4.9	4.9	5.2	pH
Sp. conductance	22	19	19	16	µS/cm
Water temperature	19.4	19.3	20.1	19.1	°C
Alkalinity as CaCO ₃	1	0	0	0	mg/L
Volume purged	4.1	4.1	4.1	9.4	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	9.5	10	9.8	8.0	J3	µg/L	WA	0
		Benzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	<0.35	<0.35	0.70	0.47	V	µg/L	WA	0
		Calcium	868	676	695	624		µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	2,220	2,150	1,560	1,410		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 43D continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethane (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		Copper				1.7	J3	µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	<5.0	1.0	4.1	<5.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	8.0E-01	<3.0E+00	<2.0E+00	<2.0E+00		pCi/L	CN	0
		Iron	11	6.1	12	32	V	µg/L	WA	0
		Lead	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.056	<0.054	<0.056	<0.054		µg/L	WA	0
		Magnesium	648	599	546	529		µg/L	WA	0
		Manganese	18	13	9.4	9.3		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.56	<0.54	<0.56	<0.54		µg/L	WA	0
		Nickel				4.3	J3	µg/L	WA	0
		Nitrate as nitrogen	793	930	417	519		µg/L	WA	0
		Nonvolatile beta	5.2E+00	<5.0E+00	4.0E+00	3.8E+00		pCi/L	CN	0
•		pH	5.3	5.3	6.2	5.4	J	pH	WA	0
		Phenols	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Potassium	214	201	<84	375	V	µg/L	WA	0
		Radium-226	2.0E-01	<5.0E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	1.8E+00		1.3E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		5,920	5,270	5,360	V	µg/L	WA	0
		Silicon	2,810					µg/L		
		Silver	<0.70	<0.70	<0.70	<0.70		µg/L	WA	0
		Sodium	1,260	1,060	841	961		µg/L	WA	0
•		Specific conductance	19	19	15	16	J	µS/cm	WA	0
		Sulfate	<100	<250	<250	<250		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids	19,000	15,000	32,000	29,000	V	µg/L	WA	0
		Total organic carbon	672	<500	1,480	<500		µg/L	WA	0
		Total organic halogens	<5.0	72	<5.0	<5.0		µg/L	WA	0
		Total phosphates (as P)	22	48				µg/L		
		Toxaphene	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.56	<0.55	<0.57	<0.56		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	1.5E+00	<2.0E+00	1.0E+00	9.8E-01		pCi/mL	CN	0
		Vanadium				<0.88		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

WELL LFW 44D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N84524.4	33.286167 °N	159.3-139.5 ft msl	170.3 ft msl	4" PVC	S	Steep Pond Aquifer
E45022.6	81.712435 °W					

SAMPLE DATE	02/13/92	06/04/92	09/08/92	12/01/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	154.9	154.4	155.2	155.0	ft msl
pH	5.1	4.7	4.6	5.0	pH
Sp. conductance	22	21	22	17	μS/cm
Water temperature	17.2	19.4	20.0	18.1	°C
Alkalinity as CaCO ₃	0	0	0	0	mg/L
Volume purged	4.0	4.0	4.0	10.4	Weir vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	<6.6	<4.0	<4.0	<4.0		µg/L	WA	0
		Benzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	<0.35	0.70	<0.35	0.80	V	µg/L	WA	0
		Calcium	431	446	421	405		µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	3,460	3,250	2,690	2,570		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	2.2	<1.1	<1.1	<1.1		µg/L	WA	0
		Copper				2.1	J3	µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	<5.0	1.5	3.8	<5.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	7.0E-01	<3.0E +00	<2.0E +00	<2.0E +00		pCi/L	CN	0
		Iron	22	5.3	18	14	V	µg/L	WA	0
		Lead	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.056	<0.053	<0.056	<0.055		µg/L	WA	0
		Magnesium	391	424	364	375		µg/L	WA	0
		Manganese	2.4	2.3	0.80	1.4	J3	µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.56	<0.53	<0.56	<0.55		µg/L	WA	0
		Nickel				<3.1		µg/L	WA	0
		Nitrate as nitrogen	501	682	330	376		µg/L	WA	0
		Nonvolatile beta	3.5E +00	5.3E +00	2.2E +00	2.2E +00		pCi/L	CN	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 44D continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
•		pH	4.5	5.2	6.1	5.2	J	pH	WA	0
		Phenols	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Potassium	708	879	642	891	V	µg/L	WA	0
		Radium-226	9.0E-01	<5.0E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	1.3E+00		<1.0E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		6,420	5,470	6,020	V	µg/L	WA	0
		Silicon	2,650					µg/L		
		Silver	0.75	<0.70	<0.70	<0.70		µg/L	WA	0
		Sodium	1,270	1,440	1,220	1,510		µg/L	WA	0
•		Specific conductance	20	19	17	16	J	µS/cm	WA	0
		Sulfate	<100	288	<250	<250		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids	39,000	13,000	29,000	10,000	V	µg/L	WA	0
		Total organic carbon	1,310	<500	952	<500		µg/L	WA	0
		Total organic halogens	8.4	83	<5.0	<5.0		µg/L	WA	0
		Total phosphates (as P)	<20	34				µg/L		
		Toxaphene	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.56	<0.56	<0.55	<0.55		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	2.6E+00	2.8E+00	3.2E+00	2.9E+00		pCi/mL	CN	0
		Vanadium				<0.88		µg/L	WA	0

WELL LFW 45D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N84217.8 E45142.0	33.285684 °N 81.711525 °W	154.7-134.7 ft msl	166.3 ft msl	4" PVC	S	Steed Pond Aquifer

SAMPLE DATE	02/19/92	06/05/92	09/08/92	12/01/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	152.2	151.8	152.5	152.5	ft msl
pH	5.0	4.4	4.8	5.1	pH
Sp. conductance	19	19	22	22	µS/cm
Water temperature	17.7	18.9	20.5	18.7	°C
Alkalinity as CaCO ₃	0	0	0	0	mg/L
Volume purged	5.0	4.0	4.0	7.9	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	<6.6	5.0	4.2	4.6	J3	µg/L	WA	0
		Benzene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<1.0	<10	<10		µg/L	WA	0
		Cadmium	0.60	0.35	<0.35	0.75	V	µg/L	WA	0
		Calcium	419	396	581	775		µg/L	WA	0
		Carbon tetrachloride	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Chloride	2,960	2,800	2,480	2,270		µg/L	WA	0
		Chlorobenzene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 45D continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Chloroethane	<10	<1.0	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<1.0	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<1.0	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<1.0	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		Copper				2.1	J3	µg/L	WA	0
		Dibromochloromethane	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	7.5	11	4.3	<5.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<0.30	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.0060	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	1.3E+00	2.4E+00	<2.0E+00	<2.0E+00		pCi/L	CN	0
		Iron	10	26	152	39	V	µg/L	WA	0
		Lead	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.055	<0.0050	<0.056	<0.055		µg/L	WA	0
		Magnesium	390	429	396	405		µg/L	WA	0
		Manganese	3.1	3.0	2.6	2.8		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.55	<0.50	<0.56	<0.55		µg/L	WA	0
		Nickel				<3.1		µg/L	WA	0
		Nitrate as nitrogen	224	335	<20	174		µg/L	WA	0
		Nitrate-nitrite as nitrogen		100				µg/L		
		Nonvolatile beta	3.1E+00	<2.0E+00	<2.0E+00	2.3E+00		pCi/L	CN	0
		pH	5.7	5.7	6.1	5.2	J	pH	WA	0
		Phenols	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Potassium	553	597	565	667	V	µg/L	WA	0
		Radium-226	1.0E+00	1.4E+00	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	2.0E+00		<1.0E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		6,660	6,080	5,990	V	µg/L	WA	0
		Silicon	3,130					µg/L		
		Silver	<0.70	<0.70	<0.70	<0.70		µg/L	WA	0
		Sodium	1,260	1,290	1,330	1,820		µg/L	WA	0
		Specific conductance	14	20	17	20	J	µS/cm	WA	0
		Sulfate	467	780	897	2,400		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	2.9	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids	22,000	15,000	29,000	5,000	V	µg/L	WA	0
		Total organic carbon	1,020	<500	638	<500		µg/L	WA	0
		Total organic halogens	64	37	<5.0	<5.0		µg/L	WA	0
		Total phosphates (as P)	<20	62				µg/L		
		Toxaphene	<1.1	<0.24	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.55	<0.090	<0.56	<0.55		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	1.5	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Tritium	1.9E+00	1.4E+00	1.4E+00	1.2E+00		pCi/mL	CN	0
		Uranium	0.060					µg/L		
		Vanadium				<0.88		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

WELL LFW 46D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N84054.0 E45162.8	33.285356 °N 81.711152 °W	157.1-137.3 ft msl	165.1 ft msl	4" PVC	S	Steed Pond Aquifer

SAMPLE DATE	02/19/92	06/04/92	09/08/92	12/01/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	150.9	150.5	151.2	151.2	ft msl
pH	5.4	5.3	5.3	5.6	pH
Sp. conductance	134	110	104	93	µS/cm
Water temperature	17.0	18.9	21.9	19.4	°C
Alkalinity as CaCO ₃	4	4	3	7	mg/L
Volume purged	4.0	4.0	4.0	9.0	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	9.3	16	11	14	J3	µg/L	WA	0
		Benzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	<0.35	<0.35	<0.35	<0.35		µg/L	V/A	0
		Calcium	10,700	9,690	7,910	9,120		µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	3,490	2,740	2,160	2,800		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		Copper				<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	6.7	2.1	3.1	<5.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	2.0E + 00	<3.0E + 00	<2.0E + 00	2.3E + 00		pCi/L	CN	0
		Iron	25	31	38	30	V	µg/L	WA	0
		Lead	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.056	<0.056	<0.055	<0.055		µg/L	WA	0
		Magnesium	5,100	4,560	3,550	4,010		µg/L	WA	0
		Manganese	3.8	4.5	3.6	4.1		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.56	<0.56	<0.55	<0.55		µg/L	WA	0
		Nickel				<3.1		µg/L	WA	0
		Nitrate as nitrogen	443	452	332	558		µg/L	WA	0
		Nonvolatile beta	7.6E + 00	5.3E + 00	4.4E + 00	4.6E + 00		pCi/L	CN	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 46D continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
•		pH	5.1	5.6	5.3	5.9	J	pH	WA	0
		Phenols	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Potassium	1,020	1,030	1,030	763	V	µg/L	WA	0
		Radium-226	1.2E+00	9.3E-01	<1.0E+00	1.4E+00		pCi/L	CN	0
		Radium-228	2.8E+00		2.1E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		6,650	5,740	6,240	V	µg/L	WA	0
		Silicon	3,050					µg/L		
		Silver	<0.70	<0.70	<0.70	<0.70		µg/L	WA	0
		Sodium	1,610	1,430	1,150	1,770		µg/L	WA	0
•		Specific conductance	115	27	82	99	J	µS/cm	WA	0
		Sulfate	38,900	33,300	28,400	30,100		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids	80,000	62,000	77,000	65,000	V	µg/L	WA	0
		Total organic carbon	1,340	980	743	683		µg/L	WA	0
		Total organic halogens	30	78	<5.0	5.2		µg/L	WA	0
		Total phosphates (as P)	<20	51				µg/L		
		Toxaphene	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.55	<0.56	<0.56	<0.55		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	1.7E+00	<2.0E+00	1.7E+00	1.6E+00		pCi/mL	CN	0
		Uranium	0.070					µg/L		
		Vanadium				<0.88		µg/L	WA	0

WELL LFW 47C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N83843.9 E45178.6	33.284917 °N 81.710702 °W	115.8-105.7 ft msl	161.4 ft msl	4" PVC	S	Steep Pond Aquifer

SAMPLE DATE	02/14/92	06/04/92	09/03/92	12/01/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	148.6	148.2	148.7	148.8	ft msl
pH	5.4	5.5	5.2	5.5	pH
Sp. conductance	62	64	34	24	µS/cm
Water temperature	18.4	19.3	18.8	18.2	°C
Alkalinity as CaCO ₃	9	10	4	1	mg/L
Volume purged	4.0	4.0	4.0	4.5	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	<6.6	<4.0	5.6	<4.0		µg/L	WA	0
		Benzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	<0.35	0.60	<0.35	<0.35		µg/L	WA	0
		Calcium	1,500	1,520	950	865		µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	7,010	2,250	3,210	2,520		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 47C continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	7.7	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	<1.1	<1.4	J3	µg/L	WA	0
		Copper				<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	2.0	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	<5.0	2.1	27	<5.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	2.5E+00	<3.0E+00	<2.0E+00	<2.0E+00	J3V	pCi/L	CN	0
		Iron	15	5.2	8.5	8.5		µg/L	WA	0
		Lead	<2.0	<2.0	13	<2.0		µg/L	WA	0
		Lindane	<0.056	<0.053	<0.055	<0.055		µg/L	WA	0
		Magnesium	2,820	3,100	1,490	1,310		µg/L	WA	0
		Manganese	4.7	3.8	3.0	3.5		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.56	<0.53	<0.55	<0.55		µg/L	WA	0
		Nickel				<3.1		µg/L	WA	0
		Nitrate as nitrogen	623	543	287	191		µg/L	WA	0
		Nonvolatile beta	5.3E+00	<5.0E+00	1.5E+01	2.4E+00	J	pCi/L	CN	0
		pH	6.7	5.8	5.3	5.7		pH	WA	0
		Phenols	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Potassium	541	788	431	602	V	µg/L	WA	0
		Radium-226	2.3E+00	1.0E+00	<1.0E+00	1.2E+00		pCi/L	CN	0
		Radium-228	1.8E+00		1.0E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		7,570	6,480	7,050	V	µg/L	WA	0
		Silicon	3,400					µg/L		
		Silver	<0.70	<0.70	1.4	0.83	J3	µg/L	WA	0
		Sodium	3,840	4,470	2,160	1,870		µg/L	WA	0
		Specific conductance	50	56	28	27	J	µS/cm	WA	0
		Sulfate	2,120	290	599	462		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids	38,000	32,000	12,000	49,000	V	µg/L	WA	0
		Total organic carbon	2,140	877	<500	<500		µg/L	WA	0
		Total organic halogens	31	107	17	8.9		µg/L	WA	0
		Total phosphates (as P)	<20	22				µg/L		
		Toxaphene	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.55	<0.56	<0.55	<0.55		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	3.7E+00	3.4E+00	2.9E+00	3.3E+00		pCi/mL	CN	0
		Vanadium				<0.88		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

WELL LFW 47D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N83859.3 E45167.9	33.284933 °N 81.710760 °W	154.7-134.9 ft msl	161.7 ft msl	4" PVC	S	Steep Pond Aquifer

SAMPLE DATE	02/14/92	06/04/92	09/03/92	12/01/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	149.1	148.8	149.2	149.3	ft msl
pH	5.1	5.2	5.0	5.3	pH
Sp. conductance	26	29	28	22	µS/cm
Water temperature	16.1	19.5	21.0	18.0	°C
Alkalinity as CaCO ₃	3	1	1	1	mg/L
Volume purged	4.0	4.0	4.0	30.1	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	<6.6	13	16	14	J3	µg/L	WA	0
		Benzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	<0.35	<0.35	<0.35	<0.35		µg/L	WA	0
		Calcium	1,900	1,610	1,730	1,600		µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	2,250	3,670	1,510	1,480		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	2.1	1.2	J3	µg/L	WA	0
		Copper				<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	<5.0	2.0	20	<5.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	4.0E-01	<3.0E+00	<2.0E+00	<2.0E+00		pCi/L	CN	0
		Iron	<1.9	22	20	23	V	µg/L	WA	0
		Lead	<2.0	<2.0	21	<2.0		µg/L	WA	0
		Lindane	<0.057	<0.053	<0.055	<0.056		µg/L	WA	0
		Magnesium	<8.9	935	828	756		µg/L	WA	0
		Manganese	<0.35	3.8	3.5	2.7		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.57	<0.53	<0.55	<0.56		µg/L	WA	0
		Nickel				<3.1		µg/L	WA	0
		Nitrate as nitrogen	274	291	223	176		µg/L	WA	0
		Nonvolatile beta	6.4E+00	<5.0E+00	7.0E+00	<2.0E+00		pCi/L	CN	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 47D continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
•		pH	6.7	5.6	5.2	5.6	J	pH	WA	0
		Phenols	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Potassium	<84	919	1,120	853	V	µg/L	WA	0
		Radium-226	3.0E-01	<5.0E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	1.1E+00		<1.0E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		5,250	4,880	4,930	V	µg/L	WA	0
		Silicon	2,260					µg/L		
		Silver	<0.70	<0.70	2.3	1.2	J3	µg/L	WA	0
		Sodium	<106	930	1,010	1,080		µg/L	WA	0
•		Specific conductance	22	28	23	24	J	µS/cm	WA	0
		Sulfate	4,580	9,880	4,600	3,860		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids	28,000	13,000	6,000	58,000	V	µg/L	WA	0
		Total organic carbon	763	566	<500	<500		µg/L	WA	0
		Total organic halogens	6.7	20	5.5	<5.0		µg/L	WA	0
		Total phosphates (as P)	52	166				µg/L		
		Toxaphene	<1.1	<1.0	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.57	<0.55	<0.57	<0.56		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	1.4E+00	<2.0E+00	1.1E+00	1.6E+00		pCi/mL	CN	0
		Vanadium				<0.88		µg/L	WA	0

WELL LFW 48C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N83877.0 E45430.3	33.285401 °N 81.710103 °W	118.2-108.2 ft msl	169.3 ft msl	4" PVC	S	Steed Pond Aquifer

SAMPLE DATE	02/13/92	06/04/92	09/03/92	12/01/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	148.7	148.3	148.8	148.9	ft msl
pH	5.6	5.3	5.4	5.6	pH
Sp. conductance	25	27	28	22	µS/cm
Water temperature	18.3	19.2	19.3	19.0	°C
Alkalinity as CaCO ₃	1	2	3	2	mg/L
Volume purged	5.0	4.0	4.6	4.7	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	<6.6	8.7	9.1	10	J3	µg/L	WA	0
		Benzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	<0.35	<0.35	<0.35	<0.35	V	µg/L	WA	0
		Calcium	853	872	927	937		µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	2,510	2,410	2,040	2,520		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 48C continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	1.5	<1.1	<1.1	<1.1		µg/L	WA	0
		Copper				<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<5.0	1.3	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	<5.0	6.5	20	<5.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	3.0E-01	<3.0E+00	<2.0E+00	<2.0E+00		pCi/L	CN	0
		Iron	34	<1.9	30	8.6	V	µg/L	WA	0
		Lead	<2.0	<2.0	11	<2.0		µg/L	WA	0
		Lindane	<0.056	<0.055	<0.056	<0.056		µg/L	WA	0
		Magnesium	425	452	436	436		µg/L	WA	0
		Manganese	17	15	15	17		µg/L	WA	0
		Mercury	0.93	0.79	1.3	2.9		µg/L	WA	2
		Methoxychlor	<0.56	<0.55	<0.56	<0.56		µg/L	WA	0
		Nickel				<3.1		µg/L	WA	0
		Nitrate as nitrogen	736	825	286	431		µg/L	WA	0
		Nonvolatile beta	4.3E+00	<5.0E+00	1.5E+01	<2.0E+00		pCi/L	CN	0
		pH	5.3	5.6	5.2	5.7	J	pH	WA	0
		Phenols	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Potassium	322	618	676	735	V	µg/L	WA	0
		Radium-226	4.0E-01	<5.0E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	4.0E-01		<1.0E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		6,900	6,530	6,630	V	µg/L	WA	0
		Silicon	2,960					µg/L		
		Silver	<0.70	0.78	1.3	<0.70		µg/L	WA	0
		Sodium	1,490	1,810	1,890	2,420		µg/L	WA	0
		Specific conductance	18	19	15	24	J	µS/cm	WA	0
		Sulfate	694	539	290	606		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids	44,000	15,000	3,000	19,000	V	µg/L	WA	0
		Total organic carbon	580	<500	<500	<500		µg/L	WA	0
		Total organic halogens	8.4	51	<5.0	12		µg/L	WA	0
		Total phosphates (as P)	<20	41				µg/L		
		Toxaphene	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.56	<0.56	<0.56	<0.56		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	3.1E+00	2.6E+00	2.8E+00	2.9E+00		pCi/mL	CN	0
		Vanadium				<0.88		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

WELL LFW 48D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N83877.5	33.285424 °N	155.0-134.9 ft msl	169.5 ft msl	4" PVC	S	Steep Pond Aquifer
E45443.7	81.710069 °W					

SAMPLE DATE	02/13/92	04/28/92	09/03/92	12/01/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	149.0	148.8	149.2	149.4	ft msl
pH	6.9	6.9	6.6	7.0	pH
Sp. conductance	417	426	419	380	μS/cm
Water temperature	18.2	17.6	19.3	18.9	°C
Alkalinity as CaCO ₃	171	157	173	168	mg/L
Volume purged	4.0	6.1	4.0	8.2	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	22	11	14	15		µg/L	WA	0
		Barium	<6.6	5.1	5.3	4.2	J3	µg/L	WA	0
		Benzene	3.3	4.3	2.9	3.4	J	µg/L	WA	1
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	<0.35	<0.35	<0.35	2.2	V	µg/L	WA	0
		Calcium	6,970	7,880	7,390	8,050		µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	27,400	25,500	36,400	23,900		µg/L	WA	0
		Chlorobenzene	13	29	17	26		µg/L	WA	2
		Chloroethane	8.0	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	143	104	85	126		µg/L	WA	2
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		Copper				<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	1.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	52	49	50	49		µg/L	WA	2
		1,2-Dichloroethane	<5.0	1.9	2.0	1.8	J	µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	6.8	7.2	23	6.1		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.42	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	16	20	14	9.0		µg/L	WA	0
		Fluoride	254	254	205	230		µg/L	WA	0
		Gross alpha	1.0E-01	<3.0E+00	<2.0E+00	3.0E+00	V	pCi/L	CN	0
		Iron	45,300	48,800	51,000	58,100		µg/L	WA	2
		Lead	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.21	<0.056	<0.056	<0.055		µg/L	WA	0
		Magnesium	14,700	16,700	11,900	12,000		µg/L	WA	0
		Manganese	26	18	21	19		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<2.1	<0.56	<0.56	<0.55		µg/L	WA	0
		Nickel				<3.1		µg/L	WA	0
		Nitrate as nitrogen	<20	146	<20	<20		µg/L	WA	0
		Nonvolatile beta	3.7E+00	<5.0E+00	<2.0E+00	5.8E+00		pCi/L	CN	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 48D continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
•		pH	6.6	6.4	5.4	6.3	J	pH	WA	0
		Phenols	9.3	10	<5.0	7.2		µg/L	WA	0
		Potassium	1,340	1,400	1,420	1,690	V	µg/L	WA	0
		Radium-226	6.0E-01	9.8E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	2.2E+00		1.7E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		5,620	5,210	5,750	V	µg/L	WA	0
		Silicon	2,470					µg/L		
		Silver	<0.70	<0.70	<0.70	<0.70		µg/L	WA	0
		Sodium	18,600	20,300	17,600	20,200		µg/L	WA	0
•		Specific conductance	1,110	279	214	231	J	µS/cm	WA	0
		Sulfate	10,400	336	328	476		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	6.8	6.1	4.4	3.8	J	µg/L	WA	0
		Total dissolved solids	155,000	131,000	102,000	84,000	V	µg/L	WA	0
		Total organic carbon	5,870	14,200	4,350	4,820		µg/L	WA	0
		Total organic halogens	2,900	144	354	207		µg/L	WA	2
		Total phosphates (as P)	34	45				µg/L		
		Toxaphene	<4.2	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.53	<0.53	<0.57	<0.56		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	7.3E+00	6.2E+00	7.0E+00	7.2E+00		pCi/mL	CN	0
		Vanadium				<0.88		µg/L	WA	0

WELL LFW 55C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N83613.2 E45205.9	33.284451 °N 81.710181 °W	104.1-94.1 ft msl	156.4 ft msl	4" PVC	S	Steed Pond Aquifer

SAMPLE DATE 02/14/92 06/08/92 09/03/92 11/29/92

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	146.8	146.3	146.8	147.1	ft msl
pH	5.3	4.8	5.1	5.1	pH
Sp. conductance	32	30	29	31	µS/cm
Water temperature	18.0	19.5	19.9	18.2	°C
Alkalinity as CaCO ₃	1	1	1	1	mg/L
Volume purged	4.0	4.0	4.0	7.5	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	GE	0
		Barium	<6.6	<4.0	4.6	3.4		µg/L	GE	0
		Benzene	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		Bromoform	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<1.0		µg/L	GE	0
		Cadmium	<0.35	0.88	<0.35	<0.35		µg/L	WA	0
		Calcium	910	844	855	872		µg/L	GE	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		Chloride	3,270	2,830	2,510	2,620		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 55C continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Chloroethane	<10	<10	<10	<1.0		µg/L	GE	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<1.0		µg/L	GE	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<1.0		µg/L	GE	0
		Chloroform	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<1.0		µg/L	GE	0
		Chromium	<1.1	<1.1	<1.1	1.1	J3	µg/L	WA	0
		Copper				2.0	J3	µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		1,1-Dichloroethane	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	4.2	J	µg/L	GE	1
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		Dichloromethane (Methylene chloride)	<5.0	13	22	<1.0		µg/L	GE	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.2	<0.30		µg/L	GE	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		Endrin	<0.11	<0.11	<0.10	<0.0060		µg/L	GE	0
		Ethylbenzene	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		Fluoride	<100	<100	<100	<100		µg/L	GE	0
		Gross alpha	2.1E+00	<3.0E+00	<2.0E+00	2.5E+00		pCi/L	GP	0
		Iron	21	<1.9	45	16		µg/L	WA	0
		Lead	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.057	<0.056	<0.052	<0.0050		µg/L	GE	0
		Magnesium	983	934	1,020	963		µg/L	GE	0
		Manganese	9.3	5.6	6.4	5.2		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	GE	0
		Methoxychlor	<0.57	<0.56	<0.52	<0.50		µg/L	GE	0
		Nickel				<3.1		µg/L	WA	0
		Nitrate as nitrogen	1,370	1,280	653	1,190		µg/L	WA	0
		Nitrate-nitrite as nitrogen				1,100		µg/L	GE	0
		Nonvolatile beta	2.7E+00	<5.0E+00	<2.0E+00	<2.0E+00		pCi/L	CN	0
		pH	5.9	5.4	5.3	5.8	J	pH	WA	0
		Phenols	<5.0	<5.0	<5.0	<5.0		µg/L	GE	0
		Potassium	333	539	351	641	V	µg/L	WA	0
		Radium-226	1.0E+00	<5.0E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	5.0E-01		<1.0E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	GE	0
		Silica		7,510	7,440	8,800		µg/L	GE	0
		Silicon	3,350					µg/L		
		Silver	1.8	<0.70	2.0	1.8	J3	µg/L	WA	0
		Sodium	2,030	1,950	2,140	2,290		µg/L	GE	0
		Specific conductance	25	24	30	29		µS/cm	GE	0
		Sulfate	584	554	471	542		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		Toluene	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		Total dissolved solids	22,000	20,000	14,000	49,000		µg/L	WA	0
		Total organic carbon	763	<500	<500	1,670		µg/L	WA	0
		Total organic halogens	23	27	<5.0	5.0		µg/L	WA	0
		Total phosphates (as P)	48	22				µg/L		
		Toxaphene	<1.1	<1.1	<1.0	<0.24		µg/L	GE	0
		2,4,5-TP (Silvex)	<0.56	<0.55	<0.59	<0.090		µg/L	GE	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		Trichloroethylene	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<1.0		µg/L	GE	0
		Tritium	1.8E+00	<2.0E+00	1.4E+00	1.7E+00		pCi/mL	CN	0
		Vanadium				1.2	J3	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

WELL LFW 55D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N83601.3 E45189.3	33.284398 °N 81.710202 °W	141.4-121.2 ft msl	155.4 ft msl	4" PVC	S	Steed Pond Aquifer

SAMPLE DATE	02/14/92	06/08/92	09/03/92	11/29/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	146.7	146.4	146.8	147.1	ft msl
pH	5.1	4.6	4.8	5.3	pH
Sp. conductance	25	29	29	29	µS/cm
Water temperature	16.4	18.3	20.5	18.1	°C
Alkalinity as CaCO ₃	1	1	0	0	mg/L
Volume purged	4.0	4.0	4.0	13.6	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	7.8	8.6	9.9	11	J3	µg/L	WA	0
		Benzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	<0.35	0.75	<0.35	<0.35		µg/L	WA	0
		Calcium	840	1,150	1,070	1,360	V	µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	3,100	2,740	2,480	2,140		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		Copper				4.5	J3	µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	<5.0	9.5	5.0	<5.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	4.0E-01	<3.0E+00	<2.0E+00	<2.0E+00		pCi/L	CN	0
		Iron	86	1.9	147	98		µg/L	WA	0
		Lead	<2.0	<2.0	3.9	<2.0		µg/L	WA	0
		Lindane	<0.056	<0.054	<0.054	<0.055		µg/L	WA	0
		Magnesium	576	938	813	984	V	µg/L	WA	0
		Manganese	8.2	6.7	8.8	10		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.56	<0.54	<0.54	<0.55		µg/L	WA	0
		Nickel				<3.1		µg/L	WA	0
		Nitrate as nitrogen	352	383	<20	56		µg/L	WA	0
		Nonvolatile beta	3.4E+00	<5.0E+00	3.1E+00	<2.0E+00		pCi/L	CN	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 55D continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
•		pH	5.8	5.4	5.1	5.5	J	pH	WA	0
		Phenols	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Potassium	350	1,010	704	616	V	µg/L	WA	0
		Radium-226	4.0E-01	<5.0E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	2.0E-01		<1.0E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		6,020	5,730	5,700		µg/L	WA	0
		Silicon	2,150					µg/L		
		Silver	<0.70	<0.70	1.4	1.2	J3	µg/L	WA	0
		Sodium	995	1,290	1,370	1,300		µg/L	WA	0
•		Specific conductance	23	25	23	25	J	µS/cm	WA	0
		Sulfate	2,890	3,140	3,270	4,140		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids	29,000	33,000	11,000	29,000		µg/L	WA	0
		Total organic carbon	672	838	720	2,460		µg/L	WA	0
		Total organic halogens	55	11	<5.0	<5.0		µg/L	WA	0
		Total phosphates (as P)	<20	<20				µg/L		
		Toxaphene	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.56	<0.57	<0.56	<0.56		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	2.3E+00	2.1E+00	2.3E+00	2.0E+00		pCi/mL	CN	0
		Vanadium				<0.88		µg/L	WA	0

WELL LFW 56D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N83398.0 E45306.6	33.284140 °N 81.709498 °W	151.4-131.3 ft msl	158.1 ft msl	4" PVC	S	Steed Pond Aquifer

SAMPLE DATE 02/14/92 06/08/92 09/03/92 11/29/92

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	145.3	144.9	145.3	145.9	ft msl
pH	5.2	4.3	4.7	5.1	pH
Sp. conductance	18	23	17	16	µS/cm
Water temperature	17.2	18.7	20.9	18.5	°C
Alkalinity as CaCO ₃	0	0	0	0	mg/L
Volume purged	4.0	4.0	4.0	27.8	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	<6.6	4.3	4.5	<4.0		µg/L	WA	0
		Benzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	<0.35	<0.35	<0.35	<0.35		µg/L	WA	0
		Calcium	492	479	361	402	V	µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	2,820	3,570	1,910	1,860		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 56D continued

ANALYTICAL DATA.

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethane (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	1.3	<1.1	<1.1	<1.1		µg/L	WA	0
		Copper				<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	1.7	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	3.6	J	µg/L	WA	1
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	<5.0	6.2	13	6.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	3.0E-01	<3.0E+00	<2.0E+00	<2.0E+00		pCi/L	CN	0
		Iron	15	2.1	69	15		µg/L	WA	0
		Lead	2.2	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.055	<0.055	<0.053	<0.055		µg/L	WA	0
		Magnesium	436	438	345	359	V	µg/L	WA	0
		Manganese	2.9	1.8	1.9	2.6		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.55	<0.55	<0.53	<0.55		µg/L	WA	0
		Nickel				<3.1		µg/L	WA	0
		Nitrate as nitrogen	180	341	<20	20		µg/L	WA	0
		Nonvolatile beta	2.3E+00	<5.0E+00	<2.0E+00	<2.0E+00		pCi/L	CN	0
		pH	5.7	5.3	5.1	5.4	J	pH	WA	0
		Phenols	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Potassium	217	830	384	243	V	µg/L	WA	0
		Radium-226	1.0E-01	<5.0E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	5.0E-01		<1.0E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		5,330	4,930	4,370		µg/L	WA	0
		Silicon	2,550					µg/L		
		Silver	0.78	<0.70	1.1	<0.70		µg/L	WA	0
		Sodium	1,290	1,580	1,030	878		µg/L	WA	0
		Specific conductance	14	18	13	14	J	µS/cm	WA	0
		Sulfate	957	352	799	934		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids	20,000	24,000	6,000	22,000		µg/L	WA	0
		Total organic carbon	580	741	1,290	878		µg/L	WA	0
		Total organic halogens	138	19	5.1	<5.0		µg/L	WA	0
		Total phosphates (as P)	<20	<20				µg/L		
		Toxaphene	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.55	<0.54	<0.57	<0.56		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	5.0E+00	6.9E+00	2.4E+00	2.7E+00		pCi/mL	CN	0
		Vanadium				<0.88		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 57B continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
•		pH	4.8	4.3	4.7	4.4	J	pH	WA	0
		Phenols	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Potassium	331	864	787	443	V	µg/L	WA	0
		Radium-226	2.2E+00	3.2E+00	1.2E+00	2.2E+00		pCi/L	CN	0
		Radium-228	3.9E+00		2.7E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		9,060	8,560	9,650		µg/L	WA	0
		Silicon	4,810					µg/L		
		Silver	0.72	<0.70	1.4	1.3	J3	µg/L	WA	0
		Sodium	1,700	1,810	1,840	1,630		µg/L	WA	0
•		Specific conductance	46	52	48	50	J	µS/cm	WA	0
		Sulfate	8,540	8,650	10,400	9,370		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids	45,000	40,000	25,000	31,000		µg/L	WA	0
		Total organic carbon	<500	<500	<500	779		µg/L	WA	0
		Total organic halogens	12	<10	<5.0	<5.0		µg/L	WA	0
		Total phosphates (as P)	<20	<20				µg/L		
		Toxaphene	<1.1	<1.0	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.56	<0.55	<0.56	<0.56		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	1.0E+00	<2.0E+00	<7.0E-01	<7.0E-01		pCi/mL	CN	0
		Uranium	0.080					µg/L		
		Vanadium				<0.88		µg/L	WA	0

WELL LFW 57C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N83200.1 E45411.1	33.283873 °N 81.708838 °W	117.9-107.8 ft msl	165 ft msl	4" PVC	S	Steep Pond Aquifer

SAMPLE DATE	02/19/92	06/08/92	09/03/92	11/29/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	143.7	143.3	143.8	143.9	ft msl
pH	5.5	4.8	4.9	5.5	pH
Sp. conductance	38	31	30	29	µS/cm
Water temperature	18.7	19.6	19.7	18.5	°C
Alkalinity as CaCO ₃	2	0	1	1	mg/L
Volume purged	4.0	4.0	4.0	8.2	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	<6.6	5.8	8.3	5.2	J3	µg/L	WA	0
		Benzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	1.2	0.75	<0.35	<0.35		µg/L	WA	0
		Calcium	1,130	1,210	1,020	1,090	V	µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	3,220	2,570	2,550	2,240		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 57C continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	2.0	1.2	J3	µg/L	WA	0
		Copper				<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	3.8	J	µg/L	WA	1
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	2.2	12	7.6	6.9		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		pCi/L	WA	0
		Gross alpha	1.1E+00	<3.0E+00	<2.0E+00	2.7E+00		pCi/L	CN	0
		Iron	6.2	<1.9	8.9	13		µg/L	WA	0
		Lead	<2.0	<2.0	2.0	<2.0		µg/L	WA	0
		Lindane	<0.055	<0.055	<0.054	<0.055		µg/L	WA	0
		Magnesium	912	915	767	1,000	V	µg/L	WA	0
		Manganese	9.6	5.8	5.3	4.5		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.55	<0.55	<0.54	<0.55		µg/L	WA	0
		Nickel				<3.1		µg/L	WA	0
		Nitrate as nitrogen	1,480	1,420	707	597		µg/L	WA	0
		Nonvolatile beta	2.4E+00	<5.0E+00	3.3E+00	3.4E+00		pCi/L	CN	0
		pH	5.2	5.2	5.0	5.6	J	pH	WA	0
		Phenols	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Potassium	341	619	418	412	V	µg/L	WA	0
		Radium-226	8.0E-01	7.0E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	<1.9E+00		<1.0E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		7,800	7,420	7,570		µg/L	WA	0
		Silicon	4,000					µg/L		
		Silver	<0.70	<0.70	3.3	<0.70		µg/L	WA	0
		Sodium	2,140	1,900	1,870	2,000		µg/L	WA	0
		Specific conductance	29	25	24	25	J	µS/cm	WA	0
		Sulfate	722	650	694	759		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids	48,000	35,000	36,000	53,000		µg/L	WA	0
		Total organic carbon	<500	<500	641	1,080		µg/L	WA	0
		Total organic halogens	59	18	5.2	5.6		µg/L	WA	0
		Total phosphates (as P)	20	23				µg/L		
		Toxaphene	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.56	<0.56	<0.56	<0.55		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	1.6E+00	<2.0E+00	1.9E+00	2.0E+00		pCi/mL	CN	0
		Uranium	0.060					µg/L		
		Vanadium				<0.88		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

WELL LFW 57D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N83190.2	33.283861 °N	150.4-130.6 ft msl	164.8 ft msl	4" PVC	S	Steed Pond Aquifer
E45417.4	81.708802 °W					

SAMPLE DATE	02/19/92	06/08/92	09/03/92	11/29/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	143.7	143.4	143.8	143.9	ft msl
pH	5.7	5.5	5.5	6.0	pH
Sp. conductance	64	117	48	75	µS/cm
Water temperature	18.8	18.1	20.0	19.5	°C
Alkalinity as CaCO ₃	13	16	8	16	mg/L
Volume purged	4.0	4.9	4.0	16.0	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	7.7	6.7	6.1	<4.0		µg/L	WA	0
		Benzene	<5.0	1.8	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	1.3	<0.35	<0.35	<0.35		µg/L	WA	0
		Calcium	2,280	3,190	1,090	1,540	V	µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	7,390	13,700	5,600	6,680		µg/L	WA	0
		Chlorobenzene	1.5	2.9	<5.0	1.1	J	µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		Copper				<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	18	37	27	30		µg/L	WA	2
		1,2-Dichloroethane	<5.0	1.4	<5.0	3.9	J	µg/L	WA	1
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	5.5	9.1	3.8	8.6		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.10	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	8.0E-01	<3.0E+00	<2.0E+00	2.3E+00		pCi/L	CN	0
		Iron	57	108	21	103		µg/L	WA	0
		Lead	2.8	<2.0	2.9	<2.0		µg/L	WA	0
		Lindane	<0.055	<0.053	<0.052	<0.056		µg/L	WA	0
		Magnesium	3,580	5,850	1,810	2,900	V	µg/L	WA	0
		Manganese	38	36	11	11		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.55	<0.53	<0.52	<0.56		µg/L	WA	0
		Nickel				<3.1		µg/L	WA	0
		Nitrate as nitrogen	247	181	261	20		µg/L	WA	0
		Nonvolatile beta	3.4E+00	<5.0E+00	2.5E+00	4.6E+00		pCi/L	CN	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 57D continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
•		pH	5.6	6.1	5.2	6.1	J	pH	WA	0
		Phenols	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Potassium	272	613	227	584	V	µg/L	WA	0
		Radium-226	7.0E-01	<5.0E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	8.0E-01	<1.0E+00	<1.0E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		5,210	4,880	5,150		µg/L	WA	0
		Silicon	2,680					µg/L		
		Silver	<0.70	<0.70	1.9	1.2	J3	µg/L	WA	0
		Sodium	7,280	12,000	4,840	6,780		µg/L	WA	0
•		Specific conductance	48	139	40	54	J	µS/cm	WA	0
		Sulfate	2,220	3,320	1,110	1,080		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids	93,000	71,000	25,000	61,000		µg/L	WA	0
		Total organic carbon	1,340	1,800	1,770	1,170		µg/L	WA	0
		Total organic halogens	82	190	90	141		µg/L	WA	2
		Total phosphates (as P)	<20	41				µg/L		
		Toxaphene	<1.1	<1.1	<1.0	<1.1		µg/L	WA	0
		2,4,6-TP (Silvex)	<0.56	<0.56	<0.56	<0.57		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	3.0E+00	4.2E+00	2.6E+00	3.3E+00		pCi/mL	CN	0
		Uranium	0.12					µg/L		
		Vanadium				<0.88		µg/L	WA	0

WELL LFW 58D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N82940.6 E45700.2	33.283771 °N 81.707573 °W	147.6-127.5 ft msl	167.6 ft msl	4" PVC	S	Steep Pond Aquifer

SAMPLE DATE	02/19/92	06/08/92	09/04/92	11/29/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	141.7	141.4	142.0	142.0	ft msl
pH	4.8	4.4	4.7	4.9	pH
Sp. conductance	50	72	79	80	µS/cm
Water temperature	19.1	19.3	19.6	19.6	°C
Alkalinity as CaCO ₃	0	0	0	0	mg/L
Volume purged	4.0	4.0	4.0	6.9	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	7.6	6.7	6.6	7.2	J3	µg/L	WA	0
		Benzene	2.3	2.9	4.4	3.6	J	µg/L	WA	1
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	1.3	<0.35	<0.35	<0.35		µg/L	WA	0
		Calcium	1,310	1,240	1,130	1,280	V	µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	9,340	13,100	36,400	17,900		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 58D continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	1.3	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		Copper				<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	51	56	83	62		µg/L	WA	2
		1,2-Dichloroethane	<5.0	2.6	3.2	6.4		µg/L	WA	2
		1,1-Dichloroethylene	3.5	1.8	2.7	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	47	51	60	47		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	0.35	0.56	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	7.0E-01	<3.0E+00	<2.0E+00	3.3E+00		pCi/L	CN	0
		Iron	77	95	115	59		µg/L	WA	0
		Lead	4.7	<2.0	3.2	<2.0		µg/L	WA	0
		Lindane	<0.055	<0.055	<0.057	<0.057		µg/L	WA	0
		Magnesium	926	1,060	1,060	1,380	V	µg/L	WA	0
		Manganese	43	28	19	13		µg/L	WA	0
		Mercury	<0.20	<0.20	0.25	0.33		µg/L	WA	0
		Methoxychlor	<0.55	<0.55	<0.57	<0.57		µg/L	WA	0
		Nickel				<3.1		µg/L	WA	0
		Nitrate as nitrogen	326	503	<20	20		µg/L	WA	0
		Nonvolatile beta	2.4E+00	<5.0E+00	2.9E+00	3.9E+00		pCi/L	CN	0
		pH	5.5	5.3	6.5	5.2	J		WA	0
		Phenols	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Potassium	433	857	300	549	V	µg/L	WA	0
		Radium-226	7.0E-01	<5.0E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	8.0E-01		<1.0E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		11,700	10,400	11,400		µg/L	WA	0
		Silicon	5,650					µg/L		
		Silver	<0.70	<0.70	<0.70	0.83	J3	µg/L	WA	0
		Sodium	4,850	8,500	8,690	8,870		µg/L	WA	0
		Specific conductance	48	60	67	63	J	µS/cm	WA	0
		Sulfate	399	406	272	272		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	3.7	3.0	2.8	2.2	J	µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids	60,000	50,000	43,000	82,000		µg/L	WA	0
		Total organic carbon	1,230	1,610	1,870	4,830		µg/L	WA	0
		Total organic halogens	199	330	766	393		µg/L	WA	2
		Total phosphates (as P)	<20	<20				µg/L		
		Toxaphene	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.56	<0.55	<0.56	<0.57		µg/L	WA	0
		1,1,1-Trichloroethane	21	9.5	11	8.3		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	17	15	16	12		µg/L	WA	2
		Trichlorofluoromethane	98	65	80	79		µg/L	WA	2
		Tritium	7.1E+00	6.6E+00	1.0E+01	7.7E+00		pCi/mL	CN	0
		Uranium	0.060					µg/L		
		Vanadium				<0.88		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

WELL LFW 59B

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N83027.1 E46047.4	33.284529 °N 81.706827 °W	76.0-66.0 ft msl	168.1 ft msl	4" PVC	S	Steep Pond Aquifer

SAMPLE DATE	02/20/92	06/05/92	09/08/92	11/30/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	142.6	142.3	142.8	142.9	ft msl
pH	4.2	3.9	3.9	4.2	pH
Sp. conductance	55	56	57	56	µS/cm
Water temperature	18.2	20.3	20.4	19.4	°C
Alkalinity as CaCO ₃	0	0	0	0	mg/L
Volume purged	4.0	4.0	4.0	5.0	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	<6.6	<4.0	5.6	5.8	J3	µg/L	WA	0
		Benzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	0.47	<0.35	<0.35	2.3		µg/L	WA	0
		Calcium	827	724	742	706	V	µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	2,260	2,060	1,730	1,670		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		Copper				1.6	J3	µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	4.0	J	µg/L	WA	1
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	1.3	2.2	4.2	<5.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	4.6E + 00	4.2E + 00	4.1E + 00	7.4E + 00		pCi/L	CN	0
		Iron	14	11	15	25		µg/L	WA	0
		Lead	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.057	<0.057	<0.056	<0.056		µg/L	WA	0
		Magnesium	372	327	338	355	V	µg/L	WA	0
		Manganese	19	15	12	12		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.57	<0.57	<0.56	<0.56		µg/L	WA	0
		Nickel				5.7	J3	µg/L	WA	0
•		Nitrate as nitrogen	594	665	519	345	J	µg/L	WA	0
		Nonvolatile beta	4.7E + 00	<5.0E + 00	2.4E + 00	6.8E + 00		pCi/L	CN	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 59B continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
•		pH	4.5	4.2	5.6	4.2	J	pH	WA	0
		Phenols	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Potassium	329	238	244	318	J3	µg/L	WA	0
		Radium-226	2.7E+00	2.2E+00	2.0E+00	1.5E+00		pCi/L	CN	0
		Radium-228	1.3E+00		1.6E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		8,800	9,720	10,300	V	µg/L	WA	0
		Silicon	4,900					µg/L		
		Silver	0.72	<0.70	<0.70	<0.70		µg/L	WA	0
		Sodium	1,400	1,410	1,380	1,500		µg/L	WA	0
•		Specific conductance	42	1,270	45	32	J	µS/cm	WA	0
		Sulfate	8,720	8,280	8,900	8,520		µg/L	WA	0
		1,1,2,2-tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids	31,000	21,000	35,000	23,000	V	µg/L	WA	0
		Total organic carbon	1,230	617	638	582		µg/L	WA	0
		Total organic halogens	20	<20	<5.0	<5.0		µg/L	WA	0
		Total phosphates (as P)	29	<20				µg/L		
		Toxaphene	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.56	<0.54	<0.57	<0.57		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	3.5E-01	<2.0E+00	<7.0E-01	<7.0E-01		pCi/mL	CN	0
		Uranium	0.060					µg/L		
		Vanadium				<0.88		µg/L	WA	0

WELL LFW 59C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N83011.0 E46052.0	33.284501 °N 81.706784 °W	110.3-100.3 ft msl	167.3 ft msl	4" PVC	S	Steep Pond Aquifer

SAMPLE DATE	02/20/92	06/05/92	09/08/92	11/29/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	142.1	142.4	142.4	142.5	ft msl
pH	4.9	4.4	4.6	4.9	pH
Sp. conductance	42	41	47	46	µS/cm
Water temperature	18.6	20.0	20.1	19.1	°C
Alkalinity as CaCO ₃	0	0	0	0	mg/L
Volume purged	4.0	4.1	4.1	4.4	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	8.1	7.2	6.7	7.3	J3	µg/L	WA	0
		Benzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	<0.35	<0.35	<0.35	<0.35		µg/L	WA	0
		Calcium	1,010	967	949	958	V	µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	5,830	4,610	6,680	6,450		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 59C continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		Copper				1.5	J3	µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	20	7.6	23	25		µg/L	WA	2
■		1,2-Dichloroethane	<5.0	<5.0	2.0	5.5		µg/L	WA	2
		1,1-Dichloroethylene	<5.0	<5.0	1.5	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	28	21	32	44		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.12	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	2.8E+00	<3.0E+00	<2.0E+00	<2.0E+00		pCi/L	CN	0
		Iron	25	23	24	38		µg/L	WA	0
		Lead	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.057	<0.057	<0.060	<0.056		µg/L	WA	0
		Magnesium	1,010	1,010	1,030	1,080	V	µg/L	WA	0
		Manganese	6.5	5.4	4.3	3.8		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.57	<0.57	<0.60	<0.56		µg/L	WA	0
		Nickel				<3.1		µg/L	WA	0
		Nitrate as nitrogen	1,280	1,480	827	633		µg/L	WA	0
		Nonvolatile beta	3.6E+00	<5.0E+00	<2.0E+00	2.1E+00		pCi/L	CN	0
•		pH	4.9	4.8	5.3	5.1	J	pH	WA	0
		Phenols	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Potassium	606	653	281	391	V	µg/L	WA	0
		Radium-226	2.5E+00	1.2E+00	<1.0E+00	1.1E+00		pCi/L	CN	0
		Radium-228	1.9E+00		<1.0E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		7,060	8,010	8,210		µg/L	WA	0
		Silicon	3,950					µg/L		
		Silver	<0.70	1.1	<0.70	<0.70		µg/L	WA	0
		Sodium	2,480	2,710	3,180	3,380		µg/L	WA	0
•		Specific conductance	36	36	37	37	J	µS/cm	WA	0
		Sulfate	303	<250	<250	<250		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	1.3	1.5	J	µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids	33,000	32,000	48,000	52,000		µg/L	WA	0
		Total organic carbon	1,020	<500	638	681		µg/L	WA	0
		Total organic halogens	89	45	112	126		µg/L	WA	2
		Total phosphates (as P)	<20	<20				µg/L		
		Toxaphene	<1.1	<1.1	<1.2	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.56	<0.56	<0.57	<0.57		µg/L	WA	0
		1,1,1-Trichloroethane	1.2	<5.0	1.4	1.7	J	µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
■		Trichloroethylene	10	3.8	11	11		µg/L	WA	2
		Trichlorofluoromethane	5.5	<5.0	7.9	14		µg/L	WA	2
		Tritium	1.2E+01	9.8E+00	1.5E+01	1.5E+01		pCi/mL	CN	1
		Uranium	0.10					µg/L		
		Vanadium				<0.88		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

WELL LFW 59D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Pump</u>	<u>Formation</u>
N83000.1	33.284484 °N	149.3-129.3 ft msl	167.6 ft msl	4" PVC	S	Steep Pond Aquifer
E46056.1	81.706752 °W					

SAMPLE DATE	02/20/92	06/05/92	09/04/92	11/30/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	142.7	142.1	143.3	143.2	ft msl
pH	5.0	4.6	4.7	5.0	pH
Sp. conductance	39	37	40	28	μ S/cm
Water temperature	18.9	19.4	20.9	19.7	$^{\circ}$ C
Alkalinity as CaCO ₃	0	0	0	0	mg/L
Volume purged	4.1	4.0	4.0	7.1	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	7.2	6.8	7.5	5.7	J3	µg/L	WA	0
		Benzene	<5.0	1.1	1.3	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<1.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<1.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<1.0	<10		µg/L	WA	0
		Cadmium	<0.35	0.55	<0.35	0.50	J3	µg/L	WA	0
		Calcium	925	872	866	591	V	µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	2.2	<5.0		µg/L	WA	0
		Chloride	7,810	8,190	6,100	4,300		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<1.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	2.3	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<1.0	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<1.0	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	1.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<1.0	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		Copper				3.1	J3	µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<1.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	28	35	47	21		µg/L	WA	2
		1,2-Dichloroethane	<5.0	1.6	1.2	4.7	J	µg/L	WA	1
		1,1-Dichloroethylene	<5.0	1.3	2.9	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<1.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	14	42	43	20		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<0.30	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<1.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<1.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<1.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.0060	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<1.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	1.3E +00	<3.0E +00	<2.0E +00	<2.0E +00		pCi/L	CN	0
		Iron	29	39	66	20		µg/L	WA	0
		Lead	<2.0	2.8	5.3	2.3	J3	µg/L	WA	0
		Lindane	<0.056	<0.057	<0.0050	<0.058		µg/L	WA	0
		Magnesium	936	866	965	669	V	µg/L	WA	0
		Manganese	16	17	19	9.6		µg/L	WA	0
		Mercury	<0.20	<0.20	0.85	0.40		µg/L	WA	0
		Methoxychlor	<0.56	<0.57	<0.50	<0.58		µg/L	WA	0
		Nickel				<3.1		µg/L	WA	0
•		Nitrate as nitrogen	404	213	166	97	J	µg/L	WA	0
		Nitrate-nitrite as nitrogen			90			µg/L		

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 59D continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
•		Nonvolatile beta	2.5E+00	< 5.0E+00	3.0E+00	< 2.0E+00		pCi/L	CN	0
		pH	5.0	5.7	6.4	4.9	J	pH	WA	0
		Phenols	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Potassium	389	357	446	557		µg/L	WA	0
		Radium-226	3.0E-01	< 5.0E-01	< 1.0E+00	< 1.0E+00		pCi/L	CN	0
		Radium-228	1.4E+00		2.8E+00			pCi/L		
		Selenium	< 2.0	< 2.0	< 2.0	< 2.0		µg/L	WA	0
		Silica		8,410	10,900	9,580	V	µg/L	WA	0
		Silicon	4,740					µg/L		
		Silver	< 0.70	< 0.70	3.3	< 0.70		µg/L	WA	0
		Sodium	3,420	3,620	4,050	2,810		µg/L	WA	0
•		Specific conductance	30	45	40	24	J	µS/cm	WA	0
		Sulfate	274	< 250	< 250	< 250		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	< 5.0	< 5.0	< 1.0	< 5.0		µg/L	WA	0
		Tetrachloroethylene	< 5.0	< 5.0	2.3	2.7	J	µg/L	WA	1
		Toluene	< 5.0	< 5.0	< 1.0	< 5.0		µg/L	WA	0
		Total dissolved solids	42,000	30,000	35,000	20,000	V	µg/L	WA	0
		Total organic carbon	2,400	607	1,210	< 500		µg/L	WA	0
		Total organic halogens	171	209	266	202		µg/L	WA	2
		Total phosphates (as P)	< 20	< 20				µg/L		
		Toxaphene	< 1.1	< 1.1	< 0.24	< 1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	< 0.56	< 0.56	< 0.090	< 0.57		µg/L	WA	0
		1,1,1-Trichloroethane	8.3	3.7	21	17		µg/L	WA	0
		1,1,2-Trichloroethane	< 5.0	< 5.0	< 1.0	< 5.0		µg/L	WA	0
■		Trichloroethylene	11	14	22	13		µg/L	WA	2
		Trichlorofluoromethane	36	< 5.0	99	76		µg/L	WA	2
		Tritium	5.8E+00	8.1E+00	4.9E+00	4.1E+00		pCi/mL	CN	0
		Uranium	0.090					µg/L		
		Vanadium				< 0.88		µg/L	WA	0

WELL LFW 60D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N82531.5 E45722.3	33.282903 °N 81.706720 °W	143.8-123.8 ft msl	157.1 ft msl	4" PVC	S	Steed Pond Aquifer

SAMPLE DATE	02/14/92	06/05/92	09/04/92	11/30/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	137.2	138.0	138.3	138.5	ft msl
pH	6.1	4.7	5.6	5.6	pH
Sp. conductance	26	20	18	17	µS/cm
Water temperature	17.4	19.2	19.5	17.5	°C
Alkalinity as CaCO ₃	8	7	6	6	mg/L
Volume purged	1.1	1.2	1.2	1.1	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	< 2.0	< 2.0	< 2.0	< 2.0		µg/L	WA	0
		Barium	< 6.6	< 4.0	5.8	5.1	J3	µg/L	WA	0
		Benzene	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromodichloromethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromoform	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	< 10	< 10	< 10	< 10		µg/L	WA	0
		Cadmium	0.42	< 0.35	< 0.35	< 0.35		µg/L	WA	0
		Calcium	1,590	1,240	855	733	V	µg/L	WA	0
		Carbon tetrachloride	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 60D continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Chloride	2,440	1,790	1,490	1,380		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	1.3	4.4	J3	µg/L	WA	0
		Copper				4.4	J3	µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	<5.0	9.1	5.6	<5.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	6.0E-01	<3.0E+00	<2.0E+00	<2.0E+00		pCi/L	CN	0
		Iron	110	197	41	621		µg/L	WA	2
		Lead	2.2	<2.0	2.3	5.7	J3	µg/L	WA	0
		Lindane	<0.056	<0.057	<0.056	<0.056		µg/L	WA	0
		Magnesium	369	290	215	259	V	µg/L	WA	0
		Manganese	21	23	16	17		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.56	<0.57	<0.56	<0.56		µg/L	WA	0
		Nickel				4.2	J3	µg/L	WA	0
•		Nitrate as nitrogen	194	213	327	69	J	µg/L	WA	0
		Nonvolatile beta	3.5E+00	<5.0E+00	<2.0E+00	<2.0E+00		pCi/L	CN	0
•		pH	5.9	4.9	6.9	5.7	J	pH	WA	0
		Phenols	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Potassium	282	231	239	126	J3	µg/L	WA	0
		Radium-226	2.0E-01	<5.0E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	6.0E-01		<1.0E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		4,640	4,920	5,440	V	µg/L	WA	0
		Silicon	2,740					µg/L		
		Silver	1.9	<0.70	<0.70	<0.70		µg/L	WA	0
		Sodium	2,590	1,800	1,720	1,340		µg/L	WA	0
•		Specific conductance	23	19	16	13	J	µS/cm	WA	0
		Sulfate	777	559	641	796		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids	20,000	19,000	<1,000	25,000	V	µg/L	WA	0
		Total organic carbon	855	<500	573	3,250		µg/L	WA	0
		Total organic halogens	222	81	<5.0	9.4		µg/L	WA	0
		Total phosphates (as P)	85	<20				µg/L		
		Toxaphene	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.56	<0.55	<0.55	<0.57		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Trichlorofluoromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tritium	1.9E+00	<2.0E+00	7.9E-01	8.9E-01		pCi/mL	CN	0
		Vanadium				<0.88		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

WELL LFW 61C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N83084.4 E46489.6	33.285378 °N 81.705774 °W	121.1-111.0 ft msl	168.3 ft msl	4" PVC	S	Steed Pond Aquifer

SAMPLE DATE	02/20/92	04/28/92	09/08/92	11/30/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	141.6	141.4	141.9	142.1	ft msl
pH	5.2	5.0	5.8	6.1	pH
Sp. conductance	32	39	63	71	µS/cm
Water temperature	18.5	18.4	19.5	18.7	°C
Alkalinity as CaCO ₃	3	0	19	23	mg/L
Volume purged	5.0	4.0	4.0	7.9	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	<6.6	7.5	4.3	4.9	J3	µg/L	WA	0
		Benzene	<10	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<10	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<10	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<20	<10	<10	<10		µg/L	WA	0
		Cadmium	<0.35	0.47	<0.35	<0.35		µg/L	WA	0
		Calcium	948	982	1,480	1,400	V	µg/L	WA	0
		Carbon tetrachloride	<10	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	4,140	6,310	3,430	3,700		µg/L	WA	0
		Chlorobenzene	<10	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	15	17	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<20	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<20	<10	<10	<10		µg/L	WA	0
		Chloroform	<10	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<20	<10	<10	12		µg/L	WA	2
		Chromium	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		Copper				<1.1		µg/L	WA	0
		Dibromochloromethane	<10	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	24	32	11	20		µg/L	WA	2
		1,2-Dichloroethane	<10	<5.0	<5.0	3.1	J	µg/L	WA	1
		1,1-Dichloroethylene	24	3.3	1.5	3.3	J	µg/L	WA	0
		trans-1,2-Dichloroethylene	<10	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	180	173	24	90		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<2.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<10	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<10	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<10	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.21	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<10	18	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	8.0E-01	<3.0E+00	<2.0E+00	<2.0E+00		pCi/L	CN	0
		Iron	3.9	32	6,210	11,400		µg/L	WA	2
		Lead	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.11	<0.056	<0.058	<0.057		µg/L	WA	0
		Magnesium	718	797	1,890	1,320	V	µg/L	WA	0
		Manganese	14	18	23	21		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<1.1	<0.56	<0.58	<0.57		µg/L	WA	0
		Nickel				<3.1		µg/L	WA	0
•		Nitrate as nitrogen	595	435	<20	<20	J	µg/L	WA	0
		Nonvolatile beta	3.9E+00	5.4E+00	4.5E+00	<2.0E+00		pCi/L	CN	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 61C continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
•		pH	5.1	5.2	6.2	6.0	J	pH	WA	0
		Phenols	6.8	18	< 5.0	< 5.0		µg/L	WA	0
		Potassium	612	757	623	394	J3	µg/L	WA	0
		Radium-226	1.3E+00	5.4E-01	< 1.0E+00	< 1.0E+00		pCi/L	CN	0
		Radium-228	2.0E-01		< 1.0E+00			pCi/L		
		Selenium	< 2.0	< 2.0	< 2.0	< 2.0		µg/L	WA	0
		Silica		8,300	5,900	6,300	V	µg/L	WA	0
		Silicon	3,780					µg/L		
		Silver	2.2	< 0.70	< 0.70	< 0.70		µg/L	WA	0
		Sodium	2,410	4,250	2,430	2,900		µg/L	WA	0
•		Specific conductance	24	34	52	60	J	µS/cm	WA	0
		Sulfate	257	< 250	849	< 250		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	< 10	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Tetrachloroethylene	2.2	4.0	2.3	4.6	J	µg/L	WA	1
		Toluene	2.9	7.0	< 5.0	< 5.0		µg/L	WA	0
		Total dissolved solids	44,000	35,000	58,000	54,000	V	µg/L	WA	0
		Total organic carbon	1,020	5,720	533	681		µg/L	WA	0
		Total organic halogens	162	158	163	315		µg/L	WA	2
		Total phosphates (as P)	22	105				µg/L		
		Toxaphene	< 1.1	< 1.1	< 1.1	< 1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	< 1.1	< 0.54	< 0.54	< 0.57		µg/L	WA	0
		1,1,1-Trichloroethane	28	32	16	39		µg/L	WA	0
		1,1,2-Trichloroethane	< 10	< 5.0	< 5.0	< 5.0		µg/L	WA	0
■		Trichloroethylene	9.0	14	5.0	8.1		µg/L	WA	2
		Trichlorofluoromethane	220	234	77	87		µg/L	WA	2
		Tritium	2.4E+00	2.5E+00	1.9E+00	2.0E+00		pCi/mL	CN	0
		Uranium	0.13					µg/L		
		Vanadium				< 0.88		µg/L	WA	0

WELL LFW 61D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N83089.1 E46471.1	33.285358 °N 81.705832 °W	150.4-130.3 ft msl	168.3 ft msl	4" PVC	S	Steep Pond Aquifer

SAMPLE DATE	02/20/92	04/28/92	09/08/92	11/30/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	143.2	143.0	143.8	144.0	ft msl
pH	5.0	5.0	4.8	5.2	pH
Sp. conductance	21	20	20	17	µS/cm
Water temperature	18.7	18.1	19.6	19.1	°C
Alkalinity as CaCO ₃	1	0	0	0	mg/L
Volume purged	4.0	4.0	4.0	23.5	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	< 2.0	< 2.0	< 2.0	< 2.0		µg/L	WA	0
		Barium	< 6.6	< 3.0	< 4.0	< 4.0		µg/L	WA	0
		Benzene	< 5.0	< 1.0	< 5.0	< 5.0		µg/L	WA	0
		Bromodichloromethane	< 5.0	< 1.0	< 5.0	< 5.0		µg/L	WA	0
		Bromoform	< 5.0	< 1.0	< 5.0	< 5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	< 10	< 1.0	< 10	< 10		µg/L	WA	0
		Cadmium	0.35	< 0.35	2.7	< 0.35		µg/L	WA	0
		Calcium	375	347	367	330	V	µg/L	WA	0
		Carbon tetrachloride	< 5.0	< 1.0	< 5.0	< 5.0		µg/L	WA	0
		Chloride	2,960	2,950	1,850	1,880		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 61D continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Chlorobenzene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<1.0	<10	3.3	J	µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<1.0	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<1.0	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<1.0	<10	7.3	J	µg/L	WA	1
		Chromium	<1.1	<1.1	1.4	<1.1		µg/L	WA	0
		Copper				1.6	J3	µg/L	WA	0
		Dibromochloromethane	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	22	12	21	22		µg/L	WA	2
		1,2-Dichloroethane	<5.0	<1.0	<5.0	4.9	J	µg/L	WA	1
		1,1-Dichloroethylene	3.3	2.2	3.9	3.5	J	µg/L	WA	1
		trans-1,2-Dichloroethylene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	27	13	17	20		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<0.30	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.0060	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	1.4E+00	2.1E+00	<2.0E+00	<2.0E+00		pCi/L	CN	0
		Iron	167	8.6	9.1	2.8	J3	µg/L	WA	0
		Lead	2.1	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.055	<0.0050	<0.055	<0.055		µg/L	WA	0
		Magnesium	593	534	496	469	V	µg/L	WA	0
		Manganese	1.1	0.92	0.35	0.42	J3	µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.55	<0.50	<0.55	<0.55		µg/L	WA	0
		Nickel				<3.1		µg/L	WA	0
		Nitrate as nitrogen	428	387	<20	61		µg/L	WA	0
		Nitrate-nitrite as nitrogen		120				µg/L		
		Nonvolatile beta	4.1E+00	5.5E+00	5.9E+00	2.4E+00		pCi/L	CN	0
•		pH	5.1	5.2	6.3	5.3	J	pH	WA	0
		Phenols	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Potassium	301	511	189	128	J3	µg/L	WA	0
		Radium-226	1.5E+00	6.3E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	2.0E+00		<1.0E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		7.410	6,670	6,810	V	µg/L	WA	0
		Silicon	3,560					µg/L		
		Silver	<0.70	1.9	<0.70	<0.70		µg/L	WA	0
		Sodium	1,580	1,590	1,340	1,500		µg/L	WA	0
•		Specific conductance	15	20	16	17	J	µS/cm	WA	0
		Sulfate	<100	<250	<250	<250		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	5.3	8.1	2.9	3.2	J	µg/L	WA	1
		Toluene	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids	82,000	28,000	14,000	12,000	V	µg/L	WA	0
•		Total organic carbon	912	1,060	<500	<500	J	µg/L	WA	0
		Total organic halogens	107	156	179	315		µg/L	WA	2
		Total phosphates (as P)	71	43				µg/L		
		Toxaphene	<1.1	<0.24	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.56	<0.090	<0.55	<0.53		µg/L	WA	0
		1,1,1-Trichloroethane	46	24	27	25		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<1.0	<5.0	<5.0		µg/L	WA	0
■		Trichloroethylene	7.6	5.3	8.1	9.3		µg/L	WA	2
		Trichlorofluoromethane	112	121	128	181		µg/L	WA	2
■		Tritium	2.9E+00	2.6E+00	8.4E+01	4.2E+01		pCi/mL	CN	2
		Uranium	0.19					µg/L		
		Vanadium				<0.88		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter, 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

WELL LFW 62B

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N83001.2 E45915.5	33.284257 °N 81.707124 °W	72.8-62.8 ft msl	164.9 ft msl	4" PVC	S	Steed Pond Aquifer

SAMPLE DATE	02/20/92	06/05/92	09/08/92	11/30/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	142.1	141.7	142.2	142.3	ft msl
pH	4.7	4.7	4.4	4.8	pH
Sp. conductance	37	41	36	35	µS/cm
Water temperature	18.6	20.8	19.9	19.2	°C
Alkalinity as CaCO ₃	0	0	0	0	mg/L
Volume purged	5.0	4.0	4.0	4.7	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	<6.6	7.1	5.8	8.5	J3	µg/L	WA	0
		Benzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	<0.35	<0.35	<0.35	<0.35		µg/L	WA	0
		Calcium	908	1,040	957	993	V	µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	3,330	2,220	1,870	1,940		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	1.1	<1.1		µg/L	WA	0
		Copper				1.8	J3	µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	3.5	5.5	2.7	<5.0		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.12		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	1.2E + 01	<3.0E + 00	6.0E + 00	4.5E + 00		pCi/L	CN	0
		Iron	7.1	20	14	593		µg/L	WA	2
		Lead	2.3	<2.0	<2.0	4.9	J3	µg/L	WA	0
		Lindane	<0.056	<0.057	<0.057	<0.058		µg/L	WA	0
		Magnesium	313	354	334	372	V	µg/L	WA	0
		Manganese	23	25	21	21		µg/L	WA	0
		Mercury	<0.20	<0.20	<0.20	<0.20		µg/L	WA	0
		Methoxychlor	<0.56	<0.57	<0.57	<0.58		µg/L	WA	0
		Nickel				4.3	J3	µg/L	WA	0
•		Nitrate as nitrogen	874	872	523	281	J	µg/L	WA	0
		Nonvolatile beta	1.0E + 01	<5.0E + 00	1.2E + 01	3.6E + 00		pCi/L	CN	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 62B continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
•		pH	5.0	5.2	5.5	4.7	J	pH	WA	0
		Phenols	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Potassium	488	434	321	179	J3	µg/L	WA	0
		Radium-226	2.7E+00	2.0E+00	3.0E+00	1.9E+00		pCi/L	CN	0
		Radium-228	7.0E-01		1.4E+00			pCi/L		
		Selenium	< 2.0	< 2.0	< 2.0	< 2.0		µg/L	WA	0
		Silica		8,650	9,240	7,950	V	µg/L	WA	0
		Silicon	4,730					µg/L		
		Silver	0.72	< 0.70	< 0.70	< 0.70		µg/L	WA	0
		Sodium	3,060	2,550	2,460	1,870		µg/L	WA	0
•		Specific conductance	25	22	29	28	J	µS/cm	WA	0
		Sulfate	5,800	5,660	5,760	6,170		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Tetrachloroethylene	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Toluene	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Total dissolved solids	49,000	38,000	48,000	59,000	V	µg/L	WA	0
		Total organic carbon	< 500	< 500	< 500	< 500		µg/L	WA	0
		Total organic halogens	< 5.0	< 10	11	< 5.0		µg/L	WA	0
		Total phosphates (as P)	54	129				µg/L		
		Toxaphene	< 1.1	< 1.1	< 1.1	< 1.2		µg/L	WA	0
		2,4,5-TP (Silvex)	< 0.56	< 0.56	< 0.56	< 0.55		µg/L	WA	0
		1,1,1-Trichloroethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		1,1,2-Trichloroethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Trichloroethylene	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Trichlorofluoromethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Tritium	3.4E-01	< 2.0E+00	< 7.0E-01	< 7.0E-01		pCi/mL	CN	0
		Uranium	0.64					µg/L		
		Vanadium				2.1	J3	µg/L	WA	0

WELL LFW 62C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N83012.7	33.284268 °N	118.4-108.4 ft msl	165.5 ft msl	4" PVC	S	Steed Pond Aquifer
E45906.7	81.707169 °W					

SAMPLE DATE	02/20/92	06/05/92	09/08/92	11/30/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	142.4	142.1	142.7	142.8	ft msl
pH	5.2	4.6	4.8	5.2	pH
Sp. conductance	29	31	35	35	µS/cm
Water temperature	18.4	20.2	19.6	19.1	°C
Alkalinity as CaCO ₃	1	0	0	0	mg/L
Volume purged	4.0	4.0	4.0	5.0	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	< 2.0	< 2.0	< 2.0	< 2.0		µg/L	WA	0
		Barium	< 6.6	7.2	7.1	7.4		µg/L	WA	0
		Benzene	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromodichloromethane	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromoform	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	< 10	< 10	< 10	< 10		µg/L	WA	0
		Cadmium	< 0.35	< 0.35	< 0.35	< 0.35		µg/L	WA	0
		Calcium	1,100	1,150	1,230	1,150	V	µg/L	WA	0
		Carbon tetrachloride	< 5.0	< 5.0	< 5.0	< 5.0		µg/L	WA	0
		Chloride	2,290	3,040	3,680	3,980		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 82C continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	<10	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	1.3	<1.1		µg/L	WA	0
		Copper				<1.1		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	3.1	7.4	8.6	14		µg/L	WA	2
		1,2-Dichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	4.7	12	8.5	12		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	2.4E+00	<3.0E+00	<2.0E+00	2.3E+00		pCi/L	CN	0
		Iron	6.5	<1.9	17	1.9	J3	µg/L	WA	0
		Lead	2.8	<2.0	<2.0	<2.0		µg/L	WA	0
		Lindane	<0.053	<0.055	<0.056	<0.057		µg/L	WA	0
		Magnesium	873	948	986	987	V	µg/L	WA	0
		Manganese	14	13	11	11		µg/L	WA	0
		Mercury	0.26	<0.20	0.42	0.71		µg/L	WA	0
		Methoxychlor	<0.53	<0.55	<0.56	<0.57		µg/L	WA	0
		Nickel				<3.1		µg/L	WA	0
•		Nitrate as nitrogen	1,800	1,940	1,190	1,410	J	µg/L	WA	0
		Nonvolatile beta	2.0E+01	<5.0E+00	2.5E+00	3.7E+00		pCi/L	CN	0
•		pH	5.1	5.3	5.7	5.1	J	pH	WA	0
		Phenols	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Potassium	551	685	474	305	J3	µg/L	WA	0
		Radium-226	9.0E-01	7.3E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	<1.5E+00		1.3E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		6,390	7,380	7,780	V	µg/L	WA	0
		Silicon	3,430					µg/L		
		Silver	<0.70	<0.70	<0.70	<0.70		µg/L	WA	0
		Sodium	1,300	1,660	2,120	2,430		µg/L	WA	0
•		Specific conductance	20	27	30	30	J	µS/cm	WA	0
		Sulfate	335	<250	271	297		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Tetrachloroethylene	<5.0	1.6	1.5	2.3	J	µg/L	WA	0
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids	31,000	14,000	45,000	45,000	V	µg/L	WA	0
		Total organic carbon	592	<500	638	977		µg/L	WA	0
		Total organic halogens	<5.0	<10	68	64		µg/L	WA	2
		Total phosphates (as P)	<20	<20				µg/L		
		Toxaphene	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.55	<0.57	<0.56	<0.56		µg/L	WA	0
		1,1,1-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
■		Trichloroethylene	5.5	7.6	7.5	11		µg/L	WA	2
		Trichlorofluoromethane	2.6	<5.0	3.5	<5.0		µg/L	WA	0
		Tritium	4.2E+00	7.2E+00	1.2E+01	1.2E+01		pCi/mL	CN	1
		Uranium	0.030					µg/L		
		Vanadium				<0.88		µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

WELL LFW 62D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Pump	Formation
N82991.6 E45922.9	33.284247 °N 81.707086 °W	147.6-127.6 ft msl	164.8 ft msl	4" PVC	S	Steed Pond Aquifer

SAMPLE DATE	02/20/92	06/05/92	09/04/92	11/30/92
-------------	----------	----------	----------	----------

FIELD DATA

Analyte	1Q92	2Q92	3Q92	4Q92	Unit
Water elevation	142.8	142.3	143.7	143.4	ft msl
pH	5.3	3.8	4.7	5.0	pH
Sp. conductance	39	39	34	34	µS/cm
Water temperature	17.1	19.8	19.9	17.4	°C
Alkalinity as CaCO ₃	13	1	2	0	mg/L
Volume purged	1.0	1.0	0.9	1.0	Well vol.

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
		Arsenic	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Barium	10	10	8.1	8.2	J3	µg/L	WA	0
		Benzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromodichloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromoform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Bromomethane (Methyl bromide)	<10	<10	<10	<10		µg/L	WA	0
		Cadmium	<0.35	<0.35	<0.35	0.63	J3	µg/L	WA	0
		Calcium	1,340	1,220	885	896	V	µg/L	WA	0
		Carbon tetrachloride	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloride	5,370	6,580	6,300	5,360		µg/L	WA	0
		Chlorobenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloroethane	<10	5.8	<10	<10		µg/L	WA	0
		Chloroethene (Vinyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		2-Chloroethyl vinyl ether	<10	<10	<10	<10		µg/L	WA	0
		Chloroform	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Chloromethane (Methyl chloride)	<10	<10	<10	<10		µg/L	WA	0
		Chromium	<1.1	<1.1	<1.1	2.5	J3	µg/L	WA	0
		Copper				8.0		µg/L	WA	0
		Dibromochloromethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethane	33	38	39	47		µg/L	WA	2
		1,2-Dichloroethane	<5.0	1.1	<5.0	<5.0		µg/L	WA	0
		1,1-Dichloroethylene	2.2	2.7	2.2	2.3	J	µg/L	WA	0
		trans-1,2-Dichloroethylene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Dichloromethane (Methylene chloride)	22	34	30	28		µg/L	WA	0
		2,4-Dichlorophenoxyacetic acid	0.14	<1.1	<1.1	<1.1		µg/L	WA	0
		1,2-Dichloropropane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		cis-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		trans-1,3-Dichloropropene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Endrin	<0.11	<0.11	<0.11	<0.11		µg/L	WA	0
		Ethylbenzene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Fluoride	<100	<100	<100	<100		µg/L	WA	0
		Gross alpha	1.0E + 00	<3.0E + 00	<2.0E + 00	<2.0E + 00		pCi/L	CN	0
		Iron	174	37	28	1,350		µg/L	WA	2
		Lead	10	7.9	3.6	9.4		µg/L	WA	1
		Lindane	<0.053	<0.056	<0.058	<0.056		µg/L	WA	0
		Magnesium	834	898	702	783	V	µg/L	WA	0
		Manganese	45	37	20	22		µg/L	WA	0
		Mercury	<0.20	<0.20	0.27	0.53		µg/L	WA	0
		Methoxychlor	<0.53	<0.56	<0.58	<0.56		µg/L	WA	0
		Nickel				<3.1		µg/L	WA	0
•		Nitrate as nitrogen	542	367	281	294	J	µg/L	WA	0
		Nonvolatile beta	4.6E + 00	<5.0E + 00	<2.0E + 00	<2.0E + 00		pCi/L	CN	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

● = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Well LFW 62D continued

ANALYTICAL DATA

H	D	Analyte	1Q92	2Q92	3Q92	4Q92	Mod	Unit	Lab	Flag
•		pH	5.2	5.3	6.3	5.1	J	pH	WA	0
		Phenols	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Potassium	288	603	90	320	J3	µg/L	WA	0
		Radium-226	1.0E-01	6.7E-01	<1.0E+00	<1.0E+00		pCi/L	CN	0
		Radium-228	<1.5E+00		<1.0E+00			pCi/L		
		Selenium	<2.0	<2.0	<2.0	<2.0		µg/L	WA	0
		Silica		8,710	8,140	8,460	V	µg/L	WA	0
		Silicon	4,800					µg/L		
		Silver	1.0	1.2	0.92	<0.70		µg/L	WA	0
		Sodium	3,030	3,560	2,640	2,970		µg/L	WA	0
•		Specific conductance	32	34	36	35	J	µS/cm	WA	0
		Sulfate	684	529	578	415		µg/L	WA	0
		1,1,2,2-Tetrachloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
■		Tetrachloroethylene	2.6	3.1	2.7	7.6		µg/L	WA	2
		Toluene	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
		Total dissolved solids	34,000	35,000	<1,000	36,000	V	µg/L	WA	0
		Total organic carbon	1,230	865	897	725		µg/L	WA	0
		Total organic halogens	177	202	299	72		µg/L	WA	2
		Total phosphates (as P)	50	123				µg/L		
		Toxaphene	<1.1	<1.1	<1.1	<1.1		µg/L	WA	0
		2,4,5-TP (Silvex)	<0.55	<0.55	<0.56	<0.53		µg/L	WA	0
		1,1,1-Trichloroethane	31	26	24	39		µg/L	WA	0
		1,1,2-Trichloroethane	<5.0	<5.0	<5.0	<5.0		µg/L	WA	0
■		Trichloroethylene	10.0	11	11	14		µg/L	WA	2
		Trichlorofluoromethane	95	89	94	117		µg/L	WA	2
		Tritium	4.6E+00	5.0E+00	4.3E+00	4.3E+00		pCi/mL	CN	0
		Uranium	0.030					µg/L		
		Vanadium				3.7	J3	µg/L	WA	0

Note: Flagging levels, modifiers, and laboratory are for 4th quarter 1992 data only. See Appendix B for flagging criteria.

• = exceeded holding time for 4th quarter 1992.

■ = exceeded final primary drinking water standard for 4th quarter 1992.

Appendix E – Data Quality/Useability Assessment

Data Quality/Useability Assessment

Quality assurance/quality control (QA/QC) procedures relating to accuracy and precision of analyses performed on groundwater samples are followed in the field and laboratory and are reviewed prior to publication of results. The Environmental Protection Department/Environmental Monitoring Section's (EPD/EMS) review of the volume of analytical data acquired each quarter and presented in various reports is an ongoing process; its review of the QA/QC data cannot be completed in time to meet the deadlines for the reports required by the Resource Conservation and Recovery Act and associated regulations. Other site and regulatory personnel can obtain further information on the data quality and useability in a variety of ways.

Data Qualification

The contract laboratories continually assess their own accuracy and precision according to U.S. Environmental Protection Agency (EPA) guidelines. They submit sample- or batch-specific QA/QC information either at the same time as analytical results or in a quarterly summary. Properly defined and used result modifiers (also referred to as qualifiers) can be a key component in assessing data useability. Result modifiers designed by EPD/EMS and provided to the primary laboratories are presented in Appendix D.

Assessment of Accuracy of the Data

Accuracy, or the nearness of the reported result to the true concentration of a constituent in a sample, can be assessed in several ways.

A laboratory's general accuracy can be judged by analysis of results obtained from known samples. The non-radionuclide contract laboratories analyze commercial reference samples every quarter at EPD/EMS' request. The results of these analyses are presented in the EPD/EMS quarterly report, *The Savannah River Site's Groundwater Monitoring Program*. The primary laboratories also seek or maintain state certification by participating periodically in performance studies; reference samples and analysis of results are provided by EPA. Results of these studies also are published in the EPD/EMS quarterly reports.

Analysis of blanks provides a tool for assessing the accuracy of both sampling and laboratory analysis. Results for all field blanks for the quarter can be found in the EPD/EMS quarterly reports. Any field or laboratory blanks that exceeded established minimums are identified in the same reports, in tables associating them with groundwater samples analyzed in the same batches.

Surrogates, organic compounds similar in chemical behavior to the compounds of interest but not normally found in environmental samples, are used to monitor the effect of the matrix on the accuracy of analyses for organic parameters. For example, for analyses of volatile organics by EPA method 8240, three surrogate compounds are added to all samples and blanks in each analytical batch. In analyses of semivolatile organics, three to four acid compounds and three to four base/neutral compounds are used. Other surrogates are used

in pesticides analyses. Percent recoveries for surrogate analyses are calculated by laboratory personnel, reported to EPD/EMS, reviewed, and entered into the database, but they are not published. If recoveries are not within specified limits, the laboratory is expected to re-run the samples or attach result qualifiers to the data identifying the anomalous results.

Sample-specific accuracy for both organic and inorganic parameters can be assessed by examination of matrix spike/matrix spike duplicate results. A sample is analyzed unspiked to determine a baseline set of values. A second portion of sample is spiked with known concentrations of compounds appropriate to the analyses being performed, typically 5 volatile organic compounds for volatile organic analyses, 11 semivolatile compounds for semivolatiles, 6 pesticide compounds for pesticides, all metals for metals analyses, and a known quantity of cyanide for cyanide analysis. The percentage of the spike compound which is recovered, i.e., measured in excess of the value obtained for the unspiked sample, is a direct measure of analytical accuracy. EPA requires matrix spike/matrix spike duplicates to be run at least once per 20 samples of similar matrix.

Matrix spike/matrix spike duplicate results are reported to EPD/EMS but are not published. For organic compounds, according to EPA guidelines, no action is taken on the basis of matrix spike/matrix spike duplicate data alone (i.e., no result modifiers are assigned solely on the basis of matrix spike results); however, the results can indicate if a lab is having a systematic problem in the analysis of one or more analytes.

In the case of inorganic compounds, such as metals, the matrix spike sample analysis provides information about the effect of each sample matrix on the digestion and measurement methodology. Data qualifiers can be assigned on the basis of the percentage of spike recovery and are reported in the published results tables.

Assessment of Precision

Precision of the analyses, or agreement of a set of replicate results among themselves, is assessed through the use of duplicates (laboratory-initiated) and blind replicates (provided by EPD/EMS). The results of duplicate and replicate analyses are presented in the results tables in these reports as multiple entries for an analyte under a single table heading.

The laboratories assess precision by calculating the relative percent difference, or RPD, for each pair of laboratory-initiated duplicate results. During 1992, at least one of the contract laboratories used a data qualifier (J3) to modify metals analyses when the RPD for laboratory duplicates was greater than 20%.

Additional statistical comparisons of laboratory duplicate and blind replicate results, both intra- and interlaboratory, are presented in the EPD/EMS quarterly reports. The calculation used for these reports is the MRD, or mean relative difference, which is similar to EPA's RPD except that the MRD provides a single value for all of the analyses of a particular compound, either inter- or intralaboratory, during one quarter. Because detection limits may vary among samples, the MRD requires calculation of a reference detection limit, which is the detection limit at the 90th percentile of the array of limits in the population of all replicate

and duplicate analyses for a given analyte during a particular quarter. The MRD is not method-specific.

Method-Specific Accuracy and Precision

The contract laboratories' EPA-approved laboratory procedures include QA/QC requirements as an integral part of the methods. Thus, knowledge of the method used in obtaining data is an important component of determining data useability. EPA has conducted extensive research and development on the methods approved for the analysis of water and waste water; information on the accuracy and precision of the method is available from EPA publications, as is full information on required QA/QC procedures. A listing of the methods used by the primary laboratories during first quarter 1992 is given below along with the source for the method description. Many, if not all, of these sources include presentations of representative accuracy and precision results.

<u>Method</u>	<u>Used to Analyze</u>	<u>Source</u>
EPA120.1	Specific conductance	EPA EMSL 1983
EPA150.1	pH	EPA EMSL 1983
EPA160.1	Filterable residue (total dissolved solids)	EPA EMSL 1983
EPA160.2	Nonfilterable residue	EPA EMSL 1983
EPA180.1	Turbidity	EPA EMSL 1983
EPA200.7	Trace elements	EPA EMSL 1983
EPA206.2	Arsenic	EPA EMSL 1983
EPA208.2	Barium	EPA EMSL 1983
EPA239.2	Lead	EPA EMSL 1983
EPA245.1	Mercury	EPA EMSL 1983
EPA270.2	Selenium	EPA EMSL 1983
EPA279.2	Thallium	EPA EMSL 1983
EPA300.0	Inorganics, non-metallics	EPA EMSL 1991
EPA310.1	Alkalinity	EPA EMSL 1983
EPA325.2	Chloride	EPA EMSL 1983
EPA335.3	Cyanide	EPA EMSL 1983
EPA340.2	Fluoride	EPA EMSL 1983
EPA353.1	Nitrogen, nitrate-nitrite	EPA EMSL 1983
EPA353.2	Nitrogen, nitrate, nitrite, or combined	EPA EMSL 1983
EPA353.3	Nitrogen, nitrate-nitrite, or nitrite only	EPA EMSL 1983
EPA354.1	Nitrogen, nitrite	EPA EMSL 1983
EPA365.1	Phosphorus, all forms (reported as total phosphates)	EPA EMSL 1983
EPA365.2	Phosphorus, all forms (reported as total phosphates)	EPA EMSL 1983
EPA375.4	Sulfate, turbidimetric	EPA EMSL 1983
EPA376.2	Sulfide	EPA EMSL 1983
APHA403	Alkalinity	APHA 1985
EPA413.1	Oil & grease	EPA EMSL 1983
APHA415A	Iodine	APHA 1985
EPA415.1	Total organic carbon	EPA EMSL 1983
EPA418.1	Petroleum hydrocarbons	EPA EMSL 1983
EPA420.1	Phenolics	EPA EMSL 1983
EPA420.2	Phenolics	EPA EMSL 1983
APHA705	Total alpha-emitting radium	APHA 1985
ASTMD3869C	Iodide	ASTM 1992
APHA5320	Dissolved organic halogen	APHA 1989
EPA6010	Metals	EPA 1986

<u>Method</u>	<u>Used to Analyze</u>	<u>Source</u>
EPA7041	Antimony	EPA 1986
EPA7060	Arsenic	EPA 1986
EPA7421	Lead	EPA 1986
EPA7470	Mercury	EPA 1986
EPA7740	Selenium	EPA 1986
EPA7841	Thallium	EPA 1986
EPA8010	Halogenated volatile organics	EPA 1986
EPA8020	Aromatic volatile organics	EPA 1986
EPA8080	Organochlorine pesticides and PCBs	EPA 1986
EPA8140	Organophosphorus pesticides	EPA 1986
EPA8150	Chlorinated herbicides	EPA 1986
EPA8240	GCMS VOA	EPA 1986
EPA8270	GCMS semivolatiles	EPA 1986
EPA8280	Dioxins and furans	EPA 1986
EPA9012	Total cyanide	EPA 1986
EPA9020	Total organic halides	EPA 1986
EPA9030	Sulfides	EPA 1986

An example of the available method-specific QA/QC information is that for the analysis of metals by EPA Method 6010/200.7 (EPA 1986/EPA EMSL 1983). The primary laboratories, General Engineering Laboratories (GE) and Roy F. Weston, Inc. (Weston), use this inductively coupled plasma (ICP) atomic emission spectrometric method.

The following precision and accuracy data are based on the experience of seven laboratories that applied the ICP technique to acid-distilled water matrices that had been dosed with various metal concentrates. (Note: not all seven laboratories analyzed all 14 elements.) The references give results for samples having three concentration ranges; the results here are for samples having the lowest values, similar to actual groundwater results for SRS.

ICP Precision and Accuracy Data

<u>Element</u>	<u>True value ($\mu\text{g/L}$)</u>	<u>Mean reported value ($\mu\text{g/L}$)</u>	<u>Mean percent RSD^a</u>
Beryllium	20	20	9.8
Manganese	15	15	6.7
Vanadium	70	69	2.9
Arsenic	22	19	23
Chromium	10	10	18
Copper	11	11	40
Iron	20	19	15
Aluminum	60	62	33
Cadmium	2.5	2.9	16
Cobalt	20	20	4.1
Nickel	30	28	11
Lead	24	30	32
Zinc	16	19	45
Selenium	6	8.5	42

^a Relative standard deviation. Note: In EPA (1986), the column heading is Mean Standard Deviation (%).

As another example, EPA Method 601/8010 (EPA 1991a/EPA 1986) is used by both GE and Weston for analyses of halogenated volatile organics. In the presentation of the method in both references, the following table gives method-specific accuracy and precision as functions of concentration. Contract laboratories are expected to achieve or at least approach these limits.

Accuracy and Precision as Functions of Concentration for EPA Method 601/8010

<u>Parameter</u>	<u>Accuracy as recovery, X'^a ($\mu\text{g/L}$)</u>	<u>Single analyst precision ($\mu\text{g/L}$)^b</u>	<u>Overall precision ($\mu\text{g/L}$)^c</u>
Bromodichloromethane	$1.12C - 1.02^d$	$0.11\bar{X} + 0.04^e$	$0.20\bar{X} + 1.00$
Bromoform	$0.96C - 2.05$	$0.12\bar{X} + 0.58$	$0.21\bar{X} + 2.41$
Bromomethane	$0.76C - 1.27$	$0.28\bar{X} + 0.27$	$0.36\bar{X} + 0.94$
Carbon tetrachloride	$0.98C - 1.04$	$0.15\bar{X} + 0.38$	$0.20\bar{X} + 0.39$
Chlorobenzene	$1.00C - 1.23$	$0.15\bar{X} - 0.02$	$0.18\bar{X} + 1.21$
Chloroethane	$0.99C - 1.53$	$0.14\bar{X} - 0.13$	$0.17\bar{X} + 0.63$
2-Chloroethyl vinyl ether ^f	$1.00C$	$0.20\bar{X}$	$0.35\bar{X}$
Chloroform	$0.93C - 0.39$	$0.13\bar{X} + 0.15$	$0.19\bar{X} - 0.02$
Chloromethane	$0.77C + 0.18$	$0.28\bar{X} - 0.31$	$0.52\bar{X} + 1.31$
Dibromochloromethane	$0.94C + 2.72$	$0.11\bar{X} + 1.10$	$0.24\bar{X} + 1.68$
1,2-Dichlorobenzene	$0.93C + 1.70$	$0.20\bar{X} + 0.97$	$0.13\bar{X} + 6.13$
1,3-Dichlorobenzene	$0.95C + 0.43$	$0.14\bar{X} + 2.33$	$0.26\bar{X} + 2.34$
1,4-Dichlorobenzene	$0.93C - 0.09$	$0.15\bar{X} + 0.29$	$0.20\bar{X} + 0.41$
1,1-Dichloroethane	$0.95C - 1.08$	$0.09\bar{X} + 0.17$	$0.14\bar{X} + 0.94$
1,2-Dichloroethane	$1.04C - 1.06$	$0.11\bar{X} + 0.70$	$0.15\bar{X} + 0.94$
1,1-Dichloroethene	$0.98C - 0.87$	$0.21\bar{X} - 0.23$	$0.29\bar{X} - 0.40$
trans-1,2-Dichloroethene	$0.97C - 0.16$	$0.11\bar{X} + 1.46$	$0.17\bar{X} + 1.46$
1,2-Dichloropropane ^f	$1.00C$	$0.13\bar{X}$	$0.23\bar{X}$
cis-1,3-Dichloropropene ^f	$1.00C$	$0.18\bar{X}$	$0.32\bar{X}$
trans-1,3-Dichloropropene ^f	$1.00C$	$0.18\bar{X}$	$0.32\bar{X}$
Methylene chloride	$0.91C - 0.93$	$0.11\bar{X} + 0.33$	$0.21\bar{X} + 1.43$
1,1,2,2-Tetrachlorethane	$0.95C + 0.19$	$0.14\bar{X} + 2.41$	$0.23\bar{X} + 2.79$
Tetrachloroethylene	$0.94C + 0.06$	$0.14\bar{X} + 0.38$	$0.18\bar{X} + 2.21$
1,1,1-Trichloroethane	$0.90C - 0.16$	$0.15\bar{X} + 0.04$	$0.20\bar{X} + 0.37$
1,1,2-Trichloroethane	$0.86C + 0.30$	$0.13\bar{X} - 0.14$	$0.19\bar{X} + 0.67$
Trichloroethylene	$0.87C + 0.48$	$0.13\bar{X} - 0.03$	$0.23\bar{X} + 0.30$
Trichlorofluoromethane	$0.89C - 0.07$	$0.15\bar{X} + 0.67$	$0.26\bar{X} + 0.91$
Vinyl chloride	$0.97C - 0.36$	$0.13\bar{X} + 0.65$	$0.27\bar{X} + 0.40$

^a X' = expected recovery for one or more measurements of a sample containing a concentration of C , in $\mu\text{g/L}$.

^b Expected single analyst standard deviation of measurements.

^c Expected interlaboratory standard deviation of measurements.

^d C = true value for the concentration, in $\mu\text{g/L}$.

^e $\bar{X}$ = average recovery found for measurements of samples containing a concentration of C , in $\mu\text{g/L}$.

^f Estimates based on performance in a single laboratory.

References

- APHA (American Public Health Association), 1985. **Standard Methods for the Examination of Water and Wastewater**, 16th edition. Washington, DC.
- APHA (American Public Health Association), 1989. **Standard Methods for the Examination of Water and Wastewater**, 17th edition. Washington, DC.
- ASTM (American Society for Testing and Materials), 1992. **1992 Annual Book of ASTM Standards**, Volume 11.02, Water (II). Philadelphia, PA.
- CFR (Code of Federal Regulations), 1991. *Analytical Methods*, Title 40, Part 136, Appendix A. Washington, DC. Revised July 1, 1991.
- EPA (U.S. Environmental Protection Agency), 1986. **Test Methods for Evaluating Solid Waste (SW-846)**, Volumes IA-IC. Washington, DC.
- EPA (U.S. Environmental Protection Agency), 1987. **Data Quality Objectives for Remedial Response Activities**. PB88-131870; EPA/540/G-87/003. Washington, DC.
- EPA (U.S. Environmental Protection Agency), 1988a. **Contract Laboratory Program Statement of Work for Inorganics Analysis, Multi-Media, Multi-Concentration**. SOW No. 788. Washington, DC.
- EPA (U.S. Environmental Protection Agency), 1988b. **Contract Laboratory Program Statement of Work for Organics Analysis Multi-Media, Multi-Concentration**. SOW No. 288. Washington, DC.
- EPA (U.S. Environmental Protection Agency), 1990. **Guidance for Data Useability in Risk Assessment**. Interim Final. EPA/540/G-90/008. Washington, DC.
- EPA EMSL (U.S. Environmental Protection Agency, Environmental Monitoring and Systems Laboratory), 1979. **Handbook for Analytical Quality Control in Water Wastewater Laboratories**. PB-297 451; EPA-600/4-79-019. Cincinnati, OH.
- EPA EMSL (U.S. Environmental Protection Agency, Environmental Monitoring and Systems Laboratory), 1983. **Methods for Chemical Analysis of Water and Wastes**. Cincinnati, OH. Revised March 1983.
- EPA EMSL (U.S. Environmental Protection Agency, Environmental Monitoring and Systems Laboratory), 1991. **Test Method, The Determination of Inorganic Anions in Water by Ion Chromatography—Method 300.0**. Cincinnati, OH. Revised August 1991.

Appendix F – Time Series Plots

Time Series Plot of Benzene Concentrations Well LFW 8

WSRC-TR-93-068

Time Series Plot of Benzene Concentrations Well LFW 10A

WSRC-TR-93-068

Time Series Plot of Benzene Concentrations Well LFW 36

Time Series Plot of Chloroethene (Vinyl Chloride) Concentrations Well LFW 8

WSRC-TR-93-068

Time Series Plot of Chloroethene (Vinyl Chloride) Concentrations Well LFW 48C

WSRC-TR-93-068

Time Series Plot of Chloroethene (Vinyl Chloride) Concentrations Well LFW 48D

WSRC-TR-93-068

Time Series Plot of 1,4-Dichlorobenzene Concentrations Well LFW 7

WSRC-TR-93-068

Time Series Plot of Dichloromethane Concentrations Well LFW 10A

Time Series Plot of Dichloromethane Concentrations Well LFW 21

WSRC-TR-93-068

Time Series Plot of Ethylbenzene Concentrations Well LFW 8

WSRC-TR-93-068

Result Detection Limit Mean

Time Series Plot of Ethylbenzene Concentrations Well LFW 10A

Time Series Plot of Ethylbenzene Concentrations Well LFW 22

WSRC-TR-93-068

Time Series Plot of Ethylbenzene Concentrations Well LFW 48C

WSRC-TR-93-068

Time Series Plot of Ethylbenzene Concentrations Well LFW 48D

WSRC-TR-93-068

Time Series Plot of Lead Concentrations Well LFW 8

WSRC-TR-93-068

Time Series Plot of Tetrachloroethylene Concentrations Well LFW 10A

WSRC-TR-93-068

Time Series Plot of Tetrachloroethylene Concentrations Well LFW 61D

Time Series Plot of 1,1,1-Trichloroethane Concentrations Well LFW 39

WSRC-TR-93-068

Time Series Plot of 1,1,1-Trichloroethane Concentrations Well LFW 61D

WSRC-TR-93-068

Time Series Plot of Trichloroethylene Concentrations Well LFW 10A

WSRC-TR-93-068

Time Series Plot of Trichloroethylene Concentrations Well LFW 59D

Time Series Plot of Trichlorofluoromethane Concentrations Well LFW 39

WSRC-TR-93-068

Time Series Plot of Trichlorofluoromethane Concentrations Well LFW 58D

WSRC-TR-93-068

Time Series Plot of Trichlorofluoromethane Concentrations Well LFW 61C

WSRC-TR-93-068

Time Series Plot of Trichlorofluoromethane Concentrations Well LFW 61D

WSRC-TR-93-068

Time Series Plot of Tritium Activities Well LFW 10A

WSRC-TR-93-068

Time Series Plot of Xylenes Concentrations Well LFW 21

WSRC-TR-93-068

Time Series Plot of Xylenes Concentrations Well LFW 22

WSRC-TR-93-068

Appendix G – Hydrographs

Hydrograph - Well LFW 6

WSRC-TR-93-068

Hydrograph - Well LFW 7

 LFW 7

Hydrograph - Well LFW 8

Hydrograph - Well Cluster LFW 10

WSRC-TR-93-068

Hydrograph - Well LFW 16

WSRC-TR-93-068

Hydrograph - Well LFW 17

WSRC-TR-93-068

LFW 17

Hydrograph - Well LFW 18

WSRC-TR-93-068

Hydrograph - Well LFW 19

WSRC-TR-93-068

Hydrograph - Well LFW 20

Hydrograph - Well LFW 21

WSRC-TR-93-068

Hydrograph - Well LFW 22

WSRC-TR-93-068

Hydrograph - Well LFW 23

WSRC-TR-93-068

Hydrograph - Well LFW 24

Hydrograph - Well LFW 25

— LFW 25

Hydrograph - Well LFW 26

WSRC-TR-93-068

Hydrograph - Well LFW 27

WSRC-TR-93-068

Hydrograph - Well LFW 28

WSRC-TR-93-068

Hydrograph - Well LFW 29

WSRC-TR-93-068

Hydrograph - Well LFW 30

WSRC-TR-93-068

Hydrograph - Well LFW 31

WSRC-TR-93-068

Hydrograph - Well LFW 32

WSRC-TR-93-068

Hydrograph - Well LFW 33

WSRC-TR-93-068

Hydrograph - Well LFW 34

WSRC-TR-93-068

Hydrograph - Well LFW 35

WSRC-TR-93-068

Hydrograph - Well LFW 36

Hydrograph - Well LFW 37

WSRC-TR-93-068

— LFW 37

Hydrograph - Well LFW 38

WSRC-TR-93-068

LFW 38

Hydrograph - Well LFW 39

WSRC-TR-93-068

Hydrograph - Well LFW 40

WSRC-TR-93-068

Hydrograph - Well LFW 41

WSRC-TR-93-068

Hydrograph - Well LFW 42

WSRC-TR-93-068

Hydrograph - Well Cluster LFW 43

WSRC-TR-93-068

Hydrograph - Well LFW 44D

WSRC-TR-93-068

Hydrograph - Well LFW 45D

WSRC-TR-93-068

Hydrograph - Well LFW 46D

WSRC-TR-93-068

Hydrograph - Well Cluster LFW 47

WSRC-TR-93-068

Hydrograph - Well Cluster LFW 48

WSRC-TR-93-068

Hydrograph - Well Cluster LFW 55

WSRC-TR-93-068

Hydrograph - Well LFW 56D

WSRC-TR-93-068

Hydrograph - Well Cluster LFW 57

WSRC-TR-93-068

Hydrograph - Well LFW 58D

WSRC-TR-93-068

Hydrograph - Well Cluster LFW 59

WSRC-TR-93-068

Hydrograph - Well LFW 60D

WSRC-TR-93-068

Hydrograph - Well Cluster LFW 61

WSRC-TR-93-068

Hydrograph - Well Cluster LFW 62

WSRC-TR-93-068

**DATE
FILMED**

6 / 10 / 93