September 1992

Research on Fundamental Aspects of Inorganic Vapor and Particle Deposition in Coal-Fired Systems

Daniel E. Rosner
Principal Investigator

High Temperature Chemical Reaction Engineering Laboratory
Yale University, Department of Chemical Engineering
New Haven, CT 06520-2159 U.S.A.

Quarterly Technical Report on Grant: DE-FG22-90 PC 90099

Total Grant Period: 9/6/90 - 9/5/93

Quarterly Period Covered: 6/6/92-9/5/92

Attention: **James D. Hickerson (COTR)**
Philip M. Goldberg

U.S. Department of Energy
Pittsburgh Energy Technology Center
Cochran Mill Road
P.O. Box 10940
Pittsburgh, PA 15236 USA

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

DISCLAIMER

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

1. Introduction and Objectives

The goal of our research in the area of mineral matter *transport* is to dramatically advance the capability of making reliable, rational engineering predictions of the dynamics of net deposit growth for surfaces exposed to the particle-laden products of coal combustion. To accomplish this for a wide variety of combustor types, coal types, and operating conditions, this capability must be based on a quantitative understanding of each of the important mechanisms of mineral matter transport, as well as the nature of the interactions between these substances and the prevailing "fireside" surface of deposits. This level of understanding and predictive capability could be rapidly translated into very significant cost reductions for coal-fired equipment design, development and operation. It is also expected that this research activity will not only directly benefit the *ash deposition R&D* community---but also generically closely related technologies of importance to DOE (*e.g. hot-gas clean-up, particulate solids handling,...*). Indeed, all of these areas will be crucial to the success of the "Combustion 2000" program (see Section 3).

In September 1990 DOE-PETC initiated at the Yale HTCRE Laboratory a systematic three-year research program directed toward providing engineers with the fundamentally-based design/optimization 'tools' for economically predicting the dynamics of net deposit growth*, and thermophysical properties of the resulting microparticulate deposits in coal-fired systems. This integrated research program is focused on the following topics:

"Micromechanical" Models of Impacting Particle Capture, and Deposit Erosion

In light of the theoretical 'program' based on the notion of "self-regulation" set forth in Rosner and Nagarajan (1987), this Task includes investigation of the effects of particle material properties and possible liquid phases on the capture properties of particulate deposits. For this purpose we exploit dynamical 'many-body' computer simulation techniques. This approach will provide the required parametric dependencies (on such quantities as incident kinetic energy and angle, mechanical and thermophysical properties of the particles,...) of a dimensionless ensemble-averaged *particle capture fraction*, relegating the role of direct laboratory experiment to verifying (or rejecting) some crucial features/consequences of the simulation route followed. Implementation requires the solution of prototypical ('unit-') problems (*e.g.*, the interaction of two (spherical) particles joined by a viscous liquid bridge) used as a 'contact' model in the so-called 'Distinct Element Method'. Our ultimate goal is recommend 'sticking' and 'erosion' laws of mechanistic origin. The availability of such laws could dramatically increase the reliability of predicted deposition rates of inertially delivered particles, in the simultaneous presence of a condensed liquid phase within the growing particulate deposit. Equally important, one could also rationally select conditions to avoid troublesome deposition subject to other operational requirements.

Monte-Carlo Simulations of Deposit Microstructure/Deposition Mechanism/

Effective Property Interrelations

This Task is itself comprised of the following sub-tasks:

Deposit Simulations: Continue deposition simulations assuming that all particles follow deterministic trajectories, *e.g.* neglecting Brownian diffusion (Tassopoulos, *et al.*, 1989). Vary the incident kinetic energy of the arriving particle and physical properties of the particles, friction coefficient, coefficient of restitution, Hamaker's constant, etc. to study significant differences in the resulting microstructures. Of particular interest are:

*For a review of multi-component convective-diffusion and thermophoretic particle mass transfer in chemically reactive flow systems, see, *e.g.*, Rosner, 1986,1990. For recent research directed at heat exchanger gas-side *fouling*, see the recent review by Mamer, 1989.

Effect of condensates: Incorporate more realistic but tractable collision models to examine the effect of condensable vapors on the resulting microstructure, partially as a result of a change in the sticking probability of the arriving particles.

Polydispersed aerosols: Given the particle size distribution (PSD) outside the BL (see, e.g. Rosner, 1989) determine the PSD of the depositing particles. Generate deposits using realistic PSD's and quantitatively compare them to deposits formed from monodispersed populations.

'Fluid' vs. 'frozen' deposits: Examine effects of the displacement of previously deposited particles (due to momentum transfer from incoming particles) on the resulting microstructure. Investigate whether, in the limit of very small adhesive forces between the particles, the deposit approaches a 'random sphere packing' geometry, independent of deposition mechanism.

Micro-Structural Characterization: Apart from the deposit net growth rate (a function of the sticking fraction), porosity and surface roughness, compute the pore size distribution and various spatial correlations, e.g. radial distribution functions, as well as the solid-solid, solid-pore surface and pore surface-pore surface correlation functions. Use these to gain an understanding of higher order information regarding the microstructure of the deposits, degree of 'crystallization' and anisotropy, nature of sphere packing, etc. and to provide correlation formulae based on rigorous bounds to the effective transport properties of the resulting porous materials.

Transport properties:

Vapor diffusion coefficients and rates of condensate uptake: By allowing trace gas molecules to diffuse through the 3-dimensional deposit determine the effective diffusion coefficient (tensor) of a vapor in the deposit across the Knudsen number spectrum between the free-molecule and continuum regimes. Apply this information, using pseudo-continuum formulations, to determine the expected condensed vapor concentration profile throughout a non-isothermal deposit and further extend the rational 'self-regulated sticking' model of Rosner & Nagarajan, 1987.

Effective thermal conductivity: Numerically compute the effective thermal conductivity of each of the deposits we generate to examine its dependence on local microstructure. Use abovementioned correlation functions to evaluate upper and lower *bounds* for the effective thermal conductivity in terms of deposit microstructure, and develop useful, rational *correlation formulae* by suitably combining these bounds.

We outline below our research activities during this eighth quarterly reporting period (Section 2), with our principal results described in the archival references documented in Section 4. Section 3 gives relevant administrative information (personnel, papers which have appeared in the engineering/applied science literature,...) and Section 5 (Appendix) contains an abstract of one of the cited papers now ready for submission.

2. Research Progress

A concise summary of our recent findings in the abovementioned areas of:

Rational (Micro-mechanically Based) Correlations for Arriving Particle Capture

and:

Deposition Mechanism/Deposit Microstructure/ Thermophysical Property Correlations

has just appeared in pp.105-111 of Proc. **8th Annual DOE-PETC Coal PUEC Contractor's Meeting**, (Pittsburgh, PA July 27-30 1992). As noted in QTR 7, additionally, a Poster covering this work was presented at the 13th Annual Meeting of the *Int. Fine Particle Research Inst.* (IFPRI-), Harrogate UK (3 June 1992).

Parallel research studies are underway on the following interrelated and fundamental subjects, several of which should culminate in papers submitted for archival publication during the next two reporting periods:

Restructuring Kinetics of Initially 'Accessible' Suspended Aggregates

Knudsen number Dependence of Accessible Area of 'Fractal' Quasi-spherical Aggregates
(see Abstract, Appendix A)

Geometrical Approach to Predicting the *Sticking Probability* of Particles Impacting on Convex Solid Surfaces

Rational Engineering Correlations for High Schmidt Number *Particle Deposition Rates* From Dilute Flowing Suspensions

Average *Capture Probability* of Arriving Particles Distributed With Respect to Impact Velocity and Incidence Angle (Relative to Deposit Substrate).

Vapor Infiltration of Non-isothermal Granular Deposits

Effective Area/Volume of Populations of 'Microporous' Aerosol Particles (Compact and 'Fractal' Quasi-spherical Aggregates)

Effects of Radiative Heat Transfer on the *Coagulation Rates* of Combustion-Generated Particles

Structure-Sensitivity of Total Mass Deposition Rates from Combustion Product Streams Containing Coagulation-Aged Populations of Aggregated Primary Particles

Effects of Homogeneous/Heterogeneous Reactions in Na₂SO₄ Chemical *Vapor Deposition* From Chlorine-containing Coal-Derived Gases

3. Administrative Information

Based on this DOE-PETC-supported program at the Yale HTCRES Lab, during this reporting period:

our 28p paper: "Thermophoretic Effects on Particles in Counterflow Diffusion Flames" has been favorably reviewed (as 'original' and 'important') and accepted for publication in *Combustion Science and Technology* (Abstract given in QTR 7). It should appear in late '92 or early '93.

Dr. Rosner participated in the *8th Annual DOE-PETC Coal PUEC Contractor's Meeting*, (Pittsburgh, PA), presenting a paper: "Theoretical Studies of Inorganic (V/P) Deposition in Coal-Fired Systems" on July 29. (ARTD Session). On July 28, Dr. Rosner also presented the Seminar: " Effects of Energy Transfer on the Transport Properties of Combustion-Generated Particles: Before, During and After Coagulation" at Penn State Univ. (co-sponsored by the Departments of Mechanical Engineering and Fuel Science).

Participants in the present research program, primarily focused on *particle deposition* from pulverized coal combustion gases, include the writer-P.I (D. E. Rosner), and graduate students: P. Tandon and T.Kho. Drs. Konstandopoulos and Tassopoulos, having completed and defended their Yale PhD Dissertations during 1991, are now settled in Greece and will (re-)initiate collaborations on topics (Section 1) which could not be completed during this reporting period.

It is gratifying to see direct **applications** of some of our earlier particle and vapor mass transfer fundamental research (see, also, Section 4) in more development-oriented investigations recently reported (eg. at 8th Annual DOE-PETC Coal PUEC Contractor's Meeting, (Pittsburgh, PA)). One recent example deals with so-called "condensing economizers" (Litzke *et.al.* at Brookhaven National Labs) which exploit the Stefan-flow suction associated with simultaneous vapor condensation to increase the capture efficiency of suspended ash particles. Several further examples are expected to be associated with DOE's initiative: 'Combustion 2000', in which teams of engineers (PSIT, UTRC, ...) are now preparing conceptual designs for a high efficiency indirect fired gas turbine combined cycle system. Indeed, the writer would appreciate it if further examples known to the reader are brought to our attention.

Our published research results and conference suggestions have also influenced parallel DOE-funded studies related to coal ash deposition. These include the use of transient heat diffusion techniques with remote sensing to characterize granular test deposits (Dr. E. Ramer, DOE-PETC) and the incorporation of our sticking probability correlations (Rosner *et. al.*, 1992) in the long-term development of more comprehensive numerical models for predicting boiler tube bank fouling (Dr. A. Turan, Textron).

Acknowledgements--We gratefully acknowledge significant inputs from the present Yale HTCRES Lab *Industrial Affiliates* (Shell, General Electric, and DuPont Corporations).

4. References

- Castillo, J.L. and Rosner, D.E., "Non-Equilibrium Theory of Surface Deposition from Particle-Laden, Dilute Condensable Vapor-Containing Streams, Allowing for Particle Thermophoresis and Vapor Scavenging Within the the Laminar Boundary Layer", *Int. J. Multiphase Flow*, **14**, [1], 99-120 (1988)
- Castillo, J.L., Garcia-Ybarra, P. and Rosner, D.E., "Morphological Instability of a Thermophoretically Growing Deposit", *J. Crystal Growth* (N. Holland) **116**, 105-126 (1992) (Abstract QTR#6)
- Gökoğlu S.A. and Rosner, D.E., "Correlation of Thermophoretically Modified Small Particle Diffusional Depositional Rates in Forced Convection Systems with Variable Properties, Transpiration Cooling and/or Viscous Dissipation", *Int. J. Heat Mass Transfer* **27**, 639-645 (1984)
- Gomez, A. and Rosner, D.E. "Thermophoretic Effects on Particles in Counterflow Laminar Diffusion Flames", *Combustion Science and Technology* (Accepted, 1992) (Abstract included in QTR 7)
- Konstandopoulos, A.G., and Rosner, D.E., "Experimental and Theoretical Studies of the Combined Effects of Particle Inertia and Thermophoresis on Deposition Rates Across Laminar Combustion Gas Boundary Layers" *Int. J. Heat Mass Transfer* (Accepted; Being revised for Re-submission in Fall '92)
- Konstandopoulos, A.G., Labowsky, M.J. and Rosner, D.E., "Inertial Deposition of Particles from Potential Flows Past Cylinder Arrays" *J. Aerosol Science* (in press, 1992)
- Konstandopoulos, A.G., and Rosner, D.E., "A Geometrical Approach to the Sticking Probability of Particles Impacting on Convex Surfaces" (in preparation (1992))
- Konstandopoulos, A. G. (1991) "A Micro-Mechanical Approach to Particle Capture and Deposit Growth" (Ch.5, PhD Dissertation: **Effects of Particle Inertia on Aerosol Transport and Deposit Growth Dynamics**, Yale University Graduate School).
- Konstandopoulos, A. G. and Tassopoulos, M. (1992) "A Kinetic Model for Deposit Growth. Part I: Characterization of Sticking Probabilities"; see, also: *AAAR 1990 Annual Meeting*, Paper 6E.6, June 18-22, 1990, Philadelphia, PA. (prepared for submission to *J. Colloid Interface Sci.*).

Marner, W.J., "Progress in Gas-Side Fouling of Heat Exchanger Surfaces", in *Proc. A.L. London Symposium on Compact Heat Exchangers*, pp 421-489, Hemisphere, Washington DC.(1989); see, also: ASME Book No. AMR069 and *Appl. Mech. Rev.* 43, No.3 March 1990.

Rosner, D.E., *Transport Processes in Chemically Reacting Flow Systems*, Butterworth-Heinemann, Stoneham, MA (1986); Third Printing, 1990

Rosner, D.E., "Total Mass Deposition Rates from 'Polydispersed' Aerosols"; *AIChE J.* 35, [1], 164-167 (1989)

Rosner D.E., and Tandon, P., "Diffusion and Heterogeneous Reaction in Large Multiparticle Aggregates; Calculation and Correlation of 'Accessible' Surface Area", *AIChE J.* (HTCRE Lab #194; Prepared for Submission Oct 1992)

Rosner D.E., and Tassopoulos M., "Mass Deposition Rates from Streams Containing 'Polydispersed' Particle Populations of Arbitrary Spread", *AIChE J.* 35 (9) 1497-1508 (1989)

Rosner, D.E., "Experimental and Theoretical Research on the Deposition Dynamics of Inorganic Compounds from Combustion Gases"; Invited paper: *Benjamin G. Levich Memorial Issue of J. PhysicoChemical Hydrodynamics*(Pergamon) 10, [5/6], 663-674 (1988)

Rosner, D.E., and Günes, D., "Theory of Deposit Shape Evolution for Heat Exchanger Surfaces Exposed to the Flow of Fly-Ash-Containing Combustion Products", Yale HTCRES Laboratory Report, 1987 (being revised and extended for publication ca. 1992)

Rosner, D.E., and Nagarajan, R., "Toward a Mechanistic Theory of Deposit Growth from Ash-Laden Flowing Combustion Gases: Self-Regulated Sticking of Impacting Particles and Deposit Erosion in the Presence of Vapor 'Glue'", in *AIChE Symposium Series*, 83, No. 257, *Heat Transfer-Pittsburgh 1987* (R.W. Lyczkowski, ed.) 289-296 (1987)

Rosner, D.E., Mackowski, D.W., and Garcia-Ybarra, P., "Size- and Structure-Insensitivity of the Thermophoretic Transport of Aggregated 'Soot' Particles in Gases", *Combustion Science and Technology* 80,(1-3),87-101(1991)

Rosner, D.E. and Tandon, P., "Calculations of Na₂SO₄ Chemical Vapor Deposition for Combustion Turbine Running on Coal-Derived Gases", Yale HTCRES Lab Report No.189, September 5, 1991.

Rosner, D.E., Mackowski, D.W., Tassopoulos, M., Castillo, J. and Garcia-Ybarra, P., "Effects of Heat Transfer on the Dynamics and Transport of Small Particles Suspended in Gases", *Industrial and Engineering Chemistry-Research* (Amer. Chem. Soc.) 31,760-769 (1992) (Abstract QTR#7)

Rosner, D.E. and Tassopoulos, M., "Correction for Sampling Errors due to Coagulation and Wall Loss in Laminar and Turbulent Tube Flow: Direct Solution of Canonical 'Inverse' Problem for Log-Normal Size Distributions", *J. Aerosol Sci.*, 22,(7), 843-867 (1991)

Rosner, D.E., Konstandopoulos, A., Tassopoulos, M. and Mackowski, D.W., "Deposition Dynamics of Combustion-Generated Particles: Summary of Recent Studies of Particle Transport Mechanisms, Capture Rates and Resulting Deposit Microstructure/Properties", *Proc. Engineering Foundation Conference: Inorganic Transformations and Ash Deposition During Combustion* (S.Benson, R. Bryers, eds.) pp.585-606 (1992)

Rosner, D.E., Konstandopoulos, A., Tassopoulos, M. and Mackowski, D.W., "Deposition Dynamics of Combustion-Generated Particles: Summary of Recent Studies of Particle Transport Mechanisms, Capture Rates and Resulting Deposit Microstructure/Properties", *Proc. 7th Annual DOE-PETC Coal PUEC Contractor's Meeting*, July 15-18, 1991b, Pittsburgh, PA.

Rosner, D.E., Konstandopoulos, A., and Tassopoulos, M., "Theoretical Studies of Inorganic (V/P) Deposition in Coal-Fired Systems", in *Proc. 8th Annual DOE-PETC Coal PUEC Contractor's Meeting*, July 27-30, 1992, Pittsburgh, PA.; pp. 105-111

Tassopoulos, M., **Relationships Between Particle Deposition Mechanism and Resulting Deposit Microstructure/Effective Transport Properties**, PhD Dissertation, Yale University, Dept. ChE (1991)

Tassopoulos, M. and Konstandopoulos, A. G. "A Kinetic Model for Deposit Growth. Part II: Characterization of Microstructure and Transport Properties"(prepared for 1992 submission to *J. Colloid Interface Sci.*), see also AAAR 1990 Annual Meeting, paper 6E.6, June 18-22, 1990, Philadelphia, PA.

Tassopoulos, M., O'Brien, J.A., and Rosner, D. E., "Simulation of Microstructure-Mechanism Relationships in Particle Deposition", *AIChE J.* 35 (6), 967-980 (1989)

Tassopoulos, M. and Rosner, D.E., "Simulation of Vapor Diffusion in Anisotropic Particulate Deposits", *Chem. Eng. Sci.* 47 (2) 421-443 (1992)(Abstract QTR#6)

Tassopoulos, M. and Rosner, D.E., "The Effective Thermal Conductivity of Anisotropic Packings of Spheres" (Part 1."Conduction Through the Solid Phase"; Part 2."Conduction Through the Solid and Void Phases") To be submitted to *Chem. Eng. Sci.*

Tassopoulos, M. and Rosner, D.E., "Microstructural Descriptors Characterizing Granular Deposits", *AIChE J.* 38 (1),15-25 (1992) (Abstract QTR#6)

5. Appendices (Cited Abstract to follow)

**HIGH TEMPERATURE CHEMICAL REACTION
ENGINEERING LABORATORY
YALE UNIVERSITY
BOX 2159, YALE STATION
NEW HAVEN, CONNECTICUT 06520 U.S.A.**

abstract 2 moved.

END

**DATE
FILMED**

6 / 7 / 93