Trends in Heavy Oil Production and Refining in California

NIPER--587

Topical Report

DE92 001056

By
D. K. Olsen
E. B. Ramzel
R. A. Pendergrass II

July 1992

Work Performed Under Cooperative Agreement No. DE-FC22-83FE60149

Prepared for
U.S. Department of Energy
Assistant Secretary for Fossil Energy

Thomas B. Reid, Project Manager
Bartlesville Project Office
P. O. Box 1398
Bartlesville, OK 74005

Prepared by
IIT Research Institute
National Institute for Petroleum and Energy Research
P. O. Box 2128
Bartlesville, OK 74005

MASTER

TABLE OF CONTENTS

	Page
Abstract.....	1
Introduction	1
Results and Discussion	3
Oil Production Trends.....	3
California Heavy Oil Contribution to Projected Thermally Produced Oil.....	10
Marketing, Transportation and Refining.....	11
Conclusions.....	19
Acknowledgments.....	20
References.....	20

TABLES

1. Daily California oil production in barrels by API gravity.....	9
2. Crude oil prices of the past decade	13
3. Refinery capabilities within PADD 5.....	15

ILLUSTRATIONS

1. California map showing the three major oil regions.....	4
2. California oil production since 1940 showing percent of total oil that is heavy oil	4
3. California oil production since 1940 showing oil production corresponding with the number of active oil wells	5
4. Total oil production by regions within California.....	5
5. Contribution of NPR 1 to San Joaquin oil production	7
6. Contribution of NPR 1 to total California production.....	7
7. California production showing major contribution of heavy oil	8
8. California daily oil production, inclusive under each degree API cutoff.....	8
9. Incremental oil produced by steam and hot water.....	9
10. Projected production rated for thermally produced oil from the 1984 NPC study.....	10
11. Projected sensitivity of thermal recovery production rate to nominal crude oil price from the 1984 NPC study	12
12. Average yearly oil price per barrel and ratio to Kern River oil price.....	12
13. Trends in oil gravity for the past decade in each PADD.....	14
14. Trends in oil sulfur content for the past decade in each PADD.....	14

ILLUSTRATIONS—Continued

	Page
15. API gravity and sulfur content of domestic and imported crude oil being processed in U.S. refineries	17
16. U.S. crude oil demand, imports, and U.S. oil production compared to California oil production	17
17. Major Kern County oil pipelines.....	18

TRENDS IN HEAVY OIL PRODUCTION AND REFINING IN CALIFORNIA

By D. K. Olsen,¹ E.B. Ramzel,¹ and R. A. Pendergrass II²

ABSTRACT

This report is one of a series of publications assessing the feasibility of increasing domestic heavy oil production and is part of a study being conducted for the U.S. Department of Energy. This report summarizes trends in oil production and refining in California.

Heavy oil (10° to 20° API gravity) production in California has increased from 20% of the state's total oil production in the early 1940s to 70% in the late 1980s. In each of the three principal petroleum producing districts (Los Angeles Basin, Coastal Region, and San Joaquin Valley) oil production has peaked and then declined at different times throughout the past 30 years. Thermal production of heavy oil has contributed to making California the largest producer of oil by enhanced oil recovery processes in spite of low oil prices for heavy oil and stringent environmental regulation. Opening of Naval Petroleum Reserve No. 1, Elk Hills (CA) field in 1976, brought about a major new source of light oil at a time when light oil production had greatly declined. Although California is a major petroleum-consuming state, in 1989 the state used 13.3 billion gallons of gasoline or 11.5% of U.S. demand but it contributed substantially to the Nation's energy production and refining capability. California is the recipient and refines most of Alaska's 1.7 million barrel per day oil production. With California production, Alaskan oil, and imports brought into California for refining, California has an excess of oil and refined products and is a net exporter to other states. The local surplus of oil inhibits exploitation of California heavy oil resources even though the heavy oil resources exist. Transportation, refining, and competition in the market limit full development of California heavy oil resources.

INTRODUCTION

This report summarizes a segment of research undertaken as part of a national assessment of the feasibility of increasing domestic heavy oil production, a study being conducted by NIPER for the U.S. Department of Energy. Heavy oil is defined as having gas-free viscosity of >100 and <10,000 MPas (centipoise, cP) inclusive at original reservoir temperature or a density of 943

¹ National Institute for Petroleum and Energy Research.

² University of Oklahoma, AWU Summer Fellow at NIPER.

kg/m³ (20° API gravity) to 1,000 kg/m³ (10° API gravity) inclusive at 15.6° C (60° F).¹ The objectives of this nationwide heavy oil feasibility study are (1) to investigate from secondary data the known heavy oil resources; (2) to screen this resource for potential thermal recovery or other enhanced oil recovery (EOR) techniques; and (3) to evaluate various economic facets (refining, transportation, environmental, etc.) that may impact the expansion of heavy oil production. This portion of the study was undertaken because comparisons are often made between the success of thermal enhanced oil recovery, TEOR, (cyclic steam, steamflooding, and in situ combustion) technology in California and that of other parts of the world. California has become a model because TEOR has successfully been used to produce significant heavy oil.²⁻³ This report provides a background for comparison by providing a summary of production data (through 1990) and refining data. This study was undertaken to quantify on a regional basis the contribution made by TEOR to the oil production of California. A separate report will cover the geology and reservoir properties of the heavy oil reservoirs in California.

The California Department of Conservation, Division of Oil and Gas (DOG)⁴⁻⁶ and the Conservation Committee of California Oil Producers (CCCOP)⁷⁻¹¹ compile reports on the oil and gas production within California. Together, their reports constitute one of the most complete annual summaries of oil production of any state. The Conservation Committee's tracking of oil production by reservoir and by API gravity is only possible by strong support from member producing companies, the compliance of companies with state requirements for reporting, and great effort by the Conservation Committee of California Oil Producers. In many other states, only total production by field or by county is available. To obtain reservoir production data or the API gravity of the oil in these states, individual run tickets listing barrels of oil sold from a given lease would have to be correlated.

During the early 1960s, the use of steam or in situ combustion to recover viscous heavy oil was just beginning, and both major companies and independents conducted numerous field pilots and carefully guarded their data. Since that time, TEOR technology has improved in efficiency and has become the major enhanced oil recovery method in the United States.

Based on the data compiled as the biennial United States EOR Production Report published by *Oil & Gas Journal*,² TEOR accounts for 70% [454,212 barrels of oil per day (BOPD)] of all the domestic EOR oil (656,700 BOPD) produced. California accounts for 98% (445,557 BOPD) of all TEOR oil. The rest of the country contributes only 8,655 BOPD.² If TEOR production is broken down by process, California produces 98.7% (448,122 BOPD) of the oil produced by steam and hot water, but only 54% (3,300 BOPD) of the oil produced by in situ combustion.² The biennial EOR summary is compiled from information contributed voluntarily, and the numbers do not coincide with those recently reported by CCCOP (1991)⁷ which is believed to be a more accurate summary of the TEOR oil production in California. Recent reviews by Blevins¹² and

Schmidt ¹³ give assessments of the maturity of TEOR, its current status, and future needs. Most of their assessments are based upon the performance of steam to reduce the viscosity of California asphaltic heavy crude oils.

California is a unique state that not only produces light and heavy oil, but it also refines most of the production (1.7 million BOPD) from Alaska's North Slope (ANS) 27° API gravity oil.¹⁴⁻¹⁷ California is also one of the best and largest volume petroleum marketing regions in the United States. In 1989, California's annual gasoline consumption was 13.3 billion gallons (33 million gal/day). This is the largest volume of any state in the Nation and 11.5% of total U.S. consumption.¹⁸

RESULTS AND DISCUSSION

Oil Production Trends

Figure 1 is a map of California showing the three major oil producing regions (San Joaquin, Coastal, and Los Angeles) that have helped California become the leading domestic producer of heavy oil. Total oil production for California, as shown in Fig. 2, illustrates the overall contribution that heavy oil has made to the state's oil production.⁸ Figure 2 shows oil production on a daily basis as well as the percent of total California oil produced that is within the 10° to 20° API gravity range. Total oil production peaked in the mid 1980s. During the past 50 years, California was able to double the oil production of the early 1940s. In the decade of the 1940s, heavy oil accounted for 20 to 30% of the total oil production. Concurrent with the development of thermal oil recovery processes in the early 1960s, heavy oil production began to gradually increase the fraction it contributed to total oil production. Except for periods in the late 1960s and between 1975 and 1978, the percent of heavy oil produced in California relative to total oil production has increased. The fraction that heavy oil contributes peaked in 1987 at 71% and has remained nearly constant in spite of significantly reduced total oil production since 1985. When the same data are compared with the number of producing oil wells (Fig. 3), there are similar trends in oil production and the number of wells.⁸ The number of oil wells producing heavy oil has steadily increased since 1940 and peaked in the mid 1980s. The number of wells producing light oil peaked in the late 1950s.

Total production for each of the three major California regions is depicted in Fig. 4.⁹ Oil production in the Coastal region has slowly declined over the past 30 years with temporary increases coinciding with or following higher oil prices. Oil production in the Los Angeles Basin has been steadily declining since the late 1960s and is now less than half of peak production. Pressure from population, environmental constraints, and higher water cuts on mature waterfloods are some of the factors causing declining oil production.

FIGURE 1. - California map showing the three major oil regions.

FIGURE 2. - California oil production since 1940 showing the percent of total oil that is heavy oil.

FIGURE 3. - California oil production since 1940 showing oil production with the number of active oil wells.

FIGURE 4. - Total oil production by regions within California.

Oil production in the San Joaquin Region has demonstrated the most marked increase. This increase is due to thermal heavy oil production and new oil production from Naval Petroleum Reserve No. 1 at Elk Hills (Fig. 5).^{7-10,19} This giant light oil field has made a significant contribution to San Joaquin and the total oil production in California (Fig. 6) since it was opened for commercial production in 1976.^{7-10,19} In both Figs. 5 and 6, the light oil contributed by NPR No. 1 operations has been subtracted from the total oil produced in the San Joaquin Valley of California. In Fig. 5, the heavy oil production for the San Joaquin Valley for the past few years has been available and is plotted. When the total oil production in the San Joaquin Basin is plotted and the contribution of light oil production from Elk Hills is subtracted (black diamond), the light oil produced in the basin in other fields can be calculated. The difference between NPR No. 1 production and San Joaquin heavy oil production is the other light oil produced in the Basin which is less than 60,000 BOPD. A similar comparison, but over a longer period of time, is shown in Fig. 6. On a statewide basis, it shows the growth of light oil production at NPR No. 1 and the decline in overall light oil production during the past few years.^{7-10,19} Without Elk Hills light oil, the state would have been producing 78% heavy oil instead of 70% heavy oil in 1989.

The Conservation Committee of California Producers has tracked oil production by API gravity on a statewide and regional basis for many years. Since 1986, they have compiled production data by reservoir and by API gravity.⁷⁻¹¹ This allows analysis of the contribution of each oil gravity range, as shown in Figs. 7 and 8. A tabular listing by region for the past few years is shown in Table 1. This tabular listing corrects previously published data⁹⁻¹¹ and reflects NIPER's correction for having Midway-Sunset (CA) and South Belridge (CA) fields assigned to the incorrect API gravity range in 1986 and 1987. During the past 15 years, the percent of total production by API gravity range, Fig. 7, shows that light oil, >20° API, has slowly declined whereas heavy oil production has increased. Figure 8 shows California daily oil production inclusive under each degree API; thus, the contribution of each oil gravity range can be seen in comparison to the total oil mix.⁸

Heavy oil is produced by primary production, by waterflooding deeper, hotter reservoirs such as the Ranger zone in Wilmington (CA) field, and by thermal methods which reduce the viscosity of the oil. The Conservation Committee of California Oil Producers has calculated the incremental oil produced by steam and hot water relative to the remaining oil produced, as shown in Fig. 9.⁷⁻⁸

In 1990, Midway-Sunset (CA) field production exceeded South Belridge (CA) field as the top oil producer in California and the lower 48 states. Midway-Sunset produced its second billion barrel in January 1991. Only three other U.S. fields [Prudhoe Bay (AK), East Texas (TX), and Wilmington (CA)] have produced more than 2 billion barrels of oil.

FIGURE 5. - Contribution of NPR 1 to San Joaquin oil production.

FIGURE 6. - Contribution of NPR 1 to total California production.

FIGURE 7. - California production showing major contribution of heavy oil.

FIGURE 8. - California daily oil production, inclusive under each degree API cutoff.

TABLE 1. - Daily California oil production in barrels by API gravity (Modified from Conservation Committee, 1986-1990)

Gravity range	Barrels of Oil Produced Per Day by API Gravity							
	5.0-9.9	10.0-14.9	15.0-19.9	20.0-24.9	25.0-29.9	30.0-34.9	35.0-39.9	40 & Over
1986:								
Valley	0	504,770	56,941	24,827	28,367	70,953	49,552	4,416
Coast	12,778	28,781	43,181	19,354	35,953	24,153	708	413
Basin	0	<u>15,344</u>	<u>115,358</u>	<u>50,962</u>	<u>21,722</u>	<u>7,334</u>	<u>150</u>	<u>226</u>
Total	12,778	548,895	215,480	95,143	86,042	102,440	50,410	5,055
1987:								
Valley	43	516,947	46,727	23,921	32,211	71,774	47,209	3,932
Coast	11,677	24,924	49,520	29,816	24,991	18,893	566	389
Basin	0	<u>16,483</u>	<u>105,900</u>	<u>41,413</u>	<u>22,627</u>	<u>2,773</u>	<u>145</u>	<u>193</u>
Total	11,720	558,354	202,147	95,150	79,829	93,440	47,920	4,514
1988:								
Valley	0	529,101	25,890	26,423	27,852	107,071	9,049	478
Coast	6,547	25,572	48,143	33,906	25,942	18,203	506	440
Basin	0	<u>14,856</u>	<u>90,700</u>	<u>44,991</u>	<u>18,902</u>	<u>4,576</u>	<u>641</u>	<u>116</u>
Total	6,547	569,529	164,733	105,320	72,696	129,850	10,196	1,034
1989:								
Valley	0	506,812	26,798	23,442	22,871	93,963	7,966	439
Coast	4,677	20,910	49,736	29,936	30,303	16,936	508	433
Basin	0	<u>13,956</u>	<u>83,002</u>	<u>42,807</u>	<u>18,008</u>	<u>4,806</u>	<u>605</u>	<u>121</u>
Total	4,677	541,678	159,536	96,185	71,182	115,705	9,079	993
1990:								
Valley	0	472,391	28,240	18,788	58,859	81,682	6,612	412
Coast	3,212	21,666	42,154	29,493	29,605	16,702	413	492
Basin	0	<u>13,493</u>	<u>76,445</u>	<u>37,445</u>	<u>16,594</u>	<u>4,554</u>	<u>597</u>	<u>91</u>
Total	3,212	507,551	146,841	85,727	105,059	103,184	7,623	1,000

FIGURE 9. - Incremental oil produced by steam and hot water.

California Heavy Oil Contribution to Projected Thermally Produced Oil

Domestic heavy oil production has been estimated at between 750,000 and 800,000 BOPD,²⁰ based on analysis of the the heavy oil database being compiled by NIPER. The 1984 National Petroleum Council (NPC) Enhanced Oil Recovery study,³ projected thermally produced oil (principally heavy oil, but also includes thermal production of light oil as shown in Fig. 10). Current production levels of thermally produced oil fall below even 1984 projections for both implemented or advanced technology. These NPC projections (Fig. 37 of reference 3) were based upon a \$30/bbl nominal crude oil price and 10% minimum rate of return. With short lived exceptions, the price of crude oil has been substantially lower than \$30 since 1986 and has contributed to weak investment in thermal oil production. There have been some notable exceptions in California by those companies which are vertically integrated (i.e., companies having their own resources, production technology, heated pipelines, California refinery capacity to handle refining heavy oil, and service stations to market transportation fuels).²¹

To achieve the projected thermally produced oil production rate forecast in the 1984 NPC study, the heavy oil production in California would have to significantly increase because California has both the oil resource and production/transportation/refining infrastructure. Achieving the projected NPC goals is doubtful considering oil production trends (within

FIGURE 10. - Projected production rates for thermally produced oil from the 1984 NPC study. Comparison of implemented and advanced technology rates - at \$30/bbl and 10% minimum rate of return.

California, the U.S. and the world) within recent years and low oil prices. The 1984 NPC study³ cautioned that

"...the study was conducted by experts in the field of enhanced oil recovery and other specialists from the petroleum industry, the resulting ultimate recoveries and production rate projections are nonetheless subject to a great deal of uncertainty. Comprehensive studies tend to converge on a best-estimate answer. The shortcomings of such a rigorous approach is not what is included in the analysis but the unknowns that are either outside the scope of investigation, or that cannot be precisely determined. These factors lie in the areas of economics, technology, and methodology. While there are a great many factors that may contribute to the overall economic uncertainty, oil price is considered the most significant."³

The oil pricing and base case used in the 1984 NPC study used "Both present (1983) and anticipated oil prices 'which' substantially affect EOR activity. The results of the \$30 per barrel base case are strongly influenced by the events that occurred from 1978 to 1982, when the real price of oil approached \$40 per barrel and was projected to rise even higher. EOR projects benefited and gained much momentum during this time, as shown by the substantial investments made to develop CO₂ resources and pipeline systems to serve the miscible flood projects in the West Texas area. Also, expansions were made to most of the large steamflood projects in California. This increased activity became part of the ongoing EOR base upon which the study results are constructed."³

A better correlation of projected performance in the 1984 NPC study is with implemented thermal technology and \$20 per barrel oil as shown in Fig. 11.³ For most of the time period since 1986, the posted price for California heavy oil has been substantially lower than the lowest price scenario considered in the 1984 NPC study.

Marketing, Transportation and Refining

The dramatic drop in oil prices in 1986 is illustrated in Fig. 12 and Table 2, which show oil prices and ratios of oil prices between Arab light and Arab heavy, West Texas Intermediate (WTI) crude, and California Kern River (KR) oil.²² The oil prices per barrel have generally trended upward since 1988. For short periods of time during the Gulf War, heavy oil price exceeded \$20/bbl, but recent oversupply pushed KR to \$10.00/bbl in January 1992 when the WTI posted price was \$16.50/bbl.^{15,23} Kern County heavy oil, 13° API, has averaged about two-thirds of the price of WTI over much of the past decade. The price ratios between Kern River crude and Arab crudes tend to be increasing, whereas the price ratios between Kern River and WTI remain at about two-thirds. Kern County's 13° API heavy oil has historically (previous 25 years) sold for about

FIGURE 11. - Projected sensitivity of thermal recovery production rate to nominal crude oil price (constant 1983 dollars with 10% minimum rate of return) from the 1984 NPC study—Implemented Technology.

FIGURE 12. - Average yearly oil price per barrel and ratio to Kern River oil price.²²

TABLE 2. - Crude oil prices of the past decade²²

Year	Arab Heavy, \$/bbl	Arab Light, \$/bbl	West Texas Intermediate, \$/bbl	Kern River, \$/bbl	K.R./ Arab Heavy ratio	K.R./ Arab Light Ratio	K.R./ WTI ratio
1981	31.75	34.27	--	25.18	0.793	0.735	--
1982	29.09	31.74	--	21.97	0.755	0.692	--
1983	26.62	28.76	30.33	20.14	0.757	0.700	0.664
1984	26.67	28.07	29.37	20.89	0.783	0.744	0.711
1985	26.80	27.52	28.01	20.18	0.753	0.733	0.720
1986	12.33	13.32	15.04	9.42	0.764	0.707	0.626
1987	16.23	17.28	19.17	13.34	0.822	0.772	0.696
1988	12.20	13.45	15.98	9.79	0.802	0.728	0.613
1989	14.93	16.21	19.69	12.77	0.855	0.788	0.649
1990	18.76	20.80	24.51	16.15	0.861	0.776	0.659
Average of 1982-1990	19.32	20.68	22.76	12.27	0.795	0.738	0.667

FOB crude oil spot prices—annual basis.

\$5/bbl less than WTI, but the price gap has expanded to about \$7/bbl since the 1987-1988 drop in oil prices.

Since thermal heavy oil production is so dependent on being able to maintain long-term steam injection and constant cash flow, fluctuating oil prices, especially at low oil prices, make heavy oil production risky. For independent oil producers, their operation is dependent on being able to sell their oil either at the posted price or under long-term contract which is usually tied to the posted price. If independent producers do not like the local posted price, they have to be able to afford transportation to a market where there is a better price. For light oil, transportation problems are minor as compared to those of heavy oil. However, the margin on heavy oil is low unless oil production, pipelining, refining, and marketing (sales of gasoline) are within a vertically integrated company. California independent heavy oil producers argue that posted prices are abnormally low based on the 15 cents per API degree for oil quality differential.²¹ When Alaskan North Slope, imports and California production are combined it is easy to argue that "California has a structurally oversupplied crude market"²⁴

The trends in refinery performance for each of the five Petroleum Administration for Defense Districts (PADD) are shown in Figs. 13 and 14.²⁵ Oil production in California has declined recently for both light and heavy oil, but it has been California's heavy oil that has maintained the high level of productivity and that has kept the state progressing. California, along with Alaska, has made PADD 5 a net exporting PADD to other refining districts. Analysis of the trends shown in Figs. 13 and 14 indicates that refineries in PADD 5 as a whole, which includes Alaska, Arizona,

FIGURE 13. - Trends in oil gravity for the past decade in each PADD.

FIGURE 14. - Trends in crude oil sulfur content for the past decade in each PADD.

Hawaii, Nevada, Oregon, Washington and California, typically process the sourest heaviest crude oil as compared to other PADDs or the Nation as a whole. The large California and Washington state refineries are quite different from the small, typically sweet, light oil refineries of the other states comprising PADD 5, (Table 3).¹⁶⁻¹⁷ The California refineries have significant heavy oil processing capabilities.

TABLE 3. - Refinery Capabilities Within PADD 5 (From REF 17)

Company	Location	Crude bbl	bbl	Charge capacity by bbl				Production capacity, bbl				Hydrogen (MMcf/d)	Coke (1/3)
				Vacuum distillation	Thermal operations	Cat cracking	Recycle reforming	Cat reforming	Cat cracking	Cat reforming	Alky. isom.	Asphalt	
Anchor	McKinnick, CA	10000	11000	7000								7000	
ARCO	Carson, CA	220000	232000	112000	56000	82000	48000	131000	17000				2500
Chemical	Signal Hill, CA	14200	15000										
Cherrow	El Segundo, CA	286000	327000	114000	54000	62000	51000	98000	70000	8000			2900
Cherrow	Richmond, CA	270000	280000	175000		63000	50000	125000	84200	9000		11000	150
Conoco	Santa Maria, CA	9500	10000	7800								6000	
Edgington	Long Beach, CA	41600	44730	21165	27500	64000	11000	37000	91000	16000		15554	1100
Exxon	Bonita, CA	128000	132000	67000	17000	12000	5000	12000	5000				
Fletcher	Carson, CA	26500	27000	17000								4000	
Golden Bear, Wilco	Oldale, CA	10348	11000	10230								4000	11
Golden West	Santa Fe Springs, CA	40600	42300	25000	13800	13500	19000	11000	3000			4500	
Huntway	Berkeley, CA	8400	9000	7500								3500	
Huntway	Wilkesboro, CA	5500	6000	5000									
Kern	Bakersfield, CA	20000	22000				3000		4500				
Lunday-Thagard	South Gate, CA	7000	7370	7500									
Mobil	Torrance, CA	123000	130000	95000	48000	63000	36000	68000	65000	17000			2900
Pacific	Hercules, CA	52250	55000	17000	12000		15000	3500	15000				
Paramount	Panorama, CA	42700	46500	29000			10500	11000	18000			15000	
Powertine	Santa Fe Springs, CA	46550	49000	26000	10400	12500	9000	19500	15500	3200	1800		470
San Joaquin	Bakersfield, CA	18000	20000	14000	10000							5000	
Shell	Martinez, CA	140100	143000	98000	22000	67000	1000	50000	77300	11200		11000	127
Shell	Wilkesboro, CA	139000	145000	75000	53000	42000	24000	11000	97700	8600			2500
Shell	Bakersfield, CA	15000	15000				1500						
Tex By	Orland, CA	4000	5000									2000	
Tosco	Bakersfield, CA	48000	49000	23000	13000		22000	14300	15000	14000			690
Tosco	Whittier, CA	75000	78400	42000	48000	28000	38000	20000	30000	4400			1650
Tosco	Martinez, CA	131900	143000	118000	46000	60000	2000	50000	34000	13000			1500
Ultramar	Whittier, CA	68000	72000	42000	24000	38000	14500	42000	15000	10500	9000		1200
Unocal	Los Angeles, CA	108000	111000	83000	20000	47000	52000	22000	90000	10000			49.4
Unocal	Rodeo, CA	113100	121400	74100	46900		34000	32500	49500	7400			65
TOTALS CALIFORNIA		2222248	2359700	1312295	504600	634000	14000	535500	391500	538500	131000	89354	1030.4
Intercontinental	Frederick, AZ	5710	6000	2000								1000	20157
Sunbelt	Randolph, AZ	8000	8000	6000									
TOTALS ARIZONA		13710	14000	8000									
Norfolk Ref.	Tonopah, NV	4500	4700	2500									
TOTALS NEVADA		4500	4700	2500									
Cherrow	Portland, OR	15000	15789	16000									
TOTALS OREGON		15000	15789	16000									
ARCO	Frederick, WA	164000	172000	95000	50000		56000	52000	18000	38000			2500
Cherrow	Seattle, WA	5000	5263	6000								5000	
Shell	Asacorte, WA	85000	89000	36000	42000	25000	6000	25000	7500	52500	11000		
BP	Frederick, WA	77000	79000	28000		25500	2000	11800		28500	7100		
Sound	Tacoma, WA	11900	12754	6000								3600	
Tosco	Asacorte, WA	117000	120000	50000	22000	45000	4000	21000		50000	10200		1200
U.S. Oil	Tacoma, WA	32775	34500	19500				6000		11000	1500	8000	
TOTALS WASH.		492675	512517	240500	72000	112500	12000	119800	52000	25500	28300	16600	3700
ARCO	Kuparuk, AK	12000	12000	12000									
ARCO	Prudhoe Bay, AK	16000	16000		16000								
Cherrow	Kami, AK	22000	22500	6000							2500		
Magoo	North Pole, AK	102000	105000										
Petro Star	North Pole, AK	7000	7200										
Tosco	Kami, AK	72000	80000	6000	28000		12000	9000	9000	12000	4000		12.8
TOTALS ALASKA		231000	242700	6000	28000	20000	12000	9000	9000	12000	6500	8000	12.8
Cherrow	Barber's Point, HI	52800	55000	31250							5625	1300	2.5
HI Independent	Ewa Beach, HI	77000	80000	40000	13000		12000	16000	16000	11000		1100	17.6
TOTALS HAWAII		129800	135000	71250	13000	20000	12000	16000	16000	14500	5625	2400	20.1
TOTALS PADD V		3108953	3284406	1656545	617600	786500	26000	679500	468500	564000	164975	128854	1143.3

Figure 15 shows the trends in API gravity and sulfur content for both imported and domestic crude oil being refined in the U.S.^{17,26} The trend is toward heavier crude oils with higher sulfur content. Most of the change occurred in the late 1970s and early 1980s. During the last half of the 1980s, oil gravity fed to U.S. refineries stabilized and reached a temporary plateau that is becoming increasingly dependent upon the quality of imported crude as the volume of imported oil increases and domestic production declines.

A comparison of the magnitude of California production with current U.S. production and demand is shown in Fig. 16. California contributes significant oil. California's total 1990 oil production was 350.7 million barrels or 960,000 BOPD.⁴ This volume is 13% of U.S. production but only 7.5% of U.S. demand. PADD 5 produces more oil than it consumes, and the API gravity of the crude that is refined in this PADD is significantly lower than that of the rest of the Nation (Fig. 11). During the past decade, the principal refinery capacity in California has been in three areas: the Los Angeles Basin, the San Francisco Bay area, and Bakersfield. The crude oils processed are Alaskan North Slope (ANS at 27° API gravity and 1.1 wt-% sulfur), California heavy, California sweet light crude (typically 20° to 35° API at 1.05 to 1.1 wt-% Sulfur), and imported crude oil. In the past few years, the average API gravity of crude processed in PADD 5 has increased. This has principally been caused by increasing imports of light crudes from Pacific rim countries²⁶ and the light oil produced at NPR No. 1.

California has an extensive heavy oil transportation network.²¹ In addition to the major pipelines (Fig. 17), the demand for transport of crude out of the San Joaquin Valley to refineries in the San Francisco area and Los Angeles requires an extensive crude oil truck tanker fleet and an 80,000 BOPD unit train which hauls for Shell.²¹ The access by pipelines to the refinery gate has been argued to be a limiting factor in generating a higher price for San Joaquin Valley heavy crude oil. Until recently,³⁰ five of the six pipelines leaving Kern County are proprietary, unregulated, in-state lines owned by major oil companies.²¹ The sixth pipeline, the Four Corner pipeline going to Los Angeles, is an interstate common carrier. Within recent weeks, independent operators have gained access to some of these pipelines based upon a recent California court case.³⁰ Two other routes to a refinery cost \$3-\$4/bbl for transport. These two routes to heavy oil refineries on the U.S. Gulf Coast are via the All-America Pipeline or via the Panama Canal by tanker.²³ Texas offers a price that is discounted about 15 cents per degree API off that of WTI. When the cost of thermal heavy oil production and transport to Texas are added together, the cost to the producer exceeds what a Gulf Coast refiner is willing to pay (delivered imported crude oil is less expensive for the same quality). This leaves little incentive to transport heavy California crude to Texas. In 1990, 150,000 BOPD of ANS were transported to Texas for refining to Gulf Coast and Midcontinent refineries. The recent addition of heavy oil production from the offshore Point

FIGURE 15. - API gravity and sulfur content of domestic and imported crude oil being processed in U. S. refineries.

FIGURE 16. - U. S. crude oil demand, imports and U. S. oil production compared to California oil production.

FIGURE 17. - Major Kern County heavy oil pipelines.

Arguello Field adds to the California supply of heavy crude oil and has expanded the price differential between California heavy oil and WTI.²⁰ California heavy oil producers, especially non-vertically integrated independent operators, will find economic heavy oil production more difficult.

Within the past few months, three of the small refineries in the Los Angeles Basin closed—Fletcher, Golden West, and Edgington. These refineries are among about 50 refineries in the U.S. that are expected to close due to uneconomic rates of return. Poor economics in these small refineries is due to inadequate economics of scale, refinery age, cost to implement equipment to meet environmental regulations and, in many areas, the loss of local light sweet crude oil.²⁹

The environmental restrictions in California have been the most restrictive in the Nation, and some of the regulations on thermal oil operations have been described by Sarathi.³¹ With the conversion of steam generators from lease crude oil to natural gas, an estimated "...30,000 BOPD of additional heavy crude will be placed on the state's already glutted oil market."³²

California is a major petroleum consuming state, accounting for 11.5% of U.S. gasoline market in 1989.²⁴ Most of Southern California currently is rated a noncompliance area for air quality. Restrictions on vehicle emissions and from stationary sources, such as steam generators,

will increase. The call for additional cleaner vehicle fuels (gasoline and diesel) will make refining heavy oil more difficult.

CONCLUSIONS

California is one of the largest petroleum consuming markets, accounting for 11.5% of the U.S. gasoline market. California produces 960,000 BOPD (1990) or nearly 13% of the Nation's total oil production. California is the recipient of most of Alaska's 1.7 million BOPD and most of PADD 5's oil imports. This causes California to have a surplus of oil and makes California a net exporter to other states and PADDs. Heavy oil production within the state now constitutes greater than 70% of the total oil produced. Each of the three major producing regions, Los Angeles, Coastal, and San Joaquin, have experienced a growth phase, peaked, and then showed a decline in oil production. Each region has peaked at various times throughout the last half century. The opening of the Naval Petroleum Reserve at Elk Hills in 1976 added significant new light oil to California production at a time when other California light oil production had declined greatly. Had it not been for this additional light oil, heavy oil would account for nearly 80% of the total oil production. Elk Hills production is declining rapidly and may be partially offset by further development of reservoirs within the field and by new offshore production. Elk Hills is a vital part of California's total production.

The California heavy oil industry is dominated by major companies which operate as vertically integrated companies. It is to their benefit to keep the posted price for heavy oil as low as possible and to produce, refine, transport, and market (in company-owned gasoline stations) their own crude and its products. With a large heavy crude resource, a dedicated pipeline, and a refinery tuned to process a specific heavy crude oil, they can obtain acceptable return on investment. If additional crude is needed, they can purchase it at posted prices. The independent heavy oil producer, or a major who is producing an excess of heavy oil that cannot be refined in its own refinery, is at a disadvantage with respect to other majors who have balanced company-owned production with company-owned refining and marketing. Economic production of heavy oil and the transport of heavy oil to refineries outside California is marginal. At the current \$10/bbl heavy oil price, many independent operators have significantly reduced expenditures. The economic condition is not as bad as that of 1986; however, only the larger fully integrated, balanced (production, refining, and marketing) oil companies can survive the glut of oil and extended low oil prices.

With the import of light crude, the receipt of ANS oil, and new offshore production, the development of additional heavy oil, except by majors which have capacity in their refineries to process their own heavy crude, is unlikely. The profit margin on California heavy oil produced by TEOR processes is small. If world oil prices were to increase, then more heavy oil would be

produced. When margins are low, as they are at present, heavy oil producers will have to struggle to survive. Major oil companies may have more flexibility. Of critical importance to heavy oil development is stable prices, hopefully with less differential between heavy and WTI because the investment in heat (steam) to maintain future production from a heavy oil reservoir must be maintained. Additional pressures on environmental issues compound the problem of marginal rate of return, but the petroleum industry in California is leading the Nation in being environmentally conscious. This has not been without significant cost on the rate of return and the demise of some companies.

ACKNOWLEDGMENTS

This work was sponsored by the U.S. Department of Energy under cooperative agreement DE-FC22-83FE60149 with IITTRI/NIPER as project SGP37. The authors thank the DOE for funding the Associated Western University summer fellowship which supported the work on this project by R. A. Pendergrass II.

REFERENCES

1. Group of Experts. UNITAR Proposal for the Definition of Heavy Crude and Tar Sands and Addendum, Second International Conference on Heavy Oil and Tar Sands, Caracas, Venezuela, February 1981.
2. Moritis, G. CO₂ and HC Injection Lead EOR Production Increase, Biennial EOR Production Report, *Oil & Gas J.*, v. 88, No. 17, Apr. 23, 1990, pp. 49-82.
3. National Petroleum Council: Enhanced Oil Recovery, *National Petroleum Council*, June 1984.
4. Mefferd, M. G. California Department of Conservation. Division of Oil & Gas, 76th Annual Report of the State Oil & Gas Supervisor, 1990, No. PR06.
5. Mefferd, M. G. California Department of Conservation. Division of Oil & Gas, 75th Annual Report of the State Oil & Gas Supervisor, 1989, No. PR06.
6. Mefferd, M. G. California Department of Conservation. Division of Oil & Gas, 74th Annual Report of the State Oil & Gas Supervisor, 1988, No. PR06.
7. Conservation Committee of California Oil & Gas Producers. Annual Review of California Oil & Gas Production - 1990, Conservation Committee of California Oil & Gas Producers, Los Angeles, 1991.
8. Conservation Committee of California Oil Producers. Annual Review of California Oil Production - 1989, Conservation Committee of California Oil Producers, Los Angeles, 1990.
9. Conservation Committee of California Oil Producers. Annual Review of California Oil Production - 1988, Conservation Committee of California Oil Producers, Los Angeles, 1989.
10. Conservation Committee of California Oil Producers. Annual Review of California Oil Production - 1987, Conservation Committee of California Oil Producers, Los Angeles, 1988.
11. Conservation Committee of California Oil Producers. Annual Review of California Oil and Gas Production, 1990, pp. B-16, L-4, H-3.
12. Schmidt, R. L. Thermal Enhanced Oil Recovery - Current Status and Future Needs, *Chemical Engineering Progress*, January 1990, pp. 47-59.
13. Blevins, T. R. Steamflooding in the U.S.: A Status Report, *J. Pet. Tech.*, May 1990, pp. 548-554.
14. Thrash, L. A. Worldwide Refining Report, *Oil & Gas J.*, Dec. 23, 1991, p. 64.
15. *Oil & Gas J.* Worldwide Production Report, Dec. 30, 1991, p. 86.
16. Thrash, L. S. Annual Refining Survey. *Oil & Gas J.*, v. 88, no. 13, March 26, 1990, pp. 77.
17. Thrash, L. S. Annual Refining Survey. *Oil & Gas J.*, v. 89, no. 11, March 18, 1991, pp. 84.
18. Toal, B. A. Cash on the Coast, *Oil and Gas Investor*, v. 12, No. 1, January 1992, p. 22.
19. Assistant Secretary, Naval Petroleum and Oil Shale Reserves 1990. Annual Report of Operations, United States Department of Energy, Fossil Energy, 1991.
20. Olsen, D. K. Domestic Heavy Oil Projections, Department of Energy Report No. NIPER report in review.
21. Gill, D. "Kern County," *Oil & Gas Investor*, August 1990, pp. 14-27.
22. Maples, J. W. Kern County Assessor. Crude Oil Prices 1991, Kern County, California. Oil and Gas Properties Division, February 1991.
23. *Oil & Gas J.* U. S. Crude Prices in *Oil & Gas J.* Weekly Production Report, January. 20, 1992, p. 71.

- 24 Grigsby, E. "Paper and Pencil Exercise or Treble Damages in Kern County by D. Gill," *Oil & Gas Investor*, August 1990, p. 19.
- 25 Petroleum Supply Annual, v. 2, 1986-1989, "Refinery Input of Crude Oil & Petroleum Products by P A D District" Energy Information Agency, Office of Oil and Gas, U.S. Department of Energy.
- 26 Swain, E. J. "U.S. Crude Slate Gets Heavier, Higher in Sulfur," *Oil & Gas J.*, Sept. 9, 1991, pp. 59-61.
- 27 Wells, J.W. and R.P. Anderson. Trends in Refinery Feedstock Properties and Refining Problems - Topical Report. Department of Energy Report No. NIPER-186, January 1987. NTIS order No. DE87001214.
- 28 American Petroleum Institute Basic Petroleum Data Book-Petroleum Industry Statistics, Section VII, Table 2, "Total United States Supply and Demand For All Oils." v. XI, No. 1, January 1991.
- 29 Olsen, D. K. and E. B. Ramzel. Heavy Oil Refining and Transportation: Effect on the Feasibility of Increasing Domestic Heavy Oil Production, presented at the Eastern Oil Shale/Tar Sands/Heavy Oil Symposium, University of Kentucky, Lexington KY, Nov. 13-15, 1991.
- 30 *Oil and Gas Investor*, v. 12, No. 1, January 1992, p. 7.
- 31 Sarathi, P. S. Environmental Aspects of Heavy-Oil Recovery by Thermal EOR Processes, *J. Pet. Tech.*, v. 43, No. 6, June, 1991, p.662.
- 32 Hoffman, J. quoted in *Oil and Gas Investor*, v. 12, No. 1, January 1992, p. 7.

*U.S.GPO:1992-661-026/60036

END

**DATE
FILMED
9 / 3 / 92**