WSRC-RP--92-240 240
F 392
DE93 000487 702

Response of Fish to Different Simulated Rates of Water Temperature Increase ^(U)

L. D. Wike and R. C. Tuckfield

Westinghouse Savannah River Company
Savannah River Site
Aiken, SC 29808

MASTER

Prepared for the U. S. Department of Energy under contract No. DE-AC09-89SR18035

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

Contents

Abstract 1

Introduction 1

Methods 2

Laboratory Facility 2
Simulation Apparatus 3
Experimental Design 3
Data Analysis 4

Results 5

System Performance 5
Rate-Effect Experiment 5
Acclimation-Effect Experiment 8

Summary and Conclusions 8

Options for Additional Studies 8

Acknowledgments 10

References 10

Appendix A 11

Appendix B 29

Appendix C 63

List of Figures

- Figure 1.** General Layout of the Par Pond Fisheries Laboratory (735-7G) (page 2)
- Figure 2.** One of Four Troughs Used in the Thermal Simulation System (page 3)
- Figure 3.** One of 36 Individual Tanks Used in the Thermal Simulation System (page 3)
- Figure 4.** The Thermal Simulation System (page 4)
- Figure 5.** Examples of General and Tank-Specific Data Sheets (page 4)
- Figure 6.** Survivorship Curves for Rate Experiment (page 7)
- Figure 7.** Survivorship Curves for Acclimation Experiment (page 7)
- Figure 8.** Scope for Activity (Kelsch and Neill 1990) (page 9)

Response of Fish to Different Simulated Rates of Water Temperature Increase

L. D. Wike and R. C. Tuckfield

Westinghouse Savannah River Company
Savannah River Site
Aiken, SC 29808

Abstract

We initiated this study to define the limits of effluent-temperature rate increases during reactor restart, which will help minimize fish kills. We constructed an apparatus for exposing fish to various temperature-increase regimens and conducted two experiments based on information from system tests and scoping runs. In the rate experiment, we acclimated the fish to 20°C, and then raised the temperature to 40°C at varying rates. Because scoping runs and literature suggested that acclimation temperature may affect temperature-related mortality, we conducted an acclimation experiment. We acclimated the fish to various temperatures, then raised the temperatures to 39–40°C at a rate of 2°C every 12 hours. Based on the analysis of the data, we recommend temperature-increase rates during reactor restart of 2.5°C every nine hours if ambient water temperatures are over 20°C. If water temperatures are at or below 20°C, we recommend temperature-increase rates of 2.5°C every 12 hours. No regulation of temperature is required after effluent temperatures reach 40°C. We recommend further studies, including expanded testing with the simulation system and behavioral and bioenergetic investigations that may further refine acceptable rates of effluent-temperature increases.

Introduction

We initiated research into the effects of simulated temperature-rate limits on fish as part of a settlement agreement on fish kills (South Carolina Department of Health and Environmental Control 1990) stemming from the Reactor Operation Environmental Impact Statement (U. S. Department of Energy, 1990). Our primary goal was to minimize thermally related fish kills by providing a sound experimental basis for recommending the rate of power ascension during reactor restart. The data necessary for these recommendations are the effects of the rate of temperature increase and of ambient, or acclimation, water temperature at the time of restart. Although there has been much research into the ecological and physiological interactions of fish and temperature, no previous studies addressed the conditions and fish most impacted by Savannah River Site (SRS) reactor restarts (Paller 1990). The lack of SRS-specific research is why we recommended laboratory studies to

determined rates and starting temperatures. The simulation tests dealt specifically with four temperature increase rates and acclimation temperatures and their effects on the young of the year bluegill sunfish (*Lepomis macrochirus*).

Paller (1990) reported the following on fish behavior in relation to temperature:

“The fish kills on the Savannah River Site are better understood in light of the behavioral responses of fish to various environmental stimuli including temperature, current, and the presence of shelter and forage. Interest in the impacts of electrical-power production on fish has led to a number of field and laboratory studies on the responses of fish to temperature gradients. These studies indicate that fish actively select certain temperatures when given the opportunity. Generally, when presented with a range of temperatures, fish congregate near their preferred temperature and decrease in number toward the upper and lower

Figure 1. General Layout of the Par Pond Fisheries Laboratory (735-7G)

ends of the temperature gradient (Coutant 1974). There is an upper avoidance temperature above the preferred temperature and a less definite lower avoidance temperature below it. Above the upper avoidance temperature is the upper tolerance limit above which death occurs. The difference between the upper avoidance temperature and the lethal maximum temperature can be as little as 2 to 3°C, although 5°C is not unusual for some species (Brown 1974; Giattina and Garton 1982)."

The thermal history of the fish influences the preferred temperature. Fish held at high temperatures prefer warmer temperatures than those held at low temperatures. This adjustment of temperature preference is called acclimation. However, if given access to a range of temperatures, the preferred temperature of both cold- and warm-acclimated fish will tend to adjust toward a common species (or subspecies) specific value called the final preferendum. This adjustment usually takes several days to complete (Richards et al. 1977). There are limits, however, to the changes in temperature preference and tolerance that can result from acclimation (Coutant 1974; Brown 1974; Giattina and Garton 1982).

Current research into the relationship between fish and temperature has begun to take into account the larger questions concerning the interaction of the energetics of behavioral thermoregulation and the maximum power principle with temperature preference and temperature acclimation (Bryan et al. 1990; Kelsch and Neill 1990).

These directions of research deal with temperature effects on a larger scale and how they affect the physiology and behavior of the organisms and as such become part of the fields of bioenergetics and physiological and behavioral ecology. These aspects of the interactions of fish and temperature and how they are important to the remediation of thermally induced fish kills at SRS is discussed further in the summary.

Methods

Laboratory Facility

SRS began developing a wet-lab facility for fisheries research in late June 1990. The west storage bay of the Par Pond Laboratory (735-7G) was converted to a laboratory by improving electrical service and installing insulation and air conditioning to improve temperature control. The west storage bay was chosen because it had adequate floor space, floor drains, sufficient electrical power, and a direct supply of water from Par Pond. The physical modifications to the storage bay were completed by October 1990, and the final safety inspection was conducted on October 3. The majority of the required equipment was received by the end of the calendar year. We constructed the simulation apparatus in January 1991. During February, March, and part of April, a series of several different scoping runs were conducted to

Figure 2. One of Four Troughs Used in the Thermal Simulation System

evaluate performance of the system. A general layout of the laboratory is shown in Figure 1.

Simulation Apparatus

The simulation apparatus consisted of four similar units; each had a fiberglass trough (243 x 55 x 30 cm) situated on a stand (Figure 2) and was supplied by a 20-cm, height-overflow stand pipe. Each trough contained 9 glass aquaria (39 x 20 x 25 cm) (Figure 3) with overflow holes cut in one end. The trough overflow pipe fed directly into a fiberglass 50 gallon, oval tank by gravity flow. The water in the tank was heated and cooled by three 1-KW heaters, and chilled water circulated through stainless-steel tubing in the bottom of the tank. A submersible pump recirculated the water to the trough. A manifold and valve system distributed the recirculating water to each of the nine tanks individually. To assure adequate mixing for uniform temperature, a glass tube near the bottom of the tank introduced the water into the tank. A specially designed IBM-XT computer acquired and controlled temperature data.

Individual thermocouples made from Omega PRT-24-1000, 24-gage, T-type thermocouple wire collected temperature data in each of the tanks. The thermocouples were fed through a 90-degree piece of glass tubing attached to the top corner of the tank to provide uniform positioning in all tanks. All thermocouples were inputted to Omega EXP-16 multiplexer boards, then through an Omega DAS-8 analog-to-digital board in the IBM PC-XT. LabTech Notebook software was used for temperature control and data acquisition. The system read each thermocouple once a minute and stored a half-hour block average

of the 30 readings, experiment elapsed time, air temperature, and tank number on a floppy diskette.

An extra thermocouple in the eighth tank in each trough controlled temperature. The system read the extra thermocouple every 15 seconds and calculated a one-minute running average. Each minute this value was compared to a preset program value dependent on time and desired target temperature, and the heaters were switched accordingly. Heater switching was controlled by an Omega PIO-12 digital, IO-interface board driving an Omega ERB-24 DPDT relay-output board. The relay board then switched Cole-Parmer Dyna-Sense relay controllers that turned the heaters on and off. Cooling water was circulated continuously through the stainless-steel tubing in the 50-gallon tanks to obtain water temperatures below room temperature. A monitor displayed elapsed time, air temperature, and the control temperature of each trough. An illustration of the experimental setup appears in Figure 4.

Experimental Design

Because two separate factors are the major contributors to thermally induced death in fish, we conducted two separate experiments. One experiment addressed the rate of temperature increase—each trough of fish began at the same temperature, and each trough temperature increased at a different rate. Another experiment used the same rate of increase but each trough began with the fish at a different acclimation temperature.

Both experiments used small (25 to 55 mm) bluegill sunfish (*Lepomis macrochirus*) obtained from Zetts Fish Hatchery

Figure 3. One of 36 Individual Tanks Used in the Thermal Simulation System

Figure 4. The Thermal Simulation System

in Inwood, West Virginia. We selected this species and size because it is the most vulnerable fish found in potential thermal-kill areas (Paller 1990). Fish were bought from a hatchery to ensure the uniformity and health of the stock and because no immediate means was available for obtaining them from site reservoirs. We limited the number of fish in each tank to 10 per trough, which resulted in a maximum of 90. We acclimated the fish to their starting temperatures for a minimum of five days before the experiment.

Mortality data was collected by direct observation each half hour throughout the experiment. Fish were considered dead when loss of righting ability occurred. Each half-hour observation record included experiment elapsed time,

screen-display temperatures, the number of dead fish in each trough, and the number of dead fish in each tank. Figure 5 shows examples of the data sheets. Dead fish were removed from the tanks after they were counted. All recorded data, electronic and observational, was entered into JMP software format for analysis. Mortality-count data were converted to cumulative-percent mortality.

Rate Experiment

The temperature for the rate experiment began at 20°C. Trough 1 was held at 20°C for the duration of the experiment to serve as a control. Troughs 2, 3, and 4 increased by 2.5°C increments until they reached 40°C. Trough 2 increased every 3 hours, Trough 3 increased every 9 hours, and Trough 4 increased every 15 hours.

Acclimation Experiment

The acclimation-effect experiment used a constant increase rate of 2°C every 12 hours. Trough 1 began at 20°C and went to 40°C; Trough 2 began at 15°C and went to 39°C; Trough 3 began at 25°C and went to 39°C; and trough 4 began at 30°C and went to 40°C.

Data Analysis

A method of comparing the effects of increasing temperature rates on fish mortality fits well into the framework of

Sample General Data Sheet

Sample General Data Sheet

Day	Day#	Time	Temperature				Number Dead					
			Air	1	2	3	4	1	2	3	4	

Sample Tank-Specific Data Sheet

Trough	Tank	Fish#	Clip	L In	W In	L Out	W Out	Time of Death (Day and Hour)	D/L

Figure 5. Examples of General and Tank-Specific Data Sheets

survival analysis (Dixon and Newman 1991). The exception is that survival analysis is primarily concerned with estimates of the time to death or in estimating the proportion of fish surviving to a given time. Our analysis focuses on the proportion of fish surviving as a function of time, not temperature.

We calculated the number (n_i) of fish at risk of mortality for each (i^{th}) step or increment in target temperature. The number of deaths (d_i) during the time interval before the next temperature increment also was calculated for each (i^{th}) step. Appendix C contains these data along with the proportion ($q_i = d_i/n_i$) of fish dying in the i^{th} increment. A life table analysis was performed using PROCLIFETEST in the SAS statistical-computing software (SAS 1990).

Results

System Performance

We evaluated the performance of the simulation system in maintaining target temperatures by the simple regression of measured temperature on target temperature. The data used were the half-hour block averages recorded by the data acquisition system. The system is capable of heating the water 2°C in an hour. Therefore, the two points (1 hour) at temperature change were excluded to account for lag time due to thermal inertia of the water.

The regression of actual temperature on target temperature was performed for each of the 63 tanks comprising seven troughs or tests. See Appendix A for a more detailed review of these analyses.

For most of the analyses, regardless of the experiment, these regressions on target temperatures explain 99% of the variability in the actual temperature measurements. All the regressions are highly statistically significant ($p < 0.0001$).

Estimates of the slope parameters range from 0.91 to 1.07. A slope of 1.0 is the expected value indicating a one-to-one relationship between actual vs target temperatures.

We calculated the precision of the actual temperature measurements given the target temperature as the average of the sum of the squared deviation from the regression line. This is known as the mean squared error (MSE). The square root of this value is an estimate of the standard deviation (SD) of the actual temperature given a target temperature. Table 1 indicates the simulation-system performance. Each value represents 2 SDs, and they indicate that 95% of all actual temperature measurements occurred within a range

of ± 2 SDs of the target value. As shown in Table 1, these ranges were generally between 1 and 2°C.

Rate-Effect Experiment

Our objective for the temperature-increase rates experiment was to evaluate differences in mortality relative to the rate of temperature increase. This information is necessary to support recommended rates of temperature increase to minimize fish kills during reactor restart. For example, if there is no difference in mortality between a rate of 2.5°C every nine hours and 2.5°C every 15 hours then a recommendation for the slower rate would be unnecessary. Appendix B contains data from the rate-effect experiment for each tank, including elapsed time, target temperature, tank temperature, and percent mortality in one half-hour intervals.

We used the Kaplan-Meier method (Cox and Oakes 1984) for estimating rates in all treatments. Survival rates were high (approximately 90%) below 35°C, but decreased rapidly over the higher temperatures with complete or near-complete mortality by 40°C. The statistical analysis showed that survivorship with increasing temperature was significantly different ($p < 0.001$) among the three different rates. Further analysis showed no difference between the two slower rates of temperature increase (Tests 2 and 3), but a significant difference was seen between Tests 1 and 2 and between Tests 1 and 3. This indicates the highest increase-rate test had a different survival rate than the other two increase rates. Examination of the curves (Figure 6) shows that test 1, the highest increase rate, had lower survival than the other two rates. Figure 6 is a plot of the survivorship curves for these tests and also includes data from the 20°C acclimation temperature trough (shown as Test 4) from the acclimation-effect experiment discussed next.

In Figure 6, Tests 1, 2, and 3 are from the rate experiment and were compared statistically. Test 4 is the 20°C acclimation trough from the acclimation experiment and was included only for visual comparison not statistical analysis. Statistically, Test 1 is not similar to Tests 2 or 3, but Tests 2 and 3 are similar. These curves represent survivorship associated with temperature-increase rates of 2.5 degrees every 3, 9, and 15 hours. The results indicate that at the 20-degree acclimation temperature at which these tests were conducted, no significant reduction in mortality would be gained by using a 15-hour step instead of a nine hour step. Significant gains are available by using nine hours instead of three for the increase interval. The line from Test 4, representing the 20°C acclimation trough from the acclimation experiment, shows that up to approximately 37°C a rate increase of 2°C every 12 hour rate of increase

Table 1. Simulation System Performance as indicated by 95% confidence interval of actual temperature around the target temperature.

		Acclimation Experiment <i>Deviation from Target Temperature (+/- °C)</i>	Rate Experiment <i>Deviation from Target Temperature (+/- °C)</i>
<u>Trough 1</u>			
Tank	1	.62	—
	2	.62	—
	3	.59	—
	4	.60	—
	5	.62	—
	6	.56	—
	7	.52	—
	8	.62	—
	9	.60	—
<u>Trough 2</u>			
Tank	10	.86	1.14
	11	.86	1.12
	12	.86	1.04
	13	.86	1.08
	14	.86	1.10
	15	.72	1.08
	16	.66	1.02
	17	.76	1.10
	18	.66	1.16
<u>Trough 3</u>			
Tank	19	.86	.80
	20	.62	.70
	21	.66	.76
	22	.70	.72
	23	.56	.80
	24	.56	.70
	25	.52	.74
	26	.52	.66
	27	.54	.64
<u>Trough 4</u>			
Tank	28	.66	.98
	29	.64	1.00
	30	.58	.96
	31	.60	1.02
	32	.56	1.00
	33	.58	1.00
	34	.56	.96
	35	.60	1.10
	36	.68	1.02

Figure 6. Survivorship Curves for Rate Experiment

Figure 7. Survivorship Curves for Acclimation Experiment

will have similar survivorship to the rates of 2.5 every nine and 15-hour. The precipitous drop in survivorship to zero by 38°C, lower than any of the tests in either the rate or acclimation experiments, is unexplained.

Acclimation-Effect Experiment

During early scoping runs to set up and test the thermal simulation apparatus, mortality appeared to be affected by the acclimation temperature. We found this consistent with other studies (for example, Peterson and Schutsky 1976) that showed an increase in lethal temperature with higher acclimation temperature. We conducted an experiment to test the effect of different starting acclimation temperatures. The acclimation temperatures in the four troughs were different (15, 20, 25, and 30°C), but the rate of temperature increase was a constant 2°C every 12 hours. Appendix B lists the data from the acclimation-effect test for each tank, including elapsed time, target temperature, tank temperature, and percent mortality in half-hour intervals.

We performed a life-table analysis to compare the effects of acclimation temperature on fish mortality as a function of increasing water temperature. The analysis showed that survivorship was significantly different ($p < 0.001$) among the four tests. Further comparison of pairs showed that no two survivorship curves were similar (Figure 7). This indicates that survivorship is significantly affected by differences in acclimation temperature.

Survivorship decreases least rapidly among fish acclimated to the highest initial temperature of 30°C (Test 4). The 15°C test had the most rapid decline in survivorship, and the 20°C test had the lowest temperature for zero survivorship.

These results indicate that the ambient temperature of the water, which is controlled by season, should be considered before establishing temperature ascension rates. When the water temperature is 20°C or below, SRS should slow the rate of temperature increase to account for the risk associated with lower acclimation temperatures.

The slower rate of increase helps in two ways. First, it allows for a longer period of time before temperatures reach critical levels. Second, even though it does not afford adequate time for the fish to acclimate to the higher temperatures, the slower rate allows more time for physiological adjustment by the fish.

Summary and Conclusions

Based on this study, we concluded that modifying the rate at which reactor power and discharge temperatures are increased during startup can reduce the magnitude of thermally related fish kills. Analysis of Figures 6 and 7 provides insight into how temperature-ascension rates can be modified to minimize thermally induced fish kills. The curve that extends most horizontally before the precipitous drop has the most fish surviving to a higher temperature. Likewise, a curve that has more distance along the temperature axis between the initial drop in survivorship and the final point affords the longest time for escape. The rate experiment shows no difference in survivorship between rates of 2.5°C every 9 and 15 hours, but significantly lower survivorship at 2.5°C every 3 hours. The acclimation experiment shows differences in survivorship for each separate acclimation temperature, examination of the curves in Figure 7 indicates lower survivorship for lower acclimation temperatures.

Based on these results, when ambient water temperature is above 20°C, a temperature increase rate of 2.5°C every nine hours is adequate to minimize mortality. However, when water temperatures are 20°C or lower, a slower rate of increase is desirable. This research does not provide a statistical basis for this recommendation, but best scientific judgment and interpretation of the data suggest that a slower rate would be beneficial. We suggest an increase rate of 2.5°C every 12 hours when ambient water temperature is 20°C or lower.

Options for Additional Studies

The data supporting this report represent a substantial gain in understanding how reactor-restart temperature increases affect fish mortality in the discharge area and contribute to methods that help mitigate mortality. However, there are other areas where further research could significantly enhance our understanding of the forces at work and contribute to further mitigation of fish kills. This research could be conducted with equipment that we have and a minimal investment of time.

The first area should be a direct extension of the work already conducted. We could significantly refine the current recommendations by using the current data and modifying the experimental procedures to address narrower questions regarding the relationship of acclimation tem-

perature, temperature increase rate, and fish survivorship. This could provide reactor operators with a precise method for maximizing effluent-temperature increase rates under any environmental conditions while maintaining an acceptable level of fish mortality. A response surface-design experiment (Cochran and Cox 1957) appears to be a strong candidate to provide this information.

Because recommended temperatures and rates would be controlled at the point of discharge, known effects of the temperature regimen from the simulation research would only be valid as far as the discharge-canal mouth. Distribution of the thermal effluent due to overrunning and other hydrodynamic effects and their impact on the fish community would be very difficult to determine. We find it desirable instead to examine habitat use by fish of at-risk size during normal and reactor start up conditions.

Fish have a variety of behavioral responses to increasing temperatures. Fish are attracted to areas where the temperature is increasing toward the preferred temperature; however, as temperature continues to rise into the avoidance range, behavior changes as the fish seek to escape the effects of the increase. This is when fish, especially the smaller ones, tend to be aggregated in shallow areas near the shore where the increasing temperature prevents their escape to deeper, cooler water.

Shoreline recontouring of the upper part of L Lake may help reduce these effects (Paller 1990), but a detailed examination of habitat use under normal and startup conditions will better define any necessary recontouring. This may involve a cost savings because shoreline recontouring is expensive and time consuming. We can conduct the habitat use experiment with sophisticated radiotelemetry equipment, which the Environmental Sciences Section (ESS) Ecology Group is currently testing.

Another area of recommended research deals with fish behavior and physiology, which are inextricably tied to thermally-induced mortality. We need to investigate these areas because it is probable that even if temperature-increase rates were held to very conservative values, significant levels of mortality might occur due to behavioral and bioenergetic effects linked to the change in temperature. These mortalities would not be directly caused by the increased temperature, but would be a function of energetic depletion due to extended periods of avoidance behavior and long-term residence by the affected organisms in water of sublethal temperature water.

Behavioral thermoregulation of fish in heterogeneous thermal environments is largely dictated by the maximum power principle and the accompanying maximization of

Figure 8. Scope for Activity (Kelsch and Neill 1990)

useful energy by the organism (Bryan et al. 1990). By avoiding lethal temperatures and remaining in preferred temperature areas, fish minimize thermoregulatory swimming effort, which maximizes power available for growth, reproduction, and energy acquisition.

When a fish is forced into an undesirable environment by introducing large amounts of high-temperature water, its maximum scope for activity is reduced (i.e., forced to the right in Figure 8). This decrease in metabolic scope is a real decrease in available power, and the fish responds with a change in behavior. This change in behavior increases swimming speed and energy expenditure. In an effluent-dominated environment, the organism will not find thermal conditions near the preferred temperature and will not return to more energy-efficient behavior. These behavioral changes mean the fish will eventually exhaust its energy reserves, lose the capacity for directed movement, and eventually die because of the increasing temperatures or a sort of "induced starvation". Smaller fish are more susceptible to this effect because a larger size increases survival time under starvation conditions (Shuter et al. 1989). Therefore, larger fish could sustain avoidance behavior without feeding for a longer time than small fish, which gives them a greater potential for escaping the effects of the thermal effluent.

Further research is needed to quantify exactly how long and at what temperature fish in the discharge area can survive and engage in avoidance behavior before this bioenergetic death occurs. It is possible that power-ascension rates can be increased more rapidly or in larger temperature blocks without significantly increasing mortality rates.

Two specific areas of research can help address the behavioral and bioenergetic questions. Digitized video-based behavioral analysis equipment currently being tested in the ESS fish lab at Par Pond can determine avoidance temperatures of fish acclimated to different temperatures. This knowledge may allow much higher rates of temperature increase up to the avoidance temperature. The guidance

temperature could be held for a predetermined period of time to allow the maximum number of fish to escape the effluent area. The time period for this avoidance temperature hold can be determined empirically in the laboratory by determining the avoidance temperature and then holding fish at that temperature until dying due to energy depletion. The time between initial avoidance temperature and death would be the maximum time to hold effluent temperature at the avoidance temperature. After the hold time, effluent temperature could be raised quickly to its maximum value. In addition, after this "bioenergetic starvation", the fish can be freeze-dried and its whole-body-energy content determined by oxygen-bomb calorimetry. These energy values, when compared to fish not exposed to increased temperatures and fish killed by rapid temperature increase, will allow better understanding of the bioenergetic dynamics involved in the restart-related mortality and may allow for easier and more cost-effective means of reducing that mortality.

It is not likely that any research will provide information that will eliminate fish mortality during restart because the size of the affected area and the high final temperatures essentially preclude the successful escape of all fish in the effluent area. The relatively small size of the most vulnerable fish and the large heated-discharge area are finite parameters that cannot be easily altered and appear to be primary factors controlling the extent of fish mortality during reactor restart. However, further research can contribute to more exact and cost-effective mitigation measures.

Acknowledgments

The technical analyst staff of ESS contributed much of its time to the collection of data, and W. M. Fulmer individually carried significant responsibility for the set up and smooth operation of the laboratory and coordination of the experimental runs. W. J. Macky (Lab Services, E&I) provided assistance in the initial setup of the lab. Chas Murphy, Jr. of ESS helped with the initial installation and test of the data acquisition and process-control system hardware and software. Mike Paller of ESS provided advice and background fisheries information.

References

- Brown, H. W., 1974, "Handbook on the effects of temperature on some North American fishes", *American Electric Power Service Corporation, Canton, OH*.
- Bryan, J. D., S. W. Kelsch, and W. H. Neill, 1990, "The Maximum Power Principle in Behavioral Thermoregulation by Fishes", *Trans. Am. Fish. Soc.*, 119:611-621.
- Cochran, W. G., and G. M. Cox, 1957, *Experimental Designs*, 2nd ed., John Wiley and Sons, Inc., New York, NY, 611 pp.
- Coutant, C. C., 1974, "Temperature selection by fish - a factor in power-plant impact assessments", IAEA-SM-187/11, *Environmental Sciences Division, Oak Ridge National Laboratory, Oak Ridge, TN*.
- Dixon, P. M., and M. C. Newman, 1991, *Analyzing Toxicity Data Using Statistical Models for Time-to-Death: An Introduction in: Metal Ecotoxicology, Concepts and Applications*, Edited by Michael C. Newman and Alan W. McIntosh, Lewis Publishers, Inc. Chelsea, MI, 339 pp.
- Giattina, J. D., and R. R. Garton, 1982, "Graphical model of thermoregulatory behavior by fishes with a new measure of eurythermality", *Can. J. Fish. Aquat. Sci.*, 39:524-528.
- Kelsch, S. W., and W. H. Neill, 1990, "Temperature Preference versus Acclimation in Fishes: Selection for Changing Metabolic Optima", *Trans. Am. Fish. Soc.*, 119:601-610.
- Paller, M. H., 1990, *A Remedial Action Plan for Fish Kills in L Lake and Pond C*, WSRC-RP-90-473, Rev. 0, Westinghouse Savannah River Company, Savannah River Site, Aiken, South Carolina.
- Peterson, S. E., and R. M. Schutsky, 1976, "Some relationships of Upper Thermal Tolerances to Preference and Avoidance Responses of the Bluegill", In G. W. Esch, and R. W. McFarlane, eds., *Thermal Ecology II. ERDA symposium series*, CONF-750425.
- Richards, F. P., W. W. Reynolds, and R. W. McCauley, 1977, "Temperature preference studies in environmental impact assessments: an overview with procedural recommendations", *J. Fish. Res. Board Can.*, 34:728-761.
- SAS Institute Inc., 1990, *SAS/STAT User's Guide*, Vol. 2, Release 6.06 Edition, Cary, NC, pp 1027-169.
- South Carolina Department of Health and Environmental Control, 1990, "Settlement Agreement #90-26-W", *Fish Kill Issue*.
- Shuter, B. J., P. E. Ihssen, D. L. Wales, and E. J. Snucins, 1989, "The effects of temperature, pH, and water hardness on winter starvation of young-of-the-year smallmouth bass, *Micropterus dolomieu* Lacepede", *J. Fish Biol.*, 35:765-780.
- U. S. Department of Energy, 1990, "Final Environmental Impact Statement" Continued Operation of K-, L-, and P-Reactors, Savannah River Site, Aiken, South Carolina", DOE/EIS-0147.
- Cox, D. R. and D. Oakes, 1984, *Analysis of Survival Data*. Chapman and Hall, London.

Appendix A

Acclimation Experiment Tanks 1-4

Linear Fit

Summary of Fit

Rsquare .9963963
 Root Mean Square Error .3053600
 Mean of Response 29.80804
 Observations (or Sum Wgts) 199

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	5079.0579	5079.06	999.9999
Error	197	18.3692	0.09	Prob > F
C Total	198	5097.4271		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.60898255	.126968	4.80	0.0000
TT	.97167432	.004163	233.39	0.0000

Linear Fit

Summary of Fit

Rsquare .9961680
 Root Mean Square Error .3147494
 Mean of Response 29.71105
 Observations (or Sum Wgts) 199

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	5073.5594	5073.56	999.9999
Error	197	19.5162	0.10	Prob > F
C Total	198	5093.0757		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.52780704	.130872	4.03	0.0001
TT	.97114822	.004291	226.30	0.0000

Linear Fit

Summary of Fit

Rsquare .9967458
 Root Mean Square Error .2918521
 Mean of Response 29.61809
 Observations (or Sum Wgts) 199

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	5139.6749	5139.67	999.9999
Error	197	16.7800	0.09	Prob > F
C Total	198	5156.4549		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.24530882	.121351	2.02	0.0446
TT	.97745544	.003979	245.64	0.0000

Linear Fit

Summary of Fit

Rsquare .9965693
 Root Mean Square Error .2990058
 Mean of Response 29.57135
 Observations (or Sum Wgts) 199

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	5116.3740	5116.37	999.9999
Error	197	17.6127	0.09	Prob > F
C Total	198	5133.9867		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.26523185	.124326	2.13	0.0341
TT	.97523726	.004076	239.22	0.0000

Acclimation Experiment Tanks 5-8

Fitting
— Linear Fit

Linear Fit

Summary of Fit

Rsquare .9964014
Root Mean Square Error .3087013
Mean of Response 29.65376
Observations (or Sum Wgts) 199

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	5198.1813	5198.18	999.9999
Error	197	18.7734	0.10	Prob > F
C Total	198	5216.9547		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.11428091	.128357	0.89	0.3744
TT	.98300302	.004208	233.55	0.0000

Fitting
— Linear Fit

Linear Fit

Summary of Fit

Rsquare .9968740
Root Mean Square Error .2849198
Mean of Response 29.67035
Observations (or Sum Wgts) 199

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	5100.0227	5100.02	999.9999
Error	197	15.9923	0.08	Prob > F
C Total	198	5116.0151		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.41109367	.118469	3.47	0.0006
TT	.97367765	.003884	250.65	0.0000

Fitting
— Linear Fit

Linear Fit

Summary of Fit

Rsquare .9972843
Root Mean Square Error .2612999
Mean of Response 29.53668
Observations (or Sum Wgts) 199

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	4939.5515	4939.55	999.9999
Error	197	13.4507	0.07	Prob > F
C Total	198	4953.0022		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.74142286	.108648	6.82	0.0000
TT	.95823693	.003562	268.97	0.0000

Fitting
— Linear Fit

Linear Fit

Summary of Fit

Rsquare .9962590
Root Mean Square Error .3114181
Mean of Response 30.11256
Observations (or Sum Wgts) 199

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	5087.9133	5087.91	999.9999
Error	197	19.1053	0.10	Prob > F
C Total	198	5107.0186		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.88806187	.129487	6.86	0.0000
TT	.97252101	.004245	229.05	0.0000

Acclimation Experiment Tanks 9-12

Linear Fit

Summary of Fit

R-square .9964495
 Root Mean Square Error .2989834
 Mean of Response 29.95527
 Observations (or Sum Wgts) 199

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	4942.2619	4942.26	999.9999
Error	197	17.6100	0.09	
C Total	198	4959.8720		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	1.1521167	.124316	9.27	0.0000
TT	.95849979	.004076	235.13	0.0000

Linear Fit

Summary of Fit

R-square .9953934
 Root Mean Square Error .4265669
 Mean of Response 26.89513
 Observations (or Sum Wgts) 226

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	8807.1858	8807.19	999.9999
Error	224	40.7589	0.18	
C Total	225	8847.9446		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	-.7489927	.128816	-5.81	0.0000
TT	1.0514258	.004779	220.00	0.0000

Linear Fit

Summary of Fit

R-square .9954358
 Root Mean Square Error .4264834
 Mean of Response 26.90265
 Observations (or Sum Wgts) 226

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	8886.0155	8886.02	999.9999
Error	224	40.7429	0.18	
C Total	225	8926.7584		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	-.8649109	.128791	-6.72	0.0000
TT	1.0561208	.004778	221.03	0.0000

Linear Fit

Summary of Fit

R-square .9953763
 Root Mean Square Error .4301214
 Mean of Response 26.91725
 Observations (or Sum Wgts) 226

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	8921.4017	8921.40	999.9999
Error	224	41.4410	0.19	
C Total	225	8962.8427		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	-.9055427	0.12989	-6.97	0.0000
TT	1.0582215	.004818	219.60	0.0000

Acclimation Experiment Tanks 13-16

Linear Fit

Summary of Fit

Resquare 9954476
 Root Mean Square Error .4279684
 Mean of Response 27.00309
 Observations (or Sum Wgts) 226

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	8971.2807	8971.28	999.9999
Error	224	41.0272	0.18	Prob > F
C Total	225	9012.3078		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	-89737.13	129239	-6.94	0.0000
TT	1.0611756	.004794	221.32	0.0000

Linear Fit

Summary of Fit

Resquare 9954427
 Root Mean Square Error .4261322
 Mean of Response 26.99778
 Observations (or Sum Wgts) 226

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	8884.7930	8884.79	999.9999
Error	224	40.6759	0.18	Prob > F
C Total	225	8925.4689		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	-76786.81	126685	-5.97	0.0000
TT	1.0560481	.004774	221.20	0.0000

Linear Fit

Summary of Fit

Resquare 9965164
 Root Mean Square Error .3580979
 Mean of Response 26.75221
 Observations (or Sum Wgts) 226

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	8217.1194	8217.12	999.9999
Error	224	28.7245	0.13	Prob > F
C Total	225	8245.8439		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.05019483	0.10814	0.46	0.6430
TT	1.0155934	.004012	253.14	0.0000

Linear Fit

Summary of Fit

Resquare 9968270
 Root Mean Square Error .3312056
 Mean of Response 26.46371
 Observations (or Sum Wgts) 226

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	7719.6103	7719.61	999.9999
Error	224	24.5722	0.11	Prob > F
C Total	225	7744.1825		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.38266240	.100018	3.83	0.0000
TT	.98436861	.003710	265.28	0.0000

Acclimation Experiment Tanks 17-20

Linear Fit

Summary of Fit

Rsquare .9960675
Root Mean Square Error .3774458
Mean of Response 26.45354
Observations (or Sum Wgts) 226

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	8083.2299	8083.23	999.9999
Error	224	31.9122	0.14	Prob > F
C Total	225	8115.1422		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	-.0300433	.113982	-0.26	0.7923
TT	1.0072853	.004228	238.20	0.0000

Linear Fit

Summary of Fit

Rsquare .9967933
Root Mean Square Error .3345918
Mean of Response 26.19336
Observations (or Sum Wgts) 226

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	7795.2829	7795.28	999.9999
Error	224	25.0772	0.11	Prob > F
C Total	225	7820.3600		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.18576646	.101041	1.84	0.0673
TT	.98918155	.003748	263.88	0.0000

Linear Fit

Summary of Fit

Rsquare .9863400
Root Mean Square Error .4301755
Mean of Response 32.02042
Observations (or Sum Wgts) 142

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	1870.6636	1870.66	999.9999
Error	140	25.9071	0.19	Prob > F
C Total	141	1896.5708		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.56018492	.314978	1.78	0.0775
TT	.96821710	.009629	100.54	0.0000

Linear Fit

Summary of Fit

Rsquare .9924983
Root Mean Square Error .3129549
Mean of Response 31.84788
Observations (or Sum Wgts) 142

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	1814.1227	1814.12	999.9999
Error	140	13.7117	0.10	Prob > F
C Total	141	1827.8344		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.86674195	.229148	3.78	0.0002
TT	.95347261	.007005	136.10	0.0000

Acclimation Experiment Tanks 21-24

Linear Fit

Summary of Fit

Resquare .9917132
 Root Mean Square Error .3348998
 Mean of Response 31.89507
 Observations (or Sum Wgts) 142

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	1879.1444	1879.14	999.9999
Error	140	15.7021	0.11	Prob > F
C Total	141	1894.8465		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.36359966	.245216	1.48	0.1404
TT	.97040937	.007497	129.44	0.0000

Linear Fit

Summary of Fit

Resquare 0.991483
 Root Mean Square Error .3477282
 Mean of Response 32.27515
 Observations (or Sum Wgts) 142

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	1970.6356	1970.64	999.9999
Error	140	16.9201	0.12	Prob > F
C Total	141	1987.5637		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	-.0145934	.254609	-0.06	0.9544
TT	.9937521	.007784	127.66	0.0000

Linear Fit

Summary of Fit

Resquare .9943969
 Root Mean Square Error .2805572
 Mean of Response 32.16267
 Observations (or Sum Wgts) 142

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	1955.7325	1955.73	999.9999
Error	140	11.0197	0.08	Prob > F
C Total	141	1966.7522		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	-.0049392	.205426	-0.02	0.9809
TT	.98998729	.006280	157.63	0.0000

Linear Fit

Summary of Fit

Resquare .9944130
 Root Mean Square Error .2837308
 Mean of Response 32.19929
 Observations (or Sum Wgts) 142

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	2006.0195	2006.02	999.9999
Error	140	11.2705	0.08	Prob > F
C Total	141	2017.2899		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	-.3792518	.207750	-1.83	0.0701
TT	1.0026341	.006351	157.86	0.0000

Acclimation Experiment Tanks 25-28

Fitting
— Linear Fit

Linear Fit

Summary of Fit

Resquare .9951203
Root Mean Square Error .2590247
Mean of Response 32.02957
Observations (or Sum Wgts) 142

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio	Prob > F
Model	1	1915.5826	1915.58	999.9999	
Error	140	9.3931	0.07		
C Total	141	1924.9758			0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.19386363	.189660	1.02	0.3085
TT	.97977272	.005798	168.97	0.0000

Fitting
— Linear Fit

Linear Fit

Summary of Fit

Resquare .9950174
Root Mean Square Error .2584343
Mean of Response 32.07394
Observations (or Sum Wgts) 142

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio	Prob > F
Model	1	1867.2832	1867.28	999.9999	
Error	140	9.3504	0.07		
C Total	141	1876.6336			0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.64214426	.189228	3.39	0.0009
TT	.96734189	.005785	167.21	0.0000

Fitting
— Linear Fit

Linear Fit

Summary of Fit

Resquare .9946155
Root Mean Square Error .2726052
Mean of Response 32.15422
Observations (or Sum Wgts) 142

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio	Prob > F
Model	1	1921.8086	1921.81	999.9999	
Error	140	10.4039	0.07		
C Total	141	1932.2125			0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.26681818	.199604	1.34	0.1835
TT	.98136363	.006102	160.81	0.0000

Fitting
— Linear Fit

Linear Fit

Summary of Fit

Resquare .9793492
Root Mean Square Error .3338969
Mean of Response 35.28022
Observations (or Sum Wgts) 91

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio	Prob > F
Model	1	470.56204	470.562	999.9999	
Error	89	9.92236	0.111		
C Total	90	480.48440			0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	1.5857632	.519815	3.05	0.0030
TT	.95818610	.014748	64.97	0.0000

Acclimation Experiment Tanks 29-32

Linear Fit

Summary of Fit

Rsquare	.9809812
Root Mean Square Error	.3243876
Mean of Response	35.04175
Observations (or Sum Wgts)	91

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	483.05608	483.056	999.9999
Error	89	9.36523	0.105	Prob > F
C Total	90	492.42132		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.90291595	.505011	1.79	0.0772
TT	.97082332	.014328	67.75	0.0000

Linear Fit

Summary of Fit

Rsquare	.9851210
Root Mean Square Error	.2856973
Mean of Response	34.69140
Observations (or Sum Wgts)	91

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	480.97160	480.972	999.9999
Error	89	7.26444	0.082	Prob > F
C Total	90	488.23604		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.62830188	.444777	1.41	0.1613
TT	.96872641	.012619	76.76	0.0000

Linear Fit

Summary of Fit

Rsquare	.9841133
Root Mean Square Error	.2965335
Mean of Response	34.58241
Observations (or Sum Wgts)	91

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	484.78591	484.786	999.9999
Error	89	7.82596	0.088	Prob > F
C Total	90	492.61187		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.38250428	.461647	0.83	0.4096
TT	.97256003	.013098	74.25	0.0000

Linear Fit

Summary of Fit

Rsquare	.9850574
Root Mean Square Error	.2830618
Mean of Response	34.22967
Observations (or Sum Wgts)	91

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	470.09885	470.099	999.9999
Error	89	7.13104	0.080	Prob > F
C Total	90	477.22989		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.55180102	.440674	1.25	0.2138
TT	.95771440	.012503	76.60	0.0000

Acclimation Experiment Tanks 33-36

Linear Fit

Summary of Fit

Resquare .9841258
 Root Mean Square Error .2922760
 Mean of Response 34.11978
 Observations (or Sum Wgts) 91

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio	Prob > F
Model	1	471.34154	471.342	999.9999	
Error	89	7.60285	0.085		
C Total	90	478.94440			0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.39742710	.455019	0.87	0.3848
TT	.95897941	.012910	74.28	0.0000

Linear Fit

Summary of Fit

Resquare .9850843
 Root Mean Square Error .2840272
 Mean of Response 34.08131
 Observations (or Sum Wgts) 91

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio	Prob > F
Model	1	474.17848	474.178	999.9999	
Error	89	7.17976	0.081		
C Total	90	481.35824			0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.25763293	.442177	0.58	0.5616
TT	.96186106	.012545	76.67	0.0000

Linear Fit

Summary of Fit

Resquare .9823374
 Root Mean Square Error .3046223
 Mean of Response 34.18681
 Observations (or Sum Wgts) 91

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio	Prob > F
Model	1	459.32544	459.325	999.9999	
Error	89	8.25873	0.093		
C Total	90	467.58418			0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.89708404	.474240	1.89	0.0618
TT	.94667667	.013455	70.36	0.0000

Linear Fit

Summary of Fit

Resquare .9779651
 Root Mean Square Error .3410262
 Mean of Response 34.18461
 Observations (or Sum Wgts) 91

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio	Prob > F
Model	1	459.38786	459.388	999.9999	
Error	89	10.35060	0.116		
C Total	90	469.73846			0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.89262435	.530914	1.68	0.0962
TT	.94674099	.015063	62.85	0.0000

Rate Experiment Tanks 10-13

Linear Fit

Summary of Fit

Rsquare	.9884016
Root Mean Square Error	.5732666
Mean of Response	31.46666
Observations (or Sum Wgts)	30

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	784.30490	784.305	999.9999
Error	28	9.20177	0.329	Prob > F
C Total	29	793.50667		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	2.6244360	.599601	4.38	0.0002
TT	.94050751	.019252	48.85	0.0000

Linear Fit

Summary of Fit

Rsquare	.9889190
Root Mean Square Error	.5602962
Mean of Response	31.48666
Observations (or Sum Wgts)	30

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	785.90457	785.905	999.9999
Error	28	8.79009	0.314	Prob > F
C Total	29	794.69467		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	2.6150175	.586034	4.46	0.0001
TT	.94146616	.018816	50.03	0.0000

Linear Fit

Summary of Fit

Rsquare	0.99017
Root Mean Square Error	.5203459
Mean of Response	31.40666
Observations (or Sum Wgts)	30

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	763.65739	763.657	999.9999
Error	28	7.58128	0.271	Prob > F
C Total	29	771.23867		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	2.9466165	.544249	5.41	0.0000
TT	.92804511	.017474	53.11	0.0000

Linear Fit

Summary of Fit

Rsquare	.9893012
Root Mean Square Error	.5395483
Mean of Response	31.4
Observations (or Sum Wgts)	30

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	753.72885	753.729	999.9999
Error	28	8.15115	0.291	Prob > F
C Total	29	761.88000		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	3.1255639	.564333	5.54	0.0000
TT	.92199248	.018119	50.88	0.0000

Rate Experiment Tanks 14-17

Linear Fit

Summary of Fit

Resquare .9893925
 Root Mean Square Error .5492641
 Mean of Response 31.58333
 Observations (or Sum Wgts) 30

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	787.91432	787.914	999.9999
Error	28	8.44735	0.302	Prob > F
C Total	29	796.36167		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	2.6748120	.574495	4.66	0.0001
TT	.94266917	.018445	51.10	0.0000

Linear Fit

Summary of Fit

Resquare .9892849
 Root Mean Square Error .5410090
 Mean of Response 31.23333
 Observations (or Sum Wgts) 30

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	756.65132	756.651	999.9999
Error	28	8.19534	0.291	Prob > F
C Total	29	764.84667		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	2.9041353	.565861	5.13	0.0000
TT	.92377819	.018168	50.84	0.0000

Linear Fit

Summary of Fit

Resquare .9899087
 Root Mean Square Error .5078274
 Mean of Response 30.75
 Observations (or Sum Wgts) 30

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	708.33412	708.334	999.9999
Error	28	7.22088	0.258	Prob > F
C Total	29	715.55500		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	3.3402255	.531155	6.29	0.0000
TT	.89379699	.017054	52.41	0.0000

Linear Fit

Summary of Fit

Resquare .9888514
 Root Mean Square Error .5496314
 Mean of Response 30.70666
 Observations (or Sum Wgts) 30

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	750.26002	750.260	999.9999
Error	28	8.45865	0.302	Prob > F
C Total	29	758.71867		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	2.4973684	0.57488	4.34	0.0002
TT	.91986842	.018458	49.83	0.0000

Rate Experiment Tanks 18-21

Linear Fit

Summary of Fit

Resquare .9878759
Root Mean Square Error .5770063
Mean of Response 30.81666
Observations (or Sum Wgts) 30

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	759.57945	759.579	999.9999
Error	28	9.32222	0.333	Prob > F
C Total	29	768.90167		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	2.4327067	.603512	4.03	0.0004
TT	.92556391	.019377	47.76	0.0000

Linear Fit

Summary of Fit

Resquare .9951243
Root Mean Square Error .3964600
Mean of Response 30.88604
Observations (or Sum Wgts) 129

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	4074.2130	4074.21	999.9999
Error	127	19.9619	0.16	Prob > F
C Total	128	4094.1749		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.31598974	.193059	1.64	0.1042
TT	.97617339	.006062	161.00	0.0000

Linear Fit

Summary of Fit

Resquare .9959920
Root Mean Square Error .3530068
Mean of Response 30.86434
Observations (or Sum Wgts) 129

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	3932.8300	3932.83	999.9999
Error	127	15.8260	0.12	Prob > F
C Total	128	3948.6560		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.82918733	.171899	4.82	0.0000
TT	.95903649	.005398	177.65	0.0000

Linear Fit

Summary of Fit

Resquare .9953773
Root Mean Square Error .3784015
Mean of Response 30.78759
Observations (or Sum Wgts) 129

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	3915.6753	3915.68	999.9999
Error	127	18.1848	0.14	Prob > F
C Total	128	3933.8602		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	.81821972	.184265	4.44	0.0000
TT	.95694298	.005786	165.37	0.0000

References

- Brown, H. W., 1974, "Handbook on the effects of temperature on some North American fishes", *American Electric Power Service Corporation, Canton, OH*.
- Bryan, J. D., S. W. Kelsch, and W. H. Neill, 1990, "The Maximum Power Principle in Behavioral Ther-

- U. S. Department of Energy, 1990, "Final Environmental Impact Statement" Continued Operation of K-, L-, and P-Reactors, Savannah River Site, Aiken, South Carolina", DOE/EIS-0147
- Cox, D. R. and D. Oakes, 1984, *Analysis of Survival Data*. Chapman and Hall, London.

WSRC-RP-92-240

Rate Experiment Tanks 22-25

Fitting
— Linear Fit

Linear Fit

Summary of Fit

Resquare 9956349
Root Mean Square Error 3560199
Mean of Response 31 00697
Observations (or Sum Wgts) 129

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	3671 6664	3671 67	999 9999
Error	127	16 0973	0 13	Prob > F
C Total	128	3687 7637		0 0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	1 9864031	173366	11 46	0 0000
TT	92664702	005444	170 20	0 0000

Fitting
— Linear Fit

Linear Fit

Summary of Fit

Resquare 9947372
Root Mean Square Error 3957561
Mean of Response 31 09689
Observations (or Sum Wgts) 129

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	3759 6877	3759 69	999 9999
Error	127	19 8911	0 16	Prob > F
C Total	128	3779 5788		0 0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	1 7305293	192716	8 98	0 0000
TT	93768854	006052	154 93	0 0000

Fitting
— Linear Fit

Linear Fit

Summary of Fit

Resquare 9958116
Root Mean Square Error 3505483
Mean of Response 31 08837
Observations (or Sum Wgts) 129

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	3710 5263	3710 53	999 9999
Error	127	15 6063	0 12	Prob > F
C Total	128	3726 1326		0 0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	1 9146301	170702	11 22	0 0000
TT	93153779	005360	173 77	0 0000

Fitting
— Linear Fit

Linear Fit

Summary of Fit

Resquare 9953614
Root Mean Square Error 3657191
Mean of Response 31 05348
Observations (or Sum Wgts) 129

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	3645 0146	3645 01	999 9999
Error	127	16 9863	0 13	Prob > F
C Total	128	3662 0009		0 0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	2 1384536	176089	12 01	0 0000
TT	92327773	005392	165 08	0 0000

Rate Experiment Tanks 26-29

Linear Fit

Summary of Fit

Resquare	9963191
Root Mean Square Error	3303340
Mean of Response	31.13410
Observations (or Sum Wgts)	129

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	3751.116	3751.116	999.9999
Error	127	13.8583	0.11	Prob > F
C Total	128	3764.9699		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	1.8012509	.160858	11.20	0.0000
TT	93661847	005051	185.41	0.0000

Linear Fit

Summary of Fit

Resquare	9964896
Root Mean Square Error	3209114
Mean of Response	31.09612
Observations (or Sum Wgts)	129

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	3712.7291	3712.73	999.9999
Error	127	13.0790	0.10	Prob > F
C Total	128	3725.8081		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	1.9137237	.156270	12.25	0.0000
TT	93181426	004907	189.87	0.0000

Linear Fit

Summary of Fit

Resquare	9896977
Root Mean Square Error	4894072
Mean of Response	30.39014
Observations (or Sum Wgts)	203

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	4624.9369	4624.94	999.9999
Error	201	48.1434	0.24	Prob > F
C Total	202	4673.0803		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	2.7537415	.201828	13.64	0.0000
TT	91074520	006554	138.96	0.0000

Linear Fit

Summary of Fit

Resquare	9892565
Root Mean Square Error	5062259
Mean of Response	29.97389
Observations (or Sum Wgts)	203

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	4742.9624	4742.96	999.9999
Error	201	51.5092	0.26	Prob > F
C Total	202	4794.4716		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	1.9870748	.208764	9.52	0.0000
TT	92229282	006779	136.04	0.0000

Rate Experiment Tanks 30-33

Linear Fit

Summary of Fit

Resquare 9898749
 Root Mean Square Error 4822134
 Mean of Response 2978078
 Observations (or Sum Wgts) 203

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	45693766	456938	999.9999
Error	201	467385	0.23	Prob > F
C Total	202	46161151		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	23108843	198861	11.62	0.0000
TT	90525819	006457	140.18	0.0000

Linear Fit

Summary of Fit

Resquare 9887519
 Root Mean Square Error 5135196
 Mean of Response 2962118
 Observations (or Sum Wgts) 203

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	46592947	465929	999.9999
Error	201	530042	0.26	Prob > F
C Total	202	47122989		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	18823129	211771	8.89	0.0000
TT	91412183	006877	132.92	0.0000

Linear Fit

Summary of Fit

Resquare 9895843
 Root Mean Square Error 4977355
 Mean of Response 2946256
 Observations (or Sum Wgts) 203

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	47310596	473106	999.9999
Error	201	497959	0.25	Prob > F
C Total	202	47808555		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	15108843	205262	7.36	0.0000
TT	92113481	006665	138.19	0.0000

Linear Fit

Summary of Fit

Resquare 9894658
 Root Mean Square Error 4976729
 Mean of Response 2920049
 Observations (or Sum Wgts) 203

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	46761266	467613	999.9999
Error	201	497834	0.25	Prob > F
C Total	202	47259100		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	14115646	205236	6.88	0.0000
TT	91577149	006664	137.40	0.0000

Rate Experiment Tanks 34-36

Linear Fit

Summary of Fit

Resquare 9901523
Root Mean Square Error 4840198
Mean of Response 29.22364
Observations (or Sum Wgts) 203

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	4734.6972	4734.70	999.9999
Error	201	47.0893	0.23	Prob > F
C Total	202	4781.7865		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	1.2612244	199606	6.32	0.0000
TT	.92148886	.006481	142.16	0.0000

Linear Fit

Summary of Fit

Resquare 9874287
Root Mean Square Error 5521942
Mean of Response 29.37931
Observations (or Sum Wgts) 203

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	4814.0045	4814.00	999.9999
Error	201	61.2886	0.30	Prob > F
C Total	202	4875.2931		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	1.1836734	227721	5.20	0.0000
TT	.92917439	.007394	125.65	0.0000

Linear Fit

Summary of Fit

Resquare 9894471
Root Mean Square Error 5060721
Mean of Response 29.31822
Observations (or Sum Wgts) 203

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	4826.6046	4826.60	999.9999
Error	201	51.4779	0.26	Prob > F
C Total	202	4878.0826		0.0000

Parameter Estimates

Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	1.0657142	.208700	5.20	0.0000
TT	.93038961	.006777	137.28	0.0000

Appendix B

Acclimation Experiment Data—Tanks 1-9

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
0	22	20.4	0	20.4	0	20.4	0	20.7	0	20.4	0	21	0	21	0	21.6	0	21.3	0
0.5	22	21.6	0	21.4	0	21.3	0	21.2	0	21.4	0	21.4	0	21.3	0	22.1	0	21.9	0
1	22	22.7	0	22.5	0	22.3	0	22.3	0	22.4	0	22.4	0	22.2	0	23	0	22.9	0
1.5	22	22.6	0	22.4	0	22.3	0	22.3	0	22.4	0	22.4	0	22.4	0	22.9	0	22.9	0
2	22	22.4	0	22.3	0	22.3	0	22.2	0	22.2	0	22.3	0	22.3	0	22.9	0	22.8	0
2.5	22	22.4	0	22.3	0	22.1	0	22.2	0	22.1	0	22.2	0	22.2	0	22.8	0	22.6	0
3	22	22.3	0	22.2	0	22	0	22	0	22	0	22.1	0	22.1	0	22.6	0	22.5	0
3.5	22	22.1	0	22.1	0	21.9	0	21.8	0	22	0	22	0	22	0	22.5	0	22.4	0
4	22	22	0	21.9	0	21.9	0	21.8	0	21.9	0	22	0	21.9	0	22.4	0	22.3	0
4.5	22	22	0	21.9	0	21.8	0	21.7	0	21.8	0	22	0	21.9	0	22.3	0	22.2	0
5	22	21.8	0	21.7	0	21.6	0	21.6	0	21.6	0	21.8	0	21.8	0	22.1	0	22.1	0
5.5	22	21.6	0	21.6	0	21.4	0	21.5	0	21.5	0	21.6	0	21.7	0	21.9	0	21.7	0
6	22	21.9	0	21.7	0	21.6	0	21.6	0	21.8	0	21.8	0	21.9	0	22.3	0	22.1	0
6.5	22	22.5	0	22.2	0	22.1	0	22.1	0	22.2	0	22.3	0	22.3	0	22.8	0	22.6	0
7	22	22.3	0	22.2	0	22.1	0	22.1	0	22.2	0	22.1	0	22.3	0	22.5	0	22.5	0
7.5	22	22.1	0	22	0	21.9	0	21.9	0	21.9	0	22	0	22	0	22.4	0	22.3	0
8	22	21.8	0	21.8	0	21.6	0	21.6	0	21.6	0	21.8	0	21.7	0	22.1	0	22	0
8.5	22	21.6	0	21.4	0	21.4	0	21.3	0	21.4	0	21.5	0	21.4	0	21.9	0	21.8	0
9	22	21.4	0	21.3	0	21.2	0	21.2	0	21.4	0	21.4	0	21.3	0	21.7	0	21.8	0
9.5	22	21.8	0	21.7	0	21.5	0	21.5	0	21.6	0	21.6	0	21.5	0	22.1	0	22.1	0
10	22	22.1	0	22	0	21.9	0	21.8	0	21.9	0	21.9	0	21.9	0	22.4	0	22.5	0
10.5	22	21.9	0	21.7	0	21.7	0	21.7	0	21.6	0	21.7	0	21.7	0	22	0	22.1	0
11	22	21.7	0	21.6	0	21.6	0	21.6	0	21.5	0	21.7	0	21.7	0	22.1	0	21.8	0
11.5	22	21.5	0	21.5	0	21.4	0	21.4	0	21.3	0	21.5	0	21.4	0	21.8	0	21.7	0
12	24	22	0	21.9	0	21.7	0	21.6	0	21.7	0	21.6	0	21.7	0	22.4	0	22.2	0
12.5	24	24	0	23.9	0	23.5	0	23.5	0	23.9	0	23.6	0	23.5	0	24.4	0	24.4	0
13	24	24.5	0	24.3	0	24	0	24.2	0	24.2	0	24.2	0	24	0	24.8	0	24.7	0
13.5	24	24	0	23.9	0	23.8	0	23.8	0	23.8	0	23.8	0	23.8	0	24.3	0	24.4	0
14	24	23.6	0	23.5	0	23.5	0	23.4	0	23.4	0	23.5	0	23.4	0	23.9	0	23.7	0
14.5	24	23.3	0	23.2	0	23	0	22.9	0	23	0	23.1	0	23.1	0	23.5	0	23.4	0
15	24	24.2	0	24	0	23.8	0	23.8	0	23.9	0	23.8	0	23.7	0	24.5	0	24.4	0
15.5	24	24.4	0	24.4	0	24.2	0	24.1	0	24.2	0	24.1	0	24.2	0	24.7	0	24.6	0
16	24	24	0	23.9	0	23.9	0	23.6	0	23.8	0	24	0	23.8	0	24.3	0	24.3	0
16.5	24	23.7	0	23.5	0	23.5	0	23.4	0	23.4	0	23.5	0	23.5	0	23.9	0	23.8	0
17	24	23.8	0	23.6	0	23.6	0	23.4	0	23.5	0	23.6	0	23.9	0	24.1	0	23.9	0
17.5	24	24.4	0	24	0	24.1	0	23.8	0	24	0	24.1	0	23.9	0	24.7	0	24.5	0
18	24	24	0	23.7	0	23.7	0	23.6	0	23.6	0	23.8	0	23.7	0	24.1	0	24	0

Acclimation Experiment Data—Tanks 1-9

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
18.5	24	23.7	0	23.5	0	23.3	0	23.4	0	23.5	0	23.5	0	23.4	0	24	0	23.9	0
19	24	24.1	0	24	0	24	0	23.8	0	23.8	0	23.9	0	23.8	0	24.5	0	24.5	0
19.5	24	24	0	23.8	0	23.7	0	23.7	0	23.7	0	23.7	0	23.6	0	24.1	0	24.1	0
20	24	23.5	10	23.4	0	23.3	0	23.3	0	23.1	0	23.3	0	23.3	0	23.8	0	23.7	0
20.5	24	23.6	10	23.4	0	23.3	0	23.2	0	23.3	0	23.2	0	23.2	0	24	0	23.9	0
21	24	23.8	10	23.6	0	23.4	0	23.4	0	23.4	0	23.6	0	23.4	0	24.2	0	24	0
21.5	24	23.3	10	23.1	0	23.1	0	23	0	23	0	23.3	0	23.3	0	23.8	0	23.6	0
22	24	24.1	10	23.8	0	23.7	0	23.6	0	24.1	0	23.9	0	23.8	0	24.5	0	24.6	0
22.5	24	24.5	10	24.2	0	24.1	0	24.2	0	24.1	0	24.3	0	24.1	0	24.7	0	24.8	0
23	24	24.2	10	24	0	24	0	24	0	24	0	24	0	24	0	24.5	0	24.5	0
23.5	24	23.9	10	24	0	23.9	0	23.7	0	23.8	0	23.8	0	23.8	0	24.3	0	24.3	0
24	26	24.3	10	24.2	0	24.1	0	24	0	24	0	24	0	24	0	24.7	0	24.6	0
24.5	26	25.8	10	25.9	0	25.6	0	25.6	0	25.6	0	25.5	0	25.5	0	26.4	0	26.3	0
25	26	26.2	10	25.9	0	25.8	0	25.9	0	25.8	0	26	0	25.8	0	26.5	0	26.5	0
25.5	26	25.7	10	25.7	0	25.7	0	25.7	0	25.7	0	25.8	0	25.7	0	26.2	0	26.2	0
26	26	25.3	10	25.5	0	25.4	0	25.4	0	25.3	0	25.6	0	25.6	0	25.9	0	25.7	0
26.5	26	25.5	10	25.4	0	25.4	0	25.4	0	25.4	0	25.5	0	25.5	0	26	0	25.9	0
27	26	26.1	10	26	0	25.8	0	26	0	26	0	25.9	0	25.9	0	26.4	0	26.4	0
27.5	26	25.9	10	25.6	0	25.7	0	25.6	0	25.6	0	25.9	0	25.8	0	26.3	0	26.2	0
28	26	25.3	10	25.3	0	25.2	0	25.2	0	25.4	0	25.6	0	25.4	0	25.7	0	25.7	0
28.5	26	25.3	10	25.2	0	25.1	0	25.2	0	25.2	0	25.2	0	25.4	0	25.6	0	25.6	0
29	26	26.1	10	26.1	0	25.8	0	25.9	0	25.9	0	25.9	0	25.9	0	26.4	0	26.4	0
29.5	26	26	10	25.8	0	25.8	0	25.7	0	25.8	0	25.9	0	25.8	0	26.3	0	26.2	0
30	26	25.4	10	25.3	0	25.4	0	25.3	0	25.4	0	25.5	0	25.5	0	25.8	0	25.7	0
30.5	26	25.9	10	25.7	0	25.5	0	25.5	0	25.6	0	25.7	0	25.7	0	26.2	0	26	0
31	26	26.1	10	25.9	0	25.8	0	25.8	0	25.8	0	25.9	0	25.8	0	26.4	0	26.2	0
31.5	26	25.6	10	25.3	0	25.4	0	25.4	0	25.3	0	25.6	0	25.4	0	25.7	0	25.6	0
32	26	26.1	10	25.9	0	25.7	0	25.6	0	25.8	0	25.8	0	25.7	0	26.3	0	26.2	0
32.5	26	26.1	10	26.1	0	25.9	0	25.9	0	25.8	0	26	0	26	9	26.5	0	26.2	0
33	26	25.5	10	25.4	0	25.3	0	25.3	0	25.3	0	25.5	0	25.4	9	25.8	0	25.8	0
33.5	26	25.8	10	25.8	0	25.6	0	25.7	0	25.8	0	25.8	0	25.8	9	26.2	0	26	0
34	26	26	10	26	0	25.9	0	25.9	0	25.9	0	26	0	25.9	9	26.4	0	26.3	0
34.5	26	25.7	10	25.5	0	25.4	0	25.4	0	25.5	0	25.5	0	25.5	9	26	0	25.9	0
35	26	25.6	10	25.4	0	25.4	0	25.3	0	25.4	0	25.4	0	25.3	9	26	0	25.6	0
35.5	26	26.4	10	26.3	0	26	0	26	0	26.2	0	26.1	0	25.9	9	26.7	0	26.5	0
36	28	26.9	10	26.8	0	26.4	0	26.4	0	26.6	0	26.4	0	26.3	9	27.2	0	27	0

Acclimation Experiment Data—Tanks 1-9

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
36.5	28	28.2	10	28.2	0	27.7	0	27.8	0	27.7	0	27.7	0	27.6	9	28.4	0	28.2	0
37	28	28	10	27.8	0	27.6	0	27.5	0	27.5	0	27.7	0	27.6	9	28	0	28.1	0
37.5	28	27.8	10	27.8	0	27.8	0	27.6	0	27.6	0	27.6	0	27.5	9	28.2	0	28	0
38	28	27.8	10	27.8	0	27.6	0	27.6	0	27.6	0	27.6	0	27.6	9	28.1	0	27.9	0
38.5	28	27.7	10	27.7	0	27.5	0	27.5	0	27.4	0	27.4	0	27.4	9	28	0	27.8	0
39	28	28.2	10	28.1	0	27.9	0	27.9	0	27.8	0	27.8	0	27.8	9	28.5	0	28.1	0
39.5	28	27.6	10	27.5	0	27.5	0	27.3	0	27.2	0	27.2	0	27.3	9	27.7	0	27.6	0
40	28	27.6	10	27.7	0	27.3	0	27.3	0	27.5	0	27.5	0	27.3	9	27.9	0	27.9	0
40.5	28	28.3	10	28.3	0	28	0	27.9	0	28.1	0	28	0	27.9	9	28.7	0	28.2	0
41	28	27.7	10	27.7	0	27.6	0	27.6	0	27.6	0	27.7	0	27.7	9	28.1	0	27.9	0
41.5	28	27.2	10	27.2	0	27	0	27	0	27	0	27.2	0	27	9	27.4	0	27.5	0
42	28	28	10	27.9	0	27.7	0	27.6	0	27.8	0	27.7	0	27.6	9	28.5	0	28	0
42.5	28	27.9	10	27.9	0	27.7	0	27.7	0	27.8	0	27.7	0	27.5	9	28.2	0	28	0
43	28	27.5	10	27.6	0	27.5	0	27.3	0	27.4	0	27.2	0	27.3	9	27.8	0	27.8	0
43.5	28	28.4	10	28.3	0	28	0	27.9	0	28	0	27.9	0	27.9	9	28.6	0	28.6	0
44	28	28	10	28	0	27.8	0	27.8	0	27.9	0	27.7	0	27.6	9	28.3	0	28.2	0
44.5	28	27.4	10	27.3	0	27.2	0	27.2	0	27.3	0	27.3	0	27.3	9	27.8	0	27.7	0
45	28	27.5	10	27.5	0	27.3	0	27.4	0	27.4	0	27.3	0	27.1	9	28	0	27.7	0
45.5	28	28.3	10	28.2	0	27.9	0	27.9	0	28	0	27.9	0	27.8	9	28.5	0	28.4	0
46	28	27.9	10	27.9	0	27.6	0	27.7	0	27.6	0	27.7	0	27.6	9	28.1	0	28.1	0
46.5	28	27.5	10	27.4	0	27.2	0	27.2	0	27.2	0	27.2	0	27.2	9	27.8	0	27.7	0
47	28	28.1	10	28.1	0	27.8	0	27.8	0	27.9	0	27.9	0	27.6	9	28.5	0	28.4	0
47.5	28	27.8	10	27.8	0	27.7	0	27.6	0	27.7	0	27.7	0	27.7	9	28.1	0	28.1	0
48	30	28	10	28	0	27.8	0	27.8	0	27.9	0	27.8	0	27.7	9	28.2	0	28.3	0
48.5	30	29.7	10	29.8	0	29.3	0	29.2	0	29.6	0	29.3	0	29.2	9	30	0	30	0
49	30	30.1	10	30.1	0	30	0	29.9	0	30	0	29.9	0	29.8	9	30.3	0	30.4	0
49.5	30	29.8	10	29.8	0	29.6	0	29.5	0	29.5	0	29.7	0	29.4	9	30	0	30	0
50	30	29.5	10	29.4	0	29.3	0	29.1	0	29.2	0	29.3	0	29.2	9	29.7	0	29.7	0
50.5	30	30.2	10	30.3	0	30	0	29.9	0	30	0	30	0	29.9	9	30.6	0	30.4	0
51	30	29.9	10	29.8	0	29.6	0	29.6	0	29.5	0	29.6	0	29.6	9	30	0	30	0
51.5	30	29.7	10	29.7	0	29.6	0	29.4	0	29.4	0	29.5	0	29.4	9	30	0	29.9	0
52	30	29.8	10	29.7	0	29.6	0	29.6	0	29.6	0	29.6	0	29.5	9	30.1	0	29.9	0
52.5	30	29.5	10	29.5	0	29.4	0	29.3	0	29.3	0	29.4	0	29.4	9	29.7	0	29.6	0
53	30	30.1	10	30.1	0	29.9	0	29.8	0	29.9	0	29.8	0	29.7	9	30.4	0	30.3	0
53.5	30	29.6	10	29.5	0	29.4	0	29.4	0	29.4	0	29.5	0	29.5	9	29.9	0	29.9	0
54	30	29.8	10	29.8	0	29.5	0	29.5	0	29.5	0	29.5	0	29.3	9	30.1	0	29.8	0
54.5	30	29.9	10	29.8	0	29.5	0	29.5	0	29.6	0	29.7	0	29.5	9	30.1	0	29.9	10

Acclimation Experiment Data—Tanks 1-9

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
55	30	29.5	10	29.3	0	29.3	0	29.3	0	29.3	0	29.3	0	29.2	9	29.9	0	29.6	10
55.5	30	30.1	10	30	0	29.7	0	29.7	0	29.7	0	29.8	0	29.7	9	30.4	0	30.3	10
56	30	29.5	10	29.5	0	29.4	0	29.3	0	29.3	0	29.3	0	29.2	9	29.7	0	29.7	10
56.5	30	29.5	10	29.6	0	29.4	0	29.3	0	29.4	0	29.3	0	29.1	9	29.8	0	29.9	10
57	30	29.8	10	29.8	0	29.5	0	29.5	0	29.6	0	29.5	0	29.4	9	30	0	29.9	10
57.5	30	29.3	10	29.2	0	29.2	0	29.1	0	29.1	0	29	0	29.1	9	29.6	0	29.4	10
58	30	29.8	10	29.8	0	29.5	0	29.4	0	29.5	0	29.5	0	29.5	9	30	0	29.9	10
58.5	30	29.5	10	29.5	0	29.1	0	29.1	0	29.3	0	29.4	0	29.3	9	29.7	0	29.5	10
59	30	30.5	10	30.3	0	30	0	30.1	0	30.2	0	30.1	0	30	9	30.7	0	30.4	10
59.5	30	29.9	10	29.9	0	29.6	0	29.7	0	29.7	0	29.7	0	29.7	9	30	0	29.9	10
60	32	29.9	10	29.8	10	29.6	0	29.5	0	29.5	0	29.6	0	29.6	9	30.1	0	29.8	10
60.5	32	31.3	10	31.3	10	30.8	0	30.7	0	31	0	30.8	0	30.8	9	31.6	0	31.4	10
61	32	32.1	10	32	10	31.6	0	31.6	0	31.9	0	31.7	0	31.6	9	32.2	0	32	10
61.5	32	31.5	10	31.4	10	31.3	0	31.2	0	31.3	0	31.4	0	31.4	9	31.7	0	31.7	10
62	32	32.1	10	32	10	31.9	0	31.8	0	32	0	31.9	0	31.8	9	32.3	0	32.1	10
62.5	32	31.4	10	31.4	10	31.4	0	31.3	0	31.4	0	31.4	0	31.4	9	31.7	0	31.5	10
63	32	31.8	10	31.9	10	31.7	0	31.5	0	31.7	0	31.7	0	31.6	9	32.2	0	32	10
63.5	32	31.7	10	31.7	10	31.6	0	31.5	0	31.5	0	31.6	0	31.5	9	31.9	0	31.8	10
64	32	31.3	10	31.2	10	31.2	0	31.1	0	31.1	0	31.1	0	31.1	9	31.7	0	31.5	10
64.5	32	31.8	10	31.8	10	31.5	9	31.6	0	31.6	0	31.6	0	31.6	9	32	0	31.9	10
65	32	31.3	10	31.1	10	31.1	9	31.1	0	31.2	0	31.2	0	31	9	31.5	0	31.3	10
65.5	32	31.9	10	32.1	10	31.7	9	31.6	0	32	0	31.8	0	31.6	9	32.2	0	32.1	10
66	32	31.9	10	31.9	20	31.8	9	31.7	0	31.8	0	31.8	0	31.7	9	32.1	0	32.1	10
66.5	32	31.4	10	31.3	20	31.3	9	31.1	0	31.3	0	31.3	0	31.2	9	31.4	0	31.4	10
67	32	32.1	10	32	20	31.8	9	31.7	0	31.8	0	31.9	0	31.7	9	32.4	0	32.3	10
67.5	32	31.8	10	31.6	20	31.6	9	31.4	0	31.6	0	31.5	0	31.5	9	31.9	0	31.9	10
68	32	31.4	10	31.5	20	31.3	9	31.3	0	31.4	0	31.5	0	31.2	9	31.7	0	31.7	10
68.5	32	31.7	10	31.6	20	31.6	9	31.5	0	31.6	0	31.6	0	31.4	9	31.9	0	31.9	10
69	32	31.1	10	31.2	20	31.1	9	31.1	0	31	0	31.1	0	31	9	31.5	0	31.4	10
69.5	32	31.9	10	31.8	20	31.9	9	31.9	0	31.8	0	31.9	0	31.7	9	32.3	0	32.1	10
70	32	31.6	10	31.5	20	31.6	9	31.5	0	31.5	0	31.6	0	31.5	9	31.9	0	31.8	10
70.5	32	31.2	10	31.1	20	31.1	9	31	0	31	0	31.1	0	31	9	31.3	0	31.4	10
71	32	31.8	10	31.8	20	31.7	9	31.6	0	31.7	0	31.7	0	31.5	9	32.3	0	32	10
71.5	32	32	10	31.8	20	31.9	9	31.8	0	31.9	0	31.9	0	31.6	9	32.2	0	32.2	10
72	34	32	10	31.9	20	32	9	31.8	0	31.9	0	31.9	0	31.7	9	32.3	0	32.2	10
72.5	34	33.4	10	33.5	20	33.4	9	33.4	0	33.4	9	33.3	0	33	9	33.8	0	33.6	10

Acclimation Experiment Data—Tanks 1-9

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
73	34	33.7	10	33.6	20	33.7	9	33.6	0	33.6	9	33.6	0	33.4	9	33.9	0	33.8	10
73.5	34	33.5	10	33.4	20	33.4	9	33.4	0	33.5	9	33.5	0	33.3	9	33.7	0	33.6	10
74	34	34.2	10	34.1	20	34.1	9	34.1	0	34.1	9	34.1	10	33.9	9	34.6	0	34.2	10
74.5	34	33.6	10	33.6	20	33.6	9	33.4	0	33.5	9	33.5	10	33.4	9	33.9	0	33.7	10
75	34	33.6	10	33.7	20	33.6	9	33.6	9	33.7	9	33.8	10	33.6	9	34	0	33.8	10
75.5	34	33.5	10	33.4	20	33.4	9	33.4	9	33.4	9	33.5	10	33.3	9	33.7	0	33.5	10
76	34	33.6	10	33.6	20	33.5	9	33.5	9	33.6	9	33.6	10	33.4	9	34	0	33.7	10
76.5	34	34	10	33.7	20	33.8	9	33.7	9	33.8	9	33.9	10	33.7	9	34.1	0	34	10
77	34	33.7	10	33.8	20	33.7	9	33.5	9	33.8	9	33.7	10	33.5	9	34	0	33.8	10
77.5	34	33.4	10	33.5	20	33.5	9	33.4	9	33.5	9	33.5	10	33.4	9	33.7	0	33.5	10
78	34	33.7	20	33.7	20	33.6	9	33.6	9	33.7	9	33.7	10	33.5	9	34	0	33.7	10
78.5	34	33.6	20	33.7	20	33.6	9	33.6	9	33.6	9	33.6	10	33.6	9	33.9	0	33.9	10
79	34	33.3	20	33.2	20	33	9	33.1	9	33.2	9	33.3	10	33.1	9	33.4	0	33.4	10
79.5	34	34.2	20	34.1	20	34.1	9	34.1	9	34.3	9	34.2	10	33.9	9	34.4	0	34.3	10
80	34	33.8	20	33.8	20	33.8	9	33.7	9	33.9	9	33.8	10	33.6	9	34.1	0	33.9	10
80.5	34	33.2	20	33.1	20	33.1	9	33	9	33.1	9	33.1	10	33	9	33.3	0	33.4	10
81	34	33.9	20	33.9	20	33.9	9	33.9	9	33.9	9	33.9	10	33.5	9	34.1	0	34	10
81.5	34	33.5	20	33.5	20	33.5	9	33.4	9	33.5	9	33.5	10	33.3	9	33.9	0	33.7	10
82	34	33.9	20	33.8	20	33.9	9	33.8	9	34	9	34	10	33.7	9	34.2	0	33.9	10
82.5	34	33.4	20	33.3	20	33.4	9	33.5	9	33.5	9	33.7	10	33.4	9	33.8	0	33.5	10
83	34	33.7	20	33.7	20	33.7	9	33.7	9	33.8	9	33.8	10	33.4	9	34.1	0	33.7	10
83.5	34	33.3	20	33.3	20	33.3	9	33.3	9	33.3	9	33.4	10	33.2	9	33.7	0	33.3	10
84	36	34.5	20	34.6	20	34.5	9	34.5	9	34.7	9	34.3	10	34	9	34.9	0	34.3	20
84.5	36	35.9	20	36	30	35.9	18	35.9	9	36	9	35.8	20	35.5	9	36.3	0	35.9	20
85	36	35.7	20	35.6	30	35.7	18	35.6	9	35.7	9	35.8	20	35.4	9	35.9	0	35.7	20
85.5	36	35.6	20	35.6	40	35.5	18	35.4	9	35.6	9	35.6	20	35.3	9	35.8	0	35.4	20
86	36	35.8	20	35.8	40	35.7	18	35.8	9	35.7	9	35.9	20	35.4	9	36.2	0	35.7	20
86.5	36	35.3	20	35.2	40	35.2	18	35.2	9	35.3	9	35.2	20	35.1	9	35.6	0	35.4	20
87	36	35.9	20	36	40	35.9	27	35.7	18	36	9	36	20	35.5	9	36.2	10	36	20
87.5	36	35.4	20	35.3	40	35.3	27	35.2	18	35.3	9	35.3	20	35.1	9	35.5	10	35.3	20
88	36	35.5	20	35.5	40	35.5	36	35.4	18	35.4	9	35.5	30	35	9	36	10	35.5	20
88.5	36	35.4	20	35.3	40	35.3	36	35.3	18	35.4	9	35.4	30	35.2	9	35.8	10	35.6	20
89	36	35.9	20	35.8	40	35.9	36	35.7	18	35.9	18	35.8	40	35.4	9	36.2	10	35.9	20
89.5	36	35.5	20	35.3	40	35.4	36	35.3	18	35.4	27	35.3	40	35.1	9	35.7	10	35.4	20
90	36	35.4	20	35.4	40	35.3	36	35.3	18	35.4	27	35.3	40	35	9	35.9	10	35.5	20
90.5	36	35.7	20	35.7	40	35.6	36	35.6	18	35.7	27	35.6	40	35.3	9	36.1	10	35.8	20

Acclimation Experiment Data—Tanks 1-9

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
91	36	35.3	20	35.3	40	35.2	63	35.2	18	35.2	27	35.3	40	34.9	18	35.7	10	35.5	20
91.5	36	35.8	30	35.8	40	35.8	63	35.7	36	35.9	36	35.7	40	35.4	18	36.3	10	35.8	20
92	36	35.4	30	35.3	40	35.2	72	35	36	35.2	36	35.3	40	35	18	35.6	10	35.3	30
92.5	36	35.8	30	35.9	40	35.8	72	35.8	36	35.9	36	35.8	40	35.6	18	36.3	10	35.9	30
93	36	35.4	30	35.3	40	35.2	72	35.3	45	35.2	36	35.3	40	35.1	18	35.7	10	35.5	30
93.5	36	35	30	34.9	40	34.9	72	34.8	54	35	36	35	40	34.8	18	35.5	10	35.2	30
94	36	36.1	30	36	40	36	72	35.9	54	36	36	35.8	40	35.6	18	36.3	10	36.1	30
94.5	36	35.4	30	35.2	40	35.2	72	35.2	54	35.2	36	35.2	40	35.1	18	35.6	10	35.4	30
95	36	35.6	30	35.5	50	35.5	72	35.4	54	35.6	36	35.5	40	35.2	18	36	10	35.7	40
95.5	36	35.7	40	35.7	50	35.7	72	35.7	54	35.7	45	35.7	40	35.5	18	36.1	30	35.8	40
96	38	35.3	40	35.4	50	35.3	72	35.2	54	35.3	45	35.4	40	35.1	18	35.7	30	35.5	40
96.5	38	36.6	50	36.7	50	36.6	72	36.6	72	36.7	63	36.6	40	36.3	36	37.1	50	36.7	40
97	38	37.9	60	37.9	70	37.9	90	37.8	90	38	81	37.8	70	37.4	54	38.2	70	38	50
97.5	38	37.8	60	37.7	70	37.7	90	37.6	90	37.7	90	37.5	70	37.3	63	38	70	37.7	50
98	38	37.6	60	37.5	70	37.5	90	37.5	90	37.6	90	37.7	70	37.5	63	38	70	37.7	50
98.5	38	37.3	60	37.4	70	37.3	100	37.3	90	37.4	90	37.4	70	37.1	72	37.8	70	37.5	50
99	38	37.7	70	37.5	90	37.4	100	37.3	90	37.5	90	37.5	70	37.2	81	37.9	80	37.6	60
99.5	38	37.4	70	37.4	90	37.4	100	37.3	90	37.6	90	37.4	70	37.1	81	37.8	80	37.6	60
100	38	38	70	37.9	100	37.9	100	37.8	90	37.9	90	37.9	90	37.4	81	38.3	80	37.9	70
100.5	38	37.4	70	37.3	100	37.3	100	37.2	90	37.5	90	37.3	90	37	81	37.7	80	37.4	70
101	38	38	70	37.6	100	37.6	100	37.8	100	38	90	37.9	90	37.5	100	38.4	80	38.1	70
101.5	38	37.2	80	36.7	100	36.9	100	37	100	37.3	90	37.2	90	36.8	100	37.6	80	37.4	70
102	38	37.7	80	37.3	100	37.2	100	37.1	100	37.6	100	37.6	100	37.1	100	38.1	80	37.8	70
102.5	38	37.4	80	37.1	100	36.9	100	36.9	100	37.2	100	37.2	100	37	100	37.8	80	37.6	70
103	38	37.7	80	37.3	100	37.2	100	37.1	100	37.4	100	37.2	100	37.2	100	38.2	80	37.9	80
103.5	38	37.6	80	37.1	100	37.1	100	36.9	100	37.2	100	37.1	100	36.9	100	37.9	80	37.6	80
104	38	37.6	90	37.2	100	37.2	100	37	100	37.2	100	37.1	100	37	100	37.9	80	37.7	80
104.5	38	37.2	90	36.7	100	36.8	100	36.7	100	36.9	100	36.8	100	36.6	100	37.6	80	37.3	90
105	38	37.8	90	37.3	100	37.3	100	37.2	100	37.3	100	37.2	100	37.1	100	38.1	80	37.7	90
105.5	38	37.3	90	36.9	100	36.8	100	36.7	100	36.9	100	36.9	100	36.8	100	37.6	80	37.2	90
106	38	38	100	37.8	100	37.6	100	37.7	100	37.8	100	37.5	100	37.4	100	38.2	80	37.9	90
106.5	38	37.3	100	36.9	100	37	100	36.8	100	37	100	37	100	36.7	100	37.4	80	37.2	90
107	38	37.4	100	37.3	100	37.2	100	37.3	100	37.4	100	37.3	100	37.1	100	37.9	80	37.6	90
107.5	38	37.6	100	37.4	100	37.3	100	37.3	100	37.5	100	37.3	100	37.1	100	38	80	37.7	100
108	40	37	100	37	100	36.9	100	36.8	100	37	100	36.9	100	36.7	100	37.5	80	37.1	100
108.5	40	38	100	38	100	37.8	100	37.7	100	38	100	37.7	100	37.5	100	38.6	80	38	100
109	40	39	100	39.1	100	39	100	38.8	100	39	100	38.8	100	38.6	100	39.7	100	39.1	100

Acclimation Experiment Data—Tanks 10-18

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
0	17	15.3	0	15	0	15	0	15.3	0	15	0	15	0	14.7	0	15	0	15	0
0.5	17	16	0	15.9	0	15.7	0	16.1	0	15.9	0	16	0	15.9	0	15.8	0	15.5	0
1	17	17.7	0	17.6	0	17.6	0	17.9	0	17.8	0	17.7	0	17.6	0	17.7	0	17.1	0
1.5	17	17.9	0	17.9	0	17.9	0	17.9	0	17.9	0	18	0	17.9	0	17.7	0	17.3	0
2	17	17.6	0	17.6	0	17.6	0	17.5	0	17.5	0	17.5	0	17.4	0	17.1	0	17.2	0
2.5	17	17.2	0	17.2	0	17.3	0	17.4	0	17.4	0	17.3	0	17.3	0	17	0	17	0
3	17	18	0	18	0	17.9	0	18	0	18.1	0	17.9	0	17.8	0	17.8	0	17.4	0
3.5	17	17.8	0	17.8	0	17.9	0	17.9	0	18	0	17.9	0	17.7	0	17.4	0	17.4	0
4	17	17.4	0	17.3	0	17.4	0	17.4	0	17.5	0	17.4	0	17.3	0	17	0	17.1	0
4.5	17	17.7	0	17.7	0	17.6	0	17.7	0	17.7	0	17.6	0	17.5	0	17.4	0	17.2	0
5	17	17.7	0	17.8	0	17.8	0	17.8	0	17.8	0	17.8	0	17.8	0	17.4	0	17.3	0
5.5	17	17.4	0	17.3	0	17.4	0	17.4	0	17.4	0	17.5	0	17.3	0	17.1	0	17.2	0
6	17	17.1	0	17	0	16.9	0	17	0	17	0	17.1	0	17	0	16.8	0	16.9	0
6.5	17	17.3	0	17.3	0	17.4	0	17.6	0	17.5	0	17.5	0	17.4	0	17.4	0	17.3	0
7	17	17.4	0	17.4	0	17.4	0	17.4	0	17.5	0	17.7	0	17.5	0	17.3	0	17.4	0
7.5	17	17	0	17	0	17	0	17.1	0	17.1	0	17.3	0	17	0	16.9	0	16.9	0
8	17	16.8	0	16.9	0	16.8	0	16.9	0	17	0	17	0	17	0	16.8	0	16.8	0
8.5	17	17.6	0	17.5	0	17.6	0	17.7	0	17.7	0	17.7	0	17.6	0	17.6	0	17.2	0
9	17	17.5	0	17.6	0	17.7	0	17.7	0	17.6	0	17.7	0	17.7	0	17.5	0	17.4	0
9.5	17	17.3	0	17.2	0	17.2	0	17.3	0	17.3	0	17.3	0	17.3	0	17.1	0	17.2	0
10	17	17.2	0	17	0	17.1	0	17.1	0	17.1	0	17.3	0	17.1	0	16.9	0	16.9	0
10.5	17	18	0	17.7	0	17.7	0	17.8	0	17.9	0	18.2	0	17.7	0	17.7	0	17.5	0
11	17	17.4	0	17.3	0	17.5	0	17.4	0	17.5	0	17.6	0	17.4	0	17.2	0	17.3	0
11.5	17	17.2	0	17.1	0	17	0	17.2	0	17.1	0	17.1	0	17.1	0	17	0	17	0
12	19	17.5	0	17.2	0	17.3	0	17.5	0	17.5	0	17.7	0	17.3	0	17.2	0	17.2	0
12.5	19	17.8	0	17.7	0	17.7	0	17.8	0	17.9	0	17.8	0	17.6	0	17.7	0	17.2	0
13	19	19.3	0	19.2	0	19.1	0	19.4	0	19.4	0	19.2	0	19	0	19.2	0	18.5	0
13.5	19	19.3	0	19.1	0	19.2	0	19.3	0	19.4	0	19.2	0	19	0	19.2	0	18.7	0
14	19	19.2	0	19.2	0	19.1	0	19.3	0	19.3	0	19.1	0	19.2	0	19	0	18.6	0
14.5	19	19.7	0	19.7	0	19.7	0	19.8	0	19.9	0	19.6	0	19.6	0	19.7	0	19.2	0
15	19	19.2	0	19.2	0	19.2	0	19.3	0	19.2	0	19.1	0	19.2	0	18.9	0	19	0
15.5	19	19.6	0	19.4	0	19.5	0	19.4	0	19.5	0	19.6	0	19.3	0	19.3	0	19.1	0
16	19	19	0	18.9	0	19.1	0	19	0	18.9	0	19	0	18.9	0	18.8	0	18.7	0
16.5	19	19.5	0	19.4	0	19.4	0	19.6	0	19.7	0	19.4	0	19.3	0	19.3	0	18.9	0
17	19	19.7	0	19.7	0	19.6	0	19.7	0	19.9	0	19.7	0	19.6	0	19.3	0	19.2	0
17.5	19	19.2	0	19.2	0	19.2	0	19.1	0	19.3	0	19	0	19.2	0	18.7	0	18.9	0
18	19	19.6	0	19.4	0	19.6	0	19.5	0	19.7	0	19.5	0	19.4	0	19.3	0	19.1	0
18.5	19	19.3	0	19.3	0	19.3	0	19.3	0	19.4	0	19.3	0	19.3	0	18.9	0	19	0

Acclimation Experiment Data—Tanks 10-18

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
19	19	19.2	0	19.2	0	19.2	0	19.3	0	19.3	0	19.2	0	19.2	0	19	0	18.8	0
19.5	19	19.7	0	19.9	0	19.7	0	19.9	0	19.9	0	19.9	0	19.7	0	19.7	0	19.4	0
20	19	19.1	0	19.2	0	19.2	0	19.3	0	19.2	0	19.2	0	19.3	0	18.8	0	18.9	0
20.5	19	19.4	0	19.4	0	19.4	0	19.5	0	19.5	0	19.4	0	19.3	0	19.3	0	19	0
21	19	19.7	0	19.7	0	19.7	0	19.9	0	19.9	0	19.9	0	19.7	0	19.5	0	19.5	0
21.5	19	19.2	0	19.2	0	19.2	0	19.2	0	19.3	0	19.2	0	19.3	0	19	0	18.9	0
22	19	18.9	0	19.2	0	19	0	19.1	0	19.1	0	19.1	0	19.1	0	18.9	0	18.8	0
22.5	19	19.8	0	19.9	0	20.1	0	20.1	0	20	0	20	0	20	0	19.9	0	19.7	0
23	19	19.7	0	19.6	0	19.5	0	19.7	0	19.6	0	19.8	0	19.7	0	19.3	0	19.4	0
23.5	19	19.2	0	19.3	0	19.3	0	19.2	0	19.2	0	19.2	0	19.2	0	18.9	0	18.9	0
24	21	19.5	0	19.4	0	19.3	0	19.5	0	19.4	0	19.4	0	19.4	0	19.1	0	19.1	0
24.5	21	20.4	0	20.2	0	20.2	0	20.3	0	20.2	0	20.3	0	20.1	0	20.2	0	19.9	0
25	21	21.8	0	21.4	0	21.5	0	21.7	0	21.7	0	21.6	0	21.4	0	21.6	0	21.1	0
25.5	21	21.4	0	21.5	0	21.5	0	21.6	0	21.5	0	21.5	0	21.4	0	21.2	0	21.1	0
26	21	21.5	0	21.3	0	21.4	0	21.4	0	21.5	0	21.6	0	21.2	0	21.2	0	20.9	0
26.5	21	21.5	0	21.1	0	21.4	0	21.2	0	21.4	0	21.8	0	21.2	0	21.3	0	20.8	0
27	21	20.8	0	20.8	0	20.9	0	20.9	0	20.8	0	21	0	20.9	0	20.7	0	20.6	0
27.5	21	21.4	0	21.4	0	21.4	0	21.6	0	21.3	0	21.4	0	21.3	0	21.4	0	21.2	0
28	21	21.2	0	21.4	0	21.3	0	21.4	0	21.4	0	21.5	0	21.4	0	21.2	0	21	0
28.5	21	20.7	0	20.7	0	20.6	0	20.7	0	20.8	0	21	0	21	0	20.6	0	20.5	0
29	21	20.9	0	20.8	0	20.9	0	21	0	21	0	21.2	0	21	0	21	0	20.8	0
29.5	21	20.6	0	20.6	0	20.6	0	20.7	0	20.7	0	20.8	0	20.8	0	20.6	0	20.5	0
30	21	21.1	0	21.1	0	21.2	0	21.3	0	21.3	0	21.1	0	21.1	0	21.2	0	21	0
30.5	21	21.1	0	21.1	0	21.1	0	21.1	0	21.1	0	21.2	0	21.1	0	20.8	0	20.7	0
31	21	21.1	0	21.1	0	21	0	21.2	0	21.3	0	21	0	21	0	20.8	0	20.8	0
31.5	21	21.8	0	21.6	0	21.6	0	21.8	0	21.8	0	21.7	0	21.5	0	21.6	0	21.3	0
32	21	21	0	21.2	0	21	0	21.2	0	21.1	0	21.1	0	21.3	0	20.8	0	20.8	0
32.5	21	21.5	0	21.4	0	21.4	0	21.5	0	21.4	0	21.5	0	21.4	0	21.2	0	21.1	0
33	21	21.1	0	21.2	0	21.1	0	21.2	0	21.4	0	21.2	0	21.1	0	20.9	0	20.7	0
33.5	21	21	0	20.9	0	20.9	0	21	0	21.1	0	21	0	20.9	0	20.7	0	20.5	0
34	21	21.8	0	21.7	0	21.7	0	21.8	0	21.9	0	21.7	0	21.5	0	21.5	0	21.3	0
34.5	21	21.4	0	21.6	0	21.4	0	21.5	0	21.6	0	21.5	0	21.4	0	21	0	21	0
35	21	21.1	0	21.1	0	21.1	0	21.2	0	21.1	0	21.2	0	21.1	0	20.7	0	20.6	0
35.5	21	21	0	21	0	21	0	21.1	0	21.2	0	21.2	0	21.1	0	21	0	20.8	0
36	23	21.2	0	21.3	0	21.3	0	21.3	0	21.3	0	21.4	0	21.4	0	21	0	20.8	0
36.5	23	21.3	0	21.4	0	21.3	0	21.4	0	21.5	0	21.4	0	21.3	0	21.3	0	21	0

Acclimation Experiment Data--Tanks 10-18

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
37	23	23	0	22.8	0	22.9	0	23.2	0	23	0	22.9	0	22.4	0	23	0	22.5	0
37.5	23	23.6	0	23.5	0	23.5	0	23.6	0	24	0	23.7	0	23	0	23.5	0	22.9	0
38	23	23	0	23.2	0	23.1	0	23.3	0	23.2	0	23.2	0	23	0	23	0	22.7	0
38.5	23	22.9	0	22.9	0	22.9	0	23	0	22.8	0	22.9	0	22.7	0	22.7	0	22.5	0
39	23	23	0	23.2	0	23.1	0	23.3	0	23.2	0	23.2	0	23.1	0	22.9	0	22.8	0
39.5	23	22.9	0	22.9	0	23	0	22.9	0	22.7	0	22.9	0	22.9	0	22.7	0	22.7	0
40	23	23.6	0	23.4	0	23.6	0	23.5	0	23.8	0	23.5	0	23.1	0	23.3	0	23	0
40.5	23	23	0	23.2	0	22.9	0	23.1	0	23.1	0	23.1	0	22.9	0	22.7	0	22.6	0
41	23	23.1	0	23.1	0	23.2	0	23.2	0	23.3	0	23.1	0	22.8	0	22.9	0	22.7	0
41.5	23	23.4	0	23.4	0	23.4	0	23.5	0	23.5	0	23.4	0	23.2	0	23	0	22.9	0
42	23	22.7	0	22.7	0	22.7	0	22.7	0	22.8	0	22.7	0	22.8	0	22.5	0	22.4	0
42.5	23	23.7	0	23.4	0	23.5	0	23.7	0	23.5	0	23.3	0	23.1	0	23.3	0	22.8	0
43	23	23.9	0	23.8	0	24.1	0	24	0	23.9	0	23.8	0	23.6	0	23.4	0	23.2	0
43.5	25	23.1	0	23.2	0	23.1	0	23.2	0	23.4	0	23.2	0	23.3	0	22.7	0	22.9	0
44	23	23.7	0	23.7	0	23.6	0	23.8	0	23.7	0	23.6	0	23.5	0	23.5	0	23.2	0
44.5	23	23.6	0	23.6	0	23.6	0	23.6	0	23.7	0	23.7	0	23.5	0	23.3	0	23.2	0
45	23	23	0	23	0	23	0	23	0	23.1	0	23.2	0	23.2	0	22.8	0	22.7	0
45.5	23	23.1	0	23.1	0	23.1	0	23.3	0	23.1	0	23.3	0	23.2	0	23.1	0	22.9	0
46	23	23.1	0	23.2	0	23.2	0	23.1	0	23.2	0	23.3	0	23.3	0	23.1	0	22.9	0
46.5	23	22.8	0	23.1	0	22.8	0	22.9	0	22.9	0	23.1	0	23.1	0	22.8	0	22.7	0
47	23	23.7	0	23.6	0	23.5	0	23.6	0	23.5	0	23.7	0	23.5	0	23.6	0	23.2	0
47.5	23	23	0	23.2	0	23.2	0	23.2	0	23.1	0	23.3	0	23.3	0	23	0	23	0
48	25	22.9	0	22.9	0	23	0	23.1	0	23	0	22.9	0	22.9	0	22.9	0	22.8	0
48.5	25	24.3	0	24.1	0	24.2	0	24.3	0	24.4	0	24.2	0	23.8	0	24.1	0	23.7	0
49	25	25.6	0	25.3	0	25.4	0	25.6	0	25.6	0	25.4	0	25	0	25.3	0	24.9	0
49.5	25	25.2	0	25.2	0	25.3	0	25.2	0	25.3	0	25.3	0	25.1	0	24.9	0	24.7	0
50	25	25.4	0	25.4	0	25.4	0	25.5	0	25.4	0	25.4	0	25.4	0	25.2	0	25	0
50.5	25	25.3	0	25.2	0	25.2	0	25.3	0	25.4	0	25.4	0	25.3	0	25.1	0	25	0
51	25	25	0	24.9	0	24.9	0	25	0	25	0	25.1	0	25.1	0	24.8	0	24.8	0
51.5	25	25.5	0	25.5	0	25.6	0	25.6	0	25.5	0	25.8	0	25.6	0	25.7	0	25.4	0
52	25	25.1	0	25.2	0	25.3	0	25.1	0	25.2	0	25.5	0	25.6	0	25.1	0	25.1	0
52.5	25	24.7	0	24.7	0	24.6	0	24.8	0	24.9	0	24.9	0	25.1	0	24.9	0	24.7	0
53	25	25.2	0	25.2	0	25.1	0	25.2	0	25.3	0	25.4	0	25.5	0	25.3	0	25.2	0
53.5	25	24.6	0	24.6	0	24.6	0	24.6	0	24.8	0	25.1	0	25	0	24.7	0	24.7	0
54	25	24.9	0	24.8	0	24.8	0	24.9	0	25	0	25.2	0	25	0	25	0	24.8	0
54.5	25	25	0	25	0	24.9	0	25.1	0	25.1	0	25.1	0	25	0	24.8	0	24.8	0

Analysis of Variance				
Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	3710.5263	3710.53	999.9999
Error	127	15.6063	0.12	Prob > F
C Total	128	3726.1326		0.0000

Parameter Estimates				
Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	19146301	170702	11.22	0.0000
TT	93153779	005360	173.77	0.0000

Analysis of Variance				
Source	DF	Sum of Squares	Mean Square	F Ratio
Model	1	3645.0146	3645.01	999.9999
Error	127	16.9863	0.13	Prob > F
C Total	128	3662.0009		0.0000

Parameter Estimates				
Term	Estimate	Std Error	t Ratio	Prob> t
Intercept	21384336	178089	12.01	0.0000
TT	77527773	005392	165.08	0.0000

Response of Fish to Different Simulated Rates of Water Temperature Increase

Acclimation Experiment Data—Tanks 10-18																			
Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
55	25	24.7	0	24.9	0	24.8	0	24.7	0	24.8	0	25.1	0	24.9	0	24.7	0	24.7	0
55.5	25	25.8	0	25.7	0	25.8	0	25.8	0	25.8	0	25.8	0	25.6	0	25.6	0	25.4	0
56	25	25.1	0	25.3	0	25.5	0	25.2	0	25.3	0	25.5	0	25.4	0	25	0	24.8	0
56.5	25	25.1	0	25.4	0	25.4	0	25.4	0	25.1	0	25.4	0	25.3	0	25.1	0	24.8	0
57	25	25.3	0	25.4	0	25.4	0	25.5	0	25.5	0	25.5	0	25.4	0	25.2	0	25.1	0
57.5	25	25.1	0	25.2	0	25.3	0	25.3	0	25.2	0	25.3	0	25.2	0	25.1	0	24.9	0
58	25	25.3	0	25.3	0	25.3	0	25.3	0	25.4	0	25.5	0	25.4	0	25.2	0	25.1	0
58.5	25	25.2	0	25.2	0	25.1	0	25.1	0	25.3	0	25.3	0	25.1	0	25.2	0	24.9	0
59	25	25.4	0	25.4	0	25.4	0	25.4	0	25.5	0	25.3	0	25.1	0	25.1	0	24.9	0
59.5	25	25.3	0	25.4	0	25.4	0	25.4	0	25.4	0	25.2	0	25.1	0	25	0	24.7	0
60	27	25	0	24.9	0	25	0	25	0	25	0	25	0	24.9	0	24.6	0	24.4	0
60.5	27	25.9	0	25.8	0	25.8	0	26	0	26	0	25.8	0	25.4	0	25.5	0	25.5	0
61	27	27.2	0	27	0	27	0	27.1	0	27.2	0	26.8	0	26.4	0	26.6	0	26.4	0
61.5	27	27.6	0	27.6	0	27.5	0	27.6	0	27.6	0	27.5	0	27.1	0	27.1	0	26.8	0
62	27	27.2	0	27.1	0	27	0	27.1	0	27.2	0	26.9	0	26.6	0	26.6	0	26.3	0
62.5	27	27.2	0	27.4	0	27.2	0	27.5	0	27.4	0	27.1	0	26.8	0	26.8	0	26.5	0
63	27	27.6	0	27.5	0	27.5	0	27.6	0	27.8	0	27.2	0	26.8	0	27.1	0	26.7	0
63.5	27	27.8	0	27.8	0	27.7	0	27.8	0	27.8	0	27.5	0	27.3	0	27.1	0	27.1	0
64	27	26.8	0	27	0	26.9	0	27	0	26.8	0	26.8	0	26.5	0	26.4	0	26.1	0
64.5	27	27.4	0	27.4	0	27.4	0	27.5	0	27.5	0	27.1	0	26.9	0	27	0	26.7	0
65	27	27.1	0	27.2	0	27.1	0	27.2	0	27.2	0	27	0	26.7	0	26.7	0	26.3	0
65.5	27	27.3	0	27.4	0	27.3	0	27.4	0	27.4	0	27	0	26.6	0	26.7	0	26.2	0
66	27	28.1	0	28.1	0	28.1	0	28.1	0	28.2	0	27.6	0	27.2	0	27.3	0	27	0
66.5	27	27.5	0	27.5	0	27.5	0	27.6	0	27.6	0	27	0	26.9	0	26.7	0	26.5	0
67	27	27.8	0	27.9	0	27.8	0	28	0	28	0	27.4	0	27.1	0	27.2	0	26.8	0
67.5	27	27.2	0	27.3	0	27.3	0	27.2	0	27.4	0	27	0	27	0	26.6	0	26.5	0
68	27	27.7	0	27.7	0	27.6	0	27.7	0	27.7	0	27.4	0	27.1	0	27.2	0	26.8	0
68.5	27	28.2	0	28.1	0	28.3	0	28.3	0	28.3	0	28	0	27.6	0	27.6	0	27.3	0
69	27	28	0	28	0	28.1	0	28	0	28.1	0	27.8	0	27.7	0	27.4	0	27.2	0
69.5	27	27.6	0	27.6	0	27.7	0	27.7	0	27.7	0	27.3	0	27.1	0	26.9	0	26.8	0
70	27	27.9	0	28	0	28	0	28.1	0	28.1	0	27.6	0	27.4	0	27.4	0	27	0
70.5	27	27.9	0	27.9	0	28	0	28	0	28	0	27.7	0	27.4	0	27.3	0	27	0
71	27	27.7	0	27.6	0	27.7	0	27.8	0	27.8	0	27.5	0	27.4	0	27.1	0	27	0
71.5	27	27.3	0	27.4	0	27.4	0	27.4	0	27.4	0	27.3	0	27.2	0	26.9	0	26.7	0
72	29	27.6	0	27.6	0	27.6	0	27.7	0	27.6	0	27.4	0	27.3	0	27.2	0	27	0
72.5	29	28.5	0	28.4	0	28.6	0	28.6	0	28.6	0	28.3	0	27.9	0	28.3	0	27.7	0

Acclimation Experiment Data—Tanks 10-18

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
73	29	30.1	0	30.1	0	29.9	0	30.1	0	30.1	0	29.8	0	29.1	0	29.6	0	29.1	0
73.5	29	30	0	30.2	0	30	0	30.2	0	30.2	0	30	0	29.6	0	29.2	0	29.3	0
74	29	29.6	0	29.7	0	29.7	0	29.8	0	29.8	0	29.7	0	29.4	0	29.2	0	29	0
74.5	29	29.4	0	29.5	0	29.5	0	29.5	0	29.5	0	29.3	0	29.2	0	29	0	28.7	0
75	29	29.6	0	29.6	0	29.6	0	29.8	0	29.8	0	29.3	0	29.1	0	29.1	0	28.8	0
75.5	29	30	0	30	0	29.8	0	29.9	0	30	0	29.7	0	29.4	0	29.4	0	29.1	0
76	29	29.5	0	29.5	0	29.6	10	29.7	0	29.7	0	29.3	0	29.1	0	29	0	28.8	0
76.5	29	29.6	0	29.6	0	29.7	10	29.8	0	29.8	0	29.3	0	29	0	29.1	0	28.7	0
77	29	30.3	0	30.2	0	30.2	10	30.3	0	30.3	0	30.1	0	29.6	0	29.9	0	29.5	0
77.5	29	29.8	0	29.8	0	29.9	10	29.9	0	30.1	0	29.9	0	29.8	0	29.6	0	29.4	0
78	29	29.3	0	29.3	0	29.4	10	29.4	0	29.4	0	29.3	0	29	0	28.9	0	28.8	0
78.5	29	29.6	0	29.7	0	29.7	10	29.8	0	29.7	0	29.4	0	29	0	29.3	0	28.9	0
79	29	29.4	0	29.4	0	29.5	10	29.6	0	29.5	0	29.3	0	29	0	28.9	0	28.7	0
79.5	29	29.6	0	29.4	0	29.3	10	29.5	0	29.6	0	29.2	0	28.7	0	28.8	0	28.5	0
80	29	30.3	0	30.3	0	30.3	10	30.4	0	30.5	0	30	0	29.2	0	29.7	0	29.3	0
80.5	29	30	0	30	0	30	10	30.1	0	30.2	0	29.8	0	29.4	0	29.4	0	29.1	0
81	29	29.7	0	29.7	0	29.8	10	29.9	0	29.7	0	29.3	0	29	0	28.9	0	28.6	0
81.5	29	30.1	0	30.1	0	30.1	10	30.1	0	30.1	0	29.7	10	29.2	0	29.5	0	29.1	0
82	29	30.2	0	30.1	0	30.1	10	30.2	0	30.2	0	29.8	10	29.4	0	29.5	0	29	0
82.5	29	29.6	0	29.6	0	29.6	10	29.7	0	29.7	0	29.3	10	28.8	0	28.7	0	28.4	0
83	29	30.5	0	30.4	0	30.3	10	30.3	0	30.3	0	29.9	10	29.4	0	29.7	0	29.3	0
83.5	29	30.4	0	30.5	0	30.5	10	30.5	0	30.6	0	30	10	29.6	0	29.7	0	29.3	0
84	31	30	0	29.9	0	30	10	30.1	0	30.1	0	29.6	10	29.3	0	29.1	0	29	0
84.5	31	30.3	0	30.4	0	30.3	10	30.4	0	30.4	0	29.8	10	29.4	0	29.4	0	29.2	0
85	31	32.2	0	32.1	0	32	10	32.2	0	32.2	0	31.4	10	30.6	0	31.3	0	30.6	0
85.5	31	32.3	10	32.3	0	32.3	10	32.4	0	32.5	0	31.8	10	31.3	0	31.6	0	31	0
86	31	31.8	10	31.8	0	31.9	10	32	0	32	0	31.3	10	30.9	0	30.8	0	30.6	0
86.5	31	32.4	10	32.2	0	32.2	10	32.4	0	32.4	0	31.7	10	31.2	0	31.6	0	31	0
87	31	32.3	10	32.3	0	32.3	10	32.5	0	32.4	0	31.9	10	31.4	0	31.5	0	31.2	0
87.5	31	31.6	10	31.7	0	31.8	10	31.8	0	31.7	0	31.2	10	30.9	0	30.7	0	30.5	0
88	31	32.2	10	32.2	0	32.2	10	32.3	0	32.4	0	31.7	10	31.3	0	31.5	0	31.2	0
88.5	31	32.3	10	32.4	0	32.3	10	32.5	0	32.5	0	32.1	10	31.6	0	31.8	0	31.3	0
89	31	31.6	10	31.6	0	31.8	10	31.8	0	31.8	0	31.4	10	31.2	0	31	0	30.6	0
89.5	31	31.8	10	31.7	0	31.9	10	31.9	0	31.9	0	31.4	10	30.9	0	31.2	0	30.8	0
90	31	32.2	10	32.2	0	32.3	10	32.3	0	32.3	0	31.9	10	31.4	0	31.6	0	31.3	0
90.5	31	31.7	10	31.8	0	32	10	31.9	0	32	0	31.5	10	31.2	0	31.3	0	30.9	0
91	31	31.5	10	31.6	0	31.7	10	31.7	0	31.7	0	31.4	10	30.9	0	31	0	30.7	0

Acclimation Experiment Data—Tanks 10-18

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
91.5	31	31.9	10	32	0	32	10	32.1	0	32.1	0	31.8	10	31.1	0	31.5	0	31	0
92	31	31.5	10	31.5	0	31.6	10	31.8	0	31.6	0	31.3	10	31	0	31	0	30.7	0
92.5	31	31.9	10	32	0	31.9	10	32.1	0	32.1	0	31.6	10	31.1	0	31.4	0	30.9	0
93	31	31.5	10	31.6	0	31.6	10	31.8	0	31.8	0	31.3	10	31	20	31	0	30.7	0
93.5	31	31.6	10	31.7	0	31.7	10	31.8	0	31.6	0	31.4	10	30.9	20	31.1	0	30.8	0
94	31	31.8	10	31.8	0	31.9	10	32	0	32	0	31.7	10	31.2	20	31.3	0	31	0
94.5	31	31.5	10	31.6	0	31.5	10	31.7	0	31.7	0	31.5	10	31.1	20	31.2	0	30.8	0
95	31	31.4	10	31.4	0	31.4	10	31.5	0	31.6	0	31.3	10	31	20	31.1	0	30.7	0
95.5	31	32	10	31.9	0	31.9	10	32.1	0	32	0	31.7	10	31.3	20	31.5	10	31.1	0
96	33	31.5	10	31.5	0	31.5	10	31.7	0	31.8	0	31.3	10	31	20	31.2	10	30.9	0
96.5	33	31.8	10	31.9	0	32	10	32.1	0	32	0	31.6	10	31.1	20	31.5	10	30.8	0
97	33	33.7	10	33.6	0	33.5	10	33.8	0	33.6	0	33.1	10	32.2	20	32.9	10	32	0
97.5	33	33.9	10	33.9	0	33.9	10	34.1	0	34.1	0	33.4	10	32.8	20	33.2	10	32.6	0
98	33	34	10	33.9	0	34	10	34.2	0	34.2	0	33.5	10	32.8	20	33.1	10	32.8	0
98.5	33	33.8	10	33.8	0	33.9	10	34	0	34	0	33.4	10	33	20	33	10	32.8	0
99	33	33.3	10	33.4	0	33.5	10	33.6	0	33.4	0	33	10	32.7	20	32.6	10	32.4	0
99.5	33	34.4	10	34.4	0	34.5	10	34.7	0	34.5	0	34	10	33.2	20	33.8	10	33.4	0
100	33	34.1	10	34.2	0	34.2	10	34.4	0	34.4	10	33.6	10	33.4	30	33.3	20	32.9	0
101	33	33.8	10	34	0	34	10	34.1	0	34.1	10	33.5	10	33	30	33.2	20	32.8	0
101.5	33	33.7	10	33.7	0	33.8	10	33.8	0	33.9	10	33.4	10	33	30	32.9	20	32.8	0
102	33	33.6	10	33.5	0	33.6	10	33.7	0	33.7	10	33.1	10	32.7	30	32.8	20	32.5	0
102.5	33	34	10	33.9	0	34.1	10	34.2	0	34.2	10	33.6	10	33	30	33.3	20	32.8	0
103	33	33.6	10	33.7	0	33.7	10	33.9	0	33.8	10	33.3	10	32.8	30	32.8	20	32.6	0
103.5	33	34.1	10	34.2	0	34.3	10	34.3	0	34.3	10	33.7	10	33.2	30	33.6	20	33.2	0
104	33	33.6	10	33.6	0	33.6	10	33.8	0	33.6	10	33.3	10	32.9	30	32.7	20	32.4	0
104.5	33	33.7	10	33.8	0	33.9	10	34	0	33.9	10	33.4	10	32.8	30	32.9	20	32.7	0
105	33	33.6	10	33.5	0	33.6	10	33.8	0	33.6	10	33.2	10	32.9	30	32.7	20	32.4	0
105.5	33	34	10	33.8	0	34	10	34.1	0	34	10	33.5	10	32.8	30	33.1	20	32.7	0
106	33	34	10	34	0	34	10	34.1	0	34.3	10	33.7	10	33.1	30	33.2	20	33	0
106.5	33	33.5	10	33.4	0	33.5	10	33.6	0	33.6	10	33.3	10	32.8	30	32.7	20	32.5	0
107	33	34	10	33.9	0	34.1	10	34.2	0	34.1	10	33.8	10	33.1	30	33.5	20	33.1	0
107.5	33	33.5	10	33.4	0	33.5	10	33.7	0	33.6	10	33.3	10	32.9	30	32.8	20	32.6	0
108	33	33.6	10	33.6	0	33.6	10	33.8	0	33.7	10	33.2	10	32.9	30	33.1	20	32.8	0
108.5	35	34	10	33.9	0	34	10	34.2	0	34.1	10	33.7	10	33.3	30	33.3	20	33.1	0
109	35	33.9	10	33.8	0	34	10	34	0	34	10	33.7	10	33.1	30	33.2	20	33	0
109.5	35	35.3	10	35.3	0	35.3	10	35.4	0	35.4	10	35	10	34	30	34.8	20	34.4	0
110	35	35.8	20	35.8	0	35.8	10	36	0	35.9	20	35.4	10	34.8	30	35.3	20	34.8	0

Acclimation Experiment Data—Tanks 10-18

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
110.5	35	35.6	20	35.6	0	35.7	10	35.7	0	35.9	20	35.4	10	34.8	30	35	20	34.7	0
111	35	35.6	20	35.6	0	35.7	10	35.8	0	35.7	30	35.1	10	34.7	30	34.8	20	34.4	0
111.5	35	36.4	20	36.4	0	36.3	10	36.5	10	36.4	30	35.8	10	35.2	30	35.4	20	35.1	0
112	35	35.8	20	35.9	0	35.9	10	35.9	10	36	30	35.4	10	34.9	30	34.9	20	34.6	0
112.5	35	35.9	20	36	0	36	10	36.2	10	36.1	30	35.5	10	34.8	30	35	20	34.7	0
113	35	36	20	36.1	0	36.1	10	36.3	20	36.1	30	35.3	10	34.7	30	34.8	20	34.5	10
113.5	35	36.7	20	36.8	0	36.8	10	36.9	20	36.7	30	35.9	10	35.3	30	35.6	20	35.1	10
114	35	36	20	36.1	0	36.1	10	36.3	20	36.1	50	35.3	10	34.8	30	34.8	20	34.4	10
114.5	35	36.6	20	36.7	10	36.8	10	37	20	36.8	50	36	20	35.4	30	35.6	20	35.1	10
115	35	35.9	20	36.1	10	36.2	10	36.3	20	36.2	50	35.4	20	35.1	30	35	20	34.4	10
115.5	35	36.4	20	36.4	10	36.5	20	36.6	20	36.5	50	35.8	20	35.4	30	35.3	20	34.9	10
116	35	36.1	20	36.1	10	36.2	30	36.2	20	36.1	50	35.6	20	35	30	35	20	34.6	10
116.5	35	36.1	20	36.2	10	36.3	30	36.4	20	36.4	50	35.5	20	35.1	30	35.3	20	34.7	10
117	35	36.2	30	36.2	10	36.3	30	36.5	20	36.4	50	35.7	20	35	30	35.2	20	34.8	10
117.5	35	36	30	36.1	10	36.2	40	36.3	20	36.3	50	35.6	20	34.9	30	35	20	34.7	10
118	35	35.9	30	36	10	36.1	40	36.1	20	36.1	50	35.5	20	34.9	30	35	20	35.1	10
118.5	35	36.6	40	36.6	10	36.6	40	36.7	20	36.6	50	36.1	20	35.4	40	35.7	20	34.5	10
119	35	36	40	36.1	10	36.2	40	36.3	20	36.1	50	35.5	20	34.9	40	35	20	35.2	10
119.5	35	36.8	40	36.7	10	36.9	50	37	20	36.9	50	36.1	20	35.3	40	35.7	20	35.2	10
120	35	36.3	40	36.3	10	36.2	50	36.4	30	36.3	50	35.7	30	35.1	40	35	20	34.6	10
120.5	37	36.3	40	36.5	10	36.5	50	36.6	30	36.4	50	35.7	30	35.2	40	35.2	20	34.9	10
121	37	37.1	40	37.3	20	37.3	50	37.4	30	37.2	50	36.4	30	35.6	40	35.9	20	35.5	10
121.5	37	38.2	60	38.5	30	38.4	60	38.7	40	38.5	70	37.6	40	36.6	40	37.2	40	36.7	20
122	37	38.3	60	38.4	30	38.5	70	38.6	50	38.5	70	37.6	40	37	40	37.1	60	36.6	20
122.5	37	38.6	60	38.8	50	38.8	70	38.7	70	38.7	70	37.9	50	37.2	50	37.4	70	37	30
123	37	39.8	100	40.1	100	40	100	40.1	100	39.9	100	39	100	38.2	90	38.6	90	38.1	100
123.5	37	40.3	100	40.6	100	40.5	100	40.5	100	40.5	100	39.7	100	38.8	100	39.3	90	38.8	100
124	37	39.7	100	39.8	100	39.8	100	39.8	100	39.7	100	39	100	38.5	100	38.8	100	38.1	100

Acclimation Experiment Data—Tanks 19-27

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
0	27	24.3	0	24.3	0	23.7	0	24.3	0	24.9	0	24.9	0	24.3	0	24.3	0	24.2	0
0.5	27	25.3	0	25.1	0	25.1	0	25.7	0	25.3	0	25.2	0	25.2	0	25.3	0	25.4	10
1	27	27.6	0	26.9	0	26.8	0	27.5	0	27	0	27.2	0	27.1	0	27.2	0	27.4	10
1.5	27	27.6	0	27.3	0	27.3	0	27.7	0	27.3	0	27.3	0	27.2	0	27.3	0	27.6	10
2	27	26.9	0	27.2	0	27	0	27.3	0	27.1	0	27	0	27.2	0	27.3	0	27.4	10
2.5	27	26.5	0	26.6	0	26.5	0	26.8	0	26.8	0	26.8	0	26.8	0	27	0	26.9	10
3	27	26.2	0	26.4	0	26.1	0	26.6	0	26.6	0	26.5	0	26.6	0	26.7	0	26.6	10
3.5	27	26.4	0	26.5	0	26.3	0	26.8	0	26.6	0	26.7	0	26.6	0	26.6	0	26.8	10
4	27	26.8	0	26.8	0	26.8	0	27.1	0	27	0	26.9	0	26.9	0	27	0	27	10
4.5	27	26.6	0	26.7	0	26.6	0	26.7	0	26.8	0	26.8	0	26.7	0	26.9	0	26.8	10
5	27	26.2	0	26.4	0	26.3	0	26.6	0	26.4	0	26.4	0	26.5	0	26.6	0	26.6	10
5.5	27	26.9	0	26.7	0	26.6	0	26.9	0	26.8	0	26.7	0	26.7	0	26.9	0	26.8	10
6	27	26.7	0	26.8	0	26.8	0	26.7	0	26.8	0	26.7	0	26.7	0	26.9	0	26.8	10
6.5	27	26.4	0	26.5	0	26.3	0	26.5	0	26.6	0	26.3	0	26.5	0	26.6	0	26.5	10
7	27	26.8	0	26.6	0	26.5	0	26.7	0	26.6	0	26.6	0	26.5	0	26.5	0	26.6	10
7.5	27	26.9	0	26.9	0	26.9	0	27.1	0	26.9	0	26.8	0	26.8	0	27	0	27	10
8	27	26.6	0	26.6	0	26.6	0	26.7	0	26.7	0	26.5	0	26.6	0	26.8	0	26.6	10
8.5	27	26.3	0	26.3	0	26.2	0	26.4	0	26.4	0	26.3	0	26.3	0	26.4	0	26.4	10
9	27	27.3	0	26.9	0	26.9	0	27.1	0	27.1	0	27	0	26.8	0	26.8	0	26.9	10
9.5	27	27	0	27	0	26.9	0	27.1	0	27.1	0	26.9	0	26.8	0	27	0	27.1	10
10	27	26.5	0	26.6	0	26.5	0	26.7	0	26.9	0	26.5	0	26.5	0	26.7	0	26.7	10
10.5	27	26.8	0	26.6	0	26.5	0	26.9	0	26.7	0	26.8	0	26.6	0	26.7	0	26.8	10
11	27	26.7	0	26.5	0	26.6	0	26.9	0	26.7	0	26.6	0	26.6	0	26.8	0	26.7	10
11.5	27	26.4	0	26.5	0	26.5	0	26.6	0	26.5	0	26.6	0	26.5	0	26.6	0	26.8	10
12	29	27.2	0	27	0	26.9	0	27.2	0	27.2	0	27	0	27	0	27	0	27.1	10
12.5	29	27.6	0	27.3	0	27.3	0	27.7	0	27.6	0	27.5	0	27.3	0	27.5	0	27.5	10
13	29	29.2	0	28.7	0	28.9	0	29.3	0	28.9	0	29.1	0	28.8	0	28.9	0	29	10
13.5	29	29.3	0	28.9	0	28.9	0	29.2	0	29.2	0	29.3	0	29	0	29.1	0	29.1	10
14	29	28.4	0	28.5	0	28.3	0	28.7	0	28.6	0	28.6	0	28.5	0	28.7	0	28.7	10
14.5	29	28.1	0	28.1	0	28.1	0	28.5	0	28.4	0	28.5	0	28.4	0	28.5	0	28.4	10
15	29	29	0	28.8	0	28.9	0	29.2	0	29.1	0	29	0	28.9	0	28.9	0	28.9	10
15.5	29	28.5	0	28.6	0	28.4	0	28.9	0	28.8	0	28.8	0	28.7	0	28.9	0	28.8	10
16	29	27.9	0	28	0	28	0	28.3	0	28.2	0	28.3	0	28.2	0	28.3	0	28.4	10
16.5	29	28.8	0	28.5	0	28.5	0	28.9	0	28.8	0	28.8	0	28.7	0	28.8	0	28.8	10
17	29	28.5	0	28.5	0	28.3	0	28.8	0	28.6	0	28.6	0	28.5	0	28.6	0	28.8	10
17.5	29	28.9	0	29	0	28.8	0	29.2	0	29.1	0	29	0	29	0	29	0	29.1	10
18	29	28.5	0	28.5	0	28.3	0	28.9	0	28.8	0	28.8	0	28.6	0	28.7	0	28.8	10
18.5	29	27.9	0	28.1	0	27.8	0	28.3	0	28.2	0	28.3	0	28.1	0	28.2	0	28.3	10
19	29	28.7	0	28.5	0	28.5	0	29	0	28.8	0	28.8	0	28.6	0	28.7	0	28.7	10

Acclimation Experiment Data—Tanks 19-27

44

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
19.5	29	28.7	0	28.6	0	28.6	0	29	0	28.9	0	28.9	0	28.9	0	28.8	0	28.9	10
20	29	28.1	0	28	0	28.2	0	28.4	0	28.3	0	28.4	0	28.4	0	28.3	0	28.4	10
20.5	29	28.8	0	28.6	0	28.6	0	28.9	0	28.8	0	28.9	0	28.7	0	28.7	0	28.7	10
21	29	28.6	0	28.5	0	28.6	0	28.9	0	28.8	0	28.8	0	28.7	0	28.8	0	28.8	10
21.5	29	28.1	0	28	0	28.2	0	28.3	0	28.3	0	28.4	0	28.2	0	28.4	0	28.3	10
22	29	29	0	28.7	0	28.8	0	29.2	0	28.9	0	28.9	0	28.7	0	28.8	0	28.8	10
22.5	29	28.7	0	28.7	0	28.5	0	29	0	28.7	0	28.7	0	28.7	0	28.7	0	28.8	10
23	29	28.3	0	28.2	0	28.1	0	28.4	0	28.4	0	28.3	0	28.3	0	28.4	0	28.4	10
23.5	29	28.9	0	28.7	0	28.7	0	29.1	0	28.9	0	28.9	0	29	0	28.9	0	28.9	10
24	31	28.7	0	28.5	10	28.6	0	28.9	0	28.9	0	28.9	0	28.7	0	28.8	0	28.9	10
24.5	31	29	0	28.7	10	28.8	0	29	0	28.8	0	28.9	0	28.9	0	28.9	0	29	10
25	31	31	0	30.2	10	30.6	0	31.1	0	30.5	0	30.7	0	30.4	0	30.4	0	30.6	10
25.5	31	31.4	10	30.9	10	31.1	0	31.6	0	31.1	0	31.4	0	31.1	10	31.2	0	31.3	10
26	31	30.8	10	30.7	10	30.7	0	30.9	0	30.9	0	30.9	0	30.8	10	31	0	31	10
26.5	31	30.4	10	30.5	10	30.3	0	30.5	0	30.6	0	30.5	0	30.5	10	30.5	0	30.6	10
27	31	30.6	10	30.5	10	30.6	0	30.8	0	30.7	0	30.8	0	30.7	10	30.7	0	30.7	10
27.5	31	30.2	10	30.1	10	30.3	0	30.3	0	30.5	0	30.3	0	30.4	10	30.3	0	30.4	10
28	31	30.5	10	30.2	10	30.4	0	30.5	0	30.3	0	30.5	0	30.3	10	30.3	0	30.5	10
28.5	31	31.2	10	30.9	10	31.1	0	31.1	0	30.9	0	30.9	0	30.8	10	31	0	31	10
29	31	30.6	10	30.5	10	30.5	0	30.5	0	30.5	0	30.5	0	30.5	10	30.7	0	30.6	10
29.5	31	30.3	10	30.2	10	30.3	0	30.3	0	30.2	0	30.4	0	30.2	10	30.4	0	30.3	10
30	31	31.1	10	30.7	10	30.9	0	31.1	0	30.9	0	31	0	30.8	10	30.8	0	30.9	10
30.5	31	30.4	10	30.3	10	30.4	0	30.5	0	30.6	0	30.5	0	30.5	10	30.6	0	30.6	10
31	31	29.9	10	29.9	10	29.9	0	30.3	0	30.2	0	30.1	0	30.2	10	30.1	0	30.3	10
31.5	31	31.2	10	30.7	10	30.9	0	31.2	0	31	0	31.1	0	30.9	10	31.1	0	31	10
32	31	30.7	10	30.5	10	30.5	0	30.8	0	30.9	0	30.9	0	30.6	10	30.7	0	30.9	10
32.5	31	30.2	10	30.1	10	30	0	30.4	0	30.3	0	30.4	0	30.4	10	30.5	0	30.5	10
33	31	30.5	10	30.3	10	30.4	0	30.6	0	30.5	0	30.7	0	30.5	10	30.6	0	30.6	10
33.5	31	29.9	10	29.8	10	29.8	0	30.1	0	30.1	0	30.1	0	30	10	30.1	0	30.2	10
34	31	30.6	10	30.4	10	30.7	0	31.2	0	30.7	0	31	0	30.7	10	30.7	0	30.9	10
34.5	31	30.2	10	30.2	10	30.4	0	30.7	0	30.6	0	30.7	0	30.5	10	30.6	0	30.6	10
35	31	30.3	10	30.1	10	30.2	0	30.7	0	30.6	0	30.7	0	30.4	10	30.5	0	30.6	10
35.5	31	30.2	10	30	10	30	0	30.3	0	30.3	0	30.3	0	30.1	10	30.2	0	30.2	10
36	33	31	10	30.5	10	30.7	0	31.1	0	30.9	0	31	0	30.7	10	30.8	0	30.9	10
36.5	33	32	10	31.5	10	31.7	0	32.2	0	31.7	0	31.8	0	31.6	10	31.6	0	31.7	10
37	33	33.4	10	32.7	10	33.1	0	33.5	0	33	0	33.3	0	32.9	10	32.8	0	33	10
37.5	33	32.8	10	32.4	10	32.7	0	32.9	0	33	0	32.9	0	32.7	10	32.7	0	32.9	10
38	33	31.9	10	32	10	32.1	0	32.4	0	32.3	0	32.3	0	32.2	10	32.3	0	32.3	10
38.5	33	32.7	10	32.3	10	32.5	0	32.9	0	32.8	0	32.8	0	32.5	10	32.5	0	32.5	10
39	33	32.4	10	32.3	10	32.4	0	32.8	0	32.6	0	32.7	0	32.4	10	32.6	0	32.5	10

Acclimation Experiment Data—Tanks 19-27

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
39.5	33	32.7	10	32.4	10	32.5	0	32.8	0	32.8	0	32.7	0	32.4	10	32.4	0	32.5	10
40	33	32.8	10	32.4	10	32.5	0	32.8	0	32.9	0	33.1	0	32.7	10	32.7	0	32.6	10
40.5	33	32.5	10	32.3	10	32.2	0	32.7	0	32.7	0	32.7	0	32.7	10	32.6	0	32.6	10
41	33	32.2	10	32.1	10	32.1	0	32.6	0	32.6	0	32.5	0	32.4	10	32.4	0	32.4	10
41.5	33	32.3	10	32	10	32.1	0	32.6	0	32.7	0	32.6	0	32.3	10	32.3	0	32.3	10
42	33	32.2	10	32	10	32.1	0	32.5	0	32.6	0	32.6	0	32.4	10	32.4	0	32.4	10
42.5	33	32.5	10	32.2	10	32.3	0	32.8	0	32.8	0	32.8	0	32.5	10	32.5	0	32.5	10
43	33	31.9	10	31.9	10	32	0	32.4	0	32.3	0	32.5	0	32.2	10	32.2	0	32.2	10
43.5	33	32.4	10	32.3	10	32.4	0	32.7	0	32.8	0	32.5	0	32.5	10	32.5	0	32.4	10
44	33	32	10	31.9	10	32	0	32.4	0	32.3	0	32.4	0	32.3	10	32.3	0	32.4	10
44.5	33	32.7	10	32.5	10	32.6	0	33	0	32.8	0	32.9	0	32.6	10	32.6	0	32.9	10
45	33	32.5	10	32.3	10	32.3	0	32.6	0	32.6	0	32.7	0	32.6	10	32.7	0	32.6	10
45.5	33	32.2	10	32.1	10	32	0	32.4	0	32.1	0	32.2	0	32	10	32.1	0	32.2	10
46	33	33	10	32.7	10	32.7	0	33	0	32.9	0	32.9	0	32.7	10	32.7	0	32.7	10
46.5	33	32.4	10	32.3	10	32.3	0	32.7	0	32.6	0	32.6	0	32.4	10	32.4	0	32.5	10
47	33	32.9	20	32.5	10	32.5	0	32.9	0	32.8	0	32.8	0	32.5	10	32.6	0	32.7	10
47.5	33	32.4	20	32.4	10	32.3	0	32.4	0	32.4	0	32.5	0	32.3	10	32.5	0	32.5	10
48	35	32.4	20	32.1	10	32.1	0	32.6	0	32.4	10	32.4	0	32.4	10	32.4	0	32.4	10
48.5	35	33.5	20	33	10	33.3	0	33.9	0	33.6	10	33.6	0	33.3	10	33.2	0	33.5	10
49	35	35	20	34.3	10	34.5	0	35.2	0	34.9	10	34.9	0	34.5	20	34.5	0	34.7	10
49.5	35	34.5	20	34.2	10	34.3	0	34.7	0	34.8	10	34.6	0	34.4	20	34.5	0	34.6	10
50	35	34.3	20	34.2	10	34.2	0	34.5	0	34.4	10	34.5	0	34.4	20	34.4	0	34.5	10
50.5	35	34.7	20	34.5	10	34.5	0	34.7	0	34.6	10	34.6	0	34.5	20	34.5	0	34.6	10
51	35	34.2	20	34.1	10	34.2	0	34.5	0	34.4	10	34.4	0	34.2	20	34.3	0	34.3	10
51.5	35	35.2	20	34.7	20	34.9	0	35	0	34.9	10	34.9	0	34.8	20	34.6	0	34.8	10
52	35	34.7	20	34.5	20	34.6	0	34.6	0	34.7	10	34.6	0	34.6	20	34.6	0	34.6	10
52.5	35	34.3	20	34.1	10	34.3	0	34.3	0	34.2	10	34.3	0	34.1	20	34	0	34.3	10
53	35	35.7	20	35	20	35.1	0	35.3	0	35	10	35.2	0	34.7	20	34.8	0	35	10
53.5	35	35.3	20	34.9	20	34.9	0	35.2	0	35	10	35.1	0	34.8	20	35	0	35	10
54	35	34.3	20	34.2	20	34.2	0	34.3	0	34.3	10	34.3	0	34.2	20	34.2	0	34.5	10
54.5	35	35	20	34.8	20	34.7	0	35.1	0	35	10	34.9	0	34.7	20	34.6	0	34.9	10
55	35	34.8	20	34.5	20	34.5	0	34.9	0	34.8	10	34.8	0	34.6	20	34.5	0	34.9	10
55.5	35	34	20	34	20	34	0	34.2	0	34.4	10	34.4	0	34.1	20	34.2	0	34.2	10
56	35	35	20	34.7	20	34.9	0	35.1	0	34.9	10	35	0	34.8	20	34.7	0	35	10
56.5	35	34.1	20	34.1	20	34.1	0	34.5	0	34.4	10	34.5	0	34.3	20	34.4	0	34.5	10
57	35	34.2	20	34	20	34.2	0	34.7	0	34.4	10	34.5	0	34.3	20	34.3	0	34.4	10
57.5	35	34.5	20	34.3	20	34.3	0	34.5	0	34.4	10	34.5	0	34.2	20	34.2	0	34.4	10
58	35	34.4	20	34.4	20	34.3	0	34.5	0	34.5	10	34.4	0	34.3	20	34.3	0	34.4	10
58.5	35	33.8	20	33.7	20	33.6	0	34.2	0	34.2	10	34.1	0	34	20	34.1	0	34.1	10
59	35	35	20	34.4	20	34.7	0	35.2	0	35	10	35.1	0	34.8	20	34.8	0	34.9	10

46

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
59.5	35	34.8	20	34.6	20	34.7	0	35.1	0	35.2	10	35	0	34.9	20	34.9	0	35	10
60	37	34	20	33.9	20	34	0	34.5	0	34.4	10	34.4	0	34.3	20	34.3	0	34.3	10
60.5	37	35.5	20	34.7	20	35	0	35.8	0	35.4	10	35.2	0	34.9	20	35.1	0	35.1	10
61	37	37	30	36.1	20	36.5	0	37.1	10	36.8	10	36.8	20	36.4	30	36.3	10	36.7	10
61.5	37	37.1	30	36.7	30	37	10	37.4	20	37.3	10	37.2	20	37	30	37	10	37	10
62	37	35.6	30	35.6	30	35.8	10	36.3	20	36.2	10	36.4	20	36.2	30	36.2	10	36.3	10
62.5	37	36.4	30	35.9	30	36.3	10	36.8	20	36.7	20	36.8	20	36.5	30	36.4	10	36.6	10
63	37	36.2	30	36	30	36.2	10	36.7	20	36.7	20	36.7	20	36.6	40	36.5	10	36.6	10
63.5	37	36	30	35.9	30	35.9	10	36.5	20	36.4	20	36.5	20	36.2	40	36.3	10	36.4	10
64	37	36.7	30	36.3	30	36.5	10	37	20	36.8	50	37	30	36.8	40	36.7	10	36.9	20
64.5	37	36.1	40	36	30	36.1	10	36.7	20	36.4	50	36.6	40	36.4	40	36.4	30	36.4	20
65	37	36.5	40	36.2	30	36.4	10	37.1	20	36.8	50	36.8	40	36.7	40	36.6	40	36.8	20
65.5	37	35.8	40	35.6	30	35.8	10	36.5	20	36.4	50	36.5	40	36.4	40	36.4	50	36.4	20
66	37	36.5	40	36.1	40	36.3	10	37.3	20	37.1	50	37.1	40	36.8	40	36.8	50	36.8	20
66.5	37	35.8	40	35.7	50	35.7	10	36.6	20	36.5	50	36.6	40	36.5	40	36.4	50	36.6	20
67	37	35.4	40	35.2	50	35.5	10	36.3	20	36.2	50	36.3	40	36	40	36	50	36.2	20
67.5	37	36.6	50	36.2	50	36.4	20	37	30	36.7	50	37	40	36.7	40	36.7	50	36.8	20
68	37	35.8	60	35.8	50	35.8	30	36.2	40	36.4	50	36.5	40	36.2	50	36.2	50	36.3	30
68.5	37	36.3	60	36.1	50	36.2	40	36.9	40	36.7	50	36.9	40	36.5	50	36.7	50	36.6	30
69	37	36.4	60	36.2	50	36.2	40	36.9	50	36.7	50	36.8	50	36.6	50	36.5	50	36.7	30
69.5	37	35.9	60	35.7	50	35.8	40	36.3	50	36.3	50	36.5	50	36.1	50	36.2	50	36.4	40
70	37	36.8	60	36.3	50	36.5	50	37.4	50	37.1	50	37.1	60	36.9	50	36.9	50	37	50
70.5	37	36	60	36.1	50	36	50	36.8	50	36.7	50	36.6	60	36.6	50	36.6	50	36.6	50
71	37	36.1	60	36	50	35.9	50	36.6	50	36.3	50	36.5	60	36.4	50	36.2	50	36.4	50

Acclimation Experiment Data—Tanks 28-36

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
0	32	29.4	0	28.2	0	27.9	0	28.2	0	27.9	0	27.3	0	28.2	0	28.2	0	28.2	0
0.5	32	29.7	0	29.3	0	29	0	29	0	28.7	0	28.6	0	28.5	0	28.7	0	28.8	0
1	32	32	0	31.7	0	31.1	0	31	0	30.4	0	30.7	0	30.3	0	30.8	0	30.8	0
1.5	32	33	0	32.8	0	32.3	0	32.1	0	31.8	0	31.7	0	31.5	0	31.9	0	32	0
2	32	32.6	0	32.2	10	32	0	31.8	0	31.6	0	31.4	0	31.4	0	31.6	0	31.5	0
2.5	32	32	0	31.7	10	31.5	0	31.4	0	31.3	0	30.9	0	30.9	0	31	0	30.9	0
3	32	32.4	0	32	10	31.7	0	31.6	0	31.4	0	31.2	0	31	0	31.3	0	31.3	0
3.5	32	32.2	0	31.8	10	31.5	0	31.3	0	31.1	0	31.1	0	30.9	0	31	0	31	0
4	32	32.7	0	32.4	10	32	0	31.8	0	31.5	0	31.4	0	31.3	0	31.6	0	31.6	0
4.5	32	32.4	0	32.1	10	31.7	0	31.6	0	31.4	0	31.2	0	31.2	0	31.3	0	31.2	0
5	32	32	0	31.6	10	31.3	0	31.2	0	30.9	0	30.7	0	30.7	0	30.9	0	30.8	0
5.5	32	32.6	0	32	10	31.8	0	31.6	0	31.4	0	31.3	0	31.2	0	31.4	0	31.4	0
6	32	32.2	0	31.8	10	31.6	0	31.4	0	31.1	0	31	0	30.9	0	31.1	0	31	0
6.5	32	31.8	0	31.4	10	31.1	0	31	0	30.7	0	30.5	0	30.6	0	30.7	0	30.7	0
7	32	32.3	0	32.2	10	31.8	0	31.7	0	31.3	0	31.4	0	31.2	0	31.6	0	31.5	0
7.5	32	32.1	0	31.9	10	31.6	0	31.6	0	31.2	0	31	0	30.9	0	31.2	0	31.3	0
8	32	32.3	0	32	10	31.7	0	31.6	0	31.3	0	31.2	0	31.1	0	31.3	0	31.3	0
8.5	32	32.2	0	31.9	10	31.6	0	31.6	0	31.3	0	31.2	0	31.1	0	31.3	0	31.2	0
9	32	31.8	0	31.5	10	31.2	0	31	0	30.8	0	30.7	0	30.7	0	30.8	0	30.8	0
9.5	32	32.6	0	32.4	10	32	0	31.9	0	31.6	0	31.5	0	31.4	0	31.6	0	31.7	0
10	32	32.2	0	32.1	10	31.8	0	31.7	0	31.3	0	31.1	0	31.2	0	31.2	0	31.2	0
10.5	32	32.3	0	32.1	10	31.7	0	31.6	0	31.3	0	31.4	0	31.1	0	31.2	0	31.3	0
11	32	32.5	0	32.3	10	32.1	0	31.8	0	31.4	0	31.5	0	31.3	0	31.4	0	31.5	0
11.5	32	31.7	0	31.7	10	31.4	0	31.3	0	31	0	30.8	0	30.8	0	30.8	0	30.8	0
12	34	32.1	0	31.8	10	31.5	0	31.4	0	31	0	31	0	30.9	0	31	0	30.9	0
12.5	34	33.3	0	33	10	32.7	0	32.6	0	32.1	0	32.1	0	32	0	32.1	0	32.1	0
13	34	34.7	0	34.5	10	34	0	33.9	10	33.4	0	33.4	0	33.3	0	33.5	0	33.6	0

Acclimation Experiment Data—Tanks 28-36

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
13.5	34	34.2	0	34	10	33.7	0	33.6	10	33.2	0	33	0	33	0	33.2	0	33.1	0
14	34	33.6	0	33.4	10	33.2	0	33.1	10	32.7	0	32.6	0	32.6	0	32.5	0	32.6	0
14.5	34	34.2	0	34	10	33.5	0	33.5	10	33.1	0	33	0	33.1	0	33.1	0	33.2	0
15	34	33.6	0	33.6	10	33	0	33.1	10	32.6	0	32.5	0	32.6	0	32.5	0	32.6	0
15.5	34	34.5	0	34.3	10	33.9	0	33.8	10	33.4	0	33.3	0	33.2	0	33.4	0	33.4	0
16	34	34.1	0	34	10	33.7	0	33.4	10	33.2	0	33	0	33.1	0	33.1	0	33.1	0
16.5	34	33.8	0	33.5	10	33.3	0	33.1	10	32.9	0	32.7	0	32.6	0	32.7	0	32.5	0
17	34	34.4	0	34.4	10	33.8	0	33.8	10	33.3	0	33.3	0	33.4	0	33.4	0	33.5	0
17.5	34	33.9	0	33.8	10	33.4	0	33.3	10	33	0	32.9	0	32.8	0	32.9	0	32.8	0
18	34	33.9	0	33.9	10	33.4	0	33.4	10	33	0	32.9	0	32.8	0	32.9	0	32.9	0
18.5	34	34.5	0	34.4	10	33.9	0	33.8	10	33.5	0	33.3	0	33.3	0	33.4	0	33.5	0
19	34	33.7	0	33.5	10	33.4	0	33.1	10	32.9	0	32.7	0	32.8	0	32.8	0	32.7	0
19.5	34	34.1	0	34	10	33.6	0	33.5	10	33.3	0	33.1	0	33.1	0	33.1	0	33.1	0
20	34	33.9	0	33.9	10	33.4	0	33.3	10	33.1	0	32.9	0	33	0	33	0	32.9	0
20.5	34	33.9	0	33.7	10	33.4	0	33.4	10	33	0	32.8	0	32.8	0	32.9	0	32.8	0
21	34	34.6	0	34.6	10	34.3	0	34.2	10	33.8	0	33.6	10	33.6	0	33.8	0	33.7	0
21.5	34	34	0	33.7	10	33.5	0	33.4	10	33.2	0	32.8	10	33	0	33.2	0	33	0
22	34	33.6	0	33.3	10	33	0	32.9	10	32.6	0	32.4	10	32.4	0	32.5	0	32.4	0
22.5	34	34.6	0	34.3	10	33.7	0	33.6	10	33.4	0	33	10	33.2	0	33.3	0	33.5	0
23	34	34.2	0	33.8	10	33.4	0	33.3	10	33.1	0	32.9	10	32.9	0	32.9	0	32.9	0
23.5	34	34.8	0	34.4	10	33.9	0	34	10	33.5	0	33.3	10	33.5	0	33.6	0	33.5	0
24	36	34.3	0	34	10	33.8	0	33.7	10	33.4	0	33.2	10	33.3	0	33.4	0	33.2	0
24.5	36	34.2	0	34.1	10	33.8	0	33.7	10	33.4	0	33.2	10	33.3	0	33.4	0	33.4	0
25	36	36.1	0	35.7	10	35.4	0	35.2	10	34.7	0	34.7	10	34.8	0	34.8	0	35	0
25.5	36	36.6	0	36.4	10	35.9	0	35.8	10	35.4	0	35.3	10	35.2	0	35.4	0	35.4	0
26	36	35.8	0	35.4	10	35.2	0	35	10	34.8	0	34.8	10	34.9	0	34.9	0	34.8	0
26.5	36	36.4	0	36	10	35.7	0	35.7	10	35	0	35.2	10	35.2	0	35.2	0	35.3	0
27	36	36.4	0	36	10	35.6	0	35.5	10	35.1	0	35.1	10	34.9	0	35.2	0	35	0
27.5	36	36.3	0	35.9	10	35.5	0	35.5	10	35	0	34.9	10	34.8	0	35.1	0	35	0
28	36	35.7	0	35.4	10	35	0	34.9	10	34.6	0	34.5	10	34.6	0	34.5	0	34.6	0
28.5	36	36.4	0	35.8	10	35.4	0	35.2	10	35	10	35.1	10	35	0	35.1	0	35.4	0
29	36	35.9	0	35.4	10	35	0	34.9	20	34.6	10	34.6	10	34.6	0	34.7	0	34.8	0
29.5	36	36.5	0	36	10	35.6	0	35.5	20	35.2	20	35.1	10	35.2	0	35.3	0	35.4	0
30	36	36.3	0	35.9	20	35.5	0	35.3	30	35	20	35	10	35	0	35.1	0	35.1	0
30.5	36	35.9	0	35.6	20	35.2	0	35	30	34.8	20	34.7	10	34.6	0	34.8	0	34.8	0
31	36	36.4	0	35.9	20	35.5	0	35.3	30	35	20	34.8	10	34.9	0	35.1	0	35.1	0

Acclimation Experiment Data—Tanks 28-36

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
31.5	36	35.9	0	35.5	20	35.3	0	35.2	30	34.7	20	34.7	10	34.6	0	34.6	0	34.7	0
32	36	36.2	0	35.7	20	35.4	0	35.3	30	34.9	30	34.8	10	34.8	0	34.8	0	34.9	0
32.5	36	36.1	0	35.8	20	35.4	0	35.2	30	34.8	30	34.8	20	34.7	0	34.8	0	34.8	0
33	36	36.3	0	35.9	20	35.7	0	35.5	30	35	30	35	20	35	0	35.1	0	35.1	0
33.5	36	35.5	0	35.1	20	34.9	0	34.7	30	34.4	30	34.2	20	34.2	0	34.3	0	34.2	0
34	36	36.3	0	36	20	35.6	0	35.5	30	35	30	35	20	34.9	0	34.9	0	35.2	0
34.5	36	36.1	0	35.7	20	35.5	0	35.4	30	35.1	40	34.9	20	34.9	0	35	0	35	0
35	36	35.8	0	35.6	20	35.4	0	35.1	30	34.8	40	34.7	20	34.7	0	34.7	0	34.7	0
35.5	36	35.9	0	35.7	20	35.5	10	35.4	30	35	40	34.8	20	34.8	0	34.8	0	34.9	0
36	38	36.1	0	35.9	20	35.5	10	35.3	30	34.8	40	34.9	20	34.8	0	34.9	0	35.1	0
36.5	38	37.1	0	37	20	36.5	10	36.4	30	36.1	40	35.9	40	35.9	10	36.2	0	36.3	10
37	38	38.6	30	38.3	20	37.8	30	37.6	30	37.1	40	37.2	40	37.1	30	37.2	10	37.3	10
37.5	38	37.7	30	37.5	20	37.2	30	37.2	40	36.8	40	36.5	40	36.4	30	36.6	10	36.7	10
38	38	37.9	30	37.8	20	37.5	30	37.4	60	37	50	36.8	40	36.9	30	36.9	20	37	10
38.5	38	37.9	30	37.8	20	37.5	40	37.2	60	37	60	36.8	40	36.8	30	36.7	20	36.8	20
39	38	38	30	38	20	37.6	40	37.4	60	37	70	37	40	36.9	30	36.9	20	36.9	30
39.5	38	38	50	38	20	37.6	40	37.3	60	36.9	70	37.1	40	36.9	40	36.9	20	36.8	40
40	38	37.3	50	37.4	20	36.9	40	36.9	60	36.4	70	36.5	40	36.4	40	36.4	20	36.1	40
40.5	38	38.2	50	38.1	30	37.6	40	37.6	60	37.2	70	36.9	50	36.9	50	37	30	37.1	50
41	38	38.1	50	37.9	30	37.5	40	37.3	60	36.9	70	36.6	50	36.7	60	36.9	30	36.7	50
41.5	38	37.7	50	37.6	30	37.3	40	37.1	60	36.7	70	36.4	60	36.3	60	36.5	30	36.5	60
42	38	38.2	60	38.1	30	37.7	40	37.7	60	37.2	70	37.2	60	37.1	60	37.1	30	36.9	60
42.5	38	37.6	60	37.5	30	37.3	40	37.3	80	36.8	70	36.5	60	36.4	60	36.5	30	36.4	60
43	38	38.4	60	38.2	30	37.8	50	37.8	80	37.3	70	37.1	60	37	70	37.1	30	37.4	60
43.5	38	37.6	60	37.6	30	37.4	50	37.3	90	36.8	70	36.8	60	36.7	70	36.7	30	36.5	60
44	38	37.8	70	37.8	40	37.5	50	37.5	90	37	70	36.9	60	36.8	70	36.8	40	36.9	60
44.5	38	38	70	37.9	40	37.5	50	37.4	90	37.1	70	37	60	36.9	70	37	60	37	60
45	38	37.6	70	37.5	40	37.3	50	37.2	90	36.8	70	36.6	70	36.6	70	36.7	60	36.6	60
45.5	38	38.5	80	38.3	50	37.9	50	37.9	90	37.5	70	37.4	70	37.3	70	37.4	60	37.6	60
46	38	37.7	80	37.5	50	37.5	60	37.4	100	37.1	70	36.9	70	36.9	90	36.9	60	36.8	60
46.5	38	37.7	90	37.6	50	37.1	60	37.3	100	36.8	70	36.7	70	36.5	90	36.7	60	36.6	60
47	38	38.4	100	38.2	50	37.9	60	37.9	100	37.4	70	37.4	70	37.4	90	37.3	60	37.3	70
47.5	38	37.6	100	37.6	50	37.3	60	37.1	100	36.9	70	36.7	70	36.8	90	36.8	60	36.6	70
48	40	38.4	100	38.2	50	37.7	60	37.6	100	37.3	70	37.1	70	37.2	90	37.2	60	37.4	70
48.5	40	38.8	100	38.7	60	38.4	60	38.3	100	37.8	80	37.8	70	37.7	100	37.8	60	37.8	70
49	40	40.1	100	39.9	90	39.4	90	39.2	100	38.8	80	39	90	38.8	100	39	60	39.1	100
49.5	40	39.9	100	39.5	100	39.2	100	39.1	100	38.9	90	38.6	90	38.6	100	38.8	90	38.7	100
50	40	40.5	100	40.2	100	39.7	100	39.7	100	39.4	100	39.2	100	39.2	100	39.3	100	39.2	100

Rate Experiment Data—Tanks 10-18

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
0	22.5	21.6	0	21.6	0	21.6	0	21.6	0	21	0	21.6	0	20.7	0	21.3	0	21.3	0
0.5	22.5	22	0	22.1	0	22.1	0	22.1	0	22.2	0	22.1	0	21.7	0	21.6	0	21.5	0
1	22.5	23.9	0	23.9	0	23.9	0	23.9	0	24.2	0	23.9	0	23.3	0	23.4	0	23.6	0
1.5	22.5	24.4	0	24.4	0	24.4	0	24.3	0	24.5	0	24.2	0	23.9	0	23.9	0	23.9	0
2	22.5	24.2	0	24.3	0	24.2	0	24.2	0	24.2	0	24.1	0	23.9	0	23.6	0	23.5	0
2.5	22.5	23.3	0	23.4	0	23.6	0	23.7	0	23.6	0	23.4	0	23.3	0	22.8	0	22.6	0
3	25	23.1	0	23.1	0	23.2	0	23.3	0	23.3	0	23	0	22.9	0	22.7	0	22.6	0
3.5	25	24.6	0	24.4	0	24.5	0	24.5	0	24.5	0	24.3	0	23.8	0	23.7	0	24	0
4	25	26.2	0	26	0	26	0	25.9	0	26.2	0	25.9	0	25.3	0	25.2	0	25.5	0
4.5	25	26.2	0	26.1	0	26.1	0	26.2	0	26.3	0	26.1	0	25.7	0	25.5	0	25.5	0
5	25	25.2	0	25.4	0	25.4	0	25.4	0	25.5	0	25.2	0	25.1	0	24.8	0	24.7	0
5.5	25	25.8	0	25.9	0	25.9	0	25.9	0	25.9	0	25.7	0	25.4	0	25.3	0	25.4	0
6	27.5	26.5	0	26.6	0	26.3	0	26.5	0	26.5	0	26.3	0	26.2	0	25.8	0	25.8	0
6.5	27.5	26.3	0	26.3	0	26.3	0	26.3	0	26.4	0	26.2	0	25.9	0	25.7	0	25.6	0
7	27.5	27.8	0	27.6	0	27.7	0	27.7	0	27.8	0	27.6	0	27	0	26.9	0	27.1	0
7.5	27.5	28.8	0	28.7	0	28.7	0	28.6	0	28.8	0	28.6	0	28.1	0	28	0	28.2	0
8	27.5	28.1	0	28.2	0	28.2	0	28.3	0	28.2	0	28.1	0	27.9	0	27.6	0	27.4	0
8.5	27.5	27.7	0	27.8	0	27.8	0	27.9	0	27.8	0	27.6	0	27.5	0	27.3	0	27.3	0
9	30	28.6	0	28.6	0	28.5	0	28.5	0	28.7	0	28.4	0	28	0	28	0	28	0
9.5	30	28.7	0	28.8	0	28.7	0	28.8	0	28.8	0	28.6	0	28.4	0	28.2	0	28.1	0
10	30	30.5	0	30.6	0	30.3	0	30.4	0	30.6	0	30.1	0	29.7	0	29.6	0	30	0
10.5	30	31.7	0	31.7	0	31.6	0	31.6	0	31.6	0	31.3	0	30.8	0	30.8	0	31.2	0
11	30	31.3	0	31.3	0	31.3	0	31.4	0	31.3	0	31.2	0	30.7	0	30.7	0	30.6	0
11.5	30	30.8	0	30.8	0	30.8	0	31	0	31	0	30.6	0	30.4	0	30.1	0	30.2	0
12	32.5	31	0	31	0	31.1	0	31	0	31.1	0	30.8	0	30.5	0	30.3	0	30.5	0
12.5	32.5	32.1	0	32.1	0	31.9	0	32	0	32.3	0	31.9	0	31.4	0	31.3	0	31.6	0
13	32.5	33.7	0	33.7	0	33.5	0	33.4	0	33.9	0	33.3	0	32.7	0	32.8	0	33.2	0
13.5	32.5	33.7	6.25	33.9	0	33.6	14.3	33.7	12.5	34	0	33.4	16.7	33.1	0	33	14.3	33.2	0
14	32.5	33.1	6.25	33.2	0	33.1	14.3	33.1	12.5	33.2	0	32.9	16.7	32.5	0	32.3	14.3	32.3	0
14.5	32.5	33.8	12.5	33.8	0	33.7	14.3	33.7	12.5	33.9	0	33.4	16.7	32.8	0	32.9	14.3	33.1	0
15	35	33.4	12.5	33.4	0	33.3	14.3	33.4	12.5	33.5	0	33.1	16.7	32.7	0	32.5	14.3	32.6	0
15.5	35	33.2	12.5	33.2	0	33.2	14.3	33.2	12.5	33.2	0	32.8	16.7	32.4	0	32.2	14.3	32.4	0
16	35	34.9	12.5	34.8	0	34.7	14.3	34.5	12.5	34.7	0	34.3	16.7	33.7	0	33.6	14.3	34.1	0
16.5	35	36.3	56.25	36.2	14.3	35.9	71.5	35.9	50	36.3	14.3	35.6	50.1	35	14.3	35.1	42.9	35.4	28.6
17	35	36.1	62.5	36.2	28.6	36	71.5	36	50	36.2	14.3	35.8	50.1	35.2	14.3	35.2	42.9	35.4	28.6
17.5	35	35.5	62.5	35.5	28.6	35.5	71.5	35.5	50	35.6	14.3	35.3	50.1	34.9	14.3	34.7	42.9	34.9	28.6
18	37.5	36.2	68.75	36.1	42.9	36.1	71.5	35.9	50	36.2	14.3	35.9	66.8	35.2	14.3	35.3	42.9	35.4	42.9
18.5	37.5	35.9	68.75	35.9	42.9	35.8	71.5	35.8	50	35.9	14.3	35.6	66.8	35.1	14.3	35	42.9	35.2	57.2
21.5	40	38	100	38.3	100	37.9	100	37.9	75	38.4	85.5	37.8	100	37.1	85.8	37.5	100	37.4	100
22	40	39	100	39.2	100	39	100	38.9	100	39.4	100	38.9	100	38.1	85.8	38.4	100	38.4	100
22.5	40	40	100	40.1	100	39.9	100	39.8	100	40.3	100	39.9	100	39.1	100	39.5	100	39.4	100

Rate Experiment Data—Tanks 19-27

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
0	22.5	20.1	0	19.8	0	19.8	0	20.1	0	19.8	0	19.5	0	20.1	0	20.7	0	20.1	0
0.5	22.5	20.5	0	20.3	0	20.3	0	20.9	0	20.8	0	20.7	0	20.8	0	20.9	0	20.7	0
1	22.5	22.4	0	22.2	0	22.2	0	22.6	0	22.6	0	22.4	0	22.8	0	23	0	22.6	0
1.5	22.5	22.9	0	22.7	0	22.7	0	23.1	0	23.2	0	23.1	0	23.3	0	23.4	0	23.2	0
2	22.5	22.5	0	22.7	0	22.7	0	23.1	0	23.1	0	23	0	23.1	0	23.2	0	23.1	0
2.5	22.5	21.8	0	22	0	22	0	22.4	0	22.2	0	22.4	0	22.3	0	22.4	0	22.5	0
3	22.5	22	0	22	0	22	0	22.5	0	22.4	0	22.4	0	22.5	0	22.5	0	22.5	0
3.5	22.5	22.1	0	21.9	0	21.9	0	22.5	0	22.5	0	22.6	0	22.5	0	22.5	0	22.5	0
4	22.5	21.9	0	21.8	0	21.8	0	22.2	0	22.4	0	22.6	0	22.5	0	22.6	0	22.5	0
4.5	22.5	22.2	0	22.2	0	22.2	0	22.5	0	22.6	0	22.8	0	22.7	0	22.6	0	22.8	0
5	22.5	21.9	0	22.1	0	22.1	0	22.3	0	22.2	0	22.4	0	22.5	0	22.4	0	22.5	0
5.5	22.5	21.8	0	21.8	0	21.8	0	22.1	0	22	0	22.1	0	22.2	0	22.1	0	22.3	0
6	22.5	22.1	0	22.2	0	22.2	0	22.6	0	22.7	0	22.5	0	22.6	0	22.6	0	22.7	0
6.5	22.5	22.2	0	22.2	0	22.2	0	22.6	0	22.5	0	22.6	0	22.7	0	22.7	0	22.8	0
7	22.5	22	0	22	0	22	0	22.3	0	22.1	0	22.3	0	22.4	0	22.4	0	22.5	0
7.5	22.5	22.2	0	22.2	0	22.2	0	22.7	0	22.5	0	22.6	0	22.6	0	22.7	0	22.7	0
8	22.5	22.3	0	22.4	0	22.4	0	22.7	0	22.7	0	22.8	0	22.6	0	22.7	0	22.7	0
8.5	22.5	21.9	0	22.1	0	22.2	0	22.4	0	22.1	0	22.4	0	22.4	0	22.5	0	22.5	0
9	25	22.4	0	22.3	0	22.3	0	22.7	0	22.7	0	22.8	0	22.7	0	22.8	0	22.9	0
9.5	25	24.3	0	24.3	0	24.3	0	24.7	0	25.1	0	24.7	0	24.7	0	24.6	0	24.4	0
10	25	25.6	0	25.5	0	25.5	0	26	0	26.2	0	26	0	26.1	0	25.9	0	25.8	0
10.5	25	25.7	0	25.7	0	25.5	0	25.9	0	26.1	0	26	0	26.1	0	26	0	25.9	0
11	25	25.4	0	25.6	0	25.6	0	26.1	0	26.1	0	26.1	0	26.1	0	26.1	0	26.1	0
11.5	25	25.1	0	25.3	0	25.3	0	25.7	0	25.7	0	25.8	0	25.8	0	25.8	0	25.7	0
12	25	25.1	0	25.2	0	25.2	0	25.4	0	25.5	0	25.4	0	25.6	0	25.5	0	25.6	0
12.5	25	24.7	0	25	0	25	0	25.2	0	25.2	0	25.4	0	25.3	0	25.4	0	25.4	0

Rate Experiment Data—Tanks 19-27

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
13	25	24.7	0	24.7	10	24.7	0	25	0	25.1	0	25	0	25.1	0	25.1	0	25.2	0
13.5	25	24.3	0	24.4	10	24.3	0	24.9	0	24.8	0	24.9	0	24.9	0	24.9	0	25	0
14	25	24.2	0	24.3	10	24.2	0	24.7	0	24.7	0	24.7	0	24.8	0	24.7	0	24.8	0
14.5	25	24.6	0	24.7	10	24.7	0	25.2	0	25.3	0	25.4	0	25.2	0	25.3	0	25.2	0
15	25	24.7	0	24.8	10	24.8	0	25.3	0	25.4	0	25.4	0	25.3	0	25.3	0	25.3	0
15.5	25	24.7	0	24.7	10	24.6	0	25.3	0	25.3	0	25.3	0	25.3	0	25.3	0	25.2	0
16	25	24.3	0	24.5	10	24.3	0	25	0	25	0	25	0	24.9	0	25.1	0	24.9	0
16.5	25	24.1	0	24.2	10	24.1	0	24.7	0	24.7	0	24.8	0	24.7	0	24.8	0	24.7	0
17	25	24.3	0	24.5	10	24.6	0	24.9	0	25.1	0	25.1	0	24.9	0	25.1	0	24.8	0
17.5	25	25.4	0	25.6	10	25.6	0	26.1	0	26.1	0	26.2	0	26.1	0	26.1	0	25.8	0
18	27.5	25.9	0	26.1	10	26.1	0	26.7	0	26.8	0	26.6	0	26.6	0	26.6	0	26.4	0
18.5	27.5	27.1	0	27.4	10	27.5	0	28.1	0	28.4	0	28.1	0	28	0	28.1	0	27.7	0
19	27.5	27.4	0	27.6	10	27.4	0	28	0	28.2	0	28.1	0	28	0	28	0	28	0
19.5	27.5	27	0	27	10	27	0	27.7	0	27.5	0	27.7	10	27.7	0	27.5	0	27.5	0
20	27.5	26.8	0	27	10	26.8	0	27.4	0	27.5	0	27.3	10	27.4	0	27.6	0	27.3	0
20.5	27.5	27.6	0	27.7	10	27.6	0	28.1	0	28.2	0	28.1	10	28.1	0	28	0	27.9	0
21	27.5	27.5	0	27.5	10	27.3	0	27.9	0	27.9	0	27.9	10	28	0	28	0	27.9	0
21.5	27.5	26.9	0	27	10	27.1	0	27.5	0	27.4	0	27.6	10	27.5	0	27.6	0	27.6	0
22	27.5	27.1	0	27.2	10	27	0	27.8	0	27.7	0	27.6	10	27.6	0	27.7	0	27.6	0
22.5	27.5	27.5	0	27.4	10	27.2	0	27.8	0	27.9	0	27.9	10	27.9	0	27.7	0	27.7	0
23	27.5	26.7	0	26.8	10	26.9	0	27.2	0	27.4	0	27.5	10	27.3	0	27.4	0	27.4	0
23.5	27.5	27	0	27	10	26.9	0	27.5	0	27.6	0	27.5	10	27.5	0	27.5	0	27.5	0
24	27.5	27.5	0	27.5	10	27.4	0	28	0	28	0	28	10	28	0	28	0	27.9	0
24.5	27.5	27.3	0	27.2	10	27.1	0	27.6	0	27.7	0	27.7	10	27.7	0	27.9	0	27.7	0
25	27.5	26.8	0	27	10	26.8	0	27.3	0	27.4	0	27.5	10	27.4	0	27.4	0	27.4	0
25.5	27.5	26.8	0	26.9	10	27	0	27.3	0	27.3	0	27.3	10	27.3	0	27.4	0	27.4	0
26	27.5	27.1	0	27.1	10	26.9	0	27.5	0	27.6	0	27.6	10	27.6	0	27.6	0	27.4	10
26.5	27.5	26.3	0	26.7	10	26.5	0	26.9	0	26.9	0	26.9	10	27	0	27	0	27.1	10
27	30	26.9	0	26.9	10	26.8	0	27.4	0	27.5	0	27.4	10	27.4	0	27.5	0	27.4	10
27.5	30	28.7	0	28.5	10	28.3	0	29	0	29.2	0	29.1	10	29.1	0	28.8	0	28.7	10
28	30	29.9	0	29.5	10	29.3	0	30	0	30.2	0	30.2	10	30.1	0	30.1	0	29.8	10
28.5	30	29.4	0	29.4	10	29.3	0	29.9	0	29.9	0	29.9	10	29.8	0	29.9	0	29.8	10
29	30	29.6	0	29.6	10	29.4	0	29.9	0	29.9	0	30.1	10	30	0	29.9	0	29.8	10
29.5	30	29.7	0	29.8	10	29.6	0	30.1	0	30.3	0	30.2	10	30.1	0	30.1	0	30	10
30	30	28.7	0	29.1	10	29	0	29.6	0	29.3	0	29.5	10	29.6	0	29.6	0	29.6	10
30.5	30	29.6	0	29.6	10	29.6	0	30	0	30.1	0	30.1	10	30.1	0	30	0	30.1	10
31	30	29.5	0	29.5	10	29.2	0	29.9	0	29.9	0	29.9	10	30	0	30	0	30	10
31.5	30	29.8	0	29.8	10	29.7	0	30	0	30.2	0	29.9	10	30.1	0	30.1	0	30.1	10

Rate Experiment Data—Tanks 19-27

Aclimation Experiment

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
32	30	29.7	0	29.8	10	29.6	0	29.7	0	29.8	0	29.9	10	29.8	0	29.9	0	29.9	10
32.5	30	29.4	0	29.4	10	29.3	0	29.5	0	29.6	0	29.6	10	29.6	0	29.6	0	29.7	10
33	30	30.3	0	30.1	10	30	0	30.2	0	30.3	0	30.3	10	30.2	0	30.4	0	30.4	10
33.5	30	29.5	0	29.5	10	29.5	0	29.5	0	29.6	0	29.7	20	29.7	0	29.6	0	29.7	10
34	30	29.8	0	29.8	10	29.8	0	29.8	0	29.8	0	29.8	20	29.8	0	30	0	30	10
34.5	30	29.5	0	29.9	10	29.7	0	29.6	0	29.8	0	29.8	20	29.7	0	29.8	0	30	10
35	30	29.9	0	29.8	10	29.8	0	29.7	0	29.8	0	29.8	20	29.8	0	29.9	0	29.9	10
35.5	30	29.6	0	29.7	10	29.7	0	29.7	0	29.8	0	29.8	20	29.8	0	29.9	0	29.9	10
36	32.5	30.2	0	30.2	10	30	0	30	0	30.1	0	30.2	20	30.1	0	30.2	0	30.1	10
36.5	32.5	31.8	0	31.6	10	31.5	0	31.4	0	31.6	0	31.5	20	31.5	0	31.5	0	31.6	10
37	32.5	32.4	0	32.2	10	32.2	0	32.2	0	32.4	0	32.3	20	32.2	0	32.4	0	32.4	10
37.5	32.5	32	0	31.9	10	31.9	0	32	0	32.2	0	32.1	20	32.1	0	32.2	0	32.2	10
38	32.5	32.2	0	32.1	10	32.2	0	32.1	0	32.2	0	32.2	20	32.2	0	32.1	0	32.2	10
38.5	32.5	31.7	0	31.8	10	31.7	0	31.5	0	31.6	0	31.7	20	31.6	0	31.7	0	31.7	10
39	32.5	32.7	0	32.2	10	32.5	0	32.4	0	32.6	10	32.5	20	32.3	0	32.5	0	32.5	10
39.5	32.5	32.2	0	32	10	32.1	0	32	0	32.1	10	32.2	20	32	0	32.2	0	32.1	10
40	32.5	32.5	0	32.4	10	32.4	0	32.4	0	32.5	10	32.6	20	32.6	0	32.5	0	32.5	10
40.5	32.5	32	0	32.2	10	31.9	0	32.2	0	32.1	10	32.1	20	32	0	32.2	0	32.2	10
41	32.5	32.3	0	32.3	10	32.1	0	32.3	0	32.2	10	32.1	20	32.1	0	32.2	0	32.3	10
41.5	32.5	32.4	0	32.3	10	32.4	11.1	32.3	0	32.4	10	32.3	20	32.4	0	32.3	0	32.3	10
42	32.5	32	0	31.9	10	32	11.1	32	0	32.1	10	32	20	32.1	0	32.3	0	32.5	10
42.5	32.5	32	0	31.9	10	31.8	11.1	32	0	32.1	10	32	20	32	0	32.1	0	32	10
43	32.5	32.3	0	32.2	10	32	11.1	32.1	0	32.1	10	32.1	20	32	0	31.9	0	32	10
43.5	32.5	32.4	0	32.3	10	32.3	11.1	32.3	0	32.4	10	32.2	20	32.3	0	32.3	0	32.2	10
44	32.5	31.7	0	31.8	10	31.6	11.1	31.7	0	31.8	10	31.8	20	31.7	0	32.5	0	32.4	10
44.5	32.5	32.4	0	32.2	10	32.2	11.1	32.3	0	32.4	10	32.5	20	32.4	0	31.8	0	32	10
45	35	32.2	0	32.1	10	31.9	11.1	32.1	0	32.2	10	32.1	20	32.1	0	32.3	0	32.5	10
45.5	35	33	0	32.9	10	32.8	11.1	32.8	0	33	10	33	20	33.1	0	32.2	0	32.2	10
46	35	34	0	33.8	10	33.8	11.1	33.7	0	34	10	33.9	20	34	0	33	0	33	10
46.5	35	35	0	34.7	10	34.6	11.1	34.5	0	34.9	10	34.7	20	34.9	0	34	0	33.8	10
47	35	34.3	0	34.3	20	34.3	11.1	34.1	0	34.9	10	34.7	20	34.9	0	34.9	0	34.7	10
47.5	35	34.1	0	34.1	20	34.1	11.1	34.1	0	34.4	10	34.3	20	34.4	0	34.4	0	34.4	10
48	35	34.6	0	34.7	20	34.5	11.1	34	0	34.2	10	34.1	30	34.2	10	34.2	0	34.2	10
48.5	35	34.3	0	34.3	20	34.5	11.1	34.4	0	34.7	10	34.5	30	34.7	10	34.7	0	34.6	10
49	35	34.9	5.8	34.7	20	34.7	11.1	34.3	0	34.4	10	34.4	30	34.4	10	34.4	20	34.5	10
49.5	35	34.6	5.8	34.6	20	34.4	11.1	34.7	0	34.9	10	34.8	30	34.8	10	34.9	20	34.9	10
50	35	34.5	5.8	34.6	20	34.4	11.1	34.4	0	34.7	10	34.6	30	34.6	10	34.6	20	34.7	10
50.5	35	34.8	5.8	34.8	20	34.7	22.2	34.7	0	34.8	10	34.6	30	34.9	10	34.6	20	34.5	10
51	35	34.4	5.8	34.4	20	34.7	22.2	34.4	0	34.5	10	34.7	30	34.9	10	34.9	20	34.8	10
51.5	35	34.9	5.8	34.7	20	34.6	22.2	34.7	0	35.1	20	34.4	30	34.4	10	34.5	20	34.5	10

Response of Fish to Different Simulated Rates of Water Temperature Increase

Rate Experiment Data—Tanks 19-27

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
52	35	34.5	5.8	34.5	20	34.4	22.2	34.6	0	34.5	20	34.7	30	34.5	10	34.7	20	34.7	10
52.5	35	34	5.8	34.1	20	34	22.2	34.3	0	34.3	20	34.3	30	34.3	10	34.2	20	34.3	10
53	35	35	5.8	34.7	20	34.6	22.2	34.7	0	35	30	34.8	30	34.8	10	34.8	20	34.9	10
53.5	35	34.6	5.8	34.4	20	34.3	22.2	34.6	10	34.6	30	34.6	30	34.5	10	34.7	20	34.5	10
54	37.5	35.2	11.6	35	30	35	22.2	35.1	10	35.4	40	35.2	30	35.2	30	35.1	20	35.3	10
54.5	37.5	36.1	17.4	35.8	30	35.9	33.3	36	10	36.2	40	36.3	30	36.1	50	36.3	30	36.3	40
55	37.5	37.3	46.4	36.9	40	36.9	33.3	36.9	40	37.2	60	37.1	40	37	80	37	40	37.1	60
55.5	37.5	37.7	52.2	37.3	50	37.4	33.3	37.4	50	37.6	60	37.5	40	37.5	80	37.4	40	37.4	60
56	37.5	36.8	52.2	36.6	50	36.6	33.3	36.5	50	37	60	36.8	40	36.6	80	36.7	40	36.7	60
56.5	37.5	37.2	52.2	37	50	37.2	33.3	37	50	37.3	60	37.2	40	37.2	80	37	40	37.1	60
57	37.5	37.3	52.2	37.2	50	37.1	44.4	37.2	70	37.4	60	37.4	40	37.3	80	37.2	40	37.3	60
57.5	37.5	36.9	52.2	36.9	50	36.7	44.4	37	70	36.9	80	37.1	50	37	80	37.1	40	37.2	60
58	37.5	36.9	52.2	37	60	36.9	44.4	37	70	36.9	80	37	50	36.9	80	37	40	37.1	70
58.5	37.5	37	52.2	37.1	60	37	44.4	37.1	70	37.1	80	37.1	50	37.2	80	37.3	50	37.3	80
59	37.5	37	52.2	36.9	60	37	55.5	36.9	70	37.1	80	37.1	50	37	80	37	50	37.2	80
59.5	37.5	37	58	36.9	60	37	55.5	37	80	37.1	90	37.1	50	37	90	37	50	37	80
60	37.5	37.1	58	37.2	60	36.9	55.5	37	80	37.1	90	37	60	37	90	37.1	50	37.2	80
60.5	37.5	36.8	58	36.8	60	36.8	55.5	36.7	80	36.7	90	36.8	60	36.7	90	36.8	50	36.8	80
61	37.5	37.3	58	37.1	60	37.1	55.5	37	80	37.1	90	37.1	80	37	90	37.1	50	37.2	80
61.5	37.5	37.5	63.8	37.5	60	37.3	66.6	37.1	80	37.3	90	37.3	80	37.2	90	37.4	60	37.3	80
62	37.5	36.9	63.8	36.9	60	36.7	66.6	36.7	80	36.9	90	36.8	80	36.7	90	36.7	60	36.9	80
62.5	37.5	37.2	63.8	37.1	60	37.1	77.7	36.8	80	37.2	90	37	80	37	90	37.1	60	37.1	80
63	40	38	63.8	37.6	60	37.6	77.7	37.3	80	37.7	90	37.7	90	37.5	90	37.6	60	37.5	80
63.5	40	38.4	75.4	38.1	80	38.2	77.7	38	80	38.3	90	38.2	100	38.1	100	38.2	80	38.2	80
64	40	38.8	75.4	38.5	90	38.5	77.7	38.4	90	38.7	90	38.5	100	38.5	100	38.4	80	38.6	80
64.5	40	39.1	92.8	38.9	100	38.8	77.7	38.8	90	38.9	90	38.6	100	38.4	100	38.7	90	38.8	90
65	40	39.5	92.8	39.2	100	39.1	88.8	39	90	39.3	90	39	100	38.8	100	39.1	90	39.1	100
65.5	40	39.8	92.8	39.4	100	39.4	88.8	39.4	100	39.5	100	39.2	100	38.9	100	39.3	90	39.2	100
66	40	40	92.8	39.4	100	39.6	100	39.5	100	39.6	100	39.2	100	39.1	100	39.5	90	39.3	100
66.5	40	39.9	100	39.2	100	39.3	100	39.4	100	39.6	100	39.3	100	39.2	100	39.6	90	39.3	100
67	40	39.5	100	39.4	100	39.2	100	39.1	100	39.4	100	39.3	100	39.3	100	39.7	90	39.2	100
67.5	40	38.3	100	38.5	100	37.9	100	38.3	100	38.2	100	38.6	100	38.2	100	38.6	90	38.5	100
68	40	38.5	100	38.3	100	38.3	100	38.5	100	38.5	100	38.4	100	38.3	100	38.8	90	38.5	100
68.5	40	38.6	100	38.5	100	38.3	100	38.5	100	38.6	100	38.6	100	38.4	100	39.1	90	38.6	100
69	40	38.7	100	38.6	100	38.5	100	38.5	100	38.7	100	38.8	100	38.6	100	38.9	90	38.7	100
69.5	40	38.8	100	38.7	100	38.5	100	38.6	100	38.7	100	38.9	100	38.7	100	39.2	100	38.7	100
70	40	39.1	100	38.9	100	38.6	100	38.8	100	38.9	100	39	100	38.8	100	39.2	100	38.9	100
70.5	40	39	100	39	100	38.7	100	38.8	100	39	100	39.1	100	38.9	100	39.4	100	39	100
71	40	39.1	100	38.9	100	38.9	100	38.8	100	39.1	100	39.2	100	38.9	100	39.4	100	39.1	100
71.5	40	39.2	100	39.2	100	38.9	100	38.9	100	39.1	100	39.2	100	39	100	39.6	100	39.1	100
72	40	38.5	100	38.3	100	38.2	100	38.4	100	38.3	100	38.5	100	38.4	100	38.7	100	38.5	100

Rate Experiment Data—Tanks 28-36

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
0	22.5	20.1	0	20.1	0	19.8	0	20.1	0	20.1	0	19.8	0	19.8	0	19.5	0	19.5	0
0.5	22.5	21.2	0	20.7	0	20.8	0	20.8	0	20.6	0	20.5	0	20.3	0	20.6	0	20.4	0
1	22.5	23.1	0	22.7	0	22.8	0	22.6	0	22.5	0	22.2	0	22.1	0	22.5	0	22.4	0
1.5	22.5	23.5	0	22.9	0	23	0	22.9	0	22.8	0	22.4	0	22.5	0	22.7	0	22.5	0
2	22.5	23.2	0	22.6	0	22.8	0	22.7	0	22.6	0	22.3	0	22.2	0	22.3	0	22.2	0
2.5	22.5	22.6	0	21.8	0	22.1	0	21.8	0	21.6	0	21.5	0	21.5	0	21.4	0	21.4	0
3	22.5	22.7	0	22.1	0	22.2	0	22.2	0	21.9	0	21.5	0	21.4	0	21.7	0	21.7	0
3.5	22.5	22.7	0	21.7	0	22.2	0	21.8	0	21.7	0	21.2	0	21.5	0	21.3	0	21.3	0
4	22.5	22.4	0	21.6	0	21.8	0	21.6	0	21.5	0	21.4	0	21.4	0	21.5	0	21.3	0
4.5	22.5	23.7	0	22.8	0	22.9	0	22.6	0	22.5	0	22.4	0	22.4	0	22.6	0	22.5	0
5	22.5	23.2	0	22	0	22.2	0	22	0	21.8	0	21.6	0	21.6	0	21.7	0	21.6	0
5.5	22.5	23.1	0	22	0	22	0	21.9	0	21.8	0	21.6	0	21.5	0	21.6	0	21.7	0
6	22.5	23.5	0	22.7	0	22.9	0	22.6	0	22.6	0	22.3	0	22.4	0	22.4	0	22.3	0
6.5	22.5	23.1	0	22.4	0	22.5	0	22.1	0	22	0	21.7	0	21.8	0	21.8	0	21.6	0
7	22.5	22.7	0	22.1	0	22.1	0	21.9	0	21.6	0	21.4	0	21.4	0	21.5	0	21.5	0
7.5	22.5	23.4	0	22.7	0	22.7	0	22.3	0	22.1	0	22	0	22	0	22	0	22.1	0
8	22.5	23.3	0	22.5	0	22.7	0	22.4	0	22.2	0	21.9	0	21.9	0	22	0	21.9	0
8.5	22.5	22.8	0	21.9	0	22.1	0	21.8	0	21.6	0	21.5	0	21.5	0	21.5	0	21.4	0
9	22.5	23	0	22.1	0	22	0	21.9	0	21.7	0	21.5	0	21.3	0	21.5	0	21.5	0
9.5	22.5	23.8	0	23.2	0	23.1	0	22.9	0	22.5	0	22.4	0	22.4	0	22.6	0	22.5	0
10	22.5	23.7	0	23.1	0	23	0	22.7	0	22.5	0	22.3	0	22.4	0	22.4	0	22.3	0
10.5	22.5	23.8	0	23.1	0	23	0	22.5	0	22.3	0	22.1	0	22.3	0	22.4	0	22.1	0
11	22.5	23.7	0	23.1	0	23.1	0	22.8	0	22.4	0	22.2	0	22.3	0	22.5	0	22.5	0
11.5	22.5	23.9	0	23.4	0	23.4	0	23	0	22.7	0	22.4	0	22.6	0	22.5	0	22.5	0
12	22.5	23.9	0	23.2	0	23	0	22.7	0	22.4	0	22.2	0	22.3	0	22.4	0	22.3	0
12.5	22.5	23.5	0	22.9	0	22.7	0	22.5	0	22.3	0	22.2	0	22.1	0	22.2	0	22.2	0
13	22.5	23.8	0	22.8	0	22.6	0	22.4	0	22.2	0	22.1	0	22	0	22.1	0	22.1	0
13.5	22.5	23.5	0	22.6	0	22.5	0	22.4	0	22.1	0	22	0	22	0	22	0	22.1	0

Rate Experiment Data—Tanks 28-36

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
14	22.5	23.3	0	22.8	0	22.7	0	22.4	0	22.2	0	22	0	22	0	22.1	0	21.9	0
14.5	22.5	23.3	0	22.8	0	22.7	0	22.3	0	22.2	0	22	0	21.9	0	22	0	21.9	0
15	25	23.1	0	22.8	0	22.5	0	22.2	0	21.9	0	21.9	0	21.6	0	21.7	0	21.6	0
15.5	25	23.5	0	23.4	0	23.2	0	23	0	22.9	0	22.6	0	22.5	0	22.8	0	22.7	0
16	25	25.7	0	25.6	0	25.3	0	25.3	0	25.1	0	24.8	0	24.8	0	25	0	25	0
16.5	25	26.2	0	26	0	25.7	0	25.6	0	25.6	0	25.1	0	25.2	0	25.4	0	25.2	0
17	25	26	0	25.7	0	25.6	0	25.4	0	25.2	0	24.9	0	24.9	0	25.1	0	25	0
17.5	25	25.6	0	25.3	0	25.2	0	25	0	24.7	0	24.6	0	24.4	0	24.7	0	24.5	0
18	25	25.5	0	25.2	0	25	0	24.9	0	24.6	0	24.4	0	24.4	0	24.5	0	24.5	0
18.5	25	25.2	0	24.9	0	24.8	0	24.6	0	24.4	0	24.2	0	24.2	0	24.3	0	24.3	0
19	25	24.9	0	24.6	0	24.5	0	24.2	0	24.1	0	23.9	0	23.9	0	24	0	23.9	0
19.5	25	25	0	24.8	0	24.6	0	24.4	0	24.3	0	24.2	0	24.2	0	24.1	0	24.1	0
20	25	25.9	0	25.6	0	25.4	0	25.1	0	25.2	0	24.8	0	24.8	0	24.9	0	25	0
20.5	25	25.8	0	25.7	0	25.3	0	25.1	0	24.7	0	24.5	0	24.7	0	24.8	0	24.8	0
21	25	25.5	0	25.3	0	25.1	0	24.9	0	24.7	0	24.5	0	24.5	0	24.5	0	24.5	0
21.5	25	25.2	0	25	0	24.7	0	24.7	0	24.5	0	24.2	0	24.1	0	24.4	0	24.3	0
22	25	25	0	24.7	0	24.6	0	24.4	0	24.2	0	24	0	24	0	24.1	0	24.1	0
22.5	25	24.9	0	24.6	0	24.5	0	24.4	0	24.1	0	23.9	0	24	0	24.1	0	24	0
23	25	25.8	0	25.6	0	25.4	0	25.3	0	25.1	0	24.8	0	24.8	0	24.9	0	25	0
23.5	25	25.7	0	25.5	0	25.4	0	25.2	0	24.8	0	24.8	0	24.8	0	24.7	0	24.7	0
24	25	25.5	0	25.3	0	25.3	0	24.9	0	24.8	0	24.5	0	24.5	0	24.6	0	24.6	0
24.5	25	25.2	0	25	0	24.9	0	24.6	0	24.5	0	24.2	0	24.2	0	24.3	0	24.3	0
25	25	25.1	0	24.9	0	24.7	0	24.5	0	24.2	0	24.1	0	23.9	0	24.1	0	23.9	0
25.5	25	25.1	0	24.7	0	24.6	0	24.3	0	24.2	0	23.9	0	23.8	0	23.8	0	23.8	0
26	25	24.7	0	24.5	0	24.2	0	24.1	0	23.9	0	23.6	0	23.7	0	23.7	0	23.6	0
26.5	25	25.6	0	25.3	0	25.1	0	25	0	24.7	0	24.5	0	24.5	0	24.6	0	24.5	0
27	25	25.7	0	25.3	0	25.1	0	24.9	0	24.8	0	24.6	0	24.6	0	24.5	0	24.4	0
27.5	25	24.9	0	24.4	0	24.4	0	24.1	0	23.8	0	23.5	0	23.4	0	23.5	0	23.4	0
28	25	25.4	0	25.1	0	24.8	0	24.6	0	24.4	0	24.1	0	24.2	0	24.2	0	24.2	0
28.5	25	25.2	0	24.5	0	24.5	0	24.2	0	24.2	0	23.9	0	23.9	0	23.8	0	23.7	0
29	25	25.3	0	24.8	0	24.8	0	24.7	0	24.5	0	24.1	12.5	24.2	0	24.3	0	24.2	0
29.5	25	25.6	0	25.3	0	25	0	24.8	0	24.6	0	24.3	12.5	24.4	0	24.4	0	24.4	0
30	27.5	25.1	0	24.5	0	24.4	0	24.2	0	23.9	0	23.6	12.5	23.9	0	23.7	0	23.7	0
30.5	27.5	25.2	0	24.8	0	24.6	0	24.3	0	24.2	0	24	12.5	23.9	0	24	0	24	0
31	27.5	26.8	0	26.4	0	26.1	0	26	0	25.8	0	25.7	12.5	25.7	0	25.8	0	25.8	0
31.5	27.5	28	0	27.7	0	27.5	0	27.3	0	27	0	27	12.5	26.8	0	27	0	27	0
32	27.5	27.8	0	27.3	0	27.1	0	26.9	0	26.7	0	26.4	12.5	26.2	0	26.3	0	26.3	0
32.5	27.5	27.4	0	26.8	0	26.7	0	26.4	0	26.3	0	26.1	12.5	26	0	26.2	0	26.2	0

Rate Experiment Data--Tanks 28-36

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
33	27.5	28.2	0	27.6	0	27.5	0	27.3	0	27	0	26.5	12.5	26.8	0	26.8	0	26.8	0
33.5	27.5	27.8	0	27.1	0	26.9	0	26.8	0	26.6	0	26.3	12.5	26.3	0	26.4	0	26.4	0
34	27.5	28.3	0	28	0	27.7	0	27.4	0	27.1	0	26.9	12.5	26.8	0	27	0	27.1	0
34.5	27.5	28	0	27.3	0	27.2	0	26.9	0	26.6	0	26.4	12.5	26.5	0	26.6	0	26.6	0
35	27.5	27.6	0	27	0	26.7	0	26.6	0	26.4	0	26.2	12.5	26.2	0	26.2	0	26.2	0
35.5	27.5	28.2	0	27.5	0	27.4	0	27.1	0	26.9	0	26.6	12.5	26.7	0	26.9	0	26.8	0
36	27.5	27.4	0	26.9	0	26.7	0	26.4	0	26.3	0	26	12.5	26.1	0	26.1	0	26.1	0
36.5	27.5	27.9	0	27.4	0	27.1	0	27	0	26.8	0	26.6	12.5	26.4	0	26.8	0	26.7	0
37	27.5	27.8	0	27.2	0	27.1	0	26.9	0	26.6	0	26.4	12.5	26.4	0	26.6	0	26.5	0
37.5	27.5	27.9	0	27.6	0	27.4	0	27.2	0	27	0	26.9	12.5	26.8	0	26.6	0	26.9	0
38	27.5	27.5	0	26.9	0	26.7	0	26.6	0	26.4	0	26.1	12.5	26.2	0	26.4	0	26.4	0
38.5	27.5	27.8	0	27.3	0	27.1	0	27	0	26.8	0	26.7	12.5	26.6	0	26.8	0	26.8	0
39	27.5	27.8	0	27.1	0	27.1	0	26.9	0	26.8	0	26.5	12.5	26.6	0	26.6	0	26.6	0
39.5	27.5	27.4	0	27	0	26.7	0	26.5	0	26.4	0	26.2	12.5	26.2	0	26.2	0	26.2	0
40	27.5	28.1	0	27.9	0	27.5	0	27.4	0	27.2	0	26.8	12.5	27	0	27.2	0	27.2	0
40.5	27.5	27.7	0	27.2	0	27.2	0	27	0	26.9	0	26.4	12.5	26.4	0	26.6	0	26.5	0
41	27.5	27.1	0	26.8	0	26.7	0	26.6	0	26.4	0	26.1	12.5	26.1	0	26.3	0	26.2	0
41.5	27.5	28	0	27.7	0	27.6	0	27.5	0	27.3	0	27	12.5	27	0	27.2	0	27.1	0
42	27.5	27.6	0	27.3	0	27.1	0	26.9	0	26.6	0	26.6	12.5	26.4	0	26.6	0	26.5	0
42.5	27.5	27.5	0	27.1	0	27	0	26.8	0	26.7	0	26.4	12.5	26.4	0	26.6	0	26.6	0
43	27.5	28.1	0	27.8	0	27.6	0	27.4	0	27.2	0	26.9	12.5	26.8	0	27	0	26.9	0
43.5	27.5	27.4	0	27	0	26.8	0	26.6	0	26.3	0	26.2	12.5	26.2	0	26.2	0	26.2	0
44	27.5	27.4	0	27.2	0	26.8	0	26.8	0	26.6	0	26.3	12.5	26.3	0	26.5	0	26.4	0
44.5	27.5	27.9	0	27.4	0	27.4	0	27	0	26.9	0	26.7	12.5	26.6	0	26.7	0	26.7	0
45	30	27.3	0	26.9	0	26.9	0	26.5	0	26.4	0	26.3	12.5	26.2	0	26.3	0	26.2	0
45.5	30	28.5	0	28.1	0	27.8	0	27.7	0	27.6	0	27.2	12.5	27.2	0	27.5	0	27.4	0
46	30	29.7	0	29.4	0	29.2	0	29	0	29	0	28.6	12.5	28.6	0	28.9	0	28.8	0
46.5	30	29.9	0	29.7	0	29.4	0	29.2	0	29.2	0	28.8	12.5	28.8	0	28.9	0	28.9	0
47	30	30	0	29.9	0	29.5	0	29.5	0	29.2	0	28.9	12.5	29	0	29.2	0	29.3	0
47.5	30	30	0	29.8	0	29.5	0	29.4	0	29.2	0	28.8	12.5	29	0	29	0	29	0
48	30	29.8	0	29.6	0	29.3	0	29.2	0	29	0	28.7	12.5	28.7	0	28.9	0	28.9	0
48.5	30	30.1	0	29.9	0	29.8	0	29.6	0	29.5	0	29.1	12.5	29.1	0	29.4	0	29.1	0
49	30	29.7	0	29.4	0	29.2	9	29	0	28.8	0	28.6	12.5	28.6	0	28.7	0	28.6	0
49.5	30	30.1	0	29.8	0	29.7	9	29.6	0	29.4	0	29.2	12.5	29	0	29.3	0	29.2	0
50	30	30.1	0	29.7	0	29.4	9	29.2	0	29.1	0	28.9	12.5	28.8	0	29	0	28.9	0
50.5	30	30.2	0	29.9	0	29.7	9	29.5	0	29.4	0	29	12.5	29.1	0	29.2	0	29.1	0
51	30	30.2	0	29.9	0	29.7	9	29.5	0	29.3	0	29.1	12.5	29.1	0	29.3	0	29.2	0
51.5	30	30.1	0	29.8	0	29.6	9	29.4	0	29.2	0	28.9	12.5	29	0	29.1	0	29	0

Rate Experiment Data—Tanks 28-36

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
52	30	29.4	0	29	0	28.8	9	28.6	0	28.4	0	28.2	12.5	28.2	0	28.2	0	28.1	0
52.5	30	30.1	0	30	0	29.7	9	29.6	0	29.4	0	29	12.5	29	0	29.3	0	29.3	0
53	30	30.3	0	29.8	0	29.7	9	29.4	0	29.3	0	29	12.5	29.1	0	29.1	0	29.1	0
53.5	30	29.9	0	29.5	0	29.5	9	29.3	0	29.1	0	28.8	12.5	28.8	0	28.8	0	28.8	0
54	30	30.8	0	30.3	0	30.1	9	30	0	29.8	0	29.5	12.5	29.5	0	29.7	0	29.6	0
54.5	30	30.1	0	29.7	0	29.5	9	29.2	0	29.2	0	28.9	12.5	29	0	28.8	0	28.8	0
55	30	30	0	29.7	0	29.4	9	29.2	0	29.1	0	28.9	12.5	28.8	0	29	0	29	0
55.5	30	30.5	0	30.1	0	30	9	29.8	0	29.7	0	29.3	12.5	29.5	0	29.5	0	29.4	0
56	30	30.2	0	29.8	0	29.6	9	29.4	0	29.3	0	29.1	12.5	29	0	29.1	0	29	0
56.5	30	30.5	0	30.1	0	29.9	9	29.7	0	29.5	0	29.2	12.5	29.2	0	29.4	0	29.3	0
57	30	30	0	29.6	0	29.4	9	29.3	0	29.2	0	28.9	12.5	28.9	0	28.8	0	28.9	0
57.5	30	30.5	0	30.2	0	30	9	29.7	0	29.5	0	29.4	12.5	29.3	0	29.4	0	29.5	0
58	30	29.9	0	29.5	0	29.4	9	29.1	0	29	0	28.9	12.5	29	0	28.9	0	28.8	0
58.5	30	30.1	0	29.8	0	29.6	9	29.5	0	29.3	0	29	12.5	29.1	0	29.2	10	29.2	0
59	30	30.1	0	29.7	0	29.5	9	29.2	0	29.2	0	28.8	12.5	28.8	0	28.9	10	28.8	0
59.5	30	30.1	0	29.6	0	29.3	9	29.2	0	28.9	0	28.7	12.5	28.6	0	29	10	29	0
60	32.5	30.4	0	29.8	0	29.6	9	29.3	0	29.1	0	28.8	12.5	29	0	29.1	10	29	0
60.5	32.5	30.1	0	29.5	0	29.3	9	29.2	0	28.9	0	28.8	25	28.8	0	28.9	10	28.9	0
61	32.5	31.3	0	30.9	0	30.6	9	30.5	0	30.1	0	29.9	25	29.9	0	30.3	10	30.3	0
61.5	32.5	32.6	0	32.2	0	31.7	9	31.7	0	31.3	0	31.1	25	31.3	0	31.7	10	31.5	0
62	32.5	32.7	0	32.1	0	31.8	9	31.7	0	31.5	0	31.2	25	31.3	0	31.5	10	31.5	0
62.5	32.5	32.6	0	32.1	0	31.9	9	31.6	0	31.5	0	31.2	25	31.3	0	31.5	10	31.5	0
63	32.5	32	0	31.5	0	31.3	9	31	0	30.8	0	30.6	25	30.6	0	30.8	10	30.6	0
63.5	32.5	32.5	0	32	0	31.8	9	31.7	0	31.5	0	31.3	25	31.3	0	31.5	10	31.4	0
64	32.5	32.7	0	32.4	0	32.2	9	32	0	31.9	0	31.5	25	31.5	0	31.7	10	31.6	0
64.5	32.5	32.1	0	31.7	0	31.5	9	31.5	0	31.2	0	30.9	25	30.9	0	31.2	10	31.1	0
65	32.5	32.7	0	32.4	0	32.1	9	32.1	0	31.9	0	31.6	25	31.6	0	31.8	10	31.8	0
65.5	32.5	32.2	0	31.9	0	31.6	9	31.5	0	31.4	0	31	25	31.1	0	31.3	10	31.1	0
66	32.5	32.4	0	32.3	0	32	9	31.9	0	31.8	0	31.4	25	31.4	0	31.7	10	31.6	0
66.5	32.5	32.3	0	32.1	0	31.9	9	31.8	0	31.5	0	31.2	25	31.2	0	31.4	10	31.4	0
67	32.5	32.6	0	32.4	0	32.2	9	32.1	0	31.8	0	31.6	25	31.6	0	31.9	10	31.7	0
67.5	32.5	32.5	0	32.3	0	32	9	31.9	0	31.7	0	31.5	25	31.4	0	31.5	10	31.4	0
68	32.5	31.9	0	31.9	0	31.5	9	31.6	0	31.3	0	30.8	25	31.1	0	31.2	10	31.1	0
68.5	32.5	32.7	0	32.3	0	32.2	9	31.9	0	31.8	0	31.6	25	31.5	0	31.7	10	31.7	0
69	32.5	32.1	0	31.9	0	31.8	9	31.5	0	31.5	0	31.1	25	31.1	0	31.3	10	31.1	0
69.5	32.5	32.6	0	32.5	0	32.1	9	32	0	31.7	0	31.6	25	31.7	0	31.8	10	31.7	0
70	32.5	32	0	31.8	0	31.6	18	31.4	0	31.4	0	30.8	25	31	0	31	10	31	0

Rate Experiment Data—Tanks 28-36

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
70.5	32.5	32.7	0	32.4	0	32.2	18	32.1	0	32	0	31.7	25	31.7	0	32	10	31.9	11.1
71	32.5	32.6	0	32.3	0	32.2	18	31.9	0	31.8	0	31.6	25	31.6	0	31.7	10	31.6	11.1
71.5	32.5	31.8	0	31.7	0	31.5	18	31.3	0	31.2	0	31.1	25	31.1	0	31.1	10	31.1	11.1
72	32.5	32.7	0	32.5	0	32.2	18	32	0	32	0	31.7	25	31.7	0	31.9	10	31.8	11.1
72.5	32.5	32.3	0	31.9	0	31.7	18	31.5	0	31.5	0	31.2	25	31.3	0	31.4	10	31.2	11.1
73	32.5	32.5	0	32.4	0	31.9	18	32	0	31.6	0	31.5	25	31.5	0	31.7	10	31.7	11.1
73.5	32.5	32	0	31.7	0	31.5	18	31.4	0	31.2	0	31	25	31	0	31.1	10	30.9	11.1
74	32.5	32.3	0	32	0	31.8	18	31.7	0	31.6	10	31.2	25	31.3	0	31.5	10	31.5	11.1
74.5	32.5	32.6	0	32.3	0	31.9	18	31.9	0	31.5	10	31.3	25	31.3	0	31.6	10	31.4	11.1
75	35	32.4	0	32	0	31.8	18	31.7	0	31.5	10	31.2	25	31.2	0	31.4	10	31.4	11.1
75.5	35	33.5	0	33.1	0	32.7	18	32.6	0	32.5	10	32.1	25	32	0	32.4	10	32.3	11.1
76	35	34	0	33.8	0	33.6	18	33.4	0	33.3	10	33	25	32.9	0	33.3	10	33.3	11.1
76.5	35	34.9	0	34.4	0	34.2	18	34.1	0	33.9	10	33.6	25	33.7	10	34	10	33.9	11.1
77	35	35.4	0	35.1	0	34.7	18	34.6	0	34.5	10	34.2	25	34.4	10	34.6	10	34.5	11.1
77.5	35	34.8	0	34.4	0	34.2	18	34	0	33.7	10	33.5	25	33.5	10	33.7	10	33.5	11.1
78	35	34.7	0	34.6	0	34.2	18	34.1	0	34	10	33.6	25	33.5	10	34	10	33.8	11.1
78.5	35	35.2	0	34.9	0	34.6	18	34.6	0	34.4	10	34.1	25	33.4	10	34.4	20	34.3	11.1
79	35	34.7	0	34.4	0	34.1	18	33.9	0	33.6	10	33.4	25	33.4	10	33.6	20	33.6	11.1
79.5	35	35.2	0	34.7	0	34.4	18	34.3	0	34.2	20	33.9	25	33.9	10	34.2	20	34	11.1
80	35	35.3	0	34.8	0	34.5	18	34.3	0	34.2	20	33.9	25	34	10	34.2	20	34.1	11.1
80.5	35	35	5.6	34.5	10	34.1	18	34.1	0	34	20	33.7	25	33.7	10	34	20	33.9	11.1
81	35	35.2	5.6	34.8	10	34.5	18	34.4	0	34.2	20	33.9	25	34.1	10	34.3	30	34.2	11.1
81.5	35	35	5.6	34.5	10	34.1	18	34	0	33.9	20	33.7	25	33.7	10	34	30	33.8	22.2
82	35	35.4	5.6	34.8	10	34.5	18	34.5	0	34.3	20	34.1	25	34.1	10	34.4	30	34.3	22.2
82.5	35	34.6	5.6	34	10	33.9	18	33.6	0	33.5	20	33.3	25	33.4	10	33.4	30	33.5	22.2
83	35	35	5.6	34.5	10	34.2	18	34.2	0	34.1	20	33.7	25	33.8	10	34.1	30	34	22.2
83.5	35	35.4	5.6	34.9	10	34.6	18	34.5	0	34.4	20	34.1	25	34.1	10	34.4	30	34.3	22.2
84	35	34.7	5.6	34.2	10	34	18	33.8	0	33.6	30	33.5	25	33.5	10	33.6	40	33.7	22.2
84.5	35	35.2	5.6	34.7	10	34.4	18	34.3	0	34.2	30	33.9	25	33.9	10	34.2	40	34.1	22.2
85	35	35	5.6	34.6	10	34.3	18	34.2	0	34.2	40	33.9	25	33.8	10	34.2	50	34.2	22.2
85.5	35	35.2	5.6	34.7	10	34.5	18	34.3	0	34.2	40	34	25	33.9	10	34.2	50	34.2	22.2
86	35	34.9	5.6	34.5	10	34	27	34.1	0	33.9	40	33.6	25	33.6	10	33.9	50	33.9	22.2
86.5	35	35.1	5.6	34.7	10	34.6	27	34.5	0	34.4	40	34.1	37.5	34.1	10	34.4	50	34.3	22.2
87	35	34.5	5.6	34.2	10	33.8	27	33.7	11	33.7	40	33.6	37.5	33.3	10	33.6	50	33.5	22.2
87.5	35	34.6	5.6	34.3	10	34	27	33.9	11	33.8	40	33.6	37.5	33.6	10	33.9	50	33.7	22.2
88	35	35.3	5.6	34.8	10	34.5	27	34.5	11	34.3	40	34	37.5	33.9	10	34.4	50	34.1	22.2
88.5	35	34.4	5.6	33.9	10	33.8	27	33.6	11	33.5	50	33.5	37.5	33.4	10	33.6	50	33.3	22.2

Rate Experiment Data—Tanks 28-36

60

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
89	35	34.6	5.6	34.3	10	34.1	27	33.9	11	33.8	50	33.6	37.5	33.7	10	33.8	50	33.9	22.2
89.5	35	35.2	5.6	34.8	10	34.5	27	34.4	11	34.2	50	34.1	37.5	34	10	34.3	50	34.3	22.2
90	37.5	34.9	5.6	34.5	10	34.2	27	34	11	33.9	50	33.7	37.5	33.7	10	34	50	33.9	22.2
90.5	37.5	34.4	5.6	34.1	10	33.7	27	33.7	11	33.6	50	33.3	37.5	33.3	10	33.5	50	33.5	22.2
91	37.5	35	5.6	34.6	10	34.3	27	34.3	11	34.1	50	33.8	37.5	33.9	10	34.2	50	34	22.2
91.5	37.5	35.4	5.6	35.1	10	34.8	27	34.8	11	34.6	50	34.3	37.5	34.3	10	34.6	50	34.6	22.2
92	37.5	35.7	11.1	35.3	20	35	27	35	11	34.9	50	34.6	37.5	34.6	20	35	60	34.9	22.2
92.5	37.5	36.1	11.1	35.8	20	35.5	27	35.5	11	35.4	50	35.1	37.5	35.1	20	35.2	60	35.3	22.2
93	37.5	36.4	16.6	36.1	50	35.8	27	35.8	11	35.6	50	35.3	37.5	35.4	20	35.5	70	35.5	33.3
93.5	37.5	36.6	16.6	36.3	50	36	27	36	22	35.9	50	35.7	37.5	35.6	20	35.7	80	35.6	33.3
94	37.5	36.8	16.6	36.3	50	36	27	36.1	22	35.9	50	35.7	37.5	35.7	20	35.9	80	35.9	33.3
94.5	37.5	37	16.6	36.6	50	36.2	27	36.1	22	36	50	35.8	37.5	35.8	20	36	90	36	33.3
95	37.5	37.1	16.6	36.8	50	36.5	27	36.5	44	36.6	50	36.2	37.5	36.3	20	36.4	90	36.3	33.3
95.5	37.5	37.3	22.2	36.8	60	36.4	27	36.4	44	36.4	50	36.1	37.5	36.1	20	36.5	90	36.3	33.3
96	37.5	37.1	22.2	36.7	70	36.7	27	36.8	55	36.6	50	36.4	37.5	36.4	20	36.8	90	36.7	44.4
96.5	37.5	37.3	27.7	36.9	70	36.7	36	36.8	66	36.7	50	36.4	62	36.5	20	36.9	90	36.7	55.5
97	37.5	37.3	38.8	37	70	36.8	36	36.8	66	36.7	50	36.4	62	36.5	20	36.9	90	36.6	55.5
97.5	37.5	37.3	38.8	37.2	70	36.8	36	36.9	66	36.9	50	36.4	62	36.5	20	36.9	90	36.7	55.5
98	37.5	37.4	49.9	37	70	36.7	45	36.8	66	36.7	50	36.3	62	36.4	20	36.8	90	36.7	55.5
98.5	37.5	37.6	49.9	37.3	70	37	54	37	66	36.8	60	36.5	62	36.5	20	36.8	90	36.7	55.5
99	37.5	37.6	55.5	37.4	70	37.1	63	37	66	36.8	60	36.5	62	36.5	30	36.9	90	36.6	55.5
99.5	37.5	37.4	55.5	37	70	36.9	63	36.7	66	36.5	60	36.3	62	36.3	30	36.6	90	36.4	55.5
100	37.5	37	55.5	36.5	70	36.1	63	36.1	66	36	60	35.6	62	35.7	30	36.1	90	35.8	55.5
100.5	37.5	37.1	55.5	36.6	70	36.2	63	36.4	66	36.1	60	36	62	35.9	30	36.1	90	36.2	55.5
101	37.5	37.4	66.6	36.7	70	36.7	63	36.4	77	36.5	60	36.1	62	36.2	40	36.5	90	36.4	55.5
101.5	37.5	37.4	66.6	37	70	36.8	72	36.7	88	36.5	60	36.3	62	36.3	40	36.7	90	36.5	55.5
102	37.5	37.6	66.6	37.2	70	36.9	72	36.9	88	36.8	60	36.5	62	36.5	40	36.8	90	36.7	55.5
102.5	37.5	37.8	72.1	37.3	70	37	72	37	88	36.8	70	36.5	62	36.7	40	36.8	90	36.7	55.5
103	37.5	37	72.1	36.5	80	36.1	81	36.2	88	35.9	70	35.7	62	35.8	50	35.9	90	36	66.6
103.5	37.5	37.1	72.1	36.4	80	36.4	81	36.3	88	36.1	70	35.9	62	35.9	50	36.2	90	35.9	66.6
104	37.5	37.6	72.1	36.9	80	36.7	81	36.6	88	36.4	70	36.1	74.5	36.3	60	36.5	90	36.4	66.6
104.5	37.5	37.8	77.7	37.2	80	36.9	90	36.8	88	36.7	70	36.4	74.5	36.5	60	36.8	100	36.7	66.6
105	40	37.5	77.7	37	80	36.7	90	36.5	88	36.4	70	36.2	74.5	36.3	70	36.3	100	36.4	66.6
105.5	40	37.5	77.7	36.7	80	36.4	90	36.6	88	36.3	70	35.9	87	36.2	70	36.1	100	36.1	66.6
106	40	37.9	77.7	37.3	80	37	90	36.8	100	36.7	70	36.5	87	36.7	80	36.3	100	36.6	66.6
106.5	40	37	83.2	36.6	80	36.5	90	36.1	100	36.2	70	36	100	36.1	80	35.9	100	36.2	77.7
107	40	38.3	83.2	38	80	37.7	90	37.2	100	37.3	70	37	100	37.2	80	37	100	37.3	77.7

Rate Experiment Data—Tanks 28-36

Time	Set T	Tank 1		Tank 2		Tank 3		Tank 4		Tank 5		Tank 6		Tank 7		Tank 8		Tank 9	
		Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort	Temp	%Mort
107.5	40	38.4	83.2	38	80	37.6	90	37.1	100	37.3	70	36.8	100	37.1	80	37	100	37.2	88.8
108	40	38.3	94.3	38	80	37.8	100	37.3	100	37.5	80	36.9	100	37.3	80	37.1	100	37.1	88.8
108.5	40	38.4	94.3	38	80	37.7	100	37.3	100	37.5	80	36.9	100	37.3	80	37	100	37.4	88.8
109	40	38.2	94.3	38.1	100	37.5	100	37.2	100	37.4	80	36.9	100	37.3	80	37.1	100	37.5	88.8

Appendix C

Rate Experiment Logits

RowNum	Expt	TTCum Deaths	Deaths	Num @ Risk	q	p	
1	1	22.5	0	0	72	0.005	0.995
2	1	25	0	0	72	0.005	0.995
3	1	27.5	0	0	72	0.005	0.995
4	1	30	0	0	72	0.005	0.995
5	1	32.5	0	0	72	0.005	0.995
6	1	35	6	6	72	0.08333333	0.91666667
7	1	37.5	35	29	66	0.43939394	0.56060606
8	1	40	72	37	37	0.995	0.005
9	2	22.5	0	0	95	0.005	0.995
10	2	25	1	1	95	0.01052632	0.98947368
11	2	27.5	1	0	94	0.005	0.995
12	2	30	3	2	94	0.0212766	0.9787234
13	2	32.5	4	1	92	0.01086957	0.98913043
14	2	35	5	1	91	0.01098901	0.98901099
15	2	37.5	19	14	90	0.15555556	0.84444444
16	2	40	95	76	76	0.995	0.005
17	2	22.5	0	0	87	0.005	0.995
18	3	25	0	0	87	0.005	0.995
19	3	27.5	1	1	87	0.01149425	0.98850575
20	3	30	1	0	86	0.005	0.995
21	3	32.5	2	1	86	0.01162791	0.98837209
22	3	35	5	3	85	0.03529412	0.96470588
23	3	37.5	19	14	82	0.17073171	0.82926829
24	3	40	87	68	68	0.995	0.005

Acclimation Experiment Logits

RowNum	Expt	TTCum Deaths	Deaths	Num @ Risk	q	p	
1	1	22	0	0	94	0.005	0.995
2	1	24	0	0	94	0.005	0.995
3	1	26	1	1	94	0.0106383	0.9893617
4	1	28	2	1	93	0.01075269	0.98924731
5	1	30	2	0	92	0.005	0.995
6	1	32	3	1	92	0.01086957	0.98913043
7	1	34	6	3	91	0.03296703	0.96703297
8	1	36	10	4	88	0.04545455	0.95454545
9	1	38	94	84	84	0.36904762	0.63095238
10	2	17	0	0	90	0.005	0.995
11	2	19	0	0	90	0.005	0.995
12	2	21	0	0	90	0.005	0.995
13	2	23	0	0	90	0.005	0.995
14	2	25	0	0	90	0.005	0.995
15	2	28	0	0	90	0.005	0.995
16	2	30	0	0	90	0.005	0.995
17	2	32	2	2	90	0.02222222	0.97777778
18	2	34	6	4	88	0.04545455	0.95454545
19	2	36	9	3	84	0.03571429	0.96428571
20	2	38	28	19	81	0.2345679	0.7654321
21	2	39	90	62	62	0.995	0.005
22	3	27	0	0	90	0.005	0.995
23	3	29	1	1	90	0.01111111	0.98888889
24	3	31	2	1	89	0.01123596	0.98876404
25	3	33	4	2	88	0.02272727	0.97727273
26	3	35	6	2	86	0.02325581	0.97674419
27	3	37	8	2	84	0.02380952	0.97619048
28	3	39	90	82	82	0.995	0.005
29	4	32	0	0	90	0.005	0.995
30	4	34	1	1	90	0.01111111	0.98888889
31	4	36	3	2	89	0.02247191	0.97752809
32	4	38	12	9	87	0.10344828	0.89655172
33	4	40	90	78	78	0.995	0.005

END

DATE
FILMED

12 / 7 / 92