FIRST QUARTER 1992

F-AREA SEEPAGE BASINS GROUNDWATER MONITORING REPORT (U)

KEY WORDS

FASB
FSB wells
hazardous waste
nitrate
tritium

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

PUBLICATION DATE: JUNE 1992

Authorized Derivative Classifier:

M. Q. Ebra

C. T. Mayson

WESTINGHOUSE SAVANNAH RIVER COMPANY
SAVANNAH RIVER SITE
AIKEN, SC 29808

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

JP

**F-AREA SEEPAGE BASINS GROUNDWATER MONITORING
REPORT (U) - FIRST QUARTER 1992**

by WSRC Contact - C. Y. Thompson

Westinghouse Savannah River Company
Savannah River Site
Aiken, South Carolina 29808

Other Authors:

This paper was prepared in connection with work done under Contract No. DE-AC09-89SR18035 with the U. S. Department of Energy. By acceptance of this paper, the publisher and/or recipient acknowledges the U. S. Government's right to retain a nonexclusive, royalty-free license in and to any copyright covering this paper, along with the right to reproduce and to authorize others to reproduce all or part of the copyrighted paper.

MASTER

DEC 17 1992

Abstract

During first quarter 1992, tritium, nitrate, nonvolatile beta, total alpha-emitting radium (radium-224 and radium-226), gross alpha, lead, cadmium, sulfate, mercury, antimony, radium-228, thallium, trichloroethylene, and uranium exceeded the U.S. Environmental Protection Agency Primary Drinking Water Standards (PDWS) in groundwater samples from monitoring wells at the F-Area Seepage Basins (FASB). Tritium and nitrate were the most widespread constituents; 58 (67%) of the 86 monitored wells exhibited tritium activities and 40 (47%) wells contained nitrate concentrations that exceeded the PDWS. These two constituents were found primarily in Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean). Tritium activities exceeding the PDWS occurred in 8 (44%) of the 18 Aquifer Unit IIA (Congaree) wells. The highest tritium activity and the highest nitrate concentration were found in Aquifer Zone IIB₂ (Water Table).

Forty-nine downgradient Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean) wells contained levels of tritium, gross alpha, nitrate, nonvolatile beta, total alpha-emitting radium, lead, cadmium, sulfate, mercury, antimony, radium-228, thallium, trichloroethylene, or uranium that exceeded the PDWS during first quarter 1992. Upgradient wells FSB 76C and 108D did not contain elevated levels of any of these constituents; however, upgradient wells FSB 99D and 109D exhibited tritium activities that exceeded the PDWS.

Six downgradient Aquifer Unit IIA wells (upper portion of the Congaree) contained levels of tritium and one of these wells contained concentrations of nitrate that exceeded the PDWS; upgradient well FSB 78B exhibited elevated tritium. No constituents exceeded the PDWS in downgradient wells in Aquifer Unit IIA (lower portion of the Congaree); however, upgradient well FSB 78A contained elevated tritium.

Contents

	Page
Abstract	iii
List of Figures	vii
List of Tables	x
Executive Summary	1
Introduction	3
Description of Facilities	3
Hydrostratigraphic Units	4
Monitoring Well Nomenclature	4
Discussion	5
Integrity of the Monitoring Well Network	5
Groundwater Monitoring Data	6
Analytical Results Exceeding Standards	6
Tritium, Nitrate, and pH Time-Trend Data	7
Water Levels	8
Groundwater Flow Rates and Directions	9
Upgradient Versus Downgradient Results	10
Conclusions	12
Errata	14
References Cited	15
Appendix A—Primary Drinking Water Standards	A-1
Appendix B—Flagging Criteria	B-1
Appendix C—Figures	C-1
Appendix D—Groundwater Monitoring Results Tables	D-1
Appendix E—Time Series Plots	E-1
Appendix F—Hydrographs	F-1

List of Figures

	Page
1. Site-Specific Hydrostratigraphic Nomenclature	C-2
2. Regional Correlation of Hydrostratigraphic and Lithostratigraphic Nomenclatures	C-3
3. Location of the F-Area Seepage Basins at the Savannah River Site	C-4
4. Location of the Groundwater Monitoring Wells at the F-Area Seepage Basins	C-5
5. Location of Aquifer Zone IIB ₂ (Water Table) Monitoring Wells at the F-Area Seepage Basins	C-6
6. Location of Aquifer Zone IIB ₁ (Barnwell/McBean) Monitoring Wells at the F-Area Seepage Basins	C-7
7. Location of Upper Portion of Aquifer Unit IIA (Congaree) Monitoring Wells at the F-Area Seepage Basins	C-8
8. Location of Lower Portion of Aquifer Unit IIA (Congaree) Monitoring Wells at the F-Area Seepage Basins	C-9
9. Tritium Activities in Aquifer Zone IIB ₂ (Water Table) at the F-Area Seepage Basins, First Quarter 1992	C-10
10. Nitrate Concentrations in Aquifer Zone IIB ₂ (Water Table) at the F-Area Seepage Basins, First Quarter 1992	C-11
11. Gross Alpha Activities in Aquifer Zone IIB ₂ (Water Table) at the F-Area Seepage Basins, First Quarter 1992	C-12
12. Nonvolatile Beta Activities in Aquifer Zone IIB ₂ (Water Table) at the F-Area Seepage Basins, First Quarter 1992	C-13
13. Tritium Activities in Aquifer Zone IIB ₁ (Barnwell/McBean) at the F-Area Seepage Basins, First Quarter 1992	C-14
14. Nitrate Concentrations in Aquifer Zone IIB ₁ (Barnwell/McBean) at the F-Area Seepage Basins, First Quarter 1992	C-15
15. Gross Alpha Activities in Aquifer Zone IIB ₁ (Barnwell/McBean) at the F-Area Seepage Basins, First Quarter 1992	C-16

16.	Nonvolatile Beta Activities in Aquifer Zone IIB ₁ (Barnwell/McBean) at the F-Area Seepage Basins, First Quarter 1992	C-17
17.	Tritium Activities in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992	C-18
18.	Nitrate Concentrations in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992	C-19
19.	Gross Alpha Activities in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992	C-20
20.	Nonvolatile Beta Activities in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992	C-21
21.	Tritium Activities in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992	C-22
22.	Nitrate Concentrations in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992	C-23
23.	Gross Alpha Activities in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992	C-24
24.	Nonvolatile Beta Activities in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992	C-25
25.	Lead Concentrations in Aquifer Zone IIB ₂ (Water Table) at the F-Area Seepage Basins, First Quarter 1992	C-26
26.	Cadmium Concentrations in Aquifer Zone IIB ₂ (Water Table) at the F-Area Seepage Basins, First Quarter 1992	C-27
27.	Lead Concentrations in Aquifer Zone IIB ₁ (Barnwell/McBean) at the F-Area Seepage Basins, First Quarter 1992	C-28
28.	Cadmium Concentrations in Aquifer Zone IIB ₁ (Barnwell/McBean) at the F-Area Seepage Basins, First Quarter 1992	C-29
29.	Lead Concentrations in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992	C-30
30.	Cadmium Concentrations in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992	C-31
31.	Lead Concentrations in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992	C-32

32.	Cadmium Concentrations in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992	C-33
33.	Specific Conductance in Aquifer Zone IIB ₂ (Water Table) at the F-Area Seepage Basins, First Quarter 1992	C-34
34.	pH Levels in Aquifer Zone IIB ₂ (Water Table) at the F-Area Seepage Basins, First Quarter 1992	C-35
35.	Specific Conductance in Aquifer Zone IIB ₁ (Barnwell/McBean) at the F-Area Seepage Basins, First Quarter 1992	C-36
36.	pH Levels in Aquifer Zone IIB ₁ (Barnwell/McBean) at the F-Area Seepage Basins, First Quarter 1992	C-37
37.	Specific Conductance in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992	C-38
38.	pH Levels in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992	C-39
39.	Specific Conductance in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992	C-40
40.	pH Levels in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992	C-41
41.	Piezometric Surface Map of Aquifer Zone IIB ₂ (Water Table) at the F-Area Seepage Basins	C-42
42.	Potentiometric Surface Map of Aquifer Zone IIB ₁ (Barnwell/McBean) at the F-Area Seepage Basins	C-43
43.	Potentiometric Surface Map of Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins	C-44
44.	Potentiometric Surface Map of Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins	C-45

List of Tables

	Page
1. Constituents Exceeding the Primary Drinking Water Standards	D-3
2. Constituents Exceeding Half the Primary Drinking Water Standards or Other Flag 1 or Flag 2 Criteria	D-9
3. Groundwater Monitoring Results for Individual Wells	D-16

Executive Summary

In 1955, three F-Area Seepage Basins (FASB) were constructed to contain wastewater from the F-Area Separations Facility at the Savannah River Site (SRS). These unlined, hydraulically connected basins received wastewater that typically contained elevated amounts of nitrate, tritium, and other constituents until they were closed in November 1988. As a result of this operation, the groundwater at the FASB contains elevated levels of low-level radionuclides and other constituents. In December 1990, SRS submitted a Resource Conservation and Recovery Act (RCRA) Part B Post-Closure Care Permit application (WSRC, 1990), which includes an implementable plan for groundwater remediation, to the South Carolina Department of Health and Environmental Control (SCDHEC).

Currently, 86 wells monitor the groundwater in the uppermost aquifer beneath the FASB as required by South Carolina Hazardous Waste Management Regulations. The wells are sampled and analyzed quarterly for certain indicator parameters, heavy metals, radionuclides, and other constituents. This groundwater quality assessment report describes the monitoring results that exceeded the U.S. Environmental Protection Agency Primary Drinking Water Standards (PDWS) and the SRS flagging criteria for first quarter 1992. This report is prepared as required by RCRA and Administrative Consent Order 85-70-SW and submitted to SCDHEC 90 days after the end of each quarter.

During first quarter 1992, tritium, nitrate, nonvolatile beta, total alpha-emitting radium (radium-224 and radium-226), gross alpha, lead, cadmium, sulfate, mercury, antimony, radium-228, thallium, trichloroethylene, and uranium exceeded the PDWS at one or more wells at the FASB. As in previous quarters, tritium and nitrate were the primary constituents detected in the groundwater. Of the 86 monitoring wells, 58 (67%) exhibited tritium activities and 40 (47%) contained nitrate concentrations that exceeded the PDWS. These two constituents were found primarily in Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean). Tritium activities exceeding the PDWS occurred in 8 (44%) of the 18 Aquifer Unit IIA (Congaree) wells. The highest tritium activity occurred in Aquifer Zone IIB₂ (Water Table) well FSB105DR (3.3E+04 pCi/mL). The highest nitrate concentration was found in Aquifer Zone IIB₂ (Water Table) well FSB 94DR (420,000 µg/L).

Historically, lead, cadmium, and mercury have been the primary heavy metals exhibiting elevated concentrations at the FASB. During first quarter 1992, lead was elevated in 8 wells in Aquifer Zone IIB₂ (Water Table) (FSB 76, 77, 78, 90D, 93D, 95DR, 97D, and 98D), 2 wells in Aquifer Zone IIB₁ (Barnwell/McBean) (FSB 78C and 97C), and no wells in Aquifer Unit IIA (Congaree). Cadmium was elevated in 7 wells (FSB 77, 78, 91D, 92D, 93D, 98D, and 104D) in Aquifer Zone IIB₂ (Water Table) and 7 wells (FSB 78C, 79C, 94C, 95CR, 105C, 106C, and 112C) in Aquifer Zone IIB₁ (Barnwell/McBean). Mercury was elevated in only 2 wells (FSB 89D and 94DR) in Aquifer Zone IIB₂ (Water Table).

Groundwater flow in Aquifer Zone IIB₂ (Water Table) is south-southwest, and flow in Aquifer Zone IIB₁ (Barnwell/McBean) is southwest toward Four Mile Creek. Flow in the upper portion of Aquifer Unit IIA (Congaree) is northwest and in the lower portion of Aquifer Unit IIA (Congaree) is north-northwest toward Upper Three Runs Creek. Estimated flow rates are

approximately 150, 110, 370, and 250 ft/yr in Aquifer Zone IIB₂ (Water Table), Aquifer Zone IIB₁ (Barnwell/McBean), the upper portion of Aquifer Unit IIA (Congaree), and the lower portion of Aquifer Unit IIA (Congaree), respectively.

One or more of the 49 downgradient Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean) wells contained levels of tritium, gross alpha, nitrate, nonvolatile beta, total alpha-emitting radium, lead, cadmium, sulfate, mercury, antimony, radium-228, thallium, trichloroethylene, or uranium that exceeded the PDWS during first quarter 1992. Upgradient wells FSB 76C and 108D did not contain elevated levels of any of these constituents; however, upgradient wells FSB 99D and 109D exhibited tritium activities that exceeded the PDWS.

Six downgradient Aquifer Unit IIA wells (upper portion of the Congaree) contained elevated levels of tritium and one well contained elevated concentrations of nitrate; these elevated constituents were not found in upgradient wells FSB 76B, 79B, 96AR, and 98AR. However, upgradient well FSB 78B exhibited elevated tritium. No constituents exceeded the PDWS in downgradient wells in Aquifer Unit IIA (lower portion of the Congaree); however, upgradient well FSB 78A contained elevated tritium.

Introduction

Description of Facilities

The F-Area Seepage Basins (FASB) at the Savannah River Site (SRS) (Figure 3, Appendix C) began operating in 1955 to replace the Old F-Area Seepage Basin. These unlined, hydraulically connected basins primarily received wastewater that included low-level radioactivity and chemicals from the F-Area Separations Facility. The wastewater typically contained elevated amounts of nitrate and tritium. Primary sources for this wastewater included the nitric acid recovery overheads, the general purpose evaporator overheads, overheads from several other process evaporators, cooling water from the tritium facilities, and retention basin transfers (Heffner and Exploration Resources, 1991).

The basins allowed the wastewater either to evaporate or to percolate into the underlying soils where some of the waste constituents were removed from the water by interaction with the soils. However, tritium does not interact with the soils but instead continues to migrate downward into the groundwater. Some of the tritium in groundwater decays before reaching surface water. The half-life of tritium is 12.26 years.

Use of the FASB was discontinued on November 7, 1988, and the basins were closed in 1988 as required by the South Carolina Hazardous Waste Management Regulations (SCDHEC, 1988). The Resource Conservation and Recovery Act (RCRA) Part B Post-Closure Care Permit application submitted by SRS in April 1988 proposed alternate concentration limits (ACL) for hazardous constituents in lieu of groundwater remediation. The original ACL demonstration was denied, and SRS conducted an extensive hydrogeologic investigation and research of remediation techniques in order to prepare a groundwater remediation program at the FASB. On December 3, 1990, SRS submitted a RCRA Part B Post-Closure Care Permit application (WSRC, 1990), which includes an implementable plan for groundwater remediation, to the South Carolina Department of Health and Environmental Control (SCDHEC). A baseline risk assessment has been submitted with a feasibility study in the integrated RCRA/Comprehensive Environmental Response, Compensation, and Liability Act program.

A low-permeability cap has been constructed over the FASB. The activities for the cap consist of stabilizing basin sediments, backfilling the basin excavations with clean soils, compacting the filled areas, and installing a multilayer cap over each basin. A final cover has been constructed over each basin that will provide long-term minimization of the migration of liquids through the closed impoundment, function with minimum maintenance, promote drainage and minimize erosion or abrasion of the final cover, accommodate settling and subsidence so that cover integrity is maintained, and maintain a permeability less than or equal to the permeability of the natural soils.

The groundwater at the FASB contains elevated concentrations of tritium, nitrate, cadmium, nonvolatile beta, gross alpha, lead, and other constituents from the 30 years of operation of the FASB. Tritium and nitrate are the primary constituents and are mainly exhibited in Aquifer Zones IIB₂ (Water Table) and IIB₁ (Barnwell/McBean) of the uppermost aquifer.

Hydrostratigraphic Units

Historically, groundwater quality assessment reports for the FASB have used the nomenclature "Water Table," "Barnwell," "McBean," and "Congaree" to identify hydrologic units. However, an interim alphanumeric system developed by Aadland (1990) (Figure 1, Appendix C) defines the aquifer and aquitard units at SRS by their hydraulic properties (hydraulic conductivity, transmissivity, specific storage, etc.) using hydrostratigraphic rather than lithostratigraphic designations. Figure 2 (Appendix C) shows a correlation of these designations. For clarity, this report uses the newer nomenclature and also includes the older names used in earlier reports. The FASB RCRA Part B Post-Closure Care Permit application (WSRC, 1990), submitted December 1990, includes an in-depth explanation of the new nomenclature.

The FASB RCRA Part B Post-Closure Care Permit application also includes a detailed description of the geologic and hydrogeologic systems at the FASB. To summarize this description, the FASB well network monitors three distinct hydrostratigraphic units in the uppermost aquifer beneath the facility: Aquifer Zone IIB₂ (Water Table), which is supported by Confining Zone IIB₁-IIB₂ (Tan Clay); the poorly confined Aquifer Zone IIB₁ (Barnwell/McBean); and the semi-confined Aquifer Unit IIA (Congaree), which is separated from the overlying Aquifer Zone IIB₁ (Barnwell/McBean) by Confining Unit IIA-IIB (Green Clay). The base of the uppermost aquifer is defined as the uppermost bed of Confining System I-II (Ellenton Formation), which lies approximately 300 ft below the surface of the area.

Monitoring Well Nomenclature

Generally, groundwater monitoring wells are designated with a waste management unit abbreviation prefix (e.g., FSB), a number (1 through 999), and a suffix (A, B, C, D) designating the hydrostratigraphic unit being monitored. At the FASB, if the groundwater monitoring well prefix and number are followed by a "D" suffix, the well monitors Aquifer Zone IIB₂ (Water Table); if they are followed by a "C" suffix, the well monitors Aquifer Zone IIB₁ (Barnwell/McBean); if they are followed by an "A" or "B" suffix, the well monitors Aquifer Unit IIA (Congaree). An "R" designation following the "A," "B," "C," or "D" suffix indicates a replacement well.

There are exceptions to this nomenclature. For example, four active wells have no designating suffix; FSB 76, 77, 78, and 79 all monitor Aquifer Zone IIB₂ (Water Table).

Discussion

Integrity of the Monitoring Well Network

The FASB groundwater monitoring well network (Figure 4, Appendix C) provides groundwater samples from the three hydrologic units in the uppermost aquifer below the facility. A program is in place to rehabilitate and replace wells that do not produce representative samples from the units being monitored.

Wells FSB 94D, 95C, 95D, 96A, 98A, 105D, and 121D have been replaced by wells FSB 94DR, 95CR, 95DR, 96AR, 98AR, 105DR, and 121DR. Wells FSB 94D, 95C, 95D, 96A, and 105D were officially abandoned this quarter because they either were contaminated with grout or they consistently purged dry.

The standard practice at SRS is to purge a minimum of four well volumes from each well and ensure that the field parameters have stabilized before sample collection. A well that goes dry before purging is completed is allowed to recover and is then sampled without purging within 24 hours. Table 3 (Appendix D) lists the amount of water purged from each of the wells. Wells that did not yield four well volumes prior to sampling are described below.

The 36 Aquifer Zone IIB₂ (Water Table) wells are designated FSB 76, 77, 78, 79, 87D, 88D, 89D, 90D, 91D, 92D, 93D, 94DR, 95DR, 97D, 98D, 99D, 104D, 105DR, 106D, 107D, 108D, 109D, 110D, 111D, 112D, 113D, 114D, 115D, 116D, 117D, 118D, 119D, 120D, 121DR, 122D, and 123D (Figure 5, Appendix C). Of these wells, all but FSB121DR were visited for sampling during first quarter 1992. Wells FSB 88D, 90D, 93D, 97D, 98D, 108D, 109D, 116D, and 120D pumped dry before purging was completed. Well FSB106D went dry after field analysis and did not yield enough water for complete laboratory analysis. Well FSB 79 could not be sampled because the pump has been removed.

The 32 Aquifer Zone IIB₁ (Barnwell/McBean) wells are designated FSB 76C, 78C, 79C, 87C, 88C, 89C, 90C, 91C, 92C, 93C, 94C, 95CR, 97C, 98C, 99C, 102C, 103C, 104C, 105C, 106C, 107C, 110C, 111C, 112C, 113C, 114C, 115C, 116C, 120C, 121C, 122C, and 123C (Figure 6, Appendix C). All of these wells except FSB 92C were visited for sampling during first quarter 1992. Well FSB 92C was not scheduled for sampling. Wells FSB 78C, 91C, 94C, 97C, 113C, and 115C pumped dry during purging.

Eighteen wells monitor Aquifer Unit IIA (Congaree), 14 in the upper portion (wells FSB 76B, 78B, 79B, 87B, 96AR, 97A, 98AR, 99A, 100A, 101A, 112A, 113A, 114A, and 120A) and 4 in the lower portion (wells FSB 76A, 78A, 79A, and 87A) (Figures 7 and 8, Appendix C). All of these wells were visited for sampling during first quarter 1992, and all were purged at least four well volumes.

Samples from wells FSB 77, 78, 79C, 87D, 89D, 91D, 92D, 94DR, 95DR, 97C, 97D, 98C, 104D, 105C, 105DR, 107D, 110D, 112D, 117D, and 119D had field pH values equal to or less than 4; samples from wells FSB113A, 113C, and 120A had field pH values equal to or greater than 8.

Groundwater Monitoring Data

During first quarter 1992, samples from wells at the FASB were analyzed for indicator parameters, heavy metals, radionuclides, and other constituents. Monitoring results that exceeded the U.S. Environmental Protection Agency (EPA) Primary Drinking Water Standards (PDWS) (see Appendix A) or other SRS flagging criteria (see Appendix B) are discussed in this report.

The Environmental Monitoring Section of the Environmental Protection Department at SRS recently revised the flagging criteria for identifying constituents in high concentrations in groundwater. In general, the criteria are as follows:

- Flag 2 criteria are based on the PDWS; if constituents do not have a PDWS, Flag 2 criteria are based on the Secondary Drinking Water Standards (SDWS) or 10 times the method detection limits (MDL) as described in Appendix B. Constituent levels that equal or exceed Flag 2 criteria are described as *elevated*.
- Flag 1 criteria are based on half the PDWS; if constituents do not have a PDWS, Flag 1 criteria are based on half the SDWS or 5 times the MDL as described in Appendix B. Flag 1 levels for a constituent may reflect analytical error or may indicate the initial detection of a constituent. Thus, constituents exceeding Flag 1 criteria are included in this report and are described as *slightly elevated*.
- Flag 0 criteria are based on constituent levels below Flag 1.

Illustrations of the hydrostratigraphic units beneath the FASB at SRS (Figures 1 and 2); the monitored waste management unit (Figure 3); the individual monitoring wells (Figure 4); the monitoring wells in the different hydrostratigraphic zones and units (Figures 5 through 8); the lateral distributions of tritium, nitrate, gross alpha, nonvolatile beta, cadmium, lead, specific conductance, and pH (Figures 9 through 40); and the water-elevation contours of the different hydrostratigraphic zones and units and the groundwater flow directions (Figures 41 through 44) are in Appendix C. The monitoring results tables are in Appendix D; time series plots of tritium, nitrate, and pH for selected wells are in Appendix E; and hydrographs are in Appendix F.

Analytical Results Exceeding Standards

Results for analytes that exceeded the PDWS (see Appendix A) during first quarter 1992 are summarized in Table 1 (Appendix D).

Twenty-six of the 36 Aquifer Zone IIB₂ (Water Table) wells contained levels of tritium, gross alpha, nitrate, nonvolatile beta, total alpha-emitting radium (radium-224 and radium-226), lead, cadmium, sulfate, mercury, antimony, radium-228, thallium, or uranium that exceeded the PDWS. Tritium was elevated in 25 wells, with activities up to $3.3\text{E}+04$ pCi/mL in well FSB105DR; gross alpha was elevated in 19 wells, with activities up to $1.5\text{E}+03$ pCi/L in well FSB 94DR; nitrate was elevated in 19 wells, with concentrations up to 420,000 $\mu\text{g/L}$ in well FSB 94DR; nonvolatile beta was elevated in 19 wells, with activities up to $3.5\text{E}+03$ pCi/L in well FSB 78; and total alpha-emitting radium was elevated in 18 wells,

with activities up to $2.6\text{E}+02$ pCi/L in well FSB112D. Lead was elevated in 8 wells, cadmium in 7 wells, sulfate in 3 wells, mercury in 2 wells, and antimony, radium-228, thallium, and uranium in 1 well each.

Twenty-five of the 32 Aquifer Zone IIB₁ (Barnwell/McBean) wells contained levels of tritium, nitrate, nonvolatile beta, total alpha-emitting radium, gross alpha, cadmium, lead, thallium, or trichloroethylene that exceeded the PDWS. Tritium was elevated in all 25 wells, with activities up to $2.1\text{E}+04$ pCi/mL in well FSB 97C; nitrate was elevated in 20 wells, with concentrations up to $355,000\text{ }\mu\text{g/L}$ in well FSB 97C; and nonvolatile beta was elevated in 16 wells, with activities up to $3.3\text{E}+03$ pCi/L in well FSB 79C. Total alpha-emitting radium was elevated in 13 wells, gross alpha in 11 wells, cadmium in 7 wells, lead and thallium in 2 wells each, and trichloroethylene in 1 well.

Seven of the 14 wells that monitor the upper portion of Aquifer Unit IIA (Congaree) contained levels of tritium or nitrate that exceeded the PDWS. Tritium was elevated in all 7 wells, with activities up to $4.0\text{E}+02$ pCi/mL in well FSB 97A. Nitrate was elevated only in well FSB 97A. Well FSB 78A in the lower portion of this hydrostratigraphic unit contained elevated tritium.

During first quarter 1992, lead was elevated in 8 wells in Aquifer Zone IIB₂ (Water Table) (FSB 76, 77, 78, 90D, 93D, 95DR, 97D, and 98D), 2 wells in Aquifer Zone IIB₁ (Barnwell/McBean) (FSB 78C and 97C), and no wells in Aquifer Unit IIA (Congaree). Cadmium was elevated in 7 wells (FSB 77, 78, 91D, 92D, 93D, 98D, and 104D) in Aquifer Zone IIB₂ (Water Table) and 7 wells (FSB 78C, 79C, 94C, 95CR, 105C, 106C, and 112C) in Aquifer Zone IIB₁ (Barnwell/McBean). Mercury was elevated in 2 wells (FSB 89D and 94DR) in Aquifer Zone IIB₂ (Water Table) only.

Results for analytes that exceeded other SRS flagging criteria (see Appendix B) during first quarter 1992 are summarized in Table 2 (Appendix D). The results for all constituents are presented in Table 3 (Appendix D). Table 3 also identifies any constituent whose analysis exceeded the EPA-approved holding time.

The lateral distributions of tritium, nitrate, gross alpha, nonvolatile beta, lead, cadmium, specific conductance, and pH for Aquifer Zone IIB₂ (Water Table), Aquifer Zone IIB₁ (Barnwell/McBean), and Aquifer Unit IIA (Congaree) wells during first quarter 1992 are presented in Figures 9 through 40.

Tritium, Nitrate, and pH Time-Trend Data

Time series plots for tritium, nitrate, and pH from second quarter 1989 through first quarter 1992 for certain wells and well clusters at the FASB appear in Appendix E.

Tritium activities in wells FSB 76C, 78A, 87D, 88C, 111C, and 111D have been consistently below the PDWS since at least second quarter 1989. Most of the other wells shown in Appendix E exhibit tritium levels that have exceeded the PDWS since at least early 1989. The time series plots for wells FSB 76, 78, 88D, 90D, 91D, 93D, 98D, 102C, 107D, 109D, and 110D show declining tritium levels with time; time series plots for wells FSB 100A and 103C indicate increasing tritium levels. Data for wells FSB117D, 118D, 119D, and 121C and for

well clusters FSB 95, 96, 112, 113, 114, 115, 116, 120, 122, and 123 are not sufficient to detect long-term or recent patterns. The time series plots for the remaining wells show no detectable long-term trends.

Nitrate concentrations in wells FSB 76A, 76B, 87A, 87B, 87D, 88C, 89C, 99A, 99D, 100A, 101A, 108D, 109D, and 111C have been consistently below the PDWS since at least second quarter 1989. Most of the other wells illustrated in Appendix E have exhibited nitrate concentrations that exceeded the PDWS since at least early 1989. The time series plots for wells FSB 78, 88D, 89D, 90D, 91D, 93D, 109D, and 110D show declining nitrate concentrations over time; the time series plots for wells FSB 99C and 100A indicate nitrate concentrations are increasing with time. Data for wells FSB117D, 118D, 119D, and 121C and for well clusters FSB 95, 96, 112, 113, 114, 115, 116, 120, 122, and 123 are not sufficient to detect long-term or recent patterns. The time series plots for the remaining wells in Appendix E show no detectable long-term trends.

Well clusters FSB 76, 88, 99, and 107; Aquifer Zone IIB₁ (Barnwell/McBean) wells FSB102C and 103C; and Aquifer Unit IIA (Congaree) well FSB 96AR are used to characterize pH levels at specific locations at the FASB. The pH in well cluster FSB 76, which is upgradient of FASB, ranges from neutral to somewhat acidic. Well clusters FSB 88, 99, and 107, located near the edges of the basins at the FASB, show the following pH trends: the pH levels in well cluster FSB 88 have remained between approximately pH 4 and 6 since the first quarter of 1988; the pH levels in well cluster FSB 99 have ranged from about neutral in the Aquifer Unit IIA (Congaree) well to pH 4 to 5 in the Aquifer Zone IIB₂ (Water Table) well; the pH values in well cluster 107 have fluctuated around neutral in the Aquifer Zone IIB₁ (Barnwell/McBean) well and have ranged approximately between pH 3 and 4 in the Aquifer Zone IIB₂ (Water Table) well. The pH in Aquifer Unit IIA (Congaree) replacement well FSB 96AR, also located near the edge of the basins, has been near neutral since monitoring began in late 1990. The pH levels in Aquifer Zone IIB₁ (Barnwell/McBean) wells FSB102C and 103C, located downgradient of the FASB, have demonstrated pH values of near pH 4 and pH 6, respectively.

Water Levels

Hydrographs showing the water elevations for certain wells and well clusters at the FASB over time are provided in Appendix F. Compared with the previous quarter, water levels in Aquifer Zone IIB₂ (Water Table) rose an average 1.49 ft, water levels in Aquifer Zone IIB₁ (Barnwell/McBean) rose an average 1.05 ft, and water levels in Aquifer Unit IIA (Congaree) rose an average of 1.14 ft.

A consistent vertical head relationship exists between the hydrologic zones and units monitored at the FASB. Flow potential is downward from Aquifer Zone IIB₂ (Water Table) to Aquifer Zone IIB₁ (Barnwell/McBean) and downward from Aquifer Zone IIB₁ (Barnwell/McBean) to Aquifer Unit IIA (Congaree). A head reversal exists between the lower and upper components of Aquifer Unit IIA (Congaree) at the FASB, which indicates the potential for upward flow within the aquifer. This vertical head relationship between the different monitored zones has remained essentially unchanged through the past several quarters.

Groundwater Flow Rates and Directions

Groundwater flow directions beneath the FASB in Aquifer Zone IIB₂ (Water Table), Aquifer Zone IIB₁ (Barnwell/McBean), and Aquifer Unit IIA (Congaree) have remained relatively unchanged by closure activities. Piezometric surface maps (Figures 41 through 44, Appendix C) for the monitored water-bearing units illustrate these flow patterns. Flow directions in this report are presented according to SRS grid coordinates. Flow in Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean) is generally southwest toward Four Mile Creek. Flow in Aquifer Unit IIA (Congaree) is northwest toward Upper Three Runs Creek.

To estimate the maximum transport rate of any potential contamination originating from the FASB, the maximum horizontal flow rate of groundwater is estimated for each hydrostratigraphic unit. Flow rate calculations are approximations based on inferred or estimated parameters; the resulting rates should be considered order-of-magnitude estimations. The groundwater flow rate estimations for Aquifer Zone IIB₂ (Water Table), Aquifer Zone IIB₁ (Barnwell/McBean), and Aquifer Unit IIA (Congaree) beneath the FASB are based on the following one-dimensional flow equation:

$$\text{Flow (ft/day)} = \frac{\text{Hydraulic Conductivity (ft/day)}}{\text{Porosity (unitless)}} \times \frac{dh \text{ (ft)}}{dl \text{ (ft)}}$$

The hydraulic conductivity (Kh) constant for Aquifer Zone IIB₂ (Water Table) is 10.0 ft/day. For Aquifer Zone IIB₁ (Barnwell/McBean), Kh = 10.4 ft/day; for Aquifer Unit IIA (Congaree), Kh = 65 ft/day (Geraghty & Miller, 1990). An effective porosity value of 20% is used for each hydrostratigraphic unit (Jaegge et al., 1987). This value is a conservative assumption based on field and laboratory measurements of porosity. The gradient in each calculation represents the change in head (dh) divided by the horizontal distance (dl) along each plotted arrow. Flow rate estimates vary depending on the vertical gradient between wells, the size of the area under consideration, and the number of data points.

The groundwater flow rate in Aquifer Zone IIB₂ (Water Table) is estimated as follows (using the right flow line in Figure 41, Appendix C):

$$\frac{10}{0.20} \times \frac{12}{1640} = 0.4 \text{ ft/day}$$

$$0.4 \text{ ft/day} \times 365 \text{ days} = 150 \text{ ft/yr}$$

The groundwater flow rate in Aquifer Zone IIB₁ (Barnwell/McBean) is estimated as follows (using the left flow line in Figure 42, Appendix C):

$$\frac{10.4}{0.20} \times \frac{14}{2580} = 0.3 \text{ ft/day}$$

$$0.3 \text{ ft/day} \times 365 \text{ days} = 110 \text{ ft/yr}$$

The groundwater flow rate in the upper component of Aquifer Unit IIA (Congaree) is estimated as follows (using the left flow line in Figure 44, Appendix C):

$$\frac{65}{0.20} \times \frac{9}{2250} = 1 \text{ ft/day}$$

$$1 \text{ ft/day} \times 365 \text{ days} = 370 \text{ ft/yr}$$

The groundwater flow rate in the lower component of the Congaree is estimated as follows (see Figure 44, Appendix C):

$$\frac{65}{0.20} \times \frac{3}{1440} = 0.7 \text{ ft/day}$$

$$0.7 \text{ ft/day} \times 365 \text{ days} = 260 \text{ ft/yr}$$

Upgradient Versus Downgradient Results

Groundwater flow in Aquifer Zone IIB₂ (Water Table) is southwest toward Four Mile Creek (see Figure 41, Appendix C). Wells 99D, 108D, and 109D are the designated upgradient wells for Aquifer Zone IIB₂ (Water Table) (see Figure 5, Appendix C). Although well FSB 76 lies upgradient of the facility, it does not represent "true" upgradient groundwater; this well is downgradient of a collapsed process sewer line that has contaminated the groundwater. Thus, well FSB 76 is not used in this report for downgradient comparisons. All remaining Aquifer Zone IIB₂ (Water Table) wells monitor downgradient water quality.

Groundwater flow in Aquifer Zone IIB₁ (Barnwell/McBean) is also southwest toward Four Mile Creek (see Figure 42, Appendix C). Well FSB 76C is the designated upgradient well for Aquifer Zone IIB₁ (Barnwell/McBean) (see Figure 6, Appendix C). All of the other Aquifer Zone IIB₁ (Barnwell/McBean) wells monitor groundwater downgradient of the basins.

Flow in Aquifer Unit IIA (Congaree) is northwest toward Upper Three Runs Creek (see Figures 43 and 44). Unlike the shallower water-bearing units, Aquifer Unit IIA (Congaree) is not incised by Four Mile Creek, but by Upper Three Runs Creek. Wells FSB 76B, 78B, 79B, 96AR, and 98AR are the designated upgradient wells for the upper component of Aquifer Unit IIA (Congaree) (see Figure 7, Appendix C). The designated upgradient wells for the lower component of Aquifer Unit IIA (Congaree) are FSB 78A and 79A (see Figure 8, Appendix C).

One or more of the 49 downgradient Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean) wells contained levels of tritium, gross alpha, nitrate, nonvolatile beta, total alpha-emitting radium, lead, cadmium, sulfate, mercury, antimony, radium-228, thallium, trichloroethylene, or uranium that exceeded the PDWS during first quarter 1992. Upgradient wells FSB 76C and 108D did not contain elevated levels of any of these constituents; however, upgradient wells FSB 99D and 109D exhibited tritium activities that exceeded the PDWS.

Six downgradient Aquifer Unit IIA wells (upper portion of the Congaree) contained elevated levels of tritium and one well contained elevated concentrations of nitrate; these elevated constituents were not found in upgradient wells FSB 76B, 79B, 96AR, and 98AR. However, upgradient well FSB 78B exhibited elevated tritium. No constituents exceeded the PDWS in downgradient wells in Aquifer Unit IIA (lower portion of the Congaree); however, upgradient well FSB 78A contained elevated tritium.

Conclusions

The groundwater at the FASB contains elevated levels of low-level radionuclides and chemicals from 30 years of receiving contaminated wastewater from the F-Area Separations Facility. During first quarter 1992, tritium, nitrate, nonvolatile beta, total alpha-emitting radium, gross alpha, lead, cadmium, sulfate, mercury, antimony, radium-228, thallium, trichloroethylene, and uranium exceeded the PDWS at one or more wells at the FASB.

As in previous quarters, tritium and nitrate were the primary constituents found in the groundwater at the FASB. Of the 86 groundwater monitoring wells, 58 (67%) exhibited tritium activities and 40 (47%) contained nitrate concentrations that exceeded the PDWS. These two constituents were found primarily in Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean), suggesting that the horizontal component of groundwater flow is dominant beneath this unit. However, tritium activities exceeding the PDWS occurred in 8 (44%) of the 18 Aquifer Unit IIA (Congaree) wells, indicating that vertical pathways into the deeper water-bearing units exist at the FASB. A current groundwater flow model for the General Separations Area indicates that the vertical component beneath this area is important (GeoTrans, Inc., 1992). The highest tritium activity occurred in Aquifer Zone IIB₂ (Water Table) well FSB105DR (3.3E+04 pCi/mL). The highest nitrate concentration was found in Aquifer Zone IIB₂ (Water Table) well FSB 94DR (420,000 µg/L). Tritium and nitrate levels appear to be decreasing over time since closure of the FASB, at least in Aquifer Zone IIB₂ (Water Table).

Historically, lead, cadmium, and mercury have been the primary heavy metals exhibiting elevated concentrations at the FASB. During first quarter 1992, lead was elevated in 8 wells in Aquifer Zone IIB₂ (Water Table) (FSB 76, 77, 78, 90D, 93D, 95DR, 97D, and 98D), 2 wells in Aquifer Zone IIB₁ (Barnwell/McBean) (FSB 78C and 97C), and no wells in Aquifer Unit IIA (Congaree). Cadmium was elevated in 7 wells (FSB 77, 78, 91D, 92D, 93D, 98D, and 104D) in Aquifer Zone IIB₂ (Water Table) and 7 wells (FSB 78C, 79C, 94C, 95CR, 105C, 106C, and 112C) in Aquifer Zone IIB₁ (Barnwell/McBean). Mercury was elevated in 2 wells (FSB 89D and 94DR) in Aquifer Zone IIB₂ (Water Table) only. Well FSB 89D has characteristically contained elevated levels of mercury.

Wells screened in clayey zones, as are some water-table wells at the FASB, seem to be associated with elevated levels of lead, cadmium, and mercury. This relationship may be the effect of low-pH water from the FASB leaching metals from the clays, or metal constituents may have become adsorbed to the clay particles over time and then released during sampling.

Concentrations of volatile organic compounds appear to be declining since closure of the FASB. Trichloroethylene exceeded the PDWS in only one well at the FASB during first quarter 1992.

One or more of the 49 downgradient Aquifer Zone IIB₂ (Water Table) and Aquifer Zone IIB₁ (Barnwell/McBean) wells contained levels of tritium, gross alpha, nitrate, nonvolatile beta, total alpha-emitting radium, lead, cadmium, sulfate, mercury, antimony, radium-228,

thallium, trichloroethylene, or uranium that exceeded the PDWS during first quarter 1992. Upgradient wells FSB 76C and 108D did not contain elevated levels of any of these constituents; however, upgradient wells FSB 99D and 109D exhibited tritium activities that exceeded the PDWS. Generally, elevated levels of constituents found in downgradient wells but not in upgradient wells at a waste management unit are considered products of the waste management unit.

Six downgradient Aquifer Unit IIA wells (upper portion of the Congaree) contained elevated levels of tritium and one well contained elevated concentrations of nitrate; these elevated constituents were not found in upgradient wells FSB 76B, 79B, 96AR, and 98AR. However, upgradient well FSB 78B exhibited elevated tritium. No constituents exceeded the PDWS in downgradient wells in Aquifer Unit IIA (lower portion of the Congaree); however, upgradient well FSB 78A contained elevated tritium.

Errata

F-Area Seepage Basins Groundwater Monitoring Report, Fourth Quarter 1991 and 1991 Summary

- Page 6, Integrity of the Monitoring Well Network, paragraph 3, line 3: Table 3 (Appendix D) does not list the amount of water purged from each of the wells.
- Page 10, Water Levels, paragraph 1, line 4: The measurement 0.17 ft should be "0.16 ft."

References Cited

Aadland, R. K., and H. W. Bledsoe, 1990. **Classification of Hydrostratigraphic Units at the Savannah River Site, South Carolina**, WSRC-RP-90-987. Westinghouse Savannah River Company, Savannah River Site, Aiken, SC.

Aucott, W. R., M. E. Davis and G. K. Speiran, 1987. **Geohydrologic Framework of the Coastal Plain Aquifers of South Carolina**, U.S. Geological Survey Water-Resources Investigations Report 85-4271.

GeoTrans, Inc., 1988. **A Numerical Model of the Hydrogeological System Underlying the Savannah River Plant**, Final Report submitted to Savannah River Laboratory.

GeoTrans, Inc., 1992. **Groundwater Flow Model for the General Separations Area, Savannah River Site**. Prepared for Westinghouse Savannah River Company, Environmental Restoration Department, Savannah River Site, Aiken, SC.

Geraghty & Miller, Inc., 1990. **Evaluation of Integrated Waste Facility Closure Capping on Ground-Water Flow and Solute Transport in General Separations Area, Savannah River Site: Flow Model and Particle-Tracking Analysis, Final Report**. Prepared by Geraghty & Miller Modeling Group for Westinghouse Savannah River Company, Waste Management Technology, Savannah River Site, Aiken, SC.

Heffner, J. D., and Exploration Resources, Inc., 1991. **Technical Summary of Groundwater Quality Protection Program at the Savannah River Site (1952-1986), Volume I—Site Geohydrology and Waste Sites**, DPSP-88-1002. Westinghouse Savannah River Company, Aiken, SC.

Jaegge, W. J., N. L. Kolb, B. B. Looney, I. W. Marine, O. A. Towler, and J. R. Cook, 1987. **Radioactive Waste Burial Grounds**, DPST-85-694. Savannah River Laboratory, E. I. du Pont de Nemours & Company, Aiken, SC.

E. I. du Pont de Nemours & Company, 1989. **Final Safety Analysis Report of the Defense Waste Processing Facility**, DPSTSA-200-10. Savannah River Plant, Aiken, SC.

SCDHEC (South Carolina Department of Health and Environmental Control), 1990. **South Carolina Hazardous Waste Management Regulations**; R.61-79.124, .260 through .266, .268, and .270; November 1990. Columbia, SC.

Siple, G. E., 1967. **Geology and Ground Water of the Savannah River Plant and Vicinity, South Carolina**. Geological Survey Water-Supply Paper 1841, Reston, VA.

WSRC (Westinghouse Savannah River Company), 1990. **Application for a Hazardous Waste Part B Post-Closure Care Permit. Volume IV. F-Area Hazardous Waste Management Facility**. Revision 2, December 3, 1990. Savannah River Site, Aiken, SC.

Appendix A – Primary Drinking Water Standards

Primary Drinking Water Standards

Analyte	Unit	Level	Status	Reference
Americium-241	pCi/L	6.34E+00	Proposed	EPA, 1991
Americium-243	pCi/L	6.37E+00	Proposed	EPA, 1991
Antimony	µg/L	5 ^a	Proposed	EPA, 1990
Antimony-125	pCi/L	3E+02	Final	EPA, 1977
Arsenic	µg/L	50	Final	CFR, 1991
Barium	µg/L	2,000	Final	CFR, 1991
Barium-140	pCi/L	9E+01	Final	EPA, 1977
Benzene	µg/L	5	Final	CFR, 1991
Benzo[a]anthracene	µg/L	0.1	Proposed	EPA, 1990
Benzo[b]fluoranthene	µg/L	0.2	Proposed	EPA, 1990
Benzo[k]fluoranthene	µg/L	0.2	Proposed	EPA, 1990
Benzo[a]pyrene	µg/L	0.2	Proposed	EPA, 1990
Beryllium	µg/L	1	Proposed	EPA, 1990
Beryllium-7	pCi/L	6E+03	Final	EPA, 1977
Bromodichloromethane	µg/L	100	Final	CFR, 1991
Bromoform	µg/L	100	Final	CFR, 1991
2-sec-Butyl-4,6-dinitrophenol (Dinoseb)	µg/L	7	Proposed	EPA, 1990
Cadmium	µg/L	5	Final	CFR, 1991
Carbon-14	pCi/L	2E+03	Final	EPA, 1977
Carbon tetrachloride	µg/L	5	Final	CFR, 1991
Cerium-141	pCi/L	3E+02	Final	EPA, 1977
Cerium-144	pCi/L	2.61E+02	Proposed	EPA, 1991
Cesium-134	pCi/L	8.13E+02 ^b	Proposed	EPA, 1991
Cesium-137	pCi/L	2E+02	Final	EPA, 1977
Chlordane	µg/L	2	Final	CFR, 1991
Chloroethene (Vinyl chloride)	µg/L	2	Final	CFR, 1991
Chloroform	µg/L	100	Final	CFR, 1991
Chromium	µg/L	100	Final	CFR, 1991
Chromium-51	pCi/L	6E+03	Final	EPA, 1977
Chrysene	µg/L	0.2	Proposed	EPA, 1990
Cobalt-57	pCi/L	1E+03	Final	EPA, 1977
Cobalt-58	pCi/L	9E+03	Final	EPA, 1977
Cobalt-60	pCi/L	1E+02	Final	EPA, 1977
Copper	µg/L	1,300	Final	CFR, 1991
Curium-242	pCi/L	1.33E+02	Proposed	EPA, 1991
Curium-243	pCi/L	8.3E+00	Proposed	EPA, 1991
Curium-244	pCi/L	9.84E+00	Proposed	EPA, 1991
Curium-246	pCi/L	6.27E+00	Proposed	EPA, 1991
Cyanide	µg/L	200	Proposed	EPA, 1990
Dibenz[a,h]anthracene	µg/L	0.3	Proposed	EPA, 1990
Dibromochloromethane	µg/L	100	Final	CFR, 1991
Dibromochloropropane	µg/L	0.2	Final	CFR, 1991
1,2-Dichlorobenzene	µg/L	600	Final	CFR, 1991
1,4-Dichlorobenzene	µg/L	75	Final	CFR, 1991
1,2-Dichloroethane	µg/L	5	Final	CFR, 1991
1,1-Dichloroethylene	µg/L	7	Final	CFR, 1991
cis-1,2-Dichloroethylene	µg/L	70	Final	CFR, 1991
trans-1,2-Dichloroethylene	µg/L	100	Final	CFR, 1991
Dichloromethane (Methylene chloride)	µg/L	5	Proposed	EPA, 1990
2,4-Dichlorophenoxyacetic acid	µg/L	70	Final	CFR, 1991
1,2-Dichloropropane	µg/L	5	Final	CFR, 1991
Endrin	µg/L	0.2	Final	CFR, 1991
Ethylbenzene	µg/L	700	Final	CFR, 1991
Europium-154	pCi/L	2E+02	Final	EPA, 1977

<u>Analyte</u>	<u>Unit</u>	<u>Level</u>	<u>Status</u>	<u>Reference</u>
Europium-155	pCi/L	6E+02	Final	EPA, 1977
Fluoride	µg/L	4,000	Final	CFR, 1991
Gross alpha ^c	pCi/L	1.5E+01	Final	CFR, 1991
Heptachlor	µg/L	0.4	Final	CFR, 1991
Heptachlor epoxide	µg/L	0.2	Final	CFR, 1991
Hexachlorobenzene	µg/L	1	Proposed	EPA, 1990
Hexachlorocyclopentadiene	µg/L	50	Proposed	EPA, 1990
Iodine-129	pCi/L	1E+00	Final	EPA, 1977
Iodine-131	pCi/L	3E+00	Final	EPA, 1977
Iron-55	pCi/L	2E+03	Final	EPA, 1977
Iron-59	pCi/L	2E+02	Final	EPA, 1977
Lanthanum-140	pCi/L	6E+01	Final	EPA, 1977
Lead	µg/L	15	Final	CFR, 1991
Lindane	µg/L	0.2	Final	CFR, 1991
Manganese-54	pCi/L	3E+02	Final	EPA, 1977
Mercury	µg/L	2	Final	CFR, 1991
Methoxychlor	µg/L	40	Final	CFR, 1991
Neptunium-237	pCi/L	7.06E+00	Proposed	EPA, 1991
Nickel	µg/L	100	Proposed	EPA, 1990
Nickel-59	pCi/L	3E+02	Final	EPA, 1977
Nickel-63	pCi/L	5E+01	Final	EPA, 1977
Niobium-95	pCi/L	3E+02	Final	EPA, 1977
Nitrate as nitrogen	µg/L	10,000	Final	CFR, 1991
Nitrite as nitrogen	µg/L	1,000	Final	CFR, 1991
Nonvolatile beta	pCi/L	5E+01	Proposed	EPA, 1986
PCBs ^d	µg/L	0.5	Final	CFR, 1991
Pentachlorophenol	µg/L	1	Final	CFR, 1991
Plutonium-238	pCi/L	7.02E+00	Proposed	EPA, 1991
Plutonium-239	pCi/L	6.21E+01	Proposed	EPA, 1991
Plutonium-239/240 ^e	pCi/L	6.21E+01	Proposed	EPA, 1991
Plutonium-240	pCi/L	6.22E+01	Proposed	EPA, 1991
Plutonium-241	pCi/L	6.26E+01	Proposed	EPA, 1991
Plutonium-242	pCi/L	6.54E+01	Proposed	EPA, 1991
Potassium-40	pCi/L	3E+02	Proposed	EPA, 1986
Radium-226	pCi/L	1.57E+01	Proposed	EPA, 1991
Radium-228	pCi/L	7.85E+00	Proposed	EPA, 1991
Radon-222	pCi/L	3E+02	Proposed	EPA, 1991
Ruthenium-103	pCi/L	2E+02	Final	EPA, 1977
Ruthenium-106	pCi/L	3E+01	Final	EPA, 1977
Selenium	µg/L	50	Final	CFR, 1991
Silver	µg/L	50	Final	CFR, 1991
Sodium-22	pCi/L	4.66E+02	Proposed	EPA, 1991
Strontium-89	pCi/L	2E+01 ^f	Final	EPA, 1977
Strontium-89/90 ^e	pCi/L	8E+00	Final	CFR, 1991
Strontium-90	pCi/L	8E+00	Final	CFR, 1991
Styrene	µg/L	100	Final	CFR, 1991
Sulfate	µg/L	400,000 ^a	Proposed	EPA, 1990
Technetium-99	pCi/L	9E+02	Final	EPA, 1977
Tetrachloroethylene	µg/L	5	Final	CFR, 1991
Thallium	µg/L	1	Proposed	EPA, 1990
Thorium-228	pCi/L	1.25E+02	Proposed	EPA, 1991
Thorium-230	pCi/L	7.92E+01	Proposed	EPA, 1991
Thorium-232	pCi/L	8.8E+01	Proposed	EPA, 1991
Thorium-234	pCi/L	4.01E+02	Proposed	EPA, 1991
Tin-113	pCi/L	3E+02	Final	EPA, 1977
Toluene	µg/L	1,000	Final	CFR, 1991

<u>Analyte</u>	<u>Unit</u>	<u>Level</u>	<u>Status</u>	<u>Reference</u>
Total radium	pCi/L	5E+00	Final	CFR, 1991
Toxaphene	µg/L	3	Final	CFR, 1991
2,4,5-TP (Silvex)	µg/L	50	Final	CFR, 1991
1,2,4-Trichlorobenzene	µg/L	9	Proposed	EPA, 1990
1,1,1-Trichloroethane	µg/L	200	Final	CFR, 1991
1,1,2-Trichloroethane	µg/L	5	Proposed	EPA, 1990
Trichloroethylene	µg/L	5	Final	CFR, 1991
Total trihalomethanes	µg/L	100	Final	CFR, 1991
Tritium	pCi/mL	2E+01	Final	CFR, 1991
Uranium	µg/L	20	Proposed	EPA, 1991
Uranium alpha activity	pCi/L	3E+01	Proposed	EPA, 1991
Uranium-233/234 ^a	pCi/L	1.38E+01	Proposed	EPA, 1991
Uranium-234	pCi/L	1.39E+01	Proposed	EPA, 1991
Uranium-235	pCi/L	1.45E+01	Proposed	EPA, 1991
Uranium-238	pCi/L	1.46E+01	Proposed	EPA, 1991
Xylenes	µg/L	10,000	Final	CFR, 1991
Zinc-65	pCi/L	3E+02	Final	EPA, 1977
Zirconium-95	pCi/L	2E+02	Final	EPA, 1977
Zirconium/Niobium-95 ^a	pCi/L	2E+02	Final	EPA, 1977

Note: Drinking water standards set by EPA (1977) correspond to the level at which each radionuclide contributes 4 mrem/yr of dose to an individual consuming 2 L of contaminated liquid a day. See EPA (1977) for details.

- ^a This value is the lower of two proposed levels.
- ^b EPD/EMS uses the proposed standard because it is a lower value; the final PDWS in 1977 may have been in error.
- ^c The standard given is for gross alpha including radium-226 but excluding radon and uranium.
- ^d Analyses were conducted in 1992 for the following: PCB 1016, PCB 1221, PCB 1232, PCB 1242, PCB 1248, PCB 1254, and PCB 1260.
- ^e For double radionuclide analyses where each separate radionuclide has its own standard, the more stringent standard is used.
- ^f This value is the lower of two levels given for strontium-89.

References

CFR (Code of Federal Regulations), 1991. *National Primary Drinking Water Regulations*, 40 CFR, Part 141, pp. 578-715. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1977. *National Interim Primary Drinking Water Regulations*, EPA-570/9-76-003. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1986. *Water Pollution Control; National Primary Drinking Water Regulations, Radionuclides (Proposed)*, *Federal Register*, September 30, 1986, pp. 34835-34862. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1990. *National Primary and Secondary Drinking Water Regulations; Synthetic Organic Chemicals and Inorganic Chemicals; Proposed Rule*, *Federal Register*, July 25, 1990, pp. 30369-30448. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1991. *National Primary Drinking Water Regulations; Radionuclides; Proposed Rule*, *Federal Register*, July 18, 1991, pp. 33052-33127. Washington, DC.

Appendix B – Flagging Criteria

Flagging Criteria

Beginning in 1991, the Environmental Monitoring Section of the Environmental Protection Department (EPD/EMS) modified its guidelines for flagging constituents in the Groundwater Monitoring Program. These flagging criteria are as follows:

- Flag 2 criteria for constituents equal the U.S. Environmental Protection Agency (EPA) Primary Drinking Water Standard, the EPA proposed Primary Drinking Water Standard, or the EPA Secondary Drinking Water Standard. If a constituent does not have a drinking water standard, the Flag 2 criterion equals 10 times the method detection limit (MDL) calculated as the 90th percentile detection limit obtained recently by one of the primary analytical laboratories.
- Flag 1 criteria for constituents equal one-half of the EPA Primary Drinking Water Standard, one-half the EPA proposed Primary Drinking Water Standard, or one-half the EPA Secondary Drinking Water Standard. If a constituent does not have an EPA drinking water standard, the Flag 1 criterion equals 5 times the MDL calculated as the 90th percentile detection limit obtained recently by one of the primary analytical laboratories.
- Analytical results for constituents below Flag 1 are classified as Flag 0.

The following parameters are not assigned flagging criteria: alkalinity, calcium, carbonate, color, corrosivity, magnesium, odor, potassium, Eh, silica, sodium, total dissolved solids, total phosphorus, total phosphates (as P), and turbidity. In addition, common laboratory contaminants and cleaners including phthalates, methylene chloride, ketones, and toluene are not assigned flagging criteria.

Analyte	Unit	Flag 1	Flag 2	Source
Acenaphthene	µg/L	50	100	EPA Method 8270
Acenaphthylene	µg/L	50	100	EPA Method 8270
Acetone	µg/L	50	100	EPA Method 8240
Acetonitrile (Methyl cyanide)	µg/L	500	1,000	EPA Method 8240
Acetophenone	µg/L	50	100	EPA Method 8270
2-Acetylaminofluorene	µg/L	50	100	EPA Method 8270
Acrolein	µg/L	100	200	EPA Method 8240
Acrylonitrile	µg/L	100	200	EPA Method 8240
Aldrin	µg/L	2.5	5	EPA Method 8080
Alkalinity (as CaCO ₃)		No flag	No flag	Set by EPD/EMS
Allyl chloride	µg/L	250	500	EPA Method 8240
Aluminum	µg/L	100	200	EPA Method 6010
Americium-241	pCi/L	3.17E+00	6.34E+00	Proposed DWS (EPA, 1991)
Americium-243	pCi/L	3.19E+00	6.37E+00	Proposed DWS (EPA, 1991)
4-Aminobiphenyl	µg/L	50	100	EPA Method 8270
Ammonia	µg/L	500	1,000	APHA Method 417B
Ammonia nitrogen	µg/L	50	100	EPA Method 350.1
Aniline	µg/L	50	100	EPA Method 8270
Anthracene	µg/L	50	100	EPA Method 8270
Antimony	µg/L	2.5	5	Proposed DWS (EPA, 1990)
Antimony-125	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Aramite	µg/L	50	100	EPA Method 8270

<u>Analyte</u>	<u>Unit</u>	<u>Flag 1</u>	<u>Flag 2</u>	<u>Source</u>
Arsenic	µg/L	25	50	Final DWS (CFR, 1991)
Azobenzene	µg/L	50	100	EPA Method 625
Barium	µg/L	1,000	2,000	Final DWS (CFR, 1991)
Barium-140	pCi/L	4.5E+01	9E+01	Final DWS (EPA, 1977)
Benzene	µg/L	2.5	5	Final DWS (CFR, 1991)
alpha-Benzene hexachloride	µg/L	2.5	5	EPA Method 8080
beta-Benzene hexachloride	µg/L	2.5	5	EPA Method 8080
delta-Benzene hexachloride	µg/L	2.5	5	EPA Method 8080
Benzidine	µg/L	250	500	EPA Method 8270
Benzo[a]anthracene	µg/L	0.05	0.1	Proposed DWS (EPA, 1990)
Benzo[b]fluoranthene	µg/L	0.1	0.2	Proposed DWS (EPA, 1990)
Benzo[k]fluoranthene	µg/L	0.1	0.2	Proposed DWS (EPA, 1990)
Benzo[g,h,i]perylene	µg/L	50	100	EPA Method 8270
Benzo[a]pyrene	µg/L	0.1	0.2	Proposed DWS (EPA, 1990)
Benzoic acid	µg/L	250	500	EPA Method 8270
1,4-Benzoquinone	µg/L	50	100	EPA Method 8270
Benzyl alcohol	µg/L	100	200	EPA Method 8270
Beryllium	µg/L	0.5	1	Proposed DWS (EPA, 1990)
Beryllium-7	pCi/L	3E+03	6E+03	Final DWS (EPA, 1977)
Bis(2-chloroethoxy) methane	µg/L	50	100	EPA Method 8270
Bis(2-chloroethyl) ether	µg/L	50	100	EPA Method 8270
Bis(2-chloroisopropyl) ether	µg/L	50	100	EPA Method 8270
Bis(chloromethyl)ether	µg/L	50	100	EPA Method 8270
Bis(2-ethylhexyl) phthalate		No flag	No flag	Set by EPD/EMS
Bromide	µg/L	5,000	10,000	EPA Method 300.0
Bromodichloromethane	µg/L	50	100	Final DWS (CFR, 1991)
Bromoform	µg/L	50	100	Final DWS (CFR, 1991)
Bromomethane (Methyl bromide)	µg/L	5	10	EPA Method 8240
4-Bromophenyl phenyl ether	µg/L	50	100	EPA Method 8270
2-sec-Butyl-4,6-dinitrophenol	µg/L	3.5	7	Proposed DWS (EPA, 1990)
Butylbenzyl phthalate		No flag	No flag	Set by EPD/EMS
Cadmium	µg/L	2.5	5	Final DWS (CFR, 1991)
Calcium		No flag	No flag	Set by EPD/EMS
Carbon disulfide	µg/L	5	10	EPA Method 8240
Carbon tetrachloride	µg/L	2.5	5	Final DWS (CFR, 1991)
Carbon 12-labeled 2,3,7,8-TCDD	µg/L	0.00225	0.0045	EPA Method 8280
Carbon 12-labeled 2,3,7,8-TCDF	µg/L	0.002	0.004	EPA Method 8280
Carbon-14	pCi/L	1E+03	2E+03	Final DWS (EPA, 1977)
Carbonate		No flag	No flag	Set by EPD/EMS
Cerium-141	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Cerium-144	pCi/L	1.31E+02	2.61E+02	Proposed DWS (EPA, 1991)
Cesium-134	pCi/L	4.07E+01	8.13E+01	Proposed DWS (EPA, 1991)
Cesium-137	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Chlordane	µg/L	1	2	Final DWS (CFR, 1991)
Chloride	µg/L	125,000	250,000	Secondary DWS (EPA, 1991a)
4-Chloroaniline	µg/L	50	100	EPA Method 8270
Chlorobenzene	µg/L	5	10	EPA Method 8240
Chlorobenzilate	µg/L	50	100	EPA Method 8270
Chloroethane	µg/L	5	10	EPA Method 8240
Chloroethene (Vinyl chloride)	µg/L	1	2	Final DWS (CFR, 1991)
Chloroethyl vinyl ether	µg/L	5	10	EPA Method 8240
2-Chloroethyl vinyl ether	µg/L	5	10	EPA Method 8240
Chloroform	µg/L	50	100	Final DWS (CFR, 1991)
para-Chloro-meta-cresol	µg/L	50	100	EPA Method 8270
Chloromethane (Methyl chloride)	µg/L	5	10	EPA Method 8240
2-Chloronaphthalene	µg/L	50	100	EPA Method 8240

Analyte	Unit	Flag 1	Flag 2	Source
2-Chlorophenol	µg/L	50	100	EPA Method 8270
4-Chlorophenyl phenyl ether	µg/L	50	100	EPA Method 8270
Chloroprene	µg/L	1,000	2,000	EPA Method 8240
Chromium	µg/L	50	100	Final DWS (CFR, 1991)
Chromium-51	pCi/L	3E+03	6E+03	Final DWS (EPA, 1977)
Chrysene	µg/L	0.1	0.2	Proposed DWS (EPA, 1990)
Cobalt	µg/L	20	40	EPA Method 6010
Cobalt-57	pCi/L	5E+02	1E+03	Final DWS (EPA, 1977)
Cobalt-58	pCi/L	4.5E+03	9E+03	Final DWS (EPA, 1977)
Cobalt-60	pCi/L	5E+01	1E+02	Final DWS (EPA, 1977)
Color		No flag	No flag	Set by EPD/EMS
Copper	µg/L	650	1,300	Final DWS (CFR, 1991)
Corrosivity		No flag	No flag	Set by EPD/EMS
m-Cresol (3-Methylphenol)	µg/L	50	100	EPA Method 8270
o-Cresol (2-Methylphenol)	µg/L	50	100	EPA Method 8270
p-Cresol (4-Methylphenol)	µg/L	50	100	EPA Method 8270
Curium-242	pCi/L	6.65E+01	1.33E+02	Proposed DWS (EPA, 1991)
Curium-243	pCi/L	4.15E+00	8.3E+00	Proposed DWS (EPA, 1991)
Curium-244	pCi/L	4.92E+00	9.84E+00	Proposed DWS (EPA, 1991)
Curium-246	pCi/L	3.14E+00	6.27E+00	Proposed DWS (EPA, 1991)
Cyanide	µg/L	100	200	Proposed DWS (EPA, 1990)
p,p'-DDD	µg/L	2.5	5	EPA Method 8080
p,p'-DDE	µg/L	2.5	5	EPA Method 8080
p,p'-DDT	µg/L	2.5	5	EPA Method 8080
Di-n-butyl phthalate		No flag	No flag	Set by EPD/EMS
Di-n-octyl phthalate		No flag	No flag	Set by EPD/EMS
Diallate	µg/L	50	100	EPA Method 8270
Dibenz[a,h]anthracene	µg/L	0.15	0.3	Proposed DWS (EPA, 1990)
Dibenzofuran	µg/L	50	100	EPA Method 8270
Dibromochloromethane	µg/L	50	100	Final DWS (CFR, 1991)
Dibromochloropropane	µg/L	0.1	0.2	Final DWS (CFR, 1991)
1,2-Dibromoethane	µg/L	100	200	EPA Method 8240
Dibromomethane (Methylene bromide)	µg/L	5	10	EPA Method 8240
1,2-Dichlorobenzene	µg/L	300	600	Final DWS (CFR, 1991)
1,3-Dichlorobenzene	µg/L	50	100	EPA Method 8270
1,4-Dichlorobenzene	µg/L	37.5	75	Final DWS (CFR, 1991)
3,3'-Dichlorobenzidine	µg/L	50	100	EPA Method 8270
trans-1,4-Dichloro-2-butene	µg/L	150	300	EPA Method 8240
Dichlorodifluoromethane	µg/L	5	10	EPA Method 8240
1,1-Dichloroethane	µg/L	5	10	EPA Method 8240
1,2-Dichloroethane	µg/L	2.5	5	Final DWS (CFR, 1991)
cis-1,2-Dichloroethene	µg/L	35	70	Final DWS (CFR, 1991)
1,1-Dichloroethylene	µg/L	3.5	7	Final DWS (CFR, 1991)
1,2-Dichloroethylene	µg/L	25	50	EPA Method 8240
trans-1,2-Dichloroethylene	µg/L	50	100	Final DWS (CFR, 1991)
Dichloromethane (Methylene chloride)		No flag	No flag	Set by EPD/EMS
2,4-Dichlorophenol	µg/L	50	100	EPA Method 8270
2,6-Dichlorophenol	µg/L	50	100	EPA Method 8270
2,4-Dichlorophenoxyacetic acid	µg/L	35	70	Final DWS (CFR, 1991)
1,2-Dichloropropane	µg/L	2.5	5	Final DWS (CFR, 1991)
cis-1,3-Dichloropropene	µg/L	5	10	EPA Method 8240
trans-1,3-Dichloropropene	µg/L	5	10	EPA Method 8240
Dieldrin	µg/L	2.5	5	EPA Method 8080
Diethyl phthalate		No flag	No flag	Set by EPD/EMS

Analyte	Unit	Flag 1	Flag 2	Source
Dimethoate	µg/L	50	100	EPA Method 8270
p-Dimethylaminoazobenzene	µg/L	50	100	EPA Method 8270
p-(Dimethylamino)ethylbenzene	µg/L	50	100	EPA Method 8270
7,12-Dimethylbenz[a]anthracene	µg/L	50	100	EPA Method 8270
3,3'-Dimethylbenzidine	µg/L	50	100	EPA Method 8270
a,a-Dimethylphenethylamine	µg/L	50	100	EPA Method 8270
2,4-Dimethyl phenol	µg/L	50	100	EPA Method 8270
Dimethyl phthalate		No flag	No flag	Set by EPD/EMS
1,3-Dinitrobenzene	µg/L	50	100	EPA Method 8270
4,6-Dinitro-ortho-cresol	µg/L	250	500	EPA Method 8270
2,4-Dinitrophenol	µg/L	250	500	EPA Method 8270
2,4-Dinitrotoluene	µg/L	50	100	EPA Method 8270
2,6-Dinitrotoluene	µg/L	50	100	EPA Method 8270
1,4-Dioxane	µg/L	50	100	EPA Method 8270
Diphenylamine	µg/L	50	100	EPA Method 8270
1,2-Diphenylhydrazine	µg/L	50	100	EPA Method 8270
Dissolved organic carbon	µg/L	5,000	10,000	EPA Method 9060
Disulfoton	µg/L	50	100	EPA Method 8270
Eh		No flag	No flag	Set by EPD/EMS
alpha-Endosulfan	µg/L	50	100	EPA Method 8270
beta-Endosulfan	µg/L	50	100	EPA Method 8270
Endosulfan I	µg/L	2.5	5	EPA Method 8080
Endosulfan II	µg/L	2.5	5	EPA Method 8080
Endosulfan sulfate	µg/L	2.5	5	EPA Method 8080
Endrin	µg/L	0.1	0.2	Final DWS (CFR, 1991)
Endrin aldehyde	µg/L	2.5	5	EPA Method 8080
Endrin ketone		No flag	No flag	Set by EPD/EMS
Ethyl methacrylate	µg/L	50	100	EPA Method 8270
Ethyl methanesulfonate	µg/L	50	100	EPA Method 8270
Ethylbenzene	µg/L	350	700	Final DWS (CFR, 1991)
Europium-154	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Europium-155	pCi/L	3E+02	6E+02	Final DWS (EPA, 1977)
Famphur	µg/L	50	100	EPA Method 8270
Fluoranthene	µg/L	50	100	EPA Method 8270
Fluorene	µg/L	50	100	EPA Method 8270
Fluoride	µg/L	2,000	4,000	Final DWS (CFR, 1991)
Gross alpha	pCi/L	7.5E+00	1.5E+01	Final DWS (CFR, 1991)
Heptachlor	µg/L	0.2	0.4	Final DWS (CFR, 1991)
Heptachlor epoxide	µg/L	0.1	0.2	Final DWS (CFR, 1991)
Heptachlorodibenzo-p-dioxin isomers	µg/L	0.00325	0.0065	EPA Method 8280
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	µg/L	0.00325	0.0065	EPA Method 8280
Heptachlorodibenzo-p-furan isomers	µg/L	0.00225	0.0045	EPA Method 8280
1,2,3,4,6,7,8-Heptachlorodibenzo-p-furan	µg/L	0.00225	0.0045	EPA Method 8280
Hexachlorobenzene	µg/L	0.5	1	Proposed DWS (EPA, 1990)
Hexachlorobutadiene	µg/L	50	100	EPA Method 8270
Hexachlorocyclopentadiene	µg/L	25	50	Proposed DWS (EPA, 1990)
Hexachlorodibenzo-p-dioxin isomers	µg/L	0.00225	0.0045	EPA Method 8280
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	µg/L	0.00225	0.0045	EPA Method 8280
Hexachlorodibenzo-p-furan isomers	µg/L	0.002	0.004	EPA Method 8280
1,2,3,4,7,8-Hexachlorodibenzo-p-furan	µg/L	0.002	0.004	EPA Method 8280

<u>Analyte</u>	<u>Unit</u>	<u>Flag 1</u>	<u>Flag 2</u>	<u>Source</u>
Hexachloroethane	µg/L	50	100	EPA Method 8270
Hexachlorophene	µg/L	250	500	EPA Method 8270
Hexachloropropene	µg/L	50	100	EPA Method 8270
2-Hexanone	µg/L	100	200	EPA Method 8240
Indeno[1,2,3-c,d]pyrene	µg/L	50	100	EPA Method 8270
Iodine	µg/L	500	1,000	EPA Method 415
Iodine-129	pCi/L	5E-01	1E+00	Final DWS (EPA, 1977)
Iodine-131	pCi/L	1.5E+00	3E+00	Final DWS (EPA, 1977)
Iodomethane (Methyl iodide)	µg/L	75	150	EPA Method 8240
Iron	µg/L	150	300	Secondary DWS (EPA, 1991a)
Iron-55	pCi/L	1E+03	2E+03	Final DWS (EPA, 1977)
Iron-59	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Isobutyl alcohol	µg/L	500	1,000	EPA Method 8240
Isodrin	µg/L	50	100	EPA Method 8270
Isophorone	µg/L	50	100	EPA Method 8270
Isosafrole	µg/L	50	100	EPA Method 8270
Kepone	µg/L	50	100	EPA Method 8270
Lanthanum-140	pCi/L	3E+01	6E+01	Final DWS (EPA, 1977)
Lead	µg/L	7.5	15	Final DWS (CFR, 1991)
Lindane	µg/L	0.1	0.2	Final DWS (CFR, 1991)
Lithium	µg/L	25	50	EPA Method 6010
Magnesium		No flag	No flag	Set by EPD/EMS
Manganese	µg/L	25	50	Secondary DWS (EPA, 1991a)
Manganese-54	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Mercury	µg/L	1	2	Final DWS (CFR, 1991)
Methacrylonitrile	µg/L	250	500	EPA Method 8240
Methapyrilene	µg/L	50	100	EPA Method 8270
Methoxychlor	µg/L	20	40	Final DWS (CFR, 1991)
3-Methylcholanthrene	µg/L	50	100	EPA Method 8270
2-Methyl-4,6-dinitrophenol	µg/L	250	500	EPA Method 8270
Methyl ethyl ketone		No flag	No flag	Set by EPD/EMS
Methyl isobutyl ketone		No flag	No flag	Set by EPD/EMS
Methyl methacrylate	µg/L	50	100	EPA Method 8270
Methyl methanesulfonate	µg/L	50	100	EPA Method 8270
2-Methylnaphthalene	µg/L	50	100	EPA Method 8270
Molybdenum	µg/L	250	500	EPA Method 6010
Naphthalene	µg/L	50	100	EPA Method 8270
1,4-Naphthoquinone	µg/L	50	100	EPA Method 8270
1-Naphthylamine	µg/L	50	100	EPA Method 8270
2-Naphthylamine	µg/L	50	100	EPA Method 8270
Neptunium-237	pCi/L	3.53E+00	7.06E+00	Proposed DWS (EPA, 1991)
Nickel	µg/L	50	100	Proposed DWS (EPA, 1990)
Nickel-59	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Nickel-63	pCi/L	2.5E+01	5E+01	Final DWS (EPA, 1977)
Niobium-95	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Nitrate as nitrogen	µg/L	5,000	10,000	Final DWS (CFR, 1991)
Nitrite as nitrogen	µg/L	500	1,000	Final DWS (CFR, 1991)
2-Nitroaniline	µg/L	50	100	EPA Method 8270
3-Nitroaniline	µg/L	50	100	EPA Method 8270
4-Nitroaniline	µg/L	50	100	EPA Method 8270
Nitrobenzene	µg/L	50	100	EPA Method 8270
Nitrogen by Kjeldahl method	µg/L	500	1,000	EPA Method 351.2
2-Nitrophenol	µg/L	50	100	EPA Method 8270
4-Nitrophenol	µg/L	50	100	EPA Method 8270
4-Nitroquinoline-1-oxide	µg/L	50	100	EPA Method 8270
N-Nitrosodi-n-butylamine	µg/L	50	100	EPA Method 8270

Analyte	Unit	Flag 1	Flag 2	Source
N-Nitrosodiethylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodimethylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodiphenylamine	µg/L	50	100	EPA Method 8270
N-Nitrosodi-propylamine	µg/L	50	100	EPA Method 8270
N-Nitrosomethylethylamine	µg/L	50	100	EPA Method 8270
N-Nitrosomorpholine	µg/L	50	100	EPA Method 8270
N-Nitrosopiperidine	µg/L	50	100	EPA Method 8270
N-Nitrosopyrrolidine	µg/L	50	100	EPA Method 8270
5-Nitro-o-toluidine	µg/L	50	100	EPA Method 8270
Nonvolatile beta	pCi/L	2.5E + 01	5E + 01	Proposed DWS (EPA, 1986)
Octachlorodibenzo-p-dioxin isomers	µg/L	0.005	0.01	EPA Method 8280
Octachlorodibenzo-p-furan isomers	µg/L	0.005	0.01	EPA Method 8280
Odor		No flag	No flag	Set by EPD/EMS
Oil & Grease	µg/L	5,000	10,000	EPA Method 413.1
Parathion	µg/L	2.5	5	EPA Method 8080
Parathion methyl	µg/L	2.5	5	EPA Method 8080
PCB 1016	µg/L	0.25	0.5	Final DWS (CFR, 1991)
PCB 1221	µg/L	0.25	0.5	Final DWS (CFR, 1991)
PCB 1232	µg/L	0.25	0.5	Final DWS (CFR, 1991)
PCB 1242	µg/L	0.25	0.5	Final DWS (CFR, 1991)
PCB 1248	µg/L	0.25	0.5	Final DWS (CFR, 1991)
PCB 1254	µg/L	0.25	0.5	Final DWS (CFR, 1991)
PCB 1260	µg/L	0.25	0.5	Final DWS (CFR, 1991)
PCB 1262	µg/L	0.25	0.5	Final DWS (CFR, 1991)
Pentachlorobenzene	µg/L	50	100	EPA Method 8270
Pentachlorodibenzo-p-dioxin isomers	µg/L	0.00275	0.0055	EPA Method 8280
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	µg/L	0.00275	0.0055	EPA Method 8280
Pentachlorodibenzo-p-furan isomers	µg/L	0.00275	0.0055	EPA Method 8280
1,2,3,7,8-Pentachlorodibenzo-p-furan	µg/L	0.00275	0.0055	EPA Method 8280
Pentachloroethane	µg/L	50	100	EPA Method 8270
Pentachloronitrobenzene	µg/L	50	100	EPA Method 8270
Pentachlorophenol	µg/L	0.5	1	Final DWS (CFR, 1991)
pH	pH	8	10	Set by EPD/EMS
pH	pH	4	3	Set by EPD/EMS
Phenacetin	µg/L	50	100	EPA Method 8270
Phenanthrene	µg/L	50	100	EPA Method 8270
Phenol	µg/L	50	100	EPA Method 8270
Phenols	µg/L	25	50	EPA Method 420.2
p-Phenylenediamine	µg/L	50	100	EPA Method 8270
Phorate	µg/L	2.5	5	EPA Method 8080
2-Picoline	µg/L	50	100	EPA Method 8270
Plutonium-238	pCi/L	3.51E + 00	7.02E + 00	Proposed DWS (EPA, 1991)
Plutonium-239	pCi/L	3.11E + 01	6.21E + 01	Proposed DWS (EPA, 1991)
Plutonium-239/240 ^a	pCi/L	3.11E + 01	6.21E + 01	Proposed DWS (EPA, 1991)
Plutonium-240	pCi/L	3.11E + 01	6.22E + 01	Proposed DWS (EPA, 1991)
Plutonium-241	pCi/L	3.13E + 01	6.26E + 01	Proposed DWS (EPA, 1991)
Plutonium-242	pCi/L	3.27E + 01	6.54E + 01	Proposed DWS (EPA, 1991)
Potassium		No flag	No flag	Set by EPD/EMS
Potassium-40	pCi/L	1.5E + 02	3E + 02	Proposed DWS (EPA, 1986)
Pronamid	µg/L	50	100	EPA Method 8270
Propionitrile	µg/L	1,000	2,000	EPA Method 8240
Pyrene	µg/L	50	100	EPA Method 8270
Pyridine	µg/L	50	100	EPA Method 8270

<u>Analyte</u>	<u>Unit</u>	<u>Flag 1</u>	<u>Flag 2</u>	<u>Source</u>
Radium-226	pCi/L	7.85E+00	1.57E+01	Proposed DWS (EPA, 1991)
Radium-228	pCi/L	3.93E+00	7.85E+00	Proposed DWS (EPA, 1991)
Radon-222	pCi/L	1.5E+02	3E+02	Proposed DWS (EPA, 1991)
Ruthenium-103	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Ruthenium-106	pCi/L	1.5E+01	3E+01	Final DWS (EPA, 1977)
Safrole	µg/L	50	100	EPA Method 8270
Selenium	µg/L	25	50	Final DWS (CFR, 1991)
Silica		No flag	No flag	Set by EPD/EMS
Silver	µg/L	25	50	Final DWS (CFR, 1991)
Sodium		No flag	No flag	Set by EPD/EMS
Sodium-22	pCi/L	2.33E+02	4.66E+02	Proposed DWS (EPA, 1991)
Specific conductance	µS/cm	250	500	Set by EPD/EMS
Strontium-89	pCi/L	1E+01	2E+01	Final DWS (EPA, 1977)
Strontium-89/90 ^a	pCi/L	4E+00	8E+00	Final DWS (CFR, 1991)
Strontium-90	pCi/L	4E+00	8E+00	Final DWS (CFR, 1991)
Styrene	µg/L	50	100	Final DWS (CFR, 1991)
Sulfate	µg/L	200,000	400,000	Proposed DWS (EPA, 1990)
Sulfide	µg/L	5,000	10,000	EPA Method 9030
Sulfotep	µg/L	50	100	EPA Method 8270
Surfactants		No flag	No flag	Set by EPD/EMS
Technetium-99	pCi/L	4.5E+02	9E+02	Final DWS (EPA, 1977)
1,2,4,5-Tetrachlorobenzene	µg/L	50	100	EPA Method 8270
Tetrachlorodibenzo-p-dioxin isomers	µg/L	0.00225	0.0045	EPA Method 8280
Tetrachlorodibenzo-p-furan isomers	µg/L	0.002	0.004	EPA Method 8280
1,1,1,2-Tetrachloroethane	µg/L	5	10	EPA Method 8240
1,1,2,2-Tetrachloroethane	µg/L	5	10	EPA Method 8240
Tetrachloroethylene	µg/L	2.5	5	Final DWS (CFR, 1991)
2,3,4,6-Tetrachlorophenol	µg/L	50	100	EPA Method 8270
Tetraethyl dithiopyrophosphate	µg/L	50	100	EPA Method 8270
Thallium	µg/L	0.5	1	Proposed DWS (EPA, 1990)
Thionazin	µg/L	50	100	EPA Method 8270
Thorium-228	pCi/L	6.25E+01	1.25E+02	Proposed DWS (EPA, 1991)
Thorium-230	pCi/L	3.96E+01	7.92E+01	Proposed DWS (EPA, 1991)
Thorium-232	pCi/L	4.4E+01	8.8E+01	Proposed DWS (EPA, 1991)
Thorium-234	pCi/L	2E+02	4.01E+02	Proposed DWS (EPA, 1991)
Tin	µg/L	10	20	EPA Method 282.2
Tin-113	pCi/L	150	300	Final DWS (EPA, 1977)
Toluene	µg/L	500	1,000	Final DWS (CFR, 1991)
o-Toluidine	µg/L	50	100	EPA Method 8270
Total carbon	µg/L	5,000	10,000	EPA Method 9060
Total dissolved solids		No flag	No flag	Set by EPD/EMS
Total hydrocarbons	µg/L	5,000	10,000	EPA Method 418.1
Total inorganic carbon	µg/L	5,000	10,000	EPA Method 9060
Total organic carbon	µg/L	5,000	10,000	EPA Method 9060
Total organic halogens	µg/L	25	50	EPA Method 9020
Total organic nitrogen	µg/L	500	1,000	EPA Method 420
Total petroleum hydrocarbons	µg/L	5,000	10,000	EPA Method 418.1
Total phosphates (as P)		No flag	No flag	Set by EPD/EMS
Total phosphorus		No flag	No flag	Set by EPD/EMS
Total radium	pCi/L	2.5	5	Final DWS (CFR, 1991)
Total silica	µg/L	500	1,000	EPA Method 6010
Toxaphene	µg/L	1.5	3	Final DWS (CFR, 1991)
2,4,5-TP (Silvex)	µg/L	25	50	Final DWS (CFR, 1991)
Tributyl phosphate	µg/L	50	100	EPA Method 8270

Analyte	Unit	Flag 1	Flag 2	Source
1,2,4-Trichlorobenzene	µg/L	4.5	9	Proposed DWS (EPA, 1990)
1,1,1-Trichloroethane	µg/L	100	200	Final DWS (CFR, 1991)
1,1,2-Trichloroethane	µg/L	2.5	5	Proposed DWS (EPA, 1990)
Trichloroethylene	µg/L	2.5	5	Final DWS (CFR, 1991)
Trichlorofluoromethane	µg/L	5	10	EPA Method 8240
2,4,5-Trichlorophenol	µg/L	50	100	EPA Method 8270
2,4,6-Trichlorophenol	µg/L	50	100	EPA Method 8270
2,4,5-Trichlorophenoxyacetic acid	µg/L	2.5	5	EPA Method 8150
1,2,3-Trichloropropane	µg/L	5	10	EPA Method 8240
O,O,O-Triethyl phosphorothioate	µg/L	50	100	EPA Method 8270
1,3,5-Trinitrobenzene	µg/L	50	100	EPA Method 8270
Tritium	pCi/mL	1E+01	2E+01	Final DWS (CFR, 1991)
Turbidity		No flag	No flag	Set by EPD/EMS
Uranium	µg/L	10	20	Proposed DWS (EPA, 1991)
Uranium alpha activity	pCi/L	1.5E+01	3E+01	Proposed DWS (EPA, 1991)
Uranium-233/234 ^a	pCi/L	6.9E-01	1.38E+01	Proposed DWS (EPA, 1991)
Uranium-234	pCi/L	6.95E+00	1.39E+01	Proposed DWS (EPA, 1991)
Uranium-235	pCi/L	7.25E+00	1.45E+01	Proposed DWS (EPA, 1991)
Uranium-238	pCi/L	7.3E+00	1.46E+01	Proposed DWS (EPA, 1991)
Vanadium	µg/L	50	100	EPA Method 6010
Vinyl acetate	µg/L	5	10	EPA Method 8240
Xylenes	µg/L	5,000	10,000	Final DWS (CFR, 1991)
Zinc	µg/L	2,500	5,000	Secondary DWS (EPA, 1991a)
Zinc-65	pCi/L	1.5E+02	3E+02	Final DWS (EPA, 1977)
Zirconium-95	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)
Zirconium/Niobium-95 ^a	pCi/L	1E+02	2E+02	Final DWS (EPA, 1977)

^a For double radionuclide analyses where each separate radionuclide has its own standard, the more stringent standard is used.

References

APHA (American Public Health Association, American Water Works Association, and Water Pollution Control Federation), 1985. **Standard Methods for the Examination of Water and Wastewater**, 16th edition. Washington, DC.

CFR (Code of Federal Regulations), 1991. *National Primary Drinking Water Regulations*, 40 CFR, Part 141, pp. 578-715. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1977. **National Interim Primary Drinking Water Regulations**, EPA-570/9-76-003. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1986. *Water Pollution Control; National Primary Drinking Water Regulations, Radionuclides (Proposed)*. **Federal Register**, September 30, 1986, pp. 34836-34862. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1990. *National Primary and Secondary Drinking Water Regulations; Synthetic Organic Chemicals and Inorganic Chemicals (Proposed Rule)*. **Federal Register**, July 25, 1990, pp. 30369-30448. Washington, DC.

EPA (U.S. Environmental Protection Agency), 1991. *National Primary Drinking Water Regulations; Radionuclides; Proposed Rule*. **Federal Register**, July 18, 1991, pp. 33052-33127. Washington, DC.

Appendix C – Figures

GEOLOGIC AGE	Lithostratigraphic Units		Hydrostratigraphic Units				
T E R T I A R Y	Upland Unit		Regulatory "Uppermost Aquifer"	Aquifer Zone IIB2		Aquifer Unit IIB	Aquifer System II
		Tobacco Rd Formation		Confining Zone IIB1-IIB2			
		Dry Branch Formation		Aquifer Zone IIB1			
	McBean Formation Green Clay			Confining Unit IIA-IIB			
	Congaree			Aquifer Unit IIA			
	Williamsburg Formation			Confining System I-II			
	Ellenton Formation						

Figure 1. Site-Specific Hydrostratigraphic Nomenclature

Figure 3. Location of the F-Area Seepage Basins at the Savannah River Site

Figure 4. Location of the Groundwater Monitoring Wells at the F-Area Seepage Basins

Figure 5. Location of Aquifer Zone IIB₂ (Water Table) Monitoring Wells at the F-Area Seepage Basins

Figure 6. Location of Aquifer Zone IIB₁ (Barnwell/McBean) Monitoring Wells at the F-Area Seepage Basins

Figure 7. Location of Upper Portion of Aquifer Unit IIA (Congaree) Monitoring Wells at the F-Area Seepage Basins

FSB 76A
△

FSB 87A
△

FSB 78A
△

FSB 79A
△

Figure 8. Location of Lower Portion of Aquifer Unit IIA (Congaree) Monitoring Wells at the F-Area Seepage Basins

Figure 11. Gross Alpha Activities in Aquifer Zone IIB₂ (Water Table) at the F-Area Seepage Basins, First Quarter 1992

Figure 17. Tritium Activities in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992

Figure 18. Nitrate Concentrations in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992

Figure 20. Nonvolatile Beta Activities in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992

Figure 21. Tritium Activities in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992

50
Δ

240
Δ

650
Δ

SEEPAGE

240
Δ

SCALE 1 inch = 670 feet

Posted value of 50 indicates detection limit

Units = $\mu\text{g/L}$

Figure 22. Nitrate Concentrations in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992

Figure 24. Nonvolatile Beta Activities in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992

Figure 27. Lead Concentrations in Aquifer Zone IIB₁ (Barnwell/McBean) at the F-Area Seepage Basins, First Quarter 1992

Figure 28. Cadmium Concentrations in Aquifer Zone IIB₁ (Barnwell/McBean) at the F-Area Seepage Basins, First Quarter 1992

Figure 29. Lead Concentrations in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992

Figure 30. Cadmium Concentrations in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992

Figure 32. Cadmium Concentrations in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992

Figure 33. Specific Conductance in Aquifer Zone IIB₂ (Water Table) at the F-Area Seepage Basins, First Quarter 1992

Figure 34. pH Levels in Aquifer Zone IIB₂ (Water Table) at the F-Area Seepage Basins, First Quarter 1992

Figure 35. Specific Conductance in Aquifer Zone IIB₁ (Barnwell/McBean) at the F-Area Seepage Basins, First Quarter 1992

Figure 36. pH Levels in Aquifer Zone IIB₁ (Barnwell/McBean) at the F-Area Seepage Basins, First Quarter 1992

Units = $\mu\text{S}/\text{cm}$

Figure 37. Specific Conductance in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992

Figure 38. pH Levels in Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992

Figure 39. Specific Conductance in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992

Figure 40. pH Levels in Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins, First Quarter 1992

Figure 41. Piezometric Surface Map of Aquifer Zone IIB₂ (Water Table) at the F-Area Seepage Basins

Figure 42. Potentiometric Surface Map of Aquifer Zone IIB, (Barnwell/McBean) at the F-Area Seepage Basins

Figure 43. Potentiometric Surface Map of Upper Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins

Figure 44. Potentiometric Surface Map of Lower Portion of Aquifer Unit IIA (Congaree) at the F-Area Seepage Basins

Appendix D – Groundwater Monitoring Results Tables

Key to Reading the Tables

The following abbreviations may appear in the tabular data:

BA = Barringer Laboratories, Inc.
D = drinking water standard
E = exponential notation (e.g., $1.1\text{E}-09 = 1.1 \times 10^{-9} = 0.0000000011$)
EM = EPD/EMS Laboratory
GE = General Engineering Laboratories
H = holding time
1,2,3,4,6,7,8-HPCDD = 1,2,3,4,6,7,8-heptachlorodibenzo-p-dioxin
1,2,3,4,6,7,8-HPCDF = 1,2,3,4,6,7,8-heptachlorodibenzo-p-furan
1,2,3,4,7,8-HXCDD = 1,2,3,4,7,8-hexachlorodibenzo-p-dioxin
1,2,3,4,7,8-HXCDF = 1,2,3,4,7,8-heptachlorodibenzo-p-furan
Lindane = gamma-benzene hexachloride
MA = M-Area Laboratory
msl = mean sea level
MSL = million structures/liter
NTU = turbidity unit
pH = pH unit
pCi/L = picocuries per liter
pCi/mL = picocuries per milliliter
Sp. = specific
PVC = polyvinyl chloride
TCDD = tetrachlorodibenzo-p-dioxin
TCDF = tetrachlorodibenzo-p-furan
TE = Teledyne Isotopes, Inc.
TM = TMA/Eberline
TOC = top of casing
WA = Roy F. Weston, Inc.
 $\mu\text{g/L}$ = micrograms per liter
 $\mu\text{S/cm}$ = microsiemens per centimeter

Holding Times

Standard analytical methods include a limit, called holding time, on the maximum elapsed time between sample collection and extraction or analysis by the laboratory. In the data tables, a large dot (●) in the H (holding time) column indicates that holding time was exceeded. Analyses performed beyond holding time may not yield valid results.

South Carolina Department of Health and Environmental Control (SCDHEC) allows only 15 minutes to elapse between sampling and analysis for pH. Thus, laboratory pH analyses always exceed holding time.

Laboratory-initiated procedures for reducing the number of other analyses performed out of holding time include subcontracting analyses when difficulties with equipment, personnel, or work load would prevent timely analyses. Beginning fourth quarter 1991, SRS reduced the compensation to laboratories for analyses performed out of holding time.

Table 1. Constituents Exceeding the Primary Drinking Water Standards**Aquifer Zone IIB₂ (Water Table)**

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>
FSB 76	Lead	µg/L	29
	Total alpha-emitting radium ^a	pCi/L	5.4E+00
	Tritium	pCi/mL	4.6E+02
FSB 77	Cadmium	µg/L	5.1
	Gross alpha	pCi/L	1.1E+03
	Lead	µg/L	24
	Nitrate as nitrogen	µg/L	143,000
	Nonvolatile beta	pCi/L	1.7E+03
	Total alpha-emitting radium	pCi/L	8.2E+01
	Tritium	pCi/mL	8.6E+03
FSB 78	Cadmium	µg/L	37
	Gross alpha	pCi/L	8.6E+02
	Lead	µg/L	17
	Nitrate as nitrogen	µg/L	278,000
	Nonvolatile beta	pCi/L	3.5E+03
	Total alpha-emitting radium	pCi/L	7.8E+01
	Tritium	pCi/mL	1.8E+04
FSB 87D	Gross alpha	pCi/L	6.2E+01
	Nonvolatile beta	pCi/L	5.8E+01
	Tritium	pCi/mL	2.1E+02
FSB 88D	Nitrate as nitrogen	µg/L	10,500
	Tritium	pCi/mL	4.2E+02
FSB 89D	Gross alpha	pCi/L	1.5E+02
	Mercury	µg/L	3.3
	Nitrate as nitrogen	µg/L	27,500
	Nonvolatile beta	pCi/L	3.5E+02
	Total alpha-emitting radium	pCi/L	1.4E+01
	Tritium	pCi/mL	1.8E+03
FSB 90D	Antimony	µg/L	8.3
	Gross alpha	pCi/L	2.9E+02
	Lead	µg/L	24
	Nitrate as nitrogen	µg/L	40,500
	Nonvolatile beta	pCi/L	6.1E+02
	Tritium	pCi/mL	1.6E+03
FSB 91D	Cadmium	µg/L	5.8
	Gross alpha	pCi/L	2.9E+02
	Nitrate as nitrogen	µg/L	93,500
	Nonvolatile beta	pCi/L	8.4E+02
	Total alpha-emitting radium	pCi/L	1.8E+01
	Tritium	pCi/mL	4.6E+03
FSB 92D	Cadmium	µg/L	15
	Gross alpha	pCi/L	2.8E+02
	Nitrate as nitrogen	µg/L	200,000

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>
	Nonvolatile beta	pCi/L	2.1E+03
	Total alpha-emitting radium	pCi/L	8.8E+01
	Tritium	pCi/mL	1.2E+04
FSB 93D	Cadmium	µg/L	23
	Gross alpha	pCi/L	1.6E+02
	Lead	µg/L	16
	Nitrate as nitrogen	µg/L	107,000
	Nonvolatile beta	pCi/L	2.3E+03
	Total alpha-emitting radium	pCi/L	5.7E+01
	Tritium	pCi/mL	9.2E+03
FSB 94DR	Gross alpha	pCi/L	1.5E+03
	Mercury	µg/L	3.5
	Nitrate as nitrogen	µg/L	420,000
	Nonvolatile beta	pCi/L	1.6E+03
	Sulfate	µg/L	426,000
	Thallium	µg/L	2.6
	Total alpha-emitting radium	pCi/L	9.3E+01
	Tritium	pCi/mL	3.0E+04
FSB 95DR	Gross alpha	pCi/L	1.2E+03
	Lead	µg/L	25
	Nitrate as nitrogen	µg/L	370,000
	Nonvolatile beta	pCi/L	1.7E+03
	Total alpha-emitting radium	pCi/L	6.4E+01
	Tritium	pCi/mL	2.5E+04
FSB 97D	Gross alpha	pCi/L	1.3E+03
	Lead	µg/L	130
	Nitrate as nitrogen	µg/L	356,000
	Nonvolatile beta	pCi/L	1.3E+03
	Sulfate	µg/L	536,000
	Total alpha-emitting radium	pCi/L	3.8E+01
	Tritium	pCi/mL	2.7E+04
FSB 98D	Cadmium	µg/L	6.3
	Gross alpha	pCi/L	1.1E+03
	Lead	µg/L	22
	Nitrate as nitrogen	µg/L	335,000
	Nonvolatile beta	pCi/L	1.5E+03
	Total alpha-emitting radium	pCi/L	5.0E+01
	Tritium	pCi/mL	2.2E+04
FSB 99D	Tritium	pCi/mL	1.1E+02
FSB104D	Cadmium	µg/L	14
	Gross alpha	pCi/L	5.7E+02
	Nitrate as nitrogen	µg/L	115,000
	Nonvolatile beta	pCi/L	1.6E+03
	Total alpha-emitting radium	pCi/L	2.6E+01
	Tritium	pCi/mL	1.0E+04

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>
FSB105DR	Gross alpha	pCi/L	1.3E+03
	Nitrate as nitrogen	µg/L	386,000
	Nonvolatile beta	pCi/L	1.5E+03
	Total alpha-emitting radium	pCi/L	1.1E+02
	Tritium	pCi/mL	3.3E+04
FSB106D	Tritium	pCi/mL	4.3E+01
FSB107D	Gross alpha	pCi/L	3.0E+02
	Nitrate as nitrogen	µg/L	19,200
	Nonvolatile beta	pCi/L	5.0E+02
	Total alpha-emitting radium	pCi/L	1.9E+01
	Tritium	pCi/mL	8.9E+01
FSB109D	Tritium	pCi/mL	4.0E+01
FSB110D	Gross alpha	pCi/L	7.1E+02
	Nitrate as nitrogen	µg/L	210,000
	Nonvolatile beta	pCi/L	7.2E+02
	Sulfate	µg/L	464,000
	Total alpha-emitting radium	pCi/L	1.5E+01
	Tritium	pCi/mL	1.8E+04
FSB112D	Gross alpha	pCi/L	1.6E+02
	Nitrate as nitrogen	µg/L	211,000
	Nonvolatile beta	pCi/L	3.4E+03
	Total alpha-emitting radium	pCi/L	2.6E+02
	Tritium	pCi/mL	1.0E+04
FSB113D	Uranium	µg/L	600
FSB117D	Gross alpha	pCi/L	1.1E+03
	Nitrate as nitrogen	µg/L	71,500
	Nonvolatile beta	pCi/L	1.4E+03
	Total alpha-emitting radium	pCi/L	6.4E+01
	Tritium	pCi/mL	5.2E+03
FSB119D	Gross alpha	pCi/L	8.8E+02
	Nitrate as nitrogen	µg/L	225,000 ^b
	Nitrate as nitrogen	µg/L	230,000 ^b
	Nonvolatile beta	pCi/L	1.4E+03
	Total alpha-emitting radium	pCi/L	9.2E+01
	Tritium	pCi/mL	2.2E+04
FSB122D	Tritium	pCi/mL	4.5E+02

Aquifer Zone IIB₁ (Barnwell/McBean)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>
FSB 78C	Cadmium	µg/L	14
	Gross alpha	pCi/L	7.7E+01

Aquifer Zone IIB, (Barnwell/McBean)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1992</u>
	Lead	µg/L	27
	Nitrate as nitrogen	µg/L	255,000 ^b
	Nitrate as nitrogen	µg/L	255,000 ^b
	Nonvolatile beta	pCi/L	2.0E+03
	Thallium	µg/L	2.0
	Total alpha-emitting radium	pCi/L	5.5E+01
	Tritium	pCi/mL	9.8E+03
FSB 79C	Cadmium	µg/L	19
	Gross alpha	pCi/L	4.6E+02
	Nitrate as nitrogen	µg/L	175,000
	Nonvolatile beta	pCi/L	3.3E+03
	Total alpha-emitting radium	pCi/L	1.1E+02
	Tritium	pCi/mL	1.0E+04
FSB 87C	Nitrate as nitrogen	µg/L	14,500
	Tritium	pCi/mL	9.6E+02
FSB 88C	Tritium	pCi/mL	2.6E+01
FSB 89C	Tritium	pCi/mL	2.5E+01 ^c
	Tritium	pCi/mL	2.4E+01 ^c
	Tritium	pCi/mL	2.5E+01 ^c
	Tritium	pCi/mL	2.4E+01 ^c
FSB 90C	Nitrate as nitrogen	µg/L	12,000 ^b
	Nitrate as nitrogen	µg/L	12,000 ^b
	Tritium	pCi/mL	7.7E+02
FSB 91C	Gross alpha	pCi/L	5.6E+01
	Nitrate as nitrogen	µg/L	52,500
	Nonvolatile beta	pCi/L	9.1E+02
	Total alpha-emitting radium	pCi/L	3.7E+01
	Tritium	pCi/mL	2.2E+03
FSB 93C	Nitrate as nitrogen	µg/L	39,000
	Tritium	pCi/mL	1.8E+03
FSB 94C	Cadmium	µg/L	10
	Gross alpha	pCi/L	4.8E+01
	Nitrate as nitrogen	µg/L	280,000 ^b
	Nitrate as nitrogen	µg/L	280,000 ^b
	Nonvolatile beta	pCi/L	2.3E+03
	Total alpha-emitting radium	pCi/L	3.2E+01
	Tritium	pCi/mL	2.0E+04
FSB 95CR	Cadmium	µg/L	8.0
	Gross alpha	pCi/L	4.0E+02
	Nitrate as nitrogen	µg/L	216,000
	Nonvolatile beta	pCi/L	2.2E+03
	Total alpha-emitting radium	pCi/L	1.2E+02

Aquifer Zone iIB₁ (Barnwell/McBean)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>
	Trichloroethylene	µg/L	20
	Tritium	pCi/mL	9.1E+03
FSB 97C	Gross alpha	pCi/L	1.1E+03
	Nitrate as nitrogen	µg/L	355,000
	Nonvolatile beta	pCi/L	1.6E+03
	Lead	µg/L	20
	Total alpha-emitting radium	pCi/L	6.8E+01
	Tritium	pCi/mL	2.1E+04
FSB 98C	Gross alpha	pCi/L	8.1E+02
	Nitrate as nitrogen	µg/L	202,000
	Nonvolatile beta	pCi/L	1.4E+03
	Thallium	µg/L	2.2
	Total alpha-emitting radium	pCi/L	1.2E+02
	Tritium	pCi/mL	1.3E+04
FSB 99C	Gross alpha	pCi/L	2.0E+01
	Nitrate as nitrogen	µg/L	38,500
	Nonvolatile beta	pCi/L	1.1E+02
	Total alpha-emitting radium	pCi/L	1.2E+01
	Tritium	pCi/mL	2.0E+03
FSB102C	Nitrate as nitrogen	µg/L	39,500
	Nonvolatile beta	pCi/L	3.8E+02
	Tritium	pCi/mL	1.2E+03
FSB103C	Nitrate as nitrogen	µg/L	24,500 ^b
	Nitrate as nitrogen	µg/L	24,500 ^b
	Tritium	pCi/mL	7.5E+02
FSB104C	Nitrate as nitrogen	µg/L	41,500
	Nonvolatile beta	pCi/L	5.8E+01
	Tritium	pCi/mL	1.2E+03
FSB105C	Cadmium	µg/L	5.4
	Gross alpha	pCi/L	4.0E+02
	Nitrate as nitrogen	µg/L	205,000
	Nonvolatile beta	pCi/L	1.1E+03
	Total alpha-emitting radium	pCi/L	1.3E+02
	Tritium	pCi/mL	1.1E+04
FSB106C	Cadmium	µg/L	7.4
	Gross alpha	pCi/L	1.8E+01
	Nitrate as nitrogen	µg/L	67,500
	Nonvolatile beta	pCi/L	9.2E+02
	Total alpha-emitting radium	pCi/L	1.4E+01
	Tritium	pCi/mL	2.1E+03
FSB107C	Nonvolatile beta	pCi/L	6.3E+01
	Tritium	pCi/mL	1.9E+02

Aquifer Zone IIB₁ (Barnwell/McBean)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>
FSB110C	Nitrate as nitrogen	μg/L	31,000
	Tritium	pCi/mL	9.2E+02
FSB112C	Cadmium	μg/L	14
	Gross alpha	pCi/L	1.2E+02
	Nitrate as nitrogen	μg/L	200,000
	Nonvolatile beta	pCi/L	1.9E+03
	Total alpha-emitting radium	pCi/L	6.3E+01
	Tritium	pCi/mL	7.3E+03
FSB113C	Tritium	pCi/mL	6.4E+01
FSB120C	Nitrate as nitrogen	μg/L	53,500 ^b
	Nitrate as nitrogen	μg/L	53,500 ^b
	Nonvolatile beta	pCi/L	5.2E+01
	Total alpha-emitting radium	pCi/L	1.4E+01
	Tritium	pCi/mL	2.2E+03
FSB121C	Tritium	pCi/mL	7.2E+01
FSB122C	Nitrate as nitrogen	μg/L	61,000
	Nonvolatile beta	pCi/L	9.9E+01
	Total alpha-emitting radium	pCi/L	6.3E+00
	Tritium	pCi/mL	2.1E+03

Aquifer Unit IIA (Congaree)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>
FSB 78A	Tritium	pCi/mL	4.0E+01
FSB 78B	Tritium	pCi/mL	2.5E+02
FSB 87B	Tritium	pCi/mL	6.2E+01
FSB 97A	Nitrate as nitrogen	μg/L	10,500
	Tritium	pCi/mL	4.0E+02
FSB 99A	Tritium	pCi/mL	1.1E+02
FSB100A	Tritium	pCi/mL	1.9E+02
FSB112A	Tritium	pCi/mL	6.8E+01
FSB120A	Tritium	pCi/mL	7.6E+01

^a The PDWS for total radium was applied to total alpha-emitting radium for 1Q92.

^b Duplicate samples of nitrate as nitrogen

^c Duplicate samples of tritium

Table 2. Constituents Exceeding Half the Primary Drinking Water Standards or Other Flag 1 or Flag 2 Criteria

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>Flag</u>
FSB 76	<i>Gross alpha</i>	pCi/L	1.0E+01	1
	<i>Nitrate as nitrogen</i>	µg/L	5,750	1
FSB 77	Aluminum	µg/L	30,100	2
	Manganese	µg/L	612	2
	pH	pH	3.7	1
	Specific conductance	µS/cm	950	2
FSB 78	Aluminum	µg/L	35,600	2
	Iron	µg/L	175	1
	Manganese	µg/L	876	2
	pH	pH	3.5	1
	Specific conductance	µS/cm	2,000	2
FSB 87D	Aluminum	µg/L	2,160	2
	<i>Copper</i>	µg/L	699	1
	<i>Lead</i>	µg/L	11	1
	Manganese	µg/L	34	1
	<i>Nitrate as nitrogen</i>	µg/L	6,500	1
FSB 88D	<i>Antimony</i>	µg/L	4.7	1
	<i>Gross alpha</i>	pCi/L	9.1E+00	1
	<i>Nonvolatile beta</i>	pCi/L	3.2E+01	1
FSB 89D	Aluminum	µg/L	4,950	2
	<i>Antimony</i>	µg/L	3.9	1
	Manganese	µg/L	253	2
	Specific conductance	µS/cm	275	1
FSB 90D	Aluminum	µg/L	3,140	2
	<i>Cadmium</i>	µg/L	3	1
	Manganese	µg/L	320	2
	Specific conductance	µS/cm	435	1
	Total alpha-emitting radium ^a	pCi/L	3.6E+00	1
FSB 91D	Aluminum	µg/L	26,600	2
	Manganese	µg/L	504	2
	pH	pH	3.8	1
	Specific conductance	µS/cm	550	2
FSB 92D	Aluminum	µg/L	41,200	2
	Manganese	µg/L	641	2
	pH	pH	3.7	1
	Specific conductance	µS/cm	1,150	2
FSB 93D	Aluminum	µg/L	19,400	2
	Iron	µg/L	201	1
	Manganese	µg/L	685	2
	Specific conductance	µS/cm	600	2

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>Flag</u>
FSB 94DR	Aluminum	µg/L	124,000	2
	Barium	µg/L	1,250	1
	Cobalt	µg/L	60	2
	Lead	µg/L	8.9	1
	Manganese	µg/L	6,920	2
	Nickel	µg/L	58	1
	pH	pH	3.1	1
	Specific conductance	µS/cm	2,550	2
	Total organic carbon	µg/L	6,000	1
	Total organic halogens	µg/L	29	1
FSB 95DR	Aluminum	µg/L	74,000	2
	Cadmium	µg/L	3.1	1
	Cobalt	µg/L	34	1
	Iron	µg/L	174	1
	Manganese	µg/L	4,070	2
	pH	pH	3.2	1
	Specific conductance	µS/cm	2,250	2
	Sulfate	µg/L	398,000	1
FSB 97D	Aluminum	µg/L	72,700	2
	Cadmium	µg/L	2.6	1
	Cobalt	µg/L	71	2
	Iron	µg/L	2,910	2
	Manganese	µg/L	4,950	2
	Nickel	µg/L	67	1
	pH	pH	3.9	1
	Specific conductance	µS/cm	2,080	2
FSB 98D	Aluminum	µg/L	65,300	2
	Barium	µg/L	1,700	1
	Cobalt	µg/L	179	2
	Iron	µg/L	551	2
	Manganese	µg/L	5,340	2
	Nickel	µg/L	56	1
	Specific conductance	µS/cm	2,000	2
FSB 99D	Aluminum	µg/L	120	1
	Gross alpha	pCi/L	8.1E+00	1
FSB104D	Aluminum	µg/L	43,600	2
	Cobalt	µg/L	39	1
	Manganese	µg/L	956	2
	Specific conductance	µS/cm	900	2
FSB105DR	Aluminum	µg/L	105,000	2
	Barium	µg/L	1,280	1
	Cobalt	µg/L	303	2
	Iron	µg/L	349	2
	Lead	µg/L	7.6	1
	Manganese	µg/L	9,160	2
	Nickel	µg/L	90	1
	pH	pH	3.3	1

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>Flag</u>
	Specific conductance	μS/cm	2,280 ^b	2
	Specific conductance	μS/cm	2,280 ^b	2
FSB106D	<i>Antimony</i>	μg/L	3.8	1
	Trichlorofluoromethane	μg/L	12	2
FSB107D	Aluminum	μg/L	6,260	2
	<i>Lead</i>	μg/L	9.6	1
	Manganese	μg/L	284	2
	pH	pH	3.8	1
FSB108D	<i>Tritium</i>	pCi/mL	1.4E+01	1
FSB110D	Aluminum	μg/L	55,300	2
	Iron	μg/L	204	1
	<i>Lead</i>	μg/L	15	1
	Manganese	μg/L	229	2
	pH	pH	3.5	1
	Specific conductance	μS/cm	1,520	2
FSB111D	<i>Tritium</i>	pCi/mL	1.0E+01	1
FSB112D	Aluminum	μg/L	21,500	2
	<i>Cadmium</i>	μg/L	3.8	1
	Cobalt	μg/L	79	2
	Manganese	μg/L	1,410	2
	pH	pH	3.5	1
	Specific conductance	μS/cm	1,450	2
FSB113D	<i>Antimony</i>	μg/L	4.2 ^c	1
	<i>Antimony</i>	μg/L	2.6 ^c	1
	<i>Tritium</i>	pCi/mL	1.3E+01 ^d	1
	<i>Tritium</i>	pCi/mL	1.3E+01 ^d	1
	<i>Tritium</i>	pCi/mL	1.3E+01 ^d	1
	<i>Tritium</i>	pCi/mL	1.4E+01 ^d	1
FSB114D	Manganese	μg/L	31	1
FSB115D	<i>Tritium</i>	pCi/mL	1.4E+01	1
FSB116D	<i>Tritium</i>	pCi/mL	1.5E+01	1
FSB117D	Aluminum	μg/L	42,700	2
	<i>Cadmium</i>	μg/L	4.4	1
	Cobalt	μg/L	23	1
	Manganese	μg/L	967	2
	pH	pH	3.8	1
	Specific conductance	μS/cm	700	2
FSB118D	Total organic halogens	μg/L	35	1
	Trichlorofluoromethane	μg/L	12	2
	<i>Tritium</i>	pCi/mL	1.3E+01	1

Aquifer Zone IIB₂ (Water Table)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>Flag</u>
FSB119D	Aluminum	µg/L	86,100	2
	<i>Cadmium</i>	µg/L	4.3	1
	Cobalt	µg/L	38	1
	Iron	µg/L	812	2
	<i>Lead</i>	µg/L	13	1
	Manganese	µg/L	1,700	2
	pH	pH	3.5	1
	Specific conductance	µS/cm	1,700	2
FSB120D	<i>Tritium</i>	pCi/mL	1.3E+01	1
FSB122D	<i>Nitrate as nitrogen</i>	µg/L	7,000	1

Aquifer Zone IIB₁ (Barnwell)

<u>Wells</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>Flag</u>
FSB 78C	Aluminum	µg/L	11,300	2
	Cobalt	µg/L	244	2
	<i>Fluoride</i>	µg/L	2,320	1
	Manganese	µg/L	5,710	2
	<i>Nickel</i>	µg/L	90	1
	Specific conductance	µS/cm	1,600	2
FSB 79C	Aluminum	µg/L	27,200	2
	Cobalt	µg/L	62	2
	Manganese	µg/L	1,300	2
	pH	pH	3.8	1
	Specific conductance	µS/cm	1,100	2
FSB 87C	<i>Antimony</i>	µg/L	2.7	1
FSB 89C	<i>Gross alpha</i>	pCi/L	9.6E+00	1
	Total organic halogens	µg/L	26 ^e	1
	Total organic halogens	µg/L	41 ^e	1
FSB 90C	Manganese	µg/L	26	1
	<i>Nonvolatile beta</i>	pCi/L	2.5E+01	1
FSB 91C	Aluminum	µg/L	1,100	2
	<i>Cadmium</i>	µg/L	4.5	1
	Manganese	µg/L	250	2
	Specific conductance	µS/cm	320	1
FSB 93C	Manganese	µg/L	88	2
	<i>Nonvolatile beta</i>	pCi/L	4.8E+01	1
	Specific conductance	µS/cm	450	1
FSB 94C	Aluminum	µg/L	15,100	2
	Cobalt	µg/L	227	2
	<i>Fluoride</i>	µg/L	2,960	1

Aquifer Zone IIB₁ (Barnwell)

<u>Wells</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>Flag</u>
	Iron	µg/L	215	1
	Lead	µg/L	9.4	1
	Manganese	µg/L	6,320	2
	Nickel	µg/L	60	1
	Specific conductance	µS/cm	1,700	2
FSB 95CR	Aluminum	µg/L	17,400	2
	Chloride	µg/L	2.8E+06	2
	Cobalt	µg/L	227	2
	Manganese	µg/L	4,010	2
	Specific conductance	µS/cm	1,350	2
FSB 97C	Aluminum	µg/L	41,700	2
	Cadmium	µg/L	2.9	1
	Cobalt	µg/L	195	2
	Manganese	µg/L	2,610	2
	Specific conductance	µS/cm	2,100	2
FSB 98C	Aluminum	µg/L	23,800	2
	Cadmium	µg/L	2.5	1
	Cobalt	µg/L	95	2
	Manganese	µg/L	1,470	2
	pH	pH	3.3	1
	Specific conductance	µS/cm	1,450	2
FSB 99C	Aluminum	µg/L	155	1
	Manganese	µg/L	102	2
	Specific conductance	µS/cm	270	1
FSB102C	Aluminum	µg/L	725	2
	Cadmium	µg/L	4.5	1
	Cobalt	µg/L	34	1
	Manganese	µg/L	768	2
	Specific conductance	µS/cm	370	1
	Total alpha-emitting radium	pCi/L	4.1E+00	1
FSB103C	Nonvolatile beta	pCi/L	3.0E+01	1
FSB104C	Manganese	µg/L	29	1
	Specific conductance	µS/cm	300	1
FSB105C	Aluminum	µg/L	25,300	2
	Cobalt	µg/L	265	2
	Manganese	µg/L	2,420	2
	pH	pH	3.6	1
	Specific conductance	µS/cm	1,350	2
FSB106C	Aluminum	µg/L	184	1
	Cobalt	µg/L	41	2
	Manganese	µg/L	872	2
	Specific conductance	µS/cm	500	2

Aquifer Zone IIB₁ (Barnwell)

<u>Wells</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>Flag</u>
FSB107C	Manganese	µg/L	60	2
	Nitrate as nitrogen	µg/L	8,700	1
	Total alpha-emitting radium	pCi/L	2.5E+00	1
FSB110C	Nonvolatile beta	pCi/L	4.7E+01	1
	Specific conductance	µS/cm	255	1
FSB112C	Aluminum	µg/L	3,050	2
	Cobalt	µg/L	83	2
	Manganese	µg/L	1,630	2
	Specific conductance	µS/cm	1,300	2
	Total organic halogens	µg/L	65	2
FSB113C	Aluminum	µg/L	338	2
	pH	pH	12	2
	Specific conductance	µS/cm	580	2
	Tetrachloroethylene	µg/L	2.8	1
	Total organic halogens	µg/L	26	1
FSB116C	Tritium	pCi/mL	1.4E+01	1
FSB120C	Aluminum	µg/L	222	2
	Gross alpha	pCi/L	9.2E+00	1
	Manganese	µg/L	352	2
	Specific conductance	µS/cm	450	1
FSB121C	Total organic halogens	µg/L	33	1
FSB122C	Aluminum	µg/L	602	2
	Manganese	µg/L	200	2
	Specific conductance	µS/cm	420	1

Aquifer Unit IIA (Congaree)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>Flag</u>
FSB 78A	Total organic halogens	µg/L	44	1
FSB 78B	Nitrate as nitrogen	µg/L	7,000	1
FSB 79A	Tritium	pCi/mL	1.1E+01	1
FSB 79B	Tritium	pCi/mL	1.8E+01	1
FSB 87A	Tritium	pCi/mL	1.6E+01	1
FSB 97A	Specific conductance	µS/cm	270	1
FSB 98AR	Tritium	pCi/mL	1.6E+01	1

Aquifer Unit IIA (Congaree)

<u>Well</u>	<u>Constituent</u>	<u>Unit</u>	<u>1Q92</u>	<u>Flag</u>
FSB100A	<i>Nitrate as nitrogen</i>	$\mu\text{g/L}$	5,700 ^f	1
	<i>Nitrate as nitrogen</i>	$\mu\text{g/L}$	5,500 ^f	1
FSB113A	Aluminum	$\mu\text{g/L}$	3,610	2
	pH	pH	12	2
	Specific conductance	$\mu\text{S/cm}$	650	2
	<i>Tritium</i>	pCi/mL	1.9E + 01	1
FSB114A	Aluminum	$\mu\text{g/L}$	124	1
	pH	pH	9.3	1
FSB120A	Aluminum	$\mu\text{g/L}$	1,380	2
	pH	pH	11	2

Note: Constituents exceeding half the PDWS appear italicized.

- ^a Flagging criteria for total radium were applied to total alpha-emitting radium for 1Q92.
- ^b Duplicate samples for specific conductance
- ^c Duplicate samples for antimony
- ^d Duplicate samples for tritium
- ^e Duplicate samples for total organic halogens
- ^f Duplicate samples for nitrate as nitrogen

Table 3. Groundwater Monitoring Results for Individual Wells**WELL FSB 76**

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N76141.6 E51388.8	33.278022 °N 81.679386 °W	227.0-197.0 ft msl	294.2 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/19/92
 Depth to water: 74.87 ft (22.82 m) below TOC
 Water elevation: 219.33 ft (66.85 m) msl
 Sp. conductance: 65 µS/cm
 Water evacuated before sampling: 59 gal

Time: 13:15
 pH: 4.4
 Alkalinity: 0 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.9	pH	0	GE
		Specific conductance	65	µS/cm	0	GE
		Aluminum	90	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	9.3	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	870	µg/L	0	GE
		Chloride	2,120	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	495	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	5.0	µg/L	0	GE
■		Lead	29	µg/L	2	GE
		Magnesium	1,270	µg/L	0	GE
		Manganese	5.6	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	4.9	µg/L	0	GE
		Nitrate as nitrogen	5,750	µg/L	1	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	7,520	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	6,220	µg/L	0	GE
		Sulfate	2,620	µg/L	0	GE
		Sulfate	2,900	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
		Total dissolved solids	35,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	184	µg/L	0	GE
		Gross alpha	1.0E+01 ± 9.1E-01	pCi/L	1	GE
		Nonvolatile beta	9.9E+00 ± 8.7E-01	pCi/L	0	GE
■		Total alpha emitting radium	5.4E+00 ± 7.0E-01	pCi/L	2	GE
■		Tritium	4.6E+02 ± 1.7E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 76A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N76131.9 E51391.6	33.278005 °N 81.679359 °W	47.4-36.9 ft msl	293.9 ft msl	PVC	L. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 01/19/92
 Depth to water: 138.28 ft (42.15 m) below TOC
 Water elevation: 155.62 ft (47.43 m) msl
 Sp. conductance: 114 μ S/cm
 Water evacuated before sampling: 311 gal

Time: 14:15
 pH: 6.1
 Alkalinity: 37 mg/L
 Water temperature: 17.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.8	pH	0	GE
		Specific conductance	105	μ S/cm	0	GE
		Aluminum	<20	μ g/L	0	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	21	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	17,300	μ g/L	0	GE
		Chloride	2,460	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Cobalt	<4.0	μ g/L	0	GE
		Copper	<4.0	μ g/L	0	GE
		Cyanide	<5.0	μ g/L	0	GE
		Fluoride	136	μ g/L	0	GE
		Iron	<4.0	μ g/L	0	GE
		Lead	<3.0	μ g/L	0	GE
		Magnesium	620	μ g/L	0	GE
		Manganese	<2.0	μ g/L	0	GE
		Mercury	<0.20	μ g/L	0	GE
		Nickel	<4.0	μ g/L	0	GE
		Nitrate as nitrogen	<50	μ g/L	0	GE
		Phenols	<5.0	μ g/L	0	GE
		Potassium	1,140	μ g/L	0	GE
		Selenium	<2.0	μ g/L	0	GE
		Silica	27,900	μ g/L	0	GE
		Silver	<2.0	μ g/L	0	GE
		Sodium	1,750	μ g/L	0	GE
		Sulfate	7,190	μ g/L	0	GE
		Thallium	<2.0	μ g/L	0	GE
•		Total dissolved solids	92,000	μ g/L	0	GE
		Total organic carbon	<1,000	μ g/L	0	GE
		Total organic carbon	<1,000	μ g/L	0	GE
		Total organic halogens	11	μ g/L	0	GE
		Total phosphates (as F)	290	μ g/L	0	GE
		Total phosphates (as P)	300	μ g/L	0	GE
		Vanadium	<8.0	μ g/L	0	GE
		Zinc	<2.0	μ g/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 76A collected on 01/19/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total alpha-emitting radium	1.0E+00 ± 3.0E-01	pCi/L	0	GE
		Tritium	< 7.0E-01	pCi/mL	0	GE

WELL FSB 76B

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N76122.4	33.277988 °N	109.7-99.2 ft msl	293.8 ft msl	PVC	U. Congaree (IIA)
E51394.0	81.679335 °W				

FIELD MEASUREMENTS

Sample date: 02/17/92

Depth to water: 141.88 ft (43.25 m) below TOC

Water elevation: 151.92 ft (46.31 m) msl

Sp. conductance: 130 µS/cm

Water evacuated before sampling: 138 gal

Time: 10:30

pH: 6.5

Alkalinity: 52 mg/L

Water temperature: 18.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.8	pH	0	WA
•		pH	6.0	pH	0	WA
•		pH	7.0	pH	0	GE
•		pH	7.0	pH	0	GE
		Specific conductance	128	µS/cm	0	WA
		Specific conductance	128	µS/cm	0	WA
		Specific conductance	112	µS/cm	0	WA
		Specific conductance	100	µS/cm	0	GE
		Specific conductance	100	µS/cm	0	GE
		Aluminum	< 14	µg/L	0	WA
		Aluminum	< 14	µg/L	0	WA
		Aluminum	< 14	µg/L	0	WA
		Aluminum	< 20	µg/L	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.6	µg/L	0	WA
		Antimony	< 2.6	µg/L	0	WA
		Antimony	< 2.6	µg/L	0	WA
		Antimony	< 2.0	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	WA
		Arsenic	< 2.0	µg/L	0	WA
		Arsenic	< 2.0	µg/L	0	WA
		Arsenic	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	18	µg/L	0	WA
		Barium	16	µg/L	0	WA
		Barium	18	µg/L	0	WA
		Barium	19	µg/L	0	GE
		Barium	19	µg/L	0	GE
		Cadmium	< 0.35	µg/L	0	WA
		Cadmium	< 0.35	µg/L	0	WA
		Cadmium	< 0.35	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 76B collected on 02/17/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Cadmium	< 2.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	22,800	µg/L	0	WA
		Calcium	18,700	µg/L	0	WA
		Calcium	22,600	µg/L	0	WA
		Calcium	23,600	µg/L	0	GE
		Calcium	23,200	µg/L	0	GE
		Chloride	3,250	µg/L	0	WA
		Chloride	3,220	µg/L	0	WA
		Chloride	2,380	µg/L	0	GE
		Chloride	2,300	µg/L	0	GE
		Chromium	1.3	µg/L	0	WA
		Chromium	< 1.1	µg/L	0	WA
		Chromium	2.4	µg/L	0	WA
		Chromium	< 4.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 0.88	µg/L	0	WA
		Cobalt	< 0.88	µg/L	0	WA
		Cobalt	< 0.88	µg/L	0	WA
		Cobalt	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	2.2	µg/L	0	WA
		Copper	4.8	µg/L	0	WA
		Copper	4.5	µg/L	0	WA
		Copper	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	WA
		Cyanide	< 5.0	µg/L	0	WA
		Cyanide	< 5.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	122	µg/L	0	WA
		Fluoride	122	µg/L	0	WA
		Fluoride	129	µg/L	0	WA
		Fluoride	126	µg/L	0	WA
		Fluoride	142	µg/L	0	GE
		Fluoride	147	µg/L	0	GE
		Iron	4.4	µg/L	0	WA
		Iron	5.9	µg/L	0	WA
		Iron	5.2	µg/L	0	WA
		Iron	< 4.0	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 2.0	µg/L	0	WA
		Lead	< 2.0	µg/L	0	WA
		Lead	< 2.0	µg/L	0	WA
		Lead	< 3.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	662	µg/L	0	WA
		Magnesium	561	µg/L	0	WA
		Magnesium	640	µg/L	0	WA
		Magnesium	726	µg/L	0	GE
		Magnesium	719	µg/L	0	GE
		Manganese	0.53	µg/L	0	WA
		Manganese	4.0	µg/L	0	WA
		Manganese	0.53	µg/L	0	WA
		Manganese	< 2.0	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 76B collected on 02/17/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Mercury	<0.20	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Mercury	<0.20	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<3.1	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nickel	<4.0	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	604	µg/L	0	WA
		Nitrate as nitrogen	633	µg/L	0	WA
		Nitrate as nitrogen	440	µg/L	0	GE
		Nitrate as nitrogen	430	µg/L	0	GE
		Phenols	<5.0	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	528	µg/L	0	WA
		Potassium	435	µg/L	0	WA
		Potassium	584	µg/L	0	WA
		Potassium	551	µg/L	0	GE
		Potassium	533	µg/L	0	GE
		Selenium	<2.0	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	21,400	µg/L	0	GE
		Silica	20,900	µg/L	0	GE
		Silicon	8,720	µg/L	0	WA
		Silicon	7,140	µg/L	0	WA
		Silicon	8,650	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Silver	<2.0	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,540	µg/L	0	WA
		Sodium	1,400	µg/L	0	WA
		Sodium	1,540	µg/L	0	WA
		Sodium	1,690	µg/L	0	GE
		Sodium	1,660	µg/L	0	GE
		Sulfate	3,240	µg/L	0	WA
		Sulfate	3,260	µg/L	0	WA
		Sulfate	2,730	µg/L	0	GE
		Sulfate	2,640	µg/L	0	GE
		Thallium	<2.0	µg/L	0	WA
		Thallium	<2.0	µg/L	0	WA
		Thallium	<2.0	µg/L	0	WA
		Thallium	<2.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	93,000	µg/L	0	WA
		Total dissolved solids	107,000	µg/L	0	WA
		Total dissolved solids	104,000	µg/L	0	WA
		Total dissolved solids	87,000	µg/L	0	GE
		Total dissolved solids	82,000	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 76B collected on 02/17/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total organic carbon	<500	µg/L	0	WA
		Total organic carbon	1,620	µg/L	0	WA
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	WA
		Total organic halogens	<5.0	µg/L	0	WA
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<40	µg/L	0	WA
		Total phosphates (as P)	<40	µg/L	0	WA
		Total phosphates (as P)	308	µg/L	0	WA
		Total phosphates (as P)	270	µg/L	0	GE
		Total phosphates (as P)	290	µg/L	0	GE
		Uranium	0.50	µg/L	0	BA
		Uranium	0.80	µg/L	0	BA
		Vanadium	<0.88	µg/L	0	WA
		Vanadium	<0.88	µg/L	0	WA
		Vanadium	1.2	µg/L	0	WA
		Vanadium	<8.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	5.0	µg/L	0	WA
		Zinc	4.7	µg/L	0	WA
		Zinc	3.4	µg/L	0	WA
		Zinc	2.9	µg/L	0	GE
		Zinc	3.1	µg/L	0	GE
		Gross alpha	<1.7E+00	pCi/L	0	BA
		Gross alpha	<1.5E+00	pCi/L	0	BA
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.2E+00 ± 1.8E+00	pCi/L	0	BA
		Nonvolatile beta	3.2E+00 ± 1.8E+00	pCi/L	0	BA
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Radium-226	2.0E-01 ± 3.0E-01	pCi/L	0	BA
		Radium-226	1.0E-01 ± 3.0E-01	pCi/L	0	BA
		Radium-228	<1.9E+00	pCi/L	0	BA
		Radium-228	1.0E-01 ± 1.9E+00	pCi/L	0	BA
		Total alpha-emitting radium	1.3E+00 ± 4.0E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.2E+00 ± 4.0E-01	pCi/L	0	GE
		Tritium	3.8E-01 ± 2.8E-01	pCi/mL	0	BA
		Tritium	2.0E-01 ± 2.7E-01	pCi/mL	0	BA
		Tritium	3.4E-01 ± 2.8E-01	pCi/mL	0	BA
		Tritium	<7.0E-01	pCi/mL	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 76C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N76112.4	33.277970 °N	165.3-154.8 ft msl	293.6 ft msl	PVC	Barnwell (IIB ₁)
E51396.4	81.679309 °W				

FIELD MEASUREMENTS

Sample date: 01/19/92	Time: 13:45
Depth to water: 79.37 ft (24.19 m) below TOC	pH: 5.3
Water elevation: 214.23 ft (65.30 m) msl	Alkalinity: 7 mg/L
Sp. conductance: 43 µS/cm	Water temperature: 17.8°C
Water evacuated before sampling: 156 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.3	pH	0	GE
		Specific conductance	45	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	7.3	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	5,580	µg/L	0	GE
		Chloride	2,480	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	10	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	63	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	388	µg/L	0	GE
		Manganese	5.9	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	980	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	9,880	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	2,030	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
•		Total dissolved solids	34,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	31	µg/L	0	GE
		Gross alpha	< 2.0E + 00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E + 00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E + 00	pCi/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 76C collected on 01/19/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Tritium	2.6E+00 ± 2.0E-01	pCi/mL	0	GE

WELL FSB 77

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75129.4 E50713.1	33.274681 °N 81.679198 °W	216.4-186.4 ft msl	273.3 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/19/92
 Depth to water: 59.49 ft (18.13 m) below TOC
 Water elevation: 213.81 ft (65.17 m) msl
 Sp. conductance: 1174 µS/cm
 Water evacuated before sampling: 72 gal

Time: 14:55
 pH: 3.5
 Alkalinity: 0 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.7	pH	1	GE
		Specific conductance	950	µS/cm	2	GE
		Aluminum	30,100	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	147	µg/L	0	GE
	■	Cadmium	5.1	µg/L	2	GE
		Calcium	2,050	µg/L	0	GE
		Chloride	3,820	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	5.5	µg/L	0	GE
		Copper	48	µg/L	0	GE
•		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	699	µg/L	0	GE
		Iron	40	µg/L	0	GE
	■	Lead	24	µg/L	2	GE
		Magnesium	1,360	µg/L	0	GE
		Manganese	612	µg/L	2	GE
		Mercury	0.95	µg/L	0	GE
		Nickel	16	µg/L	0	GE
	■	Nitrate as nitrogen	143,000	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	572	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	18,100	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	54,700	µg/L	0	GE
		Sulfate	13,800	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
•		Total dissolved solids	544,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 77 collected on 01/19/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	39	µg/L	0	GE
■		Gross alpha	1.1E+03 ± 1.8E+01	pCi/L	2	GE
■		Nonvolatile beta	1.7E+03 ± 1.5E+01	pCi/L	2	GE
■		Total alpha-emitting radium	8.2E+01 ± 2.3E+00	pCi/L	2	GE
■		Tritium	8.6E+03 ± 7.3E+00	pCi/mL	2	GE

WELL FSB 78

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74764.0	33.272978 °N	217.7-187.7 ft msl	272.6 ft msl	4" PVC	Water Table (IIB ₂)
E50164.7	81.679932 °W				

FIELD MEASUREMENTS

Sample date: 01/18/92
 Depth to water: 62.33 ft (19.00 m) below TOC
 Water elevation: 210.27 ft (64.09 m) msl
 Sp. conductance: 2120 µS/cm
 Water evacuated before sampling: 59 gal

Time: 17:30
 pH: 3.1
 Alkalinity: 0 mg/L
 Water temperature: 18.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.5	pH	1	GE
		Specific conductance	2,000	µS/cm	2	GE
		Aluminum	35,600	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	314	µg/L	0	GE
■		Cadmium	37	µg/L	2	GE
		Calcium	4,070	µg/L	0	GE
		Chloride	2,160	µg/L	0	GE
		Chromium	5.2	µg/L	0	GE
		Cobalt	17	µg/L	0	GE
		Copper	58	µg/L	0	GE
•		Cyanide	< 5.0	µg/L	0	GE
		Endrin	< 0.0060	µg/L	0	GE
		Fluoride	116	µg/L	0	GE
		Iron	175	µg/L	1	GE
■		Lead	17	µg/L	2	GE
		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	2,380	µg/L	0	GE
		Manganese	876	µg/L	2	GE
		Mercury	0.43	µg/L	0	GE
		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	24	µg/L	0	GE
■		Nitrate as nitrogen	278,000	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	7,150	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 78 collected on 01/18/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Selenium	<2.0	µg/L	0	GE
		Silica	123,000	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	224,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
•		Total dissolved solids	1.5E+06	µg/L	0	GE
		Total organic carbon	3,000	µg/L	0	GE
		Total organic carbon	3,000	µg/L	0	GE
		Total organic halogens	14	µg/L	0	GE
		Total phosphates (as P)	70	µg/L	0	GE
		Total phosphates (as P)	50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	87	µg/L	0	GE
■		Gross alpha	8.6E+02 ± 2 °E+01	pCi/L	2	GE
■		Nonvolatile beta	3.5E+03 ± 4.5E+01	pCi/L	2	GE
■		Total alpha-emitting radium	7.8E+01 ± 3.1E+00	pCi/L	2	GE
■		Tritium	1.8E+04 ± 1.1E+01	pCi/mL	2	GE

WELL FSB 78A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74757.7	33.272977 °N	37.5-27.0 ft msl	272.6 ft msl	PVC	L. Congaree (IIA)
E50172.8	81.679898 °W				

FIELD MEASUREMENTS

Sample date: 01/18/92
 Depth to water: 115.94 ft (35.34 m) below TOC
 Water elevation: 156.66 ft (47.75 m) msl
 Sp. conductance: 113 µS/cm
 Water evacuated before sampling: 340 gal

Time: 17:45
 pH: 6.2
 Alkalinity: 36 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.8	pH	0	GE
		Specific conductance	100	µS/cm	0	GE
		Aluminum	71	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	23	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	17,100	µg/L	0	GE
		Chloride	2,390	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	117	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 78A collected on 01/18/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Magnesium	594	µg/L	0	GE
		Manganese	4.4	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	650	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	872	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	27,500	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	2,300	µg/L	0	GE
		Sulfate	6,270	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
•		Total dissolved solids	84,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	44	µg/L	1	GE
•		Total phosphates (as P)	190	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
■		Tritium	4.0E+01 ± 5.0E-01	pCi/mL	2	GE

WELL FSB 78B

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74765.9	33.273005 °N	92.8-82.4 ft msl	272.8 ft msl	PVC	U. Congaree (IIA)
E50178.8	81.679898 °W				

FIELD MEASUREMENTS

Sample date: 01/18/92
 Depth to water: 117.92 ft (35.94 m) below TOC
 Water elevation: 154.88 ft (47.21 m) msl
 Sp. conductance: 224 µS/cm
 Water evacuated before sampling: 190 gal
 Time: 17:10
 pH: 7.1
 Alkalinity: 75 mg/L
 Water temperature: 17.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.6	pH	0	GE
		Specific conductance	222	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	41	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	36,500	µg/L	0	GE
		Chloride	2,140	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 78B collected on 01/18/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	739	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	7,000	µg/L	1	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	538	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	18,100	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	5,000	µg/L	0	GE
		Sulfate	1,010	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
		Total dissolved solids	156,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
•		Total phosphates (as P)	60	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	6.3E+00 ± 7.5E-01	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
■		Tritium	2.5E+02 ± 1.2E+00	pCi/mL	2	GE

WELL FSB 78C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74772.5	33.273006 °N	151.4-141.6 ft msl	273.5 ft msl	PVC	Barnwell (IIB ₁)
E50170.2	81.679934 °W				

FIELD MEASUREMENTS

Sample date: 01/19/92
 Depth to water: 63.96 ft (19.50 m) below TOC
 Water elevation: 209.54 ft (63.87 m) msl
 Sp. conductance: 1810 µS/cm
 Water evacuated before sampling: 27 gal
 The well went dry during purging.

Time: 14:35
 pH: 4.2
 Alkalinity: 0 mg/L
 Water temperature: 17.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.5	pH	0	GE
		Specific conductance	1,600	µS/cm	2	GE
		Aluminum	11,300	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 78C collected on 01/19/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Barium	413	µg/L	0	GE
	■	Cadmium	14	µg/L	2	GE
		Calcium	123,000	µg/L	0	GE
		Chloride	2,860	µg/L	0	GE
		Chromium	< 8.0	µg/L	0	GE
		Cobalt	244	µg/L	2	GE
		Copper	54	µg/L	0	GE
•		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	2,320	µg/L	1	GE
		Iron	92	µg/L	0	GE
	■	Lead	27	µg/L	2	GE
		Magnesium	21,900	µg/L	0	GE
		Manganese	5,710	µg/L	2	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	90	µg/L	1	GE
	■	Nitrate as nitrogen	255,000	µg/L	2	GE
	■	Nitrate as nitrogen	255,000	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	2,300	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	14,300	µg/L	0	GE
		Silver	< 4.0	µg/L	0	GE
		Sodium	89,100	µg/L	0	GE
		Sulfate	8,800	µg/L	0	GE
	■	Thallium	2.0	µg/L	2	GE
•		Total dissolved solids	1.4E + 06	µg/L	0	GE
		Total organic carbon	3,000	µg/L	0	GE
		Total organic halogens	5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 16	µg/L	0	GE
		Zinc	467	µg/L	0	GE
	■	Gross alpha	7.7E + 01 ± 7.1E + 00	pCi/L	2	GE
	■	Nonvolatile beta	2.0E + 03 ± 2.3E + 01	pCi/L	2	GE
	■	Total alpha-emitting radium	5.5E + 01 ± 1.9E + 00	pCi/L	2	GE
	■	Tritium	9.8E + 03 ± 7.8E + 00	pCi/mL	2	GE

WELL FSB 79

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73663.1	33.270502 °N	204.1-174.1 ft msl	217.8 ft msl	4" PVC	Water Table (IIB ₂)
E50139.7	81.677859 °W				

FIELD MEASUREMENTS

Sample date: 01/20/92 Time: 14:25
 Depth to water: 14.25 ft (4.34 m) below TOC
 Water elevation: 203.55 ft (62.04 m) msl
 Inaccessibility or pump failure prevented sample collection.

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 79A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73664.5 E50149.6	33.270522 °N 81.677836 °W	34.4-24.0 ft msl	218.1 ft msl	PVC	L. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 01/20/92	Time: 15:25
Depth to water: 59.54 ft (18.15 m) below TOC	pH: 6.2
Water elevation: 158.56 ft (48.33 m) msl	Alkalinity: 26 mg/L
Sp. conductance: 80 µS/cm	Water temperature: 18.4°C
Water evacuated before sampling: 353 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.6	pH	0	GE
		Specific conductance	81	µS/cm	0	GE
		Aluminum	31	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	18	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	12,600	µg/L	0	GE
		Chloride	2,320	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	542	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	240	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	674	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	19,400	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	1,620	µg/L	0	GE
		Sulfate	3,130	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
•		Total dissolved solids	53,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	120	µg/L	0	GE
		Total phosphates (as P)	160	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.0E+00 ± 5.2E-01	pCi/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 79A collected on 01/20/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Tritium	1.1E+01 ± 3.0E-01	pCi/mL	1	GE

WELL FSB 79B

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73666.1	33.270541 °N	91.2-80.7 ft msl	218.2 ft msl	PVC	U. Congaree (IIA)
E50159.2	81.677813 °W				

FIELD MEASUREMENTS

Sample date: 01/20/92
 Depth to water: 59.50 ft (18.14 m) below TOC
 Water elevation: 158.70 ft (48.37 m) msl
 Sp. conductance: 158 µS/cm
 Water evacuated before sampling: 205 gal

Time: 14:55
 pH: 6.8
 Alkalinity: 62 mg/L
 Water temperature: 17.7°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.2	pH	0	GE
		Specific conductance	161	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	28	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	29,200	µg/L	0	GE
		Chloride	2,250	µg/L	0	GE
		Chloride	2,230	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	122	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	594	µg/L	0	GE
		Manganese	< 2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	940	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	27,200	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	1,650	µg/L	0	GE
		Sulfate	1,950	µg/L	0	GE
		Sulfate	1,950	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
•		Total dissolved solids	109,000	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 79B collected on 01/20/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Total dissolved solids	100,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	350	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.8E+00 ± 5.8E-01	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Tritium	1.8E+01 ± 4.0E-01	pCi/mL	1	GE

WELL FSB 79C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73668.0	33.270565 °N	159.6-149.8 ft msl	218.4 ft msl	PVC	Barnwell (lib ₁)
E50171.3	81.677785 °W				

FIELD MEASUREMENTS

Sample date: 01/20/92
 Depth to water: 20.91 ft (6.37 m) below TOC
 Water elevation: 197.49 ft (60.20 m) msl
 Sp. conductance: 1322 µS/cm
 Water evacuated before sampling: 125 gal

Time: 15:15
 pH: 3.5
 Alkalinity: 0 mg/L
 Water temperature: 17.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.8	pH	1	GE
		Specific conductance	1,100	µS/cm	2	GE
		Aluminum	27,200	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	321	µg/L	0	GE
	■	Cadmium	19	µg/L	2	GE
		Calcium	10,400	µg/L	0	GE
		Chloride	4,340	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	62	µg/L	2	GE
		Copper	31	µg/L	0	GE
•		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	726	µg/L	0	GE
		Iron	9.8	µg/L	0	GE
		Lead	4.8	µg/L	0	GE
		Magnesium	8,250	µg/L	0	GE
		Manganese	1,300	µg/L	2	GE
		Mercury	0.20	µg/L	0	GE
		Nickel	22	µg/L	0	GE
	■	Nitrate as nitrogen	175,000	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	1,120	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 79C collected on 01/20/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Selenium	< 2.0	µg/L	0	GE
		Silica	10,800	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	39,700	µg/L	0	GE
		Sulfate	4,660	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
•		Total dissolved solids	620,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	69	µg/L	0	GE
■		Gross alpha	4.6E + 02 ± 1.3E + 01	pCi/L	2	GE
■		Nonvolatile beta	3.3E + 03 ± 2.9E + 01	pCi/L	2	GE
■		Total alpha-emitting radium	1.1E + 02 ± 2.6E + 00	pCi/L	2	GE
■		Tritium	1.0E + 04 ± 8.0E + 00	pCi/mL	2	GE

WELL FSB 87A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75601.7	33.274751 °N	43.6-33.1 ft msl	287.8 ft msl	PVC	L. Congaree (IIA)
E50115.8	81.681688 °W				

FIELD MEASUREMENTS

Sample date: 01/18/92
 Depth to water: 133.34 ft (40.64 m) below TOC
 Water elevation: 154.46 ft (47.08 m) msl
 Sp. conductance: 102 µS/cm
 Water evacuated before sampling: 318 gal

Time: 15:25
 pH: 6.4
 Alkalinity: 36 mg/L
 Water temperature: 19.1 °C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.9	pH	0	GE
		Specific conductance	95	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	18	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	16,000	µg/L	0	GE
		Chloride	2,390	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	140	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	605	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 87A collected on 01/18/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Manganese	< 2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	270	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	720	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	25,100	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	1,610	µg/L	0	GE
		Sulfate	4,600	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
•		Total dissolved solids	79,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
•		Total phosphates (as P)	300	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	< 2.0	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Tritium	1.6E+01 ± 4.0E-01	pCi/mL	1	GE

WELL FSB 87B

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75597.0	33.274722 °N	100.5-90.0 ft msl	287.5 ft msl	PVC	U. Congaree (IIA)
E50104.9	81.681708 °W				

FIELD MEASUREMENTS

Sample date: 01/18/92
 Depth to water: 136.48 ft (41.60 m) below TOC
 Water elevation: 151.02 ft (46.03 m) msl
 Sp. conductance: 69 µS/cm
 Water evacuated before sampling: 160 gal

Time: 14:45
 pH: 5.9
 Alkalinity: 7 mg/L
 Water temperature: 17.6°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.2	pH	0	GE
		Specific conductance	61	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	3.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	8,320	µg/L	0	GE
		Chloride	2,040	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 87B collected on 01/18/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	338	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	513	µg/L	0	GE
		Manganese	2.0	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	4,050	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	573	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	13,300	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	2,110	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
•		Total dissolved solids	25,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	6.0	µg/L	0	GE
•		Total phosphates (as P)	1,130	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	4.7	µg/L	0	GE
		Gross alpha	< 2.0E + 00	pCi/L	0	GE
		Nonvolatile beta	3.5E + 00 ± 5.5E-01	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E + 00	pCi/L	0	GE
■		Tritium	6.2E + 01 ± 6.0E-01	pCi/mL	2	GE

WELL FSB 87C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75591.9	33.274692 °N	159.3-148.8 ft msl	287.5 ft msl	PVC	Barnwell (IIB ₁)
E50093.4	81.681728 °W				

FIELD MEASUREMENTS

Sample date: 01/18/92
 Depth to water: 76.78 ft (23.40 m) below TOC
 Water elevation: 210.72 ft (64.23 m) msl
 Sp. conductance: 154 µS/cm
 Water evacuated before sampling: 162 gal
 Time: 15:15
 pH: 5.8
 Alkalinity: 5 mg/L
 Water temperature: 19.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.1	pH	0	GE
		Specific conductance	155	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	2.7	µg/L	1	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	23	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSE 87C collected on 01/18/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Calcium	12,200	µg/L	0	GE
		Chloride	2,390	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	7.9	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	1,870	µg/L	0	GE
		Manganese	8.4	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
	■	Nitrate as nitrogen	14,500	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	9,360	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	11,900	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
		Total dissolved solids	135,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	8.8	µg/L	0	GE
	●	Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	16	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	1.0E+01 ± 9.2E-01	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
	■	Tritium	9.6E+02 ± 2.4E+00	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 87D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75586.3 E50081.1	33.274660 °N 81.681749 °W	216.8-187.4 ft msl	287.3 ft msl	PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/18/92
 Depth to water: 72.87 ft (22.21 m) below TOC
 Water elevation: 214.43 ft (65.36 m) msl
 Sp. conductance: 118 µS/cm
 Water evacuated before sampling: 71 gal

Time: 16:25
 pH: 3.6
 Alkalinity: 0 mg/L
 Water temperature: 18.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.0	pH	0	GE
		Specific conductance	115	µS/cm	0	GE
		Aluminum	2,160	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	15	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	1,050	µg/L	0	GE
		Chloride	900	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	699	µg/L	1	GE
		Cyanide	< 5.0	µg/L	0	GE
•		Endrin	< 0.0060	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	20	µg/L	0	GE
		Lead	11	µg/L	1	GE
•		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	446	µg/L	0	GE
		Manganese	34	µg/L	1	GE
		Mercury	< 0.20	µg/L	0	GE
•		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	6,500	µg/L	1	GE
		Phenols	< 5.0	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	93,500	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	4,800	µg/L	0	GE
		Sulfate	70,100	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
		Total dissolved solids	126,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
•		Total phosphates (as P)	< 50	µg/L	0	GE
•		Toxaphene	< 0.24	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 87D collected on 01/18/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	27	µg/L	0	GE
■		Gross alpha	6.2E+01 ± 2.4E+00	pCi/L	2	GE
■		Nonvolatile beta	5.8E+01 ± 1.9E+00	pCi/L	2	GE
		Total alpha-emitting radium	2.0E+00 ± 5.0E-01	pCi/L	0	GE
■		Tritium	2.1E+02 ± 1.1E+00	pCi/mL	2	GE

WELL FSB 88C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75619.4	33.277078 °N	168.4-158.4 ft msl	283.0 ft msl	4" PVC	Barnwell (IIB ₁)
E51518.0	81.678031 °W				

FIELD MEASUREMENTS

Sample date: 01/19/92
 Depth to water: 69.05 ft (21.05 m) below TOC
 Water elevation: 213.95 ft (65.21 m) msl
 Sp. conductance: 50 µS/cm
 Water evacuated before sampling: 146 gal

Time: 17:10
 pH: 5.3
 Alkalinity: 6 mg/L
 Water temperature: 17.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.9	pH	0	GE
		Specific conductance	45	µS/cm	0	GE
		Aluminum	20	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	11	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	3,520	µg/L	0	GE
		Chloride	3,280	µg/L	0	GE
		Chloride	3,400	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	6.7	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	545	µg/L	0	GE
		Manganese	6.3	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	1,920	µg/L	0	GE
		Nitrate as nitrogen	1,920	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	8,480	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 88C collected on 01/19/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Sodium	3,820	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
•		Total dissolved solids	41,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	90	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	7.1	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
■		Tritium	2.6E+01 ± 4.0E-01	pCi/mL	2	GE

WELL FSB 88D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75621.8	33.277098 °N	222.1-202.1 ft msl	282.4 ft msl	4" PVC	Water Table (IIB ₂)
E51527.0	81.678012 °W				

FIELD MEASUREMENTS

Sample date: 01/20/92
 Depth to water: 64.72 ft (19.73 m) below TOC
 Water elevation: 217.68 ft (66.35 m) msl
 Sp. conductance: 168 µS/cm
 Water evacuated before sampling: 9 gal
 The well went dry during purging.

Time: 13:45
 pH: 5.8
 Alkalinity: 21 mg/L
 Water temperature: 16.6°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.2	pH	0	GE
		Specific conductance	179	µS/cm	0	GE
		Aluminum	< 20	µg/L	0	GE
		Antimony	4.7	µg/L	1	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	22	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	3,400	µg/L	0	GE
		Chloride	1,450	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	27	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	211	µg/L	0	GE
		Manganese	12	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 88D collected on 01/20/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nickel	7.0	µg/L	0	GE
■		Nitrate as nitrogen	10,500	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	14,600	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	14,700	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	19,700	µg/L	0	GE
		Sulfate	4,540	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	113,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	8.0	µg/L	0	GE
		Gross alpha	9.1E+00 ± 9.7E-01	pCi/L	1	GE
		Nonvolatile beta	3.2E+01 ± 1.5E+00	pCi/L	1	GE
		Total alpha-emitting radium	1.9E+00 ± 5.0E-01	pCi/L	0	GE
■		Tritium	4.2E+02 ± 1.6E+00	pCi/mL	2	GE

WELL FSB 89C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75553.2	33.276650 °N	166.1-156.1 ft msl	281.3 ft msl	4" PVC	Barnwell (IIB ₁)
E51345.2	81.678357 °W				

FIELD MEASUREMENTS

Sample date: 02/23/92
 Depth to water: 67.90 ft (20.70 m) below TOC
 Water elevation: 213.40 ft (65.05 m) msl
 Sp. conductance: 57 µS/cm
 Water evacuated before sampling: 150 gal
 Time: 13:20
 pH: 5.0
 Alkalinity: 10 mg/L
 Water temperature: 19.1°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	6.6	pH	0	WA
●		pH	6.6	pH	0	WA
●		pH	6.3	pH	0	WA
●		pH	5.2	pH	0	GE
●		pH	5.3	pH	0	GE
		Specific conductance	54	µS/cm	0	WA
		Specific conductance	54	µS/cm	0	WA
		Specific conductance	47	µS/cm	0	WA
		Specific conductance	48	µS/cm	0	GE
		Specific conductance	50	µS/cm	0	GE
		Aluminum	<14	µg/L	0	WA
		Aluminum	<14	µg/L	0	WA
		Aluminum	<14	µg/L	0	WA
		Aluminum	<20	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 89C collected on 02/23/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Aluminum	< 20	µg/L	0	GE
		Antimony	< 2.6	µg/L	0	WA
		Antimony	< 2.6	µg/L	0	WA
		Antimony	< 2.6	µg/L	0	WA
		Antimony	< 2.0	µg/L	0	GE
		Antimony	2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	WA
		Arsenic	< 2.0	µg/L	0	WA
		Arsenic	< 2.0	µg/L	0	WA
		Arsenic	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	11	µg/L	0	WA
		Barium	12	µg/L	0	WA
		Barium	< 6.6	µg/L	0	WA
		Barium	13	µg/L	0	GE
		Barium	13	µg/L	0	GE
		Cadmium	< 0.35	µg/L	0	WA
		Cadmium	< 0.35	µg/L	0	WA
		Cadmium	< 0.35	µg/L	0	WA
		Cadmium	< 2.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	5,680	µg/L	0	WA
		Calcium	5,950	µg/L	0	WA
		Calcium	< 14	µg/L	0	WA
		Calcium	5,880	µg/L	0	GE
		Calcium	5,810	µg/L	0	GE
		Chloride	2,070	µg/L	0	WA
		Chloride	2,000	µg/L	0	WA
		Chloride	2,850	µg/L	0	GE
		Chloride	2,860	µg/L	0	GE
		Chromium	2.5	µg/L	0	WA
		Chromium	1.5	µg/L	0	WA
		Chromium	< 1.1	µg/L	0	WA
		Chromium	< 4.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 0.88	µg/L	0	WA
		Cobalt	< 0.88	µg/L	0	WA
		Cobalt	< 0.88	µg/L	0	WA
		Cobalt	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 1.1	µg/L	0	WA
		Copper	< 1.1	µg/L	0	WA
		Copper	< 1.1	µg/L	0	WA
		Copper	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	WA
		Cyanide	< 5.0	µg/L	0	WA
		Cyanide	< 5.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	WA
		Fluoride	< 100	µg/L	0	WA
		Fluoride	< 100	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	15	µg/L	0	WA
		Iron	5.8	µg/L	0	WA
		Iron	< 1.9	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 89C collected on 02/23/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Iron	< 4.0	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	2.2	µg/L	0	WA
		Lead	< 2.0	µg/L	0	WA
		Lead	2.9	µg/L	0	WA
		Lead	< 3.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	427	µg/L	0	WA
		Magnesium	442	µg/L	0	WA
		Magnesium	< 8.9	µg/L	0	WA
		Magnesium	467	µg/L	0	GE
		Magnesium	461	µg/L	0	GE
		Manganese	2.4	µg/L	0	WA
		Manganese	2.5	µg/L	0	WA
		Manganese	0.35	µg/L	0	WA
		Manganese	2.2	µg/L	0	GE
		Manganese	2.3	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	WA
		Mercury	< 0.20	µg/L	0	WA
		Mercury	< 0.20	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	< 3.1	µg/L	0	WA
		Nickel	< 3.1	µg/L	0	WA
		Nickel	< 3.1	µg/L	0	WA
		Nickel	< 4.0	µg/L	0	GE
		Nickel	< 4.0	µg/L	0	GE
		Nitrate as nitrogen	1,960	µg/L	0	WA
		Nitrate as nitrogen	1,950	µg/L	0	WA
		Nitrate as nitrogen	1,920	µg/L	0	GE
		Nitrate as nitrogen	1,930	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	WA
		Phenols	< 5.0	µg/L	0	WA
		Phenols	< 5.0	µg/L	0	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	469	µg/L	0	WA
		Potassium	294	µg/L	0	WA
		Potassium	< 84	µg/L	0	WA
		Potassium	< 500	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	WA
		Selenium	< 2.0	µg/L	0	WA
		Selenium	< 2.0	µg/L	0	WA
		Selenium	< 2.0	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	8,820	µg/L	0	GE
		Silica	8,720	µg/L	0	GE
		Silicon	3,630	µg/L	0	WA
		Silicon	3,790	µg/L	0	WA
		Silicon	3,630	µg/L	0	WA
		Silver	< 0.70	µg/L	0	WA
		Silver	< 0.70	µg/L	0	WA
		Silver	< 0.70	µg/L	0	WA
		Silver	< 2.0	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	3,040	µg/L	0	WA
		Sodium	3,220	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 89C collected on 02/23/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Sodium	< 106	µg/L	0	WA
		Sodium	3,470	µg/L	0	GE
		Sodium	3,430	µg/L	0	GE
		Sulfate	< 2,500	µg/L	0	WA
		Sulfate	< 2,500	µg/L	0	WA
		Sulfate	< 2,500	µg/L	0	WA
		Sulfate	< 1,000	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	WA
		Thallium	< 2.0	µg/L	0	WA
		Thallium	< 2.0	µg/L	0	WA
		Thallium	< 2.0	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
		Total dissolved solids	18,000	µg/L	0	WA
		Total dissolved solids	35,000	µg/L	0	WA
		Total dissolved solids	34,000	µg/L	0	WA
		Total dissolved solids	38,000	µg/L	0	GE
		Total dissolved solids	37,000	µg/L	0	GE
		Total dissolved solids	42,000	µg/L	0	GE
		Total organic carbon	< 500	µg/L	0	WA
		Total organic carbon	< 500	µg/L	0	WA
		Total organic carbon	< 1,000	µg/L	J	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	26	µg/L	1	WA
		Total organic halogens	41	µg/L	1	WA
		Total organic halogens	9.4	µg/L	0	GE
		Total organic halogens	7.9	µg/L	0	GE
		Total phosphates (as P)	22	µg/L	0	WA
		Total phosphates (as P)	< 20	µg/L	0	WA
		Total phosphates (as P)	< 20	µg/L	0	WA
		Total phosphates (as P)	< 50	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Uranium	< 0.30	µg/L	0	BA
		Uranium	1.1	µg/L	0	BA
		Vanadium	< 0.88	µg/L	0	WA
		Vanadium	< 0.88	µg/L	0	WA
		Vanadium	< 0.88	µg/L	0	WA
		Vanadium	< 8.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	8.1	µg/L	0	WA
		Zinc	7.6	µg/L	0	WA
		Zinc	1.1	µg/L	0	WA
		Zinc	6.2	µg/L	0	GE
		Zinc	6.4	µg/L	0	GE
		Gross alpha	5.0E-01 ± 1.1E+00	pCi/L	0	BA
		Gross alpha	9.6E+00 ± 2.2E+00	pCi/L	1	BA
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	5.6E+00 ± 1.8E+00	pCi/L	0	BA
		Nonvolatile beta	6.8E+00 ± 1.9E+00	pCi/L	0	BA
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	< 2.0E+00	pCi/L	0	GE
		Radium-226	< 5.0E-01	pCi/L	0	BA
		Radium-226	1.4E+00 ± 1.0E+00	pCi/L	0	BA
		Radium-228	9.0E-01 ± 1.6E+00	pCi/L	0	BA
		Radium-228	4.0E-01 ± 1.7E+00	pCi/L	0	BA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 89C collected on 02/23/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
■		Tritium	2.5E+01 ± 1.0E+00	pCi/mL	2	BA
■		Tritium	2.4E+01 ± 1.0E+00	pCi/mL	2	BA
■		Tritium	2.4E+01 ± 4.0E-01	pCi/mL	2	GE
■		Tritium	2.5E+01 ± 4.0E-01	pCi/mL	2	GE

WELL FSB 89D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75548.3	33.276623 °N	221.9-201.9 ft msl	281.2 ft msl	4" PVC	Water Table (IIB ₂)
E51335.8	81.678372 °W				

FIELD MEASUREMENTS

Sample date: 01/19/92
 Depth to water: 64.14 ft (19.55 m) below TOC
 Water elevation: 217.06 ft (66.16 m) msl
 Sp. conductance: 278 µS/cm
 Water evacuated before sampling: 40 gal

Time: 16:40
 pH: 3.8
 Alkalinity: 0 mg/L
 Water temperature: 17.1°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	4.0	pH	0	GE
		Specific conductance	275	µS/cm	1	GE
		Aluminum	4,950	µg/L	2	GE
		Antimony	3.9	µg/L	1	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	53	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	2,330	µg/L	0	GE
		Chloride	3,000	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	8.2	µg/L	0	GE
		Copper	20	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	177	µg/L	0	GE
		Iron	24	µg/L	0	GE
		Lead	5.9	µg/L	0	GE
		Magnesium	618	µg/L	0	GE
		Manganese	253	µg/L	2	GE
■		Mercury	3.3	µg/L	2	GE
		Nickel	7.4	µg/L	0	GE
■		Nitrate as nitrogen	27,500	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	540	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	15,000	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	25,600	µg/L	0	GE
		Sulfate	26,600	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 89D collected on 01/19/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	177,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	31	µg/L	0	GE
■		Gross alpha	1.5E+02 ± 3.9E+00	pCi/L	2	GE
■		Nonvolatile beta	3.5E+02 ± 4.7E+00	pCi/L	2	GE
■		Total alpha-emitting radium	1.4E+01 ± 1.0E+00	pCi/L	2	GE
■		Tritium	1.8E+03 ± 3.4E+00	pCi/mL	2	GE

WELL FSB 90C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75382.9 E51148.6	33.275952 °N 81.678544 °W	168.1-158.1 ft msl	278.4 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/19/92
 Depth to water: 66.15 ft (20.16 m) below TOC
 Water elevation: 212.25 ft (64.69 m) msl
 Sp. conductance: 202 µS/cm
 Water evacuated before sampling: 142 gal

Time: 16:10
 pH: 6.3
 Alkalinity: 34 mg/L
 Water temperature: 17.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.7	pH	0	GE
		Specific conductance	209	µS/cm	0	GE
		Aluminum	86	µg/L	0	GE
		Antimony	2.5	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	48	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	16,100	µg/L	0	GE
		Chloride	3,520	µg/L	0	GE
		Chloride	3,400	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	230	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	5,930	µg/L	0	GE
		Manganese	26	µg/L	1	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
■		Nitrate as nitrogen	12,000	µg/L	2	GE
■		Nitrate as nitrogen	12,000	µg/L	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 90C collected on 01/19/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,030	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	9,470	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	12,500	µg/L	0	GE
		Sulfate	1,110	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	144,000	µg/L	0	GE
		Total dissolved solids	141,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	10	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.5E+01 ± 1.3E+00	pCi/L	1	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■		Tritium	7.7E+02 ± 2.2E+00	pCi/mL	2	GE

WELL FSB 90D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75376.9	33.275926 °N	225.1-205.1 ft msl	278.6 ft msl	4" PVC	Water Table (IIB ₂)
E51140.7	81.678553 °W				

FIELD MEASUREMENTS

Sample date: 01/20/92
 Depth to water: 62.63 ft (19.09 m) below TOC
 Water elevation: 215.97 ft (65.83 m) msl
 Sp. conductance: 426 µS/cm
 Water evacuated before sampling: 8 gal
 The well went dry during purging.

Time: 14:10
 pH: 4.0
 Alkalinity: 0 mg/L
 Water temperature: 16.6°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	4.3	pH	0	GE
		Specific conductance	435	µS/cm	1	GE
		Aluminum	3,140	µg/L	2	GE
■		Antimony	8.3	µg/L	2	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	134	µg/L	0	GE
		Cadmium	3.0	µg/L	1	GE
		Calcium	7,030	µg/L	0	GE
		Chloride	1,720	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	4.4	µg/L	0	GE
		Copper	10	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	534	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 90D collected on 01/20/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Iron	58	µg/L	0	GE
■		Lead	24	µg/L	2	GE
		Magnesium	1,490	µg/L	0	GE
		Manganese	320	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	10	µg/L	0	GE
■		Nitrate as nitrogen	40,500	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	2,340	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	13,000	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	44,500	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	242,000	µg/L	0	GE
		Total dissolved solids	241,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	77	µg/L	0	GE
■		Gross alpha	2.9E+02 ± 5.5E+00	pCi/L	2	GE
■		Nonvolatile beta	6.1E+02 ± 5.8E+00	pCi/L	2	GE
		Total alpha-emitting radium	3.6E+00 ± 5.0E-01	pCi/L	1	GE
■		Tritium	1.6E+03 ± 3.1E+00	pCi/mL	2	GE

WELL FSB 91C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75213.3	33.275259 °N	159.1-149.1 ft msl	279.3 ft msl	4" PVC	Barnwell (IIB ₁)
E50953.5	81.678728 °W				

FIELD MEASUREMENTS

Sample date: 01/22/92
 Depth to water: 66.79 ft (20.36 m) below TOC
 Water elevation: 212.51 ft (64.77 m) msl
 Sp. conductance: 436 µS/cm
 Water evacuated before sampling: 25 gal
 The well went dry during purging.

Time: 14:40
 pH: 5.5
 Alkalinity: 11 mg/L
 Water temperature: 19.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	5.9	pH	0	GE
		Specific conductance	320	µS/cm	1	GE
		Aluminum	1,100	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	79	µg/L	0	GE
		Cadmium	4.5	µg/L	1	GE
		Calcium	11,100	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 91C collected on 01/22/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Chloride	2,920	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	9.8	µg/L	0	GE
		Copper	5.9	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	648	µg/L	0	GE
		Iron	15	µg/L	0	GE
		Lead	4.1	µg/L	0	GE
		Magnesium	1,490	µg/L	0	GE
		Manganese	250	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	6.2	µg/L	0	GE
■		Nitrate as nitrogen	52,500	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	2,910	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	12,800	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
●		Total dissolved solids	376,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	39	µg/L	0	GE
■		Gross alpha	5.6E+01 ± 4.5E+00	pCi/L	2	GE
■		Nonvolatile beta	9.1E+02 ± 1.5E+01	pCi/L	2	GE
■		Total alpha-emitting radium	3.7E+01 ± 1.6E+00	pCi/L	2	GE
■		Tritium	2.2E+03 ± 3.7E+00	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 91D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75207.6	33.275235 °N	220.9-200.9 ft msl	279.2 ft msl	4" PVC	Water Table (IIB ₂)
E50946.6	81.678735 °W				

FIELD MEASUREMENTS

Sample date: 01/22/92
 Depth to water: 64.21 ft (19.57 m) below TOC
 Water elevation: 214.99 ft (65.53 m) msl
 Sp. conductance: 772 µS/cm
 Water evacuated before sampling: 37 gal

Time: 15:00
 pH: 3.4
 Alkalinity: 0 mg/L
 Water temperature: 20.6°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.8	pH	1	GE
		Specific conductance	550	µS/cm	2	GE
		Aluminum	26,600	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	251	µg/L	0	GE
	■	Cadmium	5.8	µg/L	2	GE
		Calcium	4,770	µg/L	0	GE
		Chloride	3,420	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	8.4	µg/L	0	GE
		Copper	9.7	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	926	µg/L	0	GE
		Iron	22	µg/L	0	GE
		Lead	6.6	µg/L	0	GE
		Magnesium	3,490	µg/L	0	GE
		Manganese	504	µg/L	2	GE
		Mercury	0.62	µg/L	0	GE
		Nickel	14	µg/L	0	GE
	■	Nitrate as nitrogen	93,500	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	678	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	12,100	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	34,200	µg/L	0	GE
		Sulfate	4,900	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
•		Total dissolved solids	300,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	37	µg/L	0	GE
	■	Gross alpha	2.9E+02 ± 9.9E+00	pCi/L	2	GE
	■	Nonvolatile beta	8.4E+02 ± 1.4E+01	pCi/L	2	GE
	■	Total alpha-emitting radium	1.8E+01 ± 1.1E+00	pCi/L	2	GE
	■	Tritium	4.6E+03 ± 5.3E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 92D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75045.8 E50557.6	33.274242 °N 81.679445 °W	221.7-201.7 ft msl	275.9 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/22/92
 Depth to water: 62.45 ft (19.03 m) below TOC
 Water elevation: 213.45 ft (65.06 m) msl
 Sp. conductance: 1558 µS/cm
 Water evacuated before sampling: 38 gal

Time: 15:15
 pH: 3.5
 Alkalinity: 0 mg/L
 Water temperature: 19.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.7	pH	1	GE
		Specific conductance	1,150	µS/cm	2	GE
		Aluminum	41,200	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<4.0	µg/L	0	GE
		Barium	405	µg/L	0	GE
■		Cadmium	15	µg/L	2	GE
		Calcium	12,300	µg/L	0	GE
•		Chloride	1,400	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	10	µg/L	0	GE
		Copper	9.1	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	900	µg/L	0	GE
		Iron	140	µg/L	0	GE
		Lead	6.6	µg/L	0	GE
		Magnesium	10,300	µg/L	0	GE
		Manganese	641	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	17	µg/L	0	GE
■		Nitrate as nitrogen	200,000	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,170	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	7,680	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	49,400	µg/L	0	GE
		Sulfate	9,340	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
•		Total dissolved solids	750,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	57	µg/L	0	GE
■		Gross alpha	2.8E+02 ± 1.0E+01	pCi/L	2	GE
■		Nonvolatile beta	2.1E+03 ± 2.3E+01	pCi/L	2	GE
■		Total alpha-emitting radium	8.8E+01 ± 2.5E+00	pCi/L	2	GE
■		Tritium	1.2E+04 ± 8.6E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 93C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74897.3 E50458.3	33.273752 °N 81.679418 °W	152.0-142.0 ft msl	276.2 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/21/92	Time: 15:40
Depth to water: 65.80 ft (20.06 m) below TOC	pH: 4.8
Water elevation: 210.40 ft (64.13 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 371 µS/cm	Water temperature: 19.7°C
Water evacuated before sampling: 179 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.1	pH	0	GE
		Specific conductance	450	µS/cm	1	GE
		Aluminum	49	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	65	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	25,900	µg/L	0	GE
		Chloride	3,420	µg/L	0	GE
		Chloride	3,200	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	5.7	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	4.5	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	6,870	µg/L	0	GE
		Manganese	88	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	8.6	µg/L	0	GE
■		Nitrate as nitrogen	39,000	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,030	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	9,590	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	26,600	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	272,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	90	µg/L	0	GE
		Gross alpha	3.7E+00 ± 6.4E-01	pCi/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 93C collected on 01/21/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nonvolatile beta	4.8E+01 ± 1.7E+00	pCi/L	1	GE
		Total alpha-emitting radium	1.3E+00 ± 3.0E-01	pCi/L	0	GE
	■	Tritium	1.8E+03 ± 3.3E+00	pCi/mL	2	GE

WELL FSB 93D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74888.5	33.273723 °N	217.9-197.9 ft msl	276.1 ft msl	4" PVC	Water Table (IIB ₂)
E50452.4	81.679416 °W				

FIELD MEASUREMENTS

Sample date: 01/22/92
 Depth to water: 64.14 ft (19.55 m) below TOC
 Water elevation: 211.96 ft (64.61 m) msl
 Sp. conductance: 833 µS/cm
 Water evacuated before sampling: 9 gal
 The well went dry during purging.

Time: 14:20
 pH: 4.1
 Alkalinity: 0 mg/L
 Water temperature: 19.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.4	pH	0	GE
		Specific conductance	600	µS/cm	2	GE
		Aluminum	19,400	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	338	µg/L	0	GE
	■	Cadmium	23	µg/L	2	GE
		Calcium	21,500	µg/L	0	GE
		Chloride	3,960	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	10	µg/L	0	GE
		Copper	28	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
•		Endrin	< 0.0060	µg/L	0	GE
		Fluoride	673	µg/L	0	GE
		Iron	201	µg/L	1	GE
	■	Lead	16	µg/L	2	GE
•		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	10,400	µg/L	0	GE
		Manganese	685	µg/L	2	GE
		Mercury	< 0.20	µg/L	0	GE
•		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	14	µg/L	0	GE
	■	Nitrate as nitrogen	107,000	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	2,010	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	11,700	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	51,400	µg/L	0	GE
		Sulfate	56,000	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 93D collected on 01/22/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Thallium	<2.0	µg/L	0	GE
•		Total dissolved solids	504,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	56	µg/L	0	GE
	■	Gross alpha	1.6E+02 ± 8.0E+00	pCi/L	2	GE
	■	Nonvolatile beta	2.3E+03 ± 2.3E+01	pCi/L	2	GE
	■	Total alpha-emitting radium	5.7E+01 ± 1.9E+00	pCi/L	2	GE
	■	Tritium	9.2E+03 ± 7.6E+00	pCi/mL	2	GE

WELL FSB 94C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74869.0	33.273235 °N	149.8-139.8 ft msl	281.1 ft msl	4" PVC	Barnwell (IIB ₁)
E50180.0	81.680096 °W				

FIELD MEASUREMENTS

Sample date: 01/22/92
 Depth to water: 71.38 ft (21.76 m) below TOC
 Water elevation: 209.72 ft (63.92 m) msl
 Sp. conductance: 1973 µS/cm
 Water evacuated before sampling: 38 gal
 The well went dry during purging.

Time: 12:15
 pH: 4.4
 Alkalinity: 0 mg/L
 Water temperature: 19.1°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.5	pH	0	GE
		Specific conductance	1,700	µS/cm	2	GE
		Aluminum	15,100	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	268	µg/L	0	GE
	■	Cadmium	10	µg/L	2	GE
		Calcium	51,000	µg/L	0	GE
		Chloride	5,680	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	227	µg/L	2	GE
		Copper	9.7	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	2,960	µg/L	1	GE
		Iron	215	µg/L	1	GE
		Lead	9.4	µg/L	1	GE
		Magnesium	8,250	µg/L	0	GE
		Manganese	6,320	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	60	µg/L	1	GE
	■	Nitrate as nitrogen	280,000	µg/L	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 94C collected on 01/22/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
■		Nitrate as nitrogen	280,000	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	4,210	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	3,260	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	58,500	µg/L	0	GE
		Sulfate	80,400	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
●		Total dissolved solids	1.3E+06	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	12	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	94	µg/L	0	GE
■		Gross alpha	4.8E+01 ± 4.8E+00	pCi/L	2	GE
■		Nonvolatile beta	2.3E+03 ± 2.6E+01	pCi/L	2	GE
■		Total alpha-emitting radium	3.2E+01 ± 1.5E+00	pCi/L	2	GE
■		Tritium	2.0E+04 ± 1.1E+01	pCi/mL	2	GE

WELL FSB 94DR

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74869.1	33.273207 °N	203.4-183.3 ft msl	280.5 ft msl	4" PVC	Water Table (IIB ₂)
E50162.9	81.680141 °W				

FIELD MEASUREMENTS

Sample date: 01/21/92
 Depth to water: 69.33 ft (21.13 m) below TOC
 Water elevation: 211.17 ft (64.37 m) msl
 Sp. conductance: 2880 µS/cm
 Water evacuated before sampling: 73 gal

Time: 12:35
 pH: 3.3
 Alkalinity: 0 mg/L
 Water temperature: 19.5°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	3.1	pH	1	GE
		Specific conductance	2,550	µS/cm	2	GE
		Aluminum	124,000	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	1,250	µg/L	1	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	2.1	µg/L	0	GE
		Calcium	2,220	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	5,100	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 94DR collected on 01/21/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	7.2	µg/L	0	GE
		Cobalt	60	µg/L	2	GE
		Copper	85	µg/L	0	GE
•		Cyanide	18	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	2.3	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
•		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	361	µg/L	0	GE
		Iron	66	µg/L	0	GE
		Lead	8.9	µg/L	1	GE
•		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	2,190	µg/L	0	GE
		Manganese	6,920	µg/L	2	GE
■		Mercury	3.5	µg/L	2	GE
•		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	58	µg/L	1	GE
■		Nitrate as nitrogen	420,000	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	1,980	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	96,200	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	155,000	µg/L	0	GE
■		Sulfate	426,000	µg/L	2	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
■		Thallium	2.6	µg/L	2	GE
		Toluene	< 1.0	µg/L	0	GE
•		Total dissolved solids	58,000	µg/L	0	GE
		Total organic carbon	6,000	µg/L	1	GE
•		Total organic halogens	29	µg/L	1	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
•		Toxaphene	< 0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	149	µg/L	0	GE
■		Gross alpha	1.5E + 03 ± 2.8E + 01	pCi/L	2	GE
■		Nonvolatile beta	1.6E + 03 ± 2.1E + 01	pCi/L	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 94DR collected on 01/21/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
■		Total alpha-emitting radium	9.3E+01 ± 2.4E+00	pCi/L	2	GE
■		Tritium	3.0E+04 ± 1.4E+01	pCi/mL	2	GE

WELL FSB 95CR

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75001.9 E49987.8	33.273215 °N 81.680860 °W	161.9-151.9 ft msl	284.0 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/21/92
 Depth to water: 74.72 ft (22.77 m) below TOC
 Water elevation: 209.28 ft (63.79 m) msl
 Sp. conductance: 1573 µS/cm
 Water evacuated before sampling: 150 gal

Time: 12:15
 pH: 4.6
 Alkalinity: 0 mg/L
 Water temperature: 19.1°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.3	pH	0	GE
		Specific conductance	1,350	µS/cm	2	GE
		Aluminum	17,400	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	452	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
■		Cadmium	8.0	µg/L	2	GE
		Calcium	49,000	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2.8E+06	µg/L	2	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	227	µg/L	2	GE
		Copper	16	µg/L	0	GE
•		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	2.5	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 95CR collected on 01/21/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	1,210	µg/L	0	GE
		Fluoride	1,150	µg/L	0	GE
		Iron	6.2	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	9,350	µg/L	0	GE
		Manganese	4,010	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	46	µg/L	0	GE
	■	Nitrate as nitrogen	216,000	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	2,430	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	13,200	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	61,200	µg/L	0	GE
		Sulfate	11,200	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
•		Total dissolved solids	1.1E+06	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
•		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
	■	Trichloroethylene	20	µg/L	2	GE
		Trichlorofluoromethane	1.7	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	162	µg/L	0	GE
	■	Gross alpha	4.0E+02 ± 1.3E+01	pCi/L	2	GE
	■	Nonvolatile beta	2.2E+03 ± 2.5E+01	pCi/L	2	GE
	■	Total alpha-emitting radium	1.2E+02 ± 2.7E+00	pCi/L	2	GE
	■	Tritium	9.1E+03 ± 7.5E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 95DR

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74991.7 E49996.0	33.273206 °N 81.680818 °W	207.0-187.0 ft msl	284.1 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/21/92
 Depth to water: 72.57 ft (22.12 m) below TOC
 Water elevation: 211.53 ft (64.48 m) msl
 Sp. conductance: 2560 µS/cm
 Water evacuated before sampling: 64 gal

Time: 12:00
 pH: 3.4
 Alkalinity: 0 mg/L
 Water temperature: 18.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.2	pH	1	GE
		Specific conductance	2,250	µS/cm	2	GE
		Aluminum	74,000	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	603	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Cadmium	3.1	µg/L	1	GE
		Calcium	1,630	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloride	2,880	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	5.0	µg/L	0	GE
		Cobalt	34	µg/L	1	GE
		Copper	75	µg/L	0	GE
•		Cyanide	16	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE
		1,2-Dichloroethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethylene	< 1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	2.7	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	< 0.30	µg/L	0	GE
		1,2-Dichloropropane	< 1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
•		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	266	µg/L	0	GE
		Iron	174	µg/L	1	GE
■		Lead	25	µg/L	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 95DR collected on 01/21/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	1,170	µg/L	0	GE
		Manganese	4,070	µg/L	2	GE
		Mercury	0.94	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	36	µg/L	0	GE
	■	Nitrate as nitrogen	370,000	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	2,140	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	108,000	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	230,000	µg/L	0	GE
		Sulfate	398,000	µg/L	1	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
•		Total dissolved solids	1.6E+06	µg/L	0	GE
•		Total dissolved solids	1.6E+06	µg/L	0	GE
		Total organic carbon	4,000	µg/L	0	GE
•		Total organic halogens	13	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	2.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	112	µg/L	0	GE
	■	Gross alpha	1.2E+03 ± 2.7E+01	pCi/L	2	GE
	■	Nonvolatile beta	1.7E+03 ± 2.3E+01	pCi/L	2	GE
	■	Total alpha-emitting radium	6.4E+01 ± 2.0E+00	pCi/L	2	GE
	■	Tritium	2.5E+04 ± 1.2E+01	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 96AR

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74914.9 E49746.6	33.272629 °N 81.681326 °W	89.0-79.0 ft msl	281.2 ft msl	4" PVC	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 01/21/92	Time: 11:35
Depth to water: 127.70 ft (38.92 m) below TOC	pH: 7.4
Water elevation: 153.50 ft (46.79 m) msl	Alkalinity: 76 mg/L
Sp. conductance: 177 µS/cm	Water temperature: 19.5°C
Water evacuated before sampling: 195 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.6	pH	0	GE
		Specific conductance	171	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	34	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	29,800	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2,260	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	5.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	4.8	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 96AR collected on 01/21/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	639	µg/L	0	GE
		Manganese	5.1	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	260	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	620	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	23,300	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,790	µg/L	0	GE
		Sulfate	1,380	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	102,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	70	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	8.6E+00 ± 3.0E-01	pCi/mL	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 97A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75171.2 E49965.7	33.273554 °N 81.681247 °W	95.8-85.8 ft msl	286.1 ft msl		U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 01/21/92	Time: 13:50
Depth to water: 133.43 ft (40.67 m) below TOC	pH: 7.1
Water elevation: 152.67 ft (46.53 m) msl	Alkalinity: 74 mg/L
Sp. conductance: 253 µS/cm	Water temperature: 20.5°C
Water evacuated before sampling: 175 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.2	pH	0	GE
		Specific conductance	270	µS/cm	1	GE
		Aluminum	69	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	43	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	38,800	µg/L	0	GE
		Chloride	2,290	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	1,160	µg/L	0	GE
		Manganese	6.8	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
■		Nitrate as nitrogen	10,500	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	587	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	17,300	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	7,120	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	186,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	8.3	µg/L	0	GE
		Total phosphates (as P)	60	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	4.2	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	1.8E+01 ± 1.1E+00	pCi/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 97A collected on 01/21/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
	■	Tritium	4.0E+02 ± 1.6E+00	pCi/mL	2	GE

WELL FSB 97C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75179.6 E49970.6	33.273580 °N 81.681250 °W	153.8-143.8 ft msl	286.1 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/22/92
 Depth to water: 76.16 ft (23.21 m) below TOC
 Water elevation: 209.94 ft (63.99 m) msl
 Sp. conductance: 2380 µS/cm
 Water evacuated before sampling: 34 gal
 The well went dry during purging.

Time: 12:30
 pH: 3.9
 Alkalinity: 0 mg/L
 Water temperature: 19.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.1	pH	0	GE
		Specific conductance	2,100	µS/cm	2	GE
		Aluminum	41,700	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	9.7	µg/L	0	GE
		Barium	296	µg/L	0	GE
		Cadmium	2.9	µg/L	1	GE
		Calcium	15,200	µg/L	0	GE
		Chloride	5,560	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	195	µg/L	2	GE
		Copper	24	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	762	µg/L	0	GE
		Iron	103	µg/L	0	GE
	■	Lead	20	µg/L	2	GE
		Magnesium	2,500	µg/L	0	GE
		Manganese	2,610	µg/L	2	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	37	µg/L	0	GE
	■	Nitrate as nitrogen	355,000	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	1,300	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	13,600	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	29,200	µg/L	0	GE
		Sulfate	28,600	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
•		Total dissolved solids	980,000	µg/L	0	GE
•		Total dissolved solids	1.2E+06	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 97C collected on 01/22/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Total organic carbon	2.000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	78	µg/L	0	GE
■		Gross alpha	1.1E+03 ± 2.2E+01	pCi/L	2	GE
■		Nonvolatile beta	1.6E+03 ± 2.1E+01	pCi/L	2	GE
■		Total alpha-emitting radium	6.8E+01 ± 2.2E+00	pCi/L	2	GE
■		Tritium	2.1E+04 ± 1.2E+01	pCi/mL	2	GE

WELL FSB 97D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N75188.9	33.273609 °N	216.9-196.9 ft msl	286.0 ft msl	4" PVC	Water Table (IIB ₂)
E49975.5	81.681255 °W				

FIELD MEASUREMENTS

Sample date: 02/18/92
 Depth to water: 73.83 ft (22.50 m) below TOC
 Water elevation: 212.17 ft (64.67 m) msl
 Sp. conductance: 2510 µS/cm
 Water evacuated before sampling: 11 gal
 The well went dry during purging.

Time: 9:00
 pH: 3.6
 Alkalinity: 0 mg/L
 Water temperature: 17.6°C

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	3.9	pH	1	GE
		Specific conductance	2,080	µS/cm	2	GE
		Aluminum	72,700	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<10	µg/L	0	GE
		Barium	925	µg/L	0	GE
		Cadmium	2.6	µg/L	1	GE
		Calcium	60,000	µg/L	0	GE
		Chloride	2,840	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	71	µg/L	2	GE
		Copper	68	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
•		Endrin	<0.0060	µg/L	0	GE
		Fluoride	405	µg/L	0	GE
		Iron	2,910	µg/L	2	GE
■		Lead	130	µg/L	2	GE
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	2,590	µg/L	0	GE
		Manganese	4,950	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	67	µg/L	1	GE
■		Nitrate as nitrogen	356,000	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 97D collected on 02/18/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Potassium	1,750	µg/L	0	GE
		Selenium	< 10	µg/L	0	GE
		Silica	64,000	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	241,000	µg/L	0	GE
	■	Sulfate	536,000	µg/L	2	GE
		Thallium	< 2.0	µg/L	0	GE
		Total dissolved solids	1.9E+06	µg/L	0	GE
		Total dissolved solids	1.9E+06	µg/L	0	GE
		Total organic carbon	3,000	µg/L	0	GE
		Total organic halogens	23	µg/L	0	GE
		Total phosphates (as P)	110	µg/L	0	GE
	●	Toxaphene	< 0.24	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	203	µg/L	0	GE
	■	Gross alpha	1.3E+03 ± 8.1E+00	pCi/L	2	GE
	■	Nonvolatile beta	1.3E+03 ± 6.4E+00	pCi/L	2	GE
	■	Total alpha-emitting radium	3.8E+01 ± 1.8E+00	pCi/L	2	GE
	■	Tritium	2.7E+04 ± 1.3E+01	pCi/mL	2	GE

WELL FSB 98A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75389.8	33.274291 °N	94.7-84.7 ft msl	283.0 ft msl		U. Congaree (IIA)
E50121.6	81.681261 °W				

FIELD MEASUREMENTS

Sample date: 01/21/92 Time: 14:05
Inaccessibility or pump failure prevented sample collection.

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 98AR

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75362.0	33.162714		284.0 ft msl		
E50105.8	81.405249				

FIELD MEASUREMENTS

Sample date: 03/01/92	Time: 12:30
Depth to water: 132.17 ft (40.29 m) below TOC	pH: 7.6
Sp. conductance: 166 μ S/cm	Water temperature: 20.0°C
Water evacuated before sampling: 370 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.6	pH	0	GE
		Specific conductance	125	μ S/cm	0	GE
		Aluminum	<20	μ g/L	0	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	48	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	23,600	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	2,250	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Cobalt	<4.0	μ g/L	0	GE
		Copper	<4.0	μ g/L	0	GE
		Cyanide	<5.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	<1.0	μ g/L	0	GE
		1,2-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethylene	<1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		Ethylbenzene	<1.0	μ g/L	0	GE
		Fluoride	<100	μ g/L	0	GE
		Iron	<4.0	μ g/L	0	GE
		Lead	<3.0	μ g/L	0	GE
		Magnesium	784	μ g/L	0	GE
		Manganese	12	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 98AR collected on 03/01/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	1,040	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	5,850	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	19,100	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	5,940	µg/L	0	GE
		Sulfate	1,320	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	104,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	5.2	µg/L	0	GE
		Total phosphates (as P)	300	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.1E+00 ± 4.8E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.4E+00 ± 5.0E-01	pCi/L	0	GE
		Tritium	1.6E+01 ± 3.0E-01	pCi/mL	1	GE

WELL FSB 98C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75381.2	33.274264 °N	156.8-146.8 ft msl	283.1 ft msl	4" PVC	Barnwell (IIB ₁)
E50116.5	81.681258 °W				

FIELD MEASUREMENTS

Sample date: 01/21/92
 Depth to water: 72.01 ft (21.95 m) below TOC
 Water elevation: 211.09 ft (64.34 m) msl
 Sp. conductance: 1693 µS/cm
 Water evacuated before sampling: 169 gal

Time: 14:40
 pH: 3.2
 Alkalinity: 0 mg/L
 Water temperature: 20.7°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.3	pH	1	GE
		Specific conductance	1,450	µS/cm	2	GE
		Aluminum	23,800	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 98C collected on 01/21/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Barium	166	µg/L	0	GE
		Cadmium	2.5	µg/L	1	GE
		Calcium	2,400	µg/L	0	GE
		Chloride	4,200	µg/L	0	GE
		Chloride	4,650	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	95	µg/L	2	GE
		Copper	23	µg/L	0	GE
•		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	457	µg/L	0	GE
		Iron	7.8	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	1,150	µg/L	0	GE
		Manganese	1,470	µg/L	2	GE
		Mercury	0.26	µg/L	0	GE
		Nickel	15	µg/L	0	GE
■		Nitrate as nitrogen	202,000	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	16,400	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	16,100	µg/L	0	GE
		Sulfate	12,600	µg/L	0	GE
		Sulfate	12,600	µg/L	0	GE
■		Thallium	2.2	µg/L	2	GE
•		Total dissolved solids	670,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
•		Total organic halogens	< 5.0	µg/L	0	GE
•		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	31	µg/L	0	GE
■		Gross alpha	8.1E+02 ± 1.4E+01	pCi/L	2	GE
■		Nonvolatile beta	1.4E+03 ± 1.5E+01	pCi/L	2	GE
■		Total alpha-emitting radium	1.2E+02 ± 2.7E+00	pCi/L	2	GE
■		Tritium	1.3E+04 ± 8.9E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 98D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N75371.9 E50111.6	33.274235 °N 81.681253 °W	218.8-198.8 ft msl	283.1 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/22/92
 Depth to water: 69.23 ft (21.10 m) below TOC
 Water elevation: 213.87 ft (65.19 m) msl
 Sp. conductance: 2220 μ S/cm
 Water evacuated before sampling: 10 gal
 The well went dry during purging.

Time: 12:45
 pH: 4.1
 Alkalinity: 0 mg/L
 Water temperature: 19.4°C

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	4.1	pH	0	GE
		Specific conductance	2,000	μ S/cm	2	GE
		Aluminum	65,300	μ g/L	2	GE
		Antimony	< 2.0	μ g/L	0	GE
		Arsenic	< 20	μ g/L	0	GE
		Barium	1,700	μ g/L	1	GE
	■	Cadmium	6.3	μ g/L	2	GE
		Calcium	24,500	μ g/L	0	GE
		Chloride	2,780	μ g/L	0	GE
		Chromium	< 4.0	μ g/L	0	GE
		Cobalt	179	μ g/L	2	GE
		Copper	63	μ g/L	0	GE
•		Cyanide	< 5.0	μ g/L	0	GE
		Fluoride	406	μ g/L	0	GE
		Iron	551	μ g/L	2	GE
	■	Lead	22	μ g/L	2	GE
		Magnesium	5,230	μ g/L	0	GE
		Manganese	5,340	μ g/L	2	GE
		Mercury	< 0.20	μ g/L	0	GE
		Nickel	56	μ g/L	1	GE
	■	Nitrate as nitrogen	335,000	μ g/L	2	GE
		Phenols	< 5.0	μ g/L	0	GE
		Potassium	6,110	μ g/L	0	GE
		Selenium	< 2.0	μ g/L	0	GE
		Silica	64,600	μ g/L	0	GE
		Silver	< 2.0	μ g/L	0	GE
		Sodium	218,000	μ g/L	0	GE
		Sulfate	14,400	μ g/L	0	GE
		Thallium	< 2.0	μ g/L	0	GE
•		Total dissolved solids	1.5E+06	μ g/L	0	GE
		Total organic carbon	< 1,000	μ g/L	0	GE
		Total organic halogens	< 5.0	μ g/L	0	GE
		Total phosphates (as P)	60	μ g/L	0	GE
		Vanadium	< 8.0	μ g/L	0	GE
		Zinc	118	μ g/L	0	GE
	■	Gross alpha	1.1E+03 $\pm$ 2.2E+01	pCi/L	2	GE
	■	Nonvolatile beta	1.5E+03 $\pm$ 2.1E+01	pCi/L	2	GE
	■	Total alpha-emitting radium	5.0E+01 $\pm$ 1.8E+00	pCi/L	2	GE
	■	Tritium	2.2E+04 $\pm$ 1.2E+01	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 99A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75675.6 E50314.8	33.275239 °N 81.681308 °W	102.9-92.9 ft msl	287.6 ft msl		U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 01/21/92	Time: 10:45
Depth to water: 136.67 ft (41.66 m) below TOC	pH: 7.3
Water elevation: 150.93 ft (46.00 m) msl	Alkalinity: 60 mg/L
Sp. conductance: 161 µS/cm	Water temperature: 18.0°C
Water evacuated before sampling: 152 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.4	pH	0	GE
		Specific conductance	165	µS/cm	0	GE
		Aluminum	35	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	37	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	25,700	µg/L	0	GE
		Chloride	2,070	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	1,210	µg/L	0	GE
		Manganese	6.6	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
•		Nitrate as nitrogen	2,900	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	772	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	18,000	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,930	µg/L	0	GE
		Sulfate	1,040	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	105,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	210	µg/L	0	GE
		Total phosphates (as P)	220	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	3.9E+00 ± 6.3E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 99A collected on 01/21/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
■		Tritium	1.1E+02 ± 9.0E-01	pCi/mL	2	GE

WELL FSB 99C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75683.7 E50320.6	33.275266 °N 81.681308 °W	167.2-157.2 ft msl	287.7 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/21/92
 Depth to water: 76.02 ft (23.17 m) below TOC
 Water elevation: 211.68 ft (64.52 m) msl
 Sp. conductance: 348 µS/cm
 Water evacuated before sampling: 143 gal

Time: 11:05
 pH: 5.6
 Alkalinity: 4 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.8	pH	0	GE
		Specific conductance	270	µS/cm	1	GE
		Aluminum	155	µg/L	1	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	83	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	2.1	µg/L	0	GE
		Calcium	15,600	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	4,080	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	5.7	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
•		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	2.3	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 99C collected on 01/21/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		trans-1,3-Dichloropropene	< 1.0	µg/L	0	GE
•		Endrin	< 0.0060	µg/L	0	GE
		Ethylbenzene	< 1.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	4.3	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
•		Lindane	< 0.0050	µg/L	0	GE
		Magnesium	7,870	µg/L	0	GE
		Manganese	102	µg/L	2	GE
		Mercury	< 0.20	µg/L	0	GE
•		Methoxychlor	< 0.50	µg/L	0	GE
		Nickel	5.0	µg/L	0	GE
■		Nitrate as nitrogen	38,500	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	875	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	8,690	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	27,200	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	< 1.0	µg/L	0	GE
		Tetrachloroethylene	< 1.0	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
		Toluene	< 1.0	µg/L	0	GE
•		Total dissolved solids	262,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
•		Total organic halogens	8.8	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
•		Toxaphene	< 0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	< 0.090	µg/L	0	GE
		1,1,1-Trichloroethane	< 1.0	µg/L	0	GE
		1,1,2-Trichloroethane	< 1.0	µg/L	0	GE
		Trichloroethylene	< 1.0	µg/L	0	GE
		Trichlorofluoromethane	< 1.0	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	45	µg/L	0	GE
■		Gross alpha	2.0E+01 ± 2.6E+00	pCi/L	2	GE
■		Nonvolatile beta	1.1E+02 ± 5.4E+00	pCi/L	2	GE
■		Total alpha-emitting radium	1.2E+01 ± 9.0E-01	pCi/L	2	GE
■		Tritium	2.0E+03 ± 3.6E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 99D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75691.7 E50326.9	33.275294 °N 81.681307 °W	218.1-198.1 ft msl	287.6 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/21/92
 Depth to water: 72.51 ft (22.10 m) below TOC
 Water elevation: 215.09 ft (65.56 m) msl
 Sp. conductance: 48 µS/cm
 Water evacuated before sampling: 45 gal

Time: 10:55
 pH: 4.9
 Alkalinity: 0 mg/L
 Water temperature: 18.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.9	pH	0	GE
		Specific conductance	48	µS/cm	0	GE
		Aluminum	120	µg/L	1	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	9.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	1,050	µg/L	0	GE
		Chloride	2,840	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	23	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	216	µg/L	0	GE
		Manganese	16	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
•		Nitrate as nitrogen	2,460	µg/L	0	GE
•		Nitrate as nitrogen	2,380	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	12,800	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	5,240	µg/L	0	GE
		Sulfate	30,300	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	40,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	6.1	µg/L	0	GE
		Gross alpha	8.1E+00 ± 7.9E-01	pCi/L	1	GE
		Nonvolatile beta	8.8E+00 ± 7.5E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB 99D collected on 01/21/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
■		Tritium	1.1E+02 ± 8.0E-01	pCi/mL	2	GE

WELL FSB100A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75534.4	33.275977 °N	105.8-95.8 ft msl	286.0 ft msl		U. Congaree (IIA)
E50958.4	81.679339 °W				

FIELD MEASUREMENTS

Sample date: 01/26/92
 Depth to water: 133.88 ft (40.81 m) below TOC
 Water elevation: 152.12 ft (46.37 m) msl
 Sp. conductance: 192 µS/cm
 Water evacuated before sampling: 148 gal

Time: 15:35
 pH: 6.8
 Alkalinity: 51 mg/L
 Water temperature: 19.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.3	pH	0	GE
		Specific conductance	150	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	43	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	26,100	µg/L	0	GE
		Chloride	2,400	µg/L	0	GE
		Chloride	2,400	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	1,620	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
•		Nitrate as nitrogen	5,700	µg/L	1	GE
•		Nitrate as nitrogen	5,500	µg/L	1	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,800	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	16,300	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	7,640	µg/L	0	GE
		Sulfate	1,180	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB100A collected on 01/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Sulfate	1,180	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	119,000	µg/L	0	GE
		Total dissolved solids	116,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	17	µg/L	0	GE
		Total phosphates (as P)	150	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	2.7	µg/L	0	GE
		Gross alpha	3.0E+00 ± 5.2E-01	pCi/L	0	GE
		Nonvolatile beta	8.2E+00 ± 7.9E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.4E+00 ± 3.0E-01	pCi/L	0	GE
■		Tritium	1.9E+02 ± 1.1E+00	pCi/mL	2	GE

WELL FSB101A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75719.0	33.276765 °N	102.9-92.9 ft msl	285.2 ft msl		U. Congaree (IIA)
E51191.3	81.679085 °W				

FIELD MEASUREMENTS

Sample date: 01/22/92
 Depth to water: 132.36 ft (40.34 m) below TOC
 Water elevation: 152.84 ft (46.59 m) msl
 Sp. conductance: 162 µS/cm
 Water evacuated before sampling: 157 gal

Time: 15:45
 pH: 6.8
 Alkalinity: 60 mg/L
 Water temperature: 19.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.4	pH	0	GE
		Specific conductance	170	µS/cm	0	GE
		Aluminum	73	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	31	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	26,100	µg/L	0	GE
		Chloride	2,700	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	645	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	1,430	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB101A collected on 01/22/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Phenols	<5.0	µg/L	0	GE
		Potassium	2,630	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	17,200	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,830	µg/L	0	GE
		Sulfate	1,410	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	106,000	µg/L	0	GE
		Total dissolved solids	101,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	7.5	µg/L	0	GE
		Total phosphates (as P)	100	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.5E+00 ± 4.9E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

WELL FSB102C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73582.9	33.271459 °N	155.9-145.9 ft msl	201.1 ft msl	4" PVC	Barnwell (IIB ₁)
E50834.8	81.675873 °W				

FIELD MEASUREMENTS

Sample date: 01/21/92
 Depth to water: 5.43 ft (1.66 m) below TOC
 Water elevation: 195.67 ft (59.64 m) msl
 Sp. conductance: 337 µS/cm
 Water evacuated before sampling: 131 gal

Time: 15:10
 pH: 4.3
 Alkalinity: 0 mg/L
 Water temperature: 18.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.6	pH	0	GE
		Specific conductance	370	µS/cm	1	GE
		Aluminum	725	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	86	µg/L	0	GE
		Cadmium	4.5	µg/L	1	GE
		Calcium	14,800	µg/L	0	GE
		Chloride	2,180	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	34	µg/L	1	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	282	µg/L	0	GE
		Iron	5.3	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB102C collected on 01/21/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	<3.0	µg/L	0	GE
		Magnesium	4,700	µg/L	0	GE
		Manganese	768	µg/L	2	GE
		Mercury	0.54	µg/L	0	GE
		Nickel	13	µg/L	0	GE
■		Nitrate as nitrogen	39,500	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	751	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	10,100	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	31,500	µg/L	0	GE
		Sulfate	1,570	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	275,000	µg/L	0	GE
		Total dissolved solids	241,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	33	µg/L	0	GE
		Gross alpha	4.3E+00 ± 6.7E-01	pCi/L	0	GE
■		Nonvolatile beta	3.8E+02 ± 4.8E+00	pCi/L	2	GE
		Total alpha-emitting radium	4.1E+00 ± 5.0E-01	pCi/L	1	GE
■		Tritium	1.2E+03 ± 2.7E+00	pCi/mL	2	GE

WELL FSB103C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74210.0 E49651.3	33.270915 °N 81.680207 °W	157.1-147.1 ft msl	242.4 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/27/92
 Depth to water: 38.23 ft (11.65 m) below TOC
 Water elevation: 204.17 ft (62.23 m) msl
 Sp. conductance: 245 µS/cm
 Water evacuated before sampling: 150 gal

Time: 16:05
 pH: 5.1
 Alkalinity: 6 mg/L
 Water temperature: 18.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	5.4	pH	0	GE
		Specific conductance	185	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	37	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	27,800	µg/L	0	GE
		Chloride	2,480	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB103C collected on 01/27/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	12	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	2,610	µg/L	0	GE
		Manganese	16	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	4.9	µg/L	0	GE
■		Nitrate as nitrogen	24,500	µg/L	2	GE
■		Nitrate as nitrogen	24,500	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	900	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	13,300	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	9,340	µg/L	0	GE
		Sulfate	1,120	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	178,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	28	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	3.0E+01 ± 1.5E+00	pCi/L	1	GE
		Total alpha-emitting radium	1.5E+00 ± 6.0E-01	pCi/L	0	GE
■		Tritium	7.5E+02 ± 2.2E+00	pCi/mL	2	GE

WELL FSB104C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73872.6	33.269511 °N	160.7-150.7 ft msl	219.1 ft msl	4" PVC	Barnwell (IIB ₁)
E49248.6	81.680612 °W				

FIELD MEASUREMENTS

Sample date: 01/26/92
 Depth to water: 16.50 ft (5.03 m) below TOC
 Water elevation: 202.60 ft (61.75 m) msl
 Sp. conductance: 385 µS/cm
 Water evacuated before sampling: 136 gal

Time: 14:05
 pH: 4.9
 Alkalinity: 0 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.9	pH	0	GE
		Specific conductance	300	µS/cm	1	GE
		Aluminum	65	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB104C collected on 01/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	78	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	39,600	µg/L	0	GE
		Chloride	2,600	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	20	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	5,670	µg/L	0	GE
		Manganese	29	µg/L	1	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	13	µg/L	0	GE
■		Nitrate as nitrogen	41,500	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,350	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	11,600	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	16,100	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	268,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	52	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
■		Nonvolatile beta	5.8E+01 ± 2.0E+00	pCi/L	2	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■		Tritium	1.2E+03 ± 2.7E+00	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB104D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73865.2 E49255.4	33.269506 °N 81.680579 °W	210.4-190.4 ft msl	219.2 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/26/92
 Depth to water: 13.10 ft (3.99 m) below TOC
 Water elevation: 206.10 ft (62.82 m) msl
 Sp. conductance: 1002 µS/cm
 Water evacuated before sampling: 41 gal

Time: 13:45
 pH: 3.6
 Alkalinity: 0 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.0	pH	0	GE
		Specific conductance	900	µS/cm	2	GE
		Aluminum	43,600	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	205	µg/L	0	GE
	■	Cadmium	14	µg/L	2	GE
		Calcium	5,070	µg/L	0	GE
		Chloride	3,420	g/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	39	µg/L	1	GE
		Copper	44	µg/L	0	GE
•		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	313	µg/L	0	GE
		Fluoride	306	µg/L	0	GE
		Iron	75	µg/L	0	GE
		Lead	3.3	µg/L	0	GE
		Magnesium	3,560	µg/L	0	GE
		Manganese	956	µg/L	2	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	21	µg/L	0	GE
	■	Nitrate as nitrogen	115,000	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	514	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	32,600	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	59,400	µg/L	0	GE
		Sulfate	12,800	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
•		Total dissolved solids	398,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	69	µg/L	0	GE
	■	Gross alpha	5.7E+02 ± 1.5E+01	pCi/L	2	GE
	■	Nonvolatile beta	1.6E+03 ± 2.1E+01	pCi/L	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB104D collected on 01/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
■		Total alpha-emitting radium	2.6E+01 ± 1.3E+00	pCi/L	2	GE
■		Tritium	1.0E+04 ± 7.9E+00	pCi/mL	2	GE

WELL FSB105C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75234.2	33.273468 °N	151.5-141.5 ft msl	285.8 ft msl	4" PVC	Barnwell (IIB ₁)
E49828.0	81.681732 °W				

FIELD MEASUREMENTS

Sample date: 01/22/92
 Depth to water: 76.25 ft (23.24 m) below TOC
 Water elevation: 209.55 ft (63.87 m) msl
 Sp. conductance: 1538 µS/cm
 Water evacuated before sampling: 219 gal

Time: 13:15
 pH: 3.4
 Alkalinity: 0 mg/L
 Water temperature: 19.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.6	pH	1	GE
		Specific conductance	1,350	µS/cm	2	GE
		Aluminum	25,300	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	263	µg/L	0	GE
	■	Cadmium	5.4	µg/L	2	GE
		Calcium	5,360	µg/L	0	GE
		Chloride	4,680	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	265	µg/L	2	GE
		Copper	22	µg/L	0	GE
•		Cyanide	<5.0	µg/L	0	GE
		Fluoride	726	µg/L	0	GE
		Iron	12	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	2,300	µg/L	0	GE
		Manganese	2,420	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	33	µg/L	0	GE
	■	Nitrate as nitrogen	205,000	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	9,870	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	21,400	µg/L	0	GE
		Sulfate	6,080	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
•		Total dissolved solids	365,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB105C collected on 01/22/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total phosphates (as P)	50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	62	µg/L	0	GE
■		Gross alpha	4.0E+02 ± 1.2E+01	pCi/L	2	GE
■		Nonvolatile beta	1.1E+03 ± 1.6E+01	pCi/L	2	GE
■		Total alpha-emitting radium	1.3E+02 ± 3.0E+00	pCi/L	2	GE
■		Tritium	1.1E+04 ± 8.2E+00	pCi/mL	2	GE

WELL FSB105DR

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75258.1	33.273542 °N	208.6-188.5 ft msl	285.6 ft msl	4" PVC	Water Table (IIB ₂)
E49841.0	81.681744 °W				

FIELD MEASUREMENTS

Sample date: 02/17/92
 Depth to water: 73.31 ft (22.35 m) below TOC
 Water elevation: 212.29 ft (64.71 m) msl
 Sp. conductance: 2800 µS/cm
 Water evacuated before sampling: 62 gal

Time: 11:25
 pH: 3.1
 Alkalinity: 0 mg/L
 Water temperature: 17.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.3	pH	1	GE
		Specific conductance	2,280	µS/cm	2	GE
		Specific conductance	2,280	µS/cm	2	GE
		Aluminum	105,000	µg/L	2	GE
		Antimony	2.5	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<10	µg/L	0	GE
		Arsenic	<10	µg/L	0	GE
		Barium	1,280	µg/L	1	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	5,770	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2,850	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	303	µg/L	2	GE
		Copper	124	µg/L	0	GE
•		Cyanide	<5.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB105DR collected on 02/17/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	589	µg/L	0	GE
		Iron	349	µg/L	2	GE
		Lead	7.6	µg/L	1	GE
		Lead	7.3	µg/L	0	GE
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	1,840	µg/L	0	GE
		Manganese	9,160	µg/L	2	GE
		Mercury	0.28	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	90	µg/L	1	GE
■		Nitrate as nitrogen	386,000	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	2,180	µg/L	0	GE
		Selenium	<10	µg/L	0	GE
		Selenium	<10	µg/L	0	GE
		Silica	46,600	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	180,000	µg/L	0	GE
		Sulfate	12,200	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	1.5	µg/L	0	GE
		Total dissolved solids	1.7E+06	µg/L	0	GE
		Total organic carbon	2,000	µg/L	0	GE
		Total organic halogens	15	µg/L	0	GE
		Total phosphates (as P)	70	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	143	µg/L	0	GE
■		Gross alpha	1.3E+03 ± 8.3E+00	pCi/L	2	GE
■		Nonvolatile beta	1.5E+03 ± 7.4E+00	pCi/L	2	GE
■		Total alpha-emitting radium	1.1E+02 ± 3.0E+00	pCi/L	2	GE
■		Tritium	3.3E+04 ± 1.4E+01	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB106C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74190.1 E50651.3	33.272503 °N 81.677536 °W	166.0-156.0 ft msl	235.1 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/22/92	Time: 13:50
Depth to water: 32.98 ft (10.05 m) below TOC	pH: 6.2
Water elevation: 202.12 ft (61.61 m) msl	Alkalinity: 36 mg/L
Sp. conductance: 638 µS/cm	Water temperature: 19.0°C
Water evacuated before sampling: 121 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.4	pH	0	GE
		Specific conductance	500	µS/cm	2	GE
		Aluminum	184	µg/L	1	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	149	µg/L	0	GE
	■	Cadmium	7.4	µg/L	2	GE
		Calcium	31,100	µg/L	0	GE
		Chloride	3,280	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	41	µg/L	2	GE
		Copper	<4.0	µg/L	0	GE
•		Cyanide	<5.0	µg/L	0	GE
		Fluoride	486	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	5,290	µg/L	0	GE
		Manganese	872	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	14	µg/L	0	GE
	■	Nitrate as nitrogen	67,500	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,660	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	5,690	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	38,500	µg/L	0	GE
		Sulfate	4,020	µg/L	0	GE
		Sulfate	3,200	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
•		Total dissolved solids	400,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	23	µg/L	0	GE
	■	Gross alpha	1.8E+01 ± 2.8E+00	pCi/L	2	GE
	■	Nonvolatile beta	9.2E+02 ± 1.5E+01	pCi/L	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB106C collected on 01/22/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
■		Total alpha-emitting radium	1.4E+01 ± 1.0E+00	pCi/L	2	GE
■		Tritium	2.1E+03 ± 3.6E+00	pCi/mL	2	GE

WELL FSB106D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74193.0	33.272485 °N	222.9-202.9 ft msl	234.9 ft msl	4" PVC	Water Table (IIB ₂)
E50636.8	81.677580 °W				

FIELD MEASUREMENTS

Sample date: 01/22/92
 Depth to water: 28.18 ft (8.59 m) below TOC
 Water elevation: 206.72 ft (63.01 m) msl
 Sp. conductance: 109 µS/cm
 Water evacuated before sampling: 2 gal
 There was insufficient water to fill all or some sample bottles.

Time: 13:30
 pH: 6.0
 Alkalinity: 25 mg/L
 Water temperature: 19.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.7	pH	0	GE
		Specific conductance	110	µS/cm	0	GE
		Aluminum	60	µg/L	0	GE
		Antimony	3.8	µg/L	1	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	17	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	13,300	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2,240	µg/L	0	GE
		Chloride	2,370	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	5.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.5	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB106D collected on 01/22/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	4.4	µg/L	0	GE
		Lead	4.7	µg/L	0	GE
		Magnesium	721	µg/L	0	GE
		Manganese	20	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	38	µg/L	0	GE
		Nitrate as nitrogen	950	µg/L	0	GE
		Nitrate as nitrogen	940	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	5.7	µg/L	0	GE
		Silica	6,750	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	4,430	µg/L	0	GE
		Sulfate	1,630	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	61,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	50	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	12	µg/L	2	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	278	µg/L	0	GE
■		Tritium	4.3E+01 ± 5.0E-01	pCi/mL	2	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB107C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75184.0 E51158.1	33.275528 °N 81.678133 °W	160.8-150.8 ft msl	270.9 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/29/92
 Depth to water: 58.81 ft (17.93 m) below TOC
 Water elevation: 212.09 ft (64.65 m) msl
 Sp. conductance: 214 µS/cm
 Water evacuated before sampling: 161 gal

Time: 15:20
 pH: 6.4
 Alkalinity: 61 mg/L
 Water temperature: 18.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.5	pH	0	GE
		Specific conductance	175	µS/cm	0	GE
		Aluminum	25	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	36	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	30,700	µg/L	0	GE
		Chloride	3,040	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	2,520	µg/L	0	GE
		Manganese	60	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	8,700	µg/L	1	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	8,200	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	7,270	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	141,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	16	µg/L	0	GE
		Total phosphates (as P)	60	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	7.8	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
	■	Nonvolatile beta	6.3E+01 ± 1.1E+00	pCi/L	2	GE
		Total alpha-emitting radium	2.5E+00 ± 7.0E-01	pCi/L	1	GE
	■	Tritium	1.9E+02 ± 1.1E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB107D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75177.2 E51149.8	33.275499 °N 81.678141 °W	220.9-200.9 ft msl	271.0 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 02/10/92	Time: 10:55
Depth to water: 55.95 ft (17.05 m) below TOC	pH: 3.2
Water elevation: 215.05 ft (65.55 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 218 µS/cm	Water temperature: 17.1°C
Water evacuated before sampling: 37 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.8	pH	1	GE
		Specific conductance	180	µS/cm	0	GE
		Aluminum	6,260	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	2.3	µg/L	0	GE
		Barium	57	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	776	µg/L	0	GE
		Chloride	980	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	8.0	µg/L	0	GE
		Copper	25	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	359	µg/L	0	GE
		Iron	21	µg/L	0	GE
		Lead	9.6	µg/L	1	GE
		Magnesium	603	µg/L	0	GE
		Manganese	284	µg/L	2	GE
		Mercury	0.31	µg/L	0	GE
		Nickel	7.2	µg/L	0	GE
•	■	Nitrate as nitrogen	19,200	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	< 500	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	18,600	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE
		Sodium	4,450	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
		Total dissolved solids	73,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	13	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	16	µg/L	0	GE
	■	Gross alpha	3.0E+02 ± 4.9E+00	pCi/L	2	GE
	■	Nonvolatile beta	5.0E+02 ± 5.0E+00	pCi/L	2	GE
	■	Total alpha-emitting radium	1.9E+01 ± 1.1E+00	pCi/L	2	GE
	■	Tritium	8.9E+01 ± 8.0E-01	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB108D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N76260.7 E51142.3	33.277883 °N 81.680266 °W	223.8-203.8 ft msl	298.0 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/26/92
 Depth to water: 78.28 ft (23.86 m) below TOC
 Water elevation: 219.72 ft (66.97 m) msl
 Sp. conductance: 55 µS/cm
 Water evacuated before sampling: 11 gal
 The well went dry during purging.

Time: 9:05
 pH: 5.8
 Alkalinity: 15 mg/L
 Water temperature: 17.7°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.5	pH	0	GE
		Specific conductance	51	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	12	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	5,860	µg/L	0	GE
		Chloride	2,970	µg/L	0	GE
		Chloride	3,080	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	41	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	484	µg/L	0	GE
		Manganese	18	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	5.1	µg/L	0	GE
•		Nitrate as nitrogen	1,140	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	7,650	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	4,070	µg/L	0	GE
		Sulfate	1,310	µg/L	0	GE
		Sulfate	1,280	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	37,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	27	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB108D collected on 01/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total alpha-emitting radium	1.1E+00 ± 5.0E-01	pCi/L	0	GE
		Tritium	1.4E+01 ± 3.0E-01	pCi/mL	1	GE

WELL FSB109D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75855.9	33.275921 °N	225.8-205.8 ft msl	293.1 ft msl	4" PVC	Water Table (IIB ₂)
E50488.6	81.681200 °W				

FIELD MEASUREMENTS

Sample date: 01/26/92
 Depth to water: 77.18 ft (23.52 m) below TOC
 Water elevation: 215.92 ft (65.81 m) msl
 Sp. conductance: 68 µS/cm
 Water evacuated before sampling: 7 gal
 The well went dry during purging.

Time: 9:20
 pH: 6.1
 Alkalinity: 26 mg/L
 Water temperature: 17.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.3	pH	0	GE
		Specific conductance	55	µS/cm	0	GE
		Aluminum	32	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	12	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	3,370	µg/L	0	GE
		Chloride	1,310	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	7.5	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	34	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	907	µg/L	0	GE
		Manganese	3.6	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	4.1	µg/L	0	GE
		Nitrate as nitrogen	880	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	3,300	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	8,210	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	6,440	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	44,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB109D collected on 01/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	351	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	4.3E+00 ± 5.6E-01	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
■		Tritium	4.0E+01 ± 5.0E-01	pCi/mL	2	GE

WELL FSB110C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74190.7 E50150.6	33.271687 °N 81.678855 °W	147.2-137.2 ft msl	234.5 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/26/92
 Depth to water: 31.72 ft (9.67 m) below TOC
 Water elevation: 202.78 ft (61.81 m) msl
 Sp. conductance: 313 µS/cm
 Water evacuated before sampling: 172 gal

Time: 11:35
 pH: 6.0
 Alkalinity: 16 mg/L
 Water temperature: 18.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.2	pH	0	GE
		Specific conductance	255	µS/cm	1	GE
		Aluminum	48	µg/L	0	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 2.0	µg/L	0	GE
		Barium	71	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	35,700	µg/L	0	GE
		Chloride	2,830	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	< 100	µg/L	0	GE
		Iron	< 4.0	µg/L	0	GE
		Lead	< 3.0	µg/L	0	GE
		Magnesium	4,290	µg/L	0	GE
		Manganese	13	µg/L	0	GE
		Mercury	< 0.20	µg/L	0	GE
		Nickel	5.3	µg/L	0	GE
■		Nitrate as nitrogen	31,000	µg/L	2	GE
		Phenols	< 5.0	µg/L	0	GE
		Potassium	1,930	µg/L	0	GE
		Selenium	< 2.0	µg/L	0	GE
		Silica	11,300	µg/L	0	GE
		Silver	< 2.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB110C collected on 01/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Sodium	11,900	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		Sulfate	< 1,000	µg/L	0	GE
		Thallium	< 2.0	µg/L	0	GE
		Total dissolved solids	214,000	µg/L	0	GE
		Total dissolved solids	219,000	µg/L	0	GE
		Total organic carbon	< 1,000	µg/L	0	GE
		Total organic halogens	< 5.0	µg/L	0	GE
		Total phosphates (as P)	< 50	µg/L	0	GE
		Vanadium	< 8.0	µg/L	0	GE
		Zinc	34	µg/L	0	GE
		Gross alpha	< 2.0E+00	pCi/L	0	GE
		Nonvolatile beta	4.7E+01 ± 1.8E+00	pCi/L	1	GE
		Total alpha-emitting radium	1.2E+00 ± 6.0E-01	pCi/L	0	GE
■		Tritium	9.2E+02 ± 2.4E+00	pCi/mL	2	GE

WELL FSB110D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74193.3	33.271678 °N	211.1-191.1 ft msl	234.5 ft msl	4" PVC	Water Table (IIB ₂)
E50141.6	81.678884 °W				

FIELD MEASUREMENTS

Sample date: 01/26/92
 Depth to water: 28.23 ft (8.60 m) below TOC
 Water elevation: 206.27 ft (62.87 m) msl
 Sp. conductance: 1595 µS/cm
 Water evacuated before sampling: 50 gal

Time: 10:55
 pH: 3.3
 Alkalinity: 0 mg/L
 Water temperature: 20.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.5	pH	1	GE
		Specific conductance	1,520	µS/cm	2	GE
		Aluminum	55,300	µg/L	2	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	< 10	µg/L	0	GE
		Barium	80	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	1,770	µg/L	0	GE
		Chloride	1,760	µg/L	0	GE
		Chromium	6.4	µg/L	0	GE
		Cobalt	7.6	µg/L	0	GE
		Copper	85	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Fluoride	149	µg/L	0	GE
		Iron	204	µg/L	1	GE
		Lead	15	µg/L	1	GE
		Magnesium	400	µg/L	0	GE
		Manganese	229	µg/L	2	GE
		Mercury	< 0.20	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB110D collected on 01/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Nickel	21	µg/L	0	GE
■		Nitrate as nitrogen	210,000	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	864	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	118,000	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	149,000	µg/L	0	GE
■		Sulfate	464,000	µg/L	2	GE
		Thallium	<2.0	µg/L	0	GE
●		Total dissolved solids	992,000	µg/L	0	GE
		Total organic carbon	1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	91	µg/L	0	GE
■		Gross alpha	7.1E+02 ± 1.8E+01	pCi/L	2	GE
■		Nonvolatile beta	7.2E+02 ± 1.4E+01	pCi/L	2	GE
■		Total alpha-emitting radium	1.5E+01 ± 1.0E+00	pCi/L	2	GE
■		Tritium	1.8E+04 ± 1.0E+01	pCi/mL	2	GE

WELL FSB111C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75383.3	33.276569 °N	169.0-159.0 ft msl	276.3 ft msl	4" PVC	Barnwell (IIB ₁)
E51526.3	81.677550 °W				

FIELD MEASUREMENTS

Sample date: 01/29/92
 Depth to water: 62.87 ft (19.16 m) below TOC
 Water elevation: 213.43 ft (65.05 m) msl
 Sp. conductance: 51 µS/cm
 Water evacuated before sampling: 143 gal
 Time: 15:45
 pH: 5.3
 Alkalinity: 7 mg/L
 Water temperature: 18.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
●		pH	5.7	pH	0	GE
		Specific conductance	42	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	7.1	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	4,960	µg/L	0	GE
		Chloride	3,600	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB111C collected on 01/29/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	380	µg/L	0	GE
		Manganese	4.3	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	2,030	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	9,670	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	3,300	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	38,000	µg/L	0	GE
		Total dissolved solids	41,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	90	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	3.3	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	5.0E+00 ± 2.0E-01	pCi/mL	0	GE

WELL FSB111D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75382.9	33.276552 °N	221.7-201.7 ft msl	276.6 ft msl	4" PVC	Water Table (IIB ₂)
E51515.9	81.677577 °W				

FIELD MEASUREMENTS

Sample date: 01/29/92
 Depth to water: 59.84 ft (18.24 m) below TOC
 Water elevation: 216.76 ft (66.07 m) msl
 Sp. conductance: 32 µS/cm
 Water evacuated before sampling: 40 gal

Time: 16:00
 pH: 4.6
 Alkalinity: 0 mg/L
 Water temperature: 18.7°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.8	pH	0	GE
		Specific conductance	25	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	10	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	830	µg/L	0	GE
		Chloride	2,810	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB111D collected on 01/29/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	6.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Magnesium	563	µg/L	0	GE
		Manganese	9.1	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	1,250	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	7,250	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	3,080	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Total dissolved solids	26,000	µg/L	0	GE
		Total organic carbon	1,000	µg/L	0	GE
		Total organic halogens	21	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	12	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	4.4E+00 ± 6.6E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.7E+00 ± 4.0E-01	pCi/L	0	GE
		Tritium	1.0E+01 ± 3.0E-01	pCi/mL	1	GE

WELL FSB112A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74231.4 E48809.1	33.269588 °N 81.682466 °W	91.0-81.0 ft msl	229.1 ft msl	4" PVC	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 01/26/92
 Depth to water: 75.60 ft (23.04 m) below TOC
 Water elevation: 153.50 ft (46.79 m) msl
 Sp. conductance: 169 µS/cm
 Water evacuated before sampling: 284 gal

Time: 12:20
 pH: 7.0
 Alkalinity: 57 mg/L
 Water temperature: 18.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.4	pH	0	GE
		Specific conductance	135	µS/cm	0	GE
		Aluminum	47	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB112A collected on 01/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	42	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	26,600	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2,380	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	228	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	582	µg/L	0	GE
		Manganese	9.6	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	1,140	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	2,290	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	35,700	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	3,280	µg/L	0	GE
		Sulfate	8,870	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	124,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB112A collected on 01/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total organic halogens	5.2	µg/L	0	GE
		Total phosphates (as P)	400	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	1.5E+01 ± 9.7E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■		Tritium	6.8E+01 ± 7.0E-01	pCi/mL	2	GE

WELL FSB112C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74227.5 E48794.8	33.269556 °N 81.682496 °W	139.1-129.1 ft msl	229.1 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/26/92
 Depth to water: 25.75 ft (7.85 m) below TOC
 Water elevation: 203.35 ft (61.98 m) msl
 Sp. conductance: 1488 µS/cm
 Water evacuated before sampling: 195 gal

Time: 13:20
 pH: 4.7
 Alkalinity: 0 mg/L
 Water temperature: 18.2°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.8	pH	0	GE
		Specific conductance	1,300	µS/cm	2	GE
		Aluminum	3,050	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	263	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
■		Cadmium	14	µg/L	2	GE
		Calcium	39,500	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	8,800	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB112C collected on 01/26/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Chromium	<4.0	µg/L	0	GE
		Cobalt	83	µg/L	2	GE
		Copper	<4.0	µg/L	0	GE
•		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.3	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	1,330	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	16,000	µg/L	0	GE
		Manganese	1,630	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	27	µg/L	0	GE
■		Nitrate as nitrogen	200,000	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,770	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	3,270	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	52,000	µg/L	0	GE
		Sulfate	40,000	µg/L	0	GE
		1,1,1,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
•		Total dissolved solids	1.1E+06	µg/L	0	GE
		Total organic carbon	1,000	µg/L	0	GE
		Total organic halogens	65	µg/L	2	GE
		Total phosphates (as P)	<50	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	54	µg/L	0	GE
■		Gross alpha	1.2E+02 ± 7.0E+00	pCi/L	2	GE
■		Nonvolatile beta	1.9E+03 ± 2.3E+01	pCi/L	2	GE
■		Total alpha-emitting radium	6.3E+01 ± 2.0E+00	pCi/L	2	GE
■		Tritium	7.3E+03 ± 6.7E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB112D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74223.7 E48780.0	33.269523 °N 81.682527 °W	208.9-188.9 ft msl	229.6 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/26/92
 Depth to water: 22.29 ft (6.79 m) below TOC
 Water elevation: 207.31 ft (63.19 m) msl
 Sp. conductance: 1608 µS/cm
 Water evacuated before sampling: 48 gal

Time: 12:55
 pH: 3.6
 Alkalinity: 0 mg/L
 Water temperature: 18.1°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	3.5	pH	1	GE
		Specific conductance	1,450	µS/cm	2	GE
		Aluminum	21,500	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	222	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	3.8	µg/L	1	GE
		Calcium	1,410	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	3,060	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	79	µg/L	2	GE
		Copper	28	µg/L	0	GE
•		Cyanide	<5.0	µg/L	0	GE
•		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	677	µg/L	0	GE
		Iron	51	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB112D collected on 01/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	5.5	µg/L	0	GE
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	894	µg/L	0	GE
		Manganese	1,410	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	31	µg/L	0	GE
■		Nitrate as nitrogen	211,000	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	2,490	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	30,800	µg/L	0	GE
		Sulfate	4,640	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	740,000	µg/L	0	GE
		Total dissolved solids	763,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
•		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	39	µg/L	0	GE
■		Gross alpha	1.6E+02 ± 2.5E+00	pCi/L	2	GE
■		Nonvolatile beta	3.4E+03 ± 8.5E+00	pCi/L	2	GE
■		Total alpha-emitting radium	2.6E+02 ± 4.0E+00	pCi/L	2	GE
■		Tritium	1.0E+04 ± 7.9E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB113A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74167.5 E51068.1	33.273133 °N 81.676395 °W	91.3-81.0 ft msl	223.2 ft msl	4" PVC	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 01/26/92	Time: 10:25
Depth to water: 64.49 ft (19.66 m) below TOC	pH: 11.4
Water elevation: 158.71 ft (48.38 m) msl	Alkalinity: 204 mg/L
Sp. conductance: 827 µS/cm	Water temperature: 17.8°C
Water evacuated before sampling: 204 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	12	pH	2	GE
		Specific conductance	650	µS/cm	2	GE
		Aluminum	3,610	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	3.0	µg/L	0	GE
		Barium	70	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	68,900	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	1,690	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	192	µg/L	0	GE
		Iron	4.7	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB113A collected on 01/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	110	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	720	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	9,290	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	5,600	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	10,300	µg/L	0	GE
		Sulfate	9,180	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	231,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	16	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	8.3E+00 ± 8.9E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	1.9E+01 ± 4.0E-01	pCi/mL	1	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB113C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74160.7 E51084.2	33.273144 °N 81.676339 °W	164.0-154.0 ft msl	222.9 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/26/92
 Depth to water: 19.49 ft (5.94 m) below TOC
 Water elevation: 203.41 ft (62.00 m) msl
 Sp. conductance: 640 µS/cm
 Water evacuated before sampling: 29 gal
 The well went dry during purging.

Time: 9:45
 pH: 11.3
 Alkalinity: 147 mg/L
 Water temperature: 17.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	12	pH	2	GE
		Specific conductance	580	µS/cm	2	GE
		Aluminum	338	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	144	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	61,400	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2,220	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	2.6	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	158	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB113C collected on 01/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	114	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
•		Nitrate as nitrogen	3,340	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,300	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,380	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	7,560	µg/L	0	GE
		Sulfate	6,070	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	2.8	µg/L	1	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	193,000	µg/L	0	GE
		Total organic carbon	1,000	µg/L	0	GE
		Total organic carbon	1,000	µg/L	0	GE
		Total organic halogens	26	µg/L	1	GE
		Total phosphates (as P)	240	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	2.2E+00 ± 5.3E-01	pCi/L	0	GE
		Nonvolatile beta	2.7E+00 ± 7.0E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.1E+00 ± 3.0E-01	pCi/L	0	GE
■		Tritium	6.4E+01 ± 6.0E-01	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB113D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74154.8 E51098.4	33.273154 °N 81.676290 °W	209.6-189.6 ft msl	222.5 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 02/10/92
 Depth to water: 14.78 ft (4.50 m) below TOC
 Water elevation: 207.72 ft (63.31 m) msl
 Sp. conductance: 25 µS/cm
 Water evacuated before sampling: 48 gal

Time: 11:30
 pH: 4.3
 Alkalinity: 0 mg/L
 Water temperature: 18.4°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.0	pH	0	WA
•		pH	5.0	pH	0	WA
•		pH	5.5	pH	0	WA
•		pH	5.0	pH	0	GE
•		pH	5.0	pH	0	GE
		Specific conductance	19	µS/cm	0	WA
		Specific conductance	19	µS/cm	0	WA
		Specific conductance	22	µS/cm	0	GE
		Specific conductance	25	µS/cm	0	GE
		Aluminum	34	µg/L	0	WA
		Aluminum	34	µg/L	0	WA
		Aluminum	33	µg/L	0	WA
		Aluminum	35	µg/L	0	GE
		Aluminum	35	µg/L	0	GE
		Antimony	4.2	µg/L	1	WA
		Antimony	<2.6	µg/L	0	WA
		Antimony	2.6	µg/L	1	WA
		Antimony	<2.0	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Arsenic	<2.0	µg/L	0	WA
		Arsenic	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	<6.6	µg/L	0	WA
		Barium	<6.6	µg/L	0	WA
		Barium	10	µg/L	0	WA
		Barium	5.4	µg/L	0	GE
		Barium	5.6	µg/L	0	GE
		Benzene	<5.0	µg/L	0	WA
		Benzene	<5.0	µg/L	0	WA
		Benzene	<1.0	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromodichloromethane	<5.0	µg/L	0	WA
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<5.0	µg/L	0	WA
		Bromoform	<5.0	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB113D collected on 02/10/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Bromoform	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Bromomethane (Methyl bromide)	<10	µg/L	0	WA
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	WA
		Cadmium	0.45	µg/L	0	WA
		Cadmium	<0.35	µg/L	0	WA
		Cadmium	<0.35	µg/L	0	WA
		Cadmium	<2.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	593	µg/L	0	WA
		Calcium	588	µg/L	0	WA
		Calcium	584	µg/L	0	WA
		Calcium	493	µg/L	0	GE
		Calcium	500	µg/L	0	GE
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Carbon tetrachloride	<5.0	µg/L	0	WA
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	3,060	µg/L	0	WA
		Chloride	3,050	µg/L	0	WA
		Chloride	3,170	µg/L	0	WA
		Chloride	2,690	µg/L	0	GE
		Chloride	2,710	µg/L	0	GE
		Chlorobenzene	<5.0	µg/L	0	WA
		Chlorobenzene	<5.0	µg/L	0	WA
		Chlorobenzene	<1.0	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<10	µg/L	0	WA
		Chloroethane	<10	µg/L	0	WA
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<10	µg/L	0	WA
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<10	µg/L	0	WA
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<5.0	µg/L	0	WA
		Chloroform	<5.0	µg/L	0	WA
		Chloroform	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chloromethane (Methyl chloride)	<10	µg/L	0	WA
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	2.0	µg/L	0	WA
		Chromium	<1.1	µg/L	0	WA
		Chromium	1.3	µg/L	0	WA
		Chromium	<4.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	1.1	µg/L	0	WA
		Cobalt	<0.88	µg/L	0	WA

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB113D collected on 02/10/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Cobalt	<0.88	µg/L	0	WA
		Cobalt	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	2.3	µg/L	0	WA
		Copper	2.4	µg/L	0	WA
		Copper	2.2	µg/L	0	WA
		Copper	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	WA
		Cyanide	<5.0	µg/L	0	WA
		Cyanide	<5.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<5.0	µg/L	0	WA
		Dibromochloromethane	<5.0	µg/L	0	WA
		Dibromochloromethane	<1.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	<5.0	µg/L	0	WA
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		1,2-Dichloroethane	<5.0	µg/L	0	WA
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<5.0	µg/L	0	WA
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<5.0	µg/L	0	WA
		trans-1,2-Dichloroethylene	<5.0	µg/L	0	WA
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	<5.0	µg/L	0	WA
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
		2,4-Dichlorophenoxyacetic acid	<1.1	µg/L	0	WA
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		1,2-Dichloropropane	<5.0	µg/L	0	WA
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<5.0	µg/L	0	WA
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		trans-1,3-Dichloropropene	<5.0	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
		Endrin	<0.11	µg/L	0	WA
•		Endrin	<0.0060	µg/L	0	GE
•		Endrin	<0.0060	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB113D collected on 02/10/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Ethylbenzene	<5.0	µg/L	0	WA
		Ethylbenzene	<5.0	µg/L	0	WA
		Ethylbenzene	<1.0	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	WA
		Fluoride	<100	µg/L	0	WA
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	25	µg/L	0	WA
		Iron	27	µg/L	0	WA
		Iron	23	µg/L	0	WA
		Iron	18	µg/L	0	GE
		Iron	19	µg/L	0	GE
		Lead	<2.0	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lead	<2.0	µg/L	0	WA
		Lead	<3.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.055	µg/L	0	WA
		Lindane	<0.055	µg/L	0	WA
•		Lindane	<0.0050	µg/L	0	GE
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	660	µg/L	0	WA
		Magnesium	678	µg/L	0	WA
		Magnesium	675	µg/L	0	WA
		Magnesium	622	µg/L	0	GE
		Magnesium	625	µg/L	0	GE
		Manganese	4.6	µg/L	0	WA
		Manganese	4.7	µg/L	0	WA
		Manganese	4.8	µg/L	0	WA
		Manganese	4.3	µg/L	0	GE
		Manganese	4.9	µg/L	0	GE
		Mercury	<0.20	µg/L	0	WA
		Mercury	<0.20	µg/L	0	WA
		Mercury	<0.20	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.55	µg/L	0	WA
		Methoxychlor	<0.55	µg/L	0	WA
•		Methoxychlor	<0.50	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<3.1	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nickel	<3.1	µg/L	0	WA
		Nickel	<4.0	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	831	µg/L	0	WA
		Nitrate as nitrogen	857	µg/L	0	WA
•		Nitrate as nitrogen	660	µg/L	0	GE
•		Nitrate as nitrogen	650	µg/L	0	GE
		Phenols	<5.0	µg/L	0	WA
		Phenols	<5.0	µg/L	0	WA
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	200	µg/L	0	WA
		Potassium	<84	µg/L	0	WA
		Potassium	133	µg/L	0	WA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB113D collected on 02/10/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Potassium	<500	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Selenium	<2.0	µg/L	0	WA
		Selenium	<2.0	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,860	µg/L	0	GE
		Silica	6,890	µg/L	0	GE
		Silicon	2,970	µg/L	0	WA
		Silicon	2,990	µg/L	0	WA
		Silicon	3,070	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Silver	<0.70	µg/L	0	WA
		Silver	<2.0	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,770	µg/L	0	WA
		Sodium	1,890	µg/L	0	WA
		Sodium	1,910	µg/L	0	WA
		Sodium	1,900	µg/L	0	GE
		Sodium	1,910	µg/L	0	GE
		Sulfate	<250	µg/L	0	WA
		Sulfate	<250	µg/L	0	WA
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<5.0	µg/L	0	WA
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Tetrachloroethylene	<5.0	µg/L	0	WA
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	WA
		Thallium	<2.0	µg/L	0	WA
		Thallium	<2.0	µg/L	0	WA
		Thallium	<2.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<5.0	µg/L	0	WA
		Toluene	<5.0	µg/L	0	WA
		Toluene	<1.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	24,000	µg/L	0	WA
		Total dissolved solids	31,000	µg/L	0	WA
		Total dissolved solids	18,000	µg/L	0	GE
		Total dissolved solids	20,000	µg/L	0	GE
		Total organic carbon	<500	µg/L	0	WA
		Total organic carbon	<500	µg/L	0	WA
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	12	µg/L	0	WA
		Total organic halogens	18	µg/L	0	WA
		Total organic halogens	10	µg/L	0	WA
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE

● = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB113D collected on 02/10/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total phosphates (as P)	<20	µg/L	0	WA
		Total phosphates (as P)	<20	µg/L	0	WA
		Total phosphates (as P)	<20	µg/L	0	WA
		Total phosphates (as P)	<50	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<1.1	µg/L	0	WA
		Toxaphene	<1.1	µg/L	0	WA
•		Toxaphene	<0.24	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
		2,4,5-TP (Silvex)	<0.54	µg/L	0	WA
		2,4,5-TP (Silvex)	<0.54	µg/L	0	WA
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,1-Trichloroethane	<5.0	µg/L	0	WA
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<5.0	µg/L	0	WA
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichloroethylene	<5.0	µg/L	0	WA
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<5.0	µg/L	0	WA
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Uranium	0.60	µg/L	0	BA
		Uranium	0.60	µg/L	0	BA
		Uranium	1.2	µg/L	0	BA
		Uranium	1.2	µg/L	0	BA
■		Uranium	600	µg/L	2	BA
		Vanadium	<0.88	µg/L	0	WA
		Vanadium	<0.88	µg/L	0	WA
		Vanadium	<0.88	µg/L	0	WA
		Vanadium	<8.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	6.3	µg/L	0	WA
		Zinc	14	µg/L	0	WA
		Zinc	5.2	µg/L	0	WA
		Zinc	4.5	µg/L	0	GE
		Zinc	4.9	µg/L	0	GE
		Gross alpha	8.0E-01 ± 1.3E+00	pCi/L	0	BA
		Gross alpha	6.0E-01 ± 1.2E+00	pCi/L	0	BA
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	3.7E+00 ± 1.7E+00	pCi/L	0	BA
		Nonvolatile beta	1.7E+00 ± 1.6E+00	pCi/L	0	BA
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Radium-226	2.0E-01 ± 4.0E-01	pCi/L	0	BA
		Radium-226	6.0E-01 ± 5.0E-01	pCi/L	0	BA
		Radium-228	<1.6E+00	pCi/L	0	BA
		Radium-228	<1.8E+00	pCi/L	0	BA

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB113D collected on 02/10/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	< 1.0E+00	pCi/L	0	GE
		Tritium	1.3E+01 ± 6.0E-01	pCi/mL	1	BA
		Tritium	1.3E+01 ± 6.0E-01	pCi/mL	1	BA
		Tritium	1.3E+01 ± 3.0E-01	pCi/mL	1	GE
		Tritium	1.4E+01 ± 3.0E-01	pCi/mL	1	GE

WELL FSB114A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75297.4	33.277229 °N	105.0-95.2 ft msl	252.0 ft msl	4" PVC	U. Congaree (IIA)
E52046.6	81.676014 °W				

FIELD MEASUREMENTS

Sample date: 01/26/92
 Depth to water: 96.26 ft (29.34 m) below TOC
 Water elevation: 155.74 ft (47.47 m) msl
 Sp. conductance: 176 µS/cm
 Water evacuated before sampling: 159 gal

Time: 16:25
 pH: 9.0
 Alkalinity: 82 mg/L
 Water temperature: 19.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	9.3	pH	1	GE
		Specific conductance	135	µS/cm	0	GE
		Aluminum	124	µg/L	1	GE
		Antimony	< 2.0	µg/L	0	GE
		Arsenic	3.0	µg/L	0	GE
		Barium	69	µg/L	0	GE
		Benzene	< 1.0	µg/L	0	GE
		Bromodichloromethane	< 1.0	µg/L	0	GE
		Bromoform	< 1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	µg/L	0	GE
		Cadmium	< 2.0	µg/L	0	GE
		Calcium	26,200	µg/L	0	GE
		Carbon tetrachloride	< 1.0	µg/L	0	GE
		Chloride	2,770	µg/L	0	GE
		Chlorobenzene	< 1.0	µg/L	0	GE
		Chloroethane	< 1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	µg/L	0	GE
		Chloroform	< 1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	µg/L	0	GE
		Chromium	< 4.0	µg/L	0	GE
		Cobalt	< 4.0	µg/L	0	GE
		Copper	< 4.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Cyanide	< 5.0	µg/L	0	GE
		Dibromochloromethane	< 1.0	µg/L	0	GE
		1,1-Dichloroethane	< 1.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB114A collected on 01/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	6.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	596	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	2,090	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	8,010	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	15,800	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	4,680	µg/L	0	GE
		Sulfate	1,510	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	103,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	120	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	<2.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	7.3E+00 ± 7.9E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	<7.0E-01	pCi/mL	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB114C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N75288.5 E52033.8	33.277188 °N 81.676030 °W	168.0-158.0 ft msl	252.2 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/26/92	Time: 16:35
Depth to water: 37.88 ft (11.55 m) below TOC	pH: 5.2
Water elevation: 214.32 ft (65.33 m) msl	Alkalinity: 7 mg/L
Sp. conductance: 59 µS/cm	Water temperature: 18.1°C
Water evacuated before sampling: 148 gal	

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	6.1	pH	0	GE
		Specific conductance	45	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	15	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	4,890	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	3,740	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	11	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB114C collected on 01/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	3.3	µg/L	0	GE
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	472	µg/L	0	GE
		Manganese	7.4	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	2,060	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	9,710	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	3,550	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	37,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	1.1	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	9.6	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	3.8E+00 ± 2.0E-01	pCi/mL	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB114D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75278.6 E52018.6	33.277141 °N 81.676051 °W	217.8-197.7 ft msl	252.2 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/26/92
 Depth to water: 34.56 ft (10.53 m) below TOC
 Water elevation: 217.64 ft (66.34 m) msl
 Sp. conductance: 51 µS/cm
 Water evacuated before sampling: 52 gal

Time: 16:50
 pH: 4.7
 Alkalinity: 1 mg/L
 Water temperature: 18.8°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.3	pH	0	GE
		Specific conductance	42	µS/cm	0	GE
		Aluminum	22	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	10	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	843	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	3,740	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	13	µg/L	0	GE
		Lead	3.3	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB114D collected on 01/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lindane	<0.0050	µg/L	0	GE
		Magnesium	529	µg/L	0	GE
		Manganese	31	µg/L	1	GE
		Mercury	<0.20	µg/L	0	GE
		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
•		Nitrate as nitrogen	2,380	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,410	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	6,500	µg/L	0	GE
		Sulfate	1,330	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	34,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	50	µg/L	0	GE
		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	12	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.6E+00 ± 5.9E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.8E+00 ± 4.0E-01	pCi/L	0	GE
		Tritium	7.3E+00 ± 3.0E-01	pCi/mL	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB115C

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N72515.5 E49736.0	33.267306 °N 81.676692 °W	173.8-163.8 ft msl	207.8 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/28/92
 Depth to water: 22.98 ft (7.00 m) below TOC
 Water elevation: 184.82 ft (56.33 m) msl
 Sp. conductance: 48 μ S/cm
 Water evacuated before sampling: 13 gal
 The well went dry during purging.

Time: 12:50
 pH: 6.3
 Alkalinity: 11 mg/L
 Water temperature: 17.1°C

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	6.8	pH	0	GE
		Specific conductance	30	μ S/cm	0	GE
		Aluminum	<20	μ g/L	0	GE
		Antimony	2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	9.0	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	2,310	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	1,640	μ g/L	0	GE
		Chloride	1,650	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Cobalt	<4.0	μ g/L	0	GE
		Copper	<4.0	μ g/L	0	GE
		Cyanide	<5.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	<1.0	μ g/L	0	GE
		1,2-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethylene	<1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	μ g/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
•		Endrin	<0.0060	μ g/L	0	GE
		Ethylbenzene	<1.0	μ g/L	0	GE
		Fluoride	<100	μ g/L	0	GE
		Iron	48	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB115C collected on 01/28/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	<3.0	µg/L	0	GE
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	313	µg/L	0	GE
		Manganese	7.1	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	7.6	µg/L	0	GE
		Nitrate as nitrogen	510	µg/L	0	GE
		Nitrate as nitrogen	500	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	8,280	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	3,260	µg/L	0	GE
		Sulfate	2,070	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	28,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	6.1	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	21	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.4E+00 ± 4.7E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	9.0E+00 ± 3.0E-01	pCi/mL	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB115D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72504.3 E49728.3	33.267268 °N 81.676691 °W	192.5-182.5 ft msl	208.5 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/28/92
 Depth to water: 16.41 ft (5.00 m) below TOC
 Water elevation: 192.09 ft (58.55 m) msl
 Sp. conductance: 15 µS/cm
 Water evacuated before sampling: 25 gal

Time: 13:30
 pH: 4.9
 Alkalinity: 1 mg/L
 Water temperature: 18.6°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.2	pH	0	GE
		Specific conductance	12	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	6.4	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	356	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	1,970	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	5.8	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	12	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB115D collected on 01/28/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	289	µg/L	0	GE
		Manganese	14	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	100	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,230	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,150	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	17,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	12	µg/L	0	GE
		Gross alpha	2.2E+00 ± 4.2E-01	pCi/L	0	GE
		Nonvolatile beta	2.3E+00 ± 5.4E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	1.4E+01 ± 3.0E-01	pCi/mL	1	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB116C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72725.5 E50645.9	33.269255 °N 81.674705 °W	170.5-160.5 ft msl	202.5 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/28/92	Time: 12:30
Depth to water: 12.27 ft (3.74 m) below TOC	pH: 5.0
Water elevation: 190.23 ft (57.98 m) msl	Alkalinity: 1 mg/L
Sp. conductance: 23 µS/cm	Water temperature: 18.1 °C
Water evacuated before sampling: 78 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.3	pH	0	GE
		Specific conductance	20	µS/cm	0	GE
		Aluminum	26	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	4.9	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	787	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	1,990	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	17	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB116C collected on 01/28/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	421	µg/L	0	GE
		Manganese	8.5	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	980	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,640	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	1,890	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	18,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	11	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	8.3	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	1.4E+01 ± 3.0E-01	pCi/mL	1	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB116D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N72727.4 E50629.7	33.269233 °N 81.674751 °W	196.4-186.4 ft msl	202.9 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/28/92	Time: 12:00
Depth to water: 9.91 ft (3.02 m) below TOC	pH: 4.9
Water elevation: 192.99 ft (58.82 m) msl	Alkalinity: 2 mg/L
Sp. conductance: 31 µS/cm	Water temperature: 15.5°C
Water evacuated before sampling: 3 gal	
The well went dry during purging.	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.2	pH	0	GE
		Specific conductance	25	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	7.3	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	662	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	3,780	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	41	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	15	µg/L	0	GE
		Lead	4.9	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB116D collected on 01/28/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	519	µg/L	0	GE
		Manganese	22	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	9.3	µg/L	0	GE
		Nitrate as nitrogen	200	µg/L	0	GE
		Nitrate as nitrogen	190	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,290	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	4,570	µg/L	0	GE
		Sulfate	2,340	µg/L	0	GE
		Sulfate	2,620	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	23,000	µg/L	0	GE
		Total organic carbon	2,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	500	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	225	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	1.5E+01 ± 3.0E-01	pCi/mL	1	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB117D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N74070.4 E50486.8	33.271970 °N 81.677736 °W	209.7-189.7 ft msl	230.7 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/22/92
 Depth to water: 25.09 ft (7.65 m) below TOC
 Water elevation: 205.61 ft (62.67 m) msl
 Sp. conductance : 1002 μ S/cm
 Water evacuated before sampling: 42 gal

Time: 14:05
 pH: 3.5
 Alkalinity: 0 mg/L
 Water temperature: 19.0°C

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	3.8	pH	1	GE
		Specific conductance	700	μ S/cm	2	GE
		Aluminum	42,700	μ g/L	2	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	265	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	4.4	μ g/L	1	GE
		Calcium	3,120	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	2,880	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Cobalt	23	μ g/L	1	GE
		Copper	32	μ g/L	0	GE
		Cyanide	<5.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	<1.0	μ g/L	0	GE
		1,2-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethylene	<1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	1.7	μ g/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
•		Endrin	<0.0060	μ g/L	0	GE
		Ethylbenzene	<1.0	μ g/L	0	GE
		Fluoride	427	μ g/L	0	GE
		Fluoride	423	μ g/L	0	GE
		Iron	82	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB117D collected on 01/22/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	3.1	µg/L	0	GE
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	2,360	µg/L	0	GE
		Manganese	967	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	17	µg/L	0	GE
■		Nitrate as nitrogen	71,500	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	752	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	17,600	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	27,400	µg/L	0	GE
		Sulfate	3,660	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
•		Total dissolved solids	342,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	47	µg/L	0	GE
■		Gross alpha	1.1E+03 ± 2.0E+01	pCi/L	2	GE
■		Nonvolatile beta	1.4E+03 ± 1.8E+01	pCi/L	2	GE
■		Total alpha-emitting radium	6.4E+01 ± 2.1E+00	pCi/L	2	GE
■		Tritium	5.2E+03 ± 5.7E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB118D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74697.9 E51276.3	33.274646 °N 81.676877 °W	211.3-191.3 ft msl	243.3 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/28/92
 Depth to water: 30.99 ft (9.45 m) below TOC
 Water elevation: 212.31 ft (64.71 m) msl
 Sp. conductance: 39 μ S/cm
 Water evacuated before sampling: 55 gal

Time: 17:05
 pH: 5.0
 Alkalinity: 2 mg/L
 Water temperature: 18.0°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	5.4	pH	0	GE
		Specific conductance	30	μ S/cm	0	GE
		Aluminum	< 20	μ g/L	0	GE
		Antimony	< 2.0	μ g/L	0	GE
		Arsenic	< 2.0	μ g/L	0	GE
		Barium	22	μ g/L	0	GE
		Benzene	< 1.0	μ g/L	0	GE
		Bromodichloromethane	< 1.0	μ g/L	0	GE
		Bromoform	< 1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	μ g/L	0	GE
		Cadmium	< 2.0	μ g/L	0	GE
		Calcium	2,700	μ g/L	0	GE
		Carbon tetrachloride	< 1.0	μ g/L	0	GE
		Chloride	2,970	μ g/L	0	GE
		Chlorobenzene	< 1.0	μ g/L	0	GE
		Chloroethane	< 1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	μ g/L	0	GE
		Chloroform	< 1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	μ g/L	0	GE
		Chromium	< 4.0	μ g/L	0	GE
		Cobalt	< 4.0	μ g/L	0	GE
		Copper	< 4.0	μ g/L	0	GE
		Cyanide	< 5.0	μ g/L	0	GE
		Dibromochloromethane	< 1.0	μ g/L	0	GE
		1,1-Dichloroethane	< 1.0	μ g/L	0	GE
		1,2-Dichloroethane	< 1.0	μ g/L	0	GE
		1,1-Dichloroethylene	< 1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	< 1.0	μ g/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	< 0.30	μ g/L	0	GE
		1,2-Dichloropropane	< 1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	μ g/L	0	GE
•		Endrin	< 0.0060	μ g/L	0	GE
		Ethylbenzene	< 1.0	μ g/L	0	GE
		Fluoride	< 100	μ g/L	0	GE
		Fluoride	< 100	μ g/L	0	GE
		Iron	< 4.0	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB118D collected on 01/28/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	4.1	µg/L	0	GE
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	571	µg/L	0	GE
		Manganese	23	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	1,150	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	7,840	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,480	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	1.2	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	30,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	35	µg/L	1	GE
		Total phosphates (as P)	<50	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	12	µg/L	2	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	34	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	1.3E+01 ± 3.0E-01	pCi/mL	1	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB119D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N74599.7	33.273326 °N	213.1-193.1 ft msl	254.1 ft msl	4" PVC	Water Table (IIB ₂)
E50600.6	81.678465 °W				

FIELD MEASUREMENTS

Sample date: 01/29/92	Time: 14:05
Depth to water: 45.10 ft (13.75 m) below TOC	pH: 3.4
Water elevation: 209.00 ft (63.70 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 1649 µS/cm	Water temperature: 19.7°C
Water evacuated before sampling: 42 gal	

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	3.5	pH	1	GE
		Specific conductance	1,700	µS/cm	2	GE
		Aluminum	86,100	µg/L	2	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<20	µg/L	0	GE
		Barium	314	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	4.3	µg/L	1	GE
		Calcium	3,090	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	3,240	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	38	µg/L	1	GE
		Copper	58	µg/L	0	GE
•		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	2.1	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	0.32	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	486	µg/L	0	GE
		Iron	812	µg/L	2	GE
		Lead	13	µg/L	1	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB119D collected on 01/29/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	1,690	µg/L	0	GE
		Manganese	1,700	µg/L	2	GE
		Mercury	0.59	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	33	µg/L	0	GE
■		Nitrate as nitrogen	225,000	µg/L	2	GE
■		Nitrate as nitrogen	230,000	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,170	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	23,700	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	60,700	µg/L	0	GE
		Sulfate	8,060	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	696,000	µg/L	0	GE
		Total dissolved solids	672,000	µg/L	0	GE
		Total organic carbon	2,000	µg/L	0	GE
		Total organic halogens	11	µg/L	0	GE
		Total phosphates (as P)	240	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	100	µg/L	0	GE
■		Gross alpha	8.8E+02 ± 1.9E+01	pCi/L	2	GE
■		Nonvolatile beta	1.4E+03 ± 1.9E+01	pCi/L	2	GE
■		Total alpha-emitting radium	9.2E+01 ± 2.5E+00	pCi/L	2	GE
■		Tritium	2.2E+04 ± 1.2E+01	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB120A

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75538.9 E49175.7	33.273077 °N 81.684041 °W	109.0-99.0 ft msl	280.1 ft msl	4" PVC	U. Congaree (IIA)

FIELD MEASUREMENTS

Sample date: 01/28/92	Time: 16:00
Depth to water: 131.51 ft (40.08 m) below TOC	pH: 10.6
Water elevation: 148.59 ft (45.29 m) msl	Alkalinity: 90 mg/L
Sp. conductance: 241 μ S/cm	Water temperature: 19.2°C
Water evacuated before sampling: 228 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	11	pH	2	GE
		Specific conductance	160	μ S/cm	0	GE
		Aluminum	1,380	μ g/L	2	GE
		Antimony	2.2	μ g/L	0	GE
		Arsenic	2.4	μ g/L	0	GE
		Barium	32	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	32,000	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	2,250	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Cobalt	<4.0	μ g/L	0	GE
		Copper	5.3	μ g/L	0	GE
		Cyanide	<5.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	<1.0	μ g/L	0	GE
		1,2-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethylene	<1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	μ g/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
•		Endrin	<0.0060	μ g/L	0	GE
		Ethylbenzene	<1.0	μ g/L	0	GE
		Fluoride	173	μ g/L	0	GE
		Iron	<4.0	μ g/L	0	GE
		Lead	<3.0	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB120A collected on 01/28/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	199	µg/L	0	GE
		Manganese	<2.0	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
•		Nitrate as nitrogen	2,680	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	4,420	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	9,850	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	4,350	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	123,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	280	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	3.3	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	9.9E+00 ± 8.3E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■		Tritium	7.6E+01 ± 7.0E-01	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB120C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75549.8 E49171.1	33.273094 °N 81.684074 °W	160.7-150.7 ft msl	279.7 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/28/92
 Depth to water: 71.84 ft (21.90 m) below TOC
 Water elevation: 207.86 ft (63.36 m) msl
 Sp. conductance: 498 μ S/cm
 Water evacuated before sampling: 150 gal

Time: 15:25
 pH: 5.6
 Alkalinity: 6 mg/L
 Water temperature: 18.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.3	pH	0	GE
		Specific conductance	450	μ S/cm	1	GE
		Aluminum	222	μ g/L	2	GE
		Antimony	< 2.0	μ g/L	0	GE
		Arsenic	< 2.0	μ g/L	0	GE
		Barium	155	μ g/L	0	GE
		Benzene	< 1.0	μ g/L	0	GE
		Bromodichloromethane	< 1.0	μ g/L	0	GE
		Bromoform	< 1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	< 1.0	μ g/L	0	GE
		Cadmium	< 2.0	μ g/L	0	GE
		Calcium	31,400	μ g/L	0	GE
		Carbon tetrachloride	< 1.0	μ g/L	0	GE
		Chloride	3,320	μ g/L	0	GE
		Chloride	3,480	μ g/L	0	GE
		Chlorobenzene	< 1.0	μ g/L	0	GE
		Chloroethane	< 1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	< 1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	< 1.0	μ g/L	0	GE
		Chloroform	< 1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	< 1.0	μ g/L	0	GE
		Chromium	< 4.0	μ g/L	0	GE
		Cobalt	13	μ g/L	0	GE
		Copper	< 4.0	μ g/L	0	GE
•		Cyanide	< 5.0	μ g/L	0	GE
		Dibromochloromethane	< 1.0	μ g/L	0	GE
		1,1-Dichloroethane	< 1.0	μ g/L	0	GE
		1,2-Dichloroethane	< 1.0	μ g/L	0	GE
		1,1-Dichloroethylene	< 1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	< 1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	2.1	μ g/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	< 0.30	μ g/L	0	GE
		1,2-Dichloropropane	< 1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	< 1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	< 1.0	μ g/L	0	GE
•		Endrin	< 0.0060	μ g/L	0	GE
		Ethylbenzene	< 1.0	μ g/L	0	GE
		Fluoride	142	μ g/L	0	GE
		Fluoride	143	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB120C collected on 01/28/92, laboratory analyses (cont.)

H	D	Analyte	Result	Unit	Flag	Lab
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	14,000	µg/L	0	GE
		Manganese	352	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	12	µg/L	0	GE
■		Nitrate as nitrogen	53,500	µg/L	2	GE
■		Nitrate as nitrogen	53,500	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	2,310	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	9,310	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	40,300	µg/L	0	GE
		Sulfate	2,680	µg/L	0	GE
		Sulfate	2,760	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
•		Total dissolved solids	338,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
•		Total organic halogens	10	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	35	µg/L	0	GE
		Gross alpha	9.2E+00 ± 2.0E+00	pCi/L	1	GE
■		Nonvolatile beta	5.2E+01 ± 4.1E+00	pCi/L	2	GE
■		Total alpha-emitting radium	1.4E+01 ± 1.0E+00	pCi/L	2	GE
■		Tritium	2.2E+03 ± 3.7E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB120D

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75568.7 E49163.7	33.273124 °N 81.684130 °W	216.5-196.5 ft msl	280.5 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/28/92
 Depth to water: 68.86 ft (20.99 m) below TOC
 Water elevation: 211.64 ft (64.51 m) msl
 Sp. conductance: 117 µS/cm
 Water evacuated before sampling: 11 gal
 The well went dry during purging.

Time: 15:40
 pH: 6.7
 Alkalinity: 36 mg/L
 Water temperature: 17.6°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	7.2	pH	0	GE
		Specific conductance	85	µS/cm	0	GE
		Aluminum	<2.0	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	16	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	4,550	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	2,600	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB120D collected on 01/28/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	<3.0	µg/L	0	GE
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	367	µg/L	0	GE
		Manganese	12	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	8.6	µg/L	0	GE
		Nitrate as nitrogen	240	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	4,140	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,400	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	15,500	µg/L	0	GE
		Sulfate	8,820	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	69,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	67	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	1.3E+01 ± 2.5E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	1.3E+01 ± 3.0E-01	pCi/mL	1	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB121C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N75155.7 E48413.1	33.270985 °N 81.685304 °W	158.4-148.4 ft msl	256.5 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/28/92
Depth to water: 50.24 ft (15.31 m) below TOC
Water elevation: 206.26 ft (62.87 m) msl
Sp. conductance: 43 μ S/cm
Water evacuated before sampling: 190 gal

Time: 14:20
pH: 6.1
Alkalinity: 11 mg/L
Water temperature: 18.3°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.3	pH	0	GE
		Specific conductance	30	μ S/cm	0	GE
		Aluminum	<20	μ g/L	0	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	35	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	3,120	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	2,820	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Cobalt	<4.0	μ g/L	0	GE
		Copper	<4.0	μ g/L	0	GE
		Cyanide	<5.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	<1.0	μ g/L	0	GE
		1,2-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethylene	<1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	μ g/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
•		Endrin	<0.0060	μ g/L	0	GE
		Ethylbenzene	<1.0	μ g/L	0	GE
		Fluoride	486	μ g/L	0	GE
		Iron	<4.0	μ g/L	0	GE
		Lead	<3.0	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB121C collected on 01/28/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	366	µg/L	0	GE
		Manganese	13	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	560	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,190	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	9,860	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	2,990	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	24,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	33	µg/L	1	GE
		Total phosphates (as P)	50	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	5.0	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	2.2E+00 ± 4.9E-01	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
■		Tritium	7.2E+01 ± 7.0E-01	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB122C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N73881.8 E48195.0	33.267812 °N 81.683403 °W	170.0-160.0 ft msl	218.0 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/26/92
 Depth to water: 16.94 ft (5.16 m) below TOC
 Water elevation: 201.06 ft (61.28 m) msl
 Sp. conductance: 514 μ S/cm
 Water evacuated before sampling: 108 gal

Time: 14:50
 pH: 4.4
 Alkalinity: 0 mg/L
 Water temperature: 17.9°C

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	4.8	pH	0	GE
		Specific conductance	420	μ S/cm	1	GE
		Aluminum	602	μ g/L	2	GE
		Antimony	<2.0	μ g/L	0	GE
		Arsenic	<2.0	μ g/L	0	GE
		Barium	145	μ g/L	0	GE
		Benzene	<1.0	μ g/L	0	GE
		Bromodichloromethane	<1.0	μ g/L	0	GE
		Bromoform	<1.0	μ g/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	μ g/L	0	GE
		Cadmium	<2.0	μ g/L	0	GE
		Calcium	25,700	μ g/L	0	GE
		Carbon tetrachloride	<1.0	μ g/L	0	GE
		Chloride	4,480	μ g/L	0	GE
		Chlorobenzene	<1.0	μ g/L	0	GE
		Chloroethane	<1.0	μ g/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	μ g/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	μ g/L	0	GE
		Chloroform	<1.0	μ g/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	μ g/L	0	GE
		Chromium	<4.0	μ g/L	0	GE
		Cobalt	12	μ g/L	0	GE
		Copper	<4.0	μ g/L	0	GE
•		Cyanide	<5.0	μ g/L	0	GE
		Dibromochloromethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethane	<1.0	μ g/L	0	GE
		1,2-Dichloroethane	<1.0	μ g/L	0	GE
		1,1-Dichloroethylene	<1.0	μ g/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	μ g/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	μ g/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	μ g/L	0	GE
		1,2-Dichloropropane	<1.0	μ g/L	0	GE
		cis-1,3-Dichloropropene	<1.0	μ g/L	0	GE
		trans-1,3-Dichloropropene	<1.0	μ g/L	0	GE
•		Endrin	<0.0060	μ g/L	0	GE
		Ethylbenzene	<1.0	μ g/L	0	GE
		Fluoride	271	μ g/L	0	GE
		Iron	4.9	μ g/L	0	GE
		Lead	<3.0	μ g/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB122C collected on 01/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	13,700	µg/L	0	GE
		Manganese	200	µg/L	2	GE
		Mercury	<0.20	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	15	µg/L	0	GE
■		Nitrate as nitrogen	61,000	µg/L	2	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	1,490	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	9,950	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	46,400	µg/L	0	GE
		Sulfate	10,600	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
•		Total dissolved solids	339,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	90	µg/L	0	GE
		Gross alpha	6.8E+00 ± 1.9E+00	pCi/L	0	GE
■		Nonvolatile beta	9.9E+01 ± 5.0E+00	pCi/L	2	GE
■		Total alpha-emitting radium	6.3E+00 ± 7.0E-01	pCi/L	2	GE
■		Tritium	2.1E+03 ± 2.8E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB122D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N73865.5 E48201.7	33.267787 °N 81.683354 °W	206.6-186.6 ft msl	217.6 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/26/92	Time: 14:30
Depth to water: 12.58 ft (3.83 m) below TOC	pH: 5.1
Water elevation: 205.02 ft (62.49 m) msl	Alkalinity: 1 mg/L
Sp. conductance: 86 µS/cm	Water temperature: 18.5°C
Water evacuated before sampling: 72 gal	

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	5.1	pH	0	GE
		Specific conductance	70	µS/cm	0	GE
		Aluminum	44	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	27	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	3,990	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	3,000	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	1.0	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	14	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB122D collected on 01/26/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	2,300	µg/L	0	GE
		Manganese	19	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	7,000	µg/L	1	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,040	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	5,810	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	63,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
•		Total organic halogens	5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	15	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	1.5E+01 ± 9.6E-01	pCi/L	0	GE
		Total alpha-emitting radium	1.1E+00 ± 4.0E-01	pCi/L	0	GE
■		Tritium	4.5E+02 ± 1.7E+00	pCi/mL	2	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB123C

<u>SRS Coord.</u>	<u>Lat/Longitude</u>	<u>Screen Zone Elevation</u>	<u>Top of Casing</u>	<u>Casing</u>	<u>Formation</u>
N74566.7 E51750.5	33.275129 °N 81.675374 °W	165.3-155.3 ft msl	238.1 ft msl	4" PVC	Barnwell (IIB ₁)

FIELD MEASUREMENTS

Sample date: 01/28/92	Time: 16:40
Depth to water: 26.95 ft (8.21 m) below TOC	pH: 5.5
Water elevation: 211.15 ft (64.36 m) msl	Alkalinity: 10 mg/L
Sp. conductance: 76 µS/cm	Water temperature: 18.0°C
Water evacuated before sampling: 147 gal	

LABORATORY ANALYSES

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		pH	6.0	pH	0	GE
		Specific conductance	55	µS/cm	0	GE
		Aluminum	<20	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	23	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	8,080	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	3,780	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloroethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	<4.0	µg/L	0	GE
		Lead	<3.0	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB123C collected on 01/28/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	573	µg/L	0	GE
		Manganese	12	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
•		Nitrate as nitrogen	3,220	µg/L	0	GE
•		Nitrate as nitrogen	3,200	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	11,200	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	3,410	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	62,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	210	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	1.2	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	13	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	<1.0E+00	pCi/L	0	GE
		Tritium	2.2E+00 ± 2.0E-01	pCi/mL	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB123D

SRS Coord.	Lat/Longitude	Screen Zone Elevation	Top of Casing	Casing	Formation
N74562.7 E51734.8	33.275095 °N 81.675407 °W	214.1-194.1 ft msl	238.1 ft msl	4" PVC	Water Table (IIB ₂)

FIELD MEASUREMENTS

Sample date: 01/28/92	Time: 16:20
Depth to water: 25.52 ft (7.78 m) below TOC	pH: 4.5
Water elevation: 212.58 ft (64.80 m) msl	Alkalinity: 0 mg/L
Sp. conductance: 44 µS/cm	Water temperature: 17.9°C
Water evacuated before sampling: 48 gal	

LABORATORY ANALYSES

H	D	Analyte	Result	Unit	Flag	Lab
•		pH	5.0	pH	0	GE
		Specific conductance	30	µS/cm	0	GE
		Aluminum	47	µg/L	0	GE
		Antimony	<2.0	µg/L	0	GE
		Arsenic	<2.0	µg/L	0	GE
		Barium	10	µg/L	0	GE
		Benzene	<1.0	µg/L	0	GE
		Bromodichloromethane	<1.0	µg/L	0	GE
		Bromoform	<1.0	µg/L	0	GE
		Bromomethane (Methyl bromide)	<1.0	µg/L	0	GE
		Cadmium	<2.0	µg/L	0	GE
		Calcium	973	µg/L	0	GE
		Carbon tetrachloride	<1.0	µg/L	0	GE
		Chloride	4,240	µg/L	0	GE
		Chloride	4,160	µg/L	0	GE
		Chlorobenzene	<1.0	µg/L	0	GE
		Chloroethane	<1.0	µg/L	0	GE
		Chloroethene (Vinyl chloride)	<1.0	µg/L	0	GE
		2-Chloroethyl vinyl ether	<1.0	µg/L	0	GE
		Chloroform	<1.0	µg/L	0	GE
		Chloromethane (Methyl chloride)	<1.0	µg/L	0	GE
		Chromium	<4.0	µg/L	0	GE
		Cobalt	<4.0	µg/L	0	GE
		Copper	<4.0	µg/L	0	GE
		Cyanide	<5.0	µg/L	0	GE
		Dibromochloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethane	<1.0	µg/L	0	GE
		1,2-Dichloromethane	<1.0	µg/L	0	GE
		1,1-Dichloroethylene	<1.0	µg/L	0	GE
		trans-1,2-Dichloroethylene	<1.0	µg/L	0	GE
		Dichloromethane (Methylene chloride)	<1.0	µg/L	0	GE
•		2,4-Dichlorophenoxyacetic acid	<0.30	µg/L	0	GE
		1,2-Dichloropropane	<1.0	µg/L	0	GE
		cis-1,3-Dichloropropene	<1.0	µg/L	0	GE
		trans-1,3-Dichloropropene	<1.0	µg/L	0	GE
•		Endrin	<0.0060	µg/L	0	GE
		Ethylbenzene	<1.0	µg/L	0	GE
		Fluoride	<100	µg/L	0	GE
		Iron	5.3	µg/L	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

WELL FSB123D collected on 01/28/92, laboratory analyses (cont.)

<u>H</u>	<u>D</u>	<u>Analyte</u>	<u>Result</u>	<u>Unit</u>	<u>Flag</u>	<u>Lab</u>
		Lead	<3.0	µg/L	0	GE
•		Lindane	<0.0050	µg/L	0	GE
		Magnesium	682	µg/L	0	GE
		Manganese	12	µg/L	0	GE
		Mercury	<0.20	µg/L	0	GE
•		Methoxychlor	<0.50	µg/L	0	GE
		Nickel	<4.0	µg/L	0	GE
		Nitrate as nitrogen	2,060	µg/L	0	GE
		Nitrate as nitrogen	2,070	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Phenols	<5.0	µg/L	0	GE
		Potassium	<500	µg/L	0	GE
		Selenium	<2.0	µg/L	0	GE
		Silica	6,580	µg/L	0	GE
		Silver	<2.0	µg/L	0	GE
		Sodium	4,300	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		Sulfate	<1,000	µg/L	0	GE
		1,1,2,2-Tetrachloroethane	<1.0	µg/L	0	GE
		Tetrachloroethylene	<1.0	µg/L	0	GE
		Thallium	<2.0	µg/L	0	GE
		Toluene	<1.0	µg/L	0	GE
		Total dissolved solids	33,000	µg/L	0	GE
		Total organic carbon	<1,000	µg/L	0	GE
		Total organic halogens	<5.0	µg/L	0	GE
		Total phosphates (as P)	<50	µg/L	0	GE
•		Toxaphene	<0.24	µg/L	0	GE
•		2,4,5-TP (Silvex)	<0.090	µg/L	0	GE
		1,1,1-Trichloroethane	<1.0	µg/L	0	GE
		1,1,2-Trichloroethane	<1.0	µg/L	0	GE
		Trichloroethylene	<1.0	µg/L	0	GE
		Trichlorofluoromethane	<1.0	µg/L	0	GE
		Vanadium	<8.0	µg/L	0	GE
		Zinc	6.5	µg/L	0	GE
		Gross alpha	<2.0E+00	pCi/L	0	GE
		Nonvolatile beta	<2.0E+00	pCi/L	0	GE
		Total alpha-emitting radium	1.2E+00 ± 4.0E-01	pCi/L	0	GE
		Tritium	9.0E+00 ± 3.0E-01	pCi/mL	0	GE

• = exceeded holding time. ■ = exceeded primary drinking water standard.

Appendix E – Time Series Plots

CLUSTER - FSB 76

Nitrate

WATER TABLE (IIB2)

BARNWELL (IIB1)

L. CONGAREE (IIA)

U. CONGAREE (IIA)

PDWS 10,000 µg/L
empty space denotes no data or dry well

FSB 77

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 78

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 79

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 87

Nitrate

WATER TABLE (IIB2)
U. CONGAREE (IIA)

BARNWELL (IIB1)
L. CONGAREE (IIA)

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 88

Nitrate

—•— WATER TABLE (IIB2) —*— BARNWELL (IIB1)

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 89

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 90

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 91

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

FSB 92D

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 93

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 94

Nitrate

PDWS 10,000 µg/L
 empty space denotes no data or dry well;
 (R) denotes a replacement well

CLUSTER - FSB 95

Nitrate

PDWS 10,000 µg/L
 empty space denotes no data or dry well;
 (R) denotes a replacement well

CLUSTER - FSB 96

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well;
(R) denotes a replacement well

CLUSTER - FSB 97

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 98

Nitrate

PDWS 10,000 µg/L
 empty space denotes no data or dry well;
 (R) denotes a replacement well

CLUSTER - FSB 99

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

FSB 100A

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

FSB 101A

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

FSB 102C

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

FSB 103C

Nitrate

BARNWELL (IIB1)

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 104

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 105

Nitrate

PDWS 10,000 µg/L
 empty space denotes no data or dry well;
 (R) denotes a replacement well

CLUSTER - FSB 106

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 107

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

FSB 108D

Nitrate

WATER TABLE (IIB2)

PDWS 10,000 µg/L
empty space denotes no data or dry well

FSB 109D

Nitrate

WATER TABLE (IIB2)

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 110

Nitrate

—•— WATER TABLE (IIB2) —*— BARNWELL (IIB1)

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 111

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 112

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 113

Nitrate

PDWS 10,000 $\mu\text{g/L}$
empty space denotes no data or dry well

CLUSTER - FSB 114

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 115

Nitrate

—•— WATER TABLE (IIB2) —x— BARNWELL (IIB1)

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 116

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

FSB 117D

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

FSB 118D

Nitrate

—•— WATER TABLE (IIB2)

PDWS 10,000 µg/L
empty space denotes no data or dry well

FSB 119D

Nitrate

WATER TABLE (IIB2)

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 120

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

FSB 121C

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 122

Nitrate

PDWS 10,000 $\mu\text{g/L}$
empty space denotes no data or dry well

CLUSTER - FSB 123

Nitrate

PDWS 10,000 µg/L
empty space denotes no data or dry well

CLUSTER - FSB 76

Tritium

WATER TABLE (IIB2)
 L. CONGAREE (IIA)
 BARNWELL (IIB1)
 U. CONGAREE (IIA)

PDWS 20 pCi/mL
empty space denotes no data or dry well

FSB 77 Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 78

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 79

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 87

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 88

Tritium

—•— WATER TABLE (IIB2) —x— BARNWELL (IIB1)

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 89

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 90

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 91

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

FSB 92D Tritium

WATER TABLE (IIB2)

PDWS 20 μ Ci/mL
empty space denotes no data or dry well

CLUSTER - FSB 93

Tritium

—•— WATER TABLE (IIB2) -x- BARNWELL (IIB1)

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 94

Tritium

PDWS 20 pCi/mL
 empty space denotes no data or dry well;
 (R) denotes a replacement well

CLUSTER - FSB 95

Tritium

PDWS 20 pCi/mL
 empty space denotes no data or dry well;
 (R) denotes a replacement well

CLUSTER - FSB 96

Tritium

U. CONGAREE (IIA) U. CONGAREE (IIA)(R)

PDWS 20 pCi/mL
empty space denotes no data or dry well;
(R) denotes a replacement well

CLUSTER - FSB 97

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 98

Tritium

PDWS 20 pCi/mL
 empty space denotes no data or dry well;
 (R) denotes a replacement well

CLUSTER - FSB 99

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

FSB 100A

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

FSB 102C

Tritium

—x— BARNWELL (IIB1)

PDWS 20 pCi/mL
empty space denotes no data or dry well

FSB 103C

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 104

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 105

Tritium

PDWS 20 pCi/mL
 empty space denotes no data or dry well;
 (R) denotes a replacement well

CLUSTER - FSB 106

Tritium

—•— WATER TABLE (IIB2) —x— BARNWELL (IIB1)

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 107

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

FSB 108

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

FSB 109D Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 110

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 111

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 112

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 113

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 114

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 115

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 116

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

FSB 117D Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

FSB 118D Tritium

—•— WATER TABLE (IIB2)

PDWS 20 pCi/mL
empty space denotes no data or dry well

FSB 119D Tritium

WATER TABLE (IIB2)

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 120

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

FSB 121C

Tritium

—x— BARNWELL (IIB1)

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 122

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER - FSB 123

Tritium

PDWS 20 pCi/mL
empty space denotes no data or dry well

CLUSTER FSB 76 pH

CLUSTER FSB 88 pH

Note: Breaks in lines indicate no data available.

CLUSTER FSB 96 pH

Note: Breaks in lines indicate no data available.

CLUSTER FSB 99 pH

Note: Breaks in lines indicate no data available.

FSB102C (BARNWELL, IIB1)
pH

Note: Breaks in lines indicate no data available.

FSB103C (BARNWELL, IIB1)
pH

Note: Breaks in lines indicate no data available.

CLUSTER FSB107 pH

Note: Breaks in lines indicate no data available.

Appendix F – Hydrographs

CLUSTER - FSB 76

Water Elevations

empty space denotes no data or dry well

FSB 77

Water Elevations

empty space denotes no data or dry well

CLUSTER - FSB 78

Water Elevations

• WATER TABLE (IIB2)
 △ U. CONGAREE (IIA)
 × BARNWELL (IIB1)
 □ L. CONGAREE (IIA)

empty space denotes no data or dry well

CLUSTER - FSB 79

Water Elevations

—•— WATER TABLE (IIB2)
 —△— U. CONGAREE (IIA)
 —×— L. CONGAREE (IIA)

empty space denotes no data or dry well

CLUSTER - FSB 87

Water Elevations

- - - WATER TABLE (IIB2)
 - - - U. CONGAREE (IIA)
 - - - BARNWELL (IIB1)
 - - - L. CONGAREE (IIA)

empty space denotes no data or dry well

CLUSTER - FSB 88

Water Elevations

empty space denotes no data or dry well

CLUSTER - FSB 89

Water Elevations

empty space denotes no data or dry well

CLUSTER - FSB 90

Water Elevations

—•— WATER TABLE (IIB2) —x— BARNWELL (IIB1)

empty space denotes no data or dry well

CLUSTER - FSB 91

Water Elevations

—•— WATER TABLE (IIB2) - - - BARNWELL (IIB1)

empty space denotes no data or dry well

FSB 92D

Water Elevations

WATER TABLE (IIB2)

empty space denotes no data or dry well

CLUSTER - FSB 93

Water Elevations

empty space denotes no data or dry well

CLUSTER - FSB 94

Water Elevations

empty space denotes no data or dry well;
(R) denotes a replacement well

CLUSTER - FSB 95

Water Elevations

empty space denotes no data or dry well;
(R) denotes a replacement well

CLUSTER - FSB 96

Water Elevations

△ U. CONGAREE (IIA) ▬ U. CONGAREE (IIA)(R)

empty space denotes no data or dry well;
(R) denotes a replacement well

CLUSTER - FSB 97

Water Elevations

--- WATER TABLE (IIB2) --x-- BARNWELL (IIB1) --△-- U. CONGAREE (IIB1)

empty space denotes no data or dry well

CLUSTER - FSB 98

Water Elevations

empty space denotes no data or dry well;
(R) denotes a replacement well

CLUSTER - FSB 99

Water Elevations

empty space denotes no data or dry well

FSB 100A

Water Elevations

△ U. CONGAREE (IIA)

empty space denotes no data or dry well

FSB 101A

Water Elevations

U. CONGAREE (IIA)

empty space denotes no data or dry well

FSB 102C

Water Elevations

x BARNWELL (IIB1)

empty space denotes no data or dry well

FSB 103C

Water Elevations

—x— BARNWELL (IIB1)

empty space denotes no data or dry well

CLUSTER - FSB 104

Water Elevations

—•— WATER TABLE (IIB2) —x— BARNWELL (IIB1)

empty space denotes no data or dry well

CLUSTER - FSB 105

Water Elevations

empty space denotes no data or dry well;
(R) denotes a replacement well

CLUSTER - FSB 106

Water Elevations

empty space denotes no data or dry well

CLUSTER - FSB 107

Water Elevations

empty space denotes no data or dry well

FSB 108D

Water Elevations

empty space denotes no data or dry well

FSB 109D

Water Elevations

--- WATER TABLE (IIB2)

empty space denotes no data or dry well

CLUSTER - FSB 110

Water Elevations

CLUSTER - FSB 111

Water Elevations

--- WATER TABLE (IIB2) - - - BARNWELL (IIB1)

empty space denotes no data or dry well

CLUSTER - FSB 112

Water Elevations

empty space denotes no data or dry well

CLUSTER - FSB 113

Water Elevations

CLUSTER - FSB 114

Water Elevations

empty space denotes no data or dry well

CLUSTER - FSB 115

Water Elevations

• WATER TAELE (IIB2) • BARNWELL (IIB1)

empty space denotes no data or dry well

CLUSTER - FSB 116

Water Elevations

—•— WATER TABLE (IIB2) —x— BARNWELL (IIB1)

empty space denotes no data or dry well

FSB 117D Water Elevations

—•— WATER TABLE (IIB2)

empty space denotes no data or dry well

FSB 118D

Water Elevations

--- WATER TABLE (IIB2)

empty space denotes no data or dry well

FSB 119D

Water Elevations

— WATER TABLE (IIB2)

empty space denotes no data or dry well

CLUSTER - FSB 120

Water Elevations

empty space denotes no data or dry well

FSB 121C

Water Elevations

BARNWELL (IIB1)

empty space denotes no data or dry well

CLUSTER - FSB 122

Water Elevations

—•— WATER TABLE (IIB2) —x— BARNWELL (IIB1)

empty space denotes no data or dry well

CLUSTER - FSB 123

Water Elevations

empty space denotes no data or dry well

END

**DATE
FILMED**

3 / 24 / 93